ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE TB10186713

Project: HAMMOND REEF

P.O. No.:

This report is for 110 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 10-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831579		2.73	0.114		0.08	6.80	0.6	230	0.87	0.02	2.10	0.05	15.90	5.9	8	0.72
J831580		3.03	0.005		0.05	6.78	0.6	260	0.94	0.01	2.91	0.07	18.15	11.2	42	0.74
J831581		3.08	0.026		0.05	6.64	0.6	310	0.87	0.01	2.53	0.06	22.9	10.1	33	0.78
J831582		3.19	0.028		0.02	6.18	0.7	290	0.76	0.01	1.99	0.05	30.7	6.4	19	0.75
J831583		3.05	0.229		0.06	6.80	0.6	340	0.85	0.01	2.21	0.05	34.8	6.4	11	0.94
J831584		2.57	0.121		0.04	6.90	0.9	400	0.96	0.02	2.70	0.06	41.0	7.7	16	0.96
J831585		3.03	0.317		0.29	6.70	0.6	320	0.89	0.02	2.03	0.04	43.1	4.9	7	0.92
J831586		3.08	0.732		0.31	6.89	<0.2	440	1.04	0.06	1.97	0.05	43.2	5.7	10	1.14
J831587		3.51	0.289		0.29	6.87	<0.2	400	0.98	0.04	2.05	0.04	40.2	5.1	6	1.03
J831588		3.45	0.066		0.10	6.71	<0.2	310	0.88	0.02	2.38	0.04	28.3	6.6	11	0.86
J831589		3.45	0.017		0.04	6.50	<0.2	310	0.74	0.01	3.22	0.06	26.7	8.8	30	0.82
J831590		0.07	0.452		2.36	7.11	103.0	560	1.23	0.52	0.52	0.93	32.3	17.6	33	6.55
J831591		3.55	<0.005		0.02	6.64	0.2	310	0.73	0.01	2.66	0.03	29.1	6.0	8	0.73
J831592		3.34	0.021		0.03	6.83	0.7	310	0.79	0.01	3.14	0.05	31.1	12.6	39	0.73
J831593		3.18	0.012		0.02	6.46	0.8	270	0.80	0.01	2.54	0.03	18.25	10.2	40	0.57
J831594		2.58	<0.005		<0.01	6.90	0.2	300	0.94	0.03	2.16	0.04	37.6	6.4	8	0.70
J831595		3.04	<0.005		0.01	6.88	<0.2	250	1.00	0.02	2.38	0.04	34.3	10.1	20	0.59
J831596		3.16	<0.005		<0.01	7.15	0.8	220	0.86	0.03	3.78	0.05	15.35	19.6	63	0.46
J831597		3.23	<0.005		<0.01	6.62	<0.2	260	1.01	0.01	2.05	0.03	25.3	7.8	15	0.61
J831598		3.08	<0.005		<0.01	6.57	<0.2	210	0.93	0.05	2.59	0.03	30.0	14.5	48	0.47
J831598 CRD		<0.02	<0.005		<0.01	6.64	0.5	210	0.88	0.05	2.63	0.03	30.1	14.7	47	0.48
J831599		3.49	<0.005	<0.005	0.02	6.94	0.7	150	0.78	0.03	3.64	0.04	30.3	18.2	62	0.41
J831600		0.07	0.988		4.28	5.84	20.5	410	0.74	1.72	2.22	2.17	21.7	14.6	56	0.70
J831601		3.38	0.005		<0.01	6.96	0.3	270	0.93	0.04	2.54	0.03	34.8	11.8	28	0.69
J831602		3.19	<0.005		<0.01	6.35	0.6	270	1.03	0.02	1.77	0.04	70.7	3.8	9	0.65
J831603		3.21	0.040		<0.01	6.87	0.7	330	1.08	0.02	2.22	0.03	40.0	8.0	7	0.76
J831604		3.55	0.006		<0.01	7.15	0.3	380	1.07	0.01	2.41	0.02	32.5	8.4	7	0.76
J831605		3.15	<0.005		<0.01	6.74	0.2	380	1.00	0.02	2.39	0.04	59.6	6.9	7	0.73
J831606		3.56	<0.005		<0.01	7.33	<0.2	340	0.91	0.02	2.92	0.04	66.6	11.8	9	0.72
J831607		3.64	0.164		0.13	6.47	<0.2	410	0.99	0.02	1.87	0.02	40.2	5.3	8	0.71
J831608		3.48	0.062		0.01	7.11	<0.2	500	1.05	0.02	2.22	0.04	27.7	7.9	5	0.86
J831609		3.65	0.012		<0.01	6.73	0.6	500	1.06	0.02	2.15	0.04	43.5	6.5	10	0.79
J831610		3.42	0.016		<0.01	6.83	<0.2	640	1.07	0.01	1.83	0.02	57.4	4.7	7	0.85
J831611		3.19	0.040		<0.01	7.36	<0.2	400	1.07	0.03	2.18	0.02	38.8	8.5	16	0.94
J831612		3.51	0.008		<0.01	7.18	1.2	340	1.07	0.02	2.14	0.04	42.9	9.9	8	0.86
J831613		3.55	0.227		<0.01	7.35	0.6	350	1.07	0.03	2.96	0.05	38.0	10.3	5	0.92
J831614		3.64	0.298		0.06	7.42	0.6	400	1.12	0.04	2.48	0.04	27.9	9.3	7	1.17
J831615		0.07	2.40		8.22	6.49	54.6	590	0.92	3.38	1.54	1.00	60.0	18.1	55	3.14
J831616		3.64	0.797		0.11	6.56	0.3	470	1.02	0.06	1.60	0.05	34.4	5.7	6	1.01
J831617		3.47	0.045		<0.01	6.53	<0.2	530	1.10	0.03	1.63	0.06	26.7	4.4	6	0.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831579		20.0	2.21	20.6	0.16	2.5	0.024	1.46	6.8	4.6	0.39	363	0.16	2.79	7.3	6.1
J831580		32.9	2.83	20.4	0.17	1.1	0.027	1.50	7.3	7.9	0.91	582	0.18	2.68	6.0	34.4
J831581		26.2	2.73	19.05	0.16	1.7	0.024	1.52	10.4	7.2	0.75	447	0.15	2.26	6.5	25.5
J831582		7.2	2.16	17.15	0.16	2.1	0.018	1.47	14.5	5.0	0.48	343	0.16	2.21	4.2	15.0
J831583		17.5	2.42	19.70	0.17	2.7	0.017	1.77	16.1	5.5	0.46	337	0.13	2.30	5.1	7.8
J831584		19.2	2.68	20.6	0.17	3.3	0.021	2.04	18.4	6.4	0.53	378	1.09	1.77	5.8	11.6
J831585		12.7	2.18	19.10	0.17	3.2	0.014	1.67	20.0	4.3	0.34	298	0.14	2.47	5.0	3.3
J831586		8.2	2.14	21.3	0.10	4.0	0.016	2.12	20.8	6.2	0.32	272	0.34	1.99	4.9	5.1
J831587		22.7	2.00	20.0	0.12	3.1	0.016	1.88	18.8	6.8	0.31	268	0.32	2.18	5.1	3.8
J831588		18.9	2.35	19.25	0.10	2.6	0.020	1.42	12.7	11.9	0.52	332	0.19	2.67	5.2	9.4
J831589		7.3	2.71	19.50	0.11	2.7	0.025	1.39	11.3	18.1	0.72	410	0.26	2.42	6.2	23.6
J831590		4280	4.53	17.85	0.18	0.8	0.055	4.52	16.4	7.3	0.71	477	238	0.93	5.2	22.3
J831591		27.9	2.32	18.95	0.16	3.0	0.018	1.36	12.8	6.7	0.40	356	0.22	2.53	6.1	4.9
J831592		20.6	3.51	20.6	0.17	2.3	0.031	1.29	12.9	15.2	0.98	578	0.21	2.35	7.1	31.6
J831593		10.3	2.61	17.55	0.15	0.9	0.027	1.05	7.4	12.6	0.86	456	0.14	2.48	5.3	31.7
J831594		24.4	2.09	20.7	0.13	3.7	0.021	1.26	19.0	11.7	0.40	353	0.14	2.99	5.7	6.6
J831595		23.7	2.59	20.8	0.16	3.2	0.028	1.06	17.4	16.9	0.60	413	0.13	2.78	7.0	12.9
J831596		27.1	4.17	21.9	0.14	2.5	0.041	0.86	6.7	32.2	1.36	704	0.18	2.60	9.2	39.3
J831597		11.8	2.00	20.4	0.15	2.5	0.016	1.14	12.6	15.0	0.50	338	0.11	2.91	7.1	13.7
J831598		40.4	3.35	21.9	0.16	1.6	0.032	0.91	13.5	27.7	1.05	476	0.12	2.61	10.3	47.1
J831598 CRD		34.0	3.26	21.7	0.17	2.0	0.027	0.91	13.7	26.2	1.04	468	0.13	2.56	10.4	45.5
J831599		16.0	3.87	19.15	0.20	0.9	0.032	0.81	12.4	33.2	1.47	594	0.13	2.40	4.7	57.9
J831600		>10000	4.37	12.75	0.16	1.0	0.125	0.78	10.9	14.5	1.07	633	232	2.00	3.6	32.1
J831601		34.1	3.19	20.7	0.17	3.0	0.029	1.24	15.9	22.9	0.81	443	0.53	2.53	6.0	22.1
J831602		15.2	1.55	18.85	0.21	4.3	0.013	1.13	37.5	7.6	0.23	235	0.16	2.85	4.7	3.1
J831603		4.7	2.46	21.2	0.17	4.0	0.034	1.44	19.3	13.6	0.42	360	0.16	2.64	9.3	5.0
J831604		21.6	2.57	21.7	0.19	3.5	0.026	1.47	14.1	13.6	0.43	395	0.13	2.75	9.7	4.5
J831605		13.2	2.54	21.1	0.23	2.9	0.028	1.46	27.7	11.8	0.38	372	0.26	2.58	7.2	4.6
J831606		9.8	3.60	23.0	0.27	3.8	0.042	1.31	29.7	17.5	0.62	469	0.14	2.66	8.7	6.8
J831607		2.3	1.76	19.55	0.21	3.5	0.015	1.45	19.6	6.8	0.25	267	0.14	2.74	5.5	2.4
J831608		19.7	2.31	20.5	0.21	3.4	0.018	1.73	13.7	11.7	0.45	352	0.17	2.46	6.1	5.7
J831609		7.7	1.98	20.1	0.19	3.9	0.018	1.68	21.6	10.4	0.37	335	0.13	2.59	7.8	6.7
J831610		6.3	1.74	20.2	0.22	3.7	0.014	1.60	29.7	7.7	0.30	278	0.27	2.65	5.5	4.1
J831611		14.8	2.56	22.5	0.24	3.8	0.025	1.68	19.5	14.1	0.51	387	0.31	2.66	6.9	9.4
J831612		31.9	2.60	21.6	0.22	3.0	0.026	1.69	21.3	14.3	0.57	399	0.11	2.70	6.8	10.2
J831613		25.5	2.65	21.1	0.22	3.4	0.031	1.79	18.0	13.5	0.56	479	0.35	2.72	7.6	8.1
J831614		33.8	2.90	23.2	0.19	3.1	0.033	2.12	12.8	12.1	0.52	434	0.61	2.31	9.8	5.5
J831615		>10000	5.49	14.95	0.25	1.1	0.111	2.60	29.1	16.9	1.11	633	113.0	1.58	6.6	37.0
J831616		35.3	1.87	19.80	0.16	2.9	0.015	2.31	16.9	5.8	0.29	264	1.64	1.74	4.6	3.1
J831617		19.8	1.64	18.60	0.18	2.6	0.015	2.05	12.9	5.2	0.25	263	0.27	2.21	4.6	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831579		280	7.8	38.7	<0.002	0.06	0.15	5.8	1	0.9	175.0	1.00	<0.05	5.4	0.133	0.22
J831580		460	7.0	31.0	<0.002	0.01	0.18	7.7	1	1.0	238	0.66	<0.05	3.1	0.186	0.25
J831581		510	5.5	38.1	<0.002	0.02	0.16	6.5	1	1.1	197.0	0.48	<0.05	2.5	0.186	0.25
J831582		370	5.0	38.9	<0.002	0.02	0.11	4.9	1	0.8	187.0	0.25	<0.05	4.4	0.130	0.22
J831583		500	4.9	47.6	<0.002	0.03	0.13	4.8	1	0.8	187.5	0.25	<0.05	3.1	0.181	0.27
J831584		540	5.6	51.7	<0.002	0.06	0.15	5.1	1	1.0	185.5	0.39	<0.05	5.5	0.188	0.30
J831585		420	4.6	47.1	<0.002	0.09	0.12	3.0	1	0.8	184.5	0.28	<0.05	5.9	0.155	0.24
J831586		450	5.8	62.2	<0.002	0.19	0.18	3.1	1	0.9	142.0	0.31	0.10	7.1	0.143	0.30
J831587		440	5.5	55.4	<0.002	0.08	0.16	3.5	1	0.9	151.5	0.31	0.06	7.1	0.153	0.27
J831588		450	5.4	41.4	<0.002	0.03	0.15	5.0	1	1.0	188.5	0.30	<0.05	4.3	0.159	0.21
J831589		550	4.8	36.2	<0.002	<0.01	0.24	6.6	1	1.2	192.5	0.45	<0.05	3.5	0.194	0.21
J831590		1060	41.0	115.0	0.545	2.33	6.44	11.6	8	2.5	246	0.31	0.89	2.6	0.243	1.43
J831591		530	4.6	32.5	<0.002	0.01	0.13	4.2	1	0.9	188.0	0.37	<0.05	4.0	0.176	0.24
J831592		750	5.1	30.2	<0.002	0.01	0.17	9.2	1	1.3	182.5	0.47	<0.05	3.4	0.233	0.22
J831593		470	3.7	26.1	<0.002	<0.01	0.11	7.8	1	1.1	174.0	0.64	<0.05	0.9	0.151	0.18
J831594		440	5.8	48.0	<0.002	<0.01	0.17	4.3	1	0.9	187.5	0.30	<0.05	5.6	0.163	0.24
J831595		450	6.1	39.3	<0.002	0.01	0.12	6.8	1	1.4	223	0.75	<0.05	4.8	0.186	0.20
J831596		570	8.1	26.8	<0.002	0.01	0.18	16.7	2	1.8	246	0.83	<0.05	1.9	0.281	0.16
J831597		340	7.3	41.2	<0.002	<0.01	0.12	4.7	1	1.0	205	0.58	<0.05	3.8	0.160	0.21
J831598		590	6.4	25.6	<0.002	<0.01	0.16	9.1	1	1.6	227	0.88	<0.05	5.4	0.207	0.16
J831598 CRD		570	5.8	27.9	<0.002	<0.01	0.16	8.8	2	1.6	225	0.91	<0.05	5.3	0.206	0.16
J831599		790	6.1	24.7	<0.002	<0.01	0.15	12.3	1	0.9	251	0.38	<0.05	1.8	0.259	0.14
J831600		530	39.2	23.5	1.320	1.48	22.4	13.7	6	0.9	265	0.27	0.58	2.0	0.301	0.21
J831601		710	4.6	40.0	<0.002	0.01	0.17	8.4	1	1.3	187.0	0.38	<0.05	3.0	0.228	0.22
J831602		250	7.2	42.7	<0.002	<0.01	0.11	2.5	1	0.7	198.5	0.38	<0.05	13.0	0.108	0.21
J831603		600	5.7	49.7	<0.002	0.02	0.12	5.1	2	1.4	182.0	0.81	<0.05	5.1	0.216	0.25
J831604		670	5.0	51.6	<0.002	0.02	0.13	6.0	2	1.2	175.0	0.85	<0.05	4.8	0.223	0.27
J831605		540	4.3	49.7	<0.002	0.01	0.13	5.0	1	1.3	164.0	0.48	<0.05	6.3	0.196	0.25
J831606		860	4.9	48.2	<0.002	0.01	0.16	8.4	2	1.2	197.5	0.48	<0.05	4.7	0.255	0.24
J831607		280	4.9	50.8	<0.002	0.04	0.10	3.2	1	0.8	156.5	0.36	<0.05	5.5	0.125	0.23
J831608		290	4.7	59.0	<0.002	0.03	0.14	5.5	1	0.9	148.0	0.42	<0.05	4.0	0.179	0.27
J831609		360	4.2	53.9	<0.002	0.02	0.11	4.4	1	1.0	145.5	0.61	<0.05	6.5	0.155	0.26
J831610		310	3.4	59.5	<0.002	0.01	0.11	3.4	1	0.9	133.5	0.31	<0.05	9.4	0.118	0.28
J831611		510	3.3	58.3	<0.002	0.03	0.18	6.2	2	1.2	149.5	0.51	<0.05	5.5	0.201	0.27
J831612		390	4.1	57.7	<0.002	0.02	0.20	7.0	2	1.2	142.0	0.44	<0.05	5.4	0.218	0.28
J831613		550	4.6	60.3	<0.002	0.08	0.19	7.9	2	1.4	152.0	0.82	<0.05	4.4	0.225	0.29
J831614		830	4.6	71.5	<0.002	0.12	0.15	6.5	2	1.5	149.5	0.91	0.08	3.2	0.263	0.36
J831615		860	64.7	78.0	0.126	2.27	6.74	15.8	7	2.5	252	0.27	1.10	4.7	0.299	0.83
J831616		390	3.5	65.3	<0.002	0.12	0.12	3.0	1	0.8	87.4	0.29	0.09	4.9	0.141	0.34
J831617		350	4.6	65.1	<0.002	0.05	0.10	3.0	1	0.8	97.2	0.32	<0.05	3.6	0.128	0.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J831579		2.3	30	1.5	9.0	45	62.4									
J831580		3.8	45	1.2	4.1	68	26.5									
J831581		0.7	39	1.8	4.6	62	57.3									
J831582		0.7	29	1.6	4.3	48	70.4									
J831583		0.4	31	3.0	3.9	54	101.0									
J831584		0.6	35	2.1	5.1	63	113.5									
J831585		0.6	23	2.2	5.0	43	111.5									
J831586		0.8	26	9.9	5.2	39	126.5									
J831587		0.6	22	7.3	4.8	35	105.5									
J831588		0.5	33	3.5	4.7	48	83.4									
J831589		0.6	43	3.2	5.8	54	86.9									
J831590		1.2	150	12.3	14.2	147	23.4									
J831591		0.8	28	1.0	5.7	37	102.5									
J831592		0.9	54	1.8	7.3	79	78.5									
J831593		0.5	44	1.2	5.0	65	24.0									
J831594		0.8	25	1.3	6.9	46	137.5									
J831595		0.9	39	0.8	8.6	59	122.5									
J831596		0.9	89	0.5	14.4	106	91.7									
J831597		2.4	30	0.7	5.2	39	82.9									
J831598		3.9	54	0.7	11.9	71	34.6									
J831598 CRD		3.4	53	0.7	11.9	69	44.5									
J831599		0.7	75	0.6	14.0	88	26.3		0.83	3.0	59.64	14.83	5.63	5.36	2.65	3.38
J831600		1.1	97	4.7	14.2	134	25.7	1.320								
J831601		0.8	47	1.8	10.5	71	108.5									
J831602		1.5	15	1.2	7.7	27	136.0									
J831603		1.3	32	2.4	13.0	54	144.5									
J831604		1.3	35	2.4	12.5	57	119.5									
J831605		0.6	29	2.1	10.3	48	104.5									
J831606		0.6	47	1.0	15.7	67	143.0									
J831607		1.2	15	1.6	6.7	26	113.5									
J831608		1.7	31	2.8	5.9	45	102.5									
J831609		1.1	24	2.8	7.0	41	138.0									
J831610		0.8	17	1.4	6.7	30	139.0									
J831611		1.0	35	1.0	9.5	53	147.0									
J831612		1.0	46	1.9	7.9	59	109.5									
J831613		1.1	47	1.6	9.9	57	126.0									
J831614		1.0	42	2.2	10.5	62	129.5									
J831615		1.3	148	10.2	14.9	166	34.4	2.23								
J831616		0.7	26	2.1	5.6	38	102.5									
J831617		0.7	19	2.1	5.0	35	81.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831579										
J831580										
J831581										
J831582										
J831583										
J831584										
J831585										
J831586										
J831587										
J831588										
J831589										
J831590										
J831591										
J831592										
J831593										
J831594										
J831595										
J831596										
J831597										
J831598										
J831598 CRD										
J831599		0.99	0.01	0.47	0.08	0.165	0.04	0.01	5.10	98.36
J831600										
J831601										
J831602										
J831603										
J831604										
J831605										
J831606										
J831607										
J831608										
J831609										
J831610										
J831611										
J831612										
J831613										
J831614										
J831615										
J831616										
J831617										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831618		3.50	0.045		<0.01	6.92	0.7	470	1.36	0.02	1.78	0.05	58.2	4.3	9	0.85
J831618 CRD		<0.02	0.042		<0.01	6.96	0.5	470	1.34	0.02	1.79	0.05	54.0	4.3	9	0.82
J831619		3.54	0.099	0.079	0.08	6.23	0.7	380	1.07	0.04	1.73	0.05	45.5	5.5	16	0.81
J831620		3.45	0.043		<0.01	6.40	<0.2	280	1.03	0.02	1.72	0.05	35.2	5.2	7	0.50
J831621		3.46	0.210		0.03	7.00	0.7	510	1.27	0.04	2.04	0.04	40.9	6.7	9	1.01
J831622		3.63	0.014		<0.01	7.48	0.7	270	0.86	0.04	3.38	0.07	46.8	18.8	27	0.58
J831623		3.43	0.026		0.02	7.57	0.8	390	0.97	0.02	3.23	0.06	60.4	15.0	18	0.92
J831624		3.44	0.190		0.02	6.87	<0.2	430	1.01	0.03	2.46	0.06	58.9	8.8	12	1.15
J831625		3.56	0.596		0.26	6.55	<0.2	390	1.00	0.04	3.70	0.06	64.9	11.4	124	1.05
J831626		3.86	0.233		0.01	6.66	0.6	480	0.96	0.02	2.22	0.03	65.3	7.2	12	1.01
J831627		2.64	0.076		<0.01	6.81	0.4	500	0.97	0.01	1.77	0.04	65.6	6.4	11	0.75
J831628		3.39	0.166		0.11	6.30	0.5	440	0.97	0.02	1.78	0.03	38.6	3.8	6	0.87
J831629		3.59	0.188		0.07	6.36	<0.2	370	0.86	0.03	2.12	0.02	23.7	3.7	6	0.78
J831630		0.07	0.432		2.34	7.50	112.5	590	1.30	0.53	0.56	0.93	31.2	18.1	29	7.05
J831631		3.39	0.425		0.17	6.41	0.6	550	0.94	0.02	1.47	0.03	48.5	4.2	6	0.87
J831632		3.30	<0.005		0.02	6.78	3.5	300	0.90	0.01	2.16	0.07	57.2	5.7	10	0.40
J831633		3.58	<0.005		0.01	6.84	1.2	320	0.83	0.01	2.13	0.11	53.9	6.1	13	0.54
J831634		3.47	0.119		0.12	7.10	1.0	420	0.97	0.03	2.05	0.05	64.4	6.3	11	0.78
J831635		3.57	0.034		0.02	6.68	0.5	550	0.83	0.02	1.87	0.06	46.0	5.3	10	0.77
J831636		3.33	<0.005		0.05	7.94	0.6	300	0.84	0.02	3.18	0.06	30.7	12.3	15	0.50
J831637		3.35	0.703		0.36	7.15	0.3	500	0.95	0.13	3.08	0.08	27.5	10.3	10	0.92
J831638		3.66	0.127		0.08	6.72	0.5	440	0.87	0.04	2.19	0.04	33.8	6.3	7	0.90
J831638 CRD		<0.02	0.087		0.06	7.08	0.2	450	0.92	0.04	2.24	0.04	41.3	6.5	7	0.97
J831639		3.57	0.099	0.099	0.04	6.93	0.5	490	0.95	0.01	1.93	0.04	52.6	6.0	10	0.93
J831640		3.64	0.019		0.15	7.93	0.2	260	0.82	0.06	4.14	0.06	49.1	17.2	10	0.51
J831641		3.76	0.035		0.05	7.27	0.6	410	0.90	0.02	2.15	0.04	45.5	9.1	10	0.83
J831642		3.43	0.006		0.04	7.53	<0.2	410	0.87	0.02	2.80	0.06	34.1	8.6	8	0.96
J831643		3.47	0.392		0.34	7.24	0.4	490	1.01	0.05	2.05	0.07	75.3	7.8	12	0.96
J831644		3.75	0.008		<0.01	7.32	<0.2	560	0.89	0.01	2.02	0.05	58.2	6.5	10	0.95
J831645		1.06	<0.005		<0.01	0.12	<5	10	<0.05	0.01	20.8	<0.02	2.62	0.9	1	0.11
J831646		3.62	0.076		0.05	6.28	0.3	390	0.82	0.02	3.12	0.08	40.0	8.3	14	0.80
J831647		4.01	0.031		0.16	7.36	<0.2	480	1.04	0.03	2.33	0.06	50.8	7.2	10	1.01
J831648		3.20	0.032		0.14	8.17	0.5	340	0.86	0.11	3.97	0.09	33.6	18.2	14	0.84
J831649		3.26	0.062		0.09	7.31	<0.2	390	0.83	0.02	2.64	0.04	49.7	9.1	11	0.89
J831650		3.38	0.029		0.05	7.11	<0.2	400	0.90	0.02	2.83	0.04	37.4	8.9	10	1.02
J831651		3.45	0.044		0.06	7.15	<0.2	390	0.93	0.02	2.71	0.04	39.9	9.6	10	1.06
J831652		3.57	0.280		0.43	7.74	0.8	480	1.05	0.07	2.93	0.06	44.6	14.3	8	1.05
J831653		3.22	0.011		0.05	7.50	<0.2	410	0.85	0.02	3.65	0.06	39.7	12.9	26	0.88
J831654		3.62	0.367		0.27	7.39	<0.2	550	1.02	0.05	2.36	0.04	61.1	7.7	11	1.04
J831655		3.55	0.378		0.13	7.19	0.4	610	1.13	0.05	1.46	0.03	54.9	6.9	9	1.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831618		23.9	1.70	20.4	0.21	4.0	0.019	1.84	29.9	6.1	0.29	333	0.15	2.62	9.6	5.5
J831618 CRD		24.7	1.72	20.8	0.20	3.4	0.020	1.84	27.8	5.5	0.30	339	0.16	2.63	9.8	5.7
J831619		99.7	1.77	17.95	0.20	2.8	0.015	1.66	22.1	6.9	0.38	325	0.22	2.20	5.2	11.7
J831620		2.9	1.85	18.25	0.19	2.4	0.017	1.02	17.7	7.9	0.31	316	0.14	2.84	5.9	3.9
J831621		16.5	2.20	22.2	0.20	4.0	0.028	2.31	19.4	9.5	0.44	411	9.77	2.08	11.0	7.5
J831622		34.5	4.27	20.3	0.24	2.9	0.041	0.99	22.5	20.5	1.17	682	0.24	2.70	6.7	27.6
J831623		37.6	3.79	20.6	0.26	3.2	0.036	1.44	29.5	19.0	0.95	632	0.23	2.60	6.2	20.8
J831624		10.4	2.73	20.2	0.24	3.3	0.025	1.96	29.8	12.3	0.51	440	0.18	2.11	6.8	10.6
J831625		3.8	3.01	19.20	0.23	3.3	0.019	1.81	33.5	13.8	0.82	545	0.44	1.74	7.0	49.7
J831626		6.3	2.56	19.05	0.21	3.5	0.021	1.77	32.3	10.6	0.46	397	0.40	2.29	7.8	7.8
J831627		1.8	2.34	19.20	0.23	3.1	0.018	1.24	33.8	8.7	0.39	351	0.14	2.83	7.3	6.6
J831628		7.1	1.59	18.20	0.15	2.8	0.014	1.55	19.1	4.7	0.26	259	1.59	2.40	5.1	3.7
J831629		4.6	1.61	18.40	0.15	2.4	0.013	1.54	11.0	4.5	0.24	281	2.60	2.53	5.5	2.7
J831630		4500	4.81	18.20	0.17	0.8	0.055	5.42	16.6	11.7	0.74	503	260	0.98	5.1	23.9
J831631		6.1	1.83	18.50	0.15	3.3	0.014	1.58	23.7	4.7	0.26	262	0.83	2.50	7.2	2.5
J831632		1.8	2.13	20.1	0.18	3.2	0.015	0.82	26.9	6.1	0.33	355	0.21	3.00	6.9	5.1
J831633		2.8	2.60	19.90	0.17	3.1	0.017	0.99	25.4	8.5	0.44	396	0.29	2.81	8.3	6.7
J831634		2.8	2.49	21.8	0.20	3.4	0.018	1.36	30.1	8.0	0.42	366	1.07	2.67	7.8	5.9
J831635		7.8	2.08	19.55	0.18	3.0	0.016	1.50	21.7	6.3	0.34	315	0.70	2.62	6.5	4.6
J831636		40.2	3.82	22.2	0.19	2.9	0.035	0.91	14.3	13.8	0.84	539	0.21	2.51	6.9	13.9
J831637		22.3	3.03	19.70	0.17	2.2	0.024	1.81	13.1	13.0	0.70	523	1.58	2.34	6.8	12.6
J831638		16.2	2.10	19.75	0.17	3.2	0.018	1.97	16.0	7.0	0.39	348	0.84	2.30	6.5	6.1
J831638 CRD		18.2	2.30	19.75	0.18	3.5	0.017	2.02	19.9	7.7	0.42	367	0.92	2.32	6.5	6.3
J831639		9.3	2.40	21.2	0.19	2.9	0.021	2.16	24.3	7.6	0.40	357	0.19	2.01	7.7	5.7
J831640		46.6	4.33	20.4	0.19	2.7	0.035	0.91	24.0	21.7	1.21	714	0.19	2.95	8.6	22.2
J831641		8.1	2.93	20.6	0.18	2.7	0.023	1.79	21.3	10.5	0.59	423	0.14	2.51	7.7	9.7
J831642		33.9	3.08	20.8	0.19	2.6	0.029	2.09	15.8	10.7	0.57	477	0.23	2.10	7.0	5.8
J831643		49.0	2.77	21.3	0.21	5.3	0.026	2.33	34.5	8.1	0.45	410	0.16	2.04	9.7	7.6
J831644		4.0	2.65	21.3	0.19	3.6	0.021	2.21	29.2	7.5	0.49	401	0.14	2.13	8.9	6.7
J831645		0.7	0.08	0.51	0.45	<0.1	<0.005	0.10	2.0	5.4	12.40	48	0.10	0.01	0.4	1.6
J831646		12.2	3.04	17.45	0.20	2.5	0.024	1.78	19.7	13.2	0.67	552	0.28	1.42	5.4	10.5
J831647		28.1	2.70	20.5	0.23	3.9	0.026	2.14	24.0	10.3	0.50	423	2.58	2.05	7.6	5.9
J831648		39.2	4.66	21.3	0.18	2.3	0.037	1.56	15.9	24.2	1.31	789	0.93	2.41	8.6	27.3
J831649		22.5	3.03	20.8	0.19	3.7	0.024	1.57	23.4	11.7	0.62	466	0.14	2.73	7.8	7.9
J831650		12.3	3.28	19.60	0.16	3.4	0.028	1.81	16.7	12.8	0.70	531	0.14	2.33	8.8	10.4
J831651		11.4	3.33	19.95	0.17	3.5	0.026	1.74	17.6	14.3	0.70	528	0.17	2.36	9.2	10.9
J831652		41.4	3.85	21.3	0.18	3.1	0.034	2.08	20.8	15.8	0.87	578	0.19	2.10	10.4	14.6
J831653		8.5	3.97	19.20	0.19	2.0	0.032	1.69	17.8	17.4	1.06	670	0.14	2.08	7.7	25.4
J831654		15.0	2.72	20.6	0.19	3.2	0.022	2.33	31.5	8.5	0.49	404	1.78	1.83	8.8	8.2
J831655		15.5	2.19	20.2	0.18	3.5	0.019	2.62	27.1	5.0	0.35	265	0.35	1.59	7.6	6.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831618		260	6.6	64.5	<0.002	0.03	0.08	3.5	1	1.2	130.5	1.37	<0.05	10.0	0.116	0.30
J831618 CRD		270	5.9	62.4	<0.002	0.03	0.08	3.5	1	1.2	127.5	1.35	<0.05	9.2	0.116	0.28
J831619		320	7.3	58.6	<0.002	0.03	0.08	3.6	1	0.8	135.5	0.40	0.05	7.1	0.110	0.27
J831620		230	7.6	36.1	<0.002	0.01	0.11	2.8	1	1.1	209	0.38	<0.05	5.8	0.121	0.17
J831621		400	4.4	67.0	<0.002	0.08	0.11	4.6	1	1.7	106.5	1.05	0.05	6.7	0.168	0.37
J831622		500	11.6	38.4	<0.002	0.03	0.17	14.2	2	1.2	273	0.75	<0.05	5.9	0.364	0.19
J831623		460	7.0	56.0	<0.002	0.05	0.13	11.7	2	1.1	203	0.47	<0.05	7.9	0.314	0.25
J831624		440	3.6	71.5	<0.002	0.10	0.11	5.6	2	1.1	120.5	0.37	0.05	6.7	0.189	0.33
J831625		400	4.3	65.3	<0.002	0.14	0.11	5.8	1	1.0	127.5	0.38	0.12	7.5	0.189	0.29
J831626		470	3.8	64.7	<0.002	0.08	0.09	4.7	1	1.2	118.5	0.44	0.05	8.3	0.192	0.31
J831627		390	9.4	49.4	<0.002	0.02	0.12	4.0	1	1.1	218	0.39	<0.05	8.4	0.170	0.23
J831628		210	7.5	48.4	<0.002	0.03	0.14	2.4	1	1.1	160.0	0.35	<0.05	6.1	0.108	0.22
J831629		270	8.2	39.5	<0.002	0.03	0.08	2.1	1	0.9	161.0	0.28	<0.05	3.7	0.115	0.23
J831630		1120	39.7	164.0	0.599	2.48	6.93	11.7	8	2.9	258	0.30	0.94	2.6	0.239	1.30
J831631		280	6.2	46.0	<0.002	0.10	0.13	3.1	1	1.1	135.5	0.44	0.07	9.5	0.118	0.22
J831632		360	8.4	23.4	<0.002	<0.01	0.17	3.1	1	1.1	267	0.38	<0.05	8.6	0.151	0.13
J831633		450	11.7	29.4	<0.002	0.01	0.12	3.9	1	1.2	246	0.39	<0.05	7.0	0.189	0.16
J831634		410	35.0	41.3	<0.002	0.04	0.13	3.5	1	1.2	234	0.35	0.05	8.7	0.183	0.22
J831635		410	10.4	44.8	<0.002	0.02	0.12	3.4	1	1.0	201	0.31	<0.05	7.0	0.167	0.23
J831636		710	14.7	26.2	<0.002	0.02	0.17	9.4	1	1.3	363	0.54	<0.05	3.0	0.343	0.14
J831637		550	12.6	49.6	<0.002	0.21	0.10	8.1	1	1.1	124.0	0.56	0.14	4.1	0.269	0.24
J831638		430	3.3	50.1	<0.002	0.07	0.08	4.0	1	1.1	133.5	0.38	<0.05	4.2	0.191	0.28
J831638 CRD		440	3.6	60.6	<0.002	0.07	0.09	4.1	1	1.2	139.0	0.36	<0.05	5.1	0.194	0.28
J831639		410	2.8	57.8	<0.002	0.04	0.10	4.5	1	1.4	100.5	0.38	<0.05	7.3	0.180	0.29
J831640		500	9.1	28.1	<0.002	0.04	0.14	13.0	1	1.8	273	0.55	<0.05	5.5	0.466	0.15
J831641		450	4.1	50.9	<0.002	0.04	0.09	6.0	1	1.3	149.5	0.45	<0.05	5.2	0.240	0.26
J831642		760	2.9	59.6	<0.002	0.03	0.09	6.6	1	1.4	135.5	0.42	<0.05	3.1	0.275	0.32
J831643		640	5.1	63.2	<0.002	0.13	0.14	5.8	1	1.4	101.5	0.47	0.07	8.7	0.234	0.31
J831644		430	3.8	64.9	<0.002	0.03	0.09	4.4	1	1.5	117.0	0.48	<0.05	9.0	0.202	0.31
J831645		10	1.3	2.4	<0.002	0.03	<0.05	0.3	1	<0.2	65.7	<0.05	<0.05	<0.2	0.006	<0.02
J831646		340	2.8	51.6	<0.002	0.03	0.15	6.2	1	1.2	110.5	0.37	<0.05	4.5	0.180	0.24
J831647		520	3.1	63.8	<0.002	0.05	0.13	6.1	1	1.3	118.5	0.37	<0.05	5.7	0.195	0.31
J831648		660	5.9	48.8	<0.002	0.04	0.11	13.8	1	1.6	152.5	0.55	<0.05	3.6	0.506	0.23
J831649		510	3.4	47.3	<0.002	0.05	0.08	7.2	1	1.3	162.5	0.40	<0.05	5.9	0.263	0.25
J831650		600	2.7	46.3	<0.002	0.03	0.10	8.1	1	1.3	123.0	0.53	<0.05	4.0	0.289	0.27
J831651		610	2.6	48.7	<0.002	0.03	0.10	8.5	1	1.3	123.0	0.56	<0.05	4.5	0.296	0.26
J831652		680	3.4	60.8	<0.002	0.21	0.14	10.6	1	1.5	121.0	0.68	0.13	4.7	0.358	0.30
J831653		670	3.5	48.5	<0.002	0.02	0.09	10.8	1	1.3	144.5	0.49	<0.05	3.5	0.313	0.25
J831654		460	3.4	69.7	<0.002	0.11	0.11	5.7	1	1.2	98.3	0.38	0.11	8.5	0.196	0.31
J831655		430	3.5	74.8	<0.002	0.19	0.16	4.6	1	1.3	63.2	0.33	0.06	8.4	0.174	0.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831618		2.1	16	1.1	9.3	37	118.0									
J831618 CRD		1.8	17	1.1	8.9	38	115.5									
J831619		1.0	22	0.7	7.1	41	79.9		0.48	1.7	72.47	13.00	2.40	2.45	0.71	3.02
J831620		0.8	16	0.4	6.2	40	68.7									
J831621		1.1	29	2.7	8.7	46	132.0									
J831622		1.7	98	0.8	15.0	84	103.0									
J831623		1.1	76	1.6	12.4	82	115.5									
J831624		0.6	37	2.5	8.2	60	126.0									
J831625		0.6	32	3.0	8.0	75	128.0									
J831626		0.7	27	1.8	7.7	59	132.5									
J831627		0.6	22	0.7	7.5	57	118.0									
J831628		1.3	17	0.8	5.7	33	86.4									
J831629		0.8	14	0.7	4.6	37	79.6									
J831630		1.2	157	11.7	14.3	155	24.1									
J831631		0.9	17	1.2	7.6	39	116.0									
J831632		1.4	20	0.2	7.3	53	116.0									
J831633		0.5	26	0.2	6.6	71	127.5									
J831634		0.6	26	0.9	6.9	64	129.5									
J831635		0.6	23	1.1	5.9	50	112.0									
J831636		1.2	71	0.3	10.4	90	110.5									
J831637		1.4	56	3.8	9.3	72	75.5									
J831638		0.8	29	1.3	6.7	48	112.5									
J831638 CRD		1.3	30	1.4	7.7	49	121.0									
J831639		0.6	32	2.2	6.8	54	97.0		0.52	1.9	68.52	14.24	3.20	2.63	0.73	2.83
J831640		0.9	111	0.6	11.7	119	102.5									
J831641		0.9	50	1.4	8.0	68	96.1									
J831642		0.7	46	1.7	8.5	71	108.0									
J831643		1.2	33	5.6	10.9	61	208									
J831644		1.1	30	2.2	8.3	57	134.0									
J831645		0.1	1	0.1	1.6	<2	1.8									
J831646		0.7	43	2.6	7.1	64	95.5									
J831647		0.7	36	3.8	8.0	57	154.5									
J831648		1.4	125	3.9	13.0	134	89.8									
J831649		0.8	51	1.8	8.2	71	143.5									
J831650		0.7	56	2.5	10.5	80	131.5									
J831651		0.7	56	3.9	10.9	81	133.5									
J831652		0.8	71	3.6	13.2	90	117.0									
J831653		0.6	71	2.2	11.3	108	72.8									
J831654		0.8	32	5.7	7.7	61	130.5									
J831655		0.8	27	5.6	6.7	43	133.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831618 J831618 CRD J831619 J831620 J831621		2.05	<0.01	0.20	0.04	0.069	0.03	0.04	2.77	99.25
J831622 J831623 J831624 J831625 J831626										
J831627 J831628 J831629 J831630 J831631										
J831632 J831633 J831634 J831635 J831636										
J831637 J831638 J831638 CRD J831639 J831640		2.53	<0.01	0.30	0.04	0.083	0.02	0.04	3.38	98.54
J831641 J831642 J831643 J831644 J831645										
J831646 J831647 J831648 J831649 J831650										
J831651 J831652 J831653 J831654 J831655										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831656		2.83	0.025		0.02	6.93	0.7	460	0.87	0.01	2.14	0.03	59.0	6.7	12	0.82
J831657		2.71	0.006		0.01	6.63	0.6	350	0.80	0.01	2.14	0.03	66.6	4.9	10	0.67
J831658		3.10	0.147		0.06	7.01	0.4	460	0.93	0.03	2.29	0.02	66.0	5.2	11	0.93
J831658 CRD		<0.02	0.166		0.07	6.62	0.4	430	0.85	0.03	2.09	0.02	67.4	4.9	10	0.89
J831659		3.16	<0.005	<0.005	0.01	7.20	0.2	280	0.87	0.01	2.29	0.02	75.6	5.0	12	0.51
J831660		0.07	1.045		5.23	6.71	21.4	490	0.76	1.94	2.57	2.05	22.3	14.2	60	0.83
J831661		3.46	0.460		0.21	7.09	0.7	470	0.90	0.04	2.29	0.02	67.6	6.3	16	1.11
J831662		3.38	<0.005		<0.01	7.14	2.5	300	1.03	0.02	1.97	0.04	57.7	5.9	14	0.50
J831663		3.34	0.005		<0.01	7.07	0.8	300	0.91	0.02	2.16	0.03	66.5	6.6	16	0.62
J831664		3.56	0.073		0.17	7.01	0.5	180	1.00	0.02	3.15	0.03	42.0	12.7	48	0.38
J831665		3.35	<0.005		<0.01	6.89	<0.2	360	0.94	<0.01	1.90	0.03	43.8	6.5	14	0.73
J831666		2.55	0.019		<0.01	7.07	0.3	350	0.85	0.01	2.50	0.02	47.7	7.4	14	0.64
J831667		3.39	<0.005		<0.01	7.09	0.6	410	0.90	0.01	2.14	0.02	47.3	6.1	9	0.75
J831668		4.22	0.008		<0.01	7.02	<0.2	380	0.95	0.01	2.29	0.04	50.2	7.3	21	0.79
J831669		3.68	0.209		0.10	6.62	0.2	440	1.06	0.07	3.76	0.08	39.2	13.9	33	0.86
J831670		3.79	0.055		0.02	6.77	<0.2	370	1.11	0.02	2.24	0.06	34.7	7.3	19	0.93
J831671		3.20	0.005		0.03	7.52	0.6	370	1.21	0.03	3.12	0.08	49.7	15.2	34	0.96
J831672		3.67	0.053		2.57	7.23	<0.2	140	0.56	12.75	5.59	0.12	17.85	33.5	82	0.36
J831673		3.41	<0.005		0.03	7.44	0.3	310	0.86	0.04	3.74	0.08	48.4	19.9	49	0.69
J831674		3.52	0.006		<0.01	7.44	<0.2	450	0.95	0.02	2.25	0.04	73.7	6.6	11	0.89
J831675		0.07	2.34		9.03	7.08	56.5	640	0.89	3.48	1.68	0.94	57.0	18.7	55	3.25
J831676		3.44	0.009		<0.01	7.34	<0.2	460	0.93	0.01	2.39	0.05	65.3	8.8	10	0.84
J831677		3.67	0.008		<0.01	7.67	<0.2	440	1.04	0.01	2.76	0.04	61.3	11.3	8	0.92
J831678		3.39	<0.005		<0.01	7.51	<0.2	390	1.22	0.01	2.48	0.05	56.2	10.7	13	0.85
J831678 CRD		<0.02	<0.005		0.02	7.42	0.5	380	1.33	0.04	2.43	0.04	57.6	10.9	8	0.83
J831679		3.30	<0.005	<0.005	<0.01	7.37	<0.2	400	1.04	0.01	2.54	0.04	51.5	8.9	8	0.93
J831680		3.56	0.005		<0.01	7.32	0.6	400	1.01	0.01	2.51	0.05	43.7	9.1	10	0.94
J831681		3.33	0.006		<0.01	6.60	<0.2	440	1.03	0.01	2.30	0.03	35.5	6.2	10	0.92
J831682		3.46	0.005		<0.01	6.91	<0.2	420	0.91	0.01	2.36	0.03	39.9	7.6	23	0.77
J831683		3.72	<0.005		0.01	7.08	<0.2	330	0.95	0.02	2.78	0.05	45.6	11.0	31	0.84

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831656		3.3	2.77	19.85	0.20	3.7	0.018	1.60	28.4	8.1	0.48	387	0.34	2.48	9.4	7.6
J831657		4.0	2.30	19.60	0.21	4.4	0.017	1.28	33.8	6.3	0.36	334	0.34	2.68	7.0	5.6
J831658		4.7	2.48	19.65	0.19	5.0	0.016	1.70	32.1	6.6	0.40	371	0.17	2.66	7.1	6.5
J831658 CRD		3.8	2.31	18.75	0.21	4.8	0.018	1.58	33.4	6.2	0.37	337	0.16	2.49	6.7	6.0
J831659		3.9	2.46	20.2	0.21	5.4	0.016	0.93	37.6	6.3	0.40	352	0.15	2.76	7.5	6.2
J831660		>10000	4.83	14.10	0.15	1.0	0.128	0.84	11.2	12.9	1.18	706	246	2.11	4.2	33.3
J831661		13.9	2.64	20.4	0.20	4.6	0.021	2.07	32.1	7.4	0.45	389	1.48	2.15	7.3	9.1
J831662		3.7	2.24	21.1	0.17	4.1	0.017	0.99	26.6	8.1	0.34	344	1.19	3.09	7.3	7.3
J831663		2.9	2.48	21.1	0.23	4.5	0.021	1.15	30.7	10.5	0.42	376	0.17	2.75	7.5	6.9
J831664		12.0	3.24	20.7	0.22	3.0	0.037	0.70	19.9	17.4	0.96	608	0.17	2.82	6.5	31.5
J831665		9.3	2.31	20.8	0.20	3.9	0.022	1.43	20.0	10.7	0.45	364	0.13	2.97	6.8	7.6
J831666		13.5	2.76	21.5	0.22	3.2	0.025	1.29	20.9	11.8	0.44	420	0.14	2.82	7.2	7.1
J831667		1.8	2.33	22.2	0.21	3.7	0.020	1.48	21.5	9.4	0.37	362	0.13	2.96	7.9	4.3
J831668		4.2	2.52	20.1	0.23	3.8	0.027	1.81	22.9	11.1	0.53	418	0.13	2.24	7.1	13.9
J831669		19.5	3.39	19.65	0.21	2.6	0.028	1.79	18.2	17.8	0.92	713	0.30	1.51	5.8	25.4
J831670		21.8	2.37	20.0	0.19	2.4	0.029	1.68	15.3	9.6	0.54	466	0.19	2.43	8.4	13.3
J831671		69.3	3.34	21.6	0.22	2.5	0.043	1.67	22.1	16.6	0.99	656	0.36	2.60	6.6	27.0
J831672		62.1	6.57	17.70	0.19	1.1	0.055	0.60	7.9	37.7	2.67	1260	0.47	1.94	4.0	64.8
J831673		37.0	4.51	20.4	0.20	2.6	0.039	1.22	23.3	24.7	1.48	826	0.24	2.30	6.5	35.5
J831674		5.7	2.66	20.9	0.24	3.6	0.020	1.92	33.4	8.5	0.42	393	0.15	2.41	6.6	4.6
J831675		>10000	5.97	16.30	0.24	1.2	0.109	2.82	25.2	17.3	1.21	680	114.0	1.72	6.7	38.9
J831676		16.1	3.16	21.6	0.23	3.9	0.027	1.78	28.8	11.7	0.51	454	0.25	2.42	7.6	4.8
J831677		21.5	3.66	23.2	0.23	3.9	0.038	1.87	26.4	14.6	0.61	547	0.17	2.38	8.4	5.7
J831678		18.7	3.39	24.1	0.23	3.6	0.038	1.69	23.6	13.4	0.58	506	0.12	2.68	11.0	5.8
J831678 CRD		18.8	3.44	24.3	0.25	3.5	0.036	1.65	24.3	14.2	0.58	504	0.11	2.59	11.3	5.8
J831679		23.5	2.86	21.7	0.22	3.2	0.025	1.78	21.7	11.9	0.54	445	0.12	2.54	6.4	6.5
J831680		30.2	2.62	21.2	0.22	3.7	0.025	1.86	20.3	11.9	0.58	412	0.18	2.63	5.1	10.4
J831681		2.0	2.08	19.85	0.18	4.0	0.020	2.06	16.0	8.8	0.38	340	0.13	2.12	5.7	6.3
J831682		60.3	2.42	19.70	0.23	2.8	0.021	1.73	16.6	10.5	0.54	392	0.15	2.46	6.6	17.9
J831683		31.0	3.00	19.90	0.23	1.7	0.026	1.64	19.1	15.8	0.83	485	0.15	2.39	5.3	26.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831656		500	5.5	48.6	<0.002	0.03	0.08	4.9	1	1.3	155.0	0.39	<0.05	8.4	0.219	0.25
J831657		390	6.6	40.6	<0.002	0.02	0.13	4.0	1	1.0	194.0	0.28	<0.05	9.7	0.170	0.20
J831658		410	6.3	48.9	<0.002	0.08	0.08	3.7	1	1.3	156.5	0.28	<0.05	10.1	0.181	0.26
J831658 CRD		380	6.2	49.4	<0.002	0.07	0.08	3.6	1	1.2	146.5	0.27	<0.05	10.7	0.167	0.25
J831659		400	9.1	29.8	<0.002	0.01	0.13	3.5	1	1.2	246	0.29	<0.05	11.9	0.183	0.16
J831660		600	39.3	23.8	1.325	1.62	22.9	15.5	6	1.1	303	0.28	0.57	2.2	0.331	0.21
J831661		440	4.1	60.2	<0.002	0.14	0.11	5.0	1	1.1	80.6	0.32	0.07	10.1	0.187	0.30
J831662		370	8.2	35.0	<0.002	0.01	0.23	3.4	1	1.0	219	0.43	<0.05	8.8	0.156	0.19
J831663		450	10.0	38.8	<0.002	0.01	0.13	3.4	1	1.1	225	0.35	<0.05	10.0	0.194	0.20
J831664		340	20.2	23.4	<0.002	0.01	0.21	10.3	2	1.5	323	0.42	<0.05	6.1	0.171	0.12
J831665		460	4.1	45.5	<0.002	0.01	0.11	4.4	1	1.0	170.5	0.37	<0.05	5.9	0.186	0.25
J831666		510	8.0	40.8	<0.002	0.01	0.18	4.5	1	1.1	228	0.39	<0.05	5.4	0.223	0.24
J831667		470	4.6	48.3	<0.002	<0.01	0.10	4.5	2	1.1	172.0	0.45	<0.05	7.2	0.181	0.27
J831668		420	5.4	57.4	<0.002	0.01	0.10	6.3	1	1.3	140.0	0.42	<0.05	8.2	0.159	0.28
J831669		290	5.3	52.6	<0.002	0.09	0.16	11.9	1	1.1	166.0	0.54	<0.05	4.9	0.193	0.26
J831670		350	4.5	53.0	<0.002	0.03	0.13	6.8	1	1.5	171.0	0.70	<0.05	5.8	0.145	0.25
J831671		480	5.4	53.2	<0.002	0.09	0.17	11.5	2	1.3	216	0.57	<0.05	6.4	0.214	0.27
J831672		310	16.9	20.1	<0.002	0.08	0.28	29.9	2	0.9	264	0.32	5.31	1.7	0.370	0.09
J831673		410	5.5	41.9	<0.002	0.02	0.20	17.2	2	1.2	211	0.42	<0.05	7.2	0.278	0.19
J831674		500	3.9	60.6	<0.002	0.02	0.14	4.4	2	0.9	172.0	0.30	<0.05	9.6	0.188	0.28
J831675		950	66.8	76.1	0.127	2.50	6.86	16.7	8	2.5	278	0.28	1.00	5.2	0.326	0.82
J831676		630	3.9	55.4	<0.002	0.02	0.15	6.0	2	1.1	181.5	0.40	<0.05	7.3	0.250	0.27
J831677		780	4.3	61.6	<0.002	0.03	0.18	8.7	2	1.4	176.0	0.55	<0.05	5.4	0.287	0.30
J831678		730	4.4	56.8	<0.002	0.03	0.15	8.9	2	1.8	183.5	1.06	<0.05	5.9	0.251	0.28
J831678 CRD		730	4.5	56.0	<0.002	0.03	0.16	9.1	2	1.9	179.0	1.06	0.06	6.2	0.245	0.27
J831679		610	4.2	58.2	<0.002	0.03	0.13	6.4	2	1.0	195.5	0.37	<0.05	6.5	0.216	0.28
J831680		500	4.3	60.4	<0.002	0.04	0.14	6.1	2	0.9	192.0	0.35	<0.05	6.1	0.183	0.29
J831681		360	3.7	55.5	<0.002	0.01	0.11	4.0	1	0.9	146.5	0.44	<0.05	5.6	0.155	0.30
J831682		380	4.3	50.7	<0.002	0.02	0.13	5.4	1	0.9	167.5	0.47	<0.05	6.0	0.159	0.25
J831683		520	3.9	51.3	<0.002	0.02	0.15	7.7	1	1.0	197.0	0.31	<0.05	3.5	0.204	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831656		0.8	29	1.2	7.1	69	140.0									
J831657		0.9	21	0.7	8.0	58	176.0									
J831658		1.1	22	2.4	8.1	63	199.5									
J831658 CRD		1.3	22	2.5	8.1	58	186.5									
J831659		1.1	22	0.3	8.8	62	201		0.13	0.5	70.17	14.85	3.34	3.20	0.73	4.10
J831660		0.9	103	5.4	15.5	148	31.2	1.305								
J831661		0.8	28	3.6	8.6	67	172.5									
J831662		1.1	20	0.3	7.9	50	149.5									
J831663		0.8	25	0.4	8.7	63	178.0									
J831664		0.8	48	0.3	10.7	83	104.5									
J831665		0.5	28	0.5	7.3	52	150.0									
J831666		0.5	31	0.4	7.2	68	128.0									
J831667		0.7	24	0.3	7.2	53	142.5									
J831668		1.0	28	1.0	8.8	59	134.5									
J831669		1.3	68	3.2	6.9	80	79.6									
J831670		1.0	32	2.1	6.8	43	79.7									
J831671		1.2	67	2.0	6.4	62	85.2									
J831672		0.4	199	1.7	7.2	137	35.8									
J831673		0.7	111	1.9	7.3	108	88.5									
J831674		0.9	29	2.6	7.5	54	133.0									
J831675		1.3	158	10.9	15.3	174	38.8	2.24								
J831676		0.7	44	2.0	8.1	73	152.0									
J831677		0.7	60	2.5	10.3	84	152.5									
J831678		0.7	50	2.0	11.3	80	138.5									
J831678 CRD		0.7	49	1.8	11.4	79	136.0									
J831679		0.5	45	1.5	7.9	62	124.0		0.75	2.7	64.84	14.80	3.94	3.55	1.00	3.45
J831680		0.7	38	2.0	6.4	57	144.5									
J831681		0.8	24	1.9	5.9	46	151.0									
J831682		0.9	33	1.3	6.6	54	83.4									
J831683		0.5	47	1.5	7.1	68	55.2									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831656										
J831657										
J831658										
J831658 CRD										
J831659		1.15	0.01	0.32	0.04	0.087	0.04	0.02	1.43	99.49
J831660										
J831661										
J831662										
J831663										
J831664										
J831665										
J831666										
J831667										
J831668										
J831669										
J831670										
J831671										
J831672										
J831673										
J831674										
J831675										
J831676										
J831677										
J831678										
J831678 CRD										
J831679		2.18	<0.01	0.43	0.05	0.129	0.03	0.04	4.13	98.57
J831680										
J831681										
J831682										
J831683										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186713

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.