ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE TB10181684

Project: HAMMOND REEF

P.O. No.:

This report is for 105 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 1-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J833711		3.60	0.285		0.53	6.36	0.4	300	1.02	0.18	1.74	0.04	38.8	3.8	7	0.87
J833712		3.63	0.034		0.04	6.37	<0.2	350	0.93	0.04	1.43	0.03	36.5	1.9	7	0.74
J833713		3.33	0.058		0.11	6.34	0.3	340	0.88	0.05	1.37	0.03	18.90	2.7	6	0.73
J833714		2.83	0.384		0.71	6.48	0.7	420	1.02	0.17	3.07	0.06	57.4	16.2	8	1.38
J833715		0.12	2.35		7.64	6.34	47.4	600	0.84	3.39	1.55	1.01	57.6	16.9	56	3.31
J833716		2.23	0.288		0.51	6.54	0.3	470	1.08	0.13	2.86	0.06	53.7	15.3	8	1.60
J833717		2.94	0.184		0.34	6.15	0.3	410	1.07	0.15	2.89	0.06	46.6	12.1	7	1.45
J833718		2.04	0.148		0.23	6.57	<0.2	540	1.10	0.07	3.59	0.08	30.3	12.7	6	1.38
J833719		2.06	0.057		0.10	6.47	<0.2	580	1.49	0.08	2.80	0.06	36.7	11.4	6	1.72
J833720		3.07	0.309		0.56	6.27	<0.2	490	1.30	0.22	3.03	0.07	35.9	17.1	5	1.53
J833721		2.99	0.174		0.31	7.16	1.1	490	1.31	0.17	1.98	0.06	24.1	10.0	16	1.16
J833722		3.24	0.164		0.23	6.79	0.9	490	1.33	0.09	2.38	0.05	21.2	8.3	7	1.21
J833723		3.11	0.056		0.09	6.84	<0.2	420	1.22	0.04	1.68	0.03	32.2	8.9	7	0.92
J833724		3.20	0.098		0.11	6.58	<0.2	460	1.40	0.07	2.57	0.07	31.1	15.6	9	1.25
J833725		3.32	0.296		0.32	6.68	0.9	470	1.32	0.10	1.80	0.03	31.6	11.7	10	1.06
J833726		2.89	0.073		0.09	7.00	<0.2	420	1.26	0.04	1.51	0.02	29.9	3.6	6	0.87
J833727		2.91	0.128		0.06	6.66	1.0	420	1.12	0.05	1.43	0.03	40.7	2.7	10	0.80
J833728		3.14	0.845		0.36	7.09	0.6	500	1.01	0.10	2.62	0.05	47.2	7.2	9	1.14
J833729		3.06	0.082		0.09	7.01	0.2	430	0.96	0.04	1.98	0.05	42.7	3.8	6	1.05
J833730		0.12	0.420		1.94	7.97	115.0	610	1.52	0.54	0.55	0.88	31.4	19.3	39	6.63
J833731		2.88	1.030		1.32	7.18	0.6	490	1.15	0.23	2.30	0.07	30.9	10.2	9	1.25
J833731 CRD		<0.02	0.923		1.24	7.23	0.4	480	1.13	0.22	2.31	0.08	28.9	9.7	8	1.24
J833732		3.17	0.005	<0.005	<0.01	7.78	0.2	540	1.30	0.01	1.42	0.03	40.7	2.0	6	0.85
J833733		2.88	0.086		0.11	7.25	0.5	510	1.21	0.08	1.65	0.03	35.7	3.4	9	0.95
J833734		3.29	0.648		0.23	7.20	0.9	490	1.30	0.09	2.08	0.04	33.4	7.3	7	1.11
J833735		3.20	0.107		0.13	7.38	0.6	390	1.19	0.06	1.50	0.03	21.4	3.6	9	0.87
J833736		3.09	0.084		0.24	6.99	1.1	350	0.94	0.11	1.09	0.03	21.5	2.7	10	0.64
J833737		3.13	0.177		0.08	6.49	0.6	240	0.74	0.05	0.62	0.07	0.74	1.1	7	0.39
J833738		3.19	0.447		0.51	7.46	0.4	510	1.44	0.35	1.73	0.06	55.2	8.6	15	1.26
J833739		3.41	0.036		0.05	7.09	0.9	400	1.16	0.05	1.50	0.05	28.2	5.5	9	0.92
J833740		3.10	0.066		0.04	6.98	1.1	440	1.24	0.03	1.51	0.06	39.7	5.3	11	0.98
J833741		3.01	0.667		0.47	6.95	1.4	460	1.30	0.21	1.99	0.07	24.0	9.9	17	1.09
J833742		3.13	0.065		0.03	7.00	1.5	460	1.21	0.04	1.56	0.07	23.4	6.0	13	0.92
J833743		3.21	0.087		0.18	7.26	<0.2	420	1.07	0.04	0.95	0.04	25.3	3.8	8	0.82
J833744		2.09	0.017		0.06	6.36	0.7	300	0.85	0.06	0.26	0.02	13.00	3.2	10	0.52
J833745		1.01	<0.005		<0.01	0.17	<5	10	0.05	0.01	21.2	<0.02	2.58	1.8	3	0.10
J833746		4.35	0.177		0.26	6.74	1.3	500	0.92	0.38	5.29	0.19	46.8	28.6	298	1.06
J833747		3.30	0.092		0.19	6.93	0.7	650	1.20	0.16	2.25	0.08	47.4	8.8	8	1.15
J833748		3.23	0.046		0.12	6.45	<0.2	590	1.09	0.12	3.36	0.13	48.7	16.8	145	1.06
J833749		3.36	0.016		0.09	3.46	<5	120	0.42	0.07	10.25	0.30	20.4	71.4	918	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J833711		13.1	1.30	18.10	0.15	2.8	0.016	1.56	18.0	4.4	0.22	230	0.41	3.36	5.8	2.9
J833712		8.3	1.13	16.35	0.15	3.3	0.010	1.45	17.9	3.1	0.16	187	0.52	3.52	3.3	2.4
J833713		3.6	1.10	16.90	0.14	3.1	0.009	1.50	8.9	3.4	0.13	153	0.40	3.23	3.0	1.6
J833714		42.2	3.71	21.2	0.20	4.1	0.040	2.56	23.6	16.5	0.60	491	0.24	1.91	6.6	5.6
J833715		>10000	5.55	14.05	0.19	1.1	0.110	2.65	25.5	17.9	1.17	606	111.5	1.62	6.8	33.7
J833716		46.3	3.82	21.7	0.17	4.8	0.049	2.90	21.3	14.2	0.67	528	1.12	1.66	6.3	5.9
J833717		28.3	3.21	20.6	0.16	5.0	0.039	2.59	19.3	10.3	0.54	503	0.44	2.01	7.8	5.8
J833718		21.0	2.92	19.30	0.12	3.1	0.032	2.84	13.7	5.5	0.73	669	1.54	2.31	7.1	9.7
J833719		30.1	2.75	23.0	0.16	3.2	0.034	2.99	16.8	5.9	0.69	595	1.42	2.04	7.3	11.0
J833720		39.1	2.70	20.1	0.16	3.3	0.031	2.56	16.8	6.0	0.70	627	0.20	2.03	6.8	10.6
J833721		30.9	2.03	20.2	0.20	3.4	0.024	2.15	10.7	3.4	0.48	443	0.37	2.99	6.9	12.1
J833722		16.5	2.33	21.0	0.22	2.9	0.025	2.49	9.2	5.2	0.51	484	0.48	2.44	7.1	8.7
J833723		17.6	1.57	18.95	0.19	3.7	0.013	1.89	14.6	3.3	0.24	287	0.25	2.90	6.8	2.5
J833724		27.1	2.23	21.3	0.26	4.1	0.031	2.48	13.2	3.9	0.41	490	0.20	2.27	8.4	3.3
J833725		17.2	1.86	19.75	0.26	3.4	0.021	2.12	14.0	3.1	0.31	342	0.74	2.34	7.5	3.6
J833726		6.7	1.41	18.50	0.24	3.0	0.014	1.81	13.7	2.7	0.22	237	0.66	2.83	4.9	2.6
J833727		4.0	1.45	17.45	0.25	3.4	0.014	1.68	19.2	2.4	0.18	215	0.43	2.77	5.2	3.1
J833728		16.4	2.56	20.2	0.13	3.9	0.030	2.37	20.6	2.6	0.46	459	0.61	2.29	7.9	5.0
J833729		9.9	1.55	18.80	<0.05	3.4	0.019	1.93	21.0	2.6	0.28	291	0.76	2.98	5.8	3.1
J833730		4700	4.71	17.45	0.32	0.8	0.062	5.26	16.1	11.6	0.74	512	267	1.03	5.7	25.2
J833731		19.1	2.59	22.6	0.06	4.1	0.030	2.47	13.5	3.5	0.46	447	1.17	2.73	8.4	10.4
J833731 CRD		15.2	2.55	22.4	0.05	3.8	0.032	2.49	12.4	3.4	0.43	445	0.96	2.70	8.1	5.1
J833732		1.1	1.08	20.6	0.20	2.8	0.014	2.05	19.6	2.5	0.19	203	0.29	3.50	4.8	2.8
J833733		2.8	1.57	18.75	0.19	3.1	0.015	2.08	17.7	2.7	0.27	288	1.00	2.85	6.0	4.5
J833734		6.4	2.20	21.2	0.27	3.1	0.027	2.29	13.8	3.4	0.41	418	2.07	2.67	8.3	4.0
J833735		6.2	1.45	19.50	0.19	3.1	0.017	1.84	9.8	2.8	0.24	284	3.10	3.19	6.8	3.6
J833736		3.0	1.29	17.15	0.20	2.5	0.013	1.48	10.0	2.1	0.20	228	2.08	3.46	6.2	3.2
J833737		1.1	0.64	13.55	0.12	0.5	0.005	1.04	<0.5	1.2	0.08	75	1.98	3.83	0.8	1.9
J833738		10.5	2.47	21.7	0.32	2.5	0.025	2.38	25.6	3.9	0.52	456	13.10	2.69	6.9	11.6
J833739		6.2	1.67	18.50	0.23	1.7	0.018	1.97	13.7	2.7	0.42	355	0.35	3.01	5.1	7.9
J833740		6.1	1.97	18.40	0.25	2.3	0.018	2.15	19.7	2.6	0.43	369	0.28	2.51	6.1	7.9
J833741		8.5	2.53	19.15	0.26	2.4	0.025	2.23	10.5	3.3	0.56	498	1.07	2.37	7.7	11.4
J833742		10.2	2.07	18.60	0.23	1.9	0.024	2.14	10.7	2.6	0.44	418	0.42	2.67	6.4	9.8
J833743		9.0	1.46	17.25	0.20	2.4	0.016	1.86	12.0	2.2	0.32	252	0.52	2.85	5.4	6.3
J833744		3.3	1.04	14.00	0.12	2.2	0.006	1.29	5.9	1.5	0.15	91	0.63	2.98	1.4	11.2
J833745		1.1	0.10	0.95	0.50	0.1	0.005	0.12	1.8	4.7	13.25	51	0.13	0.04	0.5	<0.2
J833746		24.7	4.51	18.35	0.21	2.8	0.036	2.32	21.0	9.7	2.37	863	4.05	1.42	7.9	196.0
J833747		17.8	2.50	21.5	0.27	3.1	0.027	2.94	21.0	3.1	0.93	390	1.84	1.63	7.5	9.0
J833748		48.2	3.16	18.00	0.23	2.3	0.030	2.57	22.2	5.2	1.42	579	1.14	1.54	6.7	92.7
J833749		36.8	7.36	10.75	0.16	1.4	0.043	0.49	8.4	21.3	7.04	1390	1.22	0.08	3.7	779

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J833711		330	8.4	49.0	<0.002	0.17	0.08	3.1	1	1.1	174.0	0.56	0.40	5.9	0.104	0.19
J833712		170	6.9	51.5	<0.002	0.05	0.08	2.1	1	0.6	165.5	0.26	<0.05	7.0	0.077	0.17
J833713		80	7.3	48.1	<0.002	0.08	0.07	1.8	1	0.6	169.0	0.23	0.05	3.8	0.059	0.18
J833714		940	9.2	70.8	<0.002	0.37	0.14	6.9	1	1.5	166.5	0.33	0.46	3.3	0.247	0.31
J833715		870	59.9	81.9	0.132	2.42	7.57	15.1	6	2.7	247	0.26	1.01	4.7	0.312	0.73
J833716		1000	7.0	79.1	<0.002	0.25	0.16	7.4	1	1.7	147.0	0.33	0.35	3.0	0.279	0.35
J833717		760	9.6	76.7	<0.002	0.18	0.14	6.7	1	1.5	165.5	0.53	0.25	4.4	0.238	0.32
J833718		380	5.8	72.7	<0.002	0.15	0.16	7.9	1	2.0	143.0	0.53	0.14	2.9	0.289	0.31
J833719		390	7.7	91.9	<0.002	0.10	0.16	8.1	1	1.8	130.0	0.54	0.08	4.5	0.241	0.36
J833720		350	10.8	78.9	<0.002	0.27	0.15	7.5	1	1.9	143.0	0.60	0.40	4.7	0.229	0.33
J833721		250	9.4	61.3	<0.002	0.19	0.14	6.1	<1	1.3	143.0	0.65	0.22	3.4	0.167	0.24
J833722		280	6.2	62.2	<0.002	0.13	0.15	6.4	<1	1.3	148.5	0.56	0.16	3.0	0.183	0.29
J833723		280	7.1	56.7	<0.002	0.10	0.11	3.5	<1	1.3	147.0	0.54	0.07	6.3	0.113	0.23
J833724		530	6.9	67.7	<0.002	0.07	0.14	4.8	<1	2.2	140.5	0.98	0.10	3.0	0.192	0.29
J833725		370	5.4	66.3	<0.002	0.21	0.13	4.5	<1	1.5	120.5	0.54	0.25	4.6	0.144	0.26
J833726		250	5.1	57.0	<0.002	0.08	0.10	3.2	<1	0.8	138.5	0.31	0.09	5.4	0.095	0.20
J833727		210	5.7	52.6	<0.002	0.06	0.10	2.9	<1	0.7	133.5	0.37	0.07	7.9	0.088	0.20
J833728		630	5.3	65.8	<0.002	0.33	0.15	5.8	1	1.1	131.5	0.41	0.20	4.2	0.210	0.29
J833729		360	4.9	66.4	<0.002	0.11	0.16	3.8	1	1.0	145.5	0.38	0.09	5.9	0.125	0.24
J833730		1120	39.9	120.0	0.615	2.57	6.81	12.4	9	2.8	268	0.37	0.91	2.5	0.264	1.35
J833731		650	9.5	63.3	<0.002	0.69	0.18	5.4	1	1.3	145.0	0.76	0.96	3.5	0.176	0.31
J833731 CRD		640	8.9	62.9	<0.002	0.66	0.16	5.4	1	1.2	144.5	0.75	0.95	3.0	0.173	0.30
J833732		170	5.4	59.5	<0.002	0.01	0.10	2.8	<1	0.8	146.0	0.40	<0.05	8.4	0.073	0.24
J833733		230	6.6	62.5	<0.002	0.11	0.12	3.3	<1	0.9	123.5	0.47	0.12	6.7	0.101	0.25
J833734		570	5.7	65.7	<0.002	0.29	0.13	5.3	<1	1.1	129.5	0.67	0.18	2.8	0.177	0.28
J833735		260	5.4	56.4	<0.002	0.18	0.10	3.5	<1	1.1	140.0	0.65	0.13	4.2	0.101	0.20
J833736		220	6.9	46.2	<0.002	0.24	0.09	3.1	<1	0.9	121.5	0.54	0.19	4.5	0.087	0.19
J833737		30	4.3	31.2	<0.002	0.05	0.05	0.9	<1	0.3	112.5	0.13	<0.05	0.4	0.016	0.11
J833738		550	8.7	70.3	<0.002	0.53	0.17	6.0	1	1.2	131.0	0.65	0.45	7.3	0.164	0.29
J833739		250	3.9	56.6	<0.002	0.07	0.11	4.7	<1	1.0	133.0	0.58	0.06	3.2	0.127	0.22
J833740		310	4.0	63.6	<0.002	0.07	0.12	5.1	<1	1.0	117.5	0.59	0.06	5.4	0.149	0.23
J833741		430	7.0	65.5	<0.002	0.41	0.14	7.3	<1	1.4	122.5	0.73	0.36	3.2	0.204	0.27
J833742		260	5.4	60.3	<0.002	0.10	0.12	5.1	<1	1.1	121.0	0.56	<0.05	3.6	0.148	0.25
J833743		220	3.6	56.3	<0.002	0.08	0.10	4.0	<1	0.9	102.0	0.48	0.13	5.0	0.104	0.22
J833744		30	4.5	39.2	<0.002	0.10	0.08	1.3	<1	0.4	75.1	0.15	0.05	3.5	0.027	0.15
J833745		<10	1.1	2.7	<0.002	0.04	0.05	0.4	<1	<0.2	66.0	<0.05	<0.05	0.3	0.007	0.02
J833746		500	8.6	69.6	<0.002	0.45	0.18	10.5	<1	1.0	269	0.46	3.16	3.5	0.297	0.28
J833747		460	5.4	70.4	<0.002	0.32	0.16	5.3	<1	1.2	91.7	0.49	0.14	5.4	0.184	0.34
J833748		330	4.4	61.9	<0.002	0.24	0.18	9.3	<1	1.1	175.5	0.68	0.17	5.8	0.223	0.29
J833749		10	6.3	14.6	<0.002	0.09	0.21	20.4	<1	0.5	628	0.22	0.47	1.1	0.334	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J833711		1.1	25	4.6	5.3	29	90.3									
J833712		1.2	20	3.3	4.7	23	102.5									
J833713		0.9	16	2.2	3.6	22	97.5									
J833714		1.2	53	5.2	7.7	77	179.5									
J833715		1.3	146	11.6	14.5	160	36.7	2.12								
J833716		0.7	60	5.1	7.3	75	202									
J833717		1.2	50	4.2	8.9	69	172.0									
J833718		1.0	72	9.3	5.2	65	116.5									
J833719		1.1	66	6.8	6.1	62	122.5									
J833720		1.4	58	8.7	6.6	59	116.5									
J833721		1.4	45	8.1	5.2	42	108.0									
J833722		0.9	49	5.6	4.5	52	97.4									
J833723		1.4	23	3.7	5.3	33	121.0									
J833724		0.9	40	4.9	7.6	56	160.0									
J833725		1.2	32	3.4	6.0	38	132.0									
J833726		0.8	23	2.6	5.0	30	112.0									
J833727		0.9	19	2.6	5.6	27	122.5									
J833728		0.8	39	4.5	6.3	48	160.5									
J833729		0.9	27	3.1	5.6	34	132.5									
J833730		1.2	159	13.8	14.8	155	23.4									
J833731		1.9	40	4.7	6.9	47	145.0									
J833731 CRD		1.6	40	4.7	6.6	47	134.5									
J833732		1.3	20	2.4	4.8	29	93.9		0.52	1.9	69.51	15.15	1.45	1.97	0.35	4.58
J833733		1.1	26	2.0	5.1	32	113.0									
J833734		0.8	38	5.0	5.8	41	120.0									
J833735		1.3	22	2.4	5.3	31	98.2									
J833736		1.3	18	2.6	4.5	22	70.6									
J833737		0.4	12	0.6	1.1	37	10.4									
J833738		1.4	48	5.5	5.7	45	79.8									
J833739		0.9	38	3.4	3.8	35	53.9									
J833740		1.1	40	4.2	5.1	37	74.4									
J833741		1.3	51	6.0	5.1	48	82.4									
J833742		1.0	35	4.7	4.7	38	62.1									
J833743		1.1	26	3.4	4.8	28	79.3									
J833744		1.9	17	1.3	2.3	14	53.8									
J833745		0.1	1	0.1	1.6	<2	2.4									
J833746		1.1	59	6.6	8.5	106	111.0									
J833747		0.7	47	4.5	5.2	44	123.0									
J833748		0.7	64	4.7	5.6	62	84.5									
J833749		0.5	110	4.8	9.1	219	53.8									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J833711										
J833712										
J833713										
J833714										
J833715										
J833716										
J833717										
J833718										
J833719										
J833720										
J833721										
J833722										
J833723										
J833724										
J833725										
J833726										
J833727										
J833728										
J833729										
J833730										
J833731										
J833731 CRD										
J833732		2.36	<0.01	0.18	0.02	0.037	0.03	0.04	2.85	98.53
J833733										
J833734										
J833735										
J833736										
J833737										
J833738										
J833739										
J833740										
J833741										
J833742										
J833743										
J833744										
J833745										
J833746										
J833747										
J833748										
J833749										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J833750		3.08	0.018		0.20	6.11	0.8	1200	1.30	0.08	7.66	0.19	40.8	51.1	519	1.03
J833750 CRD		<0.02	0.017		0.22	6.40	<0.2	1240	1.24	0.08	8.32	0.21	41.0	55.2	554	1.09
J833751		2.86	0.024	0.025	0.28	5.36	<0.2	1070	1.00	0.08	7.35	0.19	39.4	47.1	410	1.08
J833752		2.28	0.052		0.44	5.93	0.7	1160	1.15	0.04	8.32	0.18	43.3	32.2	346	1.42
J833753		3.95	0.010		0.06	6.72	0.5	560	1.04	0.04	3.05	0.05	66.4	12.3	18	1.04
J833754		3.33	0.140		0.08	6.98	<0.2	450	0.76	0.04	3.14	0.04	63.0	11.4	21	0.89
J833755		3.02	<0.005		0.03	7.31	1.3	440	1.05	0.11	2.91	0.06	47.2	12.6	32	0.90
J833756		3.43	0.008		0.05	7.56	0.8	460	1.08	0.04	2.77	0.04	66.4	12.4	21	0.74
J833757		2.75	<0.005		<0.01	6.32	0.3	420	0.90	0.01	1.87	0.03	35.8	6.6	7	0.66
J833758		3.28	<0.005		0.06	6.97	0.7	510	0.83	0.02	1.75	0.02	38.0	6.5	11	0.75
J833759		3.02	0.108		0.11	7.19	0.8	540	1.00	0.03	2.57	0.04	51.1	10.3	51	1.00
J833760		0.12	0.921		4.70	6.23	19.6	480	0.71	1.91	2.29	1.87	20.9	14.6	57	0.70
J833761		2.89	<0.005		<0.01	7.06	0.9	450	0.99	0.04	1.26	0.03	20.3	3.0	4	0.73
J833762		3.46	0.153		0.05	8.05	0.8	350	0.97	0.08	4.45	0.06	47.7	18.1	24	1.03
J833763		3.50	<0.005		0.05	9.00	1.7	200	0.94	0.05	4.87	0.10	68.9	26.4	29	0.50
J833764		3.68	0.023		0.03	8.92	1.1	200	0.88	0.09	5.48	0.12	64.5	23.4	26	0.56
J833765		3.41	0.111		0.05	8.97	1.5	240	0.98	0.19	4.66	0.10	68.7	24.5	28	0.71
J833766		3.23	0.033		0.07	9.07	0.8	380	0.98	0.07	4.94	0.08	70.0	24.8	28	1.14
J833767		3.08	<0.005		0.03	7.15	1.7	290	0.85	0.02	3.84	0.07	46.9	27.5	343	0.56
J833768		3.32	<0.005		<0.01	6.75	0.5	260	0.73	<0.01	2.38	0.04	20.9	27.8	430	0.38
J833769		3.30	<0.005		0.02	6.59	0.4	810	0.83	0.05	1.13	0.02	19.10	5.7	59	0.43
J833770		4.50	<0.005		0.18	7.90	1.4	20	0.31	0.05	7.27	0.10	7.06	49.5	106	0.06
J833770 CRD		<0.02	<0.005		0.18	7.72	1.4	20	0.31	0.07	7.24	0.09	7.14	49.1	103	0.06
J833771		2.62	<0.005	<0.005	<0.01	6.31	<0.2	490	0.84	<0.01	0.91	0.02	18.25	2.2	5	0.53
J833772		3.72	<0.005		0.01	6.35	<0.2	380	0.92	<0.01	3.64	0.06	16.90	20.2	370	0.56
J833773		3.52	<0.005		<0.01	6.56	0.2	370	1.22	<0.01	1.40	0.03	23.0	4.4	50	0.49
J833774		3.53	0.035		0.36	6.93	<0.2	450	1.12	0.01	2.77	0.04	24.5	12.5	72	0.99
J833775		0.12	2.40		8.64	7.01	49.1	700	0.91	3.61	1.62	0.93	56.3	17.3	60	3.02
J833776		3.70	<0.005		<0.01	7.52	<0.2	490	1.18	0.01	2.58	0.04	41.7	8.8	14	1.25
J833777		2.90	0.142		0.11	7.18	<0.2	560	1.18	0.03	2.07	0.06	58.8	5.3	8	1.13
J833778		3.58	<0.005		<0.01	7.34	<0.2	560	1.11	<0.01	2.11	0.02	81.8	6.5	8	0.92
J833779		3.82	0.061		0.11	7.36	0.3	520	1.09	0.01	2.02	0.02	78.7	7.5	10	0.74
J833780		3.78	<0.005		0.01	7.12	<0.2	390	1.26	0.01	2.18	0.02	56.8	6.5	10	0.42
J833781		3.37	<0.005		0.03	7.28	0.5	590	1.09	<0.01	2.06	0.07	80.8	7.2	13	0.53
J833782		3.79	<0.005		0.21	7.72	3.6	320	1.00	0.03	4.11	0.07	33.0	23.5	37	0.43
J833783		3.69	0.016		0.04	7.37	4.3	470	1.08	0.01	3.08	0.06	33.5	15.8	26	0.41
J833784		3.37	<0.005		<0.01	7.02	2.7	830	1.09	<0.01	2.01	0.08	20.6	5.2	10	0.86
J833785		3.50	<0.005		0.01	6.69	0.4	570	0.97	0.01	1.43	0.02	20.7	3.4	7	0.62
J833786		3.34	<0.005		<0.01	6.83	0.6	760	1.02	<0.01	1.74	0.04	37.9	8.6	7	0.84
J833787		3.29	<0.005		<0.01	6.86	<0.2	740	1.05	<0.01	1.56	0.05	42.6	6.6	7	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J833750		39.8	5.74	16.90	0.15	2.6	0.044	2.51	17.6	17.6	4.34	1020	1.17	0.07	6.8	421
J833750 CRD		48.2	6.14	18.25	0.17	2.6	0.044	2.62	17.3	19.1	4.71	1100	1.31	0.07	7.1	459
J833751		39.5	5.49	15.35	0.14	2.7	0.043	2.41	18.2	16.9	4.04	940	1.08	0.09	5.2	360
J833752		34.0	5.21	17.50	0.15	2.4	0.039	3.03	22.1	9.6	3.39	1180	0.74	0.17	4.5	254
J833753		41.6	3.20	18.80	0.15	2.6	0.025	2.49	30.3	12.7	0.93	527	0.21	2.17	6.8	13.2
J833754		21.5	2.96	18.40	0.15	2.0	0.031	1.95	26.5	22.8	0.94	539	0.14	2.60	6.1	18.5
J833755		17.0	3.16	18.40	0.11	1.6	0.031	1.64	20.8	28.0	1.03	596	0.17	2.68	4.3	26.1
J833756		38.7	3.05	20.6	0.14	3.1	0.032	1.41	27.4	24.9	0.92	531	0.14	3.03	6.6	17.7
J833757		18.3	1.93	16.20	0.11	2.1	0.016	1.39	16.6	13.7	0.49	335	0.10	2.38	5.1	5.8
J833758		27.6	1.81	17.05	0.10	2.3	0.016	1.59	16.5	11.3	0.47	314	0.16	3.13	4.2	7.4
J833759		31.9	2.85	17.95	0.14	2.4	0.025	2.02	22.8	19.5	0.87	532	0.13	2.32	6.1	26.5
J833760		>10000	4.45	13.15	0.10	1.0	0.123	0.81	9.6	15.5	1.16	658	255	2.13	3.7	31.6
J833761		6.8	1.31	18.65	0.07	3.1	0.014	1.52	8.5	6.5	0.22	213	0.33	3.42	6.2	1.6
J833762		37.3	5.01	22.2	0.16	3.1	0.058	1.90	16.0	27.2	1.22	796	0.27	2.47	13.6	15.0
J833763		45.5	6.81	25.9	0.17	2.1	0.075	1.00	22.5	31.9	1.73	992	3.02	2.49	16.7	21.0
J833764		46.5	6.42	23.9	0.16	1.8	0.073	1.07	20.4	32.4	1.65	1020	0.46	2.46	15.3	19.2
J833765		36.3	6.42	24.5	0.19	2.2	0.077	1.33	22.2	34.4	1.67	911	2.81	2.44	16.2	19.5
J833766		47.3	6.66	24.1	0.19	2.1	0.072	2.20	23.3	35.9	1.63	948	0.29	2.06	15.7	19.4
J833767		23.7	4.52	20.0	0.13	2.2	0.037	1.18	20.3	35.5	2.68	829	0.16	1.88	10.6	194.5
J833768		2.1	3.90	17.50	0.10	3.0	0.024	0.72	9.6	33.7	3.32	690	0.14	2.21	6.0	247
J833769		11.0	1.22	16.15	0.08	2.7	0.012	2.50	8.4	8.9	0.52	216	0.27	3.09	3.6	32.2
J833770		161.0	9.14	16.55	0.11	1.2	0.063	0.05	2.5	37.7	4.09	1610	0.29	0.90	2.1	102.5
J833770 CRD		164.0	9.04	16.40	0.09	1.1	0.063	0.05	2.5	36.2	4.01	1590	0.29	0.89	2.1	99.7
J833771		18.0	0.90	15.15	0.06	2.7	0.007	1.20	8.5	3.2	0.16	143	0.40	3.60	2.7	3.1
J833772		4.5	3.36	18.10	0.12	2.5	0.028	1.03	7.6	18.6	2.21	851	0.13	2.28	5.6	199.5
J833773		13.7	1.35	17.20	0.08	3.0	0.013	1.03	10.2	8.2	0.42	249	0.13	3.67	3.6	21.3
J833774		25.5	2.91	18.80	0.11	2.6	0.031	1.90	10.1	17.9	1.02	603	0.13	2.54	7.6	41.8
J833775		>10000	5.74	14.90	0.15	1.2	0.106	2.82	23.3	17.4	1.22	671	119.5	1.68	6.4	34.6
J833776		13.9	2.58	21.5	0.14	3.7	0.033	2.47	17.9	13.5	0.62	515	0.27	2.30	10.7	9.2
J833777		17.9	1.96	20.6	0.15	3.5	0.016	2.39	25.9	8.4	0.38	356	0.15	2.29	6.5	5.4
J833778		11.6	2.20	19.25	0.15	2.6	0.013	1.74	36.4	12.2	0.49	387	0.18	2.76	6.4	5.2
J833779		22.1	2.28	19.25	0.15	2.6	0.015	1.47	34.3	12.0	0.54	382	0.13	2.87	7.3	6.3
J833780		15.0	1.97	18.50	0.14	2.3	0.014	1.03	25.2	9.6	0.45	330	0.15	3.23	5.3	5.3
J833781		29.7	2.31	19.00	0.14	2.5	0.017	1.54	35.5	11.3	0.52	382	0.16	2.79	6.2	6.0
J833782		102.0	4.64	19.95	0.14	2.1	0.038	1.05	13.4	16.4	1.72	703	0.17	2.53	7.1	30.3
J833783		36.5	3.47	21.0	0.13	2.1	0.034	1.20	12.2	17.0	1.11	618	0.17	2.77	8.2	19.7
J833784		8.3	1.68	19.40	0.10	1.8	0.015	2.14	8.9	9.8	0.36	303	0.18	2.60	6.0	6.2
J833785		11.2	1.32	17.45	0.09	2.1	0.011	1.58	9.4	6.4	0.22	247	0.14	3.28	4.6	3.1
J833786		10.6	1.67	17.80	0.10	3.1	0.014	1.96	17.0	9.1	0.32	328	0.12	2.61	6.4	3.6
J833787		11.0	1.62	18.10	0.10	2.7	0.017	1.97	19.5	7.8	0.29	313	0.14	2.64	7.1	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J833750		650	5.6	70.3	<0.002	0.18	0.23	15.3	1	1.0	458	0.38	0.20	2.3	0.331	0.31
J833750 CRD		680	6.1	73.2	<0.002	0.20	0.26	16.6	1	1.0	496	0.39	0.22	2.3	0.344	0.34
J833751		600	5.1	66.0	<0.002	0.19	0.22	13.1	1	0.9	409	0.33	0.20	2.4	0.263	0.31
J833752		80	4.8	82.3	<0.002	0.06	0.25	12.9	1	1.0	386	0.38	0.24	3.9	0.237	0.37
J833753		760	4.7	51.6	<0.002	0.10	0.21	7.6	1	1.0	194.0	1.18	<0.05	6.5	0.255	0.32
J833754		710	6.7	50.3	<0.002	0.09	0.15	7.5	1	1.4	274	1.03	0.05	6.0	0.208	0.26
J833755		670	8.8	49.8	<0.002	0.03	0.20	8.6	1	1.0	298	0.56	<0.05	4.6	0.179	0.25
J833756		870	6.5	45.5	<0.002	0.05	0.20	9.4	1	1.2	347	0.80	<0.05	6.3	0.263	0.25
J833757		410	4.5	47.0	<0.002	0.03	0.15	4.9	1	0.9	244	0.57	<0.05	4.1	0.164	0.21
J833758		500	9.8	48.2	<0.002	0.06	0.11	6.0	1	0.6	217	0.68	<0.05	5.0	0.153	0.23
J833759		610	7.9	60.8	<0.002	0.10	0.14	7.4	1	1.0	197.0	0.76	0.06	5.6	0.233	0.28
J833760		580	38.7	22.9	1.355	1.57	23.7	14.5	5	1.0	281	0.27	0.56	2.0	0.327	0.19
J833761		240	4.6	51.5	<0.002	0.02	0.14	2.9	1	0.9	135.5	0.60	<0.05	3.8	0.087	0.23
J833762		1670	5.9	53.0	<0.002	0.08	0.13	13.6	1	1.3	133.5	0.71	<0.05	1.9	0.532	0.27
J833763		2350	7.7	28.9	<0.002	0.07	0.18	18.1	2	1.4	352	0.88	<0.05	1.1	0.723	0.15
J833764		2120	8.3	30.3	<0.002	0.07	0.19	17.6	1	1.3	308	0.74	0.05	0.9	0.675	0.15
J833765		2310	9.1	42.6	<0.002	0.07	0.20	18.0	1	1.5	284	0.83	0.05	1.4	0.680	0.20
J833766		2180	4.6	64.0	<0.002	0.08	0.13	18.5	2	1.3	155.0	0.75	<0.05	1.4	0.669	0.33
J833767		620	14.3	31.4	<0.002	0.04	0.13	12.5	1	1.5	219	0.98	<0.05	4.1	0.346	0.16
J833768		190	8.1	18.2	<0.002	0.01	0.10	9.7	1	1.2	198.5	0.76	<0.05	3.6	0.232	0.10
J833769		100	3.9	51.7	<0.002	0.02	0.09	2.8	1	0.6	162.0	0.44	0.05	4.4	0.075	0.26
J833770		300	7.0	1.1	0.002	0.11	0.30	42.6	1	0.6	303	0.16	0.07	0.2	0.563	<0.02
J833770 CRD		300	7.0	1.1	0.003	0.12	0.31	40.3	1	0.5	300	0.16	0.07	0.2	0.554	<0.02
J833771		50	2.5	43.0	<0.002	0.02	0.10	1.6	1	0.5	132.5	0.29	<0.05	4.8	0.047	0.18
J833772		150	1.9	37.0	<0.002	0.01	0.14	11.1	1	1.3	156.5	0.53	<0.05	2.7	0.225	0.16
J833773		60	3.7	36.5	<0.002	0.01	0.08	3.3	1	0.8	202	0.37	<0.05	4.4	0.066	0.15
J833774		480	4.4	58.1	<0.002	0.08	0.13	8.4	1	1.3	156.0	0.83	0.05	3.1	0.243	0.31
J833775		950	63.8	74.4	0.136	2.50	7.00	16.3	7	2.6	269	0.27	0.92	4.6	0.329	0.78
J833776		610	4.8	70.9	<0.002	0.02	0.14	7.7	1	1.6	159.5	0.93	<0.05	5.5	0.256	0.40
J833777		410	5.2	66.1	<0.002	0.08	0.14	3.6	1	1.2	155.0	0.54	0.09	7.5	0.143	0.35
J833778		510	8.6	64.1	<0.002	0.02	0.12	2.8	1	0.9	283	0.57	<0.05	9.5	0.186	0.30
J833779		610	6.9	52.7	<0.002	0.04	0.14	3.7	1	1.0	308	0.63	0.06	9.4	0.210	0.24
J833780		450	6.6	36.0	<0.002	0.01	0.15	2.9	1	0.7	316	0.66	<0.05	7.0	0.175	0.17
J833781		510	10.1	44.0	<0.002	0.03	0.12	4.3	1	0.9	346	0.68	<0.05	9.0	0.202	0.22
J833782		1050	8.8	28.3	<0.002	0.07	0.17	14.0	1	1.2	278	0.83	<0.05	3.5	0.323	0.17
J833783		1010	11.9	34.4	<0.002	0.03	0.14	10.1	1	1.5	279	0.79	<0.05	3.2	0.240	0.20
J833784		350	10.3	58.2	<0.002	0.02	0.12	4.2	1	1.1	109.0	0.47	<0.05	3.1	0.115	0.31
J833785		180	6.6	49.8	<0.002	0.03	0.09	2.6	1	0.9	138.5	0.60	<0.05	4.0	0.087	0.21
J833786		310	10.1	53.3	<0.002	0.01	0.10	2.7	1	1.4	197.5	0.71	<0.05	6.0	0.133	0.28
J833787		310	8.9	54.2	<0.002	0.01	0.10	3.3	1	1.4	177.0	0.71	<0.05	6.9	0.124	0.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J833750		1.1	95	7.0	10.2	124	100.0									
J833750 CRD		1.2	101	7.2	10.8	135	105.5									
J833751		1.1	90	5.7	10.0	110	99.7		4.12	15.1	46.31	9.68	7.53	9.94	6.38	0.09
J833752		1.1	96	6.3	10.2	88	80.5									
J833753		1.3	68	2.1	5.8	56	92.6									
J833754		0.7	61	1.4	6.0	67	68.6									
J833755		0.8	68	0.3	5.8	68	48.4									
J833756		1.1	65	0.2	12.0	71	110.5									
J833757		1.3	36	0.3	7.1	43	65.2									
J833758		1.2	36	0.8	10.0	36	61.0									
J833759		0.9	54	3.6	10.2	67	76.7									
J833760		0.8	103	5.1	14.4	145	28.8	1.305								
J833761		2.2	13	0.9	6.5	27	79.6									
J833762		1.4	98	5.8	22.0	116	108.0									
J833763		0.6	143	1.4	31.1	148	73.4									
J833764		0.5	132	1.6	30.5	146	54.5									
J833765		1.1	131	1.2	32.7	148	71.1									
J833766		0.6	128	2.6	31.1	147	70.7									
J833767		1.6	96	1.8	16.5	106	58.8									
J833768		1.3	84	0.6	11.2	77	71.9									
J833769		1.1	20	0.9	5.4	18	64.1									
J833770		0.1	308	1.0	19.2	110	34.4									
J833770 CRD		0.1	299	0.9	18.9	107	34.0									
J833771		1.1	10	0.9	4.9	9	62.5		0.29	1.1	74.15	13.19	1.23	1.32	0.28	5.13
J833772		0.9	83	0.7	12.6	77	61.4									
J833773		1.1	19	1.2	5.3	20	70.5									
J833774		1.7	56	4.3	10.9	74	79.2									
J833775		1.2	161	11.4	14.1	188	34.3	2.24								
J833776		1.9	42	2.3	18.6	67	143.0									
J833777		1.0	32	4.4	7.9	48	115.0									
J833778		0.9	35	0.8	5.6	56	83.8									
J833779		1.2	39	1.6	7.1	55	85.1									
J833780		0.9	36	0.4	6.1	38	66.1									
J833781		1.0	39	0.2	7.7	49	87.3									
J833782		1.3	125	0.2	12.6	90	53.5									
J833783		1.2	84	0.2	17.9	78	57.7									
J833784		0.9	27	1.3	6.6	44	52.5									
J833785		1.5	18	0.8	6.1	31	56.2									
J833786		0.9	24	0.7	5.7	48	92.5									
J833787		0.9	20	0.7	6.4	45	73.8									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J833750 J833750 CRD J833751 J833752 J833753		2.61	0.06	0.75	0.12	0.127	0.04	0.12	16.00	99.76
J833754 J833755 J833756 J833757 J833758										
J833759 J833760 J833761 J833762 J833763										
J833764 J833765 J833766 J833767 J833768										
J833769 J833770 J833770 CRD J833771 J833772		1.48	<0.01	0.06	0.01	0.016	0.03	0.04	1.52	98.46
J833773 J833774 J833775 J833776 J833777										
J833778 J833779 J833780 J833781 J833782										
J833783 J833784 J833785 J833786 J833787										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J833788		3.22	<0.005		<0.01	6.98	0.6	720	1.14	<0.01	1.96	0.02	60.3	7.8	8	1.02
J833789		2.76	<0.005		<0.01	6.34	<0.2	420	0.88	<0.01	1.13	0.02	19.20	1.9	4	0.55
J833790		0.12	0.441		2.15	7.61	119.5	580	1.14	0.55	0.57	1.00	31.2	18.9	32	7.19
J833791		3.23	0.077		0.11	6.86	0.8	650	0.86	0.03	1.71	0.02	63.6	6.2	7	1.25
J833791 CRD		<0.02	0.079		0.10	6.94	0.7	670	0.99	0.03	1.76	0.02	61.5	6.2	8	1.29
J833792		3.30	0.060	0.058	0.07	7.72	0.3	570	1.05	0.03	2.48	0.06	68.6	7.7	8	1.31
J833793		3.65	<0.005		0.02	7.12	0.4	600	0.97	0.01	2.43	0.03	104.5	12.6	13	1.13
J833794		3.26	<0.005		0.06	7.70	0.4	480	1.22	0.05	2.75	0.04	105.5	12.0	14	0.80
J833795		3.15	<0.005		0.05	7.56	0.7	350	0.87	0.04	3.35	0.04	36.5	14.7	13	0.76
J833796		3.27	<0.005		0.10	7.60	0.5	500	1.14	0.06	2.75	0.05	54.5	11.7	14	1.04
J833797		3.16	0.016		0.06	7.63	0.3	390	0.91	0.02	2.90	0.05	107.0	12.7	15	0.83
J833798		3.50	<0.005		<0.01	7.18	<0.2	370	0.78	0.01	1.95	0.03	33.4	3.1	6	0.68
J833799		3.00	0.356		0.24	6.96	<0.2	360	1.14	0.05	2.66	0.04	40.8	9.4	13	1.13
J833800		0.12	0.967		4.56	6.47	23.2	460	0.74	1.98	2.49	2.04	21.7	15.4	58	0.81
J833801		3.67	0.088		0.11	8.44	<0.2	420	0.94	0.02	2.75	0.03	37.0	6.6	7	0.99
J833802		3.23	<0.005		0.01	7.46	<0.2	570	1.02	0.02	1.39	0.03	32.1	3.3	5	0.69
J833803		3.44	<0.005		0.02	8.33	<0.2	370	1.17	0.05	3.03	0.05	38.1	11.4	16	0.67
J833804		2.05	<0.005		0.03	7.99	<0.2	330	1.20	0.02	3.60	0.06	28.5	14.2	20	0.66
J833805		2.27	0.290		1.42	7.82	<0.2	330	0.86	2.71	4.29	0.09	31.3	16.1	23	0.74
J833806		2.78	<0.005		0.02	5.56	<0.2	140	0.90	0.05	2.08	0.04	6.49	1.6	6	0.29
J833807		3.18	<0.005		0.02	6.87	<0.2	390	0.90	0.03	2.30	0.02	23.3	3.9	5	1.11
J833808		3.41	<0.005		0.01	6.77	<0.2	770	0.68	0.01	1.40	0.02	24.4	2.4	6	0.56
J833809		2.33	<0.005		0.04	7.68	1.4	350	1.07	0.03	2.11	0.03	46.6	5.0	8	0.52
J833810		2.45	<0.005		0.01	7.56	0.2	460	1.10	0.01	1.44	0.04	32.9	4.2	6	0.55
J833810 CRD		<0.02	<0.005		0.01	7.59	0.5	480	0.90	0.02	1.48	0.04	34.2	4.1	7	0.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J833788		10.5	1.92	19.65	0.14	3.0	0.018	2.28	26.2	10.7	0.37	359	0.10	2.42	7.9	4.2
J833789		6.0	1.01	15.95	0.07	3.0	0.010	1.38	8.8	3.4	0.11	186	0.17	3.38	5.4	1.4
J833790		4540	4.87	19.00	0.19	0.8	0.061	5.41	15.8	12.0	0.77	502	276	1.05	5.1	24.5
J833791		19.4	1.98	18.65	0.10	2.7	0.014	2.42	31.7	9.8	0.41	277	0.46	2.14	6.3	5.2
J833791 CRD		18.7	2.14	19.65	0.12	2.9	0.015	2.56	30.6	10.4	0.44	301	0.33	2.27	6.4	5.3
J833792		8.7	2.43	23.4	0.14	2.8	0.022	2.39	31.1	14.6	0.64	519	0.17	3.46	8.0	8.6
J833793		23.5	2.96	20.2	0.15	2.6	0.023	2.04	49.0	15.6	0.73	497	0.18	2.51	7.1	10.0
J833794		49.0	3.16	22.1	0.16	3.4	0.029	1.42	48.9	17.2	0.84	530	0.17	2.80	9.7	11.8
J833795		30.2	3.59	20.4	0.13	2.6	0.029	1.36	17.4	21.3	1.01	630	0.13	2.88	7.9	21.0
J833796		17.1	3.17	21.8	0.12	2.3	0.031	1.94	25.4	20.8	0.86	569	0.12	2.64	8.3	16.1
J833797		50.3	3.25	21.4	0.15	3.3	0.040	1.44	46.6	20.9	0.90	645	0.19	3.72	9.9	14.2
J833798		13.0	1.69	17.95	0.10	4.1	0.015	1.34	15.7	9.2	0.34	380	0.18	3.99	6.8	4.2
J833799		15.7	2.64	20.2	0.12	2.4	0.024	2.02	18.5	16.3	0.63	509	0.14	2.67	9.3	11.8
J833800		>10000	4.71	14.90	0.15	1.1	0.142	0.84	10.4	15.3	1.19	677	238	2.22	4.3	35.1
J833801		44.8	2.20	21.0	0.13	3.1	0.023	1.81	18.6	13.6	0.58	527	0.15	4.47	9.1	8.4
J833802		10.8	1.62	18.85	0.11	3.0	0.013	1.89	16.8	8.3	0.29	281	0.20	3.25	6.7	2.9
J833803		13.1	3.16	22.7	0.16	2.1	0.045	1.42	17.7	16.7	0.88	588	0.17	2.71	11.8	12.8
J833804		22.1	3.82	23.0	0.16	1.9	0.048	1.29	11.7	19.7	1.08	711	0.17	2.61	12.4	16.5
J833805		26.1	4.20	22.7	0.14	2.4	0.058	1.44	12.8	20.4	1.34	836	0.12	2.38	14.5	19.0
J833806		12.3	0.77	15.40	0.08	1.6	0.009	0.70	2.8	3.7	0.09	242	0.16	4.08	4.9	2.1
J833807		2.1	1.27	18.15	0.12	2.1	0.009	2.34	12.2	6.8	0.28	217	0.14	2.10	6.6	2.8
J833808		3.0	1.26	16.20	0.11	2.8	0.010	2.25	12.4	5.0	0.17	220	0.16	2.71	5.1	1.6
J833809		37.6	1.89	19.80	0.13	2.4	0.013	1.30	24.2	9.4	0.43	331	0.10	3.04	11.6	5.2
J833810		12.3	1.70	20.7	0.13	3.4	0.016	1.51	17.5	7.4	0.27	343	0.12	3.31	9.0	3.2
J833810 CRD		13.6	1.73	19.95	0.12	3.2	0.015	1.56	17.9	7.2	0.30	354	0.10	3.25	9.0	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J833788		420	10.6	61.8	<0.002	0.01	0.12	3.3	1	1.5	176.5	0.70	<0.05	7.8	0.162	0.32
J833789		100	6.6	43.8	<0.002	0.02	0.08	2.2	1	1.0	152.0	0.57	<0.05	4.4	0.051	0.19
J833790		1130	42.5	105.5	0.689	2.55	8.04	11.6	9	3.2	262	0.30	1.02	2.4	0.244	1.44
J833791		380	4.6	76.0	<0.002	0.08	0.15	3.2	1	0.9	164.0	0.60	0.07	8.0	0.146	0.37
J833791 CRD		380	4.4	79.4	<0.002	0.10	0.12	3.3	1	0.9	173.0	0.62	0.07	7.4	0.154	0.36
J833792		470	7.4	72.5	<0.002	0.12	0.14	5.2	<1	1.1	211	0.93	0.05	7.7	0.165	0.37
J833793		600	6.0	69.8	<0.002	0.05	0.13	5.8	1	1.2	322	0.74	<0.05	9.6	0.241	0.34
J833794		1050	7.6	56.3	<0.002	0.09	0.14	7.7	1	1.0	450	1.32	<0.05	9.4	0.268	0.26
J833795		420	6.6	50.0	<0.002	0.02	0.12	11.1	1	1.2	240	0.79	<0.05	4.0	0.296	0.24
J833796		890	7.5	65.9	<0.002	0.04	0.09	9.4	1	1.4	234	0.94	<0.05	6.2	0.257	0.34
J833797		1310	10.0	48.9	<0.002	0.14	0.10	9.3	1	1.4	278	1.05	<0.05	8.5	0.293	0.26
J833798		270	3.8	47.1	<0.002	0.01	0.07	3.4	1	1.1	176.5	0.53	<0.05	5.3	0.105	0.21
J833799		560	6.5	68.3	<0.002	0.12	0.09	5.9	1	1.5	169.5	0.82	0.16	4.5	0.221	0.35
J833800		580	41.6	23.3	1.405	1.64	26.7	15.4	6	1.1	297	0.26	0.61	1.9	0.331	0.21
J833801		640	5.6	57.5	<0.002	0.12	0.08	5.1	1	1.4	175.0	1.21	0.05	6.8	0.166	0.30
J833802		240	6.7	59.5	<0.002	0.02	0.07	2.7	1	1.2	208	0.77	<0.05	5.1	0.106	0.28
J833803		990	8.6	48.8	<0.002	0.01	0.12	9.8	1	2.0	274	1.41	<0.05	5.2	0.279	0.27
J833804		1110	10.5	51.6	<0.002	0.01	0.13	11.2	1	2.3	239	1.41	<0.05	3.8	0.319	0.26
J833805		1200	157.5	45.1	<0.002	0.02	0.15	12.2	1	2.6	238	1.75	0.18	3.5	0.360	0.26
J833806		40	9.7	16.7	<0.002	0.04	<0.05	1.4	1	0.5	175.0	0.77	<0.05	2.3	0.027	0.09
J833807		220	6.4	67.3	<0.002	0.01	0.06	1.9	1	1.0	162.5	0.78	<0.05	4.1	0.111	0.37
J833808		290	9.9	53.9	<0.002	0.01	0.06	2.2	1	0.9	172.5	0.62	<0.05	5.0	0.073	0.28
J833809		560	12.0	45.8	<0.002	0.02	0.11	2.6	1	1.2	316	1.40	<0.05	6.4	0.167	0.23
J833810		280	9.5	49.3	<0.002	0.03	0.07	3.6	1	1.4	174.0	1.29	<0.05	7.2	0.115	0.23
J833810 CRD		300	9.8	49.7	<0.002	0.03	0.07	3.6	1	1.4	169.5	1.40	<0.05	6.5	0.122	0.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J833788		0.7	28	1.2	7.7	51	88.7									
J833789		1.4	9	1.0	5.8	17	75.6									
J833790		1.2	158	16.5	14.9	159	21.7									
J833791		0.8	29	1.4	6.3	40	74.5									
J833791 CRD		0.8	31	1.5	6.4	42	83.9									
J833792		0.9	41	5.6	6.9	62	73.7		0.80	2.9	60.69	17.30	3.41	3.52	1.16	4.78
J833793		1.0	53	0.8	8.7	68	81.7									
J833794		2.1	60	0.6	14.9	68	109.5									
J833795		1.5	76	0.4	13.5	66	77.9									
J833796		2.0	66	0.7	16.5	69	70.6									
J833797		1.6	69	3.6	18.8	78	116.0									
J833798		1.2	16	3.3	7.3	39	115.5									
J833799		1.2	45	3.5	10.0	59	70.1									
J833800		0.8	102	5.7	16.4	142	29.4	1.295								
J833801		2.1	33	5.9	11.9	52	104.5									
J833802		2.6	18	0.4	9.5	32	103.0									
J833803		2.0	68	0.2	28.8	78	69.0									
J833804		3.1	80	0.3	27.4	92	57.8									
J833805		2.5	89	5.3	25.5	108	75.8									
J833806		1.8	5	0.9	5.8	12	31.3									
J833807		1.7	18	0.6	4.9	25	72.6									
J833808		2.1	11	0.4	7.2	27	86.6									
J833809		2.4	29	0.2	13.4	41	81.9									
J833810		3.2	18	0.2	18.3	40	113.0									
J833810 CRD		2.2	19	0.2	16.1	43	106.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J833788										
J833789										
J833790										
J833791										
J833791 CRD										
J833792		2.95	<0.01	0.33	0.06	0.108	0.03	0.06	4.15	98.55
J833793										
J833794										
J833795										
J833796										
J833797										
J833798										
J833799										
J833800										
J833801										
J833802										
J833803										
J833804										
J833805										
J833806										
J833807										
J833808										
J833809										
J833810										
J833810 CRD										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181684

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.