ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE TB10180654

Project: HAMMOND REEF

P.O. No.:

This report is for 151 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 14-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J842212		3.61	0.005		0.04	6.93	0.5	350	1.11	0.03	1.91	0.05	56.7	4.5	11	0.89
J842213		3.33	0.015		0.02	6.90	0.3	310	0.89	0.02	1.62	0.02	48.9	3.2	9	0.62
J842214		3.64	0.074		0.15	6.91	<0.2	360	0.98	0.08	1.09	<0.02	54.7	4.5	10	0.83
J842215		0.11	2.30		8.29	6.79	51.8	540	0.94	3.34	1.65	1.05	57.5	17.7	59	3.35
J842216		3.72	0.036		0.06	6.70	<0.2	330	1.12	0.02	1.81	0.02	51.7	4.3	10	0.79
J842217		3.77	<0.005		0.10	7.00	0.2	340	1.14	0.01	2.12	0.03	38.3	4.3	10	0.87
J842218		3.54	<0.005		0.02	6.72	0.3	420	0.97	0.01	1.61	0.03	28.6	2.5	9	0.81
J842219		2.94	<0.005		0.05	6.72	0.3	700	0.90	0.03	1.21	0.02	25.1	1.9	13	0.80
J842220		3.63	<0.005		0.10	6.72	0.7	550	1.36	0.12	3.14	0.06	92.9	14.5	20	0.98
J842221		3.54	<0.005		0.03	6.89	0.5	490	1.26	0.06	2.43	0.05	76.9	9.8	16	1.09
J842222		3.75	<0.005		0.02	6.92	0.5	450	1.06	0.01	1.66	0.04	41.4	3.6	7	0.81
J842223		3.27	<0.005		0.01	6.67	<0.2	290	1.01	0.01	1.99	0.02	69.1	4.5	9	0.82
J842224		3.33	0.118		0.02	6.70	<0.2	520	0.82	0.02	1.35	<0.02	48.0	2.6	8	0.73
J842225		3.32	<0.005		0.01	6.58	0.6	500	0.76	0.01	1.08	<0.02	16.85	1.5	8	0.57
J842226		3.62	<0.005		<0.01	6.54	0.4	480	0.80	0.01	1.38	0.02	20.4	1.7	7	0.56
J842227		3.43	<0.005		0.02	6.77	<0.2	670	0.89	0.02	1.45	<0.02	38.3	2.8	11	0.82
J842228		3.77	<0.005		0.02	6.47	<0.2	670	0.76	0.03	1.06	<0.02	22.2	1.5	6	0.56
J842229		3.46	<0.005		0.03	6.66	0.2	860	0.82	0.01	1.55	<0.02	16.55	1.7	8	0.56
J842230		0.07	0.413		2.23	7.40	99.3	580	1.30	0.50	0.55	1.02	32.0	18.1	33	6.70
J842231		3.19	<0.005		0.09	6.72	<0.2	760	0.93	0.23	2.08	<0.02	27.4	3.6	10	0.76
J842231 CRD		<0.02	<0.005		0.05	6.85	0.4	750	0.98	0.12	2.04	0.02	26.8	3.4	13	0.75
J842232		3.21	0.008	0.008	0.04	6.84	<0.2	670	0.96	0.01	1.68	<0.02	31.1	3.6	9	0.85
J842233		3.46	<0.005		0.04	7.06	<0.2	460	1.12	0.02	2.23	0.03	46.8	6.9	16	1.03
J842234		3.74	<0.005		0.07	6.74	<0.2	420	1.05	0.16	1.90	0.02	35.9	5.2	13	0.90
J842235		3.05	<0.005		0.05	6.62	0.3	490	0.95	0.01	1.57	0.02	26.7	3.4	9	0.71
J842236		3.19	<0.005		0.14	6.81	2.1	630	0.86	0.01	1.77	0.02	51.4	5.5	13	0.58
J842237		3.05	<0.005		0.08	6.92	2.9	390	0.96	0.02	2.07	0.02	33.3	6.0	11	0.50
J842238		3.27	<0.005		0.05	6.81	4.4	340	1.27	0.01	2.09	0.02	33.6	6.3	11	0.64
J842239		3.32	<0.005		0.08	6.84	3.0	340	1.17	0.02	2.18	<0.02	51.3	6.9	13	0.73
J842240		3.56	<0.005		0.04	6.89	2.8	210	1.10	0.06	2.99	0.02	28.3	7.5	17	0.44
J842241		3.46	<0.005		0.02	6.63	2.5	150	0.87	0.04	3.75	0.02	34.4	5.5	17	0.34
J842242		3.73	<0.005		0.04	6.87	5.3	170	1.01	0.03	2.58	0.02	44.2	7.8	18	0.29
J842243		3.12	0.016		0.02	6.78	2.8	180	1.01	0.01	2.32	<0.02	65.5	4.6	9	0.33
J842244		3.23	<0.005		0.02	6.97	1.8	740	0.85	<0.01	1.04	<0.02	34.6	2.2	9	0.42
J842245		1.00	<0.005		<0.01	0.14	<5	10	0.05	0.01	20.0	<0.02	2.97	0.9	2	0.10
J842246		3.22	0.007		0.07	7.20	2.9	380	1.01	0.02	2.82	0.04	25.2	11.3	17	0.74
J842247		3.30	<0.005		0.07	7.18	4.5	470	0.91	0.20	2.85	0.04	30.8	16.0	176	0.83
J842248		2.83	<0.005		0.07	7.12	3.2	400	0.83	0.08	2.21	0.02	32.1	9.1	8	0.71
J842249		3.37	<0.005		0.01	6.74	3.5	370	0.92	0.08	2.32	0.02	38.8	7.0	6	0.57
J842250		3.35	<0.005		0.01	6.45	0.7	420	0.98	0.06	1.62	<0.02	53.0	3.8	5	0.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J842212		3.4	1.70	19.10	0.12	4.2	0.019	1.87	28.9	6.8	0.35	323	0.19	3.06	5.9	7.9
J842213		1.7	1.37	17.35	0.12	3.8	0.020	1.41	25.2	5.5	0.29	254	0.22	4.09	6.2	5.2
J842214		2.9	1.54	18.40	0.13	3.6	0.019	1.72	29.9	5.9	0.32	202	0.21	3.31	4.6	7.1
J842215		>10000	5.86	14.85	0.20	1.0	0.119	2.80	27.8	18.5	1.21	639	115.0	1.68	6.9	36.1
J842216		2.1	1.70	20.9	0.23	4.1	0.018	1.90	26.7	9.0	0.37	308	0.18	2.81	5.8	6.1
J842217		10.9	1.79	19.40	0.11	3.6	0.020	1.91	19.4	8.0	0.35	358	0.31	3.10	6.9	6.4
J842218		3.7	1.19	17.20	0.11	2.3	0.013	1.77	13.7	3.7	0.21	235	0.21	3.17	6.1	3.4
J842219		7.2	1.09	15.55	0.10	2.1	0.010	1.68	11.8	2.5	0.16	179	0.25	3.10	3.1	2.1
J842220		67.4	4.58	20.6	0.23	3.2	0.057	1.69	39.4	21.2	1.26	726	0.60	2.06	23.5	25.6
J842221		40.9	3.63	20.8	0.21	4.4	0.034	2.03	34.5	12.8	0.68	522	0.44	2.26	12.2	11.6
J842222		8.6	2.15	19.85	0.15	3.3	0.016	1.68	19.0	4.9	0.21	284	0.20	3.19	4.5	2.5
J842223		3.5	2.51	20.1	0.17	3.6	0.022	1.71	32.3	7.6	0.30	367	0.27	2.58	6.2	2.8
J842224		2.0	1.37	16.15	0.15	2.8	0.011	1.58	23.1	4.4	0.20	210	0.25	3.23	4.1	2.0
J842225		3.5	0.96	14.80	0.09	3.2	0.006	1.40	8.6	2.2	0.11	126	0.22	3.60	2.3	1.6
J842226		3.0	1.02	14.75	0.11	2.7	0.008	1.41	10.0	2.4	0.12	165	0.42	3.41	2.5	2.0
J842227		2.2	1.29	16.55	0.14	3.5	0.011	1.79	19.3	4.9	0.22	208	0.66	2.95	4.8	3.3
J842228		2.1	0.95	14.85	0.11	2.6	0.008	1.43	11.4	2.3	0.10	129	0.23	3.32	2.2	1.5
J842229		0.9	0.93	15.15	0.10	2.9	0.007	1.64	8.0	3.3	0.13	154	0.31	2.91	2.9	2.0
J842230		4250	4.69	16.45	0.21	0.7	0.056	4.30	17.4	11.8	0.75	478	261	1.05	5.0	23.6
J842231		5.3	1.63	17.60	0.12	2.5	0.016	1.83	12.6	7.6	0.26	313	0.60	2.69	6.1	3.9
J842231 CRD		2.8	1.54	17.35	0.12	2.3	0.014	1.85	12.6	7.2	0.25	296	0.44	2.65	5.6	4.1
J842232		19.9	1.41	17.15	0.11	2.5	0.015	1.93	14.7	6.7	0.25	259	0.32	2.84	5.4	3.7
J842233		26.9	2.48	20.6	0.14	2.9	0.024	2.01	21.6	13.1	0.49	423	0.25	2.43	9.3	9.0
J842234		6.0	1.91	19.05	0.13	2.4	0.016	1.76	17.4	10.4	0.38	331	63.6	2.73	6.8	6.6
J842235		1.9	1.37	18.00	0.13	2.1	0.012	1.57	13.3	8.4	0.27	258	0.31	3.20	5.4	3.7
J842236		60.9	2.00	18.65	0.14	2.6	0.016	1.84	24.2	11.5	0.40	360	0.24	2.75	6.4	6.6
J842237		29.1	1.95	19.10	0.14	2.2	0.020	1.30	16.3	11.7	0.43	355	0.13	2.97	6.8	7.4
J842238		7.6	2.24	19.60	0.14	2.9	0.023	1.42	15.7	15.1	0.46	438	0.16	2.78	7.6	8.0
J842239		23.9	2.43	19.80	0.16	3.0	0.023	1.45	24.8	16.1	0.54	412	0.23	2.73	6.6	8.2
J842240		12.3	3.00	23.1	0.13	3.0	0.046	1.13	12.4	17.5	0.59	426	0.60	2.35	10.1	11.0
J842241		5.1	2.55	22.5	0.12	2.7	0.041	0.86	14.5	13.0	0.45	289	0.30	2.17	7.8	10.6
J842242		18.8	2.71	18.60	0.13	2.5	0.024	0.80	20.7	14.7	0.58	393	0.16	2.80	6.3	13.8
J842243		1.7	1.72	18.90	0.14	4.2	0.017	0.97	30.9	13.8	0.35	168	0.31	2.76	6.0	3.6
J842244		4.1	0.99	15.45	0.12	2.1	0.006	1.76	17.5	6.2	0.17	106	0.31	3.42	5.8	2.0
J842245		0.4	0.09	0.38	0.07	0.1	<0.005	0.11	2.2	5.0	13.00	47	0.12	0.01	0.4	2.3
J842246		29.1	3.51	21.0	0.10	2.6	0.045	1.60	10.8	20.2	0.89	579	0.46	2.50	8.2	14.6
J842247		30.4	4.65	22.7	0.14	3.6	0.041	1.92	11.5	31.7	1.67	739	0.52	1.80	7.6	46.0
J842248		24.5	2.67	18.35	0.15	2.9	0.022	1.59	12.9	16.2	0.75	381	0.36	2.90	7.5	12.3
J842249		10.4	2.23	18.85	0.16	3.0	0.021	1.34	16.7	14.1	0.54	297	0.20	2.78	6.2	7.4
J842250		5.7	1.39	16.95	0.15	2.7	0.011	1.34	22.6	7.3	0.26	246	0.22	3.16	5.0	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J842212		300	8.3	57.5	<0.002	0.01	0.12	3.9	1	1.2	174.0	0.41	<0.05	11.2	0.114	0.28
J842213		320	7.1	39.6	<0.002	0.02	0.07	3.3	1	1.1	188.5	0.49	<0.05	10.0	0.113	0.20
J842214		260	5.5	51.1	<0.002	0.06	0.08	3.7	1	1.1	134.0	0.36	0.07	10.7	0.099	0.25
J842215		900	68.0	82.3	0.140	2.30	7.73	16.7	7	2.6	262	0.27	1.00	4.9	0.317	0.78
J842216		260	5.5	52.6	<0.002	0.01	0.07	4.2	1	1.2	169.0	0.45	<0.05	9.4	0.135	0.25
J842217		260	6.6	53.1	<0.002	0.02	0.09	3.5	1	1.3	149.5	0.50	<0.05	8.3	0.140	0.28
J842218		180	4.2	51.2	<0.002	0.03	0.06	2.6	1	0.8	128.5	0.58	<0.05	7.1	0.087	0.23
J842219		90	5.1	47.0	<0.002	0.01	0.06	1.6	1	0.5	212	0.27	<0.05	6.0	0.058	0.22
J842220		2880	4.8	60.4	<0.002	0.08	0.10	9.5	2	2.2	211	1.57	<0.05	4.1	0.929	0.30
J842221		1410	5.1	65.5	<0.002	0.06	0.08	5.6	1	1.7	161.0	0.76	<0.05	6.1	0.453	0.33
J842222		380	5.0	49.0	<0.002	0.01	0.05	2.3	1	1.0	166.0	0.31	<0.05	6.8	0.104	0.25
J842223		370	5.9	46.8	<0.002	0.01	0.06	3.1	1	1.3	190.5	0.36	<0.05	11.5	0.137	0.24
J842224		190	4.6	43.8	<0.002	0.02	0.05	2.2	1	0.9	137.0	0.22	<0.05	9.6	0.083	0.20
J842225		90	4.0	37.4	<0.002	0.01	<0.05	1.3	1	0.5	150.5	0.14	<0.05	4.2	0.047	0.16
J842226		110	4.3	37.0	<0.002	0.01	0.05	1.3	1	0.5	151.5	0.18	<0.05	4.6	0.046	0.16
J842227		180	7.4	47.5	<0.002	0.01	0.06	2.3	1	0.8	159.5	0.28	<0.05	8.3	0.088	0.21
J842228		90	5.4	38.2	<0.002	0.01	<0.05	1.1	1	0.5	139.0	0.18	<0.05	5.2	0.039	0.16
J842229		130	4.5	41.1	<0.002	<0.01	<0.05	1.3	1	0.6	159.5	0.21	<0.05	3.9	0.048	0.21
J842230		1090	43.8	129.5	0.617	2.41	7.09	11.3	8	2.7	252	0.32	0.88	2.6	0.236	1.35
J842231		240	6.7	46.8	<0.002	0.01	0.06	2.6	1	1.2	161.5	0.36	<0.05	6.3	0.100	0.24
J842231 CRD		250	6.1	46.5	<0.002	0.01	0.05	2.6	1	1.1	156.5	0.30	<0.05	6.0	0.099	0.23
J842232		250	6.1	50.6	<0.002	0.01	0.05	2.5	1	1.0	151.0	0.31	<0.05	6.4	0.097	0.24
J842233		530	5.0	58.6	<0.002	0.01	0.08	5.4	1	1.5	178.5	0.55	<0.05	4.8	0.194	0.32
J842234		350	4.7	53.2	0.008	0.02	0.06	3.5	1	1.2	155.0	0.32	<0.05	4.3	0.146	0.27
J842235		230	6.9	46.3	<0.002	0.01	0.06	2.5	1	1.0	145.0	0.31	<0.05	5.3	0.101	0.24
J842236		380	8.4	44.9	<0.002	0.02	0.09	4.4	1	1.2	204	0.35	<0.05	9.0	0.148	0.25
J842237		360	7.9	38.4	<0.002	0.01	0.08	4.6	1	1.1	198.5	0.56	<0.05	5.8	0.159	0.20
J842238		400	6.5	45.0	<0.002	<0.01	0.08	5.0	1	1.6	193.5	0.57	<0.05	5.5	0.172	0.22
J842239		520	6.0	48.5	<0.002	0.01	0.09	5.2	1	1.3	206	0.45	<0.05	5.9	0.199	0.24
J842240		600	6.6	27.6	<0.002	<0.01	0.15	5.3	1	2.3	257	0.72	<0.05	6.1	0.236	0.17
J842241		500	5.3	21.5	<0.002	<0.01	0.12	5.1	1	2.0	282	0.54	<0.05	6.6	0.177	0.13
J842242		590	6.8	21.1	<0.002	<0.01	0.11	5.5	1	1.1	246	0.50	<0.05	7.1	0.201	0.11
J842243		360	5.5	24.0	<0.002	<0.01	0.08	3.0	1	1.2	243	0.29	<0.05	12.1	0.132	0.12
J842244		120	5.1	39.0	<0.002	<0.01	0.05	2.0	1	0.8	149.0	0.48	<0.05	8.8	0.056	0.19
J842245		10	1.2	2.5	<0.002	0.06	<0.05	0.3	1	<0.2	66.3	<0.05	<0.05	0.3	0.006	<0.02
J842246		450	4.4	44.7	<0.002	0.01	0.08	9.6	1	1.9	169.5	0.66	<0.05	3.4	0.266	0.25
J842247		650	4.3	45.7	<0.002	0.02	0.11	13.4	1	1.9	132.5	0.78	<0.05	2.8	0.332	0.28
J842248		340	3.8	49.0	<0.002	0.02	0.08	7.6	1	1.2	161.5	0.68	<0.05	6.1	0.225	0.24
J842249		300	4.3	37.5	<0.002	<0.01	0.11	5.4	1	1.2	213	0.48	<0.05	6.4	0.192	0.19
J842250		230	5.1	38.6	<0.002	0.01	0.08	2.6	1	0.9	168.0	0.32	<0.05	11.2	0.100	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J842212		1.3	18	2.0	8.4	48	159.5									
J842213		1.3	19	3.9	7.0	33	144.0									
J842214		1.1	26	4.8	6.5	33	142.0									
J842215		1.2	152	10.9	15.0	174	36.4	2.25								
J842216		1.2	18	1.5	7.8	51	158.0									
J842217		1.2	15	1.6	8.2	51	138.5									
J842218		1.0	12	1.7	7.4	26	83.6									
J842219		0.9	9	0.7	6.1	19	66.7									
J842220		1.8	89	1.2	27.2	118	133.0									
J842221		1.3	45	1.1	19.4	87	172.5									
J842222		0.9	19	1.1	9.5	43	117.0									
J842223		0.7	23	0.8	9.0	54	141.5									
J842224		0.8	14	3.9	6.0	31	95.7									
J842225		1.0	11	6.3	3.8	19	89.7									
J842226		0.7	9	1.6	4.4	18	85.1									
J842227		0.8	10	1.4	6.4	31	120.0									
J842228		0.8	9	1.0	3.7	17	78.5									
J842229		0.6	8	0.5	3.9	19	83.9									
J842230		1.1	151	12.0	14.3	146	23.6									
J842231		0.7	14	0.9	6.1	42	83.3									
J842231 CRD		0.6	14	0.9	5.8	40	76.5									
J842232		0.7	14	0.9	6.0	36	87.2		0.45	1.7	70.95	13.86	1.93	2.27	0.49	3.90
J842233		0.6	29	1.4	9.4	66	112.5									
J842234		0.5	22	0.8	6.1	46	93.7									
J842235		0.8	14	0.8	5.7	32	71.9									
J842236		0.7	24	0.3	7.9	44	107.5									
J842237		0.9	27	0.3	8.0	43	86.1									
J842238		0.8	28	0.3	8.4	51	108.0									
J842239		0.8	30	0.5	9.0	47	122.0									
J842240		1.1	39	0.4	8.4	42	114.5									
J842241		0.6	36	0.3	8.4	25	109.5									
J842242		0.9	39	0.2	9.7	41	91.2									
J842243		0.8	19	0.1	9.0	14	164.0									
J842244		0.6	8	0.4	6.2	9	66.8									
J842245		0.1	<1	<0.1	1.8	<2	2.6									
J842246		0.7	70	1.1	10.8	62	105.5									
J842247		1.1	99	1.4	10.9	107	138.5									
J842248		1.0	56	0.9	9.6	48	109.0									
J842249		0.8	41	0.4	8.1	34	106.5									
J842250		0.8	15	0.7	6.4	31	93.1									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J842212										
J842213										
J842214										
J842215										
J842216										
J842217										
J842218										
J842219										
J842220										
J842221										
J842222										
J842223										
J842224										
J842225										
J842226										
J842227										
J842228										
J842229										
J842230										
J842231										
J842231 CRD										
J842232		2.27	<0.01	0.16	0.03	0.053	0.03	0.07	2.63	98.64
J842233										
J842234										
J842235										
J842236										
J842237										
J842238										
J842239										
J842240										
J842241										
J842242										
J842243										
J842244										
J842245										
J842246										
J842247										
J842248										
J842249										
J842250										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J842251		3.34	<0.005		0.01	6.42	0.8	410	0.85	0.06	1.56	<0.02	51.5	3.8	7	0.56
J842251 CRD		<0.02	<0.005		0.01	6.62	0.5	430	1.01	0.06	1.61	0.02	53.6	4.0	6	0.58
J842252		3.68	<0.005	<0.005	0.07	7.16	0.7	290	0.92	0.09	3.19	0.05	34.2	12.5	12	0.54
J842253		3.19	<0.005		0.12	7.13	0.8	280	0.76	0.13	3.37	0.06	24.0	16.1	26	0.37
J842254		3.37	<0.005		0.02	7.01	1.2	220	0.87	0.03	3.28	0.07	27.1	19.0	71	0.36
J842255		3.37	0.079		0.14	6.63	0.5	500	1.15	0.03	1.78	0.03	30.8	4.9	8	0.92
J842256		3.08	0.068		0.07	7.01	0.7	590	1.12	0.05	1.93	0.03	30.2	5.6	13	1.03
J842257		3.35	0.051		0.02	6.63	0.6	720	0.93	0.03	1.63	0.02	35.3	4.0	4	0.72
J842258		1.76	0.055		0.06	7.04	1.5	430	1.05	0.03	2.45	0.04	25.0	10.5	2	0.90
J842259		2.36	<0.005		0.02	7.39	0.7	330	1.01	0.02	2.69	0.03	33.1	12.2	3	0.59
J842260		0.07	1.000		4.30	6.36	18.5	460	0.64	1.65	2.42	2.08	21.8	13.4	56	0.73
J842261		3.55	<0.005		0.02	7.11	0.8	290	0.85	0.05	3.19	0.03	32.4	12.9	8	0.48
J842262		3.01	0.009		<0.01	6.52	0.5	280	1.00	0.01	2.09	0.02	28.9	4.7	6	0.54
J842263		3.38	<0.005		0.02	5.74	0.8	100	0.68	0.03	4.11	<0.02	16.25	2.2	7	0.25
J842264		2.95	<0.005		<0.01	6.30	0.5	140	0.98	0.01	2.05	0.02	25.3	4.3	8	0.50
J842265		3.26	<0.005		0.03	6.47	0.5	130	1.05	0.01	1.99	<0.02	25.6	2.9	5	0.39
J842266		3.13	<0.005		<0.01	6.73	0.7	120	0.95	0.01	2.09	0.02	60.4	4.7	8	0.33
J842267		3.41	<0.005		<0.01	6.74	0.8	120	1.12	0.01	2.14	<0.02	64.2	4.8	6	0.50
J842268		3.27	<0.005		<0.01	6.22	0.2	120	1.05	<0.01	2.18	0.02	45.1	4.0	5	0.58
J842269		3.60	0.016		0.04	6.47	0.5	210	1.02	0.01	2.57	0.03	39.0	4.9	43	0.67
J842270		3.70	<0.005		0.06	6.25	0.7	200	0.98	0.01	2.07	0.02	40.8	3.1	22	0.50
J842271		4.50	<0.005		0.02	6.68	1.1	100	0.82	0.02	3.77	0.04	65.5	16.1	259	0.31
J842271 CRD		<0.02	<0.005		0.02	6.73	0.7	100	0.89	0.02	3.74	0.04	66.5	16.0	250	0.34
J842272		3.01	0.008	0.013	<0.01	6.39	0.6	210	1.12	0.02	2.55	0.02	40.1	3.0	8	0.64
J842273		3.44	<0.005		0.02	6.22	0.2	150	1.11	0.01	2.74	0.03	74.2	3.9	4	0.68
J842274		3.72	0.017		0.01	6.33	0.8	150	0.97	0.01	2.22	0.02	49.0	3.7	8	0.66
J842275		0.12	2.38		7.68	6.62	45.8	640	0.83	3.18	1.62	1.04	56.7	15.2	55	3.08
J842276		3.57	<0.005		0.02	6.23	0.4	140	1.01	0.01	2.11	0.02	39.1	3.4	6	0.63
J842277		3.52	0.026		0.17	6.38	0.7	170	0.88	0.02	2.28	0.02	45.4	3.6	6	0.66
J842278		2.81	<0.005		0.01	6.20	0.3	190	1.01	0.01	2.61	0.02	40.0	2.9	14	0.72
J842279		3.44	<0.005		0.01	6.17	0.5	240	1.00	0.01	2.75	0.02	53.0	4.2	6	0.85
J842280		4.30	0.027		0.06	6.42	0.6	320	0.90	0.14	2.47	0.03	59.9	10.2	143	0.68
J842281		4.04	0.063		0.15	6.92	0.9	460	0.80	0.10	1.93	0.06	56.6	7.2	15	0.74
J842282		3.36	0.053		0.56	3.72	0.5	180	0.36	0.12	7.53	0.22	22.7	40.4	583	0.20
J842283		3.86	0.094		0.58	2.26	0.5	320	0.29	0.25	6.08	0.24	15.25	25.3	326	0.25
J842284		2.43	0.079		1.72	1.87	0.9	150	0.30	0.28	7.06	0.32	12.30	26.9	433	0.33
J842285		2.39	0.068		0.41	5.66	1.2	330	0.57	0.17	4.22	0.17	41.4	20.2	265	0.56
J842286		3.71	0.125		0.63	5.49	0.8	190	0.52	0.17	3.54	0.17	26.0	29.3	292	0.56
J842287		2.44	0.731		1.06	6.05	1.5	500	0.81	0.73	5.54	0.20	51.1	37.4	316	1.13
J842288		1.92	1.135		0.58	8.14	0.9	750	1.13	0.40	3.35	0.11	39.9	21.3	101	1.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J842251		12.4	1.40	16.70	0.14	2.7	0.012	1.34	22.2	7.6	0.29	249	0.45	3.23	5.2	4.1
J842251 CRD		5.2	1.51	17.80	0.14	2.9	0.013	1.40	23.0	8.0	0.30	266	0.29	3.35	5.5	3.7
J842252		114.0	3.50	20.3	0.17	2.7	0.031	1.13	13.0	15.8	0.93	601	0.35	2.65	7.0	14.9
J842253		9.2	4.29	19.40	0.16	2.5	0.036	0.80	8.7	20.6	1.22	650	0.59	2.29	6.9	25.3
J842254		12.6	4.31	20.7	0.15	2.9	0.037	0.85	9.8	27.5	1.69	678	0.49	2.42	8.3	63.7
J842255		83.0	1.80	18.70	0.13	2.7	0.017	1.94	12.4	7.7	0.37	287	0.64	2.54	5.1	6.4
J842256		221	1.80	19.05	0.13	2.9	0.024	2.21	12.5	8.2	0.43	295	1.03	2.65	5.6	9.8
J842257		15.3	1.38	17.40	0.13	2.0	0.011	1.73	15.4	6.6	0.30	227	0.54	3.35	3.9	5.0
J842258		26.0	2.81	20.3	0.14	2.8	0.030	2.12	10.6	17.7	0.74	442	0.69	2.28	7.4	12.9
J842259		10.7	3.40	21.1	0.15	3.2	0.034	1.42	13.8	22.7	0.92	524	0.35	2.66	8.4	14.2
J842260		>10000	4.54	13.10	0.14	0.9	0.119	0.87	9.4	14.1	1.15	643	237	2.15	3.7	30.7
J842261		11.2	3.68	20.2	0.14	3.4	0.030	1.30	13.0	25.5	0.96	396	0.43	2.14	8.5	15.5
J842262		3.7	1.47	17.25	0.12	2.9	0.011	1.43	11.5	12.3	0.35	148	0.25	2.67	5.7	4.7
J842263		2.0	1.78	20.6	0.12	1.8	0.026	0.75	6.2	7.8	0.16	140	2.19	1.86	5.3	4.2
J842264		2.0	1.28	16.65	0.11	2.2	0.011	1.34	10.3	15.1	0.36	118	0.22	2.56	5.5	6.1
J842265		2.6	1.16	16.95	0.11	3.2	0.008	1.13	10.5	11.9	0.21	114	0.21	2.95	3.4	2.3
J842266		3.5	2.00	18.70	0.15	4.5	0.014	0.87	27.7	19.0	0.37	182	0.23	3.04	5.7	4.4
J842267		9.7	1.69	19.10	0.15	4.6	0.014	1.29	29.6	16.2	0.37	154	0.21	2.73	6.4	4.4
J842268		1.1	1.08	16.80	0.12	3.8	0.009	1.49	20.6	12.2	0.35	98	0.13	2.65	6.4	4.4
J842269		5.6	1.56	20.3	0.13	3.5	0.014	1.81	18.2	15.2	0.52	157	0.22	2.23	6.0	10.8
J842270		11.1	0.97	15.75	0.12	2.7	0.009	1.45	18.0	9.7	0.37	146	0.24	2.79	4.3	8.1
J842271		9.9	2.88	17.15	0.16	3.4	0.021	0.88	30.0	45.9	2.06	379	0.33	2.16	6.0	57.3
J842271 CRD		8.9	2.82	17.60	0.15	3.5	0.019	0.91	30.1	46.3	2.02	371	0.31	2.23	6.1	56.0
J842272		6.2	1.23	18.65	0.13	4.2	0.020	1.80	18.0	9.0	0.35	127	0.13	2.40	7.4	5.6
J842273		1.2	1.18	18.50	0.16	4.6	0.016	1.80	32.0	9.8	0.38	110	0.17	2.23	5.8	4.4
J842274		2.4	1.06	16.90	0.13	3.6	0.012	1.79	21.9	8.4	0.32	94	0.17	2.41	5.7	5.5
J842275		>10000	5.70	14.30	0.20	1.1	0.103	2.77	24.7	15.9	1.18	623	119.0	1.63	6.1	31.8
J842276		6.5	1.00	15.95	0.11	3.2	0.009	1.80	17.5	7.6	0.32	88	0.20	2.29	5.7	3.6
J842277		5.8	1.26	18.35	0.12	4.0	0.016	1.88	20.7	8.0	0.34	98	0.16	2.35	6.5	4.3
J842278		3.4	0.89	15.15	0.12	3.0	0.009	1.98	18.0	4.5	0.24	101	0.15	2.26	4.9	4.3
J842279		3.0	1.34	18.70	0.14	3.6	0.016	2.19	23.9	5.6	0.31	128	0.20	2.06	6.0	3.8
J842280		8.7	2.16	18.00	0.16	3.7	0.019	1.61	27.3	16.7	1.10	278	0.26	2.46	6.0	45.2
J842281		50.5	2.00	19.90	0.09	4.0	0.019	1.71	27.9	7.7	0.57	274	0.85	3.16	6.9	11.7
J842282		38.3	5.87	11.90	0.11	1.9	0.041	0.38	10.8	27.2	5.39	1410	1.26	0.63	3.1	383
J842283		56.9	4.24	7.38	0.06	1.3	0.028	0.50	7.2	10.1	3.10	1090	2.78	0.48	2.4	169.5
J842284		27.5	4.48	7.35	0.06	0.9	0.028	0.69	5.5	7.6	3.31	1260	6.24	0.05	2.3	188.5
J842285		13.6	3.37	15.65	0.10	2.9	0.029	1.46	20.4	13.7	2.51	742	2.65	1.56	4.3	159.0
J842286		7.8	4.06	14.60	0.11	2.0	0.029	1.18	13.0	29.0	3.52	668	0.46	0.88	2.4	229
J842287		16.8	5.10	19.15	0.15	3.0	0.043	2.64	24.6	9.4	2.78	953	1.17	0.40	5.1	215
J842288		7.5	4.06	25.1	0.14	3.4	0.041	3.75	18.9	5.0	1.58	634	0.58	1.34	7.0	92.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J842251		230	4.5	38.1	<0.002	0.01	0.09	2.7	1	0.9	165.5	0.33	<0.05	10.4	0.108	0.17
J842251 CRD		240	4.7	38.7	<0.002	<0.01	0.10	2.8	1	1.0	172.5	0.36	<0.05	10.8	0.114	0.18
J842252		460	5.6	31.1	<0.002	0.08	0.13	10.4	1	1.5	216	0.60	<0.05	3.6	0.295	0.17
J842253		460	7.0	23.0	<0.002	<0.01	0.19	13.1	1	1.6	259	0.66	<0.05	2.3	0.312	0.10
J842254		540	6.9	19.8	<0.002	<0.01	0.19	12.4	1	1.6	242	0.81	<0.05	3.2	0.343	0.11
J842255		300	3.4	55.9	<0.002	0.04	0.08	3.5	1	1.0	121.5	0.31	<0.05	5.9	0.121	0.25
J842256		280	3.9	61.8	<0.002	0.03	0.08	3.7	1	1.2	113.5	0.32	0.06	5.8	0.138	0.28
J842257		240	4.3	45.1	<0.002	<0.01	0.07	3.1	1	0.9	140.5	0.31	<0.05	7.2	0.107	0.21
J842258		350	5.1	53.6	<0.002	0.04	0.11	8.4	1	1.6	126.5	0.70	<0.05	4.2	0.225	0.26
J842259		430	6.1	35.5	<0.002	<0.01	0.12	10.1	1	1.8	206	0.76	<0.05	4.8	0.302	0.18
J842260		580	37.4	22.3	1.325	1.56	24.0	13.6	5	1.0	283	0.26	0.51	1.9	0.335	0.20
J842261		460	5.5	28.1	0.002	<0.01	0.17	9.8	1	1.6	241	1.00	<0.05	2.8	0.301	0.16
J842262		220	3.7	32.9	<0.002	<0.01	0.08	3.4	1	1.0	176.0	0.40	<0.05	5.4	0.120	0.16
J842263		170	4.7	12.9	<0.002	<0.01	0.18	3.0	1	1.3	320	0.51	<0.05	3.0	0.101	0.09
J842264		200	3.4	30.6	<0.002	<0.01	0.07	2.9	1	1.0	174.5	0.34	<0.05	5.1	0.118	0.16
J842265		180	4.4	24.3	<0.002	<0.01	0.10	1.8	1	0.7	240	0.23	<0.05	4.9	0.088	0.12
J842266		330	5.8	21.5	<0.002	<0.01	0.10	3.0	1	1.2	256	0.35	<0.05	10.2	0.157	0.11
J842267		360	5.9	32.3	<0.002	<0.01	0.11	3.5	1	1.2	210	0.46	<0.05	11.3	0.147	0.16
J842268		290	4.5	33.8	<0.002	<0.01	0.08	3.0	1	0.9	171.0	0.56	<0.05	8.1	0.110	0.17
J842269		350	4.3	41.8	<0.002	0.08	0.09	4.3	1	1.4	155.0	0.45	<0.05	7.3	0.113	0.19
J842270		260	3.8	33.7	<0.002	0.02	0.08	2.9	1	1.0	166.0	0.28	<0.05	8.5	0.087	0.16
J842271		590	5.8	21.0	<0.002	<0.01	0.31	11.0	1	1.0	348	0.39	<0.05	7.8	0.189	0.10
J842271 CRD		580	5.8	21.3	<0.002	<0.01	0.29	10.9	1	1.1	342	0.39	<0.05	8.1	0.185	0.10
J842272		340	4.3	40.5	<0.002	0.05	0.15	4.0	1	1.5	170.0	0.40	<0.05	8.0	0.136	0.20
J842273		360	6.5	40.4	<0.002	0.01	0.14	3.0	1	1.4	161.5	0.46	<0.05	12.7	0.126	0.21
J842274		270	4.2	41.4	<0.002	0.03	0.12	3.3	1	1.2	155.0	0.37	<0.05	8.2	0.116	0.19
J842275		890	62.6	80.6	0.128	2.30	7.25	15.1	7	2.5	258	0.26	0.84	4.2	0.324	0.69
J842276		270	3.6	40.4	<0.002	0.02	0.10	2.8	1	1.1	146.0	0.40	<0.05	7.8	0.103	0.20
J842277		450	3.9	41.7	<0.002	0.04	0.11	3.3	1	1.7	146.5	0.46	<0.05	8.9	0.123	0.20
J842278		340	4.0	45.5	<0.002	0.01	0.10	2.4	1	0.9	170.5	0.34	<0.05	7.2	0.087	0.22
J842279		310	3.8	51.1	<0.002	0.02	0.09	3.1	1	1.4	169.0	0.37	<0.05	9.4	0.116	0.24
J842280		410	4.1	39.4	<0.002	0.06	0.11	5.7	1	1.5	169.0	0.38	<0.05	9.6	0.146	0.18
J842281		410	4.9	47.2	<0.002	0.12	0.14	4.5	1	1.3	162.0	0.46	0.25	9.5	0.151	0.20
J842282		160	4.0	11.1	<0.002	0.18	0.18	18.4	1	0.6	268	0.18	9.18	1.5	0.241	0.05
J842283		20	3.5	14.9	<0.002	0.31	0.13	11.9	1	0.5	208	0.14	5.15	1.3	0.178	0.06
J842284		10	3.8	21.8	<0.002	0.37	0.14	11.8	1	0.6	229	0.11	7.39	0.6	0.168	0.09
J842285		160	4.8	41.5	<0.002	0.12	0.17	10.3	1	0.9	148.0	0.27	2.57	6.4	0.204	0.16
J842286		280	3.2	33.4	<0.002	0.05	0.15	13.1	1	0.7	143.0	0.16	1.25	2.6	0.147	0.14
J842287		50	4.9	73.1	<0.002	1.09	0.24	14.0	2	1.1	184.0	0.34	3.65	4.0	0.280	0.31
J842288		50	3.7	69.6	<0.002	0.81	0.21	10.2	2	1.3	130.0	0.61	1.01	3.9	0.319	0.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J842251		0.7	17	0.6	6.2	34	93.2									
J842251 CRD		0.7	17	0.7	6.5	36	100.5									
J842252		0.8	78	0.8	11.0	73	102.5		0.25	0.9	64.20	15.59	5.16	4.66	1.76	3.76
J842253		0.8	103	0.3	12.3	75	91.3									
J842254		0.8	101	0.4	12.0	87	107.5									
J842255		0.7	31	1.3	6.7	34	96.0									
J842256		0.8	27	1.3	7.0	36	105.0									
J842257		0.6	24	1.4	6.0	24	70.8									
J842258		1.0	54	1.7	8.9	59	110.5									
J842259		1.1	72	0.7	10.6	73	122.5									
J842260		0.7	106	5.4	13.8	143	26.2	1.305								
J842261		1.0	73	0.5	11.9	35	130.0									
J842262		0.6	25	0.4	5.9	12	92.4									
J842263		0.6	29	0.3	4.6	3	55.3									
J842264		0.7	24	0.9	5.3	8	72.3									
J842265		0.6	14	0.3	5.0	7	102.0									
J842266		1.0	20	0.2	7.5	20	177.5									
J842267		1.0	18	0.4	9.3	15	183.0									
J842268		0.8	17	0.8	7.7	7	153.5									
J842269		0.6	28	1.0	7.4	15	138.5									
J842270		0.6	20	1.0	6.0	8	107.0									
J842271		0.9	61	1.3	9.6	43	131.5									
J842271 CRD		0.8	60	1.3	9.8	42	135.0									
J842272		0.8	23	1.1	7.2	8	147.5		0.70	2.6	69.23	14.62	1.79	3.70	0.73	3.43
J842273		0.9	31	1.2	9.5	9	176.0									
J842274		0.7	18	1.6	6.2	8	146.0									
J842275		1.1	154	10.5	13.3	175	35.8	2.20								
J842276		0.7	17	1.1	5.6	9	127.0									
J842277		0.9	25	2.0	6.5	11	160.0									
J842278		0.5	14	1.0	4.8	6	115.5									
J842279		0.5	23	1.0	5.5	11	144.5									
J842280		0.7	36	1.8	6.0	35	142.0									
J842281		0.8	30	3.7	6.4	31	152.0									
J842282		0.6	78	4.5	8.1	124	73.0									
J842283		0.4	46	4.2	5.5	64	49.9									
J842284		0.3	52	4.8	5.4	62	35.0									
J842285		0.8	72	5.5	6.2	74	106.5									
J842286		0.6	83	2.7	5.7	159	71.1									
J842287		0.7	102	6.4	7.0	83	118.0									
J842288		0.8	100	6.5	4.8	60	136.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J842251										
J842251 CRD										
J842252		1.37	0.01	0.52	0.08	0.099	0.04	0.03	2.44	99.72
J842253										
J842254										
J842255										
J842256										
J842257										
J842258										
J842259										
J842260										
J842261										
J842262										
J842263										
J842264										
J842265										
J842266										
J842267										
J842268										
J842269										
J842270										
J842271										
J842271 CRD										
J842272		2.19	<0.01	0.25	0.01	0.072	0.03	0.02	3.76	99.83
J842273										
J842274										
J842275										
J842276										
J842277										
J842278										
J842279										
J842280										
J842281										
J842282										
J842283										
J842284										
J842285										
J842286										
J842287										
J842288										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J842289		2.68	0.257		0.15	5.55	1.0	430	0.66	0.26	7.35	0.32	29.3	32.7	351	1.03
J842290		0.07	0.472		2.12	8.00	97.6	630	1.14	0.50	0.57	0.89	31.7	18.1	36	7.10
J842291		3.88	0.416		0.13	7.23	<0.2	480	0.85	0.11	2.32	0.07	45.8	9.8	10	1.19
J842291 CRD		<0.02	0.541		0.09	7.16	0.6	500	0.89	0.11	2.36	0.05	43.5	9.4	11	1.19
J842292		4.24	0.732	0.646	0.28	7.34	0.6	370	0.78	0.15	2.81	0.07	38.0	9.2	12	1.15
J842293		3.36	0.058		0.03	7.37	0.3	260	0.67	0.05	2.80	0.07	42.4	9.3	12	0.84
J842294		3.74	0.019		0.02	7.36	0.7	270	0.71	0.03	2.62	0.06	45.1	8.1	9	0.91
J842295		3.39	0.058		0.13	7.37	0.4	260	0.72	0.07	2.72	0.06	33.4	8.3	11	0.80
J842296		3.22	0.098		0.14	7.30	0.2	260	0.73	0.08	2.85	0.06	31.6	8.3	11	0.75
J842297		3.42	0.043		0.08	7.33	0.2	220	0.73	0.05	2.80	0.07	36.2	8.4	14	0.71
J842298		3.39	0.054		0.13	7.41	0.6	250	0.75	0.06	2.74	0.06	34.7	8.7	10	0.74
J842299		3.36	0.183		0.42	7.49	<0.2	300	0.84	0.06	3.42	0.10	30.7	13.3	15	0.91
J842300		0.07	0.979		4.38	6.16	18.0	480	0.74	1.65	2.29	2.09	20.0	14.1	63	0.73
J842301		3.36	0.050		0.07	8.31	0.4	300	0.77	0.03	3.93	0.11	21.5	17.8	24	0.76
J842302		3.43	0.143		0.26	7.21	0.4	450	0.91	0.10	2.40	0.07	42.6	9.2	13	0.97
J842303		3.14	0.055		0.10	7.08	0.9	350	0.77	0.10	0.88	0.05	13.60	1.8	9	0.59
J842304		3.61	0.028		0.02	7.43	0.4	430	0.84	0.03	2.48	0.07	75.4	7.9	14	0.97
J842305		3.46	0.345		0.37	7.43	0.5	450	1.04	0.15	3.15	0.10	49.0	11.9	25	1.12
J842306		3.59	0.245		0.19	6.96	0.5	450	1.04	0.11	4.32	0.19	35.8	16.8	56	1.09
J842307		3.73	0.024		0.02	7.50	0.3	340	0.81	0.02	3.05	0.13	22.2	14.6	47	0.74
J842308		3.49	0.040		0.02	7.12	0.3	310	1.06	0.01	2.66	0.09	38.4	10.6	19	0.82
J842309		3.56	<0.005		0.08	9.73	<0.2	320	1.12	0.02	3.18	0.10	18.30	14.5	19	0.78
J842310		3.80	<0.005		0.04	8.58	0.7	300	1.22	0.01	2.63	0.06	28.6	11.1	15	0.77
J842311		3.70	0.008		0.06	7.98	0.3	380	1.03	0.05	3.41	0.08	32.9	14.8	8	0.82
J842311 CRD		<0.02	<0.005		0.06	8.20	0.4	370	0.96	0.05	3.43	0.08	26.1	15.5	8	0.79
J842312		3.88	0.136	0.155	0.07	7.01	0.4	470	1.46	0.12	0.99	0.02	54.6	1.1	7	0.72
J842313		3.52	0.422		0.16	7.15	1.0	470	1.25	0.45	1.45	0.04	56.0	5.2	6	0.95
J842314		3.69	0.094		0.06	8.41	0.4	390	0.93	0.03	2.91	0.09	28.6	15.0	31	0.92
J842315		0.12	2.45		7.87	6.54	44.1	630	0.76	3.23	1.57	0.97	54.8	16.0	57	3.17
J842316		3.81	0.023		0.04	7.14	0.7	340	0.98	0.03	2.60	0.08	21.4	9.2	32	0.88
J842317		3.85	0.015		0.03	6.69	<0.2	330	0.71	0.02	1.96	0.05	47.5	6.3	11	0.73
J842318		3.71	0.018		0.04	6.74	0.2	290	0.67	0.03	1.99	0.04	71.3	4.6	8	0.64
J842319		3.97	0.144		0.28	6.51	<0.2	360	0.71	0.08	1.98	0.05	10.65	2.9	8	0.69
J842320		3.64	0.578		0.64	7.29	<0.2	400	0.78	0.19	2.86	0.09	28.1	6.9	10	0.89
J842321		3.77	0.180		0.01	6.73	<0.2	290	0.68	0.03	1.92	0.05	26.7	4.3	8	0.66
J842322		3.72	<0.005		<0.01	7.29	<0.2	310	0.79	0.02	2.82	0.04	49.1	10.8	6	0.78
J842323		4.17	<0.005		0.10	6.87	<0.2	250	0.92	0.05	3.13	0.06	39.3	15.8	5	0.75
J842324		3.54	<0.005		0.01	7.24	0.4	290	0.88	0.04	3.55	0.07	36.5	16.1	9	0.81
J842325		3.86	0.111		0.04	7.50	<0.2	340	0.78	0.11	3.68	0.07	42.5	14.1	20	0.86
J842326		3.48	0.035		0.05	7.05	<0.2	370	0.80	0.07	3.20	0.11	38.5	10.8	17	1.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J842289		14.5	5.03	16.20	0.12	2.1	0.039	2.30	15.0	5.0	3.32	1060	1.38	0.91	3.8	246
J842290		4620	4.85	18.00	0.16	0.8	0.060	5.16	17.7	11.9	0.77	508	274	1.12	5.2	22.9
J842291		37.9	2.75	20.5	0.15	2.2	0.032	2.71	21.9	7.7	0.59	311	0.46	1.72	5.9	4.8
J842291 CRD		31.5	2.74	20.1	0.12	2.2	0.030	2.71	20.8	7.6	0.59	317	0.44	1.73	5.7	4.8
J842292		25.9	2.92	20.3	0.14	2.1	0.033	2.47	18.6	7.4	0.60	412	0.24	2.13	5.4	4.1
J842293		13.3	2.98	19.90	0.15	2.1	0.032	2.03	19.2	12.5	0.59	372	3.80	2.44	5.1	4.0
J842294		21.3	2.85	19.70	0.16	2.4	0.030	2.06	20.9	12.9	0.56	350	1.52	2.36	5.7	3.9
J842295		19.3	2.69	19.30	0.13	2.2	0.028	2.00	15.4	12.4	0.54	340	11.15	2.46	5.2	3.8
J842296		27.1	2.75	18.30	0.13	2.1	0.023	1.83	15.2	13.2	0.55	364	0.25	2.59	4.7	4.0
J842297		7.1	2.73	19.20	0.14	2.4	0.029	1.74	18.3	13.7	0.57	346	0.17	2.63	5.0	6.0
J842298		5.5	2.98	19.95	0.14	2.5	0.030	1.79	16.9	13.2	0.56	371	0.15	2.71	5.5	4.2
J842299		18.6	3.45	18.70	0.14	2.9	0.032	2.18	14.7	11.9	0.92	564	0.19	2.27	5.2	14.9
J842300		>10000	4.42	12.75	0.14	1.0	0.130	0.85	10.3	15.3	1.14	639	240	2.17	3.7	32.0
J842301		22.8	4.34	17.75	0.13	2.8	0.041	1.87	9.8	22.4	1.39	733	0.27	2.57	4.8	25.7
J842302		9.9	2.50	18.20	0.13	3.0	0.029	2.11	21.2	8.8	0.56	420	0.41	2.49	5.3	8.9
J842303		13.7	1.02	15.60	0.08	1.5	0.007	1.58	7.1	2.4	0.14	132	0.45	3.39	2.8	2.1
J842304		5.6	2.79	19.30	0.18	4.8	0.033	2.22	38.1	13.3	0.58	369	0.13	2.19	6.6	9.0
J842305		28.5	3.36	18.90	0.17	3.8	0.035	2.58	23.9	13.3	0.89	504	6.40	1.50	6.5	18.9
J842306		25.5	4.38	17.60	0.16	2.9	0.044	2.85	16.8	10.3	1.47	863	0.35	1.07	6.7	35.2
J842307		29.5	3.92	16.15	0.13	2.6	0.040	2.15	9.9	15.7	1.30	746	0.19	1.53	6.5	34.8
J842308		32.8	3.21	18.65	0.14	4.7	0.038	1.80	17.1	17.9	0.68	516	0.12	2.17	9.5	12.7
J842309		46.6	3.50	20.3	0.13	1.1	0.038	2.07	7.4	21.3	1.27	714	0.12	2.87	6.0	25.8
J842310		11.9	2.83	20.0	0.13	1.9	0.033	1.83	13.6	16.4	0.89	568	0.22	3.28	6.2	20.3
J842311		46.2	3.97	18.20	0.16	3.0	0.038	1.75	15.8	22.0	1.07	732	0.15	2.60	7.6	14.9
J842311 CRD		43.3	4.06	17.75	0.15	3.1	0.038	1.83	11.6	22.3	1.11	738	0.17	2.54	7.5	15.5
J842312		4.6	1.08	19.30	0.15	3.3	0.022	1.51	27.4	1.9	0.10	225	11.35	3.23	15.8	0.7
J842313		6.0	1.92	18.75	0.18	3.0	0.026	1.88	27.9	7.3	0.37	322	69.4	2.69	8.5	5.6
J842314		14.4	3.71	18.45	0.17	2.7	0.044	2.04	14.0	23.4	1.19	629	0.37	2.16	5.3	28.7
J842315		>10000	5.58	14.35	0.17	1.0	0.109	2.60	25.5	17.1	1.14	623	111.5	1.52	6.7	32.2
J842316		7.3	2.56	20.4	0.09	2.7	0.033	1.95	10.3	15.3	0.71	510	0.85	2.26	5.4	23.0
J842317		7.7	2.20	18.70	0.09	3.0	0.018	1.49	23.2	11.1	0.45	344	0.53	2.73	6.6	6.2
J842318		20.3	2.06	18.40	0.12	3.7	0.012	1.41	34.5	7.9	0.32	301	0.21	2.85	4.3	3.3
J842319		24.7	1.42	17.35	0.09	2.5	0.010	1.56	5.2	6.4	0.30	245	0.19	2.53	4.6	3.9
J842320		15.2	2.41	21.2	0.13	3.3	0.018	2.11	12.3	9.6	0.43	424	6.62	2.34	8.2	4.7
J842321		6.8	1.41	18.30	0.10	2.8	0.012	1.50	12.3	6.0	0.26	270	0.76	2.93	4.8	3.5
J842322		9.2	3.45	19.60	0.14	3.5	0.032	1.61	21.9	18.8	0.74	513	0.23	2.20	8.2	8.6
J842323		42.0	3.82	19.90	0.08	3.5	0.043	1.34	16.2	31.3	1.02	560	0.77	2.10	5.3	15.2
J842324		20.8	4.02	21.5	0.09	3.6	0.041	1.50	14.9	33.5	1.07	643	0.41	2.33	6.8	19.6
J842325		24.5	3.75	20.2	0.15	3.6	0.037	1.78	19.0	25.0	1.09	628	0.61	2.18	6.6	24.4
J842326		23.8	3.06	19.50	0.13	3.5	0.033	2.10	17.5	17.8	0.83	516	5.11	1.94	6.7	18.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J842289		150	5.3	65.1	<0.002	0.44	0.19	13.5	1	0.7	296	0.23	3.09	1.8	0.266	0.27
J842290		1150	39.7	132.0	0.645	2.58	6.99	11.9	10	2.9	276	0.33	1.01	2.6	0.267	1.35
J842291		890	3.5	69.3	<0.002	0.25	0.17	5.2	2	1.0	126.5	0.34	0.11	3.6	0.258	0.34
J842291 CRD		910	3.6	66.9	<0.002	0.25	0.18	5.0	1	1.0	126.0	0.32	0.15	3.3	0.255	0.34
J842292		860	4.2	66.5	<0.002	0.27	0.16	5.4	2	1.0	176.5	0.29	0.24	2.5	0.262	0.31
J842293		890	4.7	46.4	<0.002	0.07	0.15	4.7	1	0.9	209	0.35	0.05	2.6	0.272	0.26
J842294		870	4.9	53.4	<0.002	0.06	0.14	5.0	1	0.8	191.0	0.39	<0.05	2.8	0.263	0.26
J842295		830	4.8	44.5	<0.002	0.08	0.13	4.4	1	0.7	205	0.35	0.07	2.0	0.251	0.24
J842296		790	5.4	46.2	<0.002	0.13	0.13	4.8	2	0.7	207	0.29	0.09	2.0	0.222	0.23
J842297		780	5.6	45.2	<0.002	0.06	0.13	5.3	1	0.7	215	0.27	0.07	2.2	0.227	0.22
J842298		800	5.9	44.3	<0.002	0.12	0.13	4.9	1	0.7	213	0.32	0.12	2.1	0.227	0.23
J842299		510	5.1	43.8	<0.002	0.13	0.13	9.1	1	1.0	185.5	0.41	0.13	3.1	0.260	0.26
J842300		560	36.5	22.9	1.340	1.56	23.4	14.4	6	1.0	287	0.25	0.62	2.0	0.324	0.20
J842301		470	7.7	31.7	<0.002	0.06	0.17	12.7	1	1.1	206	0.39	0.05	2.0	0.301	0.21
J842302		530	5.4	58.1	<0.002	0.17	0.11	5.7	2	1.0	158.5	0.43	0.17	5.7	0.179	0.28
J842303		120	6.6	43.1	<0.002	0.10	0.07	1.7	1	0.5	117.5	0.29	0.05	3.4	0.050	0.18
J842304		580	5.7	60.7	<0.002	0.06	0.10	5.8	2	1.2	168.5	0.28	<0.05	9.0	0.206	0.31
J842305		530	6.0	68.2	<0.002	0.23	0.12	9.3	2	1.2	149.5	0.46	0.27	4.9	0.246	0.33
J842306		520	4.4	59.1	<0.002	0.23	0.18	13.2	1	1.5	149.5	0.50	0.14	2.4	0.343	0.33
J842307		530	4.0	31.4	<0.002	0.04	0.13	10.1	1	1.5	130.0	0.58	<0.05	1.7	0.314	0.24
J842308		550	5.2	50.1	<0.002	0.03	0.12	8.6	2	1.8	153.5	1.06	<0.05	3.6	0.229	0.25
J842309		870	8.3	35.4	<0.002	0.02	0.14	9.5	1	1.6	268	0.71	<0.05	1.4	0.265	0.27
J842310		720	7.4	43.8	0.002	0.01	0.13	8.6	1	1.5	219	0.57	<0.05	3.5	0.196	0.25
J842311		550	7.6	48.9	<0.002	0.03	0.19	11.9	2	1.2	263	0.68	<0.05	3.3	0.334	0.26
J842311 CRD		550	7.7	36.1	<0.002	0.03	0.20	11.0	2	1.2	247	0.68	<0.05	2.3	0.347	0.26
J842312		80	5.7	45.4	<0.002	0.09	0.05	2.8	1	2.0	127.0	1.49	0.10	8.5	0.044	0.19
J842313		190	6.4	56.8	0.003	0.18	0.10	5.0	2	1.9	139.5	0.75	0.34	8.2	0.113	0.24
J842314		410	6.1	42.4	<0.002	0.02	0.18	10.9	2	1.6	210	0.40	<0.05	3.3	0.313	0.26
J842315		870	61.8	79.6	0.123	2.27	6.42	14.7	6	2.5	256	0.25	0.88	4.7	0.302	0.73
J842316		280	7.0	52.8	<0.002	0.05	0.16	7.2	1	1.7	174.5	0.49	<0.05	3.8	0.175	0.26
J842317		500	6.8	45.7	<0.002	0.04	0.13	3.7	1	1.1	174.0	0.32	<0.05	5.8	0.156	0.21
J842318		430	6.9	42.7	<0.002	0.05	0.09	2.8	1	0.7	220	0.15	<0.05	8.4	0.117	0.19
J842319		330	5.7	47.6	<0.002	0.09	0.15	2.4	1	0.7	198.0	0.20	0.21	1.5	0.098	0.20
J842320		680	5.9	54.8	<0.002	0.37	0.06	4.4	1	1.1	194.0	0.37	0.44	3.2	0.186	0.25
J842321		370	5.4	45.4	<0.002	0.08	<0.05	2.8	1	0.7	208	0.20	<0.05	3.1	0.099	0.20
J842322		810	6.3	48.4	<0.002	0.03	0.09	8.0	1	1.3	175.5	0.48	<0.05	3.9	0.251	0.21
J842323		620	5.4	38.4	<0.002	0.05	<0.05	11.2	1	1.1	167.0	0.40	<0.05	2.9	0.206	0.20
J842324		630	6.2	36.4	<0.002	0.01	<0.05	11.2	1	1.4	197.5	0.50	<0.05	2.8	0.239	0.22
J842325		570	5.7	47.0	<0.002	0.01	0.05	10.7	1	1.3	163.5	0.43	<0.05	3.7	0.234	0.24
J842326		470	8.0	50.8	<0.002	0.05	<0.05	8.1	1	1.2	146.0	0.48	<0.05	4.3	0.200	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J842289		0.5	71	6.6	7.6	96	88.0									
J842290		1.1	161	13.0	15.0	156	27.4									
J842291		0.4	45	6.4	5.3	67	98.6									
J842291 CRD		0.3	45	6.2	5.1	67	96.8									
J842292		0.3	44	5.5	4.7	68	92.1		1.02	3.7	63.26	14.77	4.16	3.99	1.13	2.93
J842293		0.3	44	3.5	3.6	89	96.2									
J842294		0.8	44	5.6	3.9	79	107.5									
J842295		0.3	41	4.2	3.4	75	99.2									
J842296		0.3	39	3.7	3.2	69	100.0									
J842297		0.4	41	2.2	3.3	71	112.5									
J842298		0.4	43	2.4	3.9	78	112.0									
J842299		0.7	71	3.0	4.3	74	121.5									
J842300		0.8	101	5.4	14.5	142	29.3	1.270								
J842301		0.7	101	2.9	4.2	101	118.5									
J842302		1.0	41	2.5	5.2	60	118.0									
J842303		0.6	11	1.0	2.7	19	41.4									
J842304		0.5	35	1.7	6.6	78	214									
J842305		0.8	63	3.9	6.2	71	167.5									
J842306		0.7	98	4.8	6.2	66	133.0									
J842307		0.8	74	3.1	5.1	83	118.0									
J842308		1.8	48	3.4	8.7	83	180.0									
J842309		0.5	73	2.9	4.4	97	29.5									
J842310		1.5	48	2.2	5.9	80	51.0									
J842311		0.9	81	5.5	6.6	112	126.0									
J842311 CRD		0.8	83	5.7	5.8	115	130.0									
J842312		1.7	5	1.3	5.4	17	87.6		0.31	1.1	73.80	14.03	1.48	1.38	0.20	4.59
J842313		1.4	33	2.1	5.1	44	95.2									
J842314		0.7	82	1.8	4.2	108	116.0									
J842315		1.2	144	10.8	13.8	169	35.4	2.13								
J842316		1.0	49	1.8	5.0	68	92.8									
J842317		0.5	30	1.5	4.6	63	121.5									
J842318		0.6	18	1.3	5.4	46	132.0									
J842319		0.6	19	1.5	2.9	33	70.3									
J842320		0.4	33	3.2	4.8	51	117.5									
J842321		0.4	17	1.1	3.5	27	97.7									
J842322		0.7	60	1.2	8.3	72	144.5									
J842323		0.6	81	1.0	7.9	71	145.0									
J842324		0.6	84	1.0	8.3	79	144.0									
J842325		0.7	76	2.1	7.5	75	148.5									
J842326		0.5	58	3.6	5.6	62	141.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J842289										
J842290										
J842291										
J842291 CRD										
J842292		2.95	<0.01	0.56	0.05	0.186	0.03	0.03	4.78	98.83
J842293										
J842294										
J842295										
J842296										
J842297										
J842298										
J842299										
J842300										
J842301										
J842302										
J842303										
J842304										
J842305										
J842306										
J842307										
J842308										
J842309										
J842310										
J842311										
J842311 CRD										
J842312		1.83	<0.01	0.11	0.03	0.025	0.03	0.04	1.82	99.37
J842313										
J842314										
J842315										
J842316										
J842317										
J842318										
J842319										
J842320										
J842321										
J842322										
J842323										
J842324										
J842325										
J842326										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J842327		4.24	0.651		1.14	6.50	0.4	470	0.80	1.78	2.49	0.06	48.3	9.8	26	1.19
J842328		3.67	0.045		0.03	7.05	<0.2	470	0.90	0.07	2.53	0.07	61.0	6.5	11	1.28
J842329		3.77	0.016		<0.01	7.21	0.4	400	0.77	0.05	2.30	0.05	86.2	6.9	13	1.05
J842330		0.07	0.415		2.12	7.86	99.2	600	1.14	0.49	0.57	0.91	32.8	17.9	35	7.07
J842331		3.90	0.102		<0.01	6.73	0.4	370	0.83	0.04	2.31	0.07	80.3	6.4	11	0.95
J842331 CRD		<0.02	0.081		0.01	7.02	<0.2	380	0.78	0.04	2.41	0.06	91.0	6.1	11	0.96
J842332		4.15	0.180	0.222	0.95	6.76	<0.2	340	0.78	0.03	2.51	0.06	45.9	6.1	14	0.85
J842333		3.86	0.037		<0.01	7.00	0.2	290	0.86	0.04	2.69	0.06	52.1	7.7	12	0.91
J842334		3.21	0.495		0.33	7.09	<0.2	320	0.93	0.24	2.29	0.05	43.7	6.7	10	0.98
J842335		2.82	0.014		0.01	6.60	0.2	270	0.94	0.02	2.16	0.04	35.8	4.6	8	0.88
J842336		2.16	0.046		0.10	6.65	0.2	20	0.36	0.01	6.23	0.17	13.60	62.9	516	0.08
J842337		2.41	<0.005		0.02	6.70	0.4	260	0.90	0.01	2.09	0.04	35.9	6.7	12	0.72
J842338		1.94	0.026		0.02	7.75	0.4	240	0.86	0.05	3.72	0.11	39.4	17.5	15	0.84
J842339		2.77	0.041		0.07	7.53	<0.2	250	0.86	0.09	4.23	0.10	46.6	16.7	17	0.93
J842340		2.94	0.041		0.06	7.28	<0.2	390	0.91	0.20	2.86	0.06	48.0	11.4	16	0.93
J842341		3.27	0.029		0.06	7.23	0.6	330	0.95	0.16	2.80	0.06	48.7	12.5	20	0.78
J842342		3.01	0.018		0.04	7.53	<0.2	200	0.85	0.07	3.65	0.09	46.2	18.5	15	0.67
J842343		3.05	0.067		0.09	6.94	0.3	220	0.80	0.10	3.91	0.11	56.9	19.7	72	0.73
J842344		3.07	0.708		0.73	6.58	<0.2	560	1.04	0.44	2.98	0.08	75.4	10.5	13	1.32
J842345		1.02	<0.005		<0.01	0.15	5	10	<0.05	0.01	20.0	<0.02	2.74	1.0	2	0.10
J842346		3.00	0.264		0.84	6.92	<0.2	480	0.82	0.37	2.53	0.09	35.1	8.8	18	1.09
J842347		3.53	0.039		0.14	6.67	<0.2	450	0.77	0.08	2.43	0.06	30.5	5.9	11	0.91
J842348		2.86	0.016		0.12	6.56	<0.2	170	0.75	0.11	0.67	0.05	9.15	0.9	7	0.37
J842349		4.27	0.078		1.16	6.43	0.6	160	1.50	5.52	1.17	0.04	22.5	2.4	7	0.50
J842350		4.43	0.009		0.15	7.32	<0.2	270	1.10	0.09	3.36	0.07	34.6	15.3	25	0.90
J842351		3.65	0.014		0.15	7.62	0.5	280	1.14	0.09	3.33	0.08	44.2	15.6	25	0.92
J842351 CRD		<0.02	0.021		0.14	6.87	0.6	270	1.12	0.08	3.35	0.08	30.7	16.0	26	0.87
J842352		3.68	0.026	0.022	0.06	6.81	<0.2	370	0.90	0.01	2.09	0.04	61.2	5.3	10	0.77
J842353		3.75	0.168		0.10	7.26	0.3	380	0.76	0.06	2.25	0.04	55.5	6.4	17	0.78
J842354		3.18	0.110		0.13	7.04	0.2	310	0.75	0.09	2.56	0.07	46.2	5.7	14	0.70
J842355		3.28	0.202		0.34	7.87	0.4	380	0.86	0.09	2.97	0.09	24.3	12.9	12	0.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J842327		16.6	2.87	19.85	0.13	3.3	0.035	2.24	22.2	12.8	0.68	412	160.5	1.47	5.5	13.1
J842328		4.6	2.61	20.9	0.14	4.8	0.032	2.61	28.8	9.2	0.47	405	4.99	1.70	7.4	6.2
J842329		4.6	2.78	20.6	0.16	5.0	0.021	2.12	41.8	10.6	0.51	337	1.55	2.10	5.6	6.3
J842330		4570	4.87	17.60	0.19	0.8	0.058	5.40	17.4	11.5	0.76	510	264	1.01	5.3	22.6
J842331		7.2	2.29	19.65	0.15	4.8	0.015	1.99	39.1	8.1	0.39	279	0.57	2.14	5.4	4.9
J842331 CRD		5.8	2.28	19.45	0.17	4.8	0.017	2.04	45.2	7.8	0.40	279	0.51	2.14	5.8	4.7
J842332		7.1	2.44	20.7	0.15	2.7	0.025	1.87	20.0	9.7	0.45	285	34.2	2.22	4.9	7.2
J842333		11.4	2.79	20.6	0.14	3.7	0.030	1.84	22.8	12.2	0.53	375	1.91	2.30	5.8	7.0
J842334		8.5	2.26	21.0	0.14	4.0	0.018	1.89	21.3	7.2	0.36	328	4.29	2.63	6.6	5.9
J842335		13.2	1.82	17.95	0.12	2.6	0.018	1.70	17.7	5.5	0.30	297	0.56	2.53	5.1	4.0
J842336		46.4	8.31	19.30	0.18	0.8	0.055	0.09	5.8	86.6	5.01	1350	0.38	0.32	2.2	254
J842337		18.2	2.61	19.90	0.12	3.0	0.015	1.35	15.4	8.7	0.40	373	0.46	2.79	5.4	6.1
J842338		36.2	5.03	21.9	0.16	2.4	0.046	1.40	15.8	26.7	1.09	791	0.23	2.33	7.8	13.1
J842339		18.0	5.24	23.9	0.17	2.7	0.057	1.52	19.2	27.2	1.06	818	0.54	1.91	8.7	13.1
J842340		12.1	3.63	21.5	0.16	3.5	0.046	1.75	21.4	18.6	0.73	544	38.4	2.19	9.6	10.1
J842341		7.6	3.80	21.3	0.16	3.1	0.036	1.37	21.4	20.5	0.78	552	26.4	2.34	9.3	12.0
J842342		64.4	5.33	20.8	0.17	2.3	0.048	1.08	19.7	32.0	1.27	801	0.80	2.15	7.3	12.9
J842343		35.3	4.99	20.6	0.18	2.6	0.042	1.29	23.7	31.9	1.37	777	0.76	1.92	6.3	48.5
J842344		24.1	2.76	21.5	0.18	3.7	0.034	2.53	37.3	12.2	0.61	417	15.50	0.92	6.9	8.3
J842345		1.0	0.09	0.46	0.31	0.1	<0.005	0.11	2.0	5.4	12.30	50	0.25	0.02	0.4	1.7
J842346		34.3	2.23	19.35	0.14	3.4	0.018	2.13	18.7	11.1	0.56	303	1.98	2.12	3.8	13.0
J842347		4.5	1.74	19.10	0.11	3.6	0.015	1.96	16.3	8.9	0.43	289	2.58	2.33	4.6	9.2
J842348		10.6	0.52	18.70	0.08	1.8	<0.005	1.05	4.2	0.6	0.05	85	3.73	4.00	3.4	0.8
J842349		27.8	0.88	23.0	0.06	4.1	0.012	1.17	9.5	2.5	0.08	185	0.39	3.70	13.1	2.3
J842350		66.1	4.17	21.5	0.28	3.5	0.041	1.73	14.0	28.3	1.09	742	0.17	2.19	6.5	25.1
J842351		48.9	4.24	22.4	0.30	3.6	0.040	1.77	19.3	28.0	1.12	746	0.23	2.11	6.8	26.5
J842351 CRD		44.1	4.14	21.8	0.24	3.5	0.042	1.73	11.9	28.4	1.07	752	0.30	2.10	6.2	26.8
J842352		9.1	2.12	20.7	0.28	4.2	0.020	1.72	28.2	10.5	0.39	333	0.16	2.63	5.7	5.8
J842353		13.8	2.36	18.65	0.13	4.0	0.022	1.86	28.7	10.5	0.47	354	9.99	2.54	5.6	6.4
J842354		21.3	2.00	17.85	0.11	3.3	0.013	1.77	22.9	7.4	0.35	340	0.19	2.60	4.5	4.2
J842355		77.3	3.35	21.8	0.13	1.3	0.017	2.15	10.7	15.6	0.71	460	0.43	2.43	6.9	7.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J842327		720	17.2	61.5	0.004	0.41	<0.05	6.7	1	1.2	126.5	0.20	0.95	4.3	0.194	0.27
J842328		470	4.5	69.8	<0.002	0.05	<0.05	5.6	1	1.4	149.5	0.44	0.07	8.3	0.184	0.34
J842329		560	4.2	60.5	<0.002	0.07	<0.05	4.6	1	1.0	159.0	0.23	<0.05	10.7	0.187	0.27
J842330		1160	43.3	139.0	0.622	2.55	6.41	11.6	8	2.9	273	0.33	0.94	2.6	0.249	1.36
J842331		420	4.3	53.0	<0.002	0.12	<0.05	4.1	1	0.7	156.5	0.19	<0.05	9.6	0.154	0.24
J842331 CRD		450	4.5	55.9	<0.002	0.12	<0.05	4.1	1	0.7	158.0	0.21	<0.05	10.6	0.173	0.25
J842332		510	4.1	47.1	0.007	0.04	<0.05	3.7	1	1.0	167.5	0.21	<0.05	6.9	0.168	0.23
J842333		660	4.7	46.0	<0.002	0.01	<0.05	5.4	1	0.9	184.5	0.33	<0.05	4.3	0.188	0.23
J842334		410	4.9	54.3	<0.002	0.31	<0.05	4.4	1	0.8	180.5	0.31	0.28	5.7	0.132	0.25
J842335		250	3.9	48.5	<0.002	0.04	<0.05	3.4	1	0.8	168.0	0.35	<0.05	4.4	0.108	0.22
J842336		430	3.9	3.3	<0.002	<0.01	0.15	30.1	1	0.6	214	0.12	<0.05	0.4	0.411	<0.02
J842337		390	3.8	44.2	<0.002	<0.01	<0.05	4.7	1	0.9	195.0	0.29	<0.05	3.6	0.120	0.20
J842338		1100	4.8	46.1	<0.002	0.01	<0.05	14.2	1	1.5	223	0.47	<0.05	1.3	0.283	0.20
J842339		1100	4.6	49.1	<0.002	0.11	<0.05	14.1	1	1.6	181.0	0.51	0.05	1.5	0.319	0.22
J842340		780	4.4	47.7	0.003	0.09	<0.05	9.6	1	1.7	145.5	0.54	0.10	4.2	0.252	0.23
J842341		800	5.2	46.2	0.002	0.01	<0.05	11.0	1	1.4	175.0	0.50	0.08	4.4	0.272	0.19
J842342		1280	5.4	37.8	<0.002	0.01	<0.05	14.6	1	1.3	210	0.41	<0.05	1.3	0.294	0.15
J842343		1260	5.0	38.5	<0.002	0.16	<0.05	13.1	1	1.2	173.0	0.38	0.08	2.0	0.220	0.16
J842344		640	8.1	77.4	<0.002	0.49	<0.05	7.4	1	1.1	120.5	0.36	0.66	5.2	0.221	0.31
J842345		10	1.3	2.9	<0.002	0.04	<0.05	0.3	1	<0.2	68.0	<0.05	<0.05	0.3	0.007	0.02
J842346		500	11.1	60.9	<0.002	0.42	<0.05	4.3	1	0.8	167.0	0.26	0.64	4.8	0.168	0.29
J842347		340	5.8	53.7	<0.002	0.05	<0.05	3.1	1	0.8	190.0	0.38	0.08	5.1	0.135	0.27
J842348		30	5.7	31.4	<0.002	0.06	<0.05	1.1	1	0.3	100.5	0.31	0.08	5.2	0.008	0.12
J842349		60	14.5	37.7	<0.002	0.23	<0.05	3.0	1	1.0	148.0	1.23	0.46	12.3	0.030	0.15
J842350		500	7.8	48.3	<0.002	0.06	0.20	13.5	2	1.5	208	0.71	<0.05	3.6	0.274	0.24
J842351		520	8.0	56.7	<0.002	0.05	0.20	14.0	2	1.7	205	0.76	<0.05	4.4	0.279	0.25
J842351 CRD		510	7.6	42.1	<0.002	0.05	0.19	13.2	1	1.6	204	0.68	<0.05	3.0	0.259	0.24
J842352		410	5.0	45.7	<0.002	0.02	0.11	4.8	1	1.0	165.5	0.48	<0.05	7.4	0.151	0.23
J842353		520	5.8	50.1	<0.002	0.07	0.11	4.6	1	1.0	157.5	0.30	0.05	6.7	0.182	0.24
J842354		390	7.1	44.1	<0.002	0.15	0.09	2.5	1	0.7	186.0	0.20	0.08	5.0	0.146	0.20
J842355		730	6.7	53.4	<0.002	0.35	0.13	3.9	1	1.1	194.0	0.45	0.22	3.1	0.253	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J842327		0.3	47	5.0	5.2	62	150.0									
J842328		0.7	31	1.8	7.4	58	208									
J842329		0.5	28	1.7	7.2	69	209									
J842330		1.1	159	12.4	14.5	147	23.9									
J842331		0.5	22	1.7	6.5	51	197.5									
J842331 CRD		0.6	23	1.9	6.9	50	197.5									
J842332		0.5	34	1.5	4.9	56	110.0		0.75	2.8	65.51	14.66	3.63	3.63	0.93	3.28
J842333		0.5	36	1.3	7.0	67	157.0									
J842334		0.5	26	2.2	6.2	45	152.5									
J842335		0.5	31	1.3	5.0	31	90.5									
J842336		0.1	228	1.2	6.7	148	34.0									
J842337		0.6	34	0.9	7.3	42	100.5									
J842338		0.4	96	0.8	17.4	99	115.0									
J842339		0.5	103	1.3	17.1	95	126.0									
J842340		0.6	61	1.5	13.5	63	149.5									
J842341		0.6	65	0.8	14.8	67	135.5									
J842342		0.4	104	1.1	15.5	103	112.5									
J842343		0.4	88	2.7	10.9	111	124.5									
J842344		0.6	56	5.3	7.8	54	152.5									
J842345		0.1	2	0.1	1.7	<2	2.7									
J842346		0.6	35	6.5	3.8	52	148.0									
J842347		0.7	22	2.1	4.0	47	150.0									
J842348		1.0	5	0.4	4.2	6	31.6									
J842349		2.4	8	0.7	11.5	8	68.0									
J842350		1.1	83	1.8	6.2	102	139.5									
J842351		1.3	82	1.7	7.1	100	136.5									
J842351 CRD		0.9	83	1.4	5.6	102	134.5									
J842352		0.8	24	1.6	5.4	49	163.0		0.65	2.4	67.72	14.69	2.99	2.95	0.76	3.81
J842353		0.5	30	2.3	5.4	66	172.0									
J842354		0.3	25	2.1	3.5	50	129.5									
J842355		0.3	68	3.3	3.7	92	44.9									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J842327										
J842328										
J842329										
J842330										
J842331										
J842331 CRD										
J842332		2.35	<0.01	0.40	0.03	0.112	0.03	0.03	4.15	98.74
J842333										
J842334										
J842335										
J842336										
J842337										
J842338										
J842339										
J842340										
J842341										
J842342										
J842343										
J842344										
J842345										
J842346										
J842347										
J842348										
J842349										
J842350										
J842351										
J842351 CRD										
J842352		2.08	<0.01	0.32	0.04	0.089	0.03	0.03	3.54	99.05
J842353										
J842354										
J842355										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180654

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.