ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE TB11017085

Project: HAMMOND REEF

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-FEB-2011.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J860270		3.74	0.050		0.03	6.10	2.1	440	0.86	0.05	1.72	0.03	18.70	3.6	10	0.60
J860271		2.37	0.008		0.02	5.84	0.2	370	0.60	0.04	0.72	0.02	15.90	0.8	8	0.40
J860272		3.67	0.027		0.03	5.86	0.6	320	0.59	0.08	0.97	<0.02	24.4	1.8	10	0.42
J860273		3.28	0.021		0.03	5.68	1.6	370	0.84	0.05	1.66	0.02	24.2	4.2	11	0.51
J860274		2.23	<0.005		0.02	5.88	0.9	360	0.64	0.04	0.73	<0.02	19.65	1.3	8	0.41
J860275		0.11	2.40		7.94	6.45	49.5	640	0.81	3.36	1.60	0.89	51.8	15.6	55	3.02
J860276		2.62	0.008		0.02	6.39	0.5	460	0.78	0.04	1.07	<0.02	37.0	2.4	8	0.54
J860277		2.44	0.007		0.02	6.30	0.4	440	0.89	0.04	2.59	0.03	20.9	9.4	16	0.73
J860278		3.27	0.010		0.04	6.90	0.6	430	0.90	0.04	3.03	0.04	34.1	10.3	21	0.66
J860279		3.68	0.028		0.03	6.60	1.2	460	0.74	0.04	2.55	0.03	24.8	8.1	16	0.66
J860280		3.54	0.023		0.02	6.34	1.2	440	0.79	0.04	2.17	0.03	44.3	5.3	11	0.57
J860281		4.51	0.099		0.11	6.63	1.4	510	1.02	0.06	3.29	0.06	27.1	12.0	21	0.66
J860282		2.61	0.012		0.10	6.40	1.2	210	0.81	0.07	5.05	0.05	79.1	36.8	299	0.18
J860283		2.28	0.072		0.25	6.23	1.7	240	0.74	0.07	5.83	0.07	84.1	33.3	296	0.26
J860284		4.75	0.033		0.06	6.39	1.6	480	0.77	0.07	1.56	0.03	33.1	4.3	12	0.58
J860285		3.84	0.009		0.06	5.97	0.8	540	0.75	0.12	1.77	0.03	24.1	3.3	11	0.50
J860286		2.41	0.008		0.10	6.10	0.7	620	0.83	0.25	2.27	0.03	25.7	3.9	8	0.61
J860287		3.04	<0.005		0.03	6.15	0.7	500	0.72	0.06	1.29	0.02	8.10	1.6	7	0.51
J860288		3.75	0.012		0.12	6.74	1.0	480	0.90	0.23	3.04	0.06	33.9	9.1	11	0.66
J860289		4.68	0.009		0.14	7.06	<0.2	560	0.84	0.27	4.33	0.10	40.2	12.3	23	0.82
J860289 CRD		<0.02	0.009		0.14	6.81	0.4	550	0.83	0.23	4.19	0.08	37.7	11.5	21	0.80
J860290		0.10	0.456		2.19	7.43	109.0	590	1.12	0.54	0.56	0.85	31.1	17.1	34	6.59
J860291		3.48	0.017	0.013	0.06	6.59	0.8	440	0.63	0.07	3.59	0.06	31.6	13.5	29	0.68
J860292		3.88	0.011		0.07	6.71	1.2	370	0.70	0.10	3.74	0.06	38.4	13.5	31	0.59
J860293		3.54	0.049		0.34	7.70	1.8	440	0.79	0.87	3.67	0.06	35.6	14.2	27	0.77
J860294		3.46	0.030		0.08	7.37	1.1	300	0.80	0.29	3.33	0.05	34.1	14.9	31	0.60
J860295		3.34	0.010		0.06	7.45	0.5	240	0.81	0.12	3.40	0.05	45.4	15.2	35	0.49
J860296		3.70	0.014		0.06	7.11	0.4	230	0.76	0.13	3.31	0.04	43.5	15.9	31	0.48
J860297		3.23	<0.005		0.04	7.34	0.3	210	0.86	0.04	2.96	0.04	59.5	14.0	22	0.53
J860298		3.74	<0.005		0.22	6.90	<0.2	170	0.76	0.22	2.83	0.04	25.3	15.1	23	0.48
J860299		3.69	0.008		0.04	7.98	0.7	130	0.96	0.10	2.23	0.04	39.4	13.3	25	0.34
J860300		0.11	1.055		4.54	6.10	19.4	460	0.70	1.77	2.38	1.80	19.10	13.1	56	0.70
J860301		3.24	0.018		0.05	7.69	1.0	110	1.00	0.13	3.25	0.04	60.9	10.4	19	0.28
J860302		3.53	0.011		0.13	7.74	0.6	160	0.98	0.09	2.96	0.03	29.5	14.1	25	0.40
J860303		3.40	0.006		0.02	8.47	0.7	180	1.13	0.04	1.54	0.02	23.1	5.8	7	0.32
J860304		3.47	0.007		0.03	8.09	0.5	120	1.03	0.05	1.90	0.02	26.0	8.4	14	0.26
J860305		3.38	0.005		0.06	8.52	2.3	170	1.18	0.07	1.53	0.06	19.30	4.1	6	0.27
J860306		3.18	<0.005		0.03	8.23	1.7	180	0.97	0.10	1.49	0.06	28.2	3.4	6	0.29
J860307		3.47	<0.005		0.03	8.11	2.4	210	0.99	0.02	1.44	0.06	30.7	4.1	7	0.33
J860308		3.26	0.011		0.02	7.12	0.8	320	1.04	0.02	1.37	0.05	20.8	4.3	8	0.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J860270		10.5	1.19	16.50	0.10	2.5	0.011	1.51	9.3	1.7	0.30	287	0.15	2.97	2.8	5.1
J860271		6.6	0.58	13.35	0.10	2.3	<0.005	1.09	7.9	0.8	0.05	89	0.20	3.30	0.7	1.2
J860272		8.2	0.94	14.60	0.12	2.4	0.005	1.06	12.0	1.2	0.14	171	0.30	3.40	1.7	2.3
J860273		10.6	1.47	17.05	0.14	3.2	0.012	1.36	11.9	2.4	0.40	362	0.16	3.20	3.8	4.6
J860274		4.7	0.71	14.70	0.11	2.6	<0.005	1.11	10.1	1.1	0.13	120	0.14	3.29	1.0	1.3
J860275		>10000	5.52	14.45	0.23	1.1	0.108	2.71	24.1	16.2	1.17	630	112.5	1.60	6.8	31.2
J860276		12.3	1.04	15.85	0.13	2.4	0.007	1.34	18.6	1.6	0.21	199	0.21	3.13	1.7	2.3
J860277		25.1	2.44	19.90	0.15	1.6	0.027	1.84	8.6	10.2	0.78	549	0.14	2.42	5.7	13.8
J860278		23.9	2.80	20.3	0.17	3.1	0.025	1.77	16.3	15.2	0.89	578	0.12	2.81	5.2	14.5
J860279		22.5	2.21	19.65	0.15	3.2	0.021	1.70	12.4	10.8	0.70	475	0.11	2.78	3.3	10.8
J860280		13.3	1.61	18.35	0.15	2.9	0.014	1.52	22.1	6.1	0.43	338	0.16	2.89	3.4	5.8
J860281		42.9	3.05	20.7	0.17	2.4	0.031	1.70	11.2	12.4	1.04	595	0.82	2.88	7.2	17.6
J860282		56.9	4.66	17.10	0.26	3.2	0.036	0.37	35.2	81.6	4.99	778	0.18	2.15	3.4	289
J860283		15.8	4.27	16.00	0.25	3.1	0.034	0.66	39.3	67.4	4.75	853	0.17	1.89	2.7	289
J860284		24.9	1.25	17.50	0.12	2.8	0.013	1.61	16.6	2.3	0.36	280	0.34	2.98	2.6	6.7
J860285		9.9	1.12	15.70	0.12	3.5	0.009	1.51	11.6	2.4	0.22	225	0.16	2.86	2.8	4.3
J860286		5.6	1.16	16.50	0.13	3.2	0.014	1.80	12.2	1.8	0.19	252	0.12	2.69	2.5	2.9
J860287		8.7	0.79	14.95	0.11	2.5	0.006	1.45	3.9	1.7	0.12	142	0.14	2.85	1.3	1.5
J860288		18.5	2.65	19.85	0.16	2.6	0.020	1.84	16.2	15.3	0.70	523	0.19	2.61	5.4	7.5
J860289		19.7	3.40	21.4	0.18	2.7	0.030	2.34	18.9	20.7	0.91	722	0.18	1.98	5.7	14.6
J860289 CRD		18.0	3.29	20.2	0.17	2.7	0.027	2.27	17.8	20.2	0.88	699	0.11	1.91	5.4	14.0
J860290		4390	4.64	17.75	0.22	0.8	0.061	5.40	16.7	11.3	0.76	497	262	1.07	5.4	23.1
J860291		28.5	3.21	18.45	0.16	2.2	0.028	1.72	14.7	28.6	0.98	551	0.58	2.18	3.4	19.9
J860292		21.9	3.36	18.40	0.17	2.2	0.025	1.53	18.6	34.0	1.05	566	0.25	2.25	3.8	19.9
J860293		39.0	3.92	24.5	0.19	2.1	0.048	1.86	16.9	40.8	1.15	603	0.20	2.22	3.1	17.2
J860294		13.1	3.87	24.2	0.18	2.2	0.039	1.50	15.6	49.6	1.39	627	0.21	2.72	3.8	20.8
J860295		14.9	3.77	21.8	0.19	2.6	0.030	1.23	21.6	53.2	1.49	672	0.15	2.92	5.0	23.4
J860296		57.6	3.79	21.1	0.18	2.6	0.033	1.19	19.5	49.2	1.45	659	0.20	3.00	3.6	22.8
J860297		7.2	3.45	22.3	0.21	2.8	0.044	1.22	26.3	41.9	1.23	642	0.21	3.02	6.4	20.5
J860298		25.6	3.68	22.3	0.18	1.8	0.034	1.16	9.4	50.6	1.57	630	0.14	2.83	4.8	21.3
J860299		2.3	3.66	26.3	0.20	3.0	0.037	0.71	17.1	65.4	2.23	589	0.18	4.45	6.6	23.4
J860300		>10000	4.36	13.00	0.18	0.9	0.126	0.83	9.1	14.0	1.13	649	234	2.06	3.8	29.9
J860301		2.9	2.91	22.2	0.21	5.3	0.031	0.54	29.7	56.9	1.80	704	0.26	4.89	6.0	17.9
J860302		1.6	3.78	24.5	0.18	2.3	0.042	0.83	11.8	66.1	2.10	661	0.20	4.21	4.9	25.7
J860303		1.9	1.78	21.3	0.15	4.2	0.015	0.74	11.6	33.7	1.12	337	0.16	5.73	4.1	8.6
J860304		0.9	2.43	21.5	0.16	3.1	0.026	0.54	11.6	43.1	1.51	474	0.15	5.78	6.7	14.5
J860305		5.4	1.26	17.65	0.08	4.2	0.011	0.65	9.0	22.8	0.63	261	0.31	6.95	3.5	5.1
J860306		3.5	1.15	16.75	0.09	3.9	0.016	0.73	14.1	16.3	0.54	233	0.26	6.53	5.0	4.1
J860307		3.4	1.35	16.70	0.09	3.9	0.015	0.81	15.4	17.3	0.57	258	0.26	5.97	4.2	4.9
J860308		11.7	1.46	19.25	0.09	3.0	0.013	1.27	10.3	14.1	0.47	254	0.32	3.98	3.5	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J860270		230	8.5	47.1	<0.002	0.05	0.22	2.6	1	0.4	217	0.31	<0.05	3.4	0.090	0.20
J860271		20	6.6	33.1	<0.002	0.02	0.11	0.6	1	<0.2	157.0	0.09	<0.05	3.2	0.021	0.13
J860272		90	7.7	33.4	<0.002	0.05	0.13	1.3	1	0.3	173.0	0.15	<0.05	4.8	0.046	0.13
J860273		280	7.6	35.1	<0.002	0.04	0.24	2.7	1	0.5	228	0.24	<0.05	3.4	0.121	0.17
J860274		30	6.9	35.1	<0.002	0.02	0.12	0.9	1	0.2	170.5	0.07	<0.05	4.5	0.034	0.12
J860275		880	63.2	81.3	0.128	2.45	7.01	14.4	7	2.6	252	0.26	0.92	4.4	0.303	0.71
J860276		150	8.5	42.2	<0.002	0.04	0.16	1.6	1	0.3	211	0.10	<0.05	6.9	0.061	0.17
J860277		590	6.6	44.2	<0.002	0.08	0.25	7.1	1	0.8	232	0.43	<0.05	3.6	0.168	0.23
J860278		670	7.5	43.4	<0.002	0.06	0.39	6.6	1	0.9	248	0.44	<0.05	3.9	0.247	0.23
J860279		520	7.1	42.6	<0.002	0.05	0.36	4.5	1	0.7	245	0.24	<0.05	3.2	0.202	0.22
J860280		320	6.9	44.5	<0.002	0.06	0.28	3.3	1	0.6	236	0.25	<0.05	6.5	0.138	0.19
J860281		740	8.5	40.3	<0.002	0.14	0.49	7.7	1	0.9	255	0.71	<0.05	4.1	0.233	0.24
J860282		1660	6.3	14.2	<0.002	0.05	0.73	14.4	1	0.5	377	0.27	<0.05	5.2	0.192	0.04
J860283		1560	9.2	23.4	<0.002	0.15	0.51	13.0	1	0.5	356	0.19	<0.05	5.9	0.182	0.08
J860284		280	7.2	50.4	<0.002	0.10	0.21	3.3	1	0.5	177.0	0.24	<0.05	5.5	0.101	0.19
J860285		220	7.4	43.3	<0.002	0.21	0.19	2.0	1	0.4	235	0.39	0.06	4.3	0.090	0.17
J860286		210	7.7	50.5	<0.002	0.26	0.17	1.9	1	0.5	247	0.21	0.08	4.8	0.089	0.21
J860287		70	5.6	42.9	<0.002	0.05	0.14	1.1	1	0.2	212	0.12	<0.05	2.9	0.047	0.17
J860288		720	7.5	44.2	<0.002	0.26	0.35	4.8	1	0.8	263	0.36	0.14	3.4	0.246	0.22
J860289		750	7.7	50.2	0.006	0.37	0.39	8.3	1	1.0	243	0.88	0.11	3.7	0.281	0.36
J860289 CRD		730	7.6	48.2	0.005	0.34	0.37	8.0	1	0.9	236	0.91	0.12	3.3	0.272	0.32
J860290		1110	41.3	142.0	0.634	2.53	7.68	10.5	9	3.1	259	0.35	0.96	2.5	0.250	1.31
J860291		620	7.7	39.2	<0.002	0.11	0.34	7.9	1	0.8	226	0.20	<0.05	2.5	0.232	0.24
J860292		570	7.1	37.6	<0.002	0.07	0.38	8.2	1	0.8	230	0.24	<0.05	3.3	0.250	0.21
J860293		530	7.7	48.3	<0.002	0.32	0.33	14.5	1	1.2	250	0.23	0.34	3.2	0.195	0.25
J860294		630	6.2	32.8	<0.002	0.03	0.41	10.8	1	1.1	239	0.23	<0.05	2.7	0.251	0.21
J860295		700	5.7	32.6	<0.002	<0.01	0.48	9.6	1	0.9	243	0.38	<0.05	4.2	0.280	0.17
J860296		780	7.1	26.5	<0.002	0.02	0.36	9.6	1	0.8	254	0.25	<0.05	3.4	0.256	0.17
J860297		870	9.6	30.4	<0.002	<0.01	0.36	11.4	1	1.2	249	0.59	<0.05	7.7	0.234	0.17
J860298		960	4.6	25.4	<0.002	<0.01	0.29	8.7	1	0.8	231	0.52	<0.05	2.1	0.231	0.15
J860299		1100	6.6	13.7	<0.002	<0.01	0.47	8.8	1	0.9	279	0.64	<0.05	4.5	0.280	0.09
J860300		560	38.6	22.9	1.350	1.57	24.1	12.8	6	1.0	277	0.26	0.57	1.9	0.306	0.20
J860301		850	9.5	12.8	<0.002	<0.01	0.69	7.6	1	0.9	312	0.44	<0.05	7.8	0.285	0.08
J860302		1190	7.8	15.8	<0.002	<0.01	0.64	10.0	1	1.0	276	0.42	<0.05	1.9	0.340	0.12
J860303		320	6.7	25.0	<0.002	<0.01	0.26	3.5	1	0.5	317	0.30	<0.05	4.0	0.140	0.09
J860304		650	6.6	13.7	<0.002	<0.01	0.43	6.7	1	0.8	315	0.40	<0.05	3.1	0.225	0.07
J860305		230	9.9	21.9	<0.002	0.02	0.76	2.6	1	0.5	332	0.20	<0.05	2.8	0.112	0.08
J860306		400	8.9	27.7	<0.002	<0.01	0.52	4.2	1	0.7	291	0.20	<0.05	3.6	0.160	0.10
J860307		400	6.7	30.0	<0.002	0.02	0.45	4.8	1	0.6	283	0.20	<0.05	3.7	0.146	0.11
J860308		300	7.7	40.4	<0.002	0.01	0.30	3.4	1	0.5	224	0.22	<0.05	2.5	0.127	0.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J860270		1.6	22	2.1	2.6	22	78.2	
J860271		1.3	6	0.5	1.3	6	47.8	
J860272		2.0	10	1.1	2.1	12	52.0	
J860273		1.1	21	2.7	2.7	29	94.7	
J860274		1.3	7	0.6	1.4	8	56.4	
J860275		1.2	151	11.1	14.0	170	33.3	2.16
J860276		1.3	11	0.7	2.5	14	62.1	
J860277		1.3	55	0.5	4.5	53	48.8	
J860278		1.5	60	3.8	4.5	67	115.5	
J860279		1.5	42	4.5	3.2	49	124.0	
J860280		0.9	27	2.8	3.0	32	97.8	
J860281		2.0	69	9.2	4.8	56	73.9	
J860282		1.5	99	1.6	10.0	81	112.0	
J860283		1.5	87	2.1	10.1	85	112.5	
J860284		1.3	21	2.0	3.1	22	85.4	
J860285		1.2	19	1.9	3.4	14	92.1	
J860286		0.9	25	1.3	3.0	11	99.3	
J860287		1.0	11	0.9	1.6	7	57.5	
J860288		0.8	46	3.2	4.3	56	103.0	
J860289		1.1	67	500	5.5	66	114.0	
J860289 CRD		1.0	66	450	5.2	64	112.5	
J860290		1.3	158	12.4	14.1	151	21.9	
J860291		0.7	74	3.1	3.7	71	88.1	
J860292		1.5	72	6.2	3.8	69	89.1	
J860293		1.6	104	1.8	4.0	73	82.9	
J860294		0.7	100	1.8	3.9	79	86.1	
J860295		1.1	83	2.4	4.4	73	105.5	
J860296		1.1	90	1.1	4.5	76	110.0	
J860297		1.5	85	2.5	8.2	71	87.6	
J860298		0.9	89	1.0	5.7	63	62.0	
J860299		1.5	91	1.3	6.3	63	108.5	
J860300		0.9	99	4.8	13.4	140	25.6	1.255
J860301		1.9	60	14.4	5.8	53	177.5	
J860302		1.6	97	4.2	5.7	68	78.6	
J860303		1.4	33	1.8	3.7	37	114.0	
J860304		1.2	48	3.6	5.3	55	98.8	
J860305		0.9	17	4.9	3.0	28	131.0	
J860306		0.9	20	6.6	3.5	24	141.5	
J860307		0.9	21	7.3	3.4	29	145.5	
J860308		0.9	20	1.5	2.7	32	112.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J860309		3.32	<0.005		0.02	6.56	0.9	230	0.81	0.02	1.01	0.06	19.25	2.5	8	0.27
J860309 CRD		<0.02	<0.005		0.02	6.69	1.2	240	0.82	0.01	1.03	0.05	19.50	2.6	8	0.29
J860310		3.17	<0.005	0.006	0.01	7.07	0.7	250	0.89	0.02	1.00	0.05	20.2	4.5	7	0.32
J860311		3.91	<0.005		0.19	8.31	1.0	220	0.92	0.32	1.81	0.06	40.6	3.1	6	0.39
J860312		2.59	0.007		0.03	8.59	0.5	350	1.18	0.03	2.34	0.07	23.8	6.6	9	0.46
J860313		2.51	0.012		0.05	4.34	0.7	470	0.83	0.01	1.67	0.05	24.7	4.6	14	0.65
J860314		1.31	<0.005		0.06	7.23	0.8	630	1.18	0.06	3.18	0.08	31.0	9.5	15	0.96
J860315		0.12	2.30		8.05	6.67	55.2	650	0.91	3.65	1.66	1.01	55.4	17.0	59	3.15
J860316		3.11	0.006		0.05	7.60	<0.2	620	1.12	0.03	3.24	0.04	66.1	14.3	14	0.85
J860317		3.76	<0.005		0.06	7.73	0.2	470	1.09	0.04	2.94	0.03	34.3	15.4	19	0.67
J860318		3.50	<0.005		0.05	7.16	0.5	360	0.99	0.03	2.83	0.03	72.3	13.9	22	0.69
J860319		3.26	<0.005		0.03	6.85	0.3	370	0.80	0.02	2.45	0.03	33.4	9.6	14	0.60
J860320		3.22	<0.005		0.05	7.40	0.3	410	0.79	0.03	3.01	0.04	49.8	13.9	24	0.69
J860321		3.32	<0.005		0.06	7.12	0.3	430	0.83	0.03	2.37	0.04	35.8	11.7	24	0.63
J860322		3.28	<0.005		0.06	7.15	0.7	310	0.74	0.04	3.15	0.05	49.6	12.9	24	0.48
J860323		3.36	<0.005		0.07	6.64	0.7	330	0.89	0.03	2.50	0.03	55.6	9.4	17	0.52
J860324		3.22	0.012		0.04	6.95	2.2	560	1.03	0.02	2.55	0.04	45.6	8.8	18	0.82
J860325		3.53	0.045		0.10	6.55	1.5	200	0.54	0.03	3.71	0.06	21.7	23.3	21	0.22
J860326		3.20	<0.005		0.03	5.85	0.5	470	0.66	0.02	1.52	0.02	28.0	2.1	6	0.52
J860327		3.28	<0.005		0.03	6.28	0.5	360	0.79	0.02	1.60	0.02	26.2	2.9	9	0.61
J860328		2.93	<0.005		0.03	6.27	0.7	530	0.99	0.04	1.79	0.03	52.4	4.0	7	0.86
J860329		3.41	<0.005		0.04	6.19	<0.2	570	0.84	0.03	1.19	0.02	16.80	1.9	7	0.71
J860329 CRD		<0.02	<0.005		0.02	6.25	0.3	580	0.91	0.03	1.18	0.02	15.70	1.9	6	0.70
J860330		0.12	0.443		2.08	7.38	110.5	570	1.43	0.53	0.55	1.10	33.5	17.9	33	7.10
J860331		3.18	0.005	<0.005	0.02	6.24	0.4	720	0.74	0.02	1.76	0.03	20.8	5.1	9	0.83
J860332		3.07	<0.005		0.08	6.44	1.5	190	0.60	0.03	3.35	0.07	29.1	23.9	20	0.25
J860333		3.63	<0.005		0.05	6.66	<0.2	620	1.08	0.05	2.87	0.04	24.6	7.9	13	0.95
J860334		3.08	<0.005		0.03	6.78	0.5	390	1.23	0.05	1.19	0.03	48.9	2.9	12	0.71
J860335		3.44	<0.005		0.06	7.80	1.4	310	1.00	0.08	3.14	0.04	35.0	16.0	24	0.71
J860336		3.42	<0.005		0.05	7.28	<0.2	290	0.95	0.03	3.74	0.05	37.9	13.9	24	0.71
J860337		3.25	<0.005		0.06	7.41	<0.2	210	0.93	0.05	3.77	0.06	36.6	18.8	28	0.46
J860338		3.23	<0.005		0.05	7.87	0.4	160	1.07	0.05	3.08	0.05	41.0	18.4	29	0.44
J860339		3.06	<0.005		0.06	8.04	0.4	150	0.97	0.06	3.56	0.05	42.2	18.7	30	0.40
J860340		3.15	<0.005		0.07	7.87	0.7	150	1.19	0.06	2.68	0.05	24.9	14.2	21	0.31
J860341		3.10	<0.005		0.07	7.64	0.5	150	1.11	0.07	3.21	0.06	38.6	17.6	25	0.39
J860342		3.33	<0.005		0.03	7.95	0.7	140	1.57	0.02	2.23	0.03	80.6	10.6	16	0.36
J860343		3.06	0.010		0.14	8.12	1.1	250	1.41	0.03	2.67	0.04	133.5	17.3	25	0.54
J860344		3.16	<0.005		0.06	7.76	0.6	210	1.51	0.03	3.17	0.04	36.7	16.4	25	0.44
J860345		1.12	<0.005		<0.01	0.15	<5	10	0.05	0.01	21.9	<0.02	2.58	1.2	1	0.10
J860346		3.38	<0.005		0.10	7.32	0.3	170	1.67	0.03	3.75	0.06	18.50	15.1	22	0.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J860309		5.9	0.95	13.45	0.08	2.7	0.010	0.71	9.5	9.8	0.32	188	0.31	4.48	2.7	3.6
J860309 CRD		4.4	0.98	14.00	0.08	2.8	0.011	0.76	9.6	10.3	0.34	192	0.28	4.55	2.8	3.2
J860310		2.2	1.40	17.15	0.09	3.2	0.013	0.83	9.9	19.3	0.67	216	0.19	4.55	3.8	4.3
J860311		2.2	1.10	17.50	0.11	4.7	0.016	0.73	22.7	13.0	0.43	227	0.19	6.63	6.6	4.1
J860312		2.8	1.86	21.3	0.11	4.1	0.019	1.33	10.8	21.5	0.68	376	0.27	5.71	7.0	8.5
J860313		4.5	1.68	13.30	0.09	1.8	0.017	1.90	11.9	11.5	0.44	274	0.25	0.13	3.1	8.0
J860314		4.6	2.72	20.8	0.13	4.6	0.026	2.68	14.4	25.1	0.86	473	0.27	1.54	4.8	11.7
J860315		>10000	5.87	14.70	0.19	1.1	0.116	2.81	25.0	18.5	1.22	635	115.0	1.70	7.0	34.7
J860316		46.0	3.17	22.9	0.20	4.2	0.029	2.18	32.7	28.1	1.00	562	0.17	2.43	4.3	16.2
J860317		32.5	3.49	23.4	0.19	2.2	0.038	1.71	14.3	32.7	1.16	678	0.25	3.03	5.6	22.8
J860318		19.8	3.36	22.9	0.16	2.5	0.043	1.43	34.3	33.9	1.07	681	0.15	2.87	7.5	20.1
J860319		20.8	2.49	20.7	0.13	3.1	0.029	1.30	16.5	24.0	0.74	468	0.16	3.15	5.2	12.4
J860320		37.6	3.42	20.7	0.15	3.1	0.029	1.35	25.2	33.3	1.05	549	0.18	2.85	4.7	17.5
J860321		29.4	2.75	20.7	0.11	2.5	0.025	1.27	18.1	26.0	0.88	434	0.27	3.03	4.0	17.9
J860322		42.4	3.10	20.4	0.12	3.2	0.024	1.01	24.9	25.7	0.94	473	0.18	2.99	4.7	16.9
J860323		19.0	2.48	20.3	0.14	3.0	0.023	1.12	26.2	21.8	0.72	430	0.20	3.02	4.2	12.8
J860324		22.1	2.42	21.5	0.13	2.7	0.024	1.67	21.4	21.0	0.72	495	0.20	2.90	6.2	13.5
J860325		50.7	6.68	18.30	0.19	2.4	0.061	0.49	9.8	39.4	1.39	1070	0.57	1.84	3.9	14.8
J860326		8.9	0.98	15.05	0.08	3.3	0.007	1.21	14.0	5.2	0.15	190	0.19	3.18	1.6	1.5
J860327		2.7	1.37	18.30	0.09	3.6	0.009	1.29	13.4	7.3	0.24	224	0.16	3.06	2.8	3.6
J860328		6.7	1.33	19.35	0.10	3.8	0.012	1.78	26.4	9.0	0.32	229	0.18	2.60	5.3	3.3
J860329		2.4	0.85	16.50	0.07	2.7	0.006	1.47	8.1	3.4	0.13	135	0.21	3.13	3.1	2.1
J860329 CRD		2.5	0.82	17.05	0.07	2.6	0.006	1.48	7.4	3.4	0.13	131	0.21	3.17	3.7	1.8
J860330		4290	4.69	18.25	0.20	0.8	0.059	5.19	18.6	14.5	0.75	475	262	1.06	5.7	23.0
J860331		13.9	1.74	16.45	0.11	2.7	0.012	1.61	10.2	9.4	0.30	302	0.42	2.47	2.8	3.8
J860332		45.5	6.69	18.75	0.19	2.5	0.065	0.44	13.7	39.0	1.44	1040	0.33	1.79	4.3	14.0
J860333		12.7	2.23	21.2	0.12	2.9	0.021	1.84	12.0	15.9	0.53	423	0.23	2.76	5.4	10.3
J860334		2.9	1.17	19.20	0.09	4.5	0.013	1.35	27.8	11.2	0.36	207	0.24	4.11	7.5	5.3
J860335		23.8	4.04	25.1	0.16	1.9	0.041	1.46	14.4	51.8	1.85	681	0.31	3.00	7.7	23.9
J860336		17.2	3.28	21.8	0.14	2.5	0.029	1.51	16.7	38.2	1.23	586	0.21	2.69	5.7	21.3
J860337		39.6	4.18	24.2	0.17	1.7	0.046	1.04	14.3	43.6	1.53	647	0.21	3.06	5.1	29.4
J860338		27.5	4.33	25.3	0.17	1.8	0.043	0.88	15.8	58.7	2.07	758	0.22	3.45	5.0	29.8
J860339		21.9	4.36	25.1	0.16	1.7	0.045	0.79	15.8	56.8	2.05	760	0.18	3.52	5.8	30.9
J860340		20.4	3.71	24.4	0.13	2.2	0.035	0.64	10.0	55.3	2.01	667	0.19	4.27	5.6	21.7
J860341		27.9	4.19	25.9	0.16	2.1	0.042	0.81	15.2	55.5	2.02	782	0.22	3.45	5.3	27.9
J860342		3.0	2.90	24.6	0.16	5.3	0.033	0.69	38.9	55.1	2.00	627	0.20	4.53	9.3	15.4
J860343		88.9	3.67	28.0	0.25	1.5	0.036	1.07	52.2	39.5	1.42	701	0.29	3.65	13.5	25.2
J860344		39.0	3.97	25.8	0.12	1.5	0.030	0.95	14.1	38.3	1.55	744	0.49	3.60	12.4	25.2
J860345		1.0	0.10	0.54	0.15	0.1	<0.005	0.12	1.8	6.0	13.30	50	0.19	<0.01	0.5	0.7
J860346		18.5	3.72	24.3	0.15	1.7	0.031	0.80	5.8	31.7	1.30	591	0.36	3.29	13.1	22.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J860309		210	6.4	27.2	<0.002	<0.01	0.22	2.8	1	0.4	184.0	0.13	<0.05	2.7	0.080	0.09
J860309 CRD		220	6.0	28.8	<0.002	<0.01	0.24	2.9	1	0.5	187.0	0.14	<0.05	2.8	0.086	0.09
J860310		300	6.7	30.7	<0.002	<0.01	0.20	3.4	1	0.6	226	0.24	<0.05	3.5	0.103	0.10
J860311		450	313	43.3	<0.002	0.01	0.29	5.3	2	0.7	306	0.53	<0.05	6.4	0.163	0.09
J860312		410	8.4	39.4	<0.002	0.04	0.23	4.2	1	0.7	230	1.48	<0.05	3.6	0.166	0.18
J860313		330	3.2	63.4	<0.002	0.01	0.19	4.5	1	0.7	74.1	0.41	<0.05	3.6	0.101	0.26
J860314		690	9.2	71.9	<0.002	0.01	0.37	6.7	1	0.8	164.0	0.41	<0.05	4.6	0.267	0.38
J860315		910	66.1	79.2	0.138	2.54	7.49	14.8	7	2.6	264	0.26	1.02	4.5	0.315	0.80
J860316		760	6.8	60.7	<0.002	0.10	0.30	9.8	1	0.9	207	0.37	<0.05	8.8	0.229	0.32
J860317		850	6.4	45.1	<0.002	0.05	0.25	14.0	1	1.2	253	0.54	<0.05	4.9	0.207	0.25
J860318		830	6.7	45.9	<0.002	0.01	0.27	12.3	1	1.2	248	0.55	<0.05	7.7	0.260	0.24
J860319		580	4.6	45.0	<0.002	0.02	0.19	7.1	2	0.8	236	0.48	<0.05	4.0	0.230	0.21
J860320		690	7.5	48.5	<0.002	0.02	0.25	9.8	1	0.9	332	0.22	<0.05	3.9	0.308	0.23
J860321		480	8.6	44.6	<0.002	0.02	0.29	8.0	1	0.9	307	0.24	<0.05	2.9	0.232	0.21
J860322		600	9.7	36.8	<0.002	0.05	0.39	8.6	1	0.9	408	0.45	<0.05	4.5	0.280	0.17
J860323		670	6.7	38.8	<0.002	0.02	0.30	6.5	1	0.8	321	0.31	<0.05	8.4	0.225	0.18
J860324		600	4.9	57.0	<0.002	0.06	0.23	6.7	1	1.0	203	0.40	<0.05	6.0	0.223	0.27
J860325		570	10.9	18.4	0.002	0.08	0.53	25.4	2	0.8	456	0.25	<0.05	2.5	0.705	0.07
J860326		150	9.0	38.7	<0.002	0.03	0.16	1.5	1	0.3	189.5	0.11	<0.05	4.2	0.071	0.17
J860327		240	8.7	44.2	<0.002	0.01	0.21	2.4	1	0.4	250	0.21	<0.05	4.4	0.115	0.20
J860328		230	12.6	65.1	<0.002	0.01	0.20	2.9	1	0.7	165.0	0.74	<0.05	8.6	0.133	0.28
J860329		90	16.6	54.8	<0.002	0.02	0.14	1.5	1	0.4	154.5	0.67	<0.05	3.8	0.055	0.22
J860329 CRD		80	11.9	54.9	<0.002	0.01	0.14	1.5	1	0.4	155.0	0.99	<0.05	3.5	0.058	0.23
J860330		1080	40.3	144.5	0.678	2.41	7.70	12.3	9	3.0	256	0.35	1.02	2.3	0.240	1.46
J860331		160	5.9	59.8	<0.002	0.01	0.22	4.7	1	0.4	141.5	0.45	<0.05	4.6	0.154	0.25
J860332		600	11.7	19.3	<0.002	0.03	0.53	26.2	2	0.8	473	0.32	<0.05	3.9	0.719	0.07
J860333		510	8.5	59.1	<0.002	0.11	0.20	4.9	1	0.9	205	0.61	<0.05	3.5	0.195	0.30
J860334		220	12.0	53.1	<0.002	0.02	0.21	3.3	1	0.9	173.5	1.35	<0.05	10.4	0.111	0.21
J860335		940	49.2	43.4	<0.002	0.05	0.31	12.2	2	1.2	185.5	0.68	<0.05	27.6	0.360	0.24
J860336		790	52.7	48.5	<0.002	0.02	0.23	10.1	1	0.8	218	0.63	<0.05	3.6	0.283	0.25
J860337		1070	5.7	28.9	<0.002	0.01	0.25	13.7	2	0.9	373	0.61	<0.05	3.0	0.362	0.18
J860338		1160	5.9	25.9	<0.002	0.01	0.25	13.4	1	1.1	274	0.76	<0.05	2.8	0.397	0.15
J860339		1220	5.5	22.5	<0.002	0.01	0.32	14.2	2	1.1	388	0.52	<0.05	2.2	0.423	0.13
J860340		800	6.0	13.0	<0.002	0.01	0.23	9.6	1	1.0	386	0.66	<0.05	1.6	0.307	0.10
J860341		1040	5.6	18.1	<0.002	0.01	0.27	11.7	1	1.0	398	0.55	<0.05	2.6	0.355	0.14
J860342		890	5.3	18.8	<0.002	<0.01	0.23	6.9	1	1.5	267	0.70	<0.05	10.9	0.344	0.10
J860343		1280	11.4	38.6	<0.002	0.06	0.41	8.5	2	1.7	382	1.03	<0.05	23.3	0.358	0.18
J860344		1380	6.4	27.5	<0.002	0.04	0.33	8.0	2	1.4	390	0.91	<0.05	5.7	0.380	0.15
J860345		10	1.0	2.6	<0.002	0.05	<0.05	0.4	1	<0.2	61.5	<0.05	<0.05	0.3	0.008	<0.02
J860346		880	6.9	24.1	<0.002	0.04	0.33	10.3	2	1.2	464	1.40	<0.05	2.6	0.323	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J860309		1.6	12	1.1	2.3	19	95.9	
J860309 CRD		1.5	13	1.2	2.3	20	96.7	
J860310		1.5	19	1.2	3.5	34	108.0	
J860311		3.0	18	7.7	7.4	21	161.0	
J860312		1.4	35	8.4	5.5	35	144.0	
J860313		1.1	35	3.3	3.4	19	71.3	
J860314		2.6	51	4.7	4.7	44	204	
J860315		1.3	154	11.5	13.8	170	38.0	2.16
J860316		2.5	65	1.1	6.4	56	172.5	
J860317		1.8	77	0.6	8.3	77	68.0	
J860318		1.6	77	0.3	13.4	86	78.5	
J860319		0.9	49	0.5	9.6	59	118.5	
J860320		1.0	70	0.7	10.3	75	133.5	
J860321		0.8	58	0.8	7.1	62	92.0	
J860322		1.4	66	0.7	9.4	65	135.5	
J860323		1.0	48	0.7	8.5	55	111.0	
J860324		1.1	46	9.4	8.3	57	91.7	
J860325		0.8	198	1.8	23.8	113	68.2	
J860326		1.0	11	0.9	2.6	19	82.3	
J860327		0.6	15	0.6	3.6	26	110.0	
J860328		2.1	19	0.8	8.2	21	121.0	
J860329		3.1	10	0.4	4.9	11	65.4	
J860329 CRD		3.2	11	0.4	5.5	11	63.8	
J860330		1.2	152	13.5	15.0	147	23.3	
J860331		2.3	38	0.6	7.9	25	70.3	
J860332		1.3	201	1.4	25.1	100	70.1	
J860333		1.3	37	1.3	8.1	50	98.2	
J860334		4.3	16	1.4	10.5	27	140.0	
J860335		227	92	1.6	27.7	90	67.1	
J860336		1.5	74	1.8	12.7	68	82.7	
J860337		1.3	108	1.1	14.2	79	56.3	
J860338		2.0	117	1.5	14.2	84	57.6	
J860339		4.3	113	4.3	14.8	86	53.9	
J860340		1.9	90	0.6	9.4	77	74.4	
J860341		1.2	106	0.7	11.8	75	68.3	
J860342		1.4	57	1.2	9.6	64	201	
J860343		4.6	87	1.0	21.7	99	52.0	
J860344		1.7	91	0.5	12.4	94	47.9	
J860345		0.1	2	0.1	1.5	<2	2.1	
J860346		1.8	88	0.4	16.5	65	59.1	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J860347		3.40	<0.005		0.41	8.61	0.6	150	1.86	0.05	3.26	0.05	24.1	16.4	28	0.36
J860348		3.77	<0.005		0.12	8.67	0.4	160	1.66	0.05	3.74	0.07	27.1	15.9	28	0.34
J860349		2.54	<0.005		0.19	7.16	<0.2	410	0.95	0.01	2.44	0.03	25.0	7.0	8	0.68
J860349 CRD		<0.02	0.007		0.02	6.98	0.6	410	0.97	0.02	2.47	0.02	24.5	7.7	8	0.66
J860350		3.22	0.062	0.061	0.02	6.78	1.1	510	0.90	0.01	2.23	0.02	30.4	4.0	4	0.64
J860351		3.26	0.006		0.01	6.63	0.9	500	0.82	0.01	2.56	0.02	26.6	3.9	5	0.61
J860352		3.16	<0.005		0.02	6.91	0.8	490	0.86	0.02	1.57	0.02	18.20	3.4	5	0.64
J860353		3.10	0.010		0.04	6.82	<0.2	490	0.77	0.01	1.45	<0.02	12.75	3.5	6	0.61
J860354		3.23	<0.005		0.02	6.63	<0.2	460	0.74	0.02	1.48	<0.02	8.63	2.5	5	0.60
J860355		2.97	<0.005		0.01	6.76	<0.2	370	0.77	0.01	1.22	<0.02	8.16	1.8	4	0.54
J860356		3.22	<0.005		0.01	6.77	<0.2	300	0.84	0.01	1.34	<0.02	11.80	3.0	5	0.55
J860357		3.31	<0.005		0.02	6.91	<0.2	300	0.86	0.01	1.53	<0.02	20.1	4.6	5	0.65
J860358		3.27	<0.005		0.03	6.93	<0.2	320	1.00	0.02	2.01	0.02	22.0	4.5	5	0.74
J860359		3.19	<0.005		0.01	6.96	<0.2	340	0.86	0.01	1.67	<0.02	21.3	3.7	4	0.70
J860360		0.12	0.988		4.45	6.37	20.5	460	0.83	1.87	2.44	1.84	21.9	14.1	61	0.76
J860361		3.03	<0.005		0.02	7.86	<0.2	400	1.01	0.02	1.95	<0.02	17.15	5.4	4	0.76
J860362		3.09	<0.005		0.02	7.17	<0.2	350	1.08	0.01	2.20	0.03	29.6	4.9	5	0.77
J860363		3.55	<0.005		0.03	7.24	<0.2	480	1.08	0.03	1.89	0.02	25.3	5.3	5	0.74
J860364		3.32	<0.005		0.03	7.60	0.3	450	1.13	0.02	1.45	<0.02	30.9	5.8	4	0.73
J860365		3.12	<0.005		0.03	7.23	<0.2	420	0.98	0.02	1.49	0.02	23.0	5.3	4	0.73
J860366		3.22	<0.005		0.01	6.62	<0.2	400	0.85	0.02	1.55	0.02	16.10	4.6	7	0.61
J860367		3.09	<0.005		0.03	7.47	<0.2	480	0.95	0.02	2.03	0.06	18.30	6.3	9	0.67
J860368		3.07	<0.005		0.02	7.18	<0.2	450	0.99	0.02	2.09	0.06	21.0	5.6	9	0.66
J860369		2.94	<0.005		0.01	7.16	0.4	420	1.09	0.02	1.97	0.06	27.6	6.7	11	0.64
J860369 CRD		<0.02	<0.005		0.02	7.41	<0.2	440	1.06	0.02	2.00	0.06	31.6	6.7	11	0.67
J860370		3.21	<0.005	<0.005	0.06	6.78	<0.2	340	1.06	0.02	1.97	0.06	36.7	7.1	12	0.59
J860371		3.32	<0.005		0.11	7.06	0.2	370	1.08	0.06	3.31	0.09	26.1	11.7	18	0.61
J860372		3.01	<0.005		0.02	7.52	<0.2	490	0.88	0.02	2.47	0.06	34.4	8.9	11	0.77
J860373		3.11	<0.005		0.04	7.07	<0.2	520	0.74	0.04	2.35	0.06	45.4	7.5	11	0.68
J860374		3.36	<0.005		0.03	7.02	<0.2	480	0.73	0.04	2.49	0.06	51.6	8.4	12	0.66
J860375		0.11	2.56		8.01	6.62	58.8	570	0.91	3.60	1.65	1.01	57.5	17.0	58	3.13
J860376		3.21	0.010		0.07	7.70	<0.2	480	0.93	0.05	2.51	0.03	42.4	7.9	9	0.75
J860377		2.99	0.008		0.06	8.02	<0.2	530	1.17	0.04	2.65	0.03	42.5	9.6	10	0.95
J860378		3.41	<0.005		<0.01	6.29	<0.2	590	0.76	0.01	1.86	0.02	23.6	4.6	7	0.74
J860379		3.23	<0.005		0.03	6.69	<0.2	680	0.85	0.01	1.68	0.05	24.3	4.1	7	0.72
J860380		3.25	<0.005		0.02	7.18	<0.2	620	0.98	0.01	1.85	0.06	36.4	5.0	6	0.88
J860381		2.97	<0.005		0.02	6.85	<0.2	650	0.91	0.02	1.77	0.05	32.7	3.8	7	0.93
J860382		3.11	<0.005		0.04	7.28	<0.2	620	0.92	0.05	1.60	0.05	35.5	4.4	7	0.86
J860383		3.17	<0.005		0.04	6.97	<0.2	490	0.95	0.03	2.34	0.06	31.5	6.5	11	0.73
J860384		3.23	<0.005		0.05	7.11	1.7	270	1.00	0.04	2.20	0.07	58.5	6.2	13	0.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 10-FEB-2011
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J860347		9.4	4.56	29.8	0.18	2.6	0.046	0.71	7.7	67.1	2.74	825	0.62	3.72	20.3	30.0
J860348		20.3	4.22	27.4	0.17	2.4	0.052	0.75	8.7	48.8	2.09	803	0.39	4.07	18.7	25.5
J860349		8.9	2.10	19.70	0.10	2.9	0.015	1.64	10.8	16.1	0.63	378	0.18	3.14	5.8	7.5
J860349 CRD		10.0	2.13	20.0	0.11	2.7	0.016	1.63	10.3	16.3	0.62	385	0.20	3.12	6.1	8.5
J860350		5.7	1.43	18.15	0.08	2.6	0.011	1.66	14.6	8.7	0.33	275	0.21	3.37	3.3	3.4
J860351		3.7	1.41	17.50	0.07	2.5	0.012	1.62	11.9	8.2	0.30	299	0.14	3.47	3.6	3.4
J860352		1.4	1.30	17.25	0.06	2.8	0.010	1.50	9.1	7.2	0.28	202	0.15	3.36	3.2	2.7
J860353		1.3	1.29	17.00	0.06	2.8	0.009	1.47	6.4	6.8	0.26	189	0.11	3.36	3.0	3.0
J860354		3.0	1.05	16.35	<0.05	2.7	0.007	1.39	4.4	6.1	0.25	167	0.13	3.49	1.9	2.0
J860355		1.8	0.84	15.05	<0.05	1.9	0.005	1.32	4.1	4.1	0.20	126	0.18	3.68	1.9	1.7
J860356		2.5	1.16	16.90	0.07	2.6	0.008	1.34	5.9	8.5	0.31	161	0.14	3.48	3.3	2.9
J860357		1.4	1.50	20.1	0.08	2.6	0.017	1.64	10.3	13.2	0.44	227	0.14	3.21	5.8	4.3
J860358		1.7	1.53	19.45	0.08	2.9	0.016	1.72	11.1	12.1	0.40	252	0.10	2.94	5.2	4.1
J860359		1.5	1.32	18.95	0.08	2.2	0.011	1.78	10.5	9.4	0.35	213	0.83	2.96	3.8	3.4
J860360		>10000	4.60	13.05	0.16	1.1	0.132	0.86	10.9	15.0	1.16	646	235	2.18	4.2	32.3
J860361		4.7	1.70	22.0	0.14	3.2	0.016	1.85	8.4	11.5	0.41	277	0.13	3.32	4.7	5.5
J860362		3.7	1.65	20.6	0.08	3.0	0.016	1.63	14.5	11.9	0.38	328	0.18	3.33	5.6	4.8
J860363		15.3	1.68	20.3	0.09	3.2	0.017	1.76	13.0	10.7	0.37	298	0.15	3.06	4.4	4.6
J860364		3.8	1.74	21.8	0.10	3.3	0.016	1.78	15.9	11.7	0.40	262	0.13	3.57	4.6	5.0
J860365		10.5	1.71	19.20	0.07	3.4	0.016	1.67	12.1	12.4	0.40	266	0.15	3.24	3.9	4.5
J860366		10.6	1.61	19.70	0.10	3.0	0.015	1.42	8.1	10.6	0.36	278	0.22	3.20	4.2	5.1
J860367		11.5	1.97	21.8	0.10	3.3	0.017	1.76	8.9	17.8	0.51	361	0.30	3.31	4.3	6.0
J860368		8.4	1.78	21.3	0.10	3.1	0.017	1.52	10.1	14.0	0.39	345	0.25	3.53	4.1	6.1
J860369		4.3	1.93	21.4	0.11	2.2	0.017	1.46	13.0	16.2	0.49	376	0.28	3.40	6.1	7.9
J860369 CRD		4.7	1.96	21.9	0.11	2.3	0.019	1.48	14.8	16.9	0.50	380	0.32	3.45	5.9	7.8
J860370		14.3	1.91	20.3	0.11	2.4	0.021	1.30	16.0	19.3	0.57	404	0.26	3.21	6.1	9.8
J860371		54.0	3.01	21.6	0.12	2.4	0.039	1.32	9.9	28.9	0.92	580	0.32	3.02	7.5	17.0
J860372		7.4	2.44	20.9	0.11	5.0	0.020	1.61	17.8	22.0	0.62	346	0.25	3.24	4.1	8.7
J860373		13.5	2.15	19.60	0.11	4.5	0.017	1.59	24.4	17.4	0.52	265	0.25	2.97	3.7	6.8
J860374		13.7	2.40	19.25	0.11	4.7	0.017	1.48	27.6	18.9	0.59	289	0.23	2.89	3.8	7.6
J860375		>10000	5.86	14.80	0.18	1.2	0.112	2.77	26.0	18.8	1.21	634	109.5	1.67	7.0	34.8
J860376		9.1	2.27	22.0	0.17	5.0	0.015	1.69	23.1	17.2	0.58	359	0.24	3.14	6.2	8.0
J860377		26.5	2.68	23.2	0.19	4.4	0.020	1.95	22.4	19.1	0.66	378	0.22	3.06	5.6	11.1
J860378		7.0	1.63	17.35	0.13	2.7	0.012	1.67	11.4	9.3	0.34	257	0.13	2.59	3.4	4.6
J860379		17.9	1.46	18.10	0.09	2.6	0.012	1.78	11.5	9.2	0.31	250	0.25	2.89	3.5	3.3
J860380		9.2	1.67	19.30	0.10	2.9	0.014	1.85	16.9	11.7	0.39	309	0.22	3.06	4.3	3.9
J860381		9.0	1.47	18.40	0.09	2.9	0.013	2.01	15.0	9.6	0.33	305	0.20	3.00	3.7	2.9
J860382		4.3	1.65	18.35	0.12	2.4	0.013	1.83	16.7	10.9	0.40	309	0.24	3.12	4.0	3.2
J860383		11.1	1.87	19.45	0.13	1.9	0.017	1.54	14.6	12.6	0.50	347	0.23	2.98	4.6	7.1
J860384		20.0	2.01	19.00	0.14	3.0	0.017	1.34	29.3	14.2	0.54	385	0.31	3.09	4.6	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J860347		1170	6.1	21.1	<0.002	0.01	0.31	14.0	2	2.3	369	1.97	<0.05	2.6	0.405	0.10
J860348		1150	7.7	21.0	<0.002	0.05	0.22	14.7	2	2.3	380	2.20	<0.05	3.6	0.406	0.11
J860349		440	3.6	48.8	<0.002	0.02	0.15	4.3	1	0.7	205	0.53	<0.05	3.5	0.177	0.23
J860349 CRD		450	3.5	47.0	<0.002	0.04	0.15	4.5	1	0.7	207	0.57	<0.05	3.1	0.179	0.22
J860350		280	3.5	53.6	<0.002	0.03	0.12	2.8	1	0.5	201	0.21	<0.05	4.0	0.122	0.21
J860351		280	3.4	48.4	<0.002	0.03	0.11	2.8	1	0.5	205	0.25	<0.05	3.6	0.126	0.22
J860352		220	7.8	53.2	<0.002	0.03	0.10	2.4	1	0.5	199.5	0.16	<0.05	2.5	0.106	0.19
J860353		190	5.7	53.6	<0.002	0.01	0.10	2.3	1	0.4	155.5	0.11	<0.05	1.8	0.108	0.19
J860354		140	9.1	49.0	<0.002	<0.01	0.10	1.6	1	0.3	203	0.12	<0.05	1.3	0.079	0.18
J860355		110	6.7	49.0	<0.002	<0.01	0.09	1.3	1	0.2	179.5	0.23	<0.05	1.4	0.065	0.18
J860356		190	3.6	51.8	<0.002	<0.01	0.09	2.6	1	0.4	164.5	0.16	<0.05	2.2	0.105	0.18
J860357		260	3.1	60.3	<0.002	<0.01	0.10	3.9	1	0.8	147.0	0.53	<0.05	2.9	0.132	0.23
J860358		290	7.0	59.3	<0.002	<0.01	0.12	3.4	1	0.6	173.5	0.28	<0.05	2.9	0.146	0.25
J860359		240	3.4	62.2	<0.002	<0.01	0.10	3.0	1	0.4	161.0	0.21	<0.05	3.0	0.137	0.26
J860360		570	39.0	25.1	1.520	1.64	25.7	13.6	6	1.1	287	0.29	0.59	2.2	0.319	0.21
J860361		300	7.8	59.8	<0.002	0.01	0.12	4.5	1	0.7	184.5	0.28	<0.05	2.9	0.154	0.26
J860362		340	5.7	57.8	<0.002	0.01	0.13	3.9	1	0.6	200	0.32	<0.05	4.7	0.154	0.25
J860363		320	6.6	60.5	<0.002	0.03	0.12	3.4	1	0.6	231	0.28	<0.05	3.0	0.144	0.24
J860364		390	5.0	73.1	<0.002	0.05	0.12	3.6	1	0.7	168.5	0.26	<0.05	4.5	0.161	0.28
J860365		340	4.5	66.4	<0.002	0.02	0.12	3.4	1	0.6	171.0	0.28	<0.05	3.3	0.152	0.25
J860366		280	4.6	50.8	<0.002	0.01	0.13	3.3	1	0.5	189.5	0.27	<0.05	2.1	0.131	0.22
J860367		360	4.6	62.5	<0.002	0.01	0.22	3.7	1	0.6	168.0	0.31	<0.05	2.6	0.159	0.27
J860368		330	4.8	54.0	<0.002	0.01	0.19	3.3	1	0.6	253	0.24	<0.05	2.6	0.154	0.25
J860369		510	7.0	53.0	<0.002	<0.01	0.21	4.2	1	0.7	328	0.48	<0.05	4.2	0.189	0.25
J860369 CRD		510	7.0	54.5	<0.002	<0.01	0.23	4.4	1	0.7	339	0.47	<0.05	5.2	0.191	0.25
J860370		440	6.1	49.1	<0.002	0.02	0.22	4.6	1	0.8	266	0.41	<0.05	6.3	0.179	0.23
J860371		740	12.5	40.9	<0.002	0.05	0.26	9.5	1	1.2	417	0.90	<0.05	2.7	0.258	0.23
J860372		600	6.6	56.7	<0.002	0.01	0.21	5.3	1	0.6	319	0.32	<0.05	4.2	0.273	0.28
J860373		550	7.0	55.7	<0.002	0.01	0.22	3.9	1	0.5	295	0.33	<0.05	5.3	0.243	0.28
J860374		610	6.1	50.5	<0.002	0.01	0.26	3.9	1	0.5	351	0.25	<0.05	5.9	0.265	0.25
J860375		900	66.6	81.3	0.127	2.51	7.82	14.8	7	2.7	260	0.27	1.01	4.6	0.312	0.76
J860376		530	6.9	55.4	<0.002	0.01	0.20	4.7	1	0.9	274	0.93	<0.05	5.8	0.233	0.27
J860377		560	10.4	64.6	<0.002	0.05	0.17	6.1	1	0.8	257	0.71	<0.05	8.1	0.240	0.32
J860378		290	3.2	56.4	<0.002	0.03	0.13	2.6	1	0.5	181.0	0.26	<0.05	3.4	0.138	0.27
J860379		260	5.0	61.8	<0.002	0.01	0.13	2.8	1	0.5	216	0.24	<0.05	3.4	0.114	0.25
J860380		320	5.6	69.0	<0.002	0.01	0.15	3.4	1	0.6	257	0.32	<0.05	4.2	0.136	0.30
J860381		280	5.6	64.8	<0.002	0.01	0.16	2.9	1	0.5	205	0.27	<0.05	3.9	0.111	0.30
J860382		300	10.7	62.8	<0.002	0.01	0.15	3.5	1	0.5	208	0.25	<0.05	4.4	0.120	0.26
J860383		380	9.3	48.6	<0.002	0.02	0.23	4.8	1	0.7	358	0.40	<0.05	4.4	0.156	0.22
J860384		410	7.7	45.4	<0.002	0.01	0.21	4.2	1	0.7	341	0.48	<0.05	7.8	0.186	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J860347		3.0	109	0.6	27.9	87	77.5	
J860348		4.2	100	0.5	28.4	82	78.3	
J860349		1.3	41	0.9	6.8	43	95.3	
J860349 CRD		1.0	41	0.9	6.9	44	93.6	
J860350		0.6	23	3.5	4.0	29	86.7	
J860351		0.6	22	7.5	3.9	28	84.9	
J860352		0.8	18	4.8	2.8	25	88.6	
J860353		0.6	16	0.8	2.4	27	90.3	
J860354		0.6	14	0.6	1.9	19	78.0	
J860355		1.8	10	0.5	2.0	12	57.0	
J860356		0.9	16	0.4	3.2	21	84.9	
J860357		0.7	23	0.7	4.5	32	96.0	
J860358		0.7	24	0.5	4.0	33	102.5	
J860359		0.9	20	0.4	3.3	28	79.2	
J860360		0.8	102	5.8	15.9	140	33.0	1.275
J860361		0.8	25	0.7	3.3	39	106.0	
J860362		0.8	24	0.6	4.4	41	106.0	
J860363		1.3	24	0.4	4.0	40	116.0	
J860364		1.6	28	0.4	5.2	40	122.0	
J860365		1.1	26	0.4	4.1	41	121.5	
J860366		0.7	23	0.3	2.9	42	107.0	
J860367		0.7	29	0.7	4.0	51	127.0	
J860368		0.4	25	0.4	3.4	47	116.5	
J860369		1.0	21	0.2	5.4	58	75.4	
J860369 CRD		1.2	22	0.2	5.6	59	79.8	
J860370		1.2	28	0.2	5.5	52	75.8	
J860371		2.1	66	0.4	13.6	78	83.5	
J860372		1.4	42	0.7	5.6	61	226	
J860373		1.1	36	0.4	4.3	54	204	
J860374		0.9	37	0.5	4.2	58	217	
J860375		1.3	150	11.8	14.0	170	39.7	2.09
J860376		1.8	36	0.9	11.1	48	207	
J860377		19.5	49	1.8	8.5	56	171.5	
J860378		0.7	24	5.0	3.2	34	96.6	
J860379		0.9	22	1.2	3.7	31	89.2	
J860380		1.1	25	1.4	5.1	38	97.2	
J860381		1.0	22	1.1	4.8	34	92.2	
J860382		1.2	23	1.3	5.4	41	74.9	
J860383		2.1	35	0.7	6.3	45	56.4	
J860384		2.3	33	0.6	6.2	53	112.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 10-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11017085

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.