ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 19-FEB-2011
Account: OSIHRG

CERTIFICATE TB11020534

Project: HAMMOND REEF

P.O. No.:

This report is for 78 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 9-FEB-2011.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11020534

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J860510		3.61	<0.005		0.12	7.46	7.7	360	0.93	0.03	3.17	0.05	57.4	10.0	18	0.67
J860511		3.35	0.007		0.03	7.81	8.4	350	0.97	0.02	3.11	0.04	59.3	10.2	18	0.64
J860512		3.50	0.271		0.08	7.50	8.5	410	1.06	0.03	2.91	0.03	59.5	10.0	17	0.76
J860513		3.48	<0.005		0.02	7.68	4.4	480	1.01	0.03	2.96	0.05	56.6	7.0	14	0.82
J860514		3.64	<0.005		0.04	7.65	7.8	420	0.90	0.02	2.91	0.04	56.0	10.3	16	0.84
J860515		0.12	2.61		7.87	6.47	50.9	620	0.76	3.36	1.62	0.86	55.8	14.8	56	2.97
J860516		3.36	0.007		0.07	7.72	2.5	370	0.93	0.03	3.26	0.05	60.1	9.4	16	0.80
J860517		3.52	<0.005		0.02	7.68	4.2	400	0.89	0.02	2.75	0.04	48.7	9.3	16	0.73
J860518		3.47	0.071		0.04	7.64	3.0	450	0.99	0.04	2.93	0.05	43.8	10.3	19	0.91
J860519		3.24	<0.005		<0.01	7.60	1.1	360	1.02	0.03	2.71	0.04	49.4	10.0	19	0.83
J860520		3.39	<0.005		<0.01	7.34	1.9	350	0.92	0.02	2.84	0.05	46.9	10.5	18	0.87
J860521		3.20	0.006		0.06	7.36	1.0	300	0.93	0.04	3.77	0.06	48.2	23.5	178	0.73
J860522		3.52	<0.005		<0.01	7.97	0.6	310	1.04	0.02	3.41	0.06	56.5	17.2	87	1.02
J860523		3.25	0.026		0.03	7.36	0.7	290	0.84	0.03	3.45	0.07	49.4	19.7	150	0.71
J860524		3.66	<0.005		0.02	7.76	0.9	500	1.06	0.04	3.26	0.05	42.9	10.9	17	1.24
J860525		3.46	<0.005		0.02	7.39	1.5	510	0.88	0.03	3.03	0.04	43.7	10.4	16	1.28
J860526		3.54	<0.005		0.19	7.56	0.9	450	0.94	2.80	2.28	0.05	48.5	7.0	14	0.91
J860527		3.30	<0.005		0.08	6.68	0.9	550	0.90	0.12	1.95	0.03	29.3	6.4	25	0.75
J860528		3.37	<0.005		0.04	7.12	1.2	380	0.81	0.07	3.58	0.04	56.0	10.4	24	0.84
J860529		3.53	<0.005		0.01	7.78	1.0	640	0.95	0.07	2.28	0.04	44.8	8.6	15	1.22
J860529 CRD		<0.02	<0.005		0.01	7.63	1.0	640	0.98	0.05	2.21	0.04	40.9	8.1	14	1.20
J860530		0.12	0.433		2.17	7.72	115.0	580	1.17	0.53	0.56	0.81	36.0	17.8	35	7.00
J860531		3.42	<0.005	<0.005	0.04	6.74	0.9	650	1.05	0.11	2.85	0.05	38.0	9.7	28	1.39
J860532		3.49	<0.005		0.06	7.70	2.2	400	0.89	0.05	2.16	0.05	55.3	7.8	14	0.87
J860533		3.43	<0.005		<0.01	7.59	2.0	450	0.97	0.05	2.63	0.06	54.5	8.4	17	0.93
J860534		3.37	<0.005		0.01	7.35	2.9	530	0.89	0.03	2.87	0.05	54.7	9.3	15	0.93
J860535		3.43	<0.005		0.06	7.11	4.9	390	0.78	0.02	2.63	0.05	47.2	8.7	15	0.76
J860536		3.51	<0.005		<0.01	7.80	9.6	350	0.86	0.03	2.96	0.06	61.7	11.6	16	0.76
J860537		3.40	<0.005		0.04	7.95	6.8	440	0.90	0.04	3.05	0.07	58.4	9.8	18	0.94
J860538		3.46	<0.005		0.19	6.95	4.6	530	0.80	0.05	2.61	0.04	51.0	8.4	16	1.26
J860539		3.37	<0.005		<0.01	7.34	4.4	490	0.94	0.02	1.99	0.04	38.8	7.4	11	1.04
J860540		3.50	<0.005		0.02	7.55	4.6	330	0.87	0.03	2.51	0.05	51.3	9.4	15	0.85
J860541		3.48	<0.005		0.04	7.57	6.1	410	0.83	0.05	3.18	0.04	60.8	12.8	23	1.00
J860542		3.60	<0.005		0.06	7.70	10.3	260	0.83	0.06	3.92	0.05	51.4	17.4	36	0.50
J860543		3.53	<0.005		0.07	7.62	11.6	460	1.01	0.06	2.71	0.10	60.5	11.0	16	1.14
J860544		3.17	<0.005		0.04	7.39	2.6	470	0.87	0.06	1.98	0.05	20.1	5.2	7	1.09
J860545		0.98	<0.005		<0.01	0.19	6	10	<0.05	0.01	20.4	<0.02	2.80	1.0	3	0.10
J860546		3.19	<0.005		0.07	7.19	2.2	560	0.86	0.07	2.01	0.04	17.60	5.8	4	1.46
J860547		3.19	<0.005		0.20	7.31	3.1	570	0.92	0.02	1.84	0.04	18.65	4.9	6	1.54
J860548		3.38	<0.005		0.06	7.34	1.7	590	0.91	0.03	2.00	0.04	16.80	4.2	5	1.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11020534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J860510		30.4	2.94	20.7	0.18	2.5	0.028	1.16	28.7	25.8	0.85	449	0.12	2.92	5.0	14.6
J860511		23.4	2.98	20.4	0.18	2.7	0.025	1.09	29.7	26.7	0.86	446	0.11	3.18	4.7	15.0
J860512		21.9	2.95	20.1	0.16	2.8	0.026	1.31	29.4	27.1	0.86	434	0.09	2.97	5.0	14.9
J860513		15.9	2.54	20.1	0.16	2.9	0.024	1.40	29.6	20.6	0.69	402	0.10	2.99	4.5	10.9
J860514		24.9	2.95	20.5	0.16	2.7	0.024	1.28	27.3	26.1	0.89	453	0.11	2.99	5.5	14.6
J860515		>10000	5.58	13.00	0.21	1.2	0.107	2.63	27.0	16.2	1.14	611	111.5	1.57	6.3	30.9
J860516		25.4	2.97	22.7	0.10	2.7	0.026	1.20	28.4	22.4	0.90	446	0.13	3.06	5.2	14.2
J860517		23.3	2.74	20.4	0.16	3.5	0.027	1.21	24.7	22.7	0.75	401	0.80	3.01	6.1	12.6
J860518		30.1	2.78	21.4	0.17	4.4	0.031	1.49	22.3	24.4	0.78	447	0.29	2.96	7.0	13.7
J860519		28.4	2.79	20.2	0.16	3.7	0.026	1.27	24.9	24.9	0.78	427	1.76	2.92	7.5	14.0
J860520		16.9	2.93	19.90	0.16	2.7	0.026	1.37	23.5	27.8	0.87	446	0.16	3.13	6.5	15.0
J860521		51.9	4.24	19.35	0.18	3.2	0.037	1.12	23.8	37.5	2.04	644	0.20	2.54	7.8	89.2
J860522		42.6	3.90	21.0	0.20	2.8	0.033	1.29	27.6	38.7	1.52	576	0.21	3.03	11.9	46.1
J860523		38.4	3.69	19.35	0.18	2.9	0.039	0.95	25.4	29.4	1.54	596	0.24	2.71	8.5	66.2
J860524		48.4	2.97	21.4	0.16	3.2	0.040	1.67	21.1	25.0	0.87	532	1.45	2.76	8.1	14.6
J860525		40.2	2.88	19.20	0.16	3.7	0.027	1.60	21.8	26.0	0.83	438	0.13	2.85	6.0	13.5
J860526		22.4	2.17	18.60	0.15	3.3	0.019	1.36	25.8	17.5	0.59	337	0.15	3.08	4.5	9.5
J860527		5.2	1.62	16.85	0.13	2.7	0.013	1.25	13.5	15.9	0.57	271	0.24	3.52	3.2	17.5
J860528		8.4	2.84	19.30	0.17	2.4	0.034	1.21	28.6	27.1	0.98	520	0.22	2.94	5.0	20.2
J860529		17.0	2.40	20.9	0.16	2.6	0.024	1.86	22.4	24.4	0.73	364	0.10	2.85	4.6	12.6
J860529 CRD		15.3	2.34	19.80	0.14	2.2	0.022	1.86	20.4	23.5	0.70	353	0.10	2.86	4.0	11.8
J860530		4450	4.76	17.30	0.22	0.9	0.059	5.08	20.0	12.5	0.75	490	261	1.06	5.5	23.8
J860531		22.7	2.55	19.10	0.14	3.3	0.025	1.99	17.5	29.8	0.86	428	0.42	2.70	6.1	20.4
J860532		26.7	2.39	19.90	0.15	2.4	0.024	1.39	28.7	21.5	0.66	420	0.16	3.42	6.5	11.3
J860533		26.7	2.63	20.6	0.16	2.2	0.037	1.38	27.0	23.2	0.74	500	0.20	3.08	7.5	12.7
J860534		26.9	2.62	19.55	0.17	2.4	0.025	1.47	26.9	24.2	0.78	510	0.19	2.98	5.7	13.4
J860535		26.9	2.50	19.35	0.15	2.4	0.026	1.24	23.2	21.9	0.71	437	0.13	2.99	4.3	12.0
J860536		20.5	2.91	20.5	0.17	2.4	0.042	1.11	30.4	25.5	0.84	560	0.15	3.14	6.9	13.9
J860537		27.9	2.92	20.9	0.17	2.2	0.027	1.29	29.5	27.0	0.87	492	0.30	3.05	6.9	14.8
J860538		23.8	2.56	19.05	0.16	2.4	0.027	1.72	25.0	30.0	0.78	445	0.17	2.55	5.4	13.1
J860539		12.4	2.06	18.70	0.14	2.9	0.016	1.54	20.2	21.2	0.56	327	0.21	3.10	4.8	8.6
J860540		31.6	2.74	19.60	0.16	2.5	0.024	1.30	26.1	25.2	0.75	452	0.13	2.98	5.1	12.9
J860541		48.3	3.05	19.35	0.18	2.4	0.025	1.58	30.9	35.0	1.10	548	0.21	2.79	5.2	24.0
J860542		45.0	3.56	19.00	0.18	2.5	0.029	0.83	26.2	44.4	1.55	680	0.28	2.83	7.5	41.4
J860543		40.2	2.71	20.4	0.16	2.3	0.028	1.57	30.4	28.9	0.79	503	0.15	2.83	6.7	13.3
J860544		15.1	1.92	19.65	0.07	3.2	0.016	1.39	9.4	14.2	0.32	299	0.13	3.24	4.5	5.2
J860545		1.3	0.09	0.58	0.34	0.1	<0.005	0.11	2.1	5.2	13.00	51	0.11	0.06	0.4	1.8
J860546		8.9	1.73	20.2	0.14	2.8	0.013	1.85	8.1	15.9	0.33	291	0.11	3.02	3.1	3.1
J860547		19.9	1.66	20.2	0.12	2.7	0.012	1.72	8.7	15.8	0.32	268	0.12	2.95	3.6	3.3
J860548		20.0	1.63	20.8	0.12	2.7	0.016	1.83	7.9	16.3	0.32	282	0.12	2.94	3.5	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11020534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J860510		760	8.6	41.2	<0.002	0.09	0.57	7.0	1	1.0	553	0.78	<0.05	4.8	0.261	0.24
J860511		730	8.5	43.1	<0.002	0.09	0.54	7.2	2	0.8	564	0.76	<0.05	5.3	0.253	0.24
J860512		760	8.2	48.9	<0.002	0.12	0.34	7.1	1	0.9	428	0.79	<0.05	5.4	0.254	0.29
J860513		570	8.5	56.6	<0.002	0.05	0.45	6.6	1	0.8	485	0.54	<0.05	6.2	0.220	0.31
J860514		740	6.8	49.1	<0.002	0.05	0.47	6.8	1	0.9	506	0.71	<0.05	4.8	0.261	0.30
J860515		880	57.8	77.1	0.130	2.40	6.72	14.3	7	2.6	253	0.24	0.90	4.3	0.302	0.71
J860516		710	9.3	56.9	<0.002	0.08	0.50	7.3	<1	0.9	507	0.72	<0.05	5.3	0.255	0.29
J860517		660	6.7	48.1	<0.002	0.04	0.45	7.5	1	0.9	496	0.69	<0.05	5.1	0.250	0.27
J860518		710	6.6	58.9	<0.002	0.07	0.36	7.1	1	1.2	417	0.66	<0.05	4.2	0.264	0.34
J860519		720	6.5	52.5	<0.002	0.06	0.39	7.3	1	1.1	464	0.81	<0.05	4.9	0.261	0.29
J860520		750	6.7	55.6	<0.002	0.09	0.34	7.1	1	1.0	385	0.68	<0.05	4.3	0.261	0.31
J860521		730	6.7	40.8	<0.002	0.09	0.32	12.3	1	1.2	354	0.93	<0.05	4.1	0.386	0.24
J860522		820	5.7	62.5	<0.002	0.10	0.25	11.9	2	1.5	337	1.49	<0.05	4.8	0.366	0.28
J860523		630	6.8	42.4	<0.002	0.10	0.33	12.4	2	1.3	413	1.16	<0.05	5.5	0.347	0.22
J860524		720	7.1	69.0	<0.002	0.07	0.39	9.3	2	1.5	463	1.07	<0.05	4.3	0.264	0.40
J860525		730	151.5	66.6	<0.002	0.06	0.48	6.8	1	0.9	418	0.61	<0.05	3.9	0.260	0.38
J860526		530	19.7	60.4	<0.002	0.04	0.32	4.6	1	0.7	385	0.44	<0.05	6.1	0.205	0.31
J860527		560	15.0	46.8	<0.002	0.08	0.26	3.6	1	0.5	403	0.33	<0.05	3.0	0.155	0.25
J860528		850	10.2	50.6	<0.002	0.08	0.31	7.4	1	1.1	544	0.41	<0.05	4.2	0.269	0.28
J860529		590	5.4	81.9	<0.002	0.05	0.27	5.9	1	0.9	352	0.29	<0.05	4.2	0.221	0.41
J860529 CRD		550	4.8	75.3	<0.002	0.05	0.26	5.4	1	0.8	350	0.25	<0.05	3.8	0.211	0.41
J860530		1110	40.6	134.5	0.641	2.54	7.94	11.6	9	3.1	265	0.34	0.99	2.4	0.253	1.33
J860531		800	7.2	72.3	<0.002	0.16	0.25	5.9	1	1.1	277	0.60	0.05	3.5	0.256	0.45
J860532		550	7.3	63.4	<0.002	0.02	0.37	6.1	1	1.0	349	0.63	<0.05	7.2	0.220	0.31
J860533		630	8.9	56.1	<0.002	0.05	1.90	8.9	1	1.4	481	1.12	<0.05	5.2	0.231	0.31
J860534		650	8.7	56.1	<0.002	0.05	0.35	6.3	1	1.1	408	0.59	<0.05	4.7	0.242	0.31
J860535		610	7.2	43.5	<0.002	0.05	0.36	5.7	1	0.9	448	0.44	<0.05	4.1	0.228	0.28
J860536		700	7.6	43.6	<0.002	0.03	0.34	10.5	1	1.4	492	1.14	<0.05	6.4	0.262	0.26
J860537		730	7.6	54.2	<0.002	0.06	0.36	7.1	1	1.1	531	0.98	<0.05	4.8	0.262	0.31
J860538		680	8.3	70.5	<0.002	0.05	0.28	7.5	1	1.0	278	0.74	<0.05	4.6	0.239	0.42
J860539		470	7.1	63.0	<0.002	0.03	0.22	4.4	1	0.7	359	0.75	<0.05	4.1	0.190	0.34
J860540		670	8.6	49.5	<0.002	0.03	0.31	5.8	1	0.9	456	0.53	<0.05	4.6	0.247	0.29
J860541		670	10.1	62.7	<0.002	0.07	0.22	8.1	1	0.9	341	0.48	<0.05	5.2	0.272	0.33
J860542		620	11.3	31.3	<0.002	0.03	0.35	10.8	1	1.2	481	1.04	<0.05	4.6	0.347	0.19
J860543		700	10.9	64.5	<0.002	0.03	0.36	6.4	1	1.2	457	0.72	<0.05	6.5	0.249	0.37
J860544		320	7.7	65.3	<0.002	0.01	0.21	3.3	1	0.7	366	0.57	<0.05	2.4	0.148	0.37
J860545		10	1.3	3.1	<0.002	0.01	<0.05	0.4	1	<0.2	62.7	<0.05	<0.05	0.3	0.007	0.02
J860546		310	8.2	75.8	<0.002	0.02	0.14	3.2	1	0.6	218	0.25	<0.05	2.1	0.136	0.44
J860547		300	8.1	77.5	<0.002	<0.01	0.19	3.1	1	0.5	296	0.26	<0.05	2.5	0.139	0.43
J860548		300	7.7	86.1	<0.002	<0.01	0.21	2.9	1	0.6	275	0.29	<0.05	2.9	0.135	0.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11020534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J860510		2.0	58	0.8	7.5	70	91.6	
J860511		3.0	56	1.7	8.3	69	98.7	
J860512		1.5	57	2.3	8.2	68	100.5	
J860513		1.2	44	0.9	7.9	60	110.5	
J860514		1.6	57	0.7	8.1	70	103.0	
J860515		1.0	145	10.5	13.5	170	41.6	2.17
J860516		2.3	55	0.9	8.7	65	105.5	
J860517		1.0	50	2.2	10.0	64	139.0	
J860518		1.0	54	1.8	11.5	67	176.5	
J860519		1.1	53	0.7	12.1	65	140.0	
J860520		0.9	59	1.6	8.8	66	105.0	
J860521		1.6	99	1.3	13.8	76	123.0	
J860522		1.2	88	0.9	22.8	75	102.0	
J860523		1.0	82	0.4	19.9	69	104.5	
J860524		1.1	56	0.6	18.6	74	124.0	
J860525		0.9	56	0.4	9.6	68	146.0	
J860526		0.9	37	4.0	6.2	54	125.0	
J860527		0.8	31	0.6	5.3	42	85.6	
J860528		1.7	59	0.4	7.7	74	92.0	
J860529		0.8	49	0.5	5.7	59	92.5	
J860529 CRD		0.7	47	0.5	4.9	56	78.7	
J860530		1.0	159	13.1	14.1	154	25.0	
J860531		1.2	55	1.0	7.9	65	121.0	
J860532		1.6	38	0.5	7.3	72	91.1	
J860533		1.8	50	0.3	16.1	67	81.7	
J860534		1.8	51	0.7	8.6	68	91.3	
J860535		0.7	48	0.5	7.2	67	93.5	
J860536		1.3	55	0.4	18.3	75	91.6	
J860537		1.2	58	0.4	13.1	70	84.9	
J860538		1.1	54	0.6	10.0	67	93.1	
J860539		1.8	37	0.4	9.5	53	110.0	
J860540		2.5	51	0.4	7.3	74	90.8	
J860541		3.0	61	1.2	7.9	66	91.2	
J860542		1.6	75	0.6	13.2	68	90.4	
J860543		2.1	53	0.5	9.4	81	84.1	
J860544		1.2	29	0.4	5.6	51	111.0	
J860545		0.1	1	0.1	1.6	<2	2.9	
J860546		0.6	23	0.8	3.4	47	104.5	
J860547		0.9	23	0.3	2.8	47	100.5	
J860548		2.3	22	0.3	2.9	48	99.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11020534

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J860549		3.55	<0.005		0.11	7.15	4.1	520	0.96	0.04	2.07	0.05	18.75	5.4	5	1.67
J860549 CRD		<0.02	<0.005		0.06	7.32	4.2	530	0.88	0.04	2.10	0.08	18.10	5.4	6	1.67
J860550		3.39	<0.005	<0.005	0.08	7.42	3.4	440	0.85	0.02	1.88	0.04	18.30	4.6	5	0.90
J860551		3.49	<0.005		0.01	7.63	2.1	470	0.95	0.02	1.94	0.04	18.75	5.1	5	0.98
J860552		3.36	<0.005		0.19	7.23	2.1	540	0.81	0.02	2.04	0.04	18.45	4.7	5	1.45
J860553		3.52	<0.005		0.04	7.55	3.8	480	0.87	0.01	2.04	0.04	21.1	6.2	7	1.04
J860554		3.32	<0.005		0.02	7.73	4.1	470	1.01	0.04	1.98	0.04	21.0	5.4	6	0.90
J860555		3.45	<0.005		0.07	7.54	2.1	550	0.96	0.02	1.91	0.06	21.0	4.5	6	1.22
J860556		3.51	0.005		0.07	7.60	4.0	560	0.87	0.15	1.97	0.06	17.45	5.2	5	1.46
J860557		3.68	<0.005		0.05	8.06	9.9	580	0.94	0.04	1.91	0.06	22.2	5.1	6	1.31
J860558		3.50	<0.005		0.03	7.48	5.0	540	0.87	0.02	2.06	0.05	20.4	4.8	7	0.88
J860559		3.47	<0.005		0.02	7.24	4.3	580	0.89	0.02	2.05	0.05	18.30	5.6	5	1.17
J860560		0.12	0.965		4.62	6.33	20.9	500	0.77	1.92	2.57	2.08	22.5	14.6	63	0.77
J860561		3.44	<0.005		0.06	7.14	1.7	530	0.87	0.03	1.96	0.04	19.55	5.2	7	1.16
J860562		3.55	<0.005		0.12	7.45	0.6	520	0.89	0.02	1.98	0.03	20.8	5.8	9	1.22
J860563		3.51	0.531		0.15	7.45	2.4	540	0.86	0.03	1.85	0.06	25.0	5.2	5	1.11
J860564		3.61	<0.005		0.04	7.22	4.1	450	0.91	0.06	2.00	0.05	23.9	5.3	6	0.93
J860565		3.59	<0.005		0.04	6.92	1.3	490	0.99	0.07	1.75	0.04	17.50	4.2	5	1.07
J860566		3.57	0.012		0.01	6.95	1.9	510	0.91	0.02	1.92	0.04	19.70	5.5	4	1.17
J860567		3.60	<0.005		0.04	7.11	1.9	560	0.83	0.04	1.96	0.03	25.5	4.8	5	1.16
J860568		3.61	<0.005		0.04	7.23	5.6	450	1.03	0.03	2.00	0.04	20.9	5.4	6	0.93
J860569		3.43	<0.005		0.03	7.26	5.4	480	0.92	0.01	2.03	0.04	21.5	5.5	7	0.62
J860569 CRD		<0.02	<0.005		0.04	7.00	5.2	460	0.85	0.01	1.97	0.03	21.1	5.4	6	0.59
J860570		3.65	<0.005	<0.005	0.03	6.94	6.5	480	0.83	0.01	2.10	0.04	19.50	5.4	8	0.61
J860571		3.51	<0.005		0.04	7.15	5.9	550	0.87	0.01	2.04	0.04	19.55	5.3	6	0.93
J860572		3.62	<0.005		0.02	7.43	4.3	410	0.86	0.01	1.88	0.04	17.55	5.0	7	0.76
J860573		3.56	<0.005		0.02	7.43	1.3	560	0.91	0.01	2.05	0.04	18.10	5.0	8	1.08
J860574		3.69	<0.005		0.01	7.27	0.6	500	0.98	0.01	1.84	0.04	17.95	5.2	5	1.35
J860575		0.12	2.41		8.07	6.62	54.6	560	0.90	3.41	1.63	0.96	54.5	16.6	56	3.19
J860576		3.47	<0.005		0.04	7.09	0.5	480	1.07	0.02	1.75	0.06	21.6	4.9	5	1.21
J860577		3.72	<0.005		0.06	7.30	<0.2	540	0.89	0.01	1.97	0.03	17.00	4.9	4	1.40
J860578		3.59	0.007		0.01	7.62	<0.2	480	0.94	0.02	1.89	0.03	19.85	4.9	4	1.21
J860579		3.43	<0.005		0.02	7.26	<0.2	550	0.93	0.02	1.82	0.02	17.10	4.4	4	1.47
J860580		3.74	<0.005		0.03	7.08	0.4	540	0.89	0.04	1.69	0.03	15.85	4.6	3	1.43
J860581		3.61	<0.005		0.15	7.20	1.2	630	0.92	0.01	2.00	0.02	15.95	4.8	67	1.58
J860582		3.66	<0.005		0.04	7.47	1.3	650	0.80	0.01	1.80	0.04	14.65	3.1	6	1.35
J860583		3.72	<0.005		0.32	7.46	5.2	440	0.88	0.02	1.92	0.05	17.65	5.9	10	0.78
J860584		3.71	<0.005		0.03	7.52	6.3	480	0.92	0.02	2.02	0.05	18.10	6.2	6	0.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 19-FEB-2011
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB11020534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J860549		23.6	1.61	21.2	0.12	2.9	0.017	1.69	8.5	16.0	0.31	296	0.14	3.01	4.3	3.5
J860549 CRD		23.3	1.64	21.5	0.14	2.9	0.016	1.77	8.4	15.7	0.32	299	0.15	3.06	4.5	3.5
J860550		9.4	1.75	20.5	0.12	2.9	0.019	1.30	8.8	13.2	0.34	303	0.14	3.27	4.0	3.6
J860551		4.7	1.81	20.8	0.12	3.2	0.019	1.39	8.9	14.0	0.35	312	0.14	3.33	3.9	3.6
J860552		16.7	1.72	20.7	0.12	3.3	0.017	1.66	8.4	11.2	0.33	293	0.11	3.02	3.6	4.0
J860553		10.9	1.83	21.8	0.14	3.1	0.018	1.39	10.3	14.0	0.35	298	0.13	3.28	3.6	4.9
J860554		4.1	1.81	22.4	0.15	3.2	0.018	1.32	10.3	13.4	0.34	297	0.14	3.44	3.9	4.6
J860555		8.0	1.77	21.5	0.15	3.1	0.020	1.61	9.6	15.1	0.34	295	0.11	3.18	3.7	3.9
J860556		4.5	1.81	21.5	0.15	3.1	0.017	1.66	7.9	14.4	0.35	293	0.08	3.21	3.3	3.9
J860557		13.5	1.80	22.4	0.16	3.2	0.021	1.66	10.0	14.9	0.36	313	0.10	3.49	4.3	4.0
J860558		9.5	1.81	20.7	0.08	2.9	0.024	1.50	9.9	15.7	0.36	326	0.14	3.65	4.8	3.9
J860559		7.5	1.83	19.95	0.09	3.1	0.018	1.80	8.8	17.1	0.36	306	0.09	3.15	3.9	4.0
J860560		>10000	4.90	13.20	0.14	1.0	0.135	0.91	11.3	14.9	1.26	682	252	2.23	4.1	33.9
J860561		39.9	1.73	19.35	0.11	3.0	0.017	1.66	9.3	15.3	0.35	287	0.17	3.27	4.0	4.3
J860562		20.3	1.89	19.75	0.11	3.1	0.017	1.87	10.4	16.8	0.38	305	0.82	3.34	3.6	4.1
J860563		7.2	1.72	20.1	0.11	3.3	0.014	1.74	12.5	14.7	0.34	275	0.11	3.49	3.7	3.5
J860564		14.2	1.65	19.95	0.11	2.8	0.018	1.28	11.8	13.3	0.35	299	0.12	3.47	4.9	3.5
J860565		5.8	1.52	19.10	0.10	2.5	0.014	1.63	8.9	14.0	0.30	271	1.21	3.17	5.0	3.0
J860566		7.9	1.70	19.00	0.12	3.1	0.015	1.82	9.5	15.7	0.34	292	0.09	2.97	3.9	3.8
J860567		14.4	1.66	19.80	0.11	2.7	0.015	1.82	12.3	16.8	0.36	296	0.11	3.15	5.1	4.0
J860568		25.0	1.72	19.30	0.09	2.8	0.016	1.35	10.3	16.4	0.38	298	0.13	3.35	4.7	3.9
J860569		16.9	1.79	19.70	0.10	3.0	0.019	1.43	10.8	14.2	0.37	310	0.11	3.30	4.2	3.9
J860569 CRD		15.3	1.77	19.35	0.11	2.8	0.017	1.41	10.7	13.7	0.37	307	0.10	3.27	4.0	3.8
J860570		10.4	1.78	19.20	0.11	2.9	0.018	1.40	9.6	13.0	0.35	314	0.11	3.27	3.6	3.7
J860571		10.5	1.72	19.85	0.11	2.9	0.018	1.51	9.6	15.3	0.34	299	0.14	3.33	4.3	3.5
J860572		9.8	1.72	20.6	0.09	2.9	0.017	1.25	8.4	16.0	0.35	295	0.12	3.24	3.6	3.6
J860573		16.0	1.70	21.7	0.13	3.0	0.019	1.67	8.7	19.1	0.34	300	0.13	3.00	4.2	3.1
J860574		13.2	1.66	20.8	0.13	2.9	0.015	1.84	8.8	18.8	0.34	264	1.17	2.85	3.8	2.9
J860575		>10000	5.64	14.70	0.21	1.1	0.112	2.72	25.5	18.3	1.19	629	113.0	1.56	6.7	34.4
J860576		14.0	1.60	22.1	0.08	3.1	0.017	1.68	10.2	16.2	0.31	274	0.21	3.09	4.2	2.7
J860577		6.1	1.64	20.0	0.09	2.9	0.016	2.01	8.3	17.1	0.33	270	0.16	2.76	3.7	2.5
J860578		6.5	1.60	20.0	0.12	3.1	0.016	1.92	10.0	17.0	0.31	264	0.30	3.09	4.7	2.5
J860579		6.1	1.50	19.85	0.12	2.7	0.014	2.01	8.0	16.7	0.30	254	0.13	2.77	4.1	2.6
J860580		9.2	1.51	19.50	0.11	2.6	0.012	1.82	7.4	17.0	0.31	256	0.26	2.79	3.8	2.9
J860581		9.9	1.56	19.95	0.13	2.7	0.015	2.24	7.3	20.0	0.32	273	0.66	2.49	3.8	16.6
J860582		16.7	1.39	19.80	0.12	2.5	0.012	2.05	6.7	18.8	0.28	237	0.12	2.86	3.0	2.5
J860583		16.4	1.86	19.70	0.11	2.7	0.016	1.30	8.3	19.0	0.37	325	0.18	3.25	4.2	3.6
J860584		10.1	1.77	21.2	0.13	2.7	0.017	1.43	8.2	18.4	0.35	313	0.15	3.09	4.1	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11020534

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J860549		300	11.3	80.1	<0.002	<0.01	0.20	3.7	1	0.6	300	0.41	<0.05	3.0	0.142	0.47
J860549 CRD		310	12.0	83.6	<0.002	<0.01	0.23	3.9	1	0.6	311	0.46	<0.05	3.2	0.149	0.48
J860550		330	8.9	54.9	<0.002	<0.01	0.24	3.6	1	0.7	358	0.37	<0.05	2.3	0.147	0.31
J860551		330	8.4	56.9	<0.002	<0.01	0.23	3.8	1	0.6	363	0.38	<0.05	2.3	0.153	0.31
J860552		330	7.8	73.1	<0.002	<0.01	0.14	3.7	1	0.6	284	0.30	<0.05	2.4	0.147	0.40
J860553		350	6.8	58.8	<0.002	<0.01	0.21	3.6	1	0.7	349	0.34	<0.05	2.8	0.151	0.34
J860554		330	8.2	53.2	<0.002	<0.01	0.23	4.0	1	0.7	368	0.37	<0.05	2.5	0.152	0.28
J860555		330	8.7	70.3	<0.002	<0.01	0.17	4.3	1	0.7	315	0.33	<0.05	2.8	0.151	0.38
J860556		330	12.7	72.0	<0.002	<0.01	0.20	3.6	1	0.7	341	0.29	<0.05	2.2	0.152	0.43
J860557		340	9.4	75.0	<0.002	<0.01	0.21	4.5	1	0.8	346	0.43	<0.05	3.7	0.155	0.40
J860558		330	8.0	58.2	<0.002	0.01	0.20	5.5	1	0.7	382	0.41	<0.05	3.0	0.149	0.30
J860559		340	7.5	70.3	<0.002	0.01	0.15	3.6	2	0.7	319	0.27	<0.05	2.3	0.158	0.36
J860560		590	41.2	26.2	1.425	1.62	25.8	13.6	7	1.1	295	0.27	0.62	2.2	0.350	0.23
J860561		310	8.1	70.4	<0.002	0.01	0.13	3.0	2	0.6	299	0.40	<0.05	2.8	0.150	0.34
J860562		360	4.0	78.4	<0.002	0.02	0.10	3.2	1	0.7	274	0.28	<0.05	2.5	0.164	0.41
J860563		340	7.9	73.5	<0.002	0.04	0.14	3.0	1	0.6	306	0.27	<0.05	3.8	0.147	0.34
J860564		320	9.7	56.7	<0.002	0.01	0.24	2.8	1	0.7	398	0.52	<0.05	3.8	0.148	0.29
J860565		280	11.8	62.8	<0.002	0.01	0.12	2.4	1	0.7	268	0.68	<0.05	3.6	0.131	0.31
J860566		320	5.9	69.6	<0.002	0.01	0.10	3.1	2	0.6	280	0.33	<0.05	2.6	0.147	0.37
J860567		320	8.9	70.6	<0.002	0.01	0.12	3.0	1	0.6	292	0.43	<0.05	4.5	0.155	0.36
J860568		320	7.3	61.1	<0.002	<0.01	0.20	3.1	2	0.7	366	0.35	<0.05	3.3	0.158	0.30
J860569		340	7.1	53.2	<0.002	<0.01	0.26	3.3	2	0.6	377	0.31	<0.05	2.6	0.155	0.26
J860569 CRD		330	7.0	50.7	<0.002	<0.01	0.26	3.2	1	0.6	372	0.29	<0.05	2.5	0.153	0.24
J860570		320	7.3	48.9	<0.002	<0.01	0.27	3.1	2	0.7	399	0.41	<0.05	2.4	0.149	0.25
J860571		320	7.8	58.8	<0.002	0.01	0.18	3.7	1	0.6	344	0.35	<0.05	2.5	0.146	0.31
J860572		320	8.2	60.9	<0.002	0.01	0.34	3.7	1	0.6	376	0.25	<0.05	2.1	0.143	0.31
J860573		320	7.4	67.8	<0.002	0.01	0.13	4.6	1	0.6	320	0.49	<0.05	2.4	0.144	0.34
J860574		320	5.9	91.0	<0.002	0.01	0.10	3.6	1	0.6	239	0.29	<0.05	2.3	0.143	0.46
J860575		890	63.6	79.6	0.122	2.45	7.12	16.8	8	2.5	261	0.25	0.90	4.2	0.311	0.79
J860576		300	6.9	74.9	<0.002	0.01	0.12	3.3	1	0.6	287	0.32	<0.05	3.2	0.135	0.38
J860577		330	6.2	81.7	<0.002	0.01	0.12	3.4	1	0.6	267	0.27	<0.05	2.3	0.143	0.41
J860578		330	5.5	87.1	<0.002	0.03	0.12	3.6	2	0.7	187.0	0.50	<0.05	3.1	0.145	0.42
J860579		270	5.8	89.1	<0.002	0.01	0.10	3.1	1	0.6	208	0.34	<0.05	2.7	0.128	0.45
J860580		290	6.1	85.3	<0.002	0.02	0.09	3.1	1	0.6	225	0.30	<0.05	2.3	0.119	0.45
J860581		290	3.4	96.9	<0.002	0.02	0.11	3.1	1	0.6	201	0.25	<0.05	2.5	0.127	0.51
J860582		260	5.9	82.6	<0.002	0.01	0.10	2.8	1	0.5	237	0.21	<0.05	2.2	0.116	0.42
J860583		320	7.5	57.8	<0.002	<0.01	0.19	3.7	1	0.6	354	0.26	<0.05	2.3	0.156	0.26
J860584		320	8.6	66.1	<0.002	<0.01	0.23	3.4	1	0.6	413	0.23	<0.05	2.5	0.146	0.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11020534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J860549		2.4	23	0.3	3.4	47	100.0	
J860549 CRD		4.6	24	0.3	3.8	56	104.0	
J860550		1.0	25	0.2	4.4	49	113.0	
J860551		1.1	25	0.2	4.2	52	111.5	
J860552		1.2	24	0.3	3.7	51	115.0	
J860553		1.0	25	0.2	4.6	51	117.5	
J860554		1.4	25	0.3	5.0	51	121.5	
J860555		0.8	26	0.7	4.6	51	113.5	
J860556		0.7	25	0.4	3.9	55	117.0	
J860557		1.3	24	0.6	4.8	58	114.5	
J860558		1.4	24	0.3	5.9	52	107.5	
J860559		0.5	27	0.3	4.5	52	114.0	
J860560		0.8	108	5.9	15.3	154	32.0	1.270
J860561		1.3	24	0.3	4.5	53	111.0	
J860562		0.6	26	0.5	4.1	50	118.0	
J860563		0.7	24	1.6	3.9	52	127.5	
J860564		1.5	22	0.2	4.9	52	106.5	
J860565		1.5	20	0.4	5.1	46	93.0	
J860566		1.6	24	0.9	3.6	53	113.0	
J860567		0.8	22	0.5	4.3	51	100.5	
J860568		0.9	22	0.2	3.6	51	105.5	
J860569		0.6	25	0.1	3.8	51	110.5	
J860569 CRD		0.5	25	0.1	3.7	51	108.0	
J860570		0.6	24	0.1	4.6	51	107.5	
J860571		1.0	24	0.2	5.1	49	108.5	
J860572		0.6	24	0.2	4.1	51	110.5	
J860573		0.9	24	0.3	5.2	52	114.0	
J860574		0.4	23	0.5	3.6	54	111.5	
J860575		1.1	151	10.8	14.1	165	35.7	2.32
J860576		1.9	21	0.2	4.5	48	113.5	
J860577		1.0	23	0.3	3.8	48	108.5	
J860578		1.9	22	0.6	5.0	45	113.5	
J860579		1.9	21	0.8	3.7	44	97.9	
J860580		0.9	20	0.6	3.3	42	96.9	
J860581		0.7	21	0.6	3.3	38	102.5	
J860582		0.4	18	0.4	2.9	38	94.2	
J860583		0.8	24	0.2	3.6	53	100.5	
J860584		0.7	23	0.2	3.5	51	106.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-FEB-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB11020534

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.