ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
**1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300**
**C.P. 211**
**MONTRÉAL QC H3B 2S2**


**Finalized Date: 17-MAY-2011**
**This copy reported on 26-JUL-2011**
**Account: OSIHRG**

# CERTIFICATE TB11068896

Project: HAMMOND REEF

P.O. No.:

This report is for 131 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 26-APR-2011.

The following have access to data associated with this certificate:

| | | |
|---|---|---|
| SERGIO CATTALANI<br>ASSAYS REPOSITORY | ANNE CHARLAND<br>ANDREW STOKES | CAMERON RENNIE<br>BOB WARES |

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|---|---|
| WEI-21 | Received Sample Weight |
| SPL-34 | Pulp Splitting Charge |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-32 | Pulverize 1000g to 85% < 75 um |
| LOG-23 | Pulp Login - Rcvd with Barcode |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| LOG-21d | Sample logging - ClientBarCode Dup |
| SPL-21d | Split sample - duplicate |
| PUL-31d | Pulverize Split - duplicate |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|---|---|---|
| Au-AA24 | Au 50g FA AA finish | AAS |
| Au-AA24d | Dup - Au 50g FA-AA finish | AAS |

To: **OSISKO HAMMOND REEF GOLD LTD.**
**ATTN: CAMERON RENNIE**
**101 GOODWIN STREET**
**BOX 2020**
**ATIKOKAN ON P0T 1C0**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:** Nacera Amara

Nacera Amara, Laboratory Manager, Val d'Or

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
**1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300**
**C.P. 211**
**MONTRÉAL QC H3B 2S2**


**Finalized Date: 17-MAY-2011**
**Account: OSIHRG**

Project: HAMMOND REEF

# CERTIFICATE OF ANALYSIS TB11068896

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA24<br>Au<br>ppm<br>0.005 | Au-AA24d<br>Au<br>ppm<br>0.005 |
|---|---|---|---|---|
| J894381 | | 3.28 | <0.005 | |
| J894382 | | 4.01 | <0.005 | |
| J894383 | | 3.22 | <0.005 | |
| J894384 | | 3.01 | <0.005 | |
| J894385 | | 3.35 | <0.005 | |
| J894386 | | 3.22 | <0.005 | |
| J894387 | | 2.99 | <0.005 | |
| J894388 | | 3.29 | <0.005 | |
| J894389 | | 3.28 | <0.005 | |
| J894390 | | 0.12 | 0.437 | |
| J894391 | | 3.30 | <0.005 | |
| J894392 | | 3.23 | <0.005 | |
| J894393 | | 3.10 | <0.005 | |
| J894394 | | 3.18 | <0.005 | |
| J894395 | | 3.19 | <0.005 | |
| J894396 | | 3.24 | <0.005 | |
| J894397 | | 3.20 | <0.005 | |
| J894398 | | 3.46 | <0.005 | |
| J894399 | | 3.12 | 0.010 | |
| J894400 | | 0.17 | 1.150 | |
| J894401 | | 3.41 | 0.090 | |
| J894401 CRD | | <0.02 | 0.392 | |
| J894402 | | 3.25 | 0.097 | 0.081 |
| J894403 | | 3.40 | 0.014 | |
| J894404 | | 3.41 | <0.005 | |
| J894405 | | 3.23 | <0.005 | |
| J894406 | | 2.68 | <0.005 | |
| J894407 | | 2.52 | <0.005 | |
| J894408 | | 2.84 | <0.005 | |
| J894409 | | 2.95 | <0.005 | |
| J894410 | | 3.03 | <0.005 | |
| J894411 | | 2.68 | 0.007 | |
| J894412 | | 3.43 | <0.005 | |
| J894413 | | 3.50 | <0.005 | |
| J894414 | | 3.26 | <0.005 | |
| J894415 | | 0.12 | 2.26 | |
| J894416 | | 3.36 | <0.005 | |
| J894417 | | 3.39 | 0.005 | |
| J894418 | | 3.22 | 0.053 | |
| J894419 | | 3.54 | 0.033 | |

Comments: **Corrected Copy for Au-AA24 on Samples J894426 to J894434 & J894456 to J894463.**

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
**1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300**
**C.P. 211**
**MONTRÉAL QC H3B 2S2**


**Finalized Date: 17-MAY-2011**
**Account: OSIHRG**

Project: HAMMOND REEF

# CERTIFICATE OF ANALYSIS TB11068896

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA24<br>Au<br>ppm<br>0.005 | Au-AA24d<br>Au<br>ppm<br>0.005 |
|---|---|---|---|---|
| J894420 | | 3.32 | <0.005 | |
| J894420 CRD | | <0.02 | <0.005 | |
| J894421 | | 3.32 | <0.005 | <0.005 |
| J894422 | | 3.37 | 0.009 | |
| J894423 | | 3.49 | <0.005 | |
| J894424 | | 3.01 | <0.005 | |
| J894425 | | 3.43 | <0.005 | |
| J894426 | | 3.24 | <0.005 | |
| J894427 | | 3.48 | <0.005 | |
| J894428 | | 3.41 | <0.005 | |
| J894429 | | 3.33 | <0.005 | |
| J894430 | | 0.12 | 0.404 | |
| J894431 | | 3.40 | <0.005 | |
| J894432 | | 3.32 | <0.005 | |
| J894433 | | 3.24 | 0.018 | |
| J894434 | | 3.23 | <0.005 | |
| J894435 | | 3.33 | <0.005 | |
| J894436 | | 3.57 | 0.010 | |
| J894437 | | 3.56 | 0.012 | |
| J894438 | | 3.51 | <0.005 | |
| J894439 | | 3.08 | <0.005 | |
| J894440 | | 3.27 | <0.005 | |
| J894440 CRD | | <0.02 | <0.005 | |
| J894441 | | 3.34 | <0.005 | <0.005 |
| J894442 | | 3.27 | <0.005 | |
| J894443 | | 3.35 | 0.027 | |
| J894444 | | 3.40 | <0.005 | |
| J894445 | | 1.02 | <0.005 | |
| J894446 | | 3.41 | <0.005 | |
| J894447 | | 3.53 | <0.005 | |
| J894448 | | 3.44 | <0.005 | |
| J894449 | | 3.33 | 0.110 | |
| J894450 | | 3.25 | 0.045 | |
| J894451 | | 3.33 | 0.028 | |
| J894452 | | 3.39 | 0.211 | |
| J894453 | | 3.36 | 0.019 | |
| J894454 | | 3.47 | 0.009 | |
| J894455 | | 3.57 | 0.100 | |
| J894456 | | 3.38 | 0.010 | |
| J894457 | | 3.36 | <0.005 | |

Comments: **Corrected Copy for Au-AA24 on Samples J894426 to J894434 & J894456 to J894463.**

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
**1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300**
**C.P. 211**
**MONTRÉAL QC H3B 2S2**


**Finalized Date: 17-MAY-2011**
**Account: OSIHRG**

Project: HAMMOND REEF

# CERTIFICATE OF ANALYSIS TB11068896

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA24<br>Au<br>ppm<br>0.005 | Au-AA24d<br>Au<br>ppm<br>0.005 |
|---|---|---|---|---|
| J894458 | | 3.43 | <0.005 | |
| J894459 | | 3.34 | 0.012 | |
| J894460 | | 0.17 | 1.245 | |
| J894461 | | 3.52 | 0.185 | |
| J894461 CRD | | <0.02 | 0.125 | |
| J894462 | | 3.26 | 0.160 | 0.168 |
| J894463 | | 3.52 | <0.005 | |
| J894464 | | 3.42 | 0.012 | |
| J894465 | | 3.46 | 0.005 | |
| J894466 | | 3.36 | 0.542 | |
| J894467 | | 3.39 | 0.307 | |
| J894468 | | 3.40 | 0.097 | |
| J894469 | | 3.38 | 0.539 | |
| J894470 | | 3.16 | 0.154 | |
| J894471 | | 3.72 | 1.640 | |
| J894472 | | 3.42 | 0.017 | |
| J894473 | | 2.98 | 0.040 | |
| J894474 | | 3.46 | 0.661 | |
| J894475 | | 0.12 | 2.20 | |
| J894476 | | 3.50 | 0.114 | |
| J894477 | | 3.31 | 0.471 | |
| J894478 | | 3.28 | 0.181 | |
| J894479 | | 3.27 | 3.78 | |
| J894480 | | 3.53 | 0.334 | |
| J894480 CRD | | <0.02 | 0.415 | |
| J894481 | | 3.43 | 0.031 | 0.026 |
| J894482 | | 3.24 | 0.021 | |
| J894483 | | 3.36 | <0.005 | |
| J894484 | | 3.68 | 0.022 | |
| J894485 | | 3.19 | 0.023 | |
| J894486 | | 3.27 | 0.024 | |
| J894487 | | 2.92 | 0.021 | |
| J894488 | | 3.40 | 0.018 | |
| J894489 | | 3.29 | 0.388 | |
| J894490 | | 0.12 | 0.410 | |
| J894491 | | 3.32 | 0.107 | |
| J894492 | | 3.37 | 0.018 | |
| J894493 | | 3.45 | <0.005 | |
| J894494 | | 3.74 | <0.005 | |
| J894495 | | 3.47 | <0.005 | |

Comments: **Corrected Copy for Au-AA24 on Samples J894426 to J894434 & J894456 to J894463.**

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
**1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300**
**C.P. 211**
**MONTRÉAL QC H3B 2S2**


**Finalized Date: 17-MAY-2011**
**Account: OSIHRG**

Project: HAMMOND REEF

# CERTIFICATE OF ANALYSIS TB11068896

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA24<br>Au<br>ppm<br>0.005 | Au-AA24d<br>Au<br>ppm<br>0.005 |
|---|---|---|---|---|
| J894496 | | 3.40 | 0.035 | |
| J894497 | | 3.32 | 0.085 | |
| J894498 | | 3.18 | 0.086 | |
| J894499 | | 3.48 | 0.371 | |
| J894500 | | 0.17 | 1.110 | |
| J894501 | | 3.22 | 0.060 | |
| J894501 CRD | | <0.02 | 0.048 | |
| J894502 | | 3.37 | 0.016 | 0.017 |
| J894503 | | 3.41 | 0.094 | |
| J894504 | | 3.43 | 0.247 | |
| J894505 | | 2.95 | 0.009 | |

Comments: **Corrected Copy for Au-AA24 on Samples J894426 to J894434 & J894456 to J894463.**