ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 13-NOV-2011
Account: OSIHRG

CERTIFICATE TB11223365

Project: HAMMOND REEF

P.O. No.:

This report is for 29 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 26-OCT-2011.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Nacera Amara

Nacera Amara, Laboratory Manager, Val d'Or

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 13-NOV-2011
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB11223365

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
L168120		3.19	0.200		
L168121		3.04	0.067		
L168122		3.15	<0.005		
L168123		3.32	0.029		
L168124		3.50	0.041		
L168125		3.32	0.231		
L168126		3.70	0.010		
L168127		3.69	0.181		
L168128		3.45	0.367		
L168129		3.54	0.014		
L168130		0.17	0.423		
L168131		3.30	0.269		
L168132		2.90	0.425		
L168133		3.22	0.094		
L168134		3.09	0.014		
L168135		3.15	0.009		
L168136		3.17	0.014		
L168137		3.35	<0.005		
L168138		2.88	<0.005		
L168139		3.34	1.880		2.72
L168139 CRD		<0.02	1.795		
L168140		3.26	0.205	0.045	
L168141		3.16	0.045		
L168142		3.03	0.006		
L168143		3.49	<0.005		
L168144		3.20	<0.005		
L168145		1.02	<0.005		
L168146		3.15	<0.005		
L168147		3.02	0.005		