ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 27-DEC-2011
Account: OSIHRG

CERTIFICATE TB11255832

Project: HAMMOND REEF

P.O. No.:

This report is for 35 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 6-DEC-2011.

The following have access to data associated with this certificate:

SERGIO CATTALANI ANDREW STOKES	ANNE CHARLAND BOB WARES	ASSAYS REPOSITORY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 27-DEC-2011
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB11255832

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
K114001		2.22	<0.005		
K114002		2.75	<0.005		
K114003		3.07	<0.005		
K114004		3.13	<0.005		
K114005		3.24	<0.005		
K114006		3.22	<0.005		
K114007		3.23	<0.005		
K114008		3.14	<0.005		
K114009		3.14	<0.005		
K114010		3.31	<0.005		
K114011		3.16	<0.005		
K114012		3.54	<0.005		
K114013		3.37	0.015		
K114014		3.35	<0.005		
K114015		0.17	2.44		
K114016		3.16	<0.005		
K114017		3.24	<0.005		
K114018		3.19	<0.005		
K114019		3.27	<0.005		
K114020		3.53	<0.005		2.65
K114020 CRD		<0.02	<0.005		
K114021		3.76	<0.005	<0.005	
K114022		3.92	<0.005		
K114023		3.63	<0.005		
K114024		3.52	<0.005		
K114025		3.15	<0.005		
K114026		3.50	<0.005		
K114027		3.38	<0.005		
K114028		3.58	<0.005		
K114029		3.57	<0.005		
K114030		0.17	0.467		
K114031		3.69	<0.005		
K114032		3.55	<0.005		
K114033		3.47	<0.005		
K114034		3.75	<0.005		