ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 4-FEB-2012
Account: OSIHRG

CERTIFICATE TB12018993

Project: HAMMOND REEF

P.O. No.:

This report is for 74 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-JAN-2012.

The following have access to data associated with this certificate:

SERGIO CATTALANI ANDREW STOKES	ANNE CHARLAND BOB WARES	ASSAYS REPOSITORY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 4-FEB-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12018993

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M810297		4.18	<0.005		
M810298		3.56	<0.005		
M810299		3.32	<0.005		
M810300		0.18	0.992		
M810301		3.77	<0.005		
M810302		3.12	0.007		
M810303		4.04	<0.005		
M810304		3.19	<0.005		
M810305		3.36	<0.005		
M810306		3.07	<0.005		
M810307		3.75	<0.005		
M810308		3.03	0.009		
M810309		2.75	<0.005		
M810310		3.01	0.048		
M810311		3.14	<0.005		
M810312		3.36	<0.005		
M810313		3.36	<0.005		
M810314		3.05	0.035		
M810315		0.17	2.38		
M810316		3.24	0.011		2.76
M810316 CRD		<0.02	0.008		
M810317		3.42	<0.005	<0.005	
M810318		3.13	0.006		
M810319		3.18	<0.005		
M810320		3.20	<0.005		
M810321		3.44	<0.005		
M810322		3.60	<0.005		
M810323		3.34	<0.005		
M810324		3.63	<0.005		
M810325		3.19	0.009		
M810326		3.79	<0.005		
M810327		3.36	<0.005		
M810328		1.65	<0.005		
M810329		3.17	0.012		
M810330		0.17	0.522		
M810331		1.80	<0.005		
M810332		3.54	<0.005		
M810333		3.99	<0.005		
M810334		3.62	<0.005		
M810335		4.10	<0.005		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-FEB-2012
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB12018993

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M810336		3.30	<0.005		2.77
M810336 CRD		<0.02	<0.005		
M810337		3.62	<0.005	<0.005	
M810338		3.52	<0.005		
M810339		3.37	<0.005		
M810340		3.47	<0.005		
M810341		3.29	<0.005		
M810342		3.36	<0.005		
M810343		3.38	<0.005		
M810344		3.45	<0.005		
M810345		1.11	<0.005		
M810346		3.01	<0.005		
M810347		3.69	<0.005		
M810348		3.35	<0.005		
M810349		3.38	<0.005		
M810350		3.24	<0.005		
M810351		3.18	<0.005		
M810352		3.71	<0.005		
M810353		3.62	<0.005		
M810354		3.73	<0.005		
M810355		3.80	<0.005		
M810356		3.70	0.005		2.73
M810356 CRD		<0.02	0.006		
M810357		3.35	<0.005	<0.005	
M810358		3.50	<0.005		
M810359		3.43	<0.005		
M810360		0.17	0.961		
M810361		3.33	<0.005		
M810362		3.52	<0.005		
M810363		3.67	<0.005		
M810364		4.11	<0.005		
M810365		3.87	<0.005		
M810366		3.49	<0.005		
M810367		4.39	<0.005		