ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 23-MAR-2012
Account: OSIHRG

CERTIFICATE TB12049899

Project: HAMMOND REEF

P.O. No.:

This report is for 74 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 7-MAR-2012.

The following have access to data associated with this certificate:

SERGIO CATTALANI ANDREW STOKES	ANNE CHARLAND BOB WARES	ASSAYS REPOSITORY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 23-MAR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12049899

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M906694		2.57	0.006		
M906695		3.06	<0.005		
M906696		3.11	<0.005		
M906697		4.10	<0.005		
M906698		3.46	0.013		
M906699		3.40	0.227		
M906700		0.17	1.010		
M906701		3.72	0.015		
M906702		2.81	<0.005		
M906703		2.35	<0.005		
M906704		3.11	<0.005		
M906705		2.96	<0.005		
M906706		3.74	<0.005		
M906707		3.75	<0.005		
M906708		3.80	<0.005		
M906709		3.61	<0.005		
M906710		3.39	<0.005		
M906711		3.39	<0.005		
M906712		3.68	<0.005		
M906713		3.65	<0.005		2.75
M906713 CRD		<0.02	<0.005		
M906714		3.18	<0.005	0.008	
M906715		0.17	2.75		
M906716		3.24	<0.005		
M906717		3.75	<0.005		
M906718		3.51	0.010		
M906719		3.41	<0.005		
M906720		3.30	<0.005		
M906721		3.67	<0.005		
M906722		3.60	<0.005		
M906723		3.80	<0.005		
M906724		3.19	<0.005		
M906725		3.37	0.006		
M906726		3.21	0.008		
M906727		3.41	0.015		
M906728		3.16	<0.005		
M906729		3.24	<0.005		
M906730		0.17	0.488		
M906731		3.14	<0.005		
M906732		3.06	<0.005		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 23-MAR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12049899

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M906733		3.53	<0.005		2.75
M906733 CRD		<0.02	<0.005		
M906734		3.59	<0.005	<0.005	
M906735		3.49	<0.005		
M906736		3.06	<0.005		
M906737		3.51	<0.005		
M906738		3.52	0.058		
M906739		3.22	<0.005		
M906740		3.26	0.006		
M906741		3.35	0.011		
M906742		3.50	0.012		
M906743		2.88	0.009		
M906744		3.86	0.011		
M906745		1.02	<0.005		
M906746		3.24	<0.005		
M906747		2.97	0.005		
M906748		3.54	<0.005		
M906749		3.61	<0.005		
M906750		3.18	<0.005		
M906751		2.98	<0.005		
M906752		3.71	0.065		
M906753		3.41	<0.005		2.71
M906753 CRD		<0.02	<0.005		
M906754		3.29	<0.005	<0.005	
M906755		2.89	<0.005		
M906756		3.06	0.035		
M906757		2.67	0.011		
M906758		3.54	<0.005		
M906759		2.22	<0.005		
M906760		0.16	0.932		
M906761		2.98	<0.005		
M906762		3.03	<0.005		
M906763		3.30	<0.005		
M906764		3.47	0.010		