ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 23-MAR-2012
Account: OSIHRG

CERTIFICATE TB12049135

Project: HAMMOND REEF

P.O. No.:

This report is for 71 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 9-MAR-2012.

The following have access to data associated with this certificate:

SERGIO CATTALANI ANDREW STOKES	ANNE CHARLAND BOB WARES	ASSAYS REPOSITORY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 23-MAR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12049135

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M919725		3.12	0.124		
M919726		3.41	0.032		
M919727		3.93	0.077		
M919728		3.53	0.091		
M919729		3.22	0.336		
M919730		0.17	0.457		
M919731		3.77	1.545		
M919732		3.54	0.120		
M919733		3.06	1.260		
M919734		3.33	1.450		
M919735		3.41	1.210		
M919736		3.73	0.671		
M919737		3.70	1.165		
M919738		3.32	2.80		
M919739		3.28	1.965		
M919740		3.48	0.157		
M919741		3.60	0.088		
M919742		3.57	<0.005		
M919743		3.67	<0.005		
M919744		3.60	0.034		2.74
M919744 CRD		<0.02	0.035		
M919745		1.04	<0.005		
M919746		3.59	<0.005	<0.005	
M919747		3.67	<0.005		
M919748		3.50	<0.005		
M919749		3.45	0.037		
M919750		3.75	0.052		
M919751		3.39	0.181		
M919752		4.51	0.387		
M919753		4.46	0.150		
M919754		4.31	1.025		
M919755		3.15	0.016		
M919756		2.99	0.096		
M919757		3.41	<0.005		
M919758		3.44	0.018		
M919759		3.46	0.228		
M919760		0.16	0.943		
M919761		3.66	0.005		
M919762		3.19	<0.005		
M919763		3.29	<0.005		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 23-MAR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12049135

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M919764		3.33	<0.005		2.76
M919764 CRD		<0.02	<0.005		
M919765		3.55	<0.005	<0.005	
M919766		3.44	<0.005		
M919767		3.43	<0.005		
M919768		3.24	<0.005		
M919769		3.32	<0.005		
M919770		3.25	<0.005		
M919771		3.26	<0.005		
M919772		3.37	<0.005		
M919773		3.54	<0.005		
M919774		3.38	<0.005		
M919775		0.17	2.55		
M919776		3.51	<0.005		
M919777		3.27	<0.005		
M919778		3.17	0.024		
M919779		3.32	<0.005		
M919780		3.18	<0.005		
M919781		3.24	0.007		
M919782		3.16	0.006		
M919783		3.27	<0.005		
M919784		3.29	<0.005		2.78
M919784 CRD		<0.02	<0.005		
M919785		3.17	<0.005	<0.005	
M919786		3.40	<0.005		
M919787		3.37	<0.005		
M919788		3.39	0.009		
M919789		3.31	<0.005		
M919790		0.16	0.440		
M919791		3.24	<0.005		
M919792		2.18	<0.005		