ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 20-MAR-2012
Account: OSIHRG

CERTIFICATE TB12049137

Project: HAMMOND REEF

P.O. No.:

This report is for 34 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 9-MAR-2012.

The following have access to data associated with this certificate:

SERGIO CATTALANI ANDREW STOKES	ANNE CHARLAND BOB WARES	ASSAYS REPOSITORY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 20-MAR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12049137

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M808202		5.20	<0.005		
M808203		2.92	<0.005		
M808204		4.48	<0.005		
M808205		3.24	<0.005		
M808206		3.42	<0.005		
M808207		3.64	<0.005		
M808208		3.66	<0.005		
M808209		3.63	<0.005		
M808210		3.51	<0.005		
M808211		3.72	<0.005		
M808212		3.76	<0.005		
M808213		3.44	<0.005		
M808214		3.73	<0.005		
M808215		0.17	2.68		
M808216		3.39	<0.005		
M808217		3.47	<0.005		
M808218		3.79	<0.005		
M808219		3.53	<0.005		
M808220		3.38	<0.005		
M808221		3.44	<0.005		2.78
M808221 CRD		<0.02	<0.005		
M808222		3.58	<0.005	<0.005	
M808223		3.54	<0.005		
M808224		3.48	<0.005		
M808225		3.29	<0.005		
M808226		3.37	<0.005		
M808227		3.60	<0.005		
M808228		3.84	<0.005		
M808229		3.50	0.020		
M808230		0.17	0.480		
M808231		3.48	<0.005		
M808232		3.13	0.050		
M808233		3.43	<0.005		
M808234		3.58	0.082		