ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 25-MAR-2012
Account: OSIHRG

CERTIFICATE TB12049134

Project: HAMMOND REEF

P.O. No.:

This report is for 78 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 9-MAR-2012.

The following have access to data associated with this certificate:

SERGIO CATTALANI ANDREW STOKES	ANNE CHARLAND BOB WARES	ASSAYS REPOSITORY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 25-MAR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12049134

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M906765		2.04	<0.005		
M906766		2.10	<0.005		
M906767		2.87	<0.005		
M906768		2.78	<0.005		
M906769		3.07	<0.005		
M906770		2.64	<0.005		
M906771		2.65	<0.005		
M906772		2.52	<0.005		
M906773		2.98	<0.005		
M906774		2.96	<0.005		
M906775		0.17	2.69		
M906776		2.92	<0.005		
M906777		3.39	<0.005		
M906778		2.91	<0.005		
M906779		3.03	<0.005		
M906780		2.67	<0.005		
M906781		2.88	<0.005		
M906782		2.86	0.005		
M906783		2.72	<0.005		
M906784		2.92	<0.005		2.71
M906784 CRD		<0.02	<0.005		
M906785		2.98	<0.005	<0.005	
M906786		2.86	<0.005		
M906787		3.17	<0.005		
M906788		2.64	<0.005		
M906789		3.02	<0.005		
M906790		0.17	0.497		
M906791		2.79	<0.005		
M906792		2.75	<0.005		
M906793		2.76	<0.005		
M906794		2.58	<0.005		
M906795		2.42	<0.005		
M906796		2.65	<0.005		
M906797		2.43	<0.005		
M906798		2.97	<0.005		
M906799		2.87	<0.005		
M906800		0.17	1.055		
M906801		2.54	<0.005		
M906802		2.52	<0.005		
M906803		2.75	<0.005		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 25-MAR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12049134

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M906804		2.57	<0.005		2.68
M906804 CRD		<0.02	<0.005		
M906805		2.69	<0.005	<0.005	
M906806		2.54	<0.005		
M906807		2.57	<0.005		
M906808		2.65	<0.005		
M906809		2.43	<0.005		
M906810		2.30	<0.005		
M906811		2.51	<0.005		
M906812		2.37	<0.005		
M906813		2.27	<0.005		
M906814		2.55	<0.005		
M906815		0.16	2.63		
M906816		2.48	<0.005		
M906817		2.55	<0.005		
M906818		3.72	<0.005		
M906819		3.65	<0.005		
M906820		3.70	<0.005		
M906821		3.99	<0.005		
M906822		3.98	<0.005		
M906823		3.91	<0.005		
M906824		3.82	<0.005		2.73
M906824 CRD		<0.02	<0.005		
M906825		3.84	<0.005	<0.005	
M906826		3.66	0.077		
M906827		3.87	<0.005		
M906828		3.64	<0.005		
M906829		3.78	<0.005		
M906830		0.16	0.505		
M906831		3.79	<0.005		
M906832		3.82	<0.005		
M906833		3.98	<0.005		
M906834		3.76	<0.005		
M906835		3.84	<0.005		
M906836		3.89	<0.005		
M906837		3.26	<0.005		
M906838		3.47	<0.005		
M906839		3.38	<0.005		