ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 6-APR-2012
Account: OSIHRG

CERTIFICATE TB12065085

Project: HAMMOND REEF

P.O. No.:

This report is for 71 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 23-MAR-2012.

The following have access to data associated with this certificate:

SERGIO CATTALANI ANDREW STOKES	ANNE CHARLAND BOB WARES	ASSAYS REPOSITORY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 6-APR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12065085

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M893555		2.67	0.151		
M893556		3.44	0.066		
M893557		3.54	0.694		
M893558		3.50	0.670		
M893559		3.33	0.009		
M893560		0.16	0.983		
M893561		3.77	0.056		
M893562		3.51	0.773		
M893563		3.81	0.640		
M893564		3.58	1.300		
M893565		3.84	0.146		
M893566		3.36	0.419		
M893567		3.73	0.245		
M893568		3.36	0.052		
M893569		2.94	0.489		
M893570		3.64	0.046		
M893571		3.56	0.333		
M893572		3.70	0.153		
M893573		3.59	0.249		
M893574		3.50	0.134		2.70
M893574 CRD		<0.02	0.133		
M893575		0.16	2.66		
M893576		3.52	0.123	0.178	
M893577		3.43	0.257		
M893578		3.55	0.495		
M893579		3.59	1.295		
M893580		3.43	1.165		
M893581		3.49	1.785		
M893582		3.58	3.24		
M893583		3.48	0.399		
M893584		2.23	0.437		
M893585		2.89	0.333		
M893586		3.43	0.662		
M893587		3.35	0.087		
M893588		4.17	0.075		
M893589		4.20	0.084		
M893590		0.16	0.443		
M893591		3.41	0.015		
M893592		3.26	0.172		
M893593		3.51	0.096		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 6-APR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12065085

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M893594		3.50	0.689		2.68
M893594 CRD		<0.02	0.558		
M893595		3.56	<0.005	<0.005	
M893596		3.35	<0.005		
M893597		3.59	<0.005		
M893598		3.33	<0.005		
M893599		4.42	<0.005		
M893600		0.17	0.993		
M893601		4.01	0.015		
M893602		3.89	0.006		
M893603		2.65	0.016		
M893604		2.56	<0.005		
M893605		2.44	0.006		
M893606		3.10	<0.005		
M893607		3.17	<0.005		
M893608		3.08	0.138		
M893609		3.24	0.007		
M893610		3.07	0.024		
M893611		3.52	<0.005		
M893612		3.42	<0.005		
M893613		3.09	<0.005		
M893614		3.27	<0.005		2.68
M893614 CRD		<0.02	<0.005		
M893615		0.17	2.59		
M893616		3.34	<0.005	<0.005	
M893617		3.18	<0.005		
M893618		3.36	<0.005		
M893619		3.07	<0.005		
M893620		3.19	<0.005		
M893621		3.08	<0.005		
M893622		3.39	<0.005		