ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 3-APR-2012
Account: OSIHRG

CERTIFICATE TB12065086

Project: HAMMOND REEF

P.O. No.:

This report is for 69 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 23-MAR-2012.

The following have access to data associated with this certificate:

SERGIO CATTALANI ANDREW STOKES	ANNE CHARLAND BOB WARES	ASSAYS REPOSITORY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 3-APR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12065086

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M892442		2.65	<0.005		
M892443		2.66	<0.005		
M892444		2.80	<0.005		
M892445		0.99	<0.005		
M892446		3.15	<0.005		
M892447		3.53	<0.005		
M892448		2.93	<0.005		
M892449		3.47	<0.005		
M892450		3.27	<0.005		
M892451		3.62	<0.005		
M892452		3.67	<0.005		
M892453		3.57	<0.005		
M892454		3.21	<0.005		
M892455		4.41	<0.005		
M892456		3.49	<0.005		
M892457		2.72	0.005		
M892458		3.32	<0.005		
M892459		2.61	<0.005		
M892460		0.16	1.060		
M892461		3.25	0.009		2.66
M892461 CRD		<0.02	0.010		
M892462		3.46	0.085	0.039	
M892463		3.58	0.010		
M892464		3.19	<0.005		
M892465		3.24	<0.005		
M892466		3.66	<0.005		
M892467		3.67	<0.005		
M892468		3.29	<0.005		
M892469		3.27	<0.005		
M892470		3.61	<0.005		
M892471		3.40	0.010		
M892472		3.54	<0.005		
M892473		3.67	0.008		
M892474		3.44	<0.005		
M892475		0.16	2.65		
M892476		3.45	<0.005		
M892477		3.13	<0.005		
M892478		3.13	<0.005		
M892479		3.93	0.006		
M892480		2.98	<0.005		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 3-APR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12065086

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M892481		3.39	<0.005		2.66
M892481 CRD		<0.02	<0.005		
M892482		3.48	<0.005	<0.005	
M892483		3.54	<0.005		
M892484		3.34	<0.005		
M892485		3.33	<0.005		
M892486		3.33	<0.005		
M892487		3.28	<0.005		
M892488		3.42	0.013		
M892489		3.49	0.044		
M892490		0.17	0.422		
M892491		3.37	0.012		
M892492		3.37	<0.005		
M892493		3.44	0.021		
M892494		3.27	<0.005		
M892495		3.55	0.254		
M892496		3.60	0.013		
M892497		3.71	0.007		
M892498		3.18	0.025		
M892499		3.19	<0.005		
M892500		0.17	0.928		
M892501		3.41	<0.005		2.72
M892501 CRD		<0.02	<0.005		
M892502		3.16	0.007	0.007	
M892503		3.26	0.017		
M892504		3.33	0.005		
M892505		3.26	0.012		
M892506		3.63	0.059		
M892507		3.02	0.009		