ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 4-APR-2012
Account: OSIHRG

CERTIFICATE TB12065089

Project: HAMMOND REEF

P.O. No.:

This report is for 72 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 23-MAR-2012.

The following have access to data associated with this certificate:

SERGIO CATTALANI ANDREW STOKES	ANNE CHARLAND BOB WARES	ASSAYS REPOSITORY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 4-APR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12065089

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M892373		4.61	<0.005		
M892374		4.72	<0.005		
M892375		0.17	2.68		
M892376		3.40	<0.005		
M892377		3.36	<0.005		
M892378		3.62	<0.005		
M892379		3.55	<0.005		
M892380		3.31	<0.005		
M892381		3.52	0.010		
M892382		3.61	<0.005		
M892383		2.88	0.013		
M892384		3.56	0.005		
M892385		3.53	0.011		
M892386		3.44	<0.005		
M892387		3.23	<0.005		
M892388		3.24	<0.005		
M892389		3.23	<0.005		
M892390		0.17	0.511		
M892391		3.32	<0.005		
M892392		3.50	<0.005		3.10
M892392 CRD		<0.02	<0.005		
M892393		3.35	<0.005	<0.005	
M892394		3.47	<0.005		
M892395		3.62	<0.005		
M892396		3.26	<0.005		
M892397		3.54	<0.005		
M892398		3.37	<0.005		
M892399		3.44	<0.005		
M892400		0.17	1.045		
M892401		3.46	<0.005		
M892402		3.69	<0.005		
M892403		2.91	<0.005		
M892404		3.22	<0.005		
M892405		3.49	<0.005		
M892406		3.25	<0.005		
M892407		3.11	<0.005		
M892408		3.57	<0.005		
M892409		3.64	<0.005		
M892410		3.37	<0.005		
M892411		3.30	<0.005		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 4-APR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12065089

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M892412		3.49	<0.005		2.70
M892412 CRD		<0.02	<0.005		
M892413		3.68	<0.005	<0.005	
M892414		3.31	0.579		
M892415		0.17	2.71		
M892416		3.25	0.015		
M892417		3.33	<0.005		
M892418		3.88	<0.005		
M892419		3.54	<0.005		
M892420		3.74	0.005		
M892421		3.82	<0.005		
M892422		3.44	0.039		
M892423		3.62	0.006		
M892424		3.62	<0.005		
M892425		3.42	<0.005		
M892426		3.54	0.056		
M892427		2.76	0.006		
M892428		2.91	0.008		
M892429		4.25	0.222		
M892430		0.17	0.459		
M892431		3.32	0.013		
M892432		3.26	0.007		3.08
M892432 CRD		<0.02	0.005		
M892433		3.90	<0.005	<0.005	
M892434		3.83	<0.005		
M892435		3.54	<0.005		
M892436		3.52	<0.005		
M892437		3.70	<0.005		
M892438		3.37	<0.005		
M892439		3.53	<0.005		
M892440		3.34	<0.005		
M892441		3.79	<0.005		