ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 2-APR-2012
Account: OSIHRG

CERTIFICATE TB12064211

Project: HAMMOND REEF

P.O. No.:

This report is for 69 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 22-MAR-2012.

The following have access to data associated with this certificate:

SERGIO CATTALANI ANDREW STOKES	ANNE CHARLAND BOB WARES	ASSAYS REPOSITORY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
SPL-34	Pulp Splitting Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 2-APR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12064211

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M772001		4.55	<0.005		
M772002		3.69	0.009		
M772003		4.47	0.018		
M772004		3.25	0.020		
M772005		3.29	0.083		
M772006		3.55	0.027		
M772007		3.14	<0.005		
M772008		3.43	0.023		
M772009		2.89	0.009		
M772010		3.56	0.028		
M772011		3.37	0.345		
M772012		3.26	0.190		
M772013		3.38	0.374		
M772014		3.07	0.043		
M772015		0.17	2.87		
M772016		3.45	<0.005		
M772017		3.22	<0.005		
M772018		2.41	<0.005		
M772019		4.73	<0.005		
M772020		3.41	<0.005		2.80
M772020 CRD		<0.02	<0.005		
M772021		3.18	<0.005	<0.005	
M772022		3.50	<0.005		
M772023		3.32	<0.005		
M772024		3.29	<0.005		
M772025		3.49	<0.005		
M772026		3.48	<0.005		
M772027		3.01	<0.005		
M772028		3.49	<0.005		
M772029		2.48	0.049		
M772030		0.16	0.452		
M772031		4.34	<0.005		
M772032		3.69	0.049		
M772033		3.12	0.007		
M772034		3.64	<0.005		
M772035		3.76	<0.005		
M772036		3.48	<0.005		
M772037		3.05	<0.005		
M772038		3.78	<0.005		
M772039		3.53	0.029		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 2-APR-2012
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB12064211

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	OA-GRA08 S.G. Unity 0.01
M772040		3.88	0.022		2.63
M772040 CRD		<0.02	0.035		
M772041		3.73	0.050	0.074	
M772042		4.02	<0.005		
M772043		3.84	<0.005		
M772044		4.11	0.005		
M772045		0.97	<0.005		
M772046		3.48	<0.005		
M772047		3.44	0.130		
M772048		3.70	0.017		
M772049		4.21	0.019		
M772050		2.98	0.065		
M772051		2.57	0.060		
M772052		3.12	0.056		
M772053		4.02	0.220		
M772054		3.50	0.043		
M772055		3.62	0.021		
M772056		3.84	0.006		
M772057		3.68	0.123		
M772058		3.59	0.053		
M772059		3.35	0.064		
M772060		0.17	0.975		
M772061		3.92	0.034		2.68
M772061 CRD		<0.02	0.038		
M772062		3.33	0.045	0.068	
M772063		3.63	0.089		
M772064		3.44	<0.005		
M772065		3.69	<0.005		
M772066		3.60	0.025		