

We are committed to providing [accessible customer service](#).
If you need accessible formats or communications supports, please [contact us](#).


Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).
Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

2.56734

Assessment Work Report
on mining claim
4277242

Fulford Tp.
Thunder Bay Mining Division

March 29th 2016
Submitted by : David Clement



Index

Introduction	3
Claims Abstract	3
Location and Access	3
Daily Log	4
Conclusion	5
Statement of Costs	6
Personnel	7

Appendix

Claim map

Location of work and samples

Assay Certificate

MNDM Claims Abstract (proof of beneficial interest)

In September 2015 David Clement with helper and driver John der Weduwen completed a preliminary prospecting program on claim 4277242, which is part of a larger group of claims called the "Maylac Mine Property"

Claim 4277242 covers the historic Maylac Mine's shaft and underground workings.

This preliminary program consisted of locating the old No. 1 vein at surface and collecting some samples to verify the presence of gold on the property at surface, so as to warrant further work.

12 samples were collected and 8 of those were sent for assay. All assays were performed at Actlabs in Timmins, Ontario.

CLAIMS ABSTRACT

The Maylac Mine Property consists of the following claims, recorded on December 15, 2014 in the Thunder Bay Mining Division. The claims are recorded in the name of David Clement, 30%, Mario Pilon, 30% and Lance Eden, 40%.

Claim Number	Unit Size	Township	Due Date
4277242	1	Fulford	2016-Dec-15
4277243	15	Fulford	2016-Dec-15
4277244	5	Fulford	2016-Dec-15
4277245	7	Fulford & Mcquesten	2016-Dec-15

Location and Access

The Maylac Mine Property claims are situated at approximately 5 kilometres north of Geraldton, ON and immediately south of Hutchison Lake. Access to the property is by secondary highway 584 which runs through the town of Geraldton and northward, centrally through the property.

Daily Log

September 23, 2015

Drive from home (Timmins) in the morning to Geraldton and arrived onto property in late afternoon. Light rain turned to heavier rain so we did not do any work that day. Went back to Geraldton, got a motel room for the night and went over some maps and assessment files of the property.

September 24, 2015

Drive from Geraldton onto property. Walked in side road to the old mine site. Located the old shaft. Did a recon of the old mine site area. No buildings from the old mine are presently standing, and some cement pads and structures were located. We then walked north of the shaft to see if we can locate the historic No. 1 vein where the original discovery was reportedly made and visible gold was found. We located what I believe to be the original No.1 vein, by observing a long trenched and blast area. We proceeded to exposed the vein by stripping the old debris and accumulated overburden with grub hoes and a shovel. The debris and overburden was heavier than I had anticipated and we were not successful in exposing the vein with the tools we had brought. We then proceeded to collect choice loose samples from previous blasting of the vein that were lying along the old trench. This I concluded would give me some representation of mineralization that may be present here.

After collecting and labelling the samples we packed up and headed straight home to Timmins from the property.

Conclusion

All 8 samples were anomalous in gold and sample 851611 ran higher than 5 grams per tonne Au. Sample 851611 was also highly anomalous in Lead and Zinc.

The assays are very encouraging and thus a future program is being drawn up for more extensive stripping and sampling of the No. 1 vein and other reported veins on the property. In light of the encouraging results it is recommended (and planned) to have a Geological Evaluation of the property performed by an accredited professional including a completed report. This evaluation could then be utilized as a tool to guide the claim holders on how to proceed with further organized steps to assess the property.

Personnel


David Clement, Ontario prospector, Licence # 1012340


I, David Clement, along with a helper performed the work stated in this report.
I am also the author of this report.

John derWeduwen, Ontario prospector, Licence # 1001200
(helper)



(Signature)





Quality Analysis ...



Innovative Technologies

Date Submitted: 25-Jan-16

Invoice No.: A16-00578

Invoice Date: 01-Feb-16

Your Reference: Maylac

David Clement
83 Maple St. S
Timmins Ontario P4N 1Y6

ATTN: David Clement

CERTIFICATE OF ANALYSIS

8 Rock samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Timmins Au - Fire Assay AA
Code 1E3-Timmins Aqua Regia ICP(AQUAGEO)

REPORT **A16-00578**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3
Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Eseme".

Emmanuel Eseme, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1752 Riverside Drive, Timmins, Ontario, Canada, P4R 1N1
TELEPHONE +705 264-0123 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Timmins@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Results

Activation Laboratories Ltd.

Report: A16-00578

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
851609	19	2.3	2.1	360	250	3	21	403	332	0.08	65	< 10	24	< 0.5	< 2	1.14	8	4	1.49	< 10	< 1	0.03	10
851610	43	1.1	< 0.5	76	479	4	25	46	28	0.15	39	< 10	45	< 0.5	3	3.08	28	2	3.03	< 10	< 1	0.12	< 10
851611	> 5000	6.8	4.7	96	1010	52	43	3020	1070	0.19	7	< 10	19	< 0.5	< 2	6.99	21	15	4.99	< 10	< 1	0.05	< 10
851612	393	0.8	0.7	131	1040	< 1	66	9	136	0.98	< 2	< 10	25	< 0.5	< 2	6.39	43	46	6.24	< 10	< 1	0.09	< 10
851613	421	0.2	< 0.5	59	884	< 1	49	7	31	0.43	27	< 10	21	< 0.5	< 2	5.64	44	12	5.21	< 10	< 1	0.07	< 10
851614	11	2.0	< 0.5	4	701	18	17	79	80	0.11	49	< 10	32	< 0.5	6	4.72	17	2	4.91	< 10	< 1	0.07	< 10
851615	17	0.4	< 0.5	3	421	16	18	61	30	0.08	32	< 10	22	< 0.5	< 2	2.41	15	4	4.35	< 10	< 1	0.04	< 10
851616	118	1.9	< 0.5	256	580	2	35	69	57	0.14	82	< 10	40	< 0.5	< 2	3.91	41	2	3.89	< 10	< 1	0.10	< 10

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	0.03
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA-GRA
851609	0.40	0.056	0.024	0.77	3	2	32	< 0.01	4	< 2	< 10	4	< 10	2	27	
851610	1.00	0.028	0.063	1.26	5	2	74	< 0.01	< 1	< 2	< 10	6	< 10	4	42	
851611	1.77	0.031	0.029	1.52	6	7	125	< 0.01	< 1	< 2	< 10	15	< 10	4	5	17.6
851612	2.48	0.016	0.016	1.44	3	5	101	< 0.01	< 1	< 2	< 10	29	< 10	3	3	
851613	1.61	0.019	0.041	2.72	< 2	4	86	< 0.01	< 1	< 2	< 10	13	< 10	3	2	
851614	1.26	0.039	0.040	3.19	2	3	103	< 0.01	< 1	< 2	< 10	8	< 10	3	36	
851615	0.85	0.047	0.037	3.14	2	2	56	< 0.01	4	< 2	< 10	6	< 10	1	23	
851616	1.28	0.031	0.085	1.60	4	2	89	< 0.01	2	< 2	< 10	7	< 10	4	33	

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas		28.7	2.1	1090	764	17	24	517	790	0.32	370	11	409	0.8	1220	0.79	5	8	24.0	< 10	3	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-4 Meas		4.1	< 0.5	7020	164	426	37	41	91	3.12	107	< 10	42	1.8	14	1.07	16	67	3.64	10	< 1	2.12	64
GXR-4 Cert		4.0	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110	4.01	64.5
GXR-6 Meas		0.4	< 0.5	73	1080	2	20	85	154	7.45	247	< 10	1640	1.1	< 2	0.17	16	94	6.36	20	1	1.29	13
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
OxD108 Meas	422																						
OxD108 Cert	414																						
SF67 Meas	816																						
SF67 Cert	835																						
OXN117 Meas																							
OXN117 Cert																							
OxP91 Meas																							
OxP91 Cert																							
851611 Orig																							
851611 Dup																							
851613 Orig		0.2	< 0.5	59	884	< 1	49	7	31	0.43	27	< 10	21	< 0.5	< 2	5.64	44	12	5.21	< 10	< 1	0.07	< 10
851613 Dup		< 0.2	< 0.5	60	878	< 1	47	7	30	0.43	26	< 10	23	< 0.5	2	5.57	43	12	5.13	< 10	< 1	0.07	< 10
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank																							
Method Blank																							

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	0.03
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA-GRA
GXR-1 Meas	0.13	0.053	0.039	0.18	66	1	195	< 0.01	10	< 2	24	94	129	21	21	
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	13.0	0.390	34.9	80.0	164	32.0	38.0	
GXR-4 Meas	1.86	0.165	0.139	1.90	2	8	105	0.16	4	< 2	< 10	103	18	12	19	
GXR-4 Cert	1.66	0.564	0.120	1.77	4.80	7.70	221	0.29	0.970	3.20	6.20	87.0	30.8	14.0	186	
GXR-6 Meas	0.44	0.112	0.036	0.01	3	24	42		< 1	< 2	< 10	212	< 10	6	25	
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		0.0180	2.20	1.54	186	1.90	14.0	110	
OxD108 Meas																
OxD108 Cert																
SF67 Meas																
SF67 Cert																
OXN117 Meas																7.49
OXN117 Cert																7.679
OxP91 Meas																14.5
OxP91 Cert																14.82
851611 Orig																17.6
851611 Dup																18.2
851613 Orig	1.61	0.019	0.041	2.72	< 2	4	86	< 0.01	< 1	< 2	< 10	13	< 10	3	2	
851613 Dup	1.59	0.019	0.041	2.68	2	4	85	< 0.01	2	< 2	< 10	13	< 10	3	2	
Method Blank																
Method Blank																
Method Blank																< 0.03

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	0.03
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA-GRA
Method Blank																< 0.03

Final Report

Activation Laboratories

Report Number: A16-00578

Report Date: 1/2/2016

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
851609	19	2.3	2.1	360	250	3	21	403	332	0.08	65	< 10
851610	43	1.1	< 0.5	76	479	4	25	46	28	0.15	39	< 10
851611	> 5000	6.8	4.7	96	1010	52	43	3020	1070	0.19	7	< 10
851612	393	0.8	0.7	131	1040	< 1	66	9	136	0.98	< 2	< 10
851613	421	< 0.2	< 0.5	59	881	< 1	48	7	31	0.43	27	< 10
851614	11	2	< 0.5	4	701	18	17	79	80	0.11	49	< 10
851615	17	0.4	< 0.5	3	421	16	18	61	30	0.08	32	< 10
851616	118	1.9	< 0.5	256	580	2	35	69	57	0.14	82	< 10

Final Report

Activation Laboratories

Report Number: A16-00578

Report Date: 1/2/2016

Analyte Symbol	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La	Mg
Unit Symbol	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	%
Detection Limit	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
851609	24	< 0.5	< 2	1.14	8	4	1.49	< 10	< 1	0.03	10	0.4
851610	45	< 0.5	3	3.08	28	2	3.03	< 10	< 1	0.12	< 10	1
851611	19	< 0.5	< 2	6.99	21	15	4.99	< 10	< 1	0.05	< 10	1.77
851612	25	< 0.5	< 2	6.39	43	46	6.24	< 10	< 1	0.09	< 10	2.48
851613	22	< 0.5	< 2	5.61	43	12	5.17	< 10	< 1	0.07	< 10	1.6
851614	32	< 0.5	6	4.72	17	2	4.91	< 10	< 1	0.07	< 10	1.26
851615	22	< 0.5	< 2	2.41	15	4	4.35	< 10	< 1	0.04	< 10	0.85
851616	40	< 0.5	< 2	3.91	41	2	3.89	< 10	< 1	0.1	< 10	1.28

Final Report

Activation Laboratories

Report Number: A16-00578

Report Date: 1/2/2016

Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
851609	0.056	0.024	0.77	3	2	32	< 0.01	4	< 2	< 10	4	< 10
851610	0.028	0.063	1.26	5	2	74	< 0.01	< 1	< 2	< 10	6	< 10
851611	0.031	0.029	1.52	6	7	125	< 0.01	< 1	< 2	< 10	15	< 10
851612	0.016	0.016	1.44	3	5	101	< 0.01	< 1	< 2	< 10	29	< 10
851613	0.019	0.041	2.7	< 2	4	85	< 0.01	< 1	< 2	< 10	13	< 10
851614	0.039	0.04	3.19	2	3	103	< 0.01	< 1	< 2	< 10	8	< 10
851615	0.047	0.037	3.14	2	2	56	< 0.01	4	< 2	< 10	6	< 10
851616	0.031	0.085	1.6	4	2	89	< 0.01	2	< 2	< 10	7	< 10

Final Report
Activation Laboratories

Report Number: A16-00578

Report Date: 1/2/2016

Analyte Symbol	Y	Zr	Au
Unit Symbol	ppm	ppm	g/tonne
Detection Limit	1	1	0.03
Analysis Method	AR-ICP	AR-ICP	FA-GRA
851609	2	27	
851610	4	42	
851611	4	5	17.9
851612	3	3	
851613	3	2	
851614	3	36	
851615	1	23	
851616	4	33	

[HOME](#)[MINES AND MINERALS](#)[NORTHERN DEVELOPMENT](#)[NEWS](#)[SITE MAP](#)[CONTACT US](#)**Mining Claim Abstract**[| Main Menu](#) [| Back](#) |

THUNDER BAY - Division 40		Claim Number: TB 4277242	Status: ACTIVE
Due Date:	2016-Dec-15	Recorded:	2014-Dec-15
Work Required:	\$400	Staked:	2014-Dec-06 08:36
Total Work:	\$0	Township/Area:	FULFORD (G-0189)
Total Reserve:	\$0	Lot Description:	,
Present Work Assignment:	\$0	Claim Units:	1
Claim Bank:	\$0		

Claim Holders

Recorded Holder(s) Percentage	Client Number
CLEMENT, DAVID PAUL (30.00 %)	119003
EDEN, LANCE H. (40.00 %)	302295
PILON, MARIO LUCIEN (30.00 %)	182492

Transaction Listing

Type	Date	Applied	Description	Performed	Number
STAKER	2014-Dec-15		RECORDED BY CLEMENT, DAVID PAUL (1012340)		R1440.02203
STAKER	2014-Dec-15		CLEMENT, DAVID PAUL (119003) RECORDS 40.0 % IN THE NAME OF EDEN, LANCE H. (302295)		R1440.02207
STAKER	2014-Dec-15		CLEMENT, DAVID PAUL (119003) RECORDS 30.0 % IN THE NAME OF PILON, MARIO LUCIEN (182492)		R1440.02208
OTHER	2014-Dec-17		CONFIRMATION OF STAKING REQUIRED TO 6 SURFACE RIGHTS OWNER(S) BY 2015-FEB-13		E1440.00403
OTHER	2015-Jan-29		PROOF OF CONFIRMATION OF STAKING RECEIVED FOR 6 SURFACE RIGHTS OWNER(S)		E1540.00038

Claim Reservations

- 01 400' surface rights reservation around all lakes and rivers
- 02 Sand and gravel reserved
- 03 Peat reserved
- 04 Other reservations under the Mining Act may apply
- 06 Excluding road
- 09 Part mining rights only
- 13 Excluding Hydro right of way

[Home](#) | [Mines and Minerals](#) | [Northern Development](#) | [Ring of Fire Secretariat](#)
[| News](#) | [Site Map](#) | [Contact Us](#)



This site is maintained by the Government of Ontario, Canada.

[Accessibility](#) [Privacy](#) [Term of use](#)

Copyright information: © Queen's Printer for Ontario, 2015