ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-FEB-2016
Account: RLH

CERTIFICATE SD16011353

Project: 686

P.O. No.: 385828

This report is for 38 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 27-JAN-2016.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
VAC-01	Vacuum Sample - 2.5kg reject protocol
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Ni-OG62	Ore Grade Ni - Four Acid	VARIABLE
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16011353

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1
S034795		0.49	<0.001	<0.005	0.001			<0.5	6.88	<5	160	0.5	<2	1.52	<0.5	17
S034796		0.42	<0.001	<0.005	0.001			<0.5	6.30	<5	470	0.6	<2	2.80	<0.5	14
S034797		0.58	0.018	0.007	0.005			<0.5	5.17	<5	30	0.5	<2	5.02	<0.5	122
S034798		0.99	0.002	0.013	0.013			<0.5	6.45	<5	480	0.7	<2	0.92	<0.5	90
S034799		0.87	0.013	0.007	0.005			<0.5	7.29	<5	250	<0.5	<2	6.86	<0.5	47
S034800		0.83	0.015	0.009	0.005			<0.5	7.17	<5	320	<0.5	<2	7.87	<0.5	46
S034801		0.46	0.043	<0.005	0.001			<0.5	7.12	<5	1200	1.1	<2	1.98	<0.5	19
S034802		0.68	2.04	<0.005	0.001			<0.5	6.09	<5	470	0.8	<2	11.90	<0.5	37
S034803		1.64	0.021	<0.005	<0.001			<0.5	6.66	<5	610	0.7	<2	3.90	<0.5	62
S034804		1.74	0.033	<0.005	0.001			<0.5	6.83	<5	630	0.7	<2	3.80	<0.5	60
S034805		1.24	<0.001	0.008	0.007			<0.5	6.39	<5	420	1.5	<2	7.58	<0.5	24
S034806		1.93	0.021	<0.005	<0.001			<0.5	8.19	<5	1440	0.6	<2	1.78	<0.5	17
S034807		1.14	0.001	<0.005	0.001			<0.5	6.34	8	1110	<0.5	<2	4.15	<0.5	11
S034808		1.74	0.010	<0.005	<0.001			<0.5	6.69	<5	530	0.7	<2	6.91	<0.5	37
S034809		1.97	0.014	<0.005	<0.001			<0.5	6.28	7	940	1.0	<2	5.83	<0.5	51
S034810		2.07	0.011	<0.005	<0.001			<0.5	6.50	5	740	1.1	<2	5.07	<0.5	54
S034811		0.84	0.352	<0.005	<0.001			0.5	7.00	<5	390	0.7	<2	2.42	<0.5	20
S034812		1.02	0.070	0.218	0.185			3.4	6.04	<5	180	0.6	4	5.46	0.8	394
S034813		2.20	0.014	0.051	0.061			<0.5	6.56	5	380	0.8	<2	4.73	<0.5	75
S034814		2.22	0.005	0.018	0.022			<0.5	7.05	<5	490	0.8	<2	4.87	<0.5	46
S034815		1.77	0.004	0.061	0.070			<0.5	5.20	13	240	1.0	<2	5.72	<0.5	113
S034816		2.03	0.008	0.031	0.028			<0.5	6.02	11	380	0.8	<2	4.64	<0.5	59
S034817		2.95	0.012	0.040	0.040			<0.5	5.97	<5	270	0.9	<2	5.31	<0.5	63
S034818		2.78	0.026	0.093	0.086			0.5	6.74	<5	260	0.9	<2	4.69	0.6	93
S034819		1.20	0.017	0.270	0.289		1.210	2.1	4.82	<5	180	0.5	<2	4.60	0.9	595
S034820		0.07	0.170	0.303	0.361			2.2	6.48	91	210	0.8	11	5.09	0.6	197
S034821		0.20	<0.001	<0.005	0.001			<0.5	0.41	<5	10	<0.5	<2	0.01	<0.5	<1
S034822		3.50	0.010	0.041	0.040			<0.5	6.77	6	260	0.5	2	6.21	<0.5	57
S034823		3.58	0.036	0.102	0.091			0.5	7.02	<5	400	0.9	<2	5.05	<0.5	70
S034824		2.87	0.065	0.188	0.167			1.4	7.16	<5	540	1.1	<2	4.21	0.6	96
S034825		2.19	0.103	0.322	0.298			2.4	6.18	<5	340	0.9	<2	4.07	1.0	185
S034826		3.81	0.033	0.098	0.092			1.8	6.62	8	360	0.7	<2	5.77	0.6	79
S034827		2.76	0.170	0.401	0.401			5.8	6.11	5	290	0.6	4	5.24	1.8	225
S034828		3.11	0.122	0.840	0.877	1.230	1.610	7.7	3.89	<5	180	0.5	5	1.93	2.5	658
S034829		0.68	0.008	0.014	0.018			<0.5	7.07	6	570	1.1	<2	2.66	<0.5	23
S034830		1.11	0.043	0.128	0.101			1.3	7.09	8	790	1.1	<2	2.46	0.5	39
S034831		0.06	0.166	0.287	0.353			1.8	6.34	83	210	0.7	9	5.00	0.7	192
S034832		0.13	<0.001	<0.005	0.001			<0.5	0.23	<5	10	<0.5	2	0.02	<0.5	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16011353

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5
S034795		91	10	2.56	10	0.49	20	2.41	406	<1	4.28	50	1140	3	<0.01	<5
S034796		81	7	2.70	20	1.29	20	1.71	465	<1	3.30	49	890	3	<0.01	<5
S034797		1070	2080	8.29	10	0.37	<10	11.60	1245	1	0.11	737	640	16	0.45	<5
S034798		288	8	10.70	20	4.55	10	9.61	1165	<1	0.01	163	210	3	0.17	<5
S034799		151	368	8.20	20	0.48	<10	4.18	1305	<1	1.52	152	290	10	0.15	<5
S034800		134	201	7.93	20	1.07	<10	3.98	1290	1	1.11	132	310	10	0.15	<5
S034801		81	373	3.59	20	2.49	90	1.55	291	<1	3.12	49	900	2	0.06	<5
S034802		104	43	5.52	10	1.17	20	2.98	1365	<1	1.89	49	1640	7	1.29	<5
S034803		87	247	7.68	20	3.87	10	4.15	760	1	1.83	81	630	7	0.39	<5
S034804		94	140	9.37	20	3.83	10	3.82	762	<1	1.63	78	630	4	0.45	<5
S034805		181	18	6.30	20	1.53	10	3.58	921	<1	0.76	90	270	12	<0.01	<5
S034806		100	255	3.41	30	3.53	30	1.86	381	<1	3.59	56	1320	4	0.27	<5
S034807		77	52	2.23	10	4.36	30	2.10	748	<1	1.56	45	910	3	0.10	<5
S034808		90	154	8.35	20	1.84	20	2.56	1340	1	1.07	52	1090	15	0.25	<5
S034809		49	191	11.20	20	3.87	20	3.32	1535	<1	0.18	59	1110	9	0.25	<5
S034810		64	149	11.65	20	3.74	20	3.43	1370	<1	0.03	58	1190	13	0.23	<5
S034811		97	1850	3.21	20	0.75	10	1.56	514	1	3.76	49	640	11	0.26	<5
S034812		115	4250	15.40	20	0.43	20	2.28	1055	1	1.85	6280	590	14	5.11	<5
S034813		203	513	8.57	20	1.07	20	4.16	1330	<1	2.00	820	680	12	0.53	<5
S034814		98	268	8.07	20	1.18	20	3.43	1270	<1	2.16	223	740	11	0.21	<5
S034815		346	418	9.55	10	0.65	20	4.93	1265	1	1.62	2750	710	10	1.30	<5
S034816		498	343	7.48	10	1.08	20	5.24	1330	<1	1.69	438	540	10	0.30	<5
S034817		313	488	7.78	20	0.75	20	4.21	1290	1	2.03	589	690	10	0.48	<5
S034818		155	1170	8.66	20	0.68	20	3.37	1235	1	2.42	1190	720	13	1.00	<5
S034819		66	3110	22.2	10	0.68	20	1.89	908	<1	1.11	>10000	490	18	8.30	<5
S034820		240	3620	10.80	10	0.65	20	4.23	1195	7	1.27	3100	1140	6	1.53	<5
S034821		51	8	0.42	<10	0.08	<10	0.01	45	3	0.05	9	10	<2	0.01	<5
S034822		44	314	10.10	20	0.75	10	3.13	1515	<1	1.40	179	460	12	0.20	<5
S034823		175	1190	7.79	20	0.99	20	3.10	1165	<1	2.19	919	730	23	0.81	<5
S034824		132	2100	8.33	20	1.37	30	2.70	1060	1	2.35	1600	890	27	1.43	<5
S034825		197	3850	11.50	10	1.07	20	2.85	1035	<1	2.03	3720	730	17	2.83	<5
S034826		181	2850	9.73	20	0.99	20	3.60	1325	1	1.57	1080	590	17	0.93	<5
S034827		90	9020	14.80	10	1.02	10	2.68	1325	<1	1.68	4160	500	43	3.59	<5
S034828		94	>10000	28.9	10	0.95	20	1.35	731	1	1.22	>10000	480	56	>10.0	<5
S034829		114	401	4.43	20	1.34	30	1.80	679	1	2.98	160	600	12	0.14	<5
S034830		97	1060	5.16	20	1.74	40	1.42	535	2	2.85	1415	730	15	1.18	<5
S034831		231	3560	10.60	20	0.63	20	4.15	1170	7	1.25	3050	1120	10	1.52	<5
S034832		33	10	0.43	<10	0.07	<10	0.01	47	2	0.03	8	10	<2	0.01	<5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16011353

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
S034795		7	351	<20	0.18	<10	<10	46	<10	43
S034796		6	290	<20	0.20	<10	<10	54	<10	33
S034797		34	72	<20	0.38	<10	<10	187	<10	98
S034798		23	39	<20	0.37	<10	<10	293	<10	145
S034799		32	835	<20	0.48	<10	<10	277	<10	95
S034800		33	752	<20	0.51	<10	<10	263	<10	88
S034801		10	354	<20	0.31	<10	<10	97	<10	34
S034802		17	448	<20	0.33	<10	<10	97	<10	86
S034803		33	281	<20	0.65	<10	<10	268	<10	86
S034804		32	497	<20	0.63	<10	<10	260	<10	76
S034805		23	1435	<20	0.28	<10	<10	192	<10	54
S034806		10	195	<20	0.33	<10	<10	124	<10	51
S034807		9	87	<20	0.22	<10	<10	69	<10	40
S034808		32	757	<20	0.80	<10	<10	303	<10	112
S034809		41	484	<20	1.13	<10	<10	423	<10	178
S034810		42	686	<20	1.11	<10	<10	421	<10	153
S034811		8	425	<20	0.25	<10	<10	82	<10	57
S034812		23	393	<20	0.44	<10	<10	208	<10	100
S034813		26	265	<20	0.50	<10	<10	200	<10	121
S034814		30	292	<20	0.67	<10	<10	266	<10	111
S034815		21	243	<20	0.57	<10	<10	182	<10	109
S034816		26	203	<20	0.39	<10	<10	178	<10	125
S034817		29	250	<20	0.46	<10	<10	187	<10	114
S034818		25	286	<20	0.51	<10	<10	202	<10	116
S034819		21	305	<20	0.45	<10	<10	230	<10	81
S034820		28	339	<20	0.42	<10	<10	268	<10	107
S034821		<1	4	<20	0.01	<10	<10	3	<10	<2
S034822		37	249	<20	0.54	<10	<10	292	<10	112
S034823		26	324	<20	0.46	<10	<10	187	<10	121
S034824		21	332	<20	0.46	<10	<10	169	<10	124
S034825		21	283	<20	0.42	<10	<10	174	<10	141
S034826		30	245	<20	0.51	10	<10	225	<10	149
S034827		29	224	<20	0.49	<10	<10	237	<10	163
S034828		10	196	<20	0.26	<10	<10	135	<10	187
S034829		13	392	<20	0.37	<10	<10	115	<10	78
S034830		10	477	20	0.34	<10	<10	94	<10	121
S034831		27	334	<20	0.42	<10	<10	262	<10	104
S034832		<1	6	<20	0.01	<10	<10	1	<10	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16011353

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:			
CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	VAC-01	WEI-21
WSH-21	WSH-22		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Cu-OG62	ME-ICP61	ME-OG62	Ni-OG62
PGM-ICP23			