ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 18-FEB-2016
Account: RLH

CERTIFICATE SD16020011

Project: 686

P.O. No.: 385835

This report is for 55 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 11-FEB-2016.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
VAC-01	Vacuum Sample - 2.5kg reject protocol
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Ni-OG62	Ore Grade Ni - Four Acid	VARIABLE
ME-ICP61	33 element four acid ICP-AES	ICP-AES
S-IR08	Total Sulphur (Leco)	LECO

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 18-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16020011

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1
S034867		0.81	0.026	0.061	0.053			<0.5	7.44	25	210	<0.5	2	6.74	<0.5	54
S034868		0.92	0.024	0.080	0.069			0.6	7.50	10	370	0.5	<2	6.16	<0.5	50
S034869		1.42	0.001	<0.005	<0.001			<0.5	6.04	5	1160	0.5	4	1.76	<0.5	12
S034870		3.58	0.538	<0.005	<0.001			<0.5	8.61	8	2030	1.9	6	4.64	<0.5	21
S034871		3.64	0.048	<0.005	<0.001			<0.5	7.87	5	870	1.2	4	4.77	<0.5	25
S034872		0.51	0.238	0.005	0.004			0.5	5.11	6	120	0.5	<2	5.00	0.5	87
S034873		1.88	0.011	0.007	0.003			<0.5	7.32	5	300	<0.5	4	8.02	<0.5	44
S034874		3.23	0.012	0.006	0.004			<0.5	7.23	6	380	<0.5	4	7.64	<0.5	43
S034875		2.06	0.070	0.008	0.004			<0.5	7.42	<5	220	<0.5	<2	6.70	<0.5	50
S034876		0.95	0.014	0.006	0.007			<0.5	7.43	<5	1580	1.1	4	0.70	<0.5	56
S034877		0.55	0.161	<0.005	<0.001			<0.5	6.29	20	790	1.2	3	1.89	<0.5	226
S034878		2.61	0.003	<0.005	0.001			<0.5	6.31	<5	420	1.1	2	6.07	<0.5	27
S034879		1.46	0.002	<0.005	0.003			<0.5	7.57	8	490	1.0	<2	4.75	<0.5	27
S034880		0.72	<0.001	<0.005	<0.001			<0.5	8.09	6	280	0.8	<2	3.71	<0.5	27
S034881		3.47	0.002	<0.005	0.002			<0.5	3.90	5	20	1.0	4	6.75	<0.5	62
S034882		3.44	0.012	<0.005	0.003			<0.5	4.24	5	120	1.0	<2	6.41	<0.5	69
S034883		3.19	0.007	<0.005	0.001			<0.5	3.65	<5	<10	0.8	<2	7.80	<0.5	59
S034884		1.22	0.083	0.005	0.003			<0.5	5.30	253	570	0.7	5	4.83	<0.5	49
S034885		2.43	0.022	<0.005	<0.001			<0.5	6.90	66	450	0.7	<2	3.79	<0.5	17
S034886		1.54	0.047	<0.005	0.002			<0.5	5.54	5	890	1.2	<2	6.82	<0.5	41
S034887		1.92	0.002	0.010	0.010			<0.5	5.73	27	660	1.0	<2	5.54	<0.5	48
S034888		0.06	0.172	0.309	0.356			1.9	6.46	86	210	0.8	11	5.28	0.5	196
S034889		0.36	<0.001	<0.005	<0.001			<0.5	0.32	<5	10	<0.5	<2	0.04	<0.5	1
S034890		2.10	0.011	0.043	0.062			<0.5	6.19	7	510	1.1	<2	4.68	0.5	100
S034891		1.91	0.015	0.051	0.043			<0.5	6.85	6	320	0.8	4	5.16	0.5	55
S034892		1.15	0.013	0.129	0.170			0.7	6.15	9	310	0.5	<2	5.67	<0.5	318
S034893		3.41	0.010	0.021	0.016			<0.5	7.19	9	370	0.6	<2	6.35	<0.5	56
S034894		0.78	0.038	0.094	0.252			2.9	4.87	5	230	0.6	5	4.12	<0.5	479
S034895		1.80	0.009	0.032	0.034			<0.5	7.15	<5	360	0.8	<2	5.48	0.6	45
S034896		1.41	0.007	0.021	0.018			<0.5	7.10	<5	320	0.7	<2	5.45	1.0	35
S034897		0.94	0.114	0.418	0.336	1.540		10.1	5.56	<5	220	0.5	<2	4.12	4.1	300
S034898		3.05	0.009	0.512	0.632		3.42	1.2	0.59	5	20	<0.5	4	0.56	<0.5	1620
S034899		2.61	0.060	0.650	0.407		2.53	2.4	2.37	<5	140	<0.5	5	1.47	0.5	1550
S034900		2.93	0.039	0.318	0.209		1.165	3.4	5.27	5	310	0.6	3	3.79	1.6	628
S034901		3.27	0.027	0.078	0.076			1.0	6.86	<5	750	1.1	<2	4.52	0.8	74
S034902		3.58	0.013	0.046	0.049			0.5	7.42	<5	490	1.0	<2	5.31	0.6	63
S034903		3.96	0.011	0.032	0.034			<0.5	7.30	16	490	0.8	<2	5.97	0.6	55
S034904		3.71	0.013	0.034	0.032			<0.5	7.53	10	450	1.0	<2	4.52	<0.5	51
S034905		3.69	0.006	0.020	0.017			<0.5	7.90	19	640	1.0	<2	4.79	<0.5	42
S034906		3.81	0.042	0.390	0.230		0.987	2.6	5.50	<5	350	0.7	3	4.10	1.4	256

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 18-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16020011

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5
S034867		185	460	8.67	10	0.51	10	4.32	1290	<1	1.48	248	360	18	0.17	<5
S034868		154	750	9.30	20	1.01	10	3.95	1360	<1	1.32	571	500	17	0.46	<5
S034869		131	16	2.83	20	3.58	20	1.59	364	<1	1.24	56	820	8	0.18	<5
S034870		211	39	4.99	30	3.84	20	2.26	697	4	2.29	99	2360	9	0.20	<5
S034871		165	36	5.37	20	2.38	30	3.32	839	<1	2.59	50	1590	7	0.10	<5
S034872		929	6220	8.60	10	0.83	<10	12.50	1155	<1	0.15	829	630	3	0.74	<5
S034873		140	194	7.99	20	1.07	<10	4.29	1260	<1	1.47	146	300	10	0.25	<5
S034874		147	171	7.90	20	1.44	<10	4.12	1225	<1	1.53	142	310	12	0.20	<5
S034875		159	613	8.82	20	0.74	<10	4.93	1470	<1	1.44	156	320	10	0.22	<5
S034876		183	68	5.16	20	3.21	10	2.93	440	1	2.15	85	360	24	1.00	<5
S034877		48	150	3.59	10	2.00	10	1.05	290	2	2.26	21	370	6	1.65	<5
S034878		216	35	5.42	10	1.53	20	3.54	918	<1	1.68	46	1270	11	0.11	<5
S034879		123	59	5.54	20	1.27	30	2.32	714	1	1.78	75	880	10	0.05	<5
S034880		158	8	3.54	20	0.74	30	2.01	510	2	5.00	84	1150	8	0.15	<5
S034881		1395	48	8.00	10	0.20	10	12.75	1170	<1	0.15	845	880	<2	0.26	<5
S034882		1010	325	7.52	10	1.05	20	11.25	1165	<1	0.39	716	1250	2	0.21	<5
S034883		971	594	7.26	10	0.03	10	12.95	1300	<1	0.06	814	550	4	0.11	<5
S034884		138	25	5.73	20	2.67	10	2.43	777	<1	0.14	138	210	3	3.16	<5
S034885		113	14	2.94	20	1.60	10	1.64	695	1	3.60	65	570	6	0.78	<5
S034886		424	248	7.25	20	1.56	20	6.59	1360	<1	1.20	110	1160	11	0.08	<5
S034887		473	118	6.65	20	1.96	30	5.73	1265	1	1.44	301	990	19	0.25	<5
S034888		249	3500	10.90	20	0.66	20	4.34	1210	7	1.30	3110	1150	9	1.55	<5
S034889		26	9	0.21	<10	0.09	<10	0.04	25	<1	0.04	6	20	<2	<0.01	<5
S034890		244	482	9.16	20	1.45	20	3.53	1185	1	1.83	1725	750	9	1.39	<5
S034891		173	480	8.55	20	0.83	20	3.94	1425	<1	2.00	521	770	8	0.47	<5
S034892		89	360	16.40	10	0.82	10	2.82	1300	<1	0.92	6120	490	10	4.14	<5
S034893		99	334	9.43	20	1.12	10	3.45	1500	<1	1.17	310	560	13	0.32	5
S034894		170	2190	19.25	10	0.71	20	2.69	1045	1	1.39	9600	510	7	6.37	<5
S034895		129	404	8.18	20	1.03	20	3.35	1350	<1	2.18	462	570	9	0.45	<5
S034896		111	458	8.88	20	1.13	10	3.82	1535	<1	2.20	135	550	8	0.15	<5
S034897		142	>10000	15.55	10	0.74	30	2.49	1070	<1	1.65	6230	480	7	4.97	<5
S034898		101	1420	>50	<10	0.10	<10	0.15	110	<1	0.18	>10000	20	<2	>10.0	<5
S034899		142	5010	41.3	<10	0.56	10	0.64	403	1	0.81	>10000	160	6	>10.0	<5
S034900		158	3760	21.9	10	0.92	20	1.47	817	<1	1.74	>10000	440	13	8.04	<5
S034901		165	1420	7.74	20	1.47	30	2.96	1100	<1	2.30	1140	1280	24	1.07	<5
S034902		117	633	8.45	20	1.32	30	3.09	1210	<1	2.22	722	1350	8	0.64	<5
S034903		129	546	8.54	20	1.11	20	3.24	1375	<1	1.89	436	710	12	0.37	<5
S034904		117	442	7.45	20	1.14	30	2.84	1190	<1	2.80	532	830	10	0.49	<5
S034905		103	280	6.33	20	1.50	30	2.85	1075	<1	2.39	277	740	15	0.25	<5
S034906		73	2830	19.60	10	0.90	20	2.02	992	<1	1.92	>10000	640	25	6.14	<5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 18-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16020011

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	S-IR08 S % 0.01
S034867		34	190	<20	0.49	<10	<10	244	<10	89	
S034868		34	359	<20	0.53	<10	<10	257	<10	102	
S034869		8	211	<20	0.23	<10	<10	94	<10	43	
S034870		14	753	<20	0.45	<10	<10	172	<10	74	
S034871		19	504	<20	0.46	<10	<10	142	<10	100	
S034872		23	46	<20	0.40	<10	<10	178	<10	93	
S034873		34	1040	<20	0.49	<10	<10	272	<10	77	
S034874		35	913	<20	0.51	<10	<10	273	<10	73	
S034875		37	976	<20	0.54	<10	<10	297	<10	89	
S034876		18	128	<20	0.30	<10	<10	97	<10	61	
S034877		5	236	<20	0.13	<10	<10	45	<10	21	
S034878		22	683	<20	0.38	<10	<10	155	<10	69	
S034879		17	745	<20	0.45	<10	<10	147	<10	69	
S034880		9	523	<20	0.32	<10	<10	98	<10	41	
S034881		23	80	<20	0.30	<10	<10	147	<10	147	
S034882		20	85	<20	0.36	<10	<10	142	<10	135	
S034883		23	86	<20	0.30	<10	<10	146	<10	138	
S034884		23	227	<20	0.32	<10	<10	183	<10	28	
S034885		11	326	<20	0.25	<10	<10	91	<10	22	
S034886		36	443	<20	0.47	<10	<10	235	<10	119	
S034887		28	266	<20	0.45	<10	<10	152	<10	138	
S034888		28	336	<20	0.43	<10	<10	272	<10	104	
S034889		<1	5	<20	0.01	<10	<10	2	<10	5	
S034890		24	297	<20	0.38	<10	<10	160	<10	158	
S034891		27	386	<20	0.48	<10	<10	208	<10	204	
S034892		30	369	<20	0.51	<10	<10	250	<10	159	
S034893		35	381	<20	0.59	10	<10	274	<10	218	
S034894		23	275	<20	0.35	<10	<10	156	<10	165	
S034895		33	433	<20	0.62	10	<10	262	<10	288	
S034896		39	343	<20	0.69	<10	<10	291	<10	380	
S034897		19	351	<20	0.39	<10	<10	164	<10	730	
S034898		1	54	<20	0.07	10	<10	71	<10	67	34.4
S034899		5	163	<20	0.16	<10	<10	90	<10	178	26.7
S034900		17	310	<20	0.35	10	<10	157	<10	150	
S034901		24	338	<20	0.41	10	<10	153	<10	124	
S034902		29	371	<20	0.58	<10	<10	224	<10	119	
S034903		31	334	<20	0.55	<10	<10	245	<10	119	
S034904		24	386	<20	0.46	<10	<10	185	<10	103	
S034905		24	372	<20	0.38	<10	<10	155	<10	95	
S034906		20	343	<20	0.41	<10	<10	163	<10	120	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 18-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16020011

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1
S034907		3.66	0.080	0.215	7.41			2.5	5.77	1630	380	0.7	2	4.67	1.2	737
S034908		4.02	0.133	0.975	0.666	1.475	1.180	9.5	4.56	10	220	0.6	<2	4.22	4.1	442
S034909		2.99	0.073	0.971	0.696		1.310	5.0	4.12	<5	360	0.7	8	3.89	1.6	376
S034910		0.07	0.168	0.531	0.590		1.175	3.7	5.79	71	200	0.6	5	4.10	1.4	350
S034911		0.21	<0.001	<0.005	<0.001			<0.5	0.58	<5	10	<0.5	<2	0.02	<0.5	2
S034912		3.84	0.030	0.111	0.074			1.5	6.23	8	300	0.9	3	5.82	0.7	57
S034913		4.00	0.083	1.475	1.080		1.450	3.7	3.58	6	170	0.5	8	4.02	2.4	987
S034914		3.71	0.083	0.200	0.147			4.2	6.35	17	550	1.1	4	5.16	1.2	62
S034915		3.23	0.104	0.283	0.225			3.1	7.12	5	530	1.1	4	4.51	1.3	93
S034916		2.71	0.041	0.347	0.610			1.8	5.48	30	320	0.9	2	4.56	1.2	212
S034917		3.46	0.091	0.235	0.200			1.9	7.20	5	560	1.1	3	4.22	0.9	58
S034918		3.40	0.158	0.622	0.365			5.1	6.81	<5	640	1.1	4	3.29	1.6	180
S034919		4.24	0.012	0.048	0.033			0.5	7.38	26	230	<0.5	<2	7.03	0.5	57
S034920		0.07	0.170	0.308	0.358			2.3	6.57	89	210	0.7	15	5.24	0.9	197
S034921		0.22	<0.001	<0.005	<0.001			<0.5	0.25	<5	10	<0.5	<2	0.01	<0.5	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 18-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16020011

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5
S034907		225	3440	13.05	20	1.46	20	3.54	1475	1	1.55	3340	810	37	2.26	<5
S034908		110	>10000	23.9	10	0.84	10	1.77	958	<1	1.19	>10000	380	32	8.23	<5
S034909		267	5570	24.7	10	1.41	20	2.50	999	<1	0.99	>10000	910	33	8.03	<5
S034910		218	9670	18.60	10	0.65	20	3.53	1105	6	1.18	>10000	1520	33	5.39	<5
S034911		26	27	0.25	<10	0.20	10	0.01	23	<1	0.05	37	20	<2	0.03	<5
S034912		172	1860	11.50	20	1.18	20	4.24	1580	<1	1.47	868	700	64	0.70	<5
S034913		114	5490	29.8	10	0.75	20	2.27	1050	1	0.70	>10000	600	24	>10.0	<5
S034914		228	5140	8.57	20	1.50	30	4.11	1335	<1	1.93	729	860	192	0.85	<5
S034915		140	4600	9.50	20	1.42	30	2.84	1090	1	2.42	1940	910	31	1.62	<5
S034916		294	1360	14.15	10	1.17	20	3.40	1195	<1	1.70	6160	740	14	3.62	<5
S034917		110	2130	8.39	20	1.77	30	2.41	1110	<1	2.06	1050	870	31	0.88	<5
S034918		110	6170	10.60	20	1.52	30	1.92	863	1	2.41	4040	790	59	3.24	<5
S034919		119	769	9.48	20	0.53	10	4.22	1580	<1	1.23	250	380	31	0.26	<5
S034920		249	3740	11.00	20	0.68	20	4.34	1240	7	1.30	3200	1160	7	1.64	<5
S034921		20	9	0.29	<10	0.08	<10	0.01	30	1	0.03	7	20	2	0.01	<5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 18-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16020011

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	S-IR08
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	S
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	LOR	1	1	20	0.01	10	10	1	10	2	0.01
S034907		30	228	<20	0.53	<10	<10	214	<10	146	
S034908		20	320	<20	0.32	<10	<10	144	<10	190	
S034909		15	201	<20	0.29	<10	<10	117	<10	131	
S034910		24	228	<20	0.38	<10	<10	230	<10	156	
S034911		<1	6	<20	0.01	<10	<10	3	<10	3	
S034912		34	320	<20	0.84	<10	<10	284	<10	126	
S034913		11	213	<20	0.30	<10	<10	100	<10	178	16.70
S034914		28	278	<20	0.52	<10	<10	192	<10	170	
S034915		24	385	<20	0.48	10	<10	184	<10	148	
S034916		20	202	<20	0.42	<10	<10	159	<10	135	
S034917		25	392	<20	0.59	<10	<10	213	<10	167	
S034918		15	322	<20	0.39	<10	<10	138	<10	181	
S034919		39	343	<20	0.52	<10	<10	279	<10	171	
S034920		28	344	<20	0.43	<10	<10	276	<10	108	
S034921		<1	6	<20	0.01	<10	<10	2	<10	2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 18-FEB-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16020011

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-31	PUL-QC	SPL-21	VAC-01
	WEI-21	WSH-21	WSH-22	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Cu-OG62	ME-ICP61	ME-OG62	Ni-OG62
	PGM-ICP23	S-IR08		