ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2015
Account: RLH

CERTIFICATE SD15041302

Project: 686

P.O. No.: 287152

This report is for 78 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 23-MAR-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15041302

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R230401		3.63	0.002	<0.005	0.002	0.12	7.43	8.0	920	1.21	0.18	3.53	0.05	80.0	25.0	101
R230402		3.56	0.097	0.006	0.006	0.12	7.70	9.6	840	1.28	0.12	3.60	0.06	77.5	26.3	107
R230403		3.72	0.006	0.007	0.007	0.12	7.86	27.0	800	1.29	0.11	3.62	0.07	72.8	30.6	114
R230404		3.54	0.001	0.005	0.006	0.11	7.85	9.1	920	1.31	0.11	3.48	0.08	77.6	25.5	108
R230405		3.32	0.002	0.008	0.007	0.11	7.71	6.8	730	1.27	0.11	3.61	0.07	71.8	25.4	107
R230406		3.58	0.011	0.019	0.020	0.21	6.94	18.1	560	0.89	0.14	4.83	0.25	52.6	44.3	153
R230408		3.65	0.010	0.023	0.022	0.24	7.57	5.4	620	1.09	0.13	4.89	0.11	69.7	37.3	117
R230409		4.04	0.056	0.134	0.107	1.20	7.27	9.4	460	1.10	0.70	4.89	0.37	65.9	59.0	208
R230410		3.90	0.027	0.067	0.062	0.67	7.97	2.2	540	1.22	0.34	4.48	0.22	69.4	51.0	119
R230411		3.34	0.010	0.022	0.024	0.33	7.05	20.8	280	1.09	0.10	4.71	0.13	67.9	44.7	198
R230412		3.41	0.010	0.025	0.027	0.35	7.67	5.6	260	0.86	0.15	5.57	0.12	51.1	49.6	104
R230413		3.18	0.014	0.031	0.034	0.44	7.58	10.7	590	1.08	0.16	4.94	0.41	68.7	54.1	139
R230414		3.87	0.003	0.020	0.009	0.11	3.49	63.0	80	1.00	0.09	6.68	0.16	41.4	78.7	760
R230415		3.78	0.004	0.018	0.015	0.19	4.79	14.1	200	1.06	0.08	5.76	0.12	55.8	60.9	563
R230416		2.53	0.016	0.046	0.069	0.91	6.64	1.9	160	0.95	0.12	5.71	0.18	54.9	46.4	232
R230417		3.85	0.006	0.022	0.021	0.22	7.83	2.4	540	1.03	0.19	4.99	0.12	58.9	50.0	130
R230418		3.65	0.008	0.017	0.017	0.21	5.62	32.2	330	0.95	0.23	6.12	0.11	48.0	71.3	450
R230419		4.11	0.008	0.033	0.036	0.25	5.65	25.5	450	0.89	0.11	5.51	0.15	48.0	61.9	733
R230420		0.08	0.121	0.286	4.69	0.19	5.77	1.1	40	0.09	0.14	4.96	0.07	2.44	82.7	245
R230421		0.26	<0.001	<0.005	0.001	0.01	0.37	0.7	10	0.06	0.05	0.01	<0.02	9.07	0.3	43
R230422		3.68	0.005	0.019	0.019	0.19	6.16	6.4	440	0.92	0.15	5.23	0.13	49.6	50.3	361
R230423		3.80	0.007	0.030	0.030	0.25	6.41	2.1	450	0.96	0.15	4.92	0.16	60.5	53.1	467
R230424		3.70	0.010	0.029	0.029	0.29	7.38	6.3	410	0.81	0.14	5.69	0.14	48.2	51.7	186
R230425		2.20	0.006	0.028	0.025	0.24	7.97	11.8	340	0.60	0.14	6.69	0.11	28.8	51.4	133
R230426		1.96	0.004	0.017	0.016	0.16	7.75	12.5	280	0.60	0.14	6.58	0.10	30.0	48.4	126
R230427		0.94	0.006	0.019	0.019	0.20	7.28	1.0	310	0.86	0.15	5.42	0.12	70.1	41.0	132
R230428		0.87	0.014	0.121	0.066	0.51	7.13	3.3	230	0.84	0.22	5.25	0.24	50.7	92.3	159
R230429		3.67	0.014	0.036	0.036	0.40	6.29	1.5	350	0.79	0.23	5.50	0.21	55.7	56.3	223
R230430		3.86	0.029	0.068	0.153	0.73	5.97	4.3	410	1.03	0.39	5.36	0.30	60.8	74.5	269
R230439		3.46	0.009	0.028	0.021	0.24	6.86	3.6	1020	1.12	0.24	2.80	0.19	79.6	29.3	116
R230440		1.99	0.030	0.103	0.078	0.76	7.20	1.9	1030	1.25	0.43	3.05	0.31	79.1	32.9	104
R230441		3.38	0.019	0.038	0.022	0.55	8.15	0.2	2320	1.56	0.41	3.10	0.27	48.6	19.3	61
R230442		0.08	0.118	0.307	5.14	0.16	5.57	0.8	40	0.10	0.15	4.95	0.06	2.48	83.7	252
R230443		0.23	<0.001	<0.005	0.001	0.01	0.20	0.5	10	<0.05	0.04	0.02	<0.02	10.35	0.5	43
R230444		3.56	0.005	<0.005	0.003	0.13	8.41	0.2	1430	1.45	0.19	2.59	0.20	61.5	14.0	35
R230446		3.71	0.015	0.005	0.005	0.33	6.30	0.9	590	1.24	0.48	5.07	0.27	55.6	39.6	14
R230447		3.79	0.025	0.032	0.030	0.86	6.16	0.7	440	0.99	0.43	5.82	0.18	52.4	44.6	14
R230454		2.98	0.007	0.006	0.009	0.33	6.92	6.0	370	0.81	0.50	4.92	0.24	39.4	35.6	75
R230455		1.59	0.417	0.076	0.055	1.28	7.34	0.5	940	1.13	0.44	2.16	0.47	90.2	19.4	71
R230456		2.46	0.022	<0.005	0.004	0.42	6.53	7.0	160	0.60	0.28	6.22	0.31	26.6	46.2	52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15041302

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R230401		0.93	96.4	4.81	18.50	0.14	4.3	0.043	1.71	39.9	17.8	2.02	950	1.34	2.76	6.8
R230402		0.87	143.5	4.84	19.55	0.14	4.2	0.050	1.69	38.7	17.4	2.09	892	1.48	2.69	7.0
R230403		1.44	92.1	5.60	19.45	0.13	3.6	0.044	2.10	35.1	18.4	2.20	957	1.45	2.61	7.5
R230404		1.79	86.5	5.36	19.65	0.15	3.8	0.047	2.13	38.0	17.6	2.13	878	1.40	2.38	7.6
R230405		1.76	113.0	5.50	18.70	0.14	3.5	0.049	1.87	34.9	15.7	2.17	897	1.31	2.58	7.1
R230406		2.68	198.0	7.54	18.45	0.11	3.0	0.054	1.75	25.9	19.4	3.24	1250	1.49	1.73	5.9
R230408		1.66	268	6.01	18.25	0.13	3.4	0.055	1.54	34.4	14.5	2.51	1030	4.37	2.51	6.5
R230409		2.39	1325	8.37	19.55	0.11	3.4	0.102	1.52	32.1	16.0	3.59	1240	2.54	2.01	7.5
R230410		2.12	764	7.51	20.2	0.11	3.8	0.078	1.44	34.2	13.1	2.60	1100	1.23	2.66	6.9
R230411		0.95	394	6.55	17.25	0.11	3.5	0.063	0.72	33.8	10.8	3.83	1130	1.09	2.74	6.3
R230412		1.54	387	7.99	18.60	0.09	2.9	0.068	0.78	25.4	11.1	3.29	1290	0.83	2.43	5.4
R230413		1.55	478	6.78	18.40	0.12	3.8	0.074	1.32	33.9	12.6	2.85	1100	1.07	2.78	6.4
R230414		0.56	57.4	9.58	11.30	0.08	3.0	0.039	0.33	19.8	13.9	11.15	1900	0.59	0.26	9.0
R230415		1.32	192.0	9.45	13.95	0.07	3.3	0.055	0.72	26.4	14.9	8.38	1740	0.67	1.01	8.1
R230416		0.53	1545	7.86	14.50	0.07	3.6	0.075	0.55	25.8	7.3	3.92	1390	1.07	3.24	6.5
R230417		2.93	265	8.07	19.25	0.11	3.2	0.070	1.56	28.6	14.2	3.07	1260	0.96	2.37	6.1
R230418		2.69	250	9.12	15.45	0.08	3.0	0.058	1.11	23.6	11.0	6.92	1530	0.73	1.24	7.1
R230419		2.18	271	8.24	14.45	0.08	2.7	0.058	1.22	23.3	15.5	6.99	1520	0.81	1.41	4.9
R230420		1.02	501	8.39	9.78	<0.05	0.2	0.029	0.20	1.1	19.3	9.92	1560	0.56	0.58	0.2
R230421		<0.05	2.8	0.37	0.88	<0.05	0.7	<0.005	0.12	4.6	0.3	0.01	44	1.77	0.03	0.2
R230422		1.42	230	7.66	15.70	0.08	2.8	0.055	0.99	23.1	12.3	5.41	1340	0.77	2.00	5.6
R230423		2.64	317	8.48	17.30	0.10	3.1	0.062	1.35	28.6	15.9	5.04	1440	0.82	1.76	5.6
R230424		2.50	335	8.15	18.00	0.09	2.7	0.070	1.20	23.1	13.2	3.65	1300	0.73	1.86	5.5
R230425		2.11	273	9.12	17.70	0.06	1.9	0.068	0.98	13.7	12.7	4.00	1480	0.61	1.63	3.9
R230426		2.19	175.5	8.81	18.35	0.07	2.3	0.069	0.85	14.5	13.1	3.94	1440	0.66	1.52	4.9
R230427		1.99	230	7.25	17.55	<0.05	2.9	0.065	0.93	34.2	12.6	3.48	1140	0.99	2.19	5.7
R230428		0.71	671	8.59	16.45	<0.05	2.8	0.074	0.58	24.8	9.1	3.26	1130	4.24	2.42	4.5
R230429		2.64	478	8.84	16.15	<0.05	2.9	0.098	1.16	25.7	12.3	3.91	1350	1.01	1.82	5.1
R230430		2.38	1110	8.71	15.65	<0.05	2.9	0.081	1.14	28.6	12.7	4.79	1310	0.85	1.87	5.6
R230439		2.28	274	4.92	18.45	<0.05	4.0	0.048	2.05	37.8	17.8	1.80	649	1.42	2.54	7.4
R230440		1.85	710	5.97	19.50	<0.05	3.5	0.074	1.87	36.8	18.6	2.22	845	2.50	2.90	7.8
R230441		1.43	546	5.77	21.4	<0.05	2.1	0.047	2.20	17.5	21.0	2.20	927	0.48	3.49	8.1
R230442		0.90	465	8.27	9.07	<0.05	0.2	0.026	0.20	1.1	20.3	9.74	1440	0.55	0.58	0.2
R230443		<0.05	3.0	0.38	0.53	<0.05	0.9	<0.005	0.07	5.2	0.3	0.03	40	1.85	0.02	0.1
R230444		1.10	85.3	6.18	22.8	<0.05	2.6	0.026	1.69	22.9	23.6	2.15	930	1.64	3.90	6.8
R230446		6.95	325	10.55	19.30	<0.05	4.5	0.111	2.48	26.7	18.6	2.17	1510	0.91	1.11	7.9
R230447		4.20	793	10.55	18.75	<0.05	4.1	0.116	1.82	25.3	16.9	2.16	1640	0.91	1.23	7.9
R230454		2.29	216	9.17	16.80	<0.05	1.9	0.079	1.49	18.3	16.5	3.15	1420	0.49	1.76	3.8
R230455		0.68	1140	4.54	18.35	<0.05	2.8	0.050	1.24	45.7	10.8	1.36	583	1.45	3.56	5.5
R230456		0.90	386	9.57	16.90	<0.05	1.9	0.098	0.58	11.6	13.1	3.37	1510	0.60	1.44	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15041302

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R230401		61.0	870	9.4	48.1	<0.002	0.19	0.28	16.5	1	1.2	359	0.46	0.08	8.5	0.432
R230402		92.8	910	8.6	47.9	<0.002	0.18	0.41	17.2	1	1.3	376	0.46	0.06	8.3	0.412
R230403		93.8	1000	11.0	53.6	<0.002	0.14	0.87	16.6	1	1.3	505	0.49	<0.05	7.1	0.481
R230404		90.3	1000	11.5	62.1	<0.002	0.13	0.75	16.9	1	1.3	503	0.51	<0.05	7.7	0.461
R230405		114.5	980	11.7	52.9	<0.002	0.15	0.74	16.4	1	1.3	497	0.46	<0.05	6.9	0.454
R230406		348	820	11.8	65.6	0.002	0.31	0.36	25.6	2	1.1	324	0.38	0.07	4.8	0.527
R230408		270	990	9.2	52.9	0.002	0.31	0.44	21.9	1	1.3	412	0.40	0.05	6.3	0.455
R230409		803	1000	12.8	57.3	0.002	0.66	0.81	26.9	2	1.9	415	0.49	0.39	5.5	0.556
R230410		593	950	12.2	54.3	0.003	0.59	0.76	25.8	2	1.6	455	0.44	0.16	6.2	0.540
R230411		358	930	9.3	26.5	0.003	0.32	0.72	25.3	2	1.3	327	0.39	0.07	6.2	0.432
R230412		318	780	9.0	30.8	0.003	0.40	0.75	33.1	2	1.3	399	0.34	0.08	4.5	0.567
R230413		426	910	56.1	48.4	0.004	0.53	0.96	26.4	2	1.3	387	0.41	0.08	6.2	0.508
R230414		1170	470	13.7	12.1	<0.002	0.08	0.59	18.6	1	1.1	32.8	0.67	<0.05	4.6	0.583
R230415		946	710	4.3	29.9	0.002	0.21	0.78	20.8	1	1.2	126.0	0.58	0.05	5.3	0.524
R230416		583	820	5.6	17.2	0.003	0.54	0.56	30.9	1	1.2	253	0.39	0.20	4.1	0.531
R230417		384	840	9.4	58.9	0.003	0.40	0.69	28.9	2	1.2	424	0.39	0.08	5.6	0.551
R230418		798	630	6.7	52.3	<0.002	0.37	0.58	26.5	2	1.2	255	0.50	0.08	4.4	0.597
R230419		688	710	5.9	50.0	0.004	0.31	0.46	25.3	1	1.3	221	0.31	0.09	4.0	0.422
R230420		775	20	5.0	8.2	<0.002	0.19	0.42	42.3	1	<0.2	86.7	<0.05	0.36	<0.2	0.109
R230421		2.7	20	0.6	3.5	<0.002	<0.01	0.09	0.3	<1	<0.2	4.1	<0.05	<0.05	1.1	0.007
R230422		653	780	6.8	36.8	0.003	0.35	0.59	23.0	1	1.2	284	0.35	0.06	3.6	0.446
R230423		586	860	8.3	59.4	0.003	0.36	0.57	25.5	1	1.2	265	0.37	0.07	4.7	0.431
R230424		400	740	9.4	48.5	0.003	0.37	0.51	31.9	1	1.1	343	0.37	0.07	4.1	0.528
R230425		245	550	9.2	29.9	0.002	0.23	0.58	34.3	1	0.8	349	0.26	0.06	2.2	0.584
R230426		127.0	560	9.7	36.3	<0.002	0.12	0.66	37.2	1	0.9	363	0.34	0.05	2.6	0.578
R230427		166.5	1140	10.0	47.6	<0.002	0.18	0.42	25.8	<1	1.0	353	0.33	0.06	4.3	0.488
R230428		1260	610	10.5	22.2	0.016	1.07	0.47	24.4	2	1.1	354	0.29	0.15	4.8	0.438
R230429		418	830	9.2	63.9	0.003	0.44	0.37	29.7	1	1.5	278	0.32	0.08	4.1	0.507
R230430		797	670	12.9	63.6	0.006	0.66	0.54	28.4	2	1.3	289	0.36	0.19	5.1	0.441
R230439		250	740	19.0	75.2	<0.002	0.29	0.32	13.2	1	1.2	373	0.45	0.06	10.2	0.385
R230440		268	1190	24.4	63.5	0.002	0.42	0.45	15.0	2	1.3	355	0.39	0.23	8.5	0.456
R230441		98.3	1850	23.0	45.3	<0.002	0.17	0.33	12.4	1	0.9	459	0.29	0.12	0.9	0.572
R230442		753	20	4.5	8.8	<0.002	0.18	0.49	38.3	1	<0.2	83.3	<0.05	0.41	<0.2	0.106
R230443		3.7	10	0.5	2.3	<0.002	<0.01	0.07	0.3	<1	<0.2	3.0	<0.05	<0.05	1.2	0.006
R230444		103.0	1950	9.5	37.1	<0.002	0.02	0.26	13.9	<1	1.2	327	0.32	<0.05	1.3	0.560
R230446		46.8	940	12.1	150.0	0.003	0.15	0.61	36.8	1	1.7	384	0.56	0.07	6.2	0.935
R230447		301	890	10.1	103.0	0.003	0.40	0.89	34.8	2	1.7	383	0.54	0.11	6.1	0.915
R230454		103.0	540	15.0	80.6	0.002	0.07	0.54	33.3	1	0.9	338	0.22	0.09	3.5	0.577
R230455		328	440	15.7	30.6	<0.002	0.29	0.30	12.1	1	1.1	291	0.23	0.23	14.1	0.352
R230456		111.0	460	10.2	30.4	0.002	0.09	0.87	40.2	1	0.9	288	0.26	0.07	2.1	0.594

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15041302

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R230401		0.26	1.7	128	0.6	16.7	61	161.5
R230402		0.25	1.7	126	0.8	16.5	66	159.0
R230403		0.34	1.5	137	0.5	17.1	86	147.5
R230404		0.37	1.6	132	0.4	18.2	82	154.0
R230405		0.38	1.4	136	0.4	17.0	80	141.5
R230406		0.50	1.0	197	0.4	17.8	114	113.0
R230408		0.35	1.2	149	0.5	18.1	86	136.5
R230409		0.50	1.7	186	0.5	21.9	127	134.5
R230410		0.40	1.2	188	0.4	20.6	99	145.0
R230411		0.16	1.2	149	0.4	17.4	96	133.5
R230412		0.21	0.9	231	0.4	21.3	98	104.0
R230413		0.29	1.2	181	0.4	21.1	140	141.0
R230414		0.12	1.1	146	0.3	15.5	198	109.0
R230415		0.20	1.1	150	0.4	17.2	164	117.0
R230416		0.15	0.7	180	0.6	17.5	106	119.0
R230417		0.43	1.0	210	0.5	20.5	103	122.5
R230418		0.34	0.9	193	0.4	19.5	144	114.5
R230419		0.31	0.8	158	0.3	15.3	153	95.9
R230420		0.09	<0.1	156	1.3	2.7	99	5.6
R230421		0.09	0.3	2	<0.1	0.7	<2	21.6
R230422		0.24	0.7	150	0.3	17.0	133	97.8
R230423		0.37	1.0	161	0.3	18.1	139	107.5
R230424		0.35	0.8	213	0.3	20.0	112	96.5
R230425		0.28	0.5	258	0.2	19.5	125	64.9
R230426		0.28	0.6	245	0.3	23.1	119	84.6
R230427		0.32	0.9	182	0.3	20.6	103	107.0
R230428		0.13	0.9	189	0.3	17.0	104	97.8
R230429		0.41	0.8	229	0.3	24.1	120	100.5
R230430		0.40	0.9	184	0.3	19.3	122	105.5
R230439		0.57	1.3	115	0.4	14.0	103	155.5
R230440		0.50	1.0	140	0.5	14.4	197	136.5
R230441		0.49	0.3	144	0.5	11.3	207	89.0
R230442		0.11	<0.1	154	4.2	2.8	93	5.7
R230443		0.05	0.3	1	<0.1	0.7	2	30.3
R230444		0.34	0.6	136	0.6	14.7	225	108.5
R230446		0.96	1.5	362	0.7	41.4	260	148.5
R230447		0.70	1.5	355	0.6	40.2	210	150.5
R230454		0.51	0.3	255	0.2	21.5	135	56.8
R230455		0.28	0.6	105	0.2	7.7	107	103.5
R230456		0.20	0.5	288	0.3	28.1	139	61.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15041302

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R230457		1.46	0.114	0.018	0.075	3.84	6.47	18.6	110	0.49	0.25	7.64	0.51	23.7	53.9	53
R230458		3.99	0.002	<0.005	0.001	0.25	7.02	9.8	210	0.47	0.20	6.80	0.15	26.0	52.5	62
R230459		2.26	0.002	<0.005	0.001	0.24	7.14	16.7	160	0.50	0.14	6.89	0.11	26.2	53.7	69
R230460		1.50	0.028	<0.005	0.002	1.44	7.00	12.7	130	0.47	0.13	6.22	0.29	28.1	50.7	73
R230461		3.14	0.002	<0.005	0.002	0.29	6.86	6.2	70	0.48	0.15	6.43	0.18	25.9	48.6	69
R230462		4.01	0.002	<0.005	0.001	0.26	7.00	15.2	100	0.50	0.21	6.92	0.22	25.4	52.0	69
R230463		1.34	0.012	<0.005	0.004	1.04	7.07	27.7	180	0.46	0.24	6.37	0.19	21.6	60.1	82
R230464		0.08	0.113	0.304	5.18	0.16	5.16	1.2	40	0.09	0.17	4.65	0.06	2.40	80.0	249
R230465		0.44	<0.001	<0.005	<0.001	0.02	0.51	0.2	10	0.08	0.04	0.03	<0.02	9.48	0.5	26
R230466		2.85	0.003	<0.005	0.002	0.26	6.91	13.0	190	0.47	0.30	6.70	0.12	22.2	52.9	81
R230467		3.58	0.070	0.150	0.422	3.36	6.90	62.1	130	0.44	0.92	6.69	0.52	25.0	78.2	72
R230468		2.34	0.002	<0.005	0.002	0.24	6.78	6.7	120	0.49	0.26	6.76	0.12	23.7	49.2	71
R230469		1.63	0.007	<0.005	0.005	1.17	6.64	6.0	130	0.44	0.21	6.30	0.35	23.3	46.3	67
R230470		3.43	0.003	<0.005	0.002	0.27	6.80	10.9	210	0.48	0.21	6.54	0.14	24.2	51.4	66
R230471		4.20	0.003	<0.005	0.001	0.24	6.97	11.4	190	0.54	0.19	6.73	0.19	24.7	52.1	66
R230472		2.15	0.065	<0.005	0.008	2.54	6.43	10.2	110	0.55	0.13	6.70	0.25	21.7	47.7	59
R230473		1.90	0.002	<0.005	0.001	0.11	7.17	1.3	410	0.75	0.14	4.93	0.11	25.4	38.4	68
R230474		2.39	0.005	0.008	0.005	0.63	6.90	5.8	780	0.95	0.12	3.06	0.20	71.1	19.8	102
R230475		1.26	0.017	0.033	0.031	0.69	7.11	36.0	670	0.76	0.23	2.44	0.19	64.0	61.2	64
R230476		2.02	0.007	0.015	0.012	0.44	7.06	20.0	1210	0.86	0.15	2.77	0.19	71.3	28.5	100
R230477		1.99	0.021	0.017	0.017	0.42	7.39	28.0	890	0.97	0.24	3.38	0.28	71.9	34.0	107
R230479		2.00	0.006	0.008	0.008	0.20	7.09	7.0	920	1.32	0.18	3.24	0.11	73.3	23.4	126
R230480		3.27	0.006	0.022	0.017	0.24	6.91	8.8	860	1.15	0.18	2.98	0.12	74.6	25.8	97
R230481		3.42	0.008	0.012	0.011	0.25	7.18	9.4	690	1.11	0.17	4.25	0.16	85.4	27.4	155
R230482		3.05	0.009	0.026	0.029	0.37	7.18	11.4	880	1.30	0.22	3.36	0.13	71.9	27.4	110
R230483		3.55	0.004	0.014	0.013	0.15	7.34	9.4	770	1.08	0.13	3.25	0.09	67.5	25.7	118
R230484		3.48	0.003	0.006	0.006	0.12	7.30	8.7	800	1.23	0.11	3.46	0.07	70.8	24.9	113
R230485		3.76	0.002	0.006	0.005	0.11	7.30	8.7	740	1.24	0.15	3.62	0.07	71.7	24.1	110
R230486		0.08	0.120	0.293	5.13	0.22	5.44	1.6	40	0.10	0.16	4.82	0.08	2.45	82.9	265
R230487		0.39	<0.001	<0.005	0.001	0.01	0.24	<0.2	20	0.05	0.04	0.03	<0.02	9.02	0.5	21
R230488		3.59	0.002	0.005	0.006	0.09	7.43	28.4	650	1.04	0.10	3.66	0.10	71.9	24.5	122
R230489		3.41	0.002	<0.005	0.005	0.07	7.15	32.3	600	0.99	0.05	3.81	0.06	69.0	17.5	97
R230490		2.82	0.003	<0.005	0.003	0.09	7.13	17.5	870	1.13	0.11	3.64	0.07	71.1	23.2	102
R230491		3.19	0.001	<0.005	0.001	0.03	7.01	0.8	1560	0.83	0.06	1.33	0.02	28.4	5.9	37
R230492		2.08	0.003	<0.005	<0.001	0.04	6.87	1.4	1120	0.87	0.10	1.21	<0.02	29.0	6.9	46
R230493		2.78	0.005	<0.005	0.001	0.02	6.88	0.9	1900	1.00	0.12	1.43	<0.02	30.4	6.1	41
R230494		0.08	0.128	0.297	5.06	0.19	5.34	0.6	40	0.12	0.17	4.78	0.06	2.46	82.9	254
R230495		0.28	<0.001	<0.005	0.001	0.01	0.18	0.2	10	<0.05	0.06	0.01	<0.02	6.78	0.5	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15041302

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R230457		0.36	3300	9.45	15.75	<0.05	1.7	0.092	0.34	10.5	9.6	3.30	1560	0.51	1.43	3.8
R230458		1.80	159.0	9.79	16.95	<0.05	1.8	0.081	0.75	11.4	11.3	3.60	1560	0.55	1.20	4.0
R230459		1.21	164.5	9.85	17.35	<0.05	1.7	0.080	0.50	11.3	9.9	3.69	1640	0.63	1.40	4.1
R230460		0.39	1190	9.63	16.90	<0.05	1.7	0.081	0.38	12.1	10.1	3.69	1560	0.54	1.64	4.0
R230461		0.31	203	9.68	16.70	<0.05	1.6	0.086	0.22	11.3	9.7	3.76	1560	0.57	1.69	3.9
R230462		0.36	174.5	9.69	17.10	<0.05	1.7	0.075	0.30	10.8	11.0	3.72	1640	0.44	1.65	4.1
R230463		1.01	934	9.35	15.65	<0.05	1.5	0.071	0.57	9.7	11.2	3.95	1560	0.48	1.74	3.6
R230464		0.86	441	7.84	8.86	<0.05	0.2	0.027	0.19	1.1	19.3	9.16	1360	0.55	0.54	0.2
R230465		<0.05	3.6	0.33	1.06	<0.05	0.8	<0.005	0.15	4.9	0.5	0.02	37	0.94	0.06	0.2
R230466		1.30	149.0	9.05	16.35	<0.05	1.5	0.075	0.54	10.3	9.8	3.78	1480	0.54	1.23	3.6
R230467		1.06	3020	9.77	16.50	<0.05	1.6	0.113	0.46	11.0	9.9	3.66	1500	0.52	1.30	3.9
R230468		0.82	198.5	9.50	16.40	<0.05	1.6	0.075	0.40	10.4	8.3	3.55	1500	0.63	1.34	3.8
R230469		0.71	1190	9.40	16.40	<0.05	1.6	0.097	0.43	10.2	10.2	3.55	1520	0.44	1.37	3.7
R230470		1.50	225	9.52	15.85	<0.05	1.7	0.068	0.71	10.6	10.1	3.60	1520	0.45	1.25	3.8
R230471		1.49	180.0	9.69	16.25	<0.05	1.7	0.068	0.64	10.6	9.5	3.65	1620	0.53	1.39	3.9
R230472		0.41	2710	9.14	18.50	<0.05	1.5	0.094	0.41	10.1	8.0	3.46	1600	0.48	2.03	3.1
R230473		1.62	87.7	9.91	17.55	0.16	1.8	0.050	1.54	10.0	20.2	4.05	1580	0.39	1.90	4.2
R230474		0.91	507	5.25	16.85	0.19	3.3	0.041	1.61	31.3	14.9	2.03	905	1.19	3.05	7.4
R230475		1.52	554	8.79	22.1	0.21	4.5	0.030	2.31	26.0	27.0	3.49	1240	0.72	1.76	10.2
R230476		0.93	316	4.91	17.05	0.20	3.4	0.045	2.02	31.9	13.2	1.91	826	1.24	3.36	7.6
R230477		1.06	318	5.29	18.05	0.21	3.3	0.051	1.85	32.3	14.5	1.95	897	2.88	3.24	7.4
R230479		1.11	159.0	5.11	18.05	0.24	3.6	0.043	1.99	32.6	15.3	1.98	917	1.74	2.53	7.7
R230480		1.05	188.5	4.94	17.20	0.20	3.3	0.042	1.95	33.0	15.0	1.86	834	1.38	2.54	7.3
R230481		0.79	223	5.92	20.5	0.20	3.4	0.060	1.54	39.7	17.3	2.47	1080	1.32	2.29	7.4
R230482		1.48	316	5.33	18.75	0.23	3.3	0.047	2.14	32.1	15.8	2.01	855	1.34	2.38	7.6
R230483		0.78	141.0	5.13	18.45	0.18	3.1	0.039	1.65	29.5	15.6	2.04	885	1.13	2.91	7.5
R230484		1.83	88.2	5.18	18.90	0.22	3.5	0.041	2.08	31.3	18.5	2.06	842	1.40	2.33	7.8
R230485		1.81	78.5	5.20	18.60	0.21	3.6	0.044	1.86	31.9	18.5	2.10	839	1.34	2.33	7.6
R230486		0.93	456	8.09	9.53	0.12	0.2	0.021	0.20	1.1	20.1	9.52	1400	0.55	0.57	0.2
R230487		<0.05	2.5	0.32	0.58	0.10	0.6	<0.005	0.07	4.2	0.5	0.03	35	1.01	0.05	0.1
R230488		1.19	69.6	5.23	18.30	0.20	3.5	0.046	1.69	32.8	20.8	2.21	865	1.23	2.46	7.3
R230489		0.55	50.8	5.28	17.90	0.18	3.7	0.021	1.22	32.0	20.5	2.22	995	1.03	2.73	7.0
R230490		2.32	67.4	5.28	18.50	0.25	3.3	0.040	2.30	31.3	22.5	2.10	823	1.07	2.17	6.7
R230491		0.59	12.3	1.70	18.15	0.24	2.7	0.013	2.68	13.6	8.6	0.78	245	1.52	3.28	2.8
R230492		0.60	19.4	1.67	17.45	0.23	2.8	0.015	1.74	14.6	7.3	0.75	233	3.14	3.96	2.9
R230493		0.62	7.1	1.76	18.00	0.22	2.7	0.011	2.63	14.3	8.4	0.79	246	1.31	2.85	2.9
R230494		0.94	448	7.95	9.30	0.14	0.2	0.022	0.20	1.1	20.3	9.35	1380	0.55	0.57	0.2
R230495		<0.05	1.8	0.28	0.46	0.13	0.5	<0.005	0.05	3.1	0.4	0.02	30	1.65	0.02	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15041302

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R230457		329	420	8.8	14.2	0.003	0.40	0.90	37.0	2	0.9	253	0.26	0.13	2.0	0.561
R230458		81.8	460	12.0	49.0	0.002	0.09	0.89	40.1	1	0.9	244	0.28	<0.05	2.1	0.605
R230459		85.1	450	11.0	30.3	<0.002	0.07	0.90	41.8	1	0.9	234	0.28	<0.05	2.1	0.616
R230460		150.5	450	8.7	15.9	0.002	0.19	1.10	40.1	1	0.9	220	0.26	0.06	2.2	0.581
R230461		94.0	430	8.2	10.1	<0.002	0.10	0.97	40.9	1	0.9	277	0.26	0.05	2.0	0.576
R230462		92.5	440	8.9	12.7	0.002	0.03	0.92	40.6	1	0.9	209	0.28	<0.05	2.0	0.592
R230463		161.0	400	9.4	29.6	0.002	0.15	1.09	41.2	1	0.8	221	0.25	0.06	1.8	0.553
R230464		709	20	4.1	8.4	<0.002	0.17	0.52	33.5	1	<0.2	79.2	<0.05	0.43	<0.2	0.099
R230465		3.5	20	2.2	5.1	<0.002	<0.01	0.07	0.6	<1	<0.2	4.7	<0.05	<0.05	1.3	0.009
R230466		90.7	390	14.8	33.9	<0.002	0.09	0.83	40.6	1	0.8	206	0.24	<0.05	1.9	0.527
R230467		380	430	11.1	28.9	0.003	0.46	1.13	40.0	2	1.2	216	0.27	0.39	2.0	0.565
R230468		82.6	430	9.3	19.2	0.003	0.04	1.14	37.7	<1	0.8	228	0.26	<0.05	1.8	0.585
R230469		143.5	430	7.3	21.0	<0.002	0.14	0.94	39.0	1	0.8	194.0	0.26	<0.05	1.8	0.572
R230470		83.8	430	9.3	37.0	0.002	0.10	1.04	38.3	<1	0.8	220	0.25	<0.05	1.9	0.584
R230471		82.5	440	8.4	35.8	0.002	0.09	1.12	39.8	1	0.8	273	0.26	<0.05	1.9	0.607
R230472		202	380	4.1	15.8	<0.002	0.33	1.02	35.3	2	0.7	647	0.21	0.09	1.5	0.537
R230473		84.7	500	5.5	63.0	0.002	0.01	0.70	43.1	1	0.9	260	0.26	<0.05	2.0	0.637
R230474		107.0	780	13.5	37.8	<0.002	0.09	0.59	14.2	1	1.3	281	0.45	<0.05	7.2	0.384
R230475		672	1810	7.9	72.3	0.005	0.47	0.68	27.9	3	2.1	172.5	0.64	0.10	6.8	1.130
R230476		178.5	770	13.5	38.8	0.002	0.17	0.47	13.7	1	1.3	253	0.43	<0.05	8.1	0.414
R230477		249	790	41.9	44.8	0.004	0.23	1.11	14.5	1	1.3	296	0.43	0.07	8.1	0.393
R230479		138.0	790	16.1	50.5	0.002	0.13	0.70	14.7	1	1.2	306	0.47	<0.05	8.3	0.404
R230480		160.5	790	13.3	45.8	0.002	0.18	0.71	13.6	1	1.3	341	0.43	0.06	9.0	0.394
R230481		193.5	770	9.9	46.4	0.002	0.17	0.59	16.7	<1	1.5	467	0.45	0.05	8.7	0.390
R230482		192.5	820	10.8	55.9	<0.002	0.22	0.59	15.1	1	1.4	343	0.47	0.06	7.4	0.400
R230483		151.5	830	12.2	33.1	<0.002	0.19	0.59	13.4	1	1.2	395	0.42	<0.05	7.6	0.409
R230484		93.9	780	12.1	54.6	0.002	0.11	0.58	14.4	1	1.2	429	0.47	<0.05	7.6	0.416
R230485		85.9	810	12.3	54.5	<0.002	0.11	0.51	14.8	1	1.2	429	0.48	0.06	7.5	0.418
R230486		738	20	5.0	7.9	0.002	0.18	0.37	39.0	1	<0.2	82.0	<0.05	0.46	<0.2	0.101
R230487		3.0	20	0.8	1.8	<0.002	<0.01	0.13	0.3	<1	<0.2	3.2	<0.05	<0.05	1.1	0.006
R230488		79.3	790	12.1	52.0	<0.002	0.08	0.54	15.8	1	1.2	415	0.43	<0.05	7.3	0.418
R230489		92.2	900	6.7	26.9	<0.002	0.03	0.30	14.9	1	1.1	266	0.47	<0.05	6.8	0.429
R230490		59.7	890	7.2	81.5	<0.002	0.05	0.40	15.8	1	1.1	400	0.40	<0.05	6.3	0.428
R230491		17.4	380	5.8	57.2	<0.002	<0.01	0.28	3.6	<1	0.6	328	0.24	<0.05	4.3	0.164
R230492		17.3	380	4.8	45.6	<0.002	0.01	0.27	3.5	<1	0.6	360	0.23	<0.05	4.4	0.165
R230493		18.3	370	5.0	67.2	<0.002	0.01	0.35	3.7	<1	0.6	379	0.23	<0.05	4.1	0.161
R230494		720	20	3.9	7.9	<0.002	0.18	0.51	38.4	2	<0.2	82.8	<0.05	0.41	<0.2	0.099
R230495		3.0	10	0.8	1.4	<0.002	<0.01	0.08	0.2	<1	<0.2	3.0	<0.05	<0.05	0.8	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15041302

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R230457		0.11	0.5	276	0.2	25.9	140	56.5
R230458		0.30	0.5	296	0.2	27.7	113	55.0
R230459		0.21	0.5	304	0.3	27.9	113	54.7
R230460		0.09	0.6	288	0.3	26.4	124	53.5
R230461		0.07	0.5	287	0.3	26.9	125	48.0
R230462		0.08	0.5	291	0.3	27.2	117	56.2
R230463		0.16	0.4	280	0.3	23.9	111	47.3
R230464		0.09	<0.1	146	1.0	2.6	88	5.1
R230465		0.14	0.3	3	0.1	0.9	<2	28.5
R230466		0.22	0.4	274	0.2	23.6	98	44.6
R230467		0.23	0.5	284	0.2	27.2	122	51.5
R230468		0.16	0.4	291	0.2	25.5	105	49.4
R230469		0.13	0.4	285	0.2	25.8	121	51.9
R230470		0.24	0.5	290	0.2	25.8	106	55.7
R230471		0.23	0.4	299	0.2	26.5	125	54.3
R230472		0.11	0.4	275	0.5	25.1	123	45.7
R230473		0.40	0.4	310	0.5	23.4	132	59.5
R230474		0.31	1.5	124	0.4	16.3	85	142.5
R230475		0.48	1.7	254	2.4	37.5	138	193.0
R230476		0.30	1.3	120	0.5	14.2	76	144.5
R230477		0.31	1.3	125	0.4	14.7	112	140.5
R230479		0.32	1.5	122	0.4	15.7	86	151.0
R230480		0.32	1.3	119	0.4	14.3	84	142.5
R230481		0.28	1.6	130	0.4	18.3	101	137.5
R230482		0.40	1.4	126	0.4	15.7	85	144.0
R230483		0.26	1.1	122	0.4	12.2	79	128.5
R230484		0.43	1.4	129	0.4	14.9	83	148.0
R230485		0.38	1.4	128	0.4	15.7	83	148.5
R230486		0.10	<0.1	148	0.8	2.6	90	6.2
R230487		0.04	0.2	2	<0.1	0.7	<2	20.4
R230488		0.34	1.3	130	0.4	15.7	88	138.5
R230489		0.18	1.4	128	0.6	15.5	76	154.5
R230490		0.58	1.0	134	0.4	15.3	80	144.5
R230491		0.26	1.1	37	0.4	3.6	34	110.5
R230492		0.21	1.1	30	0.4	3.4	29	111.0
R230493		0.30	1.0	31	0.5	3.6	30	108.5
R230494		0.09	<0.1	146	1.2	2.6	90	5.8
R230495		0.04	0.2	1	<0.1	0.4	<2	16.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15041302

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23