ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-MAY-2016
Account: RLH

CERTIFICATE SD16059542

Project: 686

P.O. No.: 385585

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 19-APR-2016.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
VAC-01	Vacuum Sample - 2.5kg reject protocol
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Ni-OG62	Ore Grade Ni - Four Acid	VARIABLE
ME-ICP61	33 element four acid ICP-AES	ICP-AES
S-IR08	Total Sulphur (Leco)	LECO

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Sample #S035478 was blended with cleaning rock. Client has replaced the sample with a new one.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-MAY-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16059542

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1
S035474		3.16	0.032	0.086	0.305			1.7	7.24	130	1220	1.2	3	2.54	0.6	64
S035475		1.13	0.901	0.528	1.730	1.530		18.5	6.22	439	390	0.9	4	1.29	4.6	377
S035476		1.46	0.086	0.251	0.276			3.6	6.24	21	520	0.6	6	3.65	0.9	135
S035477		0.89	0.132	0.472	0.716		1.540	13.7	5.43	9	350	0.7	2	0.52	1.7	309
S035478		0.35	7.72	0.141	0.389	1.500		9.5	6.29	16	530	0.9	3	0.47	2.1	33
S035479		0.73	0.087	1.140	1.895	1.135	3.29	24.9	4.23	90	190	0.6	8	0.71	1.3	795
S035480		0.74	0.283	0.160	0.118			8.9	7.92	25	810	1.2	<2	2.39	1.0	227
S035481		3.02	0.475	2.62	1.225			11.2	7.03	26	750	1.1	20	2.95	1.4	72
S035482		3.25	0.318	1.310	0.616			5.1	6.91	21	700	1.1	9	2.98	0.9	60
S035483		3.24	0.147	0.455	0.296			2.6	7.52	33	640	1.0	10	3.50	3.5	68
S035484		3.24	0.149	0.772	0.386			4.1	7.78	8	750	1.4	12	3.73	2.2	47
S035485		2.94	0.034	0.043	0.063			1.6	7.60	42	720	1.1	4	3.13	1.4	54
S035486		3.30	0.030	0.046	0.085			0.5	7.58	14	740	1.1	5	3.04	0.6	40
S035487		1.36	0.158	4.15	5.84		5.25	5.8	1.38	12	130	<0.5	12	0.37	<0.5	1265
S035488		1.78	1.140	1.520	2.15	2.66	1.625	11.4	4.94	6	160	0.7	9	0.83	4.8	447
S035489		0.84	0.177	1.980	2.70		3.78	8.2	2.71	<5	180	<0.5	9	0.42	<0.5	908
S035490		2.32	0.008	0.072	0.067			<0.5	6.53	8	260	<0.5	2	5.71	0.5	52
S035491		2.19	0.001	<0.005	0.002			<0.5	7.51	<5	660	1.3	2	3.00	<0.5	17
S035492		0.08	0.171	0.301	0.365			2.0	6.97	93	230	0.8	11	5.46	1.0	206
S035493		0.79	<0.001	<0.005	0.001			<0.5	0.33	<5	20	<0.5	<2	0.02	<0.5	2
S035494		2.53	0.048	0.095	0.110			1.6	6.86	6	830	1.0	4	2.69	0.7	23
S035495		0.69	0.967	4.79	3.81	3.00		25.4	6.78	48	570	0.8	25	1.34	4.8	83
S035496		2.37	0.703	3.36	2.03			18.0	7.06	20	820	0.9	36	1.73	3.4	46
S035497		2.85	0.354	2.15	0.774			7.9	7.01	14	560	1.1	23	1.79	1.5	32
S035498		1.63	0.361	1.645	1.530	2.35		21.7	5.74	<5	290	0.7	6	0.68	1.4	154
S035499		2.70	0.187	0.736	0.725			7.4	7.20	17	720	0.8	6	1.24	1.2	198
S035500		0.76	0.043	0.126	0.223			1.2	7.21	<5	590	1.1	4	3.10	<0.5	108
S035601		2.10	0.017	0.040	0.060			<0.5	7.27	6	570	1.0	<2	4.28	<0.5	40
S035602		2.18	0.022	0.055	0.072			0.5	7.31	14	600	1.0	3	2.94	0.6	42
S035603		0.71	0.121	0.940	0.898		1.085	9.4	6.30	<5	270	0.7	3	1.66	0.9	204
S035604		2.54	0.004	0.010	0.015			<0.5	6.89	<5	830	1.1	4	2.88	<0.5	25
S035605		1.77	0.022	0.070	0.086			0.8	7.27	6	720	0.9	2	3.09	0.9	42
S035606		1.68	2.12	1.360	2.73	1.890	2.02	19.4	4.63	344	300	0.6	9	1.37	2.8	684
S035607		2.38	0.021	0.060	0.067			0.5	7.15	10	1090	0.8	<2	1.88	<0.5	16
S035608		0.08	0.173	0.311	0.370			1.7	6.52	85	210	0.7	14	5.12	0.8	193
S035609		0.80	<0.001	<0.005	0.001			<0.5	0.44	<5	10	<0.5	<2	0.02	<0.5	1

Comments: Sample #S035478 was blended with cleaning rock. Client has replaced the sample with a new one.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-MAY-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16059542

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5
S035474		106	802	5.13	20	2.14	30	2.10	703	1	2.74	682	770	10	0.57	<5
S035475		114	>10000	12.25	20	0.76	30	1.82	1215	2	2.30	4520	570	17	4.43	<5
S035476		106	3560	13.20	20	2.10	20	2.77	1420	<1	0.86	2570	570	10	1.92	<5
S035477		171	8020	15.60	10	0.89	30	1.78	913	1	1.43	>10000	650	26	6.81	<5
S035478		116	>10000	9.47	10	1.16	30	1.91	897	2	1.88	545	620	6	1.37	<5
S035479		138	>10000	23.4	10	0.72	20	1.19	595	1	0.85	>10000	350	53	>10.0	<5
S035480		132	7200	9.65	20	2.04	30	2.14	891	1	2.25	2630	840	24	2.48	<5
S035481		109	2570	6.42	20	1.84	30	1.90	818	1	2.13	2280	700	211	1.55	<5
S035482		129	1565	5.49	20	1.77	30	1.93	793	1	2.03	971	690	174	0.84	<5
S035483		116	948	5.60	20	1.47	30	1.94	841	1	2.79	867	750	90	0.67	<5
S035484		287	989	6.65	20	2.27	40	3.36	1140	1	2.03	592	790	158	0.41	<5
S035485		126	703	5.54	20	1.80	30	2.06	826	1	2.45	685	710	66	0.61	<5
S035486		130	1315	5.80	20	1.88	30	2.03	753	1	2.31	440	750	19	0.46	<5
S035487		19	1105	44.2	<10	0.32	10	0.27	263	1	0.39	>10000	130	59	>10.0	<5
S035488		85	>10000	22.8	10	1.60	20	1.32	527	1	1.43	>10000	450	61	9.23	<5
S035489		40	1850	34.8	<10	0.71	10	0.71	299	2	0.78	>10000	230	43	>10.0	<5
S035490		130	220	8.35	20	0.49	10	3.50	1325	<1	1.10	460	350	24	0.32	<5
S035491		64	40	3.71	20	1.46	20	1.27	567	1	3.35	44	700	17	0.12	<5
S035492		249	3640	11.45	20	0.69	20	4.57	1245	8	1.33	3180	1170	10	1.75	<5
S035493		78	6	0.41	<10	0.09	<10	0.01	44	4	0.03	11	20	<2	0.01	<5
S035494		91	1330	4.36	20	1.90	30	1.48	615	1	2.35	298	590	46	0.29	<5
S035495		115	>10000	8.42	20	1.91	60	1.42	514	1	2.15	4190	450	129	4.49	<5
S035496		119	6300	5.97	20	1.70	50	1.46	579	1	2.42	1330	460	701	1.30	<5
S035497		114	1955	5.54	20	1.79	40	1.53	668	1	2.25	533	570	568	0.51	<5
S035498		82	>10000	14.45	10	1.50	40	1.30	741	1	1.31	9230	440	71	7.62	<5
S035499		142	4980	7.93	20	1.98	40	1.59	572	1	2.28	3390	310	61	3.00	<5
S035500		119	1155	6.67	20	1.54	30	1.88	678	1	2.38	2100	710	22	1.74	<5
S035601		133	359	5.61	20	1.80	20	2.22	857	1	2.06	411	630	17	0.36	<5
S035602		102	565	6.39	20	2.05	40	1.61	703	1	2.34	495	850	19	0.48	5
S035603		85	8360	12.85	20	1.54	50	1.23	430	2	1.89	>10000	390	110	8.03	<5
S035604		97	172	4.28	20	1.96	30	1.65	658	1	2.35	162	620	23	0.17	<5
S035605		341	644	6.03	20	2.42	50	3.43	757	1	2.05	633	600	23	0.50	<5
S035606		177	>10000	21.7	10	1.46	20	1.44	435	1	1.41	>10000	550	21	>10.0	<5
S035607		52	656	2.40	20	2.24	110	0.89	303	1	2.58	304	800	15	0.25	<5
S035608		239	3420	10.75	10	0.65	20	4.27	1170	8	1.25	3000	1090	9	1.64	<5
S035609		57	14	0.39	<10	0.13	<10	0.01	41	3	0.05	14	20	<2	0.01	<5

Comments: Sample #S035478 was blended with cleaning rock. Client has replaced the sample with a new one.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-MAY-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16059542

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	S-IR08 S % 0.01
S035474		13	350	<20	0.36	<10	<10	111	<10	98	
S035475		11	216	<20	0.30	<10	<10	104	<10	495	
S035476		29	288	<20	0.47	<10	<10	249	<10	146	
S035477		13	156	<20	0.30	10	<10	120	<10	202	
S035478		13	192	<20	0.33	<10	<10	109	<10	246	
S035479		8	180	<20	0.22	<10	<10	134	<10	135	15.90
S035480		16	433	<20	0.43	<10	<10	142	<10	141	
S035481		14	409	<20	0.38	<10	<10	119	<10	141	
S035482		14	385	<20	0.36	<10	<10	113	<10	123	
S035483		15	358	<20	0.39	<10	<10	120	<10	442	
S035484		20	364	<20	0.42	<10	<10	146	<10	337	
S035485		15	417	<20	0.39	<10	<10	123	<10	184	
S035486		14	447	<20	0.40	<10	<10	122	<10	92	
S035487		2	84	<20	0.07	<10	10	96	<10	19	30.3
S035488		8	205	<20	0.25	<10	<10	121	<10	389	
S035489		4	91	<20	0.16	<10	<10	167	<10	46	22.6
S035490		30	264	<20	0.47	<10	<10	228	<10	91	
S035491		11	587	<20	0.33	<10	<10	93	<10	65	
S035492		29	360	<20	0.44	<10	<10	284	<10	107	
S035493		<1	5	<20	0.01	<10	<10	2	<10	<2	
S035494		13	474	<20	0.38	<10	<10	117	<10	78	
S035495		11	316	20	0.30	<10	<10	87	<10	188	
S035496		11	352	20	0.31	<10	<10	89	<10	150	
S035497		13	371	20	0.36	<10	<10	98	<10	98	
S035498		10	217	<20	0.29	<10	<10	88	<10	108	
S035499		12	356	<20	0.33	<10	<10	100	<10	104	
S035500		14	502	<20	0.37	<10	<10	115	<10	84	
S035601		21	499	<20	0.39	<10	<10	150	<10	83	
S035602		17	456	<20	0.52	<10	<10	115	<10	88	
S035603		10	371	20	0.29	<10	<10	91	<10	98	
S035604		12	436	<20	0.33	<10	<10	103	<10	70	
S035605		24	335	20	0.36	<10	<10	112	<10	134	
S035606		10	236	<20	0.23	<10	<10	91	<10	255	14.70
S035607		6	287	50	0.21	<10	<10	44	<10	51	
S035608		28	335	<20	0.41	<10	<10	268	<10	99	
S035609		<1	5	<20	0.01	<10	<10	2	<10	<2	

Comments: Sample #S035478 was blended with cleaning rock. Client has replaced the sample with a new one.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-MAY-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16059542

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-31	PUL-QC	SPL-21	VAC-01
	WEI-21	WSH-21	WSH-22	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Cu-OG62	ME-ICP61	ME-OG62	Ni-OG62
	PGM-ICP23	S-IR08		