ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-MAR-2015
Account: RLH

CERTIFICATE SD15029077

Project: 686

P.O. No.: 967218

This report is for 49 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 27-FEB-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15029077

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R228161		3.17	0.002	<0.005	0.002	0.07	7.45	11.3	770	1.41	0.09	3.59	0.08	71.7	25.5	127
R228162		2.65	<0.001	<0.005	0.001	0.05	7.10	13.4	860	1.19	0.08	3.25	0.06	65.7	22.1	113
R228163		2.83	<0.001	<0.005	0.002	0.06	7.08	21.9	760	1.14	0.08	3.35	0.06	71.2	21.9	111
R228164		2.70	0.019	0.007	0.006	0.10	7.25	41.8	710	1.11	0.10	3.20	0.09	68.7	27.8	119
R228165		2.94	0.001	<0.005	0.005	0.09	7.15	34.5	730	1.15	0.08	3.52	0.21	69.6	24.9	118
R228166		2.00	0.002	<0.005	0.003	0.11	7.50	28.2	840	1.32	0.10	3.50	0.21	72.2	26.9	110
R228167		2.24	0.001	0.005	0.006	0.10	7.36	30.1	820	1.39	0.10	3.14	0.29	69.8	27.3	111
R228168		3.86	0.001	0.006	0.006	0.11	7.27	21.0	690	1.28	0.10	3.45	0.09	70.4	24.4	107
R228169		2.92	0.001	<0.005	0.005	0.07	7.26	9.0	1200	1.05	0.05	2.49	0.09	50.0	13.1	57
R228170		2.44	0.001	<0.005	0.001	0.05	7.45	4.2	1610	0.98	0.05	2.09	0.18	140.0	9.1	45
R228171		3.23	<0.001	<0.005	<0.001	0.02	7.35	1.5	1590	0.87	0.03	1.80	0.03	144.0	5.3	34
R228172		3.20	0.001	<0.005	0.003	0.06	7.68	6.4	500	1.20	0.07	3.73	0.06	70.8	24.3	85
R228173		2.95	<0.001	<0.005	0.002	0.07	7.37	3.3	810	1.17	0.08	2.23	0.06	116.0	21.5	161
R228174		2.91	<0.001	<0.005	<0.001	0.03	7.37	2.3	1350	1.14	0.03	1.62	0.09	125.0	4.9	31
R228175		3.01	<0.001	<0.005	0.001	0.01	7.40	0.4	1440	0.93	0.02	1.44	0.03	73.0	2.3	25
R228176		3.03	<0.001	<0.005	<0.001	0.01	7.37	1.7	1610	0.84	0.02	1.35	0.02	57.3	2.3	22
R228177		3.60	<0.001	<0.005	0.003	0.03	7.36	2.7	1170	0.90	0.04	2.27	0.03	54.3	7.4	23
R228178		2.35	<0.001	<0.005	<0.001	0.02	7.64	0.4	1400	0.93	0.04	1.42	0.03	55.5	2.4	26
R228179		2.59	<0.001	<0.005	<0.001	0.02	7.43	0.4	1350	0.98	0.04	1.40	0.05	51.2	1.9	18
R228180		2.11	<0.001	<0.005	<0.001	0.05	7.58	5.8	1080	0.98	0.12	1.53	0.06	56.0	6.0	31
R228181		0.03	0.130	0.323	5.30	0.18	5.60	1.1	40	0.11	0.14	4.88	0.06	2.37	82.0	260
R228182		0.18	<0.001	<0.005	0.002	0.01	0.35	0.3	10	0.07	0.05	0.01	<0.02	9.11	0.3	49
R228186		3.77	0.001	<0.005	0.001	0.24	7.32	0.8	230	0.55	0.41	6.94	0.13	27.8	53.4	57
R228187		3.65	0.001	<0.005	0.001	0.13	7.37	1.4	210	0.56	0.06	7.03	0.11	27.4	53.0	63
R228188		1.08	0.001	<0.005	0.001	0.22	7.05	38.8	190	0.52	0.16	7.19	0.12	26.9	51.9	51
R228189		3.83	0.001	<0.005	0.002	0.18	7.54	0.6	280	0.65	0.13	6.93	0.11	32.7	48.0	108
R228190		3.46	0.007	0.007	0.010	0.45	7.20	21.5	290	0.64	0.43	6.21	0.32	37.2	43.6	100
R228196		3.50	0.087	0.194	0.122	2.20	7.54	21.5	1160	0.98	1.53	2.62	1.12	122.0	16.1	41
R228197		3.20	0.018	0.093	0.060	0.84	7.84	19.9	750	1.05	0.56	3.34	0.64	196.5	21.2	19
R228198		2.77	0.005	<0.005	0.008	0.28	7.54	4.2	300	0.80	0.19	5.42	0.14	46.6	44.1	48
R228199		2.93	0.003	0.010	0.009	0.31	6.99	3.0	740	1.02	0.19	3.67	0.14	64.1	25.2	59
R228200		3.20	0.057	0.127	0.096	1.16	6.48	60.5	1030	0.98	0.86	1.80	0.76	58.9	12.5	45
R228201		3.50	0.004	0.006	0.006	0.30	7.16	9.0	360	0.69	0.34	6.17	0.11	36.0	42.1	107
R228202		3.38	0.011	0.016	0.018	0.37	7.39	2.7	690	1.13	0.24	3.34	0.15	79.3	29.4	111
R228203		0.03	0.110	0.321	5.31	0.20	5.70	1.1	40	0.09	0.17	4.97	0.06	2.44	81.0	277
R228204		0.24	<0.001	<0.005	0.001	0.01	0.23	<0.2	10	<0.05	0.06	0.01	<0.02	10.90	0.3	41
R228208		3.45	0.004	0.012	0.009	0.22	7.83	5.8	640	1.06	0.27	4.00	0.13	66.6	33.7	124
R228209		3.21	0.011	0.028	0.030	0.49	8.78	5.9	820	1.14	0.24	3.01	0.21	72.9	34.9	141
R228210		3.35	0.034	0.187	0.128	1.59	7.91	8.2	640	1.05	0.80	3.48	0.58	76.3	133.0	119
R228211		3.44	0.009	0.021	0.020	0.59	6.84	16.2	910	1.01	0.89	4.90	0.19	68.2	44.7	414

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15029077

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R228161		1.42	53.4	5.29	18.80	0.18	3.6	0.049	2.01	33.7	20.1	2.23	898	1.50	2.37	7.6
R228162		1.35	46.8	4.93	16.95	0.17	3.8	0.052	2.20	31.3	19.3	2.05	802	1.12	2.33	7.1
R228163		1.82	55.6	4.55	17.55	0.17	3.5	0.046	2.10	34.6	19.1	1.97	783	1.12	2.22	6.8
R228164		1.94	90.0	5.24	18.55	0.17	3.2	0.062	2.20	32.6	22.6	2.20	845	1.07	2.24	7.2
R228165		2.25	66.6	5.06	17.60	0.18	3.4	0.051	2.38	33.9	21.3	2.17	860	1.20	2.16	7.2
R228166		2.16	90.5	5.18	18.45	0.22	3.6	0.053	2.39	34.9	19.9	2.18	850	1.27	2.33	7.3
R228167		1.35	82.5	5.37	18.60	0.21	3.7	0.065	2.02	31.7	21.6	2.17	839	1.33	2.51	7.5
R228168		1.73	89.4	4.96	18.65	0.24	3.5	0.056	1.95	33.0	18.8	2.02	798	1.24	2.46	7.2
R228169		1.31	60.2	2.99	16.55	0.26	2.3	0.042	2.39	26.5	12.3	1.07	453	1.30	2.70	4.0
R228170		0.88	30.2	2.43	17.75	0.31	2.9	0.035	3.38	69.8	10.7	0.81	336	0.93	2.62	5.1
R228171		0.44	12.2	1.66	20.2	0.34	2.8	0.039	3.56	78.8	8.0	0.46	210	1.03	2.79	3.4
R228172		1.13	51.8	5.21	20.4	0.21	3.2	0.062	1.57	34.5	23.1	1.96	709	0.79	2.85	6.4
R228173		1.70	56.3	4.29	20.0	0.29	3.5	0.057	2.23	58.3	23.3	1.84	495	0.64	2.69	6.9
R228174		0.40	10.3	1.46	18.05	0.31	2.7	0.021	2.67	66.6	10.3	0.48	182	0.85	3.15	2.4
R228175		0.28	3.7	1.08	17.20	0.25	2.0	0.019	2.87	38.0	6.3	0.29	128	1.11	3.29	1.7
R228176		0.24	3.6	1.01	17.10	0.26	1.8	0.020	2.66	29.6	5.8	0.27	139	0.95	3.48	1.6
R228177		0.34	32.0	2.25	17.80	0.32	2.1	0.028	2.02	27.1	11.6	0.59	326	0.97	3.39	2.1
R228178		0.30	7.8	1.25	18.35	0.34	1.9	0.025	2.40	28.5	5.5	0.30	158	1.11	3.85	1.9
R228179		0.24	12.4	1.09	17.10	0.28	1.8	0.017	2.12	26.0	6.5	0.24	164	0.77	3.68	1.7
R228180		0.26	45.1	2.14	17.60	0.30	2.1	0.024	1.89	28.8	10.9	0.59	291	0.76	3.51	2.6
R228181		1.00	489	8.41	9.27	0.13	0.2	0.036	0.20	1.1	22.7	9.72	1440	0.81	0.58	0.2
R228182		<0.05	2.1	0.29	0.87	0.08	1.5	0.012	0.12	4.6	0.3	0.02	30	2.09	0.03	0.2
R228186		1.05	158.0	10.70	17.90	0.14	2.4	0.091	0.69	12.2	8.3	3.58	1620	0.73	1.77	4.7
R228187		0.94	148.5	10.45	18.00	0.11	2.2	0.094	0.58	12.0	7.9	3.64	1560	0.78	1.76	4.5
R228188		0.36	143.0	10.00	17.75	0.08	2.2	0.091	0.58	11.6	14.1	3.58	1550	1.22	1.66	4.6
R228189		1.63	134.5	9.23	16.90	0.09	2.3	0.086	0.95	15.5	11.0	3.82	1460	0.75	1.50	4.6
R228190		1.54	279	8.46	16.45	0.09	2.5	0.074	1.01	18.3	14.0	3.68	1440	0.56	1.70	4.6
R228196		1.27	1855	3.75	18.75	0.27	2.5	0.105	2.41	61.1	14.3	1.12	440	0.77	2.89	5.9
R228197		1.41	506	4.80	20.8	0.35	2.4	0.070	1.70	95.0	13.8	1.47	664	0.58	3.12	7.5
R228198		2.39	192.5	8.87	19.60	0.16	3.0	0.090	1.28	23.0	13.7	2.72	1270	1.04	1.91	6.5
R228199		1.77	157.0	5.77	18.00	0.18	3.5	0.062	1.92	33.2	14.3	1.54	788	1.04	2.17	6.1
R228200		0.72	921	2.09	14.05	0.26	4.6	0.059	1.95	30.9	9.3	0.69	288	9.29	2.93	3.3
R228201		2.83	183.0	8.98	17.20	0.13	2.3	0.077	1.37	17.2	17.9	3.19	1340	0.66	1.07	5.4
R228202		2.13	295	5.38	18.90	0.21	3.5	0.059	1.97	38.7	19.0	1.95	759	1.03	2.63	8.0
R228203		0.95	493	8.58	8.99	<0.05	0.2	0.032	0.20	1.1	20.3	9.83	1500	0.55	0.60	0.2
R228204		<0.05	3.2	0.29	0.60	<0.05	1.4	0.009	0.08	5.5	<0.2	0.01	31	1.83	0.02	0.1
R228208		3.47	178.0	6.66	20.2	0.13	3.2	0.060	2.16	30.6	24.2	2.63	939	0.99	2.25	8.1
R228209		2.39	522	6.23	19.75	0.14	3.1	0.048	2.14	33.9	21.1	2.37	847	1.20	3.32	9.3
R228210		1.42	1555	8.95	17.30	0.14	3.2	0.088	1.49	36.4	13.6	2.09	816	1.26	3.11	7.1
R228211		1.83	289	6.81	15.45	0.12	2.9	0.044	1.89	31.7	18.9	5.31	1190	1.06	2.16	5.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15029077

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R228161		58.6	820	12.8	58.2	0.003	0.07	0.60	16.4	1	1.4	459	0.51	<0.05	8.1	0.426
R228162		51.8	800	9.7	59.2	0.002	0.08	0.31	14.6	1	1.3	375	0.49	<0.05	7.9	0.412
R228163		64.6	750	8.6	73.6	0.003	0.09	0.29	14.7	1	1.2	395	0.44	<0.05	8.2	0.383
R228164		108.0	850	12.5	70.6	0.003	0.20	0.38	16.0	1	1.2	403	0.44	0.05	8.6	0.401
R228165		76.6	860	23.5	79.5	0.002	0.10	0.50	15.9	1	1.3	417	0.45	<0.05	7.5	0.419
R228166		74.2	900	15.2	79.8	0.002	0.16	0.56	16.3	1	1.3	450	0.49	<0.05	8.0	0.425
R228167		105.0	880	17.7	56.1	0.003	0.15	0.51	15.8	1	1.3	429	0.51	<0.05	7.4	0.434
R228168		112.5	810	13.0	65.1	0.003	0.16	0.49	15.0	<1	1.3	483	0.47	0.06	8.1	0.403
R228169		49.6	400	14.3	65.7	0.003	0.09	0.29	9.2	1	0.9	506	0.23	0.06	6.8	0.242
R228170		20.2	550	26.5	71.9	0.002	0.08	0.31	7.0	1	0.8	456	0.20	<0.05	34.2	0.282
R228171		11.6	260	12.1	61.7	0.003	0.03	0.25	4.0	<1	0.8	491	0.12	<0.05	25.6	0.189
R228172		47.1	840	13.9	51.2	0.005	0.12	0.36	19.2	1	1.2	671	0.33	<0.05	7.9	0.468
R228173		79.1	410	13.1	95.1	<0.002	0.24	0.28	13.7	1	1.1	526	0.25	0.07	21.0	0.406
R228174		13.1	210	15.1	62.0	0.003	0.04	0.25	3.1	<1	0.6	622	0.07	<0.05	18.4	0.162
R228175		3.3	270	11.8	57.6	<0.002	0.01	0.25	1.9	<1	0.5	777	<0.05	<0.05	11.2	0.129
R228176		3.5	240	10.7	50.4	0.004	0.01	0.19	1.6	<1	0.4	759	<0.05	<0.05	7.0	0.132
R228177		6.9	300	12.3	41.0	0.002	0.03	0.24	6.4	<1	0.6	791	0.08	<0.05	6.5	0.205
R228178		3.3	330	12.8	45.7	0.003	0.01	0.16	1.9	<1	0.5	741	0.05	<0.05	5.9	0.160
R228179		3.1	230	11.3	46.3	0.003	0.01	0.15	1.5	<1	0.5	675	0.05	<0.05	6.6	0.124
R228180		21.1	290	10.6	42.4	0.003	0.01	0.23	5.4	<1	0.7	580	0.11	<0.05	6.4	0.188
R228181		766	20	4.0	8.4	0.002	0.19	0.60	39.6	1	0.2	82.6	<0.05	0.53	<0.2	0.107
R228182		1.9	10	0.7	3.5	<0.002	<0.01	0.07	0.3	<1	0.2	4.6	<0.05	<0.05	1.5	0.007
R228186		81.2	510	17.8	25.5	0.006	0.13	0.27	41.2	1	1.1	184.5	0.32	<0.05	2.1	0.673
R228187		83.2	500	9.3	21.3	0.005	0.14	0.23	41.7	2	1.0	164.5	0.32	0.05	2.0	0.659
R228188		86.1	490	15.0	21.8	0.008	0.17	0.43	41.4	2	1.1	210	0.32	<0.05	2.0	0.667
R228189		96.8	500	9.9	47.2	0.003	0.13	0.29	38.6	2	1.1	243	0.30	0.05	3.1	0.603
R228190		129.5	490	12.9	46.1	0.005	0.10	0.37	36.4	2	1.3	270	0.29	0.06	4.1	0.527
R228196		248	560	57.7	69.2	0.003	0.36	0.30	11.0	2	1.6	496	0.26	0.79	23.6	0.309
R228197		122.0	620	37.3	55.6	0.004	0.14	0.33	16.3	1	1.4	460	0.29	0.21	40.9	0.448
R228198		73.4	630	16.2	70.2	0.004	0.14	0.54	35.3	1	1.3	357	0.44	0.09	5.3	0.621
R228199		85.9	650	17.5	71.0	0.003	0.19	0.36	19.3	1	1.1	508	0.36	0.13	9.2	0.504
R228200		206	370	33.3	52.2	0.005	0.23	0.24	5.6	1	1.1	286	0.18	0.44	6.9	0.155
R228201		97.9	560	13.8	71.3	0.005	0.12	0.62	35.6	2	1.2	465	0.35	0.05	3.5	0.611
R228202		251	810	14.2	72.2	0.003	0.28	0.34	15.5	1	1.3	431	0.42	0.10	10.2	0.476
R228203		761	30	4.4	8.2	0.003	0.20	0.86	38.3	1	0.2	80.8	<0.05	0.43	<0.2	0.110
R228204		2.1	20	1.0	2.6	0.002	<0.01	0.10	0.2	<1	0.2	4.0	<0.05	<0.05	1.4	0.005
R228208		179.0	890	13.9	94.6	0.003	0.21	0.52	21.2	1	1.4	443	0.46	<0.05	7.3	0.528
R228209		530	1150	11.4	76.5	0.002	0.45	0.67	14.0	1	1.4	388	0.47	0.08	8.6	0.523
R228210		2970	830	12.8	49.0	0.008	2.11	0.57	14.2	5	1.6	426	0.39	0.37	9.9	0.422
R228211		372	750	58.5	66.0	<0.002	0.24	0.48	24.1	1	1.2	305	0.31	0.06	7.9	0.435

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15029077

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R228161		0.38	1.6	132	0.7	18.5	88	151.0
R228162		0.37	1.6	126	0.5	16.7	76	150.5
R228163		0.43	1.4	118	0.5	16.0	71	148.5
R228164		0.53	1.6	125	0.4	16.1	90	131.5
R228165		0.49	1.4	130	0.4	16.9	102	146.5
R228166		0.52	1.7	130	0.7	18.1	91	149.5
R228167		0.41	1.5	132	0.5	17.8	98	153.0
R228168		0.46	1.4	124	0.4	16.8	85	150.5
R228169		0.30	0.7	77	0.3	8.3	54	91.4
R228170		0.32	0.5	63	0.3	7.4	75	113.0
R228171		0.26	0.9	45	0.3	4.9	27	110.5
R228172		0.33	0.5	147	0.2	14.9	91	127.0
R228173		0.54	0.7	115	0.1	7.1	96	136.0
R228174		0.21	0.4	31	0.1	2.6	37	113.0
R228175		0.20	0.4	18	0.1	2.5	20	86.9
R228176		0.17	0.4	15	0.1	2.1	27	73.8
R228177		0.12	0.6	56	0.1	5.2	28	84.8
R228178		0.18	0.3	19	0.1	2.7	18	80.2
R228179		0.13	0.3	15	0.1	2.3	14	72.8
R228180		0.13	0.4	46	0.1	4.0	24	85.3
R228181		0.05	0.1	154	1.5	2.8	97	6.0
R228182		0.05	0.4	2	0.1	0.8	4	59.7
R228186		0.19	0.5	313	0.2	29.4	120	80.3
R228187		0.14	0.5	310	0.2	28.2	123	74.9
R228188		0.04	0.5	315	0.2	28.8	122	74.7
R228189		0.32	0.6	279	0.2	24.9	120	81.6
R228190		0.27	0.5	246	0.2	22.5	152	88.4
R228196		0.38	0.7	94	0.2	11.1	199	101.0
R228197		0.35	0.7	143	0.3	15.3	128	96.5
R228198		0.42	0.8	268	0.2	27.2	120	114.5
R228199		0.38	1.2	179	0.3	19.3	85	137.0
R228200		0.25	0.9	46	0.3	6.7	119	157.0
R228201		0.42	0.6	258	0.3	24.9	124	90.1
R228202		0.49	1.7	142	0.4	15.1	113	146.5
R228203		0.04	<0.1	159	0.8	2.7	99	5.8
R228204		<0.02	0.3	1	0.1	0.7	2	55.2
R228208		0.62	1.0	178	0.3	18.2	137	121.5
R228209		0.53	1.4	149	0.3	13.7	138	144.5
R228210		0.43	1.3	142	0.3	14.7	161	136.5
R228211		0.38	1.0	164	0.3	14.3	173	127.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15029077

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R228212		3.90	0.024	0.091	0.054	1.04	6.74	5.6	550	0.97	1.07	5.57	0.33	61.5	78.3	318
R228213		3.83	0.037	0.082	0.084	1.29	5.95	55.0	510	0.95	1.14	3.79	0.44	56.7	84.1	674
R228214		3.43	0.037	0.113	0.094	1.47	7.12	8.9	820	1.10	0.62	2.98	0.37	81.8	79.6	132
R228215		3.58	0.010	0.027	0.026	0.44	7.12	11.0	880	1.26	0.36	3.07	0.19	81.4	34.4	106
R228216		3.65	0.105	0.121	0.102	1.62	6.97	16.4	740	1.14	0.60	3.13	0.67	77.8	66.5	113
R228217		3.25	0.003	0.008	0.006	0.15	7.29	9.7	890	1.26	0.18	3.49	0.09	76.5	23.6	116
R228218		3.49	<0.001	<0.005	0.003	0.12	7.14	11.9	770	1.34	0.15	3.54	0.08	70.2	24.4	107
R228221		0.03	0.111	0.317	4.96	0.18	5.35	0.8	40	0.07	0.14	4.62	0.08	2.59	77.4	275
R228222		0.17	<0.001	<0.005	0.001	0.02	0.24	<0.2	10	0.05	0.03	0.02	<0.02	9.56	0.5	49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15029077

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R228212		3.53	719	9.83	17.05	0.14	2.6	0.095	1.96	25.6	17.3	4.38	1460	0.79	1.67	6.8
R228213		3.59	1100	8.01	14.80	0.12	3.0	0.062	1.88	25.9	26.4	5.16	1180	0.86	1.49	6.3
R228214		2.06	958	6.59	18.00	0.14	3.7	0.069	1.76	37.7	19.7	2.06	790	1.24	2.44	8.0
R228215		1.93	350	5.06	18.35	0.12	3.6	0.045	1.84	37.3	21.1	1.90	776	1.29	2.40	8.2
R228216		1.82	1440	6.18	18.50	0.12	3.4	0.078	1.74	35.6	20.6	1.93	772	1.33	2.22	7.8
R228217		2.36	90.9	5.00	18.25	0.14	3.5	0.044	2.16	34.9	25.8	2.16	878	1.11	2.01	8.1
R228218		1.18	67.8	5.09	18.30	0.12	3.6	0.045	1.74	30.6	24.2	2.14	883	1.11	2.28	8.1
R228221		0.96	478	7.67	9.04	0.05	0.2	0.023	0.19	1.1	22.7	9.10	1340	0.52	0.54	0.2
R228222		<0.05	4.8	0.35	0.59	0.05	0.5	<0.005	0.07	4.5	0.5	0.01	37	2.26	0.03	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15029077

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
R228212		1250	690	19.9	84.1	0.003	0.89	0.77	29.9	3	2.1	379	0.38	0.25	5.8	0.525
R228213		1300	520	34.9	89.4	0.008	0.85	0.48	20.4	3	1.2	209	0.39	0.17	6.4	0.359
R228214		1465	690	24.7	66.0	0.007	1.30	0.61	15.8	3	1.4	352	0.44	0.27	9.9	0.394
R228215		344	720	15.6	61.2	0.003	0.31	0.54	15.0	1	1.2	370	0.48	0.12	9.5	0.398
R228216		1205	670	15.3	56.1	0.004	1.00	0.69	15.4	4	1.4	413	0.42	0.36	9.1	0.383
R228217		82.4	800	16.4	72.7	<0.002	0.06	0.68	16.1	1	1.2	441	0.49	<0.05	7.9	0.429
R228218		70.8	830	14.8	43.3	<0.002	0.08	1.12	15.6	1	1.2	464	0.52	<0.05	7.0	0.429
R228221		701	20	5.5	8.4	<0.002	0.17	0.34	37.2	1	<0.2	80.5	<0.05	0.42	<0.2	0.102
R228222		5.4	20	0.7	2.2	<0.002	<0.01	0.08	0.2	<1	<0.2	3.3	<0.05	<0.05	1.0	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15029077

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R228212		0.57	0.7	218	0.2	24.0	197	99.7
R228213		0.58	1.1	136	0.3	15.8	186	118.5
R228214		0.49	1.5	122	0.3	15.9	125	146.5
R228215		0.41	1.6	117	0.4	16.8	104	145.0
R228216		0.56	1.2	120	0.3	14.7	131	135.5
R228217		0.47	1.5	126	0.3	18.7	98	144.5
R228218		0.34	1.5	128	0.4	18.3	96	143.0
R228221		0.09	<0.1	145	1.8	2.8	90	5.9
R228222		0.06	0.3	1	<0.1	0.8	<2	18.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-MAR-2015
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD15029077

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

ME-MS61	PGM-ICP23