ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-APR-2016
Account: RLH

CERTIFICATE SD16048750

Project: 686

P.O. No.: 385568

This report is for 29 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 1-APR-2016.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-APR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16048750

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
S035227		1.72	0.023	<0.005	<0.001	<0.5	7.02	5	470	0.7	<2	3.50	<0.5	13	95	155
S035228		1.11	0.004	<0.005	<0.001	<0.5	6.63	<5	1020	0.8	<2	2.66	<0.5	9	91	246
S035229		2.85	0.005	<0.005	0.001	<0.5	6.90	<5	540	0.9	<2	3.40	<0.5	23	124	39
S035230		1.32	0.002	<0.005	<0.001	<0.5	6.83	<5	1100	1.0	<2	4.61	<0.5	14	122	3
S035231		3.32	0.005	<0.005	<0.001	<0.5	7.23	<5	1390	1.1	<2	4.17	<0.5	13	131	10
S035232		0.84	0.041	<0.005	0.001	<0.5	6.91	8	430	1.3	<2	6.13	<0.5	38	153	173
S035233		0.63	0.003	<0.005	<0.001	<0.5	7.47	<5	940	0.8	2	1.40	<0.5	7	57	34
S035234		0.78	0.006	<0.005	<0.001	<0.5	6.46	8	320	0.8	4	7.02	<0.5	46	46	150
S035235		2.32	0.044	<0.005	<0.001	<0.5	3.60	<5	370	0.7	<2	14.8	<0.5	23	65	24
S035236		0.87	0.002	<0.005	<0.001	<0.5	7.23	<5	530	0.9	<2	3.37	<0.5	16	126	7
S035237		0.76	0.007	<0.005	0.001	<0.5	6.83	<5	570	0.7	<2	5.82	<0.5	25	125	8
S035238		1.76	0.010	<0.005	<0.001	<0.5	7.30	<5	720	0.9	<2	2.92	<0.5	22	142	13
S035239		3.49	0.004	0.011	0.012	<0.5	7.65	<5	790	1.3	<2	3.61	<0.5	30	106	122
S035240		0.64	0.013	0.044	0.047	<0.5	7.50	<5	740	1.3	<2	3.46	<0.5	48	113	435
S035241		1.16	0.002	0.011	0.014	<0.5	7.31	<5	830	1.2	<2	3.27	<0.5	30	120	111
S035242		1.09	0.007	<0.005	<0.001	<0.5	7.24	8	1360	1.0	<2	2.51	<0.5	31	127	17
S035243		0.79	0.006	<0.005	<0.001	<0.5	7.35	<5	1620	1.0	<2	2.67	<0.5	29	126	8
S035244		2.01	0.010	<0.005	<0.001	<0.5	7.04	7	1640	0.6	<2	2.17	<0.5	35	126	21
S035245		0.07	0.175	0.303	0.365	2.1	6.68	77	220	0.7	12	5.15	0.8	196	243	3650
S035246		0.70	<0.001	<0.005	<0.001	<0.5	0.32	<5	10	<0.5	<2	0.02	<0.5	1	38	4
S035247		2.21	0.021	<0.005	<0.001	<0.5	7.17	6	500	0.9	<2	2.72	<0.5	57	115	24
S035248		1.81	0.060	<0.005	<0.001	<0.5	6.67	5	2310	0.8	<2	5.24	<0.5	44	155	88
S035249		0.84	0.014	<0.005	<0.001	<0.5	6.94	<5	710	0.8	<2	3.11	<0.5	41	163	36
S035250		3.04	0.037	<0.005	<0.001	<0.5	7.09	<5	890	0.9	<2	2.78	<0.5	25	168	63
S035251		0.77	0.026	<0.005	<0.001	<0.5	7.33	<5	350	0.7	3	2.09	<0.5	22	114	25
S035252		2.98	0.003	<0.005	<0.001	<0.5	6.31	5	490	0.8	<2	2.28	<0.5	21	121	26
S035253		1.02	0.001	<0.005	<0.001	<0.5	8.26	<5	470	0.9	<2	4.64	<0.5	14	8	9
S035254		1.90	0.008	<0.005	0.001	<0.5	6.67	<5	1600	0.7	<2	3.17	<0.5	17	128	33
S035255		0.08	0.174	0.319	0.366	1.9	6.57	75	210	0.7	12	5.12	0.6	194	255	3550

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-APR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16048750

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1
S035227		3.26	20	0.79	20	1.23	503	2	3.26	46	710	4	0.07	<5	7	1060
S035228		2.45	20	2.13	10	1.55	522	1	2.55	49	730	2	0.03	<5	7	270
S035229		2.86	20	1.32	20	1.67	464	3	3.47	58	1140	6	0.56	6	8	519
S035230		3.24	20	2.01	20	1.65	443	3	2.47	54	1160	6	0.63	<5	8	869
S035231		3.33	20	3.10	20	1.70	483	2	1.81	58	1150	7	0.53	5	8	616
S035232		4.48	20	2.27	40	3.97	929	<1	2.25	56	1720	3	0.16	7	17	473
S035233		1.97	20	1.72	10	1.00	300	1	3.61	26	560	<2	0.03	<5	5	293
S035234		8.62	20	1.86	10	4.36	1335	<1	0.56	57	1010	10	0.24	8	38	526
S035235		4.59	10	0.87	20	4.40	1525	2	0.42	82	480	6	0.08	<5	13	640
S035236		3.44	20	0.93	30	1.85	502	2	3.46	59	1120	9	1.03	6	9	782
S035237		4.32	20	0.80	30	1.79	664	1	3.21	71	1220	9	2.10	<5	9	821
S035238		4.11	20	1.49	30	1.61	441	2	3.07	71	1210	7	2.08	<5	9	493
S035239		5.30	20	2.20	30	2.14	872	2	2.41	147	960	11	0.18	<5	16	455
S035240		5.75	20	2.08	30	2.10	843	2	2.37	513	930	7	0.54	<5	16	461
S035241		5.31	20	2.08	30	2.14	836	2	2.35	154	940	9	0.20	<5	15	438
S035242		4.48	20	2.94	30	2.04	609	2	1.43	65	1150	17	1.95	5	9	363
S035243		4.65	20	3.21	20	2.17	677	3	1.51	72	1150	15	1.83	<5	8	403
S035244		4.13	20	3.46	20	1.63	519	3	1.98	61	1120	6	1.66	5	8	419
S035245		10.90	20	0.67	20	4.29	1210	8	1.29	3160	1130	9	1.58	<5	28	340
S035246		0.39	<10	0.11	<10	0.01	42	2	0.06	3	30	<2	0.01	<5	<1	4
S035247		4.63	20	1.17	30	1.68	534	6	3.17	71	1220	9	2.38	<5	7	508
S035248		4.68	20	3.70	30	2.70	872	2	0.51	86	1020	7	1.26	<5	9	378
S035249		4.75	20	1.17	30	1.88	637	2	3.06	89	1110	4	2.43	5	9	467
S035250		4.53	20	1.92	30	2.20	684	2	2.46	88	1190	11	1.80	<5	10	364
S035251		5.45	20	0.77	30	1.46	431	1	3.90	60	820	15	4.17	<5	7	525
S035252		4.09	20	1.27	20	1.87	586	3	2.39	55	1050	4	0.28	<5	9	341
S035253		5.30	20	0.96	20	1.42	854	2	2.76	6	1580	11	0.02	6	13	1215
S035254		3.28	20	3.81	20	2.03	669	2	1.01	62	760	8	0.10	<5	10	309
S035255		10.70	20	0.66	20	4.21	1190	7	1.28	3100	1130	9	1.54	<5	28	340

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-APR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16048750

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
S035227		<20	0.24	<10	<10	74	<10	45
S035228		<20	0.25	<10	<10	62	<10	52
S035229		<20	0.27	<10	<10	65	<10	54
S035230		<20	0.28	<10	<10	72	<10	46
S035231		<20	0.29	<10	<10	71	<10	50
S035232		<20	0.39	<10	<10	148	<10	59
S035233		<20	0.20	<10	<10	44	<10	53
S035234		<20	1.02	<10	10	384	<10	129
S035235		<20	0.13	<10	<10	86	<10	93
S035236		<20	0.28	<10	<10	75	<10	49
S035237		<20	0.29	<10	<10	67	<10	51
S035238		<20	0.30	<10	<10	73	<10	52
S035239		<20	0.43	<10	<10	134	<10	89
S035240		<20	0.42	<10	<10	132	<10	97
S035241		<20	0.42	<10	<10	132	<10	88
S035242		<20	0.30	<10	<10	75	<10	71
S035243		<20	0.29	<10	<10	69	<10	80
S035244		<20	0.28	<10	<10	60	<10	60
S035245		<20	0.44	<10	<10	267	<10	109
S035246		<20	0.01	<10	<10	2	<10	<2
S035247		<20	0.27	<10	<10	65	<10	55
S035248		<20	0.27	<10	<10	74	<10	70
S035249		<20	0.29	<10	<10	75	<10	54
S035250		<20	0.32	<10	<10	80	<10	78
S035251		<20	0.23	<10	<10	62	<10	51
S035252		<20	0.31	<10	<10	81	<10	67
S035253		<20	0.60	<10	<10	152	<10	56
S035254		<20	0.27	<10	<10	86	<10	71
S035255		<20	0.43	<10	<10	266	<10	104

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-APR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16048750

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	ME-ICP61	PGM-ICP23