ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-MAR-2016
Account: RLH

CERTIFICATE SD16032396

Project: 686

P.O. No.: 385551

This report is for 39 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 4-MAR-2016.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
VAC-01	Vacuum Sample - 2.5kg reject protocol
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Ni-OG62	Ore Grade Ni - Four Acid	VARIABLE
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-MAR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16032396

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1
S034949		3.31	0.002	<0.005	0.001			<0.5	6.81	<5	1160	1.1	4	4.32	<0.5	12
S034950		1.93	0.007	<0.005	0.001			<0.5	6.94	9	1570	1.0	<2	3.45	<0.5	15
S034951		2.84	0.008	<0.005	0.002			<0.5	7.43	<5	880	1.2	<2	4.31	<0.5	15
S034952		2.57	0.003	<0.005	0.005			<0.5	6.99	<5	470	1.1	2	5.78	<0.5	15
S034953		2.73	<0.001	<0.005	0.001			<0.5	6.53	<5	520	1.2	<2	5.30	<0.5	14
S034954		2.86	<0.001	<0.005	0.001			<0.5	6.96	<5	450	0.7	<2	1.58	<0.5	5
S034955		2.57	0.009	0.014	0.015			<0.5	7.02	16	710	1.2	<2	3.44	<0.5	31
S034956		2.36	0.083	0.261	0.115	1.315		12.4	5.59	6	390	0.9	6	3.51	2.2	280
S034957		2.14	0.068	0.931	0.222			4.6	5.46	<5	320	0.5	6	3.44	1.0	340
S034958		1.84	0.131	0.266	0.178			4.0	7.08	<5	350	0.9	<2	3.93	1.2	80
S034959		2.55	0.033	0.099	0.057			0.8	7.01	<5	250	0.8	<2	6.54	0.6	38
S034960		3.31	0.122	0.476	1.485		1.005	3.2	5.67	476	220	0.9	<2	3.10	0.9	590
S034961		2.87	0.060	0.167	0.140			1.9	6.76	13	490	0.7	<2	5.04	0.9	119
S034962		2.62	0.029	0.051	0.039			1.4	6.86	<5	500	0.9	<2	5.06	0.8	47
S034963		1.46	0.127	0.528	0.500			8.7	5.00	<5	220	0.7	6	5.28	2.1	314
S034964		1.90	0.072	0.203	0.147			2.7	5.99	10	360	0.9	<2	4.63	1.0	76
S034965		2.38	0.041	0.175	0.131			2.0	5.24	36	300	0.8	4	4.50	0.7	100
S034966		1.07	0.552	1.540	0.844			7.2	7.22	11	370	1.0	10	3.28	2.2	70
S034967		0.07	0.185	0.558	0.603		1.155	3.3	5.46	68	200	0.6	13	3.78	1.6	334
S034968		0.16	0.001	<0.005	0.002			<0.5	0.64	<5	10	<0.5	<2	0.02	<0.5	1
S034969		2.49	0.070	0.083	0.116			1.3	7.08	5	380	0.6	<2	6.04	0.9	54
S034970		3.15	0.074	0.126	0.103			1.1	7.19	<5	400	0.7	<2	5.44	0.7	63
S034971		1.82	0.093	0.533	0.368		1.270	2.8	5.07	69	220	0.7	<2	2.63	1.1	474
S034972		2.92	0.040	0.135	0.116			1.5	6.43	74	270	0.9	<2	4.41	0.6	83
S034973		3.02	0.020	0.049	0.054			0.6	6.86	14	410	1.0	<2	4.47	0.8	63
S034974		3.07	0.052	0.157	0.099			0.7	7.18	8	580	1.3	2	3.30	<0.5	38
S034975		2.82	0.025	0.053	0.050			0.8	6.59	27	640	1.2	2	4.45	0.8	47
S034976		2.96	0.116	0.184	0.157			4.9	6.93	143	360	1.1	<2	3.66	1.1	76
S034977		2.77	0.089	0.237	0.183			1.9	6.75	21	390	0.7	<2	5.49	0.7	69
S034978		2.16	0.022	0.149	0.106			1.6	6.74	135	340	0.7	<2	4.86	1.7	52
S034979		2.63	0.635	0.319	0.144	1.180		12.8	5.98	5	300	0.8	2	3.61	2.7	108
S034980		0.99	0.198	0.013	0.014			0.6	7.63	<5	750	0.9	<2	4.18	0.6	30
S034981		2.21	0.097	0.618	0.306	1.505		13.1	5.85	5	310	0.8	4	3.36	4.1	156
S034982		2.43	0.025	0.068	0.053			1.3	7.31	11	610	0.5	<2	6.07	0.5	46
S034983		0.91	0.372	0.397	0.233			2.8	7.09	9	700	1.2	5	3.19	1.2	38
S034984		1.34	0.018	0.053	0.057			0.6	7.30	10	370	1.0	<2	3.76	<0.5	55
S034985		1.65	0.015	0.053	0.067			<0.5	7.24	7	420	1.2	<2	3.37	0.5	76
S034986		0.07	0.175	0.313	0.368			2.1	6.44	86	210	0.7	12	5.06	0.8	191
S034987		0.13	<0.001	<0.005	<0.001			<0.5	0.27	<5	10	<0.5	<2	0.02	<0.5	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-MAR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16032396

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5
S034949		114	19	2.89	20	2.02	20	2.01	512	2	2.33	45	930	7	0.05	5
S034950		146	19	2.77	20	3.03	20	1.96	488	3	2.01	72	1320	13	0.16	5
S034951		178	37	3.15	20	1.45	30	2.44	553	<1	3.53	66	1400	6	0.40	<5
S034952		175	63	2.90	10	0.86	30	2.46	673	1	4.03	57	1240	6	0.20	5
S034953		168	8	2.92	20	1.01	40	3.30	700	1	3.07	85	1780	4	<0.01	<5
S034954		50	6	1.49	20	0.90	20	0.86	216	1	4.14	29	500	5	0.02	<5
S034955		163	222	5.70	20	1.78	30	2.35	938	1	2.26	264	810	15	0.21	7
S034956		232	>10000	16.45	10	1.66	20	2.79	1075	1	1.12	6900	560	25	5.14	<5
S034957		92	4880	19.40	10	1.47	20	2.22	997	<1	1.17	9880	440	32	6.05	6
S034958		97	3590	9.61	20	1.12	20	2.48	1115	1	2.16	1770	670	33	1.51	6
S034959		94	539	8.30	20	0.80	10	3.38	1405	1	1.53	310	660	112	0.24	5
S034960		89	4610	17.60	10	1.18	30	1.53	805	2	1.93	>10000	630	34	6.21	<5
S034961		101	1615	11.35	10	1.72	10	2.94	1385	1	1.33	2480	620	34	1.66	5
S034962		90	1275	9.34	20	1.80	10	3.12	1500	<1	1.56	498	590	33	0.43	7
S034963		95	8060	16.70	10	0.73	10	2.30	1245	1	1.27	7860	560	23	5.23	<5
S034964		252	2070	8.30	10	0.95	30	4.43	1365	1	1.89	1170	1310	59	0.92	<5
S034965		355	1700	8.49	10	0.77	20	5.83	1445	1	1.56	1375	970	62	0.97	<5
S034966		117	4680	6.93	20	0.82	30	2.33	948	<1	2.89	1240	870	156	1.20	5
S034967		205	8560	17.20	10	0.59	20	3.26	1030	6	1.09	>10000	1400	34	4.89	<5
S034968		29	25	0.35	<10	0.20	<10	0.02	37	2	0.05	23	20	<2	0.01	<5
S034969		95	1160	9.87	20	1.11	10	3.28	1485	1	1.20	555	580	27	0.51	<5
S034970		95	1125	9.63	20	1.17	10	3.00	1310	<1	1.60	743	620	22	0.62	5
S034971		189	2520	21.3	10	0.73	20	1.55	568	<1	1.74	>10000	490	16	8.04	<5
S034972		249	1690	7.60	20	0.70	20	3.14	954	1	2.15	1235	720	12	1.06	<5
S034973		123	657	6.81	20	1.12	20	2.54	876	<1	2.33	724	750	16	0.71	<5
S034974		112	766	5.66	20	1.16	30	2.11	852	1	2.91	452	750	24	0.44	<5
S034975		116	717	6.56	20	1.34	40	3.07	1025	<1	2.06	584	930	33	0.51	<5
S034976		104	4600	5.84	20	0.77	30	2.05	800	1	2.88	964	750	32	1.12	<5
S034977		75	2020	9.74	20	1.26	20	2.84	1290	<1	1.42	991	610	27	0.84	<5
S034978		150	1560	8.42	20	0.81	20	3.51	1280	<1	1.70	509	560	34	0.38	5
S034979		75	>10000	13.70	20	0.96	20	1.93	928	<1	1.99	5250	580	20	4.16	<5
S034980		127	559	8.59	20	2.16	10	2.10	1145	<1	1.70	324	520	31	0.34	<5
S034981		83	>10000	15.90	10	1.15	20	1.70	885	1	1.96	6720	560	31	5.11	<5
S034982		161	1180	8.75	20	1.70	10	3.65	1320	<1	1.13	342	480	57	0.32	<5
S034983		106	2750	5.64	20	1.66	30	1.99	791	1	2.75	550	800	57	0.60	<5
S034984		100	750	5.70	20	0.82	30	2.04	721	<1	3.02	672	700	16	0.62	<5
S034985		115	850	6.39	20	1.12	30	2.04	709	<1	2.84	1100	710	13	0.97	<5
S034986		243	3520	10.55	20	0.65	20	4.16	1170	6	1.25	3040	1090	7	1.59	5
S034987		31	8	0.28	<10	0.09	<10	0.01	29	2	0.04	6	20	<2	0.01	<5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-MAR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16032396

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
S034949		10	444	<20	0.28	<10	<10	85	<10	41
S034950		9	359	<20	0.30	<10	<10	80	<10	40
S034951		12	396	<20	0.33	<10	<10	102	<10	56
S034952		13	317	<20	0.31	<10	10	96	<10	77
S034953		12	345	<20	0.30	<10	<10	92	<10	62
S034954		4	344	<20	0.17	<10	<10	35	<10	22
S034955		16	365	<20	0.40	10	<10	129	<10	157
S034956		22	336	<20	0.40	<10	<10	181	<10	401
S034957		20	306	<20	0.34	<10	<10	171	<10	248
S034958		23	345	<20	0.45	<10	<10	190	<10	184
S034959		28	422	<20	0.53	<10	<10	222	<10	141
S034960		12	306	<20	0.33	<10	<10	141	<10	227
S034961		32	388	<20	0.57	<10	<10	255	<10	314
S034962		33	338	<20	0.59	<10	<10	271	<10	339
S034963		24	355	<20	0.52	<10	<10	219	<10	532
S034964		25	236	<20	0.42	<10	<10	161	<10	340
S034965		24	143	<20	0.33	<10	<10	108	<10	230
S034966		16	262	<20	0.38	<10	<10	126	<10	253
S034967		22	208	<20	0.34	<10	<10	215	<10	143
S034968		1	4	<20	0.01	<10	<10	3	<10	3
S034969		36	316	<20	0.62	<10	<10	286	<10	150
S034970		32	325	<20	0.60	<10	<10	260	<10	131
S034971		11	235	<20	0.27	<10	<10	114	<10	98
S034972		20	154	<20	0.38	<10	<10	146	<10	100
S034973		20	281	<20	0.43	<10	<10	167	<10	113
S034974		16	295	<20	0.41	<10	<10	131	<10	74
S034975		22	314	<20	0.39	<10	<10	141	<10	122
S034976		15	271	<20	0.38	<10	<10	124	<10	133
S034977		32	310	<20	0.56	<10	<10	257	<10	115
S034978		28	215	<20	0.45	<10	<10	198	<10	170
S034979		20	259	<20	0.41	<10	<10	164	<10	161
S034980		33	337	<20	0.66	<10	<10	287	<10	83
S034981		15	287	<20	0.34	<10	<10	123	<10	252
S034982		31	307	<20	0.54	<10	<10	252	<10	93
S034983		14	340	<20	0.38	<10	<10	125	<10	102
S034984		17	334	<20	0.39	<10	<10	139	<10	81
S034985		16	326	<20	0.41	<10	<10	132	<10	79
S034986		27	326	<20	0.41	<10	<10	263	<10	101
S034987		<1	3	<20	0.01	<10	<10	2	<10	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-MAR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16032396

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-31	PUL-QC	SPL-21	VAC-01
	WEI-21	WSH-21	WSH-22	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Cu-OG62	ME-ICP61	ME-OG62	Ni-OG62
	PGM-ICP23			