ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2016
Account: RLH

CERTIFICATE SD16035132

Project: 686

P.O. No.: 385554

This report is for 37 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 9-MAR-2016.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
VAC-01	Vacuum Sample - 2.5kg reject protocol
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Ni-OG62	Ore Grade Ni - Four Acid	VARIABLE
ME-ICP61	33 element four acid ICP-AES	ICP-AES
S-IR08	Total Sulphur (Leco)	LECO

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16035132

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1
S034988		2.36	0.002	<0.005	0.001			<0.5	7.51	11	700	0.8	<2	1.80	<0.5	20
S034989		1.40	0.365	0.420	0.319			10.1	7.56	<5	760	0.8	<2	1.99	1.5	183
S034990		3.00	0.009	0.013	0.011			<0.5	7.25	5	690	0.9	<2	2.02	<0.5	22
S034991		3.06	0.013	0.043	0.034			<0.5	6.67	5	470	0.9	<2	5.16	<0.5	51
S034992		0.91	0.047	0.258	0.954			2.0	6.40	264	180	1.0	3	2.52	<0.5	357
S034993		1.65	0.024	0.070	0.072			0.8	6.39	24	510	1.1	<2	3.68	<0.5	89
S034994		1.81	0.031	0.103	0.100			0.7	6.09	158	370	1.0	<2	4.56	<0.5	122
S034995		3.07	0.048	0.118	0.129			1.3	6.74	107	620	1.1	<2	3.57	0.8	113
S034996		2.62	0.057	0.132	0.106			1.0	7.38	16	630	1.1	<2	2.55	0.8	31
S034997		0.86	0.059	0.566	0.390	1.150	1.045	7.0	5.29	46	80	0.6	5	1.60	2.3	277
S034998		3.59	0.071	0.297	0.223			2.7	6.96	16	660	1.2	3	2.92	1.1	69
S034999		0.88	0.024	0.053	0.050			0.5	7.31	<5	370	1.3	<2	3.23	0.5	21
S035000		3.14	0.173	0.598	0.495			6.3	5.65	6	60	0.8	2	2.09	1.5	366
S035051		3.84	0.326	0.482	0.542			5.0	6.11	32	140	0.9	<2	2.43	1.6	262
S035052		1.67	0.009	0.020	0.032			0.5	7.17	<5	460	0.9	<2	3.78	0.7	41
S035053		3.99	0.150	0.892	0.792		1.440	5.1	4.23	27	70	0.6	4	2.86	1.2	603
S035054		2.90	0.183	0.625	0.770	1.330	1.045	7.9	4.52	9	160	0.7	<2	3.27	3.6	370
S035055		1.16	0.153	1.570	1.010			1.7	1.78	11	50	<0.5	5	1.01	<0.5	3570
S035056		0.05	0.160	0.535	0.593		1.205	3.6	5.34	64	200	0.6	8	3.86	1.9	334
S035057		0.30	<0.001	<0.005	0.002			<0.5	0.26	<5	10	<0.5	<2	0.02	<0.5	3
S035058		1.69	0.005	0.018	0.017			<0.5	7.11	8	220	0.5	<2	6.42	1.0	49
S035059		2.54	0.007	0.013	0.018			<0.5	7.08	9	180	0.5	<2	6.60	0.5	44
S035060		3.10	0.067	0.118	0.153			1.9	6.85	<5	130	0.5	<2	6.28	0.8	68
S035061		2.45	0.028	0.070	0.177			0.9	7.01	19	140	0.5	<2	5.96	0.6	92
S035062		2.80	0.029	0.077	0.088			0.8	6.99	6	290	0.7	<2	4.89	1.0	68
S035063		2.46	0.195	0.623	0.610	1.345		8.4	5.82	<5	160	0.9	<2	3.25	3.0	236
S035064		1.01	0.028	0.113	0.082			0.6	7.07	8	460	0.7	2	5.40	1.2	50
S035065		2.78	0.167	1.040	1.035		1.000	4.7	5.87	<5	200	0.8	12	3.11	1.9	353
S035066		2.34	0.140	0.677	0.597	2.46		13.9	5.92	<5	310	0.7	7	3.95	6.1	185
S035067		1.22	0.075	0.873	0.837		1.470	1.9	4.87	<5	170	0.6	8	3.06	1.8	465
S035068		3.03	0.045	0.233	0.250			2.9	6.87	<5	490	1.0	5	4.74	2.2	123
S035069		3.23	0.048	0.122	0.160			3.5	5.76	49	330	1.1	3	4.49	1.5	95
S035070		3.49	0.031	0.105	0.110			1.8	6.84	17	370	1.0	2	5.98	1.3	72
S035071		3.84	0.067	0.213	0.197			2.0	6.65	12	470	1.0	<2	4.32	1.1	129
S035072		2.90	0.016	0.043	0.040			2.2	5.91	17	510	1.7	4	4.61	1.2	52
S035073		0.04	0.170	0.314	0.360			2.6	6.84	87	220	0.8	17	5.42	1.3	201
S035074		0.32	<0.001	<0.005	0.002			<0.5	0.40	<5	10	<0.5	<2	0.04	<0.5	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16035132

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5
S034988		150	60	3.93	20	2.05	40	1.61	472	2	2.68	78	120	26	0.21	<5
S034989		154	8980	6.60	20	2.09	60	1.84	514	1	2.59	1105	250	40	2.19	<5
S034990		155	352	3.98	20	2.03	50	1.64	450	1	2.42	140	330	12	0.25	<5
S034991		159	523	8.36	20	1.43	20	3.27	1220	<1	1.50	572	650	13	0.56	<5
S034992		120	1825	12.65	20	1.20	30	1.80	864	<1	2.02	5630	640	24	5.62	<5
S034993		292	842	7.98	20	1.40	30	3.54	1040	1	1.87	1410	730	13	1.11	<5
S034994		188	841	7.44	20	1.10	30	2.65	969	1	1.87	2010	940	15	1.45	<5
S034995		101	1565	7.68	20	1.64	30	2.83	896	1	2.03	1935	710	33	1.70	<5
S034996		114	1745	6.80	20	1.60	30	2.13	986	1	2.89	574	750	13	0.48	<5
S034997		79	>10000	15.95	10	0.92	20	1.71	943	1	1.88	>10000	560	28	7.56	<5
S034998		152	2670	7.20	20	1.61	30	2.02	916	1	2.34	1570	750	55	1.38	<5
S034999		37	764	6.27	20	0.82	20	0.58	551	1	3.29	379	1070	27	0.42	<5
S035000		149	8970	17.90	10	1.47	30	1.79	839	<1	1.69	8830	590	31	6.19	<5
S035051		124	7900	15.80	20	1.18	30	1.82	941	1	1.92	6790	600	32	5.29	<5
S035052		73	1125	11.35	20	1.77	20	2.96	1490	1	1.76	380	560	53	0.32	<5
S035053		69	8160	25.6	10	0.83	20	1.26	861	1	0.86	>10000	430	28	>10.0	<5
S035054		171	>10000	21.8	10	0.78	20	2.16	994	1	0.92	>10000	420	22	7.78	<5
S035055		34	1170	39.3	<10	0.39	10	0.59	501	1	0.45	9750	190	79	>10.0	<5
S035056		208	8790	17.40	10	0.59	20	3.30	1030	6	1.10	>10000	1430	34	5.33	<5
S035057		23	23	0.42	<10	0.07	<10	0.01	42	<1	0.02	31	10	<2	0.04	<5
S035058		102	279	9.96	20	0.68	10	3.50	1590	1	1.44	250	510	52	0.25	<5
S035059		99	318	9.65	20	0.54	10	3.46	1520	1	1.35	197	530	19	0.18	<5
S035060		98	3260	10.90	20	0.39	10	3.21	1475	<1	1.49	1245	550	18	1.24	<5
S035061		97	1040	10.20	20	0.37	10	3.28	1450	1	1.68	963	540	30	0.94	<5
S035062		98	1070	9.14	20	0.83	20	2.88	1240	<1	1.83	975	540	33	0.83	<5
S035063		130	>10000	15.00	10	0.74	30	1.81	892	2	2.08	6520	620	37	5.28	<5
S035064		90	846	9.55	20	1.48	20	3.03	1415	1	1.46	396	640	45	0.34	<5
S035065		121	5470	19.05	10	1.12	30	1.78	861	<1	1.87	>10000	580	45	6.76	<5
S035066		99	>10000	15.40	10	1.09	20	2.00	1045	1	1.68	5130	570	45	4.87	<5
S035067		82	2810	26.7	10	1.08	20	1.41	844	1	1.39	>10000	460	37	9.54	<5
S035068		140	4420	11.75	20	1.62	30	2.63	1155	1	1.89	2980	650	51	2.43	<5
S035069		405	4500	10.45	20	0.93	30	4.88	1360	<1	1.37	1780	810	10	1.42	<5
S035070		194	2760	9.39	20	0.97	20	3.24	1365	1	1.87	1160	750	16	1.13	<5
S035071		351	2020	8.68	20	1.21	30	3.61	1100	1	2.25	2160	910	22	1.87	<5
S035072		459	1650	8.81	20	1.44	30	4.68	1480	1	1.51	977	630	28	0.66	7
S035073		243	3680	11.30	20	0.69	20	4.46	1255	8	1.34	3260	1190	3	1.65	<5
S035074		25	67	0.40	<10	0.12	<10	0.03	45	<1	0.04	15	20	<2	0.01	<5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16035132

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	S-IR08 S % 0.01
S034988		13	461	<20	0.36	<10	<10	103	<10	112	
S034989		14	449	30	0.38	<10	<10	117	<10	247	
S034990		12	436	20	0.38	<10	<10	108	<10	88	
S034991		30	425	<20	0.57	<10	<10	227	<10	130	
S034992		17	273	<20	0.39	<10	<10	145	<10	92	
S034993		16	310	<20	0.39	<10	<10	125	<10	132	
S034994		16	277	<20	0.34	<10	<10	123	<10	108	
S034995		15	343	<20	0.38	<10	<10	132	<10	132	
S034996		14	280	<20	0.41	<10	<10	126	<10	217	
S034997		12	126	<20	0.30	<10	<10	95	<10	317	
S034998		15	331	<20	0.38	<10	<10	118	<10	180	
S034999		5	624	<20	0.27	<10	<10	121	<10	73	
S035000		13	265	<20	0.33	<10	<10	134	<10	167	
S035051		14	258	<20	0.36	<10	<10	141	<10	161	
S035052		32	271	<20	0.58	<10	<10	261	<10	143	
S035053		11	313	<20	0.25	<10	<10	142	<10	120	14.40
S035054		12	299	<20	0.26	<10	<10	117	<10	266	
S035055		4	84	<20	0.13	<10	<10	71	<10	93	30.9
S035056		22	214	<20	0.35	<10	<10	216	<10	143	
S035057		<1	3	<20	0.01	<10	<10	2	<10	3	
S035058		37	207	<20	0.61	<10	<10	284	<10	130	
S035059		37	206	<20	0.62	<10	<10	283	<10	116	
S035060		35	247	<20	0.59	<10	<10	266	<10	119	
S035061		35	243	<20	0.60	<10	<10	275	<10	100	
S035062		29	252	<20	0.54	<10	<10	232	<10	111	
S035063		14	264	<20	0.34	<10	<10	130	<10	232	
S035064		31	312	<20	0.58	<10	<10	243	<10	125	
S035065		14	292	<20	0.34	<10	<10	127	<10	117	
S035066		20	287	<20	0.42	<10	<10	165	<10	352	
S035067		12	280	<20	0.28	<10	<10	107	<10	103	
S035068		26	362	<20	0.49	<10	<10	189	<10	168	
S035069		21	210	<20	0.44	<10	<10	149	<10	153	
S035070		29	417	<20	0.58	<10	<10	207	<10	148	
S035071		19	302	<20	0.40	<10	<10	147	<10	151	
S035072		16	254	<20	0.48	<10	<10	132	<10	267	
S035073		29	358	<20	0.44	<10	<10	277	<10	107	
S035074		<1	6	<20	0.01	<10	<10	3	<10	4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 27-MAR-2016
Account: RLH

Project: 686

CERTIFICATE OF ANALYSIS SD16035132

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:			
CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	VAC-01
WEI-21	WSH-21	WSH-22	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Cu-OG62	ME-ICP61	ME-OG62	Ni-OG62
PGM-ICP23	S-IR08		