

We are committed to providing [accessible customer service](#).
If you need accessible formats or communications supports, please [contact us](#).


Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).
Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

MECHANICAL TRENCHING AND PROSPECTING REPORT
ON THE
WHITE LAKE EAST
EXPLORATION CLAIMS
DISTRICT OF THUNDER BAY
YEAR 2014-15
MAP G-0622
NTS 42C13SE
42C12NE

Submitted for and by
Doug Kakeaway
Thunder Bay ON
Prospector


TABLE OF CONTENTS

TABLE OF CONTENTS.....	2
KEY LOCATION MAP.....	3
REGIONAL GEOLOGY MAP.....	4
LOCAL GEOLOGY MAP.....	5
PROSPECTING AND TRENCHING MAP.....	6
CLAIM MAP 2016.....	7
CLAIM ABSTRACTS/3005078, 3005077, 3005079, 3005080, 3005081, 3005075.....	8-13
ASSAY CERTIFICATE.....	14
ASSAY INVOICE.....	15
PROSPECTING AND WORK LOG DESCRIPTIONS.....	16
TRENCH DIMENSIONS AND LOCATION.....	17
1) SUMMERY (REPORT).....	18
2) INTRODUCTION.....	18
3) PROPERTY LOCATION AND ACCESS.....	18
4) TOPOGRAPHY AND VEGETATION.....	18
5) REGIONAL GEOLOGY	19
6) LOCAL GEOLOGY ON CLAIM # 3005078.....	19
7) LOCAL GEOLOGY ON CLAIM # 3005075 and #3005077.....	20
a. Lithologies.....	20
b. Mafic Metavolcanics.....	21
c. Course Grained Amphibolite.....	21
d. Migmatite.....	21
e. Metasediments.....	21
f. Metagabbro.....	22
g. Granodiorite.....	22
h. Granite.....	22
i. Felsic Intrusive.....	23
j. Lamprophyre.....	23
k. Diabase.....	23
8) LOCAL GEOLOGY ON CLAIM #3005079, #3005080, #3005081.....	23
9) CONCLUSIONS.....	24
10) RECOMMENDATION.....	24



KEY LOCATION MAP

Regional Geology



Geo-Claims UTM Zone 16
5000m grid

year 2016


REGIONAL GEOLOGY MAP

- LEGEND**
- PRECAMBRIAN**
- NEOPROTEROZOIC**
- 10 Port Colville Alkali Complex^{a,b}
 - 10a Gabro
 - 10b Pyroxene syenite
 - 10c Amphibole syenite
 - 10d Quartz syenite
 - 10e Metogeneous syenite
 - 10f Mesoproterozoic (?) amygdaloidal mafic flows (pendants)
- INTRUSIVE CONTACT**
- PALEOPROTEROZOIC TO MESOPROTEROZOI**
- 9 Mafic Intrusive Rocks^c
Diabase dikes + plagioclase phenocrysts
- INTRUSIVE CONTACT**
- NEOARCHAIC**
- 8 Felsic to Intermediate Intrusive Rocks^{a,b}
Colors based on known and inferred ages (see note d, e)
 - Plutons 2679-2677 Ma
 - Plutons and Stocks 2698-2694 Ma
 - Pluton 2687 Ma
 - Batholiths - Mixed Terranes 2720-2688 Ma
- 8a Leucocratic biotite tonalite to biotite granodiorite^d
 - 8b Biotite tonalite^d
 - 8c Biotite-hornblende tonalite
 - 8d Hornblende-biotite tonalite^d
 - 8e Plagioclase-phryic biotite tonalite
 - 8f Plagioclase-phryic biotite-hornblende to hornblende-biotite tonalite
 - 8g Plagioclase-phryic hornblende tonalite
 - 8h Plagioclase-phryic biotite-hornblende tonalite gneiss
 - 8i Biotite granodiorite
 - 8j Biotite-hornblende granodiorite^d
 - 8k Hornblende-biotite granodiorite^d
 - 8l Plagioclase-phryic to subphyric biotite granodiorite^d
 - 8m Plagioclase-phryic biotite-hornblende granodiorite gneiss^d
 - 8n Plagioclase-subphyric biotite-hornblende to hornblende-biotite granodiorite^d
 - 8p Variably microcline-megacrystic hornblende-biotite granodiorite^d
 - 8q Biotite-hornblende quartz monzonite
 - 8r Hornblende-biotite quartz monzonite^d
 - 8s Hornblende monzonite to hornblende quartz monzonite
 - 8t Equigranular to plagioclase-subphyric hornblende diorite to quartz monzonite to granodiorite
 - 8u Microcline-megacrystic hornblende-biotite diorite to quartz monzonite to granodiorite^d
 - 8v Mainly foliated to gneissic tonalite to granodiorite; local massive to foliated phases; diverse minor phases
 - 8w Plagioclase + quartz porphyry^d
 - 8x Apatite, pegmatite
 - 8y Unsubdivided massive to weakly foliated granitoid rock
- INTRUSIVE CONTACT**
- 7 Metamorphosed Ultramafic Intrusive Rocks^a
 - 7a Peridotite
 - 7b Pyroxenite
 - 7c Serpentinite
 - 7d Hornblende
 - 6 Metamorphosed Mafic Intrusive Rocks^a
 - 6a Gabro
 - 6b Diorite^d
 - 6c Unsubdivided, massive to gneissic, mafic to intermediate, intrusive and/or volcanic rocks
 - 6d Schistose to gneissic rocks
- INTRUSIVE CONTACT**
- 5 Metasedimentary Rocks^{a,b}
 - 5a Mudsstone (siltstone, claystone), minor wacke
 - 5b Wacke, lithic wacke, local minor conglomerate^d
 - 5c Arenite, lithic arenite, local minor conglomerate
 - 5d Conglomerate + lithic wacke + lithic arenite^d
 - 5e Dike (magnetite) iron formation
 - 5f Schistose rock
 - 5g Gneissic rock
 - 5h Migmatitic rock
 - 4 Felsic Metavolcanic Rocks^a
 - 4a Massive flows (rare flow breccia), related subvolcanic intrusions; commonly plagioclase-quartz-phryic^d and plagioclase-quartz-phryic tuff, lapilli tuff and reworked deposits^d
 - 4b Plagioclase-quartz-phryic tuff breccia, pyroclastic breccia and reworked deposits
 - 4c Schistose rock
 - 3 Intermediate Metavolcanic Rocks^a
 - 3a Massive and pillowed flows; commonly plagioclase-phryic; locally amygdaloidal
 - 3b Plagioclase-quartz-phryic tuff, lapilli tuff and reworked deposits^d
 - 3c Plagioclase-quartz-phryic tuff breccia, pyroclastic breccia and reworked deposits
 - 3d Schistose rock
 - 3e Migmatitic rock
 - 2 Mafic Metavolcanic Rocks^a
 - 2a Massive to pillowed flows
 - 2b Massive to pillowed flows with amygdaloid and/or vortices
 - 2c Massive to pillowed flows with plagioclase phenocrysts
 - 2d Tuff, lapilli tuff
 - 2e Amphibolite
 - 2f Schistose rock
 - 2g Gneissic rock
 - 2h Migmatitic rock
 - 2i Pyroxene-spinel-textured flows
 - 1 Ultramafic Metavolcanic Rocks^a
 - 1a Massive to pillowed peridotite flows
 - 1b Olivine-spinel-textured flows
 - 1c Pillowed flows
 - 1d Schistose rock
- ^a Rocks in these units are subdivided lithologically and the order does not imply age relationships within the units.
- ^b Internal "contacts" within these units do not necessarily represent discrete igneous phases (units 10, 6) or sedimentary packages (unit 5).
- ^c The letter "Q" preceding lithologic code 9 indicates a dike is inferred from aeromagnetic data.
- ^d See table of "U-Pb Zircon Geochronological Ages for the Herold Greenstone Belt" (Inoue).
- ^e Some conglomerate-predominant sedimentary deposits may reflect Tintinnaria-type sedimentation/tectionism.

Geology Map with Claim Outline

Figure 2


Map Modified From Muir M2614




Scale

1200 meters

LOCAL GEOLOGY MAP



PROSPECTING AND TRENCHING MAP



THUNDER BAY - Division 40		Claim No: TB 3005078		Status: ACTIVE	
Due Date:	2016-Jun-28	Recorded:	2008-May-28		
Work Required:	\$ 11,362	Staked:	2008-May-18 17:30		
Total Work:	\$ 33,438	Township/Area:	WHITE LAKE AREA (G-0622)		
Total Reserve:	<u>\$ 0</u>	Lot Description:	,		
Present Work Assignment:	\$ 1,181	Claim Units:	16		
Claim Bank:	\$ 0				

Claim Holders

Recorded Holder(s) Percentage	Client Number
KAKEEWAY, DOUG NEIL (100.00 %)	150453

Transaction Listing

Type	Date	Applied	Description	Performed	Number
STAKER	2008-May-28		RECORDED BY KAKEEWAY, DOUG NEIL (E32867)		R0840.03100
OTHER	2010-Apr-14		WORK PERFORMED (ASSAY, PMECH, PROSP, PSTRIP) APPROVED: 2010-JUL-26	\$ 6,659	Q1040.00999
WORK	2010-Apr-14	\$ 6,400	WORK APPLIED (ASSAY, PMECH, PROSP, PSTRIP) APPROVED: 2010-JUL-26		W1040.00999
OTHER	2011-Mar-25		WORK PERFORMED (ASSAY, PBORE, PMAN, PROSP) APPROVED: 2011-APR-07	\$ 3,887	Q1140.00715
WORK	2011-Mar-25	\$ 6,400	WORK APPLIED (ASSAY, PBORE, PMAN, PROSP) APPROVED: 2011-APR-07		W1140.00715
OTHER	2012-Mar-27		WORK PERFORMED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16	\$ 2,715	Q1240.00913
WORK	2012-Mar-27	\$ 6,400	WORK APPLIED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16		W1240.00913
WORK	2013-May-21	\$ 1,000	WORK APPLIED		W1340.01210
WORK	2013-May-21	\$ 6,638	WORK APPLIED ASSAY, PROSP APPROVED: 2013-JUL-04		W1340.01211
WORK	2013-May-21	\$ 200	WORK APPLIED		W1340.01213
OTHER	2014-Apr-30		WORK PERFORMED GPSG APPROVED: 2014-MAY-01	\$ 6,400	Q1440.00983
WORK	2014-Apr-30	\$ 6,400	WORK APPLIED GPSG APPROVED: 2014-MAY-01		W1440.00983
OTHER	2014-Oct-28		EXPLORATION PERMIT NO. PR13-10105 EFFECTIVE FROM 2013-APR-17 TO 2015-APR-30 FOR THE FOLLOWING ACTIVITIES: (PHYSICAL / PSTRIP, DRILLING / PDRILL)		J1440.00428
ORDER	2015-May-08		RECORDER EXTENDS TIME UNTIL AND INCLUDING 2016-JAN-23 FOR WORK AND FILING THEREOF.		D1540.00166
OTHER	2015-Aug-06		EXPLORATION PERMIT NO. PR15-10637 EFFECTIVE FROM 2015-APR-08 TO 2018-APR-06 FOR THE FOLLOWING ACTIVITIES: (LINE CUTTING / LC, PHYSICAL / PSTRIP, PHYSICAL / PTRNCH, DRILLING / PDRILL)		J1540.00081
ORDER	2016-Jan-20		RECORDER EXTENDS TIME UNTIL AND INCLUDING 2016-JUN-28 FOR WORK AND FILING THEREOF.		D1640.00010

THUNDER BAY - Division 40		Claim No: TB 3005077		Status: ACTIVE	
Due Date:	2016-Mar-29	Recorded:	2008-May-28		
Work Required:	\$ 6,400	Staked:	2008-May-17 15:20		
Total Work:	\$ 32,000	Township/Area:	WHITE LAKE AREA (G-0622)		
Total Reserve:	\$ 0	Lot Description:	,		
Present Work Assignment:	\$ 0	Claim Units:	16		
Claim Bank:	\$ 0				

Claim Holders

Recorded Holder(s) Percentage	Client Number
KAKEEWAY, DOUG NEIL (100.00 %)	150453

Transaction Listing

Type	Date	Applied	Description	Performed	Number
STAKER	2008-May-28		RECORDED BY KAKEEWAY, DOUG NEIL (E32867)		R0840.03100
OTHER	2010-Apr-14		WORK PERFORMED (ASSAY, PMECH, PROSP, PSTRIP) APPROVED: 2010-JUL-26	\$ 12,741	Q1040.00999
WORK	2010-Apr-14	\$ 12,800	WORK APPLIED (ASSAY, PMECH, PROSP, PSTRIP) APPROVED: 2010-JUL-26		W1040.00999
OTHER	2011-Mar-25		WORK PERFORMED (ASSAY, PBORE, PMAN, PROSP) APPROVED: 2011-APR-07	\$ 2,347	Q1140.00715
OTHER	2012-Mar-27		WORK PERFORMED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16	\$ 1,277	Q1240.00913
WORK	2012-Mar-27	\$ 12,800	WORK APPLIED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16		W1240.00913
OTHER	2013-May-21		WORK PERFORMED ASSAY, PROSP APPROVED: 2013-JUL-04	\$ 1,858	Q1340.01211
OTHER	2014-Apr-30		WORK PERFORMED GPSG APPROVED: 2014-MAY-01	\$ 6,400	Q1440.00983
WORK	2014-Apr-30	\$ 6,400	WORK APPLIED GPSG APPROVED: 2014-MAY-01		W1440.00983
OTHER	2014-Oct-28		EXPLORATION PERMIT NO. PR13-10105 EFFECTIVE FROM 2013-APR-17 TO 2015-APR-30 FOR THE FOLLOWING ACTIVITIES: (PHYSICAL / PSTRIP, DRILLING / PDRILL)		J1440.00428
ORDER	2015-May-08		RECORDER EXTENDS TIME UNTIL AND INCLUDING 2016-JAN-23 FOR WORK AND FILING THEREOF.		D1540.00166
OTHER	2015-Aug-06		EXPLORATION PERMIT NO. PR15-10637 EFFECTIVE FROM 2015-APR-08 TO 2018-APR-06 FOR THE FOLLOWING ACTIVITIES: (LINE CUTTING / LC, PHYSICAL / PSTRIP, PHYSICAL / PTRNCH, DRILLING / PDRILL)		J1540.00081
ORDER	2016-Jan-20		RECORDER EXTENDS TIME UNTIL AND INCLUDING 2016-MAR-29 FOR WORK AND FILING THEREOF.		D1640.00015

Mining Claim Abstract

| [Main Menu](#) | [Back](#) |

THUNDER BAY - Division 40		Claim No: TB 3005079		Status: ACTIVE	
Due Date:	2016-Nov-14	Recorded:	2014-Nov-14		
Work Required:	\$ 1,600	Staked:	2014-Nov-04 14:30		
Total Work:	\$ 0	Township/Area:	WHITE LAKE AREA (G-0622)		
Total Reserve:	\$ 0	Lot Description:	,		
Present Work Assignment:	\$ 0	Claim Units:	4		
Claim Bank:	\$ 0				

Claim Holders

Recorded Holder(s) Percentage	Client Number
KAKEEWAY, DOUG NEIL (100.00 %)	150453

Transaction Listing

Type	Date	Applied	Description	Performed Number
STAKER	2014-Nov-14		RECORDED BY STENLUND, ALLAN BARRY (1012829)	R1440.02142
STAKER	2014-Nov-14		STENLUND, ALLAN BARRY (405732) RECORDS 100.0 % IN THE NAME OF KAKEEWAY, DOUG NEIL (150453)	R1440.02144
OTHER	2015-Aug-06		EXPLORATION PERMIT NO. PR15-10637 EFFECTIVE FROM 2015-APR-08 TO 2018-APR-06 FOR THE FOLLOWING ACTIVITIES: (LINE CUTTING / LC, PHYSICAL / PSTRIP, PHYSICAL / PTRNCH, DRILLING / PDRILL)	J1540.00081

Mining Claim Abstract

| [Main Menu](#) | [Back](#) |

THUNDER BAY - Division 40		Claim No: TB 3005081		Status: ACTIVE	
Due Date:	2016-Nov-14	Recorded:	2014-Nov-14		

Work Required:	\$ 6,400	Staked:	2014-Nov-06 16:45
Total Work:	\$ 0	Township/Area:	WHITE LAKE AREA (G-0622)
Total Reserve:	<u>\$ 0</u>	Lot Description:	,
Present Work Assignment:	\$ 0	Claim Units:	16
Claim Bank:	\$ 0		

Claim Holders

Recorded Holder(s) Percentage	Client Number
KAKEEWAY, DOUG NEIL (100.00 %)	150453

Transaction Listing

Type	Date	Applied	Description	Performed Number
STAKER	2014-Nov-14		RECORDED BY STENLUND, ALLAN BARRY (1012829)	R1440.02142
STAKER	2014-Nov-14		STENLUND, ALLAN BARRY (405732) RECORDS 100.0 % IN THE NAME OF KAKEEWAY, DOUG NEIL (150453)	R1440.02144
OTHER	2015-Aug-06		EXPLORATION PERMIT NO. PR15-10637 EFFECTIVE FROM 2015-APR-08 TO 2018-APR-06 FOR THE FOLLOWING ACTIVITIES: (LINE CUTTING / LC, PHYSICAL / PSTRIP, PHYSICAL / PTRNCH, DRILLING / PDRILL)	J1540.00081

Mining Claim Abstract

[Main Menu](#) | [Back](#) |

THUNDER BAY - Division 40		Claim No: TB 3005080		Status: ACTIVE	
Due Date:	2016-Nov-14	Recorded:	2014-Nov-14		
Work Required:	\$ 6,400	Staked:	2014-Nov-11 10:25		
Total Work:	\$ 0	Township/Area:	WHITE LAKE AREA (G-0622)		
Total Reserve:	<u>\$ 0</u>	Lot Description:	,		
Present Work Assignment:	\$ 0	Claim Units:	16		
Claim Bank:	\$ 0				

Claim Holders

Recorded Holder(s) Percentage	Client Number
KAKEEWAY, DOUG NEIL (100.00 %)	150453

Transaction Listing

Type	Date	Applied	Description	Performed	Number
STAKER	2014-Nov-14		RECORDED BY STENLUND, ALLAN BARRY (1012829)		R1440.02142
STAKER	2014-Nov-14		STENLUND, ALLAN BARRY (405732) RECORDS 100.0 % IN THE NAME OF KAKEEWAY, DOUG NEIL (150453)		R1440.02144
OTHER	2015-Aug-06		EXPLORATION PERMIT NO. PR15-10637 EFFECTIVE FROM 2015-APR-08 TO 2018-APR-06 FOR THE FOLLOWING ACTIVITIES: (LINE CUTTING / LC, PHYSICAL / PSTRIP, PHYSICAL / PTRNCH, DRILLING / PDRILL)		J1540.00081

Mining Claim Abstract
[Main Menu](#) | [Back](#) |

THUNDER BAY - Division 40		Claim No: TB 3005075		Status: ACTIVE
Due Date:	2016-Mar-02	Recorded:	2009-Jul-02	
Work Required:	\$ 4,800	Staked:	2009-Jun-27 18:00	
Total Work:	\$ 19,200	Township/Area:	WHITE LAKE AREA (G-0622)	
Total Reserve:	\$ 469	Lot Description:	,	
Present Work Assignment:	\$ 0	Claim Units:	12	
Claim Bank:	\$ 0			

Claim Holders

Recorded Holder(s) Percentage	Client Number
KAKEEWAY, DOUG NEIL (100.00 %)	150453

Transaction Listing

Type	Date	Applied	Description	Performed	Number
STAKER	2009-Jul-02		RECORDED BY KAKEEWAY, DOUG NEIL (E32867)		R0940.01857
OTHER	2010-Apr-14		WORK PERFORMED (ASSAY, PMECH, PROSP, PSTRIP) APPROVED: 2010-JUL-26	\$ 12,704	Q1040.00999
OTHER	2010-Apr-14		WORK PERFORMED (PROSP) APPROVED: 2010-JUL-26	\$ 817	Q1040.01767
WORK	2010-Apr-14	\$ 9,600	WORK APPLIED (ASSAY, PMECH, PROSP, PSTRIP) APPROVED: 2010-JUL-26		W1040.00999
WORK	2010-Apr-14	\$ 817	WORK APPLIED (PROSP) APPROVED: 2010-JUL-26		W1040.01767
MISC	2010-Nov-02		TOWNSHIP/AREA NAME CHANGED FROM WHITE LAKE-SOUTH AREA		M1040.00323
OTHER	2011-Mar-25		WORK PERFORMED (ASSAY, PBORE, PMAN, PROSP) APPROVED: 2011-APR-07	\$ 2,347	Q1140.00715
OTHER	2012-Mar-27		WORK PERFORMED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16	\$ 15,375	Q1240.00913
WORK	2012-Mar-27	\$ 167	WORK APPLIED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16		W1240.00913
OTHER	2013-Feb-11		WORK PERFORMEDGPSG APPROVED: 2013-MAY-14	\$ 4,800	Q1340.00521
WORK	2013-Feb-11	\$ 3,816	WORK APPLIEDGPSG APPROVED: 2013-MAY-14		W1340.00521
OTHER	2013-May-21		WORK PERFORMEDASSAY, PROSP APPROVED: 2013-JUL-04	\$ 4,780	Q1340.01211
WORK	2014-Jun-06	\$ 3,104	WORK APPLIED		W1440.01287

WORK	2014-Jun-06	\$ 1,181	WORK APPLIED	W1440.01288
WORK	2014-Jun-06	\$ 515	WORK APPLIED	W1440.01289
OTHER	2014-Oct-28		EXPLORATION PERMIT NO. PR13-10105 EFFECTIVE FROM 2013-APR-17 TO 2015-APR-30 FOR THE FOLLOWING ACTIVITIES: (PHYSICAL / PSTRIIP, DRILLING / PDRILL)	J1440.00428
ORDER	2015-Jun-09		RECORDER EXTENDS TIME UNTIL AND INCLUDING 2016-MAR-02 FOR WORK AND FILING THEREOF.	D1540.00214
OTHER	2015-Aug-06		EXPLORATION PERMIT NO. PR15-10637 EFFECTIVE FROM 2015-APR-08 TO 2018-APR-06 FOR THE FOLLOWING ACTIVITIES: (LINE CUTTING / LC, PHYSICAL / PSTRIIP, PHYSICAL / PTRNCH, DRILLING / PDRILL)	J1540.081

Kakeway, Doug																																			
Date Created: 15-07-09 10:26:36 AM																																			
Job Number: 201542485																																			
Date Received: 06/22/2015																																			
Number of Samples: 5																																			
Type of Sample: Rock																																			
Date Completed: 07/08/2015																																			
Project ID:																																			
Acc #	Client ID	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
216561	1003196	0.006	<1	2	5	459	122	<2	23	0.19	<4	46	762	1119	8.68	0.83	49	0.66	2138	16	0.08	123	403	6	<5	<5	0.05	<10	4	1633	30	86	<10	9	80
216562	1003197	0.006	<1	2.31	<2	43	57	<2	28	0.28	<4	48	172	607	10.29	0.58	88	0.65	1052	20	0.05	189	666	10	<5	<5	0.03	<10	4	1470	50	102	<10	9	94
216563	1003199	<0.005	<1	1.75	2	44	128	<2	8	0.21	<4	23	165	267	5.74	0.88	54	0.62	526	12	0.07	94	531	2	<5	<5	0.02	<10	7	1838	<2	135	<10	6	82
216564	1003200	0.005	<1	2.04	<2	42	138	<2	7	0.2	<4	34	186	508	8.31	0.94	69	0.69	781	18	0.06	176	438	4	<5	<5	0.03	<10	5	2083	<2	148	<10	7	106
216565	1003168	0.02	<1	1.49	<2	48	121	<2	25	0.14	<4	20	105	53	3.72	0.37	47	0.91	543	12	0.08	88	107	3	<5	<5	0.03	<10	13	1589	<2	89	<10	3	45
216566	1003168	0.019	<1	1.51	2	40	124	<2	2	0.14	<4	20	108	52	3.78	0.38	47	0.93	554	12	0.08	93	108	2	<5	<5	0.03	<10	13	1585	<2	92	<10	3	46

Assay Certificate Job # 201542485



ACCURASSAY
LABORATORIES

Laboratory Address:
1045 Gorham Street,
Thunder Bay, ON P7B 4A5
Ph: 807-626-1630
Fx: 807-622-7571

NEW ADDRESS
Remit to:
Accurassay Laboratories Ltd.
PO Box 177, Lambeth Station
London, ON N6P 1P9

INVOICE

Invoiced to:

Kekeeway, Doug
4 - 305 Balsam Street
Thunder Bay, ON P7A 5N6
Canada

Analyzed For:

Kekeeway, Doug
4 - 305 Balsam Street
Thunder Bay, ON P7A 5N6
Canada

Invoice No: IN123186

Date: Jul 13, 2015

Page 1

Cust. No.: 0575

Businesss No: 10029 4768

Terms: Net 30 Days

Due Date: Aug 12, 2015

Code	Qty	Description	Unit Price	Amount
		Job# 201542485		
ALP1	5	Dry, Crush (<5kg) 85%-10 mesh, Split 500g, Pulv 90%-200 Mesh	8.00	40.00
ALFA1	5	Gold (FA/AAS, 30g)	13.65	68.25
ALAR1	5	Aqua Regia Digestion with ICP-OES Finish Gift Certificate # 1183, 1199, 1194	10.20	51.00
PROMO		Promotional Sales Discount	0.00	-95.55
				63.70
				3.19
				66.89

Prospecting/ Work Log and Descriptions

(See sheet "Trench Dimensions and Locations" for trench locations)

DATE	DESCRIPTION
Sept 22/14	Starting building a access trail using a Clark model 664c cable skidder and started at approximate location 16u 602066/5397716 and ended the day at 16u 601579/5398401
Sept 23/14	Continued building access trail all day and ended at location 16u 601874/5397986
Oct 16/15	area 1 Five small trenches were dug over distance of 70 meters and are between 16u 601178/5400169 and 16u 601228/5400126. The geology in all trenches was in basalt. One trench located below the hill at 16u 601228/5400126 has limonite iron staining and was not sampled.
Oct 17/14	area 2 Two 30 meter trenches were dug 60 meters west of the Carroll gold showing. The geology in the trenches both were in basalt with narrow felsic units. No mineralization and no samples were taken.
Oct 18/14	area 3 Two small 10 meters trenches were dug 30 meters east of the main trail. A small 10 cm wide pyrite zone in contact with a diabase dyke was sampled and not analyzed. The geology in both trenches were in basalt.
Oct 19/14	area 4 A long 62 meter trench was dug over two days. The geology the trench was basalt. There was no mineralization and no samples taken.
Oct 20/14	area 4 A second day spent digging the 62 meters trench
Jul 04/15	area 5 A small 6mx2m trench was dug 30 meters east of the the new access trail. The geology in the trench was granite with no mineralization and no samples taken.
Jun 17/15	On Claim 3005080 I prospected along hydro line corridor with a ATV from the southeast claim line at 16u 6047177/5397177 and ended on the hydro line corridor at 16u 602732/5398075. At one of the hydro poles I came across several blasted rock pieces that had originated from the base of hydro pole. The geology of the rock pieces were gneissic and were mineralized with pyrite. Took one sample Tag 1003200 and got it analyzed. Sample location 16u 603352/5397558
Jun 18/15	On Claim 3005080 I pulled a boat into finger lake and rode along the shore and got off the boat to prospect about mid point on the east side of the lake. The geology on the east side of the lake is in basalt and no samples were taken.

(Prospecting/Work Log and Descriptions Continued)

June 19/15 Decided to go back along the hydro corridor and sample the other blasted floats found June 17/15 at base of one of the hydro poles. Four samples were taken and located at 16u 603360/5397555. All samples were within a few meters of each other. Sample Tag 1003168,1003199,1003197,1003196. The geology of all rock pieces was gneissic with pyrite.

Oct 17/15 Prospected from 16u 601195/5399653 and ended at 16u 601374/5399804 and also from 16u 601210/5399412 and ended at 16u 601367/5399595. All overburden and no samples taken.

Trench Dimensions and Locations

(See Prospecting and Trenching Map for Area)

	measured in meters					
	length	width	depth	zone	location	
AREA 1	7	0.75	1	16u	601178	5400169
	4	4	0.25	16u	601184	5400140
	5	3	0.25	16u	601193	5400133
	3	3	0.25	16u	601220	5400131
	5	4	0.25	16u	601228	5400126
AREA 2	31	0.75	2.5	16u	601249	5399813
	33	0.75	1	16u	601191	5399800
AREA 3	10	6	0.25	16u	601204	5399697
	12	0.75	1.2	16u	601185	5399676
AREA 4	62	0.75	1	16u	601339	5398983
AREA 5	6	2	0.25	16u	601698	5398248

1) **Summery**

This report is for assessment credits and is for year 2014 and 2015. In 2014 the Ministry Natural Resources requesting I do not cross the creek with equipment and giving permission to cross the creek at another location I had to build another access trail with the Skidder. All mechanical work was done with a older version logging cable skidder model 664C Clark that was modified and a older hydraulic International backhoe quick attachment with a 20 inch bucket. In year 2014 and 2015 I randomly trenched on claim 3005077 and 3005075. In year 2015 I prospected on claim 3005080 along the hydro line corridor and also pulled a boat into Finger Lake to prospect around the lake.

2) **Introduction**

The White Lake East Property consisting of 6 contiguous claim blocks comprising of 80 units and are located 31 km west of the town of White River Ontario and 56 km east of Marathon Ontario. The claims lie within and on the east side of White Lake. The property is covered by N.T.S. map sheet 42C/12NE and 42C/13SE and by claim maps G-0622 in the township of "White Lake Area".

3) **Property Location and Access**

The property is located 31 km west of the town of White River and 22.5 km east of Hemlo gold deposit in the Thunder Bay Mining Division. It includes portions of White Lake and surrounding land just north of Highway 17. A Public boat launch on the west side of White Lake is available close to the Marathon boat club to access claims 3005075, 3005077 and 3005078. To access claims 3005080, 3005081 and 3005079 would by highway 17 and the Moberg turnoff.

4) **Topography and Vegetation**

The Property consists of rolling hills rising from White Lake and generally ending in cliffs of 2-30m. The maximum relief is approximately 50m. Swampy and flat terrain is also prevalent. A few smaller ponds are contained within the property.

The higher areas are covered by large popular, birch and spruce, and smaller fir and spruce trees with local undergrowth of shrub maple and tag alder. Low lying areas contain cedar, tag alders

and black spruce. Locally spruce budworm has devastated the trees and areas of deadfall are common.

5) **Regional Geology**

The Narrows property lies within the Heron Bay-Hemlo portion of the Schreiber-Hemlo greenstone belt in the Wawa subprovince of the Superior Province (Muir, 1983). This greenstone belt is composed of Archean metavolcanic and metasedimentary rocks surrounded by the regional granitic rocks and runs approximately east-west (Figure 3). The property region is underlain by mafic metavolcanics and metasediments with mafic, intermediate and felsic intrusives. Late intrusives consist of lamprophyre and diabase dikes. The metamorphic grade ranges from greenschist to amphibolite facies. A dominant north-northwest schistosity is found in this area.

The bedrock in the area is generally covered by a thin layer of surficial deposits consisting of humus and soil with a thin layer of glacial drift (Geddes, R.S. and Kristjansson, F.J., 1986). Locally the tills may be thicker. In some areas thick sections of glaciolacustrine deposits occur.

6) **Local Geology on Claim #3005078**

(Descriptions used from Graphite group property report year 1996)

The geology of the Claim is described in detail by Gallo (1990a, 1990b, 1991, 1992a, 1992b, and 1992c) and by McKay (1994). In summary, the claim is underlain primarily by a northwesterly-trending sequence of intercalated mafic metavolcanic and clastic metasedimentary rocks that have been intruded locally by foliation-parallel and foliation-crosscutting sills and dikes of both mafic and felsic compositions, and by narrow veins of quartz

The mafic metavolcanic rocks are typically locally rusty-weathering, dark green to black, generally moderately foliated, medium-grained, non-magnetic, and non-calcareous amphibolitic schists. The foliation in these rocks varies in strike from 145 to 165 degrees, and in dip from 75 to 85 degrees west. Trace amounts of fine-grained disseminated pyrite were present in most of the rocks examined.

The clastic metasedimentary rocks occur as relatively thin beds within the amphibolitic mafic metavolcanic sequence. The metasedimentary rocks were observed in two locations on the property. They outcrop intermittently along the ridge that bisects the southern part of the property, and are exposed on a small point of land jutting out into White Lake near the western

edge of the property. The metasedimentary rocks are typically locally sheared, medium-grained, biotitic, locally graphitic, non-calcareous, quartzo-feldspathic schists. The foliation in these rocks varies in strike and dip within the ranges quoted above for the mafic metavolcanic rocks. The biotitic-rich metasedimentary schists may represent metamorphosed arkose.

The mafic intrusive rocks examined during the present survey comprise of 2 large, norwesterly- and northerly-trending diabase dikes. These rocks are typically brownish-weathering, and dark green, massive, medium- to coarse-grained, locally moderately magnetic and contain less than 1% pyrite as fine- to medium-grained anhedral grains.

The felsic intrusive rocks occur primarily along the western and eastern margins of the property and envelope and intrude locally the supracrustal rocks. These intrusive rocks are typically buff-weathering, pinkish, weakly foliated, coarse-grained rocks of granitic to granodioritic composition. They were observed to contain numerous rounded xenoliths of amphibolite in several locations proximal to the western contact with the mafic metavolcanic rocks.

Quartz-feldspar and feldspar porphyritic, foliation-parallel sills occur widely distributed within the metavolcanic and metasedimentary rocks. Narrow (less than 1 mm to 50 cm wide), foliation-parallel and foliation-crosscutting quartz veins also occur locally. These quartz veins are glassy-white and generally barren-looking.

7) Local Geology on Claim #3005075 and #3005077

(Descriptions used from M.Stalker White Lake project year 2000)

a) Lithologies

The White Lake property is underlain by a sequence of metavolcanic and metasedimentary rocks which have been inundated by mafic, intermediate, and felsic intrusive. The close proximity of large batholiths has led to metamorphic aureoles and magma mixing causing heterogeneous outcrops. Lithologies change or grade from outcrop to outcrop or within the same outcrop and contacts may be crosscutting or gradational making it hard to outline individual units. Rocks have been metamorphosed to the amphibolites facies.

b) Mafic Metavolcanic

Much of the property is underlain by mafic flows which grade into coarser grained amphibolites. The mafic volcanic are usually comprised of amphiboles and chlorite and commonly could be termed an amphibolites. They can be biotite rich especially where shearing occurs, rarely, they are muscovite rich. Poorly developed pillows were observed at only one location but outcrops that have an indication of pillows or ropy lava but no definite selvages are more common. Garnets and a beaded mineral, probably sillimanite, are common especially in those outcrops suggesting pillows. All of the mafics exhibit a foliation but it can be strong to sheared over small zones. Locally the mafic flows are altered to light green to tan in bands at an angle to foliation. Many of the mafic flows have traces of medium grained cubes of pyrite but rarely outcrops are rusty and may contain up to 5% pyrite locally.

c) Coarse Grained Amphibolites

This unit covers a wide variety of rocks on the property. It is made of coarser grained amphibolites with up to 30% pink or white felsic matrix. This unit is probably the metamorphic equivalent of the mafic volcanic flows which have been affected by the intrusion of the intermediate to felsic intrusive. Grain size can be from 1mm to 5cm. It grades between the mafic volcanic and the Granodiorite or may be crosscutting these units. This unit is commonly without foliation but may be foliated or gneissic locally. Trace amount of pyrite and rare molybdenum may be found in the amphibolites, especially in the felsic matrix.

d) Migmatite

This unit has a light grey intermediate to felsic matrix with pods of mafic material and pods of granitic material which resemble slightly stretched clasts. These pods grade in composition with a number of different varieties. These pods look like they are replaced primary clasts, possibly originally a pyroclastic rock, but the unit may also be a hybrid of two different magmas. This unit occurs in seven different locations comprising several outcrops in the central part of the property. The largest observed width of the unit was >10m but it also appears in bands <1m. This lithology is often biotite rich and scattered pyrite cubes are common.

e) **Metasediments**

There are two main types of Lithologies on the property which appear to be meta-sediments. Biotite rich schist to gneiss with quartz and feldspar grains which grades to a more arkosic rock. A few outcrops are biotite schist that looks like a lamprophyre dike and it is difficult to tell between the two. Possibly a granitized sediment which is fine grained, laminated, and may be strongly sheared. It is commonly sericitized and locally muscovite rich with rare green mica grains. The unit gives the appearance of a mylonite and folding is commonly evident. Quartz eyes are found in some of these outcrops and it is possible this unit is altered porphyry with laminations due to alteration. Minor pyrite is found locally in both of these units and trace amounts of molybdenite is found in the granitized sediments.

f) **Metagabbro**

The gabbro is very similar to and is possibly the same unit as amphibolite with <5% felsic matrix. It is very coarse grained with grains up to 10 cm. It appears to be a true gabbro and not just a very coarse grained equivalent of the amphibolite because of its stronger magnetic signature, higher Ni content, and rarely observed cross cutting contacts with the amphibolite. Locally the gabbros' magnetic field is strong enough to disturb a compass. At some locations the gabbro and amphibolite contact does appear gradational. However, the two units do overlap and may easily be mistaken for one another.

g) **Granodiorite**

Granodiorite is a very prominent rock type on the grid. It grades between granite and amphibolite. It is mainly medium to coarse grained but may be very coarse grained. It is composed of amphibole and chlorite and less commonly biotite with pink and white feldspar grains and white quartz grains. The Granodiorite often grades in composition but slightly different compositions may also have sharp dike like contacts indicating a number of different intrusions of the Granodiorite magma. It is common on the property to see a Granodiorite outcrop with pods of Granodiorite in a more mafic matrix. On the north shore of the cut grid area are good examples of this with rounded pods of Granodiorite in a Matrix formed of amphibole.

h) **Granite**

Granite is not as prevalent on the property and probably is the most felsic end member

of the Granodiorite batholith. It is mostly composed of feldspar, quartz, amphibole and biotite. It is commonly gneissic.

i) **Felsic Intrusive**

Felsic intrusives are prevalent throughout the property. Pegmatite's are common and consist of coarse grains of quartz, feldspar, and biotite.

Granite intrusives are also commonly found. Less common are aplitic intrusives. All of these intrusives are generally less than 1m in width.

j) **Lamprophyre**

Two lamprophyre dikes were observed on the property. These are fine to medium grained and biotite rich and are similar to the biotite schist sediments. They may be metasediment but appear to have intrusive contacts although these contacts are parallel to foliation.

k) **Diabase**

Three outcrops of diabase were observed but common diabase rubble indicates that it is more prevalent. Both fine grained and coarse grained diabase occur. The coarser diabase is magnetic. The diabase contains trace amounts of pyrite.

8) **Local Geology on Claims 3005079, 3005080, 3005081.**

(Descriptions used from G.Lohman 1983 assessment file 42c12ne0046)

According to Milne (1972) the area is underlain by an ellipsoid shaped suite of Archean volcanic and sedimentary rocks measuring 35 km by 20 km in areal extent. Granitic intrusives and small bodies of mafic and ultramafic rocks have invaded the volcanic suite. A large body of gneiss is present at the core of the complex.

The volcanic suite is composed of an outer zone of mafic metavolcanics that flanks a narrow zone of felsic metavolcanics which, in turn, flank metasediments. The mafic metavolcanics have been described by Muir (1982) as being tholeiitic basalts that are composed of amphibolite, a mixture of amphibole and plagioclase.

The intermediate to felsic metavolcanics are tuffs and flows of fine grained, grey- to buff-coloured rocks. The metasediments are considered to be distal, water-deposited material derived from unlithified volcanic sources and are commonly well bedded and laminated. They become progressively more felsic towards the core. Thin section examination has shown that plagioclase is sericitized and, together with the quartz is fine grained and anhedral. Muscovite is common (5-20%) with minor biotite (5%). Minor chlorite is present. Reworked sedimentary rocks are present as two types – mudstone and greywacke. Minor occurrences of mafic intrusive rocks are represented by gabbro and schistose mafic dykes. Felsic metamorphic rocks and intrusives are represented by gneisses and quartz monzonites that are cut by aplite dykes and by pegmatites.

In recent years the area has witnessed the discovery of the large, low-grade Hemlo gold deposit. This deposit occurs in the felsic zone of the metasediments, approximately 3 km East of Hemlo and appears to be strataform. The gold occurs in native form and is closely associated with wisps of fine-grained molybdenite and more vaguely with realgar and needles of tourmaline.

9) **Conclusions**

The year 2014 and 2015 prospecting season was not successful in finding any anomalous samples and the random trenching was also not successful in locating any mineralized zones.

10) **Recommendations**

Option the property to an Exploration Company

Monday, March 14, 2016

Final Certificate

 Kakeway, Doug
 305 Balsalm Street Apt # 4
 Thunder Bay, ON, CAN
 P7A-5N6
 Ph#: (807) 285-6481
 Email: goldfinder@vianet.ca

 Date Received: 06/22/2015
 Date Completed: 07/08/2015
 Job #: 201542485
 Reference:
 Sample #: 5

Acc #	Client ID	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
216561	1003196	<1	2.00	5	459	122	<2	23	0.19	<4	46	762	1119	8.68	0.83	49	0.66	2138	16	0.08	123	403	6	<5	<5	0.05	<10	4	1633	30	86	<10	9	80
216562	1003197	<1	2.31	<2	43	57	<2	28	0.28	<4	48	172	607	10.29	0.58	88	0.65	1052	20	0.05	189	666	10	<5	<5	0.03	<10	4	1470	50	102	<10	9	94
216563	1003199	<1	1.75	2	44	128	<2	8	0.21	<4	23	165	267	5.74	0.88	54	0.62	526	12	0.07	94	531	2	<5	<5	0.02	<10	7	1838	<2	135	<10	6	82
216564	1003200	<1	2.04	<2	42	138	<2	7	0.20	<4	34	186	508	8.31	0.94	69	0.69	781	18	0.06	176	438	4	<5	<5	0.03	<10	5	2083	<2	148	<10	7	106
216565	1003168	<1	1.49	<2	48	121	<2	25	0.14	<4	20	105	53	3.72	0.37	47	0.91	543	12	0.08	88	107	3	<5	<5	0.03	<10	13	1589	<2	89	<10	3	45
216566D	1003168	<1	1.51	2	40	124	<2	2	0.14	<4	20	108	52	3.78	0.38	47	0.93	554	12	0.08	93	108	2	<5	<5	0.03	<10	13	1585	<2	92	<10	3	46

PROCEDURE CODES: ALP1, ALFA1, ALAR1

 Certified By: 
 Susan Schmitz, Customer Services Manager

 The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Monday, March 14, 2016

Final CertificateKakeway, Doug
305 Balsalm Street Apt # 4
Thunder Bay, ON, CAN
P7A-5N6
Ph#: (807) 285-6481
Email: goldfinder@vianet.caDate Received: 06/22/2015
Date Completed: 07/08/2015
Job #: 201542485
Reference:
Sample #: 5

Acc #	Client ID	Au g/t (ppm)
216561	1003196	0.006
216562	1003197	0.006
216563	1003199	<0.005
216564	1003200	0.005
216565	1003168	0.020
216566	1003168 Dup	0.019

APPLIED SCOPES: ALP1, ALFA1, ALAR1


Validated By:


Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:


Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:


Derek Demianiuk, VP Quality**The results included on this report relate only to the items tested.****The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.**

Monday, March 14, 2016

Final CertificateKakeway, Doug
305 Balsalm Street Apt # 4
Thunder Bay, ON, CAN
P7A-5N6
Ph#: (807) 285-6481
Email: goldfinder@vianet.caDate Received: 06/22/2015
Date Completed: 07/08/2015
Job #: 201542485
Reference:
Sample #: 5**Control Standards**

QC Type	Element	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	Au	1.638	1.575	0.088

APPLIED SCOPES: ALP1, ALFA1, ALAR1


Validated By:


Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:


Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:


Derek Demianiuk, VP Quality**The results included on this report relate only to the items tested.****The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.**