

Appendix D: Sample Assays



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 1
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2014
 Account: KAMGOL

CERTIFICATE TB14129758

Project: HEMLO DISTRICT

This report is for 39 Rock samples submitted to our lab in Thunder Bay, ON, Canada on 27- AUG- 2014.

The following have access to data associated with this certificate:

TOM BOKENFOHR JAMES SCOTT	ERIC BUITENHUIS TIM SMITH	JOHN FLOREK
------------------------------	------------------------------	-------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 32m	Pulverize 500g - 85% < 75um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA23	Au 30g FA- AA finish	AAS
C- IR07	Total Carbon (Leco)	LECO
ME- MS61	48 element four acid ICP- MS	

To: KAMINAK GOLD CORPORATION
 ATTN: TIM SMITH
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2014
 Account: KAMGOL

Project: HEMLO DISTRICT

CERTIFICATE OF ANALYSIS TB14129758

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm	ME- MS61 Fe %
S00838		0.53	0.06	7.29	<0.2	500	0.81	0.05	6.67	0.13	31.4	46.3	11	0.74	9.3	8.63
S00839		0.86	0.06	8.68	0.4	90	0.89	0.12	6.49	0.08	36.9	15.7	56	0.15	10.9	4.66
S00840		0.49	0.13	6.14	1.8	190	1.79	0.15	0.43	<0.02	1.85	1.0	10	4.45	7.2	0.73
S00841		0.51	0.05	8.29	0.6	260	0.87	0.10	4.22	0.06	38.3	15.6	52	1.46	15.5	3.79
S00842		0.69	0.12	8.57	1.3	450	0.95	0.07	1.24	0.08	46.5	10.3	86	1.16	15.1	1.25
S00843		0.25	0.02	7.47	0.5	130	1.02	0.25	5.07	0.11	46.0	15.8	133	0.66	14.0	3.15
S00844		0.39	0.07	8.06	0.6	250	0.75	0.13	2.82	0.07	26.5	13.4	59	1.62	19.9	3.13
S00845		0.89	0.07	8.76	0.2	430	0.68	0.22	2.61	0.06	22.6	14.2	51	1.04	22.7	3.30
S00846		0.48	0.16	7.63	0.5	250	0.79	0.67	3.45	0.09	26.2	12.4	43	0.92	12.8	2.97
S00847		1.02	0.08	8.07	1.0	590	0.82	0.13	1.48	0.05	27.9	6.4	20	2.73	14.0	1.86
S00848		0.65	0.02	7.93	1.0	620	0.90	0.08	1.69	0.04	17.70	4.7	14	2.72	8.2	1.74
S00849		0.70	0.09	7.27	0.6	610	0.72	0.11	1.82	0.09	42.2	6.2	13	0.78	10.3	1.94
S00850		0.52	0.06	8.25	0.4	460	0.68	0.14	2.05	0.04	27.3	11.7	51	3.67	15.3	3.93
S00851		0.68	0.06	5.72	<0.2	140	1.64	0.25	8.21	0.19	33.5	48.8	532	2.73	18.4	7.39
S00852		0.71	0.06	8.23	0.5	650	1.57	0.13	2.01	0.07	41.7	4.4	17	2.93	17.4	2.17
S00853		0.71	0.04	8.36	0.6	1150	1.44	0.15	3.83	0.10	108.0	18.1	23	4.64	12.5	4.83
S00854		0.80	0.09	7.64	0.8	340	0.93	0.06	6.44	0.18	41.6	45.0	85	2.68	122.5	10.60
S00855		1.16	0.69	6.61	1.1	340	0.66	1.01	3.48	2.44	44.3	29.6	37	3.35	177.5	6.19
S00856		0.73	0.03	8.19	9.7	810	0.94	0.04	2.81	0.10	7.53	2.2	30	1.23	5.0	1.00
S00857		0.56	0.05	8.04	<0.2	320	0.68	0.14	4.42	0.09	30.5	23.6	190	1.85	19.9	3.94
S00858		0.70	0.02	8.43	0.7	430	0.77	0.15	2.22	0.03	21.1	6.0	19	1.78	9.4	2.09
S00859		0.50	0.04	8.26	<0.2	250	0.60	0.06	3.60	0.05	25.5	15.4	67	1.06	6.8	3.28
S00860		0.48	0.07	7.82	<0.2	490	0.83	0.07	4.36	0.10	47.8	20.4	124	1.40	13.1	4.10
S00861		0.84	0.16	2.03	0.6	120	0.28	0.01	0.70	0.03	1.55	3.3	21	0.44	73.2	0.78
S00862		0.76	0.04	7.42	0.4	490	0.86	0.10	3.41	0.07	45.6	17.2	107	1.92	19.1	3.39
S00863		0.69	0.05	7.71	1.0	260	0.86	0.17	5.16	0.14	67.1	19.3	204	0.81	24.2	3.66
S00864		0.65	0.04	7.53	0.3	330	0.81	0.21	3.17	0.09	50.7	16.9	109	1.17	19.8	3.27
S00865		0.86	0.05	8.21	0.5	350	0.79	0.07	2.79	0.10	69.9	19.0	115	0.49	3.5	4.05
S00866		0.52	0.08	7.42	0.7	340	0.84	0.19	3.53	0.11	41.4	21.2	126	2.37	18.7	3.99
S00867		0.61	0.02	7.61	0.2	450	0.67	0.08	3.59	0.07	46.5	17.4	102	0.48	13.7	3.85
S00868		1.20	0.02	7.46	0.5	730	0.91	0.19	3.66	0.10	62.6	15.4	107	0.45	24.0	3.49
S00869		0.84	0.05	7.55	0.2	530	1.00	0.08	3.57	0.08	41.7	14.7	59	1.86	19.7	3.26
S00870		1.10	0.08	8.55	0.2	360	0.90	0.24	2.12	0.08	17.20	11.6	367	4.02	29.6	5.12
S00871		1.16	0.10	8.19	1.2	520	0.88	0.13	3.30	0.09	18.45	20.0	194	7.28	44.0	5.62
S00872		0.84	0.15	7.84	1.0	610	0.58	0.10	3.67	0.19	9.46	20.9	172	1.02	63.8	5.04
S00873		0.84	0.02	8.60	0.4	160	0.30	0.01	6.86	0.09	6.91	48.9	313	0.52	45.7	5.86
S00874		1.07	0.03	7.67	0.8	80	0.31	0.01	8.31	0.06	6.75	48.6	253	0.45	108.0	8.13
S00875		0.65	0.21	7.24	0.6	340	0.11	0.03	7.67	0.13	3.97	47.1	374	1.38	54.9	10.70
S00876		1.13	0.10	5.49	0.3	10	0.07	0.02	6.88	1.42	2.82	19.0	206	0.10	113.0	4.48



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com


To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2014
 Account: KAMGOL

Project: HEMLO DISTRICT

CERTIFICATE OF ANALYSIS TB14129758

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	
		Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm
S00838		19.35	0.12	1.9	0.088	1.42	9.0	23.2	5.89	1290	0.15	2.14	4.2	18.4	330	2.9
S00839		30.7	0.09	1.2	0.042	0.30	16.2	4.9	1.60	667	1.73	3.00	3.1	31.5	760	8.3
S00840		19.10	<0.05	1.2	<0.005	4.10	0.7	1.6	0.05	77	0.36	2.59	1.1	2.5	50	25.5
S00841		26.2	0.09	1.8	0.042	0.67	16.4	9.4	1.50	655	0.48	4.60	3.5	29.8	890	9.3
S00842		24.5	0.09	2.8	0.036	1.68	19.2	20.6	0.18	204	0.78	4.39	2.9	28.7	540	19.0
S00843		23.1	0.09	1.4	0.026	0.29	22.8	3.2	1.52	548	0.40	3.71	3.1	68.3	680	12.0
S00844		21.6	0.08	1.0	0.034	0.89	10.7	11.8	1.07	535	0.42	4.04	2.3	36.4	570	7.0
S00845		24.1	0.08	0.7	0.035	0.92	9.8	13.5	1.11	600	0.39	4.79	2.7	29.7	590	4.3
S00846		24.0	0.08	0.8	0.035	0.71	11.9	8.2	0.97	424	0.76	4.09	2.5	24.6	600	7.2
S00847		23.3	0.06	2.5	0.021	1.08	10.3	21.3	0.68	248	0.61	4.35	2.1	10.7	460	11.2
S00848		22.0	0.05	2.1	0.013	1.62	6.3	17.4	0.46	234	0.37	3.88	2.1	6.6	370	11.1
S00849		21.3	0.09	1.1	0.019	2.15	19.0	8.2	0.44	340	0.30	3.44	2.4	6.7	510	7.7
S00850		21.8	0.10	2.9	0.031	1.65	9.7	33.0	1.11	551	0.83	3.06	3.7	23.2	730	8.1
S00851		15.80	0.14	2.4	0.068	0.71	11.0	10.8	6.92	1400	4.67	1.13	3.7	172.0	2080	7.5
S00852		26.9	0.07	4.7	0.034	0.87	15.2	19.2	0.60	254	0.33	4.36	4.8	6.4	1010	13.0
S00853		23.6	0.20	3.7	0.055	2.15	47.8	18.6	1.76	751	0.24	3.46	6.1	14.6	2010	15.3
S00854		21.6	0.17	4.1	0.094	0.81	19.3	10.5	3.17	1720	0.61	2.19	7.0	45.9	850	7.3
S00855		19.30	0.13	1.9	0.170	1.21	20.6	18.8	0.79	744	3.23	0.59	3.6	97.1	320	8.4
S00856		27.3	<0.05	2.9	0.060	1.59	3.3	7.0	0.22	242	0.90	3.22	2.7	9.1	460	11.7
S00857		21.4	0.11	1.0	0.038	0.87	13.0	17.5	2.01	741	0.39	3.19	2.5	90.5	590	6.7
S00858		24.0	0.05	0.9	0.020	0.97	8.6	15.7	0.44	259	0.26	4.45	1.6	10.4	390	7.5
S00859		27.2	0.10	0.9	0.035	0.92	10.4	15.7	1.27	488	0.31	3.86	2.2	43.5	740	6.6
S00860		22.2	0.14	1.7	0.036	1.07	21.6	9.2	2.43	658	0.76	3.30	4.6	83.6	830	7.6
S00861		3.50	<0.05	0.1	<0.005	0.14	0.7	1.9	0.08	90	0.30	1.02	0.2	6.2	1060	1.9
S00862		21.4	0.12	2.2	0.027	0.93	19.3	15.1	1.76	568	0.57	3.32	4.4	65.1	760	7.4
S00863		21.7	0.14	1.1	0.043	0.49	30.7	6.6	1.98	714	0.49	3.15	4.6	92.8	1030	8.1
S00864		21.6	0.14	1.6	0.036	0.89	22.7	12.8	1.72	615	0.41	3.33	3.4	79.8	850	7.2
S00865		21.2	0.12	2.4	0.034	0.98	31.7	12.2	2.40	630	0.43	4.46	3.9	78.2	940	4.3
S00866		20.3	0.08	2.4	0.038	0.72	16.4	11.3	1.53	860	0.85	3.26	3.9	72.7	1020	7.2
S00867		20.3	0.12	1.8	0.037	0.94	20.8	8.3	2.06	542	0.43	3.93	3.3	67.4	770	4.9
S00868		21.3	0.12	2.0	0.035	0.98	28.8	7.7	1.50	531	0.53	3.64	4.1	59.7	890	8.6
S00869		22.2	0.18	1.3	0.036	1.13	16.2	16.4	1.54	586	0.26	3.27	2.7	44.2	840	7.7
S00870		22.5	0.08	3.7	0.061	1.85	8.1	36.8	1.33	953	0.92	1.93	5.6	42.6	510	6.6
S00871		26.8	0.09	1.9	0.052	2.13	8.2	52.0	2.77	1080	4.73	1.66	5.3	58.5	1260	6.1
S00872		19.05	0.11	1.7	0.052	1.02	4.4	18.8	1.77	1130	0.63	3.03	2.5	45.8	450	3.7
S00873		20.2	0.05	0.6	0.065	0.24	2.4	11.0	3.92	1400	0.18	3.24	2.0	140.0	470	<0.5
S00874		17.90	0.05	0.6	0.064	0.28	2.4	5.8	2.90	2140	0.26	1.30	1.9	139.0	450	0.7
S00875		14.05	0.08	0.6	0.050	0.96	1.2	29.2	5.92	2240	0.16	0.94	1.2	117.0	170	0.8
S00876		12.20	<0.05	0.3	0.027	0.04	1.1	5.9	1.61	1070	0.68	0.14	0.6	51.8	90	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 1
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2014
Account: KAMGOL

CERTIFICATE TB14114756

Project: HEMLO DISTRICT

This report is for 37 Rock samples submitted to our lab in Thunder Bay, ON, Canada on 1- AUG- 2014.

The following have access to data associated with this certificate:

TOM BOKENFOHR
TIM SMITH

JOHN FLOREK

JAMES SCOTT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 32m	Pulverize 500g - 85% < 75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA23	Au 30g FA- AA finish	AAS
C- IR07	Total Carbon (Leco)	LECO
ME- MS61	48 element four acid ICP- MS	


To: KAMINAK GOLD CORPORATION
ATTN: TIM SMITH
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2014
 Account: KAMGOL

Project: HEMLO DISTRICT

CERTIFICATE OF ANALYSIS TB14114756

Sample Description	Method	WEI- 21	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Units		kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
LOR		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
S00801		0.67	0.04	8.50	1.0	520	1.03	0.15	2.20	0.07	57.1	6.1	28	2.68	10.8	2.17
S00802		0.83	0.05	7.86	2.5	130	0.33	0.07	6.11	0.09	11.00	51.1	146	1.62	80.9	5.68
S00803		0.77	0.08	3.41	1.0	220	0.19	0.10	2.17	0.10	5.37	19.5	56	0.69	130.0	4.96
S00804		0.80	0.14	8.02	0.3	420	0.68	0.18	2.58	0.15	46.5	23.5	152	4.73	70.6	4.27
S00805		0.87	0.10	7.95	0.8	350	1.37	0.20	2.67	0.17	52.0	15.6	96	4.94	40.1	2.74
S00806		1.32	0.18	7.55	0.3	320	0.73	0.21	1.93	0.13	27.0	20.1	189	3.14	69.3	4.43
S00807		0.79	0.09	8.97	0.6	450	1.09	0.17	1.89	0.10	69.2	16.9	133	4.66	22.9	4.16
S00808		0.85	0.04	8.13	0.3	560	0.83	0.16	2.89	0.12	46.3	15.2	71	1.66	17.9	3.18
S00809		1.28	0.03	5.71	0.5	200	0.45	0.08	2.40	0.04	37.7	10.4	67	0.52	14.0	2.84
S00810		0.83	0.05	7.46	0.3	490	0.84	0.11	3.08	0.07	43.5	10.1	48	1.25	20.1	2.58
S00811		0.71	0.02	6.67	0.5	250	0.68	0.16	2.27	0.08	25.9	6.5	34	1.30	5.7	2.11
S00812		1.13	0.03	8.31	<0.2	1010	1.09	0.05	2.15	0.06	41.8	9.8	44	1.83	13.2	2.63
S00813		0.70	0.04	8.51	0.8	2490	3.06	0.26	2.91	0.14	331	13.8	11	5.38	4.7	5.07
S00814		3.18	0.01	7.79	1.7	370	1.88	0.04	6.21	<0.02	10.50	6.0	35	0.76	1.4	1.54
S00815		1.39	0.05	5.77	2.6	120	0.85	0.24	4.71	0.02	26.7	18.5	68	0.36	22.9	3.01
S00816		0.37	0.03	10.35	0.8	650	0.86	0.23	2.92	0.10	32.9	11.3	72	2.26	12.8	3.25
S00817		0.94	0.05	8.90	0.4	510	0.78	0.13	4.72	0.08	20.9	17.7	64	1.69	19.9	3.30
S00818		1.15	0.03	7.56	0.7	230	0.58	0.09	2.08	0.03	16.65	9.9	59	0.80	23.1	2.06
S00819		0.64	0.15	7.50	1.4	570	0.96	0.11	3.76	0.06	64.3	14.4	62	2.80	24.6	2.98
S00820		1.18	0.05	7.07	1.6	550	0.90	0.10	3.80	0.08	65.0	11.5	70	2.88	16.9	2.68
S00821		0.75	0.04	7.58	0.8	730	1.23	0.12	3.06	0.05	74.0	18.2	153	0.52	31.1	3.50
S00822		0.59	0.08	7.40	0.8	700	1.21	0.13	3.27	0.07	67.5	14.9	108	1.33	30.5	2.93
S00823		0.75	0.11	7.82	0.5	560	0.91	0.23	2.71	0.10	62.7	18.0	138	1.52	30.3	3.64
S00824		0.71	0.04	7.40	0.2	510	0.88	0.10	2.76	0.08	50.9	17.3	89	1.83	17.2	3.62
S00825		0.57	0.06	7.99	0.5	620	1.18	0.11	1.68	0.05	49.1	11.6	41	1.77	14.0	2.74
S00826		0.30	0.07	7.93	0.2	410	0.99	0.14	3.37	0.10	66.2	20.5	170	1.61	19.8	4.62
S00827		0.43	0.04	7.67	0.4	460	0.96	0.08	2.05	0.05	42.5	18.0	102	1.71	24.4	3.19
S00828		0.46	0.03	7.97	0.2	550	1.05	0.17	3.16	0.10	54.1	20.8	123	0.71	8.3	4.58
S00829		0.48	0.12	8.31	4.1	1390	1.13	0.52	1.90	0.13	24.5	11.8	80	4.52	56.3	2.77
S00830		1.31	0.05	8.59	1.4	270	1.60	0.10	1.10	0.04	29.8	4.4	11	0.66	10.7	1.29
S00831		0.59	0.17	8.50	0.6	650	1.53	0.36	2.59	0.07	46.9	13.6	61	9.12	41.0	3.57
S00832		0.61	0.18	8.39	31.0	940	0.80	0.33	1.95	1.10	37.7	22.9	41	2.66	120.0	3.61
S00833		0.48	0.18	7.17	1.2	80	0.46	0.20	6.05	0.73	10.70	44.9	85	0.40	186.0	13.85
S00834		0.36	0.03	8.60	1.4	40	0.49	0.07	6.83	1.26	15.20	60.9	111	1.14	9.4	14.60
S00835		0.44	0.19	6.91	8.9	470	0.90	0.72	0.84	0.38	23.8	2.9	31	1.73	98.4	1.41
S00836		0.53	0.03	7.66	0.5	30	0.53	0.08	8.33	0.16	12.40	45.7	88	0.17	67.5	9.98
S00837		0.50	0.02	8.06	0.5	390	0.91	0.21	3.53	0.10	33.3	18.2	108	1.31	21.0	3.77



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2014
 Account: KAMGOL

Project: HEMLO DISTRICT

CERTIFICATE OF ANALYSIS TB14114756

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	
		Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm
S00801		22.6	0.19	2.5	0.019	1.69	27.1	17.8	0.63	438	0.30	3.91	2.3	11.3	400	10.6
S00802		17.05	0.14	0.8	0.083	0.24	3.7	6.5	2.22	1550	0.18	2.26	2.4	94.6	390	0.9
S00803		7.58	0.14	0.4	0.044	0.35	2.1	4.3	0.89	966	0.59	0.87	1.7	33.7	140	1.7
S00804		21.5	0.17	2.6	0.044	1.66	21.0	34.8	1.33	912	1.64	1.93	4.1	72.8	460	10.0
S00805		19.50	0.17	2.1	0.026	1.11	23.5	21.8	0.80	526	1.39	3.00	3.8	44.3	550	15.5
S00806		18.50	0.16	2.5	0.037	1.07	11.3	29.0	1.57	630	1.70	2.63	3.5	46.8	510	13.2
S00807		20.6	0.18	3.0	0.039	2.06	31.5	30.0	1.53	704	1.19	2.42	4.0	57.9	860	12.5
S00808		22.7	0.15	1.3	0.031	1.14	21.1	16.8	1.32	381	0.57	3.76	3.6	43.7	680	10.4
S00809		15.15	0.15	0.7	0.024	0.41	17.3	11.6	1.07	381	0.36	2.54	2.6	39.1	470	5.1
S00810		20.5	0.15	0.9	0.024	1.04	20.3	12.8	1.09	323	0.30	3.04	2.9	34.1	660	7.3
S00811		16.70	0.15	0.9	0.013	0.80	12.0	13.9	0.59	257	0.31	2.94	2.2	16.4	360	7.0
S00812		22.7	0.16	1.5	0.023	1.84	19.1	22.3	1.42	331	0.51	3.85	2.9	33.6	580	7.4
S00813		23.9	0.39	6.2	0.071	2.48	153.0	48.3	1.71	872	0.13	3.33	11.3	4.5	3980	33.1
S00814		21.9	0.15	0.7	0.011	2.57	4.6	12.5	0.78	424	0.25	3.12	0.9	22.2	160	1.7
S00815		16.95	0.16	0.8	0.028	0.61	11.7	26.3	1.28	524	0.51	1.27	3.3	19.2	540	3.3
S00816		29.6	0.16	0.8	0.033	2.20	16.1	29.3	1.38	614	0.66	3.73	2.5	40.2	540	6.0
S00817		25.5	0.17	0.9	0.030	1.31	9.5	26.0	1.49	679	0.15	3.45	2.1	53.5	430	5.8
S00818		18.25	0.14	1.9	0.022	0.74	7.7	14.6	0.83	342	0.11	3.90	1.9	36.4	320	3.3
S00819		21.2	0.17	1.0	0.028	1.16	29.8	26.6	1.33	505	0.34	2.86	2.9	45.4	820	8.5
S00820		16.80	0.19	0.8	0.026	1.27	29.0	22.2	1.03	517	0.25	2.00	3.0	40.3	910	7.5
S00821		19.60	0.20	1.6	0.032	1.51	33.7	12.2	1.62	567	1.08	3.59	4.0	74.5	880	5.0
S00822		18.45	0.18	1.6	0.029	2.03	30.8	25.1	1.34	498	0.43	2.90	3.5	64.9	790	14.2
S00823		20.5	0.19	1.6	0.031	1.26	26.6	15.8	1.32	625	0.99	3.50	3.8	59.8	820	9.6
S00824		18.15	0.19	1.3	0.029	1.15	22.4	18.2	1.54	650	1.91	3.08	3.1	52.5	710	7.8
S00825		21.2	0.16	2.9	0.026	1.82	20.0	28.3	1.16	329	1.55	3.06	3.5	32.3	740	8.1
S00826		19.95	0.17	2.3	0.039	0.82	26.5	14.1	1.23	1010	0.48	3.25	4.2	86.1	1170	7.7
S00827		19.60	0.17	2.7	0.031	1.27	18.7	19.5	1.73	426	0.62	3.68	3.7	71.2	400	7.2
S00828		19.55	0.16	2.1	0.033	1.05	21.4	14.2	1.89	831	0.40	3.11	4.0	86.5	870	7.6
S00829		22.7	0.09	3.5	0.063	2.98	10.0	31.1	1.00	437	3.32	2.70	3.3	35.9	690	17.6
S00830		26.1	0.09	2.5	0.017	0.72	13.5	11.5	0.31	175	0.32	6.35	1.8	3.8	390	9.3
S00831		24.7	0.09	3.1	0.035	1.99	19.9	37.1	1.18	445	2.32	3.76	3.3	44.0	790	13.9
S00832		22.2	0.08	2.9	0.168	2.76	16.7	25.9	0.93	416	1.39	2.82	1.9	49.8	560	17.6
S00833		20.9	0.10	1.0	0.174	0.27	3.8	18.9	3.17	3070	0.44	0.76	3.2	66.0	440	2.3
S00834		22.7	0.12	1.3	0.159	0.27	5.5	33.7	3.99	3870	0.34	0.95	4.0	89.9	500	1.5
S00835		18.00	0.09	3.7	0.151	2.34	11.8	11.4	0.25	124	3.59	2.57	1.7	6.1	620	8.4
S00836		18.95	0.08	0.5	0.094	0.25	4.5	9.2	2.48	2060	0.26	1.29	3.0	73.7	490	1.2
S00837		22.5	0.09	1.6	0.035	1.07	13.7	17.7	1.67	556	0.66	3.45	3.9	60.9	760	6.4