

We are committed to providing [accessible customer service](#).
If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).
Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

Work Report Strathy Twp Sept 6 & 7/2016

2.57235

Day #1 Sept 6/16

Left Timmins at 8 AM got on the road which we parked the truck at 1:00 PM after lunch. Had to cut out the trail to the claims 1.6 KM lots of brush and wind fallen trees ^{to cut pt.} to the property. We walk back out to the truck went to Latchford and rented a trailer for the night. Rent Paid \$120.00 for 3 men

Douglas Lalonde	1 day work	\$ 300.00
Gilles Allaire	1 day work	\$ 300.00
Paul Degagne	wages paid by Benton Res	\$ 720.00
	Round trip to Latchford from the claims	\$ 34.00
	68 KM x .50 KM	\$ 754.00

Day #2 Sept 7/16

Went to the mining claims to pick up samples from Pits #1, 2, 3 on claim #4272126 see attached sheets for assay & discriptions

Douglas Lalonde	1 day work	\$ 300.00
Gilles Allaire	1 day work	\$ 300.00
Paul Degagne	wages paid by Benton Res	\$ 600.00
	Round trip from Timmins to Temagami	\$ 265.00
	Total 530 KM x .50 \$ per KM	\$ 60.00
	Food 2 men at \$30. day per man	\$ 925.00

Write report make maps, photo copying plus ^{used} ink,
pictures etc. File assessment work forms.

Douglas Lalonde

Gilles Allaire helper

\$	300.	00
\$	300.	00
\$	600.	00

(Sample assaying was paid by
Benton Res)

PiT
#3

Description

Strathy - felspathized, possibly sil'd gabbro, 1% cpy, po

Strathy - chloritic sheared gabbro, 2% cpy, 5% po

PiT
#1

Strathy Pit 1 - sheared mafic volcanic, 10% coearse pyrite, from 4m with quartz-vein shear zone

Strathy Pit 1 - sheared mafic volcanic, 10% coarse pyrite, taken 2m west from 813 in 2nd sulphide zone

Strathy Pit 1 - sheared mafic volcanic, 2% pyrite, taken on edge of shear zone

PiT
#2

Strathy Pit 2 - sheared mafic with 20% quartz as stringers, nil to tr py

Strathy Pit 2 - sheared mafic with 15% py


Name	LOCATION	East(nad27)	North(nad27)	ele	Au g/t	Ag g/t	Pt g/t	Pd g/t	%Cu
PiT#3	171811 STRATHY - LALONDE	Nad 83 0590323	590307	Nad 83 5216813	320	0.02	1.50	tr	0.128
	171812 STRATHY - LALONDE	5217036	590307	5216817	321	0.03	2.90	0.01	0.329
	171813 STRATHY - LALONDE		590218	5217048	333	1.30	2.00	tr	0.101
PiT#1	171814 STRATHY - LALONDE	0590240	590221	5217049	333	14.40	35.50	0.01	0.937
	171815 STRATHY - LALONDE	5217275	590226	5217052	332	0.02	0.40	tr	0.020
PiT#2	171816 STRATHY - LALONDE	0590257	590232	5216999	334	2.70	6.70	tr	0.099
	171817 STRATHY - LALONDE	5217226	590236	5216994	334	>30	153.00	tr	1.210

(Nad 83)

	%Ni	%Pb	%Zn
PiT #3	0.0226	0.0012	0.0112
	0.0978	0.0003	0.0142
PiT #1	0.0046	0.0012	0.0135
	0.0120	0.0127	0.0067
	0.0067	0.0005	0.0096
PiT #2	0.0019	0.0129	0.0085
	0.0030	0.0952	0.0107

2.57235

Strathy Twp



Bush Trail

Date Submitted: 09-Sep-16
Invoice No.: A16-09173
Invoice Date: 21-Sep-16
Your Reference: Tem-Genex

Benton Resources Corp.
684 Squier Street
Thunder Bay ON P7B 4A8
Canada

ATTN: Clint Barr (Invoices+res)

CERTIFICATE OF ANALYSIS

7 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

Code 1A2-Timmins Au - Fire Assay AA

Code 1A3-Timmins Au - Fire Assay Gravimetric

Code 1C-OES-Timmins Fire Assay ICPOES

Code 1E2-Timmins Aqua Regia ICP(AQUAGEO)

REPORT **A16-09173**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3.


Values which exceed the upper limit should be assayed for accurate numbers.


CERTIFIED BY:



Emmanuel Esemé, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1752 Riverside Drive, Timmins, Ontario, Canada, P4R 1N1
TELEPHONE +705 264-0123 or +1.888 228.5227 FAX +1.905.648.9613
E-MAIL Timmins@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com





Pit #1 0590240
171813 5217275 UTM
171814 Location
171815

Au

Gilles

09/08/2012 09:22





PIT #1

Area

East side of Pit #1

Pit #1	0590240
Sample #	5217275 UTM
171813	
171814	Location
171815	

09/08/2012 10:10





Pit #2	0590257
sample	5217226 UTM
121816	Location
171817	





Sample Pit #2
#171816 - 171817

PIT#3 0590323
samples 5717036 UTM
171811 Location
171812

PIT#3



Paul

Doug

PiT #3



Paul

Doug

PIT #3