ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 13-OCT-2014
Account: SXY

CERTIFICATE TB14151876

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 26-SEP-2014.

The following have access to data associated with this certificate:

BREANNA PARKKARI	MICHELE TUOMI	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
Ni-AA46	Ore grade Ni - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Co-AA45	Trace Co-aqua regia digestion	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 13-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14151876

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppb 1	PGM-ICP23 Pt ppb 5	PGM-ICP23 Pd ppb 1	Ni-AA46 Ni ppm 10	Cu-AA46 Cu ppm 10	Co-AA45 Co ppm 1	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01
N538001		2.66	4	<5	<1	<10	70	10	1.3	0.99	105	<10	30	<0.5	<2	0.91
N538002		3.51	6	<5	<1	<10	20	9	1.8	1.61	225	<10	50	<0.5	<2	1.09
N538003		2.63	21	<5	1	70	270	51	1.0	2.54	3	<10	100	<0.5	<2	1.90
N538004		2.71	11	<5	<1	100	150	41	1.2	2.41	157	<10	30	<0.5	<2	0.93
N538005		3.08	3	<5	1	30	50	13	0.2	0.83	13	<10	120	<0.5	<2	1.59
N538006		3.67	10	10	9	390	40	69	5.8	3.32	248	<10	290	<0.5	2	3.05
N538007		4.07	5	10	9	360	30	65	<0.2	2.80	371	<10	290	<0.5	<2	5.71
N538008		3.99	3	6	6	280	50	46	0.3	2.32	162	<10	420	<0.5	<2	4.48
N538009		2.40	4	8	8	340	60	35	0.3	2.40	<2	<10	<10	<0.5	<2	1.99
N538010		2.51	5	<5	3	720	120	57	4.5	1.74	6	<10	60	<0.5	<2	2.86
N538011		2.53	<1	<5	1	320	<10	40	<0.2	0.23	<2	<10	<10	<0.5	<2	1.49
N538012		3.00	1	<5	3	570	30	52	<0.2	1.30	<2	<10	20	<0.5	<2	5.02
N538013		3.21	<1	<5	4	130	70	38	<0.2	2.99	<2	<10	870	<0.5	<2	2.18
N538014		3.81	12	<5	4	50	230	16	0.4	1.84	<2	<10	90	<0.5	<2	1.78
N538015		3.91	1	<5	3	50	60	19	<0.2	1.96	<2	<10	20	<0.5	<2	0.99
N538016		3.89	1	5	6	820	<10	59	<0.2	0.80	15	<10	<10	<0.5	<2	2.69
N538017		3.85	<1	<5	2	660	<10	51	<0.2	0.97	21	<10	<10	<0.5	<2	2.05
N538018		3.74	<1	<5	2	840	30	60	<0.2	0.55	26	<10	<10	<0.5	<2	2.32
N538019		4.00	1	<5	3	940	30	69	<0.2	0.50	28	<10	<10	<0.5	<2	3.20
N538020		3.79	<1	<5	3	820	10	64	<0.2	0.55	24	<10	<10	<0.5	<2	2.45
N538021		0.05	1180	19	30	4230	260	151	<0.2	0.64	120	10	20	<0.5	<2	0.63
N538022		0.18	1	<5	<1	<10	20	<1	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01
N538023		3.72	1	<5	4	1100	10	73	<0.2	0.60	42	<10	<10	<0.5	<2	1.74
N538024		3.66	1	<5	3	1200	<10	76	<0.2	0.42	28	<10	<10	<0.5	<2	1.48
N538025		3.69	1	<5	3	1050	10	74	<0.2	0.45	26	<10	<10	<0.5	<2	1.40
N538026		3.78	1	<5	1	1090	10	81	<0.2	0.47	27	<10	<10	<0.5	<2	2.24
N538027		0.06	507	421	1920	170	110	17	0.5	3.69	7	<10	90	<0.5	2	2.32
N538028		3.96	1	<5	4	1150	10	89	<0.2	0.51	36	<10	<10	<0.5	<2	1.90
N538029		3.84	5	<5	1	1160	20	87	<0.2	0.50	35	<10	<10	<0.5	<2	2.87
N538030		3.41	2	<5	4	900	70	75	<0.2	0.43	6	<10	<10	<0.5	<2	2.27
N538031		4.33	<1	<5	1	1100	<10	78	<0.2	0.28	13	<10	<10	<0.5	<2	2.28
N538032		3.83	<1	<5	1	820	<10	69	<0.2	0.28	10	<10	<10	<0.5	<2	2.33
N538033		3.63	1	<5	4	970	<10	72	<0.2	0.38	13	<10	<10	<0.5	<2	1.59
N538034		3.84	<1	<5	1	630	<10	56	<0.2	0.38	10	<10	<10	<0.5	<2	5.19
N538035		3.75	<1	5	14	890	30	67	<0.2	0.67	19	<10	<10	<0.5	<2	2.43
N538036		3.82	<1	<5	6	890	30	63	<0.2	0.45	18	<10	<10	<0.5	<2	2.05
N538037		3.64	1	<5	2	830	20	69	<0.2	0.50	14	<10	<10	<0.5	<2	3.39
N538038		4.46	<1	<5	<1	20	130	32	<0.2	1.82	2	<10	190	<0.5	<2	1.67
N538039		4.22	<1	<5	<1	10	90	28	<0.2	1.43	2	<10	20	<0.5	2	1.96
N538040		4.12	<1	<5	<1	20	80	28	<0.2	1.67	<2	<10	20	<0.5	<2	2.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 13-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14151876

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10
N538001		5.7	9	8	61	1.60	<10	<1	0.26	20	0.20	192	1	0.09	14	400
N538002		0.7	8	3	19	1.51	<10	<1	0.35	20	0.50	272	1	0.09	11	420
N538003		2.4	49	37	280	13.75	10	<1	0.49	10	1.24	705	<1	0.10	111	390
N538004		<0.5	43	92	191	15.6	10	<1	0.74	20	1.52	442	<1	0.03	135	750
N538005		<0.5	12	75	52	12.85	<10	<1	0.31	10	0.86	525	<1	0.02	62	690
N538006		14.8	65	963	59	5.31	10	<1	1.07	20	2.92	949	<1	0.07	395	620
N538007		<0.5	63	984	45	2.87	<10	<1	1.13	<10	2.23	730	<1	0.08	364	160
N538008		<0.5	43	688	59	3.24	10	<1	1.04	10	2.79	779	<1	0.07	271	480
N538009		<0.5	31	1170	72	3.29	<10	<1	0.01	<10	4.44	650	<1	<0.01	251	70
N538010		27.5	51	466	132	5.00	<10	<1	0.09	10	3.75	1295	<1	0.02	703	210
N538011		<0.5	38	278	3	4.19	<10	<1	<0.01	<10	10.40	1095	<1	0.01	297	20
N538012		<0.5	48	930	46	3.91	<10	<1	0.07	<10	6.32	1355	<1	0.01	564	60
N538013		<0.5	35	313	83	4.36	10	<1	1.75	20	4.07	536	<1	0.08	157	900
N538014		<0.5	16	63	274	2.35	<10	<1	0.09	<10	1.31	342	<1	0.16	49	280
N538015		<0.5	18	88	76	2.81	<10	<1	0.04	<10	1.90	314	<1	0.10	56	260
N538016		<0.5	56	1550	9	5.97	<10	<1	<0.01	<10	6.10	761	<1	0.01	732	230
N538017		<0.5	48	1500	7	4.53	<10	<1	<0.01	<10	6.96	585	<1	0.01	567	80
N538018		<0.5	57	1625	9	4.44	<10	<1	<0.01	<10	7.09	689	<1	0.01	723	20
N538019		<0.5	66	1440	17	5.59	<10	<1	<0.01	<10	8.05	933	<1	<0.01	858	30
N538020		<0.5	62	1540	9	5.62	<10	<1	<0.01	<10	7.94	1085	<1	0.01	742	30
N538021		<0.5	154	406	263	6.99	<10	<1	0.10	<10	14.90	652	2	0.05	4260	110
N538022		<0.5	<1	3	1	0.40	<10	<1	<0.01	<10	0.01	42	<1	0.01	3	10
N538023		<0.5	75	1835	9	5.81	<10	<1	<0.01	<10	8.60	738	<1	0.01	987	40
N538024		<0.5	74	1505	13	6.10	<10	<1	<0.01	<10	8.51	840	<1	0.01	1060	30
N538025		<0.5	71	1445	12	5.89	<10	<1	<0.01	<10	8.25	810	<1	0.01	953	70
N538026		<0.5	81	1585	15	6.60	<10	<1	<0.01	<10	10.30	1120	<1	0.01	1060	40
N538027		<0.5	15	61	105	3.29	10	<1	0.14	10	1.32	445	7	0.27	174	460
N538028		<0.5	84	1480	14	6.21	<10	<1	<0.01	<10	10.70	1030	<1	<0.01	1060	60
N538029		<0.5	86	1355	17	5.75	<10	<1	<0.01	<10	9.45	927	<1	<0.01	1060	30
N538030		<0.5	71	1160	80	5.10	<10	<1	<0.01	<10	4.97	673	<1	0.01	899	30
N538031		<0.5	73	1235	15	6.14	<10	<1	<0.01	<10	8.20	948	<1	0.01	1020	100
N538032		<0.5	63	1210	9	5.69	<10	<1	<0.01	<10	8.10	1045	<1	0.01	766	40
N538033		<0.5	70	1390	8	5.63	<10	<1	<0.01	<10	8.22	877	<1	0.01	895	30
N538034		<0.5	53	1115	5	4.83	<10	<1	<0.01	<10	7.73	1195	<1	0.01	595	30
N538035		<0.5	64	1385	9	5.82	<10	<1	<0.01	<10	8.41	913	<1	0.01	787	190
N538036		<0.5	64	1635	9	5.51	<10	<1	<0.01	<10	7.91	914	<1	0.01	781	60
N538037		<0.5	68	1515	21	5.24	<10	<1	<0.01	<10	7.36	1040	<1	0.01	810	40
N538038		<0.5	32	25	135	4.99	10	1	0.34	10	1.27	548	<1	0.22	27	880
N538039		<0.5	27	7	107	4.16	10	1	0.07	10	0.78	533	<1	0.23	13	820
N538040		<0.5	27	8	97	4.57	10	<1	0.07	10	0.96	615	<1	0.23	19	770

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 13-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14151876

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N538001		426	0.74	24	1	18	<20	0.01	<10	<10	5	<10	886
N538002		1055	0.47	520	1	35	<20	0.02	<10	<10	5	<10	62
N538003		75	5.69	44	9	40	<20	0.08	<10	<10	93	<10	436
N538004		42	6.15	<2	8	13	<20	0.10	<10	<10	78	<10	158
N538005		5	1.73	2	3	36	<20	0.05	<10	<10	33	<10	43
N538006		762	0.27	5	10	103	<20	0.12	<10	<10	90	<10	2290
N538007		18	0.03	<2	7	129	<20	0.10	<10	<10	69	<10	30
N538008		112	0.12	3	6	132	<20	0.12	<10	<10	77	<10	69
N538009		37	0.08	<2	11	66	<20	0.01	<10	<10	78	<10	48
N538010		1015	1.32	2	5	53	<20	0.03	<10	<10	33	<10	4290
N538011		2	0.02	<2	5	21	<20	<0.01	<10	<10	4	<10	12
N538012		3	0.26	<2	11	128	<20	0.01	<10	<10	45	<10	24
N538013		12	0.35	<2	8	100	<20	0.21	<10	<10	112	<10	61
N538014		3	0.05	<2	8	29	<20	0.10	<10	<10	64	<10	27
N538015		<2	0.02	<2	7	8	<20	0.09	<10	<10	67	<10	31
N538016		<2	0.03	<2	7	17	<20	0.01	<10	<10	64	<10	5
N538017		<2	0.01	<2	8	12	<20	0.02	<10	<10	47	<10	7
N538018		<2	0.03	<2	5	14	<20	0.01	<10	<10	41	<10	6
N538019		2	0.04	<2	5	19	<20	0.01	<10	<10	45	<10	5
N538020		<2	0.03	3	6	15	<20	0.01	<10	<10	46	<10	4
N538021		10	1.85	<2	4	10	<20	0.03	<10	<10	28	<10	92
N538022		<2	0.02	<2	<1	<1	<20	<0.01	<10	<10	<1	<10	<2
N538023		<2	0.04	<2	6	10	<20	0.01	<10	<10	52	<10	6
N538024		<2	0.06	<2	6	9	<20	0.01	<10	<10	47	<10	7
N538025		<2	0.05	<2	6	8	<20	0.01	<10	<10	44	<10	6
N538026		<2	0.06	<2	6	14	<20	0.01	<10	<10	45	<10	6
N538027		4	0.06	3	4	63	<20	0.11	<10	<10	57	<10	43
N538028		<2	0.06	6	7	10	<20	0.01	<10	<10	42	<10	5
N538029		<2	0.07	2	7	15	<20	0.01	<10	<10	40	<10	4
N538030		<2	0.11	<2	5	12	<20	0.01	<10	<10	44	<10	5
N538031		<2	0.07	<2	4	10	<20	0.01	<10	<10	38	<10	7
N538032		<2	0.04	<2	5	11	<20	0.01	<10	<10	36	<10	5
N538033		<2	0.05	<2	5	8	<20	0.01	<10	<10	39	<10	6
N538034		<2	0.02	<2	5	32	<20	0.01	<10	<10	34	<10	4
N538035		<2	0.02	<2	7	13	<20	0.01	<10	<10	45	<10	5
N538036		<2	0.03	<2	5	11	<20	0.01	<10	<10	42	<10	6
N538037		2	0.03	<2	5	17	<20	0.01	10	<10	43	<10	7
N538038		3	0.30	<2	11	13	<20	0.22	<10	<10	145	<10	54
N538039		3	0.29	3	10	13	<20	0.18	<10	<10	118	<10	49
N538040		2	0.20	<2	11	16	<20	0.17	<10	<10	157	<10	52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 13-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14151876

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppb 1	PGM-ICP23 Pt ppb 5	PGM-ICP23 Pd ppb 1	Ni-AA46 Ni ppm 10	Cu-AA46 Cu ppm 10	Co-AA45 Co ppm 1	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01
N538041		4.17	<1	<5	<1	20	140	29	<0.2	1.62	<2	<10	20	<0.5	<2	2.23
N538042		4.23	<1	<5	<1	20	150	31	<0.2	1.35	<2	<10	10	<0.5	<2	1.67
N538043		0.05	39	9	14	16800	290	978	0.8	1.39	18	90	80	1.0	3	4.85
N538044		0.17	<1	<5	<1	<10	<10	1	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01
N538045		4.21	<1	<5	<1	30	60	24	<0.2	1.60	3	<10	10	<0.5	<2	2.00
N538046		4.16	<1	<5	<1	10	80	25	<0.2	1.66	2	<10	20	<0.5	<2	2.11
N538047		4.07	<1	<5	<1	10	60	27	<0.2	1.59	<2	<10	40	<0.5	<2	1.85
N538049		0.06	814	1155	5050	450	190	31	0.4	8.07	5	10	70	<0.5	3	5.08
N538048		4.10	<1	<5	<1	10	80	23	<0.2	1.67	<2	<10	50	<0.5	<2	1.87
N538050		4.16	2	<5	<1	10	100	20	<0.2	1.75	<2	<10	60	<0.5	<2	2.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 13-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14151876

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10
N538041		<0.5	29	6	158	4.46	10	<1	0.07	10	0.92	591	<1	0.23	20	780
N538042		<0.5	29	7	174	3.83	10	1	0.06	10	0.71	467	<1	0.22	18	870
N538043		3.3	978	2040	304	17.4	<10	<1	0.07	20	2.85	2830	5	0.36	>10000	120
N538044		<0.5	<1	4	1	0.38	<10	<1	<0.01	<10	<0.01	42	<1	0.01	7	10
N538045		<0.5	23	7	76	4.17	10	1	0.06	10	0.80	578	<1	0.23	15	870
N538046		<0.5	22	9	82	4.20	10	1	0.07	10	0.74	583	<1	0.24	13	930
N538047		<0.5	25	6	67	4.21	10	1	0.08	10	0.63	580	1	0.23	11	1230
N538049		<0.5	30	116	208	3.42	10	1	0.09	10	2.51	386	7	0.59	470	230
N538048		<0.5	23	6	84	4.40	10	1	0.09	10	0.65	630	1	0.26	11	1350
N538050		<0.5	20	5	102	4.45	10	1	0.14	10	0.78	673	<1	0.27	10	1190

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 13-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14151876

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N538041		3	0.28	<2	11	16	<20	0.18	<10	<10	149	<10	53
N538042		2	0.40	<2	9	12	<20	0.16	<10	<10	112	<10	42
N538043		360	3.00	<2	17	415	<20	0.05	10	<10	108	<10	1270
N538044		<2	<0.01	<2	<1	1	<20	<0.01	<10	<10	<1	<10	2
N538045		2	0.17	<2	10	15	<20	0.18	<10	<10	120	<10	49
N538046		<2	0.18	<2	10	17	<20	0.15	<10	<10	101	<10	52
N538047		2	0.33	2	9	25	<20	0.14	<10	<10	72	<10	52
N538049		6	0.09	3	3	81	<20	0.06	<10	<10	34	<10	34
N538048		2	0.30	<2	9	15	<20	0.14	<10	<10	73	<10	56
N538050		3	0.08	<2	10	21	<20	0.16	<10	<10	106	<10	62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 13-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14151876

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Co-AA45	Cu-AA46	ME-ICP41	Ni-AA46
	PGM-ICP23			