ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 4-OCT-2014
Account: SXY

CERTIFICATE TB14150103

Project: 180.04E.84A12A

This report is for 36 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 24-SEP-2014.

The following have access to data associated with this certificate:

BREANNA PARKKARI	MICHELE TUOMI	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
Ni-AA46	Ore grade Ni - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Co-AA45	Trace Co-aqua regia digestion	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 4-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14150103

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppb 1	PGM-ICP23 Pt ppb 5	PGM-ICP23 Pd ppb 1	Ni-AA46 Ni ppm 10	Cu-AA46 Cu ppm 10	Co-AA45 Co ppm 1	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01
N539651		2.34	2	13	10	400	50	78	1.1	3.23	367	<10	170	<0.5	2	2.38
N539652		2.42	2	12	9	460	10	74	<0.2	1.85	534	<10	30	<0.5	<2	2.01
N539653		2.72	1	<5	1	60	100	38	0.2	4.02	6	<10	600	<0.5	<2	3.70
N539654		2.70	17	6	3	140	130	45	0.3	3.42	104	<10	280	<0.5	<2	2.24
N539655		2.69	45	5	3	170	220	34	5.3	3.03	95	<10	110	<0.5	<2	1.94
N539656		2.76	3	8	6	270	100	46	0.2	3.32	<2	<10	300	<0.5	<2	1.50
N539684		0.05	4230	<5	1	80	7060	524	2.4	0.20	549	<10	10	<0.5	9	4.59
N535196		0.05	17	46	59	5680	350	218	0.9	0.23	23	<10	10	<0.5	<2	0.31
N539685		0.18	<1	<5	<1	<10	<10	<1	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01
N539657		4.36	2	<5	2	80	180	28	<0.2	1.20	<2	<10	10	<0.5	<2	1.92
N539658		2.77	2	<5	1	80	430	42	0.2	1.53	<2	<10	30	<0.5	<2	3.66
N539659		4.04	6	13	14	60	130	30	<0.2	2.24	3	<10	150	<0.5	<2	4.23
N539660		3.83	3	6	11	820	20	55	<0.2	0.32	<2	<10	<10	<0.5	<2	1.37
N539661		3.84	5	<5	1	360	50	35	<0.2	1.34	<2	<10	100	<0.5	2	1.63
N539662		3.67	1	<5	2	690	<10	50	<0.2	0.21	<2	<10	<10	<0.5	<2	1.83
N539663		3.90	2	<5	3	670	10	51	<0.2	0.21	<2	<10	<10	<0.5	<2	0.28
N539664		3.75	1	<5	3	550	<10	50	<0.2	0.19	<2	<10	<10	<0.5	<2	0.59
N539665		3.72	2	<5	2	560	10	44	<0.2	0.21	<2	<10	<10	<0.5	<2	0.50
N539666		3.58	2	<5	2	750	<10	54	<0.2	0.20	<2	<10	<10	<0.5	<2	1.11
N539667		3.92	4	<5	1	200	160	22	<0.2	1.14	<2	<10	60	<0.5	<2	2.24
N539668		3.74	1	<5	2	150	40	31	<0.2	3.30	<2	<10	380	<0.5	2	1.13
N539669		3.97	1	<5	5	390	60	38	<0.2	2.64	<2	<10	570	<0.5	<2	1.58
N539670		3.56	1	<5	16	880	90	59	<0.2	0.41	<2	<10	<10	<0.5	<2	4.21
N539671		0.05	1105	3840	3860	8080	790	184	0.4	0.89	287	<10	40	<0.5	3	0.63
N539672		0.16	<1	<5	1	10	<10	<1	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01
N539673		2.77	1	<5	9	1170	130	78	<0.2	0.95	<2	<10	<10	<0.5	<2	3.18
N539674		2.73	1	<5	6	870	160	66	<0.2	0.64	<2	<10	<10	<0.5	<2	3.72
N539675		3.18	3	5	6	200	130	35	<0.2	2.66	<2	<10	<10	<0.5	<2	0.79
N539676		0.05	483	400	1875	170	110	16	0.5	3.52	7	<10	90	<0.5	<2	2.17
N539677		3.57	2	10	11	70	150	29	<0.2	2.70	<2	<10	<10	<0.5	<2	0.87
N539678		3.70	1	8	10	90	190	32	0.2	2.87	<2	<10	<10	<0.5	<2	0.52
N539679		3.53	1	13	18	90	70	39	<0.2	3.99	<2	<10	<10	<0.5	<2	0.24
N539680		3.79	<1	12	14	80	10	32	<0.2	3.25	<2	<10	<10	<0.5	<2	0.27
N539681		3.76	3	8	13	70	130	26	<0.2	2.70	<2	<10	10	<0.5	<2	0.86
N539682		2.60	1	5	4	40	90	24	<0.2	3.71	<2	<10	350	<0.5	<2	0.59
N539683		2.16	<1	<5	3	30	<10	7	<0.2	1.64	<2	<10	80	<0.5	2	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 4-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14150103

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10
N539651		<0.5	73	1525	50	3.91	10	<1	0.95	<10	5.54	527	<1	0.02	409	80
N539652		<0.5	71	950	9	2.44	<10	<1	0.16	<10	3.42	494	<1	<0.01	433	40
N539653		<0.5	40	88	107	6.75	10	<1	2.01	10	2.63	900	<1	0.14	90	720
N539654		<0.5	44	265	91	5.54	10	<1	1.25	10	2.44	521	<1	0.13	134	560
N539655		42.8	31	269	218	8.34	10	1	1.27	10	2.85	1415	<1	0.06	182	630
N539656		<0.5	40	729	77	4.70	10	<1	1.20	<10	4.87	604	<1	0.03	232	270
N539684		<0.5	486	15	7030	7.11	<10	<1	0.07	10	1.99	974	2	0.07	87	180
N535196		1.1	206	518	372	8.25	<10	<1	<0.01	<10	0.78	736	2	0.04	5450	90
N539685		<0.5	1	4	2	0.52	<10	<1	<0.01	<10	<0.01	53	<1	<0.01	7	10
N539657		<0.5	24	64	204	2.36	<10	<1	0.05	<10	0.92	318	<1	0.10	64	260
N539658		<0.5	37	64	454	2.87	<10	<1	0.09	<10	0.94	383	<1	0.12	75	270
N539659		<0.5	29	88	161	3.11	<10	<1	0.39	<10	1.43	560	<1	0.14	65	220
N539660		<0.5	51	869	58	3.44	<10	<1	0.01	<10	6.20	848	<1	<0.01	766	400
N539661		<0.5	31	660	81	4.00	<10	<1	0.36	<10	4.02	505	2	0.01	318	250
N539662		<0.5	47	947	32	3.91	<10	<1	<0.01	<10	7.38	821	<1	<0.01	595	60
N539663		<0.5	50	1055	38	4.33	<10	<1	<0.01	<10	8.87	887	<1	<0.01	571	170
N539664		<0.5	46	978	35	4.21	<10	<1	<0.01	<10	9.04	918	<1	<0.01	469	20
N539665		<0.5	43	830	36	3.95	<10	<1	<0.01	<10	8.90	841	<1	<0.01	450	70
N539666		<0.5	54	821	28	4.17	<10	<1	<0.01	<10	8.79	966	<1	<0.01	697	160
N539667		<0.5	21	381	139	2.45	<10	<1	0.15	<10	2.19	435	<1	0.08	169	240
N539668		<0.5	30	378	42	3.95	10	<1	0.92	20	4.07	432	<1	0.06	142	930
N539669		<0.5	36	535	66	3.32	10	<1	1.75	20	4.28	472	<1	0.03	331	1000
N539670		<0.5	57	754	86	3.29	<10	<1	0.01	<10	5.38	969	<1	<0.01	838	240
N539671		0.5	173	28	761	4.66	<10	<1	0.07	10	0.44	248	1	0.22	7740	590
N539672		<0.5	<1	4	2	0.50	<10	<1	<0.01	<10	<0.01	51	<1	<0.01	7	10
N539673		<0.5	74	621	128	3.81	<10	<1	<0.01	<10	5.23	776	1	<0.01	1135	160
N539674		<0.5	65	759	169	3.52	<10	1	<0.01	10	4.80	726	1	<0.01	862	70
N539675		<0.5	33	510	126	3.74	10	<1	0.01	<10	3.50	368	<1	0.02	183	300
N539676		<0.5	15	59	104	3.16	10	<1	0.14	10	1.23	426	8	0.25	172	450
N539677		<0.5	26	213	148	3.43	10	<1	0.01	10	3.11	388	<1	0.02	60	200
N539678		<0.5	31	358	186	3.59	10	<1	0.01	<10	3.45	335	<1	0.01	80	200
N539679		<0.5	36	269	66	4.91	10	<1	0.02	<10	4.55	424	<1	0.01	81	260
N539680		<0.5	29	242	11	4.12	10	<1	0.01	<10	3.76	345	<1	<0.01	62	280
N539681		<0.5	23	132	121	3.18	10	<1	0.02	<10	2.67	349	<1	0.06	56	220
N539682		<0.5	22	200	93	3.48	10	<1	0.98	10	3.25	343	<1	0.12	36	170
N539683		<0.5	7	178	<1	1.10	<10	<1	0.34	10	1.75	106	<1	0.02	19	90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 4-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14150103

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N539651		11	0.01	16	9	90	<20	0.09	<10	<10	111	<10	42
N539652		6	0.03	8	4	66	<20	0.02	<10	<10	56	10	40
N539653		29	0.46	4	12	82	<20	0.29	<10	<10	208	<10	76
N539654		23	0.78	6	8	83	<20	0.19	<10	<10	147	<10	97
N539655		1535	2.28	8	15	37	<20	0.20	<10	<10	202	<10	6450
N539656		26	0.11	<2	13	39	<20	0.15	<10	<10	131	<10	65
N539684		145	6.81	<2	12	33	<20	<0.01	<10	<10	4	200	39
N535196		6	1.26	<2	2	2	<20	0.01	<10	<10	35	<10	33
N539685		<2	0.02	<2	<1	1	<20	<0.01	<10	<10	<1	<10	<2
N539657		8	0.45	<2	7	16	<20	0.05	<10	<10	55	<10	38
N539658		6	0.80	<2	6	32	<20	0.05	<10	<10	51	<10	34
N539659		7	0.39	<2	7	38	<20	0.09	<10	<10	72	<10	42
N539660		3	0.14	<2	4	17	<20	0.01	<10	<10	30	<10	3
N539661		<2	0.07	<2	9	20	<20	0.06	<10	<10	90	<10	15
N539662		<2	0.07	<2	4	23	<20	<0.01	<10	<10	30	<10	2
N539663		<2	0.05	<2	4	3	<20	<0.01	<10	<10	34	<10	3
N539664		3	0.03	<2	4	6	<20	<0.01	<10	<10	25	<10	3
N539665		<2	0.04	<2	4	4	<20	<0.01	<10	<10	24	<10	3
N539666		4	0.08	<2	4	7	<20	<0.01	<10	<10	22	<10	3
N539667		3	0.04	<2	5	21	<20	0.06	<10	<10	55	<10	23
N539668		3	0.01	<2	6	32	<20	0.12	<10	<10	82	<10	46
N539669		4	0.08	<2	4	43	<20	0.15	<10	<10	66	<10	26
N539670		<2	0.24	<2	5	76	<20	<0.01	<10	<10	35	<10	5
N539671		5	2.18	3	2	31	<20	0.36	<10	<10	61	<10	54
N539672		<2	0.02	<2	<1	<1	<20	<0.01	<10	<10	<1	<10	<2
N539673		5	0.51	<2	7	47	<20	0.01	<10	<10	49	<10	10
N539674		4	0.59	<2	5	42	<20	0.01	<10	<10	41	<10	5
N539675		2	0.12	<2	7	6	<20	0.04	<10	<10	92	<10	34
N539676		4	0.06	<2	4	60	<20	0.11	<10	<10	55	<10	43
N539677		<2	0.02	<2	3	5	<20	0.06	<10	<10	50	<10	35
N539678		<2	0.11	<2	2	3	<20	0.05	<10	<10	63	<10	37
N539679		2	0.01	<2	3	2	<20	0.04	<10	<10	98	<10	47
N539680		<2	<0.01	<2	3	2	<20	0.04	<10	<10	81	<10	34
N539681		2	0.08	<2	4	15	<20	0.06	<10	<10	54	<10	33
N539682		3	0.12	<2	9	21	<20	0.13	<10	<10	88	<10	26
N539683		<2	<0.01	<2	2	2	20	0.02	<10	<10	10	<10	7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 4-OCT-2014
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB14150103

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	SPL-21	WEI-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Co-AA45	Cu-AA46	ME-ICP41	Ni-AA46
	PGM-ICP23			