

Appendix B

Assay Certificates

Accurrassay 1482201-1482500

279501-279524

Actlabs 279525-279839

Wednesday, June 18, 2014

Preliminary Analysis

 NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com


 Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Au g/t (ppm)
89413	1482201	0.031
89460	1482202	0.015
89461	1482203	<0.005
89462	1482204	0.019
89463	1482205	<0.005
89464	1482206	<0.005
89465	1482207	<0.005
89466	1482208	<0.005
89467	1482209	0.008
89468	1482210	<0.005
89469	1482210 Dup	<0.005
89470	1482211	<0.005
89471	1482212	0.007
89472	1482214	<0.005
89473	1482216	0.005
89474	1482217	0.006
89475	1482218	<0.005
89476	1482220	<0.005
89477	1482221	<0.005
89478	1482223	<0.005
89479	1482224	<0.005
89480	1482226	<0.005
89481	1482227	0.007
89482	1482228	0.032
89483	1482229	0.006

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:


Andrew Oleski, Instrumentation Manager

Certified By:


Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, June 18, 2014

Preliminary Analysis

 NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com


 Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Au g/t (ppm)
89484	1482230	<0.005
89485	1482231	0.107
89486	1482232	<0.005
89487	1482233	0.149
89488	1482234	0.015
89489	1482235	<0.005
89490	1482236	<0.005
89491	1482236 Dup	<0.005
89492	1482237	<0.005
89493	1482238	<0.005
89494	1482239	<0.005
89495	1482240	<0.005
89496	1482241	<0.005
89497	1482243	0.009
89498	1482244	<0.005
89499	1482245	<0.005
89500	1482246	<0.005
89501	1482248	<0.005
89502	1482249	<0.005
89503	1482252	<0.005
89504	1482254	0.027
89505	1482255	0.015
89506	1482257	<0.005
89507	1482259	<0.005
89508	1482260	0.007

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:


Andrew Oleski, Instrumentation Manager

Certified By:


Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, June 18, 2014

Preliminary Analysis

 NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com


 Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Au g/t (ppm)
89509	1482262	<0.005
89510	1482263	<0.005
89511	1482264	<0.005
89512	1482265	0.006
89513	1482267	<0.005
89514	1482268	<0.005
89515	1482269	<0.005
89516	1482273	0.007
89517	1482274	<0.005
89518	1482275	0.023
89519	1482276	<0.005
89520	1482279	<0.005
89521	1482280	0.006
89522	1482281	<0.005
89523	1482282	<0.005
89524	1482284	0.006
89525	1482285	<0.005
89526	1482288	<0.005
89527	1482289	<0.005
89528	1482290	<0.005
89529	1482292	0.113
89530	1482293	<0.005
89531	1482295	<0.005
89532	1482296	<0.005
89533	1482298	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:


Andrew Oleski, Instrumentation Manager

Certified By:


Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, June 18, 2014

Preliminary Analysis

 NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com


 Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Au g/t (ppm)
89534	1482299	<0.005
89535	1482301	<0.005
89536	1482302	<0.005
89537	1482303	<0.005
89538	1482304	<0.005
89539	1482306	<0.005
89540	1482308	<0.005
89541	1482310	0.142
89542	1482312	<0.005
89543	1482315	<0.005
89544	1482317	<0.005
89545	1482318	<0.005
89546	1482320	<0.005
89547	1482323	<0.005
89548	1482324	<0.005
89549	1482325	<0.005
89550	1482330	<0.005
89551	1482332	<0.005
89552	1482333	<0.005
89553	1482334	<0.005
89554	1482336	<0.005
89555	1482337	<0.005
89556	1482338	No Sample Received
89557	1482340	<0.005
89558	1482342	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:


Andrew Oleski, Instrumentation Manager

Certified By:


Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, June 18, 2014

Preliminary Analysis

 NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com


 Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Au g/t (ppm)
89559	1482343	<0.005
89560	1482344	<0.005
89561	1482348	<0.005
89562	1482350	<0.005
89563	1482353	<0.005
89564	1482355	<0.005
89565	1482356	<0.005
89566	1482359	<0.005
89567	1482360	<0.005
89568	1482362	<0.005
89569	1482363	<0.005
89570	1482364	<0.005
89571	1482365	<0.005
89572	1482366	0.009
89573	1482368	<0.005
89574	1482369	<0.005
89575	1482371	0.052
89576	1482374	<0.005
89577	1482376	<0.005
89578	1482377	0.011
89579	1482378	<0.005
89580	1482379	<0.005
89581	1482382	<0.005
89582	1482383	<0.005
89583	1482384	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:


Andrew Oleski, Instrumentation Manager

Certified By:


Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, June 18, 2014


Preliminary AnalysisNuVision Resources Ltd
225 5th Ave West
Owen Sound, ON, CA
N4K6G3
Ph#: (519) 470-7455
Email: georaoul@gmail.com, raybernatchez@gmail.comDate Received: 06/04/2014
Date Completed: 06/18/2014
Job #: 201441152
Reference:
Sample #: 130

Acc #	Client ID	Au g/t (ppm)
89584	1482385	<0.005
89585	1482386	0.307
89586	1482387	<0.005
89587	1482388	<0.005
89588	1482389	<0.005
89589	1482390	0.005
89590	1482390 Rep	<0.005
89591	1482391	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:

Andrew Oleski, Instrumentation Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature**The results included on this report relate only to the items tested.****The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.**

Wednesday, June 18, 2014

Preliminary Analysis

 NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130


Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
O60C	2.466	2.470	0.080
GS26	0.847	0.804	0.043
GS26	0.846	0.804	0.043
GS26	0.808	0.804	0.043
GS26	0.757	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:


Andrew Oleski, Instrumentation Manager

Certified By:


Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Monday, July 7, 2014


Preliminary Analysis

 NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com


 Date Received: 06/18/2014
 Date Completed: 07/07/2014
 Job #: 201441280
 Reference:
 Sample #: 39

Acc #	Client ID	Au g/t (ppm)
99293	1482394	0.013
99294	1482395	<0.005
99295	1482396	<0.005
99296	1482398	No Sample Received
99297	1482399	<0.005
99298	1482400	<0.005
99299	1482402	<0.005
99300	1482403	<0.005
99301	1482404	<0.005
99302	1482405	0.014
99303	1482405 Dup	0.033
99304	1482406	0.007
99305	1482407	<0.005
99306	1482408	0.006
99307	1482409	<0.005
99308	1482411	<0.005
99309	1482414	<0.005
99310	1482415	<0.005
99311	1482416	<0.005
99312	1482419	<0.005
99313	1482420	<0.005
99314	1482420 Dup	<0.005
99315	1482421	<0.005
99316	1482422	<0.005
99317	1482423	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:


Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:


Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Monday, July 7, 2014

Preliminary Analysis

 NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com


 Date Received: 06/18/2014
 Date Completed: 07/07/2014
 Job #: 201441280
 Reference:
 Sample #: 39

Acc #	Client ID	Au g/t (ppm)
99318	1482424	<0.005
99319	1482427	<0.005
99320	1482428	<0.005
99321	1482429	<0.005
99322	1482431	<0.005
99323	1482432	No Sample Received
99324	1482436	<0.005
99325	1482436 Dup	<0.005
99326	1482437	<0.005
99327	1482438	<0.005
99328	1482439	<0.005
99329	1482440	<0.005
99330	1482441	0.087
99331	1482442	<0.005
99332	1482443	<0.005
99333	1482445	<0.005
99334	1482446	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:


Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:


Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Monday, July 7, 2014

Preliminary Analysis


 NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 06/18/2014
 Date Completed: 07/07/2014
 Job #: 201441280
 Reference:
 Sample #: 39


Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.814	0.804	0.043
GS26	0.804	0.804	0.043
GS26	0.790	0.804	0.043
GS26	0.801	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:


Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:


Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Saturday, July 19, 2014

Preliminary AnalysisNuVision Resources ULC
225 5th Ave West
Owen Sound, ON, CA
N4K6G3

Ph#: (519) 470-7455

Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 06/30/2014

Date Completed: 07/19/2014


Job #: 201441390

Reference:


Sample #: 2

Acc #	Client ID	Au g/t (ppm)
106569	1482397	<0.005
106570	1482435	<0.005
106571	1482435 Dup	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:



No Signature

The results included on this report relate only to the items tested.**The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.**

Saturday, July 19, 2014

Preliminary AnalysisNuVision Resources ULC
225 5th Ave West
Owen Sound, ON, CA
N4K6G3
Ph#: (519) 470-7455
Email: georaoul@gmail.com, raybernatchez@gmail.comDate Received: 06/30/2014
Date Completed: 07/19/2014
Job #: 201441390
Reference:
Sample #: 2**Control Standards**

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
APPLIED SCOPES: ALP1, ALFA1, ALMA1			

Validated By:
Jason Moore, VP Operations, Assayer**Certified By:**
Jason Moore, VP Operations, Assayer**Authorized By:**

No Signature

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 23, 2014


Final Certificate


 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com


 Date Received: 07/07/2014
 Date Completed: 07/23/2014
 Job #: 201441468
 Reference:
 Sample #: 56

Acc #	Client ID	Au g/t (ppm)
112566	1482450	0.010
112567	1482451	<0.005
112568	1482452	<0.005
112569	1482453	<0.005
112570	1482455	<0.005
112571	1482456	<0.005
112572	1482457	No Sample Received
112573	1482458	<0.005
112574	1482459	<0.005
112575	1482460	<0.005
112576	1482460 Dup	<0.005
112577	1482461	<0.005
112578	1482462	<0.005
112579	1482464	<0.005
112580	1482468	<0.005
112581	1482471	<0.005
112582	1482472	<0.005
112583	1482474	<0.005
112584	1482475	<0.005
112585	1482476	<0.005
112586	1482478	No Sample Received
112587	1482478	No Sample Received
112588	1482479	<0.005
112589	1482480	<0.005
112590	1482482	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:
Certified By:
Authorized By:

 Jason Moore, VP Operations, Assayer


 Jason Moore, VP Operations, Assayer


 Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 23, 2014


Final Certificate

 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com


 Date Received: 07/07/2014
 Date Completed: 07/23/2014
 Job #: 201441468
 Reference:
 Sample #: 56

Acc #	Client ID	Au g/t (ppm)
112591	1482484	0.036
112592	1482485	0.018
112593	1482488	0.007
112594	1482490	0.007
112595	1482491	0.021
112596	1482493	<0.005
112597	1482494	<0.005
112598	1482496	0.008
112599	1482497	<0.005
112600	1482498	<0.005
112601	1482499	0.041
112602	279502	0.018
112603	279504	0.011
112604	279505	0.009
112605	279506	0.006
112606	279508	0.010
112607	279509	0.006
112608	279510	0.009
112609	279510 Dup	0.011
112610	279511	0.009
112611	279512	0.017
112612	279514	0.009
112613	279517	0.012
112614	279518	0.008
112615	279519	<0.005


APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:
Certified By:
Authorized By:


Jason Moore, VP Operations, Assayer



Jason Moore, VP Operations, Assayer



Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 23, 2014

Final Certificate

NuVision Resources ULC
225 5th Ave West
Owen Sound, ON, CA
N4K6G3
Ph#: (519) 470-7455
Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 07/07/2014
Date Completed: 07/23/2014
Job #: 201441468
Reference:
Sample #: 56


Acc #	Client ID	Au g/t (ppm)
112616	279520	<0.005
112617	279521	0.010
112618	279522	0.007
112619	279524	1.461
112620	1482151	0.028
112621	1482152	0.022
112622	1482153	<0.005
112623	1482154	0.005
112624	1482155	0.014


APPLIED SCOPES: ALP1, ALFA1, ALMA1


Validated By:

Certified By:

Authorized By:


Jason Moore, VP Operations, Assayer


Jason Moore, VP Operations, Assayer


Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 23, 2014

Final Certificate


 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 07/07/2014
 Date Completed: 07/23/2014
 Job #: 201441468
 Reference:
 Sample #: 56


Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL05	0.373	0.391	0.013
KL05	0.392	0.391	0.013


APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:


Jason Moore, VP Operations, Assayer

Certified By:


Jason Moore, VP Operations, Assayer

Authorized By:


Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, August 15, 2014

Final Certificate

 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 08/11/2014
 Date Completed: 08/15/2014
 Job #: 201441701
 Reference: 201441152
 Sample #: 3

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
130300	1482215	No Sample Received			
130301	1482220		<15	<10	
130302	1482244		<15	<10	
130303 Dup	1482244		<15	<10	

PROCEDURE CODES: ALM1, ALPG1

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

 Certified By:  Jason Moore, VP Operations, Assayer

Friday, August 15, 2014

Final Certificate

 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 08/11/2014
 Date Completed: 08/15/2014
 Job #: 201441702
 Reference: 201441280
 Sample #: 2

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
130304	1482418	No Sample Received			
130305	1482446		<15	19	
130306 Dup	1482446		<15	31	

PROCEDURE CODES: ALPG1, ALM1

 Certified By:  Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, August 15, 2014

Final Certificate

 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 08/11/2014
 Date Completed: 08/15/2014
 Job #: 201441703
 Reference: 201441468
 Sample #: 10

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
130307	1482474		<15	<10	
130308	1482475		<15	14	
130309	1482493		<15	<10	
130310	1482494		<15	<10	
130311	1482499		<15	<10	
130312	279502		<15	<10	
130313	279511		<15	<10	
130314	279506		<15	11	
130315	279520		30	17	
130316	279521		<15	<10	
130317 Dup	279521		<15	<10	

PROCEDURE CODES: ALM1, ALPG1

 Certified By: 
 Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 4, 2014

Final Certificate

NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89413	1482201	<1	3.92	287	163	3	<1	0.13	23	13	17	34	17.11	0.31	12	0.71	228	43	2	2157	202	10	<5	12	93	1257	<2	5	96	9	4974
89460	1482202	<1	2.29	95	280	3	<1	0.06	12	5	20	21	14.14	0.23	25	1.56	343	42	8	1538	122	7	<5	<10	84	548	<2	5	<10	5	216
89461	1482203	<1	4.53	51	323	2	<1	0.33	7	7	27	21	8.14	0.73	17	1.21	361	32	3	1706	297	6	<5	<10	97	1493	<2	5	<10	8	233
89462	1482204	<1	4.09	69	486	2	<1	0.18	6	9	39	15	7.72	0.45	8	0.42	144	31	2	1415	534	8	<5	<10	101	1501	<2	3	<10	8	439
89463	1482205	<1	4.08	8	173	2	<1	0.23	<4	5	22	3	4.21	0.16	4	0.30	626	28	3	355	<1	<5	10	12	93	1364	<2	5	<10	29	122
89464	1482206	<1	3.96	11	58	<2	<1	8.31	4	24	100	174	4.96	0.41	38	1.99	1043	25	47	558	<1	<5	<5	<10	229	348	3	121	<10	5	42
89465	1482207	<1	4.64	6	198	4	<1	6.60	7	25	160	14	8.38	0.71	49	2.39	1683	28	69	1012	<1	8	<5	<10	230	354	<2	221	<10	4	168
89466	1482208	<1	2.88	<2	273	<2	<1	1.46	<4	4	41	6	3.75	0.96	10	0.58	805	30	4	327	<1	<5	<5	<10	102	392	<2	13	<10	17	61
89467	1482209	<1	3.32	19	133	2	2	>10.00	7	21	16	75	8.25	0.72	32	4.43	2722	36	11	945	<1	<5	<5	<10	159	365	<2	10	15	10	177
89468	1482210	<1	3.33	7	17	2	<1	2.99	9	44	59	101	10.63	0.40	4	2.12	2294	33	25	670	<1	<5	<5	<10	145	6426	<2	218	<10	30	153
89469D	1482210	<1	3.63	6	1	2	<1	2.95	9	42	59	101	10.64	0.43	3	2.19	2291	33	24	678	<1	9	<5	<10	145	6067	<2	218	<10	32	152
89470	1482211	<1	3.00	7	310	2	<1	<0.01	<4	2	31	9	0.82	0.69	<1	0.06	121	21	4	<100	<1	5	12	<10	106	871	<2	3	<10	39	33
89471	1482212	<1	3.00	5	778	2	<1	0.02	<4	2	29	32	1.98	0.84	5	0.28	189	34	1	<100	9	6	6	<10	100	803	<2	3	38	37	17
89472	1482214	<1	4.64	8	891	2	<1	1.65	<4	13	85	21	2.29	0.77	10	1.00	404	16	29	831	<1	<5	<5	<10	802	2343	<2	52	<10	14	33
89473	1482216	<1	3.29	15	439	2	<1	0.93	<4	2	37	14	2.54	0.36	6	0.20	711	28	<1	120	22	<5	6	<10	98	1460	<2	2	12	102	149
89474	1482217	<1	1.41	9	333	2	<1	<0.01	<4	3	27	4	2.04	0.77	<1	0.31	454	17	1	<100	<1	<5	8	<10	67	1494	<2	<2	<10	96	123
89475	1482218	<1	5.13	11	36	2	<1	6.71	8	56	151	82	9.72	0.52	8	3.01	1707	31	45	374	<1	12	<5	10	172	5723	<2	331	14	23	122
89476	1482220	<1	4.61	14	38	2	<1	5.88	7	51	63	51	8.51	0.11	11	2.81	1424	28	49	851	<1	<5	10	13	227	6662	<2	260	13	22	89
89477	1482221	<1	1.26	4	59	<2	<1	0.77	<4	15	61	73	2.90	0.51	5	0.62	376	24	9	294	<1	5	5	<10	99	2230	<2	103	<10	7	33
89478	1482223	<1	1.94	<2	79	2	<1	5.12	8	54	54	73	9.11	0.44	6	2.12	1402	30	37	846	<1	7	<5	16	207	7014	<2	297	14	23	102

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
 Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 4, 2014

Final Certificate

NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89479	1482224	<1	3.56	10	337	2	<1	0.05	<4	2	23	14	1.25	0.87	11	0.24	348	17	4	<100	<1	5	9	<10	78	805	<2	4	<10	49	42
89480	1482226	<1	1.90	4	32	<2	<1	4.68	6	49	42	14	7.88	0.09	13	2.27	1352	25	39	840	<1	<5	<5	<10	288	6396	<2	252	<10	19	96
89481	1482227	<1	3.17	4	29	<2	<1	0.45	<4	2	41	5	1.40	0.33	<1	0.20	253	17	3	1353	<1	<5	17	<10	105	334	<2	6	<10	9	5
89482	1482228	<1	2.36	5	74	<2	<1	0.94	<4	1	49	33	1.45	0.35	<1	0.27	252	18	4	2501	<1	5	5	<10	101	257	<2	4	<10	10	<1
89483	1482229	<1	4.26	<2	<1	2	<1	1.16	<4	<1	48	4	1.03	0.26	<1	0.75	138	23	5	861	<1	<5	17	<10	108	285	<2	15	<10	21	4
89484	1482230	<1	4.16	16	<1	2	<1	1.04	<4	1	28	3	1.01	0.15	<1	0.41	147	17	3	2000	<1	<5	17	<10	100	339	<2	4	<10	14	4
89485	1482231	<1	3.45	9	<1	<2	<1	1.91	<4	1	49	180	1.14	0.38	<1	0.74	241	20	5	510	<1	<5	17	<10	120	219	<2	4	10	12	<1
89486	1482232	<1	4.56	6	47	2	<1	2.36	<4	1	32	6	1.23	0.51	2	0.99	227	24	4	411	<1	<5	14	<10	136	264	<2	10	<10	13	<1
89487	1482233	<1	4.62	11	141	2	<1	2.31	<4	21	49	7	2.73	0.69	5	1.42	269	26	14	652	<1	<5	12	<10	111	362	<2	119	<10	11	12
89488	1482234	<1	2.88	11	<1	<2	<1	1.85	<4	9	20	17	3.19	0.24	3	1.95	505	20	6	1637	<1	<5	12	<10	134	256	<2	10	12	13	52
89489	1482235	<1	0.80	6	268	<2	<1	<0.01	<4	2	24	3	1.54	0.47	13	2.23	122	27	4	<100	<1	<5	6	<10	64	392	<2	2	<10	9	18
89490	1482236	<1	1.43	3	335	<2	<1	<0.01	<4	3	46	4	1.58	0.46	14	2.02	382	32	5	<100	<1	<5	<5	12	71	401	<2	4	<10	11	20
89491D	1482236	<1	0.22	8	305	<2	<1	<0.01	<4	2	34	4	1.51	0.30	13	1.83	367	30	4	<100	2	<5	6	<10	65	386	<2	4	<10	9	17
89492	1482237	<1	1.41	4	67	2	<1	0.44	9	22	10	13	10.98	0.53	23	3.30	1286	36	3	1718	<1	5	<5	<10	53	5879	<2	4	16	44	177
89493	1482238	<1	2.03	3	63	2	<1	0.54	8	26	10	26	9.11	0.30	15	1.83	753	29	2	1598	<1	5	6	<10	102	5195	<2	4	<10	27	151
89494	1482239	<1	3.51	19	<1	2	<1	2.72	8	37	28	56	10.49	0.42	6	1.69	1970	34	4	2676	<1	<5	8	<10	185	8598	<2	27	<10	50	150
89495	1482240	<1	4.67	9	141	2	<1	4.06	10	38	16	7	11.52	0.66	4	0.84	2019	30	<1	2803	<1	<5	10	<10	245	8508	<2	7	10	48	139
89496	1482241	<1	4.34	9	200	4	<1	1.82	6	7	42	16	8.29	0.73	13	1.06	1509	35	3	332	<1	<5	<5	<10	126	2431	<2	3	<10	96	141
89497	1482243	<1	5.71	9	264	2	<1	4.36	10	44	32	17	11.45	0.80	9	1.02	2157	35	<1	3466	<1	<5	6	<10	217	8711	<2	20	19	56	175
89498	1482244	<1	3.87	6	215	2	<1	0.69	<4	7	31	11	2.94	0.66	8	0.81	477	27	3	426	<1	<5	16	<10	215	2786	<2	5	<10	102	78

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
 Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 4, 2014

Final Certificate

NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89499	1482245	<1	4.45	15	422	3	<1	1.34	<4	9	36	17	3.81	0.66	18	0.64	1006	29	2	452	<1	5	7	11	119	3264	<2	16	19	122	71
89500	1482246	<1	3.37	7	487	3	<1	0.62	<4	4	58	4	3.39	0.59	9	0.34	407	31	4	160	<1	<5	<5	<10	140	2082	<2	2	<10	90	52
89501	1482248	<1	3.82	3	144	2	<1	1.35	4	16	85	7	5.09	0.81	7	0.90	1038	29	4	1458	<1	5	<5	<10	165	4351	<2	4	<10	58	73
89502	1482249	<1	3.21	8	331	2	<1	2.13	6	20	30	9	7.08	0.76	26	1.89	1500	30	2	1654	<1	<5	<5	<10	152	5480	<2	4	<10	49	129
89503	1482252	<1	2.75	<2	124	2	<1	1.61	5	13	50	86	6.46	0.85	3	0.51	1207	26	2	1043	<1	7	<5	<10	172	4574	<2	3	17	73	121
89504	1482254	<1	1.42	195	67	<2	<1	0.09	<4	4	28	13	4.08	0.43	28	1.81	179	78	3	297	<1	<5	<5	<10	77	309	<2	2	11	7	192
89505	1482255	<1	2.03	12	136	<2	<1	0.03	<4	3	61	7	3.13	0.74	19	1.27	140	185	3	281	<1	<5	<5	<10	68	403	<2	<2	<10	17	138
89506	1482257	<1	4.43	10	65	2	<1	4.57	8	52	50	54	9.37	0.67	6	2.35	1517	32	36	894	<1	5	<5	<10	222	7274	<2	301	<10	29	135
89507	1482259	<1	3.33	4	12	2	<1	0.83	10	27	10	2	11.95	0.42	15	2.65	1712	40	2	1604	<1	<5	<5	10	65	5971	<2	6	13	49	195
89508	1482260	<1	5.67	7	8	2	<1	4.81	8	61	28	88	9.99	0.49	5	2.18	1467	33	32	1146	<1	7	11	<10	197	8741	<2	337	16	35	128
89509	1482262	<1	4.14	3	177	2	<1	0.29	<4	1	39	3	3.59	0.55	4	0.28	237	23	2	150	<1	<5	<5	<10	127	367	<2	5	<10	52	24
89510	1482263	<1	4.80	7	58	2	<1	4.19	10	39	18	21	11.41	0.58	2	0.85	2088	31	<1	3262	<1	<5	12	<10	191	9520	<2	9	<10	42	119
89511	1482264	<1	4.73	2	60	<2	<1	0.04	<4	<1	40	4	0.43	0.42	<1	0.07	<100	19	2	<100	<1	<5	8	<10	117	409	<2	9	<10	5	<1
89512	1482265	<1	4.20	17	84	2	<1	5.97	8	49	68	38	8.77	0.40	5	2.33	1418	32	42	831	<1	6	<5	<10	256	6873	<2	281	<10	29	98
89513	1482267	<1	2.95	11	186	2	<1	2.39	7	25	14	3	8.11	0.25	10	1.40	1335	28	2	1738	<1	5	<5	<10	189	6474	<2	6	22	48	110
89514	1482268	<1	3.46	3	9	<2	<1	4.66	6	48	67	43	7.78	0.30	6	2.99	1343	25	48	770	<1	<5	<5	<10	170	6296	<2	242	<10	20	106
89515	1482269	<1	4.45	13	34	2	<1	5.33	7	52	74	14	8.96	0.38	7	3.54	1531	28	55	855	<1	6	21	<10	206	6814	<2	272	<10	24	142
89516	1482273	<1	2.90	<2	<1	2	<1	4.23	7	52	73	33	8.58	0.08	<1	2.67	1399	30	46	806	<1	<5	<5	<10	211	6544	<2	270	<10	25	135
89517	1482274	<1	2.68	8	16	<2	<1	1.17	<4	2	37	3	0.68	0.11	11	2.05	115	29	6	<100	<1	5	19	<10	115	262	<2	5	<10	4	9
89518	1482275	<1	3.48	23	<1	2	<1	4.38	7	52	26	45	8.47	0.41	11	1.90	951	29	29	962	3	8	<5	<10	117	4181	2	280	<10	12	65

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
 Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 4, 2014

Final Certificate

NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89519	1482276	<1	5.22	7	45	11	<1	5.99	<4	5	14	3	2.05	0.43	16	3.99	440	29	16	701	<1	<5	7	<10	167	786	5	25	11	128	28
89520	1482279	<1	4.64	6	646	3	<1	0.04	<4	3	40	3	4.13	0.59	22	1.33	241	35	3	112	<1	<5	9	<10	79	549	<2	2	17	23	42
89521	1482280	<1	2.85	7	111	3	1	0.44	11	12	17	174	12.54	0.47	11	1.64	1286	39	3	319	3	6	<5	15	76	2055	<2	8	<10	48	265
89522	1482281	<1	1.46	6	61	3	2	1.22	10	16	13	174	11.30	0.34	17	1.74	1635	38	3	353	5	<5	<5	23	86	2459	<2	8	28	73	480
89523	1482282	<1	4.13	6	501	3	<1	1.62	6	11	23	16	5.88	0.58	19	0.87	1279	27	3	980	<1	<5	<5	<10	162	4588	<2	3	20	66	505
89524	1482284	<1	3.49	<2	164	2	<1	1.74	6	14	45	5	7.19	0.32	12	0.99	987	29	<1	1174	<1	<5	<5	<10	133	4837	<2	4	<10	54	87
89525	1482285	<1	3.79	4	71	<2	<1	0.34	8	15	10	16	9.23	0.41	41	3.37	873	34	2	501	<1	6	<5	<10	75	2809	<2	4	<10	49	163
89526	1482288	<1	5.06	11	21	2	<1	5.40	8	44	19	3	9.25	0.39	5	1.20	1368	26	4	825	<1	<5	<5	10	334	7965	<2	163	<10	25	96
89527	1482289	<1	2.68	15	158	5	<1	4.94	15	15	13	10	15.96	0.74	27	2.83	2954	47	2	735	<1	5	<5	<10	72	4150	<2	2	11	70	226
89528	1482290	<1	3.53	6	87	2	<1	0.65	<4	11	35	29	4.51	0.54	15	1.28	713	26	3	355	<1	<5	<5	<10	128	2752	<2	8	<10	64	174
89529	1482292	<1	2.84	32	532	2	<1	1.33	6	20	39	26	6.90	0.42	5	0.53	937	28	3	763	3	<5	<5	<10	215	3805	<2	3	<10	61	81
89530	1482293	<1	9.67	13	<1	4	<1	1.17	12	39	43	4	14.44	0.26	16	4.30	1798	51	9	2993	<1	5	8	<10	118	7571	<2	61	<10	103	212
89531	1482295	<1	4.02	9	40	2	<1	0.48	5	16	28	2	6.09	0.22	12	1.92	271	28	9	1007	<1	<5	7	1889	99	262	<2	57	<10	26	24
89532	1482296	<1	4.80	13	39	<2	<1	1.03	<4	1	29	4	0.51	0.50	23	4.45	162	35	6	370	<1	<5	13	<10	103	273	<2	5	12	14	17
89533	1482298	<1	4.84	8	30	2	<1	3.52	6	50	53	12	7.93	0.20	10	2.12	1323	28	37	1198	<1	7	<5	16	170	9480	<2	341	17	27	128
89534	1482299	<1	2.60	8	142	2	<1	0.70	<4	1	31	3	3.62	0.57	12	0.39	262	28	3	123	<1	<5	<5	10	113	310	<2	3	<10	23	41
89535	1482301	<1	3.88	<2	706	3	<1	0.07	<4	3	20	2	4.43	0.64	20	1.02	304	30	1	149	<1	<5	<5	<10	78	697	<2	2	<10	41	63
89536	1482302	<1	4.45	9	412	2	<1	0.37	<4	3	41	3	4.05	0.67	33	2.75	453	31	2	190	<1	5	<5	<10	96	343	<2	2	<10	16	44
89537	1482303	<1	4.31	10	51	<2	<1	1.12	<4	3	22	4	0.87	0.37	21	5.57	269	40	5	223	<1	<5	25	<10	89	315	<2	4	<10	19	25
89538	1482304	<1	4.52	8	71	3	<1	6.02	9	67	25	204	10.47	0.74	5	2.16	1813	36	24	853	<1	8	13	11	215	9642	<2	609	32	27	123

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
 Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 4, 2014

Final Certificate

NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89539	1482306	<1	3.75	7	60	<2	<1	0.32	8	19	10	3	9.45	0.48	21	3.31	498	36	2	1573	<1	<5	<5	10	71	3843	<2	6	<10	16	100
89540	1482308	<1	3.05	2	280	<2	<1	0.73	<4	8	22	5	3.93	0.86	6	0.74	566	23	2	462	<1	<5	<5	<10	173	2945	<2	3	<10	53	41
89541	1482310	<1	2.89	15	42	<2	<1	4.64	7	65	36	109	8.61	0.30	9	2.02	1526	29	35	739	<1	<5	<5	<10	110	8881	<2	339	<10	18	103
89542	1482312	<1	3.90	13	580	3	<1	0.80	<4	3	35	3	3.81	0.80	16	1.24	363	32	3	114	<1	6	<5	<10	107	420	<2	4	<10	18	28
89543	1482315	<1	3.71	9	228	2	<1	1.41	<4	1	52	3	2.37	0.58	11	0.91	252	34	2	110	<1	<5	<5	<10	120	323	<2	2	<10	33	5
89544	1482317	<1	3.32	7	112	2	<1	1.86	7	22	18	16	8.21	0.40	10	2.00	1408	31	2	1608	<1	<5	<5	11	106	5615	<2	4	<10	57	94
89545	1482318	<1	3.86	6	197	2	<1	1.19	7	19	19	32	8.74	0.20	9	1.62	1817	32	2	1914	<1	<5	<5	11	122	6434	<2	5	12	56	176
89546	1482320	<1	4.33	6	126	2	<1	2.16	5	7	30	11	6.37	0.64	14	0.76	1568	32	2	605	<1	<5	<5	11	184	3477	<2	2	<10	81	134
89547	1482323	<1	4.15	10	138	<2	<1	4.26	6	44	27	35	7.22	1.05	10	1.53	1080	25	7	1740	<1	<5	<5	<10	289	9275	<2	250	<10	17	83
89548	1482324	<1	3.22	8	117	2	<1	1.27	<4	6	80	7	4.10	0.65	6	0.32	686	26	3	391	<1	<5	<5	<10	131	2573	<2	10	<10	89	61
89549	1482325	<1	4.36	28	65	2	<1	5.88	8	57	68	113	8.97	0.53	3	2.72	1617	29	60	703	<1	<5	<5	<10	204	6668	<2	368	<10	25	129
89550	1482330	<1	5.31	10	700	3	<1	0.13	4	2	26	4	5.36	0.64	19	1.09	169	35	2	118	<1	5	<5	13	82	604	<2	6	15	31	115
89551	1482332	<1	3.90	5	486	3	<1	0.51	<4	3	41	3	1.98	1.00	10	0.37	411	24	3	<100	<1	<5	7	<10	101	1331	<2	3	10	17	48
89552	1482333	<1	3.87	4	303	<2	<1	<0.01	<4	4	42	4	2.99	0.76	<1	0.04	396	28	2	168	<1	<5	6	<10	120	1464	<2	3	<10	30	37
89553	1482334	<1	3.71	8	529	4	<1	0.16	5	3	46	3	5.94	0.67	22	0.89	168	38	3	111	<1	5	<5	11	79	1279	<2	3	<10	26	156
89554	1482336	<1	1.22	5	8	<2	<1	0.56	<4	9	33	2	2.14	0.31	19	5.57	212	27	15	717	<1	<5	<5	<10	78	290	<2	105	10	7	19
89555	1482337	<1	4.56	13	11	2	<1	5.31	8	55	135	25	8.92	0.19	6	2.91	1432	31	42	466	<1	5	8	<10	285	6752	<2	308	11	14	104
89556	1482338															NS															
89557	1482340	<1	3.97	11	110	2	<1	0.84	5	7	29	2	5.86	0.54	21	2.09	363	35	2	354	<1	<5	<5	<10	96	354	<2	6	<10	45	26
89558	1482342	<1	5.81	14	391	2	<1	0.64	<4	6	28	4	4.87	1.45	29	2.80	265	39	5	428	<1	7	9	12	104	471	<2	6	15	17	46

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
 Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 4, 2014

Final Certificate

NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89559	1482343	<1	3.32	8	39	<2	<1	0.62	<4	3	57	11	1.40	0.48	3	0.49	207	23	5	725	<1	<5	7	<10	93	303	<2	31	<10	12	12
89560	1482344	<1	5.55	7	548	3	<1	1.44	<4	2	14	2	1.14	0.50	<1	0.60	136	13	5	161	<1	<5	18	<10	183	390	<2	29	<10	5	3
89561	1482348	<1	4.32	7	84	3	<1	0.45	<4	<1	31	5	1.93	0.63	4	0.20	211	27	3	143	<1	<5	8	24	95	340	<2	2	<10	56	12
89562	1482350	<1	5.39	18	1	2	<1	4.30	9	59	74	41	10.08	0.44	9	3.14	1588	33	51	963	<1	6	<5	<10	194	7356	<2	293	15	31	127
89563	1482353	<1	4.45	<2	64	2	<1	0.52	5	5	22	10	7.11	0.45	19	2.99	257	32	3	1819	<1	<5	<5	<10	90	344	<2	4	10	8	44
89564	1482355	<1	4.20	7	27	2	<1	1.91	12	75	63	2	13.55	0.30	15	4.84	1409	41	42	791	<1	<5	<5	<10	71	8020	<2	331	<10	26	64
89565	1482356	<1	3.64	7	93	2	<1	4.14	7	51	40	55	8.76	0.10	11	2.06	1251	30	34	926	<1	8	<5	<10	382	7255	<2	285	11	26	121
89566	1482359	<1	2.71	6	250	2	<1	1.30	<4	2	35	4	2.08	0.46	13	0.72	324	31	3	111	<1	<5	10	14	128	379	<2	4	<10	26	41
89567	1482360	<1	3.47	10	181	2	<1	1.07	<4	3	37	3	2.78	0.61	8	0.28	491	36	2	148	<1	5	<5	<10	111	312	<2	2	13	23	46
89568	1482362	<1	4.34	5	51	2	<1	4.46	9	59	23	65	10.31	0.23	8	1.68	1388	40	22	1137	<1	6	<5	<10	219	9769	<2	395	<10	30	109
89569	1482363	<1	5.99	14	404	<2	<1	0.65	<4	4	26	7	1.29	0.81	1	0.19	210	21	7	365	<1	<5	9	<10	447	806	<2	28	<10	3	6
89570	1482364	<1	4.61	20	22	2	<1	4.50	6	43	89	70	7.49	0.23	11	2.24	1120	36	39	435	<1	5	<5	11	153	6641	<2	262	<10	19	68
89571	1482365	<1	2.43	111	354	<2	<1	0.01	<4	2	39	4	2.10	0.47	10	1.19	334	38	3	127	<1	<5	<5	<10	68	522	<2	5	10	16	46
89572	1482366	<1	4.09	4	22	2	<1	1.97	8	15	15	2	9.49	0.49	34	3.52	398	44	3	1864	<1	<5	<5	<10	83	307	<2	3	<10	10	47
89573	1482368	<1	3.37	3	725	<2	<1	0.07	<4	3	23	13	2.15	0.20	4	0.20	332	33	2	139	5	5	10	<10	90	1457	<2	2	12	77	99
89574	1482369	<1	5.15	8	274	2	<1	5.37	8	55	36	47	10.04	0.93	6	2.22	1558	42	30	956	<1	<5	6	<10	253	8104	9	335	<10	33	117
89575	1482371	<1	5.30	4	89	3	<1	5.91	8	50	62	17	9.20	0.80	8	2.71	1217	44	48	817	<1	<5	<5	<10	271	6918	<2	307	20	31	85
89576	1482374	<1	4.51	6	314	2	<1	0.26	<4	2	41	4	0.41	0.76	<1	0.18	<100	20	10	101	<1	<5	17	<10	287	469	<2	8	<10	12	<1
89577	1482376	<1	2.74	2	165	2	<1	1.35	<4	3	51	50	2.77	0.74	9	0.27	273	32	3	<100	<1	5	<5	<10	92	1299	<2	3	<10	34	33
89578	1482377	<1	4.02	4	728	<2	<1	0.17	<4	2	35	25	2.24	0.38	1	0.12	139	33	2	132	<1	<5	<5	<10	101	1165	<2	10	<10	49	18

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
 Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 4, 2014

Final Certificate

 NuVision Resources Ltd
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 06/04/2014
 Date Completed: 06/18/2014
 Job #: 201441152
 Reference:
 Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89579	1482378	<1	3.96	3	469	4	<1	2.06	<4	8	31	13	4.58	0.56	4	0.52	506	39	6	136	<1	<5	7	10	780	1624	<2	17	22	133	25
89580	1482379	<1	3.10	9	762	2	<1	0.48	<4	3	33	14	2.43	1.06	9	0.21	485	35	2	111	<1	5	<5	<10	94	1431	<2	3	<10	56	105
89581	1482382	<1	3.52	11	185	2	<1	0.34	<4	6	27	3	3.83	0.99	28	3.65	123	38	4	1778	<1	<5	<5	<10	75	463	<2	3	<10	8	137
89582	1482383	<1	2.95	6	<1	<2	<1	1.39	<4	2	17	3	1.57	0.19	6	1.80	225	32	2	1671	<1	5	7	<10	87	237	<2	2	<10	9	32
89583	1482384	<1	3.72	4	92	<2	<1	0.22	<4	4	27	4	2.39	0.57	2	0.37	303	25	4	1537	<1	<5	<5	<10	93	307	<2	10	<10	10	22
89584	1482385	<1	3.61	8	50	<2	<1	0.87	<4	2	37	8	1.74	0.50	3	0.46	211	26	3	1739	<1	<5	<5	<10	103	285	<2	4	<10	13	13
89585	1482386	<1	2.52	4	21	<2	<1	0.37	<4	3	48	22	1.58	0.35	<1	0.24	223	22	3	1251	<1	<5	<5	<10	108	278	<2	3	<10	11	11
89586	1482387	<1	3.28	7	8	2	<1	3.06	7	47	42	123	8.62	0.35	6	2.23	2010	40	26	884	<1	<5	12	<10	132	5814	<2	204	16	23	351
89587	1482388	<1	1.76	5	<1	2	<1	0.64	9	64	77	2	10.72	0.28	19	4.26	1076	42	55	554	<1	<5	<5	<10	58	6233	<2	276	<10	21	58
89588	1482389	<1	2.44	4	329	2	<1	0.29	<4	3	43	3	1.45	0.68	8	0.30	179	35	3	124	<1	<5	8	<10	144	397	<2	7	<10	20	40
89589	1482390	<1	2.97	7	<1	2	<1	4.54	9	50	40	486	9.94	0.03	4	2.31	1933	37	27	704	<1	<5	8	<10	176	6965	<2	285	<10	35	100
89590R	1482390	<1	4.60	7	<1	2	<1	4.56	9	51	35	364	10.00	0.30	4	2.46	1912	37	27	738	<1	<5	<5	<10	184	7387	<2	294	<10	43	116
89591	1482391	<1	2.97	600	116	<2	<1	<0.01	<4	6	16	8	2.27	0.70	18	3.67	217	42	5	501	<1	6	<5	<10	63	451	<2	24	<10	17	45

PROCEDURE CODES: ALP1, ALFA1, ALMA1

 Certified By: 
 Jason Moore, VP Operations, Assayer

 The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Monday, July 21, 2014

Final Certificate

NuVision Resources ULC
225 5th Ave West
Owen Sound, ON, CA
N4K6G3
Ph#: (519) 470-7455
Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441280
Reference:
Sample #: 39

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99293	1482394	2	5.59	8	546	<2	26	4.52	<4	48	903	105	6.05	0.72	16	5.70	1020	8	296	1429	<1	10	<5	1863	910	4118	12	153	23	21	64
99294	1482395	<1	3.10	4	225	3	3	0.39	<4	9	45	64	2.46	0.50	1	0.42	278	19	14	187	<1	<5	15	2014	167	1946	<2	17	11	85	36
99295	1482396	<1	5.92	10	424	<2	21	5.56	5	53	47	24	10.04	0.57	8	2.80	1550	20	74	815	<1	7	<5	1960	457	7782	7	318	<10	31	98
99296	1482398	NS																													
99297	1482399	<1	5.21	8	12	2	38	5.88	7	60	9	41	14.21	0.44	3	2.42	1619	21	20	1322	<1	10	<5	1925	246	17091	<2	597	<10	32	138
99298	1482400	<1	4.22	3	386	<2	13	1.25	<4	24	12	24	5.41	0.54	10	1.42	849	14	19	1133	<1	5	18	1887	242	6998	<2	116	<10	19	163
99299	1482402	<1	2.38	6	628	2	43	0.18	<4	2	40	6	2.40	0.73	4	0.20	580	20	22	115	<1	5	19	1893	97	1678	<2	5	<10	80	322
99300	1482403	<1	3.85	5	<1	<2	28	1.58	<4	26	12	60	4.99	0.23	<1	1.07	845	16	19	1269	<1	7	15	1912	149	6345	<2	88	<10	39	71
99301	1482404	<1	3.24	16	2	<2	34	1.26	<4	47	48	258	5.48	0.43	3	1.30	666	18	50	362	<1	<5	7	2318	134	3627	6	165	<10	11	63
99302	1482405	<1	1.53	6	<1	<2	13	0.31	<4	24	81	173	2.66	0.17	1	0.60	325	20	64	202	3	<5	26	2380	98	1443	<2	60	<10	3	33
99303D	1482405	<1	0.91	4	<1	<2	12	0.19	<4	23	68	164	2.49	<0.01	<1	0.57	307	17	57	189	<1	<5	7	2306	92	1373	<2	56	<10	3	37
99304	1482406	<1	6.21	14	150	<2	20	6.44	6	69	44	76	12.87	0.25	4	2.55	1911	21	45	797	<1	6	<5	1814	276	11213	5	434	<10	27	116
99305	1482407	<1	5.45	17	<1	<2	42	5.42	4	48	62	3	8.49	0.23	3	2.48	1363	14	51	364	<1	<5	5	1970	247	7780	5	484	<10	17	72
99306	1482408	<1	3.01	14	374	<2	25	0.13	<4	5	25	2	3.25	0.16	5	0.35	516	24	22	174	<1	<5	23	1929	111	2329	<2	10	<10	92	150
99307	1482409	<1	6.04	<2	74	<2	29	5.78	5	58	57	26	10.38	0.27	2	2.89	1741	16	77	869	<1	10	7	1841	252	8115	<2	329	<10	30	117
99308	1482411	<1	5.24	7	194	<2	25	4.08	4	40	77	37	9.39	0.32	5	2.66	1371	18	41	575	<1	9	<5	1972	217	7225	<2	285	<10	18	114
99309	1482414	<1	3.50	6	581	2	22	0.18	<4	4	94	2	2.72	0.73	4	0.31	448	32	24	140	<1	9	34	1753	118	2153	2	9	<10	112	98
99310	1482415	<1	6.64	9	1241	3	21	2.27	<4	20	111	9	3.55	0.54	26	1.52	618	7	66	1141	7	<5	13	1692	1025	3654	<2	78	<10	21	64
99311	1482416	<1	3.88	11	649	2	19	<0.01	<4	1	32	6	1.39	0.72	<1	0.10	113	13	23	109	<1	11	24	1982	119	930	<2	5	<10	73	18
99312	1482419	<1	4.48	9	248	2	26	2.83	4	21	32	5	9.64	0.19	4	0.59	1094	25	19	1252	<1	<5	5	2170	291	5831	<2	6	<10	54	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Monday, July 21, 2014

Final Certificate

NuVision Resources ULC
225 5th Ave West
Owen Sound, ON, CA
N4K6G3
Ph#: (519) 470-7455
Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441280
Reference:
Sample #: 39

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99313	1482420	<1	4.00	11	8	2	23	2.77	<4	30	453	86	6.80	0.38	1	1.46	993	20	131	419	<1	6	16	1806	181	5345	<2	152	<10	61	139
99314D	1482420	<1	4.27	8	20	<2	28	1.94	<4	20	301	56	4.42	0.35	<1	1.09	652	17	87	319	<1	5	<5	2135	152	3643	<2	101	<10	51	88
99315	1482421	<1	4.97	8	<1	5	18	0.38	<4	3	38	13	1.85	0.24	<1	0.18	239	15	29	136	<1	<5	13	1967	192	1544	<2	15	<10	44	150
99316	1482422	<1	7.20	9	112	<2	14	5.80	<4	46	225	10	6.25	0.44	13	3.92	1003	7	168	775	<1	12	12	1984	219	4725	2	159	11	9	72
99317	1482423	<1	4.90	11	6	<2	35	4.82	4	49	49	10	9.13	0.29	5	2.55	1373	16	57	1030	<1	<5	9	1914	222	8333	2	275	12	27	68
99318	1482424	<1	4.64	3	58	<2	31	4.59	6	60	13	5	11.53	0.25	3	1.64	1692	20	15	1271	<1	7	<5	2024	232	13518	<2	248	<10	32	104
99319	1482427	<1	5.07	4	903	2	7	2.06	<4	19	91	23	3.25	0.37	25	1.30	544	8	55	1016	5	<5	16	1869	907	3792	2	76	<10	12	52
99320	1482428	1	8.30	20	1019	3	31	2.52	<4	7	114	3	5.76	0.77	20	0.60	1482	50	39	289	<1	<5	36	2820	209	3195	6	7	15	129	105
99321	1482429	<1	4.24	12	369	2	15	0.08	<4	3	44	5	2.65	0.40	3	0.50	543	25	22	127	<1	<5	27	2082	98	1586	<2	3	<10	114	105
99322	1482431	<1	4.05	9	802	2	20	0.25	<4	2	43	19	1.26	0.66	5	0.24	155	18	22	109	11	<5	12	2125	99	858	<2	4	<10	70	181
99323	1482432	NS																													
99324	1482436	<1	4.37	6	282	<2	34	3.28	4	44	25	20	7.63	0.70	16	1.85	1218	22	32	1418	<1	<5	23	2242	182	9690	2	274	<10	37	104
99325D	1482436	<1	4.29	3	268	<2	17	3.33	4	46	31	23	7.91	0.31	16	1.89	1262	19	37	1456	<1	<5	<5	2142	185	10096	3	286	<10	38	109
99326	1482437	<1	4.71	17	106	<2	21	8.78	<4	31	42	21	7.29	0.36	9	1.36	1447	18	28	723	<1	<5	11	2287	586	6089	4	266	<10	20	53
99327	1482438	<1	4.57	10	<1	<2	34	7.56	5	52	87	5	10.31	0.23	16	2.88	1955	22	71	438	<1	6	<5	2217	162	2970	<2	346	<10	6	131
99328	1482439	<1	2.75	<2	<1	<2	25	2.56	<4	20	25	42	5.69	0.21	<1	0.44	621	17	25	981	2	<5	18	1903	212	4908	5	31	<10	37	51
99329	1482440	<1	1.60	8	<1	<2	15	2.51	<4	39	34	4	7.36	<0.01	10	2.21	1293	9	47	575	<1	<5	8	1759	82	5405	6	227	<10	12	96
99330	1482441	<1	<0.01	7	<1	<2	13	3.54	<4	10	43	1466	1.28	<0.01	<1	0.32	361	8	23	114	<1	<5	14	1903	83	452	6	19	<10	<2	<1
99331	1482442	<1	2.55	2	<1	<2	24	2.53	<4	29	31	64	6.65	<0.01	<1	0.85	810	14	10	1665	<1	10	7	1554	208	5632	<2	109	<10	44	33
99332	1482443	<1	0.75	7	<1	<2	7	0.39	<4	11	37	27	1.78	<0.01	<1	0.21	234	6	7	189	<1	5	17	1475	175	1386	<2	37	<10	36	4

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Monday, July 21, 2014

Final Certificate

 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 06/18/2014
 Date Completed: 07/07/2014
 Job #: 201441280
 Reference:
 Sample #: 39

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99333	1482445	<1	4.11	3	258	<2	29	3.79	5	52	43	<1	10.33	0.52	15	2.64	1471	18	38	1196	<1	<5	<5	1842	148	9199	4	272	<10	29	141
99334	1482446	<1	4.37	8	16	<2	29	5.27	5	59	62	26	11.18	0.15	7	2.81	1796	16	44	1316	<1	9	<5	1568	240	10409	6	344	<10	34	147

PROCEDURE CODES: ALP1, ALFA1, ALMA1

 Certified By:  Jason Mosre, VP Operations, Assayer

 The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, August 1, 2014

Final Certificate

 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 06/18/2014
 Date Completed: 07/07/2014
 Revised Date: 08/01/2014
 Job #: 201441280
 Reference:
 Sample #: 39

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99293	1482394	0.013	2	5.59	8	546	<2	26	4.52	<4	48	903	105	6.05	0.72	16	5.70	1020	8	296	1429	<1	10	<5	<10	910	4118	12	153	23	21	64
99294	1482395	<0.005	<1	3.10	4	225	3	3	0.39	<4	9	45	64	2.46	0.50	1	0.42	278	19	14	187	<1	<5	15	<10	167	1946	<2	17	11	85	36
99295	1482396	<0.005	<1	5.92	10	424	<2	21	5.56	5	53	47	24	10.04	0.57	8	2.80	1550	20	74	815	<1	7	<5	<10	457	7782	7	318	<10	31	98
99296	1482398	NS																														
99297	1482399	<0.005	<1	5.21	8	12	2	38	5.88	7	60	9	41	14.21	0.44	3	2.42	1619	21	20	1322	<1	10	<5	<10	246	17091	<2	597	<10	32	138
99298	1482400	<0.005	<1	4.22	3	386	<2	13	1.25	<4	24	12	24	5.41	0.54	10	1.42	849	14	19	1133	<1	5	18	<10	242	6998	<2	116	<10	19	163
99299	1482402	<0.005	<1	2.38	6	628	2	43	0.18	<4	2	40	6	2.40	0.73	4	0.20	580	20	22	115	<1	5	19	<10	97	1678	<2	5	<10	80	322
99300	1482403	<0.005	<1	3.85	5	<1	<2	28	1.58	<4	26	12	60	4.99	0.23	<1	1.07	845	16	19	1269	<1	7	15	<10	149	6345	<2	88	<10	39	71
99301	1482404	<0.005	<1	3.24	16	2	<2	34	1.26	<4	47	48	258	5.48	0.43	3	1.30	666	18	50	362	<1	<5	7	199	134	3627	6	165	<10	11	63
99302	1482405	0.014	<1	1.53	6	<1	<2	13	0.31	<4	24	81	173	2.66	0.17	1	0.60	325	20	64	202	3	<5	26	261	98	1443	<2	60	<10	3	33
99303D	1482405	0.033	<1	0.91	4	<1	<2	12	0.19	<4	23	68	164	2.49	<0.01	<1	0.57	307	17	57	189	<1	<5	7	186	92	1373	<2	56	<10	3	37
99304	1482406	0.007	<1	6.21	14	150	<2	20	6.44	6	69	44	76	12.87	0.25	4	2.55	1911	21	45	797	<1	6	<5	<10	276	11213	5	434	<10	27	116
99305	1482407	<0.005	<1	5.45	17	<1	<2	42	5.42	4	48	62	3	8.49	0.23	3	2.48	1363	14	51	364	<1	<5	5	<10	247	7780	5	484	<10	17	72
99306	1482408	0.006	<1	3.01	14	374	<2	25	0.13	<4	5	25	2	3.25	0.16	5	0.35	516	24	22	174	<1	<5	23	<10	111	2329	<2	10	<10	92	150
99307	1482409	<0.005	<1	6.04	<2	74	<2	29	5.78	5	58	57	26	10.38	0.27	2	2.89	1741	16	77	869	<1	10	7	<10	252	8115	<2	329	<10	30	117
99308	1482411	<0.005	<1	5.24	7	194	<2	25	4.08	4	40	77	37	9.39	0.32	5	2.66	1371	18	41	575	<1	9	<5	<10	217	7225	<2	285	<10	18	114
99309	1482414	<0.005	<1	3.50	6	581	2	22	0.18	<4	4	94	2	2.72	0.73	4	0.31	448	32	24	140	<1	9	34	<10	118	2153	2	9	<10	112	98
99310	1482415	<0.005	<1	6.64	9	1241	3	21	2.27	<4	20	111	9	3.55	0.54	26	1.52	618	7	66	1141	7	<5	13	<10	1025	3654	<2	78	<10	21	64
99311	1482416	<0.005	<1	3.88	11	649	2	19	<0.01	<4	1	32	6	1.39	0.72	<1	0.10	113	13	23	109	<1	11	24	<10	119	930	<2	5	<10	73	18
99312	1482419	<0.005	<1	4.48	9	248	2	26	2.83	4	21	32	5	9.64	0.19	4	0.59	1094	25	19	1252	<1	<5	5	49	291	5831	<2	6	<10	54	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1


 Certified By: Jason Moore, VP Operations, Assayer

 The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, August 1, 2014

Final Certificate

NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 06/18/2014
 Date Completed: 07/07/2014
 Revised Date: 08/01/2014
 Job #: 201441280
 Reference:
 Sample #: 39

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99313	1482420	<0.005	<1	4.00	11	8	2	23	2.77	<4	30	453	86	6.80	0.38	1	1.46	993	20	131	419	<1	6	16	<10	181	5345	<2	152	<10	61	139
99314D	1482420	<0.005	<1	4.27	8	20	<2	28	1.94	<4	20	301	56	4.42	0.35	<1	1.09	652	17	87	319	<1	5	<5	14	152	3643	<2	101	<10	51	88
99315	1482421	<0.005	<1	4.97	8	<1	5	18	0.38	<4	3	38	13	1.85	0.24	<1	0.18	239	15	29	136	<1	<5	13	<10	192	1544	<2	15	<10	44	150
99316	1482422	<0.005	<1	7.20	9	112	<2	14	5.80	<4	46	225	10	6.25	0.44	13	3.92	1003	7	168	775	<1	12	12	<10	219	4725	2	159	11	9	72
99317	1482423	<0.005	<1	4.90	11	6	<2	35	4.82	4	49	49	10	9.13	0.29	5	2.55	1373	16	57	1030	<1	<5	9	<10	222	8333	2	275	12	27	68
99318	1482424	<0.005	<1	4.64	3	58	<2	31	4.59	6	60	13	5	11.53	0.25	3	1.64	1692	20	15	1271	<1	7	<5	<10	232	13518	<2	248	<10	32	104
99319	1482427	<0.005	<1	5.07	4	903	2	7	2.06	<4	19	91	23	3.25	0.37	25	1.30	544	8	55	1016	5	<5	16	<10	907	3792	2	76	<10	12	52
99320	1482428	<0.005	1	8.30	20	1019	3	31	2.52	<4	7	114	3	5.76	0.77	20	0.60	1482	50	39	289	<1	<5	36	705	209	3195	6	7	15	129	105
99321	1482429	<0.005	<1	4.24	12	369	2	15	0.08	<4	3	44	5	2.65	0.40	3	0.50	543	25	22	127	<1	<5	27	<10	98	1586	<2	3	<10	114	105
99322	1482431	<0.005	<1	4.05	9	802	2	20	0.25	<4	2	43	19	1.26	0.66	5	0.24	155	18	22	109	11	<5	12	<10	99	858	<2	4	<10	70	181
99323	1482432	NS																														
99324	1482436	<0.005	<1	4.37	6	282	<2	34	3.28	4	44	25	20	7.63	0.70	16	1.85	1218	22	32	1418	<1	<5	23	122	182	9690	2	274	<10	37	104
99325D	1482436	<0.005	<1	4.29	3	268	<2	17	3.33	4	46	31	23	7.91	0.31	16	1.89	1262	19	37	1456	<1	<5	<5	21	185	10096	3	286	<10	38	109
99326	1482437	<0.005	<1	4.71	17	106	<2	21	8.78	<4	31	42	21	7.29	0.36	9	1.36	1447	18	28	723	<1	<5	11	168	586	6089	4	266	<10	20	53
99327	1482438	<0.005	<1	4.57	10	<1	<2	34	7.56	5	52	87	5	10.31	0.23	16	2.88	1955	22	71	438	<1	6	<5	97	162	2970	<2	346	<10	6	131
99328	1482439	<0.005	<1	2.75	<2	<1	<2	25	2.56	<4	20	25	42	5.69	0.21	<1	0.44	621	17	25	981	2	<5	18	<10	212	4908	5	31	<10	37	51
99329	1482440	<0.005	<1	1.60	8	<1	<2	15	2.51	<4	39	34	4	7.36	<0.01	10	2.21	1293	9	47	575	<1	<5	8	<10	82	5405	6	227	<10	12	96
99330	1482441	0.087	<1	<0.01	7	<1	<2	13	3.54	<4	10	43	1466	1.28	<0.01	<1	0.32	361	8	23	114	<1	<5	14	<10	83	452	6	19	<10	<2	<1
99331	1482442	<0.005	<1	2.55	2	<1	<2	24	2.53	<4	29	31	64	6.65	<0.01	<1	0.85	810	14	10	1665	<1	10	7	<10	208	5632	<2	109	<10	44	33
99332	1482443	<0.005	<1	0.75	7	<1	<2	7	0.39	<4	11	37	27	1.78	<0.01	<1	0.21	234	6	7	189	<1	5	17	<10	175	1386	<2	37	<10	36	4

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:  Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, August 1, 2014

Final Certificate

 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 06/18/2014
 Date Completed: 07/07/2014
 Revised Date: 08/01/2014
 Job #: 201441280
 Reference:
 Sample #: 39

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99333	1482445	<0.005	<1	4.11	3	258	<2	29	3.79	5	52	43	<1	10.33	0.52	15	2.64	1471	18	38	1196	<1	<5	<5	<10	148	9199	4	272	<10	29	141
99334	1482446	<0.005	<1	4.37	8	16	<2	29	5.27	5	59	62	26	11.18	0.15	7	2.81	1796	16	44	1316	<1	9	<5	<10	240	10409	6	344	<10	34	147

PROCEDURE CODES: ALP1, ALFA1, ALMA1

 Certified By: 
 Jason Moore, VP Operations, Assayer

 The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 25, 2014

Final Certificate

 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 06/30/2014
 Date Completed: 07/19/2014
 Job #: 201441390
 Reference:
 Sample #: 2

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106569	1482397	3	3.41	12	496	2	<1	0.37	<4	5	<1	37	2.53	0.36	3	0.10	220	5	6	205	8	<5	36	4208	221	1581	<2	13	<10	32	28
106570	1482435	<1	1.46	4	94	2	<1	2.95	5	55	<1	56	9.57	0.38	14	1.51	1465	<1	29	1270	9	7	25	3891	276	9397	<2	284	17	19	123
106571D	1482435	<1	1.77	10	53	2	<1	2.76	5	51	<1	54	9.23	0.34	12	1.61	1414	<1	27	1213	14	<5	17	3760	268	8974	<2	274	29	21	119

PROCEDURE CODES: ALP1, ALFA1, ALMA1

 Certified By: 
 Jason Moore, VP Operations, Assayer

 The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, August 1, 2014

Final Certificate

 NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

 Date Received: 06/30/2014
 Date Completed: 07/19/2014
 Revised Date: 08/01/2014
 Job #: 201441390
 Reference:
 Sample #: 2

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106569	1482397	<0.005	3	3.41	12	496	2	<1	0.37	<4	5	<1	37	2.53	0.36	3	0.10	220	5	6	205	8	<5	36	<10	221	1581	<2	13	<10	32	28
106570	1482435	<0.005	<1	1.46	4	94	2	<1	2.95	5	55	<1	56	9.57	0.38	14	1.51	1465	<1	29	1270	9	7	25	<10	276	9397	<2	284	17	19	123
106571D	1482435	<0.005	<1	1.77	10	53	2	<1	2.76	5	51	<1	54	9.23	0.34	12	1.61	1414	<1	27	1213	14	<5	17	<10	268	8974	<2	274	29	21	119

PROCEDURE CODES: ALP1, ALFA1, ALMA1

 Certified By: 
 Jason Moore, VP Operations, Assayer

 The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Sunday, July 27, 2014

Final Certificate

NuVision Resources ULC
225 5th Ave West
Owen Sound, ON, CA
N4K6G3
Ph#: (519) 470-7455
Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 07/07/2014
Date Completed: 07/23/2014
Job #: 201441468
Reference:
Sample #: 56

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112566	1482450	2	3.50	10	459	2	5	<0.01	<4	2	33	45	1.24	<0.01	<1	0.09	<100	<1	53	121	18	5	40	2108	111	836	<2	6	<10	65	84
112567	1482451	1	3.22	7	123	<2	30	3.92	9	46	31	17	10.07	0.12	6	1.45	1305	<1	42	1661	20	<5	15	2028	235	11249	2	101	<10	39	107
112568	1482452	<1	4.42	15	664	<2	37	4.54	8	50	76	28	9.00	0.24	<1	2.73	1583	<1	82	1027	13	5	8	1933	178	7714	<2	277	18	27	99
112569	1482453	<1	4.74	8	7	<2	11	4.05	7	44	51	23	7.65	0.03	1	2.27	1136	<1	88	1887	16	<5	14	1921	192	9190	<2	187	12	17	92
112570	1482455	2	0.74	5	24	<2	16	<0.01	<4	2	99	35	1.56	<0.01	<1	0.08	<100	18	140	177	16	<5	21	2271	110	882	<2	17	<10	5	14
112571	1482456	1	3.69	21	186	<2	22	1.69	5	14	44	64	6.34	<0.01	3	0.63	621	7	81	982	14	<5	29	2111	201	6365	<2	37	11	29	35
112572	1482457	NS																													
112573	1482458	1	4.10	13	35	<2	22	3.67	7	40	68	17	7.21	<0.01	3	2.07	1116	<1	118	1900	13	<5	30	2041	183	8665	<2	161	<10	18	79
112574	1482459	1	3.23	10	333	2	12	0.12	<4	3	47	22	2.53	<0.01	<1	0.19	213	<1	81	128	12	5	26	1985	127	1034	<2	9	10	31	44
112575	1482460	1	3.36	12	278	2	18	<0.01	<4	2	53	13	1.39	0.02	2	0.17	164	<1	69	158	8	<5	30	2071	103	932	<2	6	<10	27	30
112576D	1482460	2	3.96	12	306	2	17	<0.01	<4	3	55	12	1.46	<0.01	2	0.18	171	<1	75	168	16	5	28	2128	106	961	<2	7	<10	30	33
112577	1482461	1	3.30	6	386	<2	13	<0.01	<4	2	28	13	1.16	<0.01	<1	0.14	133	<1	52	137	13	<5	33	2065	101	857	<2	5	<10	28	22
112578	1482462	1	3.62	15	1166	2	18	<0.01	<4	<1	33	10	0.57	<0.01	<1	0.04	<100	<1	54	129	19	<5	42	2012	110	871	9	5	11	25	6
112579	1482464	1	4.34	13	218	<2	25	3.76	5	34	90	16	6.13	0.04	10	2.20	908	<1	84	829	19	<5	15	2049	497	6133	<2	195	11	23	74
112580	1482468	<1	4.56	16	28	<2	20	4.36	5	28	92	47	5.78	0.05	4	2.45	735	<1	60	537	11	<5	24	2107	226	5457	2	210	<10	17	45
112581	1482471	<1	3.95	8	889	2	17	1.62	<4	15	103	5	2.72	0.26	1	1.17	499	<1	86	966	39	<5	35	1990	777	2895	<2	68	<10	12	45
112582	1482472	<1	4.49	4	120	<2	18	4.29	5	32	97	10	5.85	0.14	6	2.42	790	<1	69	542	14	<5	16	1947	336	5207	3	191	<10	17	40
112583	1482474	1	4.93	17	37	<2	23	5.00	8	54	30	65	9.56	<0.01	6	2.27	1340	<1	64	1372	19	<5	14	2064	247	8547	<2	316	11	36	90
112584	1482475	1	3.68	4	342	2	9	2.47	7	22	35	20	8.56	<0.01	4	0.54	1346	<1	48	2046	18	<5	19	2144	237	6572	8	16	<10	55	91
112585	1482476	<1	3.74	15	71	<2	26	5.35	10	69	26	22	11.91	<0.01	4	1.98	1664	<1	71	1108	13	<5	5	2186	226	12016	6	582	11	28	136

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Sunday, July 27, 2014

Final Certificate

NuVision Resources ULC
225 5th Ave West
Owen Sound, ON, CA
N4K6G3
Ph#: (519) 470-7455
Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 07/07/2014
Date Completed: 07/23/2014
Job #: 201441468
Reference:
Sample #: 56

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	TI ppm	V ppm	W ppm	Y ppm	Zn ppm
112586	1482478															NS															
112587D	1482478															NS															
112588	1482479	2	4.05	19	761	2	17	0.03	<4	4	36	5	3.83	<0.01	10	0.31	581	<1	55	151	20	<5	27	2128	101	1920	12	10	13	127	189
112589	1482480	2	3.78	11	326	3	27	0.16	<4	2	57	41	1.86	<0.01	2	0.18	464	2	80	130	15	<5	32	2022	100	1596	<2	7	20	119	596
112590	1482482	2	3.16	11	<1	2	13	<0.01	<4	6	24	8	2.97	<0.01	2	0.54	406	<1	36	192	12	<5	27	2096	133	1306	<2	5	10	53	52
112591	1482484	<1	5.14	12	710	2	21	3.28	4	34	404	35	4.52	0.14	13	3.85	807	<1	226	1461	15	<5	22	1941	993	3835	9	117	<10	16	71
112592	1482485	2	2.30	9	489	2	18	0.11	<4	6	35	26	2.46	0.15	<1	0.23	285	<1	38	161	17	5	25	2004	135	1860	<2	8	<10	89	37
112593	1482488	1	2.88	7	117	<2	29	2.95	8	35	35	5	9.78	0.03	7	0.72	1532	<1	50	1862	16	<5	24	2049	194	7669	<2	33	<10	48	182
112594	1482490	1	3.34	11	243	2	16	0.13	<4	4	25	16	1.37	0.16	<1	0.18	171	<1	38	116	12	<5	33	2038	138	930	<2	5	11	93	39
112595	1482491	1	4.27	18	623	2	17	<0.01	<4	3	35	4	1.46	<0.01	3	0.49	219	<1	63	107	12	<5	44	2096	105	962	<2	6	<10	45	62
112596	1482493	2	4.66	16	310	2	22	2.66	7	25	30	3	8.13	<0.01	7	0.75	1335	<1	41	2051	11	<5	31	2229	214	7273	<2	17	12	57	105
112597	1482494	1	4.45	20	359	2	26	2.04	8	20	35	5	9.30	<0.01	7	0.53	1216	<1	63	1288	14	<5	7	2224	204	6168	10	9	<10	60	109
112598	1482496	<1	4.98	13	60	<2	28	5.38	8	50	70	41	9.26	<0.01	3	2.58	1546	<1	65	1082	14	<5	14	2017	232	8284	<2	288	<10	30	110
112599	1482497	1	4.71	15	199	<2	37	2.54	5	25	74	25	5.70	0.16	3	1.59	980	<1	60	771	12	<5	23	2029	196	6125	<2	168	<10	26	48
112600	1482498	2	4.14	11	317	3	30	0.66	<4	3	35	61	2.08	0.11	4	0.28	570	<1	6	126	15	5	27	2052	106	1642	<2	4	<10	113	93
112601	1482499	1	3.87	21	244	<2	13	2.15	7	21	32	7	7.63	0.09	4	0.43	1073	<1	8	1584	14	<5	22	2053	247	6048	<2	9	<10	61	83
112602	279502	1	4.60	11	292	<2	10	0.90	5	20	91	23	6.35	0.19	25	3.65	1087	<1	26	566	33	<5	33	2081	207	5812	3	232	<10	13	285
112603	279504	1	4.09	10	664	3	9	0.15	<4	2	19	7	1.16	0.20	4	0.24	252	<1	4	129	11	<5	44	2129	108	962	<2	4	<10	118	54
112604	279505	1	3.98	7	286	2	22	2.76	7	18	25	6	8.31	0.15	4	0.34	1578	<1	2	1216	23	<5	11	2117	197	5875	14	7	11	56	152
112605	279506	1	4.18	15	109	2	23	3.40	7	28	31	6	8.70	<0.01	4	0.57	1520	<1	2	2122	16	<5	28	2146	194	7569	<2	20	13	61	139

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Sunday, July 27, 2014

Final Certificate

NuVision Resources ULC
 225 5th Ave West
 Owen Sound, ON, CA
 N4K6G3
 Ph#: (519) 470-7455
 Email: georaoul@gmail.com, raybernatchez@gmail.com

Date Received: 07/07/2014
 Date Completed: 07/23/2014
 Job #: 201441468
 Reference:
 Sample #: 56

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112606	279508	1	5.96	17	175	2	43	5.41	8	46	147	52	9.10	0.23	19	3.08	1082	<1	107	3237	14	<5	24	2196	484	17593	<2	212	10	29	81
112607	279509	1	3.72	12	323	2	45	2.82	7	35	120	110	8.87	0.14	19	2.49	672	<1	52	2623	16	<5	21	2104	237	16092	2	186	13	25	65
112608	279510	<1	2.08	12	<1	<2	12	3.84	8	43	17	25	8.79	0.08	<1	1.67	1347	<1	25	1036	15	<5	16	1788	207	9028	<2	337	10	26	115
112609D	279510	<1	3.36	14	15	<2	27	4.62	9	47	22	30	10.01	0.11	1	1.87	1527	<1	29	1175	16	<5	30	2019	234	10142	<2	381	10	29	133
112610	279511	1	3.98	14	265	2	30	2.67	7	21	21	6	7.73	0.09	9	0.55	1388	<1	6	1527	17	<5	<5	2208	185	5602	6	9	10	59	151
112611	279512	1	5.24	13	64	<2	21	4.99	7	52	109	30	8.61	0.06	6	2.29	1112	<1	72	2447	18	<5	20	2097	263	14120	<2	193	17	25	78
112612	279514	<1	4.94	24	57	<2	34	5.05	10	68	14	39	11.59	0.01	5	2.03	1626	<1	13	1135	17	<5	41	2108	244	12659	<2	497	14	31	111
112613	279517	2	3.64	19	484	2	20	<0.01	<4	2	33	5	1.26	<0.01	5	0.23	103	<1	7	134	9	<5	39	2110	95	875	<2	5	<10	74	23
112614	279518	1	5.10	12	169	<2	9	1.54	5	28	15	87	6.00	0.06	10	2.09	907	<1	11	741	19	<5	5	2040	189	5595	<2	187	13	24	303
112615	279519	1	3.69	15	<1	3	25	0.57	<4	2	43	5	0.91	<0.01	<1	0.10	132	<1	3	<100	14	<5	34	2042	104	875	<2	4	<10	102	25
112616	279520	<1	4.81	11	11	<2	11	4.99	8	52	64	54	8.89	0.08	9	2.71	1559	<1	44	985	17	<5	30	2076	262	7719	7	268	<10	26	121
112617	279521	1	5.71	18	<1	<2	32	>10.00	7	27	79	41	7.86	<0.01	<1	1.17	1100	<1	25	795	13	<5	32	2076	2037	6029	<2	296	10	22	29
112618	279522	<1	3.46	11	114	<2	22	4.53	10	46	9	7	11.47	0.30	4	1.08	1876	<1	3	4182	16	<5	6	2016	176	10806	<2	32	<10	52	134
112619	279524	2	3.36	6	40	<2	17	3.15	<4	5	24	55	2.40	0.02	<1	1.54	342	<1	4	493	13	<5	24	2310	144	1326	<2	12	16	22	13
112620	1482151	2	1.65	8	389	<2	16	<0.01	<4	23	32	407	3.73	0.02	5	0.22	171	<1	11	318	14	<5	28	2431	91	1823	3	10	107	22	24
112621	1482152	2	0.56	14	66	<2	12	<0.01	4	26	44	208	4.62	<0.01	<1	0.19	166	<1	9	198	18	<5	12	2460	92	890	<2	11	15	9	26
112622	1482153	2	1.69	9	<1	<2	22	<0.01	<4	4	43	7	2.66	<0.01	2	0.48	259	<1	7	125	12	<5	17	2424	108	615	<2	12	13	32	51
112623	1482154	1	1.83	11	<1	<2	10	0.16	<4	8	50	34	2.11	0.04	2	0.50	321	<1	6	415	13	5	14	2432	119	1499	<2	9	<10	12	42
112624	1482155	1	3.69	13	30	<2	18	0.06	5	18	15	92	5.98	<0.01	<1	0.69	929	<1	4	1513	15	<5	34	2161	209	5143	<2	12	14	20	63

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: 
 Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.



Date Submitted: 16-Jul-14
Invoice No.: A14-04765
Invoice Date: 28-Jul-14
Your Reference: Cat Key Project

NuVision Resources ULC
225 5th Ave West
Owen Sound ON N4K6B3
Canada

ATTN: Allen Raoul

CERTIFICATE OF ANALYSIS

67 Rock samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1E3-Tbay Aqua Regia ICP(AQUAGEO)

REPORT **A14-04765**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3
Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé".

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La	Mg
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	%
Detection Limit	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279595	< 0.2	< 0.5	97	999	< 1	13	< 2	57	2.73	< 2	< 10	125	< 0.5	2	2.98	27	14	6.41	10	< 1	0.62	< 10	1.72
279597	< 0.2	0.8	57	1350	< 1	144	< 2	216	4.82	< 2	< 10	45	< 0.5	< 2	2.99	36	245	8.17	10	< 1	0.22	< 10	4.56
279598	0.3	< 0.5	< 1	177	< 1	< 1	3	27	0.55	< 2	< 10	83	0.9	< 2	0.35	< 1	5	1.44	< 10	< 1	0.34	50	0.08
279600	0.8	< 0.5	17	191	1	< 1	35	39	0.43	18	< 10	101	< 0.5	< 2	0.01	< 1	8	2.12	< 10	< 1	0.37	< 10	0.05
279602	0.5	2.1	15	247	1	2	29	595	0.30	3	< 10	65	< 0.5	< 2	0.05	< 1	8	1.69	< 10	< 1	0.21	< 10	0.04
279603	0.5	< 0.5	17	273	2	< 1	8	51	1.01	< 2	< 10	204	0.8	< 2	< 0.01	< 1	7	2.40	10	< 1	0.75	17	0.26
279605	0.3	< 0.5	< 1	175	< 1	< 1	3	80	0.51	< 2	< 10	74	0.7	< 2	0.24	< 1	5	1.83	< 10	< 1	0.34	33	0.07
279606	< 0.2	< 0.5	77	805	< 1	< 1	< 2	73	2.64	< 2	< 10	350	< 0.5	< 2	1.68	12	6	6.16	10	< 1	1.41	21	1.24
279607	< 0.2	< 0.5	44	952	< 1	17	< 2	87	2.82	< 2	< 10	123	< 0.5	< 2	2.38	24	14	6.37	10	< 1	0.40	11	1.55
279608	0.5	< 0.5	15	1060	< 1	1	5	137	1.39	< 2	< 10	120	0.5	< 2	0.26	1	4	3.59	10	< 1	0.36	41	0.51
279610	< 0.2	< 0.5	46	768	< 1	28	< 2	59	3.02	4	< 10	33	< 0.5	< 2	2.02	21	31	5.12	< 10	< 1	0.11	< 10	1.76
279611	< 0.2	< 0.5	15	257	< 1	4	< 2	18	0.83	< 2	< 10	85	< 0.5	< 2	1.77	4	6	1.12	< 10	< 1	0.34	< 10	0.16
279613	0.2	< 0.5	105	811	< 1	47	< 2	79	3.37	16	< 10	83	< 0.5	< 2	2.17	39	23	7.39	< 10	< 1	0.48	< 10	1.94
279615	< 0.2	< 0.5	28	1530	< 1	16	6	32	0.85	< 2	< 10	116	< 0.5	< 2	4.74	5	40	4.26	< 10	< 1	0.24	45	1.31
279616	0.8	< 0.5	23	327	< 1	21	19	7	0.17	16	< 10	30	< 0.5	4	0.49	5	16	2.31	< 10	< 1	0.05	< 10	0.12
279617	< 0.2	< 0.5	< 1	1320	< 1	2	3	104	2.36	11	< 10	50	< 0.5	< 2	2.82	15	2	9.58	20	< 1	0.13	23	0.48
279618	< 0.2	< 0.5	68	732	< 1	30	< 2	56	3.00	14	< 10	59	< 0.5	< 2	2.31	26	33	5.07	< 10	< 1	0.15	< 10	1.65
279619	< 0.2	< 0.5	28	895	< 1	30	< 2	72	2.40	5	< 10	16	< 0.5	< 2	1.38	27	48	5.64	< 10	< 1	0.02	< 10	1.80

Results

Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb
Detection Limit	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	5
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA-AA
279525	0.224	0.013	0.01	3	6	26	0.23	4	< 2	< 10	3	< 10	109	94	< 5
279526	0.160	0.007	< 0.01	< 2	2	13	0.11	3	< 2	< 10	1	< 10	125	224	< 5
279527	0.290	0.082	0.15	4	19	41	0.62	7	< 2	< 10	412	< 10	19	11	< 5
279528	0.237	0.124	< 0.01	4	12	23	0.25	10	< 2	< 10	4	< 10	50	8	< 5
279530	0.364	0.219	0.05	6	18	45	0.18	2	< 2	< 10	11	< 10	41	5	< 5
279531	0.215	0.086	0.02	< 2	14	61	0.45	9	< 2	< 10	167	< 10	17	8	< 5
279533	0.149	0.008	< 0.01	3	2	41	0.13	4	< 2	< 10	2	< 10	95	177	< 5
279536	0.149	0.004	< 0.01	< 2	< 1	15	0.04	4	< 2	< 10	1	< 10	31	46	< 5
279537	0.105	0.097	0.11	3	14	66	0.43	< 1	< 2	< 10	228	< 10	22	5	< 5
279539	0.130	0.003	< 0.01	< 2	< 1	9	0.09	3	< 2	< 10	1	< 10	22	79	< 5
279540	0.106	0.004	< 0.01	3	< 1	8	0.06	4	< 2	< 10	< 1	< 10	19	54	< 5
279541	0.137	0.004	< 0.01	< 2	< 1	13	0.07	< 1	< 2	< 10	1	< 10	22	39	< 5
279542	0.185	0.003	< 0.01	< 2	< 1	4	< 0.01	< 1	< 2	< 10	< 1	< 10	8	35	< 5
279544	0.117	0.003	< 0.01	< 2	1	8	0.07	< 1	< 2	< 10	< 1	< 10	98	173	< 5
279545	0.301	0.085	0.01	< 2	19	43	0.53	7	< 2	< 10	368	< 10	17	9	10
279547	0.156	0.008	0.22	< 2	2	6	0.15	2	< 2	< 10	2	< 10	32	129	8
279548	0.143	0.003	0.04	< 2	< 1	7	0.07	3	< 2	< 10	< 1	< 10	27	114	12
279549	0.102	0.160	0.04	< 2	20	65	0.13	5	< 2	< 10	2	< 10	35	5	< 5
279550	0.132	0.025	< 0.01	3	5	7	0.10	< 1	< 2	< 10	5	< 10	16	9	8
279552	0.049	0.106	0.22	5	29	30	0.43	3	< 2	< 10	222	< 10	10	5	< 5
279553	0.249	0.008	< 0.01	< 2	4	10	0.15	4	< 2	< 10	3	< 10	107	292	16
279554	0.143	0.040	0.02	< 2	7	44	0.48	3	< 2	< 10	129	< 10	10	4	6
279556	0.104	0.154	< 0.01	4	18	96	0.14	5	< 2	< 10	3	< 10	27	6	< 5
279557	0.161	0.027	< 0.01	3	7	30	0.09	3	< 2	< 10	6	< 10	19	7	< 5
279558	0.091	0.136	< 0.01	3	18	67	0.12	< 1	< 2	< 10	2	< 10	41	6	< 5
279561	0.327	0.161	< 0.01	2	18	51	0.23	4	2	< 10	51	< 10	40	6	< 5
279562	0.163	0.053	< 0.01	< 2	8	59	0.36	5	< 2	< 10	94	< 10	7	12	< 5
279564	0.120	0.111	< 0.01	3	12	210	0.48	3	< 2	< 10	135	< 10	11	14	< 5
279565	0.329	0.202	< 0.01	3	17	48	0.17	< 1	< 2	< 10	47	< 10	37	6	< 5
279567	0.244	0.071	0.05	3	14	42	0.45	5	< 2	< 10	242	< 10	13	9	< 5
279568	0.187	0.011	< 0.01	< 2	3	10	0.17	5	< 2	< 10	3	< 10	104	292	< 5
279569	0.154	0.083	0.09	3	16	66	0.48	< 1	< 2	< 10	208	< 10	20	13	< 5
279570	0.114	0.020	0.09	3	5	31	0.15	< 1	< 2	< 10	5	< 10	18	17	6
279571	0.127	0.004	< 0.01	< 2	< 1	4	0.11	2	< 2	< 10	1	< 10	62	253	13
279573	0.089	0.045	< 0.01	2	7	63	0.30	2	< 2	< 10	67	< 10	5	5	5
279574	0.199	0.004	0.05	< 2	2	3	0.07	4	< 2	< 10	2	< 10	69	200	< 5
279576	0.104	0.077	0.13	3	10	44	0.44	2	< 2	< 10	152	< 10	13	9	< 5
279577	0.061	0.121	0.11	4	24	57	0.12	< 1	< 2	< 10	230	< 10	16	6	7
279579	0.101	0.032	0.08	< 2	11	61	0.52	4	< 2	< 10	196	< 10	9	5	< 5
279581	0.065	0.005	0.01	< 2	< 1	12	0.04	< 1	< 2	< 10	4	< 10	84	118	< 5
279582	0.047	0.005	< 0.01	< 2	1	6	0.10	1	< 2	< 10	1	< 10	52	201	7
279584	0.118	0.122	0.02	2	9	98	0.10	7	< 2	< 10	74	< 10	24	4	< 5
279585	0.067	0.107	0.10	3	6	166	0.46	< 1	< 2	< 10	131	< 10	11	4	< 5
279587	0.080	0.001	< 0.01	< 2	< 1	11	0.02	2	< 2	< 10	1	< 10	47	77	< 5
279588	0.137	0.002	< 0.01	< 2	1	9	0.15	2	< 2	< 10	1	< 10	16	181	< 5
279589	0.102	0.006	< 0.01	< 2	1	3	0.13	< 1	< 2	< 10	1	< 10	23	131	69
279591	0.099	0.010	< 0.01	< 2	2	15	0.11	4	< 2	< 10	1	< 10	14	37	< 5
279593	0.129	0.100	0.02	4	14	66	0.53	7	< 2	< 10	181	< 10	17	16	< 5
279594	0.134	0.067	0.01	< 2	11	108	0.60	8	< 2	< 10	204	< 10	9	9	< 5

Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb
Detection Limit	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	5
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA-AA
279595	0.119	0.059	< 0.01	2	11	56	0.65	9	5	< 10	280	< 10	9	11	< 5
279597	0.059	0.069	< 0.01	< 2	21	28	0.47	2	< 2	< 10	169	< 10	11	5	< 5
279598	0.141	0.002	< 0.01	< 2	< 1	9	0.04	< 1	< 2	< 10	1	< 10	43	122	< 5
279600	0.118	0.004	0.08	< 2	< 1	2	0.04	5	< 2	< 10	1	< 10	21	98	< 5
279602	0.079	0.004	0.09	< 2	< 1	2	0.02	< 1	< 2	< 10	1	< 10	23	68	< 5
279603	0.130	0.005	0.12	< 2	1	2	0.07	2	< 2	< 10	2	< 10	30	137	< 5
279605	0.149	0.001	< 0.01	< 2	< 1	10	0.03	1	< 2	< 10	1	< 10	40	111	< 5
279606	0.145	0.128	0.03	2	11	106	0.39	7	< 2	< 10	25	< 10	20	10	< 5
279607	0.159	0.104	0.01	3	12	68	0.46	7	< 2	< 10	163	< 10	17	11	< 5
279608	0.081	0.003	0.01	< 2	< 1	14	0.08	< 1	< 2	< 10	2	< 10	26	158	< 5
279610	0.103	0.056	< 0.01	< 2	9	62	0.34	9	< 2	< 10	109	< 10	11	8	< 5
279611	0.115	0.026	0.03	< 2	< 1	44	0.04	< 1	< 2	< 10	5	< 10	2	3	< 5
279613	0.081	0.033	0.14	4	12	61	0.61	5	4	< 10	351	< 10	7	6	< 5
279615	0.144	0.125	0.20	2	5	201	0.09	7	< 2	< 10	28	< 10	7	4	93
279616	0.052	0.018	0.20	< 2	< 1	20	0.02	< 1	< 2	< 10	5	< 10	1	6	2560
279617	0.110	0.138	< 0.01	4	16	68	0.12	5	< 2	< 10	3	< 10	25	6	< 5
279618	0.129	0.059	0.07	< 2	9	71	0.40	11	< 2	< 10	137	< 10	11	9	< 5
279619	0.067	0.050	0.03	2	14	7	0.34	3	< 2	< 10	126	< 10	10	7	< 5

QC

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La	Mg
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	%
Detection Limit	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas	31.4	2.1	1110	814	13	23	642	678	0.35	379	< 10	89	0.7	1520	0.74	4	6	22.2	< 10	3	0.03	< 10	0.13
GXR-1 Cert	31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50	0.217
GXR-4 Meas	3.7	< 0.5	6040	135	285	29	39	65	2.66	93	< 10	16	1.2	6	0.84	12	50	2.88	10	< 1	1.63	46	1.55
GXR-4 Cert	4.0	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110	4.01	64.5	1.66
GXR-6 Meas	0.2	< 0.5	62	1000	< 1	18	89	118	7.07	181	< 10	802	0.8	< 2	0.14	12	75	5.33	20	< 1	1.14	< 10	0.39
GXR-6 Cert	1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9	0.609
SAR-M (U.S.G.S.) Meas	3.5	5.6	322	4720	12	37	1040	1000	1.21	36		167	0.9	< 2	0.30	10	89	2.83	< 10		0.30	48	0.36
SAR-M (U.S.G.S.) Cert	3.64	5.27	331	5220	13.1	41.5	982	930.0	6.30	38.8		801	2.20	1.94	0.61	10.70	79.7	2.99	17		2.94	57.4	0.50
OxD108 Meas																							
OxD108 Cert																							
OxD108 Meas																							
OxD108 Cert																							
OxD108 Meas																							
OxD108 Cert																							
SF67 Meas																							
SF67 Cert																							
SF67 Meas																							
SF67 Cert																							
SF67 Meas																							
SF67 Cert																							
279539 Orig																							
279539 Dup																							
279542 Orig	< 0.2	< 0.5	2	536	< 1	2	< 2	14	0.41	< 2	< 10	29	< 0.5	< 2	0.04	< 1	11	2.29	< 10	< 1	0.04	19	0.07
279542 Dup	< 0.2	< 0.5	2	516	< 1	3	< 2	13	0.39	< 2	< 10	28	< 0.5	< 2	0.04	< 1	11	2.21	< 10	< 1	0.04	19	0.06
279562 Orig	< 0.2	< 0.5	27	547	< 1	31	< 2	36	2.49	3	< 10	61	< 0.5	< 2	1.87	17	46	3.46	< 10	< 1	0.25	< 10	1.77
279562 Dup	< 0.2	< 0.5	27	549	< 1	31	< 2	36	2.48	< 2	< 10	62	< 0.5	< 2	1.87	16	46	3.47	< 10	< 1	0.25	< 10	1.78
279567 Orig	< 0.2	< 0.5	40	808	< 1	47	< 2	66	3.05	< 2	< 10	59	< 0.5	< 2	2.47	26	51	6.57	10	< 1	0.23	< 10	2.13
279567 Split	< 0.2	< 0.5	40	811	< 1	46	< 2	67	3.08	< 2	< 10	58	< 0.5	< 2	2.49	27	53	6.63	10	< 1	0.23	< 10	2.15
279567 Orig																							
279567 Dup																							
279579 Orig	< 0.2	< 0.5	41	949	< 1	30	< 2	105	3.24	6	< 10	20	< 0.5	3	2.52	29	95	6.66	10	< 1	0.04	< 10	2.49
279579 Dup	< 0.2	< 0.5	42	932	< 1	30	< 2	106	3.16	4	< 10	19	< 0.5	< 2	2.52	29	94	6.49	10	< 1	0.04	< 10	2.45
279588 Orig																							
279588 Dup																							
279595 Orig	< 0.2	< 0.5	97	999	< 1	13	< 2	57	2.73	< 2	< 10	125	< 0.5	2	2.98	27	14	6.41	10	< 1	0.62	< 10	1.72
279595 Split	< 0.2	< 0.5	97	993	< 1	11	< 2	56	2.75	< 2	< 10	126	< 0.5	< 2	2.92	28	13	6.31	10	< 1	0.62	< 10	1.67
279598 Orig	0.3	< 0.5	2	179	< 1	< 1	4	26	0.55	< 2	< 10	84	0.9	< 2	0.36	< 1	5	1.45	< 10	< 1	0.35	50	0.08
279598 Dup	0.3	< 0.5	< 1	175	< 1	< 1	2	29	0.54	< 2	< 10	83	0.9	< 2	0.35	< 1	6	1.42	< 10	< 1	0.34	49	0.07
279603 Orig																							
279603 Dup																							
279610 Orig	< 0.2	< 0.5	46	768	< 1	28	< 2	59	3.02	4	< 10	33	< 0.5	< 2	2.02	21	31	5.12	< 10	< 1	0.11	< 10	1.76
279610 Split	< 0.2	< 0.5	44	763	< 1	30	< 2	58	3.00	4	< 10	34	< 0.5	< 2	2.03	21	31	5.08	< 10	< 1	0.11	< 10	1.76
279617 Orig																							
279617 Dup																							
Method Blank	< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10	< 0.01
Method Blank	< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10	< 0.01
Method Blank																							

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La	Mg
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	%
Detection Limit	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
Method Blank																							
Method Blank																							
Method Blank																							
Method Blank																							

QC

Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb
Detection Limit	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	5
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA-AA
GXR-1 Meas	0.050	0.045	0.19	82	1	170	< 0.01	10	< 2	29	74	138	23	16	
GXR-1 Cert	0.0520	0.0650	0.257	122	1.58	275	0.036	13.0	0.390	34.9	80.0	164	32.0	38.0	
GXR-4 Meas	0.127	0.122	1.65	3	7	64	0.13	3	< 2	< 10	77	11	11	10	
GXR-4 Cert	0.564	0.120	1.77	4.80	7.70	221	0.29	0.970	3.20	6.20	87.0	30.8	14.0	186	
GXR-6 Meas	0.080	0.032	0.01	5	20	30		< 1	6	< 10	155	< 10	5	6	
GXR-6 Cert	0.104	0.0350	0.0160	3.60	27.6	35.0		0.0180	2.20	1.54	186	1.90	14.0	110	
SAR-M (U.S.G.S.) Meas	0.039	0.065		6	3	29	0.05	< 1	< 2	< 10	36	< 10	19		
SAR-M (U.S.G.S.) Cert	1.140	0.07		6.0	7.83	151	0.38	0.96	2.7	3.57	67.2	9.78	28.00		
OxD108 Meas															367
OxD108 Cert															414.000
OxD108 Meas															410
OxD108 Cert															414.000
OxD108 Meas															364
OxD108 Cert															414.000
SF67 Meas															901
SF67 Cert															835.000
SF67 Meas															909
SF67 Cert															835.000
SF67 Meas															908
SF67 Cert															835.000
279539 Orig															< 5
279539 Dup															< 5
279542 Orig	0.191	0.003	< 0.01	< 2	< 1	4	< 0.01	< 1	< 2	< 10	1	< 10	8	37	
279542 Dup	0.180	0.003	< 0.01	< 2	< 1	4	< 0.01	< 1	< 2	< 10	< 1	< 10	8	33	
279562 Orig	0.164	0.054	< 0.01	< 2	8	60	0.37	6	< 2	< 10	94	< 10	7	13	
279562 Dup	0.163	0.052	< 0.01	< 2	8	58	0.35	4	< 2	< 10	93	< 10	7	11	
279567 Orig	0.244	0.071	0.05	3	14	42	0.45	5	< 2	< 10	242	< 10	13	9	< 5
279567 Split	0.243	0.072	0.05	< 2	14	43	0.44	2	< 2	< 10	246	< 10	13	9	< 5
279567 Orig															< 5
279567 Dup															< 5
279579 Orig	0.101	0.032	0.08	5	11	61	0.51	4	< 2	< 10	197	< 10	9	4	
279579 Dup	0.100	0.032	0.07	< 2	11	60	0.52	5	< 2	< 10	196	< 10	9	5	
279588 Orig															< 5
279588 Dup															< 5
279595 Orig	0.119	0.059	< 0.01	2	11	56	0.65	9	5	< 10	280	< 10	9	11	< 5
279595 Split	0.118	0.059	< 0.01	2	11	57	0.65	11	< 2	< 10	274	< 10	9	11	< 5
279598 Orig	0.143	0.002	< 0.01	< 2	< 1	9	0.05	2	< 2	< 10	2	< 10	44	122	
279598 Dup	0.139	0.002	< 0.01	< 2	< 1	8	0.04	< 1	< 2	< 10	1	< 10	42	121	
279603 Orig															< 5

Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb
Detection Limit	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	5
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA-AA
279603 Dup															< 5
279610 Orig	0.103	0.056	< 0.01	< 2	9	62	0.34	9	< 2	< 10	109	< 10	11	8	< 5
279610 Split	0.104	0.056	< 0.01	< 2	9	62	0.34	4	< 2	< 10	110	< 10	11	8	< 5
279617 Orig															6
279617 Dup															< 5
Method Blank	0.015	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	< 1	< 10	< 1	< 1	
Method Blank	0.015	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	1	< 2	< 10	< 1	< 10	< 1	< 1	
Method Blank															< 5
Method Blank															< 5
Method Blank															< 5
Method Blank															< 5
Method Blank															< 5



Date Submitted: 22-Jul-14
Invoice No.: A14-04944
Invoice Date: 31-Jul-14
Your Reference: Cat Key Project

NuVision Resources ULC
225 5th Ave West
Owen Sound ON N4K6B3
Canada

ATTN: Raymond Bernatchez

CERTIFICATE OF ANALYSIS

52 Rock samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1E3-Tbay Aqua Regia ICP(AQUAGEO)

REPORT **A14-04944**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3
Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé". The signature is written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control



Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279677	< 5	< 0.2	< 0.5	4	145	< 1	2	5	49	0.06	< 2	< 10	14	< 0.5	< 2	0.01	< 1	91	0.83	< 10	< 1	0.02	< 10
279678	5	< 0.2	< 0.5	5	1260	< 1	15	< 2	96	3.31	< 2	< 10	138	< 0.5	3	2.99	26	20	8.61	10	< 1	0.63	11
279679	< 5	< 0.2	< 0.5	16	227	3	2	30	24	0.31	3	< 10	58	< 0.5	< 2	0.47	2	26	0.58	< 10	< 1	0.16	25

Results

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279620	0.30	0.139	0.028	0.02	< 2	< 1	31	0.04	1	< 2	< 10	10	< 10	2	5
279621	0.82	0.049	0.235	0.13	4	16	72	0.09	< 1	< 2	< 10	6	< 10	33	6
279622	1.29	0.099	0.093	< 0.01	5	18	64	0.10	3	< 2	< 10	3	< 10	46	4
279623	2.84	0.045	0.155	< 0.01	6	21	24	0.08	< 1	< 2	< 10	2	< 10	13	7
279624	1.45	0.051	0.089	< 0.01	2	10	137	0.11	< 1	< 2	< 10	138	< 10	12	9
279625	0.50	0.116	0.026	0.48	< 2	< 1	70	< 0.01	3	< 2	< 10	2	< 10	2	3
279626	0.57	0.074	0.145	0.09	3	17	84	0.10	5	< 2	< 10	3	< 10	21	6
279627	1.79	0.040	0.067	0.14	4	10	68	0.54	7	< 2	< 10	232	< 10	10	9
279628	1.00	0.024	0.111	0.22	5	7	28	0.07	< 1	< 2	< 10	2	< 10	15	8
279629	1.37	0.066	0.152	0.16	< 2	11	57	0.09	4	< 2	< 10	2	< 10	8	4
279630	3.32	0.019	0.129	< 0.01	< 2	16	10	0.09	3	< 2	< 10	3	< 10	5	12
279631	1.60	0.051	0.146	0.26	3	12	57	0.09	< 1	< 2	< 10	2	< 10	5	5
279632	1.56	0.033	0.016	0.14	< 2	7	21	0.07	< 1	< 2	< 10	70	< 10	1	3
279633	2.93	0.030	0.158	0.11	5	22	16	0.08	1	< 2	< 10	4	< 10	10	11
279634	1.99	0.053	0.123	0.26	3	14	58	0.08	3	< 2	< 10	2	< 10	9	5
279635	3.30	0.025	0.179	0.55	7	13	45	0.09	10	< 2	< 10	3	< 10	11	9
279636	1.01	0.044	0.031	< 0.01	2	4	107	0.08	< 1	< 2	< 10	11	< 10	9	7
279637	2.15	0.062	0.028	0.14	3	12	52	0.42	2	< 2	< 10	170	< 10	9	6
279638	1.72	0.065	0.179	0.41	2	19	43	0.09	4	< 2	< 10	3	< 10	10	7
279639	0.81	0.069	0.158	0.06	3	11	26	0.07	< 1	< 2	< 10	2	< 10	6	3
279640	1.86	0.095	0.089	0.05	4	10	55	0.50	5	< 2	< 10	174	< 10	13	12
279641	1.66	0.052	0.081	0.34	3	15	73	0.12	< 1	< 2	< 10	206	< 10	7	8
279642	1.81	0.103	0.069	0.06	3	13	76	0.49	6	< 2	< 10	198	< 10	14	16
279643	1.81	0.054	0.106	< 0.01	5	25	42	0.24	< 1	< 2	< 10	243	< 10	25	14
279646	2.64	0.101	0.101	< 0.01	7	4	37	0.14	13	< 2	< 10	74	< 10	6	7
279647	0.23	0.064	0.091	1.41	4	4	43	0.11	7	< 2	< 10	2	< 10	9	12
279648	0.30	0.100	0.094	0.75	3	6	50	0.11	< 1	< 2	< 10	1	< 10	11	7
279649	0.62	0.046	0.004	< 0.01	< 2	2	61	0.07	9	< 2	< 10	16	< 10	17	65
279650	0.61	0.041	0.002	0.06	< 2	< 1	42	0.07	2	< 2	< 10	1	< 10	30	182
279651	0.67	0.070	0.003	< 0.01	< 2	< 1	20	< 0.01	1	< 2	< 10	< 1	< 10	30	42
279653	2.15	0.067	0.067	< 0.01	3	14	49	0.31	< 1	< 2	< 10	116	< 10	17	7
279656	2.50	0.059	0.096	0.07	4	23	80	0.03	< 1	< 2	< 10	246	< 10	13	9
279657	2.66	0.091	0.060	< 0.01	4	19	31	0.41	5	< 2	< 10	213	< 10	16	7
279658	0.45	0.077	0.003	< 0.01	< 2	< 1	6	0.04	< 1	< 2	< 10	4	< 10	63	44
279659	0.35	0.101	0.005	< 0.01	3	< 1	5	< 0.01	2	< 2	< 10	2	< 10	21	27
279660	2.86	0.032	0.028	< 0.01	3	2	3	< 0.01	< 1	4	< 10	5	< 10	19	3
279663	0.49	0.085	0.006	< 0.01	< 2	< 1	17	0.03	5	2	< 10	< 1	< 10	40	65
279664	1.92	0.096	0.092	0.11	3	14	80	0.48	< 1	< 2	< 10	217	< 10	21	16
279665	0.42	0.075	0.002	< 0.01	< 2	< 1	17	< 0.01	< 1	< 2	< 10	2	< 10	31	78
279666	2.84	0.094	0.062	0.02	7	18	20	0.45	4	< 2	< 10	209	< 10	18	8
279667	2.74	0.068	0.044	0.05	2	34	72	0.15	< 1	< 2	< 10	259	< 10	5	8
279668	0.56	0.097	0.004	< 0.01	< 2	< 1	5	0.04	< 1	2	< 10	4	< 10	32	161
279669	3.52	0.057	0.171	1.24	3	20	32	0.10	3	< 2	< 10	7	< 10	10	16
279670	2.91	0.027	0.019	< 0.01	3	4	145	0.02	< 1	< 2	< 10	18	< 10	3	4
279671	0.15	0.066	0.088	0.08	3	4	10	0.09	4	< 2	< 10	2	< 10	10	5
279672	0.11	0.075	0.098	0.56	4	5	11	0.08	< 1	< 2	< 10	2	< 10	10	5
279673	0.29	0.132	0.010	0.03	< 2	2	23	0.17	5	< 2	< 10	1	< 10	15	132
279674	2.77	0.033	0.032	0.02	2	13	50	0.39	5	< 2	< 10	174	< 10	9	4
279676	0.02	0.025	0.001	< 0.01	< 2	< 1	1	< 0.01	< 1	< 2	< 10	1	< 10	< 1	4

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279677	0.01	0.023	0.003	< 0.01	< 2	< 1	2	< 0.01	3	< 2	< 10	2	< 10	< 1	4
279678	2.08	0.073	0.114	0.03	< 2	12	95	0.50	7	< 2	< 10	238	< 10	18	21
279679	0.05	0.052	0.004	< 0.01	< 2	< 1	7	0.01	1	< 2	< 10	2	< 10	15	44

QC

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas		26.9	2.6	1120	810	13	28	662	721	0.37	386	< 10	94	0.8	1490	0.77	4	6	22.2	< 10	5	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-4 Meas		3.1	< 0.5	6220	138	294	34	42	71	2.71	103	< 10	15	1.3	27	0.88	12	53	2.91	10	< 1	1.68	47
GXR-4 Cert		4.0	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110	4.01	64.5
GXR-6 Meas		< 0.2	< 0.5	67	1080	1	19	96	133	7.36	207	< 10	761	0.9	< 2	0.14	12	81	5.57	20	< 1	1.20	10
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
SAR-M (U.S.G.S.) Meas		2.8	5.5	332	4910	12	40	1110	1090	1.27	36		171	1.1	< 2	0.31	10	94	2.86	< 10		0.32	48
SAR-M (U.S.G.S.) Cert		3.64	5.27	331	5220	13.1	41.5	982	930.0	6.30	38.8		801	2.20	1.94	0.61	10.70	79.7	2.99	17		2.94	57.4
OxD108 Meas	412																						
OxD108 Cert	414.000																						
SF67 Meas	867																						
SF67 Cert	835.000																						
SF67 Meas	860																						
SF67 Cert	835.000																						
279629 Orig	< 5																						
279629 Dup	< 5																						
279632 Orig		1.2	0.8	627	1090	< 1	25	7	206	1.66	2	< 10	17	< 0.5	< 2	2.95	26	49	6.22	< 10	< 1	0.11	< 10
279632 Dup		1.1	< 0.5	628	1100	< 1	24	8	208	1.66	5	< 10	18	< 0.5	< 2	2.96	27	49	6.20	< 10	< 1	0.11	< 10
279639 Orig	< 5																						
279639 Dup	< 5																						
279648 Orig		< 0.2	< 0.5	25	1550	1	1	< 2	41	0.73	2	< 10	44	< 0.5	4	1.81	5	16	6.24	< 10	< 1	0.22	23
279648 Dup		< 0.2	< 0.5	25	1530	< 1	1	< 2	40	0.72	< 2	< 10	31	< 0.5	< 2	1.79	6	23	6.12	< 10	< 1	0.21	22
279651 Orig	< 5	< 0.2	< 0.5	< 1	369	< 1	< 1	2	83	1.07	< 2	< 10	78	0.6	< 2	0.94	< 1	18	1.81	< 10	< 1	0.28	49
279651 Split	< 5	< 0.2	< 0.5	< 1	367	< 1	< 1	< 2	84	1.11	< 2	< 10	81	0.7	< 2	0.96	< 1	23	1.80	< 10	< 1	0.29	50
279651 Orig	< 5																						
279651 Dup	< 5																						
279666 Orig		< 0.2	< 0.5	45	1860	< 1	23	< 2	304	4.40	< 2	< 10	373	< 0.5	2	2.11	35	64	11.4	10	< 1	1.25	< 10
279666 Dup		< 0.2	0.6	44	1840	< 1	26	< 2	300	4.41	< 2	< 10	370	< 0.5	< 2	2.11	33	62	11.4	10	1	1.24	< 10
279671 Orig	70																						
279671 Dup	97																						
279677 Orig	< 5	< 0.2	< 0.5	4	145	< 1	2	5	49	0.06	< 2	< 10	14	< 0.5	< 2	0.01	< 1	91	0.83	< 10	< 1	0.02	< 10
279677 Split	9	< 0.2	< 0.5	4	144	< 1	2	5	49	0.06	< 2	< 10	15	< 0.5	< 2	0.01	< 1	87	0.83	< 10	< 1	0.02	< 10
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10

QC

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas	0.14	0.051	0.047	0.19	78	1	176	< 0.01	12	< 2	30	77	142	24	17
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	13.0	0.390	34.9	80.0	164	32.0	38.0
GXR-4 Meas	1.58	0.135	0.126	1.72	2	7	67	0.13	3	2	< 10	79	10	11	10
GXR-4 Cert	1.66	0.564	0.120	1.77	4.80	7.70	221	0.29	0.970	3.20	6.20	87.0	30.8	14.0	186
GXR-6 Meas	0.41	0.078	0.035	0.01	4	22	28		< 1	< 2	< 10	167	< 10	6	6

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		0.0180	2.20	1.54	186	1.90	14.0	110
SAR-M (U.S.G.S.) Meas	0.36	0.039	0.067		7	3	31	0.05	3	< 2	< 10	37	< 10	19	
SAR-M (U.S.G.S.) Cert	0.50	1.140	0.07		6.0	7.83	151	0.38	0.96	2.7	3.57	67.2	9.78	28.00	
OxD108 Meas															
OxD108 Cert															
SF67 Meas															
SF67 Cert															
SF67 Meas															
SF67 Cert															
279629 Orig															
279629 Dup															
279632 Orig	1.56	0.032	0.016	0.14	< 2	7	21	0.07	< 1	< 2	< 10	70	< 10	1	3
279632 Dup	1.56	0.034	0.016	0.14	2	7	21	0.07	1	< 2	< 10	71	< 10	1	3
279639 Orig															
279639 Dup															
279648 Orig	0.30	0.102	0.098	0.76	2	6	51	0.12	< 1	< 2	< 10	2	< 10	11	8
279648 Dup	0.30	0.099	0.089	0.74	4	6	50	0.10	2	< 2	< 10	1	< 10	11	6
279651 Orig	0.67	0.070	0.003	< 0.01	< 2	< 1	20	< 0.01	1	< 2	< 10	< 1	< 10	30	42
279651 Split	0.68	0.074	0.003	< 0.01	< 2	< 1	20	< 0.01	2	< 2	< 10	< 1	< 10	31	39
279651 Orig															
279651 Dup															
279666 Orig	2.85	0.095	0.061	0.02	6	18	20	0.43	3	< 2	< 10	205	< 10	18	7
279666 Dup	2.83	0.092	0.063	0.02	7	18	20	0.47	5	< 2	< 10	214	< 10	18	8
279671 Orig															
279671 Dup															
279677 Orig	0.01	0.023	0.003	< 0.01	< 2	< 1	2	< 0.01	3	< 2	< 10	2	< 10	< 1	4
279677 Split	0.01	0.025	0.003	< 0.01	< 2	< 1	1	< 0.01	< 1	< 2	< 10	2	< 10	< 1	3
Method Blank															
Method Blank															
Method Blank															
Method Blank	< 0.01	0.012	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	1	< 2	< 10	< 1	< 10	< 1	< 1



Date Submitted: 05-Aug-14
Invoice No.: A14-05328
Invoice Date: 15-Aug-14
Your Reference: Cat Key Project

NuVision Resources ULC
225 5th Ave West
Owen Sound ON N4K6B3
Canada

ATTN: Raymond Bernatchez

CERTIFICATE OF ANALYSIS

67 Rock samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1E3-Tbay Aqua Regia ICP(AQUAGEO)

REPORT **A14-05328**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3
Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé". The signature is written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Results

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279680	< 5	< 0.2	< 0.5	2	1070	< 1	1	< 2	134	2.53	< 2	< 10	48	< 0.5	< 2	3.01	6	2	6.48	10	< 1	0.18	18
279681	< 5	< 0.2	< 0.5	9	523	< 1	< 1	8	73	0.64	< 2	< 10	157	0.6	< 2	0.10	< 1	2	1.90	< 10	< 1	0.38	52
279683	< 5	< 0.2	< 0.5	1	402	< 1	1	6	96	0.56	< 2	< 10	77	0.8	< 2	0.01	< 1	1	1.85	< 10	< 1	0.31	43
279684	92	6.0	< 0.5	1150	637	< 1	14	3	55	0.65	5	< 10	58	< 0.5	< 2	0.21	13	4	2.55	< 10	< 1	0.26	27
279685	< 5	< 0.2	< 0.5	1	647	< 1	2	< 2	147	1.79	< 2	< 10	34	< 0.5	3	0.11	4	1	5.47	10	< 1	0.11	29
279686	15	< 0.2	< 0.5	2	845	< 1	< 1	< 2	117	1.56	< 2	< 10	34	< 0.5	< 2	0.13	4	1	4.83	10	< 1	0.18	28
279687	11	1.0	< 0.5	104	850	< 1	2	2	71	0.73	< 2	28	49	0.6	4	0.15	3	2	3.64	< 10	< 1	0.26	27
279689	< 5	< 0.2	5.3	27	1120	2	< 1	2	2260	1.61	2	< 10	49	< 0.5	< 2	0.44	9	< 1	6.44	10	< 1	0.13	18
279691	< 5	< 0.2	< 0.5	107	1100	< 1	107	< 2	65	4.30	< 2	< 10	88	< 0.5	< 2	4.86	41	182	7.99	10	2	0.63	< 10
279693	< 5	< 0.2	0.6	1	1180	< 1	< 1	< 2	145	3.27	< 2	< 10	202	< 0.5	< 2	1.90	31	3	11.3	20	2	0.87	19
279694	< 5	0.3	< 0.5	< 1	594	< 1	< 1	3	168	1.22	< 2	< 10	144	1.0	< 2	0.85	< 1	1	2.95	< 10	< 1	0.88	47
279695	< 5	0.2	< 0.5	< 1	370	< 1	< 1	4	83	1.11	< 2	< 10	212	0.9	< 2	0.14	< 1	< 1	2.36	< 10	< 1	0.84	46
279697	< 5	< 0.2	< 0.5	2	382	< 1	< 1	4	52	0.58	< 2	< 10	82	0.6	< 2	0.70	< 1	2	1.15	< 10	< 1	0.39	96
279700	< 5	< 0.2	< 0.5	13	100	2	2	4	24	0.59	< 2	< 10	80	1.1	< 2	0.01	< 1	< 1	1.37	< 10	< 1	0.42	14
279701	< 5	< 0.2	< 0.5	2	338	< 1	< 1	< 2	23	0.62	< 2	< 10	< 10	< 0.5	< 2	0.05	7	3	2.01	< 10	< 1	< 0.01	< 10
279702	< 5	< 0.2	< 0.5	1	175	< 1	< 1	5	40	0.49	< 2	< 10	74	0.8	< 2	0.79	< 1	2	0.50	< 10	< 1	0.35	60
279703	< 5	0.3	< 0.5	7	203	< 1	< 1	8	102	0.98	< 2	< 10	97	0.7	< 2	0.24	< 1	1	1.11	< 10	< 1	0.65	24
279704	9	0.2	< 0.5	< 1	241	< 1	< 1	2	111	1.72	< 2	< 10	155	0.7	< 2	0.02	< 1	1	2.89	< 10	< 1	1.39	52
279705	< 5	< 0.2	< 0.5	< 1	591	< 1	< 1	5	282	0.43	< 2	< 10	49	0.8	< 2	0.44	< 1	2	2.10	< 10	< 1	0.21	39
279706	< 5	< 0.2	< 0.5	< 1	133	< 1	< 1	2	20	0.37	< 2	< 10	69	0.7	< 2	0.29	< 1	1	0.40	< 10	< 1	0.29	29
279707	< 5	2.0	< 0.5	208	420	7	1	7	154	1.27	< 2	< 10	37	< 0.5	< 2	0.04	7	1	4.84	< 10	< 1	0.18	34
279708	13	< 0.2	< 0.5	5	356	< 1	< 1	6	145	0.96	< 2	< 10	22	< 0.5	2	0.07	2	< 1	4.62	< 10	< 1	0.11	33
279709	< 5	0.7	< 0.5	31	282	1	1	28	256	1.03	< 2	< 10	110	0.9	< 2	0.85	< 1	1	0.97	< 10	< 1	0.72	82
279710	< 5	< 0.2	< 0.5	3	498	< 1	< 1	4	100	0.76	< 2	< 10	33	< 0.5	4	0.07	2	1	3.73	< 10	< 1	0.11	29
279711	< 5	< 0.2	< 0.5	7	371	< 1	< 1	< 2	108	1.77	< 2	< 10	161	0.7	< 2	0.06	1	< 1	3.07	10	< 1	0.81	47
279712	< 5	< 0.2	< 0.5	12	416	< 1	< 1	6	47	0.75	< 2	< 10	114	1.4	< 2	1.28	< 1	1	0.47	< 10	< 1	0.49	63
279713	< 5	< 0.2	< 0.5	12	703	< 1	< 1	5	222	0.73	< 2	< 10	55	< 0.5	3	0.31	2	< 1	3.86	< 10	< 1	0.13	31
279714	< 5	< 0.2	< 0.5	19	981	< 1	2	< 2	61	0.81	< 2	< 10	68	< 0.5	3	0.96	3	< 1	3.93	< 10	< 1	0.22	19
279716	8	0.4	1.0	59	1690	< 1	< 1	141	729	3.94	11	< 10	155	< 0.5	< 2	0.24	15	3	10.3	20	< 1	0.13	< 10
279717	17	< 0.2	< 0.5	3	347	< 1	< 1	4	123	1.69	< 2	< 10	37	< 0.5	< 2	0.07	5	1	4.72	10	< 1	0.17	31
279718	6	< 0.2	< 0.5	< 1	507	< 1	< 1	2	230	1.73	< 2	< 10	46	< 0.5	< 2	0.66	3	< 1	5.15	10	< 1	0.12	38
279719	< 5	< 0.2	< 0.5	22	1200	< 1	9	< 2	130	2.96	8	< 10	219	< 0.5	< 2	1.56	36	< 1	11.0	20	< 1	0.63	13
279720	< 5	0.4	< 0.5	< 1	383	< 1	3	8	83	1.04	< 2	< 10	132	1.5	< 2	0.15	< 1	1	1.57	< 10	< 1	0.73	51
279722	11	< 0.2	< 0.5	9	1360	< 1	9	< 2	121	3.03	< 2	< 10	209	< 0.5	< 2	2.45	29	3	8.47	20	< 1	0.95	12
279725	< 5	0.4	3.5	15	992	1	< 1	103	1020	0.76	< 2	< 10	53	< 0.5	< 2	0.95	2	1	3.86	< 10	< 1	0.24	26
279726	< 5	< 0.2	< 0.5	< 1	129	< 1	< 1	10	105	0.72	< 2	< 10	70	0.6	< 2	0.16	< 1	1	0.44	< 10	< 1	0.48	40
279727	< 5	< 0.2	< 0.5	28	951	< 1	23	< 2	92	3.10	< 2	< 10	59	< 0.5	< 2	1.76	28	26	6.82	10	< 1	0.21	< 10
279728	9	< 0.2	< 0.5	11	224	< 1	< 1	6	28	0.46	< 2	< 10	71	0.5	< 2	0.15	< 1	2	0.56	< 10	< 1	0.33	55
279729	< 5	< 0.2	< 0.5	< 1	698	< 1	< 1	5	80	0.57	< 2	< 10	68	< 0.5	< 2	1.92	< 1	< 1	2.80	< 10	< 1	0.32	44
279730	< 5	0.5	< 0.5	< 1	293	< 1	< 1	5	43	0.32	< 2	< 10	35	< 0.5	< 2	0.01	< 1	1	1.10	< 10	< 1	0.17	46
279731	6	< 0.2	< 0.5	9	567	< 1	< 1	3	47	0.76	< 2	< 10	148	< 0.5	< 2	2.54	< 1	1	1.20	< 10	< 1	0.39	44
279732	30	1.1	< 0.5	976	801	< 1	5	12	75	2.07	< 2	< 10	72	< 0.5	< 2	3.89	23	3	5.04	< 10	< 1	0.34	14
279733	5	< 0.2	< 0.5	3	53	< 1	< 1	3	9	0.35	< 2	< 10	54	0.7	< 2	0.05	< 1	2	0.42	< 10	< 1	0.18	13
279734	< 5	< 0.2	< 0.5	74	888	< 1	19	< 2	93	2.68	< 2	< 10	156	< 0.5	< 2	1.65	23	39	5.03	< 10	< 1	0.61	11
279736	< 5	< 0.2	< 0.5	1	281	< 1	< 1	< 2	28	0.99	< 2	< 10	64	1.8	< 2	0.06	< 1	3	1.46	< 10	< 1	0.21	11
279737	42	0.2	< 0.5	< 1	465	< 1	< 1	< 2	86	1.51	< 2	< 10	119	0.7	< 2	0.10	< 1	1	3.96	10	< 1	0.24	51
279739	< 5	< 0.2	< 0.5	< 1	623	< 1	6	< 2	46	1.29	11	< 10	111	0.6	5	1.48	1	2	2.63	< 10	2	0.28	44
279740	< 5	< 0.2	< 0.5	< 1	894	1	< 1	< 2	41	0.83	< 2	< 10	138	0.6	< 2	1.24	< 1	2	2.37	< 10	< 1	0.60	48
279741	< 5	< 0.2	< 0.5	2	616	< 1	41	< 2	84	3.17	4	< 10	89	< 0.5	< 2	1.42	20	37	5.93	10	< 1	0.58	15

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279742	< 5	< 0.2	< 0.5	72	1090	< 1	102	< 2	83	4.71	< 2	< 10	16	< 0.5	3	1.62	40	155	8.30	10	1	0.11	< 10
279744	6	< 0.2	< 0.5	< 1	861	< 1	65	< 2	52	4.05	< 2	< 10	< 10	< 0.5	< 2	2.33	28	263	5.13	< 10	< 1	0.02	< 10
279745	< 5	< 0.2	< 0.5	8	806	< 1	41	< 2	62	3.41	< 2	< 10	44	< 0.5	< 2	1.97	26	90	4.57	< 10	< 1	0.17	< 10
279746	< 5	< 0.2	< 0.5	6	351	1	< 1	< 2	65	1.56	< 2	< 10	203	< 0.5	< 2	0.08	2	2	3.05	10	< 1	0.87	19
279747	< 5	< 0.2	< 0.5	57	907	< 1	18	< 2	99	3.39	< 2	< 10	497	0.6	< 2	2.45	25	6	8.44	10	< 1	1.35	13
279751	< 5	< 0.2	< 0.5	21	260	< 1	< 1	4	31	0.91	< 2	< 10	76	< 0.5	< 2	0.71	< 1	2	1.10	< 10	< 1	0.41	49
279752	< 5	< 0.2	< 0.5	109	992	< 1	100	< 2	63	3.87	2	< 10	11	< 0.5	< 2	2.48	38	105	6.57	< 10	< 1	0.05	< 10
279753	8	< 0.2	< 0.5	103	763	< 1	82	< 2	57	3.41	7	< 10	11	< 0.5	< 2	1.72	27	134	4.80	< 10	< 1	0.03	< 10
279754	5	< 0.2	< 0.5	6	676	< 1	< 1	4	75	2.48	< 2	< 10	90	1.4	3	1.46	2	1	3.01	10	< 1	0.49	68
279756	6	< 0.2	< 0.5	141	794	< 1	12	< 2	48	2.62	< 2	< 10	17	< 0.5	< 2	2.26	25	5	5.47	< 10	< 1	0.08	< 10
279757	< 5	< 0.2	< 0.5	68	342	< 1	22	< 2	23	2.82	< 2	< 10	19	< 0.5	< 2	2.13	12	100	2.07	< 10	< 1	0.10	< 10
279759	11	< 0.2	< 0.5	164	848	< 1	58	< 2	69	3.99	< 2	< 10	14	< 0.5	< 2	2.23	36	79	6.35	< 10	< 1	0.07	< 10
279760	< 5	< 0.2	< 0.5	27	159	< 1	< 1	16	130	0.84	< 2	< 10	144	< 0.5	< 2	0.53	< 1	2	0.80	< 10	< 1	0.32	35
279762	< 5	< 0.2	< 0.5	32	635	< 1	65	< 2	91	2.95	< 2	< 10	40	< 0.5	< 2	1.35	17	71	4.47	< 10	< 1	0.12	< 10
279763	< 5	< 0.2	< 0.5	62	498	< 1	29	< 2	35	2.89	3	< 10	31	< 0.5	< 2	2.21	17	67	2.98	< 10	< 1	0.17	< 10
279764	< 5	< 0.2	< 0.5	89	508	< 1	20	< 2	31	2.65	< 2	< 10	14	< 0.5	< 2	2.03	17	49	3.36	< 10	< 1	0.09	< 10
279765	8	0.2	< 0.5	289	378	2	63	< 2	49	3.42	< 2	< 10	32	< 0.5	< 2	2.22	36	48	4.26	< 10	< 1	1.08	11
279766	< 5	< 0.2	< 0.5	1	226	< 1	< 1	2	58	1.81	< 2	< 10	100	0.6	< 2	0.10	< 1	1	1.48	< 10	< 1	0.56	66

Results

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279680	0.79	0.067	0.099	0.01	3	10	58	0.12	8	< 2	< 10	3	< 10	14	6
279681	0.07	0.038	0.009	0.02	< 2	< 1	3	0.05	3	< 2	< 10	< 1	< 10	7	42
279683	0.06	0.091	0.006	< 0.01	< 2	< 1	3	0.06	< 1	< 2	< 10	< 1	< 10	20	55
279684	0.13	0.019	0.012	0.04	< 2	< 1	4	< 0.01	< 1	< 2	< 10	7	< 10	8	22
279685	0.54	0.051	0.027	0.05	< 2	4	4	0.08	< 1	< 2	< 10	2	< 10	13	10
279686	0.47	0.055	0.019	0.03	< 2	3	6	0.05	< 1	< 2	< 10	1	< 10	13	10
279687	0.11	0.027	0.020	0.03	< 2	2	7	0.05	< 1	< 2	< 10	< 1	< 10	10	8
279689	0.29	0.043	0.032	0.49	3	3	6	0.02	< 1	< 2	< 10	2	< 10	9	10
279691	3.72	0.023	0.028	0.03	< 2	12	50	0.47	< 1	< 2	< 10	276	< 10	6	4
279693	1.77	0.045	0.184	< 0.01	3	24	38	0.16	< 1	< 2	< 10	187	< 10	23	5
279694	0.36	0.075	0.006	< 0.01	< 2	1	15	0.11	< 1	< 2	< 10	2	< 10	25	126
279695	0.33	0.086	0.002	< 0.01	< 2	< 1	5	0.11	< 1	< 2	< 10	1	< 10	14	117
279697	0.08	0.079	0.003	< 0.01	< 2	< 1	13	0.03	< 1	< 2	< 10	< 1	< 10	39	39
279700	0.15	0.076	0.004	< 0.01	< 2	< 1	2	0.06	< 1	< 2	< 10	1	< 10	29	72
279701	0.40	0.022	0.007	< 0.01	< 2	2	1	0.05	< 1	< 2	< 10	38	< 10	1	2
279702	0.04	0.059	0.001	< 0.01	< 2	< 1	26	0.02	< 1	< 2	< 10	< 1	< 10	42	57
279703	0.13	0.064	0.005	< 0.01	< 2	< 1	8	0.04	1	< 2	< 10	3	< 10	20	49
279704	0.78	0.024	0.007	< 0.01	< 2	< 1	2	0.13	< 1	< 2	< 10	< 1	< 10	15	101
279705	0.05	0.072	0.006	< 0.01	< 2	< 1	7	0.05	< 1	< 2	< 10	< 1	< 10	17	43
279706	0.02	0.054	0.003	< 0.01	< 2	< 1	5	0.02	< 1	< 2	< 10	< 1	< 10	25	47
279707	0.28	0.064	0.024	0.13	3	2	4	0.06	1	< 2	< 10	2	< 10	14	12
279708	0.27	0.062	0.038	< 0.01	< 2	2	4	< 0.01	< 1	< 2	< 10	2	< 10	7	4
279709	0.14	0.038	0.002	< 0.01	< 2	< 1	24	0.03	< 1	< 2	< 10	2	< 10	23	116
279710	0.14	0.050	0.035	< 0.01	< 2	2	3	0.08	< 1	< 2	< 10	1	< 10	10	4
279711	0.49	0.094	0.008	0.02	< 2	3	3	0.13	2	< 2	< 10	2	< 10	57	105
279712	0.08	0.059	0.002	< 0.01	< 2	< 1	48	< 0.01	2	< 2	< 10	< 1	< 10	54	29
279713	0.20	0.068	0.030	0.04	< 2	2	7	0.05	< 1	< 2	< 10	1	< 10	11	4
279714	0.14	0.026	0.025	0.04	< 2	2	9	0.06	2	< 2	< 10	1	< 10	10	5
279716	2.04	0.016	0.113	0.25	4	13	11	0.11	5	< 2	< 10	3	< 10	6	10
279717	0.44	0.057	0.029	0.10	< 2	3	4	0.09	1	< 2	< 10	1	< 10	14	9
279718	0.48	0.081	0.021	< 0.01	< 2	3	10	0.06	< 1	< 2	< 10	4	< 10	14	8
279719	1.78	0.072	0.106	0.02	2	14	43	0.57	12	< 2	< 10	302	< 10	19	13
279720	0.15	0.046	0.002	< 0.01	< 2	< 1	3	0.06	< 1	< 2	< 10	1	< 10	27	145
279722	2.09	0.059	0.081	< 0.01	4	23	54	0.51	4	< 2	< 10	275	< 10	12	9
279725	0.21	0.060	0.010	0.08	< 2	< 1	11	0.06	< 1	< 2	< 10	2	< 10	9	15
279726	0.10	0.040	0.003	< 0.01	< 2	< 1	4	0.01	< 1	< 2	< 10	1	< 10	23	94
279727	1.73	0.066	0.094	< 0.01	3	9	106	0.47	9	< 2	< 10	158	< 10	16	7
279728	0.03	0.044	0.002	< 0.01	< 2	< 1	3	0.02	< 1	< 2	< 10	< 1	< 10	35	67
279729	0.47	0.094	0.005	< 0.01	< 2	< 1	43	0.07	3	< 2	< 10	< 1	< 10	17	64
279730	0.05	0.052	0.002	< 0.01	< 2	< 1	2	0.05	3	< 2	< 10	< 1	< 10	16	113
279731	0.32	0.068	0.003	< 0.01	< 2	< 1	31	0.04	3	< 2	< 10	3	< 10	38	46
279732	1.73	0.070	0.075	0.16	< 2	18	98	0.15	< 1	< 2	< 10	168	< 10	8	6
279733	0.06	0.113	0.003	< 0.01	< 2	< 1	2	0.03	< 1	< 2	< 10	< 1	< 10	51	47
279734	2.13	0.077	0.086	0.10	< 2	9	60	0.48	3	< 2	< 10	132	< 10	10	9
279736	0.59	0.088	0.003	< 0.01	< 2	< 1	4	< 0.01	< 1	< 2	< 10	< 1	< 10	20	37
279737	0.46	0.069	0.005	< 0.01	< 2	< 1	4	0.05	1	< 2	< 10	< 1	< 10	23	98
279739	0.31	0.094	0.005	< 0.01	4	< 1	29	0.05	2	< 2	< 10	< 1	< 10	23	81
279740	0.18	0.030	0.006	< 0.01	< 2	< 1	13	0.05	1	< 2	< 10	< 1	< 10	13	49
279741	1.67	0.081	0.102	< 0.01	2	6	40	0.28	14	< 2	< 10	70	< 10	8	5

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279742	4.17	0.027	0.031	< 0.01	4	9	41	0.48	3	< 2	< 10	215	< 10	5	3
279744	3.65	0.031	0.025	< 0.01	4	8	34	0.20	6	< 2	< 10	65	< 10	4	3
279745	2.55	0.064	0.026	< 0.01	< 2	11	83	0.25	4	< 2	< 10	93	< 10	6	2
279746	0.67	0.092	0.021	< 0.01	< 2	4	5	0.16	5	< 2	< 10	13	< 10	17	12
279747	1.78	0.298	0.105	0.06	2	19	25	0.43	< 1	< 2	< 10	312	< 10	22	12
279751	0.12	0.045	0.003	0.03	< 2	1	71	0.03	2	< 2	< 10	1	< 10	78	54
279752	3.41	0.054	0.017	< 0.01	3	10	25	0.27	2	< 2	< 10	126	< 10	7	3
279753	2.30	0.056	0.022	0.01	< 2	8	31	0.32	< 1	< 2	< 10	98	< 10	8	2
279754	0.73	0.058	0.006	< 0.01	< 2	2	33	0.09	2	< 2	< 10	1	< 10	118	158
279756	1.62	0.183	0.049	0.05	3	14	26	0.36	9	< 2	< 10	139	< 10	11	5
279757	1.24	0.268	0.018	< 0.01	< 2	6	37	0.18	3	< 2	< 10	48	< 10	4	1
279759	2.69	0.036	0.025	0.11	< 2	10	40	0.39	3	< 2	< 10	126	< 10	8	3
279760	0.05	0.029	0.004	0.07	< 2	< 1	28	0.02	< 1	< 2	< 10	1	< 10	63	19
279762	2.03	0.072	0.071	0.01	2	5	55	0.34	2	< 2	< 10	68	< 10	6	4
279763	1.59	0.125	0.021	0.01	< 2	10	41	0.22	6	< 2	< 10	74	< 10	7	2
279764	1.43	0.143	0.027	< 0.01	< 2	8	36	0.28	4	< 2	< 10	84	< 10	7	3
279765	1.18	0.190	0.056	0.83	< 2	5	50	0.34	9	< 2	< 10	71	< 10	10	12
279766	1.15	0.024	0.004	< 0.01	< 2	< 1	7	0.02	4	< 2	< 10	< 1	< 10	95	140

QC

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas		28.4	2.5	1190	788	14	28	639	679	0.36	386	11	120	0.7	1430	0.73	6	5	22.1	< 10	4	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-4 Meas		3.2	< 0.5	6550	137	288	33	41	69	2.74	101	< 10	12	1.2	< 2	0.85	12	53	2.91	10	< 1	1.66	44
GXR-4 Cert		4.0	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110	4.01	64.5
GXR-6 Meas		0.2	< 0.5	67	1010	< 1	18	91	118	7.13	184	< 10	809	0.8	< 2	0.14	12	76	5.42	20	< 1	1.17	< 10
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
SAR-M (U.S.G.S.) Meas		3.4	5.4	345	4620	12	38	1070	1000	1.24	37		173	1.0	3	0.30	10	87	2.86	< 10		0.32	52
SAR-M (U.S.G.S.) Cert		3.64	5.27	331	5220	13.1	41.5	982	930.0	6.30	38.8		801	2.20	1.94	0.61	10.70	79.7	2.99	17		2.94	57.4
OxD108 Meas	435																						
OxD108 Cert	414.000																						
OxD108 Meas	439																						
OxD108 Cert	414.000																						
SF67 Meas	884																						
SF67 Cert	835.000																						
SF67 Meas	889																						
SF67 Cert	835.000																						
279693 Orig	< 5																						
279693 Dup	< 5																						
279697 Orig		< 0.2	< 0.5	2	385	< 1	1	3	53	0.58	< 2	< 10	82	0.6	< 2	0.70	< 1	2	1.16	< 10	< 1	0.39	96
279697 Dup		< 0.2	< 0.5	2	380	< 1	< 1	4	52	0.59	< 2	< 10	81	0.6	< 2	0.70	< 1	2	1.14	< 10	< 1	0.39	97
279706 Orig	< 5																						
279706 Dup	< 5																						
279713 Orig		< 0.2	< 0.5	12	707	< 1	< 1	5	222	0.73	< 2	< 10	56	< 0.5	3	0.31	2	1	3.85	< 10	< 1	0.13	31
279713 Dup		< 0.2	< 0.5	12	700	< 1	< 1	5	221	0.73	< 2	< 10	55	< 0.5	2	0.31	2	< 1	3.87	< 10	< 1	0.13	31
279717 Orig	17	< 0.2	< 0.5	3	347	< 1	< 1	4	123	1.69	< 2	< 10	37	< 0.5	< 2	0.07	5	1	4.72	10	< 1	0.17	31
279717 Split	14	< 0.2	< 0.5	3	355	< 1	< 1	< 2	124	1.72	< 2	< 10	37	< 0.5	< 2	0.07	5	1	4.81	10	< 1	0.17	31
279719 Orig	< 5																						
279719 Dup	< 5																						
279729 Orig		< 0.2	< 0.5	< 1	704	< 1	< 1	5	81	0.58	< 2	< 10	69	< 0.5	< 2	1.93	< 1	< 1	2.83	< 10	< 1	0.33	44
279729 Dup		< 0.2	< 0.5	< 1	693	< 1	< 1	5	80	0.56	< 2	< 10	67	< 0.5	< 2	1.91	< 1	1	2.77	< 10	< 1	0.32	43
279734 Orig	< 5																						
279734 Dup	< 5																						
279742 Orig	< 5	< 0.2	< 0.5	72	1090	< 1	102	< 2	83	4.71	< 2	< 10	16	< 0.5	3	1.62	40	155	8.30	10	1	0.11	< 10
279742 Split	7	< 0.2	< 0.5	72	1090	< 1	101	< 2	81	4.75	< 2	< 10	15	< 0.5	< 2	1.64	43	157	8.36	10	< 1	0.11	< 10
279745 Orig		< 0.2	< 0.5	8	804	< 1	41	< 2	62	3.37	< 2	< 10	44	< 0.5	< 2	1.95	25	89	4.57	< 10	< 1	0.17	< 10
279745 Dup		< 0.2	< 0.5	8	809	< 1	42	< 2	62	3.45	2	< 10	44	< 0.5	< 2	1.99	27	91	4.57	< 10	< 1	0.17	< 10
279746 Orig	< 5																						
279746 Dup	< 5																						
279757 Orig	< 5	< 0.2	< 0.5	68	342	< 1	22	< 2	23	2.82	< 2	< 10	19	< 0.5	< 2	2.13	12	100	2.07	< 10	< 1	0.10	< 10
279757 Split	< 5	< 0.2	< 0.5	69	346	< 1	21	< 2	22	2.83	< 2	< 10	19	< 0.5	< 2	2.15	11	102	2.11	< 10	< 1	0.10	< 10
279760 Orig	< 5																						
279760 Dup	< 5																						
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank	< 5																						

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
Method Blank	< 5																						

QC

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas	0.13	0.044	0.045	0.19	86	1	170	< 0.01	11	< 2	31	75	135	24	17
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	13.0	0.390	34.9	80.0	164	32.0	38.0
GXR-4 Meas	1.58	0.129	0.119	1.70	< 2	7	66	0.13	< 1	< 2	< 10	79	< 10	11	9
GXR-4 Cert	1.66	0.564	0.120	1.77	4.80	7.70	221	0.29	0.970	3.20	6.20	87.0	30.8	14.0	186
GXR-6 Meas	0.39	0.076	0.032	0.01	3	21	30		< 1	5	< 10	152	< 10	5	4
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		0.0180	2.20	1.54	186	1.90	14.0	110
SAR-M (U.S.G.S.) Meas	0.35	0.030	0.067		5	4	30	0.05	< 1	< 2	< 10	36	< 10	21	
SAR-M (U.S.G.S.) Cert	0.50	1.140	0.07		6.0	7.83	151	0.38	0.96	2.7	3.57	67.2	9.78	28.00	
OxD108 Meas															
OxD108 Cert															
OxD108 Meas															
OxD108 Cert															
SF67 Meas															
SF67 Cert															
SF67 Meas															
SF67 Cert															
279693 Orig															
279693 Dup															
279697 Orig	0.08	0.079	0.003	< 0.01	< 2	< 1	13	0.03	5	< 2	< 10	< 1	< 10	39	39
279697 Dup	0.08	0.079	0.003	< 0.01	< 2	< 1	12	0.03	< 1	< 2	< 10	< 1	< 10	39	40
279706 Orig															
279706 Dup															
279713 Orig	0.20	0.069	0.030	0.04	< 2	2	7	0.05	2	< 2	< 10	1	< 10	11	4
279713 Dup	0.20	0.068	0.030	0.04	< 2	2	7	0.05	< 1	< 2	< 10	1	< 10	11	4
279717 Orig	0.44	0.057	0.029	0.10	< 2	3	4	0.09	1	< 2	< 10	1	< 10	14	9
279717 Split	0.46	0.058	0.030	0.10	3	3	4	0.08	< 1	< 2	< 10	1	< 10	14	7
279719 Orig															
279719 Dup															
279729 Orig	0.47	0.094	0.006	< 0.01	< 2	< 1	43	0.07	4	< 2	< 10	< 1	< 10	17	68
279729 Dup	0.46	0.093	0.005	< 0.01	< 2	< 1	43	0.07	2	< 2	< 10	< 1	< 10	17	60
279734 Orig															
279734 Dup															
279742 Orig	4.17	0.027	0.031	< 0.01	4	9	41	0.48	3	< 2	< 10	215	< 10	5	3
279742 Split	4.21	0.026	0.030	< 0.01	3	9	40	0.47	1	< 2	< 10	212	< 10	5	3
279745 Orig	2.55	0.063	0.026	< 0.01	< 2	11	82	0.24	4	< 2	< 10	92	< 10	6	2
279745 Dup	2.55	0.064	0.026	< 0.01	< 2	11	84	0.25	4	< 2	< 10	94	< 10	6	2
279746 Orig															
279746 Dup															
279757 Orig	1.24	0.268	0.018	< 0.01	< 2	6	37	0.18	3	< 2	< 10	48	< 10	4	1
279757 Split	1.26	0.274	0.018	< 0.01	< 2	6	39	0.19	4	< 2	< 10	50	< 10	4	1
279760 Orig															
279760 Dup															

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
Method Blank	< 0.01	0.008	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	< 1	< 10	< 1	< 1
Method Blank	< 0.01	0.009	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	< 1	< 10	< 1	< 1
Method Blank															
Method Blank															
Method Blank															
Method Blank															



Date Submitted: 11-Aug-14
Invoice No.: A14-05459
Invoice Date: 26-Aug-14
Your Reference: Cat Key Project

NuVision Resources ULC
225 5th Ave West
Owen Sound ON N4K6B3
Canada

ATTN: Max Reiter

CERTIFICATE OF ANALYSIS

26 Rock samples were submitted for analysis.

The following analytical package was requested:

REPORT **A14-05459**

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1A3-Tbay Au - Fire Assay Gravimetric (QOP Fire Assay Tbay)
Code 1E3-Tbay Aqua Regia ICP(AQUAGEO)

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3
Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé".

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Results

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279767	< 5	< 0.2	< 0.5	116	1210	< 1	112	5	108	3.98	10	< 10	22	< 0.5	< 2	2.82	39	163	7.38	< 10	< 1	0.01	< 10
279768	< 5	< 0.2	< 0.5	6	1650	1	< 1	< 2	107	1.07	3	< 10	67	< 0.5	3	0.16	4	1	5.36	< 10	< 1	0.19	36
279769	< 5	0.2	< 0.5	30	1310	< 1	40	5	145	3.68	8	< 10	19	< 0.5	< 2	1.41	46	24	10.0	10	3	0.02	11
279770	< 5	< 0.2	< 0.5	1	295	< 1	< 1	< 2	23	2.48	< 2	< 10	53	< 0.5	< 2	0.05	9	2	3.14	10	< 1	0.18	29
279771	< 5	< 0.2	< 0.5	14	505	2	2	< 2	77	4.10	< 2	< 10	34	< 0.5	< 2	0.06	10	2	6.54	20	< 1	0.12	123
279772	< 5	0.3	< 0.5	< 1	205	< 1	< 1	< 2	19	3.40	< 2	< 10	38	< 0.5	< 2	< 0.01	12	2	4.98	10	< 1	0.15	33
279773	< 5	< 0.2	< 0.5	11	837	< 1	< 1	3	130	1.61	< 2	< 10	85	< 0.5	< 2	0.62	3	< 1	5.13	10	< 1	0.14	25
279774	< 5	< 0.2	< 0.5	9	417	< 1	4	< 2	21	2.17	< 2	< 10	29	< 0.5	< 2	1.44	5	2	2.73	10	< 1	0.12	56
279777	< 5	< 0.2	< 0.5	51	1130	< 1	17	4	94	2.42	9	< 10	21	< 0.5	< 2	1.18	13	5	6.38	10	< 1	0.01	18
279778	< 5	< 0.2	< 0.5	10	1300	< 1	< 1	2	210	1.08	< 2	< 10	52	< 0.5	< 2	0.27	3	1	4.11	< 10	< 1	0.31	36
279780	< 5	< 0.2	< 0.5	41	524	< 1	14	< 2	63	2.46	< 2	< 10	42	< 0.5	< 2	2.86	17	4	5.63	< 10	< 1	0.18	< 10
279781	< 5	< 0.2	< 0.5	6	1570	< 1	< 1	3	143	1.16	< 2	< 10	33	< 0.5	< 2	1.89	4	1	5.90	< 10	< 1	0.23	32
279782	6	1.4	< 0.5	197	482	< 1	< 1	31	118	1.41	132	< 10	29	< 0.5	< 2	0.04	7	1	9.34	10	< 1	0.13	22
279783	< 5	< 0.2	< 0.5	4	900	2	< 1	6	76	1.16	3	< 10	91	< 0.5	< 2	1.61	3	2	4.23	< 10	< 1	0.25	39
279784	< 5	< 0.2	< 0.5	20	1100	< 1	86	< 2	86	1.82	< 2	< 10	72	< 0.5	< 2	3.97	18	78	4.94	< 10	< 1	0.23	26
279785	< 5	< 0.2	< 0.5	16	1290	< 1	< 1	19	138	0.74	< 2	< 10	43	< 0.5	< 2	0.07	3	1	5.76	< 10	< 1	0.18	36
279786	< 5	< 0.2	< 0.5	6	531	< 1	< 1	4	247	2.23	< 2	< 10	44	< 0.5	3	0.10	4	1	4.83	10	< 1	0.13	37
279787	< 5	< 0.2	< 0.5	12	283	< 1	2	< 2	14	0.64	< 2	< 10	101	< 0.5	< 2	0.73	4	3	1.01	< 10	< 1	0.26	10
279788	< 5	< 0.2	0.8	9	1300	2	< 1	4	127	3.13	2	< 10	59	< 0.5	< 2	2.77	20	< 1	9.85	20	< 1	0.11	30
279789	666	2.6	12.8	82	1280	< 1	30	361	998	1.14	> 10000	< 10	19	< 0.5	6	1.85	40	18	7.38	< 10	< 1	0.22	41
279790	< 5	< 0.2	< 0.5	10	537	< 1	5	3	17	0.29	22	< 10	21	< 0.5	< 2	1.67	4	10	1.48	< 10	< 1	0.03	< 10
279791	> 3000	0.8	0.6	55	874	< 1	< 1	20	61	1.74	10	< 10	41	< 0.5	< 2	0.46	9	2	8.51	10	< 1	0.12	16
279792	72	< 0.2	< 0.5	85	482	< 1	< 1	7	35	1.07	5	< 10	39	< 0.5	< 2	1.11	9	2	5.03	< 10	< 1	0.13	21
279793	7	< 0.2	1.1	29	2170	< 1	12	7	191	2.52	4	< 10	65	< 0.5	< 2	3.85	16	13	8.55	10	< 1	0.16	17
279795	< 5	< 0.2	< 0.5	39	1600	< 1	3	4	152	2.22	< 2	< 10	16	< 0.5	< 2	0.40	2	2	6.22	10	< 1	0.01	29
279796	18	0.2	0.6	72	1540	< 1	13	< 2	157	4.66	3	< 10	11	< 0.5	< 2	1.11	8	58	12.8	< 10	2	0.02	< 10

Results

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	0.03
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA-GRA
279767	2.88	0.031	0.028	0.10	6	15	75	0.46	9	< 2	< 10	161	< 10	10	5	
279768	0.30	0.040	0.039	0.04	3	2	5	0.02	< 1	< 2	< 10	3	< 10	10	5	
279769	2.84	0.047	0.078	0.10	4	16	49	0.52	2	< 2	< 10	233	< 10	17	23	
279770	1.86	0.034	0.003	0.05	< 2	< 1	3	< 0.01	< 1	< 2	< 10	< 1	< 10	5	22	
279771	3.04	0.028	0.015	< 0.01	< 2	< 1	2	< 0.01	< 1	2	< 10	1	< 10	13	22	
279772	2.12	0.038	0.006	< 0.01	< 2	1	4	< 0.01	< 1	< 2	< 10	3	< 10	9	100	
279773	0.55	0.053	0.027	< 0.01	< 2	3	8	0.11	2	< 2	< 10	4	< 10	10	10	
279774	2.60	0.049	0.008	< 0.01	< 2	< 1	14	< 0.01	< 1	< 2	< 10	< 1	< 10	10	26	
279777	1.46	0.052	0.034	< 0.01	< 2	10	10	0.10	4	< 2	< 10	50	< 10	5	9	
279778	0.56	0.049	0.032	< 0.01	< 2	2	8	0.08	< 1	< 2	< 10	3	< 10	11	7	
279780	1.17	0.176	0.083	0.03	< 2	17	69	0.56	9	< 2	< 10	283	< 10	11	8	
279781	0.80	0.048	0.030	0.01	4	2	25	0.05	2	< 2	< 10	4	< 10	16	10	
279782	0.39	0.049	0.025	1.32	4	2	4	0.06	< 1	< 2	< 10	5	< 10	10	23	
279783	0.26	0.054	0.034	0.05	< 2	2	21	0.07	< 1	< 2	< 10	< 1	< 10	13	7	
279784	2.32	0.066	0.130	< 0.01	3	4	94	0.04	< 1	2	< 10	52	< 10	6	4	
279785	0.18	0.050	0.026	0.01	< 2	2	3	0.07	< 1	< 2	< 10	2	< 10	10	11	
279786	1.33	0.048	0.039	0.04	< 2	3	3	0.09	< 1	< 2	< 10	3	< 10	11	9	
279787	0.14	0.074	0.028	< 0.01	< 2	< 1	15	0.04	3	< 2	< 10	4	< 10	1	3	
279788	0.80	0.052	0.208	0.04	4	17	64	0.09	3	2	< 10	6	< 10	31	6	
279789	0.54	0.071	0.161	1.42	87	6	88	0.02	7	< 2	< 10	20	< 10	11	7	
279790	0.23	0.041	0.023	0.03	< 2	2	49	0.02	< 1	< 2	< 10	9	< 10	2	6	
279791	0.38	0.066	0.091	0.61	4	14	11	0.12	6	< 2	< 10	3	< 10	9	14	6.31
279792	0.21	0.103	0.119	1.07	< 2	7	29	0.13	5	< 2	< 10	2	< 10	11	8	
279793	1.64	0.041	0.073	0.11	2	9	43	0.09	3	< 2	< 10	48	< 10	6	7	
279795	0.72	0.021	0.008	0.08	2	1	37	0.05	1	< 2	< 10	3	< 10	59	13	
279796	1.79	0.016	0.062	0.96	4	6	25	0.28	3	< 2	< 10	67	< 10	8	10	

QC

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas		30.5	2.3	1170	854	14	34	669	709	0.38	394	< 10	187	0.7	1450	0.76	6	6	22.9	< 10	6	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-4 Meas		3.5	< 0.5	6500	142	311	35	42	71	2.85	97	< 10	29	1.3	16	0.88	12	55	2.96	10	< 1	1.73	51
GXR-4 Cert		4.0	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110	4.01	64.5
GXR-6 Meas		0.3	< 0.5	66	1100	1	20	94	123	7.38	215	< 10	753	0.8	< 2	0.13	12	79	5.52	20	< 1	1.20	10
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
SAR-M (U.S.G.S.) Meas		3.5	5.8	331	5120	13	48	1070	1040	1.33	38		183	1.0	< 2	0.30	10	97	2.94	< 10		0.34	48
SAR-M (U.S.G.S.) Cert		3.64	5.27	331	5220	13.1	41.5	982	930.0	6.30	38.8		801	2.20	1.94	0.61	10.70	79.7	2.99	17		2.94	57.4
OxN92 Meas																							
OxN92 Cert																							
OxD108 Meas	424																						
OxD108 Cert	414.000																						
SF67 Meas	780																						
SF67 Cert	835.000																						
OxK110 Meas																							
OxK110 Cert																							
279778 Orig	< 5																						
279778 Dup	< 5																						
279782 Orig		1.3	< 0.5	196	476	< 1	3	30	118	1.40	130	< 10	29	< 0.5	< 2	0.04	6	1	9.25	10	< 1	0.13	22
279782 Dup		1.4	0.8	199	488	< 1	< 1	31	119	1.43	134	< 10	30	< 0.5	< 2	0.04	8	1	9.44	10	< 1	0.13	23
279789 Orig	638																						
279789 Dup	694																						
279796 Orig	18	0.2	0.6	72	1540	< 1	13	< 2	157	4.66	3	< 10	11	< 0.5	< 2	1.11	8	58	12.8	< 10	2	0.02	< 10
279796 Split	19	< 0.2	< 0.5	74	1580	< 1	12	5	161	4.75	< 2	< 10	12	< 0.5	< 2	1.13	10	59	13.0	< 10	3	0.02	< 10
Method Blank		< 0.2	< 0.5	1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank																							
Method Blank																							

QC

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	0.03
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA-GRA
GXR-1 Meas	0.14	0.055	0.046	0.20	87	1	179	< 0.01	15	< 2	31	78	142	24	18	
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	13.0	0.390	34.9	80.0	164	32.0	38.0	
GXR-4 Meas	1.60	0.144	0.122	1.73	4	7	71	0.13	< 1	3	< 10	78	12	12	11	
GXR-4 Cert	1.66	0.564	0.120	1.77	4.80	7.70	221	0.29	0.970	3.20	6.20	87.0	30.8	14.0	186	
GXR-6 Meas	0.40	0.079	0.034	0.01	4	21	28		< 1	< 2	< 10	168	< 10	5	11	
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		0.0180	2.20	1.54	186	1.90	14.0	110	
SAR-M (U.S.G.S.) Meas	0.37	0.041	0.065		6	4	30	0.05	2	< 2	< 10	38	< 10	20		
SAR-M (U.S.G.S.) Cert	0.50	1.140	0.07		6.0	7.83	151	0.38	0.96	2.7	3.57	67.2	9.78	28.00		

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	0.03
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA-GRA
OxN92 Meas																7.44
OxN92 Cert																7.64
OxD108 Meas																
OxD108 Cert																
SF67 Meas																
SF67 Cert																
OxK110 Meas																3.48
OxK110 Cert																3.602
279778 Orig																
279778 Dup																
279782 Orig	0.39	0.048	0.025	1.30	3	2	4	0.06	< 1	< 2	< 10	5	< 10	9	23	
279782 Dup	0.40	0.050	0.025	1.33	5	2	4	0.06	< 1	< 2	< 10	5	< 10	10	24	
279789 Orig																
279789 Dup																
279796 Orig	1.79	0.016	0.062	0.96	4	6	25	0.28	3	< 2	< 10	67	< 10	8	10	
279796 Split	1.82	0.018	0.064	0.98	8	6	26	0.28	2	< 2	< 10	68	< 10	8	10	
Method Blank	< 0.01	0.013	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	< 1	< 10	< 1	< 1	
Method Blank																
Method Blank																
Method Blank																< 0.03
Method Blank																< 0.03



Date Submitted: 25-Aug-14
Invoice No.: A14-05883
Invoice Date: 02-Sep-14
Your Reference: Cat Key Project

NuVision Resources ULC
225 5th Ave West
Owen Sound ON N4K6B3
Canada

ATTN: Raymond Bernatchez

CERTIFICATE OF ANALYSIS

39 Rock samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1E3-Tbay Aqua Regia ICP(AQUAGEO)

REPORT **A14-05883**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3
Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Elitsa Hrischeva".

Elitsa Hrischeva, Ph.D.
Quality Control



Results

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279801	97	< 0.2	1.3	45	854	< 1	2	6	85	2.39	< 2	< 10	26	< 0.5	< 2	2.28	7	2	8.56	20	< 1	0.05	28
279802	45	< 0.2	< 0.5	54	849	< 1	< 1	7	85	2.48	2	< 10	31	< 0.5	< 2	2.14	9	1	8.49	20	< 1	0.08	26
279803	68	13.0	1.8	1500	565	2	5	656	201	0.39	4	< 10	31	< 0.5	9	0.14	9	12	2.06	< 10	< 1	0.09	< 10
279804	< 5	0.2	< 0.5	7	82	< 1	2	3	7	0.02	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	6	0.55	< 10	< 1	0.01	< 10
279805	46	2.2	0.9	956	120	< 1	4	4	57	0.04	2	< 10	< 10	< 0.5	3	0.10	8	7	0.99	< 10	< 1	0.02	< 10
279806	< 5	0.5	< 0.5	29	132	16	< 1	3	12	0.79	< 2	< 10	117	< 0.5	< 2	0.03	1	2	1.55	< 10	< 1	0.53	19
279807	< 5	0.6	< 0.5	90	89	2	< 1	2	13	0.72	< 2	< 10	136	< 0.5	< 2	0.03	2	3	1.44	< 10	< 1	0.53	37
279808	7	< 0.2	< 0.5	2	925	< 1	< 1	2	132	2.13	< 2	< 10	307	0.8	< 2	1.55	5	1	6.57	10	< 1	1.11	35
279809	7	< 0.2	0.8	43	820	< 1	2	9	110	2.79	< 2	< 10	96	< 0.5	< 2	2.87	33	2	8.02	10	< 1	0.36	13
279810	< 5	< 0.2	< 0.5	45	818	< 1	21	< 2	94	3.00	< 2	< 10	87	< 0.5	< 2	2.73	33	2	7.03	10	< 1	0.30	11
279811	13	< 0.2	< 0.5	214	874	< 1	33	< 2	44	3.51	5	< 10	34	< 0.5	2	2.52	24	73	5.04	< 10	1	0.15	< 10
279812	6	1.4	1.5	472	170	< 1	18	98	594	0.42	14	< 10	< 10	< 0.5	< 2	0.30	39	8	2.36	< 10	< 1	< 0.01	< 10
279813	< 5	< 0.2	< 0.5	27	93	< 1	< 1	4	8	0.04	< 2	< 10	< 10	< 0.5	< 2	0.02	1	8	0.95	< 10	< 1	< 0.01	< 10
279814	< 5	< 0.2	< 0.5	4	516	< 1	< 1	14	102	0.52	< 2	< 10	69	< 0.5	< 2	0.05	< 1	2	1.82	< 10	< 1	0.30	50
279815	< 5	0.4	< 0.5	45	142	< 1	< 1	28	170	0.83	< 2	< 10	87	< 0.5	< 2	0.03	1	2	1.52	< 10	< 1	0.39	57
279816	< 5	0.5	< 0.5	5	371	3	< 1	4	211	1.12	< 2	< 10	173	0.8	< 2	< 0.01	1	1	1.71	< 10	< 1	0.76	51
279817	224	5.4	2.0	> 10000	748	< 1	< 1	23	382	3.20	12	< 10	< 10	< 0.5	< 2	0.19	45	2	10.8	20	1	< 0.01	< 10
279818	20	< 0.2	1.0	332	583	< 1	10	5	52	0.10	< 2	< 10	13	< 0.5	< 2	1.57	18	7	2.19	< 10	< 1	0.05	< 10
279819	228	10.9	3.3	4120	132	< 1	10	16	227	0.04	10	< 10	< 10	< 0.5	2	0.07	33	7	1.55	< 10	< 1	0.02	< 10
279820	29	4.9	0.6	2830	84	< 1	140	9	197	0.04	4	< 10	< 10	< 0.5	< 2	0.06	258	6	9.73	< 10	2	< 0.01	< 10
279821	< 5	< 0.2	< 0.5	24	711	< 1	35	< 2	37	3.48	< 2	< 10	41	< 0.5	< 2	2.20	21	112	4.60	< 10	< 1	0.30	< 10
279822	< 5	< 0.2	< 0.5	83	977	< 1	31	< 2	92	3.88	< 2	< 10	27	< 0.5	< 2	2.08	21	53	6.66	< 10	< 1	0.05	18
279823	218	3.2	< 0.5	2460	106	< 1	< 1	3	10	0.07	< 2	< 10	< 10	< 0.5	< 2	0.13	2	7	1.26	< 10	< 1	< 0.01	< 10
279824	25	< 0.2	< 0.5	42	850	< 1	18	< 2	40	3.27	< 2	< 10	39	< 0.5	< 2	1.36	28	11	5.98	< 10	< 1	0.16	< 10
279825	< 5	< 0.2	< 0.5	45	1020	< 1	16	< 2	65	3.76	< 2	< 10	77	< 0.5	< 2	1.69	31	3	8.48	10	< 1	0.42	< 10
279826	101	2.0	0.8	2270	121	< 1	29	7	16	0.12	< 2	< 10	< 10	< 0.5	< 2	0.38	167	6	6.36	< 10	< 1	< 0.01	< 10
279827	16	0.4	0.5	394	82	< 1	3	7	91	0.06	< 2	< 10	< 10	< 0.5	< 2	0.01	9	6	1.21	< 10	< 1	< 0.01	< 10
279828	381	1.0	< 0.5	907	186	< 1	2	< 2	14	0.41	< 2	< 10	< 10	< 0.5	< 2	0.34	6	6	1.55	< 10	< 1	< 0.01	< 10
279829	5	0.2	< 0.5	35	553	< 1	19	14	112	1.80	2	< 10	< 10	< 0.5	< 2	1.01	19	40	3.80	< 10	< 1	0.02	< 10
279830	< 5	< 0.2	< 0.5	2	1110	< 1	63	7	109	6.14	6	< 10	18	< 0.5	2	1.66	54	87	11.3	10	< 1	< 0.01	< 10
279831	< 5	< 0.2	< 0.5	27	768	< 1	74	< 2	74	4.79	2	< 10	12	< 0.5	3	4.02	35	92	8.00	10	< 1	0.01	< 10
279832	< 5	< 0.2	< 0.5	66	705	< 1	75	< 2	43	4.15	< 2	< 10	13	< 0.5	< 2	1.85	28	294	4.49	< 10	< 1	0.02	< 10
279833	< 5	< 0.2	0.8	79	754	< 1	41	< 2	60	4.34	10	< 10	11	< 0.5	< 2	2.87	38	1	12.2	10	< 1	0.02	< 10
279834	< 5	< 0.2	< 0.5	34	769	< 1	57	< 2	70	4.66	7	< 10	25	< 0.5	< 2	2.05	36	10	11.7	10	< 1	0.02	< 10
279835	< 5	< 0.2	< 0.5	< 1	373	< 1	< 1	< 2	28	2.62	< 2	< 10	35	< 0.5	< 2	0.21	6	4	3.83	20	< 1	0.14	21
279836	< 5	< 0.2	< 0.5	< 1	307	< 1	2	< 2	95	4.54	< 2	< 10	26	< 0.5	< 2	0.86	7	2	3.57	20	< 1	0.06	69
279837	< 5	< 0.2	< 0.5	11	338	2	< 1	< 2	20	1.18	3	< 10	32	< 0.5	6	< 0.01	2	5	2.76	< 10	< 1	0.13	13
279838	< 5	< 0.2	0.6	< 1	429	< 1	3	< 2	57	5.19	4	< 10	13	< 0.5	< 2	0.15	17	1	6.62	20	4	0.01	68
279839	< 5	< 0.2	< 0.5	< 1	748	< 1	4	< 2	63	4.70	< 2	< 10	37	< 0.5	< 2	0.14	14	6	8.32	20	2	0.10	25

Results

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
279801	0.53	0.063	0.121	0.71	4	17	59	0.11	7	< 2	< 10	3	< 10	14	11
279802	0.54	0.088	0.122	0.78	3	17	46	0.16	13	< 2	< 10	3	< 10	15	15
279803	0.14	0.028	0.004	0.17	< 2	2	3	0.02	2	< 2	< 10	17	< 10	1	6
279804	< 0.01	0.031	< 0.001	< 0.01	< 2	< 1	2	< 0.01	< 1	< 2	< 10	1	< 10	< 1	< 1
279805	0.03	0.024	< 0.001	0.16	< 2	< 1	1	< 0.01	< 1	< 2	< 10	2	< 10	< 1	< 1
279806	0.12	0.098	0.004	0.02	< 2	< 1	3	0.05	< 1	< 2	< 10	1	< 10	37	154
279807	0.12	0.055	0.004	0.23	< 2	< 1	3	0.05	< 1	< 2	< 10	1	22	51	183
279808	0.26	0.132	0.071	< 0.01	< 2	11	17	0.28	1	< 2	< 10	2	< 10	46	25
279809	1.33	0.362	0.098	0.21	3	18	29	0.29	2	< 2	< 10	290	< 10	21	11
279810	1.59	0.276	0.091	0.14	< 2	16	45	0.37	11	< 2	< 10	271	< 10	17	14
279811	2.09	0.050	0.042	0.01	< 2	11	53	0.32	< 1	< 2	< 10	101	< 10	9	7
279812	0.30	0.023	0.005	0.78	< 2	3	2	0.03	< 1	< 2	< 10	21	< 10	1	2
279813	0.02	0.023	0.001	0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	3	< 10	< 1	< 1
279814	0.04	0.056	0.005	< 0.01	< 2	< 1	3	0.08	< 1	< 2	< 10	< 1	< 10	14	46
279815	0.19	0.070	0.005	< 0.01	< 2	< 1	3	0.06	3	< 2	< 10	< 1	< 10	18	104
279816	0.07	0.025	0.003	< 0.01	< 2	< 1	4	0.08	2	< 2	< 10	< 1	< 10	24	183
279817	2.52	0.018	0.087	2.17	3	11	6	0.03	< 1	< 2	< 10	3	< 10	4	24
279818	0.38	0.025	0.018	0.04	< 2	< 1	13	< 0.01	< 1	< 2	< 10	4	< 10	< 1	1
279819	0.02	0.023	0.001	0.70	< 2	< 1	1	< 0.01	1	< 2	< 10	2	< 10	< 1	1
279820	0.03	0.021	0.003	6.39	5	< 1	< 1	< 0.01	< 1	< 2	< 10	3	< 10	< 1	4
279821	1.98	0.091	0.044	0.01	< 2	14	50	0.33	7	< 2	< 10	101	< 10	9	8
279822	1.90	0.052	0.037	0.05	2	8	53	0.26	3	< 2	< 10	67	< 10	20	7
279823	0.04	0.023	0.002	0.26	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	4	< 10	< 1	< 1
279824	1.98	0.050	0.054	0.06	< 2	9	26	0.40	10	< 2	< 10	107	< 10	9	7
279825	2.08	0.113	0.072	0.01	4	19	24	0.44	< 1	< 2	< 10	190	< 10	15	11
279826	0.09	0.020	0.001	3.88	2	< 1	2	< 0.01	< 1	< 2	< 10	6	< 10	< 1	3
279827	0.04	0.020	0.001	0.21	< 2	< 1	< 1	< 0.01	1	< 2	< 10	4	< 10	< 1	< 1
279828	0.29	0.026	0.008	0.14	< 2	3	1	0.05	1	< 2	< 10	24	< 10	2	2
279829	1.41	0.028	0.015	0.08	< 2	10	6	0.14	3	< 2	< 10	76	< 10	6	4
279830	4.26	0.025	0.035	0.05	4	25	35	0.40	< 1	< 2	< 10	263	< 10	9	6
279831	2.35	0.061	0.013	0.11	2	20	66	0.35	2	< 2	< 10	308	< 10	5	4
279832	3.32	0.046	0.022	< 0.01	3	6	36	0.18	< 1	< 2	< 10	51	< 10	4	5
279833	2.74	0.096	0.113	0.12	5	19	21	0.54	4	< 2	< 10	235	< 10	10	10
279834	2.88	0.050	0.071	0.17	4	19	40	0.50	2	< 2	< 10	346	< 10	12	8
279835	1.85	0.082	0.004	< 0.01	2	< 1	4	< 0.01	< 1	< 2	< 10	4	< 10	7	26
279836	5.39	0.042	0.008	< 0.01	< 2	1	7	< 0.01	< 1	< 2	< 10	2	< 10	11	52
279837	0.44	0.056	0.005	< 0.01	< 2	< 1	4	< 0.01	< 1	< 2	< 10	< 1	< 10	7	20
279838	4.47	0.023	0.048	< 0.01	5	7	2	< 0.01	< 1	< 2	< 10	6	< 10	11	8
279839	2.54	0.026	0.055	< 0.01	< 2	8	3	< 0.01	< 1	< 2	< 10	38	< 10	9	7

QC

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas		29.3	2.5	1160	764	15	33	614	662	0.38	368	< 10	386	0.7	1500	0.72	6	6	22.2	< 10	3	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-4 Meas		3.4	< 0.5	6470	138	317	36	42	68	2.91	96	< 10	32	1.3	17	0.85	13	53	2.97	10	< 1	1.73	52
GXR-4 Cert		4.0	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110	4.01	64.5
GXR-6 Meas		0.2	< 0.5	69	1050	2	22	92	124	7.57	215	< 10	761	0.8	< 2	0.13	12	79	5.56	20	1	1.22	10
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
SAR-M (U.S.G.S.) Meas		3.5	5.8	319	4660	12	42	1040	1000	1.26	33		166	0.9	< 2	0.29	10	90	2.74	< 10		0.31	47
SAR-M (U.S.G.S.) Cert		3.64	5.27	331	5220	13.1	41.5	982	930.0	6.30	38.8		801	2.20	1.94	0.61	10.70	79.7	2.99	17		2.94	57.4
OxD108 Meas	428																						
OxD108 Cert	414.000																						
OxD108 Meas	445																						
OxD108 Cert	414.000																						
SF67 Meas	912																						
SF67 Cert	835.000																						
SF67 Meas	916																						
SF67 Cert	835.000																						
279810 Orig	< 5																						
279810 Dup	< 5																						
279813 Orig		< 0.2	< 0.5	27	92	< 1	< 1	4	8	0.04	< 2	< 10	< 10	< 0.5	< 2	0.02	1	8	0.94	< 10	< 1	< 0.01	< 10
279813 Dup		< 0.2	< 0.5	27	94	< 1	2	4	8	0.04	< 2	< 10	< 10	< 0.5	< 2	0.02	1	8	0.95	< 10	< 1	< 0.01	< 10
279820 Orig	27																						
279820 Dup	32																						
279827 Orig		0.4	0.5	395	81	< 1	4	6	90	0.06	< 2	< 10	< 10	< 0.5	< 2	0.01	9	6	1.20	< 10	< 1	< 0.01	< 10
279827 Dup		0.5	0.6	393	83	< 1	3	7	91	0.07	< 2	< 10	< 10	< 0.5	< 2	0.01	9	6	1.21	< 10	< 1	< 0.01	< 10
279830 Orig	< 5	< 0.2	< 0.5	2	1110	< 1	63	7	109	6.14	6	< 10	18	< 0.5	2	1.66	54	87	11.3	10	< 1	< 0.01	< 10
279830 Split	6	< 0.2	1.1	2	1130	< 1	67	< 2	108	6.15	4	< 10	18	< 0.5	< 2	1.68	52	86	11.4	10	3	< 0.01	< 10
279831 Orig	< 5																						
279831 Dup	< 5																						
279838 Orig	< 5																						
279838 Dup	< 5																						
279839 Orig		< 0.2	< 0.5	< 1	748	< 1	5	< 2	64	4.69	< 2	< 10	38	< 0.5	3	0.14	14	6	8.34	20	1	0.10	24
279839 Dup		< 0.2	< 0.5	< 1	748	< 1	3	< 2	63	4.70	< 2	< 10	37	< 0.5	< 2	0.14	13	6	8.30	20	2	0.10	25
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank		< 0.2	< 0.5	7	9	< 1	< 1	< 2	5	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10

QC

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas	0.13	0.054	0.045	0.20	90	1	183	< 0.01	11	< 2	33	74	144	24	17
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	13.0	0.390	34.9	80.0	164	32.0	38.0
GXR-4 Meas	1.56	0.145	0.123	1.74	5	7	72	0.13	< 1	< 2	< 10	78	12	11	11
GXR-4 Cert	1.66	0.564	0.120	1.77	4.80	7.70	221	0.29	0.970	3.20	6.20	87.0	30.8	14.0	186
GXR-6 Meas	0.41	0.077	0.034	0.01	5	21	29		3	< 2	< 10	170	< 10	5	11

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		0.0180	2.20	1.54	186	1.90	14.0	110
SAR-M (U.S.G.S.) Meas	0.35	0.038	0.060		7	3	29	0.05	< 1	< 2	< 10	36	< 10	19	
SAR-M (U.S.G.S.) Cert	0.50	1.140	0.07		6.0	7.83	151	0.38	0.96	2.7	3.57	67.2	9.78	28.00	
OxD108 Meas															
OxD108 Cert															
OxD108 Meas															
OxD108 Cert															
SF67 Meas															
SF67 Cert															
SF67 Meas															
SF67 Cert															
279810 Orig															
279810 Dup															
279813 Orig	0.02	0.022	0.001	0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	3	< 10	< 1	< 1
279813 Dup	0.02	0.023	0.001	0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	3	< 10	< 1	< 1
279820 Orig															
279820 Dup															
279827 Orig	0.04	0.019	0.001	0.21	< 2	< 1	< 1	< 0.01	1	< 2	< 10	4	< 10	< 1	< 1
279827 Dup	0.04	0.021	0.001	0.21	< 2	< 1	< 1	< 0.01	2	< 2	< 10	4	< 10	< 1	< 1
279830 Orig	4.26	0.025	0.035	0.05	4	25	35	0.40	< 1	< 2	< 10	263	< 10	9	6
279830 Split	4.28	0.025	0.036	0.05	6	25	36	0.39	1	< 2	< 10	256	< 10	9	6
279831 Orig															
279831 Dup															
279838 Orig															
279838 Dup															
279839 Orig	2.54	0.027	0.055	< 0.01	2	8	3	< 0.01	< 1	4	< 10	37	< 10	9	6
279839 Dup	2.53	0.025	0.055	< 0.01	< 2	8	3	< 0.01	< 1	< 2	< 10	38	< 10	9	7
Method Blank															
Method Blank															
Method Blank															
Method Blank	< 0.01	0.013	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	< 1	< 10	< 1	< 1