

We are committed to providing [accessible customer service](#).  
If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).  
Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).



## **2016 Cote Diamond Drilling**

### **Assessment Report**

Oban Mining Corp.

Catharine Township, Ontario

NTS 31M/13



Michaela Kuuskman, P.Geol.

Ali Ghorbani

August 15<sup>th</sup>, 2016

## TABLE OF CONTENTS

1.0 Introduction .....	2
2.0 Property Description, Location and Access.....	2
3.0 Geological Setting and Mineralization .....	5
3.1 Property Geology .....	5
3.2 Mineralization .....	5
4.0 2016 Drill Program .....	6
5.0 Sampling Procedures and Results.....	7
6.0 Statement Of Expenditures.....	8
7.0 Conclusions .....	8
7.1 Chargeability Anomaly .....	8
7.2 Ostrom .....	8
7.3 Catharine Fault Zone.....	9
8.0 Recommendations .....	9
9.0 References .....	10
10.0 Certificate of Qualification.....	11
Appendix A: Diamond Drill Log .....	12
Appendix B: Diamond Drillhole Plan Map and Sections .....	62
Appendix C: ALS Assay Certificate.....	71

## LIST OF TABLES

Table 1: List of claims for Cote Property.....	4
Table 2: Summary of Oban 2016 Drill Program .....	6
Table 3: Summary of Assay and QAQC holes for 2016 Cote drill program.....	8
Table 4: Summary of Expenditures .....	8

## LIST OF FIGURES

Figure 1: Cote Property Location Map (Natural Resources Canada, 2002) .....	2
Figure 2: Cote Property Claims .....	3
Figure 3: Cote Geology and Mineral Occurrence Map .....	5
Figure 4: 2016 Diamond Drillhole Location Map .....	7

## 1.0 INTRODUCTION

During March and April 2016, eight diamond drillholes totalling 2,409 m were completed on the Cote property. The drillholes tested geophysical anomalies and mineralized structures with the majority of the drilling in the vicinity of the Ostrom and Daley showings.

## 2.0 PROPERTY DESCRIPTION, LOCATION AND ACCESS


The Cote Property is owned by Oban Mining Corp (“Oban”) and consists of 48 mining claims and 3 patents that extend for 10 km through the townships of Marter, Catharine and Pacaud in the area between Englehart and Larder Lake in northeastern Ontario. The Property is located 10 km north of Englehart, 15 km southwest of Larder Lake and 25 km southeast of Kirkland Lake (Figure 1).

Access to the property can be gained via secondary and tertiary roads that exit Highway 624, 11 and 112. The eastern and southeastern portions of the property can be accessed by either Highway 624 or the roads exiting north of Marter Township. Western and southwestern portions of the property can be accessed using secondary and tertiary roads exiting Highway 11. The north and northwestern portions can be reached via highway 564 off of Highway 112.



**Figure 1:** Cote Property Location Map (Natural Resources Canada, 2002)

The property consists of 48 claims covering 4,576 ha or 45.76 km<sup>2</sup>, and 3 patents covering 192 ha or 1.92 km<sup>2</sup> (Table 1, Figure 2). Oban has optioned these claims from Les Entreprises Ogima Inc., Huber Roach, Brian Olsen and Michael Barrett.



**Figure 2: Cote Property Claims**

**Table 1:** List of claims for Cote Property

Claim Number	Recorded	Due Date	Property Owner	Claim Units	Township
4283392	2015-04-24	2019-04-24	Michael Joseph Barette	1	Catharine
4225467	2007-12-03	2019-12-03	Les Entreprises Ogima Inc.	4	Marter
4225468	2008-01-04	2019-01-04		4	Catharine
4225469	2007-11-13	2019-11-13		4	Catharine
4225470	2007-11-13	2019-11-13		15	Catharine
4225479	2008-01-04	2019-01-04		1	Catharine
4225480	2008-01-04	2019-01-04		8	Marter
4225585	2008-01-07	2019-01-07		8	Catharine
4225612	2008-01-04	2019-01-04		6	Marter
4225613	2008-01-04	2019-01-04		16	Marter
4225614	2008-01-04	2019-01-04		6	Marter
4250842	2014-01-24	2019-01-24		1	Catharine
4251199	2010-11-12	2019-11-12		6	Catharine
4254758	2010-11-12	2019-11-12		6	Catharine
04255940	2010-11-12	2019-11-12		2	Catharine
4256035	2010-11-12	2019-11-12		1	Catharine
4257331	2012-03-13	2019-03-13		6	Catharine
4257332	2012-03-13	2019-03-13		1	Catharine
4257334	2012-03-22	2019-03-22		6	Catharine
4257338	2012-03-22	2019-03-22		4	Catharine
4257339	2012-03-22	2019-03-22		1	Catharine
4257340	2012-03-22	2019-03-22		12	Catharine
4258349	2010-11-12	2019-11-12		4	Catharine
4259289	2014-11-03	2019-11-03		2	Catharine
4266579	2012-03-13	2019-03-13		6	Catharine
4266601	2012-03-13	2019-03-13		2	Catharine
4266674	2012-03-13	2019-03-13		12	Catharine
4266679	2012-03-13	2019-03-13		4	Catharine
4269810	2012-04-03	2019-04-03		4	Catharine
4269811	2012-04-03	2019-04-03		1	Catharine
4273004	2015-01-29	2019-01-29		6	Marter
4273052	2013-06-14	2019-06-14		2	Catharine
4273902	2012-11-16	2019-11-16		6	Catharine
4273903	2012-11-16	2019-11-16	8	Catharine	
4273906	2013-04-05	2019-04-05	4	Catharine	
4273907	2013-04-05	2019-04-05	16	Catharine	
4273915	2012-11-13	2019-11-13	4	Catharine	
4273916	2012-11-13	2019-11-13	16	Catharine	
4274107	2015-03-04	2019-03-04	4	Catharine	
4274122	2014-09-22	2019-09-22	4	Catharine	
4274123	2014-09-22	2019-09-22	3	Catharine	
4274125	2015-08-21	2019-08-21	5	Catharine	
4283394	2015-02-06	2019-02-06	4	Catharine	
4283397	2015-01-29	2019-01-29	14	Marter	
4284080	2014-12-08	2019-12-08	12	Marter	
4284081	2014-12-08	2019-12-08	2	Marter	
4284086	2015-01-29	2019-01-29	16	Marter	
4284087	2015-01-29	2019-01-29	6	Marter	
Patent: PIN 61250-0087(or Disposition 62145)			Huber Roach	4	Catharine
Patent: Part Lot 1N, Concession 4 (previously Parcel 3265 SST) (or Disposition 62115)			Brian Olsen	4	Pacaud
Patent: Part Lot 12N, Concession 3 (previously Parcel 4882 NND) (or Disposition 62383)				4	Catharine

### 3.0 GEOLOGICAL SETTING AND MINERALIZATION

#### 3.1 Property Geology

The geology of the property consists primarily of massive to pillowed mafic volcanics with intermediate volcanics in the northeast portion of the property. The mafic volcanics are intruded by various gabbroic intrusions and occasional lamprophyre, diorite and syenite intrusions. These older lithologies are bounded to the west by the Round Lake Batholith. The volcanic rocks generally strike northwest dipping steeply northeast with foliations oriented west-northwest, northwest and northeast. There are two major shear directions, a series of north-northwest striking faults and shear zones which includes shear zones and fractures parallel to the lithologic strike, and a set of west-northwest striking shears. There are also a small number of northeast-trending faults and shear zones. The northwest striking, steeply dipping Catharine Fault Zone (CFZ) underlies the eastern portion of the work area. The entire property is covered by deposits of Pleistocene clay, sand, gravel and till which are thickest to the east where these deposits result in reduced outcrop exposure.

#### 3.2 Mineralization

Mineralization on the Cote Property is characterized by the presence of gold mineralization associated with iron-carbonate altered mafic volcanics with disseminated pyrite and quartz veins. The alteration seems to be associated with north-northwest-trending shears and faults. Historical exploration identified 6 gold occurrences: Daley Showing, Ostrom, Fault Zone, Roger Barnett Zone, Kalyniuk Zone and Hounslow Zone (Figure 3).




Figure 3: Cote Geology and Mineral Occurrence Map

#### 4.0 2016 DRILL PROGRAM

In March and April 2016, Oban contracted Major Drilling, based out of Rouyn-Noranda, QC, to complete an 8 NQ diamond drillhole program on the Cote property (Table 2, Figure 4) totalling 2,409 m. The rig and equipment sloop were moved between drill sites by a skidder and the drill sites are accessible by ATV along a network of bush roads. The core was logged by Ali Ghorbani and the project was supervised by Michaela Kuuskman, P.Geo., both Orix Geoscience Inc. employees at the time of the drill program.

The 2016 work program was completed under permit PR-15-10759, which covers drilling on claims 04255940, 4256035, 4259289, 4257339, 4257340 and 4274123, all located in Catharine Township.

The diamond drill program was designed to test chargeability anomalies from the 2016 IP survey as well as test the extent of the Ostrom, Daley and Catharine Fault mineralization. The majority of the holes were drilled at either 042° or 228° to intersect the chargeability anomaly perpendicularly.

The azimuth and inclination of all drillholes were measured using a Reflex multi-shot downhole survey instrument. Measurements were made 15 m below casing, at 50 m and at subsequent 50 m intervals. The Reflex survey data is summarized in the header section on each of the drillhole logs.

The location of each drillhole was recorded by an averaged GPS reading. Based on this control, accuracy of hole positioning is estimated to be less than 5 meters. All coordinates are in Universal Transverse Mercator (UTM) projection using the North American Datum (NAD) 83 in Zone 17.

**Table 2:** Summary of Oban 2016 Drill Program

Drillhole	Project Area	Easting	Northing	Elev. (m)	Az.	Dip	Final Depth (m)	Claim Number
16-cote-001	Ostrom	587943	5312991	319	42	-50	255	4256035
16-cote-002	Ostrom	587982	5313455	325	42	-49	246	04255940
16-cote-003	Ostrom	587869	5313084	319	23	-45	315	4256035
16-cote-004	Catharine Fault	588367	5313825	315	228	-60	342	04255940
16-cote-005	Catharine Fault	588227	5313857	311	228	-51	249	04255940
16-cote-006	Daley	587982	5314199	321	205	-59	330	4274123
16-cote-007	Catharine Fault	588486	5313738	317	253	-45	342	04255940
16-cote-008	Ostrom	588061	5313188	321	339	-59	330	4256035

Diamond drill logs are located in *Appendix A: Diamond Drill Log*. *Appendix B: Diamond Drillhole Plan Map and Sections* contains a plan map of the 2016 drill program as well as drill sections at 1:300 to 1:600.




Figure 4: 2016 Diamond Drillhole Location Map

## 5.0 SAMPLING PROCEDURES AND RESULTS

A total of 916 samples were submitted to ALS-Chemex for assay. Samples were prepared using PREP-33D method and analyzed using the AU-ICP22 and ME-MS41 methods. Table 3 summarizes the number of assays, duplicates, blanks and standards taken in each hole. The ALS assay certificates for the drill program are located in *Appendix C: ALS Assay Certificate*.

**Table 3:** Summary of Assay and QAQC holes for 2016 Cote drill program

Drillhole	Samples Collected	Blank Collected	Standards Collected	Duplicates Collected	Total Assay and QAQC Samples Collected
16-cote-001	130	5	4	4	<b>143</b>
16-cote-002	94	3	3	3	<b>103</b>
16-cote-003	43	1	2	2	<b>48</b>
16-cote-004	124	4	4	4	<b>136</b>
16-cote-005	78	3	2	2	<b>85</b>
16-cote-006	182	6	6	6	<b>200</b>
16-cote-007	106	3	4	4	<b>117</b>
16-cote-008	77	3	2	2	<b>84</b>
<b>TOTAL</b>	<b>834</b>	<b>28</b>	<b>27</b>	<b>27</b>	<b>916</b>

## 6.0 STATEMENT OF EXPENDITURES

The total value of work done on the Cote property is summarized in Table 4.

**Table 4:** Summary of Expenditures

Expenditures	Cost
Personnel	\$62,450
Assays	\$54,960
Diamond Drilling	\$205,700
Truck and ATV Rental	\$9,265
Gas	\$725
Accommodation and Food	\$4,115
Supplies	\$4,780
Report Writing	\$7,150
<b>Total</b>	<b>\$349,145</b>

## 7.0 CONCLUSIONS

### 7.1 Chargeability Anomaly

Based on this drill program, the IP Chargeability high is mainly associated with relatively high amount of pyrite and magnetite in pillowed mafic volcanic units, mostly concentrated in the pillow selvages. The chargeability high also reflects the lithological contacts between massive and pillowed mafic volcanic intercalations which was observed in 16-cote-008. In some other examples, it also coincides with pyrite bearing sericite-quartz altered zones/intrusions which was observed in 16-cote-001.

### 7.2 Ostrom

The main NE-trending Ostrom vein (No. 12) is difficult to trace at depth due to historical mining activities, fault displacements and vein termination. The EW-trending vein (No. 14) located south of the Ostrom shaft was intersected by 16-cote-003 and 16-cote-008. This vein did not return any values over 0.35 g/t Au.

### **7.3 Catharine Fault Zone**

The Catharine Fault Zone and its associated alteration and mineralization was intersected by all 4 holes that targeted the fault (16-cote-004 to 16-cote-007). Due to the sporadic nature of the gold mineralization, only 16-cote-004 and 16-cote-006 contained assays >0.5 g/t Au in the main Fault Zone.

The width of the deformation zone associated with the Catharine Fault Zone in 16-cote-006 would have been more significant (171.0 to 209.7 m), and possibly mineralized, if it was not intruded by a young diabase from 176.8 to 208.2 m. Although the main trace of the CFZ is partially overprinted by the diabase in 16-cote-006 and 16-cote-007, the mineralization and alteration zones associated with the parallel to sub-parallel branches of the Catharine Fault Zone returned sporadic gold mineralization (e.g. the lower parts of 16-cote-006 and 16-cote-007).

It is also thought that the main alteration along the Catharine Fault Zone is also associated with quartz porphyry and felsic altered intrusions at the hanging wall of the fault. This interval was not intersected by 16-cote-005 because the hole was shallower and closer to the fault zone so it missed this interval.

Based on the surface structural measurements at the Daley showing, the mineralization is likely steeply plunging to the east-south east. There might be a possibility of intersecting the alteration zones closer to the main Daley showing.

### **8.0 RECOMMENDATIONS**

From historic reports, it is known that the main NW trending Ostrom vein (No.12) could not be followed on the lowest level of the historical workings. It has been postulated that the vein is either terminated or displaced by a fault. The 2016 drilling failed to intersect the No.12 vein. Further drilling would be needed to determine whether it was terminated or displaced.

The Catharine Fault Zone and Daley Showing gold mineralization is quite sporadic and low grade. As mentioned previously, the Daley mineralization is most likely steeply plunging to the east-south-east. It is recommended to drill a hole 50 m east of the Daley showing at 200° with a dip of -45° to -60° to test this interpretation.

## 9.0 REFERENCES

- Hanych, W., and Lambert G., 2012, Geotechnical Report, Ostrom Mine Project, 2012 Geological Mapping, Prospecting, Beep Mat and Ground Magnetometer Surveys.
- Jackson, S.L., 1994, The Precambrian Geology of Pacaud and Catharine Townships and Portions of Adjacent Townships, District of Timiskaming, Ontario; Ontario Geological Survey, Open File Report 5884.
- James, A.G., 1963, Geology of Catharine and Marter Townships; Ontario Department of Mines, Geological
- Kuuskman, M., and Hart, T., 2015, Geological Mapping, Channel Sampling and LIDAR Assesment Report on the Cote Property for Oban Mining Corp.
- Natural Resources Canada, 2002. Map of Ontario, retrieved from <http://www.nrcan.gc.ca/earth-sciences/geography/atlas-canada/reference-maps/16846>
- Ploeger, C.J., 2016, Induced Polarization Survey over the Cote Property Catharine Township, Ontario.
- Scrivens, S., 2015, Technical Survey Report: Tri-Axial Magnetic Geophysical Survey, for Oban Mining Corp.

## 10.0 CERTIFICATE OF QUALIFICATION

I, Michaela Kuuskman, B.A.Sc., P.Geo, of Toronto do hereby certify that:

- 1) I am an employee of Orix Geoscience Inc., with a business address at 401 Bay St, Suite 2702, Toronto ON, M5H 2Y4.
- 2) I graduated with a Bachelor of Applied Science (Geological Engineering) degree in 2011 from Queen's University.
- 3) I am a Practising Member of the Association of Professional Geoscientists, with membership number 2641.
- 4) I have written this report titled '2016 Cote Diamond Drilling Assessment Report' for Oban Mining Corp. dated August 15<sup>th</sup>, 2016.



Michaela Kuuskman, P.Geo, B.A.Sc.  
Geologist  
Orix Geoscience Inc.

Sudbury, ON  
August 15<sup>th</sup>, 2016

**APPENDIX A: DIAMOND DRILL LOG**

Project Details	Drill Hole Collar	Drilling
<b>Company:</b> Oban Mining Corp. <b>Area:</b> Ostrom <b>Drilling Start Date:</b> 3/21/2016 <b>Drilling End Date:</b> 3/25/2016 <b>Drilling Contractor:</b> Major Drilling <b>Core Storage:</b> CXS Warehouse <b>Logged By:</b> AG <b>Final Log Date:</b> 3/24/2016	<b>Grid:</b> NAD83 / UTM zone 17N <b>Northing:</b> 5312991 <b>Easting:</b> 587943 <b>Elevation:</b> 318	<b>Hole Type:</b> DD <b>Hole Size:</b> NQ <b>Casing:</b> Pulled <b>Collar Survey:</b> Y <b>Multishot Survey:</b> Y <b>Hole Plugged:</b> N <b>Claim Number 1:</b> 4256035 <b>Claim Number 2:</b>
	<b>Collar Az:</b> 42.2 <b>Collar Dip:</b> -50 <b>Length (m):</b> 255	

Survey					
Depth	Dip	Azimuth	Depth	Dip	Azimuth
18	-50.7	42.2	150	-50.7	48
69	-50.8	43.4	201	-50.8	52.1
102	-50.6	44.2	255	-50.5	51.4

**Comments:**

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
0	4	OB		Overburden and Casing.					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
4	76.1	MVOL		Medium-grained, medium to dark green Mafic Volcanic with rare patches of plagioclase, weak to moderate magnetite and moderate pervasive chlorite alteration with fracture-filling epidote. The interval contains cm- to mm-scale carbonate veinlets. The unit is generally massive texture with no foliation and deformation.	S120001	29.05	30.55	1.5	0.003
					S120002	30.55	32	1.45	0.003
					S120003	32	33	1	0.002
					S120004	33	34.5	1.5	0.002
					S120005	34.5	36	1.5	0.001
					S120006	36	37.6	1.6	0.004
					S120007	37.6	39	1.4	0.002
					S120008	39	39.85	0.85	0.003
					S120009	39.85	41.35	1.5	0.002
					S120011	41.35	42.9	1.55	0.002
					S120012	42.9	43.9	1	0.002
					S120013	43.9	44.7	0.8	0.001
					S120014	44.7	46.2	1.5	0.001
					S120015	46.2	47.7	1.5	0.001
					S120016	47.7	49.2	1.5	0.002
					S120017	49.2	50.8	1.6	0.001
					S120018	50.8	51.6	0.8	0.013
					S120019	51.6	53.1	1.5	0.001
					S120021	53.1	54.6	1.5	0.002
					S120022	58.5	60	1.5	0.002
					S120023	68.1	69	0.9	0.009
					S120024	69	70.5	1.5	0.005
					S120025	70.5	72	1.5	0.003
					S120026	72	73.5	1.5	0.003
					S120027	73.5	75	1.5	0.005
					S120028	75	76.1	1.1	0.013

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
76.1	78.12	Shear Zone		Highly deformed, foliated shear zone hosted in Mafic Volcanic. Unit contains carbonate-quartz veining showing high deformation as well as pyrite mineralization sub-parallel to foliation planes.	S120029	76.1	77.2	1.1	0.022
					S120031	77.2	78.2	1	0.14
78.12	84.08	MVOL		Fine- to medium-grained dark green Mafic Volcanic, same as 4-76.1 m.	S120032	79.4	80.1	0.7	0.001
84.08	89.35	DIOR		Fine- to medium-grained light grey Diorite (possibly Mafic Volcanic) with sharp upper contact but gradational lower contact. Texture varies from porphyritic to micro-equigranular with white plagioclase phenocrysts in a dark green mostly chloritic matrix with possible pyroxene crystals. The interval contains very weak carbonate alteration.	S120033	86	87.5	1.5	0.002
89.35	102.45	MVOL		Medium- to coarse-grained dark grey Mafic Volcanic with moderate patchy epidote and plagioclase. The upper contact with the diorite dyke is gradational but the lower contact is sharp at 40 degrees TCA. The unit is moderate to strongly magnetic. Fine-grained micro-crystalline Syenite dyke intrudes Mafic Volcanic at 99-99.3 m.	S120034	101	101.88	0.88	0.002
					S120035	101.88	102.45	0.57	0.003
99	99.3		SY	Fine-grained light grey to beige micro-crystalline Syenite with sharp upper contact and irregular lower contact.					
101.88	102.45		SY	Fine-grained light grey to beige micro-crystalline Syenite with sharp upper contact and irregular lower contact.					
102.45	103.75	FPORP		Fine-grained dark pink Feldspar Porphyry with 1 mm pink feldspar phenocrysts in a dark fine-grained matrix. The unit contains pervasive pyritic-silica alteration and is brecciated in places.	S120036	102.45	103.75	1.3	0.482
103.75	107.3	FPORP		Fine-grained dark pink Feldspar Porphyry with 1 mm pink feldspar phenocrysts in a dark fine-grained matrix. This unit is intruded into altered unit from 102.45-109.75 m.	S120037	103.75	105.25	1.5	0.002
					S120038	105.25	106.75	1.5	0.001
					S120039	106.75	107.3	0.55	0.001
107.3	109.75	FPORP		Same as 102.45-103.73 m.	S120041	107.3	108.5	1.2	0.01
					S120042	108.5	109.15	0.65	0.749
					S120043	109.15	109.75	0.6	0.011

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
109.75	124.95	MVOL		Fine-grained, dark grey to green, highly foliated amigdaloidal Mafic Volcanics. Upper and lower contacts are sharp.	S120044	109.75	111.25	1.5	0.002
					S120045	111.25	112.25	1	0.001
					S120046	112.25	113.75	1.5	0.001
					S120047	113.75	115.25	1.5	0.002
					S120048	115.25	116.75	1.5	0.004
					S120049	116.75	118.25	1.5	0.011
					S120051	118.25	119.75	1.5	0.018
					S120052	119.75	120.75	1	0.011
					S120053	120.75	122.25	1.5	0.018
					S120054	122.25	123.45	1.2	0.008
					S120055	123.45	124.95	1.5	0.004

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
124.95	164.2	SY		Fine-grained light grey to beige micro-equigranular Syenite with pervasive carbonate alteration. Upper contact sharp but lower is sheared. Minor 90 cm wide Mafic Volcanic from 130.95-131.95m.	S120056	124.95	125.5	0.55	0.024
					S120057	125.5	126.3	0.8	0.005
					S120058	126.3	126.8	0.5	0.003
130.95	131.95		MVOL	Fine-grained dark green Mafic Volcanic with moderate to strong magnetite alteration. Unit is moderately foliated and deformed.	S120059	126.8	127.35	0.55	0.001
					S120061	127.35	128.1	0.75	0.02
					S120062	128.1	129.35	1.25	0.002
					S120063	129.35	129.8	0.45	0.004
					S120064	129.8	130.45	0.65	0.006
					S120065	130.45	131.1	0.65	0.102
					S120066	131.1	131.95	0.85	0.012
					S120067	131.95	133	1.05	0.004
					S120068	133	134	1	0.004
					S120069	134	135	1	0.006
					S120071	135	136	1	0.004
					S120072	136	137	1	0.003
					S120073	137	138	1	0.004
					S120074	138	139	1	0.007
					S120075	139	140	1	0.002
					S120076	140	141	1	0.007
					S120077	141	141.85	0.85	0.002
					S120078	141.85	143.15	1.3	0.003
					S120079	143.15	143.9	0.75	0.006
					S120081	143.9	144.65	0.75	0.003
				S120082	144.65	145.65	1	0.004	
				S120083	145.65	146.15	0.5	0.002	
				S120084	146.15	147.15	1	0.007	
				S120085	147.15	148.15	1	0.002	
				S120086	148.15	149.15	1	0.001	
				S120087	149.15	150.15	1	0.002	

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
					S120088	150.15	151.15	1	0.003
					S120089	151.15	152.15	1	0.001
					S120091	152.15	153.15	1	0.002
					S120092	153.15	154.15	1	0.002
					S120093	154.15	155.15	1	0.001
					S120094	155.15	156.35	1.2	0.002
					S120095	156.35	157.55	1.2	0.001
					S120096	157.55	158.35	0.8	0.001
					S120097	158.35	158.95	0.6	0.001
					S120098	158.95	159.65	0.7	0.002
					S120099	159.65	160.1	0.45	0.001
					S120100	160.1	161.1	1	0.003
					S120101	161.1	161.45	0.35	0.002
					S120102	161.45	162.3	0.85	0.003
					S120103	162.3	163.15	0.85	0.001
					S120104	163.15	163.85	0.7	0.003
					S120105	163.85	164.4	0.55	0.307

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
164.2	255	MVOL		Fine-grained, dark grey to green, Mafic Volcanic. From 164.2-164.4m, the unit is sheared and highly mineralized. The unit contains patches with strong magnetite, altering the unit to dark grey. From 180-187.6m, the unit contains narrow zones with sericite alteration and quartz-carbonate veining. Locally strong silicification and sericite alteration at 206 m, 237 m, 238 m, 242 m, 245 m and 246 m. EOH at 255 m.	S120106	164.4	165.4	1	0.129
					S120107	172.1	173	0.9	0.006
					S120108	178.5	180	1.5	0.004
					S120109	180	181.5	1.5	0.004
					S120111	181.5	182.5	1	0.006
					S120112	182.5	184	1.5	0.015
					S120113	184	185	1	0.003
					S120114	185	186	1	0.006
					S120115	186	186.8	0.8	0.015
					S120116	186.8	187.8	1	0.004
					S120117	187.8	188.6	0.8	0.003
					S120118	188.6	189.5	0.9	0.003
					S120119	212.7	213.05	0.35	0.023
					S120121	218.4	219	0.6	0.011
					S120122	219	220.5	1.5	0.005
					S120123	220.5	221.1	0.6	0.016
					S120124	223.9	224.4	0.5	6.2
					S120125	231	232.5	1.5	0.003
					S120126	232.5	233.15	0.65	0.036
					S120127	233.15	234.65	1.5	0.007
				S120128	234.65	236.15	1.5	0.013	
				S120129	236.15	237.35	1.2	0.003	
				S120131	237.35	238.85	1.5	0.005	
				S120132	238.85	240.35	1.5	0.022	
				S120133	240.35	241.85	1.5	0.047	
				S120134	241.85	242.85	1	0.056	
				S120135	242.85	243.85	1	0.1	
				S120136	243.85	244.85	1	0.095	
				S120137	244.85	245.85	1	0.021	

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
					S120138	245.85	246.85	1	0.023
					S120139	246.85	247.45	0.6	0.305
					S120141	247.45	248.55	1.1	0.001
					S120142	248.55	249.25	0.7	0.148
					S120143	249.25	250.55	1.3	0.005

Project Details	Drill Hole Collar	Drilling
<b>Company:</b> Oban Mining Corp. <b>Area:</b> Ostrom <b>Drilling Start Date:</b> 3/25/2016 <b>Drilling End Date:</b> 3/28/2016 <b>Drilling Contractor:</b> Major Drilling <b>Core Storage:</b> CXS Warehouse <b>Logged By:</b> AG <b>Final Log Date:</b> 3/30/2016	<b>Grid:</b> NAD83 / UTM zone 17N <b>Northing:</b> 5313455 <b>Easting:</b> 587982 <b>Elevation:</b> 324.7  <b>Collar Az:</b> 47 <b>Collar Dip:</b> -50 <b>Length (m):</b> 246	<b>Hole Type:</b> DD <b>Hole Size:</b> NQ <b>Casing:</b> Pulled <b>Collar Survey:</b> Y <b>Multishot Survey:</b> Y <b>Hole Plugged:</b> N <b>Claim Number 1:</b> 4255940 <b>Claim Number 2:</b>

Survey					
Depth	Dip	Azimuth	Depth	Dip	Azimuth
18	-49.1	41.3	153	-50.2	51
60	-49.5	32.1	201	-50.7	55
102	-50.1	40.1	246	-51.2	58.5

**Comments:**

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
0	4	OB		Overburden and Casing.					
4	12.2	MVOL		Fine- to medium-grained, green to locally dark green Mafic Volcanic. Unit is massive with no structure and foliation. Alteration consists of pervasive chlorite and fracture-filling epidote. The interval contains quartz veins at 5.65 m and 8.4 m.	S120144	4	5.2	1.2	0.004
					S120145	5.2	6.4	1.2	0.008
					S120146	6.4	7.9	1.5	0.003
					S120147	7.9	8.9	1	0.002
					S120148	8.9	10.4	1.5	0.002
					S120149	10.4	11.3	0.9	0.001
					S120151	11.3	12.2	0.9	0.002

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
12.2	26.5	DIOR		Medium-grained equigranular grey to green Diorite intrusion with chloritized mafic minerals in a light plagioclase ground mass. From 12.2-13 m the unit contains xenolithic mafic volcanics, up to 30 cm in size. Upper contact with Mafic Volcanic is sharp at high angle TCA and lower contact with quartz vein is sharp at 20 degrees TCA .	S120152	12.2	13.7	1.5	0.001
					S120153	13.7	15.2	1.5	0.001
					S120154	15.2	16.7	1.5	0.001
					S120155	16.7	18.2	1.5	0.001
					S120156	18.2	19.7	1.5	0.001
					S120157	19.7	21.2	1.5	0.001
					S120158	25.2	26.4	1.2	0.02
					S120159	26.4	27.25	0.85	0.002
26.5	33	MVOL		Very fine-grained green to dark green massive Mafic Volcanic with weak magnetite. From 26.5-27.9 m, the interval contains a quartz vein at low angle TCA. The upper contact with the vein is sharp but the lower contact with the Pillowed Mafic Volcanic is gradational. The unit contains strong pervasive chlorite alteration.	S120161	27.25	28.1	0.85	0.002
					S120162	28.1	29.6	1.5	0.001

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
33	117	MVOLPIL		Very fine-grained green to pale green pillowed Mafic Volcanic. Alteration consists of strong magnetite, epidote and chlorite especially around the pillow selvages. The interval contains quartz vein at 39.3 m with up to 3% pyrite at contact. Sericite-quartz altered zone and veining at 58 m. Unit becomes black to dark green due to strong magnetite especially at 47 m, 50.5 m, 62-64.5 m, 69.8-71.5 m and 76-78 m. Moderate to strong sericite, quartz alteration zone and veining at 86.7-92.9 m and 103-109.4 m.	S120163	35	36.5	1.5	0.002
					S120164	36.5	38	1.5	0.005
					S120165	38	39.1	1.1	0.004
					S120166	39.1	40	0.9	0.021
					S120167	40	41.5	1.5	0.002
					S120168	41.5	43	1.5	0.026
					S120169	43	44.5	1.5	0.008
					S120171	44.5	46	1.5	0.013
					S120172	46	46.5	0.5	0.007
88.15	88.8		QV	Quartz vein zone with some altered fragments of host rock.	S120173	46.5	48	1.5	0.004
					S120174	48	49.5	1.5	0.01
90.2	92.5		QV	Quartz breccia vein with angular sericite altered fragments (less than vein at 88.15-88.8 m) and trace pyrite.	S120175	49.5	50.1	0.6	0.016
					S120176	54.7	56.2	1.5	0.006
					S120177	56.2	57.7	1.5	0.016
					S120178	57.7	58.15	0.45	0.024
					S120179	58.15	58.6	0.45	0.012
					S120181	58.6	59.65	1.05	0.01
					S120182	59.65	60.8	1.15	0.019
					S120183	60.8	61.4	0.6	0.013
					S120184	61.4	62.9	1.5	0.006
					S120185	62.9	64.4	1.5	0.056
					S120186	71.9	72.4	0.5	0.007
					S120187	72.4	73.9	1.5	0.002
					S120188	73.9	75.3	1.4	0.003
					S120189	75.3	76.8	1.5	0.001
					S120191	76.8	77.6	0.8	0.007
					S120192	77.6	78.3	0.7	0.004
S120193	85.2	86.7	1.5	0.007					
S120194	86.7	87.5	0.8	0.116					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
					S120195	87.5	88.2	0.7	0.206
					S120196	88.2	88.8	0.6	0.01
					S120197	88.8	89.8	1	0.164
					S120198	89.8	90.8	1	0.193
					S120199	90.8	91.8	1	0.057
					S120200	91.8	92.6	0.8	0.198
					S120201	92.6	93.3	0.7	0.039
					S120202	93.3	94.3	1	0.031
					S120203	94.3	95.8	1.5	0.008
					S120204	101.5	102.9	1.4	0.006
					S120205	102.9	103.9	1	0.009
					S120206	103.9	104.9	1	0.003
					S120207	104.9	105.9	1	0.002
					S120208	110.2	111.7	1.5	0.003
					S120209	111.7	113.2	1.5	0.094
					S120211	113.2	114.2	1	0.022
					S120212	114.2	115.7	1.5	0.002
117	150.8	MVOLPIL		Very fine-grained green to pale green pillowed Mafic Volcanic. Moderate to locally high magnetite (124.2-124.5 m), strong epidote and chlorite alteration. The unit is intruded by a Feldspar porphyry from 142.7-143.75 m. The lower contact is gradational.	S120213	122.8	123.8	1	0.004
					S120214	123.8	125.3	1.5	0.002
					S120215	142.6	143.8	1.2	0.001
142.7	143.75		FPORP	Medium- to fine-grained pinkish to dark brown Feldspar Porphyry. Around 143.3 m, unit is weakly foliated. Upper and lower contacts are sharp. This unit is likely the same as 102.45-109.75 m in 16-cote-001.					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
150.8	174	MVOL		Very fine-grained black to dark green Mafic Volcanic with very weak magnetite. The interval contains quartz veins and weak sericite/quartz alteration zones.	S120216	152.5	154	1.5	0.01
					S120217	154	154.8	0.8	0.028
					S120218	154.8	155.8	1	0.008
					S120219	155.8	156.65	0.85	0.004
					S120221	156.65	157.65	1	0.011
					S120222	157.65	158.25	0.6	0.008
					S120223	158.25	159.15	0.9	0.009
					S120224	159.15	160.45	1.3	0.001
					S120225	160.45	161.75	1.3	<0.001
					S120226	161.75	163.05	1.3	<0.001
					S120227	163.05	164.35	1.3	<0.001
					S120228	169.65	170.25	0.6	0.056
					S120229	170.25	171.25	1	0.003
174	246	MVOL		Very fine-grained pale green to locally dark green massive Mafic Volcanic which is weakly magnetic. Alteration consists of strong epidote, chlorite and moderate carbonate. The upper contact with the dark Mafic Volcanic is gradational. From 196.25-201.05 m, the interval contains strong silicification and quartz-breccia veining. The hanging/foot walls of vein are dominated by strong carbonate and less sericite alteration. EOH at 246 m.	S120231	190.6	192.1	1.5	0.193
					S120232	192.1	193	0.9	0.096
					S120233	193	194	1	0.01
					S120234	194	195	1	0.016
					S120235	195	196.35	1.35	0.067
					S120236	196.35	197.15	0.8	0.24
					S120237	197.15	198	0.85	0.668
240.6	241	FPORP		Fine- to medium-grained green to dark green Mafic feldspar porphyry dyke with mm-scale feldspar phenocrysts in a dark green very fine-grained chloritic matrix. The contacts are irregular and gradational.	S120238	198	199.15	1.15	0.244
					S120239	199.15	200.15	1	0.229
					S120241	200.15	201.15	1	0.25
244.45	245.35	FPORP		Same as 240.6-241 m. Upper contact is sharp at 35 degrees TCA and the lower contact is irregular to gradational at high angle TCA.	S120242	201.15	202.2	1.05	0.058
					S120243	202.2	203.2	1	0.006
					S120244	203.2	204.7	1.5	0.002
					S120245	233	233.5	0.5	0.02
					S120246	241.05	241.9	0.85	0.175

Project Details				Drill Hole Collar		Drilling			
<b>Company:</b> Oban Mining Corp. <b>Area:</b> Ostrom <b>Drilling Start Date:</b> 3/28/2016 <b>Drilling End Date:</b> 4/1/2016 <b>Drilling Contractor:</b> Major Drilling <b>Core Storage:</b> CXS Warehouse <b>Logged By:</b> AG <b>Final Log Date:</b> 4/4/2016				<b>Grid:</b> NAD83 / UTM zone 17N <b>Northing:</b> 5313084 <b>Easting:</b> 587869 <b>Elevation:</b> 319.1		<b>Hole Type:</b> DD <b>Hole Size:</b> NQ <b>Casing:</b> Pulled <b>Collar Survey:</b> Y <b>Multishot Survey:</b> Y <b>Hole Plugged:</b> N <b>Claim Number 1:</b> 4256035 <b>Claim Number 2:</b>			
				<b>Collar Az:</b> 23.5 <b>Collar Dip:</b> -45 <b>Length (m):</b> 315					
Survey									
Depth	Dip	Azimuth			Depth	Dip	Azimuth		
18	-45	23.2			201	-44.8	33.8		
60	-44.7	25.4			252	-45.1	32.5		
102	-44.5	26.5			309	-45.1	35.4		
150	-44.7	25.4							
<b>Comments:</b>									
From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
0	4.4	OB		Overburden and casing.					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
4.4	139.57	MVOL		Fine- to medium-grained green to dark green gabbroic Mafic Volcanic. Amygdules of plagioclase/epidote appears mostly between 4.4-63 m and 92.75-116.6 m. Unit contains pervasive chlorite and weak epidote alteration. The interval is transected by a quartz vein at 15.55-16.9 m and Feldspar Porphyry dyke at 72.7-74.5 m and 95-95.87 m.	S120247	14.4	15.4	1	0.374
					S120248	15.4	16.15	0.75	0.027
					S120249	16.15	17.05	0.9	0.043
					S120251	26.6	27	0.4	0.004
					S120252	139.5	141	1.5	0.007
15.55	16.9		QV	The main quartz vein, upper contact is sharp but the lower one is irregular.					
72.7	74.5		FPORP	Grey to dark grey, medium-grained Feldspar porphyry dyke with very sharp contacts. MM-scale feldspar phenocrysts in a dark grey very fine grained matrix.					
95	95.87		FPORP	Grey to dark grey, medium-grained Feldspar porphyry dyke with very sharp contacts. MM-scale feldspar phenocrysts in a dark grey very fine grained matrix.					
139.57	148.4	MVOL		Very fine- to fine-grained, pale to locally dark green Mafic Volcanic. The interval is dominated by strong epidote alteration and moderate chlorite. Both upper and lower contacts are gradational and not clear (possibly just significant textural differences).	S120253	141	142.5	1.5	0.001
148.4	164.75	MVOL		Medium- to coarse-grained, green to dark green highly chloritized Mafic Volcanic (same as 4.4-139.57 m). The interval is transected by a Diorite dyke at the very end of interval at 163.05-164.75 m.	S120254	152.8	154.3	1.5	0.002
163.05	164.75		DIOR	Greyish to pale greenish, medium-grained, equigranular Diorite dyke with very sharp upper and lower contacts.					
164.75	178	MVOL		Very fine- to fine-grained, pale to locally dark green Mafic Volcanics. The interval is dominated by strong epidote alteration and moderate chlorite. The upper contact is gradational with coarse grained gabbroic flow but the lower contact is the end of the main quartz vein at 175.35-178 m.	S120255	165.3	166.8	1.5	0.002
					S120256	171.4	172.9	1.5	0.007
					S120257	172.9	173.75	0.85	0.071
					S120258	173.75	174.45	0.7	0.349
					S120259	174.45	175.25	0.8	0.037
175.35	178		QV	Main quartz vein zone, locally brecciated especially close to the contacts with angular fragments of mostly altered host rock.	S120261	175.25	176.25	1	0.004
					S120262	176.25	177.25	1	0.007
					S120263	177.25	178.1	0.85	0.006

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
178	315	MVOL		Medium- to coarse-grained, green to dark green highly chloritized gabbroic Mafic Volcanic (same as 4.4-139.57 m). The interval is dominated by sericite and chlorite alteration as the foot wall of the main vein zone between 178-181.8 m. The upper contact with the quartz vein is sharp and sheared/altered for 35 cm. Locally moderate to high magnetite 218.5-219.75 m. A major fault zone and its foot wall brecciation/silicification cuts the interval at 252.2-255.15 m. EOH at 315m.	S120264	178.1	178.6	0.5	0.008
					S120265	178.6	180.1	1.5	0.003
					S120266	180.1	181.15	1.05	0.002
					S120267	181.15	182	0.85	0.002
					S120268	182	183.5	1.5	0.001
					S120269	202.7	203.1	0.4	0.003
					S120271	203.1	204.6	1.5	0.001
					S120272	213.7	214.05	0.35	0.001
					S120273	218.4	219.8	1.4	0.002
252.2	253.92		Fault Zone	Major Fault Zone, strongly fractured, brecciated and broken core with the 0% RQD, 10-15 cm breccia at the lower and upper contacts, both contacts are sharp at 45 degrees TCA, strong chloritic gouge along the fault. It is likely the major E-W structure at the south of Ostrom mine.	S120274	224.7	225.2	0.5	0.003
					S120275	237	238.5	1.5	0.001
					S120276	243.2	243.85	0.65	0.002
253.92	255.15		QV	Quartz breccia vein at the foot wall of fault zone, contains about 50% of Mafic Volcanic fragments.	S120277	245.35	246.85	1.5	0.003
					S120278	246.85	248.35	1.5	0.005
					S120279	248.35	249.85	1.5	0.005
					S120281	249.85	251.35	1.5	0.002
					S120282	251.35	252.2	0.85	0.001
					S120283	252.2	253.8	1.6	0.001
					S120284	253.8	255.15	1.35	0.001
					S120285	255.15	256.15	1	0.001
					S120286	256.15	257	0.85	0.001
					S120287	265	265.9	0.9	0.007
					S120288	265.9	267	1.1	0.036
					S120289	277.5	279	1.5	0.005
					S120291	279	280	1	0.006
					S120292	280	281	1	0.002
					S120293	281	282.5	1.5	0.003
					S120294	294.6	295	0.4	0.003

Project Details	Drill Hole Collar	Drilling
<b>Company:</b> Oban Mining Corp. <b>Area:</b> Daley <b>Drilling Start Date:</b> 4/3/2016 <b>Drilling End Date:</b> 4/7/2016 <b>Drilling Contractor:</b> Major Drilling <b>Core Storage:</b> CXS Warehouse <b>Logged By:</b> AG <b>Final Log Date:</b> 4/10/2016	<b>Grid:</b> NAD83 / UTM zone 17N <b>Northing:</b> 5313825 <b>Easting:</b> 588367 <b>Elevation:</b> 315.1  <b>Collar Az:</b> 227 <b>Collar Dip:</b> -60 <b>Length (m):</b> 342	<b>Hole Type:</b> DD <b>Hole Size:</b> NQ <b>Casing:</b> Left in Hole <b>Collar Survey:</b> Y <b>Multishot Survey:</b> Y <b>Hole Plugged:</b> N <b>Claim Number 1:</b> 4255940 <b>Claim Number 2:</b>

Survey					
Depth	Dip	Azimuth	Depth	Dip	Azimuth
18	-59.8	227.9	201	-57.9	232
51	-60.1	226.8	252	-57.7	219.9
102	-59.1	230.8	303	-58	231.6
150	-58.8	231.9	342	-58.5	229.9

**Comments:** Casing stuck in hole

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
0	4.2	OB		Overburden and casing.					
4.2	13.15	MVOL		Very fine-grained, green to pale green Mafic Volcanic with epidote, chlorite and carbonate alteration. The unit is dominated by strong quartz veining at 10.7 m, 11.7-13.15 m and quartz/carbonate veinlets. The lower contact with gabbroic Mafic Volcanic is sharp, marked by a quartz vein.	S120295	4.2	5.7	1.5	0.007
					S120296	5.7	7.2	1.5	0.003
					S120297	7.2	8.7	1.5	0.001
					S120298	8.7	10.2	1.5	0.002
					S120299	10.2	11.7	1.5	0.005
11.7	13.15		QV	Quartz vein zone, with intervals of Mafic Volcanic 12.6-12.8 m. Sharp upper and lower contacts at 60 degrees TCA.	S120300	11.7	12.7	1	0.017
					S120301	12.7	13.3	0.6	0.046

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
13.15	18.6	MVOL		Coarse-grained, dark green gabbroic Mafic Volcanic. The unit is strongly foliated at 13.7-15 m and is fine- to medium-grained from 17.7-18.6 m. The upper contact is fractured and sheared with the quartz vein and the lower contact is sharp with Diorite.	S120302	13.3	14.8	1.5	0.008
					S120303	17.1	18.6	1.5	0.003
18.6	56.4	DIA		Medium- to coarse-grained, equigranular grey to dark grey massive moderately magnetic Diabase. Upper and lower contacts are sharp.	S120304	18.6	20.1	1.5	0.005
					S120305	33	34.5	1.5	0.003
56.4	75.5	MVOL		Medium- to coarse-grained, grey to dark grey Mafic Volcanic. The interval is dominated by carbonate veinlets and fracture zones and moderate to strong magnetite. The upper contact is sharp but the lower contact is gradational, showing a gradual change in texture and color.	S120306	62.5	64	1.5	0.002
					S120307	65.1	66.6	1.5	0.005
					S120308	74.7	76.2	1.5	0.001
75.5	127.2	MVOL		Medium- to fine-grained, green to pale green Mafic Volcanic. Unit is dominated by strong carbonate veinlets and contains weak magnetite. From 100.35-100.95 m, there is a 60 cm quartz breccia vein.	S120309	78.65	79.55	0.9	0.004
					S120311	82.05	83.55	1.5	0.024
					S120312	83.55	85.05	1.5	0.012
					S120313	85.05	86.55	1.5	0.017
					S120314	86.55	88.05	1.5	0.228
					S120315	88.05	89.15	1.1	0.012
					S120316	92.1	92.7	0.6	0.003
					S120317	100.2	101	0.8	0.017
					S120318	111	112	1	0.007
					S120319	120.4	121.9	1.5	0.003
100.35	100.95		QV	Quartz/carbonate breccia vein, with cm-scale angular green fragments of Mafic Volcanic host rock and 1-2% pyrite.	S120321	121.9	123.4	1.5	0.002
					S120322	129.5	131	1.5	0.003

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
131	135.4	MVOL		Same as 75.5-127.2 m. Dominated by strong pervasive/patchy chlorite alteration. 132.75-135.4 m: sericite/quartz/chlorite altered zone as hanging wall of the Altered Mafic Volcanic Zone.	S120323	131	132	1	0.002
					S120324	132	132.7	0.7	0.009
					S120325	132.7	133.8	1.1	0.065
					S120326	133.8	134.75	0.95	0.029
					S120327	134.75	135.4	0.65	0.031
135.4	154.3	MVOLALT		Fine-grained, massive, pale green to beige, sericite/quartz/fuchsite alteration in possibly fine- to medium-grained Mafic Volcanic or gabbroic Mafic Volcanic. The interval is dominated by strong quartz and locally quartz/tourmaline veins. The upper and lower contacts are sharp at 65 and 45 degrees TCA, respectively. The lower contact is sheared for 65 cm within the next Altered Mafic Volcanic Unit. The unit contains up to 2% very fine-grained disseminated and halos/fracture-filling pyrite.	S120328	135.4	136.9	1.5	0.033
					S120329	136.9	138.3	1.4	0.008
					S120331	138.3	138.7	0.4	0.076
					S120332	138.7	140.2	1.5	0.044
					S120333	140.2	141.7	1.5	0.053
					S120334	141.7	143.2	1.5	0.063
					S120335	143.2	144.7	1.5	0.078
					S120336	144.7	146.2	1.5	0.272
					S120337	146.2	147.7	1.5	0.084
					S120338	147.7	149.2	1.5	1.04
					S120339	149.2	150.7	1.5	0.546
					S120341	150.7	152.2	1.5	0.418
					S120342	152.2	153.3	1.1	0.232
					S120343	153.3	154.3	1	0.467
154.3	164.1	MVOLALT		Fine-grained, massive, pinkish to beige, sericite/quartz alteration in possibly fine- to medium-grained Mafic Volcanic or gabbroic Mafic Volcanic. The upper contact is sheared at 45 degrees TCA and lower contact is sharp at 50 degrees TCA.	S120344	154.3	155	0.7	0.461
					S120345	155	156.5	1.5	0.393
					S120346	156.5	158	1.5	0.038
					S120347	158	159.5	1.5	0.1
					S120348	159.5	161	1.5	0.024
					S120349	161	162.5	1.5	0.144
					S120351	162.5	164.1	1.6	0.039

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)					
164.1	169.15	QPORP		Medium- to coarse-grained, pinkish to pale orange Quartz Porphyry intrusive with sharp upper and lower contacts at 50 and 55 degrees TCA, respectively. The unit contains mm to 1 cm-scale rounded grey to white quartz phenocrysts in a very fine grained to glassy pinkish matrix.	S120352	164.1	165.6	1.5	0.004					
					S120353	165.6	167.1	1.5	0.018					
					S120354	167.65	169.15	1.5	0.017					
169.15	188.9	MVOL		Fine- to medium-grained, green to beige heavily altered/sheared Mafic Volcanic. The first 1.75 m is strongly sheared, foliated and brecciated with quartz breccia veining. The interval is dominated by strong sericite/chlorite and quartz alteration. The upper contact is sharp and the lower contact is gradational.	S120355	169.15	169.9	0.75	1.27					
					S120356	169.9	170.9	1	0.389					
					S120357	170.9	172.4	1.5	1.255					
					S120358	172.4	173.9	1.5	0.409					
					S120359	173.9	175.4	1.5	0.055					
					170.75	170.87	QPORP		12 cm wide Quartz Porphyry (same as 164.1-169.15 m) with sharp upper and lower contacts at 40 degrees TCA.	S120361	175.4	176.3	0.9	0.856
										S120362	176.3	177.8	1.5	0.1
										S120363	177.8	179.3	1.5	0.002
										S120364	179.3	180.7	1.4	0.088
										S120365	180.7	182.2	1.5	0.129
S120366	182.2	183.7	1.5	0.022										
S120367	183.7	185.2	1.5	0.008										
S120368	185.2	186.7	1.5	0.02										
S120369	186.7	187.7	1	0.267										
S120371	187.7	189	1.3	0.103										

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
188.9	218	MVOL		Fine- to medium-grained, green to grey Mafic Volcanic dominated by mm- to cm-scale carbonate veinlets. Feldspar Porphyry dykes transect the unit at 189.95-191.4 m and 217.1-217.4 m. The upper contact with sericite altered Mafic Volcanic is gradational and the lower contact is sharp at high angle TCA.	S120372	189	190.5	1.5	0.001
					S120373	198	199.5	1.5	0.038
					S120374	199.5	201	1.5	0.05
					S120375	214.9	215.6	0.7	<0.001
189.95	191.4		FPORP	Medium-grained, grey to green Feldspar Porphyry with mm-scale feldspar phenocrysts in a dark green fine-grained matrix. Upper contact is irregular but sharp at high angle TCA but the lower contact is gradational and not clear.					
217.1	217.4		FPORP	Medium-grained, grey to green Feldspar Porphyry with mm-scale feldspar phenocrysts in a dark green fine-grained matrix. Both upper and lower contacts are sharp at 35 degrees TCA.					
218	221		FPORP	Medium-grained, grey to green Feldspar Porphyry with mm-scale feldspar phenocrysts in a dark green fine-grained matrix. Upper contact is sharp at high angle TCA but the lower contact is gradational.					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
221	281.46	MVOL		Same as 188.9-218 m. Unit contains m-scale zones with weak to moderate sericite and quartz alteration. The unit also contains zones with variolitic textures from 240.55-264.2 m.	S120376	222.8	224.3	1.5	<0.001
					S120377	227.5	229	1.5	0.004
					S120378	229	230.5	1.5	0.022
					S120379	230.5	232	1.5	0.015
					S120381	232	233.5	1.5	0.003
					S120382	239.05	240.55	1.5	0.002
					S120383	240.55	242.05	1.5	0.026
					S120384	242.05	243.55	1.5	0.015
					S120385	243.55	245.05	1.5	0.004
					S120386	245.05	246.55	1.5	0.004
					S120387	246.55	248.05	1.5	0.016
					S120388	248.05	249.55	1.5	0.012
					S120389	249.55	251.05	1.5	0.115
					S120391	251.05	252.55	1.5	0.014
					S120392	266	267	1	0.006
					S120393	267	268	1	0.003
					S120394	268	269.5	1.5	0.079
S120395	269.5	271	1.5	0.005					
S120396	276.1	276.4	0.3	0.787					
281.46	284.96	FPORP		Fine-grained, grey to green Feldspar Porphyry with mm-scale feldspar phenocrysts in a dark green fine-grained matrix. 281.48-282.44: moderate pervasive silicification causing the unit to be pinkish beige. Upper contact is sharp at 45 degrees TCA and the lower contact is sharp at 70 degrees TCA.	S120397	281.46	282.44	0.98	0.504
					S120398	282.44	283.5	1.06	0.011
284.96	292.98	MVOL		Fine- to medium-grained, green to grey Mafic Volcanic, dominated by mm to cm-scale carbonate veinlets. The upper contact with feldspar porphyry is sharp.	S120399	291.25	292.05	0.8	0.226
					S120400	292.05	292.98	0.93	0.002

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
292.98	296.55	FPORP		Same as 281.46-284.96m. From 294.96 to lower contact the unit contains moderate pervasive silicification and sericite alteration. Upper and lower contacts are gradational.	S120401	292.98	294	1.02	0.001
					S120402	294	294.95	0.95	0.001
					S120403	294.95	295.75	0.8	0.005
					S120404	295.75	296.55	0.8	<0.001
296.55	300.24	MVOL		Fine- to medium-grained, green to grey Mafic Volcanic, dominated by mm- to cm-scale carbonate veinlets. The lower contact is marked by a 15 cm quartz vein, near the vein the Mafic Volcanic contains weak pervasive hematite alteration.	S120405	296.55	297.3	0.75	0.003
					S120406	297.3	298.8	1.5	0.007
					S120407	298.8	299.9	1.1	0.041
					S120408	299.9	300.24	0.34	0.177
300.24	307.3	FPORP		Same as 281.46-284.96m. Upper contact is marked by a quartz vein and the lower contact is sharp and undulating.	S120409	300.24	301.45	1.21	0.025
					S120411	301.45	302.5	1.05	0.003
					S120412	302.5	303.85	1.35	0.001
					S120413	303.85	305	1.15	0.003
					S120414	305	306.15	1.15	0.049
					S120415	306.15	307.3	1.15	0.001
307.3	342	MVOL		Fine- to medium-grained, green to grey Mafic Volcanic dominated by mm to cm-scale carbonate veinlets. From 308.35-308.7 m and 312.4-312.6 m the core is very broken, possible faults. From 323.2-329.1 m, there are numerous m-scale silicified zones. EOH at 342m.	S120416	321.7	323.2	1.5	0.003
					S120417	323.2	324.55	1.35	<0.001
					S120418	324.55	325.9	1.35	<0.001
					S120419	325.9	326.6	0.7	<0.001
					S120421	326.6	327.85	1.25	<0.001
					S120422	327.85	329.1	1.25	<0.001
					S120423	334	335	1	0.104
					S120424	335	336	1	0.077
					S120425	336	337.1	1.1	0.015
					S120426	337.1	337.5	0.4	2.34
					S120427	337.5	339	1.5	0.187
					S120428	339	340.5	1.5	0.011
					S120429	340.5	342	1.5	0.002

Project Details	Drill Hole Collar	Drilling
<b>Company:</b> Oban Mining Corp. <b>Area:</b> Daley <b>Drilling Start Date:</b> 4/7/2016 <b>Drilling End Date:</b> 4/10/2016 <b>Drilling Contractor:</b> Major Drilling <b>Core Storage:</b> CXS Warehouse <b>Logged By:</b> AG <b>Final Log Date:</b> 4/9/2016	<b>Grid:</b> NAD83 / UTM zone 17N <b>Northing:</b> 5313857 <b>Easting:</b> 588227 <b>Elevation:</b> 310.8  <b>Collar Az:</b> 227 <b>Collar Dip:</b> -50 <b>Length (m):</b> 249	<b>Hole Type:</b> DD <b>Hole Size:</b> NQ <b>Casing:</b> Pulled <b>Collar Survey:</b> Y <b>Multishot Survey:</b> Y <b>Hole Plugged:</b> N <b>Claim Number 1:</b> 4255940 <b>Claim Number 2:</b>

Survey					
Depth	Dip	Azimuth	Depth	Dip	Azimuth
18	-50.5	227.7	150	-50.2	219.8
51	-50.2	229.5	201	-50	233.6
102	-50.1	229	249	50.1	238.4

**Comments:**

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
0	4.1	OB		Overburden and casing.					
4.1	31.03	MVOL		Very fine-grained, green to pale green Mafic Volcanic with epidote, chlorite and carbonate alteration. The unit is sheared from 25.51-25.67m. From 25.67 to lower contact, the unit contains patchy hematite alteration. The lower contact with Syenite is sharp at 65 degrees TCA.	S120431	5.5	6	0.5	0.003
					S120432	11	12	1	0.002
					S120433	12	13	1	<0.001
					S120434	13	14.5	1.5	<0.001
					S120435	20	21	1	0.006
					S120436	24	25	1	<0.001
					S120437	25	25.67	0.67	<0.001
					S120438	25.67	27.15	1.48	0.005
					S120439	27.15	28.65	1.5	<0.001
					S120441	28.65	30	1.35	<0.001
				S120442	30	31.03	1.03	0.001	

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
31.03	35.3	SY		Fine- to medium-grained grey to reddish grey Syenite. Unit contains trace unaltered mafic fragments. The unit contains weak to moderate pervasive hematite alteration. Upper contact is sharp at 65 degrees TCA, lower contact is sharp at 70 degrees TCA.	S120443	31.03	32.45	1.42	0.004
					S120444	32.45	33.4	0.95	<0.001
					S120445	33.4	34.35	0.95	0.001
					S120446	34.35	35.3	0.95	<0.001
33.13	33.25		QPORP	Fine-grained pink Quartz Porphyry intrusive with sharp upper and lower contacts at 60 and 40 degrees TCA, respectively. The unit contains mm to 1 cm-scale rounded to sub-rounded grey to white quartz phenocrysts in a very fine grained to glassy pinkish matrix.					
35.3	39.42	QPORP		Fine-grained pink Quartz Porphyry intrusive with sharp upper and lower contacts at 70 and 65 degrees TCA, respectively. The unit contains mm to 1 cm-scale rounded to sub-rounded grey to white quartz phenocrysts in a very fine grained to glassy pinkish matrix.	S120447	35.3	36.8	1.5	<0.001
					S120448	36.8	38.3	1.5	0.001
					S120449	38.3	39.42	1.12	0.003
39.42	41.2	Fault Zone		Fault zone with strong pervasive chlorite, quartz breccia veins and fault gouge.	S120451	39.42	41.2	1.78	0.021
41.2	43.47	MVOL		Sheared fine-grained grey green Mafic Volcanic with weak carbonate stringers. Lower contact is sharp at 70 degrees TCA.	S120452	41.2	42	0.8	0.117
					S120453	42	42.85	0.85	0.012
					S120454	42.85	43.47	0.62	0.011
43.47	48.67	DIOR		Grey to beige fine- to medium-grained diorite with chlorite grains. Upper and lower contacts are sharp at 70 and 65 degrees TCA.	S120455	43.47	44.9	1.43	0.002
					S120456	44.9	46.4	1.5	0.001
					S120457	46.4	47.7	1.3	0.006
					S120458	47.7	48.67	0.97	0.009
48.67	70.9	MVOL		Very fine-grained, green to pale green Mafic Volcanic with epidote, chlorite and carbonate alteration. The lower contact with diorite intrusion is sharp at 65 degrees TCA.	S120459	48.67	50	1.33	0.016
					S120461	59	60	1	0.002
					S120462	60	61.3	1.3	0.01
					S120463	68	69	1	0.033
					S120464	69	70	1	0.013
70.9	74.05	DIOR		Grey to beige fine- to medium-grained Diorite with chlorite grains and weak carbonate veinlets. Upper and lower contacts are sharp at 65 and 55 degrees TCA.					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
74.05	162.1	MVOL		Very fine-grained, green to pale green Mafic Volcanic with epidote, chlorite and carbonate alteration. Unit varies from massive to variolitic. Lower contact is gradational.	S120465	78.9	79.9	1	0.032
					S120466	79.9	81	1.1	0.002
					S120467	87.2	88	0.8	<0.001
					S120468	98.5	99.5	1	0.069
					S120469	103.25	103.75	0.5	0.039
					S120471	109.3	110.8	1.5	0.001
					S120472	110.8	112.3	1.5	<0.001
					S120473	112.3	113.8	1.5	0.002
					S120474	113.8	114.7	0.9	0.029
					S120475	134	135	1	0.03
					S120476	135	135.6	0.6	0.006
					S120477	152.7	154.2	1.5	0.004
					S120478	154.2	155.7	1.5	0.22
					S120479	155.7	156.7	1	0.005
					S120481	156.7	157.35	0.65	0.012

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
162.1	204	MVOLPIL		Fine-grained pillowed mafic volcanic with silica, magnetite and pyrite in pillow selvages. Lower contact is gradational.	S120482	166.65	167.65	1	0.013
					S120483	169.15	170.15	1	0.006
					S120484	170.15	171.15	1	0.001
					S120485	171.15	172.15	1	0.002
					S120486	172.15	173.25	1.1	0.002
					S120487	173.25	174.75	1.5	0.001
					S120488	174.75	176.25	1.5	<0.001
					S120489	176.25	177.4	1.15	0.005
					S120491	177.4	178.6	1.2	0.018
					S120492	180.5	181.8	1.3	0.006
					S120493	181.8	182.8	1	0.138
					S120494	184.6	185.3	0.7	0.005
					S120495	187.8	189.05	1.25	0.001
					S120496	192.8	193.2	0.4	0.042
					S120497	195	196	1	0.205
					S120498	200.45	201.55	1.1	0.017
					S120499	201.55	203.05	1.5	0.005
S120500	203.05	204.1	1.05	0.002					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
204	249	MVOL		Very fine to fine grained, dark green to green Mafic Volcanic. Unit become dark black due to strong magnetite. Pervasive chlorite and fracture-filling epidote and carbonate alteration. EOH at 249m.	S120501	204.8	206.3	1.5	0.003
					S120502	206.3	207.1	0.8	0.001
					S120503	207.1	207.8	0.7	0.028
					S120504	231	232.5	1.5	0.003
					S120505	232.5	234	1.5	0.062
					S120506	234	235.5	1.5	0.042
					S120507	235.5	237	1.5	0.001
					S120508	237	238.5	1.5	0.001
					S120509	238.5	240	1.5	0.004
					S120511	240	241.5	1.5	0.002
					S120512	241.5	243	1.5	0.004
					S120513	243	244.4	1.4	0.004
					S120514	244.4	244.7	0.3	0.015
					S120515	247	247.3	0.3	0.012

Project Details					Drill Hole Collar			Drilling				
<b>Company:</b> Oban Mining Corp. <b>Area:</b> Daley <b>Drilling Start Date:</b> 4/10/2016 <b>Drilling End Date:</b> 4/15/2016 <b>Drilling Contractor:</b> Major Drilling <b>Core Storage:</b> CXS Warehouse <b>Logged By:</b> AG <b>Final Log Date:</b> 4/19/2016					<b>Grid:</b> NAD83 / UTM zone 17N <b>Northing:</b> 5314199 <b>Easting:</b> 587982 <b>Elevation:</b> 321.1			<b>Hole Type:</b> DD <b>Hole Size:</b> NQ <b>Casing:</b> <b>Collar Survey:</b> Y <b>Multishot Survey:</b> Y <b>Hole Plugged:</b> N <b>Claim Number 1:</b> 4274123 <b>Claim Number 2:</b>				
					<b>Collar Az:</b> 204.5 <b>Collar Dip:</b> -59 <b>Length (m):</b> 330							
Survey												
Depth	Dip	Azimuth			Depth	Dip	Azimuth					
18	-59.4	204.5			201	-57	202.8					
51	-59	203.6			252	-56.2	203.7					
102	-58.3	203.9			300	-55.3	209.1					
150	-57	204.9			330	-54.8	209.6					
<b>Comments:</b>												
From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)			
0	3.8	OB		Overburden and Casing.								

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
3.8	40	MVOL		Very fine- to fine-grained green Mafic Volcanic dominated by moderate chlorite and strong carbonate alteration mostly as veinlets and stringers. The unit is cut by several faults/breccia zones as well as moderate to strong iron carbonate alteration from 9.05-11.75 m.	S120516	7.6	9	1.4	0.002
					S120517	9	10	1	0.183
					S120518	10	10.9	0.9	0.035
					S120519	10.9	11.75	0.85	0.007
					S120521	11.75	12.75	1	0.03
					S120522	12.75	14.25	1.5	0.374
					S120523	14.25	15.3	1.05	0.003
					S120524	15.3	16.8	1.5	0.001
					S120525	16.8	18.3	1.5	0.001
					S120526	18.3	19.8	1.5	<0.001
					S120527	19.8	21.3	1.5	<0.001
					S120528	21.3	22.8	1.5	0.028
					S120529	22.8	24.3	1.5	0.006
					S120531	24.3	25.8	1.5	0.009
					S120532	25.8	27.3	1.5	0.002
					S120533	27.3	28.8	1.5	0.002
					S120534	28.8	29.6	0.8	0.135
					S120535	29.6	30.6	1	0.09
					S120536	30.6	31.9	1.3	0.016
					S120537	31.9	32.9	1	0.149
					S120538	32.9	33.9	1	0.067
					S120539	33.9	35.4	1.5	0.024
					S120541	35.4	36.4	1	0.007
					S120542	36.4	37.4	1	<0.001
S120543	37.4	38.4	1	0.001					
S120544	39.25	39.8	0.55	0.008					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
40	116.85	MVOL		Medium-grained green to dark green gabbroic Mafic Volcanic dominated by moderate to strong chlorite alteration. The upper contact is gradational and the lower contact with sheared Mafic Volcanic is sharp at 45 degrees TCA. The unit is cut by a Feldspar Porphyry dyke at 113.7-115.55 m.	S120545	42.6	43	0.4	0.003
					S120546	43	44.5	1.5	0.001
					S120547	53.3	54.3	1	0.001
					S120548	54.3	55.8	1.5	0.003
113.7	115.55		FPORP	Fine- to medium-grained grey to pink altered Feldspar Porphyry with sharp upper contact at 45 degrees TCA. The lower contact is altered and broken. The unit contains sericite, hematite alteration and mm-scale feldspar phenocrysts in a grey to pinkish fine-grained matrix.	S120549	59.5	60.5	1	0.001
					S120551	63.5	65	1.5	0.002
					S120552	74.15	74.55	0.4	0.011
					S120553	78.9	79.4	0.5	0.006
					S120554	82.7	83.4	0.7	0.001
					S120555	83.4	84.9	1.5	0.001
					S120556	87.2	87.5	0.3	0.009
					S120557	87.5	89	1.5	0.004
					S120558	108.4	109.6	1.2	0.006
					S120559	111	111.75	0.75	<0.001
					S120561	111.75	112.25	0.5	<0.001
					S120562	112.25	113.7	1.45	0.004
					S120563	113.7	114.1	0.4	0.018
S120564	114.1	115.55	1.45	<0.001					
S120565	115.55	116.85	1.3	0.004					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)					
116.85	171	MVOL		Fine- to medium-grained green to dark green strongly foliated and veined gabbroic Mafic Volcanic. The unit is transected by black Ultramafic Dykes at 146.1-146.2 m, 147-147.35 m and 170-171 m. The lower contact with Ultramafic dyke is sharp at 40 degrees TCA. The unit is transected by the major fault zone parallel to foliation at 50 degrees TCA. Between 156-170m, the unit becomes very dark.	S120566	116.85	118.35	1.5	0.038					
					S120567	118.35	119.85	1.5	0.031					
					S120568	121.5	122.5	1	0.001					
					S120569	122.5	123.9	1.4	0.003					
					S120571	123.9	125.4	1.5	0.003					
					S120572	125.4	126.9	1.5	0.003					
					S120573	126.9	127.8	0.9	<0.001					
					S120574	127.8	129.3	1.5	0.005					
					S120575	129.3	130.8	1.5	0.003					
					S120576	130.8	132.3	1.5	0.002					
146.1	146.2	UMVOL		Black fine-grained Ultramafic Volcanic dyke with sharp contact at 50 degrees TCA.	S120577	132.3	133.8	1.5	0.001					
					S120578	133.8	135.3	1.5	0.003					
					S120579	135.3	136.5	1.2	0.002					
					S120581	136.5	137.5	1	0.004					
					S120582	137.5	138	0.5	0.008					
					S120583	138	138.7	0.7	0.065					
					S120584	138.7	140.2	1.5	0.01					
					S120585	145.3	146.3	1	0.032					
					S120586	146.3	147.4	1.1	0.004					
					S120587	157.5	158.55	1.05	0.026					
147	147.35	UMVOL		Same as above, the upper contact is irregular and parallel TCA, the lower contact is sharp at 35 degrees TCA.	S120588	158.55	159.8	1.25	0.009					
					S120589	159.8	161.3	1.5	0.004					
					S120591	161.3	162.8	1.5	0.006					
					S120592	168	169	1	0.007					
					S120593	169	170	1	0.012					
					170	171	UMVOL		Same as above, the upper contact is irregular and parallel TCA, the upper contact is sharp at 40 degrees TCA but the lower one is foliated and faulted at 50 degrees TCA.	S120594	170	171	1	0.023

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
171	176.75	Fault Zone		Strongly foliated, brecciated and altered fault zone. The upper contact with sheared gabbroic Mafic Volcanic is parallel to foliation at 50 degrees TCA. The lower contact is cut by Diabase irregularly but sharp and at high angle TCA.	S120595	171	172	1	0.197
					S120596	172	173	1	0.037
					S120597	173	174	1	0.146
					S120598	174	174.4	0.4	0.031
171.7	175.1		QV	Quartz breccia and silicification. A mixed zone of iron carbonate, silica and hematite in the fault zone.	S120599	174.4	175.1	0.7	0.024
					S120600	175.1	176.05	0.95	0.007
					S120601	176.05	176.75	0.7	0.017
176.75	208.2	DIA		Fine- to medium-grained grey to dark grey undeformed and veined Diabase. Same unit as intersected in 16-cote-004.	S120602	176.75	178.25	1.5	0.005
					S120603	178.25	179.75	1.5	0.004
					S120604	206.7	208.2	1.5	0.008

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
208.2	300.8	MVOL		Fine- to locally medium-grained green Mafic Volcanic dominated by quartz and quartz carbonate veining and epidote/chlorite alteration. A black highly deformed Ultramafic Dyke is located immediately after Diabase and at top of this unit between 208.2-209.7 m. The upper contact is sharp at high angle TCA and the lower contact is sharp at 40 degrees TCA. Between 231-268 m, the interval is heavily affected by quartz, sericite and locally iron carbonate alteration. It is also transected by sheared/foliated Diorite dykes at 232 m, 239.5 m, 245.5 m and 264.25 m all with sharp contacts. The lower contact is gradual at 55 degrees TCA.	S120605	208.2	209.2	1	0.048
					S120606	209.2	209.7	0.5	0.047
					S120607	209.7	210.7	1	0.032
					S120608	210.7	211.7	1	0.02
					S120609	211.7	212.7	1	0.143
					S120611	212.7	213.7	1	0.08
					S120612	213.7	214.7	1	0.156
					S120613	214.7	215.5	0.8	0.008
					S120614	215.5	216	0.5	0.032
					S120615	216	217.1	1.1	0.006
					S120616	217.1	218.6	1.5	0.015
					S120617	218.6	219.6	1	0.007
					208.2	209.7		UMVOL	Same as 170-171 m, strongly deformed and foliated Ultramafic Volcanic at lower contact of Diabase. The upper contact is sharp but irregular at high angle TCA but the sharp lower contact is parallel to foliation at 40 degree TCA.
S120619	220.6	221.6	1	0.011					
232.6	233.4		DIOR	Medium-grained pale green Diorite with moderately sheared/foliated at 60 degrees TCA. The upper and lower contacts are sharp at 60 degrees TCA.	S120621	221.6	222.6	1	0.02
239.5	242.1		DIOR	Same as above, the upper contact is highly brecciated and deformed/altered but the lower one is sharp at 20 degrees TCA. Foliation at 45 degrees TCA.	S120622	222.6	224.1	1.5	0.012
245.5	247.75		DIOR	Same as 232.6-233.4 m, upper and lower contacts sharp at 35 and 45 degrees TCA, respectively. Foliation at 40-45 degrees TCA.	S120623	224.1	225.6	1.5	0.004
					S120624	225.6	226.2	0.6	0.004
					S120625	226.2	226.7	0.5	0.013
250.95	258.55		MVOLALT	Main strong pervasive sericite alteration zone, mostly associated with silicification.	S120626	226.7	227.8	1.1	0.003
264.25	265.15		DIOR	Same as above, with sharp upper and lower contacts at 65 and 60 degrees TCA, respectively. Weakly foliated at 55 degrees TCA especially close to contacts.	S120627	227.8	228.6	0.8	0.004
					S120628	228.6	229.4	0.8	0.093
					S120629	229.4	230.2	0.8	0.184
					S120631	230.2	231.2	1	1.1
286.1	286.4		FPORP	Fine- to medium-grained grey to dark grey Feldspar Porphyry dyke with sharp contacts at 30 degrees TCA.	S120632	231.2	231.9	0.7	0.304
					S120633	231.9	232.6	0.7	0.125
					S120634	232.6	233.4	0.8	0.003
					S120635	233.4	234.4	1	0.067
					S120636	234.4	235.8	1.4	0.566

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
					S120637	235.8	236.8	1	0.097
					S120638	236.8	237.8	1	0.122
					S120639	237.8	238.8	1	0.041
					S120641	238.8	239.8	1	0.052
					S120642	239.8	240.8	1	0.006
					S120643	240.8	241.15	0.35	0.012
					S120644	241.15	242.1	0.95	0.07
					S120645	242.1	243.2	1.1	0.06
					S120646	243.2	244.2	1	0.003
					S120647	244.2	245.2	1	0.007
					S120648	245.2	246.7	1.5	0.002
					S120649	246.7	247.65	0.95	0.001
					S120651	247.65	248.55	0.9	0.011
					S120652	248.55	249.5	0.95	0.004
					S120653	249.5	249.95	0.45	0.047
					S120654	249.95	250.95	1	0.006
					S120655	250.95	251.95	1	0.007
					S120656	251.95	253.45	1.5	0.012
					S120657	253.45	254.95	1.5	0.002
					S120658	254.95	256.45	1.5	0.001
					S120659	256.45	257.95	1.5	0.001
					S120661	257.95	259	1.05	0.002
					S120662	259	260.5	1.5	0.001
					S120663	260.5	262	1.5	<0.001
					S120664	262	263.5	1.5	0.002
					S120665	263.5	264.25	0.75	0.001
					S120666	264.25	265.15	0.9	0.001
					S120667	265.15	266	0.85	0.011
					S120668	266	267	1	0.013

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
					S120669	267	268	1	0.004
					S120671	268	269	1	0.003
					S120672	269	270.5	1.5	0.006
					S120673	270.5	272	1.5	0.014
					S120674	272	273.5	1.5	0.004
					S120675	273.5	274	0.5	0.006
					S120676	289.2	290.7	1.5	0.004
					S120677	290.7	292.2	1.5	0.004
					S120678	292.2	293.7	1.5	0.003
					S120679	293.7	295.2	1.5	0.001
					S120681	295.2	296.7	1.5	0.002
					S120682	296.7	298.2	1.5	0.001
					S120683	298.2	299.7	1.5	0.003
					S120684	299.7	300	0.3	0.002
					S120685	300	300.8	0.8	0.002
300.8	310.75	MVOLALT		Fine-grained massive to brecciated strongly sericite altered zone dominated by quartz veining and quartz breccia and up to 5% pyrite. The upper contact is gradual at 55 degrees TCA but the lower contact is sharp at 45 degrees TCA and parallel to foliation.	S120686	300.8	301.8	1	0.001
					S120687	301.8	302.8	1	0.008
					S120688	302.8	303.8	1	0.005
					S120689	303.8	304.6	0.8	0.066
					S120691	304.6	305.6	1	0.736
					S120692	305.6	306.6	1	1.09
					S120693	306.6	307.3	0.7	0.035
					S120694	307.3	308.3	1	0.019
					S120695	308.3	309.3	1	0.309
					S120696	309.3	310	0.7	0.144
					S120697	310	310.75	0.75	0.182

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
310.75	330	MVOL		Fine- to medium-grained green to dark green Mafic Volcanic with moderate foliation and chlorite-sericite alteration. The unit is transected by heavily sericite-quartz altered zones/bands at 316.6-318.65 m, 323.5 m and 324.95 m. EOH at 330 m.	S120698	310.75	311.25	0.5	0.008
					S120699	311.25	312.75	1.5	0.002
					S120700	312.75	314.25	1.5	0.003
					S120701	314.25	315	0.75	0.031
316.6	318.65		MVOLALT	Strong sericite altered interval as 300.8-310.75 m with quartz veining and quartz breccia and relatively high pyrite mineralization. The lower contact is foliation-parallel at 50 degrees TCA.	S120702	315	315.6	0.6	0.031
					S120703	315.6	316.6	1	0.004
					S120704	316.6	317.6	1	0.071
					S120705	317.6	318.65	1.05	0.115
					S120706	318.65	320.15	1.5	0.006
					S120707	320.15	321.05	0.9	0.018
					S120708	321.05	321.55	0.5	0.012
					S120709	321.55	323.05	1.5	0.001
					S120711	323.05	324.05	1	<0.001
					S120712	324.05	325.55	1.5	0.001
					S120713	325.55	327.05	1.5	0.002
					S120714	327.05	328.55	1.5	0.001
					S120715	328.55	330	1.45	<0.001

Project Details				Drill Hole Collar		Drilling			
<b>Company:</b> Oban Mining Corp. <b>Area:</b> Daley <b>Drilling Start Date:</b> 4/15/2016 <b>Drilling End Date:</b> 4/21/2016 <b>Drilling Contractor:</b> Major Drilling <b>Core Storage:</b> CXS Warehouse <b>Logged By:</b> AG <b>Final Log Date:</b> 4/23/2016				<b>Grid:</b> NAD83 / UTM zone 17N <b>Northing:</b> 5313738 <b>Easting:</b> 588486 <b>Elevation:</b> 317.3		<b>Hole Type:</b> DD <b>Hole Size:</b> NQ <b>Casing:</b> <b>Collar Survey:</b> Y <b>Multishot Survey:</b> Y <b>Hole Plugged:</b> N <b>Claim Number 1:</b> 4255940 <b>Claim Number 2:</b>			
				<b>Collar Az:</b> 252.7 <b>Collar Dip:</b> -44.7 <b>Length (m):</b> 342					
Survey									
Depth	Dip	Azimuth			Depth	Dip	Azimuth		
21	-44.7	252.7			201	-45.6	255.9		
51	-44.7	252.9			249	-46	256.9		
102	-44.9	252.6			300	-46.2	255.8		
150	-45.4	254.6			342	-46.5	259.2		
<b>Comments:</b>									
From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
0	4.8	OB		Overburden and Casing.					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
4.8	59.2	MVOL		Fine-grained grey to green massive Mafic Volcanic cut by a small grey micro Feldspar Porphyry dyke at 17.6-19.3 m. The unit is strongly dominated by fracture-filling epidote alteration. The lower contact with Gabbro is sharp at high angle TCA.	S120716	4.8	6.3	1.5	0.001
					S120717	6.3	7.8	1.5	0.012
					S120718	11	12.5	1.5	0.034
					S120719	12.5	14	1.5	0.027
17.6	19.3		FPORP	Grey to dark grey Feldspar Porphyry Dyke with sharp upper contact at 30 degrees and broken lower contact. Contains mm-scale white feldspar phenocrysts in a dark very fine grained matrix.	S120721	14	15.5	1.5	0.019
					S120722	15.5	16.8	1.3	0.024
					S120723	19.4	20.2	0.8	0.002
					S120724	20.2	21.2	1	<0.001
					S120725	21.2	22.7	1.5	0.012
					S120726	22.7	23.7	1	0.016
					S120727	23.7	24.8	1.1	0.011
					S120728	24.8	25.4	0.6	0.236
					S120729	25.4	26.9	1.5	0.002
					S120731	38.3	38.85	0.55	0.002
					S120732	38.85	40.35	1.5	0.001
					S120733	44.3	45.4	1.1	0.001
					S120734	45.4	46.9	1.5	0.001
					S120735	46.9	48.4	1.5	0.002
					S120736	48.4	49.3	0.9	0.072
S120737	54.4	55.2	0.8	0.007					
S120738	58.2	59.2	1	0.047					
59.2	104.75	GAB		Medium- to coarse-grained grey to pale green Gabbro with sharp upper contact with at high degree TCA. The lower contact with Diabase is irregular but sharp at 40 degrees TCA.	S120739	59.2	60	0.8	0.151
					S120741	60	61.5	1.5	0.015
					S120742	96.5	98	1.5	0.012
					S120743	103.75	104.75	1	0.012
104.75	129.65	DIA		Medium- to coarse-grained grey to dark grey Diabase with sharp upper and lower contacts with Gabbro at 40 degrees TCA. The first meter and last 30 cm of interval close to contacts are very dark and fine-grained.	S120744	104.75	106.25	1.5	0.004

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
129.65	179.5	GAB		Medium- to coarse-grained grey to pale green Gabbro with moderate to strong epidote alteration. The lower contact with fine- to medium-grained Mafic Volcanic is gradational.	S120745	138	139.5	1.5	0.01
					S120746	151	152	1	0.006
179.5	190.5	MVOL		Fine- to medium-grained gabbroic to massive dark green Mafic Volcanic. The lower contact is sharp at 55 degrees TCA.	S120747	180	181.5	1.5	0.003
					S120748	188	189.5	1.5	0.002
					S120749	189.5	190.5	1	0.002
190.5	196.18	QPORP		Medium-grained red to pink Quartz porphyry with rounded mm to 1 cm quartz phenocrysts in a dark red glassy matrix. The upper and lower contacts with Mafic Volcanic are sharp at 55 and 90 degrees TCA, respectively. From 194.6-194.9 m, the interval contains altered Mafic Volcanic similar to the hanging and foot walls of intrusion.	S120751	190.5	192	1.5	0.017
					S120752	194.6	195	0.4	0.003
					S120753	195	196.2	1.2	0.068
194.6	194.9		MVOL	Fine-grained sericite altered Mafic Volcanic with sharp upper and lower contacts with Quartz Porphyry at 15 and 60 degrees TCA, respectively.					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
196.18	234.8	MVOL		Fine- to medium-grained grey to green gabbroic Mafic Volcanic. Between 196.18 to 202.45 m, the unit is fine-grained, heavily altered with sericite and hematite. The lower contact with Gabbro is gradational.	S120754	196.2	197.7	1.5	0.073
					S120755	197.7	199.2	1.5	0.002
					S120756	199.2	199.85	0.65	0.012
					S120757	199.85	200.2	0.35	0.013
					S120758	200.2	201.2	1	0.001
					S120759	201.2	202.2	1	0.003
					S120761	202.2	203.2	1	0.001
					S120762	203.2	204.2	1	0.001
					S120763	204.2	205.2	1	0.001
					S120764	205.2	206.2	1	0.001
					S120765	206.7	208.2	1.5	0.001
					S120766	208.2	209.7	1.5	0.002
					S120767	215.2	216	0.8	0.015
					S120768	222	223	1	0.011
					S120769	227.45	227.9	0.45	0.074
					S120771	227.9	228.7	0.8	0.022
S120772	233.5	235	1.5	0.003					
234.8	244	GAB		Medium- to coarse-grained green Gabbro with gradational upper and lower contacts. Interval could be gabbroic sill with phaneritic equigranular texture with cream plagioclase and green pyroxene. A 5 cm long xenolith of fine-grained green Mafic Volcanic at 240.35 m.	S120773	235	236.5	1.5	0.001
					S120774	242.5	244	1.5	0.003

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
244	263.9	MVOL		Fine-grained green massive to locally pillowed Mafic Volcanic with gradational upper and lower contacts.	S120775	244	245	1	0.006
					S120776	245	246	1	0.014
					S120777	246	247.5	1.5	0.002
					S120778	257	257.4	0.4	0.011
					S120779	257.4	258.9	1.5	0.004
					S120781	258.9	260.4	1.5	0.003
					S120782	260.4	261.9	1.5	0.044
					S120783	261.9	263.4	1.5	0.025
263.9	289.2	MVOL		Medium-grained green to grey altered (sericite, chlorite and locally hematite) gabbroic Mafic Volcanic with gradational contacts.	S120784	266.3	267.8	1.5	0.054
					S120785	275.2	276	0.8	0.004
					S120786	285.3	286.5	1.2	0.003
					S120787	286.5	287.85	1.35	0.054
					S120788	287.85	289.2	1.35	0.035

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
289.2	330.7	MVOLALT		Strong sericite, quartz, carbonate, chlorite and locally fuchsite altered Mafic Volcanic. The interval starts sharply with a cm-scale quartz vein at 55 degrees TCA. Some less to unaltered intervals also are observed. The lower contact is gradational.	S120789	289.2	289.55	0.35	0.01
					S120791	289.55	290.4	0.85	0.001
					S120792	290.4	291	0.6	0.182
					S120793	291	292	1	0.011
300.6	303.3	MVOL		Grey to dark grey fine-grained Mafic Volcanic with carbonate pervasive to stringer dominated altered. The contacts are gradational with heavily altered intervals.	S120794	292	293	1	0.019
					S120795	293	294	1	0.044
306.1	307	MVOL		Weakly altered to unaltered Mafic Volcanic interval. Unit is fine- to medium-grained green to dark green with gradational contacts with altered unit.	S120796	294	295	1	0.004
					S120797	295	296	1	0.011
					S120798	296	297	1	0.002
315.95	316.15	MVOL		Fine-grained green to grey Mafic Volcanic with weak sericite and chlorite pervasive alteration and contacts at 40 and 45 degrees TCA.	S120799	297	298.5	1.5	0.002
					S120800	298.5	300	1.5	0.021
					S120801	303.5	305	1.5	0.017
318.2	319	MVOL		Fine-grained green to grey massive to variolitic Mafic Volcanic with gradational contacts.	S120802	305	305.8	0.8	0.032
					S120803	305.8	306.1	0.3	0.766
325.9	326.05	MVOL		Fine-grained green to grey Mafic Volcanic with contacts at 35 and 25 degrees TCA. Unit is dominated by pervasive to fracture filling carbonate alteration.	S120804	306.1	307.1	1	0.013
					S120805	307.1	308.6	1.5	0.025
326.75	327.05	MVOL		Fine-grained green to grey Mafic Volcanic with contacts at 55 degrees TCA. Unit is dominated by pervasive to fracture filling carbonate alteration.	S120806	308.6	310	1.4	0.014
					S120807	310	311	1	0.155
					S120808	311	312.1	1.1	0.007
					S120809	312.1	313.4	1.3	0.061
					S120811	313.4	314.9	1.5	0.001
					S120812	314.9	316.4	1.5	0.002
					S120813	316.4	317.65	1.25	0.01
					S120814	317.65	319.15	1.5	0.002
					S120815	319.15	320.65	1.5	0.013
					S120816	320.65	322	1.35	<0.001
					S120817	322	323.5	1.5	<0.001
S120818	323.5	325	1.5	<0.001					
S120819	325	326.5	1.5	<0.001					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
					S120821	326.5	328	1.5	0.001
					S120822	328	329.5	1.5	<0.001
					S120823	329.5	330.7	1.2	0.005
330.7	342	MVOL		Fine-grained grey to dark green (locally beige due to alteration) Mafic Volcanic. From 338.8-342 m the unit contains pervasive carbonate, sericite dominated alteration. EOH at 342 m.	S120824	330.7	331.9	1.2	0.027
					S120825	331.9	332.2	0.3	0.234
					S120826	332.2	333.3	1.1	0.002
					S120827	333.3	334.8	1.5	0.005
					S120828	334.8	335.8	1	0.001
					S120829	338.2	339.2	1	0.01
					S120831	339.2	340.7	1.5	0.002
					S120832	340.7	342	1.3	0.007

Project Details	Drill Hole Collar	Drilling
<b>Company:</b> Oban Mining Corp. <b>Area:</b> Ostrom <b>Drilling Start Date:</b> 4/21/2016 <b>Drilling End Date:</b> 4/26/2016 <b>Drilling Contractor:</b> Major Drilling <b>Core Storage:</b> CXS Warehouse <b>Logged By:</b> AG <b>Final Log Date:</b> 4/27/2016	<b>Grid:</b> NAD83 / UTM zone 17N <b>Northing:</b> 5313188 <b>Easting:</b> 588061 <b>Elevation:</b> 321.1  <b>Collar Az:</b> 340 <b>Collar Dip:</b> -60 <b>Length (m):</b> 330	<b>Hole Type:</b> DD <b>Hole Size:</b> NQ <b>Casing:</b> <b>Collar Survey:</b> Y <b>Multishot Survey:</b> Y <b>Hole Plugged:</b> N <b>Claim Number 1:</b> 4256035 <b>Claim Number 2:</b>

Survey					
Depth	Dip	Azimuth	Depth	Dip	Azimuth
21	-59.1	330.7	201	-59.2	340.4
51	-59	339.4	252	-59.2	343.5
102	-59.1	338.4	300	-58.6	342.6
150	-59.1	341.9	330	-58.6	348.3

Comments:										
From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)	
0	3.9	OB		Overburden and Casing.						
3.9	4.1	MVOL		Fine-grained, green to dark green Mafic Volcanic with sharp lower contact at 45 degrees with Quartz vein.						
4.1	6.2	QV		Quartz vein, partially quartz breccia with chloritic green Mafic Volcanic fragments and chlorite fracture-filling. Upper and lower contacts are sharp at 45 and 20 degrees TCA, respectively. Overall 80% veining and contains pyrite mineralization.	S120833	4.1	4.7	0.6	0.004	
					S120834	4.7	5.5	0.8	0.003	
					S120835	5.5	6.2	0.7	0.004	


From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
6.2	26.35	MVOL		Fine-grained, green to dark green massive Mafic Volcanic dominated by pervasive chlorite alteration and weak carbonate stringers. The lower with altered zone is gradational and contains small quartz vein at 30 degrees TCA. The unit is cut by 0.3 m quartz vein at 6.72-7 m.	S120836	6.2	7.05	0.85	0.005
					S120837	7.05	8.5	1.45	0.004
					S120838	21	21.85	0.85	0.004
					S120839	21.85	23.35	1.5	0.002
6.72	7		QV	Quartz vein with upper and lower contacts at 45 and 60 degrees TCA, respectively. Same as 4.1-6.2 m.	S120841	23.35	24.85	1.5	0.002
					S120842	24.85	25.6	0.75	0.002
					S120843	25.6	26.35	0.75	0.005
26.35	34.9	MVOLALT		Quartz, sericite altered zone with moderate to strong silicification due to quartz veining as well as halo to pervasive sericite. The interval is relatively well mineralized with 2-3% fracture-filling to patchy pyrite. The interval contains a quartz vein at 34-34.9 m with contacts at 55 degrees TCA.	S120844	26.35	27	0.65	0.215
					S120845	27	28	1	0.018
					S120846	28	28.8	0.8	0.019
					S120847	28.8	30.05	1.25	0.004
					S120848	30.05	30.85	0.8	0.025
					S120849	30.85	31.7	0.85	0.088
					S120851	31.7	32.3	0.6	0.267
					S120852	32.3	32.9	0.6	0.219
28.8	30.05		MVOL	Fine-grained, grey to green unaltered Mafic Volcanic within the alteration zone. Contacts are gradational.	S120853	32.9	33.4	0.5	0.056
					S120854	33.4	34	0.6	0.052
34	34.9		QV	Main quartz vein with sericite altered fragments at 55 degrees TCA.	S120855	34	34.45	0.45	0.018
					S120856	34.45	34.9	0.45	0.027
					S120857	34.9	35.9	1	0.005
					S120858	35.9	37.4	1.5	0.001
34.9	51	MVOL		Same as 6.20-26.35 m, at the foot wall of quartz vein and associated quartz-sericite altered zone. The upper contact with quartz vein is sharp at 55 degrees TCA. The first 0.5 m of interval shows weak pervasive sericite alteration with mm-scale quartz stringers. The unit is cut by a Diorite dyke at 40.9-41.8 m. The lower contact with Pillowed Mafic Volcanic is gradational.	S120859	50.2	51	0.8	0.008
40.9	41.8		DIOR	Medium-grained equigranular pale green Diorite dyke with sharp upper and lower contacts at 55 and 70 degrees TCA, respectively.					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)					
51	80	MVOLPIL		Fine-grained, green to dark green pillowed to locally massive Mafic Volcanic with chlorite, epidote and magnetite alteration at pillow selvages. The lower contact is gradational.	S120861	51	52.1	1.1	0.023					
					S120862	59.3	60.3	1	0.029					
					S120863	64.2	64.6	0.4	0.002					
					S120864	64.6	66	1.4	0.004					
					S120865	68.5	70	1.5	0.006					
					S120866	72	73.5	1.5	0.004					
80	138	MVOL		Fine-grained (locally medium-grained), green to dark green massive to locally pillowed and brecciated Mafic Volcanic dominated by pervasive chlorite alteration and weak carbonate stringers. From 109.55-111.1 m, the unit is cut by a major fault with carbonate/quartz breccia.	S120867	80.9	81.35	0.45	0.002					
					S120868	88	88.4	0.4	0.004					
					S120869	103.5	104.25	0.75	0.009					
					S120871	104.25	105	0.75	0.003					
					110.4	111.1		Fault Zone	Major fault zone with strongly broken core and chloritic fault gouge at 55 degrees TCA. A few meters of hanging wall of fault is dominated by minor small faulting and several carbonate/quartz breccia vein with/without pyrite.	S120872	105	106.25	1.25	0.005
										S120873	106.25	107.2	0.95	0.002
										S120874	107.2	108.2	1	0.002
										S120875	108.2	108.7	0.5	0.001
										S120876	108.7	109.8	1.1	0.002
										S120877	109.8	111.1	1.3	0.018
										S120878	111.1	112.6	1.5	0.014
										S120879	117.2	117.5	0.3	0.003
										S120881	121.6	121.95	0.35	0.008
										S120882	125.1	125.7	0.6	0.007
					S120883	130.8	131.9	1.1	0.002					
S120884	136.5	137.25	0.75	0.004										
138	159	MVOLPIL		Fine-grained, green to dark green pillowed to locally massive Mafic Volcanic with gradational contacts. Alteration consists of moderate to strong pervasive magnetite and epidote with trace pyrite in pillow selvages.	S120885	141.6	142.1	0.5	0.009					
					S120886	142.1	143.6	1.5	0.001					
					S120887	143.6	145.1	1.5	0.007					
					S120888	150	150.6	0.6	0.001					
					S120889	156.5	157.1	0.6	0.003					
					S120891	157.1	158.1	1	0.004					
					S120892	158.1	159	0.9	0.033					


From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
159	176.7	MVOL		Fine-grained, green to dark green Mafic Volcanic with chlorite and magnetite alteration and gradational contacts.	S120893	159	160	1	0.001
					S120894	168.75	169.85	1.1	0.002
176.7	190	MVOLPIL		Fine-grained, green to dark green pillowed to locally massive Mafic Volcanic with gradational contacts. Alteration consists of moderate to strong pervasive magnetite and epidote with trace pyrite in pillow selvages.	S120895	180.8	182	1.2	0.001
					S120896	182	183.5	1.5	0.002
					S120897	183.5	185	1.5	0.001
					S120898	185	186.5	1.5	0.005
					S120899	186.5	188	1.5	0.003
190	210.1	MVOL		Fine-grained, green to dark green Mafic Volcanic with chlorite and magnetite alteration. Upper contact is gradational and lower contact is sharp at 75 degrees TCA.	S120900	193.3	193.7	0.4	0.001
210.1	218.75	FPORP		Medium-grained, grey Feldspar Porphyry dyke with mm-scale white/cream to pale green plagioclase phenocrysts in a dark grey very fine-grained matrix. The upper and lower contacts are sharp at 75 and 25 degrees TCA, respectively. From 214.6-215.2 m is a Mafic Volcanic interval.					
214.6	215.2		MVOL	Fine-grained, green to dark green Mafic Volcanic intruded by Feldspar Porphyry dyke with sharp upper and lower contacts at 30 and 10 degrees TCA, respectively.					
218.75	235.1	MVOL		Fine-grained, green to dark green Mafic Volcanic with chlorite and magnetite alteration. The upper and lower contacts are sharp at 25 and 45 degrees TCA, respectively. The unit is intersected by a minor Feldspar Porphyry at 222.5-223.7 m with sharp contacts.					
222.5	223.7		FPORP	Medium-grained, porphyritic Feldspar Porphyry dyke with sharp upper and lower contacts at 60 and 55 degrees TCA, respectively.					
231.65	231.9		FPORP	Medium-grained, porphyritic Feldspar Porphyry dyke with sharp upper and lower contacts.					
232.2	232.75		FPORP	Medium-grained, porphyritic Feldspar Porphyry dyke with sharp upper and lower contacts.					

From	To	Rock type	Minor litho	Comments	Sample	From	To	Length	Au (gpt)
235.1	240.65	FPORP		Same as Feldspar Porphyry dyke at 210.1-218.75 m. The upper and lower contacts are sharp at 45 and 40 degrees TCA, respectively.					
240.65	325.4	MVOL		Fine- to locally medium-grained, dark green Mafic Volcanic with sharp upper and lower contacts at 40 and 25 degrees TCA, respectively.	S120901	260.4	260.75	0.35	<0.001
					S120902	278.1	279.3	1.2	0.002
					S120903	284.6	285.4	0.8	0.002
					S120904	292.3	293.15	0.85	0.002
					S120905	293.15	294.3	1.15	0.002
					S120906	297	298.5	1.5	0.002
					S120907	298.5	300	1.5	0.004
					S120908	300	301.5	1.5	0.003
					S120909	311	312.4	1.4	0.002
					S120911	312.4	312.8	0.4	0.001
					S120912	314.85	315.4	0.55	0.001
					S120913	315.4	316.9	1.5	0.004
					S120914	316.9	317.4	0.5	0.003
					S120915	317.4	318.25	0.85	0.005
					S120916	318.25	319.75	1.5	0.001
325.4	329	AND		Green to grey Andesite Porphyry dyke with feldspar, amphibole and/or biotite phenocrysts in a very fine-grained green groundmass. The upper and lower contacts are sharp at 25 and 20 degrees TCA, respectively.					
329	330	MVOL		Fine-grained, dark green Mafic Volcanic with upper contact at 20 degrees with andesitic dyke. EOH at 330m.					

## **APPENDIX B: DIAMOND DRILLHOLE PLAN MAP AND SECTIONS**



	Cote Property, Ontario	
<b>2016 Drill Program Plan Map</b>		
June 15, 2016	Prepared by: M. Kuuskman	NAD83 Zone 17N



587500 588000 588500 589000 589500

5314000 5313500 5313000

4257340 4274123 4257339 4257338 4259289 04255940 4258349 4257331 4254758 4259035

16-cote-001  
587943E  
5312991N  
Length: 255m  
Az: 42  
Dip: -50

16-cote-002  
587982E  
5313455N  
Length: 246m  
Az: 42  
Dip: -50

16-cote-003  
587869E  
5313084N  
Length: 315m  
Az: 23  
Dip: -45


16-cote-004  
588367E  
5313825N  
Length: 342m  
Az: 228  
Dip: -60

16-cote-005  
588227E  
5313857N  
Length: 249m  
Az: 228  
Dip: -50

16-cote-006  
587982E  
5314199N  
Length: 330m  
Az: 205  
Dip: -60

16-cote-007  
588486E  
5313738N  
Length: 342m  
Az: 253  
Dip: -45

16-cote-008  
588015E  
5313188N  
Length: 330m  
Az: 340  
Dip: -60




**Lithology**

Casing [CAS]
Overturden [OB]
Andesite [AND]
Diabase [DIA]
Diorite [DIOR]
Sabbro [SAB]
Felspar Porphyry [FPOR]
Mafic Volcanic Altered [MVOLALT]
Fault Zone [FLT]
Shear Zone [SHEAR]
Quartz Vein [QV]
Quartz Porphyry [QPORQ]
Pyrite [PY]
Ultramafic Volcanic [UMVOL]
Mafic Volcanic [MVOL]
Mafic Volcanic Plowed [MVOLPL]

**Au (g/t)**

ABSENT
FLOOR 0-3
3.0-5
5-10
10-20
20-40
40-50
50-CEILING


<b>OBAN</b> MINING CORPORATION	Cote Project	
<b>Cote Lithology and Au (g/t) Section Looking North West</b>		
BHID: 16-cote-001		Claim Number: 4256035
Grid: UTM NAD83 Zone 17	01 Jun 2016	Scale: 1:300
Ali Ghorbani	Vertical Plane Projection BHID: 16-cote-001	Clipping: 20m/side



587926.85  
5312975.85  
325.29

16-cote-001


588085.33  
5313124.49  
325.29



587926.85  
5312975.85  
110.72

588085.33  
5313124.49  
110.72

255




**Lithology**


Casing [CAS]
Overburden [OB]
Andesite [AND]
Dabase [DIA]
Diorite [DIOR]
Sabbro [SAB]
Felspar Porphyry [FPORR]
Mafic Volcanic Altered [MVOLALT]
Fault Zone [FLT]
Shear Zone [SHEAR]
Quartz Vein [QV]
Quartz Porphyry [QPORP]
Byenite [BY]
Ultramafic Volcanic [UMVOL]
Mafic Volcanic [MVOL]
Mafic Volcanic Plowed [MVOLPL]

**Au (g/t)**

ABSENT
FLOOR 0-3
3.0-0.5
0.5-1
1-2.5
2.5-4
4-5
5 CEILING

	<b>Cote Project</b>	
<b>Cote Lithology and Au (g/t) Section Looking North West</b>		
BHID: 16-cote-002, 16-cote-004		Claim Number: 04255940
Grid: UTM NAD83 Zone 17	01 Jun 2016	Scale: 1:600
Ali Ghorbani	Vertical Plane Projection BHID: 16-cote-002, 004	Clipping: 28m/side






**Lithology**

Casing [CAS]
Dwertburden [DB]
Andesite [AND]
Diabase [DIA]
Diorite [DIOR]
Sabbro [SAB]
Felspar Porphyry [FPORR]
Mafic Volcanic Altered [MVOLALT]
Fault Zone [FLT]
Shear Zone [SHEAR]
Quartz Vein [QV]
Quartz Porphyry [QPORP]
Pyrite [PY]
Ultramafic Volcanic [UMVOL]
Mafic Volcanic [MVOL]
Mafic Volcanic Plowed [MVOLPL]

**Au (g/t)**


ABSENT
FLOOR 0-3
3.0-0.5
0.5-1
1-2.5
2.5-4
4-5
5 CEILING

<b>Cote Lithology and Au (g/t) Section Looking West - North West</b>			
BHID: 16-cote-003		Claim Number: 4256035	
Grid: UTM NAD83 Zone 17	01 Jun 2016	Scale: 1:350	
Ali Ghorbani	Vertical Plane Projection BHID: 16-cote-003	Clipping: 20m/side	




587858.70  
5313064.71  
71.78

587995.32  
5313320.57  
71.78



588068.28  
5313729.26  
328.35

588256.19  
5313860.49  
328.35



**Lithology**

Casing (CAS)
Overburden (OB)
Andesite (AND)
Dabase (DIA)
Diorite (DIOR)
Sabbro (SAB)
Felspar Porphyry (FPOR)
Mafic Volcanic Altered (MVOLALT)
Fault Zone (FLT)
Shear Zone (SHEAR)
Quartz Vein (QV)
Quartz Porphyry (QPOR)
Pyrite (PY)
Ultramafic Volcanic (UMVOL)
Mafic Volcanic (MVOL)
Mafic Volcanic Plowed (MVOLPL)

**Au (g/t)**



ABSENT
FLOOR 0-3
3.0-0.5
0.5-1
1.2-5
2.5-4
4-5
5 CEILING

	<b>Cote Project</b>	
<b>Cote Lithology and Au (g/t) Section Looking North West</b>		
BHID: 16-cote-005		Claim Number: 04255940
Grid: UTM NAD83 Zone 17	01 Jun 2016	Scale: 1:300
Ali Ghorbani	Vertical Plane Projection BHID: 16-cote-005	Clipping: 20m/side



588068.28  
5313729.26  
97.24

588256.19  
5313860.49  
97.24



587896.83  
5314001.03  
328.16

587993.93  
5314224.87  
328.16


**Lithology**

Casing [CAS]
Overburden [OB]
Andesite [AND]
Diabase [DIA]
Diorite [DIOR]
Gabbro [GAB]
Felspar Porphyry [FPOR]
Mafic Volcanic Altered [MVOLALT]
Fault Zone [FLT]
Shear Zone [SHEAR]
Quartz Vein [QV]
Quartz Porphyry [QPOR]
Byenite [BY]
Ultramafic Volcanic [UMVOL]
Mafic Volcanic [MVOL]
Mafic Volcanic Plowed [MVOLPL]

**Au (gpt)**


ABSENT
FLOOR 0-3
3.0-0.5
0.5-1
1-2.5
2.5-4
4-5
5 CEILING

	<b>Cote Project</b>	
<b>Cote Lithology and Au (g/t) Section Looking West - North West</b>		
BHID: 16-cote-006		Claim Number: 4274123
Grid: UTM NAD83 Zone 17	01 Jun 2016	Scale: 1:400
Ali Ghorbani	Vertical Plane Projection BHID: 16-cote-006	Clipping: 20m/side



587896.83  
5314001.03  
27.14

587993.93  
5314224.87  
27.14



588231.56  
5313669.06  
322.28

588513.06  
5313745.33  
322.28

300 Elev

250 Elev

200 Elev

150 Elev

100 Elev

50 Elev



**Lithology**

Casing [CAS]
Durburden [DB]
Andesite [AND]
Dabase [DIA]
Diorite [DIOR]
Gabbro [GAB]
Felspar Porphyry [FPOR]
Mafic Volcanic Altered [MVOLALT]
Fault Zone [FLT]
Shear Zone [SHEAR]
Quartz Vein [QV]
Quartz Porphyry [QPORP]
Pyrite [PY]
Ultramafic Volcanic [UMVOL]
Mafic Volcanic [MVOL]
Mafic Volcanic Plowed [MVOLPL]

**Au (gpt)**

ABSENT
FLOOR,0-3
3.3-0.5
0.5-1
1-2.5
2.5-4
4-5
5 CEILING


	<b>Cote Project</b>	
<b>Cote Lithology and Au (g/t) Section Looking North West</b>		
BHID: 16-cote-007		Claim Number: 04255940
Grid:UTM NAD83 Zone17	01 Jun 2016	Scale 1:350
Ali Ghorbani	Vertical Plane Projection BHID:16-cote-007	Clipping: 20m/side





587989.31  
5313398.18  
333.44

588085.09  
5313117.04  
333.44



**Lithology**

Casing [CAS]
Durburden [CB]
Andesite [AND]
Dabase [DIA]
Diorite [DIOR]
Gabbro [GAB]
Felspar Porphyry [FPOR]
Mafic Volcanic Altered [MVOLALT]
Fault Zone [FLT]
Shear Zone [SHEAR]
Quartz Vein [QV]
Quartz Porphyry [QPOR]
Yenite [SY]
Ultramafic Volcanic [UMVOL]
Mafic Volcanic [MVOL]
Mafic Volcanic Plowed [MVOLPI]

**Au (g/t)**

ABSENT
FLOOR 0-3
0.3-0.5
0.5-1
1-2.5
2.5-4
4-5
5 CEILING

	<b>Cote Project</b>	
<b>Cote Lithology and Au (g/t) Section Looking East - North East</b>		
BHID: 16-cote-008		Claim Number: 4256035
Grid: UTM NAD83 Zone 17	01 Jun 2016	Scale: 1:400
Ali Ghorbani	Vertical Plane Projection BHID: 16-cote-008	Clipping: 20m/side

587989.31  
5313398.18  
8.17

588085.09  
5313117.04  
8.17



**APPENDIX C: ALS ASSAY CERTIFICATE**



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 1  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

**CERTIFICATE TM16046304**

Project: COTE

This report is for 143 Drill Core samples submitted to our lab in Timmins, ON, Canada on 29-MAR-2016.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER
-------------------	-------------	--------------


<b>SAMPLE PREPARATION</b>	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

<b>ANALYTICAL PROCEDURES</b>		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

To: **OBAN MINING CORPORATION**  
**ATTN: MICHAELA KUUSKMAN**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120001		4.11	0.003	0.03	2.61	0.9	<0.2	<10	30	0.14	0.01	1.61	0.01	6.15	37.4	46
S120002		3.06	0.003	0.05	2.67	0.9	<0.2	<10	30	0.16	0.01	1.43	0.01	5.41	40.4	42
S120003		2.13	0.002	0.04	2.56	0.6	<0.2	<10	20	0.15	0.01	1.98	0.02	4.64	36.8	43
S120004		3.14	0.002	0.04	2.96	0.7	<0.2	<10	20	0.16	0.01	1.90	0.01	5.59	42.5	44
S120005		3.20	0.001	0.04	2.90	0.8	<0.2	<10	70	0.17	0.01	1.95	0.02	5.72	42.8	43
S120006		3.28	0.004	0.04	3.07	1.3	<0.2	<10	30	0.14	0.02	2.01	0.01	5.49	45.8	40
S120007		3.13	0.002	0.04	2.99	0.7	<0.2	<10	30	0.18	0.01	1.43	0.01	5.94	40.5	43
S120008		1.97	0.003	0.06	3.06	1.8	<0.2	<10	10	0.18	0.01	1.75	0.01	6.09	44.0	45
S120009		3.25	0.002	0.05	3.05	0.8	<0.2	<10	20	0.15	<0.01	1.79	0.01	6.34	40.8	42
S120010		0.13	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.84	0.1	<1
S120011		3.41	0.002	0.05	2.92	0.8	<0.2	<10	10	0.18	<0.01	1.55	0.01	6.37	41.7	44
S120012		1.97	0.002	0.05	2.75	0.7	<0.2	<10	10	0.18	<0.01	1.96	0.01	5.98	39.3	45
S120013		1.63	0.001	0.02	2.93	0.7	<0.2	<10	20	0.15	<0.01	3.69	0.02	6.45	40.7	44
S120014		3.52	0.001	0.02	2.76	0.5	<0.2	<10	10	0.18	<0.01	1.50	0.01	6.09	37.1	46
S120015		2.93	0.001	0.02	2.58	0.9	<0.2	<10	10	0.15	0.01	1.29	0.01	5.59	35.9	42
S120016		2.96	0.002	0.03	2.66	1.3	<0.2	<10	20	0.20	0.01	1.92	0.02	6.67	40.6	42
S120017		3.15	0.001	0.02	2.77	0.7	<0.2	<10	20	0.20	<0.01	1.86	0.01	6.92	38.9	42
S120018		1.46	0.013	0.08	1.90	1.7	<0.2	<10	10	0.15	0.05	7.95	0.04	3.88	37.4	35
S120019		2.87	0.001	0.01	2.51	0.6	<0.2	<10	10	0.18	0.01	1.84	0.01	6.53	35.7	41
S120020		0.07	2.42	4.62	1.53	18.5	2.4	<10	40	0.62	0.08	3.67	0.35	21.3	10.9	23
S120021		3.09	0.002	0.01	2.72	0.7	<0.2	<10	10	0.17	0.01	1.79	0.01	6.36	35.6	40
S120022		3.13	0.002	0.03	2.65	1.1	<0.2	<10	50	0.15	0.02	2.37	0.01	5.70	38.8	27
S120023		2.12	0.009	0.06	2.37	1.5	<0.2	<10	30	0.11	0.08	2.11	0.01	5.99	45.8	22
S120024		3.05	0.005	0.04	2.80	1.5	<0.2	<10	10	0.15	0.05	1.53	0.01	4.65	46.1	26
S120025		3.00	0.003	0.03	2.91	0.9	<0.2	<10	10	0.14	0.02	1.58	0.01	4.72	42.6	24
S120026		3.13	0.003	0.02	3.13	1.1	<0.2	<10	20	0.23	0.03	2.70	0.01	5.80	46.7	30
S120027		2.75	0.005	0.03	3.43	1.8	<0.2	<10	50	0.24	0.04	4.40	0.02	6.82	52.1	39
S120028		2.13	0.013	0.05	2.99	1.6	<0.2	<10	80	0.23	0.04	5.18	0.02	6.80	52.2	36
S120029		2.09	0.022	0.12	2.90	1.6	<0.2	<10	190	0.24	0.05	6.85	0.02	5.29	50.8	42
S120030		<0.02	0.025	0.11	2.86	1.5	<0.2	<10	200	0.21	0.05	6.61	0.02	5.29	50.1	42
S120031		2.13	0.140	0.06	3.79	1.1	<0.2	<10	10	0.16	0.07	4.51	0.01	6.00	55.2	45
S120032		1.43	0.001	0.01	2.55	0.3	<0.2	<10	<10	0.12	<0.01	4.83	0.01	4.28	30.1	31
S120033		3.30	0.002	0.01	1.62	0.2	<0.2	<10	20	0.13	0.01	2.85	0.02	24.9	14.3	19
S120034		1.84	0.002	0.02	3.38	1.1	<0.2	<10	10	0.35	0.05	5.02	0.04	25.4	44.7	45
S120035		1.08	0.003	0.04	1.92	1.2	<0.2	<10	20	0.31	0.09	6.67	0.05	172.0	19.8	38
S120036		2.52	0.482	0.23	1.77	0.8	0.4	<10	60	0.62	0.15	7.10	0.09	27.1	31.9	34
S120037		2.95	0.002	0.08	1.40	1.4	<0.2	<10	430	1.00	0.12	5.59	0.11	110.0	18.6	35
S120038		2.86	0.001	0.07	1.45	0.7	<0.2	<10	270	1.13	0.08	5.56	0.10	113.0	16.8	35
S120039		1.04	0.001	0.07	1.47	0.5	<0.2	<10	70	0.94	0.08	5.41	0.07	90.0	15.5	34
S120040		0.14	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.95	0.1	<1



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120001		0.87	165.0	7.35	10.25	0.15	0.24	<0.01	0.019	0.11	2.2	7.8	1.79	1110	0.30	0.07
S120002		0.82	171.0	7.52	10.30	0.16	0.21	<0.01	0.017	0.10	2.0	8.5	1.87	1120	0.65	0.05
S120003		0.70	126.0	7.44	9.84	0.15	0.23	<0.01	0.014	0.09	1.7	8.0	1.83	1060	0.34	0.05
S120004		0.83	164.5	7.92	11.20	0.18	0.26	<0.01	0.015	0.11	2.0	9.8	2.07	1220	0.36	0.06
S120005		0.94	181.0	7.98	11.10	0.17	0.24	<0.01	0.017	0.13	2.1	9.7	2.05	1290	0.35	0.05
S120006		0.63	162.5	8.16	11.75	0.17	0.20	<0.01	0.012	0.08	2.0	10.2	2.11	1140	0.34	0.05
S120007		0.76	159.5	7.87	11.25	0.20	0.29	<0.01	0.019	0.10	2.1	9.6	2.01	1180	0.24	0.06
S120008		0.37	155.0	7.95	12.15	0.19	0.26	<0.01	0.018	0.04	2.1	10.3	2.12	1000	0.33	0.04
S120009		0.46	141.5	8.02	12.00	0.19	0.21	<0.01	0.017	0.06	2.2	10.0	2.09	1110	0.25	0.05
S120010		<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	0.06	<0.01
S120011		0.37	235	7.66	11.65	0.19	0.23	<0.01	0.018	0.04	2.2	9.8	1.95	1010	0.26	0.05
S120012		0.26	154.0	8.02	11.65	0.19	0.24	<0.01	0.017	0.03	2.1	10.3	1.92	966	0.40	0.04
S120013		0.28	140.5	8.11	12.70	0.16	0.23	<0.01	0.022	0.04	2.3	10.6	2.16	1140	0.28	0.04
S120014		0.30	132.5	7.45	11.10	0.15	0.26	<0.01	0.017	0.03	2.2	9.2	1.88	936	0.25	0.05
S120015		0.46	161.0	6.93	10.15	0.14	0.24	<0.01	0.013	0.06	2.0	8.2	1.79	933	0.35	0.05
S120016		0.48	202	7.38	10.95	0.15	0.27	<0.01	0.018	0.06	2.4	9.0	1.85	1020	0.32	0.05
S120017		0.22	149.5	8.19	12.20	0.18	0.29	<0.01	0.020	0.03	2.5	9.2	1.90	1020	0.31	0.06
S120018		0.11	126.5	8.40	11.00	0.12	0.20	0.01	0.017	0.01	1.4	6.4	1.48	953	2.21	0.05
S120019		0.24	127.5	7.42	11.45	0.15	0.25	<0.01	0.016	0.03	2.3	8.1	1.78	906	0.25	0.05
S120020		3.21	70.0	2.94	6.13	0.08	0.39	0.09	0.037	0.23	10.1	15.3	0.84	667	6.11	0.07
S120021		0.30	125.0	7.61	11.35	0.16	0.27	<0.01	0.015	0.03	2.3	8.3	1.87	944	0.28	0.05
S120022		0.51	99.9	7.48	10.75	0.15	0.34	<0.01	0.018	0.06	2.0	8.1	1.79	1090	0.29	0.05
S120023		0.14	338	6.78	9.34	0.12	0.25	<0.01	0.018	0.02	2.1	7.2	1.52	866	0.28	0.04
S120024		0.13	175.0	7.80	9.93	0.14	0.25	<0.01	0.017	0.01	1.6	8.1	1.77	920	0.35	0.05
S120025		0.18	160.5	8.60	11.45	0.15	0.25	<0.01	0.019	0.02	1.7	9.1	1.97	1050	0.34	0.04
S120026		0.16	160.0	9.37	13.90	0.18	0.29	0.01	0.027	0.02	2.1	10.5	2.23	1140	0.29	0.05
S120027		0.25	159.5	11.60	18.45	0.21	0.25	<0.01	0.081	0.03	2.4	10.9	2.71	1410	0.37	0.06
S120028		0.30	163.5	11.55	17.65	0.19	0.18	<0.01	0.082	0.04	2.3	8.6	2.64	1280	0.34	0.05
S120029		0.44	126.0	10.75	16.65	0.18	0.10	0.01	0.085	0.06	1.8	9.0	2.60	1280	0.95	0.05
S120030		0.48	122.5	10.60	16.35	0.17	0.11	<0.01	0.081	0.07	1.7	8.6	2.55	1290	1.03	0.05
S120031		0.14	145.5	11.15	18.75	0.25	0.29	<0.01	0.077	0.01	2.0	11.5	3.06	1250	0.44	0.03
S120032		0.13	7.5	5.54	8.03	0.19	0.27	<0.01	0.017	0.01	1.6	8.1	1.43	784	0.50	0.01
S120033		0.11	11.7	3.19	7.76	0.05	0.26	<0.01	0.012	0.14	10.8	5.3	1.08	464	0.15	0.08
S120034		0.09	141.5	10.25	16.30	0.25	0.40	<0.01	0.072	0.01	11.0	10.6	2.67	1240	0.62	0.04
S120035		0.07	31.8	4.03	11.45	0.29	0.09	<0.01	0.033	0.02	79.7	5.7	1.94	639	0.67	0.08
S120036		3.59	37.7	6.32	8.08	0.08	0.38	<0.01	0.036	1.20	11.5	5.5	1.91	819	41.4	0.10
S120037		3.40	44.6	3.88	9.58	0.15	0.12	<0.01	0.026	1.14	49.2	6.5	1.71	579	0.44	0.09
S120038		2.88	31.2	3.32	9.81	0.18	0.17	<0.01	0.026	1.07	51.5	7.9	1.68	523	0.23	0.10
S120039		3.00	32.4	3.44	9.16	0.15	0.17	<0.01	0.027	1.04	40.1	7.0	1.59	529	0.21	0.11
S120040		<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
S120001		0.14	29.3	470	<0.2	3.8	0.002	0.07	0.06	4.7	0.8	0.3	34.6	<0.01	0.01	0.2
S120002		0.09	31.8	490	1.3	3.4	0.003	0.09	0.07	4.6	0.8	0.3	28.8	<0.01	0.02	<0.2
S120003		0.08	30.1	480	0.4	2.8	0.001	0.05	0.06	4.5	0.7	0.3	24.4	<0.01	0.02	<0.2
S120004		0.09	34.4	460	0.3	3.4	0.002	0.05	0.07	5.0	0.7	0.3	30.9	<0.01	0.02	<0.2
S120005		0.09	34.5	470	0.3	4.1	0.002	0.07	0.06	4.8	0.8	0.3	30.4	<0.01	0.01	<0.2
S120006		0.08	37.3	460	0.6	2.6	0.002	0.13	0.05	4.9	1.2	0.3	22.8	<0.01	0.05	<0.2
S120007		0.10	32.2	500	0.3	3.2	0.002	0.07	0.06	5.0	0.7	0.3	33.1	<0.01	0.02	<0.2
S120008		0.09	33.8	540	0.4	1.4	0.003	0.19	0.07	4.8	0.9	0.3	31.4	<0.01	0.03	<0.2
S120009		0.09	33.5	530	0.3	2.0	0.002	0.05	0.06	4.8	0.8	0.2	30.6	<0.01	0.02	<0.2
S120010		<0.05	0.3	10	0.6	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	<0.2
S120011		0.13	33.2	530	0.3	1.4	0.001	0.06	0.07	5.1	0.9	0.2	37.5	<0.01	0.02	<0.2
S120012		0.10	31.2	490	0.3	1.0	0.003	0.05	0.08	5.0	0.8	0.2	35.0	<0.01	0.02	<0.2
S120013		0.07	33.4	470	0.2	1.1	0.002	0.04	0.05	7.0	0.8	0.3	34.0	<0.01	0.02	<0.2
S120014		0.10	30.9	500	0.3	1.1	0.002	0.03	0.06	4.7	0.7	0.2	30.5	<0.01	0.02	<0.2
S120015		0.09	29.0	470	0.3	1.8	0.002	0.09	0.05	4.0	0.8	0.2	25.5	<0.01	0.02	<0.2
S120016		0.10	30.5	480	0.3	2.0	0.002	0.11	0.08	4.6	0.9	0.3	29.8	<0.01	0.02	<0.2
S120017		0.13	32.1	500	0.3	1.0	0.003	0.04	0.06	4.6	0.7	0.3	30.0	<0.01	0.02	<0.2
S120018		0.08	26.5	410	0.6	0.5	0.004	1.28	0.07	4.1	1.0	0.3	31.5	<0.01	0.12	<0.2
S120019		0.10	28.4	500	0.3	1.0	0.002	0.08	0.06	3.7	0.7	0.3	27.2	<0.01	0.02	<0.2
S120020		0.06	10.8	610	17.2	11.3	0.002	0.85	0.46	8.4	1.1	0.5	113.0	<0.01	2.25	1.4
S120021		0.11	28.6	510	0.3	1.2	0.002	0.08	0.06	5.0	0.8	0.3	29.8	<0.01	0.01	0.2
S120022		0.11	31.0	480	0.2	1.8	0.003	0.14	0.08	5.3	1.0	0.4	32.0	<0.01	0.03	<0.2
S120023		0.09	28.6	470	0.3	0.6	0.002	0.62	0.06	4.7	1.4	0.4	30.1	<0.01	0.09	0.2
S120024		0.13	33.0	500	0.5	0.5	0.003	0.37	0.09	5.4	1.3	0.3	43.6	<0.01	0.05	<0.2
S120025		0.10	32.7	490	0.3	0.6	0.003	0.20	0.08	5.6	0.9	0.3	35.3	<0.01	0.03	<0.2
S120026		0.09	39.2	510	0.4	0.6	0.002	0.24	0.06	9.1	1.1	0.4	40.4	<0.01	0.03	0.2
S120027		0.08	40.7	460	0.4	1.0	0.003	0.26	<0.05	29.8	1.0	0.5	40.9	<0.01	0.03	<0.2
S120028		0.05	40.0	460	0.7	1.3	0.002	0.49	<0.05	30.5	1.3	0.4	50.3	<0.01	0.07	<0.2
S120029		<0.05	34.2	450	1.1	1.7	0.002	0.93	0.05	30.5	1.6	0.3	62.1	<0.01	0.17	<0.2
S120030		0.06	34.1	450	1.1	1.9	0.003	0.91	<0.05	30.2	1.2	0.3	59.9	<0.01	0.16	<0.2
S120031		0.05	41.2	460	0.6	0.5	0.003	0.40	<0.05	32.0	1.3	0.3	32.2	<0.01	0.06	<0.2
S120032		0.10	25.5	430	0.4	0.3	0.001	0.01	0.06	11.3	0.5	0.3	87.9	<0.01	0.01	<0.2
S120033		0.11	24.3	830	0.3	4.2	<0.001	0.04	<0.05	3.4	0.2	0.2	42.9	<0.01	0.01	0.3
S120034		0.09	33.6	780	0.6	0.6	0.003	0.35	<0.05	32.7	1.3	0.5	85.2	<0.01	0.02	0.5
S120035		0.34	33.6	3140	2.9	0.4	<0.001	0.57	0.05	10.1	0.7	0.7	287	0.01	0.02	5.5
S120036		<0.05	35.3	1190	3.8	84.3	0.004	1.17	0.05	21.1	1.0	0.3	683	<0.01	0.23	1.0
S120037		0.07	28.7	3340	7.6	76.0	<0.001	0.47	0.07	9.3	0.8	0.9	627	<0.01	0.03	5.0
S120038		0.08	29.8	3490	8.5	70.0	<0.001	0.28	0.06	8.0	0.6	0.9	553	<0.01	0.01	5.3
S120039		0.11	28.3	3280	11.2	68.4	<0.001	0.31	0.06	8.3	0.7	0.9	573	<0.01	0.01	5.0
S120040		<0.05	<0.2	10	0.3	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.9	<0.01	<0.01	0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr
Units		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120001		0.503	<0.02	<0.05	164	0.15	11.85	84	5.8
S120002		0.445	<0.02	<0.05	157	0.15	9.86	97	4.6
S120003		0.416	<0.02	<0.05	157	0.13	8.93	93	4.7
S120004		0.480	<0.02	<0.05	163	0.17	10.70	105	5.3
S120005		0.442	<0.02	<0.05	162	0.15	10.30	105	5.0
S120006		0.408	<0.02	<0.05	160	0.16	9.81	109	4.2
S120007		0.509	<0.02	<0.05	169	0.15	10.85	102	5.7
S120008		0.494	<0.02	<0.05	180	0.19	10.75	102	5.4
S120009		0.501	<0.02	<0.05	187	0.17	11.20	108	4.1
S120010		<0.005	<0.02	0.05	<1	<0.05	0.53	2	0.8
S120011		0.553	<0.02	<0.05	173	0.19	11.60	105	4.9
S120012		0.584	<0.02	<0.05	195	0.23	11.65	98	4.9
S120013		0.505	<0.02	<0.05	191	0.21	11.95	98	5.4
S120014		0.536	<0.02	<0.05	180	0.12	11.55	86	5.4
S120015		0.459	<0.02	<0.05	161	0.10	10.45	77	5.5
S120016		0.496	<0.02	<0.05	169	0.30	12.00	79	6.1
S120017		0.620	<0.02	<0.05	197	0.14	12.65	83	5.9
S120018		0.438	<0.02	<0.05	192	0.44	12.25	65	3.6
S120019		0.516	<0.02	<0.05	187	0.13	12.25	76	5.2
S120020		0.055	0.14	0.33	66	0.48	7.74	83	12.6
S120021		0.522	<0.02	<0.05	187	0.14	12.25	80	5.7
S120022		0.453	<0.02	<0.05	159	0.18	11.85	77	7.3
S120023		0.396	<0.02	<0.05	148	0.15	11.45	52	5.3
S120024		0.473	<0.02	<0.05	162	0.23	9.83	65	5.2
S120025		0.468	<0.02	<0.05	187	0.31	10.25	80	5.3
S120026		0.484	<0.02	<0.05	212	0.58	12.95	82	6.3
S120027		0.445	<0.02	<0.05	298	0.71	15.90	103	5.2
S120028		0.371	<0.02	<0.05	305	1.24	13.45	109	3.6
S120029		0.331	<0.02	<0.05	299	1.12	10.75	96	2.4
S120030		0.348	<0.02	<0.05	298	1.20	11.00	94	2.5
S120031		0.407	<0.02	<0.05	300	0.41	14.95	77	8.9
S120032		0.325	<0.02	<0.05	133	0.29	8.55	33	6.5
S120033		0.109	<0.02	0.06	33	0.30	4.07	57	11.4
S120034		0.425	<0.02	0.09	279	0.43	15.80	102	13.9
S120035		0.235	<0.02	0.97	86	0.37	9.74	72	8.4
S120036		0.249	0.54	0.13	128	1.07	7.98	59	16.2
S120037		0.206	0.47	1.06	89	0.19	9.57	72	11.6
S120038		0.200	0.43	1.08	71	0.10	9.59	69	13.8
S120039		0.214	0.45	1.13	78	0.09	9.92	60	15.2
S120040		<0.005	<0.02	0.05	<1	<0.05	0.50	2	0.8



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120041		2.44	0.010	0.10	1.86	1.6	<0.2	<10	50	0.52	0.09	5.35	0.08	20.2	63.3	37
S120042		1.48	0.749	2.83	1.41	40.5	0.7	<10	30	0.20	1.76	4.98	<0.01	1.81	109.5	16
S120043		1.00	0.011	0.11	2.57	1.3	<0.2	<10	70	0.44	0.05	7.61	0.10	3.15	37.4	12
S120044		2.79	0.002	0.02	3.73	0.6	<0.2	<10	10	0.20	0.04	5.70	0.04	8.75	39.0	15
S120045		1.93	0.001	0.01	3.54	0.5	<0.2	<10	<10	0.12	0.02	5.53	0.03	9.97	34.5	13
S120046		3.03	0.001	0.01	3.84	0.5	<0.2	<10	10	0.17	0.04	5.75	0.02	9.92	38.7	14
S120047		2.95	0.002	0.01	3.76	1.2	<0.2	<10	10	0.13	0.07	5.36	0.03	8.15	43.5	13
S120048		3.22	0.004	0.03	3.93	1.9	<0.2	<10	10	0.15	0.11	5.42	0.03	7.79	57.3	13
S120049		2.79	0.011	0.08	4.03	9.8	<0.2	<10	20	0.20	0.34	3.93	0.02	9.57	77.6	21
S120050		0.07	9.24	9.91	1.63	12.1	9.0	<10	30	0.52	0.06	3.87	0.29	19.95	11.1	17
S120051		2.77	0.018	0.26	3.62	24.9	<0.2	<10	30	0.19	0.90	3.88	0.04	9.97	118.0	44
S120052		2.10	0.011	0.41	3.89	24.2	<0.2	<10	20	0.18	1.20	1.94	0.02	11.80	138.5	41
S120053		2.98	0.018	0.59	3.72	19.1	<0.2	<10	30	0.19	2.26	0.64	0.10	13.15	175.5	35
S120054		2.24	0.008	0.08	3.76	7.9	<0.2	<10	20	0.15	0.31	3.20	0.02	7.26	65.8	12
S120055		3.05	0.004	0.02	4.14	2.3	<0.2	<10	20	0.29	0.09	4.83	0.03	9.34	41.1	12
S120056		1.11	0.024	0.17	1.98	3.1	<0.2	<10	30	0.54	0.69	8.33	0.03	39.8	27.9	11
S120057		1.45	0.005	0.06	1.31	2.1	<0.2	<10	110	0.31	0.13	6.40	0.04	92.3	14.9	20
S120058		0.96	0.003	0.06	1.21	2.1	<0.2	<10	80	0.30	0.18	7.66	0.06	75.2	14.7	19
S120059		1.02	0.001	0.05	1.47	1.6	<0.2	<10	70	0.35	0.14	6.26	0.04	98.2	16.2	25
S120060		<0.02	0.001	0.04	1.48	1.7	<0.2	<10	70	0.37	0.14	6.34	0.05	90.0	16.2	25
S120061		1.46	0.020	0.14	1.55	1.7	<0.2	<10	20	0.35	0.48	7.68	0.05	47.8	22.7	21
S120062		2.35	0.002	0.06	1.48	1.5	<0.2	<10	40	0.23	0.16	6.72	0.04	100.0	14.3	26
S120063		0.97	0.004	0.07	1.47	1.9	<0.2	<10	830	0.28	0.15	7.20	0.03	132.5	13.1	29
S120064		1.10	0.006	0.12	1.80	1.4	<0.2	<10	50	0.29	0.24	6.53	0.04	125.5	13.5	27
S120065		1.31	0.102	0.44	1.65	3.7	<0.2	<10	20	0.32	1.83	6.25	0.02	53.0	34.6	18
S120066		1.57	0.012	0.07	3.36	11.5	<0.2	<10	50	0.48	0.43	6.46	0.06	6.97	41.3	11
S120067		2.20	0.004	0.37	0.74	1.6	<0.2	<10	170	0.45	0.16	5.68	0.06	154.0	13.8	12
S120068		1.92	0.004	0.62	0.43	2.2	<0.2	<10	100	0.28	0.28	5.50	0.07	151.5	14.1	8
S120069		1.98	0.006	0.24	0.39	1.4	<0.2	<10	190	0.25	0.24	5.57	0.08	150.5	13.4	9
S120070		0.13	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	1.02	0.1	<1
S120071		2.06	0.004	0.43	0.76	6.6	<0.2	<10	110	0.38	0.24	6.52	0.05	162.0	15.3	10
S120072		1.97	0.003	0.55	0.35	2.2	<0.2	<10	250	0.31	0.14	5.75	0.06	165.5	13.1	7
S120073		1.80	0.004	0.63	0.43	3.4	<0.2	<10	410	0.31	0.11	6.01	0.05	158.5	14.5	8
S120074		1.88	0.007	0.48	0.41	3.5	<0.2	<10	60	0.24	0.11	6.21	0.08	114.0	15.1	9
S120075		1.87	0.002	0.35	0.32	2.2	<0.2	<10	70	0.20	0.03	5.17	0.06	146.0	10.9	7
S120076		2.17	0.007	0.18	0.23	1.3	<0.2	<10	70	0.12	0.03	4.74	0.05	96.5	9.3	9
S120077		1.67	0.002	0.09	0.17	1.3	<0.2	<10	40	0.08	0.03	5.03	0.04	64.7	6.4	8
S120078		2.02	0.003	0.13	0.70	7.8	<0.2	<10	40	0.30	0.09	8.48	0.03	142.0	13.8	10
S120079		1.36	0.006	0.26	0.40	4.6	<0.2	<10	50	0.19	0.06	6.59	0.04	89.0	11.9	11
S120080		0.06	2.51	4.60	1.52	17.6	2.4	<10	40	0.58	0.08	3.63	0.36	21.3	10.4	23



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S120041		3.69	503	7.72	10.65	0.09	0.61	<0.01	0.030	1.20	8.7	5.3	1.51	603	2.31	0.06
S120042		1.44	533	12.95	6.27	0.11	0.19	0.03	0.038	0.57	0.7	3.6	1.25	663	636	0.06
S120043		3.21	77.3	10.95	11.40	0.09	0.08	<0.01	0.038	1.35	1.1	5.3	2.38	1090	16.00	0.09
S120044		0.32	55.8	10.10	19.25	0.20	0.04	<0.01	0.055	0.10	3.1	10.1	2.36	873	0.78	0.04
S120045		0.09	38.5	9.28	18.15	0.19	0.06	<0.01	0.053	0.01	3.7	10.6	2.15	850	0.53	0.03
S120046		0.09	36.5	10.00	19.10	0.21	0.04	<0.01	0.091	0.01	3.8	12.4	2.34	869	1.17	0.04
S120047		0.09	45.9	10.10	18.30	0.21	0.04	<0.01	0.082	0.02	3.0	11.5	2.14	893	0.45	0.03
S120048		0.09	132.5	10.85	18.75	0.17	0.05	<0.01	0.046	0.03	3.0	11.7	2.16	947	0.16	0.02
S120049		0.12	241	11.50	17.60	0.09	0.05	<0.01	0.049	0.12	3.7	12.7	2.05	852	1.07	0.02
S120050		2.53	65.1	2.98	6.56	0.10	0.66	0.17	0.027	0.13	9.3	21.2	1.05	779	5.06	0.07
S120051		0.11	537	11.90	14.55	0.07	0.14	<0.01	0.103	0.16	3.9	10.7	1.70	751	1.44	0.02
S120052		0.09	798	13.90	17.75	0.10	0.18	<0.01	0.141	0.11	4.7	10.8	1.76	677	1.94	0.03
S120053		0.08	717	14.55	17.10	0.09	0.24	0.01	0.085	0.13	5.5	9.7	1.62	509	2.77	0.02
S120054		0.07	197.0	11.20	17.40	0.09	0.09	<0.01	0.105	0.08	2.8	10.1	1.80	741	0.99	0.02
S120055		0.08	78.8	11.50	17.75	0.09	0.06	<0.01	0.122	0.10	3.7	10.5	2.16	952	1.20	0.02
S120056		0.10	62.7	7.62	8.96	0.09	0.47	0.01	0.037	0.10	17.5	7.7	1.48	827	53.1	0.03
S120057		0.07	22.2	3.03	7.05	0.12	0.06	<0.01	0.030	0.09	40.3	4.4	1.18	499	2.33	0.06
S120058		0.08	28.9	3.05	6.84	0.11	0.06	<0.01	0.027	0.10	32.3	4.3	1.09	547	4.16	0.07
S120059		0.09	46.7	3.41	9.13	0.13	0.05	<0.01	0.027	0.12	42.2	4.9	1.36	519	0.48	0.05
S120060		0.09	45.0	3.41	8.86	0.11	0.04	<0.01	0.028	0.11	39.5	4.8	1.36	523	0.44	0.05
S120061		0.15	16.1	5.50	8.54	0.11	0.07	<0.01	0.038	0.07	19.6	5.0	1.42	663	34.4	0.06
S120062		0.07	20.0	3.34	8.76	0.16	0.06	<0.01	0.039	0.07	43.9	4.6	1.29	551	0.40	0.09
S120063		0.08	36.4	3.36	9.38	0.19	0.04	<0.01	0.043	0.08	60.3	6.3	1.21	564	0.57	0.05
S120064		0.14	18.3	4.10	13.60	0.21	0.05	<0.01	0.037	0.08	56.5	6.4	1.52	544	5.01	0.06
S120065		0.10	53.8	8.41	9.64	0.13	0.67	<0.01	0.048	0.05	23.9	5.2	1.36	648	154.0	0.05
S120066		0.53	147.5	11.40	17.10	0.15	0.06	<0.01	0.108	0.24	2.9	6.9	2.20	925	5.99	0.03
S120067		0.08	40.2	2.58	4.59	0.16	0.06	<0.01	0.021	0.22	71.3	3.9	1.18	588	1.52	0.06
S120068		0.05	34.0	2.79	2.82	0.16	0.08	<0.01	0.022	0.09	70.4	2.3	1.22	557	0.59	0.06
S120069		0.06	38.8	2.88	2.67	0.15	0.07	<0.01	0.026	0.09	71.2	1.9	1.25	522	0.15	0.07
S120070		<0.05	0.6	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
S120071		0.08	58.9	2.53	4.07	0.17	0.04	<0.01	0.025	0.15	75.0	4.2	0.78	536	0.43	0.07
S120072		0.06	40.1	2.60	2.84	0.16	0.10	<0.01	0.021	0.17	78.4	1.8	1.30	655	0.21	0.05
S120073		0.05	50.7	2.79	3.08	0.17	0.06	<0.01	0.024	0.13	73.5	2.4	1.27	708	0.14	0.06
S120074		<0.05	27.1	2.92	2.74	0.20	0.09	0.01	0.029	0.10	51.1	2.2	1.32	754	0.66	0.07
S120075		<0.05	45.6	2.70	2.55	0.24	0.15	0.01	0.021	0.09	66.7	1.4	1.46	683	0.19	0.05
S120076		<0.05	13.3	2.38	1.74	0.17	0.45	0.01	0.021	0.05	44.0	1.0	1.23	624	0.20	0.06
S120077		<0.05	35.2	1.92	1.29	0.14	0.55	<0.01	0.022	0.03	29.7	0.7	0.79	568	0.26	0.08
S120078		0.06	82.2	2.50	3.71	0.24	0.10	0.01	0.030	0.08	63.8	5.2	0.52	673	0.22	0.05
S120079		<0.05	30.6	2.53	2.33	0.18	0.27	<0.01	0.028	0.06	40.0	2.7	0.97	699	0.18	0.05
S120080		3.03	70.5	2.95	5.96	0.13	0.36	0.08	0.034	0.23	10.0	15.8	0.85	675	5.86	0.06



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
S120041		0.07	28.0	1280	2.4	83.3	0.001	1.90	0.06	24.2	2.0	0.5	456	<0.01	0.10	1.1
S120042		<0.05	43.4	470	20.9	37.0	0.049	>10.0	0.32	19.7	6.3	0.3	477	<0.01	5.75	<0.2
S120043		<0.05	21.6	570	1.9	92.7	0.003	1.08	0.05	33.1	0.6	0.7	774	<0.01	0.15	<0.2
S120044		<0.05	22.3	550	0.4	6.6	0.002	0.39	<0.05	41.2	0.4	0.6	241	<0.01	0.02	<0.2
S120045		<0.05	17.5	490	<0.2	0.3	0.003	0.15	<0.05	35.3	0.4	0.4	145.5	<0.01	<0.01	<0.2
S120046		<0.05	21.2	540	<0.2	0.4	0.002	0.19	<0.05	39.6	0.5	0.5	144.5	<0.01	0.01	<0.2
S120047		<0.05	21.9	520	0.2	0.6	0.002	0.35	<0.05	36.9	0.5	0.5	159.0	<0.01	0.01	<0.2
S120048		<0.05	25.2	500	0.3	1.0	0.001	0.66	<0.05	34.5	0.8	0.2	161.0	<0.01	0.05	<0.2
S120049		<0.05	31.2	510	0.5	4.5	0.005	1.12	<0.05	25.7	1.3	0.2	127.0	<0.01	0.10	0.2
S120050		0.12	10.2	620	14.6	5.9	0.001	0.43	0.42	9.1	0.8	0.5	107.0	<0.01	4.11	1.6
S120051		<0.05	52.7	430	1.3	5.7	0.005	2.70	0.05	17.4	3.0	0.6	118.5	<0.01	0.34	0.2
S120052		<0.05	58.9	430	1.5	4.1	0.008	3.63	<0.05	21.1	3.9	1.3	58.5	<0.01	0.55	0.4
S120053		<0.05	58.6	380	3.5	4.7	0.011	4.73	0.06	15.1	5.0	3.1	25.8	<0.01	0.77	0.5
S120054		<0.05	22.5	470	0.7	3.0	0.003	1.17	<0.05	23.4	1.8	1.1	114.0	<0.01	0.15	0.2
S120055		<0.05	16.5	570	0.7	3.8	0.001	0.49	<0.05	31.2	0.7	0.2	220	<0.01	0.02	0.2
S120056		<0.05	17.8	1370	6.0	3.3	0.008	3.47	0.07	6.7	0.8	<0.2	355	<0.01	0.25	1.8
S120057		<0.05	22.3	3180	4.7	3.3	<0.001	0.75	0.06	6.2	0.7	0.2	440	<0.01	0.04	5.2
S120058		<0.05	21.6	3010	5.7	3.2	0.001	0.84	0.05	6.4	0.7	0.2	568	<0.01	0.04	4.8
S120059		<0.05	24.7	3400	6.4	4.2	<0.001	0.75	0.08	6.2	0.7	0.2	569	<0.01	0.04	5.9
S120060		<0.05	24.9	3420	6.2	4.0	<0.001	0.76	0.07	6.3	0.8	0.2	574	<0.01	0.03	5.7
S120061		<0.05	25.0	2760	7.1	2.9	0.002	2.66	0.06	11.7	0.7	<0.2	645	<0.01	0.27	3.4
S120062		<0.05	23.7	3060	4.6	1.3	<0.001	0.50	0.06	7.6	0.7	<0.2	475	<0.01	0.05	5.4
S120063		<0.05	22.6	3240	2.9	1.6	0.001	0.24	0.10	8.9	0.8	<0.2	289	<0.01	0.04	6.8
S120064		<0.05	29.9	3230	2.6	2.1	<0.001	0.26	0.05	8.8	0.7	<0.2	477	<0.01	0.11	6.8
S120065		<0.05	22.6	1820	12.5	1.4	0.008	5.11	0.09	14.4	1.1	<0.2	665	<0.01	0.57	3.0
S120066		<0.05	18.6	530	3.5	16.3	0.003	0.92	<0.05	29.6	0.8	0.3	791	<0.01	0.08	0.2
S120067		<0.05	18.4	3380	4.3	8.2	<0.001	0.32	0.08	4.3	0.6	0.2	482	<0.01	0.02	7.3
S120068		<0.05	20.3	3250	4.6	3.3	<0.001	0.52	0.09	4.6	0.7	<0.2	457	<0.01	0.06	6.7
S120069		<0.05	20.7	3060	6.4	3.3	<0.001	0.44	0.06	5.0	0.6	<0.2	548	<0.01	0.03	7.3
S120070		<0.05	<0.2	10	0.2	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.9	<0.01	<0.01	0.2
S120071		<0.05	21.9	3290	5.0	5.1	<0.001	0.42	0.12	4.5	0.7	<0.2	423	<0.01	0.05	7.7
S120072		<0.05	17.8	3300	5.1	6.2	<0.001	0.36	0.10	4.0	0.6	<0.2	555	<0.01	0.05	7.8
S120073		<0.05	21.2	3390	4.3	4.5	<0.001	0.31	0.11	4.8	0.6	<0.2	523	<0.01	0.03	6.9
S120074		<0.05	23.6	3110	5.3	3.0	0.001	0.45	0.11	6.1	0.6	<0.2	624	<0.01	0.05	5.3
S120075		<0.05	19.2	3150	3.7	3.1	<0.001	0.19	0.10	4.6	0.7	<0.2	500	<0.01	0.02	6.7
S120076		<0.05	15.4	2440	3.0	1.3	<0.001	0.24	0.06	5.1	0.7	<0.2	558	<0.01	0.03	4.3
S120077		<0.05	11.4	1770	2.3	0.8	<0.001	0.23	0.05	4.4	0.5	<0.2	445	<0.01	0.03	2.7
S120078		<0.05	21.7	3340	2.7	2.5	0.001	0.34	0.12	5.5	0.8	<0.2	337	<0.01	0.06	6.0
S120079		<0.05	19.4	2890	2.8	1.8	<0.001	0.49	0.10	5.6	0.7	<0.2	540	<0.01	0.04	4.0
S120080		0.06	10.3	600	17.0	10.7	0.002	0.85	0.48	7.9	0.8	0.4	114.0	<0.01	2.37	1.4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120041		0.311	0.53	0.31	227	0.62	5.72	54	22.1
S120042		0.143	0.37	0.07	114	3.35	3.47	37	6.0
S120043		0.329	0.58	<0.05	315	1.53	5.80	70	1.9
S120044		0.153	0.04	<0.05	380	0.19	3.92	66	1.2
S120045		0.103	<0.02	<0.05	331	0.08	4.13	58	1.1
S120046		0.121	<0.02	<0.05	360	0.09	5.94	61	1.3
S120047		0.103	<0.02	<0.05	338	0.08	5.19	58	1.2
S120048		0.100	<0.02	<0.05	325	0.08	5.46	67	1.0
S120049		0.099	0.02	<0.05	262	0.12	4.91	79	1.8
S120050		0.134	0.08	0.43	76	0.49	7.95	64	20.9
S120051		0.063	0.02	<0.05	173	0.66	4.73	73	3.9
S120052		0.068	0.02	<0.05	214	0.12	4.92	86	5.9
S120053		0.048	0.02	0.07	156	0.07	4.07	139	8.0
S120054		0.083	<0.02	<0.05	237	0.07	4.15	87	2.3
S120055		0.116	0.02	<0.05	270	0.09	5.79	84	1.7
S120056		0.012	0.02	0.40	59	0.11	8.94	53	20.1
S120057		0.009	0.02	1.06	42	0.12	11.25	40	5.2
S120058		0.008	0.02	1.04	42	0.13	11.05	40	4.2
S120059		0.008	0.02	1.23	52	0.12	11.65	49	4.1
S120060		0.007	0.02	1.20	52	0.12	11.35	49	3.1
S120061		0.017	0.02	0.85	108	0.16	12.40	50	6.6
S120062		0.007	<0.02	1.05	72	0.16	12.45	45	5.1
S120063		0.007	0.02	1.09	71	0.10	15.35	47	3.1
S120064		0.011	0.02	1.02	130	0.13	12.15	68	3.8
S120065		0.023	0.02	0.58	142	0.19	11.25	68	30.1
S120066		0.109	0.11	0.05	286	0.21	6.82	126	2.4
S120067		0.005	0.04	1.13	29	0.13	10.95	41	5.6
S120068		<0.005	0.02	1.10	23	0.20	10.65	43	8.7
S120069		<0.005	0.02	1.20	20	0.16	11.05	46	7.9
S120070		<0.005	<0.02	0.06	<1	<0.05	0.54	2	0.8
S120071		<0.005	0.02	1.24	28	0.19	11.40	34	4.2
S120072		<0.005	0.03	1.19	22	0.18	11.70	38	9.9
S120073		<0.005	0.02	1.09	18	0.18	12.35	40	6.8
S120074		<0.005	<0.02	0.93	17	0.17	10.95	41	9.3
S120075		<0.005	0.02	0.90	17	0.17	10.60	39	13.0
S120076		<0.005	<0.02	0.60	10	0.13	7.84	32	25.9
S120077		<0.005	<0.02	0.38	6	0.15	7.21	21	24.6
S120078		<0.005	<0.02	0.95	19	0.17	11.50	23	9.6
S120079		<0.005	<0.02	0.77	13	0.16	10.30	27	18.7
S120080		0.053	0.13	0.33	65	0.57	7.47	81	12.3



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
S120081		1.11	0.003	0.15	1.20	9.6	<0.2	<10	70	0.42	0.04	7.33	0.02	143.5	14.1	9
S120082		1.70	0.004	0.09	0.96	6.0	<0.2	<10	50	0.39	0.05	6.82	0.02	130.0	12.6	12
S120083		0.98	0.002	0.05	0.37	2.9	<0.2	<10	130	0.12	0.03	5.53	0.03	33.9	5.9	9
S120084		1.68	0.007	0.11	0.93	8.3	<0.2	<10	90	0.32	0.08	8.75	0.02	134.0	13.9	12
S120085		2.00	0.002	0.08	1.01	5.3	<0.2	<10	50	0.37	0.06	7.94	0.03	135.0	13.8	15
S120086		1.97	0.001	0.21	0.63	3.9	<0.2	<10	60	0.33	0.02	6.18	0.03	168.5	10.8	12
S120087		2.32	0.002	0.08	0.49	3.9	<0.2	<10	70	0.26	0.04	5.97	0.04	169.5	12.8	15
S120088		1.93	0.003	0.06	0.72	4.4	<0.2	<10	60	0.30	0.02	6.83	0.02	127.0	9.4	14
S120089		1.92	0.001	0.08	0.78	4.6	<0.2	<10	60	0.33	0.06	6.30	0.02	141.5	14.2	17
S120090		<0.02	0.001	0.08	0.78	4.3	<0.2	<10	60	0.33	0.05	6.34	0.03	141.0	12.5	17
S120091		1.82	0.002	0.08	1.10	3.4	<0.2	<10	150	0.39	0.11	7.85	0.03	113.5	17.0	20
S120092		1.86	0.002	0.07	1.17	2.1	<0.2	<10	150	0.45	0.05	7.70	0.05	77.3	16.8	21
S120093		1.71	0.001	0.05	1.18	3.1	<0.2	<10	60	0.41	0.06	6.87	0.03	112.5	13.3	20
S120094		2.21	0.002	0.06	1.33	2.1	<0.2	<10	200	0.48	0.07	6.42	0.03	114.5	16.6	17
S120095		1.93	0.001	0.06	1.05	7.2	<0.2	<10	110	0.38	0.06	7.69	0.03	142.5	12.5	18
S120096		1.22	0.001	0.03	0.50	3.2	<0.2	<10	20	0.22	0.02	8.03	0.02	72.1	7.7	10
S120097		1.29	0.001	0.04	0.62	1.6	<0.2	<10	30	0.20	0.02	6.35	0.04	59.2	7.9	12
S120098		1.12	0.002	0.04	1.26	1.2	<0.2	<10	80	0.33	0.02	6.09	0.05	91.3	9.0	13
S120099		0.86	0.001	0.02	0.45	1.9	<0.2	<10	80	0.12	0.01	5.14	0.04	51.0	6.1	14
S120100		1.73	0.003	0.02	1.03	3.9	<0.2	<10	70	0.34	0.02	6.65	0.02	114.0	10.3	18
S120101		0.83	0.002	0.03	0.66	2.0	<0.2	<10	70	0.27	0.03	6.62	0.01	102.0	8.9	13
S120102		1.52	0.003	0.04	0.73	3.5	<0.2	<10	90	0.28	0.02	6.23	0.01	142.0	10.7	12
S120103		1.37	0.001	0.04	0.76	4.7	<0.2	<10	60	0.30	0.04	7.38	0.01	143.0	12.6	17
S120104		1.37	0.003	0.02	0.34	1.2	<0.2	<10	140	0.17	0.02	8.04	0.03	45.0	4.6	10
S120105		1.13	0.307	0.22	1.93	5.3	0.3	<10	30	0.62	0.81	10.05	0.01	17.70	60.9	17
S120106		1.98	0.129	0.15	3.50	22.5	0.2	<10	100	0.67	0.49	4.78	0.02	11.70	92.6	30
S120107		1.75	0.006	0.03	4.10	2.0	<0.2	<10	20	0.22	0.05	5.83	0.03	7.36	49.0	32
S120108		2.98	0.004	0.02	4.37	1.5	<0.2	<10	20	0.18	0.04	5.91	0.04	6.33	48.2	32
S120109		2.94	0.004	0.04	1.73	1.9	<0.2	<10	10	0.17	0.04	4.32	0.03	19.95	31.2	13
S120110		0.13	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	0.01	0.83	0.1	<1
S120111		2.04	0.006	0.05	2.12	1.5	<0.2	<10	20	0.20	0.07	6.29	0.05	4.61	42.3	26
S120112		2.96	0.015	0.05	2.19	2.7	<0.2	<10	40	0.21	0.08	7.36	0.06	7.16	43.5	17
S120113		2.04	0.003	0.06	2.38	9.9	<0.2	<10	30	0.25	0.04	8.41	0.06	5.95	44.8	14
S120114		2.16	0.006	0.04	2.00	20.9	<0.2	10	130	0.32	0.06	8.08	0.04	7.37	45.6	10
S120115		1.45	0.015	0.02	0.82	6.6	<0.2	<10	50	0.19	0.02	10.90	0.05	7.78	23.6	6
S120116		1.80	0.004	0.02	2.17	9.6	<0.2	<10	20	0.18	0.04	12.20	0.03	9.81	36.2	12
S120117		1.71	0.003	0.01	4.32	1.4	<0.2	<10	20	0.24	0.02	5.29	0.03	5.34	52.6	21
S120118		1.73	0.003	0.02	4.05	1.5	<0.2	<10	10	0.19	0.02	6.08	0.02	4.59	53.5	23
S120119		0.68	0.023	0.05	3.20	0.6	<0.2	<10	20	0.24	0.07	5.90	0.05	9.96	44.1	22
S120120		0.06	2.56	4.75	1.58	19.4	2.4	<10	40	0.64	0.08	3.70	0.35	21.8	11.7	24



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S120081		0.17	96.7	2.87	5.17	0.24	0.08	<0.01	0.026	0.15	63.3	8.6	0.64	535	0.18	0.04
S120082		0.55	102.5	2.49	5.09	0.24	0.05	<0.01	0.028	0.12	58.3	6.8	0.56	511	0.16	0.04
S120083		<0.05	54.2	1.37	1.69	0.11	0.45	<0.01	0.017	0.02	15.0	2.9	0.20	396	0.16	0.04
S120084		0.11	86.1	2.67	4.51	0.23	0.04	<0.01	0.031	0.09	59.8	7.0	0.47	616	0.29	0.07
S120085		0.14	55.4	2.61	5.96	0.23	0.04	<0.01	0.031	0.10	60.8	6.7	0.60	564	0.30	0.04
S120086		0.07	68.3	2.47	5.17	0.26	0.06	<0.01	0.027	0.14	77.2	3.5	1.07	696	0.10	0.04
S120087		<0.05	38.9	2.48	4.06	0.27	0.07	<0.01	0.030	0.11	76.7	2.5	1.03	738	0.23	0.07
S120088		0.11	49.8	2.07	4.73	0.22	0.07	<0.01	0.034	0.09	58.2	4.5	0.50	628	0.15	0.06
S120089		<0.05	22.6	2.43	5.54	0.25	0.08	<0.01	0.029	0.09	63.3	5.3	0.62	598	0.28	0.05
S120090		<0.05	21.4	2.49	5.06	0.24	0.09	<0.01	0.028	0.10	63.3	4.8	0.59	611	0.29	0.07
S120091		0.13	39.7	3.03	7.17	0.22	0.09	<0.01	0.033	0.07	48.9	6.6	0.72	557	0.29	0.05
S120092		0.14	44.8	3.25	7.31	0.18	0.08	<0.01	0.031	0.09	33.5	7.0	0.75	506	0.14	0.05
S120093		0.10	35.1	3.15	6.58	0.22	0.09	<0.01	0.035	0.10	48.8	7.8	0.64	525	0.30	0.07
S120094		0.18	67.8	3.53	7.28	0.22	0.09	<0.01	0.036	0.09	51.3	7.9	0.82	465	0.12	0.04
S120095		0.10	80.8	2.86	5.79	0.24	0.13	<0.01	0.039	0.07	65.3	7.5	0.51	552	0.11	0.06
S120096		0.06	22.0	1.61	2.78	0.15	0.30	<0.01	0.031	0.03	32.3	4.0	0.27	701	0.11	0.06
S120097		<0.05	35.2	2.09	3.05	0.16	0.38	<0.01	0.027	0.02	26.9	3.9	0.37	517	0.29	0.06
S120098		<0.05	37.7	3.34	6.32	0.21	0.10	<0.01	0.034	0.04	40.9	7.5	0.77	481	0.17	0.06
S120099		<0.05	17.7	1.47	2.83	0.15	0.46	<0.01	0.023	0.02	23.0	2.5	0.26	401	0.26	0.06
S120100		0.05	22.9	2.73	5.48	0.21	0.08	<0.01	0.030	0.05	52.1	6.3	0.55	486	0.11	0.07
S120101		0.06	31.7	2.11	3.61	0.20	0.14	<0.01	0.032	0.06	47.1	5.1	0.39	527	0.30	0.07
S120102		0.06	26.2	2.16	4.63	0.23	0.08	<0.01	0.031	0.07	66.6	5.4	0.43	545	0.15	0.06
S120103		0.05	21.2	2.27	5.22	0.24	0.07	<0.01	0.031	0.07	64.6	5.3	0.44	561	0.10	0.06
S120104		<0.05	10.8	1.73	2.09	0.13	0.37	<0.01	0.031	0.03	20.5	3.4	0.38	817	0.37	0.05
S120105		0.18	91.1	11.65	11.95	0.15	0.21	<0.01	0.068	0.08	8.6	13.0	1.12	978	19.70	0.02
S120106		0.35	470	11.65	25.5	0.19	0.13	<0.01	0.083	0.15	5.5	10.7	2.34	603	5.00	0.02
S120107		0.12	145.0	11.10	19.65	0.29	0.04	<0.01	0.090	0.01	2.6	12.6	2.51	1160	1.29	0.02
S120108		0.08	154.0	11.55	17.40	0.21	0.03	<0.01	0.076	0.08	2.5	12.5	2.52	1320	0.51	0.01
S120109		0.09	114.0	6.11	7.98	0.12	0.25	<0.01	0.033	0.10	8.6	4.8	1.67	893	1.08	0.05
S120110		<0.05	1.8	0.01	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	0.16	<0.01
S120111		0.12	128.5	8.91	8.88	0.06	0.03	<0.01	0.056	0.09	2.0	6.6	2.02	1240	1.21	0.04
S120112		0.09	144.5	9.27	8.14	0.05	0.02	<0.01	0.057	0.13	3.1	6.6	2.09	1290	1.86	0.02
S120113		0.11	135.5	10.45	6.69	0.06	0.03	<0.01	0.057	0.23	2.8	7.0	2.49	1740	2.16	0.01
S120114		0.33	170.5	9.91	6.39	0.05	0.03	0.01	0.062	0.28	3.5	4.2	2.07	1520	2.30	0.03
S120115		0.07	79.6	6.29	3.04	<0.05	0.02	0.01	0.062	0.14	3.9	2.7	1.55	1980	0.47	0.01
S120116		0.07	109.5	6.75	7.92	0.05	0.04	<0.01	0.067	0.11	5.4	6.5	1.25	1340	0.41	0.01
S120117		0.09	154.5	12.15	15.90	0.12	0.05	<0.01	0.081	0.10	1.9	11.0	2.35	1040	0.50	0.02
S120118		0.06	199.5	11.45	16.65	0.15	0.05	<0.01	0.088	0.05	1.7	10.5	2.02	1180	0.50	0.02
S120119		0.11	136.5	10.15	15.95	0.14	0.05	<0.01	0.076	0.05	4.1	11.2	2.07	1320	4.19	0.03
S120120		3.10	74.8	3.01	6.37	0.07	0.37	0.09	0.037	0.23	10.4	18.4	0.87	683	6.04	0.07



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
S120081	<0.05	20.5	3280	2.3	5.0	0.001	0.24	0.12	4.0	0.7	<0.2	277	<0.01	0.04	6.2	
S120082	<0.05	19.8	3700	2.2	4.6	0.001	0.34	0.11	5.1	0.8	<0.2	232	<0.01	0.02	5.8	
S120083	<0.05	8.4	1330	1.3	0.4	<0.001	0.29	0.06	3.5	0.3	<0.2	217	<0.01	0.03	1.3	
S120084	<0.05	21.5	3680	2.4	2.1	0.001	0.43	0.11	7.2	0.9	<0.2	247	<0.01	0.05	5.9	
S120085	<0.05	21.9	3170	3.1	3.3	0.001	0.34	0.11	5.7	0.8	<0.2	334	<0.01	0.03	6.8	
S120086	<0.05	19.7	3620	3.0	4.9	<0.001	0.14	0.09	5.1	1.0	<0.2	488	<0.01	0.02	6.8	
S120087	<0.05	18.9	3700	2.8	3.4	<0.001	0.24	0.11	5.7	0.7	<0.2	480	<0.01	0.03	6.8	
S120088	<0.05	16.0	3220	2.1	2.2	<0.001	0.19	0.10	5.5	0.6	<0.2	297	<0.01	0.02	5.7	
S120089	<0.05	22.2	3600	2.6	2.5	0.001	0.35	0.13	5.6	0.7	<0.2	302	<0.01	0.04	5.8	
S120090	<0.05	20.1	3650	2.5	2.8	<0.001	0.32	0.11	5.0	0.7	<0.2	299	<0.01	0.04	5.5	
S120091	<0.05	27.3	3640	2.4	2.1	0.002	0.52	0.10	7.1	0.7	<0.2	270	<0.01	0.04	5.1	
S120092	<0.05	26.3	3300	7.0	3.2	<0.001	0.60	0.06	7.1	0.7	0.2	440	<0.01	0.02	4.5	
S120093	<0.05	23.7	3110	2.5	2.9	0.001	0.28	0.05	7.8	0.6	<0.2	285	<0.01	0.03	5.0	
S120094	<0.05	23.1	3230	3.1	3.4	0.001	0.42	0.07	6.7	0.7	0.2	377	<0.01	0.04	5.6	
S120095	<0.05	21.9	3170	2.7	1.8	0.001	0.28	0.08	7.2	0.9	<0.2	329	<0.01	0.03	6.2	
S120096	<0.05	13.5	1980	1.4	0.6	0.001	0.19	0.05	8.4	0.8	<0.2	169.0	<0.01	0.02	3.0	
S120097	<0.05	12.7	1880	1.3	0.4	<0.001	0.21	<0.05	6.4	0.6	<0.2	205	<0.01	0.01	2.6	
S120098	<0.05	19.3	2760	1.8	0.5	<0.001	0.19	0.06	6.9	0.8	<0.2	223	<0.01	0.02	4.3	
S120099	<0.05	10.0	1610	1.0	0.3	<0.001	0.13	0.08	5.9	0.4	<0.2	220	<0.01	0.01	2.1	
S120100	<0.05	21.6	3000	1.6	0.9	0.001	0.21	0.05	6.6	0.7	<0.2	260	<0.01	0.01	5.3	
S120101	<0.05	14.7	2140	1.9	1.2	0.002	0.18	0.06	6.7	0.6	<0.2	464	<0.01	0.01	4.6	
S120102	<0.05	20.2	3150	1.8	1.8	0.002	0.20	0.10	6.1	0.7	<0.2	196.0	<0.01	0.02	6.3	
S120103	<0.05	21.8	3330	2.6	1.6	0.002	0.30	0.09	7.2	0.7	<0.2	249	<0.01	0.03	6.1	
S120104	<0.05	8.8	880	1.0	0.4	0.001	0.12	<0.05	8.6	0.5	<0.2	248	<0.01	0.01	1.4	
S120105	<0.05	49.4	420	7.4	3.5	0.006	7.06	0.11	24.4	1.5	<0.2	180.0	<0.01	0.51	0.4	
S120106	<0.05	42.5	500	2.0	8.2	0.004	1.95	0.05	29.1	1.7	0.2	301	<0.01	0.24	<0.2	
S120107	<0.05	27.4	500	0.7	0.4	0.002	0.29	<0.05	36.1	0.9	0.3	191.5	<0.01	0.03	<0.2	
S120108	<0.05	29.6	470	1.1	2.6	0.002	0.19	<0.05	30.5	0.7	<0.2	304	<0.01	0.04	<0.2	
S120109	<0.05	32.7	1240	0.8	3.6	0.001	0.20	<0.05	11.3	0.5	<0.2	218	<0.01	0.06	0.9	
S120110	<0.05	0.3	10	1.5	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	<0.2	
S120111	<0.05	23.2	380	0.8	4.3	0.002	0.74	0.05	21.9	0.7	<0.2	271	<0.01	0.05	<0.2	
S120112	<0.05	20.3	390	0.8	4.8	0.005	0.79	0.05	21.0	0.6	<0.2	292	<0.01	0.10	<0.2	
S120113	<0.05	20.6	380	0.5	7.7	0.003	0.31	<0.05	18.1	1.0	<0.2	240	<0.01	0.04	<0.2	
S120114	<0.05	19.3	460	0.5	10.8	0.005	0.29	0.07	16.0	0.8	<0.2	193.5	<0.01	0.06	<0.2	
S120115	<0.05	9.5	380	0.6	4.9	0.001	0.18	<0.05	10.2	0.8	<0.2	224	<0.01	0.02	<0.2	
S120116	<0.05	14.5	270	0.7	3.8	0.001	0.26	<0.05	14.4	1.2	<0.2	257	<0.01	0.04	<0.2	
S120117	<0.05	24.0	550	0.7	3.4	0.002	0.17	<0.05	31.1	0.5	<0.2	215	<0.01	0.01	<0.2	
S120118	<0.05	25.7	490	0.9	1.8	0.002	0.19	<0.05	31.7	0.7	<0.2	242	<0.01	0.01	<0.2	
S120119	<0.05	21.3	570	1.2	1.8	0.003	0.86	<0.05	28.0	0.8	0.2	212	<0.01	0.10	<0.2	
S120120	0.06	10.6	620	17.0	11.6	0.002	0.87	0.46	8.0	0.9	0.5	117.5	<0.01	2.41	1.4	



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120081		<0.005	0.02	0.99	25	0.13	11.55	28	5.9
S120082		<0.005	0.02	1.00	34	0.17	12.75	26	5.4
S120083		<0.005	<0.02	0.23	5	0.10	5.75	11	18.3
S120084		<0.005	<0.02	1.04	29	0.25	13.55	22	4.1
S120085		<0.005	<0.02	1.18	42	0.16	12.05	30	4.5
S120086		<0.005	0.02	0.91	37	0.20	11.95	36	6.1
S120087		<0.005	<0.02	0.96	35	0.22	12.15	30	7.7
S120088		<0.005	0.02	0.86	36	0.16	11.20	22	6.6
S120089		<0.005	<0.02	0.79	41	0.19	11.30	27	7.3
S120090		<0.005	<0.02	0.74	39	0.23	10.85	27	8.3
S120091		<0.005	<0.02	0.90	65	0.17	11.15	39	7.2
S120092		0.006	0.02	1.10	53	0.14	9.96	43	5.8
S120093		0.005	<0.02	0.86	45	0.18	10.85	38	6.2
S120094		<0.005	0.02	1.02	49	0.18	11.30	46	6.8
S120095		<0.005	<0.02	0.89	44	0.18	13.30	28	8.5
S120096		<0.005	<0.02	0.50	15	0.11	8.86	12	16.9
S120097		<0.005	<0.02	0.39	17	0.11	8.85	20	20.7
S120098		<0.005	<0.02	0.60	30	0.13	11.45	44	7.3
S120099		<0.005	<0.02	0.34	19	0.07	7.24	14	21.8
S120100		<0.005	<0.02	0.82	44	0.18	10.50	31	6.7
S120101		<0.005	<0.02	0.71	20	0.16	10.70	17	11.8
S120102		<0.005	<0.02	0.94	29	0.14	11.30	20	5.8
S120103		<0.005	<0.02	0.92	42	0.16	11.45	21	8.8
S120104		<0.005	<0.02	0.22	7	0.11	7.99	9	16.6
S120105		0.019	0.02	0.13	163	0.26	11.75	52	10.6
S120106		0.071	0.05	0.06	426	0.11	10.05	133	2.9
S120107		0.102	<0.02	<0.05	325	0.10	6.16	100	1.7
S120108		0.104	<0.02	<0.05	270	0.05	8.38	124	1.2
S120109		0.018	<0.02	0.14	102	0.08	8.22	69	12.6
S120110		<0.005	<0.02	0.05	<1	<0.05	0.50	2	0.7
S120111		0.079	0.02	<0.05	163	0.11	7.50	86	1.5
S120112		0.061	0.02	<0.05	136	0.12	7.65	85	1.2
S120113		0.060	0.03	<0.05	102	0.14	8.87	82	1.4
S120114		0.070	0.04	<0.05	94	0.18	9.39	64	1.3
S120115		0.010	0.02	<0.05	43	0.10	10.20	43	0.6
S120116		0.048	<0.02	<0.05	121	0.24	9.89	66	1.4
S120117		0.111	<0.02	<0.05	258	0.23	3.50	121	1.7
S120118		0.112	<0.02	<0.05	293	0.17	4.05	96	1.0
S120119		0.106	<0.02	<0.05	253	0.15	5.47	91	1.9
S120120		0.056	0.14	0.34	67	0.50	8.23	83	12.7



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 5 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
S120121		1.07	0.011	0.03	3.49	1.0	<0.2	<10	20	0.27	0.04	6.24	0.05	6.24	45.2	19
S120122		2.78	0.005	0.02	3.73	0.9	<0.2	<10	10	0.25	0.02	5.47	0.06	5.54	47.2	22
S120123		1.13	0.016	0.05	3.32	1.4	<0.2	<10	10	0.27	0.07	7.90	0.07	5.79	43.7	18
S120124		0.89	6.20	0.83	3.07	1.6	10.1	<10	10	0.22	0.07	6.60	0.06	7.08	48.7	20
S120125		2.71	0.003	0.02	4.08	0.8	<0.2	<10	<10	0.32	0.02	4.97	0.06	6.35	50.3	28
S120126		1.19	0.036	0.06	1.88	1.8	<0.2	<10	10	0.18	0.05	5.31	0.06	2.41	29.4	18
S120127		2.93	0.007	0.02	3.81	1.3	<0.2	<10	10	0.32	0.02	5.29	0.06	4.29	45.3	21
S120128		2.78	0.013	0.04	2.95	1.6	<0.2	<10	10	0.39	0.03	4.90	0.06	5.40	46.7	22
S120129		2.35	0.003	0.02	2.69	0.7	<0.2	<10	<10	0.31	0.01	4.29	0.06	6.19	46.4	25
S120130		<0.02	0.002	0.03	2.77	0.6	<0.2	<10	<10	0.36	0.01	4.41	0.06	6.09	48.9	25
S120131		3.06	0.005	0.03	2.29	1.7	<0.2	<10	10	0.27	0.02	4.63	0.07	6.99	45.5	22
S120132		2.99	0.022	0.06	0.27	1.9	<0.2	<10	10	0.19	0.01	4.22	0.06	5.60	44.5	10
S120133		3.25	0.047	0.06	0.20	0.2	<0.2	<10	20	0.22	0.01	4.07	0.09	5.91	42.8	12
S120134		2.03	0.056	0.11	0.15	1.1	<0.2	<10	20	0.19	0.03	5.08	0.12	3.26	46.3	9
S120135		1.96	0.100	0.12	0.10	1.2	<0.2	<10	<10	0.10	0.05	5.90	0.11	2.51	35.4	14
S120136		1.87	0.095	0.11	0.12	1.3	<0.2	<10	<10	0.09	0.05	6.58	0.13	3.15	40.2	14
S120137		1.94	0.021	0.06	0.07	0.9	<0.2	<10	<10	0.07	0.04	9.42	0.11	4.15	32.5	10
S120138		2.03	0.023	0.08	0.25	1.3	<0.2	<10	30	0.17	0.04	7.64	0.11	2.91	45.0	6
S120139		1.16	0.305	0.11	0.13	1.0	0.2	<10	20	0.09	0.03	9.84	0.14	3.74	33.1	11
S120140		0.14	<0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.95	0.1	<1
S120141		1.98	0.001	0.01	0.02	0.2	<0.2	<10	10	<0.05	<0.01	17.60	0.08	6.74	3.3	6
S120142		1.42	0.148	0.04	1.10	1.4	<0.2	<10	30	0.21	0.02	11.05	0.11	4.92	25.8	13
S120143		2.56	0.005	0.05	4.23	2.1	<0.2	<10	10	0.25	0.03	4.87	0.07	6.71	56.3	26



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 5 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120121		0.08	128.0	10.10	15.80	0.12	0.05	<0.01	0.085	0.07	2.5	10.8	2.19	1500	4.65	0.03
S120122		0.08	151.5	10.35	17.10	0.15	0.03	<0.01	0.089	0.04	2.1	10.3	2.30	1380	0.25	0.03
S120123		0.09	127.0	10.35	15.20	0.13	0.06	0.01	0.079	0.06	2.2	8.3	2.05	1460	0.39	0.02
S120124		0.05	181.0	10.95	16.40	0.19	0.07	0.01	0.095	0.02	2.5	9.2	1.76	1240	8.67	0.03
S120125		0.08	138.0	11.45	19.45	0.23	0.04	<0.01	0.087	0.01	2.2	10.1	2.55	1370	0.27	0.03
S120126		0.10	82.2	6.78	8.66	0.06	0.02	<0.01	0.054	0.04	0.9	5.5	1.30	966	1.37	0.03
S120127		0.16	132.5	10.50	17.85	0.12	0.03	<0.01	0.077	0.08	1.6	7.7	2.23	1140	0.25	0.02
S120128		0.13	160.0	10.45	16.20	0.10	0.04	<0.01	0.080	0.09	2.0	7.5	2.22	1320	0.29	0.05
S120129		0.06	132.0	10.70	16.15	0.13	0.03	<0.01	0.081	0.02	2.2	7.6	2.51	1490	0.27	0.06
S120130		0.07	137.0	11.00	16.15	0.12	0.03	<0.01	0.084	0.03	2.3	8.2	2.59	1540	0.25	0.06
S120131		0.06	133.5	10.35	13.20	0.09	0.05	0.01	0.078	0.08	2.5	6.3	2.48	1480	0.25	0.07
S120132		0.05	136.0	10.15	1.82	<0.05	0.03	<0.01	0.062	0.14	2.0	0.9	2.32	1430	0.71	0.05
S120133		0.05	81.9	11.20	1.43	<0.05	0.03	<0.01	0.056	0.12	2.0	0.7	2.10	1500	0.65	0.07
S120134		<0.05	146.0	9.98	1.06	<0.05	0.02	<0.01	0.062	0.08	1.1	0.6	2.20	1740	2.18	0.06
S120135		<0.05	200	7.31	0.55	<0.05	0.03	<0.01	0.054	0.01	0.9	0.4	1.78	1450	8.05	0.08
S120136		<0.05	116.5	7.28	0.71	<0.05	0.03	<0.01	0.059	0.02	1.1	0.6	2.02	1620	4.67	0.09
S120137		<0.05	40.6	6.49	0.61	<0.05	0.02	<0.01	0.075	0.01	1.6	1.4	2.39	2190	2.96	0.06
S120138		0.07	140.0	8.79	1.76	<0.05	0.02	<0.01	0.069	0.16	1.1	1.3	2.25	1660	6.98	0.04
S120139		<0.05	49.2	6.95	0.92	<0.05	0.02	<0.01	0.067	0.06	1.4	0.8	2.01	2110	2.77	0.06
S120140		<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
S120141		<0.05	2.6	1.39	0.28	<0.05	<0.02	<0.01	0.085	<0.01	2.7	0.7	0.34	1930	0.47	0.02
S120142		0.11	51.1	6.48	5.90	0.05	0.02	<0.01	0.081	0.10	2.1	2.4	1.51	1560	3.14	0.04
S120143		0.10	169.0	11.45	19.50	0.16	0.09	<0.01	0.094	0.03	2.6	8.6	2.57	1060	0.80	0.04



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 5 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
S120121		<0.05	20.7	460	1.0	2.1	0.004	0.58	<0.05	28.6	0.7	0.2	227	<0.01	0.04	<0.2
S120122		<0.05	22.1	450	0.7	1.4	0.002	0.21	<0.05	32.0	0.8	0.3	191.5	<0.01	0.02	<0.2
S120123		<0.05	19.8	450	1.0	2.0	0.002	1.16	<0.05	29.7	0.9	0.2	255	<0.01	0.15	<0.2
S120124		<0.05	21.1	480	1.2	0.6	0.003	1.91	<0.05	31.0	0.8	0.3	203	<0.01	0.11	<0.2
S120125		<0.05	24.7	470	0.5	0.5	0.002	0.15	<0.05	34.8	0.5	0.3	142.5	<0.01	0.01	<0.2
S120126		<0.05	14.7	480	0.5	1.8	0.001	1.30	0.06	18.0	0.7	0.2	185.0	<0.01	0.10	<0.2
S120127		<0.05	20.1	450	0.5	3.5	0.002	0.19	<0.05	31.1	0.6	0.3	200	<0.01	0.01	<0.2
S120128		<0.05	21.2	450	0.5	3.4	0.002	0.30	<0.05	30.2	0.6	0.3	162.5	<0.01	0.02	<0.2
S120129		<0.05	23.4	460	0.4	0.9	0.002	0.09	<0.05	30.9	0.7	0.2	113.0	<0.01	0.03	<0.2
S120130		<0.05	24.7	470	0.3	0.9	0.002	0.10	<0.05	33.3	0.7	0.2	118.5	<0.01	<0.01	<0.2
S120131		<0.05	22.0	450	0.5	2.5	0.002	0.16	<0.05	28.5	0.6	0.2	133.0	<0.01	0.01	<0.2
S120132		<0.05	18.3	440	0.6	4.8	0.002	0.23	0.05	18.3	0.6	<0.2	127.0	<0.01	0.02	<0.2
S120133		<0.05	21.2	440	0.8	4.5	0.001	0.18	0.06	18.1	0.5	<0.2	151.5	<0.01	0.03	<0.2
S120134		<0.05	20.4	440	1.2	3.0	0.003	0.74	0.06	19.8	0.7	<0.2	230	<0.01	0.09	<0.2
S120135		<0.05	17.8	330	1.4	0.4	0.009	1.37	0.07	17.5	1.0	<0.2	205	<0.01	0.13	<0.2
S120136		<0.05	19.8	340	1.4	0.6	0.006	1.20	0.06	19.9	0.8	<0.2	193.5	<0.01	0.12	<0.2
S120137		0.06	16.6	840	1.6	0.2	0.004	0.91	<0.05	20.7	1.0	<0.2	203	<0.01	0.11	<0.2
S120138		<0.05	19.0	500	1.6	6.0	0.008	1.01	0.07	18.1	0.8	0.2	220	<0.01	0.09	<0.2
S120139		<0.05	12.2	380	2.0	2.4	0.005	0.90	0.05	19.0	0.7	0.2	287	<0.01	0.08	<0.2
S120140		<0.05	0.2	10	0.5	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
S120141		<0.05	1.7	190	1.8	0.1	<0.001	0.10	<0.05	9.7	0.8	<0.2	302	<0.01	<0.01	<0.2
S120142		<0.05	12.5	350	1.2	4.8	0.002	0.88	<0.05	17.2	0.7	0.2	278	<0.01	0.04	<0.2
S120143		<0.05	26.6	510	0.5	1.6	0.003	0.41	<0.05	35.9	0.7	0.3	127.0	<0.01	0.02	<0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 5 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 19-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16046304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
S120121		0.121	<0.02	<0.05	244	0.14	4.86	99	1.7
S120122		0.126	<0.02	<0.05	283	0.14	3.96	106	1.7
S120123		0.088	<0.02	<0.05	275	0.27	4.61	101	2.1
S120124		0.086	<0.02	<0.05	298	0.25	4.48	108	1.2
S120125		0.151	<0.02	<0.05	331	0.20	4.55	135	1.4
S120126		0.048	<0.02	<0.05	147	0.21	3.36	65	0.7
S120127		0.099	0.02	<0.05	298	0.15	3.60	112	1.1
S120128		0.125	0.02	<0.05	290	0.20	4.30	107	1.6
S120129		0.125	<0.02	<0.05	302	0.16	5.35	117	1.2
S120130		0.130	<0.02	<0.05	314	0.17	5.46	121	1.3
S120131		0.130	<0.02	<0.05	248	0.28	5.81	115	1.4
S120132		0.062	0.02	<0.05	54	0.23	4.04	96	0.9
S120133		0.021	0.02	<0.05	86	0.15	3.89	108	0.9
S120134		0.031	<0.02	<0.05	90	0.30	3.83	87	0.8
S120135		0.047	<0.02	<0.05	101	0.70	3.54	42	1.0
S120136		0.039	<0.02	<0.05	87	1.37	4.17	47	1.0
S120137		0.044	<0.02	<0.05	74	3.07	9.41	39	0.7
S120138		0.022	0.02	<0.05	92	1.35	6.29	88	0.6
S120139		0.036	<0.02	<0.05	120	1.25	8.28	57	0.9
S120140		<0.005	<0.02	0.06	<1	<0.05	0.51	2	0.7
S120141		<0.005	<0.02	<0.05	7	0.54	16.60	8	<0.5
S120142		0.071	0.03	<0.05	137	0.56	9.36	60	0.7
S120143		0.147	<0.02	<0.05	334	0.14	4.07	187	2.0



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: **Appendix 1**  
 Total # Appendix Pages: **1**  
 Finalized Date: **19-APR-2016**  
 Account: **OBMICO**

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16046304</b>
---

<b>CERTIFICATE COMMENTS</b>													
	<b>ANALYTICAL COMMENTS</b>												
Applies to Method:	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41												
	<b>LABORATORY ADDRESSES</b>												
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-ICP22 ME-MS41												
Applies to Method:	Processed at ALS Timmins located at Unit 10 - 2090 Riverside Drive, Timmins, ON, Canada.												
	<table style="width: 100%; border: none;"> <tr> <td>CRU-32</td> <td>CRU-QC</td> <td>LOG-21d</td> <td>LOG-22</td> </tr> <tr> <td>LOG-23</td> <td>PUL-35a</td> <td>PUL-35ad</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-32	CRU-QC	LOG-21d	LOG-22	LOG-23	PUL-35a	PUL-35ad	PUL-QC	SPL-21	SPL-21d	WEI-21	
CRU-32	CRU-QC	LOG-21d	LOG-22										
LOG-23	PUL-35a	PUL-35ad	PUL-QC										
SPL-21	SPL-21d	WEI-21											



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 1  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-APR-2016  
 Account: OBMICO

**CERTIFICATE TM16055842**

Project: COTE

This report is for 48 Drill Core samples submitted to our lab in Timmins, ON, Canada on 13-APR-2016.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER
-------------------	-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

To: **OBAN MINING CORPORATION**  
**ATTN: MICHAELA KUUSKMAN**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055842**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120247		2.07	0.374	0.10	1.96	3.3	0.3	<10	10	0.18	0.03	5.87	0.11	5.24	39.8	22
S120248		1.46	0.027	0.34	0.51	2.4	<0.2	<10	20	0.08	0.26	3.49	0.08	2.70	19.5	18
S120249		1.19	0.043	0.32	0.53	1.8	<0.2	<10	10	0.08	0.30	4.51	0.10	2.67	26.5	20
S120250		0.06	9.22	9.76	1.67	10.8	9.4	<10	30	0.49	0.07	3.91	0.28	20.9	10.1	18
S120251		0.85	0.004	0.03	1.80	0.9	<0.2	<10	10	0.11	0.01	3.89	0.03	4.08	18.4	23
S120252		3.09	0.007	0.04	2.36	0.5	<0.2	<10	10	0.17	0.01	2.72	0.01	9.19	28.1	14
S120253		3.07	0.001	<0.01	2.59	0.1	<0.2	<10	<10	0.10	0.01	3.28	0.01	5.54	30.9	35
S120254		3.06	0.002	0.02	1.97	0.4	<0.2	<10	80	0.12	0.01	2.26	0.01	4.96	27.7	25
S120255		3.27	0.002	0.05	2.78	1.0	<0.2	<10	10	0.20	0.02	1.77	0.01	9.42	41.0	17
S120256		3.11	0.007	0.02	3.48	0.4	<0.2	<10	10	0.19	0.01	5.04	0.03	9.93	35.8	21
S120257		1.73	0.071	0.07	0.54	0.8	<0.2	<10	10	0.16	0.03	4.49	0.06	6.39	35.1	6
S120258		1.44	0.349	0.19	0.18	1.1	<0.2	<10	10	0.15	0.06	4.92	0.08	4.24	38.0	6
S120259		1.67	0.037	0.08	0.51	1.0	<0.2	<10	40	0.21	0.05	7.46	0.13	10.80	31.2	34
S120260		<0.02	0.020	0.08	0.41	1.1	<0.2	<10	30	0.19	0.05	7.44	0.14	9.52	32.2	24
S120261		1.88	0.004	0.05	0.21	1.5	<0.2	<10	10	0.05	0.05	1.88	0.04	3.93	12.5	28
S120262		2.03	0.007	0.07	0.29	1.2	<0.2	<10	10	0.07	0.06	0.88	0.03	1.98	8.4	32
S120263		1.40	0.006	0.12	0.30	1.5	<0.2	<10	10	0.07	0.05	1.40	0.05	3.58	9.8	48
S120264		0.85	0.008	0.22	0.45	3.1	<0.2	<10	20	0.18	0.13	8.08	0.19	7.04	39.2	30
S120265		2.89	0.003	0.02	3.08	4.8	<0.2	<10	10	0.27	0.04	5.65	0.04	8.04	47.6	6
S120266		2.24	0.002	0.01	3.55	2.0	<0.2	<10	10	0.24	0.03	4.97	0.07	9.35	47.6	5
S120267		1.65	0.002	0.02	1.92	3.2	<0.2	<10	20	0.19	0.03	5.90	0.12	8.01	41.0	11
S120268		3.29	0.001	0.01	3.97	1.1	<0.2	<10	10	0.23	0.04	5.43	0.11	7.02	46.5	8
S120269		0.78	0.003	0.09	2.47	2.1	<0.2	<10	30	0.18	0.08	6.23	0.05	6.81	44.1	1
S120270		0.13	0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.91	0.1	<1
S120271		3.41	0.001	0.02	2.66	1.3	<0.2	<10	30	0.22	0.01	2.40	0.03	6.65	42.3	1
S120272		0.62	0.001	0.01	1.64	0.7	<0.2	<10	70	0.16	0.01	12.15	0.06	7.53	24.1	2
S120273		2.99	0.002	0.03	2.43	1.3	<0.2	<10	50	0.23	0.02	3.95	0.04	10.15	45.3	<1
S120274		1.07	0.003	0.05	1.88	1.0	<0.2	<10	40	0.18	0.05	5.04	0.06	8.18	37.3	1
S120275		3.14	0.001	0.02	2.98	1.1	<0.2	<10	80	0.22	0.01	2.81	0.02	9.60	45.3	2
S120276		1.38	0.002	0.03	2.27	1.3	<0.2	<10	20	0.21	0.03	4.01	0.03	8.78	42.7	1
S120277		3.24	0.003	0.01	4.28	0.9	<0.2	<10	20	0.38	0.02	2.17	0.01	9.86	44.6	1
S120278		3.43	0.005	0.06	5.39	0.9	<0.2	<10	<10	0.47	0.03	0.87	<0.01	6.32	49.3	1
S120279		2.90	0.005	0.08	5.62	0.8	<0.2	<10	<10	0.55	0.03	0.50	0.01	5.70	55.0	<1
S120280		0.06	2.51	5.07	1.67	19.3	2.6	<10	40	0.69	0.09	3.88	0.40	24.3	11.6	25
S120281		2.86	0.002	0.03	5.70	0.8	<0.2	<10	<10	0.73	0.03	0.62	<0.01	9.07	53.7	<1
S120282		1.71	0.001	0.03	6.10	1.7	<0.2	<10	10	0.72	0.05	0.73	<0.01	7.15	56.0	<1
S120283		1.44	0.001	0.02	4.98	1.1	<0.2	<10	10	0.58	0.02	2.54	0.01	8.68	40.4	1
S120284		2.75	0.001	0.02	3.61	0.8	<0.2	<10	10	0.31	0.02	0.68	<0.01	3.25	27.8	6
S120285		2.10	0.001	0.01	6.57	0.8	<0.2	<10	10	0.48	0.03	3.41	<0.01	6.97	52.9	1
S120286		1.84	0.001	0.01	5.25	0.6	<0.2	<10	10	0.36	0.02	1.79	<0.01	11.65	43.1	1



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055842**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120247		0.12	160.5	10.40	9.61	0.11	0.02	<0.01	0.072	0.07	1.9	5.1	2.29	1570	1.00	0.03
S120248		<0.05	50.0	5.15	2.98	0.08	0.02	<0.01	0.029	0.05	1.0	1.7	1.16	844	103.0	0.03
S120249		<0.05	66.8	6.44	3.66	0.10	0.02	<0.01	0.039	0.03	1.0	1.4	1.72	1200	108.5	0.04
S120250		2.61	60.9	3.06	6.28	0.16	0.64	0.16	0.026	0.13	9.4	17.7	1.09	802	4.93	0.08
S120251		0.13	31.5	3.97	5.93	0.21	0.22	<0.01	0.013	0.01	1.5	3.3	0.90	675	0.80	0.01
S120252		1.82	56.3	8.61	11.80	0.23	0.35	<0.01	0.029	0.26	3.4	5.0	1.27	1330	0.54	0.11
S120253		0.09	14.4	6.96	13.70	0.18	0.28	<0.01	0.014	0.01	2.0	7.2	1.44	948	0.17	0.07
S120254		1.64	58.5	7.18	8.61	0.19	0.19	<0.01	0.025	0.24	2.0	4.3	1.24	1210	0.95	0.11
S120255		0.12	187.5	9.88	12.55	0.29	0.37	<0.01	0.031	0.01	3.5	7.0	1.98	1260	0.34	0.05
S120256		0.08	83.9	10.25	16.65	0.24	0.07	<0.01	0.094	0.04	3.6	7.3	1.98	1200	0.14	0.05
S120257		0.11	214	10.40	2.93	0.09	0.06	<0.01	0.082	0.11	2.5	1.3	1.58	1520	0.41	0.06
S120258		0.11	109.5	10.30	1.00	0.08	0.03	<0.01	0.078	0.09	1.5	0.7	2.03	1470	0.56	0.05
S120259		0.19	137.0	6.10	1.60	0.09	0.06	<0.01	0.041	0.22	4.6	3.0	3.20	1280	2.63	0.04
S120260		0.18	144.0	6.10	1.22	0.08	0.05	<0.01	0.044	0.17	4.0	3.2	3.20	1300	2.25	0.03
S120261		0.07	48.1	3.06	0.78	0.07	0.02	<0.01	0.020	0.07	1.6	1.7	0.78	503	0.99	0.02
S120262		<0.05	48.5	1.78	0.83	0.08	<0.02	<0.01	0.012	0.02	0.9	2.7	0.17	194	1.61	0.02
S120263		0.05	78.2	2.25	1.31	0.08	0.02	<0.01	0.015	0.03	1.8	3.1	0.50	378	5.61	0.02
S120264		0.07	156.0	7.48	1.97	0.09	0.07	<0.01	0.071	0.09	3.5	5.2	3.28	1820	2.80	0.04
S120265		0.12	170.5	10.95	14.35	0.16	0.04	<0.01	0.085	0.08	3.5	17.7	1.75	1260	0.86	0.05
S120266		0.10	176.5	12.00	16.90	0.23	0.04	<0.01	0.093	0.03	3.8	24.5	2.17	1300	0.28	0.04
S120267		0.11	169.5	9.70	9.28	0.11	0.04	<0.01	0.071	0.13	3.6	11.5	2.27	1580	0.31	0.06
S120268		0.16	162.0	11.80	18.05	0.27	0.06	<0.01	0.087	0.02	2.6	12.6	2.33	1460	0.24	0.05
S120269		1.18	109.5	10.50	14.70	0.20	0.28	<0.01	0.053	0.16	2.3	8.2	1.73	1420	6.05	0.12
S120270		<0.05	0.9	0.02	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	0.05	0.01
S120271		1.16	174.5	9.82	12.95	0.23	0.30	<0.01	0.031	0.16	2.5	9.2	1.75	1320	0.28	0.11
S120272		1.86	53.8	6.63	7.80	0.20	0.25	<0.01	0.037	0.26	3.0	4.4	1.00	1620	0.44	0.12
S120273		1.10	101.5	11.65	15.90	0.29	0.26	<0.01	0.063	0.15	3.8	8.3	1.72	1440	0.98	0.11
S120274		1.02	88.6	10.45	12.90	0.24	0.22	<0.01	0.054	0.14	3.0	6.3	1.34	1430	5.20	0.10
S120275		1.70	93.2	11.15	15.20	0.27	0.29	<0.01	0.036	0.23	3.6	10.0	1.91	1640	0.37	0.13
S120276		0.93	115.0	11.35	14.55	0.25	0.21	<0.01	0.060	0.13	3.2	8.2	1.62	1340	1.45	0.12
S120277		0.69	97.6	11.00	19.85	0.29	0.17	<0.01	0.078	0.06	3.7	24.8	3.69	1220	0.49	0.06
S120278		0.34	431	11.95	23.1	0.30	0.12	<0.01	0.073	<0.01	2.0	44.9	5.15	1040	0.44	0.03
S120279		0.50	278	11.95	23.5	0.31	0.10	<0.01	0.077	<0.01	1.8	50.1	5.61	938	0.39	0.03
S120280		3.55	76.6	3.12	7.01	0.12	0.41	0.10	0.040	0.25	11.4	17.8	0.91	705	6.50	0.08
S120281		0.78	144.0	11.80	22.7	0.30	0.14	<0.01	0.081	0.01	3.3	48.6	6.02	895	0.38	0.04
S120282		0.77	174.5	12.05	22.7	0.31	0.12	<0.01	0.092	<0.01	2.5	57.9	6.79	923	0.38	0.02
S120283		0.35	39.4	9.48	17.20	0.32	0.17	<0.01	0.073	<0.01	3.1	49.5	5.70	882	0.16	0.01
S120284		0.21	11.4	7.08	13.05	0.29	0.10	<0.01	0.046	<0.01	1.0	34.3	4.35	651	0.35	0.01
S120285		0.73	27.0	13.20	25.3	0.37	0.11	<0.01	0.101	<0.01	2.4	59.5	7.26	1400	0.30	0.01
S120286		0.64	322	11.40	20.6	0.31	0.10	<0.01	0.085	<0.01	4.6	38.9	5.23	1220	0.30	0.02



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055842**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
S120247		<0.05	29.9	390	3.3	1.8	0.003	0.28	0.05	25.3	0.7	<0.2	157.5	<0.01	0.05	<0.2
S120248		<0.05	14.7	220	4.6	1.2	0.030	1.10	0.05	10.7	0.8	<0.2	125.5	<0.01	0.46	<0.2
S120249		<0.05	17.6	320	5.0	0.9	0.026	1.74	0.05	15.4	0.9	<0.2	196.5	<0.01	0.53	<0.2
S120250		0.06	9.6	640	15.1	5.9	0.002	0.44	0.43	8.1	0.7	0.5	107.5	<0.01	4.20	1.6
S120251		0.15	17.6	340	0.7	0.5	0.001	0.05	0.09	4.2	0.4	0.2	77.2	<0.01	0.03	<0.2
S120252		0.14	12.9	890	0.3	7.1	0.003	0.09	<0.05	11.3	0.8	0.4	28.3	0.01	0.08	0.2
S120253		0.07	29.5	480	0.2	0.3	<0.001	0.01	<0.05	6.0	0.4	0.6	13.2	0.01	0.03	<0.2
S120254		0.07	21.5	570	0.3	6.4	0.002	0.09	<0.05	8.8	0.5	0.2	23.1	<0.01	0.03	<0.2
S120255		0.12	16.5	890	0.5	0.2	0.003	0.16	0.09	11.2	1.1	0.4	40.8	0.01	0.04	0.2
S120256		<0.05	20.2	780	0.6	1.4	0.003	0.15	<0.05	34.2	0.7	0.3	137.0	<0.01	0.04	<0.2
S120257		<0.05	13.0	780	0.9	3.0	0.005	0.92	0.06	21.4	1.1	<0.2	118.0	<0.01	0.14	<0.2
S120258		<0.05	22.4	600	1.8	2.6	0.004	1.44	0.11	22.5	0.5	<0.2	172.0	<0.01	0.44	<0.2
S120259		<0.05	48.0	690	2.7	6.2	0.001	0.44	0.09	17.9	0.8	<0.2	306	<0.01	0.14	0.3
S120260		<0.05	47.4	700	2.7	4.9	0.001	0.46	0.09	18.1	0.7	<0.2	305	<0.01	0.13	0.3
S120261		<0.05	11.7	150	0.9	2.0	0.001	0.27	0.06	5.4	0.3	<0.2	81.9	<0.01	0.09	<0.2
S120262		<0.05	6.7	40	0.4	0.7	0.001	0.38	0.05	3.3	0.3	<0.2	21.1	<0.01	0.16	<0.2
S120263		<0.05	23.7	90	1.1	0.8	0.003	0.32	0.06	4.4	0.3	<0.2	61.6	<0.01	0.19	<0.2
S120264		<0.05	80.0	470	4.2	3.0	0.002	0.81	0.10	24.6	0.7	<0.2	337	<0.01	0.32	0.2
S120265		<0.05	25.4	430	0.8	1.9	0.002	0.25	0.05	32.7	0.9	<0.2	62.8	<0.01	0.03	<0.2
S120266		<0.05	24.4	430	0.6	0.9	0.002	0.21	<0.05	37.1	0.9	<0.2	61.0	<0.01	0.03	<0.2
S120267		<0.05	28.6	380	1.2	3.4	0.002	0.21	0.08	30.3	0.7	<0.2	166.0	<0.01	0.03	0.2
S120268		<0.05	21.5	480	0.6	0.7	0.002	0.21	0.06	36.8	1.1	<0.2	87.4	<0.01	0.03	<0.2
S120269		0.12	14.8	550	1.2	4.8	0.007	2.21	<0.05	10.6	2.1	0.4	26.4	0.01	0.15	<0.2
S120270		<0.05	0.3	10	0.6	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	0.01	<0.2
S120271		0.09	15.6	550	0.7	4.6	0.002	0.19	<0.05	10.3	1.0	0.3	20.6	<0.01	0.02	0.2
S120272		0.18	4.9	420	0.6	6.8	0.002	0.23	0.07	10.5	0.9	0.3	74.1	0.01	0.03	<0.2
S120273		0.08	8.1	690	0.6	4.0	0.003	0.59	<0.05	13.1	1.5	0.4	25.8	<0.01	0.04	0.3
S120274		0.07	9.4	570	1.0	3.8	0.007	1.41	<0.05	6.5	1.4	0.3	34.0	<0.01	0.09	0.2
S120275		0.14	10.7	620	0.6	6.6	0.002	0.23	<0.05	12.0	1.2	0.3	33.5	0.01	0.03	0.2
S120276		0.10	9.4	630	0.7	3.9	0.004	0.91	<0.05	14.3	1.7	0.4	24.1	<0.01	0.05	0.2
S120277		<0.05	10.9	660	0.4	2.0	0.003	0.23	<0.05	29.0	1.2	0.5	16.9	<0.01	0.03	0.2
S120278		<0.05	11.6	650	0.4	0.3	0.003	0.36	<0.05	32.1	1.0	0.6	4.6	<0.01	0.06	0.2
S120279		<0.05	11.8	760	0.3	0.4	0.003	0.34	<0.05	33.5	1.0	0.6	2.6	<0.01	0.07	<0.2
S120280		<0.05	11.3	650	18.9	12.7	0.003	0.90	0.50	9.6	1.0	0.5	125.5	<0.01	2.58	1.6
S120281		<0.05	11.1	880	0.3	0.5	0.003	0.23	<0.05	33.1	1.2	0.7	3.4	<0.01	0.02	0.2
S120282		<0.05	12.9	720	0.4	0.5	0.003	0.29	<0.05	31.1	1.3	0.6	4.2	<0.01	0.03	0.2
S120283		<0.05	17.8	510	0.2	0.2	<0.001	0.03	<0.05	25.9	0.7	0.4	9.1	<0.01	0.01	<0.2
S120284		<0.05	14.6	300	0.2	0.2	0.001	0.08	<0.05	15.2	0.7	0.2	3.8	<0.01	0.01	<0.2
S120285		<0.05	15.2	640	0.2	0.4	0.003	0.25	<0.05	26.6	1.3	0.3	15.9	<0.01	0.03	0.2
S120286		<0.05	9.6	590	0.2	0.4	0.002	0.16	<0.05	25.1	1.1	0.3	9.0	<0.01	0.02	0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055842**

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr
Units		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120247		0.015	<0.02	<0.05	207	0.26	5.79	104	0.6
S120248		<0.005	<0.02	<0.05	70	0.48	2.76	44	0.5
S120249		0.026	<0.02	<0.05	96	0.36	3.89	46	0.7
S120250		0.136	0.08	0.44	78	0.51	8.02	65	19.9
S120251		0.415	<0.02	<0.05	88	0.16	6.66	35	5.9
S120252		0.420	<0.02	<0.05	90	0.17	19.50	66	6.5
S120253		0.436	<0.02	<0.05	175	0.12	10.75	63	6.2
S120254		0.376	<0.02	<0.05	138	0.12	10.50	64	4.2
S120255		0.509	<0.02	<0.05	113	0.16	18.85	79	7.4
S120256		0.123	<0.02	<0.05	168	0.08	9.40	63	2.1
S120257		0.024	<0.02	<0.05	37	0.20	5.53	52	2.2
S120258		<0.005	<0.02	<0.05	21	0.21	4.20	57	1.3
S120259		<0.005	0.03	<0.05	26	0.21	5.49	42	2.7
S120260		<0.005	0.02	<0.05	20	0.19	5.46	42	2.4
S120261		<0.005	<0.02	<0.05	11	0.15	1.75	20	0.7
S120262		<0.005	<0.02	<0.05	6	0.10	1.07	7	<0.5
S120263		<0.005	<0.02	<0.05	11	0.11	1.61	18	0.8
S120264		<0.005	<0.02	<0.05	26	0.15	6.41	66	2.5
S120265		0.010	<0.02	<0.05	267	<0.05	8.24	110	1.2
S120266		0.012	<0.02	<0.05	345	<0.05	9.73	127	1.2
S120267		0.009	<0.02	<0.05	170	0.16	7.87	96	1.8
S120268		0.065	<0.02	<0.05	351	<0.05	8.62	134	1.8
S120269		0.447	<0.02	<0.05	228	0.33	17.55	109	9.0
S120270		<0.005	<0.02	0.06	<1	<0.05	0.59	2	0.8
S120271		0.493	<0.02	<0.05	227	0.14	15.25	116	7.3
S120272		0.353	<0.02	<0.05	111	0.31	15.35	74	5.7
S120273		0.390	<0.02	<0.05	198	0.28	21.6	123	6.0
S120274		0.317	<0.02	<0.05	196	0.34	17.40	100	4.2
S120275		0.505	<0.02	<0.05	212	0.19	18.90	147	9.7
S120276		0.399	<0.02	<0.05	218	0.17	18.75	107	4.6
S120277		0.398	<0.02	<0.05	289	0.12	19.90	139	3.7
S120278		0.381	<0.02	<0.05	313	0.15	11.25	150	2.9
S120279		0.348	<0.02	<0.05	302	0.12	11.10	137	2.9
S120280		0.058	0.16	0.37	71	0.54	8.67	87	12.9
S120281		0.451	<0.02	<0.05	296	0.13	17.10	130	3.5
S120282		0.387	<0.02	<0.05	285	0.12	17.65	132	3.0
S120283		0.348	<0.02	<0.05	228	0.09	17.95	105	4.3
S120284		0.198	<0.02	<0.05	164	<0.05	11.40	80	2.6
S120285		0.247	<0.02	<0.05	277	0.09	21.1	147	3.4
S120286		0.321	<0.02	<0.05	267	0.14	18.05	130	2.3



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055842**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120287		1.87	0.007	0.05	4.90	0.6	<0.2	<10	<10	0.49	0.06	1.50	<0.01	6.49	44.4	2
S120288		2.48	0.036	0.10	4.23	1.3	<0.2	<10	50	0.41	0.12	1.46	<0.01	11.15	48.4	1
S120289		3.28	0.005	0.04	3.14	1.3	<0.2	<10	40	0.26	0.07	2.73	0.01	10.30	43.5	1
S120290		<0.02	0.007	0.03	3.05	1.3	<0.2	<10	40	0.23	0.06	2.56	0.02	10.20	41.5	1
S120291		2.15	0.006	0.03	3.45	0.9	<0.2	<10	150	0.29	0.05	1.39	<0.01	12.30	42.9	1
S120292		1.67	0.002	0.03	4.06	0.3	<0.2	<10	10	0.38	0.04	0.79	0.01	24.3	35.6	11
S120293		3.47	0.003	0.03	4.17	1.2	<0.2	<10	40	0.31	0.04	1.60	0.01	13.75	41.7	2
S120294		0.89	0.003	0.04	5.06	0.5	<0.2	<10	10	0.37	0.06	4.90	0.01	8.94	42.3	1



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055842**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S120287		0.92	59.6	10.50	20.3	0.31	0.12	<0.01	0.071	<0.01	2.3	49.1	5.52	1040	0.66	0.02
S120288		0.75	169.5	11.15	19.85	0.26	0.16	<0.01	0.074	0.04	4.0	25.5	3.66	1100	0.32	0.04
S120289		1.26	121.0	11.75	16.35	0.27	0.19	<0.01	0.072	0.18	3.6	12.9	2.29	1500	0.52	0.08
S120290		1.29	106.0	11.55	16.00	0.29	0.17	<0.01	0.070	0.18	3.5	12.3	2.25	1480	0.56	0.07
S120291		1.16	179.5	11.55	15.90	0.28	0.17	<0.01	0.073	0.16	4.5	16.1	2.80	1300	0.43	0.06
S120292		0.34	55.7	7.90	16.50	0.27	0.22	<0.01	0.043	0.01	9.3	38.3	4.36	938	0.49	0.04
S120293		0.55	133.5	10.65	16.75	0.25	0.20	<0.01	0.060	0.03	5.2	24.3	3.30	1250	0.47	0.04
S120294		0.76	268	10.75	20.7	0.31	0.14	<0.01	0.098	<0.01	2.8	44.9	5.67	1620	0.60	0.02



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055842**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm
S120287		<0.05	11.4	550	0.3	0.6	0.003	0.43	<0.05	23.4	0.9	0.4	8.5	<0.01	0.05	<0.2
S120288		<0.05	9.6	710	0.4	1.8	0.003	0.45	0.06	21.4	1.2	0.4	15.8	<0.01	0.12	0.2
S120289		0.09	9.0	640	0.6	6.2	0.003	0.47	0.08	21.1	1.2	0.4	36.6	<0.01	0.06	0.2
S120290		0.07	8.9	630	0.5	6.1	0.003	0.43	0.07	20.8	1.2	0.3	32.6	<0.01	0.06	0.2
S120291		0.07	8.8	700	0.5	4.8	0.003	0.26	0.06	20.0	1.2	0.3	24.5	<0.01	0.03	0.3
S120292		<0.05	27.9	1140	0.3	0.3	0.002	0.10	<0.05	15.0	0.6	0.4	9.6	<0.01	0.02	1.1
S120293		0.08	11.2	720	0.4	1.0	0.002	0.23	0.05	14.4	1.1	0.3	20.1	<0.01	0.01	0.4
S120294		<0.05	9.7	600	0.3	0.4	0.003	0.20	<0.05	26.9	1.0	0.4	15.2	<0.01	0.04	<0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055842**

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
Units		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120287		0.333	<0.02	<0.05	266	0.19	15.90	109	3.4
S120288		0.341	<0.02	<0.05	261	0.17	19.00	99	4.2
S120289		0.374	<0.02	<0.05	229	0.26	19.30	109	3.7
S120290		0.344	<0.02	<0.05	228	0.25	18.50	107	3.4
S120291		0.383	<0.02	<0.05	215	0.12	20.5	104	3.3
S120292		0.211	<0.02	0.13	191	0.09	8.63	116	8.0
S120293		0.435	<0.02	0.06	222	0.10	19.00	117	4.4
S120294		0.348	<0.02	<0.05	262	0.08	16.15	133	3.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: **Appendix 1**  
 Total # Appendix Pages: **1**  
 Finalized Date: **29-APR-2016**  
 Account: **OBMICO**

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16055842</b>
---

	<b>CERTIFICATE COMMENTS</b>												
Applies to Method:	<p style="text-align: center;"><b>ANALYTICAL COMMENTS</b></p> <p>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).  <b>ME-MS41</b></p>												
Applies to Method:	<p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  <b>Au-ICP22 ME-MS41</b></p>												
Applies to Method:	<p>Processed at ALS Timmins located at Unit 10 - 2090 Riverside Drive, Timmins, ON, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td><b>CRU-32</b></td> <td><b>CRU-QC</b></td> <td><b>LOG-21d</b></td> <td><b>LOG-22</b></td> </tr> <tr> <td><b>LOG-23</b></td> <td><b>PUL-35a</b></td> <td><b>PUL-35ad</b></td> <td><b>PUL-QC</b></td> </tr> <tr> <td><b>SPL-21</b></td> <td><b>SPL-21d</b></td> <td><b>WEI-21</b></td> <td></td> </tr> </table>	<b>CRU-32</b>	<b>CRU-QC</b>	<b>LOG-21d</b>	<b>LOG-22</b>	<b>LOG-23</b>	<b>PUL-35a</b>	<b>PUL-35ad</b>	<b>PUL-QC</b>	<b>SPL-21</b>	<b>SPL-21d</b>	<b>WEI-21</b>	
<b>CRU-32</b>	<b>CRU-QC</b>	<b>LOG-21d</b>	<b>LOG-22</b>										
<b>LOG-23</b>	<b>PUL-35a</b>	<b>PUL-35ad</b>	<b>PUL-QC</b>										
<b>SPL-21</b>	<b>SPL-21d</b>	<b>WEI-21</b>											



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

**CERTIFICATE TM16055843**

Project: COTE

This report is for 103 Drill Core samples submitted to our lab in Timmins, ON, Canada on 13-APR-2016.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER
-------------------	-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcdv with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

To: **OBAN MINING CORPORATION**  
**ATTN: MICHAELA KUUSKMAN**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120144		2.25	0.004	0.08	2.57	1.5	<0.2	<10	<10	0.18	0.08	4.42	0.06	7.47	38.7	3
S120145		2.24	0.008	0.13	2.03	1.1	<0.2	<10	160	0.17	0.11	6.48	0.10	5.93	30.7	4
S120146		2.95	0.003	0.05	3.28	1.3	<0.2	<10	<10	0.26	0.04	3.31	0.03	8.26	44.1	13
S120147		1.99	0.002	0.03	2.96	0.7	<0.2	<10	10	0.21	0.03	3.20	0.03	7.48	37.6	23
S120148		3.08	0.002	0.02	3.06	0.4	<0.2	<10	10	0.29	0.01	2.30	0.01	6.24	41.0	34
S120149		2.07	0.001	0.20	3.13	0.7	<0.2	<10	20	0.23	0.06	1.35	0.01	6.48	46.5	32
S120150		0.07	9.30	9.54	1.61	10.9	8.6	<10	30	0.52	0.07	3.88	0.30	19.70	10.4	17
S120151		1.82	0.002	0.03	3.33	0.4	<0.2	<10	<10	0.25	0.01	2.09	0.01	10.85	35.6	61
S120152		2.03	0.001	0.01	2.27	0.2	<0.2	<10	10	0.17	0.01	1.11	<0.01	14.25	22.7	117
S120153		3.94	0.001	<0.01	1.75	0.3	<0.2	<10	10	0.11	0.03	1.39	0.01	7.58	16.4	75
S120154		2.88	0.001	<0.01	1.99	<0.1	<0.2	<10	20	0.11	0.02	2.16	0.02	11.65	17.7	70
S120155		2.90	0.001	0.01	2.00	0.1	<0.2	<10	20	0.09	0.01	2.12	0.02	12.55	18.8	72
S120156		3.09	0.001	0.01	2.12	0.1	<0.2	<10	30	0.09	0.02	2.19	0.03	14.50	19.8	71
S120157		2.85	0.001	<0.01	2.50	0.2	<0.2	<10	30	0.09	0.02	2.20	0.02	11.85	24.8	75
S120158		2.37	0.020	0.24	1.44	0.5	<0.2	<10	10	0.06	0.10	5.28	0.06	8.00	14.2	63
S120159		1.65	0.002	0.02	1.50	0.5	<0.2	<10	20	0.08	0.04	4.01	0.04	3.98	10.3	20
S120160		<0.02	0.002	0.02	1.41	0.4	<0.2	<10	30	0.08	0.03	4.23	0.04	4.08	9.4	21
S120161		1.38	0.002	0.03	0.56	1.4	<0.2	<10	60	0.10	0.04	5.66	0.08	7.37	16.8	13
S120162		3.23	0.001	0.54	2.46	0.4	<0.2	<10	30	0.16	0.01	3.21	0.08	26.2	23.9	151
S120163		3.02	0.002	0.08	3.26	1.9	<0.2	<10	<10	0.24	0.11	2.64	0.04	5.92	47.5	15
S120164		3.20	0.005	0.19	3.53	5.7	<0.2	<10	10	0.17	0.41	2.18	0.02	6.58	95.3	6
S120165		2.40	0.004	0.25	2.66	5.6	<0.2	<10	10	0.24	0.32	2.36	0.03	8.06	86.1	3
S120166		1.48	0.021	0.53	1.87	3.5	<0.2	<10	30	0.15	0.43	5.35	0.08	4.69	72.9	12
S120167		3.44	0.002	0.11	2.90	2.6	<0.2	<10	10	0.28	0.10	2.21	0.02	5.60	62.2	10
S120168		3.20	0.026	0.47	3.17	6.5	<0.2	<10	10	0.28	0.49	2.11	0.08	6.38	118.0	6
S120169		2.73	0.008	0.14	2.63	2.7	<0.2	<10	30	0.20	0.11	5.85	0.10	4.36	53.6	2
S120170		0.12	0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.73	0.2	<1
S120171		3.17	0.013	0.38	3.36	3.6	<0.2	<10	10	0.22	0.13	3.84	0.57	8.78	70.9	3
S120172		1.03	0.007	0.16	3.56	4.3	<0.2	<10	10	0.15	0.18	7.54	0.07	5.84	60.2	2
S120173		3.44	0.004	0.27	3.20	2.4	<0.2	<10	<10	0.24	0.22	2.68	0.03	8.21	70.7	3
S120174		3.24	0.010	0.29	3.14	1.3	<0.2	<10	<10	0.23	0.17	2.30	0.03	8.41	57.2	3
S120175		1.30	0.016	0.08	2.94	1.4	<0.2	<10	10	0.16	0.08	5.47	0.54	8.85	44.3	3
S120176		3.27	0.006	0.09	3.65	1.0	<0.2	<10	20	0.27	0.06	4.67	0.04	6.87	52.6	2
S120177		3.22	0.016	0.11	3.63	2.8	<0.2	<10	10	0.19	0.33	5.16	0.04	8.81	80.4	3
S120178		0.93	0.024	0.16	1.88	6.7	<0.2	<10	30	0.13	0.34	3.93	0.10	6.66	64.2	4
S120179		0.89	0.012	0.20	0.21	4.6	<0.2	<10	20	0.07	0.21	3.17	0.10	2.31	43.5	8
S120180		0.06	2.54	4.71	1.58	17.9	2.4	<10	40	0.62	0.08	3.80	0.38	22.2	11.0	23
S120181		2.15	0.010	0.17	0.52	10.2	<0.2	<10	20	0.08	0.05	4.79	0.21	3.68	39.7	2
S120182		2.51	0.019	0.07	0.23	2.9	<0.2	<10	20	0.12	0.06	4.88	0.07	3.79	32.4	3
S120183		1.24	0.013	3.85	0.81	5.7	<0.2	<10	20	0.14	0.09	7.57	0.18	63.4	30.3	53



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120144	0.05	118.0	10.65	13.90	0.27	0.07	<0.01	0.085	0.01	2.8	9.6	1.65	1460	1.63	0.04	
S120145	0.05	46.2	9.25	10.60	0.18	0.09	<0.01	0.070	0.01	2.1	6.2	1.48	1640	3.04	0.06	
S120146	0.06	105.0	12.00	17.75	0.36	0.10	<0.01	0.093	0.01	2.8	13.1	2.28	1620	0.45	0.03	
S120147	0.10	88.2	10.25	14.70	0.28	0.15	<0.01	0.064	0.02	2.6	12.8	1.98	1480	0.46	0.03	
S120148	0.26	38.0	9.80	11.70	0.24	0.18	<0.01	0.036	0.07	2.3	12.8	2.27	1400	0.31	0.01	
S120149	0.08	253	10.00	11.30	0.23	0.12	<0.01	0.026	0.02	2.3	12.9	2.51	1400	0.20	0.02	
S120150	2.31	65.6	2.94	6.71	0.17	0.64	0.15	0.027	0.13	9.0	24.4	1.06	771	4.64	0.06	
S120151	0.21	17.6	8.86	12.20	0.19	0.14	<0.01	0.027	0.05	4.2	15.2	2.62	1340	0.30	0.02	
S120152	0.10	2.2	4.17	8.84	0.12	0.27	<0.01	0.008	0.04	5.9	14.0	1.92	700	0.25	0.04	
S120153	0.11	4.0	3.22	7.51	0.08	0.28	<0.01	0.008	0.08	3.4	12.8	1.35	575	0.32	0.05	
S120154	0.11	1.4	3.89	6.47	0.09	0.22	<0.01	0.006	0.16	5.6	11.5	1.29	696	0.29	0.03	
S120155	0.10	0.9	3.88	6.32	0.07	0.20	<0.01	0.006	0.16	6.0	11.3	1.31	679	0.24	0.03	
S120156	0.10	1.5	4.35	5.94	0.08	0.19	<0.01	<0.005	0.19	7.3	10.8	1.27	722	0.17	0.02	
S120157	0.09	1.0	5.61	7.12	0.09	0.19	<0.01	0.006	0.18	5.4	11.3	1.30	805	0.20	0.02	
S120158	0.05	2.6	3.37	8.36	0.11	0.24	<0.01	0.019	0.01	3.6	6.7	1.15	779	1.24	0.07	
S120159	0.08	3.9	3.96	6.53	0.08	0.07	<0.01	0.008	0.12	1.9	7.3	0.92	580	0.75	0.02	
S120160	0.07	4.9	3.89	6.05	0.07	0.07	<0.01	0.010	0.12	1.9	6.6	0.85	604	0.88	0.02	
S120161	0.07	7.0	1.60	2.41	0.06	0.11	<0.01	0.011	0.14	3.6	2.2	0.30	563	0.61	0.01	
S120162	0.13	2.0	4.55	10.65	0.12	0.28	<0.01	0.021	0.08	11.9	10.8	2.22	780	0.67	0.04	
S120163	0.09	112.5	10.60	14.15	0.28	0.30	<0.01	0.048	0.01	2.3	8.6	2.04	1500	0.34	0.03	
S120164	0.13	377	14.20	17.90	0.29	0.42	<0.01	0.052	0.01	2.7	10.1	2.03	1700	0.54	0.04	
S120165	0.10	295	12.90	14.95	0.32	0.37	<0.01	0.053	0.01	3.2	8.0	1.66	1500	0.59	0.03	
S120166	0.09	394	11.95	12.25	0.26	0.20	<0.01	0.056	0.01	2.0	5.2	1.30	1400	9.04	0.04	
S120167	0.11	62.1	13.75	14.65	0.30	0.29	<0.01	0.040	0.01	2.4	8.0	1.81	1680	0.48	0.03	
S120168	0.11	446	15.10	16.85	0.31	0.34	<0.01	0.062	0.01	2.8	8.8	1.88	1800	1.10	0.03	
S120169	0.10	408	12.15	16.35	0.29	0.20	<0.01	0.116	0.01	1.7	7.4	1.45	1690	1.99	0.04	
S120170	<0.05	1.3	0.02	0.06	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	<0.01	
S120171	0.08	474	14.40	19.95	0.31	0.23	<0.01	0.135	0.01	3.5	9.2	1.74	1700	0.48	0.04	
S120172	0.13	238	11.15	17.75	0.25	0.15	<0.01	0.089	0.01	2.3	9.9	1.80	2020	2.41	0.02	
S120173	0.06	274	13.80	15.45	0.27	0.29	<0.01	0.044	<0.01	3.2	9.3	1.93	1630	0.39	0.03	
S120174	0.06	193.5	13.35	15.60	0.26	0.21	<0.01	0.041	<0.01	3.7	10.1	1.69	1720	0.23	0.02	
S120175	0.23	63.9	12.10	18.00	0.27	0.15	<0.01	0.091	0.03	3.5	8.9	1.49	1660	2.69	0.04	
S120176	0.09	667	14.80	19.40	0.27	0.16	<0.01	0.127	0.03	2.8	11.5	1.85	1700	0.73	0.02	
S120177	0.07	285	13.50	20.1	0.24	0.13	<0.01	0.124	0.01	3.1	10.8	1.63	1280	1.00	0.03	
S120178	0.06	648	10.85	9.74	0.12	0.06	<0.01	0.104	0.07	2.8	5.4	1.27	1040	0.90	0.02	
S120179	<0.05	326	7.66	1.51	0.07	0.02	<0.01	0.058	0.07	0.9	0.7	0.83	910	1.16	0.03	
S120180	3.05	75.4	3.01	6.62	0.12	0.37	0.09	0.040	0.23	10.6	18.2	0.87	677	6.03	0.06	
S120181	0.05	610	10.80	4.30	0.08	0.02	<0.01	0.082	0.09	1.2	2.5	1.36	1520	0.32	0.03	
S120182	0.07	52.1	9.33	0.97	0.07	0.02	0.01	0.063	0.12	1.3	0.7	1.67	1440	0.79	0.05	
S120183	0.15	198.5	5.44	2.56	0.13	0.31	0.01	0.045	0.09	27.9	4.5	3.06	1120	2.12	0.02	



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
S120144		0.08	9.6	640	1.4	0.3	0.004	0.68	<0.05	27.1	1.7	0.2	86.8	<0.01	0.07	<0.2
S120145		0.08	10.2	540	1.5	0.2	0.007	1.46	0.05	22.7	1.5	0.3	154.5	<0.01	0.14	<0.2
S120146		0.07	24.7	620	<0.2	0.2	0.002	0.23	0.05	33.6	1.3	0.3	42.0	<0.01	0.01	<0.2
S120147		0.07	24.7	550	<0.2	1.0	0.003	0.19	0.06	26.4	0.9	0.2	52.6	<0.01	0.01	<0.2
S120148		0.08	31.6	550	<0.2	3.2	0.003	0.01	0.11	15.4	0.6	0.2	83.2	<0.01	<0.01	<0.2
S120149		0.06	33.8	590	<0.2	0.9	0.002	0.13	0.10	10.4	0.9	0.2	60.8	<0.01	0.04	<0.2
S120150		0.12	9.9	630	13.2	5.6	0.001	0.43	0.40	8.1	0.8	0.5	105.0	<0.01	4.32	1.4
S120151		0.05	44.7	600	<0.2	2.1	0.001	0.02	0.08	12.0	0.5	0.2	69.1	<0.01	0.01	0.3
S120152		<0.05	70.7	480	<0.2	1.3	<0.001	0.01	0.06	4.1	<0.2	<0.2	33.9	<0.01	0.01	0.7
S120153		<0.05	50.3	340	<0.2	2.2	<0.001	0.05	<0.05	3.4	<0.2	<0.2	25.4	<0.01	0.01	0.4
S120154		<0.05	46.6	330	<0.2	4.0	<0.001	0.04	<0.05	1.9	<0.2	<0.2	33.0	<0.01	0.01	0.4
S120155		<0.05	50.1	360	<0.2	3.8	<0.001	0.02	<0.05	1.6	<0.2	<0.2	32.6	<0.01	<0.01	0.4
S120156		<0.05	49.1	350	<0.2	4.5	<0.001	0.03	<0.05	1.5	0.2	<0.2	43.6	<0.01	<0.01	0.4
S120157		<0.05	50.0	380	<0.2	4.5	<0.001	0.07	<0.05	1.6	0.2	<0.2	35.3	<0.01	<0.01	0.4
S120158		<0.05	41.2	310	0.5	0.4	0.001	0.67	<0.05	6.8	<0.2	<0.2	105.0	<0.01	0.20	0.4
S120159		<0.05	28.1	240	<0.2	3.2	<0.001	0.81	<0.05	1.8	<0.2	<0.2	77.6	<0.01	0.05	<0.2
S120160		<0.05	26.3	240	<0.2	3.3	<0.001	0.71	<0.05	1.8	0.2	<0.2	80.1	<0.01	0.03	<0.2
S120161		<0.05	15.9	400	0.2	3.9	<0.001	0.34	<0.05	1.0	0.2	<0.2	84.9	<0.01	0.02	0.2
S120162		<0.05	86.6	660	<0.2	2.3	<0.001	0.08	<0.05	7.6	0.2	0.2	45.4	<0.01	0.01	0.9
S120163		0.11	21.4	540	0.2	0.2	0.002	0.39	0.06	20.3	1.0	0.6	39.9	<0.01	0.02	<0.2
S120164		0.15	19.7	590	0.7	0.4	0.002	1.34	0.06	17.7	3.0	1.8	38.3	0.01	0.10	<0.2
S120165		0.12	19.9	550	0.9	0.4	0.002	1.28	0.07	17.0	2.3	0.5	36.1	<0.01	0.09	<0.2
S120166		0.13	23.9	490	3.0	0.2	0.013	3.52	<0.05	17.3	3.2	0.5	57.3	<0.01	0.35	<0.2
S120167		0.10	23.3	540	1.1	0.4	0.002	0.54	0.07	14.1	1.4	0.4	39.3	<0.01	0.03	<0.2
S120168		0.12	25.7	550	4.8	0.4	0.002	1.79	0.07	17.4	3.1	0.8	34.4	0.01	0.25	<0.2
S120169		0.08	17.8	480	0.6	0.5	0.005	0.59	<0.05	25.4	1.3	0.4	58.4	<0.01	0.06	<0.2
S120170		<0.05	0.3	10	<0.2	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	<0.2
S120171		0.11	24.4	570	2.2	0.3	0.001	0.33	<0.05	30.2	1.5	0.8	32.1	<0.01	0.04	0.2
S120172		0.08	23.1	480	2.3	0.4	0.003	0.59	<0.05	25.7	1.5	0.3	81.4	<0.01	0.05	<0.2
S120173		0.10	20.8	540	1.0	0.1	0.002	0.44	0.09	14.4	1.0	0.4	40.6	0.01	0.06	0.2
S120174		0.10	18.6	530	0.7	0.1	0.001	0.56	0.08	14.5	2.0	0.3	37.8	0.01	0.09	0.2
S120175		0.11	15.3	480	0.6	1.3	0.003	0.42	<0.05	26.4	1.0	0.5	79.2	<0.01	0.04	<0.2
S120176		0.07	18.8	490	<0.2	1.3	0.002	0.12	0.05	30.5	0.7	0.4	59.6	<0.01	0.01	<0.2
S120177		0.06	25.7	520	<0.2	0.3	0.002	1.19	<0.05	33.1	3.0	0.4	80.8	<0.01	0.14	<0.2
S120178		<0.05	26.2	440	0.6	2.1	0.001	2.67	0.05	20.0	5.0	0.2	105.0	<0.01	0.38	<0.2
S120179		<0.05	14.3	420	0.7	2.1	0.001	1.93	0.06	10.7	3.1	<0.2	105.0	<0.01	0.25	<0.2
S120180		0.06	11.0	620	17.2	11.5	0.002	0.90	0.47	8.3	1.0	0.5	119.5	<0.01	2.59	1.4
S120181		<0.05	15.7	500	<0.2	2.5	0.001	0.10	0.05	18.6	0.4	<0.2	109.5	<0.01	0.08	<0.2
S120182		<0.05	15.0	540	1.9	3.0	0.003	0.34	0.07	17.3	0.3	<0.2	102.5	<0.01	0.06	<0.2
S120183		<0.05	130.0	1930	3.3	2.0	0.002	0.63	0.09	11.3	0.7	<0.2	288	<0.01	4.84	4.0



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120144		0.237	<0.02	<0.05	172	0.85	14.65	72	2.6
S120145		0.210	<0.02	<0.05	160	1.17	14.05	66	2.6
S120146		0.304	<0.02	<0.05	237	0.42	19.20	113	2.4
S120147		0.300	<0.02	<0.05	202	0.33	17.25	79	2.7
S120148		0.369	<0.02	<0.05	150	0.21	12.85	69	2.9
S120149		0.296	<0.02	<0.05	167	0.20	11.15	65	2.1
S120150		0.131	0.07	0.41	74	0.56	7.70	64	20.5
S120151		0.241	<0.02	<0.05	143	0.22	11.25	68	4.2
S120152		0.079	<0.02	0.12	47	0.20	2.07	54	10.8
S120153		0.065	<0.02	0.09	29	0.14	1.85	46	10.4
S120154		0.027	<0.02	0.07	20	0.10	2.21	50	8.5
S120155		0.017	<0.02	0.08	20	0.06	2.12	52	8.6
S120156		0.008	0.02	0.08	17	0.06	2.07	52	8.3
S120157		0.006	<0.02	0.08	20	<0.05	1.84	59	7.8
S120158		0.007	<0.02	0.07	45	0.05	2.36	34	9.8
S120159		<0.005	<0.02	<0.05	25	<0.05	1.89	30	2.8
S120160		<0.005	<0.02	<0.05	24	0.06	1.94	27	2.9
S120161		0.013	<0.02	<0.05	6	0.05	2.36	9	4.5
S120162		0.071	<0.02	0.14	58	0.08	3.25	63	11.9
S120163		0.424	<0.02	<0.05	222	0.31	12.20	95	7.1
S120164		0.468	<0.02	<0.05	265	0.36	13.70	130	8.5
S120165		0.388	<0.02	<0.05	249	0.33	12.25	148	7.5
S120166		0.309	<0.02	<0.05	196	0.63	11.60	127	4.1
S120167		0.366	<0.02	<0.05	229	0.30	10.60	154	7.1
S120168		0.385	<0.02	<0.05	251	0.31	11.25	242	7.6
S120169		0.259	<0.02	<0.05	259	0.33	10.85	174	5.1
S120170		<0.005	<0.02	0.06	<1	<0.05	0.48	2	0.7
S120171		0.341	<0.02	<0.05	295	0.30	13.80	354	5.3
S120172		0.259	<0.02	<0.05	248	0.24	11.25	201	3.1
S120173		0.346	<0.02	<0.05	224	0.31	10.20	139	7.3
S120174		0.352	<0.02	<0.05	241	0.35	9.71	231	5.2
S120175		0.280	<0.02	<0.05	268	0.73	12.80	211	3.5
S120176		0.291	<0.02	<0.05	267	0.28	13.15	97	4.4
S120177		0.148	<0.02	<0.05	299	0.16	6.41	78	3.2
S120178		0.046	<0.02	<0.05	143	0.18	3.12	62	1.7
S120179		0.009	<0.02	<0.05	29	0.22	2.25	38	0.6
S120180		0.054	0.14	0.33	65	0.59	8.13	84	12.1
S120181		<0.005	<0.02	<0.05	57	<0.05	2.09	61	1.0
S120182		<0.005	0.02	<0.05	28	0.19	2.70	57	0.8
S120183		<0.005	<0.02	0.43	30	0.14	9.71	80	15.8



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120184		3.22	0.006	0.03	3.95	2.1	<0.2	<10	<10	0.17	0.15	5.24	0.05	4.82	54.9	2
S120185		3.17	0.056	0.18	3.29	2.6	<0.2	<10	10	0.36	0.40	2.79	0.03	5.44	96.8	2
S120186		1.09	0.007	0.18	1.29	1.3	<0.2	<10	40	0.15	0.19	5.76	0.03	4.13	51.8	5
S120187		3.27	0.002	0.05	2.29	0.6	<0.2	<10	<10	0.17	0.08	1.54	0.01	5.13	41.5	4
S120188		3.16	0.003	0.30	2.52	0.9	<0.2	<10	<10	0.23	0.07	1.60	0.01	8.25	43.3	5
S120189		2.98	0.001	0.02	2.82	0.6	<0.2	<10	<10	0.20	0.04	2.16	0.01	5.72	49.4	3
S120190		<0.02	0.001	0.01	2.96	0.6	<0.2	<10	<10	0.23	0.03	2.24	0.02	5.87	48.0	3
S120191		1.64	0.007	0.12	2.52	3.9	<0.2	<10	<10	0.13	0.18	5.24	0.03	7.29	62.1	3
S120192		1.45	0.004	0.07	2.23	1.6	<0.2	<10	<10	0.18	0.13	6.76	0.04	6.00	56.1	3
S120193		3.10	0.007	0.04	3.01	2.4	<0.2	<10	20	0.40	0.10	5.59	0.05	5.20	54.9	2
S120194		1.61	0.116	0.29	0.19	8.6	0.2	<10	30	0.11	0.23	6.01	0.10	3.44	62.3	1
S120195		1.53	0.206	0.24	0.21	5.6	<0.2	<10	10	0.09	0.14	4.84	0.15	4.63	59.3	6
S120196		1.16	0.010	0.05	0.02	0.3	<0.2	<10	<10	<0.05	0.04	0.21	0.01	0.17	1.5	19
S120197		1.95	0.164	0.16	0.24	3.7	<0.2	<10	<10	<0.05	0.22	2.71	0.08	1.08	27.1	13
S120198		1.96	0.193	0.11	0.07	1.4	<0.2	<10	<10	<0.05	0.09	1.97	0.06	1.69	15.4	16
S120199		1.72	0.057	0.13	0.11	0.8	<0.2	<10	10	<0.05	0.08	0.90	0.04	2.22	11.5	24
S120200		1.54	0.198	0.07	0.15	0.5	<0.2	<10	10	<0.05	0.05	2.76	0.05	1.89	12.4	12
S120201		1.55	0.039	0.04	0.16	1.9	<0.2	<10	20	0.11	0.09	5.08	0.07	4.68	34.4	6
S120202		2.11	0.031	0.02	0.13	0.5	<0.2	<10	20	0.11	0.04	5.50	0.04	4.05	30.8	7
S120203		2.81	0.008	0.01	1.44	1.4	<0.2	<10	10	0.11	0.08	4.61	0.03	4.33	44.2	10
S120204		2.75	0.006	0.02	3.01	0.3	<0.2	<10	10	0.18	0.03	5.36	0.02	7.63	44.8	11
S120205		1.95	0.009	0.05	0.53	1.0	<0.2	<10	40	0.21	0.05	3.18	0.03	21.6	13.1	6
S120206		2.21	0.003	0.02	0.79	0.2	<0.2	<10	40	0.15	0.02	5.00	0.03	18.55	23.0	5
S120207		1.90	0.002	0.17	0.51	0.5	<0.2	<10	20	0.13	0.02	4.00	0.03	20.8	10.9	20
S120208		3.18	0.003	0.01	3.54	0.2	<0.2	<10	10	0.31	0.02	5.71	0.02	8.82	37.7	12
S120209		2.78	0.094	0.14	0.39	0.6	<0.2	<10	20	0.13	0.05	4.15	0.06	5.30	18.5	14
S120210		0.13	0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.85	0.1	<1
S120211		1.90	0.022	0.13	0.33	1.7	<0.2	<10	10	<0.05	0.24	2.26	0.04	2.34	9.7	17
S120212		2.98	0.002	0.01	2.94	1.3	<0.2	<10	40	0.15	0.05	7.56	0.04	6.19	33.5	13
S120213		2.22	0.004	0.04	1.15	0.9	<0.2	<10	10	0.15	0.13	2.78	0.01	5.07	25.7	11
S120214		3.69	0.002	0.01	1.56	0.9	<0.2	<10	10	0.21	0.01	2.30	<0.01	6.17	25.3	12
S120215		2.20	0.001	0.04	1.21	0.5	<0.2	<10	100	0.29	0.06	2.42	0.01	22.4	10.5	25
S120216		2.59	0.010	0.05	3.20	3.6	<0.2	<10	20	0.19	0.03	5.38	0.02	6.61	45.9	12
S120217		1.22	0.028	0.04	2.58	4.7	<0.2	<10	40	0.15	0.05	6.79	0.03	4.87	43.5	11
S120218		1.74	0.008	0.02	2.90	13.7	<0.2	<10	40	0.24	0.03	8.39	0.04	6.09	36.0	8
S120219		1.38	0.004	0.04	1.99	10.1	<0.2	<10	50	0.26	0.04	8.50	0.06	2.69	30.1	5
S120220		0.06	9.46	9.68	1.73	11.9	9.2	<10	30	0.47	0.07	4.00	0.29	20.4	11.4	18
S120221		1.59	0.011	0.08	2.00	7.9	<0.2	<10	50	0.22	0.11	6.81	0.04	1.66	39.6	7
S120222		0.88	0.008	0.07	1.23	6.5	<0.2	<10	50	0.12	0.09	6.86	0.05	3.52	36.2	5
S120223		1.21	0.009	0.13	2.28	11.2	<0.2	10	40	0.35	0.11	7.22	0.02	5.80	45.0	4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120184		0.13	295	13.60	18.55	0.34	0.07	0.01	0.120	0.01	1.9	14.6	1.95	1560	0.79	0.04
S120185		0.14	623	18.50	15.05	0.29	0.19	0.03	0.064	0.02	2.2	15.3	2.05	1660	0.40	0.02
S120186		0.05	21.2	8.60	8.54	0.22	0.21	0.02	0.021	0.01	1.9	4.2	0.98	1010	1.06	0.04
S120187		0.06	241	9.75	9.66	0.25	0.28	0.01	0.020	<0.01	2.0	8.1	1.77	1260	1.17	0.04
S120188		0.05	1455	10.45	10.10	0.27	0.26	0.01	0.037	0.01	4.1	8.3	1.75	1300	0.61	0.03
S120189		<0.05	28.9	11.95	12.40	0.29	0.19	0.02	0.025	<0.01	2.7	10.4	2.01	1490	0.89	0.03
S120190		0.05	27.5	12.20	12.50	0.32	0.22	0.01	0.030	<0.01	2.7	10.8	2.08	1540	1.05	0.03
S120191		0.06	97.7	11.85	15.00	0.36	0.11	0.01	0.075	<0.01	3.5	10.0	1.75	1550	3.37	0.04
S120192		0.05	44.3	13.20	13.15	0.32	0.18	0.02	0.056	<0.01	2.7	8.5	1.73	1560	0.94	0.05
S120193		0.09	82.9	13.75	15.15	0.25	0.07	0.02	0.103	0.05	2.4	10.7	1.81	1480	2.06	0.03
S120194		0.06	284	12.20	1.08	0.07	0.04	0.01	0.126	0.09	1.8	0.8	1.69	1610	5.33	0.03
S120195		<0.05	524	9.88	2.07	0.08	0.04	0.01	0.136	0.05	2.4	1.2	1.36	1180	5.62	0.05
S120196		<0.05	35.0	0.78	0.22	0.05	<0.02	0.01	<0.005	<0.01	<0.2	0.2	0.06	105	16.65	0.01
S120197		<0.05	11.9	5.11	1.38	0.06	<0.02	0.01	0.031	0.01	0.4	1.7	0.79	641	3.94	0.04
S120198		<0.05	13.5	3.00	0.50	0.06	<0.02	0.01	0.021	0.01	0.8	0.5	0.60	621	1.54	0.03
S120199		0.05	11.5	2.51	0.73	0.06	0.02	0.01	0.009	0.01	1.0	0.8	0.28	338	7.96	0.04
S120200		0.11	6.7	3.31	0.92	0.06	<0.02	0.01	0.030	0.02	0.8	1.1	0.75	577	2.89	0.04
S120201		0.05	64.1	7.86	1.01	0.07	0.03	0.01	0.064	0.08	2.4	0.5	1.49	1160	3.55	0.06
S120202		0.08	12.7	7.72	1.04	0.07	0.02	<0.01	0.053	0.07	1.7	0.5	1.78	1150	2.85	0.05
S120203		0.12	54.3	9.49	9.33	0.10	0.06	<0.01	0.096	0.06	2.1	12.1	1.83	1040	1.63	0.06
S120204		0.15	22.9	10.95	15.95	0.15	0.10	<0.01	0.092	0.04	3.6	27.6	2.04	1160	1.04	0.04
S120205		0.36	15.0	3.13	2.08	0.08	0.45	0.01	0.029	0.13	10.6	2.8	0.95	623	1.55	0.05
S120206		0.24	21.0	5.21	2.43	0.08	0.09	<0.01	0.033	0.14	9.8	4.7	1.68	805	0.38	0.04
S120207		0.18	8.1	2.51	2.02	0.07	0.19	<0.01	0.020	0.13	11.4	3.5	1.01	579	0.71	0.07
S120208		0.06	8.6	11.85	17.20	0.24	0.09	0.01	0.083	0.01	4.3	40.6	1.70	1000	0.13	0.04
S120209		0.06	11.1	4.71	1.68	0.06	0.10	<0.01	0.031	0.10	2.6	1.6	1.32	718	0.57	0.07
S120210		<0.05	0.8	0.02	<0.05	0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	0.05	0.01
S120211		<0.05	192.5	2.36	1.51	0.06	0.04	<0.01	0.020	0.02	1.2	1.3	0.48	351	43.6	0.03
S120212		0.07	6.6	8.38	14.40	0.19	0.11	<0.01	0.085	0.01	2.7	6.1	1.55	940	0.93	0.06
S120213		0.06	7.2	6.41	7.27	0.19	0.33	<0.01	0.022	0.01	2.2	2.5	0.66	513	0.71	0.06
S120214		0.13	6.7	7.44	8.15	0.19	0.46	<0.01	0.026	0.02	2.7	3.3	0.83	624	0.32	0.08
S120215		0.08	11.1	3.02	9.32	0.14	0.83	<0.01	0.028	0.03	11.2	2.8	0.85	419	0.29	0.07
S120216		0.13	219	10.50	16.50	0.19	0.11	0.01	0.095	0.06	2.3	5.3	1.31	1050	0.33	0.07
S120217		0.12	130.0	8.49	12.70	0.15	0.06	<0.01	0.072	0.04	1.8	4.7	1.00	863	0.45	0.04
S120218		0.19	29.4	10.35	11.85	0.13	0.08	<0.01	0.061	0.20	2.5	4.9	1.46	1440	1.80	0.03
S120219		0.16	233	9.04	5.89	0.10	0.07	0.01	0.061	0.17	1.0	3.9	1.20	1500	1.34	0.04
S120220		2.62	63.2	3.04	6.82	0.17	0.70	0.18	0.028	0.14	9.3	21.1	1.09	787	5.03	0.09
S120221		0.12	47.4	9.37	5.32	0.10	0.07	0.01	0.053	0.16	0.6	3.9	0.91	1100	1.20	0.05
S120222		0.11	35.4	7.64	2.83	0.10	0.04	0.01	0.077	0.11	1.4	2.9	0.70	1080	1.17	0.05
S120223		0.79	53.4	10.45	5.62	0.10	0.07	0.01	0.061	0.20	2.7	6.9	0.78	944	1.21	0.03



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
S120184		<0.05	20.3	540	0.4	0.2	0.003	0.45	<0.05	33.9	1.3	<0.2	65.5	<0.01	0.08	<0.2
S120185		0.08	31.8	480	0.5	0.9	0.001	1.44	0.09	20.2	3.4	0.3	28.5	<0.01	0.16	0.2
S120186		0.14	14.8	410	1.8	0.4	0.002	2.45	0.06	9.3	1.5	0.3	53.5	<0.01	0.21	<0.2
S120187		0.10	17.3	560	0.3	0.2	0.003	0.23	0.05	7.3	0.8	0.3	25.9	<0.01	0.03	<0.2
S120188		0.13	17.3	540	0.5	0.2	0.001	0.21	0.08	9.6	0.9	0.3	45.2	0.01	0.04	0.2
S120189		0.09	17.7	520	0.3	0.1	0.002	0.22	0.05	9.4	0.7	0.3	23.8	0.01	0.01	0.2
S120190		0.12	17.4	530	0.3	0.1	0.003	0.13	0.06	10.6	0.5	0.3	28.4	0.01	0.01	<0.2
S120191		0.09	22.0	500	0.6	0.1	0.008	0.94	<0.05	23.0	2.2	0.3	54.0	0.01	0.12	<0.2
S120192		0.11	18.8	490	0.7	0.1	0.001	1.35	<0.05	17.5	1.5	0.3	39.3	<0.01	0.07	<0.2
S120193		<0.05	17.9	490	1.3	1.7	0.002	0.45	0.12	25.4	1.2	0.3	87.7	<0.01	0.03	<0.2
S120194		<0.05	25.8	400	2.3	2.6	0.004	1.88	0.08	18.4	1.7	<0.2	176.5	<0.01	0.45	<0.2
S120195		<0.05	38.7	410	2.1	1.5	0.005	1.61	0.10	16.9	2.1	<0.2	143.0	<0.01	0.36	<0.2
S120196		<0.05	2.2	20	0.8	0.1	0.014	0.09	<0.05	0.7	<0.2	<0.2	8.0	<0.01	0.04	<0.2
S120197		<0.05	15.0	230	2.0	0.2	0.005	2.43	0.07	9.8	1.2	<0.2	86.4	<0.01	0.77	<0.2
S120198		<0.05	8.6	130	1.1	0.3	0.002	1.22	0.05	7.9	0.9	<0.2	54.5	<0.01	0.32	<0.2
S120199		<0.05	9.5	110	1.0	0.3	0.010	0.75	0.05	3.1	0.7	<0.2	27.2	<0.01	0.28	<0.2
S120200		<0.05	9.1	210	1.1	0.8	0.004	0.88	0.05	9.5	0.2	<0.2	82.5	<0.01	0.20	<0.2
S120201		<0.05	21.2	450	1.5	2.8	0.009	1.02	0.09	19.0	1.0	<0.2	119.0	<0.01	0.13	<0.2
S120202		<0.05	18.1	510	1.3	2.5	0.006	0.61	0.15	17.9	0.4	<0.2	154.0	<0.01	0.06	<0.2
S120203		<0.05	32.4	490	0.8	2.2	0.005	0.65	0.08	25.5	0.9	<0.2	128.0	<0.01	0.05	<0.2
S120204		<0.05	32.6	520	1.0	1.2	0.008	0.01	<0.05	29.2	0.5	<0.2	135.5	<0.01	0.01	<0.2
S120205		<0.05	13.8	460	1.3	3.7	0.002	0.13	0.06	5.9	0.4	<0.2	107.0	<0.01	0.04	2.0
S120206		<0.05	25.7	540	1.2	3.5	0.002	0.02	0.05	9.6	0.2	<0.2	141.0	<0.01	0.01	0.6
S120207		<0.05	19.7	550	0.7	3.5	<0.001	0.10	0.05	4.7	<0.2	<0.2	63.8	<0.01	0.02	0.9
S120208		<0.05	26.1	520	0.6	0.4	0.001	0.01	0.05	29.4	0.3	<0.2	158.5	<0.01	0.01	<0.2
S120209		<0.05	38.9	370	1.4	2.5	0.001	0.60	0.06	9.3	0.2	<0.2	161.5	<0.01	0.45	0.2
S120210		<0.05	0.3	10	0.6	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
S120211		<0.05	15.2	190	1.9	0.6	0.007	0.76	0.05	5.0	0.6	<0.2	78.7	<0.01	0.32	<0.2
S120212		<0.05	23.5	500	0.8	0.3	0.001	0.67	<0.05	30.7	0.4	0.2	137.0	<0.01	0.05	<0.2
S120213		0.23	14.6	530	1.4	0.2	0.002	0.54	0.07	5.6	1.0	0.3	38.9	<0.01	0.13	<0.2
S120214		0.26	15.3	540	0.4	0.5	0.001	0.12	0.08	7.3	0.5	0.4	49.1	0.01	0.01	<0.2
S120215		0.12	14.8	530	0.9	0.7	<0.001	0.06	<0.05	6.7	0.2	0.5	31.5	<0.01	0.01	2.6
S120216		0.09	29.3	540	0.6	2.1	0.002	0.32	<0.05	32.7	1.2	0.4	56.2	0.01	0.03	<0.2
S120217		<0.05	30.0	460	0.7	1.3	0.002	0.74	<0.05	26.9	1.3	0.3	72.5	<0.01	0.07	<0.2
S120218		<0.05	20.9	580	0.6	7.1	0.004	0.38	<0.05	21.5	0.7	<0.2	96.3	<0.01	0.03	<0.2
S120219		<0.05	17.6	470	0.9	5.5	0.005	0.85	<0.05	16.1	0.7	<0.2	103.0	<0.01	0.06	<0.2
S120220		0.13	10.6	640	15.2	6.3	0.002	0.44	0.46	9.2	0.7	0.5	110.0	<0.01	4.24	1.7
S120221		<0.05	19.9	290	2.1	5.2	0.004	3.64	0.07	14.0	1.0	<0.2	79.0	<0.01	0.17	<0.2
S120222		<0.05	21.0	490	2.2	3.7	0.002	2.95	0.06	12.2	1.4	<0.2	116.0	<0.01	0.18	<0.2
S120223		<0.05	19.5	470	1.8	6.8	0.006	3.81	0.09	12.1	0.9	<0.2	59.7	<0.01	0.23	<0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120184		0.059	<0.02	<0.05	301	0.05	5.89	108	2.3
S120185		0.261	<0.02	<0.05	247	0.20	8.97	83	4.3
S120186		0.246	<0.02	<0.05	152	0.77	8.04	36	4.9
S120187		0.322	<0.02	<0.05	198	0.26	8.48	68	8.7
S120188		0.381	<0.02	<0.05	183	0.31	9.59	68	7.2
S120189		0.326	<0.02	<0.05	213	0.28	8.07	76	5.0
S120190		0.385	<0.02	<0.05	222	0.32	9.45	78	6.1
S120191		0.253	<0.02	<0.05	259	0.32	10.60	66	2.9
S120192		0.297	<0.02	<0.05	253	0.33	11.40	59	4.8
S120193		0.027	<0.02	<0.05	253	0.12	4.21	67	2.6
S120194		<0.005	0.02	<0.05	31	0.51	3.43	53	1.2
S120195		0.026	<0.02	<0.05	104	1.98	3.28	48	1.3
S120196		<0.005	<0.02	<0.05	3	0.06	0.13	2	<0.5
S120197		<0.005	<0.02	<0.05	29	0.55	1.45	23	0.6
S120198		0.008	<0.02	<0.05	37	1.06	1.20	13	<0.5
S120199		<0.005	<0.02	<0.05	14	0.35	0.66	7	0.9
S120200		<0.005	<0.02	<0.05	16	0.35	1.62	19	<0.5
S120201		0.019	<0.02	<0.05	75	0.87	3.68	40	1.1
S120202		0.060	0.02	<0.05	140	0.76	3.44	37	0.8
S120203		0.041	<0.02	<0.05	199	0.47	4.31	36	1.7
S120204		0.024	<0.02	<0.05	245	0.05	3.72	56	2.5
S120205		<0.005	0.02	0.51	20	0.13	4.41	25	18.2
S120206		<0.005	0.02	0.08	32	0.10	3.37	40	4.0
S120207		<0.005	0.02	0.12	12	0.06	3.18	18	8.3
S120208		0.028	<0.02	<0.05	304	<0.05	3.19	58	2.2
S120209		<0.005	<0.02	<0.05	23	0.21	2.41	32	4.3
S120210		<0.005	<0.02	0.09	<1	<0.05	0.55	2	0.7
S120211		<0.005	<0.02	<0.05	30	0.09	1.49	14	1.4
S120212		0.103	<0.02	<0.05	288	0.07	5.64	53	3.0
S120213		0.365	<0.02	<0.05	159	0.36	10.15	24	9.3
S120214		0.456	<0.02	0.06	169	0.36	13.50	31	12.0
S120215		0.125	<0.02	0.80	74	0.19	2.82	32	28.5
S120216		0.186	0.02	<0.05	299	0.25	6.58	51	3.7
S120217		0.089	<0.02	<0.05	253	0.31	4.00	38	1.9
S120218		0.101	0.02	<0.05	174	0.57	6.06	39	1.8
S120219		0.066	0.03	<0.05	85	0.55	4.22	32	1.9
S120220		0.143	0.09	0.46	80	0.58	8.19	65	21.6
S120221		0.073	0.02	<0.05	68	0.84	3.83	27	1.9
S120222		0.023	<0.02	<0.05	30	0.26	6.86	24	1.2
S120223		0.022	0.03	<0.05	44	0.50	6.30	26	2.0



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
S120224		1.86	0.001	0.03	1.27	25.3	<0.2	<10	60	0.23	0.02	6.25	0.06	5.65	37.3	3
S120225		2.22	<0.001	0.10	1.04	19.0	<0.2	<10	70	0.20	0.01	6.67	0.07	5.82	32.2	3
S120226		2.14	<0.001	0.18	1.16	22.5	<0.2	<10	70	0.16	0.01	7.09	0.08	4.27	34.4	2
S120227		2.48	<0.001	0.02	1.12	19.8	<0.2	<10	60	0.16	0.01	6.34	0.07	6.46	32.5	3
S120228		1.14	0.056	0.09	2.78	5.0	<0.2	<10	40	0.19	0.04	10.80	0.03	8.08	39.6	10
S120229		1.91	0.003	0.02	3.94	1.8	<0.2	<10	10	0.22	0.01	6.06	0.01	10.75	43.4	13
S120230		<0.02	0.009	0.02	4.09	1.6	<0.2	<10	10	0.26	0.01	6.29	0.01	11.70	46.2	13
S120231		3.15	0.193	0.06	3.05	1.0	<0.2	<10	10	0.49	0.01	5.41	0.02	8.53	41.7	13
S120232		1.66	0.096	0.05	1.77	1.0	<0.2	<10	40	0.57	0.02	5.70	0.05	4.26	37.5	13
S120233		1.88	0.010	0.06	1.26	2.3	<0.2	<10	20	0.36	0.02	6.30	0.06	3.77	43.9	13
S120234		1.88	0.016	0.06	1.47	1.8	<0.2	<10	20	0.20	0.03	6.81	0.03	3.71	38.4	11
S120235		2.47	0.067	0.09	1.53	2.0	<0.2	<10	20	0.21	0.03	5.48	0.06	4.80	38.4	13
S120236		1.45	0.240	0.09	1.39	2.4	0.2	<10	10	0.13	0.03	8.74	0.05	3.31	34.9	8
S120237		1.58	0.668	0.24	0.94	2.5	1.0	<10	10	0.10	0.05	6.15	0.05	2.66	46.4	10
S120238		2.10	0.244	0.14	0.58	1.0	0.5	<10	10	0.05	0.06	2.75	0.03	1.55	14.9	12
S120239		2.13	0.229	0.28	0.99	2.0	0.2	<10	10	0.11	0.14	5.77	0.03	2.87	26.3	12
S120240		0.12	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	0.02	1.06	0.1	<1
S120241		1.95	0.250	0.22	0.82	1.4	<0.2	<10	10	0.10	0.08	4.36	0.04	2.33	25.9	11
S120242		2.21	0.058	0.09	0.67	2.2	<0.2	<10	10	0.11	0.05	5.99	0.13	3.10	38.1	11
S120243		2.20	0.006	0.03	1.57	1.7	<0.2	<10	10	0.18	0.02	7.08	0.06	5.68	34.2	11
S120244		3.04	0.002	0.01	3.06	1.0	<0.2	<10	10	0.25	0.01	5.09	0.01	7.54	40.6	12
S120245		0.95	0.020	0.02	3.40	4.2	<0.2	<10	<10	0.21	0.03	7.14	0.01	3.61	49.2	13
S120246		1.56	0.175	0.15	2.40	1.4	0.2	<10	10	0.11	0.04	4.63	0.02	6.64	29.2	55



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S120224		0.14	207	9.11	3.91	0.10	0.06	0.01	0.049	0.29	2.3	1.9	1.21	1450	0.59	0.05
S120225		0.12	288	10.00	2.99	0.09	0.09	<0.01	0.044	0.31	2.1	1.8	1.39	1620	0.42	0.04
S120226		0.08	103.0	10.05	2.47	0.08	0.04	0.01	0.043	0.24	1.4	2.4	1.36	1450	0.20	0.03
S120227		0.08	48.4	9.59	3.20	0.10	0.05	0.01	0.046	0.30	2.3	1.7	1.38	1560	0.34	0.04
S120228		1.07	131.0	9.60	13.70	0.22	0.10	<0.01	0.073	0.09	3.2	5.6	1.23	1420	9.70	0.07
S120229		0.16	45.4	12.20	19.30	0.30	0.10	<0.01	0.103	0.04	4.2	8.8	1.60	1250	0.58	0.05
S120230		0.17	52.0	12.60	20.5	0.31	0.10	<0.01	0.107	0.04	4.7	9.5	1.68	1300	0.61	0.05
S120231		0.28	69.4	11.25	18.20	0.24	0.10	<0.01	0.090	0.07	3.1	5.7	1.89	1400	0.89	0.08
S120232		2.22	26.1	10.20	11.60	0.19	0.10	0.01	0.080	0.82	1.5	3.4	1.52	1440	5.66	0.07
S120233		0.56	124.5	11.15	10.20	0.18	0.07	<0.01	0.069	0.16	1.3	2.6	1.41	1500	1.09	0.09
S120234		0.29	62.0	10.25	7.68	0.18	0.04	<0.01	0.065	0.02	1.4	3.6	1.19	1100	1.52	0.07
S120235		0.87	176.0	10.45	8.58	0.14	0.07	0.01	0.075	0.09	1.8	2.6	1.54	1420	5.52	0.11
S120236		0.22	73.8	7.27	6.43	0.15	0.19	<0.01	0.068	0.01	1.3	2.6	1.23	1290	2.46	0.06
S120237		0.10	130.0	6.65	3.99	0.12	0.06	<0.01	0.046	0.01	1.0	2.0	0.95	933	8.74	0.07
S120238		0.06	40.5	2.66	2.35	0.07	<0.02	<0.01	0.021	<0.01	0.6	2.2	0.45	441	12.35	0.03
S120239		0.07	53.6	4.55	3.95	0.10	0.04	<0.01	0.031	<0.01	1.2	3.4	0.57	757	31.7	0.05
S120240		<0.05	0.8	0.02	<0.05	0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.07	0.01
S120241		0.08	132.0	4.78	3.59	0.09	0.02	<0.01	0.035	<0.01	1.0	1.9	0.71	734	14.40	0.04
S120242		0.06	61.8	10.15	3.23	0.13	0.05	<0.01	0.053	0.01	1.0	1.2	1.58	1800	2.17	0.09
S120243		0.09	61.6	9.98	9.43	0.24	0.08	<0.01	0.072	0.02	2.0	2.9	1.31	1460	0.87	0.07
S120244		0.11	82.8	12.50	17.60	0.28	0.25	<0.01	0.077	0.02	2.8	6.4	1.64	1540	0.20	0.08
S120245		0.17	81.7	10.30	16.00	0.24	0.16	<0.01	0.036	<0.01	1.3	9.1	1.85	1800	0.30	0.04
S120246		0.07	35.2	7.07	11.90	0.17	0.21	<0.01	0.023	0.01	2.5	6.7	1.30	1130	6.11	0.08



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
S120224		<0.05	20.8	530	0.8	8.6	0.003	0.16	0.06	13.1	0.8	<0.2	124.0	<0.01	0.02	<0.2
S120225		<0.05	15.8	480	0.8	8.9	0.003	0.07	0.05	11.5	0.4	<0.2	129.0	<0.01	<0.01	<0.2
S120226		<0.05	16.0	500	0.7	6.4	0.001	0.06	<0.05	12.8	0.5	<0.2	123.5	<0.01	<0.01	<0.2
S120227		<0.05	14.6	490	0.7	8.4	0.002	0.04	<0.05	12.3	0.6	<0.2	118.0	<0.01	<0.01	<0.2
S120228		0.09	26.3	440	0.5	4.6	0.002	1.07	<0.05	29.5	1.7	0.3	58.0	<0.01	0.04	<0.2
S120229		0.12	27.2	530	0.3	1.6	0.003	0.21	<0.05	35.7	1.1	0.5	32.3	0.01	0.01	<0.2
S120230		0.12	29.3	550	0.3	1.9	0.002	0.19	<0.05	36.8	1.1	0.5	33.2	0.01	0.01	0.2
S120231		0.08	26.1	550	0.8	3.7	0.002	0.42	<0.05	34.8	0.8	0.4	68.2	<0.01	0.04	<0.2
S120232		0.07	22.4	490	1.4	49.8	0.002	0.92	<0.05	29.2	0.5	0.5	147.5	<0.01	0.09	<0.2
S120233		0.05	30.3	520	1.0	9.9	0.002	0.83	<0.05	23.7	0.9	0.4	124.0	<0.01	0.05	<0.2
S120234		<0.05	26.3	530	0.8	1.1	0.003	0.87	<0.05	20.0	0.7	0.3	68.0	<0.01	0.10	<0.2
S120235		0.05	30.9	530	1.1	5.2	0.007	0.72	0.05	23.9	0.7	0.6	91.6	<0.01	0.09	<0.2
S120236		<0.05	25.7	210	1.5	0.8	0.003	1.21	0.05	21.0	0.8	<0.2	118.0	<0.01	0.15	<0.2
S120237		<0.05	35.2	400	1.3	0.4	0.002	1.79	0.05	14.8	1.3	<0.2	85.9	<0.01	0.26	<0.2
S120238		<0.05	10.8	250	1.0	0.2	0.007	0.91	<0.05	5.7	0.4	<0.2	30.2	<0.01	0.26	<0.2
S120239		<0.05	20.4	240	2.0	0.1	0.017	1.72	0.06	11.3	0.9	<0.2	43.6	<0.01	0.54	<0.2
S120240		<0.05	0.3	10	0.5	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
S120241		<0.05	16.0	270	1.4	0.3	0.011	1.55	0.05	9.7	0.6	<0.2	42.6	<0.01	0.41	<0.2
S120242		0.08	21.6	600	2.9	0.6	0.003	2.07	0.06	18.0	0.6	0.3	191.5	<0.01	0.27	<0.2
S120243		0.11	21.3	490	1.0	0.8	0.002	1.08	<0.05	26.5	0.7	0.3	92.5	<0.01	0.07	<0.2
S120244		0.14	23.6	550	0.2	0.8	0.001	0.08	<0.05	34.3	1.0	0.4	13.6	0.01	0.01	0.2
S120245		0.09	22.5	500	0.5	0.3	0.001	0.77	<0.05	25.4	0.9	0.6	21.1	<0.01	0.04	<0.2
S120246		0.10	27.0	510	0.5	0.4	0.003	0.35	<0.05	12.8	0.6	0.3	11.0	<0.01	0.17	0.3



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-APR-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055843**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120224		0.087	0.03	<0.05	53	0.73	3.82	27	2.4
S120225		0.036	0.03	<0.05	38	0.42	3.58	29	1.7
S120226		<0.005	0.02	<0.05	31	0.37	3.39	28	1.2
S120227		0.043	0.03	<0.05	44	0.26	4.00	26	1.3
S120228		0.194	<0.02	<0.05	265	0.43	14.30	48	2.6
S120229		0.347	<0.02	<0.05	327	0.67	15.95	67	3.2
S120230		0.355	<0.02	<0.05	337	0.67	16.15	70	2.9
S120231		0.200	0.03	<0.05	355	0.68	12.80	78	3.5
S120232		0.270	0.28	<0.05	311	0.87	6.93	63	2.8
S120233		0.145	0.06	<0.05	339	0.74	4.51	36	2.2
S120234		0.121	<0.02	<0.05	313	0.78	5.21	24	1.9
S120235		0.214	0.02	0.06	297	3.29	5.23	33	2.3
S120236		0.064	<0.02	<0.05	154	1.66	5.17	29	2.8
S120237		0.076	<0.02	<0.05	113	1.32	4.45	23	1.3
S120238		0.012	<0.02	<0.05	12	3.32	2.35	13	<0.5
S120239		0.017	<0.02	<0.05	47	3.94	4.97	14	1.0
S120240		<0.005	<0.02	0.06	<1	<0.05	0.56	2	0.8
S120241		0.039	<0.02	<0.05	102	2.11	3.54	16	0.8
S120242		0.146	<0.02	<0.05	273	4.02	5.10	40	1.2
S120243		0.167	<0.02	<0.05	283	0.78	9.50	41	2.5
S120244		0.473	<0.02	<0.05	317	0.41	18.25	71	4.5
S120245		0.297	<0.02	<0.05	282	0.82	13.60	93	3.9
S120246		0.237	<0.02	<0.05	162	0.67	8.39	63	5.4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: **Appendix 1**  
 Total # Appendix Pages: **1**  
 Finalized Date: **27-APR-2016**  
 Account: **OBMICO**

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16055843</b>
---

	<b>CERTIFICATE COMMENTS</b>												
	<b>ANALYTICAL COMMENTS</b>												
Applies to Method:	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41												
	<b>LABORATORY ADDRESSES</b>												
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-ICP22 ME-MS41												
Applies to Method:	Processed at ALS Timmins located at Unit 10 - 2090 Riverside Drive, Timmins, ON, Canada.												
	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">CRU-32</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 33%;">LOG-21d</td> <td style="width: 33%;">LOG-22</td> </tr> <tr> <td>LOG-23</td> <td>PUL-35a</td> <td>PUL-35ad</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-32	CRU-QC	LOG-21d	LOG-22	LOG-23	PUL-35a	PUL-35ad	PUL-QC	SPL-21	SPL-21d	WEI-21	
CRU-32	CRU-QC	LOG-21d	LOG-22										
LOG-23	PUL-35a	PUL-35ad	PUL-QC										
SPL-21	SPL-21d	WEI-21											



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 1  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

**CERTIFICATE TM16055845**

Project: COTE

This report is for 136 Drill Core samples submitted to our lab in Timmins, ON, Canada on 13-APR-2016.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER
-------------------	-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

To: **OBAN MINING CORPORATION**  
**ATTN: MICHAELA KUUSKMAN**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120295		2.94	0.007	0.02	3.31	1.2	<0.2	<10	10	0.13	0.03	5.39	0.02	3.52	38.3	193
S120296		3.14	0.003	0.03	2.97	2.0	<0.2	<10	<10	0.10	0.02	4.57	0.02	4.60	33.9	162
S120297		3.25	0.001	0.03	2.71	0.5	<0.2	<10	10	0.08	0.02	3.05	0.01	4.08	29.9	159
S120298		2.96	0.002	0.03	2.40	1.5	<0.2	<10	<10	0.10	0.02	2.17	0.01	3.24	28.1	145
S120299		3.20	0.005	0.05	3.63	1.4	<0.2	<10	10	0.12	0.06	5.88	0.04	5.90	36.2	190
S120300		1.64	0.017	0.05	0.66	1.7	<0.2	<10	10	<0.05	0.08	2.31	0.02	1.30	8.6	37
S120301		1.11	0.046	0.06	1.33	1.4	<0.2	<10	10	0.08	0.20	4.25	0.05	1.31	19.0	62
S120302		3.02	0.008	0.15	3.21	2.0	<0.2	10	40	0.30	0.22	2.52	0.09	10.40	32.9	134
S120303		3.24	0.003	0.05	3.81	1.0	<0.2	10	10	0.15	0.07	3.74	0.04	7.78	38.2	206
S120304		3.22	0.005	0.04	3.09	0.5	<0.2	10	20	0.12	0.01	1.98	0.05	18.15	25.2	12
S120305		3.31	0.003	0.04	4.33	0.2	<0.2	10	10	0.07	0.01	2.63	0.05	13.35	18.7	6
S120306		3.04	0.002	0.03	4.72	1.0	<0.2	10	10	0.16	0.02	3.69	0.02	7.55	31.7	203
S120307		2.76	0.005	0.02	3.78	0.9	<0.2	10	10	0.20	0.02	2.77	0.01	5.49	38.0	219
S120308		3.16	0.001	0.02	3.62	0.9	<0.2	10	10	0.11	0.02	4.92	0.03	6.86	39.2	218
S120309		1.74	0.004	0.02	3.53	0.7	<0.2	<10	10	0.13	0.05	4.07	0.05	4.90	32.2	176
S120310		0.12	0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.01	0.01	0.01	0.91	0.1	<1
S120311		2.73	0.024	0.96	3.45	2.6	<0.2	<10	20	0.26	0.19	5.09	0.03	6.77	38.8	170
S120312		3.01	0.012	0.16	4.01	2.7	<0.2	<10	20	0.19	0.03	5.69	0.04	5.34	39.4	167
S120313		3.10	0.017	0.03	3.86	1.0	<0.2	<10	20	0.20	0.03	6.70	0.05	5.08	38.7	163
S120314		3.18	0.228	0.10	3.85	0.9	<0.2	<10	10	0.24	0.10	6.08	0.06	4.05	42.3	166
S120315		3.04	0.012	0.03	4.10	1.0	<0.2	<10	10	0.16	0.05	6.52	0.06	4.94	39.1	184
S120316		1.22	0.003	0.05	3.67	2.0	<0.2	<10	10	0.16	0.03	7.97	0.05	4.61	37.1	200
S120317		1.62	0.017	0.07	2.02	1.3	<0.2	<10	<10	0.05	0.10	7.31	0.05	1.85	22.4	101
S120318		2.10	0.007	0.05	3.93	0.8	<0.2	<10	10	0.08	0.02	5.22	0.04	3.83	38.7	235
S120319		2.96	0.003	0.02	4.22	0.6	<0.2	<10	10	0.18	0.02	7.92	0.09	3.79	38.4	216
S120320		0.06	2.49	4.82	1.68	19.4	2.5	10	40	0.60	0.09	3.78	0.38	23.1	10.8	25
S120321		2.99	0.002	0.02	3.67	0.9	<0.2	<10	10	0.18	0.01	10.90	0.11	3.00	31.8	182
S120322		3.07	0.003	0.03	3.73	0.4	<0.2	<10	10	0.12	0.01	5.11	0.05	4.59	43.5	234
S120323		2.05	0.002	0.03	3.30	0.9	<0.2	<10	20	0.14	0.02	4.95	0.04	3.74	41.5	208
S120324		1.38	0.009	0.03	2.93	2.5	<0.2	<10	20	0.16	0.06	5.39	0.03	5.12	40.7	147
S120325		2.04	0.065	0.42	1.76	3.9	<0.2	<10	20	0.21	0.09	5.13	0.09	6.83	36.3	121
S120326		2.02	0.029	0.09	1.59	7.8	<0.2	<10	30	0.20	0.18	2.48	0.05	8.56	38.9	25
S120327		1.13	0.031	0.04	0.62	3.3	<0.2	<10	10	0.12	0.07	3.01	0.05	5.87	21.9	20
S120328		3.19	0.033	0.26	1.04	3.1	<0.2	<10	10	0.14	0.04	6.44	0.05	4.01	41.4	55
S120329		3.05	0.008	0.02	0.68	0.5	<0.2	<10	30	0.13	0.02	5.14	0.04	4.29	49.2	60
S120330		<0.02	0.028	0.02	0.61	0.7	<0.2	<10	30	0.13	0.02	5.28	0.04	4.12	49.3	57
S120331		0.86	0.076	0.01	0.55	0.2	<0.2	10	20	0.14	0.01	5.28	0.06	3.76	45.9	59
S120332		3.23	0.044	0.08	0.29	0.6	<0.2	<10	10	0.12	0.05	4.62	0.05	3.90	40.8	32
S120333		3.15	0.053	0.10	1.32	0.8	<0.2	<10	40	0.16	0.06	7.06	0.05	4.09	42.7	55
S120334		3.23	0.063	0.07	0.46	0.8	<0.2	<10	10	0.18	0.05	6.07	0.07	4.36	37.7	36



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120295		0.06	80.0	6.72	10.65	0.17	0.15	<0.01	0.023	0.02	1.3	11.0	2.86	1020	0.21	0.04
S120296		0.06	64.6	5.74	7.93	0.20	0.25	<0.01	0.024	0.02	1.7	7.5	2.45	886	0.36	0.05
S120297		0.06	70.9	5.03	6.75	0.14	0.25	<0.01	0.011	0.03	1.5	8.3	2.31	772	0.25	0.06
S120298		0.05	119.0	4.60	5.55	0.16	0.25	<0.01	0.010	0.01	1.1	6.8	2.02	681	0.29	0.05
S120299		0.06	108.0	7.02	11.80	0.19	0.07	<0.01	0.041	0.04	2.2	15.6	3.64	989	0.26	0.04
S120300		0.05	47.1	2.33	2.10	0.11	<0.02	<0.01	0.006	0.05	0.5	3.5	0.91	258	17.40	0.02
S120301		0.09	55.6	3.09	4.11	0.10	<0.02	<0.01	0.010	0.10	0.5	7.0	1.52	217	7.19	0.02
S120302		0.31	82.3	6.30	10.50	0.14	0.09	<0.01	0.031	0.21	4.2	23.5	4.81	630	0.46	0.03
S120303		0.38	87.4	7.03	11.60	0.19	0.13	<0.01	0.039	0.05	3.0	37.1	4.76	672	0.15	0.18
S120304		0.29	163.0	4.94	8.81	0.18	0.24	<0.01	0.027	0.06	7.9	5.2	1.44	318	0.40	0.50
S120305		0.36	160.5	4.29	10.10	0.16	0.30	<0.01	0.022	0.05	5.5	7.0	0.81	390	0.35	0.69
S120306		0.42	121.0	5.46	13.70	0.22	0.11	<0.01	0.029	0.03	2.8	23.9	2.62	477	0.23	0.38
S120307		0.51	55.8	7.04	13.70	0.27	0.06	<0.01	0.044	0.06	1.9	49.4	5.41	578	0.17	0.14
S120308		0.12	87.0	6.72	10.45	0.24	0.17	<0.01	0.031	0.02	2.4	17.3	4.16	933	0.25	0.05
S120309		0.09	90.9	6.85	11.80	0.14	0.05	<0.01	0.030	0.07	1.8	13.3	3.42	765	0.36	0.03
S120310		<0.05	1.7	0.02	<0.05	0.09	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.11	<0.01
S120311		0.21	91.3	6.97	11.75	0.16	0.05	<0.01	0.043	0.10	2.5	21.2	4.18	859	0.66	0.05
S120312		0.11	91.2	7.33	10.60	0.14	0.03	<0.01	0.038	0.11	1.9	13.9	4.01	1040	0.22	0.02
S120313		0.09	90.8	7.25	10.60	0.19	0.04	<0.01	0.045	0.08	1.8	12.0	3.76	1140	0.21	0.03
S120314		0.08	86.6	7.65	11.55	0.16	0.02	<0.01	0.053	0.06	1.5	10.7	4.04	1070	0.58	0.03
S120315		0.11	77.5	7.60	11.55	0.17	0.03	<0.01	0.046	0.07	1.9	14.8	3.97	1150	0.74	0.03
S120316		0.07	92.5	7.01	11.85	0.24	0.13	<0.01	0.043	0.02	1.6	14.4	3.63	1060	0.33	0.03
S120317		<0.05	30.7	4.85	7.30	0.17	0.04	<0.01	0.022	<0.01	0.7	8.3	2.06	679	0.45	0.03
S120318		0.08	79.7	7.10	12.35	0.25	0.05	<0.01	0.044	0.01	1.4	15.4	4.12	1060	0.29	0.03
S120319		0.07	86.3	7.40	12.90	0.25	0.02	<0.01	0.050	0.01	1.5	23.5	3.92	1200	0.28	0.04
S120320		3.39	77.2	3.10	6.56	0.15	0.39	0.10	0.039	0.25	11.1	16.3	0.91	700	6.28	0.07
S120321		0.07	69.1	6.30	10.70	0.24	<0.02	<0.01	0.044	<0.01	1.2	20.7	3.29	1160	0.26	0.02
S120322		0.10	77.3	7.55	9.50	0.14	<0.02	<0.01	0.037	0.07	1.8	27.8	5.19	1220	0.14	0.04
S120323		0.09	92.0	7.36	9.39	0.12	<0.02	<0.01	0.037	0.08	1.4	25.3	4.56	1200	0.24	0.04
S120324		0.18	95.9	7.14	7.05	0.12	0.03	<0.01	0.032	0.11	2.2	25.8	3.40	964	0.38	0.02
S120325		0.15	117.0	5.18	3.78	0.10	0.11	<0.01	0.020	0.12	3.0	13.5	3.51	744	1.10	0.03
S120326		0.21	211	4.69	2.96	0.12	0.24	<0.01	0.011	0.19	3.9	11.0	1.47	394	1.79	0.06
S120327		0.11	87.8	3.06	1.32	0.10	0.20	<0.01	0.011	0.07	2.7	4.6	1.36	436	1.55	0.06
S120328		0.12	64.4	6.30	1.92	0.10	<0.02	<0.01	0.039	0.09	2.0	8.5	4.38	1240	0.60	0.06
S120329		0.14	67.6	6.85	1.44	0.10	<0.02	<0.01	0.036	0.14	1.7	4.5	5.60	1200	0.23	0.07
S120330		0.12	68.6	6.87	1.24	0.10	<0.02	<0.01	0.037	0.12	1.7	4.5	5.71	1230	0.21	0.06
S120331		0.13	42.8	6.95	1.38	0.09	<0.02	<0.01	0.035	0.21	1.4	2.3	5.39	1220	0.25	0.03
S120332		0.10	78.7	6.80	0.87	0.11	<0.02	<0.01	0.037	0.14	1.5	1.1	4.47	1030	0.26	0.03
S120333		0.11	54.1	6.83	2.43	0.12	0.03	<0.01	0.038	0.17	1.6	10.5	4.19	1120	0.41	0.02
S120334		0.12	75.9	6.16	0.98	0.09	<0.02	<0.01	0.035	0.15	2.0	3.5	4.14	1110	0.28	0.02



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
S120295		<0.05	84.2	290	0.2	0.8	0.001	0.26	0.05	14.0	0.9	0.2	46.3	<0.01	0.06	<0.2
S120296		0.07	77.8	300	0.3	0.6	0.002	0.16	0.09	12.3	0.9	0.3	56.5	<0.01	0.05	0.2
S120297		0.06	71.2	290	<0.2	0.9	0.001	0.08	0.08	5.1	0.4	0.3	41.2	<0.01	0.03	<0.2
S120298		0.09	66.9	300	<0.2	0.5	0.002	0.13	0.11	4.5	0.7	0.3	36.9	<0.01	0.04	<0.2
S120299		<0.05	83.5	270	0.7	1.5	0.001	0.19	0.06	20.2	1.0	0.2	66.1	<0.01	0.09	<0.2
S120300		<0.05	17.2	90	1.1	1.7	0.005	0.30	0.07	2.8	0.8	<0.2	47.0	<0.01	0.07	<0.2
S120301		<0.05	35.2	100	1.4	3.4	0.007	0.54	0.07	4.6	1.4	<0.2	88.3	<0.01	0.20	<0.2
S120302		<0.05	70.5	420	0.6	7.0	0.002	0.17	0.13	13.3	1.0	0.3	71.3	<0.01	0.55	0.3
S120303		<0.05	86.9	290	0.4	1.6	0.001	0.11	0.08	18.5	0.8	0.4	76.1	<0.01	0.10	0.2
S120304		0.05	44.5	580	0.8	2.7	0.001	0.06	0.10	7.6	0.9	0.6	91.3	<0.01	0.02	0.8
S120305		0.18	26.6	490	0.6	1.1	0.001	0.04	<0.05	3.5	0.7	0.5	95.0	0.01	0.01	0.5
S120306		<0.05	67.4	300	0.6	1.0	0.001	0.04	0.10	12.6	0.7	0.3	140.5	<0.01	0.03	0.2
S120307		<0.05	84.9	260	0.5	1.7	0.001	0.04	0.07	23.2	0.7	0.3	78.2	<0.01	0.05	<0.2
S120308		<0.05	83.6	270	0.5	0.6	0.001	0.06	0.11	15.2	0.8	0.3	91.8	<0.01	0.02	<0.2
S120309		<0.05	60.1	280	0.4	2.4	0.002	0.30	<0.05	16.7	0.9	<0.2	52.7	<0.01	0.07	<0.2
S120310		<0.05	1.0	10	1.1	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
S120311		<0.05	79.6	270	1.5	3.2	0.002	0.25	0.09	19.4	1.2	0.3	67.0	<0.01	1.74	<0.2
S120312		<0.05	86.0	290	0.8	3.6	0.001	0.26	0.05	19.6	0.7	<0.2	75.3	<0.01	0.55	<0.2
S120313		<0.05	83.6	270	0.6	2.4	0.001	0.20	<0.05	23.7	0.6	<0.2	103.0	<0.01	0.07	<0.2
S120314		<0.05	84.0	270	0.8	2.0	0.001	0.54	<0.05	25.9	0.8	<0.2	106.0	<0.01	0.37	<0.2
S120315		<0.05	82.9	260	0.5	2.5	0.001	0.21	<0.05	24.5	0.7	0.2	71.1	<0.01	0.08	<0.2
S120316		<0.05	83.0	250	0.3	0.7	0.002	0.21	<0.05	25.5	1.0	0.3	66.8	<0.01	0.11	<0.2
S120317		<0.05	44.4	130	0.7	0.2	0.002	1.21	<0.05	12.4	2.6	<0.2	92.4	<0.01	0.24	<0.2
S120318		<0.05	86.4	260	<0.2	0.3	0.001	0.16	0.05	27.7	0.7	0.3	36.5	<0.01	0.14	<0.2
S120319		<0.05	84.1	230	0.7	0.3	0.001	0.33	0.05	28.0	0.4	<0.2	123.0	<0.01	0.02	<0.2
S120320		0.05	10.7	640	18.6	12.4	0.003	0.91	0.49	8.2	0.9	0.5	121.0	<0.01	2.45	1.6
S120321		<0.05	69.3	210	0.7	0.2	0.001	0.09	<0.05	23.6	0.4	<0.2	161.0	<0.01	0.02	<0.2
S120322		<0.05	166.0	250	0.5	1.7	0.001	<0.01	<0.05	20.8	0.4	<0.2	74.8	<0.01	0.02	<0.2
S120323		<0.05	119.5	230	0.6	2.1	0.001	0.09	<0.05	20.9	0.4	<0.2	86.9	<0.01	0.04	<0.2
S120324		<0.05	134.5	250	1.1	2.8	0.001	0.35	0.05	14.9	0.9	<0.2	67.3	<0.01	0.08	0.2
S120325		<0.05	179.0	420	1.4	2.9	0.001	0.54	<0.05	10.2	2.1	<0.2	115.5	<0.01	0.57	0.5
S120326		<0.05	56.5	320	1.1	4.8	0.002	1.11	0.06	4.8	4.6	<0.2	35.2	<0.01	0.25	0.7
S120327		<0.05	37.0	240	1.1	1.7	0.002	0.50	0.06	4.5	1.5	<0.2	48.7	<0.01	0.11	0.6
S120328		<0.05	197.0	210	1.2	1.9	0.002	0.17	<0.05	18.1	0.5	<0.2	104.5	<0.01	0.62	<0.2
S120329		<0.05	252	200	1.4	3.1	0.001	0.02	<0.05	17.8	0.2	<0.2	106.5	<0.01	0.13	<0.2
S120330		<0.05	255	200	1.4	2.5	0.001	0.02	<0.05	17.8	0.4	<0.2	107.5	<0.01	0.15	<0.2
S120331		<0.05	244	120	2.3	4.6	0.001	<0.01	<0.05	17.5	0.2	<0.2	142.5	<0.01	0.15	<0.2
S120332		<0.05	133.0	220	1.9	3.2	0.001	0.29	<0.05	16.9	0.3	<0.2	110.0	<0.01	0.28	<0.2
S120333		<0.05	186.0	380	2.1	3.8	0.001	0.25	<0.05	18.6	0.7	<0.2	151.5	<0.01	0.23	<0.2
S120334		<0.05	138.5	240	2.4	3.2	0.001	0.23	<0.05	16.5	0.5	<0.2	140.5	<0.01	0.56	<0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120295		0.208	<0.02	<0.05	169	0.15	7.73	62	3.9
S120296		0.318	<0.02	<0.05	134	0.17	10.25	54	8.1
S120297		0.281	<0.02	<0.05	111	0.25	8.67	48	8.1
S120298		0.320	<0.02	<0.05	101	0.23	8.68	46	8.6
S120299		0.179	0.02	<0.05	182	0.40	8.88	55	2.1
S120300		0.029	0.02	<0.05	17	0.32	2.00	12	<0.5
S120301		0.061	0.03	<0.05	45	0.47	2.09	34	0.5
S120302		0.220	0.07	0.05	124	0.94	8.96	67	3.4
S120303		0.282	<0.02	<0.05	189	0.40	13.40	60	4.4
S120304		0.227	0.03	0.10	190	<0.05	16.35	54	8.0
S120305		0.418	0.02	0.10	190	<0.05	13.60	53	13.2
S120306		0.245	<0.02	<0.05	156	0.17	13.55	44	2.8
S120307		0.298	<0.02	<0.05	206	0.41	12.60	62	1.8
S120308		0.342	<0.02	<0.05	179	0.31	12.60	65	5.2
S120309		0.135	<0.02	<0.05	158	0.33	8.60	69	1.4
S120310		<0.005	<0.02	0.07	<1	<0.05	0.52	2	0.7
S120311		0.184	0.03	<0.05	153	0.80	11.15	63	1.5
S120312		0.092	0.02	<0.05	138	0.25	8.81	73	1.0
S120313		0.126	0.02	<0.05	157	0.18	8.62	71	0.8
S120314		0.028	<0.02	<0.05	170	0.09	5.73	77	0.5
S120315		0.119	<0.02	<0.05	160	0.15	8.16	73	0.7
S120316		0.204	<0.02	<0.05	182	0.29	10.20	64	4.1
S120317		0.078	<0.02	<0.05	99	0.15	4.17	41	1.0
S120318		0.164	<0.02	<0.05	182	0.23	8.86	65	1.1
S120319		0.022	<0.02	<0.05	212	<0.05	3.43	71	0.8
S120320		0.058	0.15	0.38	71	0.43	8.20	86	13.0
S120321		0.010	<0.02	<0.05	174	<0.05	3.43	62	0.5
S120322		0.007	<0.02	<0.05	125	<0.05	3.64	68	0.6
S120323		0.005	<0.02	<0.05	121	<0.05	3.13	47	0.7
S120324		<0.005	0.02	<0.05	74	0.05	3.60	62	1.7
S120325		<0.005	<0.02	0.06	42	0.07	2.96	40	5.4
S120326		<0.005	0.03	0.12	17	0.08	2.71	27	11.6
S120327		<0.005	<0.02	0.09	11	0.08	2.02	18	9.7
S120328		<0.005	<0.02	<0.05	30	0.08	4.41	45	<0.5
S120329		<0.005	0.02	<0.05	27	0.08	3.44	56	<0.5
S120330		<0.005	<0.02	<0.05	25	0.07	3.38	57	<0.5
S120331		<0.005	0.02	<0.05	23	0.09	3.66	62	<0.5
S120332		<0.005	0.02	<0.05	20	0.12	3.04	58	<0.5
S120333		<0.005	0.02	<0.05	29	0.11	5.06	61	0.9
S120334		<0.005	<0.02	<0.05	19	0.15	3.73	55	0.6



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
S120335		3.21	0.078	0.11	0.38	0.5	<0.2	<10	10	0.14	0.05	4.95	0.06	3.50	35.9	30
S120336		3.32	0.272	0.25	0.27	0.5	0.2	<10	10	0.15	0.30	4.96	0.06	3.31	35.4	28
S120337		2.82	0.084	0.08	0.43	0.5	<0.2	<10	10	0.16	0.05	5.31	0.08	3.67	35.1	30
S120338		2.83	1.040	0.49	0.70	0.6	0.4	<10	10	0.15	0.19	6.09	0.06	2.75	28.6	32
S120339		3.02	0.546	0.49	0.53	0.6	0.2	<10	10	0.17	0.77	5.67	0.06	2.94	30.5	29
S120340		0.12	<0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.83	0.1	<1
S120341		3.20	0.418	0.69	0.43	0.8	0.3	<10	10	0.17	1.11	5.88	0.07	2.51	34.0	27
S120342		2.40	0.232	0.16	0.51	0.4	<0.2	<10	20	0.22	0.11	4.99	0.06	3.00	36.9	37
S120343		2.16	0.467	0.23	0.40	0.4	0.3	<10	10	0.15	1.32	4.85	0.06	2.66	33.4	29
S120344		1.31	0.461	0.38	0.34	1.2	0.4	<10	220	0.18	0.63	4.61	0.06	10.75	22.9	17
S120345		2.88	0.393	0.27	0.36	0.1	0.7	<10	780	0.18	0.06	3.50	0.04	40.1	13.7	6
S120346		2.73	0.038	0.01	0.57	0.2	<0.2	<10	730	0.24	0.02	3.42	0.05	49.8	13.0	5
S120347		2.91	0.100	0.07	0.52	0.3	<0.2	<10	710	0.25	0.05	4.35	0.05	35.5	16.1	11
S120348		2.91	0.024	0.02	0.73	0.2	<0.2	<10	690	0.22	0.04	3.78	0.05	35.2	16.0	16
S120349		2.91	0.144	0.13	0.67	0.1	<0.2	<10	620	0.23	0.07	4.23	0.06	34.5	15.1	8
S120350		0.06	9.43	9.14	1.61	11.3	8.6	<10	30	0.59	0.06	3.71	0.26	20.0	10.2	17
S120351		2.81	0.039	0.03	0.98	0.2	<0.2	<10	650	0.26	0.03	4.11	0.06	38.2	15.0	8
S120352		2.80	0.004	0.01	0.31	0.1	<0.2	<10	110	0.14	0.01	1.21	0.01	18.25	2.6	8
S120353		2.72	0.018	0.03	0.33	0.3	<0.2	<10	240	0.13	0.01	1.93	0.01	11.65	3.4	8
S120354		2.85	0.017	0.03	0.24	0.4	<0.2	<10	60	0.09	0.03	1.69	0.01	9.99	3.8	7
S120355		1.37	1.270	9.04	1.95	0.4	1.1	<10	10	0.46	1.54	5.49	0.06	16.60	29.4	210
S120356		2.46	0.389	0.14	1.11	0.6	<0.2	<10	20	0.18	0.09	5.34	0.04	29.4	24.4	36
S120357		3.41	1.255	0.33	1.28	0.3	<0.2	<10	20	0.22	0.07	7.16	0.04	24.2	28.9	53
S120358		3.09	0.409	0.33	1.51	0.4	0.2	<10	10	0.21	0.07	6.05	0.03	3.14	34.4	30
S120359		3.41	0.055	0.03	1.69	0.2	<0.2	<10	10	0.29	0.02	6.17	0.02	5.51	30.4	49
S120360		<0.02	0.062	0.05	1.64	0.2	0.2	<10	10	0.27	0.02	6.10	0.02	5.12	29.9	46
S120361		1.92	0.856	0.08	1.62	0.3	<0.2	<10	20	0.30	0.08	4.93	0.03	20.5	26.8	51
S120362		2.97	0.100	0.31	0.90	0.3	1.5	<10	20	0.20	0.05	3.89	0.01	10.05	19.6	13
S120363		2.96	0.002	<0.01	0.82	0.1	<0.2	<10	20	0.22	0.01	2.47	0.01	27.1	8.9	10
S120364		2.67	0.088	0.09	1.22	0.2	<0.2	<10	20	0.24	0.02	4.72	0.02	15.65	18.3	25
S120365		2.89	0.129	0.45	0.99	0.3	<0.2	<10	20	0.24	0.09	4.50	0.02	6.87	16.5	26
S120366		2.91	0.022	0.10	0.90	0.2	<0.2	<10	20	0.24	0.03	3.88	0.02	24.8	14.4	30
S120367		2.94	0.008	0.02	0.98	0.4	<0.2	<10	20	0.24	0.05	3.89	0.02	14.90	21.9	16
S120368		3.21	0.020	0.03	0.97	0.2	<0.2	<10	20	0.27	0.03	3.71	0.01	14.20	16.9	10
S120369		2.10	0.267	0.22	1.01	0.4	<0.2	<10	10	0.08	0.08	3.80	0.02	15.30	24.7	17
S120370		0.13	<0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.87	0.1	<1
S120371		2.43	0.103	0.05	0.75	0.4	<0.2	<10	10	0.11	0.04	3.94	0.03	6.92	32.0	16
S120372		3.03	0.001	0.01	1.31	0.3	<0.2	10	10	0.08	0.04	4.27	0.04	8.86	23.4	35
S120373		2.97	0.038	0.01	2.42	0.2	<0.2	<10	10	0.10	0.01	6.56	0.03	4.78	30.4	143
S120374		3.16	0.050	0.03	1.55	0.3	<0.2	<10	10	0.15	0.09	7.09	0.05	2.11	33.1	80



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120335		0.11	83.2	6.71	1.01	0.10	<0.02	<0.01	0.034	0.15	1.4	1.3	3.82	1050	0.23	0.04
S120336		0.09	88.1	6.68	0.82	0.10	<0.02	<0.01	0.037	0.13	1.3	1.0	3.77	1000	0.28	0.03
S120337		0.11	91.5	6.38	1.19	0.10	<0.02	<0.01	0.035	0.20	1.4	1.4	3.59	1040	0.30	0.04
S120338		0.08	80.1	5.53	1.75	0.10	<0.02	<0.01	0.030	0.12	1.1	6.1	3.00	975	0.28	0.04
S120339		0.11	75.4	5.83	1.29	0.10	<0.02	<0.01	0.033	0.18	1.1	3.6	3.04	1020	0.35	0.04
S120340		<0.05	0.8	0.01	<0.05	0.09	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	<0.05	<0.01
S120341		0.12	64.0	6.67	1.15	0.10	<0.02	<0.01	0.039	0.18	0.9	2.0	3.37	996	0.40	0.04
S120342		0.10	81.8	6.99	1.40	0.10	<0.02	<0.01	0.038	0.21	1.3	2.6	3.82	952	0.38	0.04
S120343		0.10	76.0	6.35	1.01	0.10	<0.02	<0.01	0.031	0.18	1.1	2.3	3.53	928	0.39	0.03
S120344		0.10	80.6	4.18	1.23	0.10	0.16	<0.01	0.037	0.13	5.2	1.4	1.95	711	2.10	0.05
S120345		0.09	38.4	3.62	1.50	0.13	0.18	<0.01	0.023	0.16	19.5	0.9	1.44	757	0.06	0.06
S120346		0.12	31.8	3.59	1.90	0.13	0.08	<0.01	0.020	0.26	23.8	1.8	1.43	796	<0.05	0.06
S120347		0.10	40.1	3.52	1.62	0.13	0.26	<0.01	0.023	0.16	17.3	3.9	1.75	775	0.07	0.05
S120348		0.11	48.8	3.42	2.10	0.12	0.18	<0.01	0.021	0.19	17.3	4.8	1.73	765	0.06	0.06
S120349		0.10	37.1	3.56	1.88	0.12	0.16	<0.01	0.025	0.16	16.9	5.4	1.60	813	0.09	0.05
S120350		2.50	66.9	2.87	6.48	0.18	0.60	0.15	0.024	0.13	9.4	23.8	1.02	758	4.74	0.07
S120351		0.14	42.7	3.64	2.65	0.13	0.09	<0.01	0.022	0.24	18.6	5.8	1.63	758	0.06	0.05
S120352		0.07	10.5	0.86	1.19	0.11	0.16	<0.01	0.005	0.17	8.5	0.2	0.34	171	0.19	0.07
S120353		0.08	3.5	1.29	1.26	0.10	0.18	<0.01	0.010	0.17	5.5	0.4	0.61	308	0.61	0.08
S120354		0.08	24.4	1.04	0.91	0.10	0.17	<0.01	0.009	0.12	4.5	0.3	0.58	229	0.26	0.07
S120355		0.21	21.0	4.77	5.43	0.13	0.12	<0.01	0.026	0.06	6.8	21.5	3.43	756	0.99	0.01
S120356		0.12	56.4	4.11	2.52	0.12	0.13	<0.01	0.022	0.14	12.1	8.7	2.74	714	2.11	0.03
S120357		0.10	60.7	5.05	2.49	0.11	0.08	<0.01	0.024	0.23	10.6	7.9	3.43	889	0.31	0.02
S120358		0.09	69.8	6.20	2.60	0.10	0.02	<0.01	0.030	0.15	1.2	11.4	3.19	936	0.21	0.02
S120359		0.16	79.6	5.63	3.06	0.11	0.02	<0.01	0.028	0.23	2.0	11.1	3.41	948	0.47	0.03
S120360		0.15	75.8	5.65	2.87	0.10	<0.02	<0.01	0.027	0.20	1.8	10.9	3.38	928	0.47	0.02
S120361		0.19	72.2	5.18	3.26	0.11	0.13	<0.01	0.019	0.17	8.9	11.9	2.92	668	0.58	0.02
S120362		0.14	18.1	2.99	1.84	0.10	0.11	<0.01	0.012	0.18	4.4	5.2	2.00	425	0.22	0.05
S120363		0.14	4.6	2.09	1.97	0.11	0.15	<0.01	0.008	0.19	13.4	4.7	1.12	265	0.10	0.06
S120364		0.17	25.6	3.74	2.54	0.10	0.07	<0.01	0.019	0.19	7.0	8.1	2.34	475	0.70	0.04
S120365		0.12	34.3	3.35	2.37	0.10	0.06	<0.01	0.017	0.17	2.8	6.3	2.40	486	0.66	0.05
S120366		0.15	14.9	2.78	2.36	0.11	0.12	<0.01	0.013	0.15	11.1	5.7	2.01	427	0.50	0.05
S120367		0.14	56.3	2.91	2.43	0.10	0.12	<0.01	0.010	0.18	6.6	5.4	2.01	344	0.22	0.08
S120368		0.11	23.3	3.01	2.13	0.10	0.11	<0.01	0.008	0.20	6.3	5.1	1.92	324	0.16	0.05
S120369		0.05	158.5	4.74	3.91	0.12	0.17	<0.01	0.008	0.11	6.7	6.3	1.90	379	1.04	0.08
S120370		<0.05	0.8	0.01	<0.05	0.09	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	<0.05	<0.01
S120371		0.09	151.5	4.59	2.63	0.12	0.10	0.01	0.012	0.10	3.1	4.3	1.72	409	0.58	0.08
S120372		0.14	60.1	3.79	3.87	0.10	0.07	<0.01	0.016	0.09	3.9	8.9	1.88	589	0.32	0.14
S120373		0.11	30.5	5.48	5.31	0.11	<0.02	<0.01	0.025	0.07	1.7	19.4	3.88	950	<0.05	0.08
S120374		0.09	64.7	5.59	3.74	0.11	0.04	<0.01	0.026	0.16	0.7	10.2	3.68	816	0.56	0.04



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
S120335		<0.05	90.5	240	2.5	3.3	0.001	0.28	<0.05	16.6	0.6	<0.2	121.0	<0.01	0.15	<0.2
S120336		<0.05	84.6	280	3.2	3.0	0.001	0.43	<0.05	17.2	0.8	<0.2	122.0	<0.01	0.28	<0.2
S120337		<0.05	80.5	240	2.2	4.5	0.001	0.27	<0.05	15.9	0.5	<0.2	124.0	<0.01	0.16	<0.2
S120338		<0.05	64.9	210	3.4	2.8	0.001	0.50	<0.05	15.1	0.4	<0.2	176.5	<0.01	0.42	<0.2
S120339		<0.05	62.7	210	3.5	4.0	0.001	0.49	<0.05	15.2	0.7	<0.2	140.5	<0.01	0.42	<0.2
S120340		<0.05	0.2	10	0.5	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	<0.2
S120341		<0.05	64.0	250	3.4	4.0	0.001	0.96	0.05	16.7	1.5	<0.2	128.0	<0.01	1.28	<0.2
S120342		<0.05	80.3	220	3.0	4.6	0.001	0.39	0.05	17.3	0.4	<0.2	138.0	<0.01	0.24	<0.2
S120343		<0.05	69.0	230	2.8	3.8	0.001	0.29	<0.05	15.8	0.5	<0.2	119.0	<0.01	0.54	<0.2
S120344		<0.05	41.3	460	4.0	3.2	0.002	0.67	<0.05	8.6	0.7	<0.2	136.0	<0.01	0.54	0.4
S120345		<0.05	11.7	1240	3.1	4.1	<0.001	0.27	<0.05	4.9	0.3	<0.2	143.0	<0.01	0.16	1.4
S120346		<0.05	10.8	1290	3.0	6.3	<0.001	0.02	<0.05	4.1	0.5	<0.2	130.0	<0.01	0.01	1.5
S120347		<0.05	19.1	990	3.8	4.2	<0.001	0.19	<0.05	5.7	0.4	<0.2	167.5	<0.01	0.09	1.3
S120348		<0.05	20.8	910	3.5	4.9	<0.001	0.03	<0.05	5.6	0.2	<0.2	151.5	<0.01	0.03	1.4
S120349		<0.05	17.2	1050	3.5	3.9	<0.001	0.16	<0.05	5.4	0.2	<0.2	136.5	<0.01	0.13	1.2
S120350		0.12	9.9	600	14.6	5.8	0.002	0.41	0.42	8.2	0.6	0.5	103.0	<0.01	3.97	1.6
S120351		<0.05	15.5	1120	3.0	5.9	<0.001	0.05	<0.05	5.1	0.3	<0.2	147.0	<0.01	0.01	1.4
S120352		<0.05	2.2	340	0.8	3.9	<0.001	0.01	<0.05	0.6	<0.2	<0.2	37.0	<0.01	<0.01	0.7
S120353		<0.05	3.2	270	0.8	3.7	<0.001	0.02	<0.05	0.9	0.3	<0.2	44.6	<0.01	0.03	0.6
S120354		<0.05	4.0	380	1.0	2.7	<0.001	0.05	<0.05	0.9	<0.2	<0.2	44.8	<0.01	0.02	0.6
S120355		<0.05	204	560	3.1	1.7	<0.001	0.09	<0.05	10.0	0.3	<0.2	198.0	<0.01	8.46	0.7
S120356		<0.05	95.7	840	2.8	3.3	<0.001	0.34	<0.05	7.5	0.4	<0.2	181.0	<0.01	0.21	1.3
S120357		<0.05	109.0	560	3.0	5.0	<0.001	0.15	<0.05	12.2	0.3	<0.2	205	<0.01	0.31	1.1
S120358		<0.05	77.4	180	2.6	3.5	0.001	0.51	<0.05	13.5	0.4	<0.2	192.0	<0.01	0.37	<0.2
S120359		<0.05	73.7	250	1.5	5.4	0.002	0.04	<0.05	15.1	0.4	<0.2	155.5	<0.01	0.04	<0.2
S120360		<0.05	72.3	250	1.5	4.5	0.002	0.04	<0.05	14.4	0.5	<0.2	153.5	<0.01	0.04	<0.2
S120361		<0.05	83.1	570	1.9	4.1	0.001	0.45	<0.05	10.2	0.3	<0.2	132.5	<0.01	0.16	1.2
S120362		<0.05	49.7	320	1.4	4.3	<0.001	0.30	<0.05	4.5	0.3	<0.2	108.5	<0.01	0.39	0.7
S120363		<0.05	22.9	480	0.7	4.9	<0.001	0.03	<0.05	2.5	0.2	<0.2	65.1	<0.01	0.01	1.3
S120364		<0.05	49.6	370	1.1	4.7	0.001	0.10	<0.05	8.7	0.3	<0.2	126.5	<0.01	0.08	0.6
S120365		<0.05	49.6	390	1.7	4.2	<0.001	0.20	<0.05	7.9	0.3	<0.2	132.5	<0.01	0.42	0.3
S120366		<0.05	63.6	670	1.0	3.8	<0.001	0.03	<0.05	5.2	0.2	<0.2	110.5	<0.01	0.08	0.8
S120367		<0.05	46.2	520	0.9	4.7	<0.001	0.40	<0.05	5.4	0.6	<0.2	117.5	<0.01	0.07	0.7
S120368		<0.05	39.4	500	0.9	5.0	<0.001	0.29	<0.05	4.3	0.3	<0.2	109.0	<0.01	0.07	0.7
S120369		<0.05	37.7	780	1.8	2.9	0.001	1.75	<0.05	6.0	1.5	<0.2	132.0	<0.01	0.33	0.9
S120370		<0.05	0.3	10	0.5	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	<0.2
S120371		<0.05	48.0	310	1.3	2.8	<0.001	1.93	0.05	4.6	1.7	<0.2	105.0	<0.01	0.11	0.5
S120372		<0.05	66.5	310	0.6	2.3	<0.001	0.50	<0.05	5.8	0.6	<0.2	74.5	<0.01	0.03	0.4
S120373		<0.05	110.0	170	0.2	1.7	<0.001	0.01	<0.05	14.8	0.4	<0.2	68.4	<0.01	0.02	<0.2
S120374		<0.05	142.5	140	1.9	3.8	0.001	0.70	<0.05	13.0	0.7	<0.2	162.0	<0.01	0.30	<0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120335		<0.005	0.02	<0.05	23	0.14	2.86	62	0.5
S120336		<0.005	0.02	<0.05	20	0.19	3.07	64	0.5
S120337		<0.005	0.02	<0.05	22	0.18	3.26	58	0.6
S120338		<0.005	<0.02	<0.05	31	0.19	2.94	47	0.5
S120339		<0.005	0.02	<0.05	23	0.19	3.32	44	0.6
S120340		<0.005	<0.02	0.05	<1	<0.05	0.54	2	0.8
S120341		<0.005	0.02	<0.05	22	0.15	3.16	53	0.5
S120342		<0.005	0.02	<0.05	24	0.12	2.93	59	0.7
S120343		<0.005	0.02	<0.05	18	0.06	2.87	69	<0.5
S120344		<0.005	0.02	0.06	17	0.07	3.29	66	7.0
S120345		<0.005	0.03	0.19	12	0.12	5.16	58	13.0
S120346		<0.005	0.04	0.20	11	0.08	4.97	59	6.5
S120347		<0.005	0.02	0.19	13	0.09	4.40	48	15.0
S120348		<0.005	0.03	0.20	15	<0.05	4.19	46	11.2
S120349		<0.005	0.02	0.15	15	0.06	4.39	48	9.9
S120350		0.135	0.07	0.45	75	0.42	7.66	61	20.8
S120351		<0.005	0.04	0.18	16	0.08	5.18	52	5.8
S120352		<0.005	0.02	0.09	3	<0.05	1.32	24	5.6
S120353		<0.005	0.02	0.10	3	<0.05	1.58	25	5.9
S120354		<0.005	0.02	0.08	4	0.09	1.49	17	5.7
S120355		<0.005	<0.02	0.07	47	0.07	5.29	59	4.8
S120356		<0.005	0.02	0.09	21	0.08	4.98	46	5.0
S120357		<0.005	0.03	0.07	32	0.10	4.40	44	3.8
S120358		<0.005	0.02	<0.05	30	0.12	2.94	44	0.6
S120359		<0.005	0.03	<0.05	40	0.07	3.22	44	0.7
S120360		<0.005	0.02	<0.05	37	0.06	3.09	44	0.5
S120361		<0.005	0.02	0.10	31	0.08	3.77	47	6.1
S120362		<0.005	0.02	0.07	9	0.05	2.28	25	4.8
S120363		<0.005	0.02	0.12	6	<0.05	2.26	19	5.6
S120364		<0.005	0.02	0.06	17	0.06	2.96	35	2.9
S120365		<0.005	0.02	<0.05	24	0.09	2.51	31	2.5
S120366		<0.005	0.02	0.10	13	0.05	2.95	33	5.8
S120367		<0.005	0.02	0.10	12	<0.05	2.70	23	5.3
S120368		<0.005	0.03	0.06	10	<0.05	2.61	21	4.9
S120369		<0.005	<0.02	0.08	30	0.07	3.31	23	6.6
S120370		<0.005	<0.02	0.07	<1	<0.05	0.48	2	0.7
S120371		<0.005	0.02	<0.05	13	<0.05	2.37	23	3.8
S120372		<0.005	<0.02	0.05	19	<0.05	2.59	25	3.0
S120373		<0.005	<0.02	<0.05	65	<0.05	2.47	38	<0.5
S120374		<0.005	0.02	<0.05	49	0.09	2.98	41	<0.5



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120375		1.30	<0.001	0.01	2.25	0.7	<0.2	<10	<10	0.10	0.01	5.11	0.02	3.61	17.8	190
S120376		2.98	<0.001	0.02	3.86	0.2	<0.2	<10	20	0.15	0.01	6.41	0.07	7.03	23.9	217
S120377		2.84	0.004	0.03	2.56	0.4	<0.2	<10	70	0.14	0.03	4.88	0.03	7.61	29.3	77
S120378		3.01	0.022	0.08	2.70	0.6	<0.2	<10	20	0.15	0.03	5.50	0.03	7.94	30.5	86
S120379		2.96	0.015	0.06	2.96	0.6	<0.2	<10	10	0.13	0.08	3.38	0.07	5.24	50.9	123
S120380		0.06	2.55	4.52	1.53	17.3	2.3	<10	40	0.64	0.08	3.65	0.36	22.1	10.2	24
S120381		3.00	0.003	0.02	4.54	0.3	<0.2	<10	<10	0.15	0.03	7.05	0.04	2.97	40.3	317
S120382		2.96	0.002	0.02	1.02	0.5	<0.2	<10	30	0.24	0.04	7.40	0.05	58.6	23.1	93
S120383		3.05	0.026	0.05	2.48	0.6	<0.2	<10	<10	0.15	0.07	5.92	0.05	4.28	40.3	16
S120384		3.17	0.015	0.04	2.07	0.5	<0.2	<10	70	0.18	0.06	5.53	0.06	4.88	35.6	15
S120385		3.14	0.004	0.02	2.87	0.5	<0.2	<10	20	0.22	0.01	4.06	0.07	8.34	40.7	19
S120386		3.06	0.004	0.03	2.43	0.6	<0.2	<10	60	0.22	0.02	5.52	0.09	12.20	31.2	19
S120387		2.83	0.016	0.05	2.39	0.5	<0.2	<10	20	0.24	0.02	5.33	0.07	12.15	30.8	16
S120388		2.99	0.012	0.05	2.56	0.5	<0.2	<10	<10	0.24	0.02	6.77	0.08	15.95	30.1	18
S120389		2.96	0.115	0.06	2.31	0.5	<0.2	<10	10	0.24	0.03	5.98	0.07	10.80	24.8	17
S120390		<0.02	0.103	0.05	2.39	0.5	<0.2	<10	10	0.21	0.04	6.13	0.06	11.60	26.7	18
S120391		2.94	0.014	0.07	2.31	1.7	<0.2	<10	<10	0.26	0.04	6.11	0.05	15.50	51.4	16
S120392		1.97	0.006	0.04	2.81	0.6	<0.2	<10	60	0.17	0.02	5.28	0.06	6.63	38.9	19
S120393		2.01	0.003	0.02	2.35	0.3	<0.2	<10	10	0.16	0.01	4.57	0.06	5.72	33.6	19
S120394		3.03	0.079	0.13	0.92	0.4	<0.2	<10	20	0.16	0.03	5.97	0.07	5.39	24.0	8
S120395		2.99	0.005	0.01	1.85	0.3	<0.2	<10	30	0.18	0.01	6.40	0.06	10.65	16.6	12
S120396		0.74	0.787	0.67	3.48	0.4	0.7	<10	10	0.19	0.51	5.77	0.07	4.43	38.5	14
S120397		1.82	0.504	0.06	0.83	0.1	0.4	<10	20	0.09	0.02	3.05	0.03	23.2	12.3	21
S120398		2.00	0.011	0.02	1.51	0.1	<0.2	<10	20	0.11	0.01	3.47	0.06	26.3	20.6	103
S120399		1.55	0.226	0.09	1.42	0.2	<0.2	<10	10	0.13	0.04	5.74	0.06	5.74	28.8	12
S120400		1.90	0.002	0.01	2.24	0.3	<0.2	<10	20	0.10	0.01	5.27	0.06	8.41	24.7	22
S120401		1.86	0.001	0.01	1.29	0.2	<0.2	<10	20	0.05	<0.01	3.54	0.03	12.30	13.6	31
S120402		1.80	0.001	<0.01	1.20	0.1	<0.2	<10	30	0.09	<0.01	3.13	0.03	10.20	12.8	23
S120403		1.53	0.005	0.01	0.39	0.4	<0.2	<10	20	0.06	<0.01	4.52	0.03	14.70	6.2	8
S120404		1.49	<0.001	<0.01	0.68	0.1	<0.2	<10	20	0.07	<0.01	4.01	0.03	12.05	9.2	17
S120405		1.41	0.003	0.01	1.51	0.2	<0.2	<10	10	0.08	0.01	5.05	0.05	10.10	34.2	25
S120406		2.95	0.007	0.01	0.90	0.3	<0.2	<10	10	0.10	0.01	5.31	0.05	5.83	27.7	17
S120407		2.23	0.041	0.02	1.49	0.3	<0.2	<10	40	0.18	0.03	4.73	0.05	3.30	45.5	16
S120408		0.64	0.177	0.18	0.42	0.4	0.2	<10	20	0.07	0.18	3.91	0.05	2.51	23.9	17
S120409		2.12	0.025	0.02	0.18	0.2	<0.2	<10	10	<0.05	0.02	3.53	0.05	8.37	5.7	10
S120410		0.11	<0.001	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.86	0.1	<1
S120411		1.91	0.003	0.03	0.43	0.3	<0.2	<10	40	0.11	0.02	4.10	0.04	10.75	10.1	10
S120412		2.60	0.001	0.01	0.54	0.1	<0.2	<10	20	0.08	<0.01	5.26	0.02	15.70	4.6	8
S120413		2.14	0.003	0.01	0.47	0.1	<0.2	<10	20	0.08	<0.01	3.93	0.03	11.00	6.0	9
S120414		2.22	0.049	0.02	0.94	0.1	<0.2	<10	20	0.06	0.04	3.01	0.02	11.60	7.8	24



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120375		<0.05	13.6	2.40	5.18	0.16	0.12	<0.01	0.009	<0.01	1.2	11.6	2.77	569	0.10	0.04
S120376		0.11	21.0	4.41	8.77	0.12	0.03	<0.01	0.021	0.12	2.3	29.5	3.81	705	0.17	0.02
S120377		0.12	113.0	3.28	5.41	0.10	0.05	<0.01	0.016	0.20	3.4	17.9	2.14	507	0.52	0.02
S120378		0.09	126.0	3.41	6.94	0.12	0.05	<0.01	0.020	0.14	3.3	19.7	2.36	532	0.90	0.05
S120379		0.05	267	5.27	9.94	0.14	0.08	<0.01	0.012	0.08	2.2	18.7	2.46	366	0.42	0.07
S120380		3.15	70.2	2.91	6.03	0.15	0.35	0.09	0.035	0.23	10.4	18.0	0.85	670	5.96	0.07
S120381		0.06	79.1	7.18	12.05	0.27	<0.02	<0.01	0.041	0.01	1.0	28.6	4.00	784	0.18	0.03
S120382		0.08	43.2	4.09	3.45	0.13	0.10	<0.01	0.016	0.17	25.9	5.7	3.40	917	0.63	0.04
S120383		<0.05	135.5	10.50	12.70	0.23	0.03	<0.01	0.084	<0.01	1.7	7.5	1.89	1040	0.60	0.08
S120384		<0.05	117.0	9.89	11.30	0.24	0.03	<0.01	0.073	<0.01	1.8	6.6	1.73	1130	0.59	0.08
S120385		<0.05	109.5	11.40	17.45	0.32	0.05	<0.01	0.087	<0.01	2.9	10.0	2.11	1240	0.34	0.05
S120386		<0.05	112.5	8.70	15.25	0.32	0.11	<0.01	0.060	0.01	3.8	8.4	2.01	961	0.40	0.07
S120387		<0.05	219	9.79	15.40	0.29	0.16	<0.01	0.046	0.03	3.9	8.3	1.86	877	0.28	0.04
S120388		<0.05	191.0	7.73	16.30	0.32	0.18	<0.01	0.052	<0.01	5.1	9.1	2.23	1100	0.24	0.05
S120389		<0.05	109.5	7.98	12.65	0.30	0.12	<0.01	0.056	<0.01	3.6	7.3	1.99	1160	0.75	0.05
S120390		<0.05	107.5	8.20	13.70	0.31	0.17	<0.01	0.058	<0.01	3.9	7.6	2.06	1180	0.81	0.05
S120391		<0.05	352	8.72	13.65	0.27	0.15	0.01	0.060	<0.01	5.9	6.8	2.15	1120	0.68	0.04
S120392		<0.05	119.5	9.83	15.70	0.22	0.03	0.01	0.066	<0.01	2.4	9.1	1.90	1590	0.37	0.05
S120393		<0.05	82.4	9.89	15.10	0.13	0.03	0.01	0.055	0.02	2.1	8.3	1.86	1410	0.23	0.06
S120394		0.05	59.7	7.85	5.19	0.05	0.03	0.02	0.034	0.11	1.8	2.9	1.92	1340	0.41	0.04
S120395		0.07	19.5	5.93	8.46	0.07	0.03	0.02	0.040	0.10	3.5	8.0	1.74	1360	0.28	0.05
S120396		<0.05	90.0	10.75	14.35	0.24	0.03	0.02	0.073	<0.01	1.6	19.7	1.90	1790	0.52	0.04
S120397		0.07	30.4	2.99	3.03	0.05	0.07	0.01	0.009	0.15	10.2	3.3	1.26	547	0.51	0.07
S120398		0.07	8.0	3.79	4.46	0.06	0.05	0.01	0.017	0.11	11.2	8.5	2.08	769	0.09	0.06
S120399		<0.05	223	9.16	9.61	0.07	0.02	0.01	0.053	0.04	2.0	6.7	1.95	1640	0.58	0.07
S120400		<0.05	37.8	9.28	13.35	0.08	0.03	0.01	0.052	0.03	2.9	15.4	1.44	1360	0.50	0.07
S120401		0.05	12.2	3.59	6.13	<0.05	0.03	0.01	0.016	0.05	5.2	6.7	1.16	744	0.46	0.08
S120402		0.06	4.3	3.50	5.12	<0.05	0.03	0.01	0.013	0.08	4.3	5.9	1.20	562	0.66	0.10
S120403		0.07	1.8	1.78	1.67	<0.05	0.05	<0.01	0.010	0.09	6.0	1.0	1.14	460	0.19	0.09
S120404		0.07	4.9	3.05	2.38	<0.05	0.03	0.01	0.014	0.08	4.8	2.2	1.13	521	0.18	0.15
S120405		0.09	48.0	8.74	7.39	0.07	0.02	<0.01	0.025	0.03	3.3	7.5	1.43	1000	0.35	0.10
S120406		0.12	57.3	7.33	3.50	0.05	<0.02	<0.01	0.026	0.06	2.0	3.6	1.34	1080	0.35	0.12
S120407		0.09	133.5	7.99	5.86	0.05	<0.02	<0.01	0.033	0.15	1.1	6.6	1.51	1040	0.38	0.05
S120408		<0.05	44.5	5.38	1.93	<0.05	0.02	<0.01	0.020	0.09	0.8	1.5	1.12	734	40.7	0.05
S120409		<0.05	2.7	2.50	0.76	<0.05	0.03	<0.01	0.021	0.06	3.2	0.4	1.09	619	7.68	0.06
S120410		<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	0.05	0.01
S120411		0.07	8.7	2.65	1.40	<0.05	0.02	<0.01	0.010	0.15	4.4	1.1	1.13	525	2.00	0.08
S120412		0.06	5.1	1.22	1.62	<0.05	0.03	<0.01	0.010	0.11	6.3	2.8	0.42	459	0.28	0.06
S120413		0.08	1.4	1.69	1.43	<0.05	0.03	<0.01	0.011	0.12	4.5	1.2	0.99	425	0.21	0.10
S120414		0.05	1.4	2.35	3.47	<0.05	0.03	<0.01	0.009	0.07	4.8	5.3	1.05	409	0.15	0.08



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1 - MAY - 2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.01	0.01	0.2	
S120375		<0.05	77.6	470	0.3	0.1	<0.001	0.09	0.07	5.6	0.5	0.2	51.3	<0.01	0.02	<0.2
S120376		<0.05	120.0	410	0.3	3.1	0.001	0.05	<0.05	9.8	0.4	<0.2	98.2	<0.01	0.04	0.2
S120377		<0.05	77.4	310	0.5	4.2	0.003	0.41	<0.05	4.0	1.0	<0.2	69.2	<0.01	0.06	0.3
S120378		<0.05	118.0	280	0.7	3.4	0.003	0.38	<0.05	6.2	1.2	<0.2	94.6	<0.01	0.11	0.3
S120379		<0.05	105.5	300	1.1	2.0	0.002	1.24	<0.05	11.4	1.7	<0.2	70.6	<0.01	0.16	0.3
S120380		0.06	10.2	600	16.6	11.6	0.003	0.86	0.43	7.6	1.0	0.5	113.5	<0.01	2.61	1.4
S120381		<0.05	213	190	0.6	0.4	0.002	0.61	<0.05	25.1	0.9	<0.2	135.5	<0.01	0.03	<0.2
S120382		<0.05	106.0	1530	1.1	4.3	0.002	0.37	<0.05	7.4	0.5	<0.2	191.0	<0.01	0.02	2.9
S120383		<0.05	60.5	660	0.9	0.1	0.003	1.10	<0.05	24.8	1.0	<0.2	239	<0.01	0.10	<0.2
S120384		<0.05	28.0	650	0.8	0.1	0.005	1.24	<0.05	22.3	0.9	<0.2	219	<0.01	0.09	<0.2
S120385		<0.05	56.2	740	0.7	0.1	0.003	0.67	<0.05	26.9	0.7	<0.2	115.0	<0.01	0.02	<0.2
S120386		<0.05	49.5	740	0.9	0.2	0.003	0.67	<0.05	21.4	1.0	0.2	111.0	<0.01	0.02	0.2
S120387		0.07	80.6	810	0.8	1.2	0.004	0.63	<0.05	20.4	1.4	0.3	108.5	<0.01	0.03	0.2
S120388		0.07	179.0	880	1.0	0.1	0.003	0.65	<0.05	21.7	1.3	0.4	107.5	<0.01	0.06	0.2
S120389		0.06	55.5	700	1.0	0.1	0.003	0.78	<0.05	19.1	1.0	0.3	97.2	<0.01	0.07	0.2
S120390		0.06	62.2	730	1.1	0.1	0.004	0.79	0.05	20.1	1.2	0.3	103.0	<0.01	0.08	0.2
S120391		<0.05	124.5	3590	2.9	0.2	0.004	1.32	<0.05	19.1	1.7	0.3	57.3	<0.01	0.06	0.3
S120392		<0.05	29.5	730	0.6	0.1	0.003	0.58	<0.05	24.0	0.7	<0.2	113.5	<0.01	0.02	<0.2
S120393		<0.05	29.3	740	0.5	0.6	0.001	0.17	<0.05	24.1	0.5	<0.2	119.0	<0.01	0.01	<0.2
S120394		<0.05	53.5	720	1.1	2.5	0.001	0.44	<0.05	16.5	0.5	<0.2	155.5	<0.01	0.12	<0.2
S120395		<0.05	36.8	910	0.6	2.4	0.002	0.10	<0.05	20.5	0.5	<0.2	128.5	<0.01	0.01	<0.2
S120396		<0.05	26.7	680	1.0	0.1	0.003	2.35	<0.05	27.8	1.1	<0.2	142.0	<0.01	0.95	<0.2
S120397		<0.05	29.9	710	0.7	3.2	0.001	0.09	<0.05	3.0	0.3	<0.2	86.3	<0.01	0.02	1.2
S120398		<0.05	68.8	800	0.6	2.5	<0.001	0.03	<0.05	6.2	0.3	<0.2	77.2	<0.01	0.01	1.1
S120399		<0.05	38.5	690	1.6	0.9	0.003	0.59	<0.05	21.2	0.7	<0.2	162.0	<0.01	0.17	<0.2
S120400		<0.05	54.8	780	0.9	0.7	0.001	0.11	<0.05	21.6	0.4	<0.2	99.4	<0.01	0.02	0.2
S120401		<0.05	27.0	630	0.4	1.2	<0.001	0.07	<0.05	6.2	0.2	<0.2	49.8	<0.01	0.01	1.0
S120402		<0.05	28.3	620	0.4	1.9	0.001	0.03	<0.05	6.1	0.3	<0.2	47.6	<0.01	<0.01	1.2
S120403		<0.05	29.5	2300	0.6	1.9	<0.001	0.02	<0.05	4.1	0.2	<0.2	74.7	<0.01	0.05	0.5
S120404		<0.05	30.1	680	0.6	1.7	<0.001	0.02	<0.05	5.7	0.2	<0.2	63.3	<0.01	<0.01	0.9
S120405		<0.05	81.6	510	0.8	0.8	0.001	0.04	0.05	17.9	0.6	<0.2	61.5	<0.01	0.01	<0.2
S120406		<0.05	46.9	490	1.3	1.6	0.001	0.11	<0.05	16.2	0.5	<0.2	92.0	<0.01	0.01	<0.2
S120407		<0.05	51.8	570	2.0	3.8	0.003	0.66	<0.05	17.1	0.9	<0.2	94.8	<0.01	0.06	<0.2
S120408		<0.05	25.7	440	3.6	2.1	0.004	1.11	0.05	10.8	0.8	<0.2	109.0	<0.01	0.32	<0.2
S120409		<0.05	21.8	530	1.7	1.4	<0.001	0.08	<0.05	7.1	0.2	<0.2	79.3	<0.01	0.02	0.4
S120410		<0.05	0.3	10	0.6	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
S120411		<0.05	25.3	710	1.3	3.5	<0.001	0.20	<0.05	4.6	0.4	<0.2	86.8	<0.01	0.03	0.9
S120412		<0.05	23.5	790	1.0	2.4	<0.001	0.02	<0.05	3.0	0.3	<0.2	74.6	<0.01	0.01	0.9
S120413		<0.05	21.2	710	0.7	2.8	<0.001	0.02	<0.05	2.8	0.2	<0.2	76.2	<0.01	<0.01	0.4
S120414		<0.05	27.4	700	0.5	1.6	<0.001	0.02	<0.05	4.6	0.2	<0.2	47.4	<0.01	0.02	0.9



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120375		0.170	<0.02	<0.05	75	0.32	5.04	36	2.7
S120376		0.012	<0.02	<0.05	105	<0.05	3.46	62	0.8
S120377		<0.005	0.02	<0.05	36	<0.05	2.46	33	1.7
S120378		<0.005	0.02	<0.05	48	<0.05	2.89	34	2.1
S120379		0.005	<0.02	<0.05	85	<0.05	1.48	33	2.9
S120380		0.054	0.14	0.34	66	0.43	7.63	81	12.0
S120381		0.007	<0.02	<0.05	162	<0.05	2.30	41	0.5
S120382		<0.005	0.02	0.34	28	0.06	7.04	41	7.0
S120383		0.015	<0.02	<0.05	159	0.06	3.30	58	1.1
S120384		0.016	<0.02	<0.05	163	0.06	3.69	62	1.0
S120385		0.032	<0.02	<0.05	196	<0.05	4.10	81	1.2
S120386		0.095	<0.02	0.05	199	<0.05	9.37	67	2.9
S120387		0.214	<0.02	0.08	248	0.10	14.55	54	4.2
S120388		0.250	<0.02	0.10	245	0.18	16.00	62	4.2
S120389		0.233	<0.02	0.06	169	0.50	14.15	60	2.5
S120390		0.231	<0.02	0.06	174	0.51	14.95	62	2.6
S120391		0.211	<0.02	<0.05	192	0.22	15.25	63	3.1
S120392		0.022	<0.02	<0.05	180	<0.05	4.25	103	0.9
S120393		0.013	<0.02	<0.05	169	<0.05	3.94	100	0.7
S120394		0.009	<0.02	<0.05	63	0.11	3.66	74	0.8
S120395		0.013	<0.02	<0.05	90	<0.05	4.25	63	1.4
S120396		0.016	<0.02	<0.05	161	0.07	3.20	91	1.0
S120397		<0.005	0.02	0.09	12	<0.05	2.84	39	2.5
S120398		<0.005	<0.02	0.08	33	<0.05	3.47	67	1.9
S120399		0.016	<0.02	<0.05	105	0.13	3.43	70	0.6
S120400		0.009	<0.02	<0.05	211	<0.05	2.85	73	0.6
S120401		<0.005	<0.02	0.05	43	<0.05	2.62	41	1.0
S120402		<0.005	<0.02	<0.05	37	<0.05	2.56	36	0.9
S120403		<0.005	<0.02	<0.05	15	0.05	2.95	18	1.5
S120404		<0.005	<0.02	<0.05	22	<0.05	2.76	21	1.2
S120405		0.016	<0.02	<0.05	165	0.06	1.84	60	0.7
S120406		0.013	<0.02	<0.05	116	0.12	2.01	52	<0.5
S120407		0.005	0.02	<0.05	109	0.19	3.11	83	<0.5
S120408		0.007	<0.02	<0.05	48	0.28	2.43	39	0.5
S120409		<0.005	<0.02	<0.05	11	0.11	2.09	26	0.9
S120410		<0.005	<0.02	0.06	<1	<0.05	0.49	3	0.7
S120411		<0.005	<0.02	<0.05	12	0.08	2.89	27	0.8
S120412		<0.005	<0.02	<0.05	11	<0.05	2.89	15	1.1
S120413		<0.005	<0.02	<0.05	9	0.05	2.77	18	1.0
S120414		<0.005	<0.02	<0.05	28	<0.05	2.79	24	1.0



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 5 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1 - MAY - 2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120415		2.14	0.001	0.01	1.80	0.2	<0.2	<10	10	0.10	<0.01	2.98	0.02	9.42	10.4	39
S120416		2.72	0.003	0.01	3.50	0.5	<0.2	<10	<10	0.20	0.02	4.64	0.02	17.15	18.1	41
S120417		2.97	<0.001	<0.01	1.20	0.3	<0.2	<10	<10	0.12	<0.01	4.35	0.01	24.1	4.6	31
S120418		3.00	<0.001	0.01	1.03	0.5	<0.2	<10	<10	0.10	0.01	4.00	0.01	24.1	5.1	27
S120419		1.24	<0.001	0.04	1.66	0.5	<0.2	<10	<10	0.16	<0.01	7.52	0.08	33.0	6.0	39
S120420		0.06	9.27	9.78	1.57	11.7	9.2	<10	30	0.48	0.07	3.71	0.28	20.2	10.4	17
S120421		2.70	<0.001	0.04	0.74	0.6	<0.2	<10	<10	0.10	<0.01	3.79	0.01	20.1	1.9	20
S120422		2.75	<0.001	<0.01	1.12	0.6	<0.2	<10	<10	0.08	<0.01	4.30	0.01	23.1	2.8	25
S120423		2.08	0.104	0.11	1.29	0.3	0.4	<10	130	0.17	0.03	5.69	0.05	61.2	24.4	30
S120424		2.08	0.077	0.01	0.59	0.2	<0.2	<10	130	0.17	<0.01	5.51	0.05	68.5	20.1	16
S120425		2.32	0.015	0.02	0.65	0.3	<0.2	<10	60	0.15	0.02	5.95	0.07	67.3	21.8	21
S120426		0.74	2.34	3.12	0.09	1.0	2.1	<10	120	<0.05	7.21	4.77	<0.01	15.00	19.3	20
S120427		3.15	0.187	0.10	0.68	0.6	<0.2	<10	10	0.08	0.06	7.80	0.10	6.05	30.4	18
S120428		3.20	0.011	0.02	1.48	0.4	<0.2	<10	10	0.06	0.05	6.63	0.07	8.90	33.6	26
S120429		2.78	0.002	0.02	1.78	0.6	<0.2	<10	20	0.16	0.03	7.36	0.03	35.0	16.4	50
S120430		<0.02	0.004	0.03	1.73	0.6	<0.2	<10	20	0.16	0.03	7.46	0.04	34.4	16.2	48



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 5 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
S120415		0.07	14.9	2.86	7.36	0.05	0.07	<0.01	0.011	0.05	4.0	9.9	1.12	500	0.37	0.08
S120416		0.05	33.4	7.02	13.00	0.20	0.10	<0.01	0.032	0.01	4.8	15.7	2.55	987	0.48	0.03
S120417		<0.05	3.7	1.02	4.33	0.15	0.23	<0.01	0.007	<0.01	5.4	4.1	1.17	376	0.27	0.06
S120418		<0.05	61.6	0.86	3.96	0.17	0.22	<0.01	0.005	<0.01	5.7	3.8	0.99	305	0.58	0.05
S120419		<0.05	22.0	1.66	9.76	0.18	0.15	<0.01	0.018	<0.01	7.7	9.5	2.13	675	0.79	0.06
S120420		2.50	64.8	2.87	6.32	0.12	0.64	0.16	0.026	0.12	9.1	21.5	1.03	775	4.77	0.07
S120421		<0.05	22.6	0.53	3.02	0.13	0.33	<0.01	<0.005	<0.01	5.2	2.5	0.56	222	0.23	0.06
S120422		<0.05	1.6	0.69	3.52	0.16	0.25	<0.01	0.005	<0.01	5.2	4.2	0.98	304	0.15	0.07
S120423		0.05	97.9	5.02	4.33	0.12	0.07	<0.01	0.027	0.15	23.4	6.9	2.73	782	0.20	0.05
S120424		0.08	14.7	4.40	2.01	0.11	0.10	<0.01	0.020	0.17	26.7	2.3	2.75	756	0.07	0.04
S120425		0.07	18.8	4.67	2.35	0.10	0.13	<0.01	0.023	0.15	27.0	2.7	2.80	799	6.21	0.06
S120426		<0.05	26.2	3.54	0.60	<0.05	0.08	0.04	0.021	0.02	5.5	0.4	1.70	1000	2080	0.05
S120427		0.06	476	7.77	3.07	0.08	0.03	<0.01	0.041	0.08	1.6	3.5	2.15	1190	3.87	0.10
S120428		0.08	89.3	7.56	6.55	0.09	<0.02	<0.01	0.044	0.05	2.3	9.2	2.15	1390	1.13	0.10
S120429		0.07	76.6	3.42	6.90	0.12	0.08	<0.01	0.023	0.09	11.7	12.0	2.67	840	0.30	0.08
S120430		0.06	77.2	3.42	6.65	0.12	0.07	<0.01	0.026	0.08	11.5	11.7	2.66	848	0.54	0.07



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 5 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
S120415		0.05	26.9	640	0.6	1.2	<0.001	0.03	0.05	5.9	0.2	<0.2	60.4	<0.01	0.01	1.2
S120416		<0.05	42.9	1280	0.6	0.2	0.001	0.16	<0.05	19.0	0.5	0.2	74.4	<0.01	0.02	0.4
S120417		0.12	19.8	630	0.9	0.1	<0.001	0.04	0.09	7.9	0.5	0.3	73.5	<0.01	<0.01	0.6
S120418		0.12	21.6	700	1.4	<0.1	<0.001	0.25	0.09	6.4	0.5	0.4	98.9	<0.01	0.01	0.5
S120419		<0.05	28.6	1000	7.6	0.1	0.001	0.03	<0.05	15.7	0.8	0.3	81.9	<0.01	<0.01	0.9
S120420		0.11	10.7	610	15.6	5.7	0.002	0.42	0.42	8.5	0.7	0.5	104.5	<0.01	4.27	1.6
S120421		0.23	10.7	930	1.0	<0.1	<0.001	0.02	0.09	5.6	0.4	0.3	65.9	<0.01	0.01	0.6
S120422		0.19	14.3	930	0.8	0.1	<0.001	0.01	0.09	7.2	0.5	0.3	73.3	<0.01	0.01	0.9
S120423		<0.05	66.0	2740	2.7	3.3	<0.001	0.12	<0.05	9.3	0.5	<0.2	795	<0.01	0.10	2.7
S120424		<0.05	65.0	2450	2.5	3.8	<0.001	0.04	<0.05	7.6	0.5	<0.2	593	<0.01	0.02	3.5
S120425		<0.05	71.2	2330	3.0	3.4	<0.001	0.12	<0.05	8.8	0.5	<0.2	333	<0.01	0.05	4.0
S120426		<0.05	43.7	1170	47.6	0.6	0.280	1.06	0.17	10.8	1.9	<0.2	350	<0.01	15.45	0.9
S120427		<0.05	78.6	410	1.7	1.8	0.006	0.53	0.08	24.5	0.4	<0.2	150.5	<0.01	0.10	<0.2
S120428		<0.05	43.3	440	0.7	1.0	0.001	0.20	0.06	22.0	0.4	<0.2	136.5	<0.01	0.02	<0.2
S120429		<0.05	50.2	1600	0.9	2.0	<0.001	0.14	0.08	21.2	0.3	<0.2	257	<0.01	0.01	1.8
S120430		<0.05	50.0	1640	1.0	1.7	0.001	0.13	0.08	20.9	0.4	<0.2	256	<0.01	0.01	1.9



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 5 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16055845**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120415		0.063	<0.02	<0.05	63	0.05	3.32	32	1.8
S120416		0.127	<0.02	0.06	246	0.12	8.69	64	2.3
S120417		0.361	<0.02	0.20	113	0.17	9.60	16	6.3
S120418		0.341	<0.02	0.21	96	0.22	9.00	16	5.8
S120419		0.137	<0.02	0.13	151	0.18	16.45	32	3.7
S120420		0.123	0.08	0.45	75	0.46	7.70	62	19.9
S120421		0.327	<0.02	0.16	83	0.23	9.82	8	8.3
S120422		0.375	<0.02	0.19	91	0.19	10.80	12	6.7
S120423		<0.005	0.02	0.24	43	0.18	8.31	59	2.7
S120424		<0.005	0.02	0.27	19	0.16	6.85	47	3.4
S120425		<0.005	0.02	0.37	26	0.17	7.20	52	4.9
S120426		<0.005	0.22	0.07	10	0.18	4.04	34	2.6
S120427		0.008	<0.02	<0.05	107	0.13	2.17	47	0.7
S120428		0.005	<0.02	<0.05	135	0.06	2.10	63	<0.5
S120429		0.006	<0.02	0.15	79	0.05	5.72	40	2.7
S120430		0.006	<0.02	0.17	78	0.05	5.54	39	2.6



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: **Appendix 1**  
 Total # Appendix Pages: **1**  
 Finalized Date: **1-MAY-2016**  
 Account: **OBMICO**

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16055845</b>
---

	<b>CERTIFICATE COMMENTS</b>
--	-----------------------------

	<b>ANALYTICAL COMMENTS</b>												
Applies to Method:	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41												
	<b>LABORATORY ADDRESSES</b>												
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-ICP22 ME-MS41												
Applies to Method:	Processed at ALS Timmins located at Unit 10 - 2090 Riverside Drive, Timmins, ON, Canada.												
	<table style="width: 100%; border: none;"> <tr> <td>CRU-32</td> <td>CRU-QC</td> <td>LOG-21d</td> <td>LOG-22</td> </tr> <tr> <td>LOG-23</td> <td>PUL-35a</td> <td>PUL-35ad</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-32	CRU-QC	LOG-21d	LOG-22	LOG-23	PUL-35a	PUL-35ad	PUL-QC	SPL-21	SPL-21d	WEI-21	
CRU-32	CRU-QC	LOG-21d	LOG-22										
LOG-23	PUL-35a	PUL-35ad	PUL-QC										
SPL-21	SPL-21d	WEI-21											



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

**CERTIFICATE TM16059532**

Project: COTE

This report is for 100 Drill Core samples submitted to our lab in Timmins, ON, Canada on 19-APR-2016.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER
-------------------	-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

To: **OBAN MINING CORPORATION**  
**ATTN: MICHAELA KUUSKMAN**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120516		2.47	0.002	0.01	3.68	0.4	<0.2	<10	20	0.16	0.01	7.92	0.16	5.45	36.8	142
S120517		1.67	0.183	0.03	3.29	1.3	<0.2	<10	60	0.18	0.03	8.24	0.10	7.71	37.9	155
S120518		1.86	0.035	0.02	3.33	0.5	<0.2	<10	160	0.16	0.01	8.01	0.05	8.29	39.8	142
S120519		1.62	0.007	0.01	2.43	0.6	<0.2	<10	130	0.14	0.01	7.77	0.04	6.91	34.9	96
S120520		0.06	2.54	4.47	1.51	17.8	2.4	<10	40	0.60	0.08	3.65	0.34	21.5	11.1	24
S120521		1.80	0.030	0.02	2.57	0.2	<0.2	<10	30	0.11	0.01	6.54	0.04	6.45	35.3	102
S120522		2.72	0.374	0.02	3.51	1.6	<0.2	<10	20	0.14	0.01	8.65	0.05	4.97	36.5	126
S120523		1.78	0.003	0.02	3.62	1.8	<0.2	<10	30	0.13	0.03	8.76	0.07	4.01	39.0	165
S120524		2.80	0.001	0.02	3.63	0.3	<0.2	<10	60	0.11	0.01	7.53	0.10	3.52	36.6	180
S120525		2.89	0.001	0.02	3.89	0.3	<0.2	<10	130	0.15	0.01	6.71	0.23	5.00	40.9	206
S120526		2.96	<0.001	0.02	3.50	0.2	<0.2	<10	100	0.21	0.01	8.22	0.10	6.42	38.8	189
S120527		3.03	<0.001	0.02	4.11	<0.1	<0.2	<10	20	0.25	0.01	6.07	0.07	4.84	45.3	226
S120528		2.83	0.028	0.04	3.44	0.4	<0.2	<10	220	0.43	0.02	9.61	0.07	29.3	35.0	206
S120529		2.74	0.006	0.02	3.36	0.3	<0.2	<10	310	0.26	0.06	8.44	0.07	4.02	40.4	155
S120530		<0.02	0.006	0.02	3.54	0.3	<0.2	<10	320	0.29	0.05	8.45	0.07	3.91	41.2	162
S120531		3.17	0.009	0.03	3.58	0.3	<0.2	<10	60	0.18	0.01	8.23	0.06	4.46	40.7	137
S120532		2.98	0.002	0.03	3.89	0.3	<0.2	<10	100	0.15	0.01	8.09	0.07	4.79	42.8	148
S120533		3.19	0.002	0.02	3.99	0.3	<0.2	<10	50	0.16	0.01	7.16	0.07	5.72	41.6	162
S120534		1.57	0.135	0.17	2.02	18.5	<0.2	<10	10	0.08	0.13	5.34	6.94	3.18	23.6	55
S120535		1.97	0.090	0.23	2.63	5.9	<0.2	<10	10	0.08	0.08	6.98	2.10	2.83	27.9	94
S120536		2.50	0.016	0.02	3.73	0.9	<0.2	<10	10	0.14	0.01	7.98	0.05	7.88	38.7	164
S120537		2.05	0.149	0.36	1.67	11.3	<0.2	<10	10	0.10	0.13	4.80	0.30	6.59	19.3	38
S120538		1.92	0.067	0.12	2.36	23.6	<0.2	<10	30	0.12	0.10	3.09	0.07	12.50	44.9	29
S120539		2.95	0.024	0.13	2.19	4.1	<0.2	<10	20	0.12	0.07	2.80	0.03	18.65	21.4	27
S120540		0.10	<0.001	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.83	0.1	<1
S120541		1.81	0.007	0.09	2.35	13.8	<0.2	<10	30	0.14	0.14	2.50	0.02	15.55	27.5	32
S120542		1.77	<0.001	0.01	3.05	0.3	<0.2	<10	20	0.23	0.01	4.00	0.01	34.2	22.8	36
S120543		2.16	0.001	0.03	4.26	0.6	<0.2	<10	10	0.24	0.02	3.68	0.01	9.00	36.0	152
S120544		0.90	0.008	0.02	2.71	0.4	<0.2	<10	10	0.26	0.01	15.15	0.02	12.55	24.5	123
S120545		0.75	0.003	0.02	2.95	0.4	<0.2	<10	10	0.18	0.01	10.55	0.04	6.91	28.8	163
S120546		3.15	0.001	0.01	4.52	0.6	<0.2	<10	10	0.20	0.01	5.14	0.04	6.37	46.6	235
S120547		2.21	0.001	0.01	2.53	0.2	<0.2	<10	<10	0.14	0.01	6.11	0.04	2.63	29.8	140
S120548		3.08	0.003	0.01	3.57	0.4	<0.2	<10	10	0.15	0.01	2.31	0.02	3.99	42.6	216
S120549		1.92	0.001	<0.01	4.11	0.5	<0.2	<10	10	0.57	0.01	4.48	0.03	6.78	44.4	211
S120550		0.05	2.47	4.73	1.55	20.4	2.4	<10	40	0.61	0.08	3.76	0.35	21.5	11.6	24
S120551		3.01	0.002	0.01	3.99	0.3	<0.2	<10	10	0.21	0.01	5.64	0.04	5.82	41.5	211
S120552		0.63	0.011	0.01	4.06	0.5	<0.2	<10	10	0.18	0.01	7.32	0.05	6.92	40.5	227
S120553		0.82	0.006	0.01	3.97	0.8	<0.2	<10	<10	0.48	0.01	6.99	0.05	4.70	42.0	223
S120554		1.39	0.001	0.01	3.95	2.2	<0.2	10	<10	1.16	0.01	5.95	0.06	5.37	42.3	188
S120555		3.07	0.001	0.01	3.81	1.9	<0.2	10	<10	1.03	0.01	2.56	0.03	6.65	41.6	213



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120516		0.15	90.9	6.01	8.75	0.15	0.03	<0.01	0.027	0.10	2.1	36.9	3.06	1140	0.12	0.01
S120517		0.32	71.5	5.91	9.08	0.15	0.02	0.01	0.034	0.07	3.4	37.4	2.67	1060	0.20	0.01
S120518		0.14	87.3	6.35	7.46	0.14	0.02	0.02	0.026	0.09	4.1	39.3	2.68	1240	0.31	0.01
S120519		0.10	79.8	5.28	4.75	0.11	0.02	0.01	0.023	0.13	3.3	28.3	2.32	1300	0.31	0.01
S120520		2.98	69.4	2.87	6.13	0.15	0.39	0.10	0.036	0.22	10.1	16.1	0.84	681	5.82	0.07
S120521		0.09	71.6	5.56	5.38	0.13	0.02	0.01	0.021	0.12	3.1	31.4	3.16	1340	0.17	0.01
S120522		0.07	74.9	6.04	7.39	0.13	0.02	<0.01	0.027	0.10	2.2	42.1	3.15	1180	0.22	0.01
S120523		0.32	81.5	6.07	8.20	0.13	0.05	<0.01	0.028	0.08	1.6	39.4	3.01	1140	0.15	0.01
S120524		0.16	90.7	6.28	9.43	0.13	0.02	<0.01	0.025	0.06	1.4	32.6	3.16	1180	0.30	0.01
S120525		0.16	68.5	6.79	10.10	0.14	0.03	<0.01	0.026	0.05	1.9	32.9	3.40	1240	0.14	0.01
S120526		0.26	90.8	6.04	9.16	0.13	0.03	<0.01	0.025	0.05	2.4	30.7	3.07	1240	0.07	0.02
S120527		0.11	77.0	7.27	12.45	0.18	0.03	<0.01	0.036	0.03	1.8	35.8	3.68	1100	0.06	0.02
S120528		0.14	78.0	5.54	8.80	0.19	0.08	<0.01	0.037	0.06	12.8	30.1	3.49	1180	0.22	0.02
S120529		0.21	83.7	6.16	8.17	0.13	0.04	<0.01	0.034	0.06	1.8	22.2	3.07	1120	0.73	0.01
S120530		0.21	83.3	6.43	8.50	0.14	0.05	<0.01	0.032	0.07	1.8	23.6	3.23	1140	0.86	0.01
S120531		0.16	78.1	6.09	7.44	0.12	0.03	<0.01	0.023	0.11	1.8	33.8	2.96	1180	0.15	0.01
S120532		0.11	96.7	6.36	8.25	0.12	0.05	<0.01	0.024	0.11	2.0	40.2	3.23	1160	0.13	0.01
S120533		0.09	85.9	6.52	8.86	0.14	0.02	<0.01	0.024	0.11	2.2	41.0	3.33	1120	0.14	0.01
S120534		0.08	115.5	5.91	7.41	0.12	0.09	0.11	0.226	0.05	1.5	18.1	1.68	815	2.29	0.03
S120535		0.09	90.4	7.68	7.79	0.15	0.06	0.01	0.062	0.04	1.3	24.6	2.25	978	3.18	0.02
S120536		0.14	70.8	6.34	9.99	0.13	0.02	<0.01	0.032	0.07	3.2	30.9	3.04	1120	0.28	0.01
S120537		0.08	245	5.02	5.91	0.13	0.12	<0.01	0.081	0.06	2.9	13.6	1.41	584	2.64	0.04
S120538		0.14	263	4.69	6.13	0.11	0.11	<0.01	0.033	0.16	5.8	19.6	1.75	396	0.83	0.02
S120539		0.10	46.8	3.67	5.88	0.10	0.11	<0.01	0.013	0.16	8.8	16.6	1.70	328	1.16	0.02
S120540		<0.05	0.6	0.01	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	<0.01
S120541		0.12	135.5	3.98	6.04	0.11	0.12	<0.01	0.008	0.16	7.3	19.3	2.02	297	0.87	0.02
S120542		0.14	57.6	3.66	9.10	0.12	0.13	<0.01	0.017	0.12	15.0	37.3	3.30	547	0.24	0.02
S120543		0.11	174.5	6.33	12.30	0.14	0.08	<0.01	0.030	0.06	3.7	42.3	4.35	718	0.19	0.02
S120544		0.08	396	4.52	8.20	0.17	0.04	<0.01	0.081	0.01	5.0	19.4	2.55	1450	0.25	0.01
S120545		0.10	24.9	5.06	10.25	0.18	0.06	<0.01	0.032	0.03	2.7	19.0	2.80	955	0.28	0.02
S120546		0.09	108.0	7.99	14.00	0.33	0.09	<0.01	0.045	<0.01	2.2	24.7	4.55	1100	0.40	0.03
S120547		0.07	63.5	4.29	6.40	0.20	0.14	<0.01	0.009	0.01	1.0	12.5	2.57	832	0.45	0.02
S120548		0.07	97.2	6.11	8.03	0.20	0.16	<0.01	0.010	<0.01	1.5	17.1	3.78	960	0.33	0.03
S120549		0.11	62.9	7.15	11.45	0.28	0.15	<0.01	0.036	0.01	2.6	31.6	4.31	989	0.26	0.02
S120550		3.07	77.0	2.96	6.41	0.13	0.38	0.09	0.038	0.23	10.1	15.7	0.87	682	6.31	0.07
S120551		0.08	84.1	7.07	12.15	0.30	0.08	<0.01	0.030	<0.01	2.4	22.5	4.06	1120	0.13	0.03
S120552		<0.05	85.6	7.25	12.35	0.25	0.03	<0.01	0.045	0.02	2.8	22.8	3.91	1080	0.18	0.03
S120553		0.14	113.0	7.10	11.45	0.22	0.13	<0.01	0.031	<0.01	1.8	31.2	4.04	1120	0.48	0.02
S120554		0.14	92.5	8.35	9.90	0.30	0.13	<0.01	0.039	<0.01	2.1	45.9	3.77	1030	0.31	0.02
S120555		0.15	116.0	6.97	9.50	0.23	0.21	<0.01	0.027	0.02	2.6	39.8	3.82	931	0.24	0.03



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
S120516		<0.05	101.5	230	1.0	2.6	0.001	0.03	<0.05	13.5	0.3	<0.2	114.0	<0.01	0.03	<0.2
S120517		<0.05	101.0	330	0.9	2.3	<0.001	<0.01	<0.05	20.1	0.4	<0.2	57.4	<0.01	0.08	<0.2
S120518		<0.05	103.0	230	0.3	2.7	<0.001	<0.01	<0.05	14.1	0.3	<0.2	42.9	<0.01	0.02	<0.2
S120519		<0.05	94.5	220	0.3	3.7	<0.001	0.01	<0.05	10.8	0.4	<0.2	37.4	<0.01	0.02	<0.2
S120520		0.08	10.4	610	16.9	11.3	0.002	0.84	0.48	8.7	1.1	0.5	114.5	<0.01	2.48	1.4
S120521		<0.05	93.2	240	0.3	3.2	<0.001	0.01	<0.05	10.4	0.3	<0.2	34.9	<0.01	0.02	<0.2
S120522		<0.05	97.8	250	0.7	2.9	0.001	0.09	<0.05	12.5	0.6	<0.2	108.0	<0.01	0.03	<0.2
S120523		<0.05	101.5	220	0.8	2.3	0.001	0.15	<0.05	13.7	0.6	<0.2	71.0	<0.01	0.03	<0.2
S120524		<0.05	104.0	220	0.6	1.8	0.001	0.07	<0.05	13.9	0.5	<0.2	99.7	<0.01	0.02	<0.2
S120525		<0.05	110.5	210	0.5	1.5	<0.001	0.03	<0.05	15.1	0.5	<0.2	87.2	<0.01	0.02	<0.2
S120526		<0.05	102.0	210	0.5	1.8	<0.001	0.04	<0.05	13.4	0.4	<0.2	101.0	<0.01	0.02	<0.2
S120527		<0.05	119.5	230	0.6	1.0	<0.001	0.02	<0.05	23.9	0.4	<0.2	100.0	<0.01	0.02	<0.2
S120528		<0.05	98.5	1070	1.1	2.2	0.001	0.06	<0.05	19.7	0.5	<0.2	187.5	<0.01	0.04	0.8
S120529		<0.05	100.5	220	1.5	2.2	0.001	0.42	<0.05	18.8	0.7	<0.2	221	<0.01	0.05	0.4
S120530		<0.05	104.5	220	1.5	2.3	0.002	0.40	<0.05	19.4	0.7	<0.2	221	<0.01	0.05	0.3
S120531		<0.05	99.3	220	1.3	3.1	0.001	0.15	<0.05	12.2	0.7	<0.2	184.0	<0.01	0.04	<0.2
S120532		<0.05	107.0	220	1.1	3.3	0.001	0.09	<0.05	12.5	0.5	<0.2	156.0	<0.01	0.04	<0.2
S120533		<0.05	112.5	240	1.1	3.1	0.001	0.05	<0.05	12.3	0.5	<0.2	146.0	<0.01	0.03	<0.2
S120534		<0.05	49.4	250	4.5	1.4	0.002	2.90	0.12	7.3	2.3	0.5	97.0	<0.01	0.21	0.2
S120535		<0.05	67.4	210	8.2	1.3	0.002	3.87	0.11	10.5	3.8	0.3	123.5	<0.01	0.25	<0.2
S120536		<0.05	103.0	240	1.0	2.0	0.001	0.15	<0.05	13.4	0.7	<0.2	102.0	<0.01	0.03	<0.2
S120537		<0.05	44.2	260	4.6	1.6	0.002	2.72	0.10	5.2	1.5	0.3	59.3	<0.01	0.64	0.3
S120538		<0.05	53.1	350	1.7	4.3	0.001	1.04	0.06	2.2	3.2	<0.2	41.3	<0.01	0.18	0.6
S120539		<0.05	45.8	350	0.8	4.1	0.001	0.22	<0.05	2.0	1.2	<0.2	37.6	<0.01	0.12	0.6
S120540		<0.05	0.2	<10	0.4	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.5	<0.01	<0.01	<0.2
S120541		<0.05	46.3	320	1.1	4.2	0.001	0.68	<0.05	1.8	3.2	<0.2	33.5	<0.01	0.13	0.5
S120542		<0.05	51.0	310	0.2	3.3	<0.001	0.01	<0.05	3.4	0.3	<0.2	23.8	<0.01	0.01	0.6
S120543		<0.05	84.9	310	0.2	2.0	0.001	0.15	<0.05	13.3	0.7	<0.2	28.4	<0.01	0.04	0.2
S120544		<0.05	53.6	170	0.2	0.6	0.002	0.05	<0.05	31.1	1.6	<0.2	63.1	<0.01	0.02	<0.2
S120545		<0.05	69.8	230	<0.2	1.0	0.001	0.10	<0.05	21.3	0.8	<0.2	77.4	<0.01	0.02	<0.2
S120546		<0.05	97.4	300	1.2	0.2	0.001	0.09	<0.05	33.5	0.8	0.2	45.1	<0.01	0.02	<0.2
S120547		0.05	65.6	200	0.4	0.2	0.001	0.01	0.12	6.6	0.3	0.2	60.1	<0.01	0.01	<0.2
S120548		0.05	93.8	300	0.5	0.1	0.001	0.01	0.10	8.2	0.5	<0.2	37.6	<0.01	0.02	<0.2
S120549		<0.05	99.9	280	0.3	0.6	0.001	<0.01	0.06	27.0	0.7	0.2	37.7	<0.01	0.01	<0.2
S120550		0.07	11.5	630	17.0	12.0	0.002	0.87	0.50	9.0	1.1	0.5	118.5	<0.01	2.46	1.4
S120551		<0.05	90.9	260	0.3	0.2	0.001	0.05	<0.05	24.9	0.5	0.2	34.7	<0.01	0.01	<0.2
S120552		<0.05	88.6	250	0.3	0.5	0.001	0.06	<0.05	29.3	0.6	0.2	57.6	<0.01	0.04	<0.2
S120553		<0.05	84.7	260	0.3	0.3	0.002	0.20	<0.05	24.9	0.6	0.3	42.7	<0.01	0.03	<0.2
S120554		<0.05	91.2	240	0.6	0.3	0.001	0.05	0.18	22.0	0.5	0.3	45.9	<0.01	0.01	<0.2
S120555		<0.05	88.7	300	0.9	0.6	0.001	0.08	0.16	19.5	0.7	0.3	36.6	<0.01	0.01	<0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120516		<0.005	0.02	<0.05	91	<0.05	2.43	79	0.8
S120517		<0.005	<0.02	<0.05	118	0.11	4.08	69	0.5
S120518		<0.005	<0.02	<0.05	82	<0.05	4.81	70	0.9
S120519		<0.005	0.02	<0.05	51	0.06	5.64	57	0.8
S120520		0.054	0.14	0.33	65	0.63	7.75	82	13.1
S120521		<0.005	0.02	<0.05	53	0.07	4.59	61	0.5
S120522		<0.005	0.02	<0.05	77	0.06	3.65	65	0.8
S120523		<0.005	<0.02	<0.05	93	0.06	3.45	67	0.8
S120524		0.008	<0.02	<0.05	109	<0.05	2.25	78	0.6
S120525		0.010	<0.02	<0.05	122	<0.05	2.19	106	0.9
S120526		0.009	<0.02	<0.05	109	<0.05	2.62	74	0.8
S120527		0.011	<0.02	<0.05	164	<0.05	2.14	78	0.8
S120528		0.005	<0.02	<0.05	107	<0.05	8.32	69	2.0
S120529		0.005	<0.02	<0.05	102	<0.05	2.69	66	1.3
S120530		0.006	<0.02	<0.05	106	<0.05	2.69	69	2.3
S120531		<0.005	0.02	<0.05	82	<0.05	2.84	65	0.6
S120532		0.005	0.02	<0.05	87	<0.05	2.74	68	0.6
S120533		0.005	0.02	<0.05	90	<0.05	2.69	91	0.6
S120534		<0.005	0.06	<0.05	44	<0.05	1.91	1810	3.6
S120535		<0.005	0.05	<0.05	71	<0.05	2.32	484	2.0
S120536		0.005	<0.02	<0.05	99	<0.05	3.33	117	1.1
S120537		<0.005	0.02	<0.05	36	<0.05	2.58	332	4.6
S120538		<0.005	0.02	0.06	18	<0.05	2.41	113	4.8
S120539		<0.005	0.02	0.06	17	<0.05	2.34	60	4.5
S120540		<0.005	<0.02	0.05	<1	<0.05	0.48	2	0.7
S120541		<0.005	0.02	0.07	17	<0.05	1.99	38	5.1
S120542		<0.005	0.02	0.07	43	<0.05	6.35	40	5.2
S120543		0.021	<0.02	<0.05	129	0.05	5.49	60	3.2
S120544		0.023	<0.02	<0.05	107	0.05	39.9	39	1.4
S120545		0.107	<0.02	<0.05	142	0.11	10.50	46	1.4
S120546		0.185	<0.02	<0.05	195	0.15	11.70	75	2.2
S120547		0.213	<0.02	<0.05	88	0.20	5.15	47	3.6
S120548		0.284	<0.02	<0.05	123	0.24	6.90	65	4.3
S120549		0.193	<0.02	<0.05	166	0.18	9.42	66	4.0
S120550		0.054	0.13	0.34	66	0.66	8.17	83	13.7
S120551		0.131	<0.02	<0.05	180	0.08	9.79	66	2.4
S120552		0.100	<0.02	<0.05	191	0.13	7.68	72	0.8
S120553		0.101	<0.02	<0.05	161	0.12	8.02	77	4.2
S120554		0.123	<0.02	<0.05	153	0.25	8.03	78	4.1
S120555		0.193	<0.02	<0.05	148	0.18	9.94	78	6.8



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120556		0.59	0.009	0.01	3.74	0.7	<0.2	<10	<10	0.07	<0.01	5.21	0.05	3.66	43.3	220
S120557		3.26	0.004	0.02	3.09	1.5	<0.2	<10	<10	0.14	0.01	2.35	0.02	4.47	38.7	201
S120558		2.34	0.006	0.02	2.91	0.7	<0.2	<10	20	0.16	0.14	6.35	0.07	12.10	29.6	124
S120559		1.49	<0.001	0.01	3.93	<0.1	<0.2	<10	290	0.21	0.02	8.05	0.07	5.52	42.0	177
S120560		<0.02	0.001	0.01	3.84	<0.1	<0.2	<10	240	0.22	0.02	7.30	0.06	5.48	41.2	173
S120561		1.03	<0.001	0.01	2.35	0.3	<0.2	<10	120	0.25	0.04	6.56	0.02	23.7	23.6	133
S120562		2.49	0.004	0.01	3.03	0.1	<0.2	<10	680	0.32	0.02	5.83	0.07	17.90	39.2	388
S120563		0.74	0.018	0.01	2.92	<0.1	<0.2	<10	60	0.23	0.02	3.26	0.04	16.40	36.1	158
S120564		2.84	<0.001	0.01	0.94	0.1	<0.2	<10	110	0.15	0.04	3.19	0.05	25.8	15.7	22
S120565		2.71	0.004	0.01	1.14	0.2	<0.2	<10	240	0.13	0.07	3.02	0.05	32.0	17.6	18
S120566		3.08	0.038	0.03	2.48	<0.1	<0.2	<10	40	0.12	0.03	5.60	0.08	3.30	41.7	192
S120567		3.15	0.031	<0.01	2.67	0.1	<0.2	<10	20	0.10	0.01	5.44	0.06	3.61	43.0	157
S120568		1.91	0.001	0.01	2.91	0.9	<0.2	<10	10	0.11	0.03	6.21	0.11	2.98	47.2	157
S120569		2.84	0.003	0.01	2.44	<0.1	<0.2	<10	10	0.08	<0.01	5.51	0.12	4.48	40.5	129
S120570		0.12	<0.001	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.77	0.1	<1
S120571		3.04	0.003	0.01	1.70	0.1	<0.2	<10	10	0.12	0.01	6.02	0.07	3.09	38.5	75
S120572		3.02	0.003	<0.01	2.89	0.1	<0.2	<10	10	0.28	0.01	7.31	0.05	7.64	43.7	125
S120573		1.91	<0.001	0.01	3.55	0.2	<0.2	<10	10	0.15	0.01	5.22	0.08	4.41	47.3	178
S120574		2.97	0.005	0.01	2.17	0.2	<0.2	<10	10	0.14	0.01	5.96	0.11	4.19	38.4	100
S120575		2.98	0.003	<0.01	2.90	0.2	<0.2	<10	10	0.19	0.01	5.88	0.07	4.61	44.1	131
S120576		3.00	0.002	0.01	3.10	0.4	<0.2	<10	10	0.24	0.01	6.47	0.06	5.37	45.2	119
S120577		2.93	0.001	0.01	3.10	0.3	<0.2	<10	10	0.27	0.01	5.98	0.05	4.01	46.7	152
S120578		2.85	0.003	0.01	3.81	0.2	<0.2	<10	10	0.31	0.01	6.36	0.05	6.21	47.8	200
S120579		2.26	0.002	<0.01	3.80	0.2	<0.2	<10	10	0.37	0.01	8.35	0.03	7.84	43.3	196
S120580		0.05	9.50	9.49	1.58	12.0	9.0	<10	30	0.50	0.07	3.88	0.26	19.85	10.7	18
S120581		1.98	0.004	0.01	3.33	0.2	<0.2	<10	10	0.24	0.02	11.20	0.03	17.95	40.4	146
S120582		0.81	0.008	0.01	1.67	0.8	<0.2	<10	30	0.27	0.04	13.00	0.04	41.2	22.7	55
S120583		1.35	0.065	0.05	0.88	1.0	<0.2	<10	50	0.24	0.23	6.42	0.03	24.2	21.2	11
S120584		2.85	0.010	0.01	3.33	0.4	<0.2	<10	20	0.33	0.03	8.66	0.04	14.15	45.3	640
S120585		1.88	0.032	0.03	2.64	0.6	<0.2	<10	60	0.30	0.02	6.88	0.07	9.33	39.6	97
S120586		2.13	0.004	0.05	3.22	0.4	<0.2	<10	320	0.24	0.02	5.84	0.68	7.70	45.1	167
S120587		2.07	0.026	0.12	3.04	1.5	<0.2	<10	10	0.34	0.04	7.67	0.83	5.68	47.4	130
S120588		2.41	0.009	0.25	3.53	0.6	<0.2	<10	10	0.39	0.02	5.61	0.18	5.61	44.7	127
S120589		2.95	0.004	0.02	4.69	0.2	<0.2	<10	10	0.33	0.01	4.84	0.04	4.91	57.2	236
S120590		<0.02	0.006	0.01	4.68	0.1	<0.2	<10	10	0.30	0.01	4.72	0.04	4.61	56.7	233
S120591		2.70	0.006	0.01	5.09	0.1	<0.2	10	10	0.35	0.02	3.47	0.03	4.77	59.7	285
S120592		1.95	0.007	0.07	3.67	0.4	<0.2	10	20	0.54	0.03	2.27	0.08	7.80	46.8	226
S120593		1.87	0.012	0.05	3.86	1.3	<0.2	10	20	0.58	0.03	1.62	0.03	5.99	47.0	229
S120594		1.75	0.023	0.25	5.62	0.2	<0.2	30	30	0.71	0.02	1.34	0.03	13.20	57.6	551
S120595		1.54	0.197	9.96	2.75	0.6	0.4	10	10	0.46	0.03	3.86	0.12	15.75	44.2	828



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120556	0.05	77.1	7.16	12.75	0.23	0.11	<0.01	0.020	<0.01	1.3	17.7	3.82	1160	0.46	0.03	
S120557	0.07	97.1	5.40	7.60	0.21	0.19	<0.01	0.012	<0.01	1.6	13.6	3.08	829	0.30	0.03	
S120558	0.07	46.7	5.11	10.10	0.11	0.13	<0.01	0.023	0.05	5.9	20.4	2.78	974	1.14	0.03	
S120559	0.13	76.7	6.57	9.24	0.11	0.02	<0.01	0.026	0.10	2.2	28.7	3.73	1180	1.44	0.02	
S120560	0.13	75.1	6.49	8.85	0.12	0.03	<0.01	0.023	0.10	2.3	26.9	3.66	1140	1.30	0.02	
S120561	0.07	60.0	3.94	9.46	0.14	0.25	<0.01	0.032	0.02	11.3	19.0	2.61	924	0.05	0.04	
S120562	0.07	62.3	5.54	9.20	0.16	0.17	<0.01	0.031	0.04	8.3	24.9	5.68	1340	0.05	0.02	
S120563	0.07	79.9	5.93	10.05	0.15	0.12	<0.01	0.030	0.04	8.0	24.7	3.83	899	0.05	0.04	
S120564	0.14	37.5	3.10	4.62	0.09	0.30	<0.01	0.017	0.11	12.6	6.1	1.77	942	0.08	0.05	
S120565	0.15	32.9	3.29	4.49	0.09	0.25	<0.01	0.016	0.15	15.4	8.2	1.86	787	0.07	0.04	
S120566	0.10	64.6	6.12	5.98	0.08	0.03	<0.01	0.019	0.12	1.3	25.9	4.51	1220	0.28	0.02	
S120567	0.09	76.5	6.44	6.89	0.09	0.02	<0.01	0.021	0.10	1.4	31.8	4.36	1180	0.11	0.02	
S120568	0.11	64.2	6.47	6.23	0.09	<0.02	<0.01	0.018	0.11	1.2	37.1	5.21	1410	0.38	0.01	
S120569	0.13	80.9	6.28	5.52	0.08	0.02	<0.01	0.016	0.14	1.7	29.1	4.07	1180	0.08	0.02	
S120570	<0.05	0.9	0.01	<0.05	0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	0.01	
S120571	0.19	76.1	5.57	3.85	0.08	0.03	<0.01	0.016	0.16	1.2	15.1	3.55	1190	0.19	0.02	
S120572	0.18	81.7	6.42	6.81	0.09	0.03	<0.01	0.024	0.13	3.3	28.7	3.64	1360	0.18	0.02	
S120573	0.12	81.7	7.34	8.26	0.10	<0.02	<0.01	0.022	0.09	1.7	37.8	5.14	1240	0.27	0.01	
S120574	0.13	78.8	5.69	5.70	0.08	<0.02	<0.01	0.021	0.11	1.6	20.0	3.69	1160	0.48	0.02	
S120575	0.13	78.0	6.69	7.15	0.09	<0.02	<0.01	0.023	0.11	1.8	28.6	4.39	1360	0.27	0.02	
S120576	0.14	66.5	6.21	6.56	0.10	<0.02	<0.01	0.017	0.13	2.2	33.4	4.14	1260	0.27	0.01	
S120577	0.17	70.3	6.79	6.45	0.09	<0.02	<0.01	0.017	0.13	1.6	35.4	4.48	1340	0.24	0.01	
S120578	0.20	73.9	7.37	7.79	0.11	0.02	<0.01	0.020	0.12	2.7	41.0	4.24	1200	0.24	0.01	
S120579	0.22	67.1	6.87	7.56	0.10	<0.02	<0.01	0.025	0.11	3.9	37.6	3.68	1260	0.21	0.01	
S120580	2.31	64.6	2.92	6.42	0.14	0.65	0.16	0.025	0.12	9.1	19.7	1.05	780	4.95	0.08	
S120581	0.21	16.9	5.57	6.83	0.10	<0.02	<0.01	0.031	0.14	8.7	31.4	2.79	1550	0.29	0.01	
S120582	0.33	49.7	3.12	4.01	0.14	0.14	<0.01	0.056	0.14	18.6	14.8	1.33	1970	0.44	0.01	
S120583	0.32	28.0	2.24	2.17	0.10	0.22	<0.01	0.016	0.21	11.5	5.1	0.56	905	2.16	0.02	
S120584	0.13	47.5	5.42	8.74	0.15	0.04	<0.01	0.036	0.07	7.0	30.1	5.44	1740	1.16	0.01	
S120585	0.50	81.8	5.69	7.11	0.12	0.15	<0.01	0.036	0.12	4.1	30.7	3.17	1210	0.45	0.05	
S120586	0.46	58.0	6.30	8.20	0.11	0.14	<0.01	0.031	0.11	3.2	35.6	3.72	1220	0.27	0.06	
S120587	0.23	64.5	5.55	6.74	0.13	0.02	<0.01	0.031	0.10	2.3	25.9	3.64	1140	0.59	0.02	
S120588	0.41	65.9	6.21	7.18	0.12	0.03	<0.01	0.031	0.12	2.2	28.0	4.98	968	0.36	0.03	
S120589	0.29	78.9	7.22	10.25	0.16	0.03	<0.01	0.031	0.09	1.9	46.0	6.03	1000	0.25	0.02	
S120590	0.29	79.0	7.23	10.40	0.16	0.02	<0.01	0.031	0.08	1.8	46.7	6.01	959	0.22	0.02	
S120591	0.29	80.4	7.49	11.45	0.20	0.02	<0.01	0.035	0.07	1.9	61.9	7.43	834	0.17	0.03	
S120592	1.00	146.0	7.68	17.40	0.29	0.08	<0.01	0.048	0.10	3.1	48.9	5.82	881	0.23	0.08	
S120593	1.07	138.0	7.40	17.60	0.25	0.09	<0.01	0.042	0.12	2.4	55.7	5.69	894	0.48	0.12	
S120594	2.81	36.8	8.88	16.95	0.23	0.10	<0.01	0.041	0.22	6.0	113.5	7.46	1120	0.24	0.08	
S120595	0.33	14.6	5.52	12.80	0.23	0.19	<0.01	0.035	0.04	6.7	49.6	6.73	886	2.93	0.06	



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
S120556		<0.05	100.5	270	0.2	0.1	0.002	0.14	<0.05	15.4	0.6	0.2	33.5	<0.01	0.01	<0.2
S120557		<0.05	86.0	300	0.4	0.2	0.001	0.09	0.13	6.5	0.7	0.2	43.7	<0.01	0.02	<0.2
S120558		<0.05	60.9	600	1.5	1.6	0.001	0.37	<0.05	11.2	0.5	<0.2	110.0	<0.01	0.04	0.4
S120559		<0.05	110.5	280	1.0	3.0	0.002	0.06	<0.05	14.3	0.3	<0.2	134.0	<0.01	0.02	<0.2
S120560		<0.05	108.5	270	0.9	2.7	0.002	0.05	<0.05	13.6	0.4	<0.2	125.0	<0.01	0.01	<0.2
S120561		<0.05	107.5	1200	0.4	0.8	<0.001	0.16	<0.05	10.3	0.7	<0.2	49.6	<0.01	<0.01	0.7
S120562		<0.05	348	1060	1.3	1.2	<0.001	0.04	<0.05	17.4	0.4	<0.2	133.5	<0.01	<0.01	0.4
S120563		<0.05	90.1	630	0.9	1.4	<0.001	0.01	<0.05	19.6	0.4	<0.2	53.6	<0.01	0.01	0.4
S120564		<0.05	17.9	1140	1.5	3.3	<0.001	0.06	<0.05	4.9	0.3	<0.2	64.2	<0.01	<0.01	0.9
S120565		<0.05	20.7	1180	1.2	4.4	<0.001	0.16	<0.05	3.7	0.3	<0.2	75.8	<0.01	0.02	1.1
S120566		<0.05	169.5	230	1.2	3.0	0.001	0.10	<0.05	13.2	0.4	<0.2	136.5	<0.01	0.08	<0.2
S120567		<0.05	141.5	240	0.8	2.7	0.001	0.07	<0.05	13.7	0.4	<0.2	105.5	<0.01	0.03	<0.2
S120568		<0.05	201	220	0.9	2.9	0.002	0.17	<0.05	11.4	0.4	<0.2	114.0	<0.01	0.03	<0.2
S120569		<0.05	115.0	240	0.7	3.5	<0.001	0.04	<0.05	10.6	0.3	<0.2	109.5	<0.01	0.01	<0.2
S120570		<0.05	0.3	10	0.5	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	<0.2
S120571		<0.05	91.1	250	0.6	4.0	<0.001	0.20	<0.05	9.8	0.6	<0.2	104.5	<0.01	0.02	<0.2
S120572		<0.05	131.5	240	0.4	3.4	0.001	0.11	<0.05	13.7	0.7	<0.2	78.3	<0.01	0.02	<0.2
S120573		<0.05	196.0	240	0.5	2.2	<0.001	0.06	<0.05	14.9	0.3	<0.2	95.7	<0.01	0.01	<0.2
S120574		<0.05	113.0	210	0.6	2.8	0.001	0.16	<0.05	12.5	0.5	<0.2	100.5	<0.01	0.02	<0.2
S120575		<0.05	142.5	240	0.5	2.7	0.001	0.13	<0.05	14.1	0.5	<0.2	96.2	<0.01	0.02	<0.2
S120576		<0.05	172.5	230	0.5	3.1	0.001	0.10	<0.05	11.5	0.6	<0.2	73.4	<0.01	0.02	<0.2
S120577		<0.05	155.5	230	0.5	3.4	0.001	0.11	<0.05	10.8	0.5	<0.2	74.8	<0.01	0.02	<0.2
S120578		<0.05	155.0	250	0.5	3.2	0.001	0.10	<0.05	11.8	0.6	<0.2	70.4	<0.01	0.02	<0.2
S120579		<0.05	160.5	260	0.4	3.0	0.001	0.08	<0.05	12.8	0.7	<0.2	65.9	<0.01	0.01	<0.2
S120580		0.17	10.6	630	14.5	5.7	0.002	0.42	0.40	8.8	0.7	0.5	107.5	<0.01	4.06	1.5
S120581		<0.05	163.5	240	0.4	3.6	0.001	0.05	<0.05	10.6	1.0	<0.2	71.2	<0.01	0.03	<0.2
S120582		<0.05	73.8	610	1.0	4.3	0.001	0.11	<0.05	8.4	1.3	<0.2	79.3	<0.01	0.02	0.4
S120583		<0.05	23.9	920	1.4	6.1	0.002	0.49	<0.05	3.6	0.7	<0.2	57.5	<0.01	0.12	0.7
S120584		<0.05	363	520	0.9	2.2	0.001	0.07	<0.05	19.0	0.6	<0.2	135.0	<0.01	0.04	0.2
S120585		<0.05	94.3	330	3.6	4.0	0.002	0.13	0.05	17.8	0.8	<0.2	85.9	<0.01	0.03	<0.2
S120586		<0.05	137.0	290	26.5	3.6	0.001	0.16	<0.05	16.9	0.8	<0.2	91.3	<0.01	0.02	<0.2
S120587		<0.05	175.0	270	5.3	2.9	0.001	0.25	0.08	12.3	0.9	<0.2	105.0	<0.01	0.09	<0.2
S120588		<0.05	187.0	270	1.4	3.8	0.001	0.04	<0.05	13.4	0.6	<0.2	116.5	<0.01	0.22	<0.2
S120589		<0.05	255	220	0.6	2.9	0.001	0.02	<0.05	16.0	0.6	<0.2	98.6	<0.01	0.12	<0.2
S120590		<0.05	254	230	0.6	2.6	0.001	0.01	<0.05	16.0	0.5	<0.2	100.5	<0.01	0.10	<0.2
S120591		<0.05	290	220	0.7	2.4	0.001	0.02	<0.05	17.1	0.4	<0.2	93.3	<0.01	0.31	<0.2
S120592		<0.05	119.0	290	0.7	3.8	0.001	0.04	0.11	30.8	0.5	0.4	93.4	<0.01	0.29	<0.2
S120593		<0.05	111.0	310	0.8	4.7	0.001	0.09	0.09	31.4	0.5	0.3	88.5	<0.01	0.27	<0.2
S120594		<0.05	314	590	0.5	9.5	<0.001	0.01	<0.05	27.9	0.3	0.4	107.5	<0.01	0.18	0.4
S120595		<0.05	418	420	0.9	1.5	0.003	0.04	0.05	16.9	0.5	0.5	153.0	<0.01	5.77	0.5



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Ti	Ti	U	V	W	Y	Zn	
Units		%	ppm	ppm	ppm	ppm	ppm	ppm	
LOR		0.005	0.02	0.05	1	0.05	0.05	2	
S120556		0.181	<0.02	<0.05	181	0.31	9.56	79	3.2
S120557		0.226	<0.02	<0.05	113	0.23	7.38	63	6.4
S120558		0.006	<0.02	0.08	92	<0.05	3.03	59	6.5
S120559		0.005	0.02	<0.05	94	<0.05	3.54	75	0.9
S120560		0.005	0.02	<0.05	92	<0.05	3.39	73	0.7
S120561		<0.005	<0.02	0.12	76	<0.05	9.70	62	12.1
S120562		0.006	<0.02	0.06	92	<0.05	7.68	82	5.9
S120563		0.012	<0.02	0.05	112	<0.05	5.02	92	5.4
S120564		0.006	0.02	0.16	23	<0.05	5.52	48	14.6
S120565		0.005	0.03	0.14	23	<0.05	5.14	50	13.0
S120566		<0.005	0.02	<0.05	60	0.05	3.14	66	0.5
S120567		<0.005	0.02	<0.05	71	0.05	2.47	64	0.6
S120568		<0.005	0.02	<0.05	55	<0.05	3.12	90	<0.5
S120569		<0.005	0.02	<0.05	51	0.06	2.64	72	<0.5
S120570		<0.005	<0.02	0.05	<1	<0.05	0.48	2	0.7
S120571		<0.005	0.02	<0.05	35	0.05	3.13	54	<0.5
S120572		<0.005	0.02	<0.05	67	<0.05	9.37	74	0.5
S120573		<0.005	<0.02	<0.05	89	0.05	3.22	99	<0.5
S120574		<0.005	0.02	<0.05	61	<0.05	4.86	68	<0.5
S120575		<0.005	<0.02	<0.05	75	<0.05	5.37	76	<0.5
S120576		<0.005	0.02	<0.05	57	<0.05	7.45	79	0.5
S120577		<0.005	0.02	<0.05	57	<0.05	5.72	70	<0.5
S120578		<0.005	0.02	<0.05	72	<0.05	7.52	80	0.6
S120579		<0.005	0.02	<0.05	70	<0.05	10.60	76	<0.5
S120580		0.130	0.07	0.43	75	0.55	8.07	62	21.8
S120581		<0.005	0.02	<0.05	56	<0.05	17.35	71	0.7
S120582		<0.005	0.03	0.07	25	<0.05	29.3	41	6.2
S120583		<0.005	0.04	0.13	12	<0.05	8.85	26	11.6
S120584		<0.005	<0.02	<0.05	104	<0.05	11.30	69	1.3
S120585		0.074	0.04	<0.05	101	0.17	11.10	54	5.2
S120586		0.056	0.04	<0.05	104	0.05	10.55	128	6.0
S120587		0.048	0.07	<0.05	74	0.28	6.66	102	<0.5
S120588		0.103	0.03	<0.05	78	0.37	9.76	73	0.7
S120589		0.075	0.02	<0.05	110	0.24	7.31	93	0.5
S120590		0.069	0.02	<0.05	108	0.22	7.14	92	<0.5
S120591		0.116	<0.02	<0.05	125	0.31	7.21	91	0.6
S120592		0.310	0.02	<0.05	221	1.91	9.75	95	2.5
S120593		0.263	0.04	<0.05	222	1.40	6.36	86	3.4
S120594		0.174	0.02	0.08	199	1.16	7.09	94	4.0
S120595		0.179	0.02	0.13	134	1.44	9.26	88	9.4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120596		1.78	0.037	0.14	0.94	0.6	<0.2	<10	10	0.21	0.06	1.44	0.01	6.88	16.5	45
S120597		1.77	0.146	0.09	1.98	0.6	0.2	10	20	0.37	0.05	0.82	<0.01	9.94	23.1	52
S120598		0.66	0.031	0.08	1.07	0.7	<0.2	<10	10	0.18	0.05	0.66	0.16	25.4	19.4	58
S120599		1.43	0.024	0.05	1.97	0.6	<0.2	10	20	0.35	0.04	0.80	0.03	11.40	20.5	62
S120600		1.71	0.007	0.05	1.67	0.6	<0.2	10	40	0.34	0.02	2.46	0.01	113.0	23.4	229
S120601		1.31	0.017	0.07	3.81	0.5	<0.2	60	50	0.86	0.02	2.98	0.09	143.5	26.7	321
S120602		3.01	0.005	0.05	2.79	0.2	<0.2	10	20	0.14	0.01	1.86	0.07	16.90	23.1	10
S120603		3.00	0.004	0.05	2.97	0.1	<0.2	10	10	0.13	0.01	2.00	0.06	16.00	20.8	6
S120604		2.91	0.008	0.04	2.95	0.3	<0.2	10	20	0.16	0.01	1.90	0.06	18.00	24.1	9
S120605		1.85	0.048	0.15	2.82	0.8	<0.2	20	10	0.55	0.02	9.59	0.02	19.00	54.3	1060
S120606		0.89	0.047	0.42	2.45	2.1	<0.2	10	30	0.54	0.04	6.06	0.04	13.00	34.3	612
S120607		1.76	0.032	0.11	1.09	0.9	<0.2	<10	10	0.23	0.09	2.30	0.01	7.00	17.7	53
S120608		1.91	0.020	0.03	1.43	0.6	<0.2	<10	10	0.28	0.05	1.29	0.01	7.93	15.6	49
S120609		1.91	0.143	0.04	0.94	0.7	<0.2	<10	10	0.18	0.13	2.05	<0.01	6.61	14.5	29
S120610		0.11	<0.001	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.92	0.1	<1
S120611		1.87	0.080	0.14	0.86	1.3	<0.2	<10	10	0.21	0.15	3.35	1.29	7.61	16.9	28
S120612		1.80	0.156	0.05	1.44	1.3	<0.2	<10	10	0.21	0.08	2.18	0.22	8.75	17.5	24
S120613		1.63	0.008	0.03	1.26	0.9	<0.2	<10	10	0.24	0.07	3.75	0.17	11.30	19.7	32
S120614		0.88	0.032	0.15	2.07	1.2	<0.2	10	10	0.33	0.16	11.10	3.77	66.1	33.2	157
S120615		2.07	0.006	0.29	2.45	1.1	<0.2	<10	10	0.39	0.09	8.65	1.52	53.5	39.9	152



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
S120596		0.24	28.6	2.12	6.00	0.10	0.20	<0.01	0.016	0.03	3.1	10.2	1.85	299	43.1	0.08
S120597		0.99	9.9	3.90	7.15	0.12	0.20	<0.01	0.019	0.17	5.5	36.9	2.36	502	21.7	0.08
S120598		0.26	23.9	2.55	4.71	0.12	0.21	<0.01	0.013	0.06	12.8	17.5	2.09	491	30.8	0.04
S120599		0.96	4.7	3.62	8.32	0.12	0.22	<0.01	0.020	0.21	6.5	35.9	2.37	598	9.33	0.11
S120600		0.52	13.1	3.36	10.60	0.29	0.24	<0.01	0.024	0.26	48.9	25.1	4.25	613	3.13	0.06
S120601		3.53	67.3	4.66	14.80	0.32	0.26	<0.01	0.032	0.51	64.3	34.9	3.38	640	3.36	0.26
S120602		0.28	157.5	4.37	8.22	0.16	0.32	<0.01	0.020	0.07	7.6	5.1	0.94	519	0.49	0.47
S120603		0.26	172.5	4.47	8.90	0.15	0.48	<0.01	0.027	0.04	6.9	4.3	0.65	456	0.44	0.47
S120604		0.26	154.0	4.63	8.87	0.14	0.21	<0.01	0.023	0.05	8.0	6.1	1.22	398	0.42	0.48
S120605		0.35	9.9	5.76	10.55	0.25	0.18	<0.01	0.042	0.03	8.4	52.0	7.27	1560	0.29	0.04
S120606		0.51	42.1	4.48	11.80	0.24	0.14	<0.01	0.041	0.08	5.7	37.9	5.99	1100	0.19	0.04
S120607		0.32	11.9	2.39	5.02	0.09	0.18	<0.01	0.017	0.06	3.2	11.6	1.58	456	10.95	0.07
S120608		0.47	14.3	2.88	6.33	0.10	0.17	<0.01	0.018	0.09	3.6	14.4	2.04	449	3.75	0.09
S120609		0.18	46.1	2.34	3.71	0.08	0.17	<0.01	0.014	0.07	2.9	7.4	1.67	408	10.20	0.09
S120610		<0.05	0.7	0.01	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
S120611		0.22	108.5	2.22	3.37	0.09	0.14	<0.01	0.029	0.06	3.3	9.5	0.93	520	4.57	0.06
S120612		0.24	9.7	3.25	4.35	0.09	0.17	<0.01	0.017	0.08	3.9	16.7	2.28	559	1.62	0.07
S120613		0.30	7.3	2.73	4.36	0.09	0.20	<0.01	0.018	0.11	5.1	12.3	1.30	637	0.89	0.05
S120614		0.49	6.8	4.35	6.36	0.16	0.10	<0.01	0.054	0.11	27.5	20.4	2.22	1480	2.37	0.02
S120615		0.47	42.1	5.00	6.51	0.16	0.28	<0.01	0.035	0.12	23.3	20.8	2.41	1490	1.06	0.03



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
S120596		<0.05	43.8	210	0.7	1.2	0.057	0.09	0.05	6.6	0.4	0.3	42.3	<0.01	0.16	0.3
S120597		<0.05	61.8	200	0.5	9.9	0.014	0.08	<0.05	7.3	0.3	0.3	29.3	<0.01	0.09	0.4
S120598		<0.05	44.1	380	1.0	2.8	0.017	0.10	0.07	4.3	0.3	0.2	37.2	<0.01	0.09	1.0
S120599		<0.05	62.6	210	0.6	12.0	0.002	0.10	<0.05	9.0	0.4	0.3	27.3	<0.01	0.06	0.5
S120600		<0.05	129.5	1830	1.2	9.7	0.002	0.05	0.06	10.7	0.5	0.4	128.0	<0.01	0.04	6.5
S120601		0.06	188.5	2780	1.6	20.8	<0.001	0.03	0.05	12.6	0.7	0.5	132.0	<0.01	0.05	8.5
S120602		0.09	42.4	580	1.0	3.1	0.001	0.06	0.05	4.5	0.8	0.6	86.4	<0.01	0.01	0.7
S120603		0.15	29.8	600	0.7	1.6	0.001	0.05	<0.05	4.0	0.7	0.6	83.9	<0.01	0.01	0.7
S120604		<0.05	42.5	560	0.6	1.6	0.001	0.05	0.06	5.1	0.7	0.6	85.1	<0.01	0.02	0.7
S120605		<0.05	636	450	0.6	1.0	0.001	0.04	0.05	16.9	0.7	0.3	241	<0.01	0.10	0.5
S120606		<0.05	283	390	0.7	2.9	<0.001	0.10	0.06	17.8	0.7	0.4	147.5	<0.01	0.30	0.3
S120607		<0.05	50.1	170	0.5	2.3	0.012	0.21	<0.05	4.9	0.7	0.2	30.8	<0.01	0.14	0.3
S120608		<0.05	60.3	230	3.1	3.6	0.003	0.18	0.06	6.2	0.3	0.2	39.6	<0.01	0.06	0.4
S120609		<0.05	38.1	220	0.5	2.5	0.005	0.32	<0.05	4.2	0.6	<0.2	45.1	<0.01	0.14	0.3
S120610		<0.05	0.3	<10	0.5	<0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
S120611		<0.05	33.7	350	1.6	2.2	0.003	0.38	0.08	5.0	0.9	0.2	31.0	<0.01	0.14	0.3
S120612		<0.05	48.8	260	5.3	2.9	0.001	0.47	0.05	5.5	0.6	<0.2	53.9	<0.01	0.12	0.4
S120613		<0.05	50.9	410	2.3	3.6	0.001	0.43	<0.05	4.8	0.7	<0.2	36.2	<0.01	0.05	0.6
S120614		<0.05	143.5	2020	86.4	3.9	0.003	0.61	0.09	13.8	1.4	0.2	66.9	<0.01	0.12	3.8
S120615		<0.05	163.0	1550	76.9	3.9	0.001	0.52	0.10	14.0	0.9	<0.2	64.9	<0.01	0.07	2.4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059532**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120596		0.066	0.03	0.09	48	0.85	2.73	15	8.5
S120597		0.075	0.06	0.11	53	0.96	3.27	27	8.5
S120598		0.048	0.05	0.16	33	0.70	2.89	33	10.1
S120599		0.091	0.07	0.13	70	0.99	3.34	37	9.8
S120600		0.149	0.04	0.80	106	1.91	9.59	32	15.3
S120601		0.216	0.10	1.11	149	3.26	14.10	65	15.7
S120602		0.346	0.05	0.11	183	0.05	12.00	59	11.8
S120603		0.454	0.04	0.13	207	<0.05	14.75	57	20.2
S120604		0.204	0.03	0.09	182	<0.05	15.35	62	6.8
S120605		0.159	<0.02	0.14	129	1.58	12.20	77	9.1
S120606		0.189	0.02	0.08	124	1.88	8.92	65	5.9
S120607		0.046	0.03	0.07	38	0.89	2.85	14	7.9
S120608		0.065	0.03	0.09	53	0.94	2.72	16	7.5
S120609		0.043	0.03	0.07	27	0.81	2.23	6	6.6
S120610		<0.005	<0.02	0.05	<1	<0.05	0.46	2	0.7
S120611		0.032	0.03	0.05	28	0.64	2.99	155	5.2
S120612		0.032	0.04	0.06	28	0.58	2.25	68	6.9
S120613		0.021	0.04	0.08	26	0.24	3.50	43	8.6
S120614		0.045	0.04	0.41	45	0.54	16.00	443	5.7
S120615		0.030	0.14	0.32	57	0.19	10.15	256	14.8

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: **Appendix 1**  
 Total # Appendix Pages: **1**  
 Finalized Date: **8-MAY-2016**  
 Account: **OBMICO**

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16059532</b>
---

	<b>CERTIFICATE COMMENTS</b>
--	-----------------------------

	<b>ANALYTICAL COMMENTS</b>												
Applies to Method:	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41												
	<b>LABORATORY ADDRESSES</b>												
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-ICP22 ME-MS41												
Applies to Method:	Processed at ALS Timmins located at Unit 10 - 2090 Riverside Drive, Timmins, ON, Canada.												
	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">CRU-32</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 33%;">LOG-21d</td> <td style="width: 33%;">LOG-22</td> </tr> <tr> <td>LOG-23</td> <td>PUL-35a</td> <td>PUL-35ad</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-32	CRU-QC	LOG-21d	LOG-22	LOG-23	PUL-35a	PUL-35ad	PUL-QC	SPL-21	SPL-21d	WEI-21	
CRU-32	CRU-QC	LOG-21d	LOG-22										
LOG-23	PUL-35a	PUL-35ad	PUL-QC										
SPL-21	SPL-21d	WEI-21											



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

**CERTIFICATE TM16059533**

Project: COTE

This report is for 100 Drill Core samples submitted to our lab in Timmins, ON, Canada on 19-APR-2016.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER
-------------------	-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

To: **OBAN MINING CORPORATION**  
**ATTN: MICHAELA KUUSKMAN**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120616		3.12	0.015	0.02	2.91	0.2	<0.2	<10	80	0.41	0.02	11.60	0.22	19.15	44.6	1130
S120617		2.08	0.007	0.01	2.88	0.1	<0.2	<10	10	0.38	0.02	7.63	0.09	10.70	41.5	571
S120618		2.02	0.006	0.02	1.10	0.9	<0.2	<10	20	0.14	0.11	4.82	0.06	5.30	28.6	70
S120619		2.00	0.011	0.02	2.30	0.6	<0.2	<10	20	0.20	0.04	5.99	0.06	9.92	35.1	118
S120620		0.06	2.39	4.81	1.62	18.0	2.6	<10	40	0.68	0.08	3.80	0.35	21.9	11.3	25
S120621		2.14	0.020	0.03	2.44	0.5	<0.2	<10	10	0.17	0.06	6.23	0.06	2.85	43.3	165
S120622		2.96	0.012	0.02	3.13	0.3	<0.2	<10	10	0.27	0.02	6.56	0.07	24.2	41.7	240
S120623		3.36	0.004	0.01	2.73	0.1	<0.2	<10	10	0.11	0.01	5.78	0.08	10.90	39.2	202
S120624		1.22	0.004	0.02	2.73	0.2	<0.2	<10	10	0.12	0.02	5.55	0.11	2.57	41.8	205
S120625		1.05	0.013	0.04	1.31	1.2	<0.2	<10	10	0.09	0.09	5.49	0.26	1.89	39.9	115
S120626		2.43	0.003	0.01	2.69	<0.1	<0.2	<10	20	0.15	0.01	5.84	0.08	2.95	40.5	182
S120627		1.65	0.004	0.02	1.90	0.1	<0.2	<10	20	0.15	0.01	5.59	0.08	57.4	30.1	118
S120628		1.69	0.093	0.03	1.23	1.8	<0.2	<10	10	0.13	0.05	4.46	0.13	74.0	21.4	31
S120629		1.59	0.184	0.06	1.08	0.5	<0.2	<10	10	0.17	0.13	4.40	0.08	55.6	21.0	38
S120630		<0.02	0.141	0.07	1.12	0.5	<0.2	<10	10	0.15	0.14	4.32	0.07	53.8	21.2	41
S120631		1.99	1.100	0.26	2.62	2.7	1.8	<10	20	0.14	0.16	2.31	0.03	3.45	33.0	12
S120632		1.42	0.304	0.09	1.73	3.8	0.4	<10	10	0.11	0.10	2.52	0.04	21.8	21.3	14
S120633		1.50	0.125	0.06	1.89	0.1	0.3	<10	30	0.19	0.01	4.46	0.05	165.5	23.0	140
S120634		1.88	0.003	0.03	2.30	1.0	<0.2	<10	20	0.24	<0.01	7.52	0.25	148.5	28.8	351
S120635		1.67	0.067	0.07	1.54	0.6	<0.2	<10	10	0.23	0.03	4.69	0.11	80.5	17.3	130
S120636		1.39	0.566	0.36	1.59	4.8	0.8	<10	<10	0.36	0.15	7.64	0.02	28.0	32.9	64
S120637		2.29	0.097	0.07	2.58	1.6	0.3	<10	10	0.37	0.06	8.70	0.07	8.94	52.8	43
S120638		2.19	0.122	0.07	0.86	0.8	<0.2	<10	10	0.18	0.02	9.55	0.10	67.7	36.9	86
S120639		1.92	0.041	0.01	2.09	1.1	<0.2	<10	10	0.40	0.01	10.65	0.04	13.70	42.7	41
S120640		0.11	<0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.97	0.1	<1
S120641		2.21	0.052	0.03	2.43	1.4	<0.2	<10	30	0.51	0.03	9.49	0.03	47.4	48.9	95
S120642		2.21	0.006	0.02	1.02	0.5	<0.2	<10	10	0.21	0.01	8.73	0.07	126.5	32.8	333
S120643		0.71	0.012	0.01	0.98	0.6	<0.2	<10	10	0.18	0.01	7.94	0.09	37.7	37.3	187
S120644		1.87	0.070	0.09	0.94	0.4	<0.2	<10	10	0.21	0.01	8.60	0.08	130.0	31.6	294
S120645		2.58	0.060	0.03	2.67	1.2	<0.2	<10	10	0.32	0.04	5.17	0.06	19.10	53.7	78
S120646		2.16	0.003	0.01	3.42	0.2	<0.2	<10	10	0.31	0.01	3.78	0.08	6.30	52.0	56
S120647		2.27	0.007	0.03	3.09	2.3	<0.2	<10	10	0.25	0.06	4.71	0.07	4.69	52.9	59
S120648		3.05	0.002	0.03	2.67	1.2	<0.2	<10	20	0.25	0.02	7.87	0.05	124.0	44.2	397
S120649		1.95	0.001	0.02	1.06	0.4	<0.2	<10	20	0.16	0.01	8.19	0.05	133.5	27.0	194
S120650		0.06	9.03	10.00	1.70	11.5	9.2	<10	30	0.61	0.07	4.02	0.27	20.6	11.7	19
S120651		1.92	0.011	0.03	3.53	1.5	<0.2	<10	20	0.29	0.07	5.60	0.03	9.92	44.7	34
S120652		1.72	0.004	0.01	0.72	0.7	<0.2	<10	10	0.09	0.02	4.45	0.02	15.70	11.9	25
S120653		0.93	0.047	0.03	2.27	0.6	<0.2	<10	10	0.15	0.07	4.20	0.05	10.70	38.3	46
S120654		2.12	0.006	0.04	1.72	0.9	<0.2	<10	60	0.18	0.01	8.40	0.11	141.0	32.8	358
S120655		2.03	0.007	0.02	0.41	0.5	<0.2	<10	20	0.09	0.01	2.95	0.03	20.2	11.7	20



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S120616		0.07	20.2	4.21	7.43	0.26	0.10	<0.01	0.038	0.01	8.2	37.5	6.79	1910	0.05	0.01
S120617		0.08	21.5	5.76	8.06	0.16	0.04	<0.01	0.038	0.04	4.6	33.5	5.42	1410	0.29	0.03
S120618		0.12	128.5	4.32	3.61	0.08	0.06	<0.01	0.030	0.16	2.2	8.5	2.15	971	1.79	0.06
S120619		0.15	74.2	5.89	6.45	0.09	0.09	<0.01	0.027	0.12	4.3	30.7	3.22	1220	0.25	0.03
S120620		3.09	72.9	3.05	6.13	0.12	0.38	0.09	0.041	0.24	10.2	16.3	0.89	709	5.71	0.08
S120621		0.14	88.5	6.40	5.72	0.08	<0.02	<0.01	0.023	0.11	1.1	33.9	3.53	1220	1.10	0.03
S120622		0.20	50.6	6.45	7.89	0.11	0.09	<0.01	0.031	0.08	10.6	50.6	3.99	1300	0.48	0.03
S120623		0.15	46.0	6.16	7.05	0.10	0.03	<0.01	0.033	0.08	4.7	45.2	4.24	1130	0.14	0.03
S120624		0.14	46.4	6.48	6.92	0.09	<0.02	<0.01	0.045	0.09	1.1	45.2	4.37	1240	0.25	0.03
S120625		0.10	50.7	5.61	3.73	0.08	<0.02	<0.01	0.070	0.09	0.7	17.7	3.22	1080	1.14	0.04
S120626		0.13	27.0	6.41	6.60	0.09	0.02	<0.01	0.032	0.10	1.3	41.2	4.12	1140	0.27	0.03
S120627		0.17	14.2	4.90	5.45	0.13	0.21	<0.01	0.024	0.12	25.6	26.5	3.11	1060	0.65	0.03
S120628		0.13	73.2	4.83	4.91	0.16	0.18	<0.01	0.018	0.08	33.0	13.7	2.01	820	0.35	0.03
S120629		0.12	18.2	4.42	4.42	0.13	0.21	<0.01	0.017	0.07	24.6	12.4	1.46	749	1.11	0.03
S120630		0.12	17.3	4.54	4.44	0.12	0.24	<0.01	0.020	0.08	23.5	12.2	1.44	748	1.22	0.03
S120631		0.07	224	8.59	11.50	0.12	0.03	<0.01	0.041	0.03	1.5	32.2	1.91	639	0.47	0.03
S120632		0.06	111.5	6.14	8.86	0.14	0.24	<0.01	0.027	0.01	10.6	22.5	1.60	622	1.15	0.03
S120633		0.10	10.0	4.31	9.30	0.26	0.08	<0.01	0.037	0.01	76.9	30.8	2.43	928	0.24	0.04
S120634		0.12	3.8	4.76	9.30	0.22	0.10	<0.01	0.038	0.05	67.3	38.8	3.80	1260	0.55	0.02
S120635		0.13	15.1	3.19	4.69	0.15	0.07	<0.01	0.024	0.06	35.4	20.1	1.38	579	2.18	0.01
S120636		0.17	80.1	6.02	4.95	0.12	0.14	<0.01	0.044	0.02	13.2	11.8	1.35	1020	36.4	0.03
S120637		0.32	85.5	10.35	9.92	0.11	0.05	<0.01	0.054	0.04	4.4	18.8	3.33	1520	3.57	0.03
S120638		0.12	12.7	7.10	3.66	0.15	0.11	<0.01	0.039	0.05	29.2	5.8	3.66	1500	0.86	0.04
S120639		0.15	15.9	8.88	5.99	0.11	0.04	<0.01	0.063	0.02	6.9	15.7	1.97	1420	1.33	0.04
S120640		<0.05	0.7	0.02	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	0.01
S120641		0.15	20.4	9.05	10.80	0.15	0.24	<0.01	0.058	0.03	21.3	22.8	2.43	1330	1.05	0.03
S120642		0.08	3.8	5.41	6.41	0.21	0.09	<0.01	0.034	0.04	55.4	10.6	4.12	1120	0.64	0.03
S120643		<0.05	19.3	6.83	6.07	0.15	0.23	<0.01	0.038	0.01	15.8	9.8	3.88	1490	0.78	0.04
S120644		<0.05	20.9	5.80	6.23	0.22	0.11	<0.01	0.035	0.02	57.0	9.7	4.02	1120	0.98	0.04
S120645		0.07	108.0	10.35	13.50	0.17	0.10	<0.01	0.054	0.03	8.2	22.1	3.41	1340	0.74	0.04
S120646		0.05	117.0	11.60	15.25	0.24	0.03	<0.01	0.073	0.01	2.3	27.1	3.21	1430	0.19	0.04
S120647		0.06	144.0	10.85	13.40	0.19	0.02	<0.01	0.061	0.02	1.9	24.5	3.37	1500	0.61	0.03
S120648		0.10	87.7	6.61	10.10	0.23	0.08	<0.01	0.043	0.04	53.6	34.1	4.41	1180	0.87	0.03
S120649		0.11	27.2	4.66	4.46	0.21	0.04	<0.01	0.028	0.08	59.4	11.3	3.41	1110	0.34	0.02
S120650		2.44	66.0	3.09	6.45	0.15	0.66	0.15	0.030	0.13	9.3	20.1	1.11	834	4.71	0.08
S120651		0.18	51.6	9.42	10.70	0.13	0.05	<0.01	0.043	0.09	4.3	30.4	2.49	966	0.44	0.02
S120652		0.13	13.9	2.35	3.06	0.09	0.16	<0.01	0.016	0.06	7.1	5.2	0.71	584	0.53	0.06
S120653		0.07	153.5	7.07	10.45	0.12	0.14	<0.01	0.032	0.04	4.6	21.3	2.46	873	0.66	0.05
S120654		0.07	7.8	5.76	8.02	0.25	0.07	<0.01	0.027	0.05	61.4	24.3	4.47	1120	0.21	0.04
S120655		0.09	3.2	2.33	1.69	0.08	0.19	<0.01	0.006	0.10	9.0	2.3	1.04	420	0.20	0.05



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
S120616	<0.05	630	830	3.6	0.3	<0.001	0.01	<0.05	17.5	0.4	<0.2	341	<0.01	0.01	0.5	
S120617	<0.05	344	350	1.6	1.2	0.001	0.05	<0.05	19.3	0.2	<0.2	224	<0.01	0.01	0.2	
S120618	<0.05	87.5	270	1.0	4.3	0.003	0.99	<0.05	7.7	1.5	<0.2	79.7	<0.01	0.08	0.2	
S120619	<0.05	97.2	560	0.4	3.2	0.001	0.25	<0.05	10.1	0.6	<0.2	78.8	<0.01	0.03	0.3	
S120620	0.05	10.4	640	17.2	11.7	0.002	0.89	0.43	8.3	1.0	0.5	120.0	<0.01	2.34	1.4	
S120621	<0.05	124.5	200	0.7	2.8	0.004	0.92	<0.05	11.9	0.9	<0.2	78.5	<0.01	0.08	<0.2	
S120622	<0.05	148.5	600	0.5	2.4	0.003	0.14	<0.05	18.4	0.5	<0.2	74.3	<0.01	0.02	1.0	
S120623	<0.05	133.0	300	0.2	2.4	<0.001	0.03	<0.05	19.0	0.3	<0.2	71.5	<0.01	0.02	0.3	
S120624	<0.05	141.5	220	0.4	2.5	0.001	0.27	<0.05	18.1	0.7	<0.2	85.6	<0.01	0.02	<0.2	
S120625	<0.05	109.0	220	1.6	2.4	0.005	1.84	<0.05	14.0	2.7	<0.2	98.5	<0.01	0.12	<0.2	
S120626	<0.05	150.0	180	0.3	2.7	0.001	0.10	<0.05	13.1	0.3	<0.2	99.7	<0.01	0.02	<0.2	
S120627	<0.05	107.5	860	0.4	3.1	0.001	0.02	<0.05	8.5	0.4	<0.2	104.5	<0.01	0.02	2.4	
S120628	<0.05	37.5	1640	1.0	2.2	<0.001	1.03	<0.05	7.0	2.1	<0.2	87.8	<0.01	0.09	3.9	
S120629	<0.05	46.4	1330	1.3	2.0	0.002	1.11	0.06	8.0	1.9	<0.2	81.1	<0.01	0.07	2.8	
S120630	<0.05	45.9	1310	1.3	2.3	0.002	1.18	<0.05	7.9	2.1	<0.2	77.9	<0.01	0.08	2.6	
S120631	<0.05	20.5	640	0.9	0.9	0.002	2.69	0.06	18.9	4.7	<0.2	34.7	<0.01	0.19	<0.2	
S120632	<0.05	16.3	960	0.9	0.4	0.002	1.92	<0.05	14.5	4.2	<0.2	47.0	<0.01	0.17	1.2	
S120633	<0.05	84.6	2460	1.0	0.5	<0.001	0.04	0.05	11.9	0.7	<0.2	90.1	<0.01	0.01	8.3	
S120634	<0.05	203	2330	1.3	1.5	<0.001	<0.01	<0.05	12.2	0.8	<0.2	139.5	<0.01	0.01	6.4	
S120635	<0.05	86.4	2110	0.6	1.7	0.001	0.15	0.06	4.9	0.3	0.2	66.2	<0.01	0.07	3.4	
S120636	<0.05	58.1	770	2.7	1.0	0.006	1.22	0.09	17.3	1.4	<0.2	73.9	<0.01	0.34	0.9	
S120637	<0.05	97.1	570	1.7	1.4	0.003	1.45	<0.05	26.4	1.6	<0.2	181.5	<0.01	0.12	0.2	
S120638	<0.05	119.0	1890	3.0	1.8	0.001	0.54	<0.05	16.7	0.8	<0.2	329	<0.01	0.16	3.4	
S120639	<0.05	89.6	510	0.7	0.9	0.001	0.50	<0.05	27.0	0.8	<0.2	92.6	<0.01	0.04	<0.2	
S120640	<0.05	0.2	10	0.2	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2	
S120641	<0.05	132.5	1510	0.8	1.2	0.001	0.67	<0.05	24.2	1.0	<0.2	102.5	<0.01	0.07	1.6	
S120642	<0.05	168.5	2460	2.5	1.2	<0.001	0.23	<0.05	14.4	0.6	<0.2	349	<0.01	0.02	5.4	
S120643	<0.05	112.5	1050	2.3	0.4	0.001	0.35	<0.05	19.8	0.5	<0.2	321	<0.01	0.02	1.7	
S120644	<0.05	151.5	2500	2.7	0.7	0.001	0.28	<0.05	15.0	0.7	<0.2	385	<0.01	0.09	5.9	
S120645	<0.05	100.0	820	1.2	0.9	0.002	0.65	<0.05	26.8	0.8	<0.2	223	<0.01	0.05	0.7	
S120646	<0.05	78.6	510	0.4	0.5	0.001	0.12	0.05	30.7	0.4	<0.2	157.5	<0.01	<0.01	<0.2	
S120647	<0.05	85.5	460	0.5	0.8	0.002	0.94	<0.05	26.1	1.9	<0.2	181.0	<0.01	0.06	<0.2	
S120648	<0.05	209	2620	1.1	1.2	0.002	0.22	0.05	16.8	0.8	<0.2	276	<0.01	0.02	5.2	
S120649	<0.05	146.5	3440	1.0	2.3	<0.001	0.07	<0.05	8.9	0.4	<0.2	299	<0.01	0.01	5.5	
S120650	0.12	10.3	660	14.9	6.1	0.002	0.44	0.39	8.5	0.8	0.6	113.0	<0.01	4.07	1.6	
S120651	<0.05	64.3	1640	0.9	2.7	0.002	0.84	<0.05	15.1	1.0	<0.2	108.0	<0.01	0.05	0.2	
S120652	<0.05	26.6	540	0.4	1.8	0.001	0.11	<0.05	3.7	0.3	<0.2	67.2	<0.01	0.01	0.5	
S120653	<0.05	47.5	620	0.3	1.2	0.002	0.89	<0.05	18.3	0.9	<0.2	100.0	<0.01	0.07	0.4	
S120654	<0.05	209	2710	1.1	1.4	<0.001	0.17	0.06	12.7	0.5	<0.2	290	<0.01	0.03	6.1	
S120655	<0.05	27.2	580	<0.2	2.5	<0.001	0.05	<0.05	2.5	<0.2	<0.2	73.3	<0.01	0.02	0.7	



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
S120616		0.012	0.02	0.05	99	0.05	9.12	66	4.6
S120617		0.010	<0.02	<0.05	111	0.05	6.43	85	1.8
S120618		<0.005	0.02	<0.05	31	<0.05	3.27	48	2.5
S120619		<0.005	0.02	<0.05	61	<0.05	4.86	63	4.1
S120620		0.056	0.15	0.34	69	0.45	7.83	86	12.3
S120621		<0.005	0.02	<0.05	67	<0.05	4.09	59	0.5
S120622		<0.005	<0.02	0.08	98	<0.05	6.61	69	4.5
S120623		<0.005	<0.02	<0.05	89	<0.05	3.94	71	1.3
S120624		<0.005	<0.02	<0.05	90	<0.05	3.12	93	<0.5
S120625		<0.005	<0.02	<0.05	42	<0.05	3.77	75	0.7
S120626		<0.005	<0.02	<0.05	66	<0.05	4.10	102	<0.5
S120627		<0.005	<0.02	0.21	46	<0.05	6.33	76	10.7
S120628		<0.005	<0.02	0.41	43	0.07	7.05	50	11.6
S120629		<0.005	<0.02	0.28	33	0.08	7.31	46	11.4
S120630		<0.005	<0.02	0.27	35	0.09	7.11	47	12.6
S120631		0.006	<0.02	<0.05	119	0.07	3.52	93	0.7
S120632		0.005	<0.02	0.15	94	0.05	4.00	56	10.0
S120633		<0.005	<0.02	0.60	92	0.06	9.98	63	5.3
S120634		<0.005	<0.02	0.52	79	0.06	10.15	79	3.6
S120635		<0.005	0.02	0.29	38	0.06	6.73	53	4.5
S120636		0.027	0.04	0.22	121	0.75	9.07	43	5.1
S120637		0.034	<0.02	0.05	177	0.89	7.71	101	2.3
S120638		0.018	<0.02	0.38	81	0.72	10.05	69	7.8
S120639		0.052	<0.02	0.05	154	2.79	15.75	71	1.4
S120640		<0.005	<0.02	0.05	<1	<0.05	0.54	2	0.7
S120641		0.038	<0.02	0.20	176	2.37	15.60	89	11.6
S120642		<0.005	<0.02	0.47	84	0.10	10.15	69	6.0
S120643		0.023	<0.02	0.14	116	0.90	6.13	75	10.0
S120644		0.008	<0.02	0.48	98	0.41	10.35	66	7.8
S120645		0.026	<0.02	0.06	208	0.78	4.81	113	4.0
S120646		0.012	<0.02	<0.05	236	0.06	4.31	125	0.8
S120647		0.009	<0.02	<0.05	192	0.07	4.50	103	1.2
S120648		<0.005	<0.02	0.50	107	<0.05	10.95	81	3.9
S120649		<0.005	<0.02	0.44	51	<0.05	9.64	55	3.7
S120650		0.140	0.08	0.44	80	0.44	8.21	66	21.4
S120651		0.008	<0.02	<0.05	124	0.11	6.31	111	2.1
S120652		<0.005	<0.02	0.07	22	<0.05	2.74	26	6.6
S120653		<0.005	<0.02	0.07	133	<0.05	3.33	70	6.7
S120654		<0.005	<0.02	0.46	67	0.06	10.65	64	6.0
S120655		<0.005	<0.02	0.10	10	<0.05	2.40	22	8.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
S120656		2.99	0.012	0.02	0.24	0.5	<0.2	<10	20	0.08	0.02	3.22	0.09	17.15	11.8	11
S120657		2.84	0.002	0.01	0.22	0.5	<0.2	<10	20	0.08	0.01	3.25	0.03	19.05	9.4	9
S120658		2.95	0.001	0.02	0.18	0.7	<0.2	<10	20	0.06	0.02	2.97	0.10	12.00	10.8	11
S120659		3.03	0.001	<0.01	0.22	0.5	<0.2	<10	20	0.08	0.01	3.59	0.05	16.75	10.0	11
S120660		<0.02	0.001	0.01	0.21	0.5	<0.2	<10	20	0.08	0.01	3.42	0.04	15.85	9.0	9
S120661		2.02	0.002	0.01	0.32	0.4	<0.2	<10	20	0.08	0.02	3.28	0.03	18.90	12.2	13
S120662		2.94	0.001	<0.01	0.51	0.3	<0.2	<10	20	0.12	<0.01	3.20	0.09	25.0	12.2	17
S120663		3.07	<0.001	0.01	0.50	0.6	<0.2	<10	20	0.14	0.01	3.84	0.07	22.5	9.1	13
S120664		2.87	0.002	<0.01	0.50	0.2	<0.2	<10	30	0.11	0.01	3.10	0.04	25.5	11.4	19
S120665		1.47	0.001	0.01	0.60	0.3	<0.2	<10	40	0.14	0.01	2.87	0.03	27.5	12.9	20
S120666		1.77	0.001	0.01	1.39	0.2	<0.2	<10	290	0.18	0.02	4.93	0.22	45.4	21.7	27
S120667		1.72	0.011	0.06	2.14	2.0	<0.2	<10	130	0.16	0.47	4.45	0.39	6.55	45.9	27
S120668		2.05	0.013	0.06	2.65	1.3	<0.2	<10	50	0.22	0.25	5.01	0.24	5.14	58.6	31
S120669		1.94	0.004	0.02	3.68	0.6	<0.2	<10	30	0.24	0.08	3.84	0.13	5.28	47.5	39
S120670		0.12	0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.85	0.1	<1
S120671		2.04	0.003	0.01	3.24	0.5	<0.2	<10	20	0.18	0.06	4.90	0.12	4.53	47.2	38
S120672		3.04	0.006	0.03	3.12	0.6	<0.2	<10	60	0.20	0.09	4.45	0.12	3.76	45.8	39
S120673		3.22	0.014	0.06	3.39	0.8	<0.2	<10	10	0.15	0.11	5.31	0.09	3.51	48.0	34
S120674		3.24	0.004	0.02	3.08	0.9	<0.2	<10	10	0.18	0.03	5.07	0.05	4.74	46.2	14
S120675		3.13	0.006	0.02	3.97	1.9	<0.2	<10	370	0.23	0.04	5.78	0.03	7.75	46.3	11
S120676		3.33	0.004	0.02	3.24	0.6	<0.2	<10	20	0.26	0.02	5.84	0.05	5.01	44.6	34
S120677		2.99	0.004	0.02	3.23	1.1	<0.2	<10	20	0.33	0.03	4.62	0.03	7.96	38.7	74
S120678		3.06	0.003	0.03	3.43	0.8	<0.2	<10	20	0.31	0.02	6.06	0.05	9.10	39.6	75
S120679		3.08	0.001	<0.01	3.12	0.5	<0.2	<10	20	0.14	0.01	7.59	0.05	6.57	34.7	9
S120680		0.06	2.42	4.63	1.59	18.5	2.5	<10	40	0.61	0.08	3.76	0.37	21.9	10.7	24
S120681		3.03	0.002	0.01	4.23	0.3	<0.2	<10	10	0.18	0.02	5.58	0.04	4.79	45.8	13
S120682		3.09	0.001	0.01	4.07	0.3	<0.2	<10	10	0.22	0.03	5.53	0.04	6.13	42.2	12
S120683		3.17	0.003	<0.01	3.74	0.2	<0.2	<10	10	0.19	0.02	5.67	0.03	5.48	51.6	13
S120684		0.59	0.002	0.01	1.96	0.3	<0.2	<10	20	0.11	0.03	5.80	0.07	5.82	32.7	10
S120685		1.55	0.002	0.01	2.29	0.9	<0.2	<10	20	0.18	0.03	4.34	0.04	4.47	47.1	12
S120686		2.08	0.001	0.01	1.60	0.5	<0.2	<10	130	0.17	0.01	4.81	0.05	4.68	37.5	11
S120687		1.96	0.008	0.02	0.94	0.9	<0.2	<10	20	0.19	0.04	4.78	0.05	2.85	40.8	9
S120688		2.03	0.005	0.01	0.82	0.6	<0.2	<10	20	0.16	0.01	5.60	0.08	3.37	33.6	6
S120689		1.73	0.066	0.05	0.86	0.8	<0.2	<10	30	0.18	0.07	5.52	0.06	2.83	29.0	6
S120690		<0.02	0.082	0.06	0.89	1.1	<0.2	<10	30	0.18	0.07	5.61	0.05	2.98	29.8	7
S120691		2.15	0.736	0.37	0.35	1.5	1.0	<10	20	0.10	0.19	6.13	0.09	2.53	31.4	5
S120692		2.15	1.090	0.22	0.14	1.7	0.4	<10	10	0.07	0.13	6.68	0.11	2.51	36.1	6
S120693		1.46	0.035	0.04	1.11	2.3	<0.2	<10	30	0.16	0.14	6.29	0.08	6.31	52.6	15
S120694		2.01	0.019	0.03	0.52	0.6	<0.2	<10	10	0.14	0.04	7.74	0.09	5.10	37.3	5
S120695		2.07	0.309	0.15	0.11	0.5	0.4	<10	10	0.07	0.09	5.33	0.07	2.63	34.1	5



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S120656		0.10	14.8	2.28	0.82	0.08	0.18	<0.01	0.005	0.10	8.0	0.9	0.98	421	0.25	0.05
S120657		0.09	2.5	2.24	0.71	0.09	0.17	<0.01	0.005	0.11	8.7	0.8	0.96	452	0.19	0.05
S120658		0.10	19.8	2.02	0.49	0.09	0.17	<0.01	0.008	0.10	5.6	0.4	0.80	398	0.30	0.05
S120659		0.11	4.3	2.20	0.65	0.08	0.18	<0.01	0.007	0.12	7.7	0.7	0.98	473	0.25	0.05
S120660		0.10	4.7	2.15	0.63	0.09	0.17	<0.01	0.005	0.11	7.2	0.7	0.95	454	0.29	0.05
S120661		0.10	8.0	2.27	0.92	0.09	0.17	<0.01	0.005	0.13	8.6	1.4	1.03	441	0.21	0.05
S120662		0.11	1.9	2.27	1.58	0.10	0.17	<0.01	0.006	0.14	11.5	2.9	0.98	456	0.14	0.05
S120663		0.13	2.1	1.99	1.41	0.09	0.18	<0.01	0.007	0.16	10.5	2.5	0.80	579	0.13	0.05
S120664		0.10	12.9	2.34	1.60	0.10	0.18	<0.01	0.005	0.14	11.6	2.5	1.01	497	0.17	0.05
S120665		0.10	25.3	2.34	2.06	0.10	0.21	<0.01	0.007	0.14	12.7	3.3	0.90	489	0.56	0.05
S120666		0.12	40.9	5.13	6.56	0.13	0.21	<0.01	0.025	0.10	20.1	10.6	2.13	1170	0.08	0.05
S120667		0.11	198.0	8.73	9.90	0.11	0.08	<0.01	0.053	0.08	2.6	14.0	2.06	1320	1.72	0.04
S120668		0.12	192.5	9.68	11.30	0.11	0.02	<0.01	0.052	0.09	2.1	19.1	2.40	1380	0.21	0.03
S120669		0.08	101.5	11.05	15.65	0.17	0.08	<0.01	0.067	0.04	2.0	26.7	2.70	1330	0.27	0.03
S120670		<0.05	0.8	0.02	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	0.01
S120671		0.06	97.3	10.60	13.95	0.14	<0.02	<0.01	0.056	0.05	1.7	21.8	2.84	1540	0.22	0.04
S120672		<0.05	106.5	10.10	13.50	0.13	0.04	<0.01	0.054	0.05	1.4	20.3	2.81	1540	0.33	0.04
S120673		0.07	126.5	10.50	14.05	0.13	<0.02	<0.01	0.052	0.07	1.4	19.6	2.09	1300	0.32	0.03
S120674		0.05	127.0	10.95	15.20	0.15	0.02	<0.01	0.072	0.04	1.8	17.1	1.91	1520	0.27	0.04
S120675		0.09	84.8	11.80	18.60	0.16	0.03	<0.01	0.076	0.05	3.0	23.2	2.04	1280	0.26	0.03
S120676		0.12	105.0	11.15	13.95	0.16	0.02	<0.01	0.064	0.06	1.9	20.4	2.19	1240	0.34	0.04
S120677		0.58	94.2	7.66	11.05	0.14	0.17	<0.01	0.044	0.13	3.2	18.2	2.86	995	0.25	0.07
S120678		0.51	104.0	8.45	11.10	0.15	0.13	<0.01	0.045	0.11	3.5	18.0	3.01	1100	0.22	0.05
S120679		0.09	97.5	10.20	12.10	0.13	0.03	<0.01	0.041	0.13	2.2	16.2	1.25	1440	0.19	0.02
S120680		3.11	73.8	2.96	6.21	0.14	0.36	0.09	0.040	0.23	10.2	14.7	0.88	703	5.95	0.07
S120681		<0.05	82.3	12.30	18.65	0.22	0.02	<0.01	0.079	0.03	1.9	24.1	1.59	1650	0.21	0.03
S120682		<0.05	90.3	11.90	17.10	0.23	0.03	<0.01	0.084	0.03	2.4	21.8	1.53	1580	0.29	0.03
S120683		0.05	84.0	12.70	16.55	0.19	0.05	<0.01	0.067	0.07	2.0	20.8	1.56	1970	0.27	0.03
S120684		<0.05	93.2	9.29	9.97	0.12	0.03	<0.01	0.074	0.07	2.0	9.9	1.88	2750	0.55	0.06
S120685		0.07	102.5	11.55	12.10	0.12	0.04	<0.01	0.053	0.08	1.6	12.0	1.39	2170	0.39	0.04
S120686		0.06	52.5	10.90	8.96	0.13	0.05	<0.01	0.048	0.09	1.7	8.0	1.33	2440	0.20	0.05
S120687		0.07	86.3	11.60	5.75	0.11	0.02	<0.01	0.046	0.11	1.1	4.9	1.24	2470	0.74	0.05
S120688		0.08	36.8	9.03	4.16	0.10	0.02	<0.01	0.040	0.11	1.3	3.7	1.31	2200	0.30	0.04
S120689		0.05	35.6	9.53	3.42	0.09	0.02	<0.01	0.041	0.09	1.0	4.4	1.32	2320	0.31	0.05
S120690		0.05	38.6	9.73	3.53	0.09	0.03	<0.01	0.041	0.10	1.1	4.4	1.36	2350	0.31	0.06
S120691		<0.05	60.5	8.01	1.61	0.09	0.02	<0.01	0.049	0.03	0.9	2.2	1.55	1930	0.29	0.06
S120692		<0.05	84.3	8.02	0.91	0.09	<0.02	<0.01	0.052	<0.01	0.9	1.4	1.84	1980	0.76	0.06
S120693		0.06	239	9.73	3.73	0.10	0.10	<0.01	0.052	0.01	2.4	4.5	1.86	1710	1.49	0.06
S120694		<0.05	422	7.94	2.50	0.08	0.10	<0.01	0.045	0.06	2.0	3.3	2.31	1620	1.48	0.04
S120695		<0.05	207	6.72	0.66	0.09	0.04	<0.01	0.028	0.04	0.9	0.7	1.39	973	3.11	0.05



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
S120656	<0.05	23.1	580	<0.2	2.6	<0.001	0.11	0.05	2.0	0.2	<0.2	66.8	<0.01	0.04	0.6	
S120657	<0.05	20.7	580	<0.2	2.8	<0.001	0.01	<0.05	1.9	0.2	<0.2	64.4	<0.01	0.01	0.7	
S120658	<0.05	16.3	510	<0.2	2.7	<0.001	0.16	0.06	1.7	0.3	<0.2	53.5	<0.01	0.02	0.5	
S120659	<0.05	19.9	530	<0.2	3.2	<0.001	0.02	<0.05	2.0	0.2	<0.2	66.8	<0.01	<0.01	0.6	
S120660	<0.05	19.3	510	<0.2	3.0	<0.001	0.02	0.05	1.9	<0.2	<0.2	64.1	<0.01	0.01	0.6	
S120661	<0.05	24.2	530	<0.2	3.2	<0.001	0.06	<0.05	1.7	0.2	<0.2	63.9	<0.01	0.02	0.6	
S120662	<0.05	29.9	570	<0.2	3.7	<0.001	<0.01	<0.05	1.6	0.2	<0.2	56.2	<0.01	<0.01	0.8	
S120663	<0.05	22.0	600	<0.2	4.1	<0.001	<0.01	<0.05	1.8	<0.2	<0.2	53.0	<0.01	<0.01	0.7	
S120664	<0.05	27.3	590	<0.2	3.8	<0.001	<0.01	<0.05	1.5	<0.2	<0.2	64.3	<0.01	<0.01	0.8	
S120665	<0.05	29.1	610	<0.2	3.6	<0.001	0.01	<0.05	1.5	<0.2	<0.2	62.1	<0.01	0.01	0.8	
S120666	<0.05	17.2	1460	0.7	3.2	<0.001	0.06	<0.05	6.6	0.4	<0.2	163.5	<0.01	0.01	1.3	
S120667	<0.05	35.7	520	0.9	2.4	0.002	1.11	0.05	14.9	1.4	<0.2	119.0	<0.01	0.06	0.2	
S120668	<0.05	40.4	470	1.2	2.3	0.002	1.39	0.05	16.8	2.3	<0.2	112.0	<0.01	0.08	<0.2	
S120669	<0.05	43.1	530	0.2	1.3	0.002	0.31	<0.05	26.4	0.6	<0.2	90.2	<0.01	0.02	<0.2	
S120670	<0.05	0.2	10	<0.2	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	<0.2	
S120671	<0.05	42.2	490	<0.2	1.5	0.001	0.18	<0.05	22.6	0.6	<0.2	125.5	<0.01	0.02	<0.2	
S120672	<0.05	37.4	490	0.3	1.5	0.003	0.33	0.05	21.3	1.0	<0.2	112.0	<0.01	0.03	<0.2	
S120673	<0.05	37.7	470	0.8	1.9	0.002	0.57	0.06	19.8	1.0	<0.2	86.1	<0.01	0.05	<0.2	
S120674	<0.05	25.8	550	<0.2	1.2	0.002	0.30	<0.05	25.3	1.1	<0.2	84.2	<0.01	0.02	<0.2	
S120675	<0.05	26.0	570	<0.2	1.5	0.001	0.36	<0.05	26.0	1.1	<0.2	93.2	<0.01	0.04	<0.2	
S120676	<0.05	39.3	580	<0.2	1.9	0.002	0.36	<0.05	22.6	0.5	<0.2	94.1	<0.01	0.03	<0.2	
S120677	<0.05	65.6	300	1.4	5.6	0.001	0.10	0.10	20.2	0.6	0.3	65.4	<0.01	0.02	0.5	
S120678	<0.05	62.4	310	1.3	4.2	0.001	0.10	0.08	19.9	0.6	0.2	60.0	<0.01	0.01	0.5	
S120679	<0.05	20.7	470	0.2	3.1	0.001	0.07	<0.05	13.1	0.3	<0.2	191.0	<0.01	<0.01	<0.2	
S120680	0.07	9.9	630	16.7	11.3	0.002	0.86	0.44	7.9	0.8	0.5	117.5	<0.01	2.76	1.4	
S120681	<0.05	25.8	540	<0.2	0.9	0.002	0.16	<0.05	28.0	0.5	<0.2	97.5	<0.01	0.01	<0.2	
S120682	<0.05	23.4	540	<0.2	0.9	0.002	0.11	<0.05	26.5	0.4	<0.2	65.4	<0.01	0.01	<0.2	
S120683	<0.05	28.4	590	<0.2	1.8	0.002	0.11	<0.05	23.8	0.5	0.3	103.0	<0.01	0.01	<0.2	
S120684	<0.05	19.0	440	<0.2	1.6	0.002	0.27	<0.05	21.0	0.4	<0.2	132.5	<0.01	0.02	<0.2	
S120685	<0.05	25.5	560	<0.2	2.1	0.002	0.23	<0.05	17.7	0.5	<0.2	116.5	<0.01	0.02	<0.2	
S120686	<0.05	23.7	510	<0.2	2.2	0.001	0.15	<0.05	15.2	0.2	<0.2	149.5	<0.01	0.01	<0.2	
S120687	<0.05	26.2	510	1.7	2.9	0.002	0.58	<0.05	12.5	0.9	<0.2	180.5	<0.01	0.04	<0.2	
S120688	<0.05	21.0	440	0.7	2.9	0.001	0.24	<0.05	13.7	0.5	<0.2	208	<0.01	0.03	<0.2	
S120689	<0.05	21.6	570	1.0	2.5	0.001	0.61	<0.05	14.7	0.8	<0.2	206	<0.01	0.15	<0.2	
S120690	<0.05	21.6	580	1.0	2.6	0.001	0.66	<0.05	15.0	0.8	<0.2	213	<0.01	0.16	<0.2	
S120691	<0.05	18.7	650	2.2	0.8	0.001	2.67	<0.05	21.0	1.4	<0.2	326	<0.01	1.04	<0.2	
S120692	<0.05	19.1	560	1.6	0.1	0.002	1.56	0.05	23.2	1.6	<0.2	310	<0.01	0.47	<0.2	
S120693	<0.05	33.7	550	1.3	0.3	0.001	1.35	0.05	25.7	1.8	<0.2	262	<0.01	0.08	<0.2	
S120694	<0.05	20.5	600	1.2	1.8	0.001	0.53	0.05	20.9	0.6	<0.2	452	<0.01	0.05	<0.2	
S120695	<0.05	21.0	1020	1.3	1.2	0.003	2.31	<0.05	14.4	1.0	<0.2	365	<0.01	0.53	<0.2	



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120656		<0.005	<0.02	0.09	6	<0.05	2.18	23	7.8
S120657		<0.005	<0.02	0.08	7	<0.05	2.17	23	7.7
S120658		<0.005	<0.02	0.07	6	<0.05	1.88	25	7.3
S120659		<0.005	<0.02	0.08	7	<0.05	2.33	27	8.1
S120660		<0.005	<0.02	0.08	6	<0.05	2.14	26	7.5
S120661		<0.005	0.02	0.09	8	<0.05	2.17	27	7.5
S120662		<0.005	0.02	0.09	6	<0.05	2.42	35	7.7
S120663		<0.005	0.02	0.09	9	<0.05	2.89	29	8.0
S120664		<0.005	0.02	0.11	7	<0.05	2.51	33	8.2
S120665		<0.005	<0.02	0.12	7	<0.05	2.89	36	9.7
S120666		<0.005	0.02	0.16	49	<0.05	6.53	89	12.0
S120667		0.008	0.03	<0.05	127	0.08	3.72	142	2.9
S120668		0.007	0.03	<0.05	153	0.05	4.69	150	0.7
S120669		0.008	<0.02	<0.05	220	<0.05	3.74	176	0.5
S120670		<0.005	<0.02	0.05	<1	<0.05	0.48	2	0.7
S120671		0.007	<0.02	<0.05	209	<0.05	3.57	152	1.1
S120672		0.008	<0.02	<0.05	209	<0.05	2.90	143	0.6
S120673		0.007	<0.02	<0.05	196	0.05	3.96	144	0.5
S120674		0.008	<0.02	<0.05	243	<0.05	4.20	119	0.9
S120675		0.009	<0.02	<0.05	250	0.07	6.03	126	1.6
S120676		0.013	<0.02	<0.05	179	<0.05	6.12	135	1.1
S120677		0.093	0.04	0.17	172	<0.05	9.20	90	6.5
S120678		0.082	0.03	0.13	182	<0.05	11.40	106	5.0
S120679		0.008	<0.02	<0.05	160	<0.05	5.02	101	1.1
S120680		0.055	0.13	0.34	68	0.45	7.97	85	12.0
S120681		0.011	<0.02	<0.05	281	<0.05	4.67	141	1.3
S120682		0.009	<0.02	<0.05	257	<0.05	6.49	137	1.1
S120683		0.009	<0.02	<0.05	246	<0.05	4.15	141	1.5
S120684		0.006	<0.02	<0.05	168	<0.05	5.65	87	1.3
S120685		0.006	<0.02	<0.05	184	<0.05	2.86	107	1.4
S120686		0.006	<0.02	<0.05	161	0.06	2.86	94	1.5
S120687		<0.005	<0.02	<0.05	148	0.13	2.48	84	1.0
S120688		0.005	<0.02	<0.05	92	0.10	3.05	74	0.6
S120689		<0.005	<0.02	<0.05	117	0.14	3.02	68	0.6
S120690		<0.005	<0.02	<0.05	123	0.16	3.16	70	1.4
S120691		0.005	<0.02	<0.05	49	0.27	3.82	74	0.6
S120692		0.031	<0.02	<0.05	107	0.43	3.80	78	<0.5
S120693		0.048	<0.02	0.05	151	0.52	5.84	79	3.1
S120694		0.018	<0.02	0.08	104	0.23	5.39	55	3.5
S120695		0.012	<0.02	<0.05	42	0.26	5.04	44	1.4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
S120696		1.44	0.144	1.30	0.16	0.9	<0.2	<10	20	0.12	0.04	6.53	0.07	25.0	34.1	17
S120697		1.61	0.182	0.09	0.35	0.6	<0.2	<10	20	0.19	0.04	6.10	0.14	16.15	26.3	11
S120698		1.08	0.008	0.12	0.51	0.3	<0.2	<10	40	0.20	0.01	9.69	0.16	144.5	32.1	69
S120699		2.97	0.002	0.04	1.96	0.8	<0.2	<10	350	0.20	0.01	6.57	0.20	140.0	33.9	362
S120700		2.83	0.003	0.02	1.89	0.1	<0.2	<10	580	0.19	0.01	6.59	0.06	129.5	34.6	306
S120701		1.55	0.031	0.03	0.97	0.1	<0.2	<10	30	0.15	<0.01	9.01	0.05	116.5	28.2	128
S120702		1.22	0.031	0.05	0.28	0.4	<0.2	<10	20	0.15	0.03	6.25	0.04	30.5	29.6	12
S120703		2.15	0.004	0.01	1.52	0.2	<0.2	<10	20	0.19	<0.01	8.72	0.06	126.0	36.1	180
S120704		1.95	0.071	0.13	0.61	0.6	<0.2	<10	10	0.13	0.05	5.41	0.07	20.8	39.0	32
S120705		2.09	0.115	0.16	0.20	0.4	0.2	<10	20	0.09	0.07	5.96	0.07	15.65	30.1	17
S120706		3.13	0.006	0.03	1.47	0.2	<0.2	<10	20	0.16	<0.01	8.66	0.06	115.0	37.3	202
S120707		1.91	0.018	0.03	1.28	0.1	<0.2	<10	20	0.19	<0.01	9.02	0.09	119.0	33.9	228
S120708		1.03	0.012	0.04	0.63	0.7	<0.2	<10	20	0.16	<0.01	8.57	0.08	95.8	26.3	104
S120709		3.01	0.001	0.02	1.64	1.3	<0.2	<10	20	0.26	<0.01	8.11	0.08	127.0	38.9	294
S120710		0.13	<0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.90	0.1	<1
S120711		2.05	<0.001	0.02	1.18	0.2	<0.2	<10	20	0.19	<0.01	9.60	0.10	108.5	31.6	211
S120712		2.78	0.001	0.58	1.50	0.8	<0.2	<10	30	0.23	0.01	8.57	0.09	47.2	36.8	102
S120713		3.14	0.002	0.22	2.50	0.8	<0.2	<10	50	0.29	0.02	5.69	0.08	54.7	42.9	264
S120714		3.01	0.001	0.04	1.94	0.2	<0.2	<10	10	0.29	0.01	6.54	0.06	82.5	34.4	330
S120715		2.87	<0.001	0.01	2.43	0.3	<0.2	<10	10	0.40	<0.01	6.84	0.05	93.9	31.7	335



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
S120696		0.05	136.0	6.09	1.03	0.10	0.26	<0.01	0.026	0.11	10.3	1.0	1.98	1020	2.05	0.04
S120697		0.05	1135	6.18	1.46	0.09	0.19	<0.01	0.031	0.13	7.0	2.2	1.85	1040	3.08	0.03
S120698		0.09	417	5.10	2.70	0.22	0.08	<0.01	0.025	0.15	62.5	3.0	3.90	1120	0.84	0.02
S120699		0.09	27.6	4.93	6.66	0.23	0.09	<0.01	0.031	0.08	61.4	18.7	4.91	845	0.18	0.03
S120700		0.08	14.1	5.17	5.67	0.22	0.08	<0.01	0.023	0.11	57.0	18.4	4.64	859	0.64	0.02
S120701		0.07	2.6	4.83	3.69	0.19	0.11	<0.01	0.022	0.11	49.9	7.1	4.39	1070	0.62	0.02
S120702		0.05	10.0	7.53	1.28	0.10	0.19	<0.01	0.026	0.11	13.1	1.7	2.49	1010	0.29	0.04
S120703		0.06	3.0	6.03	5.45	0.21	0.12	<0.01	0.024	0.12	55.6	14.1	4.56	1090	0.26	0.02
S120704		<0.05	264	8.09	3.06	0.10	0.13	<0.01	0.044	0.08	8.8	3.3	2.91	1120	1.21	0.04
S120705		<0.05	59.1	5.85	1.16	0.10	0.16	<0.01	0.031	0.08	6.5	0.9	2.03	989	0.47	0.05
S120706		0.06	4.3	6.07	5.51	0.19	0.12	<0.01	0.028	0.11	50.1	11.4	4.55	1110	0.09	0.03
S120707		0.07	5.0	5.39	4.26	0.19	0.10	<0.01	0.027	0.13	53.7	10.1	4.67	1150	0.45	0.02
S120708		0.07	2.8	5.01	2.58	0.17	0.15	<0.01	0.022	0.13	42.4	4.0	3.54	1160	0.30	0.02
S120709		0.08	9.5	5.80	5.09	0.21	0.07	<0.01	0.027	0.13	56.0	11.7	4.51	1140	1.75	0.02
S120710		<0.05	0.7	0.02	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	0.05	<0.01
S120711		0.07	0.8	6.42	5.71	0.18	0.13	<0.01	0.039	0.12	47.1	6.1	4.38	1400	0.92	0.03
S120712		0.07	424	6.71	5.92	0.14	0.16	<0.01	0.045	0.10	20.0	9.6	3.06	1500	0.84	0.03
S120713		0.09	253	7.32	9.67	0.17	0.18	<0.01	0.036	0.06	23.5	14.1	4.49	906	1.35	0.03
S120714		0.13	134.5	4.82	6.49	0.18	0.11	<0.01	0.027	0.07	35.6	12.3	4.98	945	2.61	0.03
S120715		0.17	7.6	4.80	8.14	0.24	0.15	<0.01	0.033	0.06	40.5	13.4	4.79	990	0.17	0.03



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
S120696		<0.05	56.0	1180	1.5	2.9	0.001	0.78	0.05	13.6	0.8	<0.2	437	<0.01	0.89	1.5
S120697		<0.05	39.6	850	1.2	3.4	0.001	0.48	<0.05	11.4	0.8	<0.2	325	<0.01	0.14	0.7
S120698		<0.05	158.5	2540	1.8	3.9	<0.001	0.05	0.06	10.3	0.7	<0.2	559	<0.01	0.04	7.2
S120699		<0.05	191.5	2560	1.8	2.0	0.001	0.03	0.05	13.2	0.8	<0.2	463	<0.01	0.02	7.2
S120700		<0.05	192.0	2710	1.8	3.0	0.001	0.09	<0.05	11.9	0.7	<0.2	497	<0.01	0.01	6.8
S120701		<0.05	166.5	2460	2.0	2.6	0.001	<0.01	<0.05	10.9	0.7	<0.2	575	<0.01	0.13	6.3
S120702		<0.05	54.5	1330	1.6	3.1	0.001	0.54	0.05	13.3	0.6	<0.2	398	<0.01	0.28	1.3
S120703		<0.05	219	2520	2.0	3.0	<0.001	0.02	<0.05	11.4	0.6	<0.2	582	<0.01	0.02	6.9
S120704		<0.05	82.9	940	1.4	2.0	0.002	0.83	0.05	19.7	0.9	<0.2	448	<0.01	0.26	1.2
S120705		<0.05	51.9	1360	1.7	2.2	0.001	1.72	<0.05	14.6	1.1	<0.2	556	<0.01	0.42	0.9
S120706		<0.05	201	2960	2.5	2.7	<0.001	0.03	<0.05	14.3	0.8	<0.2	620	<0.01	0.04	6.9
S120707		<0.05	195.5	2430	1.9	3.3	0.001	<0.01	<0.05	11.7	0.7	<0.2	590	<0.01	0.01	6.6
S120708		<0.05	138.0	2430	1.6	3.4	<0.001	0.06	<0.05	9.4	0.6	<0.2	488	<0.01	0.03	5.8
S120709		<0.05	215	2880	1.5	3.2	0.001	0.01	<0.05	11.2	0.5	<0.2	461	<0.01	0.01	7.7
S120710		<0.05	0.3	10	0.5	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
S120711		<0.05	184.0	2430	1.9	3.1	0.002	<0.01	<0.05	14.3	0.7	<0.2	704	<0.01	0.02	6.3
S120712		<0.05	105.0	1920	1.0	2.7	0.001	0.18	<0.05	15.0	0.7	<0.2	392	<0.01	0.33	2.7
S120713		<0.05	154.0	2370	1.1	1.6	0.001	0.23	<0.05	17.9	0.7	<0.2	358	<0.01	0.03	3.7
S120714		<0.05	180.5	2680	1.1	1.9	0.002	0.01	<0.05	14.6	0.6	<0.2	377	<0.01	0.01	5.5
S120715		<0.05	168.0	2770	1.1	2.8	<0.001	<0.01	<0.05	14.8	0.6	<0.2	357	<0.01	0.01	6.4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059533**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120696		0.011	<0.02	0.16	53	0.24	6.47	44	13.0
S120697		0.012	0.02	0.12	49	0.24	5.30	40	8.0
S120698		<0.005	<0.02	0.59	30	0.08	13.05	52	8.1
S120699		<0.005	<0.02	0.64	57	0.05	10.65	69	7.5
S120700		<0.005	<0.02	0.62	40	<0.05	11.40	63	7.0
S120701		<0.005	<0.02	0.47	33	0.07	10.35	63	7.7
S120702		0.007	<0.02	0.13	36	0.17	7.49	61	9.0
S120703		<0.005	<0.02	0.46	45	0.11	11.10	98	8.5
S120704		<0.005	<0.02	0.10	45	0.17	5.48	79	5.7
S120705		<0.005	<0.02	0.08	27	0.19	8.27	36	6.8
S120706		<0.005	<0.02	0.58	46	0.07	12.80	103	7.3
S120707		<0.005	<0.02	0.53	33	0.07	11.35	80	7.7
S120708		<0.005	<0.02	0.45	21	0.07	9.77	52	11.5
S120709		<0.005	<0.02	0.71	37	0.08	10.45	85	5.8
S120710		<0.005	<0.02	0.06	<1	<0.05	0.49	2	0.7
S120711		<0.005	<0.02	0.55	50	0.06	13.20	72	10.0
S120712		<0.005	<0.02	0.35	59	0.06	11.45	67	11.3
S120713		0.006	<0.02	0.52	108	0.07	9.91	94	11.1
S120714		0.005	<0.02	0.77	65	0.05	10.50	65	8.6
S120715		0.008	0.02	0.81	86	0.06	10.65	63	9.0

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 5-MAY-2016  
 Account: OBMICO

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16059533</b>
---

	<b>CERTIFICATE COMMENTS</b>
--	-----------------------------

	<b>ANALYTICAL COMMENTS</b>												
Applies to Method:	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41												
<b>LABORATORY ADDRESSES</b>													
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-ICP22 ME-MS41												
Applies to Method:	Processed at ALS Timmins located at Unit 10 - 2090 Riverside Drive, Timmins, ON, Canada.												
	<table style="width: 100%; border: none;"> <tr> <td>CRU-32</td> <td>CRU-QC</td> <td>LOG-21d</td> <td>LOG-22</td> </tr> <tr> <td>LOG-23</td> <td>PUL-35a</td> <td>PUL-35ad</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-32	CRU-QC	LOG-21d	LOG-22	LOG-23	PUL-35a	PUL-35ad	PUL-QC	SPL-21	SPL-21d	WEI-21	
CRU-32	CRU-QC	LOG-21d	LOG-22										
LOG-23	PUL-35a	PUL-35ad	PUL-QC										
SPL-21	SPL-21d	WEI-21											



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

**CERTIFICATE TM16059537**

Project: COTE

This report is for 85 Drill Core samples submitted to our lab in Timmins, ON, Canada on 19-APR-2016.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER
-------------------	-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

To: **OBAN MINING CORPORATION**  
**ATTN: MICHAELA KUUSKMAN**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059537**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
S120431		1.07	0.003	0.02	3.75	2.7	<0.2	<10	<10	0.14	0.04	7.78	0.05	4.69	36.9	211
S120432		2.01	0.002	0.01	3.48	0.9	<0.2	<10	10	0.21	0.03	6.43	0.05	12.90	39.8	211
S120433		2.03	<0.001	0.02	4.20	0.6	<0.2	<10	20	0.24	0.02	3.51	0.04	7.42	44.3	228
S120434		2.97	<0.001	0.03	4.64	1.0	<0.2	<10	<10	0.24	0.01	4.49	0.05	5.80	49.4	250
S120435		1.84	0.006	0.02	3.67	0.5	<0.2	<10	820	0.25	0.05	6.31	0.10	8.79	38.3	281
S120436		2.09	<0.001	0.02	5.15	0.1	<0.2	<10	10	0.23	0.02	5.09	0.07	4.51	50.1	252
S120437		1.33	<0.001	0.02	5.26	<0.1	<0.2	<10	<10	0.26	0.03	6.04	0.07	4.38	50.8	274
S120438		3.03	0.005	0.02	1.89	0.3	<0.2	<10	40	0.16	0.37	3.23	0.05	28.2	14.7	18
S120439		2.58	<0.001	0.02	4.19	0.1	<0.2	<10	40	0.20	0.06	4.06	0.06	12.25	38.8	202
S120440		0.13	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.74	0.1	<1
S120441		3.01	<0.001	0.02	4.35	<0.1	<0.2	<10	20	0.22	0.03	5.67	0.08	3.72	40.9	214
S120442		2.21	0.001	0.01	3.87	0.1	<0.2	<10	60	0.19	0.04	5.62	0.07	4.09	39.1	187
S120443		3.02	0.004	0.01	0.69	0.3	<0.2	<10	820	0.17	0.04	3.84	0.06	34.5	16.4	23
S120444		1.88	<0.001	0.02	0.75	0.1	<0.2	<10	1080	0.15	0.10	3.55	0.05	28.8	13.9	23
S120445		1.98	0.001	<0.01	0.86	0.2	<0.2	<10	190	0.15	0.02	3.45	0.06	33.2	15.9	19
S120446		1.86	<0.001	0.01	0.71	<0.1	<0.2	<10	690	0.15	0.04	3.87	0.07	32.3	17.1	17
S120447		3.00	<0.001	<0.01	0.24	0.5	<0.2	<10	70	0.10	0.02	1.65	0.01	18.60	2.7	4
S120448		2.77	0.001	0.01	0.23	0.7	<0.2	<10	120	0.09	0.01	1.50	0.01	17.15	3.0	5
S120449		2.21	0.003	0.01	0.22	1.0	<0.2	<10	160	0.07	0.01	1.57	0.01	16.35	3.6	5
S120450		0.06	2.41	4.67	1.48	18.3	2.3	<10	40	0.55	0.09	3.67	0.38	21.7	10.6	23
S120451		2.54	0.021	0.08	1.08	0.1	<0.2	<10	40	0.28	0.04	12.45	0.08	14.20	32.6	396
S120452		1.65	0.117	0.03	1.18	3.4	<0.2	<10	80	0.31	0.05	7.96	0.07	6.63	31.1	33
S120453		1.69	0.012	0.01	1.04	1.3	<0.2	<10	20	0.23	0.04	8.21	0.07	7.09	32.6	33
S120454		1.23	0.011	0.02	1.84	0.9	<0.2	<10	10	0.19	0.02	6.53	0.06	6.95	39.4	60
S120455		2.81	0.002	0.03	1.21	0.1	<0.2	<10	60	0.12	0.01	3.62	0.04	14.35	19.0	14
S120456		2.74	0.001	0.01	0.96	0.1	<0.2	<10	20	0.12	0.02	4.21	0.04	19.15	19.5	15
S120457		2.83	0.006	0.01	1.24	0.3	<0.2	<10	30	0.17	0.01	4.71	0.03	67.6	23.6	48
S120458		1.52	0.009	0.05	0.83	0.2	<0.2	<10	20	0.12	0.01	4.06	0.02	19.90	15.3	43
S120459		3.04	0.016	0.02	2.00	<0.1	<0.2	<10	10	0.13	0.01	7.16	0.02	8.71	38.0	117
S120460		<0.02	0.004	0.02	1.97	0.2	<0.2	<10	10	0.11	0.02	7.72	0.02	9.05	38.9	116
S120461		1.85	0.002	0.05	3.41	1.9	<0.2	<10	<10	0.12	0.07	8.86	0.04	93.2	33.2	415
S120462		2.54	0.010	0.08	3.32	6.4	<0.2	<10	<10	0.07	0.25	10.25	0.06	49.6	31.5	278
S120463		2.04	0.033	0.04	4.14	0.6	<0.2	<10	20	0.15	0.05	7.86	0.05	2.16	41.1	206
S120464		2.18	0.013	0.02	3.11	1.1	<0.2	<10	60	0.13	0.03	8.94	0.05	4.53	35.9	114
S120465		1.87	0.032	0.19	3.85	2.1	<0.2	<10	60	0.14	0.04	6.99	0.04	2.84	38.5	214
S120466		2.42	0.002	0.03	3.95	0.2	<0.2	<10	10	0.11	0.01	8.02	0.03	3.36	36.7	250
S120467		1.45	<0.001	<0.01	3.34	0.5	<0.2	<10	10	0.17	0.02	5.21	0.02	8.47	29.5	169
S120468		2.16	0.069	0.07	3.17	0.5	<0.2	<10	20	0.17	0.07	4.94	0.02	9.32	44.3	20
S120469		1.04	0.039	0.02	2.48	0.2	<0.2	<10	20	0.15	0.03	4.26	0.02	4.97	30.2	15
S120470		0.11	<0.001	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.75	0.1	<1



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16059537</b>
---

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S120431		<0.05	77.0	6.38	12.50	0.21	0.09	<0.01	0.037	0.02	1.7	20.1	3.46	1020	0.66	0.03
S120432		0.08	79.0	6.11	8.71	0.19	0.10	<0.01	0.022	0.01	6.1	19.4	3.65	1040	0.95	0.04
S120433		0.10	85.1	6.35	10.65	0.26	0.11	<0.01	0.026	0.01	3.0	26.8	4.54	1000	0.37	0.03
S120434		0.08	83.3	6.64	11.15	0.25	0.10	<0.01	0.031	<0.01	2.2	28.6	5.15	1060	0.17	0.02
S120435		0.13	83.5	5.76	11.50	0.22	0.06	<0.01	0.040	0.03	4.0	14.0	4.26	914	0.75	0.03
S120436		0.17	80.7	7.14	12.20	0.24	0.05	<0.01	0.038	0.03	1.6	33.4	5.40	1140	0.07	0.02
S120437		0.18	51.5	6.79	11.25	0.30	0.02	<0.01	0.040	0.01	1.6	35.7	5.69	1220	1.28	0.01
S120438		0.29	79.8	3.68	10.35	0.10	0.33	<0.01	0.022	0.09	13.1	10.1	1.50	657	0.32	0.06
S120439		0.24	67.7	6.19	12.00	0.24	0.08	<0.01	0.037	0.02	5.5	28.7	4.13	936	1.95	0.03
S120440		<0.05	0.8	0.01	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	0.05	0.01
S120441		0.14	73.2	6.87	11.85	0.22	0.02	<0.01	0.034	0.03	1.4	30.0	3.95	1080	0.09	0.02
S120442		0.14	105.5	7.08	10.95	0.12	0.02	0.01	0.034	0.06	1.7	24.7	3.78	1060	0.75	0.01
S120443		0.21	46.6	2.84	2.57	0.11	0.24	<0.01	0.011	0.17	17.0	3.7	1.76	842	0.21	0.02
S120444		0.33	81.1	2.60	2.98	0.10	0.24	0.01	0.010	0.17	14.2	4.3	1.49	810	0.19	0.02
S120445		0.28	29.7	3.27	3.40	0.09	0.25	0.01	0.016	0.16	16.3	5.4	1.66	885	0.08	0.03
S120446		0.34	37.6	3.24	2.62	0.09	0.22	0.01	0.015	0.18	15.9	4.1	1.66	874	0.08	0.03
S120447		0.20	8.3	0.67	0.89	0.08	0.16	0.01	<0.005	0.15	8.8	0.4	0.22	214	0.28	0.04
S120448		0.22	6.9	0.88	0.86	0.08	0.16	0.01	<0.005	0.14	8.0	0.3	0.33	188	0.29	0.05
S120449		0.17	18.8	0.97	0.82	0.08	0.15	0.01	0.007	0.11	7.9	0.4	0.49	186	0.52	0.06
S120450		3.29	69.5	2.82	6.13	0.13	0.38	0.10	0.036	0.21	10.2	15.8	0.82	669	5.97	0.06
S120451		0.11	10.6	4.35	3.30	0.10	0.05	0.01	0.043	0.08	6.1	10.5	6.26	1630	0.20	0.01
S120452		0.29	80.1	5.17	1.85	0.08	<0.02	0.01	0.035	0.11	2.7	13.3	2.82	1100	0.49	0.03
S120453		0.21	59.6	4.67	2.16	0.08	0.02	0.01	0.033	0.11	3.2	10.1	2.83	1080	1.35	0.03
S120454		0.13	91.9	5.88	3.93	0.09	<0.02	0.01	0.034	0.10	2.8	14.4	3.35	1060	0.47	0.05
S120455		0.22	25.3	3.25	2.83	0.08	0.07	<0.01	0.018	0.11	6.9	9.2	1.95	562	0.25	0.07
S120456		0.19	21.6	3.36	2.81	0.08	0.08	<0.01	0.015	0.11	9.1	7.3	1.87	595	0.88	0.07
S120457		0.19	24.2	3.58	3.55	0.13	0.14	0.01	0.017	0.15	29.6	9.7	2.40	671	0.24	0.05
S120458		0.25	2.9	2.42	2.50	0.09	0.08	0.01	0.012	0.13	9.2	6.4	1.64	538	0.25	0.03
S120459		0.15	34.7	5.56	4.17	0.09	<0.02	<0.01	0.030	0.11	3.7	17.0	3.19	1070	0.10	0.02
S120460		0.14	36.0	5.48	4.24	0.08	0.06	<0.01	0.031	0.10	4.0	17.6	3.14	1070	0.11	0.02
S120461		0.08	148.0	5.31	10.70	0.34	0.30	0.01	0.040	<0.01	37.8	17.5	3.40	986	1.05	0.01
S120462		0.06	153.0	5.78	10.20	0.27	0.16	0.01	0.037	<0.01	20.4	15.5	3.29	1080	1.16	<0.01
S120463		0.09	80.1	6.12	9.79	0.12	<0.02	0.01	0.028	0.07	0.9	28.4	3.86	928	0.21	0.01
S120464		0.14	86.5	5.36	6.70	0.09	<0.02	<0.01	0.026	0.13	2.3	20.3	2.52	916	0.61	<0.01
S120465		0.11	61.9	5.90	8.35	0.10	0.04	0.01	0.028	0.11	1.2	20.9	3.49	935	0.25	0.01
S120466		0.09	133.5	5.79	9.30	0.13	<0.02	0.01	0.036	0.08	1.2	20.5	3.71	954	0.10	0.01
S120467		0.23	28.3	6.12	11.50	0.19	0.09	0.01	0.050	0.04	3.9	17.6	2.81	854	1.04	0.03
S120468		0.11	194.0	8.56	15.50	0.18	0.04	0.01	0.082	0.06	4.0	11.9	1.92	1180	0.25	0.02
S120469		0.06	41.7	6.73	13.55	0.17	0.04	0.01	0.061	0.04	1.9	8.3	1.61	1040	9.63	0.03
S120470		<0.05	1.0	0.02	<0.05	0.06	0.02	0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.05	<0.01



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059537**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
S120431		<0.05	91.9	230	1.1	0.6	0.001	0.18	0.06	21.6	0.8	0.2	91.5	<0.01	0.03	<0.2
S120432		<0.05	124.0	220	0.9	0.3	0.002	0.89	0.08	12.9	1.1	0.2	54.4	<0.01	0.03	<0.2
S120433		<0.05	159.5	280	0.6	0.3	0.001	0.13	0.07	14.8	0.7	0.2	42.2	<0.01	0.01	<0.2
S120434		<0.05	221	250	0.5	0.2	0.001	0.06	0.05	19.0	0.7	0.2	47.4	<0.01	0.01	<0.2
S120435		<0.05	215	530	1.3	1.2	0.001	0.21	<0.05	20.2	0.6	<0.2	215	<0.01	0.01	0.2
S120436		<0.05	228	250	1.1	1.0	<0.001	0.01	<0.05	22.3	0.3	<0.2	146.0	<0.01	0.02	<0.2
S120437		<0.05	273	200	1.1	0.3	0.003	0.01	<0.05	24.2	0.3	<0.2	156.5	<0.01	<0.01	<0.2
S120438		<0.05	13.5	1230	1.0	3.0	0.001	0.34	<0.05	4.5	0.4	<0.2	72.6	<0.01	0.01	0.9
S120439		<0.05	140.0	480	1.0	0.8	0.003	0.02	<0.05	19.3	0.4	<0.2	113.5	<0.01	0.01	0.3
S120440		<0.05	0.3	10	0.7	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.5	<0.01	<0.01	<0.2
S120441		<0.05	114.0	240	1.1	1.0	<0.001	0.01	<0.05	20.5	0.3	<0.2	167.5	<0.01	<0.01	<0.2
S120442		<0.05	93.8	310	1.6	1.9	0.002	0.06	0.08	16.9	0.4	<0.2	170.5	<0.01	0.03	<0.2
S120443		<0.05	22.6	960	2.7	4.5	<0.001	0.09	0.13	3.8	0.5	<0.2	150.5	<0.01	0.02	1.1
S120444		<0.05	19.5	830	1.9	5.0	<0.001	0.06	0.10	3.5	0.5	<0.2	120.0	<0.01	0.01	0.9
S120445		<0.05	19.2	1190	2.5	4.6	<0.001	0.04	0.07	3.8	0.4	<0.2	122.5	<0.01	0.01	1.1
S120446		<0.05	18.9	1170	2.9	5.1	<0.001	0.10	<0.05	4.0	0.4	<0.2	145.0	<0.01	0.01	1.1
S120447		<0.05	2.2	280	0.7	3.6	<0.001	0.03	0.06	0.4	<0.2	<0.2	41.6	<0.01	0.01	0.7
S120448		<0.05	2.5	290	0.6	3.2	<0.001	0.02	<0.05	0.5	0.2	<0.2	42.7	<0.01	0.01	0.6
S120449		<0.05	8.4	360	0.6	2.5	<0.001	0.02	<0.05	0.9	0.2	<0.2	50.0	<0.01	0.01	0.6
S120450		0.11	11.4	600	18.2	12.4	0.002	0.83	0.46	8.6	0.9	0.5	112.0	<0.01	2.24	1.4
S120451		<0.05	378	630	3.8	2.1	<0.001	0.01	<0.05	17.4	0.5	<0.2	394	<0.01	0.11	0.3
S120452		<0.05	87.7	260	1.3	2.9	0.001	0.04	<0.05	19.2	0.4	<0.2	112.5	<0.01	0.03	<0.2
S120453		<0.05	72.8	340	1.0	2.8	0.002	0.16	<0.05	15.7	0.7	<0.2	114.5	<0.01	0.06	<0.2
S120454		<0.05	83.2	270	0.7	2.7	0.001	0.03	<0.05	20.1	0.5	<0.2	123.5	<0.01	0.02	<0.2
S120455		<0.05	50.8	330	0.5	3.0	<0.001	0.02	<0.05	6.0	0.2	<0.2	87.8	<0.01	0.01	0.6
S120456		<0.05	57.1	730	0.6	3.1	0.001	0.05	<0.05	6.3	0.3	<0.2	100.5	<0.01	0.02	0.6
S120457		<0.05	88.4	980	0.9	4.0	<0.001	0.01	<0.05	7.1	0.4	<0.2	113.5	<0.01	<0.01	2.8
S120458		<0.05	75.7	430	0.4	3.8	<0.001	0.03	<0.05	4.2	0.2	<0.2	76.4	<0.01	0.04	0.5
S120459		<0.05	137.0	180	0.3	2.9	<0.001	0.01	<0.05	13.5	0.4	<0.2	83.4	<0.01	0.04	<0.2
S120460		<0.05	137.5	180	0.3	2.9	0.001	0.01	<0.05	13.8	0.4	<0.2	84.5	<0.01	0.03	<0.2
S120461		<0.05	191.5	1640	0.6	0.2	0.001	0.11	<0.05	13.7	0.5	0.2	88.5	<0.01	0.04	4.8
S120462		<0.05	137.5	770	0.8	0.2	0.001	0.74	<0.05	12.5	0.9	0.2	90.1	<0.01	0.08	2.1
S120463		<0.05	142.5	190	0.6	1.9	0.001	0.42	<0.05	20.0	0.6	<0.2	106.0	<0.01	0.13	<0.2
S120464		<0.05	127.0	210	0.4	3.8	0.001	0.20	<0.05	10.4	0.6	<0.2	101.0	<0.01	0.06	<0.2
S120465		<0.05	149.0	170	4.2	3.2	0.001	0.32	<0.05	14.0	0.9	<0.2	131.5	<0.01	2.30	<0.2
S120466		<0.05	151.5	170	0.4	2.4	<0.001	0.05	<0.05	15.7	0.6	<0.2	108.0	<0.01	0.05	<0.2
S120467		<0.05	98.4	230	0.3	1.9	0.001	0.11	<0.05	13.5	0.3	0.2	54.9	<0.01	0.03	0.2
S120468		<0.05	38.7	680	0.4	2.2	0.002	0.72	<0.05	28.8	1.3	<0.2	121.0	<0.01	0.24	<0.2
S120469		<0.05	21.7	600	0.7	1.6	0.001	0.30	<0.05	22.9	0.5	<0.2	97.4	<0.01	0.06	<0.2
S120470		<0.05	0.3	10	0.4	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	<0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059537**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
S120431		0.143	<0.02	<0.05	170	0.27	7.92	71	3.5
S120432		0.160	<0.02	<0.05	132	0.25	9.35	72	2.7
S120433		0.180	<0.02	<0.05	140	0.23	8.65	76	3.3
S120434		0.149	<0.02	<0.05	141	0.23	8.42	78	2.4
S120435		0.011	<0.02	<0.05	140	0.06	4.44	75	2.4
S120436		0.012	<0.02	<0.05	159	<0.05	2.91	80	0.8
S120437		0.011	<0.02	<0.05	153	<0.05	2.59	87	0.8
S120438		<0.005	0.02	0.13	54	<0.05	3.58	53	21.7
S120439		0.010	<0.02	<0.05	144	<0.05	2.93	76	3.2
S120440		<0.005	<0.02	0.06	<1	<0.05	0.44	2	0.7
S120441		0.010	<0.02	<0.05	165	<0.05	2.41	87	0.5
S120442		0.007	<0.02	<0.05	131	<0.05	3.08	110	0.6
S120443		0.005	0.03	0.19	14	<0.05	4.93	53	11.7
S120444		<0.005	0.04	0.17	14	<0.05	4.80	53	11.2
S120445		0.005	0.03	0.18	18	<0.05	6.26	71	13.4
S120446		<0.005	0.03	0.17	14	<0.05	5.69	66	12.5
S120447		<0.005	0.02	0.09	1	<0.05	1.41	15	5.2
S120448		<0.005	0.02	0.09	1	<0.05	1.11	22	5.4
S120449		<0.005	0.02	0.06	2	<0.05	1.37	21	4.6
S120450		0.052	0.15	0.35	64	0.54	7.80	83	12.7
S120451		<0.005	<0.02	<0.05	41	0.06	10.25	36	2.3
S120452		<0.005	0.02	<0.05	22	0.06	5.07	35	0.5
S120453		<0.005	0.02	<0.05	23	0.06	5.56	40	0.8
S120454		<0.005	0.02	<0.05	43	0.16	3.92	63	0.6
S120455		<0.005	0.02	0.05	10	<0.05	2.30	44	3.1
S120456		<0.005	0.02	0.06	11	<0.05	2.58	41	3.8
S120457		<0.005	0.02	0.22	16	0.05	4.53	44	7.0
S120458		<0.005	0.02	0.05	10	<0.05	3.17	31	3.6
S120459		<0.005	<0.02	<0.05	41	<0.05	6.23	48	<0.5
S120460		<0.005	<0.02	<0.05	41	<0.05	6.80	47	<0.5
S120461		0.046	<0.02	0.39	114	0.27	6.38	65	13.6
S120462		0.041	<0.02	0.22	106	0.16	5.45	69	8.1
S120463		<0.005	<0.02	<0.05	117	<0.05	2.14	60	0.5
S120464		<0.005	0.02	<0.05	56	<0.05	4.10	64	<0.5
S120465		0.005	0.02	<0.05	103	<0.05	2.99	56	<0.5
S120466		0.075	<0.02	<0.05	105	0.05	5.80	52	<0.5
S120467		0.105	<0.02	<0.05	103	0.08	5.49	42	3.0
S120468		0.011	<0.02	<0.05	136	<0.05	5.63	71	1.9
S120469		0.011	<0.02	<0.05	145	<0.05	4.49	50	1.3
S120470		<0.005	<0.02	0.05	<1	<0.05	0.48	<2	0.7



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059537**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120471		3.44	0.001	0.01	2.93	<0.1	<0.2	<10	30	0.22	0.01	4.83	0.03	8.10	35.9	7
S120472		3.15	<0.001	<0.01	3.00	0.1	<0.2	<10	20	0.22	0.01	5.00	0.02	7.43	35.5	6
S120473		3.15	0.002	0.01	3.02	<0.1	<0.2	<10	10	0.26	0.02	5.33	0.02	6.38	31.3	6
S120474		1.91	0.029	0.01	3.33	0.2	<0.2	<10	<10	0.22	0.02	4.96	0.02	7.62	31.2	19
S120475		2.17	0.030	0.01	2.47	0.3	<0.2	<10	10	0.13	0.02	5.22	0.02	5.96	36.3	2
S120476		1.31	0.006	0.01	1.71	0.2	<0.2	<10	20	0.16	0.02	5.64	0.02	4.45	29.0	3
S120477		3.16	0.004	0.03	2.37	0.7	<0.2	<10	20	0.21	0.03	4.05	0.03	4.98	47.1	19
S120478		3.50	0.220	0.06	1.68	0.6	0.2	<10	50	0.17	0.04	5.27	0.03	4.02	42.6	15
S120479		2.23	0.005	0.01	1.58	0.1	<0.2	<10	20	0.21	0.01	4.78	0.03	6.69	32.7	15
S120480		0.06	9.34	9.44	1.59	11.3	8.8	<10	30	0.49	0.07	3.87	0.28	20.1	10.9	17
S120481		1.67	0.012	0.02	1.79	0.1	<0.2	<10	20	0.21	0.02	5.34	0.03	5.15	32.0	13
S120482		2.18	0.013	0.02	1.78	0.2	<0.2	<10	20	0.26	0.02	5.40	0.02	5.17	32.6	12
S120483		2.27	0.006	0.03	1.70	0.6	<0.2	<10	10	0.30	0.03	2.34	0.01	8.76	29.0	10
S120484		2.07	0.001	0.01	2.77	0.4	<0.2	<10	<10	0.41	0.02	1.75	0.01	10.35	37.6	5
S120485		2.09	0.002	0.01	2.42	0.9	<0.2	<10	10	0.30	0.02	2.51	0.01	10.80	47.8	5
S120486		2.28	0.002	0.02	2.55	0.8	<0.2	<10	10	0.30	0.03	3.46	0.02	9.50	46.5	4
S120487		3.41	0.001	0.02	2.73	0.5	<0.2	<10	10	0.33	0.03	2.42	0.01	14.70	49.0	4
S120488		3.36	<0.001	0.02	2.59	0.6	<0.2	<10	<10	0.36	0.02	1.96	0.01	15.25	53.3	4
S120489		2.41	0.005	0.03	2.60	1.3	<0.2	<10	10	0.23	0.09	3.78	0.03	11.10	70.5	4
S120490		<0.02	0.004	0.04	2.66	1.2	<0.2	<10	10	0.27	0.08	3.83	0.03	11.90	69.8	4
S120491		2.52	0.018	0.04	2.89	1.0	<0.2	<10	<10	0.17	0.06	6.49	0.05	8.66	59.6	19
S120492		2.63	0.006	0.03	3.35	1.5	<0.2	<10	10	0.15	0.11	4.65	0.04	7.34	94.9	39
S120493		1.91	0.138	0.06	2.90	0.4	<0.2	<10	20	0.16	0.07	5.88	0.04	7.86	46.1	36
S120494		1.60	0.005	0.08	3.23	2.1	<0.2	<10	<10	0.21	0.17	2.32	0.01	6.82	123.0	36
S120495		2.66	0.001	0.03	2.94	0.6	<0.2	<10	<10	0.22	0.02	2.65	0.01	9.54	52.7	34
S120496		0.79	0.042	0.13	2.99	0.2	<0.2	<10	<10	0.17	0.04	8.33	0.13	9.67	33.0	31
S120497		1.92	0.205	0.19	3.12	0.6	0.2	<10	10	0.18	0.08	8.17	0.07	5.16	30.6	30
S120498		2.27	0.017	0.08	3.33	3.2	<0.2	<10	10	0.28	0.18	3.74	0.11	9.56	156.5	40
S120499		3.35	0.005	0.03	3.07	0.9	<0.2	<10	10	0.43	0.10	4.00	0.09	13.85	73.7	41
S120500		2.14	0.002	0.18	2.39	0.6	<0.2	<10	10	0.39	0.12	2.68	0.03	21.5	51.7	35
S120501		3.01	0.003	0.15	3.38	0.6	<0.2	<10	<10	0.30	0.07	1.71	0.02	12.15	84.4	40
S120502		1.98	0.001	0.10	3.41	0.5	<0.2	<10	<10	0.24	0.02	2.44	0.03	9.72	63.4	41
S120503		1.62	0.028	0.45	2.66	16.5	<0.2	<10	<10	0.24	0.41	2.16	0.07	5.56	281	32
S120504		3.17	0.003	0.03	2.55	0.4	<0.2	<10	10	0.24	0.02	4.51	0.03	9.97	44.3	41
S120505		3.04	0.062	0.13	2.67	0.2	<0.2	<10	10	0.21	0.02	4.57	0.03	10.55	35.0	42
S120506		3.24	0.042	0.02	2.66	0.2	<0.2	<10	10	0.36	0.02	3.80	0.02	14.85	39.3	40
S120507		2.96	0.001	0.01	2.67	0.5	<0.2	<10	10	0.21	0.01	4.07	0.03	9.98	39.6	42
S120508		3.14	0.001	0.02	2.25	0.6	<0.2	<10	10	0.25	0.03	3.34	0.03	8.72	48.4	42
S120509		3.43	0.004	0.03	2.74	0.5	<0.2	<10	10	0.29	0.02	3.66	0.05	14.10	45.3	40
S120510		0.13	<0.001	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.86	0.1	<1

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059537**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120471		0.09	113.0	9.53	18.10	0.24	0.04	0.01	0.084	0.02	2.9	10.4	1.90	1170	0.32	0.03
S120472		0.08	3.5	9.56	18.55	0.26	0.04	0.01	0.078	0.02	2.7	12.6	1.99	1140	0.35	0.03
S120473		0.14	5.9	9.27	18.20	0.24	0.04	0.01	0.089	0.02	2.3	11.5	1.92	1080	1.00	0.03
S120474		0.10	1.8	9.64	18.15	0.35	0.04	0.01	0.097	0.01	3.0	12.1	2.10	1200	4.42	0.03
S120475		0.08	37.2	9.47	14.40	0.14	0.03	0.01	0.069	0.05	2.4	11.3	1.67	1320	0.49	0.03
S120476		0.12	17.6	8.63	8.59	0.10	0.02	0.01	0.055	0.12	1.7	7.2	1.57	1330	0.44	0.02
S120477		0.05	87.4	9.55	15.60	0.22	0.05	0.01	0.082	0.03	1.8	9.9	1.86	1290	0.35	0.04
S120478		0.09	103.5	9.71	10.65	0.13	0.05	<0.01	0.065	0.07	1.5	6.6	1.67	1320	1.57	0.04
S120479		0.08	68.4	9.93	9.41	0.10	0.06	<0.01	0.043	0.11	2.4	6.0	1.79	1430	0.36	0.03
S120480		2.60	60.9	2.87	6.67	0.16	0.66	0.17	0.027	0.12	9.1	21.5	1.02	783	4.81	0.07
S120481		0.09	54.8	9.35	9.76	0.11	0.04	<0.01	0.054	0.11	1.9	6.7	1.73	1500	0.40	0.03
S120482		0.09	55.0	9.32	10.05	0.11	0.05	<0.01	0.057	0.10	1.9	6.9	1.74	1480	0.41	0.03
S120483		0.08	149.0	6.56	9.39	0.25	0.41	<0.01	0.037	0.04	3.4	7.0	0.62	626	0.60	0.01
S120484		0.06	120.5	11.40	16.70	0.33	0.29	0.01	0.063	0.01	4.2	14.4	1.33	1110	0.59	0.03
S120485		0.05	257	10.80	16.20	0.26	0.33	<0.01	0.068	0.01	4.2	11.9	1.12	1000	0.44	0.03
S120486		0.05	136.5	11.20	17.50	0.35	0.25	<0.01	0.100	0.02	3.4	12.7	1.15	1080	0.60	0.03
S120487		0.06	159.0	9.99	15.50	0.29	0.21	<0.01	0.052	0.01	6.1	14.3	1.33	1070	0.56	0.03
S120488		0.06	155.5	9.12	13.50	0.25	0.32	<0.01	0.040	0.01	7.7	12.7	1.37	952	0.27	0.03
S120489		<0.05	265	10.30	15.90	0.25	0.13	<0.01	0.078	0.01	4.8	12.3	1.31	1020	0.21	0.04
S120490		<0.05	261	10.50	16.05	0.28	0.18	<0.01	0.082	0.01	5.0	12.4	1.34	1050	0.24	0.04
S120491		0.08	166.5	11.05	16.35	0.23	0.08	<0.01	0.125	0.01	4.8	11.7	1.43	1100	0.36	0.02
S120492		0.05	266	12.00	16.45	0.24	0.13	<0.01	0.100	0.02	3.2	13.9	1.56	1160	0.20	0.03
S120493		0.05	64.3	9.50	13.40	0.17	0.12	0.01	0.086	0.05	3.5	11.9	1.25	1060	2.91	0.03
S120494		<0.05	432	12.05	12.90	0.22	0.22	<0.01	0.041	0.01	3.2	15.1	1.70	1180	0.19	0.02
S120495		0.05	60.9	9.89	12.05	0.22	0.27	<0.01	0.036	<0.01	6.2	13.1	1.63	994	0.23	0.02
S120496		<0.05	60.2	8.91	14.50	0.25	0.06	<0.01	0.085	<0.01	6.1	11.8	1.89	1080	1.49	0.03
S120497		<0.05	65.4	7.62	14.15	0.23	0.04	<0.01	0.084	0.01	2.9	11.9	2.16	925	0.23	0.02
S120498		0.05	647	13.90	16.75	0.30	0.14	<0.01	0.069	0.01	5.2	14.5	1.97	868	0.59	0.03
S120499		<0.05	752	14.25	16.35	0.30	0.22	<0.01	0.062	<0.01	7.3	13.5	1.86	811	1.01	0.04
S120500		0.05	452	9.62	12.10	0.16	0.48	<0.01	0.029	0.02	10.9	9.5	1.58	625	0.60	0.04
S120501		0.06	334	11.65	12.00	0.23	0.27	<0.01	0.022	<0.01	6.1	13.1	2.10	821	0.19	0.02
S120502		0.06	216	12.10	13.05	0.22	0.29	<0.01	0.019	<0.01	4.7	13.0	2.19	878	0.22	0.03
S120503		0.05	1590	16.05	11.95	0.25	0.22	0.01	0.026	0.01	2.5	10.4	1.61	691	0.18	0.03
S120504		0.05	248	12.60	14.35	0.17	0.18	<0.01	0.032	0.03	4.4	9.9	1.45	562	0.16	0.04
S120505		0.06	27.0	11.00	16.00	0.21	0.27	<0.01	0.047	0.02	6.0	10.3	1.61	582	0.19	0.05
S120506		<0.05	337	14.00	16.25	0.26	0.27	<0.01	0.046	0.01	8.4	11.0	1.56	529	0.41	0.04
S120507		<0.05	97.3	11.70	15.90	0.24	0.34	<0.01	0.045	0.01	4.0	10.8	1.69	576	0.40	0.04
S120508		<0.05	114.5	13.30	15.10	0.21	0.34	<0.01	0.030	0.01	2.8	9.4	1.39	469	0.41	0.05
S120509		0.05	431	15.40	17.35	0.26	0.32	<0.01	0.045	0.01	6.2	11.1	1.69	555	2.98	0.04
S120510		<0.05	1.1	0.02	0.05	0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	<0.01



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

CERTIFICATE OF ANALYSIS    TM16059537
---------------------------------------

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm
S120471		<0.05	26.5	770	0.3	1.1	0.002	0.06	<0.05	31.9	0.5	<0.2	75.7	<0.01	0.01	0.2
S120472		<0.05	28.5	730	0.3	0.9	0.002	0.14	<0.05	34.2	0.6	<0.2	73.3	<0.01	0.01	0.2
S120473		<0.05	28.5	780	0.4	1.0	0.005	0.24	<0.05	34.6	0.5	<0.2	102.0	<0.01	0.02	<0.2
S120474		<0.05	29.9	710	0.4	0.3	0.002	0.08	<0.05	36.9	0.4	<0.2	87.1	<0.01	0.02	<0.2
S120475		<0.05	22.3	710	0.4	1.8	0.002	0.25	<0.05	26.4	0.6	<0.2	94.6	<0.01	0.04	<0.2
S120476		<0.05	16.9	710	0.5	4.0	0.001	0.35	<0.05	15.4	0.5	<0.2	118.0	<0.01	0.05	<0.2
S120477		<0.05	30.8	720	0.4	1.2	0.002	0.45	<0.05	28.6	1.2	<0.2	79.0	<0.01	0.09	<0.2
S120478		<0.05	27.8	680	0.6	2.3	0.003	0.69	<0.05	21.6	0.8	<0.2	109.0	<0.01	0.18	<0.2
S120479		<0.05	24.3	700	0.6	3.5	0.003	0.05	<0.05	16.9	0.3	<0.2	129.0	<0.01	0.02	<0.2
S120480		0.14	10.0	620	15.1	6.0	0.002	0.42	0.39	8.4	0.5	0.5	105.5	<0.01	3.96	1.7
S120481		<0.05	21.7	670	0.9	3.4	0.004	0.31	<0.05	18.2	<0.2	<0.2	173.5	<0.01	0.03	<0.2
S120482		<0.05	22.1	680	1.0	3.4	0.002	0.32	<0.05	18.2	0.5	<0.2	180.0	<0.01	0.05	<0.2
S120483		0.40	4.7	1390	0.5	1.6	0.002	0.74	0.08	11.3	2.0	0.5	78.2	0.01	0.05	0.2
S120484		0.21	5.8	1310	0.4	0.5	0.002	0.48	0.07	17.1	1.3	0.5	19.5	0.01	0.02	0.2
S120485		0.23	6.2	1310	0.4	0.4	0.001	0.76	<0.05	20.0	2.1	0.5	20.2	0.01	0.03	0.2
S120486		0.24	4.8	1240	0.4	0.6	0.001	0.67	0.05	27.1	2.2	0.7	24.2	0.01	0.05	0.2
S120487		0.17	4.6	1330	0.4	0.4	0.001	0.55	<0.05	18.2	2.1	0.3	26.9	0.01	0.05	0.4
S120488		0.20	7.4	1380	0.3	0.4	0.001	0.23	0.06	15.3	1.8	0.4	31.1	0.01	0.03	0.3
S120489		0.09	5.8	1310	0.6	0.5	0.003	1.01	<0.05	27.3	3.1	0.2	58.4	<0.01	0.09	0.3
S120490		0.11	6.0	1340	0.6	0.6	0.002	1.00	<0.05	28.7	2.8	0.2	60.0	0.01	0.08	0.3
S120491		<0.05	26.0	630	0.9	0.5	0.002	1.79	<0.05	26.3	1.9	<0.2	139.5	<0.01	0.14	<0.2
S120492		0.06	60.7	470	0.5	0.8	0.004	1.35	<0.05	28.3	4.0	0.2	44.7	<0.01	0.09	<0.2
S120493		0.08	30.1	480	0.8	1.4	0.004	1.28	<0.05	26.4	0.9	0.2	82.9	<0.01	0.17	<0.2
S120494		0.09	43.9	490	0.5	0.3	0.002	1.26	<0.05	14.4	4.0	0.3	30.8	<0.01	0.12	<0.2
S120495		0.10	51.4	480	0.3	0.2	0.001	0.25	0.06	14.1	1.2	0.4	36.4	<0.01	0.04	0.2
S120496		<0.05	23.6	410	0.8	0.2	0.003	0.75	<0.05	28.3	0.4	<0.2	159.5	<0.01	0.18	<0.2
S120497		<0.05	26.4	400	0.9	0.2	0.001	0.93	<0.05	28.8	0.6	<0.2	211	<0.01	0.31	<0.2
S120498		<0.05	72.4	450	1.4	0.3	0.005	1.87	<0.05	31.2	4.8	0.2	49.5	<0.01	0.11	<0.2
S120499		0.05	41.2	460	0.6	0.1	0.004	0.61	<0.05	32.0	2.1	0.4	46.3	<0.01	0.05	<0.2
S120500		0.08	46.9	480	0.7	0.9	0.003	0.31	<0.05	13.8	1.3	0.6	43.6	<0.01	0.05	1.1
S120501		0.07	67.2	500	0.7	0.3	0.002	0.53	<0.05	12.9	2.0	0.4	36.5	<0.01	0.07	<0.2
S120502		0.08	37.3	500	0.4	0.2	0.002	0.33	<0.05	14.3	1.7	0.5	34.5	<0.01	0.04	<0.2
S120503		0.09	110.5	380	3.7	0.3	0.010	4.72	<0.05	12.2	18.5	0.4	22.1	<0.01	0.22	<0.2
S120504		0.06	49.2	470	0.3	1.1	0.001	0.19	<0.05	22.1	1.1	0.3	47.7	<0.01	0.05	<0.2
S120505		0.10	40.5	510	0.3	0.6	0.001	0.38	<0.05	26.7	0.5	0.4	48.3	<0.01	0.17	<0.2
S120506		0.10	75.1	410	0.3	0.4	0.003	0.19	<0.05	26.2	0.7	0.5	35.6	<0.01	0.02	<0.2
S120507		0.11	32.8	460	0.3	0.4	0.002	0.22	<0.05	28.0	0.6	0.5	41.7	0.01	0.01	<0.2
S120508		0.10	39.8	460	0.4	0.6	0.002	0.44	<0.05	25.7	0.8	0.4	39.5	<0.01	0.03	<0.2
S120509		0.09	57.5	440	0.3	0.6	0.006	0.26	<0.05	28.2	0.7	0.6	40.4	0.01	0.04	<0.2
S120510		<0.05	0.3	10	0.7	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.6	<0.01	0.01	0.2

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059537**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120471		0.017	<0.02	<0.05	172	<0.05	7.90	58	1.6
S120472		0.014	<0.02	<0.05	171	<0.05	7.20	58	1.9
S120473		0.015	<0.02	<0.05	175	<0.05	7.02	55	1.3
S120474		0.016	<0.02	<0.05	188	<0.05	5.30	66	2.1
S120475		0.007	<0.02	<0.05	109	<0.05	4.78	52	1.2
S120476		0.005	0.02	<0.05	60	0.05	4.04	40	1.0
S120477		0.009	<0.02	<0.05	139	0.05	3.59	52	1.6
S120478		0.007	<0.02	<0.05	106	0.08	3.92	50	2.0
S120479		0.005	0.02	<0.05	83	0.05	4.12	50	1.4
S120480		0.130	0.07	0.47	76	0.52	8.07	65	21.0
S120481		0.007	0.02	<0.05	83	0.05	4.17	53	1.6
S120482		0.006	0.02	<0.05	84	0.06	4.19	54	1.5
S120483		0.338	<0.02	<0.05	28	0.16	19.70	22	9.5
S120484		0.335	<0.02	<0.05	48	0.16	18.45	47	7.4
S120485		0.312	<0.02	<0.05	49	0.19	19.60	39	8.2
S120486		0.315	<0.02	<0.05	54	0.17	24.8	38	6.7
S120487		0.244	<0.02	<0.05	45	0.12	18.90	45	4.8
S120488		0.268	<0.02	0.06	40	0.11	18.00	46	9.4
S120489		0.115	<0.02	<0.05	56	0.06	14.70	45	4.6
S120490		0.131	<0.02	<0.05	57	0.07	15.95	46	4.0
S120491		0.012	<0.02	<0.05	187	0.14	4.74	49	2.5
S120492		0.144	<0.02	<0.05	276	0.05	12.05	48	2.8
S120493		0.162	<0.02	<0.05	210	0.14	9.91	42	2.1
S120494		0.241	<0.02	<0.05	210	0.16	8.72	56	4.9
S120495		0.289	<0.02	0.05	197	0.21	9.93	49	7.2
S120496		0.012	<0.02	<0.05	257	0.05	4.71	55	1.5
S120497		0.010	<0.02	<0.05	255	0.16	3.22	44	1.2
S120498		0.108	<0.02	0.07	286	0.21	8.89	87	4.6
S120499		0.163	<0.02	0.14	284	0.33	11.25	69	7.4
S120500		0.188	<0.02	0.49	164	0.22	7.70	57	16.6
S120501		0.264	<0.02	0.18	207	0.10	9.12	59	8.7
S120502		0.277	<0.02	0.14	223	0.10	9.99	60	9.2
S120503		0.180	<0.02	0.09	184	0.14	6.35	47	6.6
S120504		0.160	<0.02	0.06	270	0.06	14.55	36	4.9
S120505		0.282	<0.02	0.05	282	0.14	14.00	37	7.1
S120506		0.272	<0.02	0.08	277	0.06	13.45	36	7.4
S120507		0.317	<0.02	0.10	278	0.09	14.85	37	9.2
S120508		0.255	<0.02	0.09	287	0.07	12.90	33	8.5
S120509		0.271	<0.02	0.15	263	0.13	13.60	43	8.5
S120510		<0.005	<0.02	0.05	<1	<0.05	0.55	2	0.8



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059537**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120511		3.23	0.002	0.02	2.81	0.7	<0.2	<10	10	0.45	0.04	3.81	0.04	16.45	50.3	37
S120512		3.44	0.004	0.05	2.66	1.2	<0.2	<10	10	0.70	0.07	2.76	0.03	12.35	77.9	30
S120513		3.06	0.004	0.05	3.08	0.9	<0.2	<10	30	0.25	0.05	2.32	0.03	9.88	69.9	35
S120514		0.88	0.015	0.08	1.56	0.7	<0.2	<10	10	0.95	0.02	1.82	0.04	81.3	54.2	44
S120515		0.60	0.012	0.18	3.11	0.5	<0.2	<10	10	0.17	0.54	8.86	0.07	6.15	38.5	34

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059537**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S120511		<0.05	77.5	18.75	16.60	0.27	0.26	<0.01	0.040	0.01	6.9	11.7	1.73	632	0.64	0.04
S120512		0.08	266	20.1	13.80	0.24	0.27	<0.01	0.030	0.02	6.4	11.4	1.55	622	0.70	0.02
S120513		0.09	177.0	16.90	13.85	0.24	0.28	<0.01	0.029	0.01	4.1	13.7	1.85	774	0.43	0.03
S120514		0.09	4180	40.0	17.15	0.37	0.48	<0.01	0.051	0.04	57.3	7.2	0.64	365	8.83	0.03
S120515		0.06	132.5	8.46	13.95	0.20	0.06	<0.01	0.062	<0.01	2.8	12.0	2.38	1420	2.64	0.03

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16059537</b>
---

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
S120511		0.07	43.5	430	0.4	0.3	0.002	0.37	<0.05	27.1	0.8	0.5	36.1	<0.01	0.03	<0.2
S120512		0.09	57.4	410	0.7	0.8	0.003	0.70	0.06	16.6	1.0	0.4	34.3	<0.01	0.05	<0.2
S120513		0.09	43.3	450	0.5	0.6	0.003	0.42	0.05	16.3	0.9	0.4	27.8	<0.01	0.05	<0.2
S120514		0.27	168.5	180	1.1	2.0	0.016	0.44	0.07	7.0	1.5	0.6	32.6	0.01	0.03	0.2
S120515		<0.05	32.1	410	2.5	0.2	0.007	1.46	<0.05	20.2	1.6	<0.2	68.4	<0.01	0.17	<0.2

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16059537**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120511		0.229	<0.02	0.19	279	0.10	12.95	43	8.5
S120512		0.228	<0.02	0.16	221	0.20	9.20	42	8.9
S120513		0.268	<0.02	0.12	233	0.12	9.46	56	9.2
S120514		0.381	<0.02	0.20	321	0.67	16.80	30	12.2
S120515		0.048	<0.02	<0.05	216	0.06	8.87	54	1.6

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: **Appendix 1**  
 Total # Appendix Pages: **1**  
 Finalized Date: **3-MAY-2016**  
 Account: **OBMICO**

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16059537</b>
---

	<b>CERTIFICATE COMMENTS</b>
--	-----------------------------

	<b>ANALYTICAL COMMENTS</b>												
Applies to Method:	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41												
	<b>LABORATORY ADDRESSES</b>												
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-ICP22 ME-MS41												
Applies to Method:	Processed at ALS Timmins located at Unit 10 - 2090 Riverside Drive, Timmins, ON, Canada.												
	<table style="width: 100%; border: none;"> <tr> <td>CRU-32</td> <td>CRU-QC</td> <td>LOG-21d</td> <td>LOG-22</td> </tr> <tr> <td>LOG-23</td> <td>PUL-35a</td> <td>PUL-35ad</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-32	CRU-QC	LOG-21d	LOG-22	LOG-23	PUL-35a	PUL-35ad	PUL-QC	SPL-21	SPL-21d	WEI-21	
CRU-32	CRU-QC	LOG-21d	LOG-22										
LOG-23	PUL-35a	PUL-35ad	PUL-QC										
SPL-21	SPL-21d	WEI-21											



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

**CERTIFICATE TM16065185**

Project: COTE

This report is for 117 Drill Core samples submitted to our lab in Timmins, ON, Canada on 28-APR-2016.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER
-------------------	-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

To: **OBAN MINING CORPORATION**  
**ATTN: MICHAELA KUUSKMAN**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S120716		3.69	0.001	0.05	2.07	3.3	<0.2	<10	<10	0.09	0.02	1.31	0.01	5.90	28.6	103
S120717		3.15	0.012	0.12	1.74	3.9	<0.2	<10	<10	0.05	0.02	0.91	0.01	4.90	26.4	74
S120718		3.12	0.034	0.06	2.03	5.9	<0.2	<10	<10	0.06	0.02	1.43	0.01	3.99	31.6	106
S120719		3.54	0.027	0.06	1.80	4.5	<0.2	<10	<10	0.09	0.03	1.48	0.01	4.58	23.8	94
S120720		0.06	2.49	4.65	1.53	17.7	2.3	<10	40	0.59	0.09	3.69	0.36	21.9	10.2	24
S120721		3.60	0.019	0.10	1.86	4.8	<0.2	<10	<10	0.08	0.03	1.04	0.01	4.22	26.0	103
S120722		3.06	0.024	0.17	1.77	2.3	<0.2	<10	<10	0.11	0.03	1.59	0.01	5.81	19.8	79
S120723		1.74	0.002	0.05	2.59	3.9	<0.2	<10	<10	0.08	0.07	3.99	<0.01	4.79	36.5	164
S120724		2.37	<0.001	0.03	1.58	1.4	<0.2	<10	<10	0.08	0.03	2.46	<0.01	6.28	18.4	82
S120725		3.53	0.012	0.08	1.81	3.4	<0.2	<10	<10	0.10	0.04	1.27	0.01	4.56	26.6	92
S120726		2.18	0.016	0.14	2.51	11.1	<0.2	<10	<10	0.07	0.15	2.28	0.01	2.80	53.3	131
S120727		2.74	0.011	0.03	1.76	1.7	<0.2	<10	<10	0.08	0.02	1.37	0.01	3.01	21.6	90
S120728		1.38	0.236	1.13	2.15	2.1	0.2	<10	<10	0.10	0.17	1.14	0.04	3.73	43.0	99
S120729		3.41	0.002	0.06	2.01	2.5	<0.2	<10	10	0.09	0.02	1.17	0.01	4.14	23.6	86
S120730		<0.02	0.002	0.05	2.03	2.6	<0.2	<10	10	0.08	0.02	1.17	0.01	4.30	24.2	86
S120731		1.16	0.002	0.05	2.09	0.6	<0.2	<10	<10	0.09	0.02	10.40	0.02	4.94	25.1	121
S120732		3.08	0.001	0.05	2.19	0.9	<0.2	<10	<10	0.08	0.03	1.40	0.01	4.47	29.5	119
S120733		2.18	0.001	0.11	2.13	1.8	<0.2	<10	<10	0.11	0.07	4.61	0.01	3.88	36.8	124
S120734		3.38	0.001	0.05	1.87	0.6	<0.2	<10	<10	0.13	0.03	1.88	<0.01	5.14	21.1	109
S120735		3.15	0.002	0.09	2.02	0.6	<0.2	<10	<10	0.13	0.04	1.39	<0.01	4.78	25.6	108
S120736		1.96	0.072	0.87	2.64	1.0	<0.2	<10	<10	0.12	0.08	1.84	0.01	4.30	37.5	142
S120737		1.67	0.007	0.15	1.60	0.6	<0.2	<10	<10	0.08	0.03	4.52	0.02	4.58	23.8	102
S120738		2.18	0.047	0.26	2.05	0.6	<0.2	<10	<10	0.09	0.06	3.03	0.03	4.30	31.3	145
S120739		1.80	0.151	0.89	1.82	1.0	0.2	<10	20	0.06	0.11	0.84	0.12	8.40	52.7	23
S120740		0.11	<0.001	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.91	0.1	<1
S120741		3.13	0.015	0.09	1.89	0.6	<0.2	<10	20	0.08	0.02	1.12	0.03	10.20	33.5	17
S120742		3.17	0.012	0.06	2.28	0.4	<0.2	10	10	<0.05	0.02	0.93	0.03	7.85	36.1	100
S120743		2.16	0.012	0.08	2.69	0.4	<0.2	10	20	0.12	0.02	1.56	0.02	9.81	28.1	37
S120744		2.97	0.004	0.05	2.90	0.2	<0.2	10	20	0.12	0.01	1.95	0.05	16.15	21.0	9
S120745		3.30	0.010	0.07	2.10	0.2	<0.2	10	30	0.05	0.01	1.09	0.05	7.51	30.9	33
S120746		2.23	0.006	0.04	1.86	0.1	<0.2	<10	10	<0.05	0.01	1.31	0.01	6.28	23.7	99
S120747		2.94	0.003	0.02	2.86	0.2	<0.2	<10	10	0.11	0.01	0.98	0.01	9.34	37.5	247
S120748		2.88	0.002	0.01	1.94	0.2	<0.2	<10	10	0.46	0.02	1.91	0.01	34.3	12.1	19
S120749		2.16	0.002	0.01	2.37	0.2	<0.2	<10	20	0.65	0.03	1.29	<0.01	38.7	16.7	20
S120750		0.06	2.51	4.75	1.57	17.8	2.4	<10	40	0.58	0.08	3.72	0.36	22.3	10.3	24
S120751		2.82	0.017	0.01	0.72	0.1	<0.2	<10	10	0.25	0.06	0.47	<0.01	13.50	4.3	8
S120752		0.79	0.003	0.02	2.08	0.4	<0.2	<10	20	0.84	0.06	1.64	0.01	25.1	19.6	58
S120753		2.20	0.068	0.04	0.56	0.3	<0.2	<10	600	0.19	0.10	0.59	<0.01	11.75	4.5	11
S120754		3.19	0.073	0.04	1.45	0.3	<0.2	<10	10	0.47	0.07	1.78	<0.01	23.3	12.0	38
S120755		3.34	0.002	0.01	1.74	0.2	<0.2	<10	10	0.51	0.02	1.11	<0.01	28.7	14.0	67



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120716	<0.05	67.4	4.21	4.86	0.09	0.15	<0.01	0.011	0.01	2.5	7.6	1.52	458	0.39	0.03	
S120717	<0.05	159.5	3.22	3.64	0.07	0.13	<0.01	0.008	0.01	2.1	6.9	1.27	344	0.75	0.03	
S120718	<0.05	271	3.87	4.48	0.10	0.16	<0.01	0.009	<0.01	1.7	8.3	1.49	431	0.39	0.04	
S120719	<0.05	167.5	3.32	4.14	0.09	0.17	<0.01	0.009	0.01	1.9	6.3	1.26	365	0.23	0.05	
S120720	3.16	74.2	2.86	6.48	0.09	0.39	0.08	0.039	0.23	10.7	15.7	0.84	664	6.04	0.06	
S120721	<0.05	199.5	3.43	4.29	0.10	0.16	<0.01	0.009	0.01	1.8	7.4	1.40	380	0.31	0.05	
S120722	<0.05	339	2.86	4.43	0.12	0.18	<0.01	0.012	0.01	2.7	6.9	1.22	327	0.52	0.05	
S120723	0.18	175.0	5.31	7.99	0.12	0.15	<0.01	0.009	<0.01	2.0	12.5	2.39	647	1.42	0.05	
S120724	<0.05	45.2	2.77	4.22	0.11	0.16	<0.01	0.008	<0.01	3.3	5.7	1.08	335	0.38	0.04	
S120725	0.05	209	3.27	4.58	0.12	0.15	<0.01	0.009	0.01	1.9	7.0	1.21	359	0.20	0.05	
S120726	0.11	164.0	4.80	5.40	0.11	0.15	<0.01	0.009	0.01	1.5	11.6	2.03	583	0.56	0.05	
S120727	0.08	45.2	3.28	4.35	0.11	0.15	<0.01	0.012	0.01	1.4	6.3	1.22	363	0.23	0.07	
S120728	0.10	1655	4.36	4.41	0.09	0.13	<0.01	0.020	0.01	2.0	9.5	1.52	469	0.21	0.05	
S120729	0.15	103.5	2.94	5.05	0.07	0.08	<0.01	0.010	0.03	1.7	6.8	1.21	278	0.31	0.14	
S120730	0.15	104.5	2.93	5.25	0.08	0.08	<0.01	0.009	0.03	1.7	6.9	1.22	279	0.32	0.15	
S120731	0.22	82.2	4.15	7.25	0.13	0.08	<0.01	0.023	0.01	2.0	12.0	1.98	881	0.42	0.04	
S120732	0.21	118.5	4.11	6.86	0.10	0.09	<0.01	0.009	0.01	1.8	10.8	1.88	462	0.26	0.09	
S120733	0.06	147.5	4.54	6.89	0.12	0.12	<0.01	0.021	0.01	1.6	12.1	1.84	577	0.47	0.08	
S120734	<0.05	10.7	3.44	5.67	0.15	0.21	<0.01	0.019	0.01	2.2	7.7	1.24	337	0.95	0.06	
S120735	0.08	36.0	3.75	5.66	0.11	0.15	<0.01	0.014	0.01	1.9	9.8	1.39	382	0.65	0.09	
S120736	0.11	1905	5.66	7.19	0.23	0.20	<0.01	0.049	0.01	1.9	11.0	1.87	531	0.47	0.05	
S120737	0.14	246	4.05	6.48	0.15	0.12	<0.01	0.020	0.01	2.1	6.4	1.29	413	7.08	0.11	
S120738	0.19	510	4.32	7.61	0.19	0.22	<0.01	0.009	0.01	1.7	12.4	2.16	485	0.24	0.09	
S120739	0.22	1650	4.20	6.78	0.07	0.19	<0.01	0.006	0.09	3.6	9.9	1.82	401	0.31	0.07	
S120740	<0.05	2.0	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	<0.05	<0.01	
S120741	0.28	198.0	3.99	6.94	0.06	0.19	<0.01	<0.005	0.13	4.4	11.6	1.74	357	0.26	0.10	
S120742	0.21	178.5	4.02	7.47	0.07	0.13	<0.01	0.006	0.04	3.3	15.2	2.47	381	0.29	0.09	
S120743	0.95	150.5	3.51	7.79	0.07	0.10	<0.01	0.009	0.19	4.3	11.8	1.55	292	0.26	0.31	
S120744	0.20	155.0	4.18	8.56	0.09	0.19	<0.01	0.016	0.09	7.1	4.9	0.91	314	0.37	0.50	
S120745	0.43	136.0	3.46	6.56	0.06	0.13	<0.01	0.005	0.12	3.3	13.4	1.91	354	0.22	0.11	
S120746	0.06	89.2	3.08	6.19	0.13	0.17	<0.01	0.011	0.03	2.9	9.3	1.93	302	0.48	0.03	
S120747	0.33	104.5	5.23	10.45	0.13	0.18	<0.01	0.013	0.02	3.8	21.4	3.59	559	0.09	0.07	
S120748	0.08	32.1	2.86	10.30	0.17	0.29	<0.01	0.012	0.03	16.2	9.1	1.57	368	0.14	0.06	
S120749	0.20	5.4	3.44	12.80	0.14	0.36	<0.01	0.015	0.06	18.0	17.6	2.40	441	0.18	0.05	
S120750	3.19	72.8	2.94	6.49	0.07	0.37	0.09	0.039	0.23	10.6	15.8	0.86	672	5.88	0.07	
S120751	<0.05	3.5	1.18	6.83	<0.05	0.28	<0.01	0.006	0.03	5.8	5.5	0.69	133	1.08	0.08	
S120752	0.06	35.1	3.36	10.40	0.15	0.34	<0.01	0.014	0.04	12.1	9.5	1.79	432	0.75	0.04	
S120753	<0.05	20.3	1.11	4.83	<0.05	0.31	<0.01	0.005	0.03	5.1	2.7	0.51	137	3.61	0.08	
S120754	<0.05	30.7	2.25	8.00	0.17	0.33	<0.01	0.013	0.01	10.7	5.6	1.20	308	0.18	0.06	
S120755	0.07	30.1	2.97	9.61	0.12	0.45	<0.01	0.014	0.01	14.1	10.3	2.35	402	0.20	0.09	

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
Units		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
S120716		0.05	53.6	290	0.2	0.2	0.001	0.10	<0.05	3.8	0.4	0.2	28.6	<0.01	0.03	0.2
S120717		0.06	52.2	290	0.2	0.3	0.001	0.09	0.05	3.1	0.2	0.2	23.5	<0.01	0.04	0.2
S120718		0.07	59.4	280	0.2	0.1	0.001	0.12	0.05	3.7	0.7	0.2	30.9	<0.01	0.04	<0.2
S120719		0.08	48.3	280	0.2	0.1	<0.001	0.08	0.05	3.6	0.3	0.2	32.3	<0.01	0.05	<0.2
S120720		0.06	10.8	620	17.0	11.6	0.003	0.83	0.48	8.1	1.0	0.5	113.5	<0.01	2.26	1.4
S120721		0.07	51.6	290	<0.2	0.2	0.001	0.07	<0.05	3.9	0.4	0.2	26.5	<0.01	0.05	<0.2
S120722		0.11	45.9	280	0.2	0.3	0.002	0.04	0.06	4.5	0.4	0.2	48.6	<0.01	0.05	0.2
S120723		0.05	76.0	310	0.3	0.2	0.003	0.35	<0.05	6.5	0.7	0.2	26.1	<0.01	0.05	0.2
S120724		0.11	40.0	270	0.2	0.1	0.001	0.11	0.07	3.4	0.3	0.2	44.2	<0.01	0.03	<0.2
S120725		0.10	49.6	280	0.2	0.2	<0.001	0.10	<0.05	4.4	0.3	0.2	35.0	<0.01	0.03	<0.2
S120726		0.06	75.7	290	0.2	0.3	0.002	0.34	0.05	4.5	0.9	0.3	28.0	<0.01	0.11	<0.2
S120727		0.08	44.7	280	<0.2	0.3	0.001	0.07	<0.05	4.2	<0.2	0.2	33.3	<0.01	0.02	<0.2
S120728		0.07	72.1	300	0.2	0.3	<0.001	0.26	0.05	3.7	1.1	0.2	29.5	<0.01	0.16	<0.2
S120729		0.08	45.0	300	<0.2	1.3	0.001	0.09	<0.05	5.0	0.6	<0.2	32.3	<0.01	0.01	<0.2
S120730		0.08	46.4	290	<0.2	1.3	0.001	0.09	0.05	5.1	0.3	0.2	33.3	<0.01	0.02	<0.2
S120731		0.05	54.4	220	0.5	0.2	0.002	0.06	<0.05	7.4	0.7	0.2	85.9	<0.01	0.03	<0.2
S120732		0.06	56.3	300	0.3	0.5	0.001	0.08	0.05	5.0	0.5	0.2	47.2	<0.01	0.02	<0.2
S120733		<0.05	66.4	310	0.9	0.2	0.001	0.19	<0.05	6.3	1.0	0.2	68.8	<0.01	0.08	<0.2
S120734		0.17	44.1	300	0.3	0.1	0.002	0.06	0.06	5.8	0.4	0.3	92.8	<0.01	0.02	0.2
S120735		0.10	49.7	300	0.4	0.4	0.002	0.11	<0.05	6.0	0.6	0.2	77.8	<0.01	0.04	0.2
S120736		0.14	69.3	300	0.5	0.3	0.002	0.35	0.05	7.2	1.1	0.4	79.9	<0.01	0.26	0.2
S120737		0.07	48.7	350	1.1	0.3	0.002	0.21	<0.05	6.3	0.6	0.2	60.4	<0.01	0.10	<0.2
S120738		0.07	228	350	1.4	0.6	0.002	0.23	0.06	6.6	0.9	0.2	49.6	<0.01	0.23	0.2
S120739		0.05	828	290	1.7	3.7	0.002	0.52	0.13	2.5	2.2	0.2	25.1	<0.01	0.71	0.4
S120740		<0.05	0.8	10	0.3	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
S120741		0.05	140.5	300	0.9	5.1	0.001	0.10	0.08	2.3	0.6	0.3	27.6	<0.01	0.08	0.5
S120742		0.06	164.5	280	1.3	1.7	0.001	0.06	<0.05	2.3	0.3	0.2	49.4	<0.01	0.05	0.4
S120743		<0.05	117.0	310	0.7	7.8	0.001	0.04	<0.05	2.7	0.4	0.3	137.5	<0.01	0.07	0.6
S120744		0.06	40.3	560	0.6	3.9	0.001	0.05	<0.05	3.4	0.7	0.6	82.4	<0.01	0.02	0.7
S120745		0.05	131.0	260	1.2	4.8	0.001	0.07	<0.05	2.3	0.3	0.2	41.8	<0.01	0.03	0.5
S120746		0.08	112.0	200	0.7	1.2	0.001	0.03	<0.05	2.2	0.3	0.2	125.5	<0.01	0.04	0.3
S120747		0.05	160.5	620	0.8	0.7	<0.001	0.03	<0.05	6.9	0.2	0.2	69.2	<0.01	0.02	0.5
S120748		0.20	13.9	1290	2.1	0.6	<0.001	0.01	0.05	3.3	0.3	0.3	239	<0.01	<0.01	1.6
S120749		0.14	15.4	1320	1.8	1.4	<0.001	0.02	0.05	4.7	0.3	0.4	213	<0.01	0.01	1.8
S120750		0.06	11.1	620	17.1	11.6	0.002	0.85	0.46	8.3	1.0	0.5	116.0	<0.01	2.26	1.5
S120751		0.07	4.6	350	0.3	1.0	<0.001	0.06	<0.05	1.0	<0.2	0.3	42.0	<0.01	0.01	0.9
S120752		0.11	22.7	1100	2.0	0.8	0.001	0.05	0.10	4.5	0.5	0.3	307	<0.01	0.01	0.9
S120753		0.10	4.4	340	0.5	0.7	0.001	0.18	<0.05	0.8	0.2	0.2	62.3	<0.01	0.05	0.7
S120754		0.27	14.5	1040	1.6	0.2	0.001	0.17	0.09	2.7	0.4	0.3	271	<0.01	0.06	1.2
S120755		0.12	22.9	1090	1.0	0.3	<0.001	0.04	0.11	3.5	0.4	0.4	150.5	<0.01	0.02	1.5



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
S120716		0.201	<0.02	<0.05	71	0.22	5.86	42	4.8
S120717		0.172	<0.02	<0.05	54	0.08	5.35	30	3.7
S120718		0.205	<0.02	<0.05	68	0.13	5.86	34	4.7
S120719		0.209	<0.02	<0.05	62	0.11	6.22	29	4.9
S120720		0.053	0.14	0.34	66	0.56	7.73	80	12.5
S120721		0.188	<0.02	<0.05	67	0.14	5.76	29	4.8
S120722		0.202	<0.02	<0.05	61	0.12	6.66	24	5.5
S120723		0.229	<0.02	<0.05	118	0.52	6.67	48	4.1
S120724		0.198	<0.02	<0.05	55	0.18	5.66	22	4.6
S120725		0.211	<0.02	<0.05	64	0.15	6.12	27	4.7
S120726		0.201	<0.02	<0.05	80	0.22	4.80	47	4.4
S120727		0.184	<0.02	<0.05	65	0.12	4.94	27	4.2
S120728		0.184	<0.02	<0.05	67	0.10	4.57	48	3.0
S120729		0.181	<0.02	<0.05	67	0.13	4.92	25	2.0
S120730		0.178	<0.02	<0.05	67	0.11	5.10	26	2.0
S120731		0.178	<0.02	<0.05	88	0.77	10.75	40	2.2
S120732		0.227	<0.02	<0.05	85	0.47	5.54	38	2.4
S120733		0.180	<0.02	<0.05	91	1.15	6.82	42	3.2
S120734		0.303	<0.02	<0.05	86	0.41	6.95	27	5.2
S120735		0.282	<0.02	<0.05	97	0.27	6.40	31	4.0
S120736		0.335	<0.02	0.05	121	0.31	7.58	45	4.9
S120737		0.204	<0.02	<0.05	96	0.64	6.03	29	4.7
S120738		0.244	<0.02	0.05	113	0.47	7.64	47	8.1
S120739		0.201	0.02	0.06	84	0.12	3.42	45	6.0
S120740		<0.005	<0.02	0.05	<1	<0.05	0.54	2	0.8
S120741		0.199	0.03	0.08	103	0.08	4.07	42	7.1
S120742		0.225	0.02	0.06	80	0.09	3.42	53	5.0
S120743		0.114	0.05	0.08	87	0.05	3.65	40	4.9
S120744		0.245	0.04	0.09	163	<0.05	12.40	54	5.6
S120745		0.171	0.03	0.07	79	0.05	3.25	45	4.9
S120746		0.217	<0.02	0.05	74	0.09	3.54	36	5.2
S120747		0.191	<0.02	0.08	123	0.51	7.45	73	6.2
S120748		0.141	<0.02	0.23	48	0.96	5.91	45	10.3
S120749		0.150	<0.02	0.24	57	1.17	6.15	70	13.5
S120750		0.053	0.13	0.34	68	0.46	7.82	81	12.1
S120751		0.038	<0.02	0.12	23	0.39	1.14	20	8.5
S120752		0.178	<0.02	0.16	87	1.52	6.17	57	10.5
S120753		0.047	<0.02	0.12	22	0.47	1.19	16	9.1
S120754		0.138	<0.02	0.20	52	1.12	4.79	36	12.4
S120755		0.149	<0.02	0.27	64	1.46	5.93	58	19.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com

To: OBAN MINING CORPORATION  
155 UNIVERSITY AVENUE  
SUITE 1440  
TORONTO ON M5H 3B7

Page: 3 - A  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 10-MAY-2016  
Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
S120756		1.52	0.012	0.04	3.40	0.7	<0.2	<10	<10	0.67	0.18	1.00	0.04	16.05	44.5	856
S120757		0.65	0.013	0.12	1.09	0.7	<0.2	<10	40	0.15	0.13	3.65	0.05	8.38	16.4	343
S120758		1.95	0.001	0.11	1.34	1.6	<0.2	<10	10	0.18	0.39	0.48	0.05	8.11	18.6	100
S120759		1.97	0.003	0.04	1.90	1.7	<0.2	<10	20	0.53	0.26	1.15	0.06	33.2	28.8	152
S120760		<0.02	0.005	0.05	1.90	1.8	<0.2	<10	20	0.55	0.26	1.15	0.06	33.7	29.6	149
S120761		2.02	0.001	0.01	1.16	0.6	<0.2	<10	20	0.17	0.13	1.34	0.01	11.50	15.3	99
S120762		1.92	0.001	0.02	1.28	1.6	<0.2	<10	20	0.20	0.28	0.77	0.33	8.55	13.0	102
S120763		1.93	0.001	0.02	1.19	2.3	<0.2	<10	10	0.20	0.21	0.87	0.02	10.10	19.8	198
S120764		3.07	0.001	0.01	1.11	1.4	<0.2	10	10	0.16	0.23	0.80	0.03	11.30	12.5	207
S120765		3.23	0.001	0.01	1.42	0.6	<0.2	20	10	0.19	0.25	1.13	0.03	26.4	14.0	128
S120766		3.05	0.002	0.01	1.39	0.3	<0.2	10	20	0.29	0.14	1.48	0.02	24.4	15.6	134
S120767		1.61	0.015	0.08	1.22	0.2	<0.2	<10	10	0.13	0.05	4.98	0.04	36.3	16.9	94
S120768		1.88	0.011	0.10	1.35	0.2	<0.2	<10	10	0.11	0.04	4.51	0.04	42.2	19.5	121
S120769		0.92	0.074	0.08	0.46	<0.1	<0.2	<10	30	0.19	0.03	8.26	0.09	28.4	22.5	27
S120770		0.12	<0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.89	0.1	<1
S120771		1.61	0.022	0.01	1.20	0.2	<0.2	<10	40	0.20	0.01	5.61	0.06	43.2	24.8	89
S120772		2.88	0.003	0.05	2.96	0.5	<0.2	<10	10	0.26	0.02	4.67	0.04	37.0	24.3	281
S120773		3.07	0.001	0.02	2.95	0.6	<0.2	<10	10	0.33	0.02	3.97	0.04	41.0	26.0	264
S120774		3.07	0.003	0.03	2.20	0.6	<0.2	<10	<10	0.16	0.01	1.51	0.02	29.4	21.4	264
S120775		2.02	0.006	0.02	3.93	0.4	<0.2	<10	10	0.11	0.02	3.11	0.02	16.85	24.4	464
S120776		2.12	0.014	0.06	4.36	0.3	<0.2	<10	<10	0.11	0.01	1.46	0.01	10.15	23.1	350
S120777		3.39	0.002	0.08	3.12	0.5	<0.2	<10	10	0.10	0.01	2.67	0.02	1.65	34.0	246
S120778		0.83	0.011	0.03	4.22	1.0	<0.2	<10	<10	0.11	0.06	5.87	0.05	3.25	29.4	231
S120779		2.99	0.004	<0.01	4.01	0.3	<0.2	<10	<10	0.13	0.02	6.01	0.05	3.02	31.3	281
S120780		0.07	9.25	9.58	1.70	11.6	9.1	<10	30	0.54	0.07	4.00	0.30	22.5	10.6	18
S120781		2.93	0.003	0.01	4.61	0.5	<0.2	<10	10	0.13	0.03	7.21	0.08	2.70	39.7	278
S120782		2.96	0.044	0.02	1.75	0.3	<0.2	<10	20	0.12	0.01	4.76	0.04	9.51	11.9	122
S120783		2.99	0.025	0.06	0.61	0.2	<0.2	<10	10	0.08	0.05	3.74	0.02	12.80	8.6	34
S120784		3.04	0.054	0.04	2.06	0.1	<0.2	<10	10	0.13	0.01	5.51	0.05	57.8	26.6	236
S120785		1.52	0.004	0.06	1.10	0.1	<0.2	<10	20	0.13	0.03	6.77	0.06	38.1	25.4	106
S120786		2.54	0.003	0.02	0.44	0.4	<0.2	<10	70	0.14	0.01	6.14	0.07	9.25	11.8	18
S120787		2.66	0.054	0.04	1.49	0.1	<0.2	<10	20	0.16	0.01	6.85	0.06	5.78	27.6	71
S120788		2.82	0.035	0.14	1.14	0.3	<0.2	<10	110	0.16	0.01	7.66	0.07	8.90	27.1	53
S120789		0.67	0.010	0.07	0.27	0.3	<0.2	<10	20	0.12	<0.01	4.15	0.04	10.05	6.0	15
S120790		<0.02	0.024	0.07	0.26	0.4	<0.2	<10	20	0.08	<0.01	4.18	0.04	9.92	6.0	15
S120791		1.64	0.001	0.01	0.15	<0.1	<0.2	<10	20	0.08	<0.01	4.47	0.04	12.55	3.9	13
S120792		0.99	0.182	0.10	0.09	0.6	<0.2	<10	650	<0.05	0.05	2.51	0.03	5.90	5.0	14
S120793		1.86	0.011	0.07	0.28	0.3	<0.2	<10	450	0.08	0.03	3.61	0.05	9.86	10.1	13
S120794		1.89	0.019	0.26	0.35	0.2	<0.2	<10	100	0.12	0.02	4.38	0.05	11.20	11.2	17
S120795		1.95	0.044	0.03	0.42	0.1	<0.2	<10	20	0.10	0.01	4.73	0.04	13.95	9.1	32



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

CERTIFICATE OF ANALYSIS    TM16065185
---------------------------------------

Sample Description	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	ppm 0.05	ppm 0.2	% 0.01	ppm 0.05	ppm 0.05	ppm 0.02	ppm 0.01	ppm 0.005	% 0.01	ppm 0.2	ppm 0.1	% 0.01	ppm 5	ppm 0.05	% 0.01
S120756	0.32	45.2	4.92	9.94	0.13	0.16	0.01	0.012	0.01	6.8	33.4	6.81	588	1.59	0.03
S120757	0.11	57.1	1.95	3.90	0.05	0.11	0.01	0.005	<0.01	3.7	9.6	2.06	294	1.40	0.02
S120758	0.20	323	2.54	6.98	<0.05	0.22	<0.01	<0.005	0.08	3.7	13.7	1.61	253	1.87	0.06
S120759	0.15	95.6	3.33	9.44	0.07	0.17	<0.01	0.007	0.09	13.7	18.6	2.46	392	4.68	0.04
S120760	0.15	88.2	3.30	9.63	0.08	0.16	<0.01	0.007	0.09	14.1	19.2	2.41	384	4.54	0.04
S120761	0.08	25.7	2.11	6.01	0.05	0.10	<0.01	<0.005	0.05	5.1	11.3	1.41	266	0.51	0.05
S120762	0.09	57.3	2.46	6.76	<0.05	0.10	<0.01	<0.005	0.06	3.9	12.9	1.41	303	0.37	0.07
S120763	0.07	29.8	2.30	7.02	<0.05	0.09	<0.01	0.005	0.04	4.2	12.0	1.35	268	0.50	0.07
S120764	0.13	25.6	1.97	6.05	<0.05	0.12	<0.01	<0.005	0.06	4.6	12.6	1.21	259	0.58	0.08
S120765	0.20	10.9	2.40	6.86	0.06	0.14	<0.01	0.005	0.11	11.4	14.8	1.47	312	0.23	0.05
S120766	0.13	11.7	2.31	7.80	0.06	0.15	<0.01	0.006	0.09	10.1	13.0	1.50	317	0.21	0.06
S120767	0.09	13.5	2.93	3.97	0.05	0.06	<0.01	0.015	0.10	15.5	10.9	2.69	556	0.08	0.06
S120768	0.07	24.9	3.41	4.96	0.06	0.06	<0.01	0.020	0.05	18.1	10.1	2.63	590	0.19	0.07
S120769	0.11	41.8	3.75	1.23	0.05	0.10	<0.01	0.015	0.15	11.9	2.5	3.28	887	1.02	0.02
S120770	<0.05	0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.05	<0.01
S120771	0.10	42.7	3.74	3.37	0.07	0.11	<0.01	0.018	0.15	18.4	8.3	3.07	628	1.05	0.03
S120772	<0.05	39.9	3.89	10.85	0.15	0.14	<0.01	0.022	0.02	15.6	16.2	3.48	677	1.61	0.05
S120773	<0.05	29.5	3.78	8.58	0.16	0.17	<0.01	0.022	0.01	16.7	13.3	3.42	640	0.64	0.04
S120774	<0.05	27.0	2.55	5.76	0.11	0.12	<0.01	0.005	0.01	12.2	9.4	2.45	421	0.26	0.05
S120775	0.06	89.9	6.12	10.15	0.17	0.12	0.01	0.016	<0.01	6.4	19.2	4.34	883	0.35	0.03
S120776	0.06	166.5	6.77	9.97	0.18	0.11	<0.01	0.009	<0.01	3.1	26.0	4.41	966	0.28	0.03
S120777	<0.05	59.1	3.66	5.49	0.12	0.08	<0.01	0.008	0.01	0.5	13.3	3.19	680	0.08	0.03
S120778	0.06	46.7	6.55	8.63	0.22	0.03	<0.01	0.026	<0.01	1.2	22.3	4.21	979	0.11	0.01
S120779	0.08	38.8	5.23	9.22	0.18	0.05	<0.01	0.027	0.01	1.0	24.0	4.37	876	0.06	0.03
S120780	2.65	67.4	3.04	6.59	0.10	0.66	0.15	0.029	0.14	10.3	22.7	1.09	811	4.98	0.07
S120781	0.07	62.8	6.22	10.70	0.13	0.02	<0.01	0.031	0.02	1.0	34.7	4.58	977	0.10	0.03
S120782	0.05	17.4	2.17	5.38	<0.05	0.03	<0.01	0.011	0.08	3.5	16.1	1.90	476	0.36	0.05
S120783	0.06	14.4	1.72	2.14	<0.05	0.04	<0.01	0.008	0.08	4.7	4.4	1.76	401	0.28	0.06
S120784	0.09	50.4	4.47	6.73	0.09	0.09	<0.01	0.026	0.05	24.1	18.0	3.79	810	0.08	0.06
S120785	0.08	132.0	4.01	3.23	0.06	0.06	<0.01	0.023	0.11	15.3	8.2	3.32	815	0.99	0.03
S120786	0.20	50.9	2.71	0.74	<0.05	<0.02	<0.01	0.012	0.18	3.3	1.7	2.66	659	0.63	0.04
S120787	0.12	59.9	4.53	2.56	<0.05	<0.02	<0.01	0.022	0.16	1.9	10.8	4.05	865	0.21	0.04
S120788	0.24	41.9	4.35	2.14	<0.05	<0.02	<0.01	0.026	0.15	3.1	8.7	3.76	1040	0.22	0.03
S120789	0.10	5.8	1.89	0.81	<0.05	0.02	<0.01	0.014	0.11	3.1	1.2	1.84	640	0.38	0.04
S120790	0.10	6.0	1.89	0.78	<0.05	0.03	<0.01	0.015	0.10	3.1	1.2	1.84	637	0.38	0.04
S120791	<0.05	2.4	1.38	0.53	<0.05	0.04	<0.01	0.010	0.07	4.0	0.4	2.19	513	0.41	0.06
S120792	<0.05	91.8	1.64	0.43	<0.05	0.03	<0.01	0.010	0.02	2.1	0.9	0.98	339	4.41	0.05
S120793	<0.05	18.3	1.89	1.25	<0.05	0.06	<0.01	0.016	0.05	3.8	1.9	1.61	428	1.84	0.06
S120794	<0.05	15.0	2.32	1.61	<0.05	0.05	<0.01	0.013	0.06	4.3	2.6	2.03	473	2.21	0.05
S120795	0.05	11.7	2.42	1.49	<0.05	0.03	<0.01	0.011	0.12	5.1	2.5	2.17	599	0.30	0.04



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
S120756	<0.05	461	800	19.4	0.4	0.001	0.23	0.07	4.4	0.8	0.2	64.1	<0.01	0.07	0.7	
S120757	<0.05	173.5	220	4.7	0.2	<0.001	0.19	0.07	2.6	0.5	0.2	27.4	<0.01	0.16	0.2	
S120758	<0.05	64.1	350	5.8	2.4	<0.001	0.49	<0.05	1.9	1.3	0.2	14.1	<0.01	0.14	0.4	
S120759	0.06	90.5	1260	8.6	2.3	0.001	0.43	0.09	4.3	1.1	0.2	56.3	<0.01	0.11	2.1	
S120760	0.06	90.2	1220	8.2	2.1	0.001	0.42	0.08	4.2	1.3	0.2	55.6	<0.01	0.10	2.1	
S120761	0.05	58.6	430	2.3	1.3	<0.001	0.24	0.05	1.6	0.6	0.2	28.6	<0.01	0.06	0.8	
S120762	<0.05	59.3	360	3.4	1.7	<0.001	0.31	<0.05	1.7	1.0	<0.2	21.0	<0.01	0.04	0.7	
S120763	0.05	99.3	500	4.9	1.1	0.001	0.45	0.06	1.7	1.6	<0.2	29.8	<0.01	0.08	0.6	
S120764	0.08	93.5	410	2.0	1.8	<0.001	0.22	<0.05	1.6	0.7	<0.2	22.0	<0.01	0.05	0.9	
S120765	0.09	98.4	990	1.3	3.6	0.001	0.23	0.06	1.7	0.9	0.2	30.4	<0.01	0.07	1.6	
S120766	0.09	94.1	1060	1.4	2.9	<0.001	0.18	0.05	1.9	0.6	0.2	34.6	<0.01	0.08	1.4	
S120767	<0.05	94.9	980	1.0	2.8	<0.001	<0.01	<0.05	7.4	0.2	<0.2	162.5	<0.01	0.11	1.3	
S120768	<0.05	106.0	970	0.8	1.2	<0.001	<0.01	<0.05	8.2	<0.2	<0.2	151.0	<0.01	0.07	1.3	
S120769	<0.05	102.0	810	2.7	3.5	0.001	0.24	<0.05	4.8	0.4	<0.2	201	<0.01	0.83	0.9	
S120770	<0.05	0.3	10	0.5	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	<0.2	
S120771	<0.05	152.0	1100	1.1	3.3	0.001	0.01	<0.05	6.4	0.4	<0.2	152.0	<0.01	0.02	1.4	
S120772	0.09	152.5	1350	0.5	0.4	0.001	<0.01	<0.05	12.2	0.2	0.3	132.0	<0.01	0.01	1.6	
S120773	0.11	154.5	1400	0.6	0.2	0.001	<0.01	<0.05	10.9	0.4	0.3	142.0	<0.01	0.01	1.9	
S120774	0.10	142.0	1250	0.5	0.2	0.001	<0.01	0.07	2.3	0.2	0.2	93.3	<0.01	0.01	1.9	
S120775	0.06	174.5	690	0.2	0.1	<0.001	0.15	<0.05	8.4	0.4	0.2	48.4	<0.01	0.01	1.5	
S120776	0.05	97.1	110	0.3	0.1	<0.001	0.13	<0.05	7.4	0.4	0.2	47.7	<0.01	0.01	2.0	
S120777	<0.05	124.0	60	0.5	0.3	<0.001	<0.01	0.08	7.5	0.2	<0.2	111.5	<0.01	0.01	0.2	
S120778	<0.05	115.0	110	0.2	0.1	<0.001	0.22	0.05	17.7	0.6	<0.2	57.7	<0.01	0.02	<0.2	
S120779	<0.05	126.0	90	0.2	0.2	0.001	0.02	<0.05	20.1	0.4	0.2	57.6	<0.01	0.01	<0.2	
S120780	0.13	10.8	660	15.0	6.5	0.002	0.43	0.41	8.8	0.7	0.6	112.5	<0.01	4.18	1.7	
S120781	<0.05	161.5	70	0.3	0.5	0.001	0.09	<0.05	23.9	0.4	<0.2	71.2	<0.01	<0.01	<0.2	
S120782	<0.05	71.3	370	0.4	1.7	<0.001	<0.01	<0.05	5.6	<0.2	<0.2	78.1	<0.01	0.02	0.3	
S120783	<0.05	54.1	480	0.6	1.7	<0.001	<0.01	<0.05	3.8	0.2	<0.2	93.2	<0.01	0.09	0.5	
S120784	<0.05	163.0	1450	0.7	1.3	<0.001	<0.01	<0.05	10.8	0.3	<0.2	173.0	<0.01	0.02	2.2	
S120785	<0.05	135.5	1170	1.3	2.6	0.001	<0.01	<0.05	9.2	<0.2	<0.2	233	<0.01	0.04	1.3	
S120786	<0.05	62.4	330	0.6	3.9	0.001	0.05	<0.05	4.8	0.5	<0.2	129.0	<0.01	0.01	0.3	
S120787	<0.05	129.5	130	1.7	3.5	0.001	0.01	<0.05	11.9	0.4	<0.2	162.0	<0.01	0.03	0.2	
S120788	<0.05	119.0	130	1.8	3.8	<0.001	<0.01	<0.05	11.8	0.2	<0.2	183.5	<0.01	0.09	0.2	
S120789	<0.05	26.9	280	1.3	2.6	0.001	<0.01	<0.05	6.6	<0.2	<0.2	115.5	<0.01	0.04	0.4	
S120790	<0.05	26.7	280	1.1	2.6	<0.001	<0.01	0.05	6.6	0.2	<0.2	117.0	<0.01	0.06	0.4	
S120791	<0.05	24.3	140	1.5	1.6	<0.001	<0.01	<0.05	9.6	<0.2	<0.2	140.5	<0.01	0.01	0.6	
S120792	<0.05	21.8	180	1.4	0.6	0.001	0.36	0.07	4.5	0.4	<0.2	197.5	<0.01	0.17	0.3	
S120793	<0.05	40.6	460	2.4	1.2	0.002	0.11	<0.05	6.6	0.3	<0.2	194.0	<0.01	0.34	0.6	
S120794	<0.05	48.3	500	3.0	1.5	0.003	0.07	<0.05	7.1	0.3	<0.2	189.0	<0.01	0.59	0.6	
S120795	<0.05	52.9	390	1.5	2.7	<0.001	0.06	<0.05	6.5	0.3	<0.2	128.0	<0.01	0.05	0.6	



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120756		0.183	<0.02	0.15	97	1.45	5.52	97	7.5
S120757		0.060	<0.02	0.06	42	0.98	2.32	31	4.5
S120758		0.057	<0.02	0.09	32	0.94	1.62	40	7.8
S120759		0.113	<0.02	0.19	87	1.28	3.82	56	5.0
S120760		0.110	<0.02	0.19	84	1.28	3.83	55	5.0
S120761		0.078	<0.02	0.14	32	0.83	2.13	34	2.4
S120762		0.074	<0.02	0.13	29	0.90	1.80	44	2.2
S120763		0.077	<0.02	0.08	34	0.71	2.21	35	2.1
S120764		0.078	<0.02	0.10	33	0.63	2.86	32	2.8
S120765		0.084	<0.02	0.15	43	0.65	4.45	39	4.9
S120766		0.104	<0.02	0.14	71	0.85	4.87	39	4.5
S120767		<0.005	<0.02	0.08	28	<0.05	4.13	50	2.8
S120768		<0.005	<0.02	0.09	35	<0.05	4.01	53	2.9
S120769		<0.005	0.02	0.07	14	0.08	5.42	49	3.9
S120770		<0.005	<0.02	0.06	<1	<0.05	0.55	2	0.8
S120771		<0.005	0.02	0.11	21	0.10	4.55	64	4.0
S120772		0.135	<0.02	0.20	95	0.15	6.57	64	3.9
S120773		0.150	<0.02	0.25	83	0.13	7.07	68	4.2
S120774		0.133	<0.02	0.22	50	0.09	3.94	46	3.8
S120775		0.138	<0.02	0.18	86	0.33	4.61	95	3.4
S120776		0.139	<0.02	0.08	91	0.52	2.97	79	2.7
S120777		0.176	<0.02	<0.05	80	0.14	2.71	56	1.6
S120778		0.141	<0.02	<0.05	137	0.28	5.66	63	0.8
S120779		0.151	<0.02	<0.05	153	0.12	6.32	66	1.1
S120780		0.136	0.08	0.47	81	0.49	8.51	65	21.6
S120781		0.047	<0.02	<0.05	158	<0.05	4.35	83	0.5
S120782		<0.005	<0.02	<0.05	40	<0.05	1.65	31	0.9
S120783		<0.005	<0.02	<0.05	14	<0.05	2.26	26	1.2
S120784		<0.005	<0.02	0.19	51	0.05	5.89	62	3.2
S120785		<0.005	<0.02	0.09	31	0.07	4.78	58	2.2
S120786		<0.005	0.02	<0.05	7	<0.05	3.56	24	0.5
S120787		<0.005	0.02	<0.05	33	0.06	2.29	50	<0.5
S120788		<0.005	0.02	<0.05	26	0.06	3.77	49	<0.5
S120789		<0.005	<0.02	<0.05	10	0.16	2.21	17	1.0
S120790		<0.005	<0.02	<0.05	10	0.06	2.23	17	1.0
S120791		<0.005	<0.02	<0.05	8	0.06	1.94	24	1.2
S120792		<0.005	<0.02	<0.05	5	0.07	1.32	18	1.0
S120793		<0.005	<0.02	0.06	12	0.07	2.72	32	1.8
S120794		<0.005	<0.02	0.05	17	0.08	2.86	39	1.5
S120795		<0.005	<0.02	<0.05	13	0.07	2.53	33	1.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.02	0.1	1	
S120796		2.02	0.004	0.01	0.18	0.3	<0.2	<10	10	0.12	0.01	6.00	0.03	15.65	3.3	13
S120797		2.01	0.011	0.01	0.15	0.2	<0.2	<10	10	0.09	<0.01	7.17	0.02	8.95	3.3	10
S120798		1.98	0.002	<0.01	0.18	0.2	<0.2	<10	10	0.07	0.01	6.40	0.02	11.40	3.0	6
S120799		3.03	0.002	0.01	0.17	0.1	<0.2	<10	10	0.09	0.01	7.09	0.03	23.0	5.4	9
S120800		3.18	0.021	0.03	0.84	0.4	<0.2	<10	140	0.11	0.02	7.67	0.03	99.7	18.8	128
S120801		2.90	0.017	0.08	0.22	0.5	<0.2	<10	10	0.09	0.01	6.18	0.02	16.30	5.0	6
S120802		1.44	0.032	0.02	1.73	0.6	<0.2	<10	10	0.14	0.04	6.45	0.04	10.80	24.1	6
S120803		0.57	0.766	0.11	1.82	0.8	0.5	<10	10	0.12	0.09	7.52	0.05	5.03	32.2	7
S120804		1.95	0.013	0.03	2.43	0.3	<0.2	<10	10	0.12	0.05	7.23	0.06	4.55	27.1	13
S120805		3.08	0.025	0.02	0.21	0.3	<0.2	<10	10	0.08	0.01	9.39	0.03	21.3	6.3	4
S120806		2.70	0.014	0.01	0.18	0.4	<0.2	<10	10	0.08	0.02	7.58	0.02	26.9	6.2	5
S120807		1.92	0.155	0.03	0.12	0.1	<0.2	<10	240	<0.05	0.01	5.46	0.06	14.00	7.0	9
S120808		2.27	0.007	0.09	0.65	0.3	<0.2	<10	50	0.14	0.01	7.69	0.07	113.0	26.2	48
S120809		2.66	0.061	0.24	1.18	0.7	<0.2	<10	20	0.18	0.02	7.28	0.05	39.2	21.3	42
S120810		0.11	<0.001	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.90	0.1	<1
S120811		3.10	0.001	<0.01	0.18	0.4	<0.2	<10	10	0.07	<0.01	7.34	0.03	28.2	5.9	6
S120812		2.96	0.002	0.01	0.94	0.4	<0.2	<10	10	0.08	0.01	6.97	0.02	25.5	7.5	15
S120813		2.36	0.010	<0.01	0.21	0.4	<0.2	<10	10	0.10	<0.01	7.59	0.03	25.1	4.5	8
S120814		2.80	0.002	0.01	1.46	0.3	<0.2	<10	10	0.15	0.01	8.01	0.03	15.20	6.4	71
S120815		2.95	0.013	<0.01	1.46	0.3	<0.2	<10	<10	0.16	<0.01	6.36	0.03	19.95	1.9	17
S120816		2.79	<0.001	0.01	1.01	0.3	<0.2	<10	<10	0.13	<0.01	3.93	0.01	19.15	1.5	14
S120817		3.08	<0.001	<0.01	1.65	1.3	<0.2	10	<10	0.20	<0.01	3.97	0.02	17.30	1.6	13
S120818		2.75	<0.001	0.01	0.83	1.7	<0.2	<10	<10	0.08	<0.01	3.14	0.01	16.35	2.3	12
S120819		3.14	<0.001	0.01	0.94	0.6	<0.2	<10	<10	0.11	<0.01	3.43	0.01	20.8	1.9	13
S120820		0.06	2.50	4.67	1.51	18.2	2.3	<10	40	0.53	0.08	3.65	0.37	22.3	10.2	24
S120821		3.00	0.001	0.01	0.76	3.1	<0.2	<10	<10	0.08	0.01	6.35	0.01	33.4	1.5	23
S120822		3.03	<0.001	<0.01	1.06	0.4	<0.2	<10	<10	0.12	<0.01	3.31	0.01	20.9	1.1	27
S120823		2.25	0.005	<0.01	1.42	0.3	<0.2	<10	<10	0.13	<0.01	7.70	0.02	17.10	2.5	17
S120824		2.23	0.027	0.01	1.68	0.3	<0.2	<10	<10	0.15	<0.01	9.82	0.02	22.9	4.0	18
S120825		0.56	0.234	0.39	3.10	0.7	0.2	<10	10	0.21	0.23	9.88	0.04	9.62	20.7	28
S120826		2.05	0.002	0.01	1.67	0.3	<0.2	<10	10	0.15	<0.01	8.51	0.02	19.55	6.0	14
S120827		2.71	0.005	0.01	1.40	0.3	<0.2	<10	10	0.11	0.01	6.85	0.02	14.35	3.2	17
S120828		2.06	0.001	0.08	2.37	0.7	<0.2	<10	<10	0.15	0.01	1.70	0.01	5.23	30.5	21
S120829		2.05	0.010	0.03	2.05	0.2	<0.2	<10	10	0.14	0.01	7.01	0.02	14.25	5.3	19
S120830		<0.02	0.014	0.05	2.09	0.4	<0.2	<10	10	0.20	0.01	6.44	0.02	14.25	5.4	19
S120831		2.98	0.002	0.01	1.09	0.3	<0.2	<10	10	0.14	<0.01	5.92	0.01	17.35	1.6	20
S120832		2.65	0.007	0.01	1.45	0.2	<0.2	<10	20	0.12	0.01	4.31	0.02	17.55	2.8	30



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
S120796		0.06	1.6	1.40	0.70	<0.05	0.03	<0.01	0.009	0.05	3.9	0.6	2.89	625	0.34	0.06
S120797		0.06	1.4	1.19	0.60	<0.05	0.02	<0.01	0.009	0.04	2.3	0.6	3.15	617	0.07	0.06
S120798		0.06	1.1	1.05	0.76	<0.05	0.03	<0.01	0.008	0.04	3.0	0.7	2.43	518	0.10	0.07
S120799		0.05	1.2	1.47	0.74	<0.05	0.06	<0.01	0.012	0.03	7.4	0.7	2.88	606	0.06	0.06
S120800		0.07	7.6	2.93	3.18	0.12	0.22	<0.01	0.017	0.06	42.4	7.8	4.04	755	0.14	0.05
S120801		<0.05	1.8	1.55	1.26	<0.05	0.03	<0.01	0.012	0.06	4.6	1.4	2.26	693	0.25	0.05
S120802		0.07	122.5	6.14	6.37	0.05	0.02	<0.01	0.036	0.07	3.1	13.8	2.45	1180	0.21	0.04
S120803		0.07	177.0	8.23	7.32	0.05	0.02	<0.01	0.041	0.11	1.7	13.4	2.12	1450	0.23	0.03
S120804		0.08	103.0	7.36	11.05	0.05	<0.02	<0.01	0.046	0.05	1.4	19.1	2.20	1210	0.34	0.04
S120805		0.06	0.7	1.87	0.83	<0.05	0.03	<0.01	0.015	0.06	5.3	0.7	2.79	810	0.05	0.06
S120806		0.05	5.1	1.84	0.88	0.05	0.06	<0.01	0.012	0.07	6.8	0.6	3.20	763	0.12	0.05
S120807		<0.05	6.5	2.02	0.55	<0.05	0.05	<0.01	0.017	0.02	4.7	0.6	2.05	715	0.55	0.05
S120808		0.06	19.5	4.40	2.49	0.13	0.14	<0.01	0.033	0.11	49.9	5.4	3.55	824	0.70	0.02
S120809		0.10	4.7	4.88	3.29	0.06	0.07	<0.01	0.041	0.11	15.5	9.9	2.88	1080	0.18	0.04
S120810		<0.05	0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	<0.01
S120811		0.05	0.8	1.67	0.90	0.05	0.04	<0.01	0.019	0.04	6.7	0.8	3.19	755	<0.05	0.06
S120812		0.07	0.9	2.95	3.61	0.05	0.07	<0.01	0.020	0.04	6.6	9.4	3.32	842	0.62	0.06
S120813		0.05	0.4	1.39	1.03	0.05	0.03	<0.01	0.011	0.08	6.0	0.7	3.23	741	<0.05	0.05
S120814		0.05	0.5	1.48	6.42	0.06	0.08	<0.01	0.013	0.06	4.2	12.8	2.77	668	0.14	0.03
S120815		<0.05	1.0	0.62	7.02	0.19	0.26	<0.01	0.005	0.01	4.8	10.0	1.42	382	0.18	0.06
S120816		<0.05	5.7	0.43	4.40	0.16	0.45	<0.01	<0.005	<0.01	4.5	4.0	0.73	225	0.11	0.06
S120817		<0.05	3.0	0.39	6.44	0.22	0.36	<0.01	<0.005	<0.01	4.3	3.3	0.63	205	0.16	0.06
S120818		<0.05	4.2	0.60	3.58	0.16	0.34	<0.01	<0.005	<0.01	4.2	3.3	0.53	212	0.16	0.05
S120819		<0.05	2.9	0.58	4.42	0.13	0.32	<0.01	<0.005	<0.01	5.3	4.9	0.85	225	0.10	0.07
S120820		3.12	71.7	2.91	6.27	0.07	0.35	0.08	0.039	0.22	10.6	17.0	0.85	664	5.88	0.06
S120821		<0.05	2.1	0.51	4.04	0.13	0.16	<0.01	0.006	<0.01	11.9	3.7	0.67	283	0.09	0.05
S120822		<0.05	1.2	0.37	4.40	0.19	0.40	<0.01	<0.005	<0.01	5.0	3.7	0.63	192	0.11	0.06
S120823		<0.05	0.5	0.87	7.94	0.15	0.26	<0.01	0.009	0.01	4.4	12.1	2.00	499	0.18	0.06
S120824		<0.05	0.3	1.28	7.51	0.13	0.05	<0.01	0.012	0.01	5.7	13.1	2.23	675	0.05	0.05
S120825		<0.05	86.8	6.88	13.30	0.18	0.11	<0.01	0.046	0.01	2.7	13.7	3.11	971	0.62	0.03
S120826		<0.05	2.5	1.88	7.26	0.10	0.10	<0.01	0.016	0.03	4.9	8.7	1.97	680	0.08	0.05
S120827		<0.05	1.8	1.01	6.45	0.12	0.30	<0.01	0.010	0.01	3.6	7.5	1.88	548	0.12	0.06
S120828		<0.05	44.0	6.86	7.33	0.24	0.15	<0.01	0.016	<0.01	1.6	5.9	2.05	947	0.28	0.01
S120829		<0.05	2.1	2.47	8.19	0.20	0.19	<0.01	0.014	0.01	3.6	11.9	2.30	654	0.14	0.05
S120830		<0.05	2.0	2.51	8.31	0.18	0.20	<0.01	0.011	0.01	3.6	12.3	2.33	636	0.09	0.05
S120831		<0.05	1.2	0.65	4.77	0.13	0.37	<0.01	<0.005	0.02	4.1	6.9	1.45	382	0.09	0.05
S120832		<0.05	29.4	1.55	5.63	0.10	0.29	<0.01	0.005	0.05	4.3	9.2	1.43	376	0.40	0.06

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
S120796		<0.05	24.1	70	0.6	1.2	<0.001	<0.01	<0.05	19.7	0.4	<0.2	93.0	<0.01	<0.01	0.5
S120797		<0.05	20.9	70	0.5	0.9	<0.001	<0.01	<0.05	22.1	0.4	<0.2	112.5	<0.01	<0.01	0.3
S120798		<0.05	14.6	100	0.3	0.9	<0.001	<0.01	<0.05	19.2	0.2	<0.2	82.1	<0.01	0.01	0.3
S120799		<0.05	32.9	220	0.6	0.8	<0.001	<0.01	<0.05	19.5	0.5	<0.2	88.5	<0.01	0.01	0.6
S120800		<0.05	121.0	1380	1.2	1.3	<0.001	0.01	<0.05	16.5	1.0	<0.2	148.5	<0.01	0.02	4.2
S120801		<0.05	22.9	890	1.2	1.4	<0.001	<0.01	<0.05	17.6	0.5	<0.2	132.5	<0.01	0.03	0.3
S120802		<0.05	27.2	780	0.7	1.6	0.002	0.30	<0.05	21.4	0.8	<0.2	114.5	<0.01	0.04	0.2
S120803		<0.05	27.3	620	1.2	2.5	0.001	1.30	<0.05	16.5	1.1	<0.2	159.0	<0.01	0.14	<0.2
S120804		<0.05	29.1	540	0.5	1.1	0.003	0.28	<0.05	19.9	0.9	<0.2	110.0	<0.01	0.06	<0.2
S120805		<0.05	30.2	790	0.5	1.5	<0.001	0.01	<0.05	19.8	0.3	<0.2	147.0	<0.01	0.01	0.5
S120806		<0.05	43.0	920	0.6	1.5	<0.001	0.03	0.06	22.4	0.4	<0.2	122.5	<0.01	<0.01	0.6
S120807		<0.05	30.1	970	2.1	0.6	0.001	0.17	<0.05	16.9	0.4	<0.2	207	<0.01	0.08	0.3
S120808		<0.05	146.0	1760	4.3	2.7	0.001	0.02	<0.05	11.0	0.7	<0.2	312	<0.01	0.36	4.9
S120809		<0.05	122.0	1710	1.7	2.5	<0.001	0.02	<0.05	11.5	0.5	<0.2	183.5	<0.01	0.42	1.7
S120810		<0.05	0.3	10	0.4	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
S120811		<0.05	38.6	610	0.5	0.9	<0.001	0.06	<0.05	29.6	0.4	<0.2	134.0	<0.01	<0.01	0.6
S120812		<0.05	40.6	990	0.3	1.0	0.001	0.01	<0.05	28.3	0.4	<0.2	129.5	<0.01	<0.01	0.9
S120813		<0.05	30.1	550	0.3	1.8	<0.001	0.04	<0.05	23.7	0.5	<0.2	160.0	<0.01	<0.01	0.5
S120814		<0.05	50.8	440	0.3	1.3	<0.001	0.02	<0.05	10.8	0.4	<0.2	153.0	<0.01	<0.01	0.5
S120815		0.14	16.0	430	0.2	0.1	<0.001	0.01	0.05	8.0	0.5	0.3	66.0	<0.01	<0.01	0.7
S120816		0.33	9.5	40	0.3	0.1	<0.001	<0.01	0.05	5.1	0.5	0.4	38.1	0.01	<0.01	0.8
S120817		0.36	7.2	350	0.8	<0.1	<0.001	<0.01	0.06	6.6	0.5	0.4	27.4	0.01	<0.01	0.7
S120818		0.35	9.6	680	0.3	<0.1	<0.001	0.01	0.08	4.0	0.6	0.3	54.0	<0.01	<0.01	0.5
S120819		0.25	13.0	1060	0.3	0.1	<0.001	<0.01	0.06	4.2	0.5	0.4	43.9	<0.01	<0.01	0.8
S120820		0.06	10.6	610	16.9	11.2	0.003	0.84	0.46	8.1	0.9	0.5	114.0	<0.01	2.46	1.4
S120821		0.33	11.5	8170	0.3	0.1	<0.001	0.01	0.06	4.6	0.7	0.3	79.8	<0.01	<0.01	0.9
S120822		0.41	7.2	360	0.3	<0.1	<0.001	<0.01	0.07	5.0	0.7	0.4	32.7	0.01	<0.01	0.8
S120823		0.08	13.2	310	0.2	0.2	<0.001	0.02	<0.05	9.6	0.7	0.2	67.0	<0.01	<0.01	0.4
S120824		<0.05	20.1	870	0.5	0.3	<0.001	0.03	<0.05	14.4	0.6	<0.2	143.5	<0.01	<0.01	0.4
S120825		<0.05	45.6	530	1.7	0.3	<0.001	2.17	<0.05	31.0	0.7	<0.2	268	<0.01	0.51	0.2
S120826		<0.05	21.7	480	0.7	0.6	<0.001	<0.01	<0.05	14.0	0.4	<0.2	148.0	<0.01	<0.01	0.3
S120827		0.08	14.4	190	0.3	0.3	<0.001	0.06	<0.05	8.6	0.6	0.2	67.3	<0.01	<0.01	0.4
S120828		0.05	27.7	500	0.8	0.1	0.002	0.22	0.09	11.1	0.6	0.2	60.5	<0.01	0.01	<0.2
S120829		0.05	20.4	380	0.6	0.3	<0.001	0.25	<0.05	13.9	0.6	0.2	94.7	<0.01	<0.01	0.4
S120830		0.05	20.6	360	0.5	0.3	<0.001	0.23	<0.05	13.4	0.9	0.2	96.7	<0.01	<0.01	0.4
S120831		0.18	8.7	50	0.3	0.5	<0.001	0.03	<0.05	6.7	0.9	0.3	78.5	<0.01	<0.01	0.7
S120832		0.17	9.7	280	0.7	1.1	<0.001	0.10	<0.05	7.3	0.4	0.3	80.1	<0.01	<0.01	0.9



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065185**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120796		<0.005	<0.02	<0.05	10	<0.05	3.22	28	1.1
S120797		<0.005	<0.02	<0.05	11	<0.05	3.28	24	0.7
S120798		<0.005	<0.02	<0.05	11	<0.05	3.73	23	0.8
S120799		<0.005	<0.02	<0.05	13	<0.05	4.14	31	2.0
S120800		<0.005	<0.02	0.30	27	0.07	6.66	48	12.5
S120801		<0.005	<0.02	<0.05	17	0.09	4.49	23	1.0
S120802		<0.005	<0.02	<0.05	56	0.08	4.99	69	0.6
S120803		0.005	<0.02	<0.05	59	0.12	4.94	74	0.7
S120804		0.005	<0.02	<0.05	94	0.05	2.90	71	<0.5
S120805		<0.005	<0.02	<0.05	16	0.05	4.67	30	1.1
S120806		<0.005	<0.02	<0.05	16	0.11	4.63	31	1.9
S120807		<0.005	<0.02	0.08	10	0.19	4.17	31	1.8
S120808		<0.005	<0.02	0.34	21	0.13	9.25	51	10.4
S120809		<0.005	<0.02	0.10	24	0.11	8.13	54	2.8
S120810		<0.005	<0.02	0.05	<1	<0.05	0.49	<2	0.7
S120811		<0.005	<0.02	<0.05	18	0.10	5.07	26	1.5
S120812		<0.005	<0.02	0.05	50	0.07	5.19	41	2.5
S120813		<0.005	<0.02	<0.05	14	<0.05	4.33	20	1.1
S120814		0.048	<0.02	<0.05	63	<0.05	4.65	24	2.4
S120815		0.329	<0.02	0.16	77	0.15	11.65	13	7.4
S120816		0.460	<0.02	0.18	69	<0.05	15.95	10	13.2
S120817		0.398	<0.02	0.16	58	0.18	14.05	10	10.8
S120818		0.347	<0.02	0.18	56	0.23	12.20	9	10.1
S120819		0.313	<0.02	0.25	51	0.19	11.30	12	8.9
S120820		0.051	0.14	0.33	66	0.53	8.05	81	12.2
S120821		0.189	<0.02	0.18	44	0.67	10.20	8	5.2
S120822		0.403	<0.02	0.22	49	0.09	14.40	9	11.6
S120823		0.287	<0.02	0.11	65	0.07	12.80	17	8.1
S120824		0.024	<0.02	<0.05	75	0.08	6.07	21	1.5
S120825		0.012	<0.02	<0.05	206	0.17	4.49	59	1.6
S120826		0.091	<0.02	<0.05	72	0.08	8.17	26	2.9
S120827		0.343	<0.02	0.08	64	<0.05	13.50	21	8.7
S120828		0.300	<0.02	<0.05	103	0.21	9.15	70	3.1
S120829		0.225	<0.02	0.07	81	0.16	11.75	32	4.8
S120830		0.229	<0.02	0.07	81	0.14	12.10	32	4.9
S120831		0.384	<0.02	0.14	57	0.08	15.35	15	8.7
S120832		0.250	<0.02	0.18	51	0.25	11.15	18	6.8



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: **Appendix 1**  
 Total # Appendix Pages: **1**  
 Finalized Date: **10-MAY-2016**  
 Account: **OBMICO**

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16065185</b>
---

	<b>CERTIFICATE COMMENTS</b>
--	-----------------------------

	<b>ANALYTICAL COMMENTS</b>												
Applies to Method:	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41												
<b>LABORATORY ADDRESSES</b>													
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-ICP22 ME-MS41												
Applies to Method:	Processed at ALS Timmins located at Unit 10 - 2090 Riverside Drive, Timmins, ON, Canada.												
	<table style="width: 100%; border: none;"> <tr> <td>CRU-32</td> <td>CRU-QC</td> <td>LOG-21d</td> <td>LOG-22</td> </tr> <tr> <td>LOG-23</td> <td>PUL-35a</td> <td>PUL-35ad</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-32	CRU-QC	LOG-21d	LOG-22	LOG-23	PUL-35a	PUL-35ad	PUL-QC	SPL-21	SPL-21d	WEI-21	
CRU-32	CRU-QC	LOG-21d	LOG-22										
LOG-23	PUL-35a	PUL-35ad	PUL-QC										
SPL-21	SPL-21d	WEI-21											



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

**CERTIFICATE TM16065190**

Project: COTE

This report is for 84 Drill Core samples submitted to our lab in Timmins, ON, Canada on 28-APR-2016.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER
-------------------	-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

To: **OBAN MINING CORPORATION**  
**ATTN: MICHAELA KUUSKMAN**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.02	0.1	1	
S120833		1.14	0.004	0.05	0.75	6.3	<0.2	<10	10	<0.05	0.08	2.11	0.04	3.26	13.9	18
S120834		1.27	0.003	0.04	0.54	3.6	<0.2	<10	10	0.06	0.04	2.30	0.05	2.39	9.6	21
S120835		1.07	0.004	0.04	0.64	6.2	<0.2	<10	30	0.07	0.05	2.10	0.03	1.45	16.2	15
S120836		1.66	0.005	0.05	2.54	4.1	<0.2	<10	20	0.14	0.07	2.34	0.03	3.85	31.3	21
S120837		2.77	0.004	0.02	4.06	2.4	<0.2	<10	20	0.21	0.02	5.80	0.05	5.97	44.9	29
S120838		1.65	0.004	0.02	3.44	2.0	<0.2	<10	10	0.17	0.03	4.64	0.02	8.72	40.9	7
S120839		3.05	0.002	0.06	3.63	1.2	<0.2	<10	20	0.24	0.01	4.50	0.03	5.53	40.3	19
S120840		0.11	<0.001	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.84	0.2	<1
S120841		3.13	0.002	0.01	3.61	0.7	<0.2	<10	10	0.25	0.02	4.60	0.04	6.25	43.9	11
S120842		1.40	0.002	0.01	3.57	0.8	<0.2	<10	10	0.25	0.01	4.73	0.03	5.24	42.6	10
S120843		1.42	0.005	0.03	1.64	1.1	<0.2	<10	20	0.19	0.02	6.21	0.09	3.13	36.6	10
S120844		1.45	0.215	0.63	0.23	6.5	0.3	<10	10	0.09	0.24	5.14	0.16	1.95	39.4	12
S120845		1.99	0.018	0.17	0.10	6.3	<0.2	<10	10	0.10	0.03	4.81	0.13	2.40	38.1	15
S120846		1.50	0.019	0.11	0.10	10.8	<0.2	<10	10	0.08	0.03	4.79	0.10	2.08	32.4	8
S120847		2.82	0.004	0.02	1.24	1.7	<0.2	<10	10	0.10	0.02	4.39	0.06	4.14	37.6	2
S120848		1.76	0.025	0.07	0.15	1.5	<0.2	<10	10	0.09	0.02	4.24	0.17	4.41	29.4	6
S120849		1.86	0.088	0.07	0.10	0.8	<0.2	<10	10	0.06	0.03	3.66	0.20	3.63	32.0	6
S120850		0.06	9.22	9.92	1.63	12.1	9.4	<10	30	0.51	0.07	3.89	0.29	19.90	10.9	17
S120851		1.27	0.267	0.16	0.21	1.4	<0.2	<10	10	0.07	0.09	4.54	0.22	5.73	31.3	7
S120852		1.20	0.219	0.24	0.22	1.6	0.8	<10	10	0.09	0.07	3.10	0.22	4.73	23.2	18
S120853		1.01	0.056	0.06	0.11	1.7	<0.2	<10	10	<0.05	0.03	1.79	0.46	2.24	22.3	18
S120854		1.37	0.052	0.09	0.10	0.8	<0.2	<10	10	0.07	0.04	2.41	1.29	2.53	32.4	13
S120855		0.75	0.018	0.09	0.27	2.4	<0.2	<10	10	0.06	0.07	1.38	0.33	2.41	14.7	24
S120856		0.91	0.027	0.13	0.39	3.9	<0.2	<10	10	0.05	0.08	1.78	0.13	2.18	16.1	28
S120857		2.21	0.005	0.02	2.54	1.0	<0.2	<10	20	0.21	0.02	4.96	0.07	4.21	47.1	33
S120858		3.51	0.001	0.02	3.79	0.6	<0.2	<10	20	0.18	0.02	5.18	0.06	16.90	42.3	43
S120859		1.57	0.008	0.08	2.69	0.9	<0.2	<10	10	0.22	0.05	7.74	0.07	6.39	41.9	22
S120860		<0.02	0.008	0.08	2.68	0.8	<0.2	<10	10	0.26	0.04	7.73	0.07	6.36	41.5	21
S120861		2.08	0.023	0.09	3.33	0.7	<0.2	<10	10	0.26	0.03	5.21	0.02	8.99	40.8	18
S120862		2.04	0.029	0.13	2.88	2.0	<0.2	<10	<10	0.28	0.03	2.68	0.01	6.04	60.5	17
S120863		0.83	0.002	0.02	2.22	1.0	<0.2	<10	20	0.20	0.05	5.64	0.02	6.50	45.1	17
S120864		2.91	0.004	0.01	2.75	0.8	<0.2	<10	50	0.24	0.01	2.73	0.01	7.69	45.4	15
S120865		3.07	0.006	0.03	3.23	1.4	<0.2	<10	30	0.32	0.01	3.00	0.01	7.54	54.3	17
S120866		3.26	0.004	0.03	3.41	1.0	<0.2	<10	10	0.30	0.01	2.48	0.01	7.33	51.8	16
S120867		0.98	0.002	0.03	1.90	0.9	<0.2	<10	10	0.18	0.04	5.42	0.02	6.37	35.3	17
S120868		0.85	0.004	0.04	2.72	1.3	<0.2	<10	20	0.25	0.01	3.87	0.01	7.12	47.0	15
S120869		1.53	0.009	0.03	4.97	0.8	<0.2	<10	<10	0.32	0.04	1.32	0.01	5.00	53.6	13
S120870		0.12	0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.90	0.1	<1
S120871		1.55	0.003	0.02	3.53	1.6	<0.2	<10	40	0.32	0.08	1.54	0.01	3.22	49.5	10
S120872		2.33	0.005	0.04	3.80	1.9	<0.2	<10	70	0.30	0.21	0.67	<0.01	3.85	49.0	12



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120833		<0.05	68.4	3.06	2.78	<0.05	0.05	0.05	0.018	0.03	1.4	2.6	0.57	441	2.33	0.03
S120834		<0.05	52.8	2.65	1.46	<0.05	0.02	0.19	0.014	0.06	1.0	1.7	0.44	471	1.20	0.02
S120835		<0.05	40.0	2.74	1.78	<0.05	0.02	0.19	0.014	0.07	0.6	1.5	0.37	420	1.30	0.01
S120836		0.07	79.3	8.03	9.24	0.05	0.02	0.15	0.041	0.11	1.4	3.7	1.53	814	0.98	0.02
S120837		0.10	121.5	10.95	16.50	0.18	0.09	0.11	0.073	0.04	2.2	10.4	2.46	1200	0.22	0.02
S120838		0.09	116.5	10.75	16.05	0.19	0.06	0.09	0.116	0.02	3.3	13.1	2.86	1580	1.11	0.03
S120839		0.14	115.5	12.50	16.20	0.13	0.07	0.05	0.072	0.07	2.1	12.4	2.50	1450	2.05	0.03
S120840		<0.05	1.1	0.01	0.07	<0.05	0.02	0.04	<0.005	<0.01	0.4	0.1	<0.01	<5	0.05	0.01
S120841		0.14	128.5	11.75	17.55	0.20	0.08	0.02	0.073	0.03	2.2	12.9	2.48	1400	0.36	0.03
S120842		0.12	134.0	12.00	15.90	0.19	0.03	0.01	0.071	0.04	2.0	12.2	2.51	1440	0.35	0.03
S120843		0.07	121.5	10.35	8.00	0.09	0.03	0.01	0.065	0.06	1.2	3.8	2.33	1900	1.57	0.04
S120844		<0.05	91.2	7.78	1.46	<0.05	0.02	<0.01	0.049	0.02	0.7	0.8	1.94	1580	37.5	0.05
S120845		<0.05	151.5	7.95	0.72	<0.05	0.02	<0.01	0.060	0.04	0.8	0.5	1.95	1540	3.28	0.06
S120846		<0.05	90.2	7.15	0.72	<0.05	0.03	<0.01	0.055	0.03	0.7	0.5	1.86	1580	2.81	0.06
S120847		<0.05	77.7	10.35	9.95	0.09	0.04	<0.01	0.066	0.03	1.5	5.2	1.97	1630	0.75	0.05
S120848		<0.05	120.0	7.07	1.27	<0.05	0.03	<0.01	0.066	0.02	1.8	0.9	1.62	1630	1.37	0.06
S120849		<0.05	102.0	7.73	0.80	<0.05	0.03	<0.01	0.067	0.01	1.3	0.5	1.71	1760	1.15	0.07
S120850		2.42	68.0	2.97	6.54	0.11	0.69	0.15	0.025	0.12	9.0	20.4	1.07	771	5.06	0.08
S120851		<0.05	66.5	7.22	1.51	0.08	0.05	<0.01	0.067	0.01	2.8	1.3	1.51	1600	1.31	0.06
S120852		<0.05	87.1	4.47	1.27	0.07	0.03	<0.01	0.036	0.01	2.0	2.2	0.97	873	15.50	0.05
S120853		<0.05	104.5	5.42	0.81	0.07	<0.02	<0.01	0.040	0.01	0.8	0.9	0.88	891	2.50	0.05
S120854		<0.05	198.5	7.07	0.64	0.07	<0.02	<0.01	0.050	0.02	0.9	0.6	1.20	1320	1.02	0.05
S120855		<0.05	176.5	3.17	1.35	0.07	<0.02	<0.01	0.025	0.02	1.1	3.8	0.54	555	7.01	0.03
S120856		<0.05	59.9	3.26	1.66	0.06	<0.02	<0.01	0.022	0.01	0.9	3.0	0.60	464	3.92	0.03
S120857		0.10	93.2	10.60	8.23	0.10	0.04	<0.01	0.051	0.13	1.5	12.1	2.71	1570	0.37	0.02
S120858		0.12	74.5	9.40	13.00	0.13	0.10	<0.01	0.044	0.09	7.1	20.0	2.84	1280	0.41	0.02
S120859		0.06	137.5	10.55	15.20	0.31	0.09	<0.01	0.084	0.01	2.2	11.4	1.89	1780	2.14	0.05
S120860		0.07	136.0	10.55	15.15	0.30	0.08	<0.01	0.084	0.01	2.2	11.2	1.89	1770	2.11	0.04
S120861		0.06	92.2	12.65	18.35	0.31	0.09	<0.01	0.088	0.01	3.3	15.9	1.75	1940	0.25	0.03
S120862		0.21	822	10.25	11.50	0.21	0.24	<0.01	0.026	0.03	2.2	13.8	1.54	1520	0.23	0.03
S120863		0.14	30.2	11.65	14.40	0.28	0.23	<0.01	0.035	0.02	2.2	10.9	1.43	1440	0.92	0.05
S120864		0.63	101.5	10.00	11.50	0.22	0.21	<0.01	0.024	0.09	2.7	11.6	1.53	1610	0.29	0.05
S120865		0.58	151.5	10.75	13.05	0.23	0.31	<0.01	0.026	0.08	2.8	14.4	1.99	1700	0.26	0.05
S120866		0.38	174.0	11.00	13.70	0.22	0.24	<0.01	0.022	0.05	2.7	15.9	2.23	1610	0.31	0.05
S120867		0.10	105.5	9.62	12.65	0.23	0.14	<0.01	0.043	0.01	2.3	10.1	1.52	1060	0.76	0.05
S120868		0.42	253	9.26	13.90	0.25	0.39	<0.01	0.028	0.05	2.7	12.9	1.74	1250	0.11	0.04
S120869		0.25	355	11.65	22.9	0.35	0.04	<0.01	0.079	<0.01	1.6	40.2	5.00	1140	0.97	0.02
S120870		<0.05	1.3	0.02	0.06	0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	<0.05	0.01
S120871		0.25	86.0	12.60	18.85	0.29	0.06	<0.01	0.067	<0.01	1.2	26.1	3.73	899	1.81	0.04
S120872		0.14	31.7	12.55	19.65	0.31	0.05	<0.01	0.078	<0.01	1.5	25.9	3.96	977	0.68	0.03

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm 0.05	Ni ppm 0.2	P ppm 10	Pb ppm 0.2	Rb ppm 0.1	Re ppm 0.001	S % 0.01	Sb ppm 0.05	Sc ppm 0.1	Se ppm 0.2	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.01	Te ppm 0.01	Th ppm 0.2
S120833		<0.05	7.2	210	0.5	1.0	0.001	0.36	0.20	5.0	0.4	<0.2	52.8	<0.01	0.10	<0.2
S120834		<0.05	5.8	70	0.4	1.8	<0.001	0.22	<0.05	4.4	0.3	<0.2	50.4	<0.01	0.06	<0.2
S120835		<0.05	6.0	90	0.4	2.1	0.001	0.28	0.10	4.3	0.4	<0.2	40.5	<0.01	0.10	<0.2
S120836		<0.05	17.7	370	0.4	3.1	0.001	0.24	0.05	15.6	0.6	<0.2	56.7	<0.01	0.09	<0.2
S120837		<0.05	28.2	470	0.5	1.5	0.001	0.18	<0.05	31.5	0.6	<0.2	86.2	<0.01	0.01	<0.2
S120838		<0.05	14.9	500	0.4	0.9	0.003	0.59	<0.05	30.3	1.1	<0.2	28.6	<0.01	0.04	<0.2
S120839		<0.05	19.6	510	0.5	2.8	0.003	0.18	0.09	28.5	0.8	0.3	50.0	<0.01	0.02	<0.2
S120840		<0.05	0.3	10	0.6	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	<0.2
S120841		<0.05	18.6	510	0.5	1.3	0.002	0.21	<0.05	31.3	0.8	<0.2	61.7	<0.01	0.01	<0.2
S120842		<0.05	18.3	530	0.7	1.6	0.003	0.17	<0.05	30.8	0.7	<0.2	114.5	<0.01	0.01	<0.2
S120843		<0.05	16.5	420	1.3	2.2	0.003	1.02	<0.05	25.0	0.6	<0.2	236	<0.01	0.05	<0.2
S120844		<0.05	22.1	280	3.7	0.5	0.039	2.07	0.10	19.6	1.0	<0.2	228	<0.01	0.74	<0.2
S120845		<0.05	22.3	310	1.9	1.4	0.003	0.76	0.08	20.8	0.7	<0.2	195.5	<0.01	0.16	<0.2
S120846		<0.05	14.4	410	1.6	1.0	0.002	1.09	0.10	20.0	0.8	<0.2	164.5	<0.01	0.12	<0.2
S120847		<0.05	10.3	550	1.0	1.2	0.002	0.57	<0.05	25.7	0.7	<0.2	103.0	<0.01	0.04	<0.2
S120848		<0.05	8.2	470	1.1	0.8	0.003	0.67	0.10	20.0	0.6	0.2	118.0	<0.01	0.07	<0.2
S120849		<0.05	9.1	490	1.4	0.5	0.004	0.78	0.10	20.6	0.5	<0.2	109.5	<0.01	0.12	<0.2
S120850		0.12	10.3	630	15.5	5.7	0.002	0.43	0.43	8.9	0.8	0.5	107.5	<0.01	4.23	1.5
S120851		<0.05	9.7	450	2.3	0.4	0.004	1.88	0.11	21.5	0.9	<0.2	145.5	<0.01	0.43	<0.2
S120852		<0.05	10.8	250	1.3	0.1	0.013	1.06	0.05	13.1	0.7	<0.2	99.0	<0.01	0.23	<0.2
S120853		<0.05	12.6	240	0.7	0.3	0.005	0.78	0.09	12.3	0.5	<0.2	64.4	<0.01	0.13	<0.2
S120854		<0.05	17.8	340	1.0	0.7	0.005	1.08	0.06	16.1	0.9	<0.2	83.7	<0.01	0.11	<0.2
S120855		<0.05	9.5	60	0.7	0.5	0.018	0.52	0.10	7.3	0.7	<0.2	43.5	<0.01	0.20	<0.2
S120856		<0.05	11.7	90	0.8	0.4	0.006	0.78	<0.05	6.6	0.6	<0.2	63.8	<0.01	0.28	<0.2
S120857		<0.05	62.5	450	0.6	4.0	0.002	0.21	<0.05	18.4	0.4	<0.2	146.0	<0.01	0.04	<0.2
S120858		<0.05	61.5	1050	0.5	3.2	0.002	0.17	<0.05	17.0	0.5	<0.2	115.5	<0.01	0.01	0.6
S120859		0.07	26.6	480	1.3	0.4	0.005	0.98	<0.05	29.6	1.6	0.4	99.6	0.01	0.13	<0.2
S120860		0.07	26.0	480	1.2	0.4	0.004	0.97	<0.05	29.7	1.5	0.4	99.5	<0.01	0.13	<0.2
S120861		0.10	20.5	490	0.5	0.5	0.002	0.55	<0.05	31.6	0.9	0.5	43.7	0.01	0.15	<0.2
S120862		0.11	36.0	600	0.3	0.9	0.002	0.51	<0.05	9.0	1.8	0.3	22.5	<0.01	0.07	<0.2
S120863		0.09	23.4	490	0.9	0.6	0.004	0.70	<0.05	14.0	1.2	0.4	21.9	<0.01	0.09	<0.2
S120864		0.09	23.6	500	0.2	2.7	0.003	0.11	<0.05	7.6	0.7	0.3	32.3	<0.01	0.01	0.2
S120865		0.12	29.2	510	0.3	2.3	0.002	0.25	0.05	10.5	1.2	0.4	26.2	<0.01	0.03	<0.2
S120866		0.11	23.9	530	0.3	1.5	0.003	0.17	<0.05	9.6	0.8	0.3	21.1	<0.01	0.01	<0.2
S120867		0.07	19.6	470	0.6	0.6	0.003	0.57	<0.05	8.2	0.9	0.3	34.7	<0.01	0.04	<0.2
S120868		0.11	23.9	520	0.4	1.6	0.001	0.23	<0.05	12.6	1.0	0.4	35.4	<0.01	0.02	0.2
S120869		<0.05	22.8	550	0.2	0.3	0.003	0.79	<0.05	32.6	0.7	0.3	7.7	<0.01	0.04	<0.2
S120870		<0.05	0.2	<10	0.4	0.1	<0.001	0.01	<0.05	0.2	<0.2	<0.2	0.6	<0.01	<0.01	0.2
S120871		<0.05	20.0	570	0.7	0.3	0.004	1.03	<0.05	26.5	1.1	0.3	9.0	<0.01	0.03	<0.2
S120872		<0.05	21.1	520	0.4	0.2	0.003	0.53	<0.05	27.0	1.1	0.3	4.6	<0.01	0.03	<0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120833		0.007	<0.02	<0.05	46	0.07	2.39	30	1.9
S120834		<0.005	<0.02	<0.05	21	0.10	1.79	21	0.7
S120835		<0.005	<0.02	<0.05	22	0.06	1.29	22	0.5
S120836		0.016	<0.02	<0.05	137	0.06	2.88	85	1.2
S120837		0.076	<0.02	<0.05	303	0.05	6.42	111	1.9
S120838		0.016	<0.02	<0.05	263	<0.05	13.20	99	1.2
S120839		0.064	0.02	<0.05	246	0.14	10.40	112	4.4
S120840		<0.005	<0.02	0.05	<1	<0.05	0.50	2	0.7
S120841		0.065	<0.02	<0.05	285	<0.05	9.05	112	1.9
S120842		0.018	<0.02	<0.05	269	<0.05	5.19	114	1.3
S120843		0.022	<0.02	<0.05	189	0.07	7.32	87	1.6
S120844		0.038	<0.02	<0.05	117	1.45	3.08	54	0.8
S120845		0.055	<0.02	<0.05	141	2.40	3.06	77	0.7
S120846		0.063	<0.02	<0.05	136	2.26	3.03	55	1.0
S120847		0.018	<0.02	<0.05	197	0.05	4.11	68	1.5
S120848		0.041	<0.02	<0.05	123	0.47	4.19	43	1.4
S120849		0.055	<0.02	<0.05	134	0.49	3.56	59	1.4
S120850		0.133	0.08	0.44	75	0.50	7.82	63	21.6
S120851		0.037	<0.02	<0.05	120	0.78	5.56	47	1.6
S120852		0.020	<0.02	<0.05	69	1.53	3.12	28	1.2
S120853		0.035	<0.02	<0.05	101	1.83	1.51	41	0.5
S120854		0.011	<0.02	<0.05	45	0.72	2.33	63	<0.5
S120855		<0.005	<0.02	<0.05	29	0.24	1.17	30	<0.5
S120856		<0.005	<0.02	<0.05	33	0.18	1.15	33	<0.5
S120857		0.006	0.02	<0.05	93	0.10	5.99	113	0.9
S120858		0.019	<0.02	0.08	141	<0.05	7.52	111	4.3
S120859		0.302	<0.02	<0.05	266	0.50	14.65	86	2.5
S120860		0.298	<0.02	<0.05	266	0.48	14.40	86	1.9
S120861		0.359	<0.02	<0.05	298	0.28	14.00	92	1.7
S120862		0.336	<0.02	<0.05	189	0.14	10.20	79	6.4
S120863		0.332	<0.02	<0.05	277	0.21	12.10	68	6.4
S120864		0.316	<0.02	<0.05	182	0.10	8.70	74	6.5
S120865		0.449	<0.02	<0.05	208	0.17	11.35	86	7.9
S120866		0.486	<0.02	<0.05	232	0.17	11.00	91	5.9
S120867		0.300	<0.02	<0.05	253	0.25	11.30	52	3.6
S120868		0.436	<0.02	<0.05	212	0.10	12.75	77	8.6
S120869		0.122	<0.02	<0.05	360	0.07	5.58	153	1.7
S120870		<0.005	<0.02	0.06	<1	<0.05	0.49	2	0.7
S120871		0.119	<0.02	<0.05	325	0.05	6.62	116	1.4
S120872		0.110	<0.02	<0.05	310	0.06	5.86	121	1.3



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

<b>CERTIFICATE OF ANALYSIS</b>	<b>TM16065190</b>
--------------------------------	-------------------

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
S120873		2.20	0.002	0.02	5.69	1.3	<0.2	<10	10	0.72	0.06	1.69	0.01	7.67	58.4	20
S120874		1.60	0.002	0.02	4.57	0.9	<0.2	<10	<10	0.41	0.04	5.82	0.01	9.49	49.8	18
S120875		1.04	0.001	0.01	4.18	0.4	<0.2	<10	<10	0.35	0.03	11.95	0.01	16.10	41.7	15
S120876		1.71	0.002	0.03	4.93	0.8	<0.2	<10	<10	0.50	0.04	3.41	<0.01	7.43	52.7	19
S120877		1.70	0.018	0.08	4.96	0.6	<0.2	<10	<10	0.68	0.04	3.64	<0.01	7.72	47.5	16
S120878		3.17	0.014	0.07	2.88	1.0	<0.2	<10	80	0.29	0.03	3.28	<0.01	10.80	46.1	12
S120879		0.62	0.003	0.03	1.32	0.8	<0.2	<10	50	0.12	0.05	5.51	0.01	9.13	27.7	11
S120880		0.06	2.45	4.55	1.53	18.6	2.4	<10	40	0.64	0.07	3.67	0.33	21.1	11.2	23
S120881		0.62	0.008	0.12	2.04	1.7	<0.2	<10	10	0.14	0.10	4.57	0.01	6.39	56.6	13
S120882		1.15	0.007	0.02	2.75	1.2	<0.2	<10	40	0.15	0.02	6.89	0.02	5.13	36.5	13
S120883		2.36	0.002	0.02	1.14	0.4	<0.2	<10	10	0.11	0.03	2.12	0.01	3.96	12.1	13
S120884		1.50	0.004	0.03	2.19	1.2	<0.2	<10	20	0.20	0.03	7.65	0.03	6.85	37.0	13
S120885		0.94	0.009	0.02	1.51	1.2	<0.2	<10	80	0.12	0.03	9.15	0.02	4.66	28.9	23
S120886		3.04	0.001	0.01	2.83	0.8	<0.2	<10	<10	0.24	0.02	3.60	0.01	8.09	49.6	34
S120887		3.30	0.007	0.05	2.49	0.9	<0.2	<10	10	0.20	0.03	3.40	0.01	6.79	44.5	34
S120888		1.22	0.001	0.01	3.18	1.1	<0.2	<10	20	0.14	0.03	6.83	0.03	7.25	38.5	31
S120889		1.09	0.003	0.03	1.88	1.2	<0.2	<10	10	0.15	0.05	5.10	0.01	8.65	43.4	33
S120890		<0.02	0.004	0.03	1.81	1.2	<0.2	<10	<10	0.13	0.05	5.19	0.01	8.01	41.9	32
S120891		2.12	0.004	0.03	2.37	2.4	<0.2	<10	10	0.51	0.05	3.15	0.01	21.1	70.3	14
S120892		1.96	0.033	0.18	2.05	2.8	<0.2	<10	10	0.68	0.31	3.99	0.02	54.7	104.5	16
S120893		1.98	0.001	0.01	3.06	0.7	<0.2	<10	10	0.20	0.01	2.48	0.01	17.85	36.8	27
S120894		2.08	0.002	0.02	2.03	1.0	<0.2	<10	<10	0.17	0.03	2.66	0.01	6.52	49.2	36
S120895		2.36	0.001	0.02	2.17	1.2	<0.2	<10	10	0.22	0.02	2.29	<0.01	6.99	37.1	10
S120896		3.16	0.002	0.03	1.86	1.9	<0.2	<10	10	0.23	0.04	1.79	<0.01	13.90	45.0	10
S120897		3.20	0.001	0.03	1.18	1.4	<0.2	<10	<10	0.23	0.04	1.32	0.01	9.20	36.3	4
S120898		3.05	0.005	0.10	1.44	3.3	<0.2	<10	10	0.23	0.11	1.78	0.01	10.75	65.9	5
S120899		3.05	0.003	0.06	1.58	2.3	<0.2	<10	10	0.20	0.09	2.03	0.01	12.30	55.6	2
S120900		0.79	0.001	0.02	2.79	1.6	<0.2	<10	20	0.16	0.02	3.92	0.01	10.65	34.1	3
S120901		0.68	<0.001	0.02	2.61	2.4	<0.2	<10	220	0.18	0.01	4.49	0.02	8.04	35.9	2
S120902		2.18	0.002	0.09	3.91	1.2	<0.2	<10	10	0.23	0.08	4.37	0.04	5.19	44.6	26
S120903		1.42	0.002	0.06	3.58	1.8	<0.2	<10	10	0.13	0.02	4.06	0.03	3.87	43.6	27
S120904		1.67	0.002	0.14	3.71	1.2	<0.2	<10	<10	0.11	0.01	4.01	0.01	6.58	45.8	26
S120905		2.35	0.002	0.05	2.47	1.0	<0.2	<10	<10	0.11	0.01	1.35	0.01	9.02	36.0	17
S120906		2.97	0.002	0.06	2.80	1.3	<0.2	<10	<10	0.12	0.02	1.40	0.01	6.83	41.3	20
S120907		3.06	0.004	0.05	2.85	0.8	<0.2	<10	<10	0.11	0.01	0.98	0.01	6.22	39.9	18
S120908		2.97	0.003	0.04	2.85	0.6	<0.2	<10	10	0.16	0.02	3.26	0.02	7.19	41.3	27
S120909		2.74	0.002	0.04	2.97	0.9	<0.2	<10	<10	0.13	0.02	2.62	0.01	5.78	37.8	25
S120910		0.14	<0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.75	0.1	<1
S120911		0.83	0.001	0.04	2.97	0.9	<0.2	<10	<10	0.12	0.01	3.00	0.03	6.39	38.9	25
S120912		1.12	0.001	0.03	2.53	0.8	<0.2	<10	<10	0.09	0.02	5.22	0.02	3.92	32.7	21

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
S120873		0.42	30.8	13.20	22.8	0.31	0.08	<0.01	0.091	<0.01	3.4	53.9	6.06	1520	0.30	0.02
S120874		0.15	104.0	10.60	18.10	0.30	0.06	<0.01	0.100	<0.01	3.7	36.6	5.02	1620	0.88	0.02
S120875		0.15	99.6	9.33	16.50	0.31	0.04	<0.01	0.120	<0.01	6.7	33.0	4.77	2140	0.37	0.02
S120876		0.23	179.5	11.55	21.5	0.33	0.06	<0.01	0.098	<0.01	2.6	44.3	5.25	1400	0.55	0.02
S120877		0.27	198.5	11.10	21.3	0.33	0.09	<0.01	0.089	<0.01	2.8	48.7	5.32	1460	0.34	0.02
S120878		0.19	145.0	10.45	16.00	0.28	0.19	<0.01	0.045	0.02	3.7	15.3	2.05	1380	0.44	0.04
S120879		0.09	58.9	8.46	10.15	0.23	0.15	<0.01	0.030	0.01	3.3	7.4	1.04	965	0.78	0.05
S120880		3.04	71.8	2.90	6.17	0.12	0.37	0.09	0.037	0.23	10.1	15.9	0.84	670	5.96	0.07
S120881		0.06	210	11.20	14.15	0.25	0.12	<0.01	0.038	0.01	2.2	10.9	1.54	1100	1.41	0.06
S120882		0.42	94.1	10.15	14.45	0.29	0.07	<0.01	0.073	0.06	1.7	13.6	1.98	1700	0.54	0.05
S120883		<0.05	73.6	3.12	6.74	0.10	0.10	<0.01	0.018	0.01	1.5	6.6	0.91	393	1.01	0.06
S120884		0.16	96.3	9.65	14.60	0.28	0.07	<0.01	0.069	<0.01	2.6	10.8	1.89	1180	1.53	0.04
S120885		0.06	33.9	7.91	8.89	0.19	0.06	<0.01	0.059	<0.01	1.8	7.1	1.00	878	1.68	0.04
S120886		0.06	40.2	11.25	16.05	0.29	0.41	<0.01	0.050	<0.01	3.3	14.5	1.82	997	0.22	0.05
S120887		0.06	191.0	10.65	13.25	0.19	0.43	0.01	0.037	<0.01	2.8	11.8	1.67	901	0.32	0.05
S120888		0.32	45.3	9.99	17.05	0.21	0.13	0.01	0.071	0.03	2.6	14.2	2.61	1230	0.83	0.06
S120889		0.09	81.2	9.17	13.85	0.15	0.24	<0.01	0.036	0.02	3.8	7.9	1.59	713	0.71	0.08
S120890		0.09	80.5	8.79	13.05	0.15	0.21	<0.01	0.032	0.01	3.5	7.5	1.53	708	0.73	0.06
S120891		0.10	160.0	23.9	21.2	0.27	0.22	<0.01	0.057	0.01	14.0	11.0	1.87	670	3.12	0.04
S120892		0.08	530	22.1	17.60	0.25	0.29	0.01	0.055	0.01	37.0	9.2	1.61	611	6.16	0.05
S120893		0.11	115.5	8.01	14.75	0.17	0.32	<0.01	0.030	0.01	8.4	16.4	2.64	793	0.41	0.05
S120894		0.17	68.9	9.22	13.85	0.19	0.28	<0.01	0.037	0.02	2.5	9.9	1.86	618	0.60	0.05
S120895		0.38	47.6	7.46	12.40	0.18	0.50	<0.01	0.044	0.04	2.9	11.0	1.56	727	2.63	0.07
S120896		0.16	72.7	8.34	11.70	0.16	0.47	<0.01	0.033	0.03	8.3	8.2	1.03	651	3.91	0.08
S120897		0.06	104.5	10.85	10.25	0.16	0.48	<0.01	0.021	0.01	4.8	5.5	0.70	400	0.86	0.07
S120898		0.08	327	12.30	12.25	0.16	0.38	<0.01	0.020	0.01	6.5	6.3	0.85	486	1.96	0.07
S120899		0.08	161.5	11.25	12.20	0.14	0.40	<0.01	0.017	0.01	7.4	6.8	0.93	511	1.48	0.07
S120900		0.53	45.0	9.01	15.35	0.15	0.07	<0.01	0.086	0.06	4.0	11.4	1.56	915	0.86	0.05
S120901		2.19	36.8	9.27	12.95	0.13	0.16	<0.01	0.031	0.18	2.8	7.0	1.56	1640	0.38	0.09
S120902		0.33	332	10.45	17.00	0.24	0.08	<0.01	0.054	0.01	1.8	13.6	2.79	1580	0.50	0.02
S120903		0.75	116.0	10.30	15.85	0.25	0.08	<0.01	0.065	0.05	1.4	11.6	2.54	1390	0.32	0.04
S120904		0.08	134.0	10.10	15.45	0.19	0.17	<0.01	0.012	<0.01	2.3	11.9	2.24	1300	0.28	0.02
S120905		0.09	158.0	7.41	11.25	0.12	0.13	<0.01	0.011	0.01	3.2	6.9	1.46	877	0.30	0.04
S120906		0.08	141.5	9.03	12.35	0.13	0.11	<0.01	0.013	<0.01	2.4	9.1	1.77	990	0.28	0.04
S120907		0.08	151.5	8.48	11.80	0.13	0.09	<0.01	0.013	<0.01	2.2	8.6	1.81	958	0.31	0.04
S120908		0.24	120.5	9.85	13.55	0.20	0.08	<0.01	0.045	0.02	2.5	7.8	2.23	1120	0.51	0.05
S120909		0.10	92.0	8.33	13.35	0.15	0.13	<0.01	0.016	<0.01	2.1	8.7	1.95	1060	0.23	0.03
S120910		<0.05	0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	0.01
S120911		0.10	146.0	8.07	12.65	0.16	0.16	<0.01	0.013	<0.01	2.3	8.5	1.87	1060	0.41	0.03
S120912		0.08	93.0	7.31	11.30	0.13	0.09	<0.01	0.021	<0.01	1.4	7.1	1.74	1060	0.31	0.03



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
S120873		<0.05	32.7	530	0.3	0.3	0.002	0.21	<0.05	29.8	1.2	0.5	8.2	<0.01	0.02	<0.2
S120874		<0.05	25.1	440	0.4	0.2	0.003	0.55	<0.05	29.8	1.2	0.3	24.1	<0.01	0.04	<0.2
S120875		<0.05	21.4	380	0.3	0.2	0.002	0.28	<0.05	28.5	1.5	0.3	80.3	<0.01	0.02	<0.2
S120876		<0.05	27.4	480	0.2	0.3	0.003	0.33	<0.05	32.2	1.3	0.4	18.5	<0.01	0.02	<0.2
S120877		<0.05	26.4	490	0.2	0.2	0.003	0.21	<0.05	28.8	1.1	0.4	18.9	<0.01	0.02	<0.2
S120878		0.06	21.7	560	0.4	0.7	0.002	0.24	0.05	13.3	0.9	0.4	27.9	<0.01	0.04	0.2
S120879		0.10	12.0	450	0.4	0.5	0.002	1.04	<0.05	5.5	1.1	0.4	24.3	<0.01	0.05	0.2
S120880		0.07	10.8	600	16.6	11.9	0.003	0.86	0.47	7.9	0.9	0.5	113.5	<0.01	2.31	1.4
S120881		0.09	23.5	510	0.7	0.3	0.004	2.03	<0.05	11.1	3.8	0.4	15.4	<0.01	0.20	0.2
S120882		0.06	19.5	490	0.4	1.9	0.002	0.45	<0.05	26.8	1.0	0.3	54.6	<0.01	0.02	<0.2
S120883		<0.05	8.3	320	0.2	0.3	0.001	0.36	<0.05	5.4	0.3	0.2	27.9	<0.01	0.04	<0.2
S120884		0.06	17.9	460	0.6	0.3	0.003	0.93	<0.05	22.2	0.8	0.2	82.7	<0.01	0.06	<0.2
S120885		0.07	13.6	320	0.6	0.2	0.001	0.89	<0.05	17.5	0.7	0.3	77.9	<0.01	0.03	<0.2
S120886		0.11	32.0	470	0.4	0.1	0.001	0.29	<0.05	18.0	0.9	0.5	23.8	0.01	0.03	0.2
S120887		0.10	31.8	470	2.1	0.1	<0.001	0.22	0.06	13.0	0.7	0.5	27.4	<0.01	0.02	0.2
S120888		0.06	24.5	460	0.7	1.3	0.002	0.52	<0.05	26.2	1.0	0.3	55.7	<0.01	0.01	0.2
S120889		0.10	18.7	490	0.8	0.5	0.002	0.79	<0.05	5.2	0.8	0.5	29.4	<0.01	0.05	<0.2
S120890		0.09	17.6	470	0.7	0.5	0.001	0.80	<0.05	4.8	0.8	0.4	29.0	<0.01	0.05	<0.2
S120891		<0.05	37.6	830	0.6	0.3	0.002	0.75	<0.05	14.0	1.0	0.4	19.5	<0.01	0.06	0.2
S120892		0.07	42.0	760	2.2	0.4	0.008	2.77	0.06	11.9	1.4	0.4	25.3	<0.01	0.29	0.8
S120893		0.08	30.0	800	0.5	0.4	0.002	0.16	<0.05	6.3	0.6	0.4	20.8	<0.01	0.01	0.6
S120894		0.09	23.9	480	0.8	0.8	0.002	0.63	0.05	4.2	1.1	0.4	21.4	<0.01	0.04	<0.2
S120895		0.14	8.4	670	0.5	1.3	0.003	0.33	<0.05	7.5	0.9	0.6	22.3	<0.01	0.02	0.2
S120896		0.20	3.7	750	0.7	0.7	0.008	0.44	0.06	6.2	1.0	0.5	25.3	0.01	0.03	0.3
S120897		0.20	1.8	770	0.5	0.2	0.005	0.53	<0.05	4.7	1.3	0.6	12.9	<0.01	0.04	0.2
S120898		0.16	2.3	720	0.7	0.3	0.012	1.16	<0.05	6.0	1.6	0.7	9.7	<0.01	0.12	0.2
S120899		0.18	1.7	760	0.8	0.2	0.012	0.83	<0.05	6.2	1.2	0.6	10.9	0.01	0.06	0.2
S120900		0.09	1.7	630	0.5	2.0	0.001	0.28	<0.05	23.0	1.0	0.2	17.1	<0.01	0.02	0.2
S120901		0.11	2.8	570	0.4	10.7	0.001	0.10	<0.05	11.1	0.9	0.3	20.7	<0.01	0.01	0.2
S120902		0.05	21.8	480	0.5	0.8	0.003	0.23	<0.05	26.0	1.2	0.4	15.3	<0.01	0.03	<0.2
S120903		0.05	25.0	400	0.4	3.1	0.002	0.23	<0.05	24.6	1.0	0.3	21.0	<0.01	0.03	<0.2
S120904		0.09	27.6	480	0.4	0.2	0.002	0.16	<0.05	9.9	1.0	0.4	15.3	<0.01	0.03	0.2
S120905		0.08	20.4	500	0.3	0.4	0.003	0.17	<0.05	3.8	0.7	0.2	13.1	<0.01	0.02	0.2
S120906		0.10	21.9	470	0.5	0.2	0.002	0.28	<0.05	5.6	1.1	0.3	13.9	<0.01	0.03	<0.2
S120907		0.10	21.4	480	0.4	0.2	0.002	0.20	<0.05	4.4	1.0	<0.2	14.9	<0.01	0.02	<0.2
S120908		0.07	22.9	480	0.5	1.2	0.002	0.42	<0.05	17.6	1.0	0.2	28.1	<0.01	0.04	0.2
S120909		0.08	20.2	470	0.3	0.2	0.002	0.15	<0.05	8.8	1.1	0.2	23.2	<0.01	0.03	<0.2
S120910		<0.05	0.3	10	0.6	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	<0.2
S120911		0.09	20.7	460	0.4	0.2	0.003	0.18	0.05	5.1	1.0	<0.2	35.2	<0.01	0.02	<0.2
S120912		0.05	13.7	330	0.3	0.2	0.002	0.26	<0.05	12.0	1.0	<0.2	23.4	<0.01	0.03	<0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com


To: OBAN MINING CORPORATION  
 155 UNIVERSITY AVENUE  
 SUITE 1440  
 TORONTO ON M5H 3B7

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120873		0.229	<0.02	<0.05	322	0.08	15.50	173	1.9
S120874		0.184	<0.02	<0.05	246	0.10	18.05	135	1.3
S120875		0.164	<0.02	<0.05	224	0.08	25.2	122	0.9
S120876		0.160	<0.02	<0.05	296	0.09	13.55	142	1.3
S120877		0.268	<0.02	<0.05	297	0.14	16.30	125	2.2
S120878		0.310	<0.02	<0.05	268	0.07	14.00	66	4.8
S120879		0.278	<0.02	<0.05	210	0.16	12.15	37	3.5
S120880		0.055	0.14	0.32	66	0.65	7.86	81	12.9
S120881		0.275	<0.02	<0.05	267	0.41	13.20	56	3.0
S120882		0.246	<0.02	<0.05	254	0.50	10.90	91	1.4
S120883		0.086	<0.02	<0.05	50	0.18	2.69	32	3.0
S120884		0.275	<0.02	<0.05	271	0.97	10.35	70	1.5
S120885		0.198	<0.02	<0.05	167	1.27	8.70	34	1.4
S120886		0.392	<0.02	<0.05	262	0.22	12.75	64	11.4
S120887		0.355	<0.02	<0.05	242	0.16	11.70	57	12.5
S120888		0.336	<0.02	<0.05	277	0.81	13.40	51	2.2
S120889		0.445	<0.02	0.08	250	0.36	14.80	42	5.2
S120890		0.413	<0.02	0.08	239	0.32	13.70	40	4.8
S120891		0.092	<0.02	0.21	170	0.49	4.30	51	8.9
S120892		0.132	<0.02	0.26	161	0.97	7.55	43	10.1
S120893		0.411	<0.02	0.10	198	0.28	12.10	62	9.3
S120894		0.381	<0.02	<0.05	227	0.22	14.40	43	6.8
S120895		0.371	<0.02	<0.05	102	0.18	15.55	44	13.6
S120896		0.343	<0.02	0.06	72	0.14	14.40	37	13.5
S120897		0.316	<0.02	0.08	73	0.12	15.10	24	11.9
S120898		0.269	<0.02	0.07	79	0.14	13.25	29	9.5
S120899		0.302	<0.02	0.06	80	0.14	14.10	31	10.7
S120900		0.240	<0.02	<0.05	86	0.81	13.65	53	1.8
S120901		0.293	<0.02	<0.05	93	0.23	13.10	144	2.1
S120902		0.286	<0.02	<0.05	238	0.15	12.45	142	1.6
S120903		0.292	<0.02	<0.05	264	0.61	11.05	78	1.3
S120904		0.405	<0.02	<0.05	227	0.17	10.40	78	3.2
S120905		0.318	<0.02	<0.05	154	0.11	7.35	51	2.3
S120906		0.364	<0.02	<0.05	183	0.18	8.10	61	2.1
S120907		0.356	<0.02	<0.05	165	0.16	8.08	63	1.9
S120908		0.311	<0.02	<0.05	233	0.26	10.75	79	1.9
S120909		0.355	<0.02	<0.05	192	0.28	11.25	84	2.3
S120910		<0.005	<0.02	0.05	<1	<0.05	0.50	2	0.7
S120911		0.349	<0.02	<0.05	161	0.41	10.45	81	3.3
S120912		0.237	<0.02	<0.05	183	0.31	8.90	75	1.5



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	
S120913		2.96	0.004	0.05	3.13	0.7	<0.2	<10	<10	0.16	0.02	2.84	0.01	7.78	43.2	18
S120914		1.00	0.003	0.05	1.29	0.7	<0.2	<10	10	0.10	0.04	4.56	0.03	3.79	23.5	9
S120915		1.62	0.005	0.08	1.83	1.1	<0.2	<10	50	0.20	0.05	6.74	0.05	4.19	32.7	7
S120916		3.00	0.001	0.03	2.94	0.7	<0.2	<10	<10	0.23	0.01	2.96	0.02	8.40	41.9	9

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S120913		0.10	111.5	10.70	16.95	0.26	0.14	<0.01	0.063	<0.01	2.8	8.4	2.32	1180	0.28	0.04
S120914		0.12	46.9	6.34	8.24	0.11	0.05	<0.01	0.053	0.01	1.4	3.3	1.14	759	1.07	0.04
S120915		0.78	95.3	8.65	10.50	0.14	0.05	<0.01	0.077	0.09	1.6	3.9	1.92	1420	1.81	0.06
S120916		0.09	112.0	11.05	15.85	0.27	0.12	<0.01	0.066	0.01	3.0	8.8	2.25	1220	0.31	0.04

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com


To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm
S120913		0.07	19.0	520	0.4	0.2	0.002	0.20	<0.05	26.0	1.2	0.3	21.5	<0.01	0.03	0.2
S120914		0.07	7.9	300	0.6	0.5	0.001	0.77	<0.05	17.0	1.0	0.2	46.8	<0.01	0.09	<0.2
S120915		<0.05	10.5	390	0.9	4.8	0.002	0.95	<0.05	22.1	1.0	0.2	87.3	<0.01	0.12	<0.2
S120916		0.07	16.0	550	0.8	0.3	0.002	0.15	<0.05	25.1	1.1	0.3	22.3	<0.01	0.02	0.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 6-MAY-2016  
 Account: OBMICO

Project: COTE

**CERTIFICATE OF ANALYSIS TM16065190**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
S120913		0.319	<0.02	<0.05	278	0.41	14.70	95	2.2
S120914		0.196	<0.02	<0.05	154	0.55	8.34	48	1.2
S120915		0.206	<0.02	<0.05	191	0.89	9.03	75	1.3
S120916		0.333	<0.02	<0.05	274	0.42	15.60	99	2.3

\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com

To: **OBAN MINING CORPORATION**  
**155 UNIVERSITY AVENUE**  
**SUITE 1440**  
**TORONTO ON M5H 3B7**

Page: **Appendix 1**  
 Total # Appendix Pages: **1**  
 Finalized Date: **6-MAY-2016**  
 Account: **OBMICO**

Project: COTE

<b>CERTIFICATE OF ANALYSIS TM16065190</b>
---

	<b>CERTIFICATE COMMENTS</b>												
Applies to Method:	<p style="text-align: center;"><b>ANALYTICAL COMMENTS</b></p> <p>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).  <b>ME-MS41</b></p>												
Applies to Method:	<p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  <b>Au-ICP22 ME-MS41</b></p>												
Applies to Method:	<p>Processed at ALS Timmins located at Unit 10 - 2090 Riverside Drive, Timmins, ON, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;"><b>CRU-32</b></td> <td style="width: 33%;"><b>CRU-QC</b></td> <td style="width: 33%;"><b>LOG-21d</b></td> <td style="width: 33%;"><b>LOG-22</b></td> </tr> <tr> <td><b>LOG-23</b></td> <td><b>PUL-35a</b></td> <td><b>PUL-35ad</b></td> <td><b>PUL-QC</b></td> </tr> <tr> <td><b>SPL-21</b></td> <td><b>SPL-21d</b></td> <td><b>WEI-21</b></td> <td></td> </tr> </table>	<b>CRU-32</b>	<b>CRU-QC</b>	<b>LOG-21d</b>	<b>LOG-22</b>	<b>LOG-23</b>	<b>PUL-35a</b>	<b>PUL-35ad</b>	<b>PUL-QC</b>	<b>SPL-21</b>	<b>SPL-21d</b>	<b>WEI-21</b>	
<b>CRU-32</b>	<b>CRU-QC</b>	<b>LOG-21d</b>	<b>LOG-22</b>										
<b>LOG-23</b>	<b>PUL-35a</b>	<b>PUL-35ad</b>	<b>PUL-QC</b>										
<b>SPL-21</b>	<b>SPL-21d</b>	<b>WEI-21</b>											