

Thursday, November 12, 2015

Final Certificate

Pavey Ark Minerals Inc.
100 Broadleaf Cres.
Ancaster,, ON, Can
L9G 3R8
Ph#: (905) 304-4499
Fax#: (905) 920-0436
Email: rhsutcliffe@paveyarkminerals.com

Date Received: 11/05/2015
Date Completed: 11/12/2015
Job #: 201544948
Reference:
Sample #: 6

Acc #	Client ID	Au g/t (ppm)
434532	WA15-01	<0.005
434533	WA15-02	<0.005
434534	WA15-04	<0.005
434535	WA15-05	<0.005
434536	WA15-10	0.006
434537	WA15-11	<0.005
434538	WA15-11 Dup	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1


Validated By:


Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:


Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:


Derek Demianiuk, VP Quality**The results included on this report relate only to the items tested.****The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.**

Thursday, November 12, 2015

Final Certificate

Pavey Ark Minerals Inc.
100 Broadleaf Cres.
Ancaster,, ON, Can
L9G 3R8
Ph#: (905) 304-4499
Fax#: (905) 920-0436
Email: rhsutcliffe@paveyarkminerals.com

Date Received: 11/05/2015
Date Completed: 11/12/2015
Job #: 201544948
Reference:
Sample #: 6

Control Standards

QC Type	Element	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
---------	---------	----------------------	------------	---------------

APPLIED SCOPES: ALP1, ALFA1, ALMA1


Validated By:


Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:


Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:


Derek Demianiuk, VP Quality**The results included on this report relate only to the items tested.****The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.**