

Monday, September 28, 2015

Final Certificate

Pavey Ark Minerals Inc.
100 Broadleaf Cres.
Ancaster,, ON, Can
L9G 3R8
Ph#: (905) 304-4499
Fax#: (905) 920-0436
Email: rhsutcliffe@paveyarkminerals.com

Date Received: 08/31/2015
Date Completed: 09/28/2015
Job #: 201544070
Reference:
Sample #: 9

Acc #	Client ID	Au g/t (ppm)
363206	HA15-08	<0.005
363207	HA15-09	<0.005
363208	HA15-010	<0.005
363209	HA15-011	<0.005
363210	HA15-012	<0.005
363211	HA15-013	<0.005
363212	HA15-014	<0.005
363213	HA15-015	<0.005
363214	HA15-016	<0.005
363215	HA15-016 Dup	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1


Validated By:


Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:


Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:


Derek Demianiuk, VP Quality**The results included on this report relate only to the items tested.****The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.**

Monday, September 28, 2015

Final Certificate

Pavey Ark Minerals Inc.
100 Broadleaf Cres.
Ancaster,, ON, Can
L9G 3R8
Ph#: (905) 304-4499
Fax#: (905) 920-0436
Email: rhsutcliffe@paveyarkminerals.com

Date Received: 08/31/2015
Date Completed: 09/28/2015
Job #: 201544070
Reference:
Sample #: 9

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL02	0.407	0.408	0.020

APPLIED SCOPES: ALP1, ALFA1, ALMA1


Validated By:


Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:


Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:


Derek Demianiuk, VP Quality**The results included on this report relate only to the items tested.****The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.**