

Thursday, November 12, 2015

Final Certificate

 Pavey Ark Minerals Inc.
 100 Broadleaf Cres.
 Ancaster,, ON, Can
 L9G 3R8
 Ph#: (905) 304-4499
 Fax#: (905) 920-0436
 Email: rhsutcliffe@paveyarkminerals.com

 Date Received: 11/05/2015
 Date Completed: 11/12/2015
 Job #: 201544947
 Reference:
 Sample #: 12

Acc #	Client ID	Au g/t (ppm)
434519	HA15-21	0.008
434520	HA15-22	0.011
434521	HA15-23	<0.005
434522	HA15-24	0.005
434523	HA15-25	0.008
434524	HA15-26	<0.005
434525	HA15-27	<0.005
434526	HA15-28	<0.005
434527	HA15-29	0.019
434528	HA15-30	<0.005
434529	HA15-30 Dup	0.008
434530	HA15-31	<0.005
434531	HA15-32	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1


Validated By:


 Jesse Deschutter
 Assistant Manager - Thunder Bay

Certified By:


 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:


 Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Thursday, November 12, 2015

Final Certificate

Pavey Ark Minerals Inc.
100 Broadleaf Cres.
Ancaster,, ON, Can
L9G 3R8
Ph#: (905) 304-4499
Fax#: (905) 920-0436
Email: rhsutcliffe@paveyarkminerals.com

Date Received: 11/05/2015
Date Completed: 11/12/2015
Job #: 201544947
Reference:
Sample #: 12

Control Standards

QC Type	Element	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
APPLIED SCOPES: ALP1, ALFA1, ALMA1				


Validated By:


Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:


Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:


Derek Demianiuk, VP Quality**The results included on this report relate only to the items tested.****The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.**