

We are committed to providing [accessible customer service](#).
If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).
Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez
[nous contacter](#).

TASHOTA RESOURCES INC.

**LAROSE GOLD PROJECT
MOSS TOWNSHIP
NORTHWEST ONTARIO**

**2016 DIAMOND DRILLING PROGRAM
P1 TRENCH AREA**

- by -

Colin Bowdidge, Ph.D., P.Geo.

September 2016

INTRODUCTION

In the summer of 2016, Tashota Resources Inc. Carried out a small (240.49 metres) diamond drilling program on its 100% optioned Larose gold property. The purpose was to assess the possible down-plunge extension of high grade gold mineralization exposed in trenches opened up by the previous operator.

PROPERTY

The Larose property comprises 18 claims totalling 223 units, all in Moss Township.

LAROSE CLAIMS									
Claim Holder	Beneficial Owner	Township or Area	Claim Number	No. of Units	Recording Date	Claim Due Date	Work Required	Total Applied	Total Reserve
Tashota Res.	Tashota Res. 100%	Moss Twp.	3005724	16	2003-06-26	2016-08-08	\$12,800	\$64,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008208	12	2003-07-07	2016-08-08	\$9,600	\$48,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008209	12	2003-07-07	2016-08-08	\$9,600	\$48,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008655	3	2003-08-13	2016-08-13	\$2,400	\$12,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008656	5	2003-08-13	2016-08-13	\$4,000	\$20,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008657	6	2003-08-13	2016-08-13	\$4,800	\$24,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008659	16	2003-08-13	2016-08-13	\$12,800	\$64,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008661	16	2003-08-13	2016-08-13	\$12,800	\$64,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008662	16	2003-08-13	2016-08-13	\$12,800	\$64,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008663	16	2003-08-13	2016-08-13	\$12,800	\$64,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008664	16	2003-08-13	2016-08-13	\$12,800	\$64,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008665	11	2003-08-13	2016-08-13	\$8,800	\$44,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	3008666	4	2003-08-13	2016-08-13	\$3,200	\$16,000	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	4258606	10	2010-09-13	2016-09-13	\$17,165	\$14,835	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	4258608	16	2010-09-13	2016-09-13	\$19,200	\$12,800	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	4258609	16	2010-09-13	2016-09-13	\$9,600	\$14,400	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	4274936	16	2015-06-30	2017-06-30	\$2,400	\$0	\$0
Tashota Res.	Tashota Res. 100%	Moss Twp.	4274937	16	2015-06-30	2017-06-30	\$4,800	\$0	\$0


Figure 2 shows the claims in relation to adjacent properties.

LOCATION AND ACCESS

The property is located in the western part of Moss Township, approximately 105 kilometres west of Thunder Bay. Access is via Highway 11 and local forestry access roads. The Swamp Road starts at kilometre 1575.5 on Highway 11, and the Fortes Road starts at kilometre 1597.5. Both connect with the Hermia (Wawiag) Road, which crosses the northern part of the property.

A network of logging roads, some dating back to the 1950s, traverse the property and make all parts of it accessible, although the older roads are usually overgrown and require cleaning.

Figure 1 shows the location of the property.



HISTORY

Gold was found on the Larose property in 2003 by Russell Kwiatkowski. In 2003-2004, Freewest Resources carried out extensive trenching, diamond drilling, line cutting, mapping, soil geochemical surveying and IP surveying. Freewest was subsequently taken over by Cliffs Natural Resources. In 2011, Cliffs optioned the property to Golden Share Mining, who did some more mapping and prospecting as well as ground magnetic surveying. At one point, Teck Explorations visited the property and commissioned a structural report. Another structural report was done for Freewest.

In 2015, Russell Kwiatkowski regained control of the Larose claims and optioned them to Tashota Resources Inc.

GEOLOGY

The property lies at the west end of the well mineralized Shebandowan greenstone belt. It is underlain by clastic metasediments (“greywacke”) belonging to the Quetico subprovince. Figure 3 shows the geology with extracts from maps by Harris (1970) and Osmani (1997).

MINERALIZATION

Figure 4 shows gold occurrences and deposits at the west end of the Shebandowan belt. Figure 5 shows the locations of Freewest’s trenches and diamond drill holes. Freewest delineated gold mineralization over a 4.2 kilometre length on the Larose shear. This trend is open at the northeast end (unmapped) and at the southwest (enters a swampy area). The CB trench suggest that the shear system continues, possibly over as much as 9 kilometres or more. The Tribute shear indicates that there are more mineralized shears to be found.

REMAPPING PROGRAM

The 2016 drill program was focussed on the P1 trench. Freewest had taken channel samples, but these were never filed for assessment credit and the data have been lost during the takeover by Cliffs. We were fortunate to obtain a map of the P1 trench (only the P1 trench) from Grandview Explorations, which showed the gold assay values. Sample numbers were written on soft metal tags beside the channels.

Using a differential GPS, the P1 trench was mapped and all the channel sample locations were measured. With the DGPS locations, sample numbers, and assay results, it was possible to recreate an accurate map of the trench with the channel sample results. Two short channels made by Golden Share were also surveyed by DGPS. Figure 6 shows those results, along with drill hole traces.

DRILLING PROGRAM

The structural analyses performed for Freewest and Golden Share emphasized a shallow plunge of 17° to the southwest within the Larose shear. It was determined that we should try to confirm that this plunge controls the attitudes of mineralized shoots. The high gold assays on the northwest side of the P1 trench are from a silicified, sericitized zone with minor (1-2%) of galena, sphalerite and chalcopyrite. Which is at least visible to a close inspection, and this was the target “shoot”.

Five holes were drilled. All the core was cut on a diamond saw for analysis, and sent to Accurassay Laboratories in Thunder Bay for determination of gold by fire assay and multi-element by ICP.

Cross sections of the drill holes with geology and gold assays are given in figures 7 and 8. Drill logs are in Appendix 1, and assay certificates are in Appendix 2.

RESULTS

Although the results are incomplete, the following conclusions can be drawn:

1. The low-visibility character of the gold mineralization at Larose means that it is easy to miss. The best gold values and the strongest alteration are under the waste pile on the northwest side of the trench.
2. The strongly altered zone appears to widen substantially as it is followed downwards.
3. The feldspar porphyry dyke cut by holes LR16-01 and 03 dips at about 60° to the northwest, much shallower than the 80° dip of the shear planes.
4. The gold values are associated with anomalous lead, zinc, copper and arsenic (see ICP analyses)
5. The gold-bearing shoots may possibly be discontinuous.
6. All the high gold assays are found in drill holes LR16-01, -02 and -03 on section 1. These holes also exhibited sericite alteration and quartz veining, while the lower-grade intersections in holes LR16-05 and -06 are associated with more intense silicification with minimal sericite. This suggests that the shallow south-westerly plunge determined by Freewest and based on lineation and fold-axis measurements, may not apply to the gold mineralization. Possibly, it is controlled by tension fractures developed when deformation relaxed. Alternatively, it is possible that the gold mineralization may pre-date the shearing and be related to structures that have been subsequently overprinted by the shear structures.

CONCLUSIONS

The purpose of the drill program was to determine if high grade gold shoots followed a shallow plunge to the southwest. This appears not to be the case; rather the higher grade gold and associated sericite alteration may have a steep plunge. This may explain why Freewest's diamond drill holes had relatively low success in following high grade shoots that had been exposed in trenches.

Respectfully submitted



Colin Bowdidge, Ph.D., P.Geo.





Figure 2


HOTA RESOURCES INC.

**SE AND ECHO RIDGE PROJECTS
k & Powell Lk Areas & Moss Twp
NORTHWEST ONTARIO**

CLAIMS MAP

wdidge 2016








Figure 5

TASHOTA RESOURCES INC.

LAROSE AND ECHO RIDGE PROJECTS
Tilly Lk & Powell Lk Areas & Moss Twp
NORTHWEST ONTARIO

FREEWEST 2003-2004
TRENCHES AND DDHS

Bowdige 2016





Figure 6

TASHOTA RESOURCES INC.


LAROSE PROJECT

P1 TRENCH - CHANNEL SAMPLING AND DIAMOND DRILLING



(metres)

NAD83 / UTM zone 15N






Figure 7
CROSS SECTION 1
DRILL HOLES LR16-01, 02 &03
LOOKING NORTHEAST AT 040°




Figure 8

CROSS SECTION 2

DRILL HOLES LR16-04, & 05

LOOKING NORTHEAST AT 040°

APPENDIX 1
DRILL LOGS

TASHOTA RESOURCES INC.
LAROSE GOLD PROJECT
DIAMOND DRILL LOG

Hole No:
LR16-01

Hole No.	LR16-01
Dip	-40°
Depth	63.40 metres
Azimuth (local)	
Azimuth (true)	309.4° (relative to UTM grid)
Collar coordinates (local)	
Collar coordinates (UTM)	660839.48 EAST, 5380068.38 NORTH
UTM datum & zone	NAD83 ZONE 15
Date started	2016-06-19
Date finished	2016-07-03
Drilled By	Custom Diamond Drilling
Core Size	BQ
Casing Left In	No
Logged By	Colin Bowdidge 2016-07-04 and 2016-07-21
Comments:	Drill hole encountered the strongest alteration and highest gold values to the northwest of the P1 trench and not under the trench. This may lead to re-evaluation of the project.

Dip Tests
63.40 m -38°

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
0.00	0.66	Feldspar Porphyry Medium grey, massive, non-magnetic, very siliceous (possibly silicified) groundmass with ±10% feldspar phenocrysts up to 5 mm which are slightly ghosted suggesting silicification. Angular xenoliths of darker grey metasediment. Lower contact at ±35° to CA.	619801	0.00	0.75	0.75	0.007	
0.66	36.34	Greywacke Medium grey (no hint of green as in most greenstone belt greywacke), rather massive with a weak C or S fabric at 25-35° to CA, grain size is ±0.5 mm. Composed of quartz and feldspar (possibly partly altered to Fe-carbonate) and minor biotite. Very minor white or grey quartz seams and late white quartz-carbonate seams. Minor (<1%) pyrrhotite as small streaks on foliation planes, with traces of pyrite. 7.50-8.00: rock is finer grained and darker (argillitic), several quartz-carbonate veinlets parallel to schistosity, minor pyrite on foliation planes 16.40-17.00: darker, chloritic (argillitic), minor pyrite and pyrrhotite 18.30-21.00: 5-10% quartz as veinlets up to 5 cm, veinlets and seams, minor pyrite, smell of arsenopyrite when cutting core.	619802	0.75	1.50	0.75	0.005	
			619803	1.50	2.25	0.75	0.006	
			619804	2.25	3.00	0.75	0.008	
			619805	3.00	3.75	0.75	0.007	
			619806	3.75	4.50	0.75	0.020	
			619807	4.50	5.25	0.75	0.020	
			619808	5.25	6.00	0.75	0.641	
			619809	6.00	6.75	0.75	0.126	
			619810	6.75	7.50	0.75	0.166	0.170
			619811	7.50	8.00	0.50	0.143	
			619812	8.00	8.75	0.75	0.010	
			619813	8.75	9.50	0.75	0.043	
			619814	9.50	10.25	0.75	0.147	
			619815	10.25	11.00	0.75	0.025	
			619816	11.00	11.75	0.75	0.072	
			619817	11.75	12.50	0.75	0.009	
			619818	12.50	13.25	0.75	0.074	
			619819	13.25	14.00	0.75	0.011	
			619820	14.00	14.75	0.75	0.008	0.006
			619821	14.75	15.50	0.75	<0.005	
			619822	15.50	16.25	0.75	0.144	
			619823	16.25	17.00	0.75	0.026	
			619824	17.00	17.75	0.75	0.193	
			619825	17.75	18.50	0.75	3.048	
			619826	18.50	19.25	0.75	0.562	
			619827	19.25	20.00	0.75	0.764	
			619828	20.00	20.75	0.75	0.205	
			619829	20.75	21.50	0.75	0.007	
			619830	21.50	22.25	0.75	0.141	0.138
			619831	22.25	23.00	0.75	0.051	
			619832	23.00	23.75	0.75	0.038	
			619833	23.75	24.50	0.75	0.049	
			619834	24.50	25.25	0.75	0.053	
			619835	25.25	26.00	0.75	0.006	

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
0.33	36.34	(contd.) 29.00-31.30: ±2% quartz as seams and veinlets, very minor pyrite-pyrrhotite. 35.00-36.34: quartz veinlets increasing in number and thickness, sericite becomes abundant after 36.00 m, ±2% fine pyrite as seams and disseminations.	619836 619837 619838 619839 619840 619841 619842 619843 619844 619845 619846 619847 619848 619849	26.00 26.75 27.50 28.25 29.00 29.75 30.50 31.25 32.00 32.75 33.50 34.25 35.00 35.75 36.35	26.75 27.50 28.25 29.00 29.75 30.50 31.25 32.00 32.75 33.50 34.25 35.00 35.75 36.35	0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.60	<0.005 0.016 <0.005 <0.005 0.013 <0.005 0.015 <0.005 <0.005 0.010 0.030 0.049 0.089 0.006	0.036
36.34	37.58	Altered Feldspar Porphyry? Schistose groundmass composed entirely of brown biotite with subrounded, white feldspar phenocrysts. Contacts at 60° to CA opposite sense to adjacent metasediments, i.e. flattish. This unit may be an altered lamprophyre?	619850 619851	36.35 36.95	36.95 37.55	0.60 0.60	0.019 0.010	0.015
37.58	52.60	Sheared and Altered Greywacke Short sections of greywacke as above, alternating with buff coloured to greyish, sericite-rich, intensely sheared and altered rk. S and/or C planes at 10° to 45° to CA. Sheared zone is full of tiny quartz veinlets and seams making up 5-10% of the rocks. Quartz varies from grey to white and there are pre-syn- and post-shearing veins, the early ones usually broken along foliation planes and/or folded. 2-3% pyrite-pyrrhotite 40.0-41.0: minor sphalerite and galena, smell of arsenic when the core is cut. 43.0-43.3: minor sphalerite and galena, smell of arsenic when the core is cut. 46.0-47.0: rock has a talcy feel.	619852 619853 619854 619855 619856 619857 619858 619859 619860 619861 619862 619863 619864 619865 619866 619867 619868 619869 619870 619871 619872 619873	37.55 38.00 38.50 39.00 39.50 40.00 40.50 41.00 41.50 42.00 42.50 43.00 43.50 44.00 44.50 45.00 45.50 46.00 46.50 47.00 47.50 49.00	38.00 38.50 39.00 39.50 40.00 40.50 41.00 41.50 42.00 42.50 43.00 43.50 44.00 44.50 45.00 45.50 46.00 46.50 47.00 47.50 49.75	0.45 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.75	0.179 0.208 1.148 0.611 0.703 2.912 1.004 0.919 0.149 1.038 1.431 >10.000 0.314 1.718 1.315 0.579 0.626 0.081 0.334 0.529 0.315 0.795	27.689 0.471

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
			619874	49.75	50.50	0.75	0.281	
			619875	50.50	51.25	0.75	0.048	
			619876	51.25	52.00	0.75	0.070	
			619877	52.00	52.75	0.75	0.087	
52.60	63.40	Greywacke Metasediment as above, with subordinate intervals of thinner-laminated argillite. Pyrrhotite as tiny conformable streaks makes up «1% of rock.	619878	52.75	53.50	0.75	0.015	
			619879	53.50	54.25	0.75	0.012	
			619880	54.25	55.00	0.75	0.013	
			619881	55.00	55.75	0.75	<0.005	<0.005
			619882	55.75	56.50	0.75	0.022	
			619883	56.50	57.25	0.75	<0.005	
			619884	57.25	58.00	0.75	<0.005	
			619885	58.00	58.75	0.75	<0.005	
			619886	58.75	59.50	0.75	0.007	
			619887	59.50	60.25	0.75	<0.005	
			619888	60.25	61.00	0.75	<0.005	
			619889	61.00	61.75	0.75	0.006	
			619890	61.75	62.50	0.75	0.011	
			619891	62.50	63.40	0.90	0.013	0.013

63.40- End of Hole

TASHOTA RESOURCES INC.
LAROSE GOLD PROJECT
DIAMOND DRILL LOG

Hole No:
LR16-02

Hole No.	LR16-02
Dip	-45°
Depth	32.92 metres
Azimuth (local)	
Azimuth (true)	131.2° (relative to UTM grid)
Collar coordinates (local)	
Collar coordinates (UTM)	660810.43 EAST, 5380087.47 NORTH
UTM datum & zone	NAD83 ZONE 15
Date started	2016-07-04
Date finished	2016-07-08
Drilled By	Custom Diamond Drilling
Core Size	BQTK
Casing Left In	No
Logged By	Colin Bowdidge 2016-07-22
Comments:	Drill hole confirms presence of mineralization under the waste pile on the northwest side of the P1 trench.

Dip Tests
32.92 m -44°

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
0.00	13.05	Greywacke Grey, medium-grained (± 0.5 mm) rather massive metasediment composed of quartz and subordinate feldspar with minor biotite and muscovite. Short intervals of thin-bedded, argillite, darker grey than the greywacke, increasing in frequency down-hole. After 11.05 metres, minor sericite alteration commences. C/S planes at 50-70° to CA. 11.50-13.05: lenticular "clasts" of quartz with fine pyrite, looking like rip-ups, are probably early veins broken up during shearing	619892 619893 619894 619895 619896 619897 619898 619899 619900 619901 619902 619903 619904 619905 619906 619907 619908	0.00 1.00 1.75 2.50 3.25 4.00 4.75 5.50 6.25 7.00 7.75 8.50 9.25 10.00 10.75 11.50 12.25 13.00	1.00 1.75 2.50 3.25 4.00 4.75 5.50 6.25 7.00 7.75 8.50 9.25 10.00 10.75 11.50 12.25 13.00	1.00 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75	<0.005 <0.005 <0.005 <0.005 <0.005 <0.005 <0.005 <0.005 <0.005 0.009 <0.005 <0.005 <0.005 <0.005 <0.005 <0.005 <0.005	0.006
13.05	14.90	Sheared and Altered Zone Metasediment as above with abundant sericite on C/S planes at 70-80° to CA 13.15-13.55: abundant grey early quartz veinlets, brecciated and re-veined, minor galena 13.55-14.45: sulphide streaks (pyrite>galena>sphalerite>chalcopyrite), occasional quartz seams 14.27: speck of VG 14.45-14.90: sericite decreases towards end of section	619909 619910 619911 619912	13.00 13.50 14.00 14.50	13.50 14.00 14.50 15.00	0.50 0.50 0.50 0.50	0.556 0.671 21.599 0.504	17.864
14.90	24.10	Greywacke/weakly sheared zone Metasediment as above with C and S fabrics at 75-85° to CA, minor sericite alteration, very minor quartz as streaks, occasional sections with streaks of pyrrhotite.	619913 619914 619915 619916 619917 619918 619919 619920 619921 619922 619923 619924	15.00 15.75 16.50 17.25 18.00 18.75 19.50 20.25 21.00 21.75 22.50 23.25 24.00	15.75 16.50 17.25 18.00 18.75 19.50 20.25 21.00 21.75 22.50 23.25 24.00	0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75	0.077 0.068 0.036 0.079 0.147 0.028 0.016 0.019 <0.005 0.024 0.022 0.043	<0.005
24.10	25.45	Sheared and Altered Zone As 13.05-14.90 but with less quartz and less galena/sphalerite. One speck of VG at 24.91 m.	619925 619926 619927	24.00 24.50 25.00	24.50 25.00 25.50	0.50 0.50 0.50	0.865 4.333 0.448	

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
25.45	32.92	Greywacke As 0.00-13.05 but slightly darker in colour and with more evidence of C planes. Very occasional sericitic layers and a few scattered quartz stringers. Foliation changes from 70-80° to 60-70° down the hole.	619928 619929 619930 619931 619932 619933 619934 619935 619936 619937	25.50 26.25 27.00 27.75 28.50 29.25 30.00 30.75 31.50 32.25	26.25 27.00 27.75 28.50 29.25 30.00 30.75 31.50 32.25 32.92	0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.67	0.056 0.017 <0.005 <0.005 0.007 0.031 0.535 0.189 0.013 0.03	0.005

32.92 - End of Hole

TASHOTA RESOURCES INC.
LAROSE GOLD PROJECT
DIAMOND DRILL LOG

Hole No:	LR16-03
----------	---------

Hole No.	LR16-03
Dip	-65°
Depth	49.99 metres
Azimuth (local)	
Azimuth (true)	131.2° (relative to UTM grid)
Collar coordinates (local)	
Collar coordinates (UTM)	660810.43 EAST, 5380087.47 NORTH
UTM datum & zone	NAD83 ZONE 15
Date started	2016-07-09
Date finished	2016-07-23
Drilled By	Custom Diamond Drilling
Core Size	BQTK
Casing Left In	No
Logged By	Colin Bowdidge 2016-08-01
Comments:	Drill hole confirms presence of mineralization under the waste pile on the northwest side of the P1 trench.

Dip Tests
49.99 -64°

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
0.00	14.78	Greywacke and Minor Argillite Medium grey, medium-grained (± 0.5 mm) homogeneous clastic metasediment composed of quartz, subordinate feldspar, biotite and trace of muscovite with darker, well-bedded layers of argillite up to 30 cm in length. Occasional argillite rip-ups in the greywacke. Bedding and foliation at 40-60° to CA, very variable. 6.00-14.78: Very occasional quartz stringers and very minor pyrite-pyrrhotite (<1%). Some sections have 10-20% of pale grey siliceous lenses that look like rip-ups but are probably early veins broken up by later shearing. 13.00-14.00: minor sericite appears	619938 619939 619940 619941 619942 619943 619944 619945 619946 619947 619948 619949 619950 619951 619952 619953 619954	1.00 2.00 3.00 4.00 5.00 5.75 6.50 7.25 8.00 8.75 9.50 10.25 11.00 11.75 12.50 13.25 14.00 14.75	2.00 3.00 4.00 5.00 5.75 6.50 7.25 8.00 8.75 9.50 10.25 11.00 11.75 12.50 13.25 14.00 14.75	1.00 1.00 1.00 1.00 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75	0.005 <0.005 <0.005 <0.005 0.020 <0.005 <0.005 0.009 <0.005 0.031 <0.005 0.006 0.007 <0.005 <0.005 0.005 0.144	<0.005
14.78	15.15	Quartz/Silicified Zone Totally silicified and brecciated zone with later quartz seams cutting the earlier quartz (at least three generations of quartz). 2-5% sulphides (pyrite, galena' sphalerite, chalcopyrite, arsenopyrite) and one speck oof VG at 14.97 m.	619955	14.75	15.25	0.50	>10.000	37.343 (grav)
15.15	20.50	Sheared and Altered Zone Metasediment (greywacke) as above, with minor to locally moderate sericitic alteration, more intense shearing than above, and 5-10% of quartz in several generations of seams and veinlets. Overall about 1% sulphides, mostly concentrated in and around the quartz seams; pyrite progressively gives way to pyrrhotite down hole.	619956 619957 619958 619959 619960 619961 619962	15.25 16.00 16.75 17.50 18.25 19.00 19.75	16.00 16.75 17.50 18.25 19.00 19.75 20.50	0.75 0.75 0.75 0.75 0.75 0.75 0.75	0.335 0.159 0.090 0.189 0.180 0.049 1.101	0.180
20.50	27.80	Greywacke As 0.00-14.78 with local minor quartz seams and pyrrhotite streaks on foliation planes. 21.90-22.45: about 5% quartz as irregular seams, slight concentration of pyrrhotite 22.95-23.05: white quartz vein with pyrite cubes 25.58-25.75: concentration of quartz seams and minor pyrite	619963 619964 619965 619966 619967 619968 619969 619970 619971 619972	20.50 21.00 21.75 22.50 23.25 24.00 24.75 25.50 26.25 27.00	21.00 21.75 22.50 23.25 24.00 24.75 25.50 26.25 27.00 27.75	0.50 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75	0.122 0.075 <0.005 <0.005 <0.005 0.012 0.011 0.355 0.052 0.031	<0.005

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
27.80	30.30	Sheared and Altered Zone As 20.50-27.80 but with minor sericite and slightly enhanced shearing. Contacts are gradational and arbitrary. Sericite and quartz are maximum at 29.3-29.9 metres	619973 619974 619975	27.75 28.50 29.25	28.50 29.25 30.00	0.75 0.75 0.75	0.230 0.034 0.280	
30.30	35.28	Greywacke and Minor Argillite As 0.00-14.78, foliation at $\pm 50^\circ$ to CA. Very minor pyrrhotite as streaks, concentrated in the thin argillite layers.	619976 619977 619978 619979 619980 619981 619982	30.00 30.75 31.50 32.25 33.00 33.75 34.50	30.75 31.50 32.25 33.00 33.75 34.50 35.25	0.75 0.75 0.75 0.75 0.75 0.75 0.75	0.117 0.061 0.421 0.027 0.306 0.076 0.014	0.094
35.28	36.15	Altered Feldspar Porphyry? As 36.34-37.58 in LR16-01. Contacts are at $\pm 60^\circ$ to CA but in opposite sense to the schistosity at $\pm 60^\circ$ to CA, so the unit has a dip of about 15° to the NW.	619983	35.25	36.25	1.00	0.011	
36.15	41.26	Greywacke and Minor Argillite Very minor quartz and sulphides (pyrrhotite) locally. Foliation at $60-65^\circ$ to CA. A few splashes of (late) white quartz at 39.30-39.35 39.90-41.26: slightly enhanced shearing and quartz veining as contact is approached	619984 619985 619986 619987 619988 619989	36.25 37.00 37.75 38.50 39.75 40.50	37.00 37.75 38.50 39.75 40.50 41.25	0.75 0.75 0.75 1.25 0.75 0.75	0.019 0.965 0.084 0.182 0.049 <0.005	0.163
41.26	42.83	Feldspar Porphyry Identical to the FP at 0.00-0.66 in LR16-01. Contacts are irregular but conform to foliation in adjacent metasediments	619990 619991	41.25 42.00	42.00 42.75	0.75 0.75	<0.005 <0.005	
42.83	49.99	Greywacke and Minor Argillite As above, quartz and sulphides are essentially absent except for the first 15 cm following the feldspar porphyry contact. A few splashes of white quartz in the remainder of the section.	619992 619993 619994 619995 619996 619997 619998 619999 620000	42.75 43.50 44.25 45.00 45.75 46.50 47.25 48.00 49.00	43.50 44.25 45.00 45.75 46.50 47.25 48.00 49.00 49.99	0.75 0.75 0.75 0.75 0.75 0.75 0.75 1.00 0.99	0.015 0.006 <0.005 0.012 0.007 <0.005 0.206 0.007 0.023	0.017

49.99 - End of Hole

TASHOTA RESOURCES INC.
LAROSE GOLD PROJECT
DIAMOND DRILL LOG

Hole No:
LR16-04

Hole No.	LR16-04
Dip	-45°
Depth	43.28 metres
Azimuth (local)	
Azimuth (true)	131.2° (relative to UTM grid)
Collar coordinates (local)	
Collar coordinates (UTM)	660802.70 EAST, 5380074.62 NORTH
UTM datum & zone	NAD83 ZONE 15
Date started	2016-07-24
Date finished	2016-08-01
Drilled By	Custom Diamond Drilling
Core Size	BQTK
Casing Left In	No
Logged By	Colin Bowdidge 2016-08-02
Comments:	

Dip Tests
43.28 m -44°

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
0.00	11.00	Greywacke with minor argillite Medium grey, rather homogeneous with little apparent primary bedding, but C and S fabrics are moderately developed at 50-65° to CA. First 3 metres is very broken. Very minor pyrrhotite. Lower contact is arbitrary and gradational.	880801 880802 880803 880804 880805 880806 880807 880808 880809	2.00 3.00 4.00 5.00 6.00 7.00 8.00 9.00 10.00	3.00 4.00 5.00 6.00 7.00 8.00 9.00 10.00 11.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	0.021 <0.005 <0.005 <0.005 <0.005 <0.005 <0.005 <0.005 0.009	<0.005
11.00	24.00	Sheared and Altered Zone Metasediments as above, but paler grey, minor sericite alteration and silicification are developed and shearing is enhanced. Alteration is most intense at 11.04 to 11.27 and decreases progressively, especially after 16 metres. Foliation is at 62-85° to CA. Quartz veining is complex and multi-generational. 22.00-24.00: Pyrrhotite streaks are more abundant and minor pyrite and trace chlcopyrite are present.	880810 880811 880812 880813 880814 880815 880816 880817 880818 880819 880820 880821 880822 880823 880824	11.00 11.75 12.50 13.25 14.00 14.75 15.50 16.25 17.00 18.00 19.00 20.00 21.00 22.00 23.00 24.00	11.75 12.50 13.25 14.00 14.75 15.50 16.25 17.00 18.00 19.00 20.00 21.00 22.00 23.00 24.00	0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	0.676 0.327 0.149 0.132 0.028 0.005 0.05 0.038 0.016 <0.005 0.046 0.161 0.271 0.998 0.17	0.024
24.00	29.30	Greywacke with minor argillite As above. Foliation at ±75° to CA. Quartz veining and sulphides essentially absent.	880825 880826 880827 880828 880829	24.00 25.00 26.00 27.10 28.20	25.00 26.00 27.10 28.20 29.30	1.00 1.00 1.10 1.10 1.10	0.078 0.009 0.011 0.058 0.011	0.012
29.30	30.31	Feldspar porphyry Identical to the FP in LR16-01 and LR16-03. Probably silicified. Both contacts are conformable to foliation in adjacent metasediments.	880830	29.30	30.30	1.00	0.013	
30.31	43.28	Greywacke with minor argillite As above, with very minor sericite and very minor pyrrhotite as streaks on C/S planes throughout. Quartz is very sparse except as noted.	880831 880832 880833 880834	30.30 31.30 32.30 33.30	31.30 32.30 33.30 34.30	1.00 1.00 1.00 1.00	0.017 0.032 0.028 0.035	

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
30.31	43.28	(continued) 37-39: 3% quartz seams and veinlets, traces pyrite.	880835 880836 880837 880838 880839 880840 880841 880842	34.30 35.30 36.30 37.30 38.30 39.30 40.30 41.30	35.30 36.30 37.30 38.30 39.30 40.30 41.30 42.30	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	0.057 0.023 0.012 0.016 <0.005 0.019 0.047 0.033	0.006

43.28: End of Hole

TASHOTA RESOURCES INC.
LAROSE GOLD PROJECT
DIAMOND DRILL LOG

Hole No:
LR16-05

Hole No.	LR16-05
Dip	-65°
Depth	50.90 metres
Azimuth (local)	
Azimuth (true)	131.2° (relative to UTM grid)
Collar coordinates (local)	
Collar coordinates (UTM)	660802.70 EAST, 5380074.62 NORTH
UTM datum & zone	NAD83 ZONE 15
Date started	2016-08-02
Date finished	2016-08-14
Drilled By	Custom Diamond Drilling
Core Size	BQTK
Casing Left In	No
Logged By	Colin Bowdidge 2016-08-17
Comments:	

Dip Tests	
33.10 m	-64°

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
0.00	0.31	Casing						
0.31	12.25	Metasediment (Greywacke) Medium grey, grain size typically $\pm 0.5\text{mm}$, mostly massive to very weakly bedded, with weak schistosity at 35-45° to CA. Local very minor pyrrhotite as streaks on schistosity or shear planes. 6.05-6.30: thinly laminated, with a few quartz seams parallel to foliation	382351	2.50	3.25	0.75	<0.005	
			382352	3.25	4.00	0.75	0.008	
			382353	4.00	4.75	0.75	<0.005	
			382354	4.75	5.50	0.75	<0.005	
			382355	5.50	6.25	0.75	<0.005	
			382356	6.25	7.00	0.75	<0.005	
			382357	7.00	7.75	0.75	0.007	
			382358	7.75	8.50	0.75	0.023	
			382359	8.50	9.25	0.75	<0.005	
			382360	9.25	10.00	0.75	<0.005	<0.005
			382361	10.00	10.75	0.75	0.009	
			382362	10.75	11.50	0.75	0.008	
			382363	11.50	12.25	0.75	0.118	
12.25	17.05	Silicified and Quartz Vein Zone Metasediment as above but with a higher proportion of thinly laminated (sheared?) sections, and an overall paler grey colour. Quartz veins average $\pm 10\%$ of the rock but locally form up to 50%, with individual veins mostly less than 2 cm thick. Early quartz veins are mostly grey in colour and are folded and detached along shear planes, while later veins are mostly white and either follow shear planes or cut them at low angles. Minor (<1%) pyrite and pyrrhotite as disseminations and occasional splashes near, but not usually in, quartz veins. Foliation is at 35-45° to CA	382364	12.25	12.75	0.50	0.167	
			382365	12.75	13.25	0.50	0.145	
			382366	13.25	13.75	0.50	0.151	
			382367	13.75	14.25	0.50	0.773	
			382368	14.25	14.75	0.50	0.261	
			382369	14.75	15.25	0.50	0.281	
			382370	15.25	15.75	0.50	0.020	0.029
			382371	15.75	16.25	0.50	0.093	
			382372	16.25	16.75	0.50	0.030	
			382373	16.75	17.25	0.50	0.105	
17.05	23.60	Metasediment (Greywacke) As above (0.31-12.25), with occasional quartz veins less than 1 cm thick. Foliation is at 40-50° to CA 18.5-20.5: Fe-carbonate alteration is prominent	382374	17.25	18.00	0.75	0.242	
			382375	18.00	18.75	0.75	0.054	
			382376	18.75	19.50	0.75	0.020	
			382377	19.50	20.25	0.75	0.011	
			382378	20.25	21.00	0.75	0.027	
			382379	21.00	21.75	0.75	0.014	
			382380	21.75	22.50	0.75	0.050	0.059
			382381	22.50	23.00	0.50	0.020	
			382382	23.00	23.50	0.50	0.134	
23.60	25.00	Silicified and Quartz Vein Zone As from 12.25 to 17.05, but with less quartz (4-5% overall). Foliation starts at about 45° to CA and swings to 20° at 24.40, then swings back to 45° at end of section.	382383	23.50	24.00	0.50	0.609	
			382384	24.00	24.50	0.50	0.087	
			382385	24.50	25.00	0.50	0.007	

From	To	Description	Sample	From	To	Length	Au g/T	Au rpt
25.00	35.79	Metasediment (Greywacke) As above, with paler coloured sections showing a hint of brown weathering (= Fe-carbonate alteration), becoming more abundant down-hole. A few laminated or sheared sections. 27.30-27.75: laminated, quartz veins, very minor pyrite	382386	25.00	25.75	0.75	0.385	0.103
		382387	25.75	26.50	0.75	0.091		
		382388	26.50	27.25	0.75	0.023		
		382389	27.25	28.00	0.75	0.077		
		382390	28.00	28.75	0.75	0.152		
		382391	28.75	29.50	0.75	0.133		
		382392	29.50	30.25	0.75	0.127		
		382393	30.25	31.00	0.75	0.187		
		382394	31.00	31.75	0.75	0.089		
		382395	31.75	32.50	0.75	0.269		
		382396	32.50	33.25	0.75	0.010		
		382397	33.25	34.00	0.75	0.136		
		382398	34.00	34.75	0.75	0.056		
		382399	34.75	35.75	1.00	0.085		
35.79	37.23	Feldspar Porphyry As described in other drill holes. Feldspar phenocrysts are somewhat ghostly, probably due to	382400	35.75	36.50	0.75	0.006	0.005
37.23	37.75	Calcite Shear Zone Piebald appearance with white calcite and black sheared material on closely spaced, anastamosing shear planes at 30-40° to CA. 1-2% fine disseminated pyrite.	382402	37.25	38.00	0.75	<0.005	
37.75	50.90	Metasediment (Greywacke) As above. Very minor scattered quartz seams, very minor pyrite and pyrrhotite on foliation planes at 45° to 60° to CA. Section from 38.00 to 38.55 is finely laminated or sheared. 43.70-43.95: Silicified and quartz vein zone with minor sericite alteration. Two larger (5 cm) white (late) quartz veins.	382403	38.00	38.75	0.75	0.005	0.152
		382404	38.75	39.50	0.75	0.015		
		382405	39.50	40.25	0.75	0.060		
		382406	40.25	41.00	0.75	0.018		
		382407	41.00	41.75	0.75	<0.005		
		382408	41.75	42.50	0.75	0.010		
		382409	42.50	43.25	0.75	0.027		
		382410	43.25	44.00	0.75	0.104		
		382411	44.00	44.75	0.75	0.132		
		382412	44.75	45.50	0.75	0.027		
		382413	45.50	46.25	0.75	0.016		
		382414	46.25	47.00	0.75	0.025		
		382415	47.00	47.75	0.75	0.030		
		382416	47.75	48.50	0.75	0.018		
		382417	48.50	49.25	0.75	<0.005		
		382418	49.25	50.00	0.75	0.006		
		382419	50.00	50.90	0.90	0.017		

50.90 - End of Hole

APPENDIX 2
ASSAY CERTIFICATES

Wednesday, July 13, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/06/2016
 Date Completed: 07/13/2016
 Job #: 201641416
 Reference:
 Sample #: 71

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
150372	619801	0.007	
150373	619802	0.005	
150374	619803	0.006	
150375	619804	0.008	
150376	619805	0.007	
150377	619806	0.020	
150378	619807	0.020	
150379	619808	0.641	
150380	619809	0.126	
150381	619810	0.166	
150382	619810 Dup	0.170	
150383	619811	0.143	
150384	619812	0.010	
150385	619813	0.043	
150386	619814	0.147	
150387	619815	0.025	
150388	619816	0.072	
150389	619817	0.009	
150390	619818	0.074	
150391	619819	0.011	
150392	619820	0.008	
150393	619820 Dup	0.006	
150394	619821	<0.005	
150395	619822	0.144	
150396	619823	0.026	


APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 13, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/06/2016
 Date Completed: 07/13/2016
 Job #: 201641416
 Reference:
 Sample #: 71

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
150397	619824	0.193	
150398	619825	3.048	
150399	619826	0.562	
150400	619827	0.764	
150401	619828	0.205	
150402	619829	0.007	
150403	619830	0.141	
150404	619830 Dup	0.138	
150405	619831	0.051	
150406	619832	0.038	
150407	619833	0.049	
150408	619834	0.053	
150409	619835	0.006	
150410	619836	<0.005	
150411	619837	0.016	
150412	619838	<0.005	
150413	619839	<0.005	
150414	619840	0.013	
150415	619840 Dup	0.036	
150416	619841	<0.005	
150417	619842	0.015	
150418	619843	<0.005	
150419	619844	<0.005	
150420	619845	0.010	
150421	619846	0.030	


APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 13, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/06/2016
 Date Completed: 07/13/2016
 Job #: 201641416
 Reference:
 Sample #: 71

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
150422	619847	0.049	
150423	619848	0.089	
150424	619849	0.006	
150425	619850	0.019	
150426	619850 Dup	0.015	
150427	619851	0.010	
150428	619852	0.179	
150429	619853	0.208	
150430	619854	1.148	
150431	619855	0.611	
150432	619856	0.703	
150433	619857	2.912	
150434	619858	1.004	
150435	619859	0.919	
150436	619860	0.149	
150437	619860	Insufficient Sample	
150438	619861	1.038	
150439	619862	1.431	
150440	619863	>10.000	27.689
150441	619864	0.314	
150442	619865	1.718	
150443	619866	1.315	
150444	619867	0.579	
150445	619868	0.626	
150446	619869	0.081	


APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 13, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/06/2016
 Date Completed: 07/13/2016
 Job #: 201641416
 Reference:
 Sample #: 71

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
150447	619870	0.334	
150448	619870 Dup	0.471	
150449	619871	0.529	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:




Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 13, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/06/2016
 Date Completed: 07/13/2016
 Job #: 201641416
 Reference:
 Sample #: 71

Control Standards

QC Type	Element	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS42	Au	0.659	0.650	0.040
GS42	Au	0.449	0.650	0.040
GS42	Au	0.626	0.650	0.040
GS42	Au	0.618	0.650	0.040
GS42	Au	0.719	0.650	0.040
GS37	AuG	2.948	3.220	0.210
GS42	Au	0.640	0.650	0.040

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 13, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/06/2016

Date Completed: 07/13/2016

Job #: 201641416

Reference:

Sample #: 71

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150372	619801	<1	4.91	9	375	4	4	0.75	<4	8	45	23	1.95	<0.01	16	0.79	345	10	<1	296	6	<5	2	31	332	935	<2	43	<10	11	42
150373	619802	<1	5.40	13	498	2	10	1.00	<4	18	100	44	3.97	0.12	26	1.65	505	3	<1	583	1	<5	<1	31	228	2215	<2	102	<10	15	66
150374	619803	<1	5.33	20	393	<2	1	1.26	<4	16	89	37	3.46	0.02	23	1.54	519	2	<1	576	3	<5	<1	31	220	1576	<2	85	<10	14	56
150375	619804	<1	6.89	30	524	2	3	1.02	<4	22	113	45	4.50	<0.01	30	1.91	548	6	<1	653	<1	<5	<1	33	241	2091	<2	113	<10	17	81
150376	619805	<1	5.49	29	455	<2	5	1.05	<4	21	99	47	3.84	<0.01	24	1.64	524	3	<1	617	<1	<5	4	32	203	2166	<2	96	<10	15	62
150377	619806	<1	5.83	35	542	2	2	0.78	<4	24	120	55	4.65	0.07	33	1.89	452	3	<1	586	<1	<5	<1	33	199	1449	<2	130	<10	17	79
150378	619807	<1	5.10	37	405	<2	1	1.81	<4	17	95	37	3.27	0.13	19	1.37	588	4	<1	538	3	<5	<1	31	222	1420	<2	84	<10	14	52
150379	619808	<1	4.91	18	488	<2	10	1.50	<4	16	94	35	3.18	0.06	19	1.26	542	3	<1	530	8	<5	2	28	210	1352	<2	85	<10	14	64
150380	619809	<1	5.62	20	696	2	<1	1.52	<4	19	117	46	3.94	<0.01	21	1.44	569	4	<1	584	6	<5	<1	36	179	1623	<2	121	<10	15	81
150381	619810	<1	5.48	34	461	<2	2	2.00	<4	19	99	52	3.96	<0.01	20	1.48	649	3	<1	551	2	<5	<1	36	239	1324	2	97	<10	15	62
150382D	619810	<1	5.13	30	447	<2	3	1.93	<4	19	96	52	3.87	0.02	20	1.43	630	3	<1	539	2	<5	6	30	235	1267	3	95	<10	15	64
150383	619811	<1	5.57	50	471	<2	<1	1.83	<4	24	118	48	4.82	0.02	25	1.83	587	4	<1	583	4	<5	<1	29	299	1256	<2	125	<10	17	90
150384	619812	<1	5.39	49	369	<2	6	1.42	<4	18	98	42	3.71	<0.01	19	1.50	536	3	<1	565	<1	<5	2	32	238	1261	<2	90	<10	14	59
150385	619813	<1	5.61	55	463	<2	4	1.51	<4	20	109	41	4.08	<0.01	23	1.62	543	3	<1	568	2	<5	<1	31	233	1205	<2	106	<10	17	69
150386	619814	<1	2.52	35	338	<2	<1	0.41	<4	16	82	32	3.20	0.75	15	1.32	342	<1	<1	417	3	<5	<1	24	157	1192	<2	84	<10	12	59
150387	619815	<1	4.66	10	515	<2	3	2.20	<4	15	86	38	3.00	0.06	17	1.27	620	3	<1	484	8	<5	5	31	228	1568	<2	78	<10	15	65
150388	619816	<1	4.42	8	392	<2	3	1.80	<4	13	86	30	2.86	0.03	16	1.25	479	3	<1	452	5	<5	<1	30	212	1164	<2	67	<10	14	55
150389	619817	<1	3.97	8	336	<2	8	1.54	<4	17	108	42	3.36	0.14	17	1.44	481	4	<1	481	7	<5	<1	32	204	1273	<2	77	<10	14	60
150390	619818	<1	4.72	14	480	<2	6	1.24	<4	17	89	33	3.49	<0.01	20	1.71	545	3	<1	604	15	5	<1	31	235	1890	6	87	<10	14	73
150391	619819	<1	4.41	19	401	<2	<1	1.91	<4	15	82	27	2.89	<0.01	13	1.40	531	3	<1	502	6	<5	<1	13	262	1515	<2	69	<10	13	60

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7, ALPbAR2



 Andrew Oleski
 Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 13, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/06/2016

Date Completed: 07/13/2016

Job #: 201641416

Reference:

Sample #: 71

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150392	619820	<1	3.90	13	320	<2	7	1.19	<4	15	92	35	2.92	<0.01	12	1.32	427	4	<1	473	<1	<5	14	12	220	1415	<2	68	<10	13	57
150393D	619820	<1	3.66	11	314	<2	8	1.13	<4	15	90	32	2.83	<0.01	10	1.28	413	3	<1	455	<1	<5	4	15	215	1394	<2	66	<10	12	56
150394	619821	<1	4.02	16	334	<2	11	1.70	<4	15	92	30	3.03	<0.01	12	1.38	506	3	<1	471	<1	<5	<1	16	261	1477	<2	70	<10	13	65
150395	619822	<1	3.26	12	319	<2	3	1.59	<4	13	77	25	2.61	0.23	11	1.19	458	<1	<1	430	<1	5	<1	13	200	1100	<2	64	<10	13	48
150396	619823	<1	5.01	11	538	<2	7	0.92	<4	21	111	51	4.16	<0.01	21	1.67	481	3	<1	579	25	<5	<1	12	144	1430	<2	112	<10	16	107
150397	619824	<1	5.28	3	511	<2	10	1.30	<4	21	106	51	4.29	<0.01	23	1.65	592	3	<1	566	25	<5	5	14	151	1516	<2	109	<10	16	110
150398	619825	1	4.55	14	448	<2	1	1.66	<4	18	90	35	3.13	0.03	15	1.21	543	4	<1	504	27	<5	5	15	187	1400	<2	83	<10	14	94
150399	619826	<1	4.48	21	423	<2	<1	1.81	<4	17	96	41	2.95	<0.01	14	1.13	529	5	<1	493	23	<5	2	18	194	1215	<2	79	<10	14	101
150400	619827	<1	5.22	228	452	<2	5	1.83	<4	19	105	41	3.77	0.15	19	1.42	673	5	<1	549	7	<5	3	15	187	1615	<2	96	10	15	78
150401	619828	<1	6.13	837	508	<2	<1	2.53	<4	22	114	46	4.20	0.07	22	1.58	783	6	<1	580	6	<5	<1	17	234	1781	<2	107	<10	17	78
150402	619829	<1	5.69	161	481	2	4	1.22	<4	23	115	50	4.40	0.20	22	1.60	549	15	<1	615	4	6	3	14	186	1308	<2	112	<10	17	114
150403	619830	<1	5.91	62	389	<2	8	1.44	<4	19	110	41	4.16	0.05	20	1.67	612	5	<1	579	<1	6	5	15	217	1233	<2	102	<10	16	89
150404D	619830	<1	5.76	84	380	<2	13	1.42	<4	21	108	41	4.14	0.08	20	1.65	613	5	<1	584	<1	<5	2	15	213	1190	<2	101	<10	16	86
150405	619831	<1	5.17	200	355	<2	7	1.45	<4	20	100	38	3.68	0.04	16	1.46	631	3	<1	591	<1	<5	<1	16	242	1418	<2	94	<10	15	67
150406	619832	<1	5.53	80	333	<2	3	1.90	<4	20	102	53	3.79	<0.01	15	1.40	703	4	<1	581	<1	<5	<1	16	263	1500	<2	92	<10	16	67
150407	619833	<1	4.90	57	338	<2	8	1.57	<4	20	102	42	3.84	<0.01	15	1.44	648	4	<1	585	4	<5	6	14	250	2000	<2	93	<10	15	71
150408	619834	<1	5.85	67	463	<2	5	1.28	<4	24	120	49	4.59	<0.01	23	1.80	682	4	<1	613	<1	<5	<1	16	224	2095	<2	120	<10	17	84
150409	619835	<1	5.59	156	507	<2	5	1.04	<4	24	122	55	4.57	0.02	23	1.73	556	15	<1	629	<1	<5	<1	11	202	1449	<2	121	10	16	87
150410	619836	<1	5.34	59	505	2	5	1.70	<4	21	135	29	3.47	0.04	19	1.43	600	3	<1	696	<1	<5	<1	13	239	1308	<2	104	<10	16	65
150411	619837	<1	5.27	92	500	<2	<1	1.32	<4	20	135	40	4.04	0.09	20	1.61	570	4	<1	674	<1	<5	<1	13	213	1449	<2	111	<10	15	73

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7, ALPbAR2



Certified By: Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 13, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/06/2016

Date Completed: 07/13/2016

Job #: 201641416

Reference:

Sample #: 71

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150412	619838	<1	5.05	137	468	<2	7	2.46	<4	16	116	39	3.22	0.12	16	1.31	692	5	<1	613	<1	7	3	16	250	1175	<2	83	<10	14	53
150413	619839	<1	5.31	206	502	2	5	1.84	<4	19	124	42	3.72	0.23	20	1.54	653	4	<1	657	<1	<5	<1	14	223	1118	<2	100	<10	14	66
150414	619840	<1	5.03	22	459	<2	7	2.33	<4	18	121	42	3.26	0.05	18	1.46	751	4	<1	610	4	<5	<1	16	239	1298	<2	86	<10	13	52
150415D	619840	<1	5.37	27	459	<2	<1	2.59	<4	19	144	43	3.39	0.04	20	1.63	785	4	<1	619	4	<5	<1	14	269	1354	<2	90	<10	13	53
150416	619841	<1	4.90	25	494	<2	6	2.37	<4	18	123	35	3.67	0.21	20	1.68	788	4	<1	646	<1	<5	5	14	271	1703	9	93	<10	14	92
150417	619842	<1	4.55	18	506	<2	8	2.16	<4	19	134	43	3.43	0.25	19	1.47	602	3	<1	675	<1	<5	<1	12	227	1426	4	95	<10	15	62
150418	619843	<1	4.82	14	467	<2	8	1.76	<4	20	151	46	3.95	0.12	21	1.63	641	5	<1	671	<1	<5	1	12	198	1434	<2	97	<10	14	76
150419	619844	<1	2.62	5	360	<2	6	1.74	<4	20	141	45	4.08	0.24	14	1.67	708	<1	<1	686	2	<5	<1	<10	212	1227	<2	89	<10	13	76
150420	619845	<1	4.93	6	392	<2	4	2.58	<4	23	183	53	4.60	0.19	21	1.83	809	5	<1	685	<1	<5	3	11	316	1472	<2	106	<10	15	80
150421	619846	<1	5.15	18	469	<2	<1	1.96	<4	21	139	37	3.64	0.15	20	1.70	712	4	<1	666	<1	<5	<1	13	249	1442	6	93	<10	14	68
150422	619847	<1	5.48	13	521	<2	10	2.00	<4	21	131	50	3.60	0.11	21	1.61	647	4	<1	661	<1	<5	<1	14	220	1465	<2	98	<10	15	67
150423	619848	<1	5.78	7	533	<2	7	1.26	<4	20	146	45	4.04	0.22	22	1.83	508	4	<1	720	3	<5	<1	12	223	1334	<2	102	<10	15	85
150424	619849	<1	4.78	8	290	<2	<1	2.94	<4	19	120	52	3.30	0.24	16	1.56	749	4	<1	594	25	<5	2	15	412	1050	<2	78	<10	14	60
150425	619850	<1	1.56	50	183	2	4	7.20	<4	37	599	106	4.97	0.96	34	4.07	1425	<1	<1	568	9	<5	<1	12	833	1748	<2	126	<10	10	55
150426D	619850	<1	1.29	42	191	2	8	7.19	<4	34	609	107	5.03	0.49	33	3.93	1437	<1	<1	582	5	<5	4	16	827	1783	<2	125	<10	10	57
150427	619851	<1	0.78	55	99	<2	6	6.84	<4	33	643	53	4.53	0.45	32	4.55	1136	<1	<1	559	<1	7	<1	13	882	1135	3	102	<10	9	56
150428	619852	<1	4.38	11	254	<2	3	7.46	<4	19	114	86	3.46	0.15	12	1.29	1761	4	<1	533	133	<5	5	14	996	1022	<2	81	<10	16	182
150429	619853	<1	5.88	4	535	2	6	0.30	<4	19	141	71	4.10	0.06	15	1.33	333	6	<1	688	216	<5	6	14	238	1368	<2	111	10	14	340
150430	619854	<1	5.58	10	598	2	<1	0.60	<4	21	131	66	3.70	0.02	15	1.30	438	5	<1	651	477	<5	2	13	257	1084	<2	98	11	14	457
150431	619855	<1	5.03	6	499	2	<1	1.00	<4	18	129	48	3.61	0.01	14	1.39	685	5	<1	612	47	<5	<1	14	195	1123	<2	86	<10	13	105

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7, ALPbAR2



Certified By: Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Wednesday, July 13, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/06/2016

Date Completed: 07/13/2016

Job #: 201641416

Reference:

Sample #: 71

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150432	619856	<1	5.28	7	574	<2	9	1.01	4	17	129	65	3.62	0.17	15	1.14	522	5	<1	619	669	6	<1	15	180	1153	<2	88	14	13	633
150433	619857	<1	5.87	6	613	2	2	0.79	8	22	138	81	4.40	0.24	18	1.22	424	6	<1	616	360	5	<1	15	207	1224	<2	115	23	15	1226
150434	619858	<1	6.38	9	635	2	3	0.91	<4	27	141	82	4.47	0.23	19	1.32	490	6	<1	730	48	<5	<1	13	241	1306	<2	119	<10	16	255
150435	619859	<1	6.10	5	638	2	7	2.00	<4	19	130	44	3.58	0.29	17	1.40	962	5	<1	688	57	5	3	15	222	1311	<2	100	<10	15	70
150436	619860	<1	3.69	6	429	<2	6	0.74	<4	16	111	32	3.26	0.92	13	1.36	486	2	<1	625	1	5	<1	13	148	997	<2	81	<10	12	80
150437R	619860																														
150438	619861	<1	5.93	12	577	<2	11	1.73	<4	16	122	41	3.66	0.18	18	1.53	826	5	<1	676	<1	<5	5	13	211	1264	<2	96	<10	14	88
150439	619862	<1	6.11	409	708	2	4	1.30	8	23	142	140	4.27	0.22	18	1.17	533	6	<1	631	96	<5	4	14	187	1432	<2	115	17	16	892
150440	619863	16	3.73	1859	424	<2	11	0.64	51	13	98	104	3.74	0.23	10	0.59	209	8	<1	392	9371	19	5	16	190	874	<2	69	97	10	6951
150441	619864	<1	6.22	18	725	2	1	0.94	4	21	129	135	3.99	0.36	17	0.91	361	7	<1	662	188	<5	<1	16	187	1412	<2	104	<10	15	440
150442	619865	<1	5.63	18	532	2	10	0.86	<4	18	132	81	3.28	0.04	19	1.34	405	6	<1	634	13	<5	2	14	167	1190	<2	90	<10	14	139
150443	619866	<1	6.07	6	632	2	7	0.86	<4	18	136	87	3.61	0.09	20	1.25	389	6	<1	658	152	<5	6	15	154	1343	<2	96	10	15	245
150444	619867	<1	6.60	9	595	<2	4	2.11	<4	21	141	59	4.08	0.11	23	1.53	704	7	<1	696	59	<5	6	17	204	1505	<2	109	<10	16	202
150445	619868	<1	6.11	10	488	2	8	2.09	<4	22	135	56	4.34	0.18	23	1.66	642	5	<1	681	8	5	<1	20	202	1228	<2	99	<10	16	106
150446	619869	<1	5.70	64	531	<2	4	1.69	<4	19	127	53	4.01	0.08	22	1.47	656	5	<1	673	7	<5	2	13	184	1300	<2	109	<10	15	95
150447	619870	<1	5.90	125	528	2	4	1.90	<4	21	134	49	3.93	0.06	22	1.60	723	6	<1	667	2	<5	2	18	202	1334	<2	107	<10	16	107
150448D	619870	<1	5.76	127	517	<2	6	1.87	<4	20	131	48	3.86	0.06	21	1.59	710	5	<1	660	5	<5	<1	17	199	1293	<2	105	<10	15	110
150449	619871	<1	5.43	120	494	2	8	1.59	<4	18	123	45	3.47	0.07	20	1.44	659	5	<1	611	7	<5	<1	15	171	1231	<2	96	<10	14	95

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7, ALPbAR2



Certified By: Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 29, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/26/2016
 Date Completed: 07/29/2016
 Job #: 201641549
 Reference:
 Sample #: 66

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
165272	619872	0.315	
165273	619873	0.795	
165274	619874	0.281	
165275	619875	0.048	
165276	619876	0.070	
165277	619877	0.087	
165278	619878	0.015	
165279	619879	0.012	
165280	619880	0.013	
165281	619881	<0.005	
165282	619881 Dup	<0.005	
165283	619882	0.022	
165284	619883	<0.005	
165285	619884	<0.005	
165286	619885	<0.005	
165287	619886	0.007	
165288	619887	<0.005	
165289	619888	<0.005	
165290	619889	0.006	
165291	619890	0.011	
165292	619891	0.013	
165293	619891 Dup	0.013	
165294	619892	<0.005	
165295	619893	<0.005	
165296	619894	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 29, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/26/2016
 Date Completed: 07/29/2016
 Job #: 201641549
 Reference:
 Sample #: 66

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
165297	619895	<0.005	
165298	619896	<0.005	
165299	619897	<0.005	
165300	619898	<0.005	
165301	619899	<0.005	
165302	619900	<0.005	
165303	619901	0.009	
165304	619901 Dup	0.006	
165305	619902	<0.005	
165306	619903	<0.005	
165307	619904	<0.005	
165308	619905	<0.005	
165309	619906	<0.005	
165310	619907	<0.005	
165311	619908	0.091	
165312	619909	0.556	
165313	619910	0.671	
165314	619911	>10.000	21.599
165315	619911 Dup	>10.000	17.864
165316	619912	0.504	
165317	619913	0.077	
165318	619914	0.068	
165319	619915	0.036	
165320	619916	0.079	
165321	619917	0.147	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 29, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/26/2016
 Date Completed: 07/29/2016
 Job #: 201641549
 Reference:
 Sample #: 66

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
165322	619918	0.028	
165323	619919	0.016	
165324	619920	0.019	
165325	619921	<0.005	
165326	619921 Dup	0.034	
165327	619922	0.024	
165328	619923	0.022	
165329	619924	0.043	
165330	619925	0.865	
165331	619926	4.333	
165332	619927	0.448	
165333	619928	0.056	
165334	619929	0.017	
165335	619930	<0.005	
165336	619931	<0.005	
165337	619931 Rep	0.005	
165338	619932	0.007	
165339	619933	0.031	
165340	619934	0.535	
165341	619935	0.189	
165342	619936	0.013	
165343	619937	0.030	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 29, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/26/2016
 Date Completed: 07/29/2016
 Job #: 201641549
 Reference:
 Sample #: 66

Control Standards

QC Type	Element	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS42	Au	0.671	0.650	0.040
GS42	Au	0.632	0.650	0.040
GS42	Au	0.606	0.650	0.040
GS42	Au	0.599	0.650	0.040
GS42	Au	0.577	0.650	0.040
GS37	AuG	2.829	3.220	0.210

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 29, 2016

Final Certificate

Date Received: 07/26/2016

Date Completed: 07/29/2016

Job #: 201641549

Reference:

Sample #: 66

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
165272	619872	<1	4.98	1635	524	<2	<1	1.51	<4	21	134	55	3.70	<0.01	21	1.18	563	4	59	585	10	<5	<1	14	181	1430	<2	99	<10	13	96
165273	619873	<1	4.65	340	620	<2	<1	0.71	<4	21	144	50	3.61	<0.01	22	1.11	388	4	62	644	27	<5	1	11	177	1631	<2	101	<10	12	94
165274	619874	<1	4.44	402	572	<2	<1	1.33	<4	23	136	57	3.89	<0.01	23	1.25	533	2	67	613	14	<5	<1	13	197	1630	<2	107	<10	14	86
165275	619875	<1	4.68	119	615	2	<1	1.31	<4	20	118	41	3.50	0.04	24	1.20	528	2	57	614	8	<5	<1	10	181	1741	5	89	<10	14	71
165276	619876	<1	4.00	65	587	<2	<1	0.44	<4	25	145	31	4.55	<0.01	30	1.27	442	2	73	728	5	<5	<1	10	165	1841	<2	121	<10	16	95
165277	619877	<1	5.11	109	381	<2	<1	2.82	<4	24	129	41	4.20	<0.01	25	1.58	753	2	71	614	7	<5	<1	11	366	2128	<2	112	<10	17	79
165278	619878	<1	4.74	105	506	2	<1	1.01	<4	23	133	48	3.95	<0.01	23	1.37	499	1	64	626	<1	<5	3	14	249	2652	<2	99	<10	15	76
165279	619879	<1	5.21	44	518	2	<1	1.21	<4	24	139	46	4.00	<0.01	25	1.36	543	2	64	696	2	<5	<1	15	278	2920	<2	103	<10	15	76
165280	619880	<1	4.65	36	388	<2	<1	1.25	<4	22	131	48	3.83	<0.01	22	1.29	529	1	60	620	5	<5	<1	13	281	2498	2	94	<10	14	73
165281	619881	<1	5.32	34	458	<2	<1	1.65	<4	22	135	45	3.77	<0.01	23	1.31	566	3	55	653	2	<5	3	<10	323	2734	<2	92	<10	15	76
165282D	619881	<1	4.79	36	437	<2	<1	1.56	<4	21	131	44	3.63	0.01	21	1.22	543	2	53	635	6	<5	<1	11	310	2619	<2	88	<10	14	73
165283	619882	<1	4.74	33	407	<2	<1	1.80	<4	25	167	47	3.96	<0.01	23	1.35	615	2	59	726	7	6	<1	11	299	2980	<2	96	<10	16	70
165284	619883	<1	4.95	25	410	<2	<1	1.14	<4	20	132	45	3.92	<0.01	22	1.39	481	3	51	669	3	<5	<1	13	295	2492	<2	89	<10	13	73
165285	619884	<1	4.85	30	443	2	<1	1.20	<4	21	120	40	3.90	<0.01	23	1.28	450	2	57	652	5	<5	<1	12	275	2135	4	93	<10	14	71
165286	619885	<1	4.44	27	427	<2	<1	1.08	<4	21	120	38	3.92	<0.01	21	1.29	464	2	60	629	3	<5	<1	12	273	2723	<2	97	<10	14	72
165287	619886	<1	4.42	32	453	<2	<1	1.23	<4	22	122	43	3.93	<0.01	22	1.23	502	2	60	622	4	<5	<1	12	289	2873	<2	98	<10	14	72
165288	619887	<1	5.70	34	503	2	<1	1.46	<4	24	135	48	4.24	<0.01	25	1.38	565	3	65	696	<1	<5	<1	13	327	3043	7	108	<10	16	76
165289	619888	<1	4.81	33	499	<2	<1	1.11	<4	26	134	49	4.07	<0.01	23	1.34	511	2	69	688	2	<5	6	14	278	3083	<2	110	<10	15	71
165290	619889	<1	4.72	36	472	2	<1	1.22	<4	24	131	46	3.93	<0.01	22	1.32	502	2	64	643	<1	<5	<1	10	276	2899	<2	106	<10	15	68
165291	619890	<1	5.55	39	512	2	<1	1.36	<4	25	134	42	4.14	<0.01	25	1.63	555	2	66	660	<1	<5	<1	13	296	3049	<2	112	<10	14	71

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7



Certified By: Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 29, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/26/2016

Date Completed: 07/29/2016

Job #: 201641549

Reference:

Sample #: 66

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
165292	619891	<1	4.61	30	485	<2	<1	1.03	<4	25	133	46	4.13	0.09	23	1.42	514	2	70	661	2	<5	<1	11	276	3094	2	111	<10	14	73
165293D	619891	<1	5.82	33	512	2	<1	1.17	<4	26	138	49	4.34	<0.01	26	1.73	546	2	70	695	<1	<5	<1	13	293	3157	2	120	<10	15	78
165294	619892	<1	5.20	29	483	<2	<1	1.62	<4	18	131	42	3.59	<0.01	21	1.51	524	2	50	631	<1	5	<1	12	276	1573	4	87	<10	12	71
165295	619893	<1	4.26	21	523	<2	<1	1.48	<4	17	131	34	3.34	0.15	20	1.19	461	2	47	589	<1	<5	<1	<10	267	1684	<2	78	<10	12	64
165296	619894	<1	5.49	28	523	<2	2	3.26	<4	20	241	40	3.77	0.17	23	1.45	651	<1	51	603	8	5	<1	15	450	1850	7	86	<10	15	67
165297	619895	<1	4.19	19	479	<2	<1	1.86	<4	15	121	32	3.00	0.10	20	1.12	470	3	41	541	<1	<5	<1	13	219	1302	<2	70	<10	13	56
165298	619896	<1	4.77	35	557	<2	<1	1.04	<4	20	132	44	3.71	<0.01	25	1.26	434	3	56	647	<1	<5	<1	10	213	1609	<2	94	<10	14	70
165299	619897	<1	4.99	32	540	2	<1	0.71	<4	22	137	43	3.96	<0.01	25	1.39	458	3	65	647	<1	5	<1	<10	214	1550	<2	103	<10	14	73
165300	619898	<1	3.59	23	447	<2	<1	1.07	<4	18	111	34	3.30	0.32	18	1.16	441	2	49	559	<1	<5	<1	13	251	1495	<2	80	<10	11	60
165301	619899	<1	4.62	23	443	<2	<1	1.54	<4	19	129	41	3.61	<0.01	19	1.24	531	3	54	648	1	<5	<1	11	314	2022	<2	87	<10	13	65
165302	619900	<1	4.55	31	452	2	<1	1.57	<4	20	125	41	3.56	<0.01	19	1.20	558	2	56	640	2	<5	<1	12	301	1875	3	88	<10	13	65
165303	619901	<1	4.48	37	489	<2	<1	1.47	<4	22	122	40	3.77	<0.01	19	1.26	596	1	57	654	<1	5	<1	11	277	1923	2	99	<10	13	73
165304D	619901	<1	4.37	39	482	<2	<1	1.45	<4	21	120	40	3.72	0.01	18	1.23	586	1	58	648	4	<5	<1	11	277	1895	<2	97	<10	13	70
165305	619902	<1	5.30	38	561	2	<1	1.75	<4	22	135	47	4.06	<0.01	24	1.33	572	3	64	673	3	<5	7	14	241	1697	<2	106	<10	15	72
165306	619903	<1	4.97	44	572	2	<1	1.33	<4	23	133	38	4.13	<0.01	24	1.48	529	2	66	671	<1	<5	<1	11	201	1521	<2	111	<10	13	74
165307	619904	<1	4.81	33	527	<2	<1	1.42	<4	20	120	33	3.82	<0.01	22	1.29	470	2	58	633	3	<5	<1	<10	218	1606	<2	97	<10	13	70
165308	619905	<1	5.20	40	466	<2	<1	1.56	<4	19	129	44	3.66	<0.01	21	1.29	490	3	53	635	<1	<5	<1	12	252	1768	3	88	<10	14	63
165309	619906	<1	4.57	32	470	<2	<1	1.23	<4	21	125	43	3.59	0.04	19	1.23	479	3	57	618	<1	<5	<1	14	234	2048	<2	94	<10	12	64
165310	619907	<1	4.68	43	424	<2	<1	1.59	<4	19	131	39	3.61	0.02	20	1.22	588	2	55	633	<1	5	<1	13	261	1895	<2	91	<10	13	74
165311	619908	<1	4.64	91	395	<2	<1	1.37	<4	22	132	41	3.77	<0.01	20	1.26	565	2	56	628	2	<5	4	13	277	1933	<2	92	<10	13	68

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7



 Andrew Oleski
 Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 29, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/26/2016

Date Completed: 07/29/2016

Job #: 201641549

Reference:

Sample #: 66

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
165312	619909	<1	3.97	306	395	<2	<1	1.57	<4	17	111	66	3.24	<0.01	18	1.24	491	5	51	469	59	<5	<1	12	239	1409	<2	80	<10	12	166
165313	619910	<1	5.11	137	461	2	<1	1.89	<4	19	127	55	3.59	<0.01	19	1.21	600	4	55	587	38	<5	<1	11	220	1505	<2	89	<10	14	169
165314	619911	11	5.18	988	520	<2	<1	0.63	50	18	114	165	4.96	<0.01	15	0.90	329	5	49	499	8577	15	2	15	139	1437	<2	81	89	12	8575
165315D	619911	8	5.16	984	524	<2	<1	0.64	50	18	117	166	4.93	<0.01	15	0.90	330	5	49	502	8402	15	<1	12	139	1440	<2	81	89	12	8599
165316	619912	<1	3.41	53	436	<2	<1	0.79	<4	20	121	46	3.58	0.41	17	1.09	460	1	57	591	106	<5	<1	13	155	1497	<2	95	<10	13	197
165317	619913	<1	4.77	51	441	<2	<1	1.55	<4	20	130	41	3.68	<0.01	20	1.25	540	3	56	643	7	<5	<1	12	223	1643	<2	94	<10	14	79
165318	619914	<1	5.54	24	447	<2	<1	1.46	<4	19	132	42	3.86	<0.01	23	1.37	490	2	59	668	8	<5	<1	12	217	1727	<2	93	<10	14	74
165319	619915	<1	5.37	24	535	<2	<1	1.72	<4	21	129	38	3.60	<0.01	22	1.42	589	3	58	621	1	<5	<1	11	203	1668	<2	92	<10	14	75
165320	619916	<1	4.47	12	538	2	<1	1.62	<4	18	126	39	3.33	0.37	20	1.30	540	3	49	578	4	<5	<1	12	185	1485	<2	81	<10	13	71
165321	619917	<1	5.46	21	529	<2	<1	1.97	<4	20	139	41	3.73	<0.01	23	1.37	620	3	55	664	4	<5	3	17	258	1775	<2	92	<10	14	79
165322	619918	<1	6.04	71	475	<2	<1	2.54	<4	22	138	42	3.84	<0.01	22	1.38	754	4	57	677	5	6	<1	14	306	1870	<2	95	<10	15	74
165323	619919	<1	5.71	202	482	<2	<1	2.25	<4	23	140	47	4.01	0.18	21	1.28	727	3	62	692	<1	<5	<1	12	281	2305	2	102	<10	15	71
165324	619920	<1	5.35	198	527	2	<1	1.62	<4	24	134	54	4.43	0.03	23	1.30	601	6	67	649	5	<5	2	13	240	2193	<2	117	<10	16	89
165325	619921	<1	5.47	67	429	<2	<1	1.40	<4	23	113	50	4.10	<0.01	21	1.28	614	2	55	601	<1	6	<1	12	253	2525	5	102	<10	16	73
165326D	619921	<1	6.08	79	468	<2	<1	1.53	<4	24	121	54	4.37	0.09	22	1.34	657	2	59	647	2	7	<1	12	269	2690	2	110	<10	17	77
165327	619922	<1	5.46	57	384	<2	<1	1.60	<4	21	109	43	3.86	0.12	19	1.23	675	4	51	576	<1	<5	1	14	274	2412	2	95	<10	15	73
165328	619923	<1	5.34	183	408	<2	<1	1.38	<4	19	111	40	3.89	<0.01	21	1.32	622	3	51	580	3	6	2	12	204	1589	<2	96	<10	15	89
165329	619924	<1	5.44	83	359	<2	<1	1.41	<4	19	106	32	3.64	<0.01	19	1.23	518	3	45	543	<1	5	<1	14	208	1408	3	86	<10	15	72
165330	619925	<1	3.99	12	379	<2	<1	1.27	<4	17	97	42	3.42	0.26	17	1.17	531	3	43	510	11	<5	1	12	186	1714	<2	84	<10	13	80
165331	619926	<1	5.54	33	490	<2	<1	2.45	6	17	93	69	3.59	<0.01	17	1.36	1028	3	42	490	347	<5	<1	12	258	1569	<2	74	<10	14	359

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7



Certified By: Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, July 29, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 07/26/2016

Date Completed: 07/29/2016

Job #: 201641549

Reference:

Sample #: 66

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
165332	619927	<1	5.94	4	511	<2	<1	2.39	<4	17	100	50	3.69	0.16	20	1.35	910	3	43	527	175	<5	<1	14	228	1614	9	82	<10	15	196
165333	619928	<1	6.01	21	510	<2	<1	1.90	<4	20	104	42	3.91	<0.01	24	1.30	570	1	60	606	<1	<5	5	14	223	1604	<2	101	<10	16	79
165334	619929	<1	4.83	34	453	<2	<1	1.27	<4	19	108	39	3.57	<0.01	19	1.26	449	3	65	558	2	<5	1	12	230	1752	4	94	<10	15	66
165335	619930	<1	5.15	27	439	2	<1	1.62	<4	18	103	36	3.24	<0.01	18	1.24	488	3	52	520	<1	<5	3	14	262	2054	<2	80	<10	15	60
165336	619931	<1	5.25	23	476	<2	<1	2.00	<4	18	97	34	3.23	<0.01	19	1.29	537	4	66	542	1	<5	1	14	281	2265	<2	83	<10	14	64
165337R	619931	<1	4.92	23	458	<2	<1	1.91	<4	18	93	34	3.18	<0.01	18	1.27	523	4	61	530	4	<5	<1	11	272	2248	2	81	<10	14	63
165338	619932	<1	4.82	35	474	<2	<1	1.62	<4	18	112	35	3.32	<0.01	17	1.32	541	6	70	497	3	<5	<1	11	260	2239	<2	86	<10	15	60
165339	619933	<1	4.97	39	478	<2	<1	1.74	<4	16	99	30	2.99	<0.01	16	1.19	547	4	59	484	2	<5	5	11	274	2136	<2	78	<10	14	63
165340	619934	<1	6.08	81	586	<2	<1	1.52	<4	23	123	62	4.29	<0.01	24	1.47	587	3	78	613	9	<5	<1	11	261	2769	3	113	<10	17	92
165341	619935	<1	5.30	66	524	2	<1	1.22	<4	25	127	45	4.41	<0.01	24	1.29	563	3	76	599	<1	<5	5	14	268	3002	<2	119	<10	16	82
165342	619936	<1	5.18	58	508	<2	<1	1.51	<4	21	115	43	3.83	0.20	22	1.18	595	3	67	584	<1	<5	<1	13	248	2749	<2	103	<10	15	69
165343	619937	<1	4.99	69	511	<2	<1	1.32	<4	23	119	45	3.83	<0.01	23	1.18	562	4	73	577	<1	<5	<1	12	249	2794	<2	110	<10	15	67

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7



 Andrew Oleski
 Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By:

Tuesday, August 23, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016
 Date Completed: 08/23/2016
 Job #: 201641681
 Reference:
 Sample #: 105

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
178394	619938	0.005	
178395	619939	<0.005	
178396	619940	<0.005	
178397	619941	<0.005	
178398	619942	0.020	
178399	619943	<0.005	
178400	619944	<0.005	
178401	619945	0.009	
178402	619946	<0.005	
178403	619947	0.031	
178404	619947 Dup	<0.005	
178405	619948	<0.005	
178406	619949	0.006	
178407	619950	0.007	
178408	619951	<0.005	
178409	619952	<0.005	
178410	619953	0.005	
178411	619954	0.144	
178412	619955	>10.000	37.343
178413	619956	0.335	
178414	619957	0.159	
178415	619957 Dup	0.180	
178416	619958	0.090	
178417	619959	0.189	
178418	619960	0.180	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7


Validated By:


 Jesse Deschutter
 Assistant Manager - Thunder Bay

Certified By:


 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:


 Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Tuesday, August 23, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016
 Date Completed: 08/23/2016
 Job #: 201641681
 Reference:
 Sample #: 105

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
178419	619961	0.049	
178420	619962	1.101	
178421	619963	0.122	
178422	619964	0.075	
178423	619965	<0.005	
178424	619966	<0.005	
178425	619967	<0.005	
178426	619967 Dup	<0.005	
178427	619968	0.012	
178428	619969	0.011	
178429	619970	0.355	
178430	619971	0.052	
178431	619972	0.031	
178432	619973	0.230	
178433	619974	0.034	
178434	619975	0.280	
178435	619976	0.117	
178436	619977	0.061	
178437	619977 Dup	0.094	
178438	619978	0.421	
178439	619979	0.027	
178440	619980	0.306	
178441	619981	0.076	
178442	619982	0.014	
178443	619983	0.011	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7


Validated By:


 Jesse Deschutter
 Assistant Manager - Thunder Bay

Certified By:


 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:


 Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Tuesday, August 23, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016
 Date Completed: 08/23/2016
 Job #: 201641681
 Reference:
 Sample #: 105

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
178444	619984	0.019	
178445	619985	0.965	
178446	619986	0.084	
178447	619987	0.182	
178448	619987 Dup	0.163	
178449	619988	0.049	
178450	619989	<0.005	
178451	619990	<0.005	
178452	619991	<0.005	
178453	619992	0.015	
178454	619993	0.006	
178455	619994	<0.005	
178456	619995	0.012	
178457	619996	0.007	
178458	619997	<0.005	
178459	619997 Rep	0.017	
178460	619998	0.206	
178461	619999	0.007	
178462	620000	0.023	
178463	880801	0.021	
178464	880802	<0.005	
178465	880803	<0.005	
178466	880804	<0.005	
178467	880805	<0.005	
178468	880806	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7


Validated By:


 Jesse Deschutter
 Assistant Manager - Thunder Bay

Certified By:


 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:


 Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Tuesday, August 23, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016
 Date Completed: 08/23/2016
 Job #: 201641681
 Reference:
 Sample #: 105

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
178469	880807	<0.005	
178470	880807 Dup	<0.005	
178471	880808	<0.005	
178472	880809	0.009	
178473	880810	0.676	
178474	880811	0.327	
178475	880812	0.149	
178476	880813	0.132	
178477	880814	0.028	
178478	880815	0.005	
178479	880816	0.050	
178480	880817	0.038	
178481	880817 Dup	0.024	
178482	880818	0.016	
178483	880819	<0.005	
178484	880820	0.046	
178485	880821	0.161	
178486	880822	0.271	
178487	880823	0.998	
178488	880824	0.170	
178489	880825	0.078	
178490	880826	0.009	
178491	880827	0.011	
178492	880827 Dup	0.012	
178493	880828	0.058	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7


Validated By:


 Jesse Deschutter
 Assistant Manager - Thunder Bay

Certified By:


 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:


 Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Tuesday, August 23, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016
 Date Completed: 08/23/2016
 Job #: 201641681
 Reference:
 Sample #: 105

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
178494	880829	0.011	
178495	880830	0.013	
178496	880831	0.017	
178497	880832	0.032	
178498	880833	0.028	
178499	880834	0.035	
178500	880835	0.057	
178501	880836	0.023	
178502	880837	0.012	
178503	880837 Dup	0.006	
178504	880838	0.016	
178505	880839	<0.005	
178506	880840	0.019	
178507	880841	0.047	
178508	880842	0.033	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:


 Jesse Deschutter
 Assistant Manager - Thunder Bay

Certified By:


 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:


 Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Tuesday, August 23, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016
 Date Completed: 08/23/2016
 Job #: 201641681
 Reference:
 Sample #: 105

Control Standards

QC Type	Element	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS42	Au	0.671	0.650	0.040
GS45	Au	2.787	2.920	0.180
GS42	Au	0.579	0.650	0.040
GS42	Au	0.613	0.650	0.040
GS42	Au	0.676	0.650	0.040
GS37	AuG	3.088	3.220	0.210

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALFA7

Validated By:


 Jesse Deschutter
 Assistant Manager - Thunder Bay

Certified By:


 Andrew Oleski
 Lab Manager - Thunder Bay

Authorized By:


 Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, August 26, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016

Date Completed: 08/23/2016

Job #: 201641681

Reference:


Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178394	619938	<1	5.53	26	560	2	3	1.79	<4	20	145	35	3.63	0.32	21	1.55	534	3	69	606	14	<5	3	<10	296	1917	3	89	<10	12	65
178395	619939	<1	5.07	19	550	<2	<1	1.68	<4	20	145	37	3.62	0.54	20	1.52	548	3	65	610	14	<5	<1	<10	335	1965	2	87	<10	11	66
178396	619940	<1	5.16	32	539	2	<1	1.38	<4	20	132	40	3.58	0.42	23	1.52	511	1	65	622	19	<5	<1	<10	258	1519	8	92	<10	12	61
178397	619941	<1	5.67	38	614	2	4	0.96	<4	22	142	44	4.46	0.52	29	1.81	534	<1	78	656	15	<5	<1	<10	194	1743	5	121	<10	13	76
178398	619942	<1	5.94	33	615	2	3	1.11	<4	24	139	41	4.21	0.50	27	1.78	517	1	78	686	10	<5	<1	<10	233	1853	11	113	<10	13	76
178399	619943	<1	5.83	28	522	2	3	1.68	<4	22	140	41	4.00	0.50	23	1.69	574	2	70	670	12	<5	<1	<10	327	2031	2	96	<10	12	67
178400	619944	<1	5.69	28	520	2	3	1.58	<4	23	146	45	4.16	0.67	22	1.68	591	2	74	686	13	<5	<1	<10	348	2248	5	103	<10	12	73
178401	619945	<1	5.30	35	470	2	5	1.83	<4	22	135	42	3.93	0.58	19	1.58	658	2	72	664	12	<5	<1	<10	355	2105	2	102	<10	12	68
178402	619946	<1	4.87	33	519	2	<1	1.49	<4	23	134	43	4.12	0.51	21	1.58	610	2	76	670	11	<5	<1	<10	297	1881	2	110	<10	11	72
178403	619947	<1	4.55	27	486	<2	<1	1.48	<4	23	136	44	4.03	0.50	23	1.51	582	<1	75	645	14	<5	<1	<10	254	1479	9	108	<10	11	66
178404D	619947	<1	4.94	38	517	2	1	1.57	<4	24	142	47	4.21	0.51	24	1.56	609	1	77	677	12	<5	<1	<10	266	1567	6	113	<10	11	75
178405	619948	<1	4.77	48	575	2	<1	1.18	<4	25	145	36	4.47	0.40	27	1.63	548	1	82	688	10	<5	<1	<10	202	1636	<2	123	<10	11	78
178406	619949	<1	6.09	36	517	2	<1	1.33	<4	22	129	50	4.34	0.58	24	1.76	533	2	75	652	16	5	<1	<10	244	1497	11	113	<10	13	75
178407	619950	<1	6.85	49	541	<2	4	1.45	<4	22	137	35	4.19	0.66	24	1.79	503	2	71	696	13	<5	<1	<10	268	1566	4	105	<10	14	77
178408	619951	<1	6.30	45	521	2	2	1.66	<4	21	139	37	4.01	0.66	23	1.72	575	1	74	663	16	7	<1	<10	245	1586	8	106	<10	13	71
178409	619952	<1	6.89	49	584	2	2	1.72	<4	23	146	35	4.37	0.66	26	1.85	623	1	80	694	15	<5	<1	<10	244	1769	3	122	<10	14	79
178410	619953	<1	6.25	54	483	2	<1	2.53	<4	21	141	44	3.99	0.63	21	1.67	832	2	73	684	20	<5	<1	<10	319	2074	2	105	<10	14	69
178411	619954	<1	5.62	127	468	2	2	2.18	4	21	139	49	3.96	0.79	21	1.62	733	2	72	631	19	<5	<1	<10	363	2020	<2	105	<10	13	151
178412	619955	7	3.83	2712	289	<2	2	1.44	32	11	110	215	3.26	0.23	15	1.04	387	6	62	305	3879	14	1	<10	138	946	<2	61	56	10	5819
178413	619956	<1	5.25	195	378	<2	7	2.81	<4	20	144	42	3.88	0.57	24	1.57	904	3	72	631	55	<5	<1	<10	227	1354	3	95	<10	13	115

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.



Jason Moore, VP Operations, Assayer

Certified By:

Friday, August 26, 2016

Final Certificate

Date Received: 08/12/2016

Date Completed: 08/23/2016

Job #: 201641681

Reference:

Sample #: 105


Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178414	619957	<1	4.58	87	444	<2	1	2.22	<4	23	140	42	4.28	0.76	24	1.67	807	2	79	639	22	<5	<1	<10	225	1671	8	118	<10	12	93
178415D	619957	<1	4.64	84	457	<2	<1	2.24	<4	22	141	44	4.36	0.68	25	1.65	813	2	81	650	17	<5	<1	10	229	1712	4	120	<10	13	95
178416	619958	<1	4.42	46	434	2	2	2.79	<4	19	129	43	3.68	0.64	18	1.30	891	3	67	572	31	<5	<1	<10	249	1598	<2	91	<10	12	138
178417	619959	<1	4.18	137	533	2	<1	0.88	5	19	128	70	3.96	0.50	17	1.05	561	2	71	580	256	<5	<1	<10	155	1683	2	98	<10	9	448
178418	619960	<1	6.11	26	509	<2	3	2.92	<4	21	142	45	3.97	0.70	20	1.50	1004	3	79	609	30	<5	<1	10	232	1664	7	109	<10	16	108
178419	619961	<1	6.68	8	516	2	4	2.29	<4	23	135	43	4.03	0.43	24	1.70	779	2	74	672	17	<5	<1	<10	226	1864	<2	105	<10	15	75
178420	619962	<1	6.70	10	620	2	4	1.80	6	21	153	47	3.97	0.34	23	1.54	692	3	70	662	144	<5	<1	<10	190	1508	<2	99	10	14	316
178421	619963	<1	5.76	7	506	2	<1	2.01	<4	21	164	42	4.18	0.31	22	1.68	712	3	69	677	21	<5	<1	<10	215	1686	6	103	<10	13	91
178422	619964	<1	5.75	10	489	2	5	1.93	<4	23	169	40	4.12	0.50	23	1.69	681	3	72	678	13	<5	<1	<10	216	1811	2	109	<10	14	76
178423	619965	<1	5.67	14	582	2	2	2.31	<4	21	145	45	3.63	0.40	24	1.48	683	2	69	645	15	<5	<1	<10	204	1756	5	97	<10	13	73
178424	619966	<1	5.14	19	512	<2	<1	1.66	<4	20	132	37	3.84	0.51	26	1.67	597	3	70	632	16	<5	<1	<10	234	1730	<2	98	<10	12	75
178425	619967	<1	4.61	22	457	<2	3	1.69	<4	20	143	44	3.57	0.68	21	1.41	625	3	69	620	15	<5	<1	<10	277	1658	7	99	<10	10	70
178426D	619967	<1	4.81	22	463	<2	3	1.70	<4	20	144	43	3.58	0.46	21	1.42	626	3	69	620	23	<5	1	<10	279	1649	3	99	<10	10	71
178427	619968	<1	4.66	31	523	2	2	1.76	<4	21	141	40	3.80	0.54	22	1.40	618	2	63	635	10	<5	<1	<10	253	1568	<2	101	<10	10	68
178428	619969	<1	4.89	58	460	<2	2	1.96	<4	19	131	34	3.64	0.66	20	1.39	661	2	53	611	11	<5	<1	<10	281	1660	2	88	<10	11	61
178429	619970	<1	3.78	471	624	2	3	1.48	<4	23	127	42	3.73	0.54	19	1.16	590	2	66	564	16	<5	<1	<10	235	1852	<2	110	<10	9	70
178430	619971	<1	6.21	132	466	2	4	1.94	<4	23	122	43	4.30	0.50	22	1.48	739	2	58	608	12	<5	<1	<10	326	2451	6	110	<10	13	77
178431	619972	<1	5.45	80	352	<2	4	1.70	<4	20	110	38	3.95	0.60	19	1.44	647	3	50	538	11	<5	<1	<10	260	1688	<2	93	<10	13	81
178432	619973	<1	6.36	139	580	2	1	1.54	<4	24	121	49	4.58	0.32	25	1.60	749	3	68	576	21	<5	<1	11	194	1953	3	115	<10	15	86
178433	619974	<1	5.74	9	548	2	5	1.27	<4	19	103	54	3.69	0.21	18	1.29	705	3	46	508	45	<5	<1	<10	184	1612	2	83	<10	13	97

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.



Jason Moore, VP Operations, Assayer

Certified By:

Friday, August 26, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016

Date Completed: 08/23/2016

Job #: 201641681

Reference:


Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178434	619975	<1	5.99	8	495	2	6	2.47	<4	19	113	41	3.89	0.43	21	1.47	958	2	51	525	37	<5	<1	11	269	1832	5	96	<10	13	76
178435	619976	<1	5.51	10	424	<2	6	1.81	<4	16	100	31	3.52	0.32	19	1.29	700	4	39	454	18	<5	<1	10	202	1441	2	72	<10	12	68
178436	619977	<1	5.34	7	527	2	<1	1.12	<4	23	116	44	4.13	0.47	22	1.44	605	3	59	552	11	<5	<1	<10	189	1876	2	106	<10	12	73
178437D	619977	<1	4.87	12	523	<2	4	1.10	<4	21	115	41	4.08	0.50	22	1.38	601	2	60	539	12	<5	<1	<10	186	1790	2	106	<10	11	74
178438	619978	<1	4.12	8	420	2	4	1.41	<4	18	109	35	3.79	0.51	19	1.32	612	2	49	500	9	<5	<1	<10	188	1482	3	95	<10	10	67
178439	619979	<1	4.47	5	447	<2	2	1.52	<4	18	110	34	3.74	0.58	18	1.37	607	2	49	532	15	<5	<1	<10	208	1761	<2	91	<10	11	66
178440	619980	<1	4.85	9	580	2	5	1.15	<4	23	113	60	4.51	0.47	23	1.57	545	2	63	580	17	<5	<1	<10	189	1772	<2	107	<10	12	78
178441	619981	<1	3.98	7	444	<2	6	3.09	<4	15	107	31	3.26	0.63	18	1.27	774	3	39	461	13	<5	<1	<10	472	1387	<2	77	<10	11	54
178442	619982	<1	5.74	13	254	<2	<1	1.66	<4	16	104	40	3.36	0.53	15	1.43	506	3	42	525	13	<5	<1	10	347	1573	6	75	<10	13	64
178443	619983	<1	4.61	38	287	2	2	5.80	<4	33	300	86	5.08	0.85	29	3.61	1003	<1	118	617	9	6	<1	<10	846	2602	<2	123	<10	11	63
178444	619984	<1	5.69	9	397	2	4	1.18	<4	17	124	45	3.43	0.52	18	1.37	446	3	42	491	21	<5	<1	<10	327	1523	<2	82	<10	12	66
178445	619985	<1	5.47	63	573	2	3	1.79	9	19	108	71	4.23	0.43	19	1.35	682	3	55	510	1554	5	<1	<10	212	1506	9	91	15	13	1404
178446	619986	<1	5.18	38	571	2	<1	1.49	<4	23	125	44	4.50	0.75	25	1.64	720	3	68	530	59	<5	<1	<10	211	1564	2	119	<10	12	110
178447	619987	<1	5.52	93	571	2	<1	1.94	<4	24	131	51	4.16	0.52	24	1.46	774	3	59	539	42	<5	<1	<10	232	1605	<2	110	<10	12	168
178448D	619987	<1	4.83	84	535	<2	3	1.75	<4	21	122	45	3.90	0.42	21	1.39	723	3	57	510	43	<5	<1	<10	218	1670	6	103	<10	12	153
178449	619988	<1	6.21	72	590	2	<1	2.59	<4	22	122	55	4.22	0.84	28	1.46	821	3	63	655	46	<5	<1	<10	332	2224	8	111	<10	12	101
178450	619989	<1	6.82	44	661	2	2	2.55	<4	22	124	40	4.36	0.67	30	1.69	920	3	57	627	22	<5	<1	<10	266	2488	10	112	<10	13	72
178451	619990	1	5.76	13	411	5	<1	0.44	<4	2	28	<1	0.97	0.42	<10	0.30	240	5	6	146	46	<5	<1	<10	397	683	<2	9	<10	8	49
178452	619991	<1	5.16	10	426	4	3	0.38	<4	1	26	<1	0.89	0.33	<10	0.28	200	4	6	142	36	<5	<1	<10	322	492	<2	8	<10	8	38
178453	619992	<1	4.96	14	511	2	1	1.28	<4	19	109	34	3.79	0.47	23	1.36	555	5	54	519	23	<5	<1	11	321	2440	5	98	<10	9	68

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.



Jason Moore, VP Operations, Assayer

Certified By:

Friday, August 26, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016

Date Completed: 08/23/2016

Job #: 201641681

Reference:


Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178454	619993	<1	4.92	18	460	<2	<1	1.55	<4	19	107	32	3.41	0.49	19	1.35	592	3	45	522	12	<5	<1	<10	233	1947	5	86	<10	12	52
178455	619994	<1	5.81	26	486	<2	2	1.61	<4	18	111	25	3.46	0.61	22	1.41	586	3	47	542	13	<5	<1	<10	235	1789	6	87	<10	13	53
178456	619995	<1	5.22	52	485	<2	2	1.86	<4	18	107	31	3.51	0.39	19	1.34	618	3	43	543	13	<5	<1	<10	243	1575	<2	85	<10	12	66
178457	619996	<1	5.19	58	505	<2	<1	2.45	<4	19	101	47	3.26	0.31	17	1.27	639	3	48	536	13	<5	3	<10	291	1657	<2	84	<10	12	65
178458	619997	<1	5.47	36	542	2	6	1.58	<4	18	104	32	3.59	0.44	20	1.45	592	3	46	546	13	<5	<1	<10	231	1735	<2	89	<10	12	71
178459R	619997	<1	5.41	40	521	<2	<1	1.53	<4	18	108	33	3.56	0.48	19	1.45	582	4	47	542	14	<5	8	10	224	1676	3	88	<10	12	74
178460	619998	<1	6.04	168	591	<2	<1	2.18	<4	19	112	32	3.71	0.29	23	1.45	578	3	48	551	20	<5	<1	<10	257	1575	<2	91	<10	13	73
178461	619999	<1	5.55	224	534	<2	2	1.91	<4	20	110	41	3.56	0.38	19	1.40	591	3	52	585	16	<5	<1	<10	255	1571	6	95	<10	13	60
178462	620000	<1	5.30	56	495	<2	2	1.88	<4	16	97	27	3.21	0.31	16	1.34	576	3	41	500	15	<5	<1	<10	263	1416	3	76	<10	12	49
178463	880801	<1	5.21	30	577	2	<1	0.72	<4	20	130	41	3.96	0.39	22	1.59	537	1	63	653	12	<5	<1	<10	235	1856	5	109	<10	11	68
178464	880802	<1	4.85	30	498	2	8	1.60	<4	19	125	35	3.67	0.64	20	1.51	540	1	56	628	12	<5	2	<10	265	1655	6	91	<10	10	62
178465	880803	<1	6.11	36	562	2	1	2.23	<4	21	138	39	4.00	0.66	22	1.63	623	2	60	669	11	<5	<1	10	264	1709	<2	98	<10	13	67
178466	880804	<1	5.80	32	525	2	<1	1.77	<4	21	133	35	3.90	0.44	21	1.60	609	2	63	675	12	<5	<1	10	274	1773	2	103	<10	13	64
178467	880805	<1	5.64	28	498	2	9	1.40	<4	24	137	53	4.27	0.31	24	1.69	549	<1	71	658	10	<5	<1	<10	217	1706	10	115	<10	14	70
178468	880806	<1	5.50	35	483	<2	1	1.18	<4	23	127	41	4.18	0.38	21	1.69	514	2	65	636	7	<5	<1	<10	276	2270	5	108	<10	12	74
178469	880807	<1	5.36	35	427	2	4	1.42	<4	21	132	44	3.93	0.53	20	1.60	564	2	59	630	11	<5	<1	<10	310	2441	7	99	<10	12	66
178470D	880807	<1	5.34	36	429	<2	<1	1.42	<4	22	132	43	3.92	0.39	20	1.60	566	1	60	634	14	<5	<1	<10	308	2491	11	99	<10	12	70
178471	880808	<1	5.05	58	443	2	<1	1.40	<4	23	134	42	4.07	0.38	22	1.62	638	2	68	648	17	<5	<1	<10	295	2409	2	109	<10	11	77
178472	880809	<1	4.91	100	382	<2	<1	1.39	<4	21	133	41	3.99	0.38	20	1.52	607	2	60	629	11	<5	<1	<10	297	1975	4	100	<10	12	79
178473	880810	<1	4.56	248	553	<2	2	0.85	4	22	134	165	3.50	0.34	17	1.19	394	4	60	567	100	<5	<1	<10	168	1592	<2	99	<10	11	369

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.



Jason Moore, VP Operations, Assayer

Certified By:

Friday, August 26, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016

Date Completed: 08/23/2016

Job #: 201641681

Reference:


Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178474	880811	<1	4.53	23	523	2	2	1.56	<4	21	130	43	3.81	0.38	19	1.27	571	2	62	593	95	<5	<1	<10	184	1730	4	103	<10	11	132
178475	880812	<1	5.98	10	530	2	3	1.57	<4	20	140	48	4.04	0.34	23	1.50	593	2	67	693	41	<5	<1	10	189	1804	5	103	<10	12	134
178476	880813	<1	6.47	11	538	2	2	2.38	<4	21	131	36	4.10	0.53	26	1.67	789	2	66	646	20	<5	<1	29	233	1886	7	103	<10	14	94
178477	880814	<1	5.62	11	526	<2	<1	2.13	<4	19	133	27	3.43	0.52	24	1.49	616	2	55	597	18	5	<1	27	229	1573	3	88	<10	12	76
178478	880815	<1	5.59	12	456	<2	6	2.60	<4	19	138	40	3.70	0.25	21	1.54	822	3	54	607	22	7	<1	25	231	1375	<2	83	<10	14	75
178479	880816	<1	5.52	11	489	<2	6	2.03	<4	21	152	38	3.88	0.29	23	1.67	686	3	60	642	18	<5	3	24	264	1577	5	101	<10	13	67
178480	880817	<1	5.81	18	448	2	7	1.80	<4	21	166	44	4.13	0.49	23	1.73	662	3	64	674	16	6	<1	25	265	1652	<2	107	<10	14	75
178481D	880817	<1	5.29	19	453	2	5	1.78	<4	23	163	48	4.10	0.91	23	1.61	651	2	62	672	17	<5	<1	27	265	1581	5	106	<10	13	77
178482	880818	<1	5.20	35	480	2	<1	1.92	<4	21	143	38	3.74	0.63	23	1.50	594	2	59	644	14	<5	<1	28	281	1454	<2	97	<10	12	69
178483	880819	<1	4.69	245	588	2	5	1.36	<4	26	150	46	4.66	0.88	26	1.54	555	21	74	615	23	<5	<1	24	251	1810	8	123	<10	10	109
178484	880820	<1	4.77	390	415	<2	4	1.45	<4	20	110	44	4.08	0.61	20	1.36	548	3	56	558	18	<5	<1	23	281	1783	7	104	<10	11	81
178485	880821	<1	5.36	323	444	<2	5	2.10	<4	19	108	38	3.94	0.43	22	1.40	715	23	53	530	16	<5	<1	25	252	1651	<2	101	<10	14	83
178486	880822	<1	4.46	118	383	<2	3	1.67	<4	19	104	36	3.82	0.50	20	1.32	605	4	50	503	20	<5	<1	25	228	1551	<2	87	<10	11	68
178487	880823	<1	5.42	17	522	2	4	2.79	9	19	106	70	3.84	0.36	21	1.34	1037	2	54	526	788	5	<1	28	249	1783	2	97	11	14	730
178488	880824	<1	5.24	7	514	2	1	2.14	<4	20	101	44	3.81	0.43	22	1.39	739	2	55	543	59	<5	2	24	250	1983	<2	97	<10	13	108
178489	880825	<1	6.04	13	453	<2	<1	1.47	<4	19	115	37	3.80	0.38	23	1.56	508	2	49	561	18	<5	<1	25	265	1661	<2	95	<10	14	70
178490	880826	<1	5.40	17	441	<2	<1	1.12	<4	17	105	31	3.35	0.48	20	1.41	422	<1	42	506	15	<5	<1	22	282	1897	3	80	<10	13	60
178491	880827	<1	5.50	21	503	<2	<1	1.51	<4	18	108	35	3.52	0.46	21	1.46	519	2	45	535	22	<5	<1	22	273	2201	5	86	<10	14	72
178492D	880827	<1	5.60	41	506	<2	2	1.52	<4	20	108	37	3.54	0.38	21	1.48	523	3	43	536	20	<5	<1	23	274	2292	9	87	<10	14	75
178493	880828	<1	4.77	72	506	2	2	1.43	<4	20	106	39	3.72	0.49	22	1.39	552	2	50	521	20	<5	<1	26	271	2482	2	94	<10	12	78

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.



Jason Moore, VP Operations, Assayer

Certified By:

Friday, August 26, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/12/2016

Date Completed: 08/23/2016

Job #: 201641681

Reference:


Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178494	880829	<1	4.89	33	479	2	4	1.38	<4	23	116	39	4.23	0.50	26	1.48	629	3	61	532	14	<5	<1	25	296	2511	3	110	<10	12	70
178495	880830	<1	4.75	11	391	3	7	0.46	<4	3	16	<1	0.87	0.42	<10	0.29	232	2	6	144	38	<5	<1	28	334	466	2	9	<10	8	61
178496	880831	<1	3.57	45	443	2	<1	1.56	<4	20	111	39	3.89	0.70	24	1.19	679	3	52	521	15	<5	<1	23	268	2111	3	100	<10	9	68
178497	880832	<1	4.44	38	457	<2	1	1.41	<4	19	111	39	3.88	0.65	22	1.43	626	1	56	546	15	<5	<1	22	236	1851	6	103	<10	11	71
178498	880833	<1	4.34	82	495	2	3	1.49	<4	21	106	41	3.85	0.60	23	1.43	595	2	53	554	15	<5	<1	25	206	1632	7	98	<10	10	66
178499	880834	<1	4.88	42	409	<2	<1	1.76	<4	16	99	35	3.44	0.65	20	1.40	596	2	46	516	11	<5	<1	22	243	1201	<2	83	<10	12	58
178500	880835	<1	5.22	22	441	2	2	1.96	<4	17	105	36	3.31	0.50	19	1.36	568	3	42	527	13	<5	2	27	227	1300	2	79	<10	13	59
178501	880836	<1	5.72	20	574	2	3	1.75	<4	17	102	39	3.33	0.44	20	1.26	562	3	45	534	18	<5	3	28	210	1442	7	84	<10	12	60
178502	880837	<1	6.07	39	485	2	3	1.60	<4	18	112	38	3.93	0.36	23	1.66	548	2	52	573	17	<5	<1	29	234	1451	7	98	<10	14	68
178503D	880837	<1	5.61	35	481	<2	<1	1.58	<4	19	112	38	3.89	0.38	23	1.60	547	2	53	563	12	<5	<1	26	229	1458	5	97	<10	13	65
178504	880838	<1	5.66	29	505	<2	4	1.69	<4	16	102	32	3.33	0.38	20	1.36	481	3	43	519	15	5	<1	25	221	1183	<2	82	<10	13	56
178505	880839	<1	5.76	24	504	2	<1	1.81	<4	16	112	36	3.33	0.24	20	1.38	495	3	41	509	11	<5	<1	27	234	1236	2	78	<10	13	52
178506	880840	<1	5.27	19	530	<2	1	1.92	<4	17	116	37	3.72	0.69	25	1.37	537	3	47	558	13	<5	<1	29	213	1221	<2	93	<10	13	63
178507	880841	<1	5.35	12	534	2	2	1.75	<4	16	110	34	3.44	0.63	22	1.35	516	3	42	525	11	<5	<1	27	253	1281	3	82	<10	12	62
178508	880842	<1	4.84	13	624	2	3	1.66	<4	21	111	37	3.80	0.46	23	1.34	548	2	55	585	12	<5	<1	19	190	1499	<2	102	<10	12	64

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALFA7

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.



Jason Moore, VP Operations, Assayer

Certified By:

Friday, September 9, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/29/2016
 Date Completed: 09/09/2016
 Job #: 201641794
 Reference:
 Sample #: 69

Acc #	Client ID	Au g/t (ppm)
191563	328351	<0.005
191564	328352	0.008
191565	328353	<0.005
191566	328354	<0.005
191567	328355	<0.005
191568	328356	<0.005
191569	328357	0.007
191570	328358	0.023
191571	328359	<0.005
191572	328360	<0.005
191573	328360 Dup	<0.005
191574	328361	0.009
191575	328362	0.008
191576	328363	0.118
191577	328364	0.167
191578	328365	0.145
191579	328366	0.151
191580	328367	0.773
191581	328368	0.261
191582	328369	0.281
191583	328370	0.020
191584	328370 Dup	0.029
191585	328371	0.093
191586	328372	0.030
191587	328373	0.105

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:




 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



Derek Demianiuk, VP Quality

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, September 9, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/29/2016
 Date Completed: 09/09/2016
 Job #: 201641794
 Reference:
 Sample #: 69

Acc #	Client ID	Au g/t (ppm)
191588	328374	0.242
191589	328375	0.054
191590	328376	0.020
191591	328377	0.011
191592	328378	0.027
191593	328379	0.014
191594	328380	0.050
191595	328380 Dup	0.059
191596	328381	0.020
191597	328382	0.134
191598	328383	0.609
191599	328384	0.087
191600	328385	0.007
191601	328386	0.385
191602	328387	0.091
191603	328388	0.023
191604	328389	0.077
191605	328390	0.152
191606	328390 Dup	0.103
191607	328391	0.133
191608	328392	0.127
191609	328393	0.187
191610	328394	0.089
191611	328395	0.269
191612	328396	0.010

APPLIED SCOPES: ALP1, ALFA1, ALMA1


Validated By:



Certified By:



Authorized By:



The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, September 9, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/29/2016
 Date Completed: 09/09/2016
 Job #: 201641794
 Reference:
 Sample #: 69

Acc #	Client ID	Au g/t (ppm)
191613	328397	0.136
191614	328398	0.056
191615	328399	0.085
191616	328400	0.006
191617	328400 Dup	0.005
191618	328401	0.006
191619	328402	<0.005
191620	328403	0.005
191621	328404	0.015
191622	328405	0.060
191623	328406	0.018
191624	328407	<0.005
191625	328408	0.010
191626	328409	0.027
191627	328410	0.104
191628	328410 Rep	0.152
191629	328411	0.132
191630	328412	0.027
191631	328413	0.016
191632	328414	0.025
191633	328415	0.030
191634	328416	0.018
191635	328417	<0.005
191636	328418	0.006
191637	328419	0.017

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



Derek Demianiuk, VP Quality

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Friday, September 9, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/29/2016

Date Completed: 09/09/2016

Job #: 201641794

Reference:

Sample #: 69

Control Standards

QC Type	Element	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS45	Au	3.015	2.920	0.180
GS42	Au	0.682	0.650	0.040
GS42	Au	0.609	0.650	0.040

APPLIED SCOPES: ALP1, ALFA1, ALMA1

Validated By:



 Andrew Oleski
 Lab Manager - Thunder Bay

Certified By:



Derek Demianiuk, VP Quality

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Monday, September 12, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/29/2016

Date Completed: 09/09/2016

Job #: 201641794

Reference:


Sample #: 69

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
191563	328351	<1	3.65	37	508	<2	6	1.41	<4	22	130	52	4.11	<0.01	21	1.39	618	2	77	668	5	<5	<1	<10	329	1804	<2	107	<10	10	78
191564	328352	<1	3.64	27	526	<2	6	1.49	<4	20	130	42	3.81	<0.01	18	1.29	550	2	69	646	<1	5	<1	<10	320	1864	3	92	<10	10	73
191565	328353	<1	3.44	26	484	<2	7	1.41	<4	19	135	44	3.88	<0.01	18	1.28	518	3	70	630	<1	<5	<1	<10	304	1795	<2	90	<10	9	72
191566	328354	<1	3.87	20	537	2	7	1.86	<4	22	133	46	3.90	<0.01	21	1.33	624	3	75	636	<1	<5	2	<10	268	1627	<2	97	<10	10	72
191567	328355	<1	3.86	22	629	2	5	2.00	<4	20	135	46	3.88	0.02	21	1.27	631	3	75	664	1	<5	<1	<10	253	1655	2	103	<10	10	71
191568	328356	<1	3.97	28	548	<2	5	1.73	<4	21	138	37	3.89	0.10	20	1.33	582	3	74	644	<1	<5	<1	<10	245	1737	<2	105	<10	10	75
191569	328357	<1	3.88	35	566	<2	13	1.10	<4	24	143	47	4.51	0.13	27	1.44	513	2	86	653	2	<5	4	<10	210	1757	8	121	<10	10	78
191570	328358	<1	3.86	39	498	<2	6	1.51	<4	23	133	46	4.12	0.13	26	1.36	563	3	79	642	<1	<5	<1	<10	208	1725	3	109	<10	11	70
191571	328359	<1	3.75	26	458	2	4	1.07	<4	19	127	46	4.13	<0.01	24	1.31	469	3	74	655	3	<5	<1	<10	237	1789	2	98	<10	9	78
191572	328360	<1	4.10	35	500	2	10	1.54	<4	23	142	49	4.18	<0.01	21	1.36	572	2	78	656	3	<5	<1	<10	305	2594	5	106	<10	10	79
191573D	328360	<1	3.33	38	461	<2	8	1.39	<4	20	131	46	3.89	<0.01	18	1.25	534	2	72	611	2	<5	<1	<10	283	2414	<2	98	<10	9	75
191574	328361	<1	3.26	61	454	2	11	1.23	<4	24	132	45	4.09	<0.01	22	1.27	561	2	77	642	<1	5	<1	<10	252	2160	3	109	<10	10	82
191575	328362	<1	3.46	81	391	<2	6	1.99	<4	19	127	44	3.61	<0.01	20	1.11	602	2	68	618	1	<5	<1	<10	293	1451	4	92	<10	10	66
191576	328363	<1	3.80	174	391	<2	8	1.54	<4	23	135	48	4.12	0.22	22	1.26	667	1	69	644	4	<5	2	<10	278	1828	6	102	<10	11	80
191577	328364	<1	4.18	1233	485	2	9	1.33	<4	22	122	56	3.69	0.15	21	1.45	517	3	72	549	49	<5	<1	<10	154	1394	<2	98	<10	10	186
191578	328365	<1	4.41	335	489	<2	4	1.88	<4	19	122	44	3.59	<0.01	20	1.25	619	4	74	563	12	<5	<1	<10	206	1676	7	91	<10	11	109
191579	328366	<1	4.21	119	530	2	3	1.44	<4	20	127	41	3.78	0.45	23	1.31	608	2	69	614	<1	<5	<1	<10	175	1743	<2	102	<10	10	90
191580	328367	<1	4.62	179	507	<2	7	2.51	7	18	131	51	3.75	0.24	20	1.18	817	3	68	596	86	<5	<1	<10	257	1799	4	96	14	12	987
191581	328368	<1	4.45	28	519	2	12	2.35	<4	21	113	45	3.85	0.11	19	1.26	1143	2	64	577	44	<5	<1	<10	199	2249	<2	98	<10	12	165
191582	328369	<1	4.44	22	580	2	6	1.16	<4	25	135	49	4.18	<0.01	22	1.25	648	2	75	667	11	<5	<1	<10	181	2722	<2	118	<10	11	151

PROCEDURE CODES: ALP1, ALFA1, ALMA1

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.


 Jason Moore, VP Operations, Assayer

Certified By:

Monday, September 12, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/29/2016

Date Completed: 09/09/2016

Job #: 201641794

Reference:


Sample #: 69

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
191583	328370	<1	4.75	2	572	2	13	1.99	<4	22	130	63	4.04	0.07	21	1.25	794	2	73	638	53	<5	<1	<10	206	1985	4	104	<10	12	126
191584D	328370	<1	5.23	9	594	2	5	2.08	<4	24	135	65	4.13	0.33	21	1.32	823	<1	73	661	53	<5	<1	<10	211	2051	2	107	<10	12	130
191585	328371	<1	4.25	6	473	<2	6	2.13	<4	19	130	42	3.78	0.27	21	1.34	746	2	62	625	3	<5	<1	<10	195	1471	5	91	<10	11	80
191586	328372	<1	4.13	9	514	<2	6	2.75	<4	18	120	47	3.58	<0.01	21	1.25	733	2	63	626	7	<5	<1	<10	286	1660	8	89	<10	11	65
191587	328373	<1	3.59	12	523	<2	7	1.70	<4	24	122	42	3.77	<0.01	21	1.22	539	<1	71	593	<1	<5	<1	<10	199	1918	3	103	<10	11	68
191588	328374	<1	3.69	10	520	<2	10	1.55	<4	18	122	44	3.51	0.08	18	1.18	473	2	61	598	6	<5	<1	<10	224	1553	8	88	<10	10	67
191589	328375	<1	3.41	9	434	<2	4	2.29	<4	19	126	56	3.58	0.11	17	1.25	603	2	63	551	<1	<5	<1	10	290	1527	4	84	<10	10	64
191590	328376	<1	4.05	14	447	<2	4	2.14	<4	20	134	48	3.74	0.19	21	1.35	642	2	65	640	<1	<5	<1	<10	279	1657	<2	93	<10	11	65
191591	328377	<1	3.44	9	443	<2	9	1.61	<4	22	153	46	4.14	0.41	22	1.32	576	1	68	644	3	<5	<1	10	225	1620	5	100	<10	10	80
191592	328378	<1	3.91	13	456	<2	8	1.99	<4	20	138	53	4.06	0.09	20	1.46	644	3	70	601	6	<5	<1	<10	282	1658	2	93	<10	11	71
191593	328379	<1	4.53	15	467	<2	5	2.37	<4	19	127	45	3.47	0.30	19	1.28	681	2	66	600	<1	5	<1	10	268	1583	3	90	<10	12	60
191594	328380	<1	3.85	32	504	<2	5	1.96	<4	19	126	41	3.64	0.53	23	1.25	609	3	66	611	2	<5	<1	<10	251	1517	2	93	<10	11	85
191595D	328380	<1	4.52	40	538	2	3	2.10	<4	20	135	43	3.88	0.10	25	1.33	642	2	71	645	<1	<5	<1	<10	266	1530	2	100	<10	12	89
191596	328381	<1	5.24	128	536	<2	4	1.96	<4	23	142	53	4.27	0.20	25	1.46	659	2	76	697	<1	<5	<1	<10	262	2115	10	112	<10	13	77
191597	328382	<1	4.32	108	502	<2	6	0.87	<4	24	145	49	4.42	<0.01	24	1.41	449	2	74	670	<1	<5	<1	<10	215	1888	3	118	<10	11	80
191598	328383	<1	4.92	388	552	<2	15	2.35	<4	26	144	82	4.98	0.12	23	1.39	781	21	73	608	34	<5	1	<10	236	1771	2	117	<10	13	82
191599	328384	<1	3.62	103	483	<2	3	1.58	<4	19	119	49	4.20	<0.01	21	1.20	732	8	63	540	8	<5	<1	<10	197	1896	<2	104	<10	11	69
191600	328385	<1	4.54	1426	453	2	3	1.88	<4	20	108	49	3.93	0.09	19	1.20	764	2	54	539	3	<5	<1	10	209	1972	<2	93	<10	11	91
191601	328386	<1	3.79	231	444	<2	8	1.24	<4	21	112	54	4.14	0.72	21	1.21	600	2	59	529	7	<5	<1	<10	175	1776	<2	103	<10	11	101
191602	328387	<1	4.16	38	422	2	7	1.26	<4	18	107	41	3.91	<0.01	20	1.24	625	4	53	535	5	<5	<1	<10	189	1573	3	94	<10	11	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.


 Jason Moore, VP Operations, Assayer

Certified By:

-2411-09/12/2016 12:34 PM

Monday, September 12, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/29/2016

Date Completed: 09/09/2016


Job #: 201641794

Reference:

Sample #: 69

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
191603	328388	<1	0.62	<2	303	<2	9	0.48	<4	15	82	37	3.24	<0.01	12	0.91	375	3	44	389	5	<5	<1	<10	118	1393	3	78	<10	7	81
191604	328389	<1	4.16	4	438	<2	11	3.08	<4	19	100	50	4.10	<0.01	24	1.30	997	1	55	508	9	<5	<1	<10	293	1784	6	100	<10	13	83
191605	328390	<1	4.59	2	602	2	6	1.34	<4	26	130	60	5.28	<0.01	30	1.47	748	1	81	549	9	<5	<1	<10	178	2445	3	140	<10	12	105
191606D	328390	<1	5.52	2	591	<2	6	1.45	<4	28	128	53	5.29	<0.01	30	1.71	779	1	80	551	11	<5	<1	<10	183	2325	4	142	<10	13	100
191607	328391	<1	5.31	5	515	2	6	1.72	<4	22	111	51	4.12	<0.01	20	1.38	666	2	61	516	14	<5	<1	<10	221	1877	3	108	<10	13	64
191608	328392	<1	5.45	8	407	<2	9	1.85	<4	18	104	40	3.73	0.21	21	1.35	606	2	49	550	<1	<5	3	<10	232	1685	5	91	<10	13	69
191609	328393	<1	5.14	9	458	2	4	1.30	<4	19	102	42	4.06	0.12	23	1.46	530	<1	59	547	2	<5	<1	<10	220	1746	4	101	<10	13	75
191610	328394	<1	3.36	11	513	<2	5	1.98	<4	20	110	44	3.97	<0.01	22	1.25	678	<1	60	580	7	<5	<1	<10	247	1857	<2	103	<10	13	70
191611	328395	<1	3.93	4	521	<2	2	1.22	<4	18	110	41	3.51	<0.01	20	1.18	501	4	46	512	2	<5	<1	<10	248	1883	<2	80	<10	11	67
191612	328396	<1	3.25	6	468	<2	8	1.40	<4	14	92	34	3.02	0.50	17	1.04	445	2	40	472	5	<5	<1	<10	243	1857	<2	72	<10	10	64
191613	328397	<1	3.30	10	502	<2	10	1.40	<4	18	98	39	3.44	<0.01	19	1.17	536	2	46	528	15	<5	<1	<10	249	2127	<2	83	<10	11	85
191614	328398	<1	3.71	<2	488	<2	2	1.33	<4	16	112	38	3.38	<0.01	20	1.15	526	3	43	479	9	<5	<1	<10	252	1772	2	78	<10	11	76
191615	328399	<1	3.57	4	524	2	6	1.57	<4	17	102	37	3.26	<0.01	22	1.12	643	6	44	477	7	<5	4	<10	236	1884	4	77	<10	11	74
191616	328400	<1	4.48	4	398	5	2	0.54	<4	2	27	8	1.09	<0.01	<10	0.34	254	3	9	163	26	<5	5	<10	343	625	<2	14	<10	8	52
191617D	328400	1	4.73	<2	401	4	4	0.56	<4	2	29	9	1.12	<0.01	<10	0.35	256	5	10	171	24	<5	<1	<10	347	615	<2	14	<10	8	53
191618	328401	<1	4.77	3	380	4	9	0.64	<4	2	23	6	1.06	<0.01	<10	0.32	273	3	7	140	17	<5	<1	<10	361	458	<2	9	<10	8	29
191619	328402	<1	2.84	117	80	<2	4	4.77	<4	34	419	41	4.45	0.07	39	3.65	1148	2	195	516	2	<5	<1	<10	424	1096	<2	87	<10	11	106
191620	328403	<1	4.31	12	280	<2	9	1.61	<4	24	125	115	4.49	0.41	23	1.42	666	4	70	585	80	<5	<1	<10	263	1564	<2	114	<10	13	223
191621	328404	<1	4.30	11	542	<2	1	0.85	<4	20	106	49	3.98	0.31	24	1.32	532	2	58	595	44	<5	1	<10	191	1608	2	98	<10	11	133
191622	328405	<1	3.45	31	541	2	5	1.25	4	20	109	48	4.11	0.71	23	1.25	570	2	64	546	15	<5	<1	<10	161	1404	<2	107	<10	11	181

PROCEDURE CODES: ALP1, ALFA1, ALMA1



Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By:

Monday, September 12, 2016

Final Certificate

Tashota Resources Inc
 518-2275 Lakeshore Blvd. West
 Etobicoke, ON, CAN
 M8V3Y3
 Ph#: (844) 849-1440
 Fax#: (416) 849-1440
 Email: colin.bowdidge@gmail.com, rustykwia@hotmail.com

Date Received: 08/29/2016

Date Completed: 09/09/2016


Job #: 201641794

Reference:

Sample #: 69

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
191623	328406	<1	3.95	13	607	2	7	1.03	<4	18	103	46	3.91	<0.01	23	1.22	576	3	55	592	17	<5	<1	<10	158	1535	<2	97	<10	11	119
191624	328407	<1	3.71	14	416	<2	4	1.68	<4	16	93	32	3.20	<0.01	18	1.13	544	2	45	502	4	<5	<1	<10	187	1174	<2	78	<10	11	62
191625	328408	<1	3.33	18	519	<2	11	1.86	<4	16	99	38	3.57	<0.01	20	1.17	617	2	53	506	5	<5	<1	<10	180	1309	<2	93	<10	11	70
191626	328409	<1	3.76	8	511	<2	8	2.81	<4	15	91	29	2.97	<0.01	17	1.10	910	2	40	467	11	<5	<1	<10	188	1351	<2	71	<10	12	48
191627	328410	<1	3.82	14	473	<2	2	1.75	<4	15	117	41	3.48	<0.01	18	1.24	623	8	44	506	15	<5	<1	<10	178	1292	4	78	<10	11	128
191628R	328410	<1	4.21	35	470	<2	6	1.84	<4	13	116	42	3.48	0.08	19	1.29	633	7	84	509	14	<5	<1	10	182	1301	2	82	<10	11	130
191629	328411	<1	5.42	31	629	<2	8	1.95	<4	20	112	41	3.96	0.41	21	1.48	659	3	72	569	2	<5	<1	<10	231	1609	7	105	<10	13	66
191630	328412	<1	5.05	58	527	<2	9	2.04	<4	16	96	35	3.37	0.22	17	1.32	600	3	63	504	<1	<5	<1	11	238	1495	5	79	<10	12	55
191631	328413	<1	4.71	56	516	<2	9	1.72	<4	17	102	35	3.44	0.20	17	1.29	497	4	72	517	<1	<5	<1	<10	213	1599	8	84	<10	11	64
191632	328414	<1	7.96	70	571	<2	10	2.00	<4	<1	97	5	0.15	1.85	33	0.28	<100	4	6	<100	<1	<5	<1	11	32	1533	7	81	<10	9	56
191633	328415	<1	2.13	26	448	<2	4	1.43	<4	17	95	35	3.07	0.20	14	0.98	535	3	65	508	1	5	<1	<10	225	1682	3	78	<10	8	54
191634	328416	<1	2.47	19	498	<2	11	1.60	<4	16	106	40	3.27	0.21	17	1.03	537	4	66	479	<1	<5	<1	<10	227	1469	<2	78	<10	9	56
191635	328417	<1	1.99	28	423	<2	5	1.48	<4	15	97	30	3.09	0.19	16	0.97	474	3	58	444	2	<5	<1	<10	215	1274	<2	71	<10	8	53
191636	328418	<1	2.77	47	439	<2	2	1.43	<4	17	106	42	3.52	<0.01	17	1.13	499	3	69	582	2	<5	<1	<10	228	1413	<2	91	<10	10	98
191637	328419	<1	2.76	49	456	2	5	1.42	<4	19	105	49	3.78	0.29	21	1.14	504	2	69	600	7	<5	4	<10	222	1436	<2	97	<10	10	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1


 The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer