We are committed to providing accessible customer service.
If you need accessible formats or communications supports, please contact us.

Nous tenons à améliorer l’accessibilité des services à la clientèle.
Si vous avez besoin de formats accessibles ou d’aide à la communication, veuillez nous contacter.

APPENDIX 4

ASSAY CERTIFICATES

PHASE 1 2014

ACCURASSAY CERTIFICATES

TL14337

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 18, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au g/t (ppm)
18890	197351	<0.005
18891	197352	<0.005
18892	197353	<0.005
18893	197354	0.121
18894	197355	0.017
18895	197356	0.006
18896	197357	0.011
18897	197358	<0.005
18898	197359	<0.005
18899	197360	0.005
18900	197360	Insufficient Sample
18901	197361	<0.005
18902	197362	<0.005
18903	197363	<0.005
18904	197364	0.008
18905	197365	<0.005
18906	197366	0.006
18907	197367	0.026
18908	197368	0.013
18909	197369	0.030
18910	197370	2.132
18911	197370	Insufficient Sample
18912	197371	0.017
18913	197372	<0.005
18914	197373	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA9

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 18, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au g/t (ppm)
18915	197374	0.006
18916	197375	0.070
18917	197376	0.036
18918	197377	0.226
18919	197378	0.332
18920	197379	0.055
18921	197380	<0.005
18922	197380	Insufficient Sample
18923	197381	0.017
18924	197382	0.027
18925	197383	0.014
18926	197384	0.008
18927	197385	0.016
18928	197386	0.011
18929	197387	<0.005
18930	197388	<0.005
18931	197389	<0.005
18932	197390	5.236
18933	197390	Insufficient Sample
18934	197391	0.018
18935	197392	0.006
18936	197393	0.048
18937	197394	0.038
18938	197395	0.045
18939	197396	0.025

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA9

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 18, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au g/t (ppm)
18940	197397	0.046
18941	197398	0.060
18942	197399	0.090
18943	197400	<0.005
18944	197400	Insufficient Sample
18945	197401	0.120
18946	197402	0.050
18947	197403	0.013
18948	197404	0.010
18949	197405	0.010
18950	197406	0.010
18951	197407	0.039
18952	197408	0.032
18953	197409	0.013
18954	197410	0.397
18955	197410	Insufficient Sample
18956	197411	0.033
18957	197412	0.140
18958	197413	0.025
18959	197414	0.043
18960	197415	0.022
18961	197416	0.094
18962	197417	0.006
18963	197418	0.019
18964	197419	0.011

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA9

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 18, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au g/t (ppm)
18965	197420	<0.005
18966	197420	Insufficient Sample
18967	197421	0.032
18968	197422	0.399
18969	197423	0.093
18970	197424	0.041
18971	197425	0.068
18972	197426	0.072
18973	197427	0.041
18974	197428	0.020
18975	197429	0.060
18976	197430	1.930
18977	197430	Insufficient Sample
18978	197431	0.033
18979	197432	0.014
18980	197433	0.010
18981	197434	0.007
18982	197435	0.043
18983	197436	0.015
18984	197437	0.043
18985	197438	0.104
18986	197439	0.047
18987	197440	<0.005
18988	197440	Insufficient Sample
18989	197441	0.056

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA9

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 18, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au g/t (ppm)
18990	197442	0.227
18991	197443	0.141
18992	197444	0.078
18993	197445	0.038
18994	197446	0.089
18995	197447	0.360
18996	197448	0.033
18997	197449	0.037
18998	197450	5.084
18999	197450	Insufficient Sample
19000	197451	0.091
19001	197452	0.014
19002	197453	0.010
19003	197454	0.010
19004	197455	0.017
19005	197456	0.014
19006	197457	<0.005
19007	197458	0.009
19008	197459	0.009
19009	197460	<0.005
19010	197460	Insufficient Sample
19011	197461	0.033
19012	197462	0.010
19013	197463	0.006
19014	197464	0.023

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA9

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 18, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au g/t (ppm)
19015	197465	0.014
19016	197466	0.021
19017	197467	0.022
19018	197468	<0.005
19019	197469	<0.005
19020	197470	0.391
19021	197470	Insufficient Sample
19022	197471	0.172
19023	197472	0.021
19024	197473	0.010
19025	197474	0.019
19026	197475	0.015
19027	197476	0.019
19028	197477	0.024
19029	197478	0.006
19030	197479	<0.005
19031	197480	<0.005
19032	197480	Insufficient Sample
19033	197481	0.024
19034	197482	0.143
19035	197483	0.075
19036	197484	0.074
19037	197485	0.068
19038	197486	0.089
19039	197487	0.030

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA9

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 18, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au g/t (ppm)
19040	197488	0.107
19041	197489	0.060
19042	197490	2.151
19043	197490	Insufficient Sample
19044	197491	0.056
19045	197492	0.067
19046	197493	0.019
19047	197494	0.020
19048	197495	0.018
19049	197496	0.014
19050	197497	0.058
19051	197498	0.050
19052	197499	0.066
19053	197500	<0.005
19054	197500	Insufficient Sample
19055	197501	0.030
19056	197502	0.552
19057	197503	2.791
19058	197504	0.069
19059	197505	0.032
19060	197506	0.050
19061	197507	0.013
19062	197508	0.010
19063	197509	0.008
19064	197510	5.108

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA9

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 18, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au g/t (ppm)
19065	197510	Insufficient Sample
19066	197511	0.007
19067	197512	0.409
19068	197513	0.016
19069	197514	<0.005
19070	197515	0.009
19071	197516	0.009
19072	197517	0.006
19073	197518	0.012
19074	197519	0.020
19075	197520	<0.005
19076	197520	Insufficient Sample
19077	197521	0.016
19078	197522	0.041
19079	197523	0.022

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA9

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 18, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
QA	5.095	5.000	0.100
QA	4.948	5.000	0.100
O503	0.735	0.695	0.021
BLNK	<0.005	<0.005	0.005
QA	4.903	5.000	0.100
QA	5.006	5.000	0.100
O503	0.728	0.695	0.021
BLNK	<0.005	<0.005	0.005
QA	5.065	5.000	0.100
QA	5.074	5.000	0.100
O503	0.726	0.695	0.021
BLNK	<0.005	<0.005	0.005
QA	5.013	5.000	0.100
QA	5.024	5.000	0.100
QA	4.935	5.000	0.100
BLNK	<0.005	<0.005	0.005
QA	5.046	5.000	0.100
QA	4.954	5.000	0.100
QA	4.951	5.000	0.100
QA	4.996	5.000	0.100
BLNK	<0.005	<0.005	0.005
QA	4.993	5.000	0.100
QA	4.989	5.000	0.100
QA	4.943	5.000	0.100
O503	0.733	0.695	0.021
BLNK	<0.005	<0.005	0.005
O61E	4.414	4.430	0.150
BLNK	0.007	<0.005	0.005
O503	0.681	0.695	0.021
QA	4.934	5.000	0.100
QA	4.929	5.000	0.100
GS25	0.754	0.791	0.051
GS25	0.776	0.791	0.051
BLNK	<0.005	<0.005	0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA9

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
18890	197351	<0.005	<1	3.02	29	546	2	5	1.28	5	24	194	57	4.13	<0.01	29	0.89	462	13	129	637	32	1.02	<5	<5	12	336	2741	<2	95	<10	7	45
18891	197352	<0.005	<1	1.04	27	485	2	4	0.27	5	26	161	58	4.32	<0.01	23	1.00	565	4	85	617	31	0.98	<5	<5	11	288	3431	<2	108	<10	7	60
18892	197353	<0.005	<1	0.87	22	418	<2	3	0.40	4	20	130	43	3.52	<0.01	17	0.97	442	4	64	581	27	1.19	<5	5	<10	293	2757	<2	83	<10	6	75
18893	197354	0.121	<1	0.98	17	438	4	2	2.31	16	50	64	178	12.07	<0.01	10	0.58	792	8	82	460	83	2.86	<5	<5	22	372	2332	<2	72	11	8	660
18894	197355	0.017	<1	1.56	21	521	2	5	3.48	9	24	75	110	7.05	0.08	10	0.58	927	14	110	531	62	1.77	8	<5	15	607	2381	7	58	14	6	295
18895	197356	0.006	<1	3.50	17	1505	<2	4	2.03	<4	10	45	10	1.65	<0.01	11	0.45	321	9	60	476	26	1.02	<5	<5	<10	722	1818	<2	32	16	2	37
18896	197357	0.011	<1	2.61	14	716	<2	3	2.82	<4	9	64	10	1.78	0.08	17	0.43	283	12	96	440	25	1.08	8	<5	<10	1260	1726	2	31	<10	3	34
18897	197358	<0.005	<1	2.90	12	691	<2	4	2.04	<4	7	54	10	1.51	<0.01	14	0.37	244	9	75	451	23	1.00	<5	<5	11	795	1749	<2	31	<10	3	33
18898	197359	<0.005	<1	1.86	14	531	<2	4	1.86	<4	7	64	13	1.77	0.10	12	0.39	266	12	95	444	21	0.95	<5	<5	<10	996	1643	<2	31	<10	3	38
18899	197360	0.005	<1	0.88	17	293	2	6	1.68	4	15	52	29	3.17	<0.01	9	0.92	650	2	29	665	20	0.92	<5	<5	<10	360	3203	<2	108	25	10	52
18900D	197360																IS																
18901	197361	<0.005	<1	1.47	15	398	<2	5	0.93	<4	8	63	21	1.82	<0.01	10	0.40	252	11	98	446	17	0.79	<5	<5	<10	1111	1717	<2	32	<10	2	48
18902	197362	<0.005	<1	<0.01	8	88	<2	6	0.09	<4	7	57	28	1.88	0.03	<1	0.42	304	8	107	397	11	0.50	<5	<5	<10	806	1647	<2	31	<10	3	38
18903	197363	<0.005	<1	<0.01	7	<1	2	2	<0.01	<4	7	42	20	1.78	0.04	<1	0.46	251	4	74	412	10	0.40	<5	<5	<10	715	1657	<2	30	<10	3	41
18904	197364	0.008	<1	<0.01	5	<1	<2	4	<0.01	<4	7	23	8	1.53	<0.01	<1	0.44	363	<1	51	464	10	0.39	<5	<5	<10	362	1570	<2	30	<10	3	36
18905	197365	<0.005	<1	0.15	8	89	2	4	<0.01	<4	9	68	11	1.91	<0.01	<1	0.42	315	9	118	437	16	0.47	<5	6	<10	418	1775	<2	34	<10	3	31
18906	197366	0.006	<1	0.74	12	75	<2	4	0.07	<4	8	19	9	1.63	0.01	<1	0.44	302	<1	28	439	14	0.51	<5	13	<10	433	1790	<2	32	<10	3	33
18907	197367	0.026	<1	1.30	13	214	2	5	0.50	5	28	141	58	4.47	<0.01	10	1.24	594	<1	92	581	39	1.12	<5	6	<10	457	3245	<2	98	11	13	106
18908	197368	0.013	<1	0.64	67	117	2	1	<0.01	5	21	141	54	4.21	<0.01	18	1.37	556	<1	80	607	82	1.10	<5	<5	<10	349	2936	<2	102	<10	10	161
18909	197369	0.030	<1	<0.01	22	84	2	3	<0.01	8	20	66	89	5.68	0.03	<1	0.82	423	<1	78	459	48	2.31	<5	<5	10	355	2011	<2	60	<10	8	530

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:53 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
18910	197370	2.132	<1	<0.01	19	123	<2	4	1.06	5	19	50	39	3.83	<0.01	8	0.96	736	<1	33	668	18	0.70	<5	<5	14	331	3310	<2	124	27	9	61
18911D	197370																IS																
18912	197371	0.017	<1	1.30	19	284	2	5	1.28	5	26	107	62	4.28	0.04	5	0.85	528	3	64	607	34	2.05	<5	<5	<10	490	1678	<2	70	<10	7	144
18913	197372	<0.005	<1	0.89	13	6	<2	3	0.64	<4	9	13	22	2.12	0.05	<1	0.72	327	<1	26	573	7	0.88	<5	<5	10	478	1299	<2	38	<10	3	51
18914	197373	<0.005	<1	2.78	13	426	<2	5	1.69	<4	8	18	15	1.72	0.25	10	0.45	257	2	20	523	21	0.98	<5	6	13	637	1927	<2	39	11	3	42
18915	197374	0.006	<1	4.60	16	309	2	3	1.10	<4	10	18	29	1.89	0.02	20	0.65	294	2	23	493	31	0.91	<5	5	12	445	1932	<2	47	<10	3	61
18916	197375	0.070	<1	3.56	51	487	2	5	1.64	9	24	56	100	5.68	0.05	17	0.60	496	15	62	477	76	1.76	9	9	<10	754	2143	<2	56	13	7	561
18917	197376	0.036	<1	2.48	22	541	3	2	2.19	4	17	40	43	3.78	<0.01	11	0.84	851	2	36	629	29	0.96	7	<5	<10	562	3625	<2	84	<10	14	118
18918	197377	0.226	<1	3.69	20	533	2	2	1.24	4	15	35	53	2.17	0.05	14	0.48	478	2	28	560	25	1.03	<5	<5	<10	612	2611	<2	60	<10	8	327
18919	197378	0.332	<1	1.94	21	435	2	3	0.56	4	8	26	48	2.06	0.04	9	0.50	631	<1	26	534	22	1.06	<5	<5	<10	601	1754	<2	44	<10	3	314
18920	197379	0.055	<1	0.28	22	459	2	2	<0.01	5	7	16	54	1.77	<0.01	<1	0.38	414	<1	28	510	11	1.01	<5	<5	<10	523	1563	<2	38	15	3	1076
18921	197380	<0.005	<1	<0.01	13	20	<2	2	0.81	4	18	44	28	3.33	<0.01	4	1.09	666	<1	29	654	12	0.60	<5	<5	<10	335	3090	<2	111	27	12	53
18922D	197380																IS																
18923	197381	0.017	<1	1.14	20	332	<2	2	1.01	<4	8	21	9	1.68	0.11	2	0.42	561	<1	26	479	17	0.95	<5	<5	<10	463	1581	<2	34	<10	3	72
18924	197382	0.027	<1	0.77	16	347	<2	6	1.48	<4	9	20	10	2.10	0.10	6	0.55	834	2	25	515	21	1.08	<5	5	<10	435	1839	<2	37	<10	3	73
18925	197383	0.014	<1	0.67	21	187	<2	3	0.56	<4	7	16	11	1.78	0.14	<1	0.54	606	<1	26	519	11	0.88	<5	<5	10	511	1634	4	35	<10	3	70
18926	197384	0.008	<1	4.76	25	384	<2	3	2.34	<4	8	57	22	1.98	0.57	17	0.46	624	10	60	465	22	0.92	<5	7	12	423	1911	<2	36	<10	3	43
18927	197385	0.016	<1	6.09	20	360	<2	3	2.87	<4	8	66	55	2.20	0.20	21	0.51	742	15	80	441	139	1.08	9	15	16	439	1977	2	37	<10	3	197
18928	197386	0.011	<1	4.73	13	353	2	6	2.44	<4	9	70	46	2.19	0.29	19	0.47	706	16	80	411	54	1.06	<5	5	11	427	1932	<2	37	<10	3	150
18929	197387	<0.005	<1	4.88	20	416	2	5	2.26	<4	7	46	14	1.85	0.05	21	0.34	482	10	52	449	18	0.94	<5	<5	<10	390	2110	<2	37	<10	3	32

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:53 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
18930	197388	<0.005	<1	2.91	18	431	2	5	1.96	<4	9	45	10	1.99	<0.01	19	0.41	474	9	51	424	19	0.97	<5	<5	15	387	2001	<2	36	<10	2	38
18931	197389	<0.005	<1	3.26	15	442	<2	4	1.98	<4	7	80	15	2.23	0.28	11	0.35	549	19	107	461	21	0.98	<5	9	<10	452	2062	<2	39	<10	3	42
18932	197390	5.236	85	0.66	53	347	<2	5	0.90	23	16	32	70	3.46	<0.01	12	0.58	503	4	26	615	634	1.02	72	<5	250	333	2413	<2	94	64	7	1897
18933D	197390																IS																
18934	197391	0.018	<1	2.73	19	428	<2	4	1.77	<4	9	62	11	2.02	0.18	12	0.32	456	13	73	493	17	1.01	<5	<5	<10	412	1970	<2	37	<10	2	28
18935	197392	0.006	<1	1.40	20	444	<2	5	1.41	<4	9	53	14	1.91	0.23	17	0.32	426	11	62	489	20	1.01	<5	<5	<10	467	1874	<2	35	<10	2	32
18936	197393	0.048	<1	2.84	15	366	<2	6	1.72	<4	8	34	166	1.88	0.10	11	0.39	470	10	39	503	20	1.02	<5	6	13	389	2016	<2	36	<10	2	45
18937	197394	0.038	<1	2.71	27	643	<2	4	1.80	4	9	37	34	2.01	0.31	15	0.37	613	7	32	461	26	1.36	<5	<5	<10	385	1854	<2	37	<10	<2	512
18938	197395	0.045	<1	3.62	30	374	<2	3	1.72	4	14	59	211	2.63	0.18	14	0.52	804	12	47	446	42	1.21	<5	9	10	297	1862	<2	35	12	8	440
18939	197396	0.025	<1	3.97	27	290	<2	3	0.50	6	8	86	93	1.51	0.12	14	0.25	260	23	92	326	76	0.95	<5	<5	17	237	1438	<2	23	22	6	1379
18940	197397	0.046	<1	4.27	33	254	2	2	1.45	8	12	98	206	2.91	0.12	15	0.47	680	25	66	474	67	1.23	<5	<5	17	285	1619	<2	38	18	8	1007
18941	197398	0.060	<1	5.21	30	454	2	5	2.11	6	15	119	89	2.66	0.27	27	0.69	748	21	99	527	120	1.13	<5	<5	17	334	2385	<2	52	20	7	1005
18942	197399	0.090	<1	5.30	26	457	2	2	0.84	15	25	76	329	4.61	0.36	24	0.51	639	14	86	533	62	1.39	<5	9	23	251	2957	<2	64	36	10	3571
18943	197400	<0.005	<1	2.35	15	328	<2	2	2.00	4	15	53	32	3.33	0.17	17	0.96	656	2	29	665	21	0.94	<5	<5	10	386	3283	<2	110	28	11	59
18944D	197400																IS																
18945	197401	0.120	<1	1.02	30	234	<2	4	1.13	14	7	56	264	4.18	0.37	11	0.54	1087	14	54	406	53	1.97	7	<5	13	230	1774	<2	16	36	31	2968
18946	197402	0.050	<1	3.23	26	535	2	3	1.43	<4	7	61	17	2.18	0.23	16	0.47	646	14	76	522	40	1.11	<5	<5	<10	346	1745	<2	36	<10	3	148
18947	197403	0.013	<1	2.51	16	440	<2	4	1.61	<4	8	52	11	1.75	0.28	16	0.32	502	9	53	461	22	1.16	5	6	10	371	1580	<2	34	<10	2	100
18948	197404	0.010	<1	3.12	19	473	2	2	1.62	<4	8	42	12	1.87	0.11	14	0.43	595	8	47	533	16	1.10	<5	<5	16	388	1685	<2	36	<10	2	90
18949	197405	0.010	<1	2.56	17	351	<2	3	1.22	<4	8	37	12	1.74	0.13	12	0.40	591	7	37	475	19	1.10	<5	<5	<10	315	1606	<2	31	<10	2	253

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:53 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
18950	197406	0.010	<1	4.22	22	408	<2	2	1.76	<4	7	39	13	1.83	0.20	18	0.43	628	6	36	497	30	1.00	<5	9	12	345	1687	<2	33	<10	3	268
18951	197407	0.039	<1	5.63	21	570	<2	5	1.75	<4	7	50	20	1.91	0.22	22	0.48	580	11	53	511	21	1.06	<5	<5	<10	363	1653	<2	35	<10	3	278
18952	197408	0.032	<1	4.15	24	396	<2	5	1.63	5	7	46	18	1.83	0.31	19	0.46	545	9	50	477	13	1.03	<5	<5	14	337	1592	<2	33	15	3	963
18953	197409	0.013	<1	3.60	25	498	<2	4	1.57	<4	8	51	13	1.79	0.25	25	0.44	562	10	58	459	21	0.98	<5	5	<10	352	1592	<2	34	<10	3	155
18954	197410	0.397	<1	2.57	68	210	<2	3	0.78	9	13	32	2585	5.14	0.28	27	0.58	1052	16	24	739	90	1.85	<5	<5	16	280	1356	<2	61	<10	5	557
18955R	197410																IS																
18956	197411	0.033	<1	4.61	26	538	<2	3	1.43	<4	7	54	18	1.87	0.19	20	0.52	540	12	62	497	20	1.03	<5	<5	<10	376	1627	2	34	<10	3	165
18957	197412	0.140	<1	4.50	23	520	<2	4	1.68	5	8	29	247	2.03	0.40	20	0.61	645	7	32	504	24	1.12	5	<5	10	375	1728	<2	34	<10	3	964
18958	197413	0.025	<1	4.54	21	464	<2	3	1.69	<4	7	35	49	1.92	0.30	24	0.51	599	6	36	486	24	1.20	6	<5	<10	361	1660	<2	34	<10	3	352
18959	197414	0.043	<1	4.22	25	452	<2	5	1.37	7	7	61	101	2.02	0.06	23	0.50	635	13	72	516	24	1.12	<5	<5	14	380	1612	3	35	25	3	1996
18960	197415	0.022	<1	3.65	25	507	<2	3	1.61	<4	7	55	27	2.07	0.31	17	0.47	722	13	70	502	21	1.04	6	<5	12	325	1668	<2	37	12	3	361
18961	197416	0.094	<1	2.74	15	332	<2	5	2.36	7	26	68	102	5.32	0.11	31	1.33	1609	11	106	781	26	1.12	<5	<5	<10	348	3940	<2	74	<10	10	234
18962	197417	0.006	<1	2.56	14	440	2	5	2.61	6	19	67	52	4.15	0.11	35	1.06	1362	13	116	772	25	1.02	<5	9	11	376	3894	<2	73	<10	7	212
18963	197418	0.019	<1	1.21	15	542	<2	4	1.71	5	16	24	47	2.88	0.56	26	0.54	1153	4	37	764	21	1.19	<5	<5	13	293	3376	<2	61	11	4	499
18964	197419	0.011	<1	3.07	15	732	<2	3	2.44	<4	14	22	23	2.30	0.52	28	0.63	1300	4	28	724	24	1.18	<5	<5	<10	342	3350	<2	57	<10	4	375
18965	197420	<0.005	<1	1.00	19	303	<2	6	1.79	4	16	50	33	3.30	<0.01	10	0.83	648	3	29	676	25	1.00	<5	<5	12	378	3197	<2	109	27	8	59
18966D	197420																IS																
18967	197421	0.032	<1	2.44	20	744	2	3	1.88	5	17	29	42	2.84	0.24	22	0.72	1357	<1	32	623	23	1.22	8	<5	15	284	2939	<2	60	<10	4	568
18968	197422	0.399	<1	4.54	23	366	5	2	3.71	27	80	56	341	11.82	0.30	39	1.56	2907	<1	51	852	42	2.89	<5	<5	12	277	7216	<2	238	64	20	4332
18969	197423	0.093	<1	4.47	18	195	4	3	5.50	19	63	99	227	11.89	0.32	37	1.93	3709	<1	76	1069	40	1.56	8	<5	16	331	10402	<2	362	15	29	1349

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:53 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
18970	197424	0.041	<1	3.81	27	159	4	4	5.89	14	61	98	164	10.81	<0.01	26	1.62	3369	2	103	1074	39	1.29	<5	<5	<10	329	10453	<2	366	10	27	288
18971	197425	0.068	<1	2.30	12	170	3	4	4.55	12	54	80	168	9.30	<0.01	18	1.23	2955	<1	67	883	29	1.60	<5	<5	<10	272	8691	<2	308	15	22	333
18972	197426	0.072	<1	2.40	17	183	2	2	4.46	12	51	85	176	9.01	<0.01	26	1.13	2885	<1	73	841	27	1.44	<5	<5	<10	277	8339	<2	290	<10	21	296
18973	197427	0.041	<1	2.80	13	227	2	3	4.47	10	46	94	122	7.14	0.03	24	1.08	2738	<1	73	999	41	1.30	<5	<5	<10	302	9320	<2	314	<10	22	317
18974	197428	0.020	<1	1.56	13	85	3	3	5.23	13	52	85	129	9.87	0.39	24	1.77	2810	<1	55	1015	34	1.41	5	<5	12	288	9495	<2	323	<10	24	255
18975	197429	0.060	<1	1.45	18	45	3	2	4.87	14	52	44	154	10.30	0.45	23	1.54	3138	<1	46	1013	33	1.59	<5	<5	<10	284	9450	<2	309	<10	26	258
18976	197430	1.930	<1	0.55	22	298	<2	4	1.82	5	18	50	44	3.85	0.10	13	0.90	715	<1	31	708	30	0.97	<5	<5	12	369	3391	<2	121	32	7	66
18977D	197430																IS																
18978	197431	0.033	<1	0.51	17	<1	3	3	4.61	14	57	46	133	10.28	0.21	19	1.64	2615	<1	49	1030	35	1.56	<5	<5	15	298	9875	<2	307	<10	20	233
18979	197432	0.014	<1	2.40	28	618	<2	3	2.07	<4	11	10	12	1.91	0.22	29	0.53	604	<1	17	591	19	1.12	<5	<5	12	357	2032	<2	41	<10	2	66
18980	197433	0.010	<1	4.05	23	616	<2	5	2.44	<4	9	23	11	2.08	0.47	35	0.74	775	<1	35	551	20	1.05	<5	<5	11	404	2115	<2	44	<10	2	69
18981	197434	0.007	<1	2.73	27	531	<2	3	1.98	<4	9	15	13	1.97	0.42	41	0.67	722	<1	26	527	26	1.02	<5	<5	13	360	1988	<2	43	<10	2	90
18982	197435	0.043	<1	4.45	20	231	3	3	3.74	11	51	54	127	8.40	<0.01	47	1.44	2517	<1	48	868	33	1.28	<5	<5	<10	334	8679	<2	299	<10	30	276
18983	197436	0.015	<1	3.78	16	159	<2	2	3.19	7	34	41	97	4.98	0.18	27	0.90	1554	<1	33	728	17	1.18	<5	<5	10	271	6773	<2	231	<10	21	110
18984	197437	0.043	<1	4.40	26	118	3	4	4.64	11	50	58	131	7.95	0.14	33	1.49	2098	<1	47	940	37	1.28	5	<5	13	322	9168	<2	320	<10	31	186
18985	197438	0.104	<1	2.71	16	<1	3	3	5.10	16	57	43	140	11.21	0.33	30	2.04	3019	<1	47	864	27	1.41	<5	<5	15	255	8622	<2	302	19	33	305
18986	197439	0.047	<1	1.90	22	<1	3	2	2.98	15	58	28	153	10.80	0.47	30	1.85	2547	<1	54	966	38	1.58	<5	<5	13	273	10509	<2	356	<10	17	499
18987	197440	<0.005	<1	0.86	16	254	<2	4	1.72	4	18	46	32	3.25	0.26	7	0.84	629	<1	27	664	29	0.96	<5	<5	10	375	3199	<2	106	22	7	43
18988D	197440																IS																
18989	197441	0.056	<1	<0.01	13	<1	3	3	3.73	15	62	32	196	11.52	0.19	27	1.88	3065	<1	51	960	47	1.65	<5	<5	11	268	10028	<2	353	<10	20	284

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:53 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
18990	197442	0.227	<1	<0.01	19	39	4	2	2.94	33	65	23	346	11.74	0.03	32	1.98	2964	<1	46	751	54	2.65	<5	<5	11	293	7431	<2	262	47	18	5809
18991	197443	0.141	<1	1.73	15	180	3	2	2.53	16	49	28	295	9.39	<0.01	37	1.75	2517	<1	48	840	49	1.86	<5	<5	10	321	7949	<2	266	<10	11	810
18992	197444	0.078	<1	4.71	22	414	2	3	1.79	11	49	37	274	8.03	0.11	49	1.36	1819	<1	49	924	54	1.44	<5	<5	<10	304	5273	<2	286	<10	8	606
18993	197445	0.038	<1	3.20	40	164	8	5	2.48	34	72	39	909	22.68	0.44	28	1.60	2622	3	128	531	59	2.64	<5	<5	17	248	1361	<2	128	15	14	1177
18994	197446	0.089	<1	4.82	35	229	7	6	2.61	35	56	40	1065	24.18	0.36	31	1.55	2312	2	131	532	56	2.78	5	<5	14	259	1325	<2	122	15	12	909
18995	197447	0.360	<1	1.46	34	110	5	6	1.07	29	44	45	797	16.96	0.45	25	1.23	739	3	113	443	48	2.63	<5	<5	11	235	614	<2	60	28	5	2303
18996	197448	0.033	<1	3.52	26	382	<2	6	2.34	<4	7	28	41	2.18	0.38	21	0.78	736	<1	31	489	37	1.20	<5	<5	11	534	1089	4	40	<10	2	140
18997	197449	0.037	<1	2.34	22	338	<2	4	1.74	<4	7	22	32	1.88	0.38	18	0.63	482	<1	29	495	29	1.17	<5	<5	<10	505	1104	<2	36	<10	<2	235
18998	197450	5.084	80	1.63	55	352	2	2	1.10	22	18	31	70	3.41	0.19	9	0.59	491	1	24	626	578	1.14	75	<5	229	348	2387	<2	93	51	6	1785
18999D	197450																IS																
19000	197451	0.091	<1	1.84	23	319	<2	4	1.49	<4	7	29	23	1.73	0.29	16	0.65	502	1	36	473	27	1.11	<5	<5	<10	497	1405	<2	34	<10	<2	111
19001	197452	0.014	<1	1.31	11	265	<2	3	1.39	<4	9	13	16	1.63	0.04	21	0.71	497	<1	22	460	22	1.08	<5	<5	<10	447	1483	<2	33	<10	<2	86
19002	197453	0.010	<1	1.48	14	351	<2	5	1.35	<4	5	16	15	1.55	<0.01	18	0.53	410	<1	22	430	21	1.09	6	<5	10	438	1495	<2	32	<10	<2	66
19003	197454	0.010	<1	2.12	22	357	<2	1	1.51	<4	6	12	28	1.51	<0.01	16	0.42	335	<1	18	402	22	1.09	<5	<5	10	504	1442	<2	30	<10	<2	38
19004	197455	0.017	<1	5.56	20	302	<2	4	1.69	<4	5	15	22	1.52	0.35	14	0.39	292	<1	21	418	21	1.13	<5	<5	<10	557	1275	<2	29	<10	<2	21
19005	197456	0.014	<1	5.36	24	386	<2	2	1.97	<4	7	20	41	1.47	0.77	16	0.34	248	<1	21	416	22	1.00	<5	<5	<10	507	1675	<2	30	<10	<2	26
19006	197457	<0.005	<1	6.09	20	439	<2	3	2.12	<4	7	23	48	1.50	0.57	18	0.36	301	1	28	419	22	1.01	<5	<5	<10	487	1741	<2	32	<10	<2	25
19007	197458	0.009	<1	4.40	25	537	<2	2	1.61	<4	9	19	31	1.93	0.32	19	0.78	719	<1	27	447	31	1.18	<5	<5	14	483	1911	2	35	<10	2	197
19008	197459	0.009	<1	4.29	23	467	<2	6	1.41	<4	8	19	36	1.62	0.32	15	0.60	553	<1	23	426	37	1.15	<5	7	<10	506	1829	<2	32	10	<2	382
19009	197460	<0.005	<1	1.45	19	250	<2	4	1.83	4	17	45	31	3.23	0.11	8	0.85	622	<1	27	646	19	0.97	<5	8	<10	380	3178	<2	106	22	8	66

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:53 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
19010D	197460																IS															
19011	197461	0.033	<1	2.63	17	411	<2	4	1.21	<4	6	26	57	1.56	0.23	13	0.56	521	<1	25	420	157	1.18	<5	<5	<10	467	1735	<2	33	<10	<2	333
19012	197462	0.010	<1	2.10	17	342	<2	5	1.08	<4	8	23	40	1.73	0.16	15	0.66	594	<1	28	459	89	1.10	<5	<5	10	433	1713	<2	33	<10	<2	223
19013	197463	0.006	<1	3.06	15	392	<2	5	1.36	<4	8	39	25	2.32	0.69	15	0.76	691	<1	33	495	64	1.24	<5	<5	<10	445	2042	6	45	<10	<2	242
19014	197464	0.023	<1	2.26	17	413	2	3	2.08	6	25	132	76	4.75	0.73	17	1.13	1106	2	66	684	44	1.44	<5	<5	<10	391	3440	<2	107	<10	3	135
19015	197465	0.014	<1	2.47	13	347	2	3	1.23	4	22	137	70	3.61	0.09	23	1.06	661	2	74	612	49	1.23	<5	<5	<10	368	2547	<2	78	<10	5	119
19016	197466	0.021	<1	5.17	24	434	2	5	1.59	5	28	146	85	4.22	0.13	24	1.24	699	<1	73	666	49	1.30	<5	<5	10	405	2809	<2	86	<10	5	127
19017	197467	0.022	<1	4.49	17	1144	2	3	3.03	16	19	79	87	3.44	0.20	18	1.08	996	2	56	671	211	1.39	<5	<5	<10	510	2520	<2	78	27	5	2067
19018	197468	<0.005	<1	4.75	19	633	<2	2	2.44	<4	12	42	36	2.23	0.37	13	0.74	602	<1	46	642	42	1.19	<5	<5	13	447	1841	<2	50	<10	3	83
19019	197469	<0.005	<1	5.06	17	459	3	3	1.81	6	25	134	75	4.30	0.27	19	1.11	828	<1	75	630	37	1.09	<5	<5	15	404	3375	<2	92	<10	6	91
19020	197470	0.391	<1	2.17	63	185	<2	3	0.71	9	14	31	2933	5.26	0.12	22	0.52	1047	14	23	757	96	2.10	<5	6	<10	283	1382	<2	62	14	3	576
19021R	197470																IS															
19022	197471	0.172	<1	5.23	158	569	2	6	1.94	4	14	87	43	2.91	0.21	11	1.02	464	1	51	735	47	1.14	<5	<5	11	342	2137	<2	60	12	4	94
19023	197472	0.021	<1	5.79	373	439	2	2	1.67	6	24	133	87	4.11	0.21	12	0.97	572	<1	74	634	62	1.25	<5	<5	13	327	2614	<2	83	10	5	159
19024	197473	0.010	<1	3.98	86	279	2	4	1.99	5	20	132	58	3.70	0.12	13	0.97	627	<1	66	609	47	1.08	<5	<5	<10	301	3075	<2	81	<10	6	91
19025	197474	0.019	<1	3.37	23	224	2	3	1.60	4	20	134	54	3.18	0.23	8	0.72	546	2	76	500	63	1.09	<5	<5	<10	278	2673	<2	75	<10	5	77
19026	197475	0.015	<1	2.98	17	243	2	2	1.80	5	21	164	72	3.93	0.23	9	0.74	629	<1	76	599	80	1.11	<5	<5	11	296	3280	<2	87	12	5	129
19027	197476	0.019	<1	3.36	18	356	2	3	1.56	7	25	160	85	4.04	<0.01	12	0.80	673	1	80	651	98	1.16	<5	<5	<10	294	3371	<2	102	13	6	284
19028	197477	0.024	<1	1.36	19	62	2	4	2.43	6	21	130	102	4.25	0.11	6	0.99	839	<1	72	1552	58	1.17	<5	<5	<10	292	2677	<2	79	<10	8	88
19029	197478	0.006	<1	2.57	19	333	2	4	1.33	4	13	94	37	2.61	0.15	3	0.83	446	2	55	545	46	1.09	<5	<5	<10	293	2277	<2	62	<10	3	45

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:53 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
19030	197479	<0.005	<1	2.64	10	419	2	1	0.82	<4	9	41	15	1.52	0.15	5	0.85	265	<1	33	482	52	0.99	<5	<5	12	269	1611	<2	33	<10	2	31
19031	197480	<0.005	<1	1.87	12	261	2	5	1.85	4	18	50	34	3.33	0.27	9	0.86	634	<1	26	678	23	0.98	<5	5	10	389	3239	<2	107	27	7	45
19032D	197480																IS																
19033	197481	0.024	<1	2.41	19	50	<2	2	0.82	<4	7	84	24	1.09	0.33	5	0.31	169	5	56	282	21	1.22	<5	5	11	210	961	<2	21	<10	<2	29
19034	197482	0.143	<1	5.84	21	390	2	4	2.12	6	26	165	60	4.86	0.28	12	1.25	800	1	91	637	40	1.19	<5	<5	11	334	3580	<2	116	10	8	94
19035	197483	0.075	<1	8.35	21	703	3	4	1.70	8	32	198	86	5.65	0.30	21	1.09	640	2	109	655	74	1.21	<5	<5	14	319	4318	<2	151	17	9	434
19036	197484	0.074	<1	4.93	22	305	2	3	2.30	6	25	193	84	5.12	0.28	10	1.26	780	10	156	620	36	1.10	6	<5	11	317	3429	<2	104	<10	9	107
19037	197485	0.068	<1	4.34	44	269	2	2	2.01	6	19	166	141	3.91	0.30	9	0.83	615	7	122	556	34	1.38	<5	<5	<10	317	2568	<2	79	11	6	489
19038	197486	0.089	<1	2.12	36	158	2	4	1.86	6	18	164	134	3.75	0.24	3	0.78	638	8	125	517	28	1.32	<5	<5	<10	299	2375	<2	75	<10	6	413
19039	197487	0.030	<1	3.58	22	297	2	4	1.73	5	23	157	67	3.97	0.10	6	0.84	583	5	106	623	27	1.33	<5	<5	<10	285	2883	<2	82	<10	5	70
19040	197488	0.107	<1	1.32	24	207	2	5	1.74	5	19	143	85	3.71	0.12	7	0.73	693	7	126	560	33	1.39	<5	<5	13	309	2388	<2	77	<10	4	255
19041	197489	0.060	<1	<0.01	15	218	2	5	0.79	4	21	150	64	3.39	0.25	7	0.50	504	5	115	498	34	1.14	<5	<5	<10	249	2734	<2	85	17	3	75
19042	197490	2.151	<1	2.10	18	283	<2	4	1.99	5	18	52	47	3.95	0.10	4	0.94	689	<1	32	712	32	1.00	7	<5	<10	389	3357	<2	119	26	8	60
19043D	197490																IS																
19044	197491	0.056	<1	2.75	14	160	2	2	1.38	4	19	132	70	3.38	<0.01	4	0.81	537	2	88	523	41	1.09	<5	<5	11	287	2650	<2	72	<10	6	102
19045	197492	0.067	<1	5.49	24	421	3	2	2.67	7	24	161	78	4.04	0.26	12	0.95	722	4	100	583	37	1.22	<5	<5	<10	390	3054	<2	91	13	8	375
19046	197493	0.019	<1	5.21	23	425	<2	3	1.89	<4	7	51	18	1.85	0.39	9	0.72	456	11	72	386	21	1.20	<5	6	<10	478	1711	<2	33	<10	<2	89
19047	197494	0.020	<1	8.04	24	567	<2	4	2.32	<4	7	45	15	1.89	0.45	14	0.52	325	4	66	495	23	1.22	<5	5	<10	474	1972	<2	34	<10	<2	66
19048	197495	0.018	<1	4.72	16	423	<2	3	1.73	<4	6	34	16	1.68	0.24	9	0.40	312	3	49	435	29	1.09	6	<5	<10	492	1751	<2	30	<10	<2	48
19049	197496	0.014	<1	4.74	20	530	<2	2	1.76	<4	7	43	10	1.70	0.20	7	0.32	259	2	59	437	26	1.06	<5	<5	10	561	1827	<2	31	<10	<2	45

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:53 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
19050	197497	0.058	<1	4.17	19	508	<2	3	1.64	<4	7	34	11	1.56	0.04	8	0.36	273	2	49	423	25	1.22	<5	<5	<10	486	1835	<2	30	<10	<2	61
19051	197498	0.050	<1	3.08	21	448	<2	3	1.31	<4	7	36	12	1.55	0.42	4	0.39	339	3	55	442	23	1.11	<5	8	12	419	1686	<2	28	<10	<2	64
19052	197499	0.066	<1	3.11	18	717	<2	6	1.61	<4	6	43	23	1.55	0.28	6	0.35	445	3	62	412	22	1.11	5	<5	12	400	1640	<2	29	<10	<2	74
19053	197500	<0.005	<1	1.63	15	267	<2	4	1.93	4	16	48	33	3.27	0.15	6	0.83	619	<1	27	663	20	1.01	<5	<5	16	387	3159	<2	105	24	7	45
19054D	197500																IS																
19055	197501	0.030	<1	2.84	17	679	<2	5	1.33	<4	7	40	21	1.55	0.35	<1	0.33	399	4	63	388	12	1.28	<5	<5	<10	429	1538	<2	27	<10	<2	107
19056	197502	0.552	<1	2.51	16	762	<2	3	1.75	<4	5	27	23	1.57	<0.01	5	0.29	374	2	39	381	26	1.96	<5	<5	<10	611	1671	<2	28	<10	<2	81
19057	197503	2.791	<1	4.59	28	1011	<2	7	1.41	5	6	48	98	2.22	0.25	5	0.27	343	8	85	394	59	1.35	<5	<5	<10	414	1611	<2	30	13	<2	761
19058	197504	0.069	<1	6.16	21	1036	<2	3	2.65	<4	7	43	55	1.70	0.24	10	0.45	491	6	69	437	27	1.35	<5	<5	<10	529	1728	<2	33	<10	<2	131
19059	197505	0.032	<1	3.52	22	863	<2	2	1.81	<4	6	39	31	1.63	0.54	2	0.37	427	5	68	348	21	1.12	<5	<5	10	521	1641	<2	29	<10	<2	59
19060	197506	0.050	<1	3.96	26	960	<2	4	2.20	<4	6	41	32	1.74	0.37	7	0.37	430	5	69	383	25	1.40	<5	<5	10	539	1733	<2	31	<10	<2	64
19061	197507	0.013	<1	3.58	19	994	<2	4	1.65	<4	7	46	34	1.80	0.21	7	0.41	413	5	75	413	18	1.23	<5	<5	<10	662	1756	<2	30	<10	<2	120
19062	197508	0.010	<1	3.46	19	676	<2	4	1.73	<4	7	41	27	1.68	0.15	3	0.34	317	5	72	416	26	1.09	5	<5	11	506	1705	<2	30	<10	<2	98
19063	197509	0.008	<1	2.22	20	511	<2	3	1.87	<4	7	37	15	1.71	0.29	<1	0.69	317	2	57	400	25	1.07	5	<5	10	457	1695	<2	28	<10	<2	72
19064	197510	5.108	74	0.76	49	248	<2	3	0.76	20	13	26	67	3.24	0.07	<1	0.55	456	<1	22	597	544	1.01	68	<5	207	327	2251	<2	87	51	6	1655
19065D	197510																IS																
19066	197511	0.007	<1	3.93	20	755	<2	3	1.90	<4	7	22	10	1.63	0.01	10	0.52	309	2	36	453	20	1.25	<5	11	12	485	1926	<2	31	<10	<2	63
19067	197512	0.409	<1	6.18	33	807	<2	5	1.79	5	9	44	93	2.07	<0.01	9	0.51	353	7	77	485	23	1.42	<5	<5	<10	459	1894	3	33	<10	2	648
19068	197513	0.016	<1	3.01	17	870	<2	5	1.87	<4	7	45	14	1.87	0.02	7	0.58	439	6	78	482	23	1.10	<5	9	10	519	1892	<2	33	<10	<2	47
19069	197514	<0.005	<1	3.08	22	412	<2	3	1.58	<4	7	21	8	1.54	0.26	10	0.53	293	<1	32	427	24	1.06	6	<5	<10	481	1738	<2	29	<10	2	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:53 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2014
Date Completed: 02/18/2014
Job #: 201440226
Reference: TL14-337
Sample #: 173

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
19070	197515	0.009	<1	6.02	24	464	<2	1	1.98	<4	11	53	17	2.21	0.12	12	0.74	389	6	80	585	38	1.12	<5	<5	<10	487	2226	<2	42	<10	2	140
19071	197516	0.009	<1	7.22	31	595	<2	2	2.72	<4	11	60	16	2.48	0.27	15	0.72	414	9	96	589	46	1.24	<5	<5	<10	523	2326	<2	44	<10	<2	90
19072	197517	0.006	<1	5.53	24	414	<2	4	1.94	<4	8	34	12	2.09	0.30	12	0.58	324	4	57	503	49	1.13	<5	<5	14	441	2027	<2	40	10	<2	77
19073	197518	0.012	<1	4.33	17	384	2	3	1.24	6	25	165	67	4.40	0.06	16	1.07	564	3	106	665	35	1.09	<5	<5	<10	362	3538	<2	107	<10	7	72
19074	197519	0.020	<1	4.36	19	470	2	4	1.50	6	26	157	69	4.44	0.22	12	1.08	570	<1	83	738	46	1.19	<5	<5	12	398	3345	<2	115	<10	5	114
19075	197520	<0.005	<1	3.63	22	310	<2	4	2.14	5	17	49	34	3.51	0.11	11	1.01	659	<1	29	715	21	1.01	<5	<5	16	411	3386	<2	112	24	9	71
19076D	197520																IS																
19077	197521	0.016	<1	2.53	19	202	2	3	0.89	5	22	141	64	3.52	0.25	17	0.97	404	2	80	657	36	1.11	<5	<5	<10	272	3062	<2	77	10	4	27
19078	197522	0.041	<1	2.54	18	342	2	2	0.69	5	24	152	61	4.15	<0.01	16	1.12	475	4	109	633	37	1.06	<5	<5	<10	271	3466	<2	101	<10	4	38
19079	197523	0.022	<1	2.34	15	438	3	3	0.44	6	27	160	65	4.64	0.07	17	1.17	531	3	116	669	36	1.05	<5	<5	11	260	3760	<2	120	12	4	60

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14338

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2014
Date Completed: 02/19/2014
Job #: 201440228
Reference: TL14-338
Sample #: 23

Acc #	Client ID	Au g/t (ppm)
19082	197524	0.010
19083	197525	0.008
19084	197526	0.007
19085	197527	0.009
19086	197528	0.009
19087	197529	<0.005
19088	197530	0.373
19089	197531	<0.005
19090	197532	<0.005
19091	197533	<0.005
19092	197533 Dup	<0.005
19093	197534	<0.005
19094	197535	0.006
19095	197536	<0.005
19096	197537	<0.005
19097	197538	<0.005
19098	197539	<0.005
19099	197540	<0.005
19100	197541	<0.005
19101	197542	0.006
19102	197543	<0.005
19103	197543 Dup	<0.005
19104	197544	0.006
19105	197545	<0.005
19106	197546	0.006

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2014
Date Completed: 02/19/2014
Job #: 201440228
Reference: TL14-338
Sample #: 23

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS16	0.337	0.341	0.013
GS16	0.331	0.341	0.013

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2014
Date Completed: 02/19/2014
Job #: 201440228
Reference: TL14-338
Sample #: 23

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
19082	197524	0.010	<1	3.11	27	395	3	18	0.87	6	27	143	61	4.89	0.16	36	1.18	551	1	83	616	11	0.96	9	<5	<10	255	3551	<2	114	<10	6	53
19083	197525	0.008	<1	2.23	11	452	2	3	0.93	6	27	153	63	4.79	0.22	36	0.87	570	2	84	614	10	1.23	9	<5	10	267	3233	<2	109	<10	6	76
19084	197526	0.007	<1	5.01	16	396	2	10	1.06	7	24	141	67	4.79	0.12	40	1.02	542	2	74	607	9	1.27	10	<5	11	279	3125	<2	106	<10	6	60
19085	197527	0.009	<1	4.30	15	500	2	46	0.96	5	22	57	66	3.89	0.05	20	0.54	314	5	60	464	<1	1.49	8	<5	27	280	1986	<2	52	<10	5	269
19086	197528	0.009	<1	2.30	15	260	<2	14	1.02	4	14	37	64	2.89	0.12	11	0.42	274	4	45	369	1	1.19	<5	<5	<10	307	1469	<2	32	<10	3	255
19087	197529	<0.005	<1	4.63	16	370	<2	17	2.02	6	17	49	90	4.29	1.44	43	0.43	327	1	49	432	<1	1.72	6	<5	<10	357	1871	<2	40	<10	4	358
19088	197530	0.373	<1	4.34	63	239	2	14	1.08	9	15	32	2779	5.53	<0.01	31	0.60	1100	16	23	775	67	1.82	9	<5	<10	291	1411	<2	62	15	5	589
19089	197531	<0.005	<1	7.25	19	491	2	34	2.73	6	23	59	119	4.27	0.51	19	0.64	426	5	62	482	<1	1.34	7	8	<10	372	1862	<2	46	10	7	435
19090	197532	<0.005	<1	5.87	21	412	2	12	1.70	6	22	37	103	4.37	0.61	12	0.46	392	4	51	433	<1	1.40	8	<5	<10	308	1483	<2	34	<10	6	200
19091	197533	<0.005	<1	4.74	14	277	2	3	1.45	7	31	42	190	4.66	0.50	13	0.43	323	3	78	434	<1	1.63	8	<5	10	295	1557	<2	46	<10	6	693
19092D	197533	<0.005	<1	5.52	19	255	<2	4	1.40	7	29	40	191	4.65	0.58	17	0.44	319	5	76	448	<1	1.52	5	<5	14	294	1547	<2	45	11	6	669
19093	197534	<0.005	<1	2.97	15	369	<2	11	0.70	5	17	37	69	3.38	0.32	21	0.52	243	5	45	419	3	1.35	8	<5	13	278	1784	<2	38	<10	5	248
19094	197535	0.006	<1	2.43	43	345	2	10	2.10	5	18	125	51	3.42	0.26	15	0.64	518	2	58	563	5	1.54	8	12	10	322	1644	<2	67	<10	6	72
19095	197536	<0.005	<1	3.81	16	387	2	9	1.55	5	19	32	95	3.41	0.19	17	0.43	338	5	46	428	<1	1.24	8	<5	<10	338	1603	<2	40	<10	4	462
19096	197537	<0.005	<1	3.61	15	382	<2	18	1.31	5	18	52	65	3.25	0.15	13	0.56	322	4	46	465	2	1.13	<5	<5	<10	324	1765	<2	46	<10	5	249
19097	197538	<0.005	<1	3.82	16	392	2	13	1.55	7	24	56	162	4.74	0.07	16	0.40	353	4	69	439	4	1.44	9	6	14	335	1635	<2	43	12	4	635
19098	197539	<0.005	<1	3.10	10	443	2	16	2.06	8	25	77	178	5.35	1.17	14	0.31	599	5	76	435	12	1.65	<5	<5	<10	335	1450	<2	44	<10	2	601
19099	197540	<0.005	<1	2.41	18	351	2	21	2.20	5	19	52	39	3.68	0.69	14	0.83	686	2	28	700	<1	0.92	<5	<5	<10	402	3378	<2	112	22	7	106
19100	197541	<0.005	<1	4.86	15	453	2	18	1.27	7	26	160	74	5.30	0.10	34	1.17	559	3	91	621	12	1.24	<5	<5	10	332	2592	<2	113	<10	6	78
19101	197542	0.006	<1	5.17	20	427	2	10	1.41	6	26	153	64	4.81	0.22	38	1.20	614	3	88	645	5	0.92	7	<5	12	330	3502	<2	110	<10	8	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 8:47 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2014
Date Completed: 02/19/2014
Job #: 201440228
Reference: TL14-338
Sample #: 23

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
19102	197543	<0.005	<1	4.87	16	566	2	22	1.03	7	27	156	63	5.08	0.19	48	1.25	601	4	89	622	<1	1.00	8	<5	10	341	3230	<2	113	10	8	47
19103D	197543	<0.005	<1	3.99	15	534	2	20	0.92	6	27	154	64	5.02	0.13	45	1.19	589	3	86	613	11	1.04	7	7	11	335	3223	<2	112	<10	8	41
19104	197544	0.006	<1	3.46	16	399	2	24	1.50	6	25	145	63	4.44	0.23	34	1.00	584	3	79	609	7	0.97	7	<5	<10	358	3372	<2	97	<10	7	43
19105	197545	<0.005	<1	2.85	26	474	2	12	1.10	6	24	140	64	4.32	0.09	31	1.00	496	2	77	621	5	0.92	5	<5	<10	352	3410	<2	100	<10	5	46
19106	197546	0.006	<1	2.29	25	482	2	6	0.96	6	24	139	62	4.27	0.17	32	1.00	489	2	76	597	14	0.93	7	6	<10	335	3414	<2	101	<10	5	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 8:47 AM

TL14339

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/06/2014
Date Completed: 03/20/2014
Revised Date: 03/25/2014
Job #: 201440233
Reference: TL14-339
Sample #: 65

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
19560	197547	0.086	
19561	197548	0.041	
19562	197549	0.078	
19563	197550	2.087	
19564	197551	0.085	
19565	197552	0.028	
19566	197553	0.097	
19567	197554	0.192	
19568	197555	0.022	
19569	197556	0.030	
19570	197556 Dup	0.026	
19571	197557	0.042	
19572	197558	0.027	
19573	197559	0.103	
19574	197560	0.008	
19575	197561	2.640	
19576	197562	0.244	
19577	197563	0.170	
19578	197564	0.308	
19579	197565	0.197	
19580	197566	0.298	
19581	197566 Dup	0.281	
19582	197567	0.088	
19583	197568	0.083	
19584	197569	0.066	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/06/2014
Date Completed: 03/20/2014
Revised Date: 03/25/2014
Job #: 201440233
Reference: TL14-339
Sample #: 65

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
19585	197570	5.280	
19586	197571	0.110	
19587	197572	0.128	
19588	197573	0.126	
19589	197574	0.057	
19590	197575	2.129	
19591	197576	>6.000	7.094
19592	197576 Dup	>6.000	6.595
19593	197577	0.070	
19594	197578	0.046	
19595	197579	0.068	
19596	197580	<0.005	
19597	197581	0.061	
19598	197582	0.040	
19599	197583	0.043	
19600	197584	0.051	
19601	197585	0.038	
19602	197586	0.039	
19603	197586 Dup	0.040	
19604	197587	0.136	
19605	197588	0.574	
19606	197589	0.238	
19607	197590	0.378	
19608	197591	0.102	
19609	197592	0.133	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/06/2014
Date Completed: 03/20/2014
Revised Date: 03/25/2014
Job #: 201440233
Reference: TL14-339
Sample #: 65

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
19610	197593	0.159	
19611	197594	0.359	
19612	197595	3.716	
19613	197596	0.491	
19614	197596 Dup	0.516	
19615	197597	0.402	
19616	197598	0.344	
19617	197599	0.146	
19618	197600	<0.005	
19619	197601	0.027	
19620	197602	0.015	
19621	197603	0.037	
19622	197604	0.115	
19623	197605	0.070	
19624	197606	0.061	
19625	197606 Rep	0.106	
19626	197607	0.032	
19627	197608	0.014	
19628	197609	0.033	
19629	197610	2.140	
19630	197611	0.035	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/06/2014
Date Completed: 03/20/2014
Revised Date: 03/25/2014
Job #: 201440233
Reference: TL14-339
Sample #: 65

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS3K	3.110	3.190	0.130
BLNB	<0.005	<0.005	0.027
BLNB	<0.005	<0.005	0.027

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/06/2014
Date Completed: 02/20/2014
Job #: 201440233
Reference: TL14-339
Sample #: 65

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
19560	197547	0.086	<1	3.58	27	473	<2	5	1.47	<4	7	28	18	1.76	0.77	23	0.74	490	4	38	426	7	1.14	5	<5	<10	225	1902	<2	28	<10	<2	67
19561	197548	0.041	<1	3.08	24	503	<2	10	1.68	<4	8	22	18	1.43	0.07	13	0.73	407	2	27	425	4	1.00	8	6	<10	215	1839	2	27	<10	<2	52
19562	197549	0.078	<1	2.38	16	509	<2	10	1.65	<4	7	22	17	1.41	0.51	16	0.81	439	2	27	416	61	1.05	6	<5	10	218	1871	<2	27	<10	<2	187
19563	197550	2.087	<1	2.73	20	379	2	16	2.33	6	20	55	48	4.19	0.03	12	0.96	745	2	31	738	<1	0.92	13	7	<10	393	3470	<2	125	27	8	60
19564	197551	0.085	<1	3.19	17	501	<2	11	1.87	<4	8	22	17	1.55	0.12	21	1.19	591	2	24	468	14	0.99	9	<5	11	233	1867	<2	27	<10	2	70
19565	197552	0.028	<1	3.64	21	586	<2	10	1.48	<4	9	22	18	1.54	0.09	23	1.06	455	4	27	440	<1	1.00	11	<5	<10	227	1994	<2	29	<10	2	55
19566	197553	0.097	<1	3.09	16	506	<2	15	1.30	<4	8	22	13	1.40	0.34	23	0.92	464	1	25	416	<1	1.00	10	<5	<10	229	1788	<2	26	<10	<2	43
19567	197554	0.192	<1	1.87	16	504	<2	4	1.33	<4	8	24	16	1.37	0.40	17	0.86	439	<1	26	409	<1	0.99	7	<5	<10	229	1818	<2	26	<10	<2	96
19568	197555	0.022	<1	3.25	17	570	<2	7	1.48	<4	7	26	21	1.34	0.10	15	0.82	397	2	27	555	39	0.98	8	5	<10	232	1759	<2	25	<10	<2	73
19569	197556	0.030	<1	3.32	28	540	<2	22	1.88	5	9	30	33	2.08	1.01	29	1.96	961	3	27	460	238	1.08	8	9	<10	225	1691	<2	25	13	2	658
19570D	197556	0.026	<1	1.43	23	428	<2	12	1.42	4	6	22	30	1.88	0.65	18	1.75	894	2	24	434	209	0.98	<5	<5	10	204	1566	<2	23	12	<2	618
19571	197557	0.042	<1	2.75	19	439	<2	4	0.48	<4	7	29	20	1.37	0.06	13	1.19	558	3	30	406	17	0.99	11	7	<10	194	1751	<2	26	<10	<2	96
19572	197558	0.027	<1	4.44	13	461	<2	7	1.43	<4	6	32	27	1.69	<0.01	27	1.75	649	5	36	421	10	1.03	10	<5	<10	186	1725	<2	25	11	2	151
19573	197559	0.103	<1	5.63	45	536	<2	6	1.53	<4	7	27	61	1.69	<0.01	20	0.86	546	2	30	429	135	1.31	13	<5	<10	220	1682	<2	27	<10	2	371
19574	197560	0.008	<1	4.49	17	372	<2	12	2.47	5	17	52	36	3.67	0.05	13	1.00	681	1	29	705	<1	0.93	15	<5	11	413	3332	<2	111	24	10	78
19575	197561	2.640	9	6.20	63	533	<2	14	1.05	17	9	27	394	2.11	0.02	14	0.59	355	4	29	454	1021	1.42	22	<5	<10	202	1684	<2	27	51	2	6037
19576	197562	0.244	<1	6.42	39	608	<2	18	0.72	4	8	27	32	1.36	0.08	19	0.69	269	4	30	478	208	1.21	12	<5	<10	193	1862	<2	30	<10	2	794
19577	197563	0.170	<1	6.29	39	534	<2	10	0.69	<4	8	34	19	1.07	0.11	13	0.45	170	3	35	490	30	1.17	14	8	<10	188	1578	<2	28	<10	<2	134
19578	197564	0.308	<1	6.44	46	420	<2	13	0.16	4	6	32	25	1.51	<0.01	7	0.15	<100	2	27	572	181	1.28	11	<5	<10	188	1295	<2	27	11	<2	587
19579	197565	0.197	<1	4.52	46	395	<2	9	0.17	13	8	34	30	1.68	0.21	12	0.67	185	3	40	484	1794	1.30	10	10	<10	179	1230	<2	28	38	<2	4069

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:39 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/06/2014
Date Completed: 02/20/2014
Job #: 201440233
Reference: TL14-339
Sample #: 65

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
19580	197566	0.298	2	3.36	56	385	2	20	<0.01	14	8	27	44	1.67	<0.01	10	0.55	170	3	34	495	2411	1.35	13	<5	<10	172	1240	<2	28	39	<2	4564
19581D	197566	0.281	2	3.96	50	386	<2	14	0.02	14	7	30	44	1.63	0.10	10	0.56	166	4	35	495	2414	1.46	12	<5	<10	173	1232	<2	28	44	<2	4568
19582	197567	0.088	<1	3.81	40	531	<2	11	<0.01	<4	8	26	17	1.57	0.77	9	0.33	109	3	32	521	85	1.40	7	<5	14	180	1370	<2	28	<10	<2	88
19583	197568	0.083	<1	3.14	44	534	<2	15	0.64	<4	7	48	17	1.94	1.08	13	0.99	296	7	64	459	109	1.30	12	<5	<10	190	1440	<2	31	<10	<2	267
19584	197569	0.066	<1	5.01	39	562	2	5	0.36	<4	6	54	18	1.82	0.24	12	0.79	203	7	68	468	43	1.24	6	<5	<10	177	1404	<2	29	<10	2	56
19585	197570	5.280	82	4.32	56	438	2	22	1.55	23	16	34	78	3.71	0.40	15	0.69	522	<1	25	658	585	1.02	73	<5	235	366	2460	<2	95	55	9	1920
19586	197571	0.110	<1	5.90	31	621	<2	10	0.62	<4	8	34	26	1.56	0.45	13	0.66	269	3	38	514	54	1.24	9	<5	11	181	1573	<2	29	<10	2	112
19587	197572	0.128	<1	6.45	37	647	<2	17	0.17	<4	7	29	22	1.28	0.37	11	0.23	<100	2	35	504	50	1.21	10	<5	<10	176	1589	<2	29	<10	2	23
19588	197573	0.126	<1	5.19	28	705	<2	10	0.52	<4	7	30	26	1.37	0.29	13	0.53	240	4	39	441	47	1.15	9	10	<10	180	1531	<2	29	<10	2	40
19589	197574	0.057	<1	4.00	26	648	<2	11	0.87	<4	8	36	19	1.53	0.16	20	1.35	626	<1	36	509	35	1.05	10	<5	10	175	1623	<2	29	<10	2	40
19590	197575	2.129	<1	4.06	19	773	<2	9	1.09	<4	7	24	43	1.34	0.52	17	0.79	1167	2	35	495	61	1.02	6	<5	12	178	1704	<2	32	<10	<2	40
19591	197576	6.327	<1	3.59	24	672	<2	9	0.29	<4	7	42	44	1.37	0.13	14	0.83	450	6	61	405	44	1.03	5	<5	<10	177	1567	<2	30	12	<2	75
19592D	197576	6.492	<1	2.84	17	645	<2	3	0.20	<4	7	42	44	1.38	0.62	13	0.77	457	6	64	411	45	1.00	9	9	<10	174	1581	<2	31	<10	<2	78
19593	197577	0.070	<1	1.41	25	263	<2	<1	0.07	<4	8	24	8	1.74	0.69	42	1.98	364	2	32	414	16	0.99	10	7	<10	161	1321	<2	27	<10	<2	51
19594	197578	0.046	<1	1.96	20	331	<2	10	0.49	<4	6	29	10	1.46	0.95	23	1.41	242	3	34	414	12	1.05	9	7	<10	173	1143	<2	25	<10	<2	31
19595	197579	0.068	<1	1.41	26	393	<2	12	0.19	<4	7	38	11	1.63	0.78	40	1.88	266	3	45	418	5	1.05	8	<5	10	176	1311	<2	27	<10	<2	37
19596	197580	<0.005	<1	4.04	20	222	2	18	2.10	5	16	48	34	3.76	0.26	8	1.15	694	<1	28	713	<1	0.73	8	6	11	402	3324	<2	114	28	11	42
19597	197581	0.061	<1	4.67	24	353	<2	6	0.22	<4	8	32	14	1.53	0.40	34	2.11	290	2	41	409	<1	0.88	10	<5	<10	176	1310	<2	27	<10	2	40
19598	197582	0.040	<1	5.24	27	342	2	5	0.19	<4	7	29	15	1.61	0.23	15	1.91	328	1	40	426	<1	0.82	8	<5	<10	184	1493	<2	27	<10	2	42
19599	197583	0.043	<1	4.00	32	348	<2	3	0.42	<4	8	25	17	1.53	0.08	13	1.65	344	2	34	400	<1	0.94	5	<5	<10	178	1483	<2	27	<10	2	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:39 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/06/2014
Date Completed: 02/20/2014
Job #: 201440233
Reference: TL14-339
Sample #: 65

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
19600	197584	0.051	<1	3.48	39	290	<2	5	0.20	<4	7	28	23	1.56	0.17	9	1.15	255	2	41	567	11	0.93	10	6	<10	158	1661	<2	28	<10	2	77
19601	197585	0.038	<1	2.27	26	141	<2	10	0.58	<4	6	18	18	1.47	0.14	2	1.38	302	<1	28	386	6	0.77	6	5	<10	170	1635	<2	26	11	2	37
19602	197586	0.039	<1	3.44	30	468	2	12	1.72	<4	9	30	21	1.49	0.06	17	1.05	312	2	30	412	9	1.09	7	5	<10	218	1785	<2	29	<10	<2	42
19603D	197586	0.040	<1	2.87	29	420	<2	11	1.51	<4	8	28	20	1.41	0.16	12	1.00	299	2	30	397	10	1.05	6	<5	11	207	1713	<2	27	15	<2	38
19604	197587	0.136	<1	2.19	29	357	<2	20	1.10	<4	8	30	27	1.42	0.17	14	1.03	386	2	40	379	156	1.01	11	<5	<10	185	1680	<2	25	<10	<2	40
19605	197588	0.574	32	2.48	45	380	<2	13	0.62	<4	7	28	166	1.44	0.45	14	0.48	283	3	38	362	1279	1.24	31	<5	<10	167	1671	<2	26	<10	<2	561
19606	197589	0.238	<1	2.44	48	375	<2	<1	0.21	7	14	75	42	2.01	0.02	14	0.40	246	3	56	432	358	1.26	15	<5	<10	156	2092	<2	56	18	2	1539
19607	197590	0.378	<1	1.96	56	173	2	24	0.64	9	12	28	2771	5.16	<0.01	21	0.48	1021	13	20	715	56	2.05	7	<5	<10	265	1260	<2	58	10	3	519
19608	197591	0.102	<1	4.84	19	207	2	33	1.34	6	21	157	71	3.98	0.15	23	1.22	663	2	77	588	40	1.07	11	6	<10	179	3034	<2	102	<10	10	152
19609	197592	0.133	<1	4.62	23	208	<2	6	1.29	4	16	117	88	2.47	0.40	14	0.70	349	5	73	414	32	1.14	7	<5	10	182	1877	<2	58	12	6	95
19610	197593	0.159	<1	6.26	46	504	2	22	1.04	6	24	167	104	3.85	0.16	22	0.80	423	7	88	586	159	1.30	12	<5	<10	180	2579	<2	109	15	8	400
19611	197594	0.359	<1	5.25	118	498	2	12	0.31	5	16	120	94	3.01	0.40	15	0.34	131	6	73	479	112	1.43	19	9	11	168	1908	<2	71	11	6	208
19612	197595	3.716	22	3.69	126	271	<2	17	0.32	22	8	51	469	2.83	0.40	11	0.37	146	11	39	496	2332	1.58	56	<5	10	161	1395	<2	42	53	3	7038
19613	197596	0.491	<1	4.54	37	346	<2	18	0.37	<4	7	31	61	1.79	0.10	10	0.48	256	2	37	595	103	1.06	8	<5	<10	170	1830	<2	36	<10	2	145
19614D	197596	0.516	<1	3.26	31	334	2	6	0.24	<4	9	32	58	1.74	0.12	11	0.43	254	2	37	570	95	1.08	11	<5	<10	163	1811	<2	36	10	2	233
19615	197597	0.402	<1	3.07	47	355	<2	28	0.90	<4	8	25	20	1.71	0.09	11	0.62	456	2	30	546	80	1.10	9	<5	<10	173	1874	<2	36	<10	2	262
19616	197598	0.344	<1	2.16	39	399	<2	17	0.74	<4	10	30	39	1.62	0.23	12	0.50	341	3	39	528	16	1.03	7	<5	<10	170	2031	<2	38	10	<2	189
19617	197599	0.146	<1	1.12	36	353	<2	17	1.26	<4	10	29	31	1.69	0.05	20	0.62	464	2	29	544	23	1.10	9	<5	<10	167	1955	<2	36	<10	2	115
19618	197600	<0.005	<1	1.33	18	242	<2	16	1.64	4	16	44	32	3.19	<0.01	7	0.81	613	<1	25	631	<1	0.85	8	<5	<10	356	3014	<2	100	21	7	45
19619	197601	0.027	<1	1.83	25	350	<2	6	1.46	<4	9	30	16	1.86	0.05	9	0.70	503	3	36	564	25	1.01	6	9	<10	198	1957	<2	38	<10	<2	46

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:39 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/06/2014
Date Completed: 02/20/2014
Job #: 201440233
Reference: TL14-339
Sample #: 65

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
19620	197602	0.015	<1	2.92	21	471	<2	4	2.51	<4	9	46	12	1.84	0.05	16	0.57	421	5	55	549	24	0.95	9	<5	11	241	1938	<2	37	<10	2	43
19621	197603	0.037	<1	4.91	30	574	2	10	2.72	<4	11	25	20	1.91	0.34	24	0.78	578	2	34	580	28	1.05	10	6	11	240	2230	<2	41	<10	3	112
19622	197604	0.115	<1	5.61	27	487	<2	12	2.50	<4	10	21	21	1.93	0.40	22	0.80	631	<1	18	587	9	0.98	9	<5	<10	242	2240	<2	40	<10	3	65
19623	197605	0.070	<1	5.21	27	438	2	23	1.99	<4	10	27	15	1.79	0.48	21	0.82	619	<1	33	591	<1	1.01	12	<5	14	223	2222	<2	39	<10	3	39
19624	197606	0.061	<1	4.61	26	430	2	3	2.02	<4	9	33	14	1.87	0.18	20	0.79	655	4	41	578	5	1.06	7	12	<10	228	2211	<2	40	10	2	61
19625R	197606	0.106	<1	3.71	29	445	<2	8	1.96	<4	10	35	18	1.84	0.08	21	0.75	658	4	44	578	7	1.08	6	<5	<10	225	2169	<2	40	11	2	147
19626	197607	0.032	<1	0.82	19	191	<2	20	1.21	<4	8	24	12	1.48	1.00	10	0.67	419	<1	37	441	3	0.80	7	5	10	195	1694	<2	32	<10	2	58
19627	197608	0.014	<1	5.86	21	562	2	10	2.92	<4	10	30	13	2.08	0.46	19	0.62	340	3	37	619	<1	0.99	10	6	<10	280	2410	<2	42	<10	3	70
19628	197609	0.033	<1	5.43	23	518	<2	6	2.77	<4	11	33	19	2.31	0.35	23	0.85	497	2	40	606	1	1.00	9	<5	<10	286	2418	<2	44	<10	3	71
19629	197610	2.140	<1	3.65	18	311	<2	6	2.15	5	17	50	45	4.00	0.45	15	1.08	707	1	30	700	<1	0.86	7	<5	<10	379	3290	<2	118	26	11	65
19630	197611	0.035	<1	3.51	15	310	<2	15	2.28	<4	10	34	24	1.98	0.38	21	0.78	451	3	44	565	50	1.00	6	<5	<10	276	1963	<2	40	<10	3	134

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/20/2014
Date Completed: 03/26/2014
Job #: 201440491
Reference: TL14-339 201440233
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
40520	197576	0.951	0.968	14.130	1.215	1.94%	19.49

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14340

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, February 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/07/2014
Date Completed: 02/21/2014
Job #: 201440253
Reference: TL14-340
Sample #: 88

Acc #	Client ID	Au g/t (ppm)
20826	197612	0.017
20827	197613	0.019
20828	197614	0.116
20829	197615	0.253
20830	197616	0.155
20831	197617	0.038
20832	197618	0.017
20833	197619	0.023
20834	197620	<0.005
20835	197621	0.095
20836	197621 Dup	0.090
20837	197622	0.037
20838	197623	0.040
20839	197624	0.047
20840	197625	0.033
20841	197626	0.081
20842	197627	0.058
20843	197628	0.028
20844	197629	0.092
20845	197630	5.438
20846	197631	0.028
20847	197631 Dup	0.029
20848	197632	0.051
20849	197633	0.132
20850	197634	0.062

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, February 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/07/2014
Date Completed: 02/21/2014
Job #: 201440253
Reference: TL14-340
Sample #: 88

Acc #	Client ID	Au g/t (ppm)
20851	197635	1.195
20852	197636	0.050
20853	197637	0.028
20854	197638	0.026
20855	197639	0.038
20856	197640	0.008
20857	197641	0.029
20858	197641 Dup	0.032
20859	197642	0.031
20860	197643	0.019
20861	197644	0.124
20862	197645	5.132
20863	197646	0.818
20864	197647	0.423
20865	197648	0.565
20866	197649	0.092
20867	197650	0.385
20868	197651	0.226
20869	197651 Dup	0.230
20870	197652	0.449
20871	197653	0.182
20872	197654	0.127
20873	197655	0.075
20874	197656	0.022
20875	197657	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, February 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/07/2014
Date Completed: 02/21/2014
Job #: 201440253
Reference: TL14-340
Sample #: 88

Acc #	Client ID	Au g/t (ppm)
20876	197658	0.363
20877	197659	0.091
20878	197660	0.006
20879	197661	0.090
20880	197661 Dup	0.091
20881	197662	2.213
20882	197663	0.045
20883	197664	0.119
20884	197665	0.383
20885	197666	0.120
20886	197667	3.187
20887	197668	0.038
20888	197669	0.019
20889	197670	2.189
20890	197671	0.021
20891	197671 Rep	0.020
20892	197672	0.042
20893	197673	0.036
20894	197674	0.024
20895	197675	0.204
20896	197676	0.246
20897	197677	0.211
20898	197678	0.497
20899	197679	2.173
20900	197680	0.008

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, February 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/07/2014
Date Completed: 02/21/2014
Job #: 201440253
Reference: TL14-340
Sample #: 88

Acc #	Client ID	Au g/t (ppm)
20901	197681	4.989
20902	197681 Dup	4.983
20903	197682	1.114
20904	197683	1.155
20905	197684	0.108
20906	197685	0.147
20907	197686	0.090
20908	197687	2.084
20909	197688	0.032
20910	197689	0.025
20911	197690	5.184
20912	197691	0.124
20913	197691 Dup	0.123
20914	197692	0.044
20915	197693	0.041
20916	197694	0.015
20917	197695	0.013
20918	197696	0.017
20919	197697	0.031
20920	197698	1.418
20921	197699	0.021

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, February 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/07/2014
Date Completed: 02/21/2014
Job #: 201440253
Reference: TL14-340
Sample #: 88

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
BLNK	0.006	<0.005	0.005
BLNK	0.007	<0.005	0.005
BLNK	0.009	<0.005	0.005
QA	5.011	5.000	0.100
BLNK	<0.005	<0.005	0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/07/2014
Date Completed: 02/21/2014
Job #: 201440253
Reference: TL14-340
Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20826	197612	0.017	<1	4.35	29	315	2	14	1.01	<4	8	30	14	1.67	<0.01	18	0.96	903	3	38	616	45	1.00	10	9	<10	264	1997	<2	36	<10	2	55
20827	197613	0.019	<1	6.50	37	514	<2	17	1.23	<4	8	32	14	1.86	0.01	25	1.07	922	3	37	547	55	1.07	12	7	<10	310	2047	<2	36	<10	2	114
20828	197614	0.116	<1	6.51	46	579	2	22	1.91	<4	7	32	65	2.20	0.31	22	1.06	778	5	34	493	207	1.15	8	18	13	206	1897	<2	35	11	3	656
20829	197615	0.253	<1	1.45	33	207	<2	16	0.35	<4	5	22	26	1.39	0.86	9	0.63	447	<1	30	372	81	0.82	5	5	<10	141	1407	<2	26	12	2	224
20830	197616	0.155	<1	6.16	80	488	2	14	1.79	4	21	137	76	3.92	0.47	21	0.92	602	4	73	596	846	1.32	10	12	10	209	2637	<2	86	14	8	958
20831	197617	0.038	<1	4.56	53	597	<2	14	1.71	<4	11	23	14	2.01	0.46	15	0.83	556	2	34	672	55	1.13	9	11	14	238	2216	<2	42	<10	3	84
20832	197618	0.017	<1	5.63	45	602	<2	23	2.26	<4	8	23	9	2.09	0.20	16	0.52	420	2	36	705	33	1.18	5	<5	<10	273	1954	<2	44	<10	2	56
20833	197619	0.023	<1	4.17	58	621	<2	15	1.91	<4	14	27	12	2.11	0.42	32	0.55	461	4	39	682	32	1.17	6	12	<10	266	2052	<2	42	<10	2	94
20834	197620	<0.005	<1	2.56	16	311	2	10	1.98	<4	15	43	31	3.24	0.21	14	0.88	612	<1	27	633	19	0.89	5	7	<10	367	3052	<2	107	21	9	59
20835	197621	0.095	<1	3.31	66	632	<2	20	1.03	<4	12	16	90	2.09	0.22	17	0.50	392	2	27	669	67	1.26	9	7	11	237	2253	<2	44	<10	2	634
20836D	197621	0.090	<1	4.27	60	709	<2	19	1.18	<4	12	19	96	2.20	0.30	20	0.53	417	<1	28	705	68	1.34	8	<5	<10	251	2341	<2	46	<10	2	670
20837	197622	0.037	<1	2.66	38	566	2	22	1.38	<4	11	35	32	1.87	0.26	51	1.07	803	5	34	471	75	1.10	9	7	<10	247	2007	<2	41	<10	2	93
20838	197623	0.040	<1	3.89	23	794	<2	9	2.06	<4	7	30	33	1.63	0.29	22	1.38	890	4	45	440	113	0.99	10	12	10	260	1828	<2	30	<10	2	503
20839	197624	0.047	<1	6.23	29	649	<2	12	2.65	<4	5	29	128	2.36	0.47	31	2.61	1096	6	43	471	77	1.03	5	13	10	278	1895	<2	30	<10	3	321
20840	197625	0.033	<1	<0.01	23	515	<2	11	1.54	<4	6	28	48	1.93	0.86	27	1.85	903	4	49	376	79	0.97	12	6	<10	237	1611	<2	29	<10	2	147
20841	197626	0.081	<1	5.15	27	585	<2	8	1.73	<4	8	32	41	1.95	0.32	24	2.05	811	5	51	432	62	0.95	8	9	12	241	1637	<2	29	<10	2	138
20842	197627	0.058	<1	5.30	30	469	<2	13	1.41	<4	6	23	18	1.70	0.23	16	1.67	729	5	41	446	197	0.97	13	18	<10	229	1475	<2	29	<10	2	302
20843	197628	0.028	<1	5.17	30	479	<2	15	1.60	<4	5	28	26	1.85	0.07	18	1.54	696	6	50	431	687	1.03	8	9	<10	231	1592	<2	28	10	2	775
20844	197629	0.092	<1	4.38	20	592	<2	14	1.85	<4	7	33	24	1.58	0.22	25	1.03	575	7	52	425	44	0.98	17	15	<10	246	1837	4	31	<10	2	210
20845	197630	5.438	84	2.48	51	386	<2	9	1.26	20	16	30	71	3.66	<0.01	8	0.64	511	3	23	641	551	0.90	70	9	231	341	2370	<2	100	63	9	1838

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/07/2014
Date Completed: 02/21/2014
Job #: 201440253
Reference: TL14-340
Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20846	197631	0.028	<1	3.41	20	461	<2	15	1.16	<4	8	26	18	1.49	0.03	17	0.87	401	5	48	445	33	0.88	11	10	<10	220	1923	<2	31	<10	<2	58
20847D	197631	0.029	<1	2.38	22	455	<2	23	1.12	<4	9	26	18	1.49	0.11	17	0.77	408	5	46	434	28	0.90	11	13	<10	216	1933	<2	31	<10	<2	57
20848	197632	0.051	<1	1.49	20	462	<2	4	0.84	<4	8	29	18	1.38	0.12	18	0.73	479	4	46	429	36	0.90	9	5	<10	212	1755	<2	28	<10	<2	62
20849	197633	0.132	<1	1.44	29	446	<2	17	0.55	<4	8	22	27	1.45	0.09	16	0.70	507	2	38	407	59	0.91	7	<5	<10	198	1806	8	29	<10	<2	70
20850	197634	0.062	<1	2.54	23	557	<2	11	1.26	<4	8	26	21	1.46	0.31	20	0.88	532	4	42	427	40	0.97	7	<5	10	211	1875	<2	30	<10	2	65
20851	197635	1.195	<1	6.60	33	594	<2	8	2.14	7	8	37	81	2.25	0.39	28	1.43	737	8	50	463	526	1.15	13	7	<10	236	2010	<2	33	27	2	2242
20852	197636	0.050	<1	4.40	21	468	<2	13	1.42	<4	7	24	12	1.38	0.57	14	0.99	399	3	39	402	108	0.87	8	7	<10	209	1816	<2	29	<10	2	136
20853	197637	0.028	<1	5.62	21	646	<2	20	1.87	<4	8	34	25	1.66	0.26	27	1.29	517	6	54	462	97	0.89	<5	17	<10	239	2097	<2	33	<10	3	110
20854	197638	0.026	<1	3.64	23	470	<2	11	1.41	<4	9	25	19	1.46	<0.01	20	1.06	434	4	40	395	27	0.86	9	6	12	214	1808	<2	28	<10	2	57
20855	197639	0.038	<1	4.77	23	664	<2	18	1.72	<4	8	42	24	1.60	0.33	28	1.10	481	8	61	455	26	0.96	9	12	<10	231	2056	<2	34	<10	2	55
20856	197640	0.008	<1	2.45	17	368	2	13	2.40	<4	18	52	34	3.61	<0.01	12	0.88	683	4	29	641	18	0.93	8	10	<10	391	3241	<2	118	23	9	69
20857	197641	0.029	<1	3.47	13	545	<2	11	2.75	<4	7	29	45	2.14	<0.01	15	1.27	1240	6	40	374	1051	1.05	6	<5	<10	237	1761	<2	30	<10	2	270
20858D	197641	0.032	<1	3.74	24	607	<2	20	3.33	<4	9	33	50	2.28	0.12	20	1.88	1255	6	47	446	1094	1.10	6	13	<10	259	1848	<2	31	<10	3	277
20859	197642	0.031	<1	2.31	23	701	2	23	2.04	<4	9	28	35	1.98	0.31	19	1.46	792	4	41	431	102	0.96	<5	7	<10	258	1814	<2	31	<10	2	233
20860	197643	0.019	<1	1.02	19	409	<2	20	1.31	10	7	40	48	2.04	0.27	19	1.86	832	6	57	382	79	0.97	8	7	<10	196	1639	<2	26	21	2	2191
20861	197644	0.124	<1	2.55	20	504	<2	15	0.86	<4	8	42	33	1.80	0.32	20	1.64	649	7	52	384	82	0.96	9	<5	<10	184	1618	<2	27	<10	2	338
20862	197645	5.132	<1	1.40	21	543	<2	12	1.09	<4	6	40	47	1.79	0.33	22	1.57	668	7	44	428	128	0.97	11	<5	<10	190	1663	5	29	<10	3	232
20863	197646	0.818	<1	5.45	56	607	<2	12	1.54	10	7	49	135	2.65	0.37	21	0.79	475	11	72	389	696	1.24	12	<5	<10	212	1804	<2	33	41	2	2658
20864	197647	0.423	<1	6.38	38	612	<2	12	1.18	<4	9	42	70	1.65	0.39	20	1.12	430	9	64	483	83	1.03	13	<5	<10	205	1913	<2	34	<10	3	168
20865	197648	0.565	<1	7.25	48	578	<2	15	1.54	<4	7	40	25	1.58	0.43	25	0.84	335	9	54	532	109	1.08	14	13	13	179	1893	<2	34	<10	3	375

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/07/2014
Date Completed: 02/21/2014
Job #: 201440253
Reference: TL14-340
Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20866	197649	0.092	<1	4.69	36	508	<2	9	0.11	<4	8	71	21	1.34	<0.01	11	0.19	<100	13	100	573	66	1.08	11	18	<10	174	1479	<2	34	<10	2	307
20867	197650	0.385	<1	4.36	70	312	<2	25	1.30	5	16	35	3028	5.84	0.51	32	0.64	1179	20	25	777	101	1.78	<5	18	<10	298	1445	<2	70	10	5	639
20868	197651	0.226	<1	5.11	44	629	<2	12	0.17	<4	8	40	24	1.91	0.29	14	0.23	<100	8	60	620	124	1.28	9	17	15	187	1533	<2	36	<10	2	384
20869D	197651	0.230	<1	3.23	42	495	<2	12	<0.01	<4	9	35	22	1.75	0.11	9	0.20	<100	7	56	562	105	1.13	10	12	<10	168	1383	<2	33	<10	<2	339
20870	197652	0.449	5	2.11	66	225	<2	11	0.71	4	6	33	44	2.05	0.39	19	1.76	483	6	49	421	846	1.03	26	<5	<10	175	1144	<2	28	<10	2	705
20871	197653	0.182	<1	3.20	35	527	<2	13	<0.01	5	8	74	46	1.74	0.07	15	0.29	127	13	117	463	145	1.12	12	15	<10	164	1368	<2	35	14	<2	1170
20872	197654	0.127	<1	2.82	45	402	<2	6	0.81	4	8	93	36	2.41	0.18	25	1.33	468	19	153	451	157	1.12	17	<5	<10	180	1318	<2	34	14	2	782
20873	197655	0.075	<1	4.22	36	514	<2	9	0.68	<4	8	71	15	2.19	0.63	18	1.09	293	14	112	585	56	1.20	6	15	<10	176	1426	<2	35	<10	<2	77
20874	197656	0.022	<1	1.96	38	466	<2	12	0.07	<4	6	69	24	1.52	0.31	9	0.39	171	13	113	624	73	1.01	6	12	<10	157	1394	<2	33	<10	2	165
20875	197657	0.071	<1	5.52	41	516	<2	10	1.24	<4	8	47	28	1.78	0.46	21	1.21	450	8	60	485	104	0.98	6	12	<10	187	1569	<2	36	<10	3	240
20876	197658	0.363	<1	5.97	45	638	<2	12	0.70	5	7	82	54	1.88	0.44	22	0.72	293	15	118	577	729	1.02	7	20	11	173	1688	<2	38	18	3	1067
20877	197659	0.091	<1	6.43	31	653	<2	12	1.25	<4	9	85	23	2.04	0.42	22	1.57	926	18	140	551	90	0.95	12	<5	<10	185	1791	<2	37	<10	3	95
20878	197660	0.006	<1	3.95	17	364	2	22	2.40	<4	18	53	32	3.60	0.41	17	1.07	694	2	29	701	16	0.83	10	<5	<10	393	3350	<2	120	22	12	62
20879	197661	0.090	<1	4.60	27	600	<2	21	1.24	<4	9	54	32	1.79	0.21	16	1.29	1464	10	94	453	73	0.94	6	<5	16	195	1678	<2	33	<10	2	87
20880D	197661	0.091	<1	3.31	24	545	<2	14	1.03	<4	7	51	31	1.67	0.44	15	1.18	1374	11	87	432	75	0.91	<5	5	<10	186	1598	<2	32	<10	2	87
20881	197662	2.213	<1	2.53	34	529	<2	7	<0.01	<4	8	76	83	1.53	0.04	6	0.43	162	14	113	430	288	0.95	11	8	<10	148	1457	<2	32	<10	<2	678
20882	197663	0.045	<1	2.28	28	393	<2	12	<0.01	<4	9	72	9	1.92	0.10	41	2.04	344	15	130	394	43	0.88	8	5	<10	155	1383	<2	32	<10	2	90
20883	197664	0.119	<1	0.76	33	213	<2	<1	<0.01	<4	4	101	11	0.99	0.15	<1	0.34	102	17	140	247	28	0.84	6	<5	<10	146	855	<2	22	10	<2	22
20884	197665	0.383	<1	2.21	31	467	<2	7	<0.01	<4	11	61	169	1.85	0.03	12	1.50	271	13	113	413	35	0.91	8	<5	<10	175	1504	<2	32	<10	<2	398
20885	197666	0.120	<1	2.23	25	577	<2	11	0.31	<4	9	96	41	2.11	0.76	10	1.51	291	20	149	452	50	0.92	13	5	10	192	1663	<2	37	<10	<2	94

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/07/2014
Date Completed: 02/21/2014
Job #: 201440253
Reference: TL14-340
Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20886	197667	3.187	<1	4.49	56	29	2	14	7.68	<4	44	833	69	5.51	0.64	11	5.42	1238	2	412	4674	26	0.98	8	5	13	285	1815	<2	117	<10	26	130
20887	197668	0.038	<1	6.21	23	600	<2	15	2.09	<4	10	76	33	1.88	0.53	20	1.77	390	14	105	490	35	0.85	10	14	10	255	1738	<2	39	<10	3	51
20888	197669	0.019	<1	5.67	39	624	<2	15	1.24	<4	9	70	19	1.87	0.63	16	1.59	346	14	120	447	26	0.86	6	8	10	216	1776	<2	34	<10	3	47
20889	197670	2.189	<1	5.20	17	377	<2	14	2.57	<4	21	54	46	4.28	0.55	11	1.21	747	1	33	746	17	0.81	13	8	<10	397	3465	<2	132	32	13	72
20890	197671	0.021	<1	4.65	29	534	<2	12	1.07	<4	7	78	13	1.84	0.53	23	1.47	369	16	129	441	29	0.90	6	6	<10	184	1787	<2	34	<10	2	50
20891R	197671	0.020	<1	6.64	34	650	<2	9	1.56	<4	8	63	13	1.79	0.33	32	1.58	387	9	81	471	30	0.94	9	9	<10	203	1925	<2	34	<10	3	72
20892	197672	0.042	<1	6.55	37	627	<2	15	1.49	<4	8	78	13	1.94	0.46	29	1.42	351	14	118	572	33	0.94	8	7	<10	199	1981	<2	36	11	3	74
20893	197673	0.036	<1	6.84	35	641	<2	14	2.10	<4	9	54	14	1.80	0.50	27	1.40	368	11	78	454	26	0.98	12	<5	10	227	1984	<2	34	<10	2	49
20894	197674	0.024	<1	5.31	42	583	<2	11	2.26	<4	7	51	15	1.84	0.43	26	1.75	628	7	60	447	47	0.95	5	<5	<10	240	1905	<2	31	<10	3	65
20895	197675	0.204	<1	4.88	28	540	<2	18	1.06	<4	8	69	125	1.76	0.49	20	0.79	361	12	104	408	317	0.92	11	8	<10	204	1856	<2	33	10	2	832
20896	197676	0.246	<1	5.08	80	397	2	4	0.70	<4	24	134	70	3.44	0.27	14	0.53	232	10	100	541	156	1.21	19	20	<10	167	2168	<2	72	<10	6	424
20897	197677	0.211	<1	3.98	25	289	2	17	1.33	<4	22	143	55	3.61	0.35	28	1.23	677	5	87	569	70	1.01	25	13	<10	181	2760	<2	87	<10	9	140
20898	197678	0.497	<1	4.07	117	495	2	14	0.14	<4	20	123	86	3.10	0.18	16	0.33	160	8	77	501	220	1.39	23	<5	<10	159	2113	<2	74	14	5	545
20899	197679	2.173	<1	3.96	112	512	<2	15	0.01	4	10	96	100	2.22	<0.01	10	0.29	106	18	112	441	740	1.40	29	<5	11	158	1451	<2	53	17	3	984
20900	197680	0.008	<1	2.72	15	306	<2	10	2.02	<4	17	50	33	3.44	<0.01	9	0.93	649	<1	28	665	20	0.86	9	13	<10	381	3180	<2	112	25	9	65
20901	197681	4.989	82	1.60	74	286	<2	12	0.02	50	8	61	687	3.94	0.40	8	0.36	276	16	83	646	6920	1.68	76	12	<10	151	1404	<2	36	131	2	16258
20902D	197681	4.983	80	0.85	73	272	2	11	<0.01	47	8	70	678	3.88	0.27	6	0.34	271	17	89	630	7004	1.82	74	8	<10	150	1373	<2	36	127	2	17977
20903	197682	1.114	<1	6.38	37	505	<2	19	0.40	5	9	40	182	1.72	0.02	19	0.45	213	8	56	639	364	1.01	14	<5	<10	172	2209	<2	46	17	3	1100
20904	197683	1.155	5	6.02	43	647	2	10	1.51	<4	11	52	42	1.91	0.27	22	0.73	489	9	68	618	321	1.03	12	12	<10	205	2345	<2	48	12	3	296
20905	197684	0.108	<1	6.74	47	550	<2	19	2.21	<4	10	41	18	1.98	0.57	18	1.03	570	8	61	627	53	0.96	9	5	<10	221	2303	<2	46	13	3	87

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2014 3:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/07/2014
Date Completed: 02/21/2014
Job #: 201440253
Reference: TL14-340
Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20906	197685	0.147	<1	7.25	42	684	<2	15	2.55	<4	14	50	24	2.11	0.13	27	1.07	561	9	60	655	58	1.05	9	9	11	226	2432	<2	48	14	3	309
20907	197686	0.090	<1	7.17	37	643	<2	10	2.58	<4	12	33	14	2.01	0.46	23	1.13	565	7	47	651	44	0.98	7	20	<10	221	2417	<2	47	<10	4	163
20908	197687	2.084	<1	7.36	44	660	<2	16	1.89	<4	12	38	68	2.00	0.45	29	0.73	401	6	45	655	175	1.08	8	23	<10	228	2487	<2	49	10	3	289
20909	197688	0.032	<1	5.49	28	577	<2	17	3.18	<4	12	62	15	2.26	0.18	21	0.88	570	6	66	691	48	0.98	11	<5	10	255	2279	<2	47	<10	3	81
20910	197689	0.025	<1	4.34	28	573	<2	23	2.48	<4	10	41	15	2.07	0.18	21	0.72	525	6	46	600	48	1.00	12	19	<10	261	2334	<2	46	<10	2	77
20911	197690	5.184	90	3.16	58	430	2	<1	1.36	21	18	34	77	3.93	0.13	10	0.65	544	3	26	689	594	0.98	78	8	241	363	2548	<2	106	54	8	1975
20912	197691	0.124	<1	3.07	38	506	2	17	2.06	<4	10	19	21	1.98	0.21	20	0.61	562	<1	28	580	37	1.04	8	7	<10	238	2149	<2	42	11	2	110
20913D	197691	0.123	<1	1.57	37	501	<2	21	1.82	<4	12	20	21	1.97	0.65	19	0.56	566	<1	26	585	48	0.97	<5	11	<10	227	2164	2	42	<10	2	106
20914	197692	0.044	<1	3.37	23	504	<2	22	2.32	<4	9	27	18	1.89	<0.01	19	0.59	494	2	26	595	80	1.08	8	14	<10	264	2200	<2	45	<10	<2	67
20915	197693	0.041	<1	5.87	32	710	<2	19	2.95	<4	10	28	19	1.97	0.31	28	0.77	670	4	33	614	51	1.17	7	17	12	286	2335	<2	47	<10	3	74
20916	197694	0.015	<1	8.73	27	768	<2	16	3.77	<4	11	39	19	2.16	0.17	31	0.70	382	5	36	655	29	1.16	11	6	<10	329	2342	<2	47	23	3	64
20917	197695	0.013	<1	4.42	23	660	<2	20	2.83	<4	9	36	22	2.10	0.44	31	0.62	427	8	49	604	28	1.04	10	7	<10	291	2327	<2	48	<10	3	72
20918	197696	0.017	<1	5.22	20	549	<2	17	3.12	<4	10	32	22	2.03	0.38	29	0.72	423	6	31	612	63	1.12	7	7	<10	305	2098	<2	44	<10	3	94
20919	197697	0.031	<1	7.92	41	705	<2	17	3.86	<4	10	33	37	2.28	0.18	42	0.77	473	8	35	651	47	1.33	12	10	17	332	2258	<2	47	<10	3	97
20920	197698	1.418	<1	5.79	61	474	<2	13	1.65	<4	9	39	57	1.73	0.37	31	0.45	317	10	51	538	176	1.25	11	16	12	239	2006	<2	41	<10	3	351
20921	197699	0.021	<1	6.78	37	488	2	10	3.88	<4	15	36	33	2.35	0.21	34	1.00	533	6	39	631	36	1.16	11	<5	14	330	2503	<2	47	<10	3	74

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14341

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/14/2014
Date Completed: 03/03/2014
Job #: 201440281
Reference: TL14-341
Sample #: 195

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm	Pulp Met Total ppm
24193	197701	0.019		
24194	197702	0.068		
24195	197703	0.101		
24196	197704	0.172		
24197	197705	0.063		
24198	197706	0.063		
24199	197707	0.032		
24200	197708	0.079		
24201	197709	0.046		
24202	197710	0.398		
24203	197710	Insufficient Sample		
24204	197711	0.462		
24205	197712	0.025		
24206	197713	0.036		
24207	197714	0.885		
24208	197715	0.171		
24209	197716	0.043		
24210	197717	0.089		
24211	197718	0.037		
24212	197719	0.037		
24213	197720	<0.005		
24214	197720	Insufficient Sample		
24215	197721	0.024		
24216	197722	0.031		
24217	197723	0.018		

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPM1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/14/2014
Date Completed: 03/03/2014
Job #: 201440281
Reference: TL14-341
Sample #: 195

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm	Pulp Met Total ppm
24218	197724	<0.005		
24219	197725	<0.005		
24220	197726	0.005		
24221	197727	0.006		
24222	197728	0.005		
24223	197729	0.015		
24224	197730	1.943		
24225	197730	Insufficient Sample		
24226	197731	0.026		
24227	197732	0.011		
24228	197733	0.017		
24229	197734	0.008		
24230	197735	0.008		
24231	197736	0.136		
24232	197737	0.022		
24233	197738	0.044		
24234	197739	0.047		
24235	197740	0.005		
24236	197740	Insufficient Sample		
24237	197741	0.019		
24238	197742	0.011		
24239	197743	<0.005		
24240	197744	0.011		
24241	197745	0.065		
24242	197746	0.061		

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPM1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/14/2014
Date Completed: 03/03/2014
Job #: 201440281
Reference: TL14-341
Sample #: 195

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm	Pulp Met Total ppm
24243	197747	0.082		
24244	197748	0.101		
24245	197749	0.119		
24246	197750	5.013		
24247	197750	Insufficient Sample		
24248	197751	0.033		
24249	197752	0.039		
24250	197753	0.032		
24251	197754	0.012		
24252	197755	0.053		
24253	197756	0.103		
24254	197757	0.127		
24255	197758	0.061		
24256	197759	0.487		
24257	197760	<0.005		
24258	197760	Insufficient Sample		
24259	197761	0.078		
24260	197762	0.148		
24261	197763	0.018		
24262	197764	0.008		
24263	197765	0.038		
24264	197766	0.084		
24265	197767	0.072		
24266	197768	0.321		
24267	197769	0.395		

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPM1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/14/2014
Date Completed: 03/03/2014
Job #: 201440281
Reference: TL14-341
Sample #: 195

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm	Pulp Met Total ppm
24268	197770	0.367		
24269	197770	Insufficient Sample		
24270	197771	0.146		
24271	197772	0.300		
24272	197773	0.041		
24273	197774	0.129		
24274	197775	>6.000	49.661	
24275	197776	0.134		
24276	197777	0.210		
24277	197778	0.043		
24278	197779	0.228		
24279	197780	0.010		
24280	197780	Insufficient Sample		
24281	197781	0.031		
24282	197782	0.066		
24283	197783	0.050		
24284	197784	0.104		
24285	197785	0.923		
24286	197786	0.690		
24287	197787	0.039		
24288	197788	0.235		
24289	197789	0.713		
24290	197790	2.027		
24291	197790	Insufficient Sample		
24292	197791	0.261		

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPM1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/14/2014
Date Completed: 03/03/2014
Job #: 201440281
Reference: TL14-341
Sample #: 195

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm	Pulp Met Total ppm
24293	197792	0.277		
24294	197793	0.452		
24295	197794	0.157		
24296	197795	1.110		
24297	197796	0.216		
24298	197797	0.271		
24299	197798	0.061		
24300	197799	0.051		
24301	197800	<0.005		
24302	197800	Insufficient Sample		
24303	197801	0.107		
24304	197802	0.547		
24305	197803	0.132		
24306	197804	0.065		
24307	197805	0.183		
24308	197806	0.162		
24309	197807	0.011		
24310	197808	0.047		
24311	197809	0.182		
24312	197810	5.114		
24313	197810	Insufficient Sample		
24314	197811	0.010		
24315	197812	<0.005		
24316	197813	0.017		
24317	197814	0.025		

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPM1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/14/2014
Date Completed: 03/03/2014
Job #: 201440281
Reference: TL14-341
Sample #: 195

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm	Pulp Met Total ppm
24318	197815	0.026		
24319	197816	0.436		
24320	197817	0.048		
24321	197818	0.019		
24322	197819	0.009		
24323	197820	<0.005		
24324	197820	Insufficient Sample		
24325	197821	0.021		
24326	197822	0.008		
24327	197823	0.008		
24328	197824	0.006		
24329	197825	0.006		
24330	197826	0.007		
24331	197827	0.008		
24332	197828	0.032		
24333	197829	0.013		
24334	197830	0.346		
24335	197830	Insufficient Sample		
24336	197831	0.047		
24337	197832	0.322		
24338	197833	0.013		
24339	197834	0.008		
24340	197835	0.029		
24341	197836	<0.005		
24342	197837	0.034		

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPM1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/14/2014
Date Completed: 03/03/2014
Job #: 201440281
Reference: TL14-341
Sample #: 195

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm	Pulp Met Total ppm
24343	197838	0.021		
24344	197839	0.072		
24345	197840	<0.005		
24346	197840	Insufficient Sample		
24347	197841	0.040		
24348	197842	0.064		
24349	197843	0.029		
24350	197844	0.209		
24351	197845	0.046		
24352	197846	0.035		
24353	197847	0.580		
24354	197848	0.118		
24355	197849	0.204		
24356	197850	2.054		
24357	197850	Insufficient Sample		
24358	197851	0.062		
24359	197852	0.145		
24360	197853	0.271		
24361	197854	0.407		
24362	197855	0.098		
24363	197856	0.030		
24364	197857	0.028		
24365	197858	0.174		
24366	197859	0.048		
24367	197860	<0.005		

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPM1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/14/2014
Date Completed: 03/03/2014
Job #: 201440281
Reference: TL14-341
Sample #: 195

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm	Pulp Met Total ppm
24368	197860	Insufficient Sample		
24369	197861	0.072		
24370	197862	0.091		
24371	197863	0.031		
24372	197864	0.744		
24373	197865	0.070		
24374	197866	0.070		
24375	197867	0.083		
24376	197868	0.020		
24377	197869	0.131		
24378	197870	5.044		
24379	197870	Insufficient Sample		
24380	197871	0.245		
24381	197872	0.058		
24382	197873	0.046		
24383	197874	0.177		
24384	197875	0.129		
24385	197876	2.050		
24386	197877	>6.000	13.088	
24387	197878	4.932		
24388	197879	0.077		
24389	197880	<0.005		
24390	197880	Insufficient Sample		
24391	197881	0.039		
24392	197882	0.032		

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPM1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/14/2014
Date Completed: 03/03/2014
Job #: 201440281
Reference: TL14-341
Sample #: 195

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm	Pulp Met Total ppm
24393	197883	0.091		
24394	197884	0.024		
24395	197885	0.171		
24396	197886	0.129		
24397	197887	0.157		
24398	197888	0.058		
24399	197889	0.039		
24400	197890	0.398		
24401	197890	Insufficient Sample		
24402	197891	0.220		
24403	197892	0.073		
24404	197893	0.024		
24405	197894	0.005		
24406	197895	0.022		

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPM1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/14/2014
Date Completed: 03/03/2014
Job #: 201440281
Reference: TL14-341
Sample #: 195

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.789	0.791	0.051
GS25	0.747	0.791	0.051
GS25	0.773	0.791	0.051
GS25	0.758	0.791	0.051
GS25	0.769	0.791	0.051
GS25	0.780	0.791	0.051
GS25	0.796	0.791	0.051
GS3K	3.268	3.190	0.130

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPM1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/17/2014
Date Completed: 03/26/2014
Job #: 201440441
Reference: 201440281
Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
37480	197775	36.579	31.605	841.227	57.947	2.96%	29.18
37481	197877	10.463	11.890	23.843	11.831	5.17%	10.13

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/19/2014
Date Completed: 07/22/2014
Job #: 201441283
Reference: 201440281
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
99467	197878	4.947	4.884	6.180	4.946	2.42%	24.18

PROCEDURE CODES: ALPM1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14342

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2014
Date Completed: 03/04/2014
Job #: 201440284
Reference: TL14-342
Sample #: 61

Acc #	Client ID	Au g/t (ppm)
24659	197896	0.213
24660	197897	0.647
24661	197898	0.111
24662	197899	0.073
24663	197900	<0.005
24664	197901	0.016
24665	197902	0.018
24666	197903	0.026
24667	197904	0.019
24668	197905	0.091
24669	197905 Dup	0.092
24670	197906	0.153
24671	197907	0.018
24672	197908	0.027
24673	197909	0.077
24674	197910	1.971
24675	197911	0.666
24676	197912	0.442
24677	197913	2.849
24678	197914	1.375
24679	197915	0.591
24680	197915 Dup	0.555
24681	197916	0.059
24682	197917	0.018
24683	197918	0.027

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2014
Date Completed: 03/04/2014
Job #: 201440284
Reference: TL14-342
Sample #: 61

Acc #	Client ID	Au g/t (ppm)
24684	197919	0.014
24685	197920	<0.005
24686	197921	0.016
24687	197922	0.069
24688	197923	0.027
24689	197924	0.028
24690	197925	0.008
24691	197925 Dup	0.013
24692	197926	0.013
24693	197927	0.035
24694	197928	0.073
24695	197929	0.055
24696	197930	5.357
24697	197931	0.011
24698	197932	0.012
24699	197933	0.011
24700	197934	0.019
24701	197935	0.175
24702	197935 Dup	0.171
24703	197936	0.104
24704	197937	0.122
24705	197938	0.054
24706	197939	0.385
24707	197940	0.005
24708	197941	0.031

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2014
Date Completed: 03/04/2014
Job #: 201440284
Reference: TL14-342
Sample #: 61

Acc #	Client ID	Au g/t (ppm)
24709	197942	0.014
24710	197943	0.012
24711	197944	0.023
24712	197945	<0.005
24713	197945 Dup	<0.005
24714	197946	0.008
24715	197947	<0.005
24716	197948	0.060
24717	197949	0.016
24718	197950	0.367
24719	197951	0.064
24720	197952	0.263
24721	197953	0.772
24722	197954	0.244
24723	197955	0.053
24724	197955 Rep	0.046
24725	197956	0.052

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2014
Date Completed: 03/04/2014
Job #: 201440284
Reference: TL14-342
Sample #: 61

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.738	0.791	0.051
GS25	0.777	0.791	0.051
GS3K	3.273	3.190	0.130

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2014
Date Completed: 03/04/2014
Job #: 201440284
Reference: TL14-342
Sample #: 61

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
24659	197896	0.213	<1	3.88	36	697	<2	8	0.99	<4	9	44	88	1.41	0.15	25	0.73	644	9	58	443	97	1.11	7	<5	<10	152	1665	<2	32	10	2	419
24660	197897	0.647	<1	3.87	39	791	<2	9	0.91	<4	8	37	17	1.31	0.95	39	0.65	457	7	44	260	41	0.50	20	25	<10	162	1935	<2	33	<10	2	67
24661	197898	0.111	<1	3.87	35	660	<2	4	1.33	<4	8	27	14	1.25	0.20	26	1.00	450	6	32	448	28	1.02	23	<5	<10	172	1765	<2	29	<10	3	31
24662	197899	0.073	<1	3.79	33	769	<2	5	0.59	<4	9	30	17	0.96	0.13	25	0.31	140	7	39	436	26	1.06	13	<5	<10	150	1875	<2	30	<10	2	19
24663	197900	<0.005	<1	3.23	20	570	<2	6	2.89	<4	18	60	49	3.76	0.44	28	1.02	749	6	40	681	26	0.93	14	9	<10	373	3276	<2	117	<10	11	49
24664	197901	0.016	<1	3.57	33	748	<2	10	1.77	<4	7	34	15	1.31	0.22	30	1.32	806	6	36	435	33	0.97	14	13	<10	179	1730	<2	28	<10	3	66
24665	197902	0.018	<1	3.92	27	772	<2	8	1.30	<4	9	37	14	1.59	0.18	33	1.84	721	9	48	447	39	0.99	14	<5	<10	176	1908	<2	30	<10	3	64
24666	197903	0.026	<1	3.93	36	707	<2	9	2.15	<4	9	49	14	1.44	0.37	30	0.94	920	10	62	424	34	0.96	11	11	<10	208	1802	<2	31	<10	3	53
24667	197904	0.019	<1	4.09	24	725	<2	6	1.64	<4	7	38	11	1.39	0.43	27	1.07	722	9	52	429	28	0.97	14	11	<10	188	1802	<2	30	<10	3	39
24668	197905	0.091	<1	3.47	20	750	<2	2	1.00	<4	8	31	10	1.47	0.43	30	1.39	357	7	43	416	26	0.97	8	22	<10	151	1482	<2	28	<10	3	43
24669D	197905	0.092	<1	4.23	36	797	<2	4	1.17	<4	7	35	10	1.53	0.31	31	1.40	370	8	42	439	32	0.98	12	14	<10	158	1511	<2	29	<10	3	43
24670	197906	0.153	<1	3.90	37	788	<2	8	1.09	<4	8	37	9	1.63	0.42	39	1.55	397	8	48	444	26	1.03	16	<5	<10	156	1500	<2	29	<10	3	47
24671	197907	0.018	<1	4.00	28	779	<2	8	1.37	<4	7	33	19	1.60	0.32	49	1.78	445	7	37	434	34	0.98	13	12	<10	168	1577	<2	30	<10	3	51
24672	197908	0.027	<1	3.68	35	801	<2	7	1.05	<4	7	39	14	1.44	0.44	43	1.35	393	9	53	436	35	0.96	10	8	<10	166	1706	<2	31	<10	2	47
24673	197909	0.077	<1	3.99	47	660	<2	6	1.15	<4	6	43	13	1.34	0.30	44	0.75	284	7	50	212	74	0.41	13	24	<10	152	1552	<2	31	<10	3	72
24674	197910	1.971	<1	4.38	38	604	<2	6	2.94	<4	21	59	37	3.86	0.30	37	1.16	747	5	33	718	22	0.91	22	<5	<10	386	3550	<2	130	26	12	59
24675	197911	0.666	<1	4.90	98	669	<2	3	0.71	4	15	122	72	2.28	0.16	33	0.31	123	10	93	495	286	1.23	18	14	<10	154	1652	<2	72	14	5	919
24676	197912	0.442	<1	5.49	123	622	<2	7	0.76	<4	19	168	78	3.19	0.12	31	0.34	102	11	125	714	126	1.34	19	5	<10	155	1711	<2	93	<10	9	323
24677	197913	2.849	6	4.65	202	579	<2	7	0.76	11	11	89	132	1.82	0.14	33	0.26	<100	13	85	1039	825	1.18	34	<5	<10	153	1364	<2	52	52	6	3811
24678	197914	1.375	6	4.64	456	567	<2	6	0.72	5	10	46	114	1.75	0.19	27	0.19	<100	9	56	796	1037	1.13	79	7	<10	155	1378	<2	36	27	5	1538

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/04/2014 4:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2014
Date Completed: 03/04/2014
Job #: 201440284
Reference: TL14-342
Sample #: 61

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
24679	197915	0.591	<1	4.79	48	636	<2	6	0.67	<4	9	41	53	1.68	0.07	25	0.33	109	9	54	579	141	1.09	19	8	<10	151	1724	<2	43	16	4	295
24680D	197915	0.555	<1	5.60	59	635	<2	3	0.71	<4	9	40	53	1.62	0.10	25	0.36	111	8	51	611	144	1.11	7	8	<10	153	1747	<2	42	12	4	299
24681	197916	0.059	<1	4.08	49	596	<2	8	0.47	<4	8	35	20	0.91	0.30	23	0.25	<100	7	47	567	66	0.99	16	6	<10	137	1850	<2	41	12	3	318
24682	197917	0.018	<1	3.14	36	552	<2	8	1.19	<4	10	38	11	1.26	0.40	28	0.62	289	6	53	567	38	0.97	9	<5	<10	160	2063	<2	41	10	3	35
24683	197918	0.027	<1	4.81	31	630	2	5	2.76	<4	8	41	8	1.63	0.19	58	1.02	514	6	49	305	26	0.38	16	21	<10	197	2295	<2	44	12	4	54
24684	197919	0.014	<1	4.95	31	772	<2	5	2.38	<4	10	31	8	1.68	0.37	47	1.06	566	6	36	583	44	0.98	22	13	<10	223	2270	<2	42	10	4	62
24685	197920	<0.005	<1	5.09	28	669	<2	8	3.53	<4	17	67	53	4.09	0.58	41	1.14	810	8	40	730	26	0.97	14	15	<10	415	3497	<2	126	<10	12	49
24686	197921	0.016	<1	6.12	21	669	2	11	2.84	<4	8	41	13	1.65	0.19	50	1.10	553	8	37	590	33	1.02	12	9	<10	221	2296	<2	42	<10	4	52
24687	197922	0.069	<1	5.47	35	659	<2	9	2.60	<4	9	43	33	1.89	0.41	51	0.86	444	14	44	605	109	0.99	15	10	<10	239	2412	<2	47	11	4	332
24688	197923	0.027	<1	6.07	19	665	<2	7	3.40	<4	11	35	19	2.00	0.40	35	0.93	443	6	35	639	38	0.96	14	<5	<10	270	2333	<2	47	<10	4	44
24689	197924	0.028	<1	5.13	18	637	<2	7	2.71	<4	11	41	13	2.05	1.17	45	0.86	488	8	56	637	23	0.99	15	10	<10	269	2461	<2	48	<10	4	58
24690	197925	0.008	<1	4.92	29	572	<2	4	2.73	<4	9	43	12	1.92	0.16	43	0.81	400	9	52	599	24	0.97	18	12	<10	290	2146	<2	44	<10	4	44
24691D	197925	0.013	<1	3.33	24	453	<2	6	2.17	<4	7	35	11	1.71	0.54	25	0.73	361	7	47	538	19	0.86	10	<5	<10	257	1929	<2	40	<10	3	35
24692	197926	0.013	<1	5.49	30	584	<2	5	2.63	<4	10	41	12	1.94	0.06	36	0.86	403	10	51	604	23	0.95	11	18	<10	287	2205	<2	44	<10	4	32
24693	197927	0.035	<1	4.07	28	490	<2	9	2.45	<4	10	46	21	2.04	0.40	23	0.82	420	8	52	563	55	1.06	19	7	<10	266	2204	<2	41	<10	3	76
24694	197928	0.073	<1	3.21	19	467	<2	6	2.58	<4	10	34	38	1.91	0.75	21	0.98	514	6	41	538	233	1.06	15	<5	<10	261	1880	<2	38	<10	3	281
24695	197929	0.055	<1	5.81	32	618	<2	6	2.75	<4	12	39	18	2.11	0.44	45	1.00	419	8	43	612	146	1.08	16	<5	<10	342	2374	<2	50	<10	4	208
24696	197930	5.357	80	5.39	68	723	<2	6	2.35	23	18	43	65	3.67	0.63	33	0.76	558	8	28	684	681	1.01	87	<5	254	377	2670	<2	107	67	11	2080
24697	197931	0.011	<1	5.89	21	515	<2	8	2.94	<4	10	30	9	1.87	0.38	33	1.19	395	5	26	571	27	0.96	19	11	<10	367	2370	<2	43	<10	4	25
24698	197932	0.012	<1	5.84	30	787	<2	6	2.82	<4	8	31	7	2.00	0.32	43	0.85	317	5	30	575	20	0.92	15	14	<10	365	2575	<2	45	<10	4	39

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/04/2014 4:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2014
Date Completed: 03/04/2014
Job #: 201440284
Reference: TL14-342
Sample #: 61

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
24699	197933	0.011	<1	6.09	37	711	<2	3	3.07	<4	13	43	9	2.02	0.24	53	0.87	310	10	52	314	26	0.36	17	<5	<10	346	2543	<2	46	<10	4	48
24700	197934	0.019	<1	5.54	19	556	<2	5	3.31	<4	11	42	9	1.90	0.23	56	1.06	411	9	48	308	21	0.34	19	19	<10	315	2511	<2	45	<10	4	41
24701	197935	0.175	<1	4.71	41	596	<2	<1	1.96	<4	21	166	47	3.47	0.54	55	1.03	599	8	96	296	36	0.39	7	25	<10	297	2781	<2	84	<10	10	68
24702D	197935	0.171	<1	4.02	35	583	<2	3	1.85	<4	22	164	47	3.40	0.09	51	0.97	593	8	95	289	39	0.37	15	<5	<10	289	2727	<2	83	11	9	82
24703	197936	0.104	<1	4.25	49	537	<2	5	2.05	<4	22	157	50	3.39	0.24	52	1.03	626	7	78	286	84	0.39	14	16	<10	289	2813	<2	81	13	9	155
24704	197937	0.122	<1	4.10	54	456	2	10	1.90	<4	20	133	42	3.30	0.44	48	0.95	517	6	65	275	49	0.40	16	<5	<10	246	2731	<2	81	<10	8	83
24705	197938	0.054	<1	3.41	39	489	2	3	1.72	<4	21	142	47	3.53	0.54	45	1.08	538	7	93	268	50	0.38	11	26	<10	278	2759	<2	82	<10	9	70
24706	197939	0.385	<1	3.13	69	527	2	8	1.59	<4	25	167	57	4.24	0.52	45	0.95	544	7	93	326	365	0.46	8	12	<10	259	3035	<2	95	18	8	510
24707	197940	0.005	<1	4.17	16	594	<2	10	3.20	<4	17	63	50	3.92	0.65	48	1.16	775	7	39	360	20	0.36	20	19	<10	389	3332	<2	121	<10	12	64
24708	197941	0.031	<1	5.12	33	534	2	4	1.77	<4	22	160	43	3.61	0.58	58	1.18	463	6	77	323	34	0.43	18	25	<10	225	3237	<2	94	<10	10	47
24709	197942	0.014	<1	5.02	16	577	2	<1	2.23	<4	12	53	24	2.24	0.33	56	1.44	410	7	50	319	38	0.38	17	20	<10	345	2717	<2	51	12	6	91
24710	197943	0.012	<1	6.00	29	655	<2	3	2.31	<4	12	35	9	1.86	0.22	51	0.86	308	5	32	322	24	0.37	13	32	<10	329	2611	<2	46	10	4	59
24711	197944	0.023	<1	6.19	31	539	<2	3	2.66	<4	12	56	8	1.73	0.24	50	1.03	400	10	59	306	33	0.38	19	13	<10	305	2322	<2	46	<10	4	102
24712	197945	<0.005	<1	6.26	26	743	<2	9	3.29	<4	10	65	11	2.08	0.37	49	0.85	343	13	86	300	13	0.37	12	8	<10	270	2542	<2	47	<10	5	29
24713D	197945	<0.005	<1	6.24	13	700	<2	8	3.12	<4	12	65	12	2.04	0.33	44	0.85	333	13	93	305	19	0.37	18	<5	<10	260	2461	<2	45	<10	5	42
24714	197946	0.008	2	5.93	26	764	<2	3	3.22	<4	10	32	9	1.84	0.09	40	0.84	342	5	30	304	22	0.36	16	27	<10	270	2529	<2	44	12	4	120
24715	197947	<0.005	<1	4.91	26	645	<2	8	2.38	<4	11	48	7	2.07	0.29	40	1.01	345	7	57	298	14	0.36	14	<5	<10	318	2451	<2	46	<10	4	47
24716	197948	0.060	<1	3.63	36	503	<2	2	2.11	<4	18	106	27	2.65	0.42	37	1.03	471	5	62	303	29	0.35	16	16	<10	251	2722	<2	71	<10	7	47
24717	197949	0.016	<1	3.57	101	400	<2	<1	2.06	<4	22	161	49	3.61	0.43	35	1.07	602	7	80	335	32	0.36	11	5	<10	275	3037	<2	87	<10	10	76
24718	197950	0.367	<1	2.83	58	381	<2	7	1.23	4	14	32	1998	4.58	0.35	23	0.59	1006	18	20	357	86	0.53	16	10	<10	252	1283	<2	59	<10	5	534

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/04/2014 4:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2014
Date Completed: 03/04/2014
Job #: 201440284
Reference: TL14-342
Sample #: 61

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
24719	197951	0.064	<1	4.21	14	447	2	4	1.86	<4	21	142	48	3.64	0.25	34	1.05	546	6	82	301	42	0.40	8	5	<10	224	2972	<2	90	<10	9	81
24720	197952	0.263	<1	4.25	31	581	2	4	1.65	<4	20	135	41	3.29	0.09	42	1.05	439	8	74	266	47	0.40	15	14	<10	213	2749	<2	80	15	9	101
24721	197953	0.772	<1	4.89	102	562	2	8	1.45	<4	20	186	53	3.74	0.04	37	0.65	401	15	134	281	83	0.47	14	13	<10	206	2791	<2	92	12	9	194
24722	197954	0.244	<1	4.77	62	525	2	4	1.77	<4	25	194	63	4.07	0.25	39	0.87	507	13	136	319	135	0.40	15	9	<10	226	3214	<2	105	15	10	372
24723	197955	0.053	<1	3.83	20	485	2	2	1.92	<4	21	179	45	3.71	0.31	41	0.95	557	12	130	293	41	0.37	9	7	<10	243	2795	<2	89	<10	9	77
24724R	197955	0.046	<1	2.57	47	467	2	4	1.86	<4	22	193	44	3.72	0.23	33	0.87	565	14	145	284	46	0.37	8	5	<10	237	2688	<2	89	<10	8	101
24725	197956	0.052	<1	2.65	62	536	2	5	1.55	<4	26	180	54	4.04	0.18	31	0.86	510	9	114	284	36	0.36	13	17	<10	217	3332	<2	112	<10	7	252

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/04/2014 4:35 PM

TL14343

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/19/2014
Date Completed: 03/04/2014
Job #: 201440290
Reference: TL14-343
Sample #: 52

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
24925	197957	0.130	
24926	197958	0.467	
24927	197959	0.312	
24928	197960	<0.005	
24929	197961	>6.000	11.486
24930	197962	0.227	
24931	197963	0.083	
24932	197964	0.009	
24933	197965	0.012	
24934	197966	0.009	
24935	197966 Dup	0.008	
24936	197967	0.037	
24937	197968	0.046	
24938	197969	0.370	
24939	197970	2.255	
24940	197971	0.341	
24941	197972	0.156	
24942	197973	0.056	
24943	197974	1.226	
24944	197975	0.022	
24945	197976	0.013	
24946	197976 Dup	0.017	
24947	197977	0.025	
24948	197978	0.283	
24949	197979	0.234	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/19/2014
Date Completed: 03/04/2014
Job #: 201440290
Reference: TL14-343
Sample #: 52

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
24950	197980	<0.005	
24951	197981	0.207	
24952	197982	0.246	
24953	197983	0.189	
24954	197984	0.329	
24955	197985	0.279	
24956	197986	0.068	
24957	197986 Dup	0.070	
24958	197987	0.051	
24959	197988	0.065	
24960	197989	0.321	
24961	197990	4.893	
24962	197991	0.066	
24963	197992	0.111	
24964	197993	0.116	
24965	197994	0.050	
24966	197995	0.055	
24967	197996	0.066	
24968	197996 Dup	0.074	
24969	197997	0.082	
24970	197998	0.035	
24971	197999	0.037	
24972	198000	0.008	
24973	198001	0.282	
24974	198002	1.779	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/19/2014
Date Completed: 03/04/2014
Job #: 201440290
Reference: TL14-343
Sample #: 52

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
24975	198003	0.045	
24976	198004	0.033	
24977	198005	0.044	
24978	198006	0.040	
24979	198006 Dup	0.028	
24980	198007	0.280	
24981	198008	0.088	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 4, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/19/2014
Date Completed: 03/04/2014
Job #: 201440290
Reference: TL14-343
Sample #: 52

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS3K	3.399	3.190	0.130
GS25	0.808	0.791	0.051
GS25	0.808	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 18, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/10/2014
Date Completed: 03/18/2014
Job #: 201440401
Reference: 201440290
Sample #: 21

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
34997	197960	<0.005	
34998	197961	>6.000	14.114
34999	197962	0.237	
35000	197963	0.111	
35001	197964	0.024	
35002	197965	0.028	
35003	197966	0.030	
35004	197967	0.041	
35005	197968	0.030	
35006	197969	0.394	
35007	197969 Dup	0.557	
35008	197970	1.997	
35009	197971	0.339	
35010	197972	0.162	
35011	197973	0.054	
35012	197974	3.497	
35013	197975	0.067	
35014	197976	0.023	
35015	197977	0.023	
35016	197978	0.369	
35017	197979	0.222	
35018	197979 Dup	0.192	
35019	197980	<0.005	

APPLIED SCOPES: ALM1, ALFA1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 18, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/10/2014
Date Completed: 03/18/2014
Job #: 201440401
Reference: 201440290
Sample #: 21

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.788	0.791	0.051
GS3K	3.237	3.190	0.130

APPLIED SCOPES: ALM1, ALFA1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 20, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/17/2014
Date Completed: 03/20/2014
Job #: 201440437
Reference: 201440290
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
37474	197961	10214	10376	52564	12176	4.45%	44.7

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14344

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 5, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2014
Date Completed: 03/05/2014
Job #: 201440325
Reference: TL14-344
Sample #: 53

Acc #	Client ID	Au g/t (ppm)
28454	198009	0.069
28455	198010	0.402
28456	198011	0.020
28457	198012	0.016
28458	198013	0.026
28459	198014	0.026
28460	198015	0.022
28461	198016	0.100
28462	198017	0.061
28463	198018	0.014
28464	198018 Dup	0.014
28465	198019	0.168
28466	198020	0.007
28467	198021	0.132
28468	198022	0.259
28469	198023	0.564
28470	198024	0.205
28471	198025	0.112
28472	198026	0.501
28473	198027	0.137
28474	198028	0.086
28475	198028 Dup	0.100
28476	198029	0.116
28477	198030	1.813
28478	198031	0.147

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 5, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2014
Date Completed: 03/05/2014
Job #: 201440325
Reference: TL14-344
Sample #: 53

Acc #	Client ID	Au g/t (ppm)
28479	198032	0.073
28480	198033	0.022
28481	198034	0.014
28482	198035	0.034
28483	198036	0.254
28484	198037	0.106
28485	198038	0.572
28486	198038 Dup	0.622
28487	198039	0.473
28488	198040	0.010
28489	198041	1.532
28490	198042	0.199
28491	198043	0.204
28492	198044	0.018
28493	198045	0.022
28494	198046	0.012
28495	198047	0.034
28496	198048	0.046
28497	198048 Dup	0.056
28498	198049	0.175
28499	198050	5.348
28500	198051	0.019
28501	198052	0.095
28502	198053	0.063
28503	198054	0.425

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 5, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2014
Date Completed: 03/05/2014
Job #: 201440325
Reference: TL14-344
Sample #: 53

Acc #	Client ID	Au g/t (ppm)
28504	198055	0.035
28505	198056	0.105
28506	198057	0.058
28507	198058	0.235
28508	198058 Dup	0.256
28509	198059	0.449
28510	198060	0.006
28511	198061	0.034

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 5, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2014
Date Completed: 03/05/2014
Job #: 201440325
Reference: TL14-344
Sample #: 53

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.796	0.791	0.051
GS25	0.784	0.791	0.051
GS25	0.781	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 5, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2014
Date Completed: 03/05/2014
Job #: 201440325
Reference: TL14-344
Sample #: 53

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
28454	198009	<1	2.29	32	160	2	7	0.34	<4	6	49	46	1.92	0.58	27	1.35	1005	9	93	346	406	1.12	18	14	<10	182	1679	<2	29	19	7	837
28455	198010	<1	3.26	48	<1	2	10	<0.01	5	15	23	2128	4.80	0.60	41	0.96	1067	12	21	695	72	2.56	8	13	<10	221	1392	<2	61	14	10	544
28456	198011	<1	1.82	22	88	<2	11	<0.01	<4	7	48	15	1.48	0.82	42	1.19	652	8	90	359	29	1.03	10	10	<10	176	1755	<2	27	<10	6	48
28457	198012	<1	1.89	31	54	<2	8	0.10	<4	6	28	27	1.40	1.17	42	1.25	718	4	52	327	61	1.07	12	9	<10	175	1675	<2	25	<10	6	167
28458	198013	<1	1.88	5	104	2	7	0.38	<4	7	33	29	1.52	0.97	28	1.26	766	5	57	347	261	1.05	8	10	<10	177	1696	<2	25	12	6	640
28459	198014	<1	1.34	25	100	2	9	1.03	6	8	35	52	1.77	1.85	33	1.50	992	5	64	338	113	1.18	15	<5	<10	191	1736	<2	24	22	6	1379
28460	198015	<1	1.31	9	122	2	8	<0.01	<4	7	24	19	1.42	1.84	29	1.26	529	3	45	385	23	1.05	14	<5	<10	149	1881	<2	27	<10	5	54
28461	198016	<1	0.64	18	41	<2	6	<0.01	<4	6	24	16	1.54	1.90	35	1.28	577	1	44	358	62	1.08	10	<5	<10	126	1646	<2	24	13	6	618
28462	198017	<1	2.09	24	215	<2	6	<0.01	<4	5	24	21	1.24	0.86	37	1.21	586	2	45	364	58	1.02	15	9	<10	153	1839	<2	27	12	6	66
28463	198018	<1	3.33	15	319	<2	6	0.04	<4	8	49	23	1.56	0.46	46	1.35	466	9	89	381	32	0.98	10	<5	<10	184	1939	<2	29	<10	7	70
28464D	198018	<1	2.88	30	278	<2	3	<0.01	<4	5	82	39	1.50	0.86	41	1.30	445	8	92	358	37	0.98	15	5	<10	177	1840	<2	27	<10	7	69
28465	198019	<1	2.77	4	133	<2	4	<0.01	<4	6	36	124	1.30	0.90	38	1.04	393	6	72	351	64	1.05	13	13	<10	115	1730	<2	27	12	6	165
28466	198020	<1	2.47	14	<1	<2	7	1.02	<4	16	48	44	3.67	0.74	28	1.32	744	2	35	614	7	0.97	15	8	<10	317	3207	<2	112	<10	15	51
28467	198021	<1	2.26	35	17	2	5	<0.01	<4	6	52	37	1.22	1.49	27	0.85	305	10	95	378	49	1.00	15	12	<10	131	1551	<2	25	<10	6	176
28468	198022	<1	<0.01	29	152	<2	4	<0.01	8	9	28	161	1.50	1.94	33	0.75	398	2	51	361	293	1.31	14	5	<10	99	1867	<2	31	28	3	2098
28469	198023	<1	3.29	37	19	2	8	0.07	<4	9	53	85	1.76	0.85	42	1.16	658	6	88	422	52	1.20	19	6	<10	105	1848	<2	32	11	8	182
28470	198024	<1	2.85	21	178	<2	7	<0.01	<4	7	38	18	1.32	2.39	35	1.05	449	5	69	380	40	1.03	11	6	<10	115	1840	<2	30	<10	6	72
28471	198025	<1	2.34	30	167	<2	7	<0.01	<4	7	29	27	1.34	2.35	26	0.87	344	3	53	371	59	1.18	16	21	<10	111	1726	<2	28	<10	6	72
28472	198026	6	1.04	25	153	<2	6	<0.01	<4	7	18	62	1.40	2.58	22	0.87	393	2	42	372	520	1.17	15	13	<10	110	1730	<2	28	<10	5	559
28473	198027	<1	2.60	27	109	<2	9	<0.01	<4	8	13	14	1.13	2.75	19	0.71	194	<1	35	396	51	1.12	16	<5	<10	101	1636	<2	28	<10	6	45

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/05/2014 4:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 5, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2014
Date Completed: 03/05/2014
Job #: 201440325
Reference: TL14-344
Sample #: 53

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
28474	198028	<1	2.42	17	36	<2	6	<0.01	<4	7	19	14	1.23	2.10	24	1.03	484	2	40	356	43	1.06	16	<5	<10	112	1588	<2	28	<10	6	57
28475D	198028	<1	4.52	43	75	<2	4	<0.01	<4	9	22	15	1.31	1.58	20	1.16	510	2	45	385	44	1.12	12	<5	<10	120	1692	<2	29	<10	8	61
28476	198029	<1	3.54	36	117	<2	2	<0.01	<4	7	35	16	1.54	2.14	25	1.01	324	5	70	387	35	1.19	15	<5	<10	109	1810	<2	29	<10	7	77
28477	198030	<1	2.70	21	<1	<2	9	0.75	<4	16	41	29	3.50	2.05	26	1.38	690	<1	29	608	4	0.89	13	10	<10	307	3238	<2	115	23	15	48
28478	198031	<1	1.72	26	124	<2	7	<0.01	<4	8	18	14	1.32	3.21	21	0.86	333	2	40	368	28	1.07	9	13	<10	109	1855	<2	28	<10	6	87
28479	198032	<1	3.07	22	139	<2	9	<0.01	<4	7	24	30	1.28	1.83	28	1.04	283	2	42	343	30	1.04	9	18	<10	118	1899	<2	29	<10	6	213
28480	198033	<1	1.03	23	84	<2	5	<0.01	<4	6	17	8	1.17	3.25	21	0.98	284	<1	33	360	17	0.96	17	<5	<10	117	1830	<2	27	<10	5	32
28481	198034	<1	1.82	26	<1	<2	5	<0.01	<4	6	26	8	1.07	2.49	25	1.00	254	2	43	266	22	0.97	16	15	<10	151	1395	<2	21	<10	7	44
28482	198035	<1	2.29	17	117	2	5	0.39	<4	7	20	13	1.45	2.96	24	1.23	342	1	37	384	25	1.02	11	<5	<10	166	1875	<2	30	<10	6	56
28483	198036	<1	2.41	36	58	2	2	<0.01	<4	7	16	7	1.11	2.55	19	0.69	170	1	35	368	40	1.14	7	6	<10	115	1879	<2	29	<10	6	61
28484	198037	<1	2.28	38	42	2	6	<0.01	<4	6	12	7	1.05	1.76	23	0.63	136	<1	31	368	33	1.12	16	8	<10	106	1664	<2	27	<10	6	59
28485	198038	<1	2.59	29	11	2	5	<0.01	<4	7	12	7	1.10	2.15	29	0.77	218	<1	31	341	53	1.09	5	9	<10	115	1553	<2	27	<10	6	195
28486D	198038	<1	2.70	35	9	2	7	<0.01	<4	5	12	6	1.10	2.79	30	0.75	218	<1	31	353	54	1.15	9	8	<10	112	1545	<2	27	<10	6	190
28487	198039	<1	3.17	31	29	2	4	<0.01	<4	6	12	14	1.36	2.83	26	0.73	184	<1	30	341	80	1.25	11	7	<10	111	1431	<2	27	<10	7	142
28488	198040	<1	2.78	20	<1	<2	5	1.01	<4	14	46	44	3.65	1.24	28	1.33	734	2	34	614	9	0.91	8	<5	<10	318	3181	<2	110	<10	16	46
28489	198041	<1	3.34	40	<1	2	7	<0.01	<4	6	22	36	1.53	1.45	25	0.71	151	4	44	303	245	1.37	9	5	<10	109	1324	<2	25	<10	7	341
28490	198042	<1	2.70	39	<1	<2	9	<0.01	<4	8	18	17	1.12	1.92	22	0.52	<100	2	36	365	60	1.12	12	<5	<10	106	1332	<2	31	<10	7	156
28491	198043	3	2.94	38	62	<2	8	<0.01	7	8	32	53	1.10	2.52	19	0.51	105	3	65	493	492	1.09	13	<5	<10	111	1714	<2	41	25	6	1413
28492	198044	<1	2.55	23	105	2	11	<0.01	<4	9	49	9	1.69	2.62	26	0.89	284	8	93	558	25	1.01	15	9	<10	140	2195	<2	43	<10	7	56
28493	198045	<1	3.19	15	48	2	10	0.81	<4	10	22	4	1.86	0.97	41	1.15	398	<1	40	544	17	1.02	19	<5	<10	180	2270	<2	41	<10	7	62

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/05/2014 4:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 5, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2014
Date Completed: 03/05/2014
Job #: 201440325
Reference: TL14-344
Sample #: 53

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
28494	198046	<1	1.13	22	<1	2	8	0.60	<4	9	63	5	2.05	1.09	28	0.96	399	12	120	485	17	0.99	12	<5	<10	164	2092	<2	41	<10	6	58
28495	198047	<1	2.25	26	29	2	7	0.09	<4	10	35	4	1.67	2.19	27	0.94	299	5	67	548	20	1.01	16	<5	<10	151	2240	<2	43	<10	6	46
28496	198048	<1	0.33	23	<1	2	8	<0.01	<4	8	34	15	1.68	2.15	24	0.82	365	5	65	496	60	1.07	14	<5	<10	132	1923	<2	41	<10	5	131
28497D	198048	<1	<0.01	25	<1	2	3	<0.01	<4	9	35	14	1.68	2.20	23	0.59	364	5	66	470	52	1.12	12	<5	<10	126	1933	<2	41	<10	3	120
28498	198049	<1	<0.01	31	<1	<2	7	<0.01	<4	8	58	11	1.60	1.78	23	0.61	242	10	104	489	111	1.14	8	<5	<10	117	1633	<2	40	<10	4	438
28499	198050	67	1.11	51	17	<2	9	<0.01	19	14	25	50	3.19	1.89	22	0.78	503	2	22	538	564	1.01	72	16	210	279	2362	<2	92	61	10	1788
28500	198051	<1	1.75	24	<1	2	8	<0.01	<4	10	51	4	1.80	0.72	41	1.06	403	8	95	514	27	1.09	15	15	<10	136	1873	<2	41	<10	6	80
28501	198052	<1	1.57	33	24	2	5	0.27	<4	11	26	13	2.13	0.56	49	1.01	442	3	50	520	30	1.18	9	8	<10	197	2340	<2	44	<10	5	116
28502	198053	<1	2.99	20	<1	2	5	0.71	<4	8	28	7	1.76	0.63	42	1.15	425	4	53	510	12	1.00	20	7	<10	243	2023	<2	39	<10	7	34
28503	198054	10	2.95	33	<1	2	9	0.12	<4	8	38	214	1.49	0.84	25	1.14	422	5	69	456	160	0.96	15	<5	<10	164	1923	<2	41	<10	8	321
28504	198055	<1	3.04	16	<1	2	5	0.36	<4	9	29	10	1.64	2.04	38	1.18	438	4	53	518	28	0.95	14	8	<10	185	2166	<2	41	<10	8	78
28505	198056	<1	3.24	12	<1	2	4	0.60	<4	8	29	13	1.75	1.71	41	1.19	425	3	55	512	21	0.98	11	9	<10	181	2059	<2	39	<10	8	49
28506	198057	<1	3.57	25	<1	2	10	0.89	<4	10	41	13	2.15	2.02	43	1.35	466	5	77	517	12	1.08	13	<5	<10	188	2169	<2	43	<10	8	43
28507	198058	<1	4.09	40	<1	2	4	0.43	<4	10	32	79	1.93	2.40	47	1.45	571	5	59	504	480	1.09	15	<5	<10	174	2160	<2	40	13	9	355
28508D	198058	<1	3.81	28	<1	2	6	0.38	<4	9	35	80	1.92	2.16	45	1.41	564	6	67	501	479	1.10	20	<5	<10	172	2133	<2	39	11	9	413
28509	198059	<1	2.33	36	<1	2	8	<0.01	6	8	48	40	1.68	2.09	36	0.91	370	8	85	426	95	1.11	14	11	<10	133	1852	<2	36	20	7	1308
28510	198060	<1	3.10	17	<1	<2	14	1.12	<4	16	47	44	3.64	1.81	27	1.36	728	<1	36	603	<1	0.92	15	<5	<10	324	3196	<2	111	<10	17	53
28511	198061	<1	2.48	28	<1	2	10	0.61	<4	11	36	8	1.80	2.15	41	1.21	430	5	70	493	19	1.02	7	11	<10	206	2047	<2	40	<10	7	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/05/2014 4:05 PM

TL14345

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29152	198062	0.017	
29153	198063	0.008	
29154	198064	0.007	
29155	198065	0.012	
29156	198066	0.011	
29157	198067	<0.005	
29158	198068	0.011	
29159	198069	0.010	
29160	198070	0.443	
29161	198071	0.038	
29162	198071 Dup	0.040	
29163	198072	<0.005	
29164	198073	<0.005	
29165	198074	<0.005	
29166	198075	<0.005	
29167	198076	0.008	
29168	198077	0.014	
29169	198078	0.010	
29170	198079	0.007	
29171	198080	<0.005	
29172	198081	<0.005	
29173	198081 Dup	<0.005	
29174	198082	0.352	
29175	198083	0.007	
29176	198084	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29177	198085	<0.005	
29178	198086	<0.005	
29179	198087	<0.005	
29180	198088	<0.005	
29181	198089	<0.005	
29182	198090	2.171	
29183	198091	<0.005	
29184	198091 Dup	<0.005	
29185	198092	<0.005	
29186	198093	0.009	
29187	198094	0.006	
29188	198095	0.005	
29189	198096	0.055	
29190	198097	1.447	
29191	198098	0.022	
29192	198099	0.012	
29193	198100	0.006	
29194	198101	<0.005	
29195	198101 Dup	<0.005	
29196	198102	<0.005	
29197	198103	<0.005	
29198	198104	<0.005	
29199	198105	0.006	
29200	198106	<0.005	
29201	198107	0.020	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29202	198108	<0.005	
29203	198109	<0.005	
29204	198110	5.084	
29205	198111	0.039	
29206	198111 Dup	0.015	
29207	198112	0.041	
29208	198113	<0.005	
29209	198114	<0.005	
29210	198115	<0.005	
29211	198116	<0.005	
29212	198117	<0.005	
29213	198118	<0.005	
29214	198119	<0.005	
29215	198120	<0.005	
29216	198121	0.027	
29217	198121 Rep	0.010	
29218	198122	0.009	
29219	198123	<0.005	
29220	198124	<0.005	
29221	198125	<0.005	
29222	198126	<0.005	
29223	198127	0.005	
29224	198128	<0.005	
29225	198129	0.007	
29226	198130	0.410	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29227	198131	<0.005	
29228	198131 Dup	<0.005	
29229	198132	0.021	
29230	198133	<0.005	
29231	198134	<0.005	
29232	198135	<0.005	
29233	198136	<0.005	
29234	198137	<0.005	
29235	198138	0.005	
29236	198139	<0.005	
29237	198140	<0.005	
29238	198141	<0.005	
29239	198141 Dup	<0.005	
29240	198142	0.006	
29241	198143	0.021	
29242	198144	0.028	
29243	198145	0.108	
29244	198146	0.006	
29245	198147	0.070	
29246	198148	0.012	
29247	198149	0.025	
29248	198150	2.003	
29249	198151	0.048	
29250	198151 Dup	0.061	
29251	198152	0.031	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29252	198153	0.018	
29253	198154	0.068	
29254	198155	0.013	
29255	198156	0.049	
29256	198157	0.062	
29257	198158	0.008	
29258	198159	0.010	
29259	198160	<0.005	
29260	198161	0.009	
29261	198161 Dup	0.008	
29262	198162	0.013	
29263	198163	<0.005	
29264	198164	0.016	
29265	198165	0.030	
29266	198166	0.044	
29267	198167	0.015	
29268	198168	0.040	
29269	198169	0.037	
29270	198170	5.028	
29271	198171	0.014	
29272	198171 Dup	0.015	
29273	198172	0.006	
29274	198173	<0.005	
29275	198174	0.007	
29276	198175	0.060	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29277	198176	0.053	
29278	198177	0.034	
29279	198178	0.055	
29280	198179	0.023	
29281	198180	<0.005	
29282	198181	0.020	
29283	198181 Rep	0.019	
29284	198182	0.027	
29285	198183	0.023	
29286	198184	0.015	
29287	198185	0.017	
29288	198186	0.016	
29289	198187	0.028	
29290	198188	0.014	
29291	198189	0.018	
29292	198190	0.361	
29293	198191	0.014	
29294	198191 Dup	0.014	
29295	198192	0.015	
29296	198193	0.007	
29297	198194	0.007	
29298	198195	0.033	
29299	198196	0.031	
29300	198197	0.043	
29301	198198	0.014	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29302	198199	0.082	
29303	198200	<0.005	
29304	198201	0.042	
29305	198201 Dup	0.044	
29306	198202	0.011	
29307	198203	0.007	
29308	198204	0.020	
29309	198205	0.026	
29310	198206	0.035	
29311	198207	0.025	
29312	198208	0.048	
29313	198209	0.264	
29314	198210	1.901	
29315	198211	0.310	
29316	198211 Dup	0.321	
29317	198212	0.057	
29318	198213	0.039	
29319	198214	0.031	
29320	198215	0.020	
29321	198216	0.022	
29322	198217	0.020	
29323	198218	0.030	
29324	198219	0.039	
29325	198220	<0.005	
29326	198221	0.023	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29327	198221 Dup	0.027	
29328	198222	0.024	
29329	198223	0.022	
29330	198224	0.022	
29331	198225	0.028	
29332	198226	0.018	
29333	198227	0.022	
29334	198228	0.017	
29335	198229	0.018	
29336	198230	5.049	
29337	198231	0.063	
29338	198231 Dup	0.060	
29339	198232	0.026	
29340	198233	0.049	
29341	198234	0.428	
29342	198235	0.148	
29343	198236	0.049	
29344	198237	0.023	
29345	198238	0.020	
29346	198239	0.026	
29347	198240	<0.005	
29348	198241	0.044	
29349	198241 Rep	0.037	
29350	198242	0.065	
29351	198243	0.075	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29352	198244	0.052	
29353	198245	0.057	
29354	198246	0.043	
29355	198247	0.144	
29356	198248	0.090	
29357	198249	0.120	
29358	198250	0.455	
29359	198251	0.059	
29360	198251 Dup	0.065	
29361	198252	0.027	
29362	198253	0.031	
29363	198254	0.796	
29364	198255	0.666	
29365	198256	0.148	
29366	198257	0.333	
29367	198258	>6.000	6.407
29368	198259	>6.000	7.649
29369	198260	<0.005	
29370	198261	3.483	
29371	198261 Dup	3.635	
29372	198262	1.186	
29373	198263	0.061	
29374	198264	0.063	
29375	198265	0.066	
29376	198266	0.079	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29377	198267	0.634	
29378	198268	1.549	
29379	198269	0.042	
29380	198270	2.037	
29381	198271	0.056	
29382	198271 Dup	0.051	
29383	198272	0.026	
29384	198273	0.094	
29385	198274	0.043	
29386	198275	0.077	
29387	198276	2.879	
29388	198277	0.685	
29389	198278	0.341	
29390	198279	0.204	
29391	198280	<0.005	
29392	198281	0.110	
29393	198281 Dup	0.128	
29394	198282	0.022	
29395	198283	0.583	
29396	198284	0.308	
29397	198285	1.132	
29398	198286	1.284	
29399	198287	0.096	
29400	198288	0.085	
29401	198289	0.009	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29402	198290	5.036	
29403	198291	0.014	
29404	198291 Dup	0.008	
29405	198292	<0.005	
29406	198293	<0.005	
29407	198294	0.007	
29408	198295	0.008	
29409	198296	0.008	
29410	198297	0.008	
29411	198298	0.017	
29412	198299	0.009	
29413	198300	0.008	
29414	198301	0.012	
29415	198301 Rep	0.013	
29416	198302	0.016	
29417	198303	0.030	
29418	198304	0.022	
29419	198305	0.013	
29420	198306	0.015	
29421	198307	0.098	
29422	198308	0.490	
29423	198309	1.557	
29424	198310	0.362	
29425	198311	0.127	
29426	198311 Dup	0.163	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29427	198312	0.023	
29428	198313	0.021	
29429	198314	0.097	
29430	198315	0.020	
29431	198316	0.021	
29432	198317	0.012	
29433	198318	0.886	
29434	198319	1.213	
29435	198320	<0.005	
29436	198321	0.327	
29437	198321 Dup	0.370	
29438	198322	0.149	
29439	198323	0.760	
29440	198324	0.337	
29441	198325	0.051	
29442	198326	0.037	
29443	198327	0.169	
29444	198328	0.092	
29445	198329	0.777	
29446	198330	1.808	
29447	198331	0.296	
29448	198331 Dup	0.289	
29449	198332	0.176	
29450	198333	0.025	
29451	198334	0.031	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
29452	198335	0.036	
29453	198336	0.018	
29454	198337	0.037	
29455	198338	0.038	
29456	198339	0.799	
29457	198340	<0.005	
29458	198341	0.101	
29459	198341 Dup	0.100	
29460	198342	0.227	
29461	198343	0.028	
29462	198344	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.783	0.791	0.051
GS25	0.785	0.791	0.051
GS3K	3.136	3.190	0.130
GS25	0.755	0.791	0.051
GS25	0.788	0.791	0.051
GS25	0.817	0.791	0.051
GS25	0.708	0.791	0.051
GS25	0.793	0.791	0.051
GS25	0.810	0.791	0.051
GS25	0.748	0.791	0.051
GS25	0.765	0.791	0.051
GS25	0.746	0.791	0.051
GS25	0.772	0.791	0.051
GS25	0.335	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 31, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/26/2014
Date Completed: 03/31/2014
Job #: 201440548
Reference: 201440339
Sample #: 19

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
43989	198241	0.041	
43990	198242	0.050	
43991	198243	0.080	
43992	198244	0.035	
43993	198245	0.042	
43994	198246	0.027	
43995	198247	0.150	
43996	198248	0.068	
43997	198249	0.133	
43998	198250	0.323	
43999	198250	Insufficient Sample	
44000	198251	0.037	
44001	198252	0.008	
44002	198253	0.022	
44003	198254	0.682	
44004	198255	0.599	
44005	198256	0.131	
44006	198257	0.288	
44007	198258	>6.000	5.463
44008	198259	>6.000	8.921

APPLIED SCOPES: ALFA1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 31, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/26/2014
Date Completed: 03/31/2014
Job #: 201440548
Reference: 201440339
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.789	0.791	0.051
GS25	0.773	0.791	0.051

APPLIED SCOPES: ALFA1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29152	198062	<1	3.88	20	376	<2	<1	1.30	<4	20	141	39	3.44	0.62	35	1.15	492	3	73	497	8	0.99	<5	<5	<10	339	2839	<2	83	<10	8	61
29153	198063	<1	4.54	28	487	2	3	1.08	<4	23	161	45	3.85	0.60	40	1.23	509	8	108	555	3	1.03	<5	<5	<10	292	3077	<2	94	<10	9	61
29154	198064	<1	3.67	27	433	<2	26	0.83	<4	21	150	50	3.83	0.46	31	1.29	493	6	101	543	10	1.00	8	<5	<10	263	3046	<2	94	<10	7	70
29155	198065	<1	4.32	21	365	2	2	1.16	<4	18	169	47	3.55	0.40	25	1.19	481	14	151	615	12	0.95	<5	<5	<10	320	2649	<2	80	<10	9	51
29156	198066	<1	4.30	26	405	2	8	1.19	<4	20	135	45	3.48	0.58	45	1.23	477	4	82	722	10	0.96	<5	<5	<10	331	2767	<2	82	<10	10	55
29157	198067	<1	4.39	25	483	<2	2	1.02	<4	21	163	42	3.68	0.56	34	1.27	488	9	116	525	9	1.14	<5	<5	<10	316	2916	<2	84	<10	8	67
29158	198068	<1	4.90	21	471	<2	15	1.15	<4	23	178	41	3.90	0.67	52	1.37	533	11	139	528	5	1.19	<5	5	<10	309	3039	10	91	<10	8	58
29159	198069	<1	5.73	27	511	2	14	1.00	<4	25	189	48	4.46	0.28	49	1.54	510	13	152	563	5	1.34	<5	7	<10	297	3269	<2	110	<10	9	56
29160	198070	<1	4.31	63	260	<2	9	0.96	5	13	31	2251	4.96	0.32	48	0.74	1100	18	21	722	70	2.95	<5	<5	<10	206	1141	4	60	12	6	564
29161	198071	<1	5.71	19	433	<2	17	1.25	<4	23	179	46	4.36	0.23	61	1.39	556	12	143	552	8	1.44	<5	5	<10	356	3356	3	106	<10	10	56
29162D	198071	<1	4.60	20	429	2	28	1.18	<4	25	169	43	4.30	0.11	60	1.32	552	9	123	543	5	1.34	5	5	<10	350	3330	<2	106	<10	8	61
29163	198072	<1	3.70	25	561	<2	9	2.22	<4	13	32	9	2.49	0.16	34	0.69	362	5	52	643	<1	1.19	<5	<5	<10	807	2898	<2	57	<10	3	56
29164	198073	<1	4.83	25	522	<2	13	2.36	<4	11	28	6	2.46	0.53	36	0.79	333	5	54	629	2	0.87	<5	12	<10	853	2911	<2	56	<10	4	49
29165	198074	<1	5.75	24	581	<2	<1	2.73	<4	14	32	10	2.65	0.53	26	0.88	408	6	59	681	<1	0.85	<5	<5	<10	794	3027	5	59	<10	4	55
29166	198075	<1	1.85	19	320	<2	6	0.84	<4	9	17	4	1.91	0.33	15	0.57	256	3	40	514	<1	0.64	<5	<5	<10	631	2230	8	43	<10	3	40
29167	198076	<1	3.48	24	625	2	7	1.34	<4	19	96	93	3.30	0.67	20	0.97	435	5	75	527	<1	0.74	<5	<5	<10	419	2947	<2	78	<10	7	49
29168	198077	<1	5.58	23	496	2	1	1.08	<4	24	146	39	4.05	0.67	39	1.45	540	4	93	597	7	1.03	<5	<5	<10	307	3152	<2	104	<10	11	57
29169	198078	<1	5.05	25	471	<2	10	0.82	<4	23	157	44	3.93	0.80	49	1.40	503	4	95	551	9	1.08	<5	<5	<10	254	3195	6	101	<10	10	65
29170	198079	<1	3.97	26	279	<2	16	1.29	<4	10	26	9	1.80	0.52	25	0.52	270	3	37	408	<1	1.21	<5	<5	<10	319	1986	<2	37	<10	3	59
29171	198080	<1	3.70	21	367	<2	7	2.35	<4	15	56	46	3.75	0.23	18	1.21	745	4	37	634	<1	1.17	<5	<5	<10	303	3059	<2	114	<10	13	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:15 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29172	198081	<1	2.00	18	242	<2	7	1.52	<4	7	31	9	1.68	0.50	17	0.37	282	6	53	361	<1	1.26	<5	8	<10	348	1910	<2	35	<10	2	55
29173D	198081	<1	5.05	26	272	<2	<1	1.78	<4	8	26	9	1.73	0.48	14	0.51	292	5	44	452	<1	1.25	<5	8	<10	381	2074	<2	36	<10	3	59
29174	198082	<1	4.67	23	489	<2	16	1.87	<4	20	148	39	3.56	0.57	29	0.96	454	10	104	501	<1	1.68	<5	<5	<10	381	2828	<2	81	<10	10	90
29175	198083	<1	3.81	21	370	<2	10	2.13	<4	8	22	11	1.76	0.37	17	0.43	276	4	36	448	2	1.29	7	8	<10	401	2110	<2	37	<10	3	46
29176	198084	<1	5.51	18	307	2	1	1.92	<4	8	34	8	1.78	0.49	20	0.54	269	6	58	480	<1	0.59	<5	6	<10	433	2136	<2	36	<10	4	47
29177	198085	<1	2.60	22	113	<2	3	1.11	<4	7	13	6	1.40	0.21	7	0.43	198	3	32	347	<1	0.50	<5	7	<10	320	1562	<2	26	<10	3	29
29178	198086	<1	3.08	17	163	<2	2	1.26	<4	7	14	6	1.45	0.33	13	0.44	208	2	32	356	<1	0.61	<5	<5	<10	333	1623	<2	27	<10	3	28
29179	198087	<1	5.44	22	307	2	7	1.85	<4	7	24	8	1.73	0.49	22	0.52	242	4	40	432	<1	0.82	<5	10	<10	404	2032	<2	33	<10	3	30
29180	198088	<1	4.82	27	280	<2	5	1.72	<4	7	25	6	1.63	0.59	19	0.50	233	6	43	423	<1	0.95	<5	<5	<10	371	1945	<2	33	<10	3	26
29181	198089	<1	4.31	25	318	<2	2	0.93	<4	7	17	4	1.66	0.62	18	0.50	220	<1	27	406	<1	1.03	<5	<5	<10	322	1968	<2	32	<10	3	29
29182	198090	<1	3.97	28	351	<2	<1	2.08	<4	17	57	32	3.71	0.17	19	1.30	719	2	30	642	<1	1.12	7	<5	<10	297	3229	4	122	21	14	54
29183	198091	<1	3.67	22	239	<2	9	1.58	<4	6	22	3	1.58	0.35	19	0.44	204	3	38	401	<1	1.19	<5	6	<10	393	1945	<2	33	<10	2	27
29184D	198091	<1	2.31	25	235	<2	12	1.52	<4	6	20	3	1.57	0.41	22	0.38	206	3	34	364	<1	1.20	<5	<5	<10	386	1919	<2	33	<10	2	28
29185	198092	<1	2.11	16	241	<2	<1	1.25	<4	8	15	9	1.71	0.34	19	0.39	223	2	23	392	2	1.34	<5	<5	<10	372	1912	<2	34	<10	<2	46
29186	198093	<1	4.57	64	464	<2	<1	1.00	<4	21	101	55	4.62	0.34	19	1.01	440	7	76	443	<1	2.54	<5	<5	<10	291	2386	<2	66	10	9	307
29187	198094	<1	3.40	59	346	<2	7	1.35	<4	20	163	45	3.65	0.44	29	1.23	588	2	72	546	<1	1.74	<5	<5	<10	300	3091	<2	85	<10	9	74
29188	198095	<1	4.97	34	372	2	<1	1.26	<4	20	135	41	3.08	0.75	16	1.19	472	6	79	518	3	0.89	<5	7	<10	287	2711	<2	74	<10	11	60
29189	198096	<1	4.32	30	323	<2	15	0.99	<4	18	125	43	3.37	0.62	18	1.23	501	2	65	518	9	0.76	<5	<5	<10	264	2597	<2	71	<10	10	59
29190	198097	<1	5.82	24	421	2	<1	1.35	<4	24	137	54	3.85	0.78	30	1.38	543	3	80	489	13	1.01	<5	<5	<10	296	3237	5	88	10	13	71
29191	198098	<1	5.72	18	519	<2	11	1.47	<4	23	151	43	4.02	0.99	43	1.47	565	4	93	542	8	1.01	<5	<5	<10	273	3200	<2	99	<10	13	73

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:15 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29192	198099	<1	4.96	23	732	<2	<1	2.09	<4	11	42	8	2.07	0.69	15	0.76	287	5	53	535	<1	1.13	<5	<5	<10	480	2430	<2	48	<10	4	46
29193	198100	<1	3.25	26	341	<2	6	2.20	<4	14	55	44	3.63	0.14	11	1.19	727	4	34	604	<1	1.10	5	<5	<10	290	2963	<2	110	<10	12	47
29194	198101	<1	5.35	23	610	<2	4	2.35	<4	10	44	5	2.05	0.66	16	0.75	307	6	65	549	<1	1.24	<5	9	<10	516	2459	<2	43	<10	4	50
29195D	198101	<1	4.21	23	617	<2	3	2.35	<4	12	35	4	2.01	0.63	22	0.68	307	5	51	525	<1	1.27	<5	10	<10	514	2429	<2	43	<10	3	49
29196	198102	<1	4.24	23	401	<2	<1	1.40	<4	7	31	13	1.71	0.75	15	0.56	229	6	57	406	<1	1.14	<5	<5	<10	395	1943	2	39	<10	2	34
29197	198103	<1	3.12	22	227	<2	<1	1.27	<4	8	21	30	1.74	0.53	22	0.42	232	4	39	382	<1	1.31	<5	5	<10	310	1920	<2	39	<10	2	26
29198	198104	<1	4.47	23	97	<2	10	1.20	<4	8	29	25	1.44	0.35	16	0.40	211	6	47	386	<1	1.29	<5	15	<10	282	1740	<2	35	<10	2	16
29199	198105	<1	3.63	23	177	<2	<1	1.16	<4	13	52	46	2.39	0.14	14	0.70	253	10	78	455	2	1.45	<5	15	<10	325	2039	<2	45	<10	3	37
29200	198106	<1	4.69	19	195	<2	8	1.29	<4	12	34	51	2.39	0.55	17	0.78	250	5	49	452	2	0.90	<5	9	<10	337	2065	<2	44	<10	4	34
29201	198107	<1	5.25	24	569	<2	3	1.82	<4	10	26	5	2.06	0.58	11	0.74	259	<1	30	563	<1	1.01	<5	<5	<10	509	2268	9	47	<10	3	39
29202	198108	<1	2.86	21	394	<2	8	1.01	<4	9	26	3	1.81	0.46	3	0.62	207	1	35	472	<1	0.88	<5	<5	<10	429	1655	4	40	<10	3	39
29203	198109	<1	3.29	20	435	<2	2	1.29	<4	8	35	2	2.05	0.61	14	0.60	220	5	52	603	<1	0.91	<5	<5	<10	480	1914	<2	44	<10	3	43
29204	198110	68	2.81	48	389	<2	4	1.12	20	14	33	51	3.21	0.28	5	0.76	495	4	25	560	590	1.18	55	5	215	258	2145	<2	91	56	11	1767
29205	198111	<1	3.12	19	529	<2	<1	1.37	<4	9	32	4	1.92	0.61	12	0.65	253	4	45	465	<1	1.10	<5	<5	<10	442	1923	<2	44	<10	2	44
29206D	198111	<1	3.56	17	532	<2	<1	1.40	<4	10	33	3	1.93	0.57	9	0.67	255	3	42	491	<1	1.11	<5	<5	<10	447	1944	<2	44	<10	2	44
29207	198112	<1	3.93	17	414	<2	8	1.46	<4	8	39	4	1.74	0.48	8	0.61	209	5	48	476	<1	1.22	<5	16	<10	417	1912	<2	38	<10	3	42
29208	198113	<1	2.86	24	513	<2	<1	1.35	<4	12	38	5	2.07	0.64	8	0.65	266	5	54	508	<1	1.29	<5	5	<10	447	1891	<2	45	<10	2	40
29209	198114	<1	2.65	20	528	<2	4	1.57	<4	9	33	2	1.99	0.57	5	0.63	271	3	44	494	<1	1.26	<5	<5	<10	468	1902	<2	44	<10	2	50
29210	198115	<1	4.69	25	607	<2	<1	1.51	<4	11	37	7	2.24	0.62	6	0.82	288	4	43	579	<1	1.34	<5	<5	<10	486	1959	<2	48	<10	3	47
29211	198116	<1	3.64	24	635	<2	6	1.87	<4	10	27	2	2.04	0.58	8	0.74	290	2	28	538	<1	1.37	<5	<5	<10	503	1848	<2	46	<10	2	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29212	198117	<1	5.30	22	590	<2	8	1.90	<4	8	22	2	2.01	0.28	4	0.82	263	<1	30	546	<1	0.67	<5	<5	<10	522	1891	<2	43	<10	3	98
29213	198118	<1	5.52	22	527	<2	12	1.83	<4	10	32	2	2.11	0.46	6	0.90	315	2	33	583	<1	0.91	<5	10	<10	462	1705	<2	46	<10	4	64
29214	198119	<1	4.57	23	534	<2	8	2.05	<4	9	27	2	2.02	0.56	13	0.76	263	2	33	511	<1	1.08	<5	8	<10	474	1871	<2	43	<10	3	38
29215	198120	<1	3.27	30	337	<2	<1	2.21	<4	15	55	45	3.69	0.19	2	1.20	734	4	35	613	<1	1.08	<5	<5	<10	294	2976	4	112	<10	13	55
29216	198121	<1	3.48	15	540	<2	<1	1.94	<4	9	30	4	1.94	0.59	6	0.74	252	4	41	470	<1	1.24	<5	6	<10	485	2070	<2	43	<10	3	38
29217R	198121	<1	5.25	24	553	<2	1	2.08	<4	10	27	5	2.00	0.63	5	0.84	257	4	42	541	<1	0.91	<5	11	<10	507	2161	3	43	<10	4	110
29218	198122	<1	5.70	25	569	<2	4	2.29	<4	22	41	20	2.92	0.62	30	1.00	305	4	50	548	<1	1.43	5	<5	<10	450	2274	<2	50	<10	4	136
29219	198123	<1	5.29	28	450	<2	<1	1.59	<4	8	21	11	1.64	0.65	20	0.58	231	4	36	419	<1	1.12	<5	<5	<10	381	1796	5	30	<10	3	91
29220	198124	<1	3.31	21	470	<2	<1	1.57	<4	7	11	4	1.46	0.77	19	0.48	224	2	24	318	<1	1.15	<5	13	<10	320	1694	<2	29	<10	3	56
29221	198125	<1	3.67	24	430	<2	<1	1.25	<4	6	23	6	1.53	0.89	18	0.56	208	4	45	351	<1	1.09	<5	12	<10	316	1574	<2	29	<10	3	55
29222	198126	<1	3.67	19	397	<2	16	1.28	<4	7	27	5	1.56	0.71	14	0.58	220	5	47	366	<1	1.02	<5	7	<10	317	1540	<2	29	<10	3	47
29223	198127	<1	3.11	18	404	<2	<1	1.33	<4	6	21	7	1.50	0.66	17	0.51	223	4	39	327	<1	1.21	<5	<5	<10	340	1593	<2	30	<10	2	108
29224	198128	<1	4.84	24	448	<2	<1	1.56	<4	8	41	5	1.69	0.68	21	0.57	255	8	71	407	<1	1.39	<5	<5	<10	373	1717	<2	31	<10	3	63
29225	198129	<1	2.45	23	434	<2	<1	1.79	<4	6	19	3	1.45	0.40	16	0.46	254	3	32	336	3	1.27	<5	<5	<10	354	1668	<2	28	<10	2	52
29226	198130	<1	4.54	67	261	<2	4	0.96	5	13	30	2251	4.90	0.71	24	0.74	1083	19	21	732	65	3.31	<5	<5	<10	205	1156	<2	60	14	6	557
29227	198131	<1	4.15	18	455	<2	<1	1.67	<4	8	30	4	1.66	0.34	25	0.46	246	5	52	380	<1	1.31	<5	6	<10	430	1883	<2	32	<10	2	45
29228D	198131	<1	3.66	10	471	<2	9	1.69	<4	7	35	3	1.71	0.46	18	0.45	253	7	60	377	<1	1.22	<5	12	<10	437	1904	<2	33	<10	2	44
29229	198132	<1	4.09	13	423	<2	15	1.93	<4	6	39	13	1.45	0.67	16	0.38	237	7	69	349	<1	1.13	<5	<5	<10	369	1485	<2	27	<10	3	36
29230	198133	<1	5.51	24	466	<2	5	1.85	<4	7	42	10	1.78	0.90	18	0.54	293	7	69	399	<1	1.06	<5	<5	<10	380	1884	<2	32	<10	3	53
29231	198134	<1	4.61	21	424	<2	1	1.68	<4	7	34	10	1.58	1.01	16	0.46	272	6	64	401	<1	1.01	<5	<5	<10	358	1823	<2	31	<10	3	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29232	198135	<1	4.31	20	503	2	18	1.52	<4	6	37	4	1.64	1.10	17	0.49	293	6	57	363	<1	1.09	<5	9	<10	342	1805	<2	30	<10	3	23
29233	198136	<1	4.44	21	489	2	<1	1.67	<4	7	18	6	1.60	1.02	17	0.50	311	3	39	404	<1	1.02	<5	<5	<10	375	1814	<2	30	<10	3	37
29234	198137	<1	4.39	31	579	<2	<1	2.15	<4	6	56	7	1.71	0.66	19	0.51	328	11	92	340	<1	1.17	<5	<5	<10	407	1707	<2	34	<10	3	36
29235	198138	<1	5.06	19	713	2	<1	2.74	<4	8	42	11	1.90	1.08	24	0.65	371	8	59	385	2	1.25	<5	<5	<10	397	1847	<2	35	<10	4	76
29236	198139	<1	4.72	24	637	<2	1	2.56	<4	8	57	10	1.83	0.67	20	0.57	326	10	85	386	<1	1.26	<5	<5	<10	346	1686	<2	32	<10	3	44
29237	198140	<1	3.88	26	383	<2	<1	2.38	<4	16	58	46	3.74	0.32	14	1.22	747	5	36	625	<1	1.30	<5	<5	<10	304	3071	<2	114	<10	13	50
29238	198141	<1	5.34	25	576	2	9	3.22	<4	12	51	18	2.82	0.52	26	0.99	479	8	69	514	<1	1.59	5	<5	<10	405	2643	<2	59	<10	9	81
29239D	198141	<1	4.34	23	544	<2	12	3.03	<4	12	45	17	2.69	0.64	18	0.91	461	8	63	469	<1	1.48	<5	<5	<10	387	2529	<2	56	<10	8	85
29240	198142	<1	3.80	24	528	<2	17	1.96	<4	10	51	21	2.09	0.71	21	0.73	400	7	68	421	6	1.37	<5	11	<10	383	1984	<2	42	<10	3	60
29241	198143	<1	5.51	25	507	<2	7	2.79	<4	11	47	18	2.55	0.71	16	1.20	774	6	70	644	24	1.39	<5	6	<10	586	2134	<2	40	<10	17	190
29242	198144	<1	5.94	27	475	<2	2	3.06	<4	11	64	11	2.18	0.82	23	1.11	1111	11	100	708	49	1.27	<5	7	<10	663	1925	<2	45	<10	5	308
29243	198145	<1	4.75	30	395	<2	3	1.89	<4	9	44	16	2.36	0.85	20	1.02	1076	9	79	466	31	1.31	<5	<5	<10	479	1792	<2	35	<10	11	250
29244	198146	<1	4.68	25	374	<2	7	1.90	<4	8	35	14	2.18	0.70	21	1.02	1057	6	61	467	31	1.28	<5	15	<10	467	1707	<2	34	<10	8	428
29245	198147	<1	4.23	20	417	<2	<1	2.20	<4	10	47	9	2.14	0.72	19	0.94	454	7	78	597	3	1.16	<5	8	<10	432	1789	<2	46	<10	5	83
29246	198148	<1	3.65	23	458	<2	8	2.29	<4	10	43	9	2.08	0.59	16	0.93	437	7	68	595	4	1.39	<5	<5	<10	497	1936	<2	46	<10	3	62
29247	198149	<1	3.73	21	500	<2	<1	2.24	<4	12	25	17	2.38	0.54	15	0.85	506	2	40	601	10	1.50	7	8	<10	557	2563	<2	53	<10	3	154
29248	198150	<1	4.27	30	367	<2	4	2.13	<4	16	53	31	3.66	0.34	11	1.29	707	2	31	639	<1	1.26	<5	<5	<10	297	3176	<2	121	25	14	60
29249	198151	<1	4.92	31	276	2	<1	1.71	<4	5	46	42	1.58	0.99	10	1.07	798	9	75	320	228	1.54	<5	9	<10	198	1370	<2	24	<10	2	296
29250D	198151	<1	5.58	37	308	<2	18	1.86	<4	5	43	43	1.59	0.52	9	1.12	823	8	66	341	225	1.81	<5	<5	<10	207	1426	2	25	<10	2	296
29251	198152	<1	5.21	34	313	<2	<1	1.14	<4	6	32	17	1.27	0.56	11	0.81	574	6	50	327	158	1.71	<5	<5	<10	164	1391	<2	25	<10	2	207

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29252	198153	<1	4.91	33	345	<2	<1	1.10	<4	5	29	9	1.18	0.69	16	0.73	540	6	48	337	137	1.59	5	8	<10	168	1445	4	26	<10	2	236
29253	198154	<1	5.59	32	464	<2	14	0.31	<4	6	36	12	1.03	1.37	5	0.40	249	7	59	360	240	1.28	<5	8	<10	146	1508	<2	25	<10	2	645
29254	198155	<1	5.73	23	387	2	10	1.75	<4	11	112	27	2.64	1.29	17	0.83	482	13	118	447	18	1.24	<5	<5	<10	267	1868	<2	57	<10	7	76
29255	198156	<1	5.04	27	326	<2	<1	1.47	<4	12	114	34	2.84	0.96	16	1.19	618	8	98	447	19	1.36	<5	7	<10	231	1896	<2	62	<10	9	65
29256	198157	<1	5.80	26	434	<2	<1	1.33	<4	13	95	29	2.74	1.29	15	0.83	610	7	79	484	19	1.48	<5	<5	<10	221	2207	<2	63	<10	8	90
29257	198158	<1	5.37	29	431	<2	<1	1.33	<4	7	43	8	1.86	1.32	11	0.38	461	9	69	405	<1	1.44	<5	<5	<10	204	1723	<2	35	<10	4	30
29258	198159	<1	5.84	34	500	<2	10	1.30	<4	6	27	14	1.86	1.07	6	0.27	419	3	32	388	25	1.87	<5	6	<10	222	1840	<2	36	<10	4	83
29259	198160	<1	3.70	22	363	<2	3	2.30	<4	14	56	45	3.66	0.31	8	1.18	728	4	35	611	<1	1.35	<5	<5	<10	296	2972	<2	111	<10	12	48
29260	198161	<1	6.23	36	526	<2	4	1.25	<4	8	52	11	1.84	1.04	10	0.22	329	9	86	428	20	1.85	<5	<5	<10	226	1873	<2	38	<10	4	40
29261D	198161	<1	5.97	33	504	<2	<1	1.20	<4	6	42	11	1.70	0.82	9	0.22	310	8	66	426	17	1.85	<5	<5	<10	220	1812	<2	36	<10	3	44
29262	198162	<1	5.82	34	573	<2	<1	1.15	<4	8	77	28	1.85	1.06	7	0.22	288	19	128	432	27	1.78	<5	6	<10	216	1901	<2	39	<10	3	124
29263	198163	<1	5.09	29	473	<2	<1	1.24	<4	7	35	8	0.79	0.79	8	0.15	140	6	53	408	21	1.49	<5	8	<10	277	1605	<2	35	<10	2	44
29264	198164	<1	6.43	31	538	<2	<1	1.40	<4	7	57	10	0.95	0.19	12	0.20	219	12	84	423	58	1.55	<5	11	<10	256	1806	2	40	<10	2	66
29265	198165	<1	5.96	48	558	<2	2	1.03	<4	7	54	12	1.44	1.14	7	0.21	257	11	93	434	50	1.39	<5	14	<10	204	1807	<2	38	<10	3	127
29266	198166	<1	6.11	48	592	<2	16	1.04	<4	7	67	12	1.53	1.42	5	0.20	319	14	115	424	56	1.33	<5	<5	<10	204	1819	7	39	<10	3	105
29267	198167	<1	6.08	33	692	<2	2	0.45	<4	8	65	14	1.70	1.92	5	0.19	183	12	97	380	46	1.25	<5	<5	<10	172	1980	<2	42	<10	3	110
29268	198168	<1	5.43	36	498	<2	7	1.51	5	6	57	29	1.79	1.49	7	0.34	427	11	92	397	321	1.45	<5	<5	<10	203	1567	<2	35	11	3	903
29269	198169	<1	6.05	35	618	<2	10	1.12	<4	10	72	23	2.10	1.48	12	0.31	332	17	122	407	159	1.49	<5	<5	<10	205	1886	<2	39	10	3	272
29270	198170	70	3.01	53	403	<2	7	1.16	20	14	35	52	3.22	0.38	6	0.76	500	5	24	569	600	1.18	58	<5	226	256	2222	<2	92	57	11	1788
29271	198171	<1	5.54	31	640	<2	12	1.60	<4	8	50	15	1.76	1.51	16	0.58	465	9	77	432	37	1.49	<5	<5	<10	273	1901	<2	37	<10	3	79

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29272D	198171	<1	6.03	30	669	2	3	1.70	<4	7	59	16	1.84	0.95	20	0.60	480	12	92	447	38	1.50	<5	7	<10	280	1967	<2	38	<10	3	78
29273	198172	<1	5.42	30	409	<2	11	2.24	<4	9	72	12	2.12	0.87	11	0.84	477	15	121	475	20	1.50	<5	<5	<10	329	1903	3	38	<10	3	62
29274	198173	<1	5.80	20	501	2	8	2.33	<4	7	57	30	2.04	0.64	19	0.70	430	12	94	533	44	1.42	5	18	<10	363	2095	<2	41	<10	3	84
29275	198174	<1	5.01	23	437	<2	6	1.86	<4	8	44	27	1.89	0.51	16	0.85	496	7	70	490	38	1.44	<5	<5	<10	319	1921	<2	38	<10	3	105
29276	198175	<1	3.41	31	376	<2	<1	1.39	<4	9	50	14	1.89	0.17	15	0.87	605	9	79	418	73	1.54	<5	<5	<10	249	1782	<2	35	<10	2	99
29277	198176	<1	5.27	43	399	<2	<1	1.75	<4	9	68	29	2.16	0.93	18	1.08	912	14	111	467	103	1.36	<5	<5	<10	264	2082	<2	38	<10	4	262
29278	198177	<1	6.00	34	434	<2	<1	2.83	<4	9	81	29	2.64	0.95	16	1.51	1419	17	133	510	172	1.31	<5	6	<10	270	1973	7	41	<10	4	285
29279	198178	<1	5.58	42	437	<2	<1	2.42	7	8	54	118	2.33	1.53	15	1.28	1097	10	84	493	361	1.49	<5	6	<10	233	1887	<2	37	24	4	1906
29280	198179	<1	5.40	41	495	<2	3	2.07	<4	8	67	16	1.99	1.35	14	1.02	742	13	105	483	51	1.43	<5	<5	<10	214	2093	<2	38	<10	3	84
29281	198180	<1	3.80	24	374	<2	<1	2.39	<4	14	64	47	3.84	0.32	7	1.24	765	5	37	625	<1	1.24	<5	6	<10	304	3130	<2	116	<10	13	55
29282	198181	<1	5.41	33	495	<2	<1	2.20	<4	10	61	11	2.08	1.27	16	1.17	903	13	101	497	207	1.15	<5	14	<10	226	2121	<2	39	<10	3	111
29283R	198181	<1	5.30	30	487	<2	11	2.17	<4	7	65	11	2.07	1.12	15	1.15	883	13	105	479	130	1.24	<5	<5	<10	227	2092	4	39	<10	3	99
29284	198182	<1	5.98	31	556	<2	6	2.18	<4	9	62	16	2.01	1.18	15	1.03	754	13	98	524	42	1.11	<5	<5	<10	237	2183	<2	40	10	3	95
29285	198183	<1	6.01	31	526	<2	13	1.95	<4	9	66	25	2.25	1.31	19	0.99	769	14	106	527	32	1.41	<5	12	<10	239	2176	<2	40	<10	4	89
29286	198184	<1	3.66	30	307	<2	<1	1.11	<4	8	59	4	1.99	1.13	18	0.97	646	11	99	496	2	0.92	<5	10	<10	156	2075	<2	39	<10	4	24
29287	198185	<1	3.95	39	383	<2	8	1.18	<4	5	48	14	1.36	1.02	7	0.59	456	9	78	312	<1	1.09	5	<5	<10	209	1361	<2	24	<10	2	37
29288	198186	<1	4.60	35	418	<2	4	1.19	<4	4	49	15	1.38	0.83	9	0.61	459	10	74	325	1	1.37	<5	9	<10	223	1397	12	25	<10	2	63
29289	198187	<1	5.11	40	465	<2	<1	1.02	<4	4	50	15	1.18	0.77	9	0.37	410	9	75	258	12	1.48	5	11	<10	203	1144	<2	19	<10	2	24
29290	198188	<1	5.10	46	418	<2	6	1.92	<4	4	51	12	1.10	0.70	7	0.43	642	9	69	234	24	1.60	<5	15	<10	194	1061	<2	18	<10	2	65
29291	198189	<1	5.63	39	552	<2	10	1.79	<4	7	52	6	1.67	1.15	13	0.61	459	11	80	373	26	1.74	<5	6	<10	206	1590	<2	29	<10	2	96

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29292	198190	<1	4.95	65	284	<2	12	1.05	5	13	38	2345	5.06	0.67	56	0.77	1119	16	23	735	72	3.51	6	7	<10	209	1220	<2	62	10	6	575
29293	198191	<1	6.04	26	529	<2	13	2.67	<4	8	46	13	1.98	0.71	18	0.94	607	7	60	512	10	1.48	<5	<5	<10	188	2100	2	39	<10	4	68
29294D	198191	<1	5.78	19	512	<2	1	2.62	<4	8	49	12	2.02	1.16	12	0.93	603	9	77	508	14	1.00	<5	<5	<10	185	2071	<2	39	<10	4	65
29295	198192	<1	5.70	23	494	<2	8	2.12	<4	8	30	10	1.68	0.94	12	0.72	465	5	41	517	13	0.81	<5	<5	<10	188	1959	<2	36	<10	3	49
29296	198193	<1	6.53	24	393	<2	6	2.96	<4	7	29	11	1.85	1.02	10	0.86	507	5	36	544	10	0.99	<5	<5	<10	220	1961	<2	38	<10	4	51
29297	198194	<1	5.25	18	459	<2	2	2.30	<4	6	38	7	1.71	0.82	10	0.92	510	6	53	479	12	1.14	<5	9	<10	178	1906	4	35	<10	3	91
29298	198195	<1	5.87	34	608	<2	13	2.03	<4	9	48	19	1.89	0.80	18	1.02	733	8	71	521	146	1.35	<5	8	<10	157	2170	<2	38	<10	4	282
29299	198196	<1	5.93	33	656	<2	8	2.13	<4	9	51	12	1.85	0.84	14	1.04	909	8	73	543	41	1.48	<5	<5	<10	140	2258	5	40	<10	4	100
29300	198197	<1	5.98	32	673	<2	<1	1.92	<4	8	49	16	1.85	0.57	15	0.93	753	8	70	559	41	1.48	6	6	<10	139	2241	<2	40	<10	4	138
29301	198198	<1	5.97	24	533	<2	11	1.97	<4	12	85	40	2.45	0.95	11	1.09	560	8	80	570	25	1.43	<5	<5	<10	230	2198	<2	56	<10	6	104
29302	198199	<1	5.55	33	354	<2	5	1.71	<4	21	178	65	4.00	1.21	4	1.42	732	10	125	586	39	1.51	<5	8	<10	217	2526	<2	98	<10	10	167
29303	198200	<1	3.66	21	362	<2	3	2.31	<4	14	61	46	3.73	0.32	7	1.21	739	5	38	615	2	1.38	<5	10	<10	296	3073	<2	113	<10	13	51
29304	198201	<1	4.66	28	439	2	7	1.32	<4	18	158	41	3.62	1.44	16	1.29	634	11	118	538	40	1.48	<5	<5	<10	177	2338	<2	87	<10	9	96
29305D	198201	<1	5.60	20	443	<2	8	1.39	<4	18	155	39	3.54	1.03	21	1.34	625	10	116	543	40	1.54	<5	16	<10	180	2332	<2	85	<10	9	89
29306	198202	<1	5.58	24	585	2	<1	1.31	<4	10	93	16	2.16	0.70	18	1.58	566	12	94	493	37	0.93	<5	<5	<10	138	1801	<2	44	<10	9	62
29307	198203	<1	5.09	25	528	<2	7	0.72	<4	9	51	8	0.84	0.98	11	0.76	231	8	70	426	23	0.69	<5	9	<10	195	1733	<2	36	<10	2	40
29308	198204	<1	5.97	27	565	<2	<1	0.88	4	7	61	9	1.18	0.91	23	1.11	398	13	93	446	69	1.16	<5	8	<10	140	1889	<2	33	18	2	1320
29309	198205	<1	5.77	44	565	<2	20	0.39	<4	8	41	3	1.12	1.02	16	0.93	285	9	71	351	3	1.36	<5	14	<10	82	1792	<2	31	13	3	731
29310	198206	<1	6.39	45	619	<2	2	0.62	<4	10	47	3	1.23	0.80	17	0.94	310	10	79	368	<1	1.52	<5	6	<10	86	1891	<2	32	<10	3	395
29311	198207	<1	5.60	30	502	<2	7	0.64	<4	6	52	9	0.75	0.98	11	0.82	269	11	86	371	28	1.25	<5	8	<10	89	1785	<2	32	10	3	141

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29312	198208	<1	5.37	27	436	2	12	0.49	<4	7	45	5	0.60	1.11	8	0.66	217	9	69	349	5	1.34	<5	12	<10	69	1682	5	30	<10	3	17
29313	198209	<1	5.27	33	403	<2	4	0.38	<4	7	35	29	0.55	0.89	6	0.58	185	6	51	328	75	1.42	<5	<5	<10	75	1641	<2	28	14	5	1133
29314	198210	<1	3.73	27	352	<2	10	2.04	<4	18	56	32	3.66	0.27	4	1.27	709	2	31	626	<1	1.27	<5	<5	<10	292	3174	<2	121	23	13	55
29315	198211	<1	5.42	34	415	<2	<1	0.57	<4	7	51	11	0.68	0.85	4	0.64	209	9	70	347	36	1.34	<5	<5	<10	71	1725	<2	31	<10	3	230
29316D	198211	<1	4.44	30	444	<2	6	0.69	<4	7	47	11	0.68	1.22	6	0.58	212	8	62	318	38	1.49	<5	9	<10	75	1739	<2	31	<10	3	232
29317	198212	<1	5.25	34	433	<2	8	0.45	4	7	55	35	0.75	0.59	19	0.64	199	13	87	304	26	1.47	<5	<5	<10	70	1667	<2	32	19	3	1318
29318	198213	<1	6.41	30	533	<2	<1	0.39	<4	7	46	16	0.72	0.78	10	0.62	189	13	79	309	29	0.48	<5	<5	<10	78	1822	<2	33	<10	3	413
29319	198214	<1	5.94	31	510	<2	<1	0.45	<4	6	54	10	0.71	0.84	12	0.65	206	15	80	237	21	0.93	<5	11	<10	93	1768	<2	31	<10	2	391
29320	198215	<1	5.88	48	544	<2	6	0.79	<4	8	48	13	1.46	1.20	14	0.77	263	8	70	233	19	1.34	<5	<5	<10	191	1809	<2	36	<10	3	110
29321	198216	<1	5.37	43	503	<2	4	0.65	<4	7	41	10	1.31	1.22	9	0.58	184	7	62	249	9	1.33	<5	6	<10	177	1672	<2	30	<10	2	83
29322	198217	<1	5.64	43	471	<2	8	0.61	<4	6	49	9	1.31	1.13	8	0.51	159	9	84	260	28	1.36	<5	<5	<10	191	1670	<2	30	<10	2	98
29323	198218	<1	5.48	37	498	<2	<1	0.76	<4	6	58	11	1.02	1.17	12	0.60	203	14	93	361	86	1.22	<5	<5	<10	217	1677	<2	31	13	2	1069
29324	198219	<1	5.35	39	439	<2	10	0.55	<4	5	37	6	0.94	0.90	5	0.46	152	7	57	318	20	1.44	<5	<5	<10	207	1602	<2	29	<10	2	98
29325	198220	<1	3.87	23	378	<2	12	2.36	<4	15	62	46	3.70	0.39	6	1.19	735	4	35	615	<1	1.39	<5	<5	<10	298	3094	<2	113	<10	13	51
29326	198221	<1	5.80	36	541	<2	2	0.80	<4	6	37	8	0.78	1.10	14	0.53	189	6	53	378	16	1.64	5	18	<10	243	1715	<2	31	<10	2	73
29327D	198221	<1	5.71	28	539	<2	<1	0.76	<4	6	38	8	0.79	0.73	7	0.54	192	7	53	378	13	1.55	<5	<5	<10	245	1725	<2	31	<10	2	70
29328	198222	<1	3.81	23	531	<2	<1	0.67	<4	7	29	21	0.71	0.26	<1	0.60	257	6	36	334	12	1.21	<5	11	<10	233	1506	<2	28	<10	2	35
29329	198223	<1	6.48	41	690	<2	<1	1.32	<4	10	41	10	1.06	0.05	28	0.84	359	7	57	363	25	1.65	<5	6	<10	300	1809	<2	34	<10	2	30
29330	198224	<1	6.19	34	602	<2	10	0.82	<4	7	43	15	0.90	1.29	17	0.39	159	7	66	453	42	0.32	<5	<5	<10	258	1787	<2	32	<10	2	110
29331	198225	<1	6.11	35	455	<2	9	1.04	<4	8	29	5	0.86	1.08	14	0.51	189	4	37	421	2	0.55	<5	6	<10	275	1645	2	30	<10	2	11

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29332	198226	<1	5.49	31	424	<2	20	0.97	<4	6	39	6	0.89	1.08	12	0.48	185	6	55	398	5	0.82	<5	<5	<10	257	1572	5	29	<10	2	11
29333	198227	<1	6.01	25	486	<2	3	0.85	<4	7	24	9	0.71	1.24	15	0.54	184	3	32	412	<1	1.06	<5	5	<10	273	1758	<2	31	<10	2	22
29334	198228	<1	4.52	22	338	<2	<1	1.04	<4	7	32	12	1.01	0.87	5	0.62	279	5	46	402	9	0.82	<5	10	<10	265	1574	<2	28	<10	2	87
29335	198229	<1	4.05	25	423	<2	3	1.19	<4	5	53	8	1.53	1.41	5	0.65	450	8	63	398	8	1.24	6	11	<10	156	1743	<2	32	<10	2	49
29336	198230	67	2.59	52	373	<2	10	1.04	20	13	33	52	3.24	0.32	2	0.76	497	4	23	556	592	1.26	55	9	219	250	2197	<2	92	57	11	1791
29337	198231	<1	4.82	22	481	<2	8	1.71	<4	8	35	7	1.93	1.54	10	0.89	630	6	51	467	114	1.44	<5	8	<10	188	2035	<2	37	<10	3	281
29338D	198231	<1	5.18	28	500	2	8	1.80	<4	8	39	8	1.96	1.10	11	0.90	641	6	54	465	114	1.37	<5	<5	<10	194	2060	<2	37	<10	3	280
29339	198232	<1	5.51	25	522	<2	9	2.03	<4	10	28	8	1.85	0.90	16	0.89	590	4	34	502	4	1.45	<5	<5	<10	184	2233	8	39	<10	3	49
29340	198233	<1	5.57	32	481	<2	8	1.75	<4	10	45	8	1.89	0.97	15	0.85	561	8	71	527	4	1.52	<5	9	<10	165	2308	<2	41	<10	3	43
29341	198234	<1	3.94	53	465	<2	<1	1.18	4	8	45	36	1.83	0.95	12	0.56	354	38	47	467	38	2.03	<5	<5	<10	124	1914	<2	34	11	2	873
29342	198235	<1	5.10	36	370	<2	6	0.62	<4	7	46	13	1.06	1.14	9	0.68	432	9	61	640	5	1.12	8	8	<10	97	2102	<2	36	<10	3	52
29343	198236	<1	5.92	33	520	<2	10	1.28	<4	10	29	13	0.92	1.02	12	0.83	422	6	41	683	7	1.05	<5	<5	<10	142	2241	<2	37	<10	3	38
29344	198237	<1	5.47	24	533	2	2	1.79	<4	7	58	21	1.07	1.40	8	0.85	432	10	84	651	29	1.06	<5	<5	<10	150	1953	<2	33	26	4	44
29345	198238	<1	5.70	27	568	2	11	1.46	<4	7	30	19	1.05	1.23	17	0.93	575	4	30	539	51	1.24	<5	<5	<10	130	2005	<2	30	<10	3	124
29346	198239	<1	5.22	24	588	2	6	1.23	<4	6	57	54	1.10	1.32	9	0.80	441	10	78	464	84	1.13	<5	<5	<10	130	1877	<2	31	<10	2	125
29347	198240	<1	3.77	24	368	<2	18	2.38	<4	16	61	49	3.84	0.31	4	1.24	760	5	37	634	<1	0.76	<5	<5	<10	303	3136	<2	116	<10	13	109
29348	198241	<1	6.12	33	535	<2	<1	1.26	<4	6	46	13	1.25	1.30	9	0.77	478	8	71	513	39	1.05	<5	10	<10	140	2065	<2	34	<10	3	148
29349R	198241	<1	5.95	28	515	<2	<1	1.26	<4	5	49	13	1.26	1.42	9	0.76	486	10	77	505	33	1.21	<5	<5	<10	140	2027	<2	34	<10	3	134
29350	198242	<1	5.96	29	474	2	6	1.88	<4	6	24	26	1.54	0.84	6	0.91	803	2	23	556	86	1.40	<5	15	<10	166	2020	<2	33	<10	3	118
29351	198243	<1	5.28	31	386	<2	1	1.72	<4	7	33	51	1.98	0.77	6	0.94	808	6	47	523	497	1.43	<5	<5	<10	168	1936	<2	33	<10	3	87

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29352	198244	<1	5.40	26	360	<2	13	1.47	4	6	34	112	1.64	0.63	9	0.85	717	6	47	505	273	1.35	<5	9	<10	172	1866	<2	32	18	3	1394
29353	198245	<1	4.66	21	294	<2	<1	0.73	<4	5	40	37	1.39	0.42	17	0.56	482	6	47	496	54	1.48	<5	<5	<10	137	1645	<2	28	<10	3	206
29354	198246	<1	4.63	31	299	<2	4	0.80	<4	5	31	42	1.48	0.60	14	0.58	533	5	35	470	52	1.44	<5	<5	<10	143	1673	<2	29	<10	3	134
29355	198247	<1	5.10	57	437	<2	<1	0.63	<4	8	33	27	1.68	0.30	18	0.56	422	5	43	488	194	1.94	<5	<5	<10	140	1909	<2	34	<10	3	203
29356	198248	<1	5.10	43	371	<2	11	1.32	<4	8	31	23	1.67	0.59	14	0.80	782	3	30	511	26	1.76	<5	<5	<10	173	1877	<2	35	<10	3	54
29357	198249	<1	5.26	44	278	<2	<1	1.13	<4	7	33	22	1.67	0.25	11	0.84	880	3	27	494	27	1.83	<5	<5	<10	174	1682	<2	34	<10	3	63
29358	198250	<1	4.74	70	271	<2	<1	0.99	5	12	38	2242	4.85	0.04	15	0.73	1069	17	21	723	58	3.48	<5	<5	<10	202	1191	<2	59	11	6	541
29359	198251	<1	5.95	32	324	<2	3	0.82	<4	6	28	17	1.64	1.05	10	0.78	952	4	31	502	12	0.99	<5	<5	<10	179	1943	<2	39	<10	3	59
29360D	198251	<1	5.75	27	309	<2	<1	0.78	<4	6	29	15	1.59	0.91	11	0.76	926	3	31	482	10	0.89	<5	<5	<10	175	1871	2	38	<10	3	59
29361	198252	<1	5.75	29	384	<2	<1	1.11	<4	4	23	24	1.02	0.74	6	0.65	477	2	24	519	15	1.19	5	<5	<10	153	1674	<2	30	<10	3	27
29362	198253	<1	5.21	34	280	<2	<1	0.87	<4	5	19	12	0.94	0.88	<1	0.60	533	2	22	463	44	1.30	5	8	<10	157	1426	<2	29	<10	2	40
29363	198254	<1	4.91	48	369	<2	<1	0.22	<4	5	32	15	1.24	0.85	<1	0.42	232	5	37	412	263	1.55	<5	6	<10	122	1479	<2	29	<10	3	130
29364	198255	<1	3.73	92	303	<2	<1	<0.01	8	4	31	66	1.52	1.19	3	0.20	<100	4	36	402	359	1.86	7	<5	<10	85	1306	<2	26	24	2	1872
29365	198256	<1	5.25	69	449	<2	<1	0.24	<4	4	31	64	1.50	0.53	5	0.42	287	3	32	587	437	1.99	19	<5	<10	99	1755	<2	33	14	3	959
29366	198257	<1	4.94	51	602	<2	3	0.71	4	8	38	85	1.67	0.89	11	0.59	461	4	34	512	566	1.96	9	<5	<10	133	1790	<2	35	17	3	1422
29367	198258	12	2.77	141	696	<2	<1	0.06	21	8	77	699	3.32	0.51	25	0.22	115	15	80	284	3920	2.89	92	<5	<10	83	1057	<2	21	85	<2	10332
29368	198259	<1	3.27	69	438	<2	<1	<0.01	10	8	85	112	1.65	0.64	10	0.26	168	15	89	375	749	1.74	8	<5	<10	83	1449	<2	30	43	2	3532
29369	198260	<1	3.45	24	351	<2	3	2.24	<4	16	58	45	3.68	0.26	13	1.19	730	5	35	612	<1	1.36	<5	<5	<10	291	3060	<2	112	<10	12	52
29370	198261	<1	4.80	34	435	<2	10	0.44	<4	7	71	26	1.64	1.23	14	0.52	577	13	75	433	53	1.77	<5	<5	<10	141	1816	<2	33	<10	2	94
29371D	198261	<1	4.99	37	422	<2	<1	0.41	<4	6	58	24	1.51	0.50	3	0.54	571	8	56	435	45	1.29	<5	<5	<10	139	1790	<2	32	<10	3	87

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29372	198262	<1	4.58	34	307	<2	1	0.46	<4	7	65	70	1.61	0.62	3	0.46	637	11	66	408	78	1.07	<5	<5	<10	137	1728	<2	34	<10	3	187
29373	198263	<1	5.25	27	394	<2	4	0.82	<4	8	64	17	1.98	0.92	6	0.52	698	11	75	528	9	0.95	<5	<5	<10	173	2083	<2	39	<10	3	50
29374	198264	<1	4.19	30	343	<2	<1	0.60	<4	8	65	24	1.61	1.00	1	0.48	734	11	68	435	25	1.25	<5	<5	<10	167	1716	<2	35	<10	3	67
29375	198265	<1	4.86	37	298	<2	<1	0.79	<4	11	54	19	1.80	0.75	16	0.58	888	9	60	426	23	1.53	<5	<5	<10	162	1791	<2	34	<10	3	135
29376	198266	<1	4.30	38	318	<2	<1	0.71	<4	9	43	17	1.60	0.87	13	0.56	879	6	48	417	30	1.45	<5	<5	<10	157	1830	<2	34	<10	2	109
29377	198267	11	4.95	30	284	<2	<1	0.68	<4	9	49	34	1.70	0.67	18	0.47	556	8	55	420	129	1.55	<5	<5	<10	138	1857	<2	33	<10	3	502
29378	198268	<1	4.28	31	239	2	16	1.27	<4	6	50	25	1.86	0.64	15	0.65	865	9	52	440	12	1.53	<5	<5	<10	148	1808	<2	36	<10	3	72
29379	198269	<1	5.22	29	307	<2	5	1.00	<4	5	65	7	1.78	0.43	46	0.60	517	13	74	476	5	1.66	<5	<5	<10	144	1863	<2	36	<10	3	39
29380	198270	<1	3.77	31	345	<2	8	1.98	<4	16	55	30	3.59	0.24	20	1.26	699	3	30	615	<1	1.26	<5	<5	<10	285	3212	<2	118	23	13	56
29381	198271	<1	4.73	35	156	<2	15	0.47	<4	5	49	11	1.56	<0.01	13	0.76	490	8	47	424	<1	1.71	<5	12	<10	133	1700	<2	34	<10	6	47
29382D	198271	<1	4.65	30	158	<2	<1	0.46	<4	6	49	11	1.57	0.16	16	0.75	492	7	47	429	<1	1.60	<5	<5	<10	132	1707	<2	34	<10	6	46
29383	198272	<1	5.46	43	195	<2	8	0.42	<4	6	58	12	1.63	1.03	3	0.71	379	12	71	448	<1	1.21	<5	<5	<10	120	1744	<2	36	<10	6	32
29384	198273	<1	5.20	32	127	2	6	0.09	<4	7	63	12	1.43	0.81	5	0.79	447	12	76	407	8	1.29	<5	9	<10	104	1959	<2	38	<10	6	25
29385	198274	<1	5.41	30	45	<2	10	0.73	<4	9	79	19	1.86	0.89	5	1.03	782	15	96	431	5	1.31	5	9	<10	127	1863	<2	42	<10	7	62
29386	198275	<1	4.85	26	<1	<2	11	0.43	<4	8	48	11	1.20	0.93	8	0.92	645	11	64	378	<1	1.22	<5	<5	<10	112	1572	2	29	<10	5	42
29387	198276	4	5.37	29	35	2	17	0.32	<4	9	67	24	1.36	0.69	11	1.31	660	14	85	386	<1	1.41	<5	9	<10	125	1581	<2	32	<10	6	52
29388	198277	6	5.98	31	73	2	14	0.08	<4	7	57	25	1.39	0.54	6	1.40	537	12	74	428	192	1.55	10	<5	<10	112	1787	4	38	<10	6	466
29389	198278	<1	6.18	36	103	<2	1	0.28	<4	7	62	29	1.52	0.53	24	1.03	535	13	74	408	163	1.73	11	<5	<10	90	1848	6	34	<10	6	485
29390	198279	3	6.01	47	104	<2	5	0.22	<4	9	56	32	1.66	0.14	14	0.98	483	11	67	451	90	1.78	5	<5	<10	90	2008	<2	37	<10	7	192
29391	198280	<1	3.50	17	157	<2	18	1.55	<4	14	52	43	3.60	0.22	12	1.30	720	2	37	576	<1	1.38	<5	<5	<10	265	2909	<2	109	<10	15	49

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29392	198281	<1	6.06	28	121	<2	14	0.86	<4	12	83	24	2.20	0.39	45	1.18	596	13	90	505	10	1.70	<5	<5	<10	134	2242	<2	48	<10	7	88
29393D	198281	<1	6.16	34	115	<2	<1	0.83	<4	11	81	23	2.12	<0.01	13	1.18	587	12	83	503	13	1.61	<5	<5	<10	131	2221	<2	47	<10	8	91
29394	198282	<1	5.64	26	89	<2	<1	0.86	<4	8	70	11	1.46	<0.01	10	1.10	499	16	89	436	3	1.46	<5	<5	<10	137	1870	6	33	<10	6	29
29395	198283	1	5.53	42	78	<2	7	0.17	<4	7	47	54	1.68	0.74	6	0.79	441	10	67	390	313	1.36	<5	<5	<10	102	1745	2	30	<10	5	551
29396	198284	<1	5.31	37	52	<2	3	0.46	<4	4	53	29	1.35	0.58	7	0.88	526	10	69	364	47	1.33	<5	7	<10	110	1609	<2	28	<10	5	148
29397	198285	3	5.45	51	68	2	6	<0.01	<4	5	46	21	1.63	0.94	4	0.74	450	10	60	351	180	1.63	<5	10	<10	98	1611	<2	28	<10	5	568
29398	198286	3	5.66	52	74	<2	8	<0.01	<4	6	52	22	1.79	0.59	4	0.77	459	11	64	366	219	1.76	<5	5	<10	100	1652	<2	28	12	5	781
29399	198287	<1	5.83	26	82	<2	1	0.88	<4	5	47	12	1.48	0.76	10	1.09	563	9	63	383	5	1.42	<5	<5	<10	122	1736	<2	29	<10	5	37
29400	198288	<1	5.32	32	53	<2	9	0.75	<4	5	47	10	1.39	0.66	11	1.13	679	8	55	358	<1	1.52	<5	<5	<10	99	1669	4	28	<10	5	37
29401	198289	<1	5.81	21	89	<2	<1	0.97	<4	5	31	5	1.45	0.25	9	0.98	475	5	39	379	<1	1.45	<5	<5	<10	113	1726	<2	29	<10	6	31
29402	198290	71	3.45	54	229	<2	6	0.58	20	15	31	53	3.33	0.27	6	0.93	519	5	24	553	585	1.67	62	<5	222	242	2202	<2	94	58	14	1807
29403	198291	<1	5.73	25	159	<2	1	1.22	<4	5	26	5	1.57	0.41	15	0.61	337	4	32	414	<1	1.38	<5	<5	<10	143	1773	<2	32	<10	5	38
29404D	198291	<1	5.49	23	158	<2	8	1.13	<4	6	24	5	1.55	0.26	33	0.62	341	4	32	393	<1	1.31	<5	<5	<10	138	1768	<2	32	<10	4	33
29405	198292	<1	6.37	23	181	2	<1	1.19	<4	7	36	2	1.43	0.39	60	0.86	326	6	66	410	<1	1.52	<5	11	<10	152	1839	<2	32	<10	5	23
29406	198293	<1	6.06	18	155	<2	<1	1.43	<4	5	36	6	1.27	0.27	44	1.05	440	6	58	396	<1	1.36	<5	<5	<10	151	1748	<2	30	<10	6	29
29407	198294	<1	5.99	22	115	<2	12	1.61	<4	5	27	4	1.01	0.37	9	0.85	320	4	43	397	<1	1.41	<5	9	<10	150	1591	<2	29	<10	5	15
29408	198295	<1	5.71	16	71	<2	11	1.11	<4	5	24	6	1.43	0.53	9	1.14	646	3	28	396	<1	1.53	<5	7	<10	105	1767	<2	29	<10	5	30
29409	198296	<1	5.71	21	57	2	7	1.20	<4	5	19	3	1.62	0.51	12	1.23	643	2	31	374	<1	1.49	7	<5	<10	85	1806	<2	30	<10	5	36
29410	198297	<1	6.31	23	157	<2	7	1.32	<4	5	24	4	1.52	0.43	9	1.19	376	3	37	393	<1	1.48	<5	15	<10	86	1823	<2	31	<10	6	35
29411	198298	<1	6.05	44	114	2	<1	1.38	<4	14	101	34	2.83	0.39	14	1.29	531	6	80	539	9	1.60	<5	<5	<10	95	2453	<2	65	<10	11	91

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29412	198299	<1	6.14	28	121	<2	12	0.90	<4	8	34	14	1.67	0.78	6	1.02	349	7	65	583	<1	1.25	<5	<5	<10	94	2217	4	40	<10	7	64
29413	198300	<1	4.21	24	206	2	12	1.87	<4	16	57	49	4.01	0.74	6	1.44	798	4	37	638	<1	1.20	<5	<5	<10	293	3186	<2	120	<10	17	91
29414	198301	<1	5.88	31	123	<2	4	0.99	<4	7	14	19	1.63	1.24	5	1.10	441	3	35	563	<1	1.32	<5	<5	<10	89	2102	<2	37	<10	6	61
29415R	198301	<1	6.26	36	150	2	9	1.00	<4	6	18	20	1.70	1.04	4	1.13	443	2	32	597	<1	1.29	<5	<5	<10	90	2197	<2	40	<10	7	64
29416	198302	<1	5.90	47	139	2	9	1.14	<4	7	15	52	1.81	0.92	8	1.20	512	4	31	568	<1	1.38	<5	<5	<10	98	2050	<2	37	<10	7	42
29417	198303	<1	5.98	62	220	<2	17	0.77	<4	8	17	36	2.06	0.81	2	1.09	535	2	29	575	<1	1.82	<5	6	<10	125	2102	<2	38	<10	7	42
29418	198304	<1	6.69	57	283	<2	8	0.35	<4	8	17	19	2.06	0.40	36	0.93	369	3	29	629	<1	2.07	<5	<5	<10	132	2380	<2	43	<10	7	31
29419	198305	<1	7.27	58	283	<2	5	0.53	<4	7	14	6	1.64	0.47	5	0.95	440	2	23	656	<1	2.01	<5	<5	<10	122	2544	<2	43	<10	7	42
29420	198306	<1	6.89	58	272	<2	18	0.51	<4	8	13	6	1.59	0.42	2	0.93	440	<1	19	650	<1	1.95	<5	<5	<10	117	2489	<2	43	<10	7	43
29421	198307	<1	6.02	67	181	2	5	1.16	<4	7	31	142	2.20	0.28	8	1.43	787	2	34	565	4	2.30	<5	<5	<10	116	2056	<2	45	<10	8	56
29422	198308	<1	5.50	116	233	2	10	<0.01	<4	17	105	76	3.23	0.12	4	0.73	296	5	64	482	77	3.07	<5	<5	<10	67	2335	<2	73	<10	12	453
29423	198309	5	5.31	131	270	<2	<1	0.15	14	11	57	409	3.73	0.02	3	0.85	437	3	40	473	1394	3.32	35	<5	<10	77	1979	<2	50	51	9	4262
29424	198310	<1	5.03	57	55	<2	10	0.28	5	13	26	2315	5.04	0.99	7	0.93	1106	16	22	689	60	2.33	<5	<5	<10	182	1159	3	61	<10	10	579
29425	198311	<1	6.23	58	200	<2	13	2.47	<4	19	99	58	4.12	0.79	8	2.05	1292	4	67	583	52	1.88	<5	<5	<10	136	2594	<2	73	<10	13	250
29426D	198311	<1	5.71	46	193	<2	<1	2.42	<4	18	98	56	4.06	1.04	5	1.99	1274	2	65	580	59	2.17	<5	<5	<10	135	2563	<2	73	<10	12	242
29427	198312	<1	3.78	28	<1	2	8	1.10	<4	13	136	43	2.65	0.98	3	1.28	584	9	102	305	14	1.53	<5	5	<10	111	1717	<2	58	<10	11	102
29428	198313	<1	5.63	27	291	2	2	0.95	<4	11	96	27	2.35	0.92	7	1.40	571	9	93	421	16	1.36	<5	<5	<10	115	1857	<2	54	<10	11	84
29429	198314	<1	6.30	44	136	2	<1	0.88	<4	23	140	58	3.66	0.62	12	1.48	646	3	79	541	24	1.89	<5	<5	<10	114	2871	<2	92	11	15	181
29430	198315	<1	4.89	38	88	<2	2	1.42	<4	8	14	10	1.68	1.33	33	1.69	671	1	24	470	3	1.52	<5	<5	<10	89	1935	2	36	<10	6	48
29431	198316	<1	4.11	33	8	<2	15	2.08	<4	9	13	59	3.06	1.36	15	3.45	1412	2	29	418	11	1.74	<5	<5	<10	92	1803	<2	33	10	7	328

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29432	198317	<1	4.57	18	96	2	5	2.96	<4	6	50	105	2.08	1.01	3	2.30	924	5	36	450	117	1.51	<5	8	<10	200	1798	5	30	<10	8	161
29433	198318	6	3.38	66	60	2	<1	5.11	7	4	34	248	3.45	0.50	8	3.94	2117	7	35	445	1483	2.65	<5	<5	<10	93	942	<2	25	27	9	1974
29434	198319	<1	4.48	38	199	<2	3	<0.01	5	7	71	103	1.67	0.50	2	1.02	295	13	95	378	526	1.74	5	<5	<10	58	1228	<2	32	23	8	1433
29435	198320	<1	3.84	22	188	<2	11	1.73	<4	14	54	46	3.84	0.47	<1	1.37	768	3	38	610	<1	1.45	<5	<5	<10	281	3109	<2	115	<10	16	54
29436	198321	<1	5.47	32	228	2	13	<0.01	<4	10	72	26	2.39	0.56	17	1.80	454	6	52	494	185	1.48	<5	<5	<10	56	1750	<2	50	11	9	432
29437D	198321	<1	5.10	23	224	2	8	<0.01	<4	11	71	26	2.37	0.90	<1	1.77	453	6	53	476	190	1.59	<5	6	<10	55	1721	<2	50	<10	9	433
29438	198322	<1	5.52	27	278	<2	<1	1.05	<4	12	73	36	2.25	0.76	10	1.66	634	7	78	499	19	1.57	<5	<5	<10	103	2171	<2	52	<10	8	68
29439	198323	<1	5.41	44	226	<2	18	0.69	<4	9	30	322	2.43	0.92	12	1.24	483	3	45	443	136	1.91	<5	10	<10	88	2017	<2	38	16	6	857
29440	198324	<1	5.95	37	268	2	15	1.20	<4	8	21	11	1.92	0.57	7	1.70	640	1	33	499	36	1.67	<5	6	<10	113	2126	<2	37	<10	7	103
29441	198325	<1	6.18	40	292	<2	11	1.24	<4	9	20	3	1.87	0.58	48	1.82	720	2	28	516	<1	1.72	<5	<5	<10	126	2209	<2	38	<10	7	56
29442	198326	<1	5.84	40	268	2	5	1.18	<4	9	16	3	1.81	0.44	13	1.75	697	<1	23	479	<1	1.67	<5	7	<10	124	2156	3	37	<10	6	60
29443	198327	<1	5.70	36	270	<2	<1	0.91	<4	8	18	4	1.83	0.88	14	1.65	593	2	25	479	8	1.83	<5	8	<10	108	2143	<2	37	<10	6	192
29444	198328	<1	5.72	34	295	<2	<1	1.47	<4	8	21	6	1.76	0.59	20	1.62	566	1	25	478	14	1.81	5	15	<10	141	2016	<2	36	<10	6	100
29445	198329	<1	5.57	36	249	<2	19	1.23	<4	8	18	14	1.73	0.59	41	1.46	639	2	27	473	2	1.99	<5	<5	<10	103	2037	<2	37	<10	6	52
29446	198330	<1	4.72	24	205	<2	16	1.61	<4	19	53	32	3.90	0.35	7	1.51	758	2	33	637	<1	1.33	<5	<5	<10	289	3328	<2	127	26	17	58
29447	198331	<1	5.15	49	169	2	15	1.16	<4	8	19	39	1.78	0.44	13	1.40	662	2	26	446	8	1.96	<5	11	<10	93	1874	<2	36	<10	6	93
29448D	198331	<1	5.59	48	191	<2	10	1.26	<4	8	23	42	1.85	0.92	16	1.46	690	2	26	472	11	1.89	<5	<5	<10	96	1960	<2	37	<10	7	98
29449	198332	<1	5.99	65	182	<2	13	0.52	<4	9	21	22	1.98	0.94	20	1.02	460	2	31	502	<1	1.95	<5	12	<10	61	2129	3	39	12	6	420
29450	198333	<1	5.50	39	209	<2	10	1.49	<4	9	23	16	1.70	1.01	13	1.58	665	<1	26	487	103	1.49	<5	<5	<10	96	2082	3	37	<10	6	73
29451	198334	<1	5.70	42	294	2	6	1.19	<4	9	24	8	1.86	0.72	16	1.46	570	2	29	490	61	1.82	<5	<5	<10	98	2176	<2	39	<10	6	91

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/21/2014 4:16 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/25/2014
Date Completed: 03/11/2014
Job #: 201440339
Reference: TL14-345
Sample #: 283

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29452	198335	<1	4.31	38	327	<2	<1	1.17	<4	8	19	2	1.83	0.96	15	1.49	485	1	24	462	3	1.66	<5	<5	<10	102	2162	<2	40	<10	5	43
29453	198336	<1	5.66	42	305	2	16	1.45	<4	9	23	7	1.76	0.88	11	1.43	457	3	30	500	<1	1.52	<5	<5	<10	114	2069	<2	37	<10	7	44
29454	198337	<1	5.71	44	180	<2	<1	1.50	<4	9	23	14	1.75	0.65	14	1.69	600	2	29	497	<1	1.56	<5	10	<10	115	2080	<2	40	<10	7	143
29455	198338	<1	6.15	40	334	2	8	1.45	<4	8	28	5	1.67	0.46	8	1.37	770	2	25	525	18	1.83	<5	5	<10	89	2013	<2	40	<10	7	127
29456	198339	<1	5.31	56	293	2	8	0.43	<4	9	19	21	1.53	0.72	14	0.90	508	<1	25	470	50	1.88	<5	<5	<10	74	1984	<2	38	<10	6	585
29457	198340	<1	4.18	22	190	<2	12	1.75	<4	15	61	46	3.83	<0.01	7	1.39	765	4	38	611	<1	1.53	<5	<5	<10	281	3056	<2	115	<10	16	55
29458	198341	<1	5.76	56	244	2	16	0.94	<4	8	24	24	1.72	0.54	45	1.18	597	3	31	500	43	1.90	5	<5	<10	82	2083	10	38	<10	6	254
29459D	198341	<1	5.65	58	238	<2	<1	0.91	<4	9	20	24	1.69	0.24	12	1.16	589	<1	26	483	43	2.02	5	<5	<10	81	2031	<2	37	10	6	243
29460	198342	<1	5.82	67	230	2	2	0.85	10	10	21	27	2.00	1.28	14	1.12	640	3	28	484	323	1.78	<5	11	<10	85	1980	<2	37	33	7	2582
29461	198343	<1	5.29	41	230	2	8	1.63	<4	7	18	8	1.54	1.13	14	1.40	740	<1	28	491	24	1.54	<5	<5	<10	88	1998	<2	38	<10	6	73
29462	198344	<1	5.12	19	646	<2	14	1.39	<4	8	19	4	1.86	0.64	18	0.88	276	<1	25	466	<1	1.38	<5	5	<10	534	2134	<2	39	<10	5	50

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 20, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/17/2014
Date Completed: 03/20/2014
Job #: 201440439
Reference: 201440339
Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
37477	198258	5785	6044	19749	6167	1.82%	18.69
37478	198259	6904	7060	156552	11326	2.90%	29.32

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14346A

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
42615	198862	0.026	
42616	198863	0.126	
42617	198864	0.035	
42618	198865	0.047	
42619	198866	0.035	
42620	198867	0.014	
42621	198868	0.006	
42622	198869	<0.005	
42623	198870	1.497	
42624	198871	<0.005	
42625	198871 Dup	<0.005	
42626	198872	<0.005	
42627	198873	0.010	
42628	198874	0.006	
42629	198875	<0.005	
42630	198876	<0.005	
42631	198877	0.110	
42632	198878	0.129	
42633	198879	0.028	
42634	198880	<0.005	
42635	198881	0.027	
42636	198881 Dup	0.040	
42637	198882	<0.005	
42638	198883	0.804	
42639	198884	0.125	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
42640	198885	0.363	
42641	198886	0.049	
42642	198887	0.038	
42643	198888	0.023	
42644	198889	0.055	
42645	198890	0.361	
42646	198891	0.118	
42647	198891 Dup	0.138	
42648	198892	0.075	
42649	198893	0.904	
42650	198894	0.493	
42651	198895	0.027	
42652	198896	0.041	
42653	198897	0.124	
42654	198898	<0.005	
42655	198899	<0.005	
42656	198900	<0.005	
42657	198901	<0.005	
42658	198901 Dup	<0.005	
42659	198902	<0.005	
42660	198903	<0.005	
42661	198904	0.019	
42662	198905	0.196	
42663	198906	0.112	
42664	198907	0.021	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
42665	198908	0.029	
42666	198909	0.006	
42667	198910	5.069	
42668	198911	0.036	
42669	198911 Dup	0.025	
42670	198912	0.039	
42671	198913	0.030	
42672	198914	0.028	
42673	198915	0.068	
42674	198916	0.150	
42675	198917	0.197	
42676	198918	0.155	
42677	198919	0.196	
42678	198920	<0.005	
42679	198921	0.061	
42680	198921 Rep	0.068	
42681	198922	0.059	
42682	198923	0.161	
42683	198924	0.014	
42684	198925	0.009	
42685	198926	0.012	
42686	198927	0.009	
42687	198928	0.021	
42688	198929	0.141	
42689	198930	1.618	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
42690	198931	0.040	
42691	198931 Dup	0.040	
42692	198932	0.048	
42693	198933	0.035	
42694	198934	0.008	
42695	198935	0.019	
42696	198936	0.015	
42697	198937	0.116	
42698	198938	0.021	
42699	198939	0.068	
42700	198940	<0.005	
42701	198941	0.714	
42702	198941 Dup	0.723	
42703	198942	0.216	
42704	198943	0.307	
42705	198944	0.049	
42706	198945	0.036	
42707	198946	0.038	
42708	198947	0.313	
42709	198948	0.037	
42710	198949	0.092	
42711	198950	0.363	
42712	198951	0.014	
42713	198951 Dup	0.020	
42714	198952	0.025	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
42715	198953	0.223	
42716	198954	2.665	
42717	198955	0.707	
42718	198956	0.062	
42719	198957	0.043	
42720	198958	0.017	
42721	198959	0.151	
42722	198960	0.009	
42723	198961	0.073	
42724	198961 Dup	0.056	
42725	198962	0.317	
42726	198963	0.084	
42727	198964	0.043	
42728	198965	0.010	
42729	198966	0.012	
42730	198967	0.021	
42731	198968	0.016	
42732	198969	0.114	
42733	198970	5.042	
42734	198971	0.303	
42735	198971 Dup	0.325	
42736	198972	0.095	
42737	198973	0.020	
42738	198974	0.231	
42739	198975	0.040	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
42740	198976	0.228	
42741	198977	1.596	
42742	198978	0.042	
42743	198979	0.035	
42744	198980	<0.005	
42745	198981	0.036	
42746	198981 Rep	0.030	
42747	198982	0.155	
42748	198983	0.085	
42749	198984	0.006	
42750	198985	0.022	
42751	198986	0.022	
42752	198987	0.010	
42753	198988	0.020	
42754	198989	0.027	
42755	198990	1.552	
42756	198991	0.553	
42757	198991 Dup	0.551	
42758	198992	0.144	
42759	198993	0.504	
42760	198994	0.038	
42761	198995	0.090	
42762	198996	0.024	
42763	198997	0.007	
42764	198998	0.032	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
42765	198999	0.015	
42766	199000	<0.005	
42767	199001	0.053	
42768	199001 Dup	0.052	
42769	199002	0.016	
42770	199003	0.090	
42771	199004	0.074	
42772	199005	0.026	
42773	199006	0.037	
42774	199007	0.027	
42775	199008	0.024	
42776	199009	0.037	
42777	199010	0.341	
42778	199011	0.006	
42779	199011 Dup	0.010	
42780	199012	0.007	
42781	199013	0.010	
42782	199014	0.052	
42783	199015	0.029	
42784	199016	0.130	
42785	199017	0.044	
42786	199018	0.036	
42787	199019	0.313	
42788	199020	<0.005	
42789	199021	0.124	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
42790	199021 Dup	0.170	
42791	199022	0.110	
42792	199023	0.219	
42793	199024	0.273	
42794	199025	>6.000	15.875
42795	199026	0.212	
42796	199027	0.206	
42797	199028	0.035	
42798	199029	0.080	
42799	199030	4.871	
42800	199031	0.116	
42801	199031 Dup	0.123	
42802	199032	0.539	
42803	199033	0.052	
42804	199034	0.057	
42805	199035	1.531	
42806	199036	0.331	
42807	199037	0.490	
42808	199038	0.483	
42809	199039	0.279	
42810	199040	0.020	
42811	199041	1.275	
42812	199041 Rep	1.175	
42813	199042	0.299	
42814	199043	0.030	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
42815	199044	0.017	
42816	199045	0.143	
42817	199046	0.111	
42818	199047	0.237	
42819	199048	0.094	
42820	199049	0.293	
42821	199050	1.492	
42822	199051	0.162	
42823	199051 Dup	0.138	
42824	199052	0.508	
42825	199053	0.317	
42826	199054	>6.000	42.048
42827	199055	0.310	
42828	199056	1.182	
42829	199057	0.498	
42830	199058	0.068	
42831	199059	0.100	
42832	199060	0.008	
42833	199061	1.366	
42834	199061 Dup	1.360	
42835	199062	0.064	
42836	199063	0.041	
42837	199064	0.053	
42838	199065	0.038	
42839	199066	0.066	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
42840	199067	0.027	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.730	0.791	0.051
GS25	0.756	0.791	0.051
GS25	0.779	0.791	0.051
GS25	0.766	0.791	0.051
GS25	0.766	0.791	0.051
GS25	0.754	0.791	0.051
GS25	0.751	0.791	0.051
O61E	4.348	4.430	0.150
GS25	0.766	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 16, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/08/2014
Date Completed: 04/16/2014
Job #: 201440643
Reference: TL14-346A
Sample #: 19

Acc #	Client ID	Au g/t (ppm)
49713	199031	0.114
49714	199032	0.663
49715	199033	0.071
49716	199034	0.067
49717	199035	1.875
49718	199036	0.399
49719	199037	0.610
49720	199038	0.627
49721	199039	0.251
49722	199040	0.007
49723	199040	Insufficient Sample
49724	199041	1.228
49725	199042	0.450
49726	199043	0.021
49727	199044	0.015
49728	199045	0.079
49729	199046	0.123
49730	199047	0.294
49731	199048	0.104
49732	199049	0.306

APPLIED SCOPES: ALFA1, ALM1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 16, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/08/2014
Date Completed: 04/16/2014
Job #: 201440643
Reference: TL14-346A
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.783	0.791	0.051
GS25	0.766	0.791	0.051

APPLIED SCOPES: ALFA1, ALM1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42615	198862	<1	4.20	24	306	2	7	0.66	<4	2	27	8	0.92	0.31	30	0.76	623	<1	40	310	74	0.19	11	19	<10	136	1348	11	24	<10	2	113
42616	198863	2	4.57	17	302	2	7	0.24	4	3	37	29	1.01	0.05	26	0.63	443	2	55	321	563	0.28	18	18	<10	118	1352	<2	25	37	2	1127
42617	198864	<1	5.74	32	390	2	8	0.33	<4	5	35	17	1.22	0.01	100	0.60	443	4	51	371	335	0.42	16	18	<10	139	1529	<2	28	10	2	275
42618	198865	<1	4.93	26	356	<2	9	<0.01	<4	4	24	27	1.17	<0.01	21	0.37	181	1	44	344	413	0.46	14	<5	<10	98	1402	<2	27	13	2	553
42619	198866	<1	4.94	27	341	2	7	<0.01	<4	6	26	23	1.14	0.13	42	0.37	225	2	42	339	225	0.44	15	9	<10	103	1352	<2	27	14	2	458
42620	198867	<1	4.96	8	357	<2	5	<0.01	<4	5	43	17	0.72	<0.01	47	0.24	<100	1	30	320	117	0.50	16	23	<10	155	1165	<2	27	<10	2	171
42621	198868	<1	4.91	16	306	2	5	0.75	<4	5	37	19	0.52	<0.01	8	0.21	143	2	45	176	52	0.28	13	14	<10	227	1157	<2	36	<10	2	125
42622	198869	<1	5.19	11	239	2	6	1.03	<4	8	28	6	0.38	<0.01	34	0.19	170	<1	38	186	14	0.15	14	18	<10	250	1303	5	39	<10	2	38
42623	198870	<1	3.13	27	325	<2	2	1.53	<4	16	48	185	3.63	0.32	39	1.00	667	8	38	567	16	0.11	14	<5	<10	305	2626	33	106	<10	11	81
42624	198871	<1	4.54	16	312	<2	11	0.88	<4	9	37	8	0.59	<0.01	102	0.41	235	3	50	165	19	0.22	13	<5	<10	267	1526	<2	43	<10	2	59
42625D	198871	<1	5.01	12	300	<2	7	0.83	<4	8	36	6	0.54	<0.01	26	0.42	222	<1	49	163	19	0.22	7	33	<10	265	1472	<2	42	<10	2	63
42626	198872	<1	5.39	17	315	<2	11	0.81	<4	6	23	7	0.42	<0.01	36	0.15	106	1	29	200	42	0.27	16	11	<10	265	1376	36	37	<10	2	79
42627	198873	<1	5.35	16	357	2	10	0.84	<4	7	25	27	0.41	0.09	44	0.14	138	2	37	272	14	0.22	12	10	<10	264	1629	5	38	<10	2	98
42628	198874	<1	6.47	23	454	2	9	0.96	<4	8	49	25	0.60	0.29	51	0.16	156	8	73	354	23	0.28	16	23	<10	279	1869	5	46	<10	3	62
42629	198875	<1	3.28	5	203	<2	5	0.61	<4	5	23	9	0.36	<0.01	<1	0.12	130	<1	41	288	8	0.16	11	14	<10	220	1224	<2	30	<10	2	35
42630	198876	<1	2.70	14	137	<2	6	0.30	<4	4	22	7	0.37	<0.01	7	0.13	111	<1	32	178	14	0.19	13	9	<10	190	1148	<2	28	<10	2	44
42631	198877	<1	2.54	11	156	<2	8	0.35	<4	3	36	14	0.50	<0.01	<1	0.18	141	<1	50	148	39	0.20	12	7	<10	210	1135	2	27	<10	2	95
42632	198878	<1	2.21	12	105	<2	15	1.15	<4	6	29	149	1.32	<0.01	<1	0.52	492	<1	51	348	49	0.36	14	12	<10	252	1316	<2	31	<10	4	152
42633	198879	<1	1.59	3	85	2	7	0.35	<4	4	37	23	1.19	<0.01	<1	0.46	342	<1	42	351	27	0.23	16	5	<10	171	1248	<2	27	11	3	386
42634	198880	<1	1.65	13	131	2	2	1.28	<4	10	41	35	2.96	<0.01	<1	0.94	591	<1	29	490	10	0.07	21	<5	<10	250	2366	<2	96	<10	10	65

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42635	198881	<1	2.14	12	176	2	9	0.86	<4	7	26	11	1.47	<0.01	<1	0.70	547	<1	40	358	34	0.24	7	14	<10	175	1495	8	36	<10	4	64
42636D	198881	<1	2.97	18	263	2	10	1.24	<4	8	26	12	1.64	<0.01	35	0.78	623	<1	35	397	43	0.28	14	11	<10	204	1712	<2	39	<10	4	63
42637	198882	<1	2.51	11	439	2	8	0.04	<4	7	42	29	1.32	<0.01	<1	0.28	205	<1	64	299	64	0.21	11	12	<10	174	1482	<2	32	<10	2	57
42638	198883	9	2.75	15	396	2	13	<0.01	12	6	23	35	1.72	<0.01	<1	0.29	215	2	37	339	2826	0.51	11	10	<10	93	1562	<2	31	118	3	4085
42639	198884	<1	3.32	26	402	2	7	0.72	<4	7	15	11	1.42	<0.01	<1	0.89	837	<1	28	402	121	0.53	10	7	<10	181	1676	5	35	<10	4	221
42640	198885	<1	2.73	24	485	<2	4	<0.01	<4	6	28	33	1.30	<0.01	<1	0.36	232	<1	43	356	557	0.50	14	7	<10	104	1455	<2	29	21	3	948
42641	198886	<1	3.99	16	507	2	<1	1.07	<4	6	49	22	1.64	<0.01	24	0.87	707	2	68	461	85	0.26	14	6	<10	151	1978	<2	42	<10	4	165
42642	198887	<1	4.73	12	551	2	2	1.29	<4	9	41	24	1.67	<0.01	<1	0.92	756	<1	49	481	61	0.32	18	33	<10	159	2122	<2	47	<10	4	158
42643	198888	<1	3.36	6	421	<2	6	0.77	<4	7	28	23	1.38	<0.01	<1	0.76	628	<1	46	400	185	0.16	14	19	<10	118	1668	7	33	14	3	344
42644	198889	<1	3.92	12	584	2	4	0.54	<4	9	35	25	1.56	0.05	<1	0.52	337	2	54	373	239	0.26	16	<5	<10	132	1666	5	38	26	3	1009
42645	198890	<1	2.26	43	36	<2	2	0.12	<4	10	21	1722	3.87	<0.01	<1	0.59	849	8	15	577	71	1.21	14	<5	<10	167	888	<2	50	<10	5	494
42646	198891	<1	2.56	32	312	<2	<1	0.41	<4	10	28	92	1.75	<0.01	<1	0.60	455	<1	33	366	223	0.49	12	7	<10	114	1574	<2	36	14	4	554
42647D	198891	<1	2.63	32	330	<2	11	0.42	<4	10	32	41	1.70	<0.01	<1	0.61	450	<1	40	366	238	0.48	14	16	<10	111	1632	13	37	19	4	581
42648	198892	<1	4.37	32	460	3	9	1.37	<4	10	39	12	1.94	0.17	<1	0.99	913	<1	60	445	110	0.61	12	11	<10	155	1962	12	41	<10	4	435
42649	198893	12	4.84	35	500	2	5	0.80	6	9	34	213	2.03	<0.01	8	0.76	558	2	50	454	912	0.74	21	18	<10	139	1920	2	38	60	4	2104
42650	198894	6	2.48	22	262	2	10	0.70	<4	6	18	81	1.45	<0.01	<1	0.77	561	<1	28	369	415	0.45	17	<5	<10	115	1520	<2	30	17	3	630
42651	198895	<1	5.33	20	628	<2	6	1.43	<4	9	29	22	1.62	0.21	7	1.01	692	<1	46	493	152	0.34	14	13	<10	168	2055	<2	39	<10	4	245
42652	198896	<1	3.85	29	552	<2	5	0.61	<4	9	24	12	1.41	<0.01	<1	0.74	494	<1	40	428	218	0.42	13	11	<10	147	1821	11	36	16	3	510
42653	198897	<1	2.43	16	496	<2	6	<0.01	4	8	19	121	1.29	<0.01	<1	0.46	299	4	37	371	300	0.50	13	19	<10	132	1576	<2	33	40	3	1324
42654	198898	<1	3.78	<2	276	<2	10	0.44	<4	5	18	7	0.97	<0.01	<1	1.01	359	<1	32	236	19	0.15	15	<5	<10	187	1209	20	23	<10	2	102

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42655	198899	<1	4.22	8	265	2	9	0.18	<4	2	20	10	0.96	0.15	<1	0.63	272	<1	39	273	20	0.17	14	20	<10	182	1141	10	21	<10	2	102
42656	198900	<1	1.02	3	76	<2	10	0.97	<4	9	37	31	2.68	<0.01	<1	0.85	529	<1	25	439	11	0.07	13	<5	<10	228	2083	5	86	<10	9	48
42657	198901	<1	3.56	4	281	2	15	<0.01	<4	1	17	6	0.68	<0.01	<1	0.34	185	<1	35	225	30	0.25	20	7	<10	138	978	<2	18	<10	2	48
42658D	198901	<1	4.80	15	391	2	4	<0.01	<4	3	20	7	0.78	<0.01	<1	0.40	218	<1	38	256	24	0.27	14	<5	<10	164	1117	<2	19	<10	2	64
42659	198902	<1	2.67	8	184	2	7	<0.01	<4	3	22	5	0.70	<0.01	<1	0.32	163	<1	44	199	27	0.19	10	10	<10	112	933	3	17	<10	<2	38
42660	198903	<1	4.57	3	299	<2	7	0.63	<4	4	26	3	1.02	<0.01	<1	0.74	392	<1	42	251	55	0.19	14	32	<10	207	1060	<2	20	<10	2	70
42661	198904	<1	3.35	11	248	<2	7	0.08	<4	3	15	9	0.85	<0.01	<1	0.65	473	<1	27	227	18	0.22	19	6	<10	153	922	<2	17	<10	2	68
42662	198905	<1	4.49	19	379	<2	9	<0.01	<4	1	42	5	1.42	<0.01	<1	0.28	113	6	78	261	40	0.52	19	<5	<10	92	1062	<2	21	18	2	573
42663	198906	<1	2.13	17	163	<2	9	<0.01	<4	2	32	4	1.02	<0.01	<1	0.24	166	<1	64	191	21	0.33	14	6	<10	67	791	<2	16	<10	<2	278
42664	198907	<1	3.46	19	220	2	6	0.13	<4	3	26	6	0.88	<0.01	<1	0.56	627	<1	51	223	14	0.25	19	9	<10	117	963	8	18	<10	2	103
42665	198908	<1	4.56	16	296	<2	<1	0.66	<4	3	34	7	1.02	0.16	3	0.84	1161	<1	57	275	41	0.22	15	7	<10	154	1048	10	20	<10	2	104
42666	198909	<1	2.78	12	137	<2	5	0.09	<4	2	22	3	0.82	<0.01	<1	0.90	1075	<1	45	209	44	0.15	18	9	<10	126	840	19	17	<10	<2	126
42667	198910	61	1.06	26	152	<2	8	0.29	15	11	22	40	2.60	<0.01	<1	0.60	405	<1	19	448	485	0.15	57	14	199	219	1736	6	79	89	9	1595
42668	198911	<1	4.55	30	390	2	8	0.38	<4	5	39	9	1.25	0.03	17	1.14	1386	2	73	270	268	0.26	9	<5	<10	144	1154	9	22	15	2	393
42669D	198911	<1	2.99	21	267	<2	9	0.08	<4	3	26	8	1.02	0.33	<1	0.96	1166	<1	50	235	222	0.22	12	23	<10	120	981	10	18	<10	2	322
42670	198912	<1	2.70	14	234	<2	9	0.32	<4	1	20	10	0.88	0.21	<1	0.80	1063	<1	39	212	77	0.24	13	<5	<10	131	904	7	17	<10	<2	199
42671	198913	<1	4.28	17	430	<2	6	0.79	<4	4	45	15	1.08	0.06	<1	0.78	1145	5	84	254	73	0.19	11	17	<10	173	1114	35	21	<10	2	122
42672	198914	<1	5.92	21	514	2	6	1.20	<4	5	38	24	1.53	1.02	75	0.93	1770	5	56	362	75	0.39	21	31	<10	227	1522	47	32	<10	3	222
42673	198915	<1	2.09	13	168	2	13	0.35	<4	16	110	51	2.98	<0.01	<1	1.19	992	<1	76	367	79	0.38	10	14	<10	139	1752	<2	73	<10	7	114
42674	198916	<1	1.66	4	84	<2	3	0.05	<4	12	100	42	2.44	<0.01	<1	1.09	766	<1	76	305	59	0.18	13	13	<10	123	1216	<2	57	<10	6	87

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42675	198917	<1	4.63	59	225	<2	6	0.76	<4	21	157	39	3.70	0.63	1	1.26	722	6	106	526	40	0.56	14	18	<10	171	1563	<2	91	<10	8	95
42676	198918	<1	4.61	9	282	2	6	0.53	<4	21	158	48	3.80	0.35	18	1.36	667	7	103	566	57	0.36	16	12	<10	161	2059	<2	99	<10	9	146
42677	198919	<1	3.68	10	269	<2	9	0.74	<4	20	138	44	3.22	0.39	22	1.07	647	3	83	469	52	0.31	15	18	<10	169	2202	3	85	<10	7	127
42678	198920	<1	3.01	8	240	<2	9	1.84	<4	15	55	44	3.63	0.17	14	1.16	724	<1	39	594	15	0.08	16	11	<10	301	2906	27	116	<10	13	83
42679	198921	<1	4.37	32	247	3	11	0.97	<4	19	152	43	3.21	0.26	44	1.05	602	8	109	489	46	0.43	13	5	<10	190	2303	3	81	<10	9	113
42680R	198921	<1	4.28	21	209	2	10	1.15	<4	20	156	42	3.20	0.10	20	1.15	648	7	104	474	51	0.36	18	<5	<10	190	2327	<2	78	<10	9	108
42681	198922	<1	3.86	11	129	<2	9	0.93	<4	17	136	31	3.02	0.63	2	1.17	533	5	101	467	35	0.14	15	9	<10	188	2428	<2	74	<10	7	149
42682	198923	<1	5.02	14	547	2	5	1.37	<4	25	154	81	3.66	0.36	12	1.11	685	7	104	504	197	0.22	19	22	<10	246	2562	<2	95	<10	11	323
42683	198924	<1	2.68	27	335	<2	6	<0.01	<4	6	28	10	1.90	0.84	<1	0.40	135	<1	42	204	24	0.62	9	14	<10	196	1324	<2	34	<10	3	83
42684	198925	<1	5.89	30	647	<2	9	0.57	<4	7	32	6	1.52	0.34	20	0.48	167	<1	52	240	23	0.51	14	13	<10	250	1690	<2	40	<10	2	175
42685	198926	<1	5.53	27	618	2	10	0.53	<4	6	30	5	1.46	0.10	30	0.44	156	2	50	226	25	0.52	26	14	<10	242	1627	<2	39	<10	2	212
42686	198927	<1	5.21	17	396	2	2	0.47	<4	7	33	9	1.11	0.19	8	0.47	188	2	53	162	32	0.32	14	20	<10	219	1643	5	38	13	2	248
42687	198928	<1	3.03	4	231	<2	6	1.30	<4	7	30	12	1.70	<0.01	<1	0.91	562	<1	45	383	32	0.14	6	21	<10	205	1701	7	38	<10	3	149
42688	198929	<1	2.45	9	169	2	5	1.29	<4	6	23	18	1.53	<0.01	<1	0.83	504	<1	39	369	48	0.16	13	10	<10	212	1555	<2	33	<10	3	132
42689	198930	<1	3.10	25	324	2	5	1.50	<4	13	48	184	3.63	0.09	17	1.01	662	8	38	572	13	0.11	17	5	<10	303	2615	<2	105	12	12	80
42690	198931	<1	3.16	15	285	2	3	0.95	<4	8	30	23	1.42	<0.01	<1	0.52	368	<1	45	394	22	0.23	23	6	<10	170	1666	4	41	<10	3	52
42691D	198931	<1	2.73	12	252	2	8	0.80	<4	9	28	19	1.30	<0.01	<1	0.50	348	<1	41	370	22	0.22	10	16	<10	156	1557	4	37	<10	3	45
42692	198932	<1	2.98	23	227	2	3	0.60	<4	11	39	19	1.08	<0.01	<1	0.60	341	<1	55	392	24	0.24	13	12	10	128	1645	<2	41	<10	3	55
42693	198933	<1	2.88	13	143	<2	7	<0.01	<4	5	19	8	0.68	<0.01	<1	0.48	287	<1	41	429	104	0.28	13	18	<10	83	1469	<2	28	<10	2	202
42694	198934	<1	3.07	3	217	2	5	0.84	<4	5	28	8	1.24	0.14	<1	0.58	393	<1	38	505	38	0.17	12	7	<10	139	1547	<2	30	<10	3	69

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42695	198935	<1	1.97	18	187	2	5	0.41	<4	6	13	7	1.39	0.56	<1	0.67	578	<1	23	459	63	0.31	12	<5	<10	109	1454	8	28	<10	3	106
42696	198936	<1	6.07	20	715	3	11	1.09	<4	8	32	20	1.69	0.63	19	0.87	601	<1	42	664	67	0.26	19	10	<10	161	2316	<2	45	12	4	102
42697	198937	<1	5.31	27	533	<2	6	0.86	<4	6	32	71	1.45	0.54	27	0.81	539	2	52	581	47	0.35	25	<5	<10	149	2064	<2	37	12	3	243
42698	198938	<1	3.40	18	384	<2	3	0.77	<4	3	25	9	1.27	0.75	<1	0.74	595	<1	44	499	66	0.17	18	10	<10	130	1759	<2	32	<10	3	118
42699	198939	<1	4.94	19	561	3	8	1.14	<4	4	32	28	1.44	<0.01	33	0.92	684	3	57	586	245	0.34	15	30	<10	144	1936	<2	35	11	3	327
42700	198940	<1	1.29	<2	98	<2	4	1.11	<4	12	38	33	2.79	<0.01	<1	0.89	560	<1	27	453	8	0.07	19	<5	<10	235	2182	<2	90	<10	10	48
42701	198941	3	3.95	48	523	<2	5	<0.01	7	6	43	36	1.71	0.17	15	0.36	202	7	70	473	1117	0.54	14	9	<10	98	1626	<2	32	69	3	2311
42702D	198941	4	1.64	47	306	3	7	<0.01	6	4	32	33	1.56	<0.01	<1	0.31	175	<1	58	422	1015	0.57	22	<5	<10	81	1422	<2	29	52	3	2101
42703	198942	<1	1.55	16	227	2	6	0.78	<4	4	25	8	1.16	<0.01	<1	1.10	990	<1	44	372	173	0.17	8	9	<10	117	1293	<2	26	12	2	313
42704	198943	<1	1.94	11	193	<2	4	0.25	<4	5	25	31	0.95	<0.01	<1	0.77	558	<1	50	411	28	0.12	10	<5	<10	124	1394	<2	28	<10	2	101
42705	198944	<1	4.81	24	270	2	9	0.58	<4	10	25	4	1.01	0.25	<1	0.86	672	<1	48	505	45	0.28	15	19	<10	161	1834	15	35	<10	3	98
42706	198945	<1	3.60	22	198	<2	8	0.37	<4	7	20	6	0.99	0.33	<1	0.87	681	<1	46	457	43	0.18	20	17	<10	150	1569	<2	32	<10	3	67
42707	198946	<1	3.18	14	159	<2	4	0.31	<4	7	14	5	0.97	0.05	<1	0.86	680	<1	36	432	45	0.20	15	9	<10	145	1520	<2	30	<10	3	72
42708	198947	<1	3.37	11	233	2	11	0.32	<4	10	17	12	1.19	0.16	<1	0.72	525	<1	44	443	23	0.32	11	15	<10	144	1557	<2	32	<10	3	68
42709	198948	<1	5.61	18	329	2	9	0.11	<4	3	23	14	1.21	0.44	10	0.45	358	1	46	475	52	0.38	12	28	<10	174	1731	<2	35	<10	3	106
42710	198949	<1	4.64	24	219	2	10	0.21	<4	4	24	13	1.26	0.20	3	0.45	406	<1	45	388	38	0.38	15	36	<10	194	1452	11	31	<10	3	115
42711	198950	<1	1.58	36	<1	<2	6	<0.01	<4	6	19	1491	3.46	<0.01	<1	0.52	751	5	17	520	57	1.08	12	10	<10	155	783	<2	46	16	5	424
42712	198951	<1	4.87	19	277	<2	10	0.16	<4	7	24	9	1.13	0.21	26	0.47	425	<1	45	469	25	0.28	22	24	<10	217	1649	<2	35	<10	2	42
42713D	198951	<1	3.21	15	158	3	2	<0.01	<4	3	21	8	0.97	0.32	<1	0.38	357	<1	44	402	15	0.21	9	<5	<10	179	1376	<2	31	<10	2	29
42714	198952	<1	5.01	23	259	2	10	0.28	<4	6	36	10	1.19	0.21	22	0.53	466	<1	45	485	17	0.31	16	12	<10	206	1551	5	38	<10	4	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42715	198953	<1	1.37	15	2	<2	7	<0.01	<4	4	15	10	1.03	<0.01	<1	0.57	625	<1	27	328	28	0.22	15	5	<10	139	867	15	26	<10	2	62
42716	198954	<1	3.78	23	231	<2	9	0.35	<4	8	36	11	1.67	0.04	19	1.20	917	<1	49	392	53	0.27	10	17	<10	153	1289	<2	38	15	3	574
42717	198955	<1	4.74	16	306	2	6	0.99	<4	9	38	11	2.12	0.17	31	1.42	1090	<1	49	444	23	0.21	16	12	<10	176	1782	9	42	<10	4	103
42718	198956	<1	5.08	15	273	<2	11	1.03	<4	9	31	15	1.98	0.45	21	0.92	598	<1	36	470	20	0.14	17	23	<10	190	2048	6	42	<10	4	65
42719	198957	<1	5.11	8	233	2	11	0.96	<4	9	35	21	2.02	0.19	31	0.81	545	2	52	470	25	0.17	24	24	<10	193	1944	<2	40	<10	4	65
42720	198958	<1	4.94	19	266	2	7	0.68	<4	8	27	9	1.63	0.29	9	0.64	396	<1	43	454	13	0.12	16	8	<10	174	1916	<2	39	<10	3	63
42721	198959	2	5.83	18	382	2	3	0.91	<4	18	40	39	1.86	0.34	20	0.85	532	3	61	501	321	0.27	14	28	<10	174	2111	<2	46	<10	4	391
42722	198960	<1	3.18	13	245	2	6	1.82	<4	14	55	44	3.51	0.05	<1	1.11	698	<1	36	581	11	0.08	9	<5	<10	297	2702	<2	112	<10	12	76
42723	198961	<1	4.64	28	259	2	9	0.29	<4	6	32	14	1.36	0.36	5	0.74	472	2	47	432	43	0.34	11	39	<10	149	1419	<2	37	<10	3	105
42724D	198961	<1	5.91	35	348	2	14	0.55	<4	7	41	18	1.55	0.40	66	0.83	530	3	57	484	49	0.33	22	36	<10	171	1560	<2	43	<10	4	125
42725	198962	<1	4.17	24	231	<2	6	0.20	<4	6	30	14	1.30	0.46	<1	0.71	453	<1	46	412	42	0.33	14	19	<10	142	1340	<2	36	<10	3	96
42726	198963	<1	3.95	23	<1	2	11	<0.01	<4	4	19	8	1.27	0.18	<1	1.09	575	<1	32	384	44	0.37	20	7	<10	133	1224	<2	34	<10	6	231
42727	198964	<1	3.91	22	<1	2	9	0.12	<4	8	18	2	1.43	0.08	11	1.69	962	<1	38	402	148	0.38	17	17	<10	167	1306	<2	33	<10	5	118
42728	198965	<1	3.84	15	<1	<2	14	0.30	<4	2	20	3	0.97	<0.01	5	1.03	651	<1	43	350	18	0.23	14	6	<10	187	1342	12	28	<10	5	33
42729	198966	<1	4.38	12	<1	2	11	0.81	<4	2	22	4	1.12	0.36	33	1.26	869	<1	45	374	12	0.21	16	20	<10	199	1310	16	27	<10	6	42
42730	198967	<1	4.91	14	<1	2	7	<0.01	<4	2	24	4	0.80	0.48	11	0.83	353	<1	48	379	10	0.21	12	24	<10	161	1504	<2	29	<10	6	24
42731	198968	<1	5.09	9	<1	3	8	<0.01	<4	2	20	4	0.75	0.35	10	0.80	311	<1	41	387	14	0.21	13	28	<10	152	1604	21	30	<10	6	25
42732	198969	<1	5.38	36	41	2	11	<0.01	<4	3	29	29	0.92	0.51	22	0.72	285	<1	52	379	26	0.28	19	11	10	128	1652	19	32	<10	6	61
42733	198970	74	3.04	43	84	2	12	0.19	19	14	28	48	3.20	0.32	14	0.91	500	<1	23	547	603	0.18	72	20	245	263	2029	<2	95	107	15	1936
42734	198971	<1	5.31	11	<1	2	13	<0.01	<4	4	10	9	0.84	0.28	22	0.79	351	<1	21	385	10	0.30	21	8	<10	135	1668	3	30	<10	6	65

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42735D	198971	<1	5.28	5	<1	3	8	<0.01	<4	4	9	8	0.81	0.63	16	0.78	346	<1	20	384	19	0.30	13	6	<10	137	1658	4	29	11	6	61
42736	198972	<1	4.97	18	<1	2	5	<0.01	<4	4	18	9	1.14	0.34	22	0.89	434	<1	29	370	28	0.33	15	21	<10	138	1603	<2	31	<10	6	36
42737	198973	<1	4.98	16	<1	2	6	<0.01	<4	4	23	8	0.81	0.25	13	1.00	487	<1	46	386	44	0.13	15	22	<10	161	1646	6	32	<10	5	59
42738	198974	<1	3.57	11	<1	2	11	<0.01	<4	3	34	10	1.24	<0.01	<1	0.85	385	<1	58	317	32	0.38	14	27	<10	142	1354	3	27	<10	5	61
42739	198975	<1	4.65	33	<1	2	7	<0.01	<4	3	37	9	2.03	<0.01	3	0.72	237	<1	76	325	24	0.74	21	9	<10	106	1498	12	30	<10	6	49
42740	198976	1	3.96	32	<1	2	8	<0.01	<4	5	35	9	1.07	<0.01	<1	0.57	162	<1	69	313	112	0.40	12	16	<10	86	1304	4	26	<10	6	108
42741	198977	8	3.88	55	<1	<2	10	<0.01	6	4	27	58	1.95	0.37	3	0.41	<100	<1	52	292	2097	0.82	32	13	<10	75	1208	5	26	48	6	1733
42742	198978	<1	2.26	23	<1	2	8	<0.01	<4	4	18	9	1.23	1.59	14	0.98	501	<1	40	304	87	0.36	26	21	<10	109	1279	<2	26	<10	5	90
42743	198979	<1	5.21	28	<1	2	17	0.55	<4	14	27	13	1.66	0.24	<1	1.22	512	<1	59	415	24	0.52	14	17	<10	155	1759	3	35	<10	7	123
42744	198980	<1	3.68	9	46	2	6	1.37	<4	13	52	42	3.73	0.56	10	1.35	747	<1	37	600	7	0.09	13	23	<10	301	2859	6	117	<10	16	71
42745	198981	<1	4.99	28	<1	<2	8	0.04	<4	6	54	13	1.82	0.36	17	0.91	394	2	94	368	24	0.56	15	<5	<10	142	1674	4	35	<10	7	77
42746R	198981	<1	4.47	26	<1	<2	8	<0.01	<4	6	36	12	1.49	0.10	<1	0.87	375	<1	68	367	12	0.51	14	13	<10	131	1635	<2	31	<10	6	66
42747	198982	<1	5.83	25	<1	3	8	0.68	<4	5	29	13	1.44	0.15	26	1.29	835	<1	48	398	18	0.30	10	21	<10	133	1774	3	33	<10	7	144
42748	198983	<1	5.11	22	<1	<2	8	0.46	<4	9	28	6	1.39	0.28	19	1.19	829	<1	51	365	37	0.32	20	8	<10	117	1638	<2	31	<10	6	254
42749	198984	<1	5.54	7	<1	<2	10	1.45	<4	7	28	4	1.68	0.25	16	1.81	957	<1	48	388	14	0.20	15	12	<10	132	1705	2	32	<10	7	68
42750	198985	<1	5.42	21	<1	3	13	1.45	<4	4	31	39	1.80	0.38	41	1.59	984	<1	61	355	71	0.25	13	17	<10	132	1635	35	30	<10	7	88
42751	198986	<1	4.69	17	<1	2	18	1.07	<4	5	34	20	1.61	0.44	38	1.45	865	<1	68	367	72	0.21	18	15	<10	120	1569	2	30	<10	6	86
42752	198987	<1	4.56	18	52	3	12	0.80	<4	4	36	1	1.58	0.23	15	1.39	674	<1	65	383	20	0.21	20	11	<10	120	1661	<2	32	19	6	49
42753	198988	<1	4.15	21	463	3	13	1.62	<4	5	18	8	1.70	0.14	24	2.06	1271	<1	32	348	226	0.33	22	33	<10	127	1451	10	27	<10	7	214
42754	198989	<1	4.43	13	318	2	9	0.52	<4	8	54	25	1.97	0.13	45	1.29	650	<1	69	408	172	0.32	19	8	<10	141	1905	<2	46	17	7	574

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:06 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42755	198990	<1	2.37	16	79	<2	13	0.70	<4	12	41	172	3.45	0.11	8	1.10	643	1	34	530	3	0.09	13	6	<10	273	2475	9	99	<10	13	80
42756	198991	<1	2.87	67	<1	3	9	<0.01	<4	17	122	107	2.70	<0.01	19	1.20	696	2	107	473	396	0.57	13	19	<10	94	2019	<2	70	36	10	1159
42757D	198991	<1	3.60	68	<1	<2	11	<0.01	<4	15	133	107	2.78	<0.01	41	1.25	718	5	111	487	407	0.60	19	10	<10	97	2047	7	73	30	11	1141
42758	198992	<1	4.76	64	83	2	6	0.11	<4	7	28	11	2.50	<0.01	24	1.10	692	<1	57	521	56	0.86	20	<5	<10	119	1913	<2	41	<10	7	119
42759	198993	<1	5.28	28	166	3	8	0.28	<4	8	16	6	1.95	0.37	20	1.08	741	<1	37	544	14	0.52	10	13	<10	124	2180	2	40	<10	7	75
42760	198994	<1	5.32	31	158	2	9	0.97	<4	7	37	14	2.34	0.20	25	1.40	837	<1	76	590	22	0.44	17	7	<10	124	2132	8	43	<10	8	51
42761	198995	<1	5.00	28	50	<2	9	1.19	<4	7	25	31	2.27	0.19	32	1.47	926	<1	47	552	36	0.37	11	20	<10	144	2014	<2	40	<10	7	102
42762	198996	<1	4.89	18	101	2	6	1.19	<4	8	18	31	1.95	0.17	24	1.37	716	<1	39	538	250	0.27	15	28	<10	147	1981	3	40	22	7	569
42763	198997	<1	4.80	7	166	2	7	0.70	<4	8	29	18	1.64	0.05	29	1.40	704	<1	57	433	66	0.14	18	12	<10	148	1791	13	34	10	6	129
42764	198998	<1	4.24	11	320	2	8	0.85	<4	6	34	66	1.38	0.21	19	1.37	671	2	63	334	217	0.22	19	11	<10	145	1458	<2	28	10	2	431
42765	198999	<1	3.78	11	276	2	11	0.88	<4	6	36	42	1.51	0.23	28	1.52	708	<1	71	321	85	0.19	26	10	<10	152	1424	10	28	<10	2	228
42766	199000	<1	3.09	16	247	2	6	1.88	<4	14	55	43	3.56	0.13	15	1.15	717	<1	34	586	14	0.09	9	6	<10	302	2781	<2	113	<10	12	74
42767	199001	<1	4.00	16	329	3	7	1.07	<4	6	26	21	1.28	0.18	13	1.01	497	<1	39	340	23	0.20	16	23	<10	162	1610	21	30	<10	2	61
42768D	199001	<1	3.81	17	350	2	3	1.11	<4	4	24	21	1.24	<0.01	12	1.00	507	<1	38	325	23	0.21	16	13	<10	160	1619	11	30	<10	2	60
42769	199002	<1	4.04	27	448	<2	6	1.24	<4	5	35	9	1.31	<0.01	33	1.00	459	1	56	344	24	0.24	23	19	<10	161	1603	<2	29	<10	2	62
42770	199003	<1	4.39	24	468	2	11	1.41	<4	6	32	14	1.35	<0.01	16	1.12	517	<1	51	362	65	0.23	20	9	<10	181	1694	3	29	11	2	84
42771	199004	<1	5.30	15	446	<2	7	0.81	<4	7	34	13	1.41	0.37	22	1.20	505	1	50	369	13	0.20	18	18	<10	181	1807	<2	31	<10	2	44
42772	199005	<1	5.15	16	341	2	6	1.69	<4	6	26	18	1.65	0.19	27	1.42	697	<1	44	349	42	0.29	19	17	<10	184	1669	3	30	<10	2	177
42773	199006	<1	5.22	16	373	<2	8	1.72	<4	7	25	26	1.70	0.17	12	1.54	745	<1	36	360	35	0.31	15	16	<10	182	1645	14	29	<10	2	218
42774	199007	<1	4.95	12	402	2	6	0.81	<4	5	23	15	1.21	0.51	3	1.11	463	<1	32	362	18	0.21	21	6	<10	155	1725	12	30	<10	2	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:06 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42775	199008	<1	4.30	14	266	<2	8	2.85	<4	5	29	50	1.33	0.34	10	1.25	641	<1	38	330	14	0.19	20	23	<10	97	1564	13	26	<10	2	92
42776	199009	<1	4.25	3	425	2	4	1.41	<4	5	20	16	1.29	0.41	<1	1.38	637	<1	31	319	59	0.19	19	16	<10	157	1526	22	26	<10	2	206
42777	199010	<1	3.86	47	138	2	10	0.54	4	14	27	2114	4.66	0.59	<1	0.71	1036	13	21	717	83	1.39	17	10	<10	210	1049	<2	61	29	6	593
42778	199011	<1	3.80	10	474	2	7	1.77	<4	5	28	21	1.50	0.13	2	1.35	723	<1	38	333	90	0.23	13	24	<10	144	1476	2	27	<10	2	89
42779D	199011	<1	3.58	18	460	2	10	1.72	<4	6	31	19	1.51	0.29	<1	1.33	718	<1	46	336	91	0.22	23	18	<10	144	1466	<2	28	<10	2	91
42780	199012	<1	3.12	<2	384	<2	10	1.11	<4	4	20	14	1.13	0.26	<1	1.01	421	<1	26	274	20	0.14	14	22	<10	133	1481	6	24	<10	2	59
42781	199013	<1	3.54	11	402	2	8	1.31	<4	5	28	13	1.35	<0.01	15	1.10	436	<1	44	335	25	0.20	10	32	<10	141	1656	7	29	<10	2	60
42782	199014	<1	4.01	18	409	<2	10	1.46	<4	6	37	11	1.32	0.04	7	1.08	414	3	57	356	25	0.20	22	28	<10	126	1683	<2	30	<10	2	43
42783	199015	<1	5.80	20	483	2	14	1.50	<4	8	29	8	1.36	0.36	8	1.38	473	<1	44	381	23	0.24	15	28	<10	133	1908	18	31	<10	2	71
42784	199016	<1	5.65	21	482	2	6	1.32	<4	6	23	12	1.40	0.46	36	1.64	705	<1	35	382	47	0.28	18	20	<10	133	1798	8	30	<10	2	246
42785	199017	<1	5.35	17	439	<2	14	1.03	<4	6	21	5	1.35	0.57	7	1.51	593	<1	29	370	21	0.28	20	26	<10	128	1694	<2	29	<10	2	61
42786	199018	<1	4.82	21	286	2	5	1.35	<4	7	35	7	1.64	0.20	16	2.17	971	2	56	364	30	0.18	18	19	<10	125	1480	17	28	<10	3	150
42787	199019	3	3.76	13	309	2	13	1.83	19	5	21	151	2.64	0.35	25	2.57	880	<1	33	331	1432	0.23	31	14	<10	134	1347	<2	25	199	4	4923
42788	199020	<1	2.91	8	230	<2	8	1.79	<4	15	51	42	3.46	0.19	<1	1.14	696	<1	33	576	28	0.08	15	12	<10	293	2670	<2	111	<10	12	132
42789	199021	<1	4.93	19	446	2	9	0.89	<4	6	28	20	1.58	0.27	27	1.89	668	<1	43	362	41	0.22	22	17	<10	129	1703	<2	31	<10	3	267
42790D	199021	<1	3.54	21	361	2	7	0.60	<4	6	26	16	1.39	0.25	<1	1.69	601	<1	42	321	43	0.19	16	24	<10	111	1477	16	27	<10	2	237
42791	199022	<1	3.63	26	308	2	6	0.72	<4	4	25	22	1.10	0.18	2	0.91	471	<1	38	297	167	0.35	22	9	<10	105	1449	6	26	<10	2	203
42792	199023	<1	3.62	25	317	2	6	0.59	<4	6	28	27	1.18	0.04	<1	1.13	522	<1	46	323	127	0.31	23	29	<10	108	1470	<2	26	<10	2	297
42793	199024	<1	5.46	29	472	2	9	0.61	<4	7	37	18	1.24	<0.01	10	0.78	375	6	53	392	99	0.41	10	20	<10	119	1709	<2	32	13	2	269
42794	199025	65	5.96	331	461	2	7	0.05	<4	8	48	327	1.59	0.24	64	0.40	126	10	74	687	2493	0.66	131	17	<10	104	1632	<2	32	<10	3	397

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:06 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42795	199026	<1	2.34	23	175	2	10	<0.01	<4	3	29	19	0.67	0.91	<1	0.36	<100	<1	38	498	75	0.22	22	22	<10	71	997	<2	22	<10	2	86
42796	199027	<1	4.65	23	354	<2	8	<0.01	<4	7	31	21	0.95	0.41	<1	0.48	116	3	53	649	70	0.28	15	27	<10	89	1308	7	29	<10	3	308
42797	199028	<1	4.59	24	332	<2	7	<0.01	<4	7	30	13	1.02	0.58	<1	0.51	106	2	49	573	125	0.33	12	19	<10	86	1157	<2	27	<10	3	73
42798	199029	<1	4.57	38	215	2	15	0.44	<4	6	33	26	1.99	0.21	<1	2.24	459	<1	48	407	272	0.48	9	18	<10	96	1127	4	30	18	2	814
42799	199030	69	2.63	39	278	<2	11	0.77	18	14	30	45	3.02	0.18	<1	0.72	467	<1	24	549	580	0.17	75	<5	230	260	1862	2	89	114	10	1839
42800	199031	<1	4.45	38	280	<2	4	0.43	6	7	33	20	1.81	0.11	<1	1.52	336	<1	36	530	193	0.54	16	15	<10	108	1264	16	34	53	3	1813
42801D	199031	<1	3.76	37	234	<2	4	0.28	5	6	28	19	1.69	0.06	<1	1.44	316	<1	35	500	179	0.50	13	13	<10	99	1162	<2	32	40	3	1693
42802	199032	9	2.99	58	97	2	10	1.41	5	14	97	55	2.63	0.06	13	1.99	588	2	67	511	1094	0.87	23	17	<10	123	1203	<2	54	32	6	1288
42803	199033	<1	2.63	42	201	2	6	0.23	<4	17	107	27	2.80	<0.01	<1	2.09	413	<1	65	418	92	0.39	15	21	<10	91	1646	16	69	12	5	122
42804	199034	<1	2.24	18	57	2	7	<0.01	<4	18	126	30	3.19	<0.01	14	2.42	469	3	99	445	61	0.19	9	7	<10	77	1701	<2	73	<10	5	87
42805	199035	10	3.59	55	113	2	10	0.16	<4	11	62	57	2.22	<0.01	<1	0.79	262	<1	46	457	591	0.67	21	25	<10	90	1281	<2	52	22	3	993
42806	199036	3	4.00	36	129	2	5	0.70	<4	6	41	19	1.44	<0.01	<1	0.82	319	4	64	463	446	0.36	17	7	<10	97	1329	10	40	12	3	443
42807	199037	1	4.80	50	171	2	15	0.19	<4	13	63	52	2.06	0.86	<1	0.71	259	<1	54	494	278	0.54	14	12	<10	88	1473	22	61	22	4	925
42808	199038	<1	5.18	35	181	<2	10	0.68	<4	19	89	56	3.12	0.29	5	1.97	586	3	61	508	110	0.38	17	6	10	98	1859	<2	79	10	6	492
42809	199039	2	4.99	45	302	2	5	0.11	5	10	44	51	1.77	0.41	<1	0.88	226	2	56	604	242	0.47	20	11	<10	88	1428	<2	52	53	4	1845
42810	199040	<1	3.45	8	271	2	8	2.01	<4	16	55	42	3.68	0.19	8	1.19	733	1	34	612	5	0.08	19	14	<10	319	2840	<2	119	25	12	75
42811	199041	4	4.09	64	258	2	8	0.06	<4	5	19	58	1.34	0.07	<1	0.77	185	<1	33	390	323	0.45	32	<5	<10	84	1301	10	28	26	2	961
42812R	199041	4	4.46	70	290	2	15	0.10	<4	5	23	52	1.32	0.13	<1	0.81	186	<1	37	382	291	0.48	34	29	<10	84	1328	<2	28	27	2	968
42813	199042	<1	4.16	26	306	2	8	0.35	<4	5	15	25	1.12	0.28	<1	0.79	224	<1	30	358	66	0.50	21	28	<10	98	1225	<2	27	<10	2	151
42814	199043	<1	4.56	17	328	2	13	0.45	<4	5	22	9	1.14	0.20	<1	1.08	253	<1	43	336	37	0.38	20	25	<10	100	1419	7	28	<10	2	78

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:06 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42815	199044	<1	4.65	31	293	<2	5	0.22	<4	5	17	6	1.27	0.47	<1	2.13	260	<1	31	342	27	0.31	9	13	<10	102	1283	5	28	<10	2	70
42816	199045	<1	4.23	38	295	2	7	0.44	<4	6	16	9	1.28	0.38	<1	1.17	256	<1	24	334	49	0.53	17	23	<10	87	1381	<2	26	14	2	139
42817	199046	<1	2.94	29	207	2	12	0.11	<4	5	14	8	1.06	0.08	<1	0.97	220	<1	22	280	32	0.45	13	11	<10	75	1208	11	23	<10	2	82
42818	199047	<1	3.27	26	269	2	7	0.50	<4	4	16	12	1.04	0.03	<1	0.87	365	<1	27	307	26	0.42	21	18	<10	104	1361	<2	25	<10	2	58
42819	199048	<1	2.90	31	276	2	4	0.26	<4	4	17	12	0.96	0.14	<1	0.64	259	<1	24	265	40	0.68	23	24	<10	96	1206	6	22	<10	2	45
42820	199049	<1	2.18	39	172	2	<1	<0.01	<4	2	40	5	0.74	0.10	<1	0.14	<100	3	47	307	39	0.47	23	7	<10	75	1010	<2	20	<10	2	54
42821	199050	<1	2.11	12	246	2	5	1.18	<4	12	42	162	3.21	<0.01	<1	0.87	582	6	34	513	12	0.09	16	7	<10	269	2227	<2	93	<10	10	75
42822	199051	<1	2.69	73	177	2	9	<0.01	<4	14	83	23	1.89	<0.01	<1	0.29	<100	<1	54	418	145	0.91	23	10	<10	68	1444	10	66	<10	6	161
42823D	199051	<1	3.16	80	212	2	5	<0.01	<4	17	88	24	1.99	<0.01	<1	0.31	<100	<1	57	445	158	0.90	27	23	<10	73	1498	<2	70	10	6	160
42824	199052	<1	3.43	25	148	3	2	0.65	<4	15	94	24	2.45	<0.01	<1	1.00	438	1	78	442	50	0.41	19	10	<10	104	1847	<2	63	<10	6	51
42825	199053	<1	3.37	53	159	2	9	0.61	<4	6	26	41	1.34	0.03	33	0.67	381	<1	39	410	23	0.43	21	16	<10	79	1680	<2	37	22	3	168
42826	199054	29	3.38	106	333	3	7	<0.01	<4	6	14	155	1.26	<0.01	<1	0.53	307	<1	22	418	847	0.60	62	9	<10	84	1558	<2	33	24	3	661
42827	199055	<1	2.55	34	235	2	5	0.23	<4	7	18	21	1.16	<0.01	8	0.70	405	<1	27	379	64	0.39	21	16	<10	103	1413	10	32	<10	3	99
42828	199056	10	2.65	61	280	2	4	<0.01	6	5	17	300	1.03	<0.01	<1	0.41	205	<1	21	364	416	0.40	24	16	<10	79	1353	<2	31	59	2	2099
42829	199057	2	3.22	44	223	2	11	0.52	<4	6	18	34	1.37	<0.01	<1	1.21	312	<1	22	399	79	0.47	18	11	<10	70	1554	<2	32	17	3	192
42830	199058	<1	3.45	38	275	2	10	0.79	<4	7	15	9	1.40	<0.01	<1	1.07	449	<1	21	460	59	0.32	16	14	<10	103	1759	<2	37	10	3	150
42831	199059	<1	2.71	62	316	<2	7	0.61	<4	6	13	24	1.25	<0.01	<1	0.84	393	<1	20	446	80	0.25	19	22	<10	117	1671	18	33	<10	3	227
42832	199060	<1	1.71	13	146	2	6	1.32	<4	12	42	34	2.94	<0.01	<1	0.94	591	<1	29	500	12	0.08	12	<5	<10	251	2317	<2	94	<10	10	63
42833	199061	<1	2.84	22	219	2	7	0.77	<4	6	14	9	1.30	<0.01	<1	0.80	371	<1	21	425	49	0.26	6	14	<10	107	1648	<2	36	<10	3	151
42834D	199061	<1	2.88	17	237	2	4	0.80	<4	7	14	8	1.26	<0.01	<1	0.79	366	<1	22	405	51	0.28	11	18	<10	104	1678	6	34	<10	3	155

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 2:06 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/24/2014
Date Completed: 04/07/2014
Job #: 201440534
Reference: TL-14-346A
Sample #: 206

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42835	199062	<1	3.11	22	259	2	9	1.15	<4	8	12	3	1.31	<0.01	<1	0.85	386	<1	17	423	39	0.21	9	11	<10	106	1752	<2	35	<10	3	242
42836	199063	<1	3.70	18	302	<2	6	1.57	<4	7	16	5	1.42	<0.01	<1	0.89	456	<1	19	450	26	0.25	16	18	<10	123	1862	3	37	<10	3	58
42837	199064	<1	3.76	23	306	3	11	1.44	<4	7	15	6	1.44	<0.01	<1	0.94	509	<1	23	454	31	0.25	8	20	<10	140	1809	7	37	<10	3	58
42838	199065	<1	4.53	15	403	2	8	2.21	<4	8	18	3	1.63	<0.01	<1	0.89	474	<1	23	499	48	0.22	13	32	<10	196	1888	11	41	<10	3	84
42839	199066	<1	3.53	17	351	2	9	2.04	<4	9	27	4	1.64	<0.01	<1	0.83	467	<1	39	465	42	0.17	12	20	<10	182	1775	7	40	<10	3	70
42840	199067	<1	3.59	13	236	<2	<1	1.37	<4	6	36	11	1.63	0.11	<1	0.76	349	<1	55	481	24	0.21	17	19	<10	198	1764	<2	39	<10	3	51

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 29, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/23/2014
Date Completed: 04/29/2014
Job #: 201440768
Reference: 201440534
Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
60312	199025	9.079	8.943	81.919	12.528	4.82%	48.31
60313	199054	22.366	20.965	134.545	27.229	4.93%	49.42

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/08/2014
Date Completed: 04/22/2014
Job #: 201440642
Reference: TL14-346A
Sample #: 10

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
49703	199049	387	326	110	347	3.65%	38.08
49704	199050	Insufficient Sample					
49705	199051	170	154	57	158	4.22%	43.34
49706	199052	387	403	3082	505	4.09%	40.49
49707	199053	272	244	145	254	3.72%	36.86
49708	199055	242	236	145	235	4.01%	39.66
49709	199056	1184	943	1300	1075	4.68%	48.28
49710	199057	482	544	603	516	3.34%	34.71
49711	199058	67	62	158	67	2.83%	28.44
49712	199059	86	82	81	84	0.99%	10.32

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14347

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/09/2014
Job #: 201440543
Reference: TL14-347
Sample #: 49

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
43799	199068	0.032	
43892	199069	0.136	
43893	199070	0.359	
43894	199071	0.084	
43895	199072	4.948	
43896	199073	0.129	
43897	199074	0.130	
43898	199075	0.295	
43899	199076	0.243	
43900	199077	0.321	
43901	199077 Dup	0.371	
43902	199078	0.103	
43903	199079	0.035	
43904	199080	<0.005	
43905	199081	0.132	
43906	199082	0.068	
43907	199083	0.318	
43908	199084	0.054	
43909	199085	0.017	
43910	199086	0.021	
43911	199087	0.035	
43912	199087 Dup	0.012	
43913	199088	0.621	
43914	199089	0.045	
43915	199090	4.822	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/09/2014
Job #: 201440543
Reference: TL14-347
Sample #: 49

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
43916	199091	0.124	
43917	199092	1.172	
43918	199093	0.196	
43919	199094	0.316	
43920	199095	0.235	
43921	199096	1.124	
43922	199097	0.018	
43923	199097 Dup	0.010	
43924	199098	<0.005	
43925	199099	0.016	
43926	199100	0.008	
43927	199101	<0.005	
43928	199102	<0.005	
43929	199103	0.120	
43930	199104	0.207	
43931	199105	0.029	
43932	199106	0.036	
43933	199107	0.020	
43934	199107 Dup	0.023	
43935	199108	0.028	
43936	199109	0.016	
43937	199110	1.467	
43938	199111	0.191	
43939	199112	0.163	
43940	199113	5.990	5.558

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/09/2014
Job #: 201440543
Reference: TL14-347
Sample #: 49

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
43941	199114	3.147	
43942	199115	0.523	
43943	199116	0.059	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/09/2014
Job #: 201440543
Reference: TL14-347
Sample #: 49

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.779	0.791	0.051
GS25	0.754	0.791	0.051
GS25	0.763	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/09/2014
Job #: 201440543
Reference: TL14-347
Sample #: 49

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
43799	199068	<1	5.08	20	969	<2	22	2.19	<4	9	52	27	1.27	0.23	<1	0.61	486	<1	52	430	62	0.23	<5	14	21	190	1851	<2	32	26	2	118
43892	199069	<1	4.77	30	1019	<2	7	1.95	<4	9	98	32	1.65	0.83	17	0.36	561	7	122	558	83	0.35	7	25	<10	152	2077	8	43	19	3	227
43893	199070	<1	5.32	54	662	<2	<1	2.09	4	16	43	2327	4.63	0.86	12	0.43	1040	4	22	810	100	1.68	<5	28	<10	267	1407	2	64	19	5	584
43894	199071	<1	3.71	39	892	<2	11	2.54	<4	8	76	38	1.57	0.65	<1	0.43	1018	4	81	422	66	0.38	7	8	<10	159	1800	5	35	26	3	123
43895	199072	5	1.34	24	1328	<2	<1	2.36	<4	10	114	52	1.35	0.62	2	0.18	581	15	138	448	256	0.28	<5	8	<10	195	1997	<2	40	34	2	800
43896	199073	<1	2.45	25	1018	<2	<1	1.32	<4	7	86	22	1.34	0.73	<1	0.35	392	4	98	381	70	0.22	7	7	<10	150	1831	5	37	<10	2	148
43897	199074	<1	4.57	21	935	<2	<1	1.20	<4	8	101	27	1.23	0.65	<1	0.26	146	8	135	440	63	0.24	<5	17	<10	156	1474	2	34	<10	2	68
43898	199075	<1	4.90	43	892	<2	9	1.17	<4	10	80	23	1.38	0.60	<1	0.28	133	<1	97	486	60	0.40	<5	7	10	158	1320	2	33	17	2	62
43899	199076	<1	3.30	32	920	<2	<1	1.04	<4	7	80	40	1.19	0.90	<1	0.22	132	1	89	447	89	0.33	<5	6	<10	154	1400	<2	33	15	2	145
43900	199077	<1	5.01	31	882	<2	3	1.70	<4	7	83	38	1.41	0.76	<1	0.47	406	4	95	491	133	0.34	<5	<5	11	158	1473	<2	32	19	3	385
43901D	199077	<1	5.58	25	855	<2	17	1.65	<4	8	81	39	1.46	0.43	<1	0.49	418	5	96	501	140	0.38	<5	22	<10	155	1506	<2	33	28	2	420
43902	199078	<1	3.36	20	933	<2	16	1.19	<4	9	74	30	1.40	0.75	<1	0.39	358	2	116	433	59	0.28	<5	18	13	143	1743	7	34	16	2	65
43903	199079	<1	6.65	39	1019	<2	10	1.52	<4	9	67	16	1.55	0.61	6	0.83	438	1	76	516	49	0.28	<5	20	<10	153	1922	31	35	20	4	229
43904	199080	<1	6.22	21	648	<2	<1	3.29	<4	18	71	56	3.86	0.91	20	1.07	788	<1	39	731	22	0.11	<5	10	<10	366	3336	13	124	20	12	72
43905	199081	<1	5.16	34	846	<2	<1	1.34	<4	8	87	19	1.50	0.95	<1	0.61	393	3	111	423	52	0.26	<5	23	<10	138	1819	<2	35	<10	3	134
43906	199082	<1	2.70	28	892	<2	<1	1.46	<4	9	105	17	1.34	0.91	<1	0.30	273	7	121	361	47	0.21	<5	22	<10	150	1826	<2	35	<10	3	42
43907	199083	<1	1.53	29	877	<2	33	1.23	<4	7	85	45	1.39	0.93	<1	0.22	180	3	114	312	39	0.30	<5	7	14	150	1762	<2	33	<10	2	63
43908	199084	<1	1.87	19	872	<2	4	1.46	<4	8	89	15	1.36	1.08	<1	0.32	266	5	117	300	47	0.18	<5	26	<10	153	1884	<2	35	13	2	51
43909	199085	<1	4.44	11	966	<2	<1	1.94	<4	9	70	16	1.38	0.83	<1	0.47	282	<1	86	405	57	0.22	5	14	<10	171	1950	<2	35	<10	3	67
43910	199086	<1	3.61	23	821	<2	<1	1.60	<4	8	59	16	1.23	0.72	<1	0.42	261	<1	72	384	38	0.19	5	14	<10	156	1756	3	31	<10	2	60

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 3:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/09/2014
Job #: 201440543
Reference: TL14-347
Sample #: 49

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
43911	199087	<1	3.54	18	870	<2	<1	2.03	<4	8	91	10	1.39	0.71	<1	0.54	313	6	117	384	60	0.10	<5	17	<10	178	1790	<2	33	<10	2	59
43912D	199087	<1	4.38	17	872	<2	1	2.06	<4	7	104	10	1.47	0.70	<1	0.63	320	9	136	397	52	0.10	7	24	<10	178	1783	<2	33	<10	2	58
43913	199088	<1	5.65	42	877	<2	7	1.22	<4	6	91	44	1.29	0.56	<1	0.31	125	5	121	416	152	0.29	<5	<5	11	149	1754	<2	32	19	2	132
43914	199089	<1	5.03	25	779	<2	7	1.18	<4	7	50	17	1.02	0.39	<1	0.32	146	<1	55	401	102	0.29	<5	12	<10	146	1546	4	30	<10	2	135
43915	199090	63	5.75	46	750	<2	<1	2.32	18	15	43	55	2.99	0.40	<1	0.52	464	<1	24	600	601	0.23	52	16	221	321	2299	<2	93	132	8	1744
43916	199091	<1	4.43	21	824	<2	<1	1.01	<4	7	58	12	1.13	0.89	<1	0.18	<100	<1	66	332	81	0.40	<5	8	10	148	1553	5	34	19	3	149
43917	199092	<1	3.81	22	893	<2	<1	1.05	<4	10	99	20	1.20	0.89	<1	0.15	<100	8	124	241	160	0.26	<5	11	<10	152	1484	22	36	32	2	434
43918	199093	<1	5.17	28	940	<2	23	1.51	<4	7	77	19	1.30	0.98	10	0.34	210	2	95	371	155	0.33	<5	29	<10	167	1635	8	36	13	3	121
43919	199094	<1	5.11	25	916	<2	35	1.43	<4	10	74	58	1.45	0.85	<1	0.28	187	1	89	323	152	0.46	6	10	18	161	1545	<2	36	24	2	454
43920	199095	<1	4.81	27	920	<2	<1	1.13	<4	9	107	33	1.34	0.81	<1	0.16	<100	10	137	318	83	0.32	12	14	<10	158	1535	<2	35	12	2	145
43921	199096	<1	3.82	40	663	<2	<1	0.78	<4	7	63	60	1.29	<0.01	<1	0.15	<100	<1	77	407	400	0.52	<5	19	<10	131	1604	<2	37	44	2	1076
43922	199097	<1	5.29	8	901	<2	15	2.99	<4	10	65	13	1.84	1.26	<1	0.70	390	<1	70	596	56	0.21	5	24	<10	255	2281	10	47	<10	4	89
43923D	199097	<1	3.44	17	909	<2	10	2.90	<4	12	77	12	1.85	1.33	<1	0.54	392	2	88	570	41	0.19	<5	24	10	246	2277	<2	46	12	3	75
43924	199098	<1	1.93	3	1082	<2	21	2.95	<4	11	59	10	1.73	1.10	8	0.34	292	<1	64	547	41	0.12	<5	11	<10	268	2370	<2	46	19	2	59
43925	199099	<1	2.68	7	1131	<2	<1	3.55	<4	15	43	5	1.93	0.94	<1	0.42	379	<1	39	598	36	0.14	<5	11	<10	311	2334	<2	45	<10	3	88
43926	199100	<1	1.60	13	780	<2	3	3.30	<4	17	70	49	3.53	0.76	<1	0.48	730	<1	35	644	30	0.09	7	6	<10	361	3211	<2	116	<10	6	70
43927	199101	<1	3.91	9	927	<2	4	2.79	<4	11	52	12	1.87	0.86	10	0.65	332	<1	58	534	38	0.15	<5	21	<10	274	2410	5	47	<10	3	73
43928	199102	<1	4.24	16	918	<2	<1	2.53	<4	11	40	12	1.77	0.95	<1	0.57	324	<1	34	531	47	0.38	<5	8	<10	219	2252	<2	46	11	3	77
43929	199103	<1	4.00	38	860	<2	<1	1.62	<4	10	50	45	1.37	1.08	<1	0.33	225	<1	57	489	170	0.39	<5	15	10	172	1920	<2	45	19	3	429
43930	199104	<1	4.85	37	805	<2	<1	1.49	<4	11	49	38	1.34	0.93	<1	0.27	155	<1	62	477	49	0.48	9	28	<10	151	2076	10	44	18	3	222

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 3:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/09/2014
Job #: 201440543
Reference: TL14-347
Sample #: 49

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
43931	199105	<1	3.87	22	856	<2	4	2.26	<4	10	53	14	1.36	0.78	<1	0.41	344	<1	58	498	45	0.35	<5	17	<10	197	2172	<2	48	<10	3	55
43932	199106	<1	4.77	22	854	<2	1	2.34	<4	10	41	13	1.39	1.06	<1	0.45	346	<1	40	532	48	0.39	<5	19	<10	200	2137	<2	46	11	3	51
43933	199107	<1	4.34	11	710	<2	<1	5.44	<4	12	46	15	2.28	0.93	<1	1.29	834	<1	52	587	40	0.36	<5	12	<10	285	2210	<2	47	15	4	91
43934D	199107	<1	4.14	21	732	<2	<1	5.43	<4	13	54	16	2.38	1.15	<1	0.97	869	<1	61	532	48	0.38	8	17	<10	285	2197	5	48	20	3	100
43935	199108	<1	2.61	16	724	<2	<1	2.93	<4	12	53	20	1.75	0.94	<1	0.51	469	<1	63	547	43	0.31	<5	9	<10	250	2078	<2	43	<10	3	98
43936	199109	<1	2.14	15	685	<2	<1	2.51	<4	9	37	10	1.56	0.46	<1	0.35	311	<1	38	520	31	0.17	<5	7	<10	225	1955	11	41	<10	2	53
43937	199110	<1	1.88	27	804	<2	11	2.74	<4	15	63	201	3.50	0.65	<1	0.47	661	2	38	643	28	0.11	<5	8	10	344	2888	<2	105	21	6	76
43938	199111	<1	4.10	21	686	<2	<1	2.71	<4	8	48	22	1.72	0.87	<1	0.55	456	<1	57	571	83	0.31	5	24	<10	244	2151	<2	44	<10	3	142
43939	199112	<1	2.10	36	549	<2	<1	2.67	<4	10	46	19	1.80	0.83	<1	0.49	454	<1	55	441	108	0.40	<5	<5	<10	211	2241	<2	47	18	3	212
43940	199113	<1	6.47	101	618	<2	6	2.69	<4	10	50	32	1.91	0.60	<1	0.64	609	<1	62	531	82	0.60	<5	16	<10	202	2015	<2	41	21	4	209
43941	199114	<1	3.08	71	664	<2	6	1.35	<4	7	58	70	1.75	0.94	<1	0.21	207	4	63	408	264	0.68	7	12	<10	159	1770	<2	39	39	2	585
43942	199115	<1	4.52	55	852	<2	<1	2.14	<4	12	53	30	1.73	1.46	<1	0.34	348	<1	48	476	78	0.65	<5	18	<10	209	2212	<2	46	24	4	296
43943	199116	<1	5.26	14	744	<2	<1	3.47	<4	11	44	9	1.80	0.78	<1	0.67	395	<1	33	592	38	0.20	10	6	<10	270	2245	<2	46	18	4	75

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14348

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/07/2014
Job #: 201440544
Reference: TL14-348
Sample #: 37

Acc #	Client ID	Au g/t (ppm)
43852	199117	0.021
43853	199118	0.210
43854	199119	0.190
43855	199120	<0.005
43856	199121	0.033
43857	199122	0.097
43858	199123	0.336
43859	199124	0.103
43860	199125	0.103
43861	199126	0.075
43862	199126 Dup	0.077
43863	199127	0.111
43864	199128	0.181
43865	199129	0.019
43866	199130	0.343
43867	199131	0.010
43868	199132	0.021
43869	199133	0.093
43870	199134	0.436
43871	199135	0.383
43872	199136	0.146
43873	199136 Dup	0.147
43874	199137	0.105
43875	199138	0.086
43876	199139	0.912

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/07/2014
Job #: 201440544
Reference: TL14-348
Sample #: 37

Acc #	Client ID	Au g/t (ppm)
43877	199140	0.008
43878	199141	0.209
43879	199142	0.149
43880	199143	0.015
43881	199144	0.013
43882	199145	0.048
43883	199146	0.063
43884	199146 Dup	0.054
43885	199147	0.713
43886	199148	0.501
43887	199149	0.701
43888	199150	4.859
43889	199151	1.169
43890	199152	0.039
43891	199153	0.013

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/07/2014
Job #: 201440544
Reference: TL14-348
Sample #: 37

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.741	0.791	0.051
GS25	0.754	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/07/2014
Job #: 201440544
Reference: TL14-348
Sample #: 37

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
43852	199117	<1	3.60	18	976	<2	<1	2.43	<4	11	43	23	1.31	1.15	<1	0.59	438	<1	32	384	56	0.30	<5	19	<10	218	2090	<2	36	18	3	81
43853	199118	<1	2.45	39	963	<2	<1	1.24	<4	7	34	22	1.17	1.26	<1	0.25	204	<1	28	360	120	0.60	<5	23	<10	155	1868	<2	31	10	2	109
43854	199119	<1	2.35	24	727	<2	<1	0.45	<4	7	33	13	1.18	0.43	<1	0.14	110	<1	25	378	48	0.72	<5	12	<10	126	1698	<2	30	19	<2	42
43855	199120	<1	4.54	9	730	<2	<1	3.39	<4	15	69	50	3.45	0.74	<1	0.69	702	<1	32	674	22	0.09	<5	20	<10	357	3173	<2	113	<10	9	64
43856	199121	<1	3.67	36	982	<2	13	2.11	<4	10	44	35	1.29	0.82	<1	0.45	634	<1	35	430	74	0.42	7	8	<10	162	1974	9	37	13	3	144
43857	199122	<1	3.69	23	955	<2	<1	1.02	<4	8	36	26	1.06	0.80	<1	0.22	209	<1	36	421	51	0.44	<5	13	<10	136	1950	19	32	11	2	62
43858	199123	3	2.54	41	866	<2	<1	0.99	<4	11	47	39	1.11	0.59	<1	0.23	231	<1	46	415	588	0.49	<5	15	<10	138	1830	<2	32	46	2	827
43859	199124	<1	6.35	25	972	<2	8	1.74	<4	9	42	42	1.16	0.90	<1	0.46	486	<1	36	409	246	0.38	8	21	<10	154	2012	15	34	14	4	193
43860	199125	<1	5.44	20	1017	<2	8	2.01	<4	7	36	26	1.30	0.60	<1	0.49	563	<1	30	363	78	0.44	6	10	<10	168	2121	<2	35	10	4	94
43861	199126	<1	2.22	25	994	<2	14	1.86	<4	9	51	22	1.31	1.37	<1	0.35	575	<1	47	309	76	0.36	<5	<5	<10	163	2064	<2	34	<10	3	84
43862D	199126	<1	4.73	23	1065	<2	<1	2.06	<4	9	55	24	1.38	1.03	<1	0.44	604	<1	58	374	72	0.36	<5	16	<10	171	2172	<2	37	<10	4	81
43863	199127	<1	3.96	16	943	<2	14	2.05	<4	10	36	14	1.21	1.30	<1	0.50	574	<1	33	382	43	0.33	6	24	<10	170	2028	21	33	<10	3	56
43864	199128	<1	1.62	41	1074	<2	<1	2.27	<4	8	41	36	1.31	1.20	<1	0.32	375	<1	34	192	64	0.42	<5	28	<10	208	2009	9	35	26	3	686
43865	199129	<1	1.45	13	1082	<2	<1	3.00	<4	9	39	16	1.37	1.21	<1	0.65	344	<1	28	222	66	0.12	<5	14	<10	252	2131	2	35	19	3	125
43866	199130	2	<0.01	60	760	<2	<1	2.65	4	15	53	2565	5.23	1.05	<1	0.29	1145	11	26	472	123	1.70	<5	7	<10	303	1427	21	70	34	4	672
43867	199131	<1	0.38	14	1073	<2	3	2.86	<4	6	41	10	1.37	1.19	<1	0.56	273	<1	30	194	42	0.12	<5	8	13	231	1947	<2	34	17	3	70
43868	199132	<1	0.36	10	1031	<2	4	2.54	<4	7	39	10	1.33	0.64	<1	0.44	274	<1	29	209	52	0.12	11	12	<10	203	1934	<2	34	<10	3	71
43869	199133	<1	0.80	32	941	<2	18	2.04	<4	11	83	15	1.67	1.06	<1	0.36	295	5	98	225	86	0.27	<5	18	<10	171	1895	<2	37	13	3	102
43870	199134	<1	0.83	39	907	<2	<1	1.37	<4	9	46	20	0.89	1.19	<1	0.16	<100	<1	45	240	104	0.34	<5	18	<10	157	1575	<2	34	16	2	250
43871	199135	<1	2.52	26	917	<2	<1	1.37	<4	11	103	18	1.23	0.69	<1	0.17	101	8	127	289	98	0.31	10	6	<10	154	1555	<2	35	14	2	225

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 3:49 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/25/2014
Date Completed: 04/07/2014
Job #: 201440544
Reference: TL14-348
Sample #: 37

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
43872	199136	<1	2.31	35	870	<2	5	1.31	<4	8	88	14	1.23	0.41	<1	0.19	128	6	106	332	79	0.34	5	10	<10	147	1524	<2	35	16	3	56
43873D	199136	<1	3.86	40	870	<2	56	1.35	<4	9	92	14	1.25	0.72	<1	0.22	130	6	112	397	67	0.33	<5	15	11	148	1510	2	34	24	3	54
43874	199137	<1	3.85	37	839	<2	14	1.35	<4	10	90	12	1.80	0.57	<1	0.22	142	8	116	348	112	0.69	<5	14	11	150	1401	<2	33	18	3	150
43875	199138	1	7.22	47	777	<2	<1	1.49	<4	10	64	30	1.37	0.28	<1	0.29	131	<1	71	408	299	0.65	<5	14	<10	156	1337	18	36	18	3	389
43876	199139	18	0.63	149	788	<2	<1	1.38	8	7	56	210	1.99	1.39	<1	0.09	<100	<1	53	124	1111	0.72	80	17	<10	163	1122	25	38	107	2	3413
43877	199140	<1	0.63	21	856	<2	6	3.91	<4	19	80	62	3.94	1.16	<1	0.61	791	<1	39	470	55	0.11	<5	9	<10	392	3318	<2	128	14	7	124
43878	199141	2	0.12	34	883	<2	<1	1.76	<4	9	93	64	1.25	1.13	<1	0.15	<100	7	114	199	233	0.32	<5	10	<10	173	1332	3	50	21	3	255
43879	199142	<1	0.42	38	835	<2	<1	1.36	<4	10	69	75	0.82	1.26	<1	0.08	<100	2	81	190	71	0.21	<5	19	<10	168	1383	<2	50	23	3	158
43880	199143	<1	<0.01	29	941	<2	1	1.44	<4	10	40	11	1.04	1.49	<1	0.10	<100	<1	36	243	50	0.39	<5	12	<10	168	1800	<2	51	<10	3	46
43881	199144	<1	<0.01	19	910	<2	10	3.23	<4	9	39	8	1.74	0.86	<1	0.44	359	<1	29	323	48	0.22	<5	<5	<10	234	2287	6	47	10	3	83
43882	199145	<1	0.89	20	793	2	<1	3.51	<4	12	38	10	1.75	1.37	<1	0.46	561	<1	26	388	50	0.35	<5	<5	<10	257	2266	8	48	17	3	81
43883	199146	<1	1.16	19	802	2	<1	3.38	<4	11	51	11	1.80	1.39	<1	0.47	545	<1	42	444	40	0.34	<5	15	<10	259	2236	<2	48	<10	3	91
43884D	199146	<1	1.74	20	738	2	7	3.31	<4	11	49	11	1.70	1.07	<1	0.49	516	<1	48	393	45	0.33	<5	16	<10	247	2090	<2	45	20	3	86
43885	199147	<1	1.41	43	662	<2	5	1.86	<4	9	70	21	1.38	1.17	<1	0.26	476	4	76	390	102	0.46	<5	<5	<10	175	1945	6	41	17	2	254
43886	199148	<1	3.95	49	720	<2	6	2.40	<4	10	68	139	2.05	1.04	<1	0.43	471	2	75	509	96	0.68	<5	21	<10	208	2184	9	44	17	3	239
43887	199149	<1	2.68	41	597	<2	2	1.96	<4	9	54	80	1.35	1.19	<1	0.30	413	<1	51	451	155	0.49	5	10	<10	176	1876	<2	40	31	3	422
43888	199150	72	0.31	49	836	<2	18	2.60	21	18	52	65	3.37	0.87	<1	0.32	528	<1	25	348	704	0.23	61	<5	243	344	2435	3	105	140	6	2025
43889	199151	4	0.04	114	733	<2	3	2.04	13	10	106	273	3.23	1.02	<1	0.22	281	11	132	238	1056	0.78	16	<5	<10	207	1977	<2	48	153	3	4694
43890	199152	<1	<0.01	21	739	<2	<1	3.14	<4	10	79	11	2.03	0.98	<1	0.41	389	3	96	262	48	0.19	<5	15	<10	300	2073	<2	49	16	3	88
43891	199153	<1	<0.01	13	819	2	<1	3.29	<4	9	50	16	1.89	1.10	<1	0.42	341	<1	48	262	43	0.18	<5	<5	<10	350	2246	3	45	<10	3	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/14/2014 3:49 PM

TL14349

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440571
Reference: TL14-349
Sample #: 70

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
44900	199154	<0.005	
44901	199155	0.031	
44902	199156	0.027	
44903	199157	0.016	
44904	199158	0.042	
44905	199159	0.010	
44906	199160	<0.005	
44907	199161	0.131	
44908	199162	0.014	
44909	199163	<0.005	
44910	199163 Dup	0.019	
44911	199164	0.005	
44912	199165	0.021	
44913	199166	0.014	
44914	199167	0.040	
44915	199168	0.054	
44916	199169	0.075	
44917	199170	1.508	
44918	199171	1.018	
44919	199172	4.309	
44920	199173	0.135	
44921	199173 Dup	0.089	
44922	199174	0.092	
44923	199175	0.094	
44924	199176	0.022	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440571
Reference: TL14-349
Sample #: 70

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
44925	199177	0.027	
44926	199178	0.038	
44927	199179	0.151	
44928	199180	<0.005	
44929	199181	0.022	
44930	199182	0.007	
44931	199183	0.065	
44932	199183 Dup	0.070	
44933	199184	0.241	
44934	199185	0.311	
44935	199186	0.207	
44936	199187	0.163	
44937	199188	0.046	
44938	199189	0.518	
44939	199190	0.394	
44940	199191	0.252	
44941	199192	0.110	
44942	199193	0.055	
44943	199193 Dup	0.045	
44944	199194	0.022	
44945	199195	0.176	
44946	199196	0.083	
44947	199197	0.194	
44948	199198	0.146	
44949	199199	0.175	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440571
Reference: TL14-349
Sample #: 70

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
44950	199200	<0.005	
44951	199201	0.129	
44952	199202	0.091	
44953	199203	0.080	
44954	199203 Dup	0.061	
44955	199204	0.043	
44956	199205	0.074	
44957	199206	0.099	
44958	199207	0.058	
44959	199208	0.021	
44960	199209	0.120	
44961	199210	4.878	
44962	199211	0.082	
44963	199212	0.068	
44964	199213	3.195	
44965	199213 Rep	3.496	
44966	199214	0.326	
44967	199215	2.212	
44968	199216	0.565	
44969	199217	>6.000	6.588
44970	199218	5.384	
44971	199219	1.769	
44972	199220	<0.005	
44973	199221	0.641	
44974	199222	1.652	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440571
Reference: TL14-349
Sample #: 70

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
44975	199223	0.274	
44976	199223 Dup	0.239	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440571
Reference: TL14-349
Sample #: 70

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.740	0.791	0.051
GS25	0.788	0.791	0.051
GS25	0.783	0.791	0.051
GS25	0.763	0.791	0.051
GS25	0.790	0.791	0.051
GS25	0.771	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440571
Reference: TL14-349
Sample #: 70

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
44900	199154	<1	5.67	22	231	<2	10	0.31	<4	2	38	1	0.64	0.13	63	0.86	401	<1	59	411	51	3.98	17	14	<10	170	1292	20	30	<10	3	69
44901	199155	<1	6.03	33	226	<2	21	0.54	<4	6	63	8	1.10	<0.01	62	1.14	670	5	98	427	58	3.89	17	<5	<10	183	1239	<2	38	<10	4	252
44902	199156	<1	3.07	23	207	<2	<1	0.26	<4	5	28	2	0.70	0.27	7	0.77	460	<1	44	331	51	3.46	21	<5	<10	158	1109	<2	29	<10	2	113
44903	199157	<1	5.12	23	109	2	<1	0.14	<4	4	40	3	0.60	0.23	38	0.78	307	2	59	356	26	3.67	16	<5	<10	165	882	<2	25	<10	3	319
44904	199158	<1	5.05	40	159	2	11	0.37	<4	6	52	10	1.47	0.21	25	1.15	642	2	75	395	13	3.26	22	12	<10	162	1045	<2	32	<10	4	54
44905	199159	<1	5.02	18	188	<2	5	0.20	<4	7	50	4	1.02	0.29	28	1.03	521	3	67	396	8	3.64	18	21	<10	155	1096	<2	33	<10	3	52
44906	199160	<1	3.98	9	361	<2	6	2.30	<4	16	57	43	3.74	0.22	42	1.20	747	<1	34	615	4	3.64	16	<5	<10	319	2938	<2	116	<10	14	57
44907	199161	<1	5.70	45	277	2	7	0.65	<4	5	36	19	1.87	0.01	22	1.24	752	<1	50	546	11	4.12	6	<5	<10	181	1396	<2	41	<10	5	68
44908	199162	<1	5.45	10	439	<2	<1	1.64	<4	6	44	6	1.67	0.03	19	1.14	607	3	71	433	12	3.43	17	<5	<10	170	2097	87	37	<10	3	37
44909	199163	<1	5.31	12	298	2	5	2.05	<4	6	31	5	1.47	0.06	32	1.65	766	<1	33	425	6	3.92	13	<5	<10	157	1886	<2	34	<10	4	45
44910D	199163	<1	5.43	7	299	<2	<1	2.01	<4	4	29	4	1.44	<0.01	33	1.62	746	<1	36	412	10	3.27	19	7	<10	158	1835	<2	33	<10	3	48
44911	199164	<1	5.72	11	331	<2	3	1.66	<4	5	30	4	1.25	<0.01	39	1.47	661	<1	45	424	20	3.91	18	15	<10	160	1735	<2	31	<10	4	38
44912	199165	<1	5.88	12	444	2	9	1.35	<4	6	37	5	1.31	0.31	16	1.26	683	<1	56	413	22	3.53	17	13	<10	135	1819	<2	32	<10	4	47
44913	199166	<1	5.71	24	425	<2	4	1.65	<4	7	37	5	1.26	0.53	41	1.26	708	1	49	406	18	3.34	22	<5	<10	133	1802	<2	31	<10	4	47
44914	199167	<1	5.75	27	1043	<2	16	1.75	<4	6	34	7	1.55	0.41	53	1.50	894	1	50	422	47	3.90	22	14	<10	165	1599	109	31	<10	4	63
44915	199168	<1	5.79	28	1255	2	<1	1.65	<4	5	37	18	1.66	0.23	48	1.31	735	<1	58	398	119	3.58	18	9	<10	152	1672	82	29	<10	4	176
44916	199169	<1	5.89	29	482	3	14	1.37	<4	3	39	16	1.65	0.05	31	1.17	699	1	60	411	74	3.65	17	<5	<10	146	1689	35	32	<10	4	319
44917	199170	<1	4.33	15	469	2	9	2.02	<4	15	55	199	3.99	0.38	39	1.11	732	6	39	638	7	3.52	19	8	<10	331	2806	<2	113	<10	14	72
44918	199171	<1	5.29	93	397	<2	1	1.21	<4	21	162	54	3.23	0.41	45	1.04	788	6	125	493	162	4.24	20	<5	<10	119	2506	<2	89	<10	12	323
44919	199172	3	5.01	72	414	2	<1	1.79	<4	20	159	213	3.56	0.33	54	1.11	785	<1	100	536	419	4.93	24	<5	<10	127	2486	<2	82	<10	11	835

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/17/2014 3:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440571
Reference: TL14-349
Sample #: 70

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
44920	199173	<1	6.76	44	681	<2	6	0.68	<4	9	32	14	1.47	0.10	36	0.60	291	<1	53	620	32	4.00	21	9	<10	134	2310	<2	41	<10	4	63
44921D	199173	<1	6.45	37	642	<2	<1	0.61	<4	8	29	12	1.42	0.13	39	0.59	277	<1	51	597	27	4.28	11	9	<10	128	2265	<2	39	<10	4	61
44922	199174	<1	5.62	36	591	<2	6	1.09	<4	5	33	28	1.63	0.17	41	0.67	382	<1	47	549	31	4.52	21	<5	<10	156	1921	73	39	<10	5	55
44923	199175	<1	5.66	41	591	<2	8	1.97	<4	5	35	19	2.01	0.21	42	0.71	577	<1	57	577	34	4.37	17	6	11	166	1821	<2	39	<10	4	73
44924	199176	<1	6.61	46	663	<2	<1	1.43	<4	6	31	4	1.91	0.45	33	0.94	533	<1	42	641	49	3.99	24	7	<10	163	2213	<2	44	<10	5	107
44925	199177	<1	6.39	47	595	<2	<1	1.59	<4	6	42	3	1.96	0.68	<1	1.03	557	<1	57	595	29	3.28	17	9	10	165	2002	<2	42	<10	5	51
44926	199178	<1	4.89	19	496	2	<1	1.62	<4	3	31	14	1.96	0.77	1	1.22	748	<1	49	538	28	3.33	15	<5	<10	175	1846	<2	39	<10	5	66
44927	199179	<1	1.72	20	215	<2	<1	0.55	<4	4	19	13	1.26	0.82	<1	0.82	511	<1	33	374	25	2.01	12	13	<10	116	1374	<2	26	<10	3	52
44928	199180	<1	3.62	8	331	<2	<1	2.13	<4	14	54	40	3.50	0.32	<1	1.12	702	<1	34	590	9	3.15	18	8	<10	300	2784	<2	109	<10	13	52
44929	199181	<1	5.38	7	576	<2	7	1.09	<4	5	32	7	1.46	0.63	16	1.55	500	<1	50	347	130	3.99	15	<5	<10	159	1693	<2	27	<10	3	412
44930	199182	<1	3.27	12	381	<2	4	0.38	<4	2	81	9	1.31	0.08	18	1.31	394	9	107	231	24	4.26	19	7	<10	114	1174	<2	20	<10	3	135
44931	199183	<1	5.34	14	489	<2	14	1.25	<4	7	59	41	2.17	0.41	36	2.30	708	6	96	330	149	4.02	19	9	<10	142	1582	<2	28	15	4	930
44932D	199183	<1	4.33	6	415	2	7	0.99	<4	5	53	38	2.01	0.66	33	2.14	663	3	85	305	144	4.00	26	6	<10	132	1486	47	26	12	3	888
44933	199184	<1	4.75	39	498	<2	9	1.28	10	5	42	52	1.55	0.43	19	1.13	647	<1	66	343	294	4.42	14	<5	<10	129	1611	<2	29	41	3	3286
44934	199185	<1	5.93	39	528	<2	3	1.00	<4	7	48	43	1.66	0.48	56	1.08	429	3	77	390	271	4.66	18	7	<10	137	1686	<2	32	15	4	670
44935	199186	<1	4.99	38	456	<2	9	0.84	<4	7	40	42	1.58	0.06	44	0.98	393	<1	63	341	180	4.58	19	<5	<10	128	1521	<2	28	13	3	752
44936	199187	<1	5.75	42	538	<2	8	0.53	<4	7	49	16	1.31	0.74	23	0.95	272	4	83	405	58	3.54	14	<5	<10	113	1606	<2	29	<10	3	173
44937	199188	<1	6.67	30	621	<2	6	0.03	<4	4	31	14	1.12	0.74	25	0.62	149	<1	47	446	48	3.13	22	19	<10	105	1598	<2	31	<10	4	103
44938	199189	<1	6.32	27	573	<2	<1	<0.01	<4	3	60	12	1.17	0.75	30	0.30	<100	6	100	468	65	3.36	21	21	<10	110	1237	<2	31	<10	3	131
44939	199190	<1	4.89	50	260	<2	12	0.84	4	12	32	2093	4.75	0.61	50	0.72	1042	9	25	711	81	4.58	18	<5	<10	214	1092	22	59	<10	7	606

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/17/2014 3:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440571
Reference: TL14-349
Sample #: 70

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
44940	199191	<1	5.75	22	593	<2	<1	<0.01	<4	3	52	69	1.26	0.03	22	0.26	<100	3	85	425	73	3.80	13	12	<10	102	1269	<2	32	<10	3	90
44941	199192	<1	5.54	17	650	<2	<1	0.35	<4	5	56	20	1.42	0.15	45	0.69	298	4	94	399	128	4.30	17	<5	<10	107	1331	<2	31	<10	4	425
44942	199193	<1	4.94	20	580	<2	1	0.99	<4	5	47	28	1.57	0.82	28	1.19	645	2	70	411	68	3.70	22	12	<10	104	1461	7	30	<10	3	176
44943D	199193	<1	4.88	16	587	2	4	1.04	<4	6	46	27	1.59	0.85	34	1.20	658	<1	70	407	68	3.90	24	<5	<10	104	1477	<2	31	<10	4	165
44944	199194	<1	5.46	15	723	<2	2	0.98	<4	6	44	20	1.44	0.63	32	1.31	815	<1	62	392	54	3.97	20	10	<10	130	1556	40	32	<10	4	80
44945	199195	<1	5.74	27	791	<2	15	0.69	<4	7	50	11	1.27	0.61	29	0.87	409	<1	74	431	25	3.89	13	<5	<10	109	1578	<2	32	<10	3	60
44946	199196	<1	5.93	20	718	<2	15	1.13	<4	6	43	22	1.44	0.34	18	1.10	775	<1	55	408	43	4.33	21	15	<10	123	1515	60	34	<10	4	55
44947	199197	<1	5.92	14	767	<2	<1	0.37	<4	6	55	8	1.61	0.03	14	0.99	536	1	81	463	51	4.13	18	<5	<10	112	1569	<2	34	<10	4	86
44948	199198	<1	6.11	17	707	<2	<1	0.26	<4	3	62	17	1.26	0.66	3	0.71	461	7	104	402	62	3.34	11	<5	<10	104	1562	<2	33	<10	4	248
44949	199199	<1	6.44	14	600	<2	<1	1.58	<4	5	58	12	1.63	0.60	15	1.27	601	3	100	413	50	3.23	17	13	<10	97	1757	<2	34	10	4	53
44950	199200	<1	4.01	14	368	<2	12	2.28	<4	15	57	42	3.65	0.23	13	1.18	734	<1	34	599	3	2.89	17	<5	<10	308	2920	<2	115	<10	13	59
44951	199201	<1	5.91	11	600	<2	<1	0.19	<4	4	50	6	1.30	0.60	9	0.86	318	2	79	470	42	3.41	17	12	<10	101	1475	<2	33	<10	4	58
44952	199202	<1	6.00	17	549	<2	<1	0.57	<4	5	48	14	1.48	0.73	54	1.71	811	1	78	413	29	3.18	18	10	<10	110	1383	<2	31	<10	4	84
44953	199203	<1	6.00	14	579	<2	<1	0.44	<4	4	52	8	1.60	0.59	42	2.30	576	4	90	382	20	3.93	16	8	<10	103	1109	12	32	<10	3	61
44954D	199203	<1	5.73	15	555	<2	7	0.39	<4	4	50	8	1.54	0.76	30	2.22	550	2	82	373	17	3.79	23	9	<10	106	1058	<2	31	<10	3	46
44955	199204	<1	6.28	13	636	<2	<1	0.03	<4	6	47	3	1.53	0.80	46	2.71	263	4	83	400	4	3.59	29	10	<10	90	934	<2	30	<10	3	48
44956	199205	<1	6.06	25	528	<2	10	0.76	<4	5	51	14	1.73	0.66	47	2.77	435	4	87	395	9	3.79	17	10	<10	111	1107	29	30	<10	3	46
44957	199206	<1	6.07	14	486	<2	<1	0.60	<4	5	44	12	1.60	0.95	63	2.73	415	2	73	386	16	3.43	19	11	<10	106	1074	16	27	<10	3	44
44958	199207	<1	6.14	21	540	<2	7	0.77	<4	5	41	7	1.51	0.58	50	2.29	417	<1	69	369	31	3.98	22	5	<10	124	1397	<2	29	<10	3	56
44959	199208	<1	5.44	20	531	<2	11	0.97	<4	5	63	6	1.41	0.45	55	1.62	289	7	102	352	26	3.88	14	11	<10	102	1353	<2	30	<10	3	60

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/17/2014 3:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440571
Reference: TL14-349
Sample #: 70

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
44960	199209	<1	6.36	14	539	<2	2	0.66	<4	5	44	14	1.60	0.53	49	2.49	299	2	78	387	34	3.77	12	33	<10	100	1382	<2	30	<10	4	56
44961	199210	75	3.84	50	434	<2	<1	1.21	21	16	36	51	3.28	0.18	14	0.84	515	<1	25	591	600	2.95	77	<5	244	285	2109	<2	96	69	12	1990
44962	199211	2	5.91	21	600	<2	2	0.74	<4	5	51	11	1.47	0.84	46	1.22	212	3	89	373	124	3.26	21	<5	11	105	1512	<2	31	<10	3	113
44963	199212	<1	5.79	30	614	<2	14	0.94	<4	9	83	17	1.67	0.85	25	1.03	325	6	106	415	54	3.51	27	8	<10	112	1653	40	44	<10	5	76
44964	199213	<1	5.21	20	460	2	19	0.88	<4	31	159	87	4.09	0.82	40	1.53	581	2	136	601	72	3.75	16	<5	<10	111	2292	<2	97	23	13	83
44965R	199213	<1	5.11	41	432	2	<1	0.90	<4	28	150	103	3.98	0.46	31	1.48	565	1	125	586	66	4.26	16	<5	<10	106	2174	36	93	31	13	180
44966	199214	<1	5.59	16	458	<2	7	1.20	<4	25	172	70	4.02	0.52	50	1.61	702	<1	115	563	57	3.94	9	<5	<10	147	2668	<2	103	<10	13	129
44967	199215	3	5.42	113	654	2	11	<0.01	8	15	139	111	3.11	0.70	46	0.33	120	14	137	466	724	5.24	14	13	<10	99	1660	<2	84	40	7	2364
44968	199216	<1	5.83	53	814	<2	1	0.02	<4	4	65	63	1.77	0.57	26	0.49	140	5	107	482	340	4.15	28	9	<10	106	1588	<2	45	<10	4	801
44969	199217	14	4.51	103	1055	<2	<1	<0.01	8	4	67	238	1.61	0.56	24	0.25	<100	12	110	441	1515	4.16	85	20	<10	99	1218	101	35	50	3	3290
44970	199218	13	4.81	80	601	<2	<1	0.18	5	6	49	212	1.77	0.85	46	0.42	150	6	82	597	800	4.12	45	5	<10	94	1602	<2	37	29	5	1776
44971	199219	<1	5.74	20	546	2	14	0.20	<4	6	45	31	1.49	0.69	25	0.64	242	1	73	641	178	3.69	11	<5	<10	100	2022	<2	42	10	6	277
44972	199220	<1	2.13	11	223	<2	5	1.54	<4	11	43	39	3.04	<0.01	56	0.95	612	<1	29	509	9	3.42	17	5	<10	250	2456	<2	93	<10	10	75
44973	199221	<1	5.43	34	497	<2	13	1.17	<4	8	47	16	1.79	0.23	70	1.05	548	3	75	556	58	4.10	12	8	<10	129	2037	<2	42	<10	5	180
44974	199222	<1	6.00	33	595	<2	4	1.29	<4	8	48	5	1.71	0.41	58	0.88	442	<1	69	527	41	4.02	17	<5	<10	133	2087	<2	43	<10	5	93
44975	199223	<1	5.77	32	579	<2	5	1.73	<4	9	46	6	2.08	0.47	75	1.24	589	<1	69	587	21	3.75	21	<5	<10	136	2335	39	45	<10	5	71
44976D	199223	<1	4.87	26	501	<2	<1	1.49	<4	8	42	6	1.89	0.47	63	1.12	533	<1	63	535	20	3.60	19	16	<10	128	2094	<2	40	<10	4	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 1, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/23/2014
Date Completed: 05/01/2014
Job #: 201440769
Reference: 201440571
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
60314	199217	4.067	4.010	26.497	4.571	2.37%	23.86

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14350

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440572
Reference: TL14-350
Sample #: 55

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
44977	199224	0.141	
44978	199225	0.025	
44979	199226	0.033	
44980	199227	0.041	
44981	199228	0.025	
44982	199229	0.029	
44983	199230	1.472	
44984	199231	0.059	
44985	199232	0.039	
44986	199233	0.055	
44987	199233 Dup	0.058	
44988	199234	0.142	
44989	199235	0.058	
44990	199236	1.013	
44991	199237	0.122	
44992	199238	0.053	
44993	199239	0.119	
44994	199240	<0.005	
44995	199241	0.060	
44996	199242	0.056	
44997	199243	0.039	
44998	199243 Dup	0.045	
44999	199244	0.370	
45000	199245	0.252	
45001	199246	0.214	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440572
Reference: TL14-350
Sample #: 55

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
45002	199247	0.325	
45003	199248	0.289	
45004	199249	0.283	
45005	199250	0.380	
45006	199251	0.101	
45007	199252	0.051	
45008	199253	0.086	
45009	199253 Dup	0.085	
45010	199254	0.240	
45011	199255	0.075	
45012	199256	0.043	
45013	199257	0.143	
45014	199258	0.066	
45015	199259	0.056	
45016	199260	<0.005	
45017	199261	0.096	
45018	199262	0.081	
45019	199263	0.048	
45020	199263 Dup	0.046	
45021	199264	0.049	
45022	199265	0.045	
45023	199266	0.030	
45024	199267	0.219	
45025	199268	0.212	
45026	199269	0.223	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440572
Reference: TL14-350
Sample #: 55

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
45027	199270	5.445	
45028	199271	0.085	
45029	199272	0.255	
45030	199273	1.983	
45031	199273 Dup	2.218	
45032	199274	3.149	
45033	199275	>6.000	24.159
45034	199276	0.197	
45035	199277	0.278	
45036	199278	1.249	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440572
Reference: TL14-350
Sample #: 55

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.777	0.791	0.051
GS25	0.761	0.791	0.051
GS25	0.781	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440572
Reference: TL14-350
Sample #: 55

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
44977	199224	<1	6.06	42	612	<2	12	1.09	<4	10	55	21	1.72	0.44	53	0.78	465	1	79	606	59	4.18	23	15	<10	138	2106	<2	43	<10	5	56
44978	199225	<1	6.67	34	703	2	<1	2.39	<4	5	47	14	1.96	0.67	60	0.72	570	2	80	647	26	3.88	19	11	<10	181	1849	<2	43	<10	5	61
44979	199226	<1	6.25	48	648	2	16	2.33	<4	5	48	12	1.94	0.48	47	0.69	625	2	85	597	25	3.94	22	6	<10	177	1708	31	41	<10	4	79
44980	199227	<1	5.67	34	693	<2	<1	1.37	<4	7	35	9	1.80	0.89	22	0.80	493	<1	57	570	45	4.20	8	16	<10	159	1903	2	39	<10	4	69
44981	199228	<1	5.45	33	564	<2	6	1.22	<4	3	31	3	1.74	0.60	53	0.80	459	<1	52	562	14	4.04	17	<5	<10	154	1965	<2	40	<10	4	31
44982	199229	<1	5.41	26	622	<2	<1	1.79	<4	6	19	6	1.75	0.59	38	1.02	613	<1	28	553	17	3.56	16	<5	<10	224	1946	<2	39	<10	5	53
44983	199230	<1	3.96	24	443	<2	4	1.85	<4	13	49	180	3.65	0.19	52	1.03	672	4	38	590	6	3.76	18	<5	<10	306	2636	<2	103	<10	13	64
44984	199231	<1	5.38	25	752	<2	<1	1.44	<4	5	44	21	1.73	0.59	55	1.06	614	1	73	523	42	3.80	12	11	<10	256	1814	<2	39	<10	5	67
44985	199232	<1	5.05	17	556	<2	29	3.18	<4	7	46	26	1.95	0.75	85	2.84	1655	1	67	372	108	3.69	18	17	<10	190	1514	<2	28	<10	3	553
44986	199233	<1	5.34	26	521	<2	19	1.77	<4	5	61	37	1.76	0.81	63	1.68	905	5	103	348	280	3.37	15	16	<10	168	1569	<2	29	13	3	864
44987D	199233	<1	5.42	17	523	<2	10	1.73	<4	5	55	34	1.67	0.85	70	1.63	865	5	89	343	282	3.93	24	12	<10	166	1557	<2	27	10	3	853
44988	199234	<1	5.41	19	589	<2	1	1.16	<4	4	38	13	1.46	0.58	52	1.42	644	<1	65	361	40	3.62	25	<5	<10	164	1661	<2	29	<10	3	120
44989	199235	<1	5.59	12	571	<2	6	1.54	<4	7	41	19	1.41	0.53	62	1.11	513	<1	57	364	6	4.22	18	5	<10	159	1707	<2	28	<10	3	50
44990	199236	<1	5.60	12	563	<2	<1	0.96	<4	6	32	13	1.39	0.59	46	1.12	422	<1	45	369	109	4.12	23	14	<10	178	1777	<2	28	<10	3	516
44991	199237	<1	5.17	19	550	<2	5	0.97	7	7	44	22	1.48	0.45	37	1.12	417	<1	67	385	733	4.01	20	<5	<10	140	1680	<2	27	27	3	2156
44992	199238	<1	5.13	20	586	<2	6	1.45	<4	6	53	10	1.52	0.65	71	1.48	567	3	84	353	15	3.99	19	10	<10	160	1790	120	30	<10	3	46
44993	199239	<1	5.10	12	488	<2	<1	1.54	<4	5	46	17	1.49	0.45	17	1.43	584	3	76	351	95	3.78	24	22	<10	158	1713	6	29	<10	3	160
44994	199240	<1	4.08	7	378	2	8	2.38	<4	14	58	43	3.80	0.37	45	1.21	756	<1	38	631	<1	3.74	15	<5	10	324	3028	<2	118	<10	14	61
44995	199241	<1	5.29	13	593	2	2	1.14	<4	6	50	13	1.42	0.90	<1	1.34	458	3	79	360	24	3.63	25	<5	<10	158	1734	45	29	<10	3	68
44996	199242	<1	4.70	19	467	<2	<1	0.54	<4	2	50	13	1.46	0.78	<1	1.96	494	<1	73	313	23	3.94	21	16	<10	112	1416	<2	25	<10	3	105

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/17/2014 3:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440572
Reference: TL14-350
Sample #: 55

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
44997	199243	<1	4.52	11	463	<2	15	0.36	<4	5	45	10	1.63	0.72	<1	2.26	486	<1	73	319	20	3.54	6	<5	<10	103	1472	44	26	<10	3	198
44998D	199243	<1	5.02	12	509	<2	38	0.47	<4	6	45	10	1.70	0.76	52	2.38	508	3	76	348	28	3.95	24	19	<10	113	1536	<2	28	<10	3	206
44999	199244	<1	4.74	27	387	<2	21	0.95	4	2	42	55	1.50	0.63	36	0.99	433	<1	57	352	179	4.32	26	<5	<10	123	1380	<2	27	16	4	1031
45000	199245	<1	5.09	29	486	2	3	0.51	<4	4	55	12	1.32	0.22	25	1.08	331	3	87	369	47	3.94	19	9	<10	117	1501	184	30	<10	3	117
45001	199246	<1	5.36	42	497	<2	2	0.52	<4	4	56	14	1.44	0.42	39	1.12	346	4	87	383	59	4.53	16	<5	<10	118	1578	<2	32	<10	3	132
45002	199247	<1	6.00	36	564	<2	8	0.49	7	6	53	15	1.55	0.25	13	1.18	336	1	80	502	248	4.31	32	10	<10	109	1586	<2	31	24	3	1568
45003	199248	<1	6.31	54	538	<2	<1	<0.01	<4	5	45	49	1.34	0.26	<1	0.25	<100	1	70	457	90	4.51	14	8	<10	112	1264	<2	31	10	3	218
45004	199249	<1	5.96	39	665	<2	28	<0.01	<4	5	42	29	1.31	0.06	<1	0.24	<100	<1	70	467	138	4.70	12	<5	<10	106	1258	<2	31	<10	4	345
45005	199250	<1	4.92	52	263	<2	<1	0.88	4	12	32	2165	4.90	0.73	53	0.75	1080	9	25	754	82	5.22	12	15	<10	217	1118	<2	62	12	8	625
45006	199251	<1	5.68	27	797	<2	23	0.43	<4	6	51	49	1.54	0.91	<1	0.80	381	<1	68	460	57	4.07	24	11	<10	106	1455	13	32	<10	4	177
45007	199252	<1	5.59	18	704	<2	8	1.14	<4	7	39	20	1.42	0.53	<1	1.18	779	<1	52	406	48	4.07	19	<5	<10	133	1385	54	29	<10	4	63
45008	199253	<1	6.41	25	846	2	4	0.19	<4	4	61	25	1.46	0.20	15	0.57	322	3	90	452	53	3.58	12	19	<10	104	1642	<2	34	<10	4	67
45009D	199253	<1	5.52	22	732	<2	5	0.14	<4	3	52	21	1.28	0.51	<1	0.49	274	<1	76	405	39	2.97	18	<5	<10	102	1440	<2	29	<10	4	61
45010	199254	<1	5.72	18	790	<2	29	0.35	<4	4	37	19	1.24	0.33	3	1.30	583	<1	57	381	591	3.42	27	11	<10	107	1508	<2	26	14	3	1015
45011	199255	<1	6.16	10	766	<2	<1	0.35	<4	7	47	14	1.25	0.34	23	0.90	444	<1	79	396	65	3.07	13	13	<10	112	1581	8	31	<10	3	91
45012	199256	<1	5.78	33	686	2	<1	0.75	<4	7	54	21	1.53	0.15	13	1.24	500	<1	64	498	53	3.58	24	<5	<10	114	1420	<2	32	<10	4	67
45013	199257	<1	5.72	19	788	<2	<1	1.63	<4	4	60	31	1.30	0.15	88	0.85	607	6	99	346	37	6.40	25	15	<10	160	1494	<2	30	<10	3	98
45014	199258	<1	7.19	22	950	<2	12	2.50	<4	6	52	13	1.48	0.12	23	1.13	659	4	70	417	24	7.83	23	15	<10	194	1701	48	31	<10	3	63
45015	199259	<1	6.59	22	1062	<2	<1	1.55	<4	9	55	7	1.88	<0.01	11	1.87	368	5	72	446	23	7.76	24	<5	<10	174	1769	111	37	<10	2	59
45016	199260	<1	5.10	21	593	<2	<1	2.99	<4	15	60	43	3.53	0.26	20	1.04	712	<1	40	607	6	6.22	17	6	<10	342	2942	<2	111	<10	11	65

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/17/2014 3:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/27/2014
Date Completed: 04/09/2014
Job #: 201440572
Reference: TL14-350
Sample #: 55

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
45017	199261	<1	5.99	20	438	<2	3	0.70	<4	4	34	25	2.18	0.44	<1	3.71	432	<1	43	400	13	4.27	17	9	<10	127	1259	<2	31	<10	3	56
45018	199262	<1	5.58	16	466	2	<1	0.47	<4	4	22	7	1.67	0.42	14	2.61	324	<1	26	413	19	3.77	10	<5	<10	115	1114	<2	25	<10	3	63
45019	199263	<1	5.91	15	474	<2	11	0.65	<4	3	34	6	1.53	0.20	10	2.32	383	<1	51	389	15	3.25	19	<5	<10	128	1350	<2	29	<10	3	72
45020D	199263	<1	4.48	17	376	<2	3	0.26	<4	5	30	6	1.47	0.14	23	2.24	371	<1	47	364	26	2.41	18	<5	<10	108	1275	<2	28	<10	3	54
45021	199264	<1	5.09	21	454	<2	19	0.84	<4	7	42	7	1.33	0.17	6	1.77	308	1	72	354	11	2.25	15	18	<10	131	1365	<2	28	<10	3	39
45022	199265	<1	<0.01	20	<1	<2	4	<0.01	<4	4	<1	6	1.50	0.07	2	2.34	316	<1	75	326	10	0.49	16	<5	<10	62	775	<2	13	<10	2	67
45023	199266	<1	<0.01	17	<1	<2	7	<0.01	<4	4	1	4	1.44	0.14	<1	2.30	293	<1	72	326	16	0.29	15	<5	<10	68	783	93	12	<10	2	59
45024	199267	<1	<0.01	23	<1	<2	<1	<0.01	<4	2	<1	47	1.44	<0.01	8	2.25	208	<1	64	305	14	0.23	20	<5	<10	45	609	43	12	<10	2	76
45025	199268	<1	5.86	29	644	2	<1	0.83	<4	5	50	17	1.51	0.58	9	1.77	331	3	84	398	48	3.66	19	<5	<10	132	1506	<2	30	<10	3	179
45026	199269	<1	5.90	30	519	<2	<1	1.05	<4	8	49	41	1.70	0.44	<1	1.16	405	<1	61	424	137	4.17	16	12	<10	138	1659	<2	40	<10	4	402
45027	199270	66	3.02	39	373	<2	2	1.00	19	12	32	46	3.04	0.44	<1	0.73	477	<1	26	547	545	3.43	71	<5	228	260	2058	119	90	65	11	1845
45028	199271	<1	5.22	14	375	<2	11	0.81	<4	29	178	68	4.73	0.40	11	1.69	779	<1	128	595	55	4.24	13	10	<10	129	3320	<2	122	<10	10	153
45029	199272	<1	5.46	7	396	3	<1	1.50	<4	22	177	53	3.34	0.18	<1	1.43	755	<1	111	560	113	3.66	16	8	<10	142	2689	63	99	<10	12	202
45030	199273	2	4.24	95	557	<2	<1	<0.01	4	8	81	125	1.90	0.41	26	0.31	<100	10	76	376	758	3.50	28	15	<10	95	1299	<2	49	25	6	1518
45031D	199273	<1	4.59	77	611	<2	7	<0.01	4	9	85	108	2.03	0.50	16	0.33	<100	10	77	413	805	4.03	29	14	<10	100	1392	<2	53	23	6	1486
45032	199274	<1	4.16	80	823	2	19	<0.01	6	5	48	83	1.61	0.62	17	0.26	<100	17	76	437	1035	3.89	51	<5	<10	96	1215	<2	36	31	4	1912
45033	199275	93	3.55	424	580	<2	<1	<0.01	6	3	59	796	1.19	0.35	14	0.18	<100	14	93	363	2085	4.26	266	12	<10	90	1054	<2	30	25	3	1451
45034	199276	<1	5.62	47	586	<2	<1	0.53	<4	9	49	40	1.79	0.31	<1	0.77	354	<1	76	595	108	3.47	25	8	<10	115	1866	<2	43	<10	4	150
45035	199277	<1	5.61	31	540	2	<1	0.67	<4	9	43	11	1.84	0.32	40	0.92	428	1	65	610	50	3.24	19	27	<10	113	2074	<2	44	<10	4	85
45036	199278	<1	5.59	42	545	2	<1	0.85	<4	9	37	28	1.94	0.06	19	0.90	451	<1	61	584	61	3.44	22	10	<10	122	2068	<2	43	13	5	495

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/17/2014 3:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 1, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/23/2014
Date Completed: 05/01/2014
Job #: 201440770
Reference: 201440572
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
60315	199275	16.915	16.917	435.140	28.413	2.75%	27.49

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14351

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49065	199279	0.098	
49066	199280	<0.005	
49067	199281	<0.005	
49068	199282	0.005	
49069	199283	0.026	
49070	199284	<0.005	
49071	199285	<0.005	
49072	199286	<0.005	
49073	199287	<0.005	
49074	199288	0.008	
49075	199288 Dup	0.034	
49076	199289	0.051	
49077	199290	1.293	
49078	199291	0.014	
49079	199292	0.089	
49080	199293	0.122	
49081	199294	0.105	
49082	199295	0.152	
49083	199296	0.029	
49084	199297	0.037	
49085	199298	0.049	
49086	199298 Dup	0.051	
49087	199299	0.045	
49088	199300	<0.005	
49089	199301	0.033	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49090	199302	<0.005	
49091	199303	<0.005	
49092	199304	<0.005	
49093	199305	<0.005	
49094	199306	<0.005	
49095	199307	<0.005	
49096	199308	<0.005	
49097	199308 Dup	<0.005	
49098	199309	<0.005	
49099	199310	4.925	
49100	199311	0.025	
49101	199312	0.012	
49102	199313	0.049	
49103	199314	0.015	
49104	199315	<0.005	
49105	199316	<0.005	
49106	199317	0.011	
49107	199318	0.006	
49108	199318 Dup	<0.005	
49109	199319	<0.005	
49110	199320	<0.005	
49111	199321	<0.005	
49112	199322	<0.005	
49113	199323	0.007	
49114	199324	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49115	199325	0.012	
49116	199326	0.020	
49117	199327	0.005	
49118	199328	0.018	
49119	199328 Dup	0.015	
49120	199329	0.023	
49121	199330	0.406	
49122	199331	0.090	
49123	199332	0.023	
49124	199333	0.028	
49125	199334	0.024	
49126	199335	<0.005	
49127	199336	0.012	
49128	199337	<0.005	
49129	199338	0.025	
49130	199338 Rep	0.035	
49131	199339	<0.005	
49132	199340	<0.005	
49133	199341	0.009	
49134	199342	0.012	
49135	199343	<0.005	
49136	199344	<0.005	
49137	199345	0.033	
49138	199346	0.029	
49139	199347	0.016	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49140	199348	0.026	
49141	199348 Dup	0.060	
49142	199349	0.065	
49143	199350	1.441	
49144	199351	0.055	
49145	199352	0.069	
49146	199353	0.126	
49147	199354	0.062	
49148	199355	0.060	
49149	199356	0.048	
49150	199357	0.056	
49151	199358	0.081	
49152	199358 Dup	0.082	
49153	199359	0.051	
49154	199360	<0.005	
49155	199361	0.012	
49156	199362	0.015	
49157	199363	0.017	
49158	199364	<0.005	
49159	199365	0.012	
49160	199366	0.015	
49161	199367	0.007	
49162	199368	0.008	
49163	199368 Dup	0.083	
49164	199369	0.008	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49165	199370	0.409	
49166	199371	0.331	
49167	199372	0.047	
49168	199373	0.163	
49169	199374	0.071	
49170	199375	0.026	
49171	199376	0.012	
49172	199377	0.015	
49173	199378	<0.005	
49174	199378 Dup	0.018	
49175	199379	0.045	
49176	199380	<0.005	
49177	199381	0.076	
49178	199382	0.042	
49179	199383	0.157	
49180	199384	0.009	
49181	199385	0.014	
49182	199386	0.011	
49183	199387	0.189	
49184	199388	0.474	
49185	199388 Dup	0.492	
49186	199389	0.243	
49187	199390	4.908	
49188	199391	0.016	
49189	199392	0.031	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49190	199393	0.013	
49191	199394	0.419	
49192	199395	0.146	
49193	199396	0.079	
49194	199397	0.072	
49195	199398	0.063	
49196	199398 Rep	0.081	
49197	199399	0.144	
49198	199400	<0.005	
49199	199401	0.323	
49200	199402	0.332	
49201	199403	0.291	
49202	199404	0.279	
49203	199405	0.296	
49204	199406	1.189	
49205	199407	1.371	
49206	199408	0.748	
49207	199408 Dup	0.690	
49208	199409	0.453	
49209	199410	<0.005	
49210	199411	0.162	
49211	199412	0.801	
49212	199413	3.161	
49213	199414	0.354	
49214	199415	4.471	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49215	199416	>6.000	8.954
49216	199417	2.443	
49217	199418	0.815	
49218	199418 Dup	0.849	
49219	199419	>6.000	6.544
49220	199420	1.426	
49221	199421	0.222	
49222	199422	0.125	
49223	199423	0.017	
49224	199424	0.039	
49225	199425	0.093	
49226	199426	0.075	
49227	199427	0.356	
49228	199428	0.275	
49229	199428 Dup	0.297	
49230	199429	0.244	
49231	199430	<0.005	
49232	199431	0.162	
49233	199432	0.013	
49234	199433	0.019	
49235	199434	0.055	
49236	199435	0.072	
49237	199436	0.023	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.771	0.791	0.051
3046	4.449	4.580	0.190
GS25	0.758	0.791	0.051
GS25	0.742	0.791	0.051
GS25	0.779	0.791	0.051
GS25	0.748	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49065	199279	<1	5.17	10	622	<2	12	2.53	<4	14	64	1	2.49	<0.01	36	1.03	339	<1	64	596	2	0.11	7	24	<10	448	2541	<2	56	<10	5	63
49066	199280	<1	4.00	16	384	2	27	2.42	<4	19	63	47	3.97	<0.01	65	1.24	774	<1	40	668	7	0.09	<5	18	<10	333	3187	160	122	<10	15	105
49067	199281	<1	4.30	5	545	2	3	1.76	<4	15	60	6	2.10	0.17	117	0.85	300	<1	62	529	9	0.06	<5	24	<10	426	2276	<2	47	<10	4	49
49068	199282	<1	5.09	5	568	<2	16	2.05	<4	12	51	15	2.13	0.20	46	0.77	288	<1	56	562	12	0.11	9	27	<10	428	2355	<2	47	<10	5	62
49069	199283	<1	4.19	3	385	<2	3	0.89	<4	16	49	161	4.15	0.31	110	0.69	238	3	82	473	8	0.45	<5	31	<10	303	2000	<2	43	<10	5	45
49070	199284	<1	4.07	11	312	<2	9	1.25	<4	6	29	6	1.65	0.24	40	0.44	217	<1	56	420	9	0.10	<5	25	<10	314	1779	31	32	<10	4	31
49071	199285	<1	3.67	7	256	<2	10	1.33	<4	8	26	8	1.56	<0.01	45	0.49	248	<1	50	400	5	0.07	<5	17	<10	281	1771	<2	28	<10	3	52
49072	199286	<1	3.95	8	215	<2	<1	1.27	<4	7	31	8	1.62	<0.01	44	0.52	255	2	62	409	6	0.06	<5	28	<10	286	1818	<2	28	<10	3	54
49073	199287	<1	3.49	7	411	2	11	1.49	<4	7	31	2	1.66	0.15	34	0.47	276	1	61	391	9	0.05	9	34	<10	344	1953	31	34	<10	3	79
49074	199288	<1	2.73	11	336	<2	<1	1.96	<4	10	37	20	2.10	<0.01	15	0.46	490	<1	57	533	21	0.25	<5	15	<10	384	2379	<2	48	<10	3	88
49075D	199288	<1	2.47	19	716	<2	14	3.29	<4	13	44	21	2.08	0.13	77	0.53	501	4	52	636	24	0.26	13	30	<10	462	2564	12	53	<10	4	87
49076	199289	<1	4.65	11	380	<2	6	2.53	<4	11	63	51	2.10	0.33	65	0.82	652	<1	73	516	92	0.35	7	18	<10	329	2045	53	51	21	5	1047
49077	199290	<1	5.13	25	560	<2	16	2.42	<4	21	65	229	4.55	<0.01	56	1.25	823	8	47	735	14	0.13	<5	14	<10	366	3300	67	128	<10	16	105
49078	199291	<1	6.11	10	410	<2	17	2.68	<4	7	34	13	1.59	0.30	74	1.51	750	<1	56	400	54	0.17	<5	30	<10	287	1628	110	31	<10	4	146
49079	199292	<1	6.82	24	475	<2	13	1.93	<4	5	28	39	1.62	0.18	53	1.25	741	<1	47	416	113	0.26	<5	31	<10	255	1639	22	30	<10	4	217
49080	199293	10	6.63	45	501	<2	3	0.20	<4	9	54	73	1.67	0.38	16	0.53	302	6	72	437	381	0.35	<5	28	<10	148	1759	<2	46	13	6	926
49081	199294	<1	4.58	39	267	<2	7	1.29	<4	9	121	23	1.69	0.23	26	0.68	488	7	84	362	73	0.29	6	27	<10	171	1385	<2	36	<10	6	201
49082	199295	<1	8.03	84	571	2	16	1.93	<4	16	114	56	2.83	0.30	154	1.10	927	5	97	535	382	0.67	7	37	<10	227	2276	<2	62	14	9	597
49083	199296	<1	4.37	32	310	<2	15	1.02	<4	8	59	15	1.37	0.22	<1	0.83	521	<1	55	353	314	0.30	<5	26	<10	208	1473	129	31	<10	4	601
49084	199297	<1	5.84	21	423	<2	<1	1.09	<4	8	75	30	1.81	0.34	79	0.83	507	4	79	418	267	0.44	<5	42	<10	237	1677	50	38	<10	5	660

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-04/22/2014 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49085	199298	<1	4.38	14	375	<2	<1	1.15	<4	20	156	44	3.38	0.16	143	1.00	575	2	99	535	76	0.36	<5	19	<10	253	2218	<2	85	<10	10	91
49086D	199298	<1	3.59	13	306	<2	<1	0.86	<4	20	140	38	3.10	0.33	2	0.94	541	<1	88	496	71	0.46	<5	17	<10	219	2028	<2	78	<10	9	96
49087	199299	<1	4.60	70	388	3	<1	1.20	<4	23	168	48	3.70	0.23	65	1.06	697	3	104	552	41	0.35	<5	32	<10	248	2248	<2	93	<10	11	110
49088	199300	<1	3.47	19	369	<2	<1	2.34	<4	21	64	47	3.96	0.40	112	1.21	793	<1	41	664	7	0.10	8	28	<10	325	3112	<2	122	<10	14	64
49089	199301	<1	7.43	71	390	2	4	3.01	<4	22	142	51	3.73	0.36	123	1.49	1306	5	83	675	53	0.25	9	31	<10	346	2365	7	76	<10	13	483
49090	199302	<1	6.25	16	489	2	18	2.14	<4	22	177	88	3.65	0.48	84	1.17	987	6	123	612	247	0.30	6	29	<10	282	2460	<2	90	<10	14	359
49091	199303	<1	6.83	24	534	<2	1	0.95	<4	9	66	11	1.99	0.51	77	0.46	388	2	58	527	16	0.56	<5	42	<10	280	2020	<2	42	<10	5	49
49092	199304	<1	8.26	22	562	<2	5	1.18	<4	13	84	7	0.63	0.55	83	0.25	307	5	68	523	31	0.14	9	25	<10	379	2152	63	50	<10	4	47
49093	199305	<1	5.00	6	353	<2	10	0.58	<4	8	46	7	0.38	0.08	<1	0.20	208	<1	43	403	13	0.11	11	24	<10	265	1556	<2	35	<10	3	27
49094	199306	<1	6.01	15	425	<2	4	0.62	<4	10	41	7	0.40	0.04	12	0.23	264	<1	31	443	15	0.12	<5	48	<10	301	1856	<2	41	<10	3	15
49095	199307	<1	6.48	12	358	<2	7	1.27	<4	8	35	10	0.34	<0.01	38	0.22	241	<1	16	467	23	0.13	<5	32	<10	304	1678	<2	39	<10	4	33
49096	199308	<1	6.23	16	415	<2	<1	0.86	<4	10	34	7	0.49	<0.01	17	0.23	150	<1	24	523	19	0.26	<5	28	<10	275	1795	13	40	<10	3	19
49097D	199308	<1	6.22	17	427	<2	<1	0.86	<4	11	31	8	0.49	<0.01	35	0.23	150	<1	24	510	29	0.29	<5	27	<10	275	1835	<2	41	<10	3	19
49098	199309	<1	3.17	7	372	<2	8	<0.01	<4	13	25	6	0.35	<0.01	10	0.21	128	<1	28	340	14	0.07	11	27	<10	167	1546	<2	33	<10	3	103
49099	199310	86	3.79	32	450	<2	6	1.26	23	19	38	57	3.64	<0.01	42	0.81	550	<1	28	629	702	0.23	67	27	274	296	2348	58	105	78	13	2214
49100	199311	<1	5.31	11	586	<2	6	0.89	<4	23	47	36	0.74	<0.01	236	0.27	185	4	41	457	52	0.15	6	37	<10	288	1915	26	47	<10	5	284
49101	199312	<1	5.97	16	586	<2	21	1.51	<4	14	39	12	0.95	<0.01	<1	0.27	349	<1	33	463	35	0.39	11	28	<10	256	1822	<2	40	<10	7	94
49102	199313	<1	3.68	28	387	<2	16	0.25	<4	4	25	7	1.29	0.97	42	0.24	216	<1	22	359	16	0.35	<5	18	<10	132	1525	<2	30	<10	4	39
49103	199314	<1	5.40	33	473	<2	<1	1.02	<4	9	33	14	2.06	0.31	99	0.56	504	<1	33	410	29	0.34	<5	23	<10	228	1831	20	36	<10	6	91
49104	199315	<1	4.92	3	621	3	<1	1.81	<4	7	82	18	1.91	1.35	118	0.52	368	4	49	419	45	0.09	22	29	10	363	1658	3	34	<10	4	82

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49105	199316	<1	5.30	9	371	2	3	2.15	<4	11	62	11	1.82	0.32	51	0.63	400	<1	31	521	25	0.10	<5	24	<10	404	2060	<2	38	<10	5	48
49106	199317	<1	4.86	15	362	2	11	1.72	<4	10	45	21	1.74	0.07	8	0.72	548	<1	34	464	35	0.18	<5	28	<10	322	1727	79	36	<10	5	206
49107	199318	<1	4.86	10	430	<2	8	1.76	<4	8	55	18	1.72	0.05	50	0.75	524	<1	29	460	42	0.17	11	25	<10	297	1618	67	35	<10	4	93
49108D	199318	<1	6.32	9	574	2	11	2.37	<4	11	56	21	2.01	1.14	97	0.84	607	2	32	535	49	0.15	8	31	<10	351	1876	<2	40	<10	5	114
49109	199319	<1	5.86	10	634	4	7	2.00	<4	7	54	21	1.87	0.03	65	0.79	528	1	33	569	48	0.14	6	17	10	320	1919	51	42	<10	5	83
49110	199320	<1	4.11	8	396	<2	25	2.52	<4	21	62	47	4.06	0.03	80	1.26	800	<1	39	665	13	0.08	6	19	<10	349	3289	<2	125	<10	15	54
49111	199321	<1	4.95	11	449	2	5	2.03	<4	7	55	20	1.90	0.04	57	0.87	570	<1	37	497	45	0.14	<5	25	<10	304	1800	12	39	<10	5	101
49112	199322	<1	5.63	15	472	2	<1	2.16	<4	11	65	17	2.02	<0.01	41	0.96	650	3	38	543	74	0.22	<5	28	<10	365	2008	<2	39	<10	5	161
49113	199323	<1	6.34	15	591	<2	26	1.72	<4	10	51	33	1.82	0.34	49	0.84	604	<1	24	533	84	0.21	7	21	<10	290	2172	21	40	<10	5	74
49114	199324	<1	6.33	12	588	<2	18	1.44	<4	11	112	14	2.00	0.38	35	0.83	543	4	38	549	18	0.12	11	24	<10	298	2223	<2	41	<10	5	56
49115	199325	<1	6.00	18	491	<2	12	1.99	5	14	60	32	2.23	0.17	20	0.85	606	<1	37	529	50	0.26	<5	25	<10	321	2169	17	41	16	5	1503
49116	199326	<1	6.68	30	496	<2	10	2.28	6	16	63	42	2.69	0.34	26	0.93	676	4	48	565	53	0.31	<5	32	<10	347	2304	<2	44	22	6	1690
49117	199327	<1	6.90	9	521	<2	11	2.45	<4	10	67	16	2.11	0.14	8	0.72	504	3	41	583	22	0.16	7	11	<10	356	2273	13	45	<10	6	98
49118	199328	<1	5.68	15	208	<2	16	1.19	<4	9	49	10	1.88	0.43	12	0.96	621	<1	34	485	36	0.15	7	26	<10	256	2037	<2	37	<10	8	119
49119D	199328	<1	5.59	7	227	<2	10	1.20	<4	11	50	10	1.91	0.30	10	0.97	636	<1	31	491	31	0.18	<5	26	<10	256	2065	<2	38	<10	8	130
49120	199329	<1	5.60	15	160	<2	4	0.88	<4	7	43	11	1.88	0.05	24	1.02	667	<1	36	500	34	0.16	7	18	<10	230	2210	11	38	<10	8	151
49121	199330	<1	5.12	50	<1	<2	4	0.15	4	15	27	2168	4.99	0.31	67	0.93	1086	8	21	691	71	1.03	<5	23	<10	210	1209	28	62	<10	12	611
49122	199331	<1	6.12	24	183	2	7	0.01	<4	16	23	35	1.94	0.06	48	0.89	496	<1	24	494	42	0.30	<5	28	<10	171	2214	<2	40	<10	9	281
49123	199332	<1	6.36	23	213	2	19	<0.01	<4	15	25	13	1.76	0.03	11	0.81	411	<1	28	532	35	0.29	<5	28	<10	166	2302	<2	41	<10	9	57
49124	199333	<1	5.11	21	179	<2	9	0.34	<4	13	28	13	1.89	<0.01	<1	0.80	506	<1	27	456	90	0.39	<5	30	<10	156	2049	134	37	11	8	819

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49125	199334	<1	6.46	18	222	<2	21	0.85	<4	10	38	10	1.97	0.29	31	1.00	694	<1	26	514	51	0.29	<5	14	<10	197	2344	<2	41	<10	9	106
49126	199335	<1	6.24	35	302	2	21	0.94	<4	13	38	9	2.05	0.35	16	1.05	714	<1	31	524	58	0.31	<5	<5	<10	168	2325	<2	40	<10	8	330
49127	199336	<1	5.97	24	247	<2	7	0.66	<4	10	53	12	1.93	0.30	38	0.89	557	<1	29	487	29	0.31	<5	32	<10	171	2164	30	40	<10	8	194
49128	199337	<1	6.49	17	265	2	18	1.51	<4	8	41	17	1.87	0.28	3	0.83	453	<1	36	512	30	0.16	<5	17	<10	194	1920	<2	40	<10	8	84
49129	199338	<1	5.77	19	312	<2	<1	1.29	<4	10	44	21	1.87	0.38	9	1.10	705	<1	31	482	67	0.19	<5	43	<10	169	2123	<2	37	<10	8	212
49130R	199338	<1	6.28	27	597	<2	2	2.19	<4	12	51	27	1.96	0.04	19	0.99	742	<1	29	522	70	0.22	<5	24	<10	191	2247	<2	42	<10	4	303
49131	199339	<1	5.73	13	574	<2	19	2.05	<4	10	39	31	1.75	0.14	17	0.88	574	<1	33	503	45	0.17	<5	23	<10	186	2173	<2	38	<10	4	167
49132	199340	<1	3.97	15	362	<2	10	2.45	<4	17	61	50	4.08	<0.01	2	1.26	796	<1	40	662	17	0.07	<5	19	<10	338	3304	59	126	<10	14	82
49133	199341	<1	5.19	19	497	<2	<1	1.45	<4	8	54	13	1.61	0.13	<1	0.67	448	<1	55	516	40	0.23	<5	26	<10	162	2078	26	37	<10	4	131
49134	199342	<1	5.14	27	444	<2	4	1.70	<4	10	83	26	1.73	0.16	<1	0.79	568	5	70	536	108	0.18	<5	30	<10	173	2112	3	40	<10	4	229
49135	199343	<1	5.14	14	365	2	19	1.92	<4	12	86	28	2.40	0.14	4	0.97	620	3	83	649	92	0.18	<5	25	<10	204	2145	<2	51	<10	7	156
49136	199344	<1	5.86	19	467	2	19	2.33	<4	15	65	33	2.45	<0.01	30	0.94	579	2	67	648	53	0.20	<5	11	<10	230	2508	<2	54	<10	6	122
49137	199345	<1	6.67	24	609	2	<1	2.17	<4	16	93	44	3.04	0.08	<1	1.30	692	2	75	656	45	0.37	6	22	<10	222	2607	<2	70	<10	8	169
49138	199346	<1	6.77	23	547	2	<1	2.42	<4	18	94	33	2.98	<0.01	<1	1.33	728	4	79	643	48	0.34	<5	24	<10	240	2532	21	64	<10	8	146
49139	199347	<1	4.64	11	548	<2	<1	0.71	<4	11	84	14	1.94	0.05	<1	1.27	360	<1	78	446	48	0.10	12	23	<10	151	1575	42	39	<10	7	95
49140	199348	<1	3.76	8	518	2	7	0.44	<4	9	68	16	1.97	<0.01	<1	1.33	342	4	67	415	57	0.09	<5	29	<10	145	1445	35	38	<10	5	54
49141D	199348	<1	4.94	11	618	2	26	0.64	<4	9	71	18	2.09	<0.01	<1	1.49	365	2	62	459	51	0.11	<5	21	<10	153	1570	<2	40	<10	5	53
49142	199349	<1	5.84	5	644	<2	18	1.26	<4	9	60	12	1.98	0.29	<1	1.47	475	<1	43	452	184	0.13	<5	27	<10	151	1718	15	45	<10	6	193
49143	199350	<1	3.69	15	419	<2	3	1.88	<4	16	52	198	3.92	0.06	<1	1.06	702	6	39	610	6	0.08	11	14	11	318	2835	<2	109	<10	13	65
49144	199351	<1	6.12	28	614	<2	8	0.65	<4	10	21	9	0.90	0.14	<1	0.69	260	<1	28	236	63	0.29	5	30	<10	136	1659	98	33	<10	3	370

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49145	199352	<1	5.78	20	597	<2	3	<0.01	<4	8	24	4	0.71	0.18	<1	0.38	122	<1	29	236	54	0.26	<5	31	<10	97	1715	<2	30	<10	3	43
49146	199353	<1	5.94	26	621	3	8	1.21	<4	16	55	178	6.73	1.29	<1	0.92	480	<1	55	433	140	0.53	<5	10	14	157	2276	<2	59	<10	6	160
49147	199354	<1	5.91	55	661	2	<1	1.82	<4	17	81	24	2.79	0.11	<1	0.95	420	<1	57	442	26	0.51	<5	23	<10	258	2104	20	63	<10	7	151
49148	199355	<1	4.77	99	443	<2	39	0.47	<4	8	29	7	7.38	0.12	<1	0.35	158	<1	43	105	34	2.26	<5	11	<10	208	1498	54	27	<10	2	118
49149	199356	<1	5.46	75	491	<2	12	0.56	<4	11	23	12	3.75	<0.01	<1	0.47	153	<1	51	180	39	1.27	<5	23	<10	224	1671	<2	30	<10	2	223
49150	199357	<1	5.74	45	489	<2	<1	0.53	<4	8	29	9	2.72	0.11	<1	0.58	177	<1	41	166	27	0.83	7	22	<10	210	1766	<2	33	<10	2	153
49151	199358	<1	5.14	32	385	<2	2	0.44	<4	10	21	6	1.44	<0.01	<1	0.54	161	<1	35	152	39	0.50	11	27	<10	204	1597	7	29	10	2	114
49152D	199358	<1	4.35	37	327	<2	7	0.25	<4	9	17	5	1.40	<0.01	<1	0.51	153	<1	29	134	39	0.55	<5	19	<10	186	1506	34	27	<10	2	106
49153	199359	<1	5.20	40	463	<2	2	0.28	<4	10	20	5	2.55	<0.01	<1	0.53	178	<1	30	140	47	0.90	<5	18	<10	193	1736	73	30	<10	2	203
49154	199360	<1	3.55	8	330	<2	<1	2.30	<4	17	60	48	3.98	<0.01	<1	1.23	779	<1	37	646	4	0.08	7	25	<10	327	3182	<2	124	<10	14	107
49155	199361	<1	5.94	54	548	<2	5	1.18	<4	15	33	12	2.68	0.20	<1	0.51	213	<1	44	378	33	0.71	<5	13	<10	327	2042	<2	51	<10	4	313
49156	199362	<1	5.49	56	500	<2	9	0.88	<4	14	34	15	3.61	0.21	<1	0.31	160	<1	40	352	19	1.04	<5	16	<10	314	2073	<2	51	<10	4	44
49157	199363	<1	5.26	33	508	<2	<1	1.01	<4	15	31	13	1.99	0.31	<1	0.31	163	<1	41	444	18	0.49	5	29	<10	331	1881	<2	50	<10	4	19
49158	199364	<1	2.74	7	228	<2	<1	0.19	<4	13	24	16	1.26	<0.01	<1	0.36	174	<1	38	383	13	0.30	<5	18	<10	317	1715	<2	44	<10	4	17
49159	199365	<1	5.16	9	560	<2	<1	1.59	<4	18	47	19	1.86	1.29	<1	0.35	214	<1	50	404	18	0.18	<5	30	<10	428	1878	<2	49	<10	4	131
49160	199366	<1	4.14	17	476	<2	3	1.55	<4	14	44	18	1.72	1.37	<1	0.31	212	<1	43	391	17	0.17	<5	12	<10	416	1661	<2	43	<10	3	126
49161	199367	<1	4.25	9	428	2	<1	0.69	<4	12	20	11	0.98	<0.01	<1	0.34	158	<1	29	372	15	0.13	<5	12	<10	330	1792	<2	40	<10	3	22
49162	199368	<1	5.20	34	606	2	5	0.87	<4	11	26	7	1.62	<0.01	<1	0.64	303	<1	31	428	33	0.38	8	12	<10	261	1932	<2	38	<10	3	135
49163D	199368	<1	3.05	25	427	<2	3	0.14	<4	11	21	5	1.66	<0.01	<1	0.68	303	<1	30	410	30	0.62	5	35	<10	228	1837	<2	36	<10	3	136
49164	199369	<1	5.19	27	553	<2	15	1.19	<4	12	29	8	1.34	<0.01	<1	0.87	434	<1	37	525	35	0.23	<5	18	<10	284	2013	<2	42	<10	5	81

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49165	199370	<1	4.28	52	223	<2	1	0.81	4	14	29	2012	4.57	<0.01	<1	0.69	996	9	23	689	76	1.11	<5	22	<10	211	1133	85	57	10	7	547
49166	199371	<1	6.68	17	615	<2	12	2.00	<4	10	36	85	1.89	0.16	<1	0.94	500	<1	39	543	31	0.20	<5	19	<10	358	2184	<2	44	<10	5	72
49167	199372	<1	4.83	43	464	<2	<1	0.79	<4	9	28	13	1.67	0.32	<1	0.55	306	<1	37	455	79	0.31	<5	19	<10	229	1903	<2	37	<10	4	120
49168	199373	<1	6.77	17	582	2	4	2.48	<4	9	19	9	1.74	0.28	<1	0.85	556	<1	21	570	21	0.22	7	28	<10	289	2231	<2	45	<10	5	50
49169	199374	<1	5.90	24	487	<2	<1	1.15	<4	11	30	43	1.80	0.19	<1	0.62	501	<1	39	523	175	0.28	9	14	<10	209	2058	<2	41	<10	4	115
49170	199375	<1	6.02	10	413	<2	16	1.17	<4	11	29	13	2.12	0.12	<1	0.69	616	<1	36	554	18	0.18	<5	15	<10	191	2299	<2	43	10	5	81
49171	199376	<1	5.75	16	315	<2	21	2.09	<4	11	29	6	1.97	0.12	1	0.57	421	<1	32	473	8	0.20	<5	29	<10	314	2018	55	40	<10	4	59
49172	199377	<1	5.23	7	364	<2	8	2.20	<4	8	17	11	1.39	0.26	<1	0.59	425	<1	25	541	16	0.11	<5	25	<10	252	1968	71	38	<10	4	38
49173	199378	<1	6.11	15	535	<2	20	1.73	<4	10	26	14	0.82	0.08	<1	0.53	297	<1	19	689	9	0.24	<5	20	<10	164	2185	<2	40	10	4	13
49174D	199378	<1	5.80	13	516	2	<1	1.65	<4	11	15	16	0.79	0.05	<1	0.51	287	<1	17	690	18	0.25	<5	30	<10	159	2115	<2	39	<10	3	17
49175	199379	<1	5.76	19	491	<2	<1	1.41	<4	9	27	15	1.11	1.28	<1	0.97	716	<1	29	701	34	0.10	<5	27	<10	141	2354	<2	41	<10	4	55
49176	199380	<1	3.11	11	296	<2	4	2.01	<4	18	52	41	3.49	0.09	<1	1.11	705	<1	34	577	8	0.07	<5	15	<10	291	2911	18	109	<10	13	49
49177	199381	<1	4.86	19	462	<2	6	0.65	<4	10	17	5	0.87	0.11	<1	0.63	414	<1	24	490	24	0.39	<5	27	<10	113	1895	<2	32	<10	3	40
49178	199382	<1	5.81	16	480	<2	<1	1.11	<4	10	21	6	1.05	0.18	<1	0.94	681	<1	29	506	56	0.30	<5	24	<10	123	2035	<2	34	<10	3	51
49179	199383	<1	6.95	18	468	<2	25	1.73	<4	12	16	60	1.21	0.06	<1	1.09	727	<1	29	542	416	0.18	7	34	11	185	2308	<2	42	10	3	436
49180	199384	<1	6.03	7	376	<2	3	1.28	<4	7	28	10	1.23	<0.01	<1	1.09	501	<1	50	518	46	0.08	7	27	<10	166	2085	<2	35	<10	3	54
49181	199385	<1	5.45	8	345	<2	<1	1.08	<4	8	42	12	1.25	<0.01	<1	0.85	576	2	82	467	43	0.08	<5	29	<10	159	1989	5	33	<10	3	46
49182	199386	<1	5.32	9	337	<2	<1	1.08	<4	9	42	11	1.21	<0.01	<1	0.80	554	2	83	448	38	0.08	<5	15	<10	155	1896	<2	33	<10	3	43
49183	199387	<1	5.66	16	373	<2	<1	1.13	<4	8	50	23	1.32	<0.01	<1	0.93	745	4	91	504	63	0.16	<5	23	<10	169	1914	<2	36	<10	3	117
49184	199388	5	5.18	23	405	<2	7	<0.01	<4	8	50	69	1.07	<0.01	<1	0.36	154	5	93	449	386	0.22	9	18	<10	102	1898	<2	34	17	2	911

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49185D	199388	5	5.66	27	449	<2	6	<0.01	<4	10	55	75	1.18	0.07	<1	0.37	154	7	105	487	439	0.22	<5	33	<10	104	2055	<2	38	15	3	1037
49186	199389	3	4.35	18	330	<2	6	0.36	4	7	46	82	1.10	<0.01	<1	0.54	392	2	83	412	417	0.19	5	18	<10	129	1619	<2	30	26	2	1632
49187	199390	72	3.30	38	386	<2	<1	1.13	19	15	34	52	3.22	<0.01	<1	0.74	501	<1	26	570	598	0.17	52	34	231	278	2157	2	95	68	11	1939
49188	199391	<1	5.57	9	291	<2	15	1.46	<4	6	43	18	1.34	<0.01	<1	1.00	820	3	79	501	64	0.09	<5	39	10	195	1904	66	35	<10	3	125
49189	199392	<1	4.99	8	303	<2	7	1.22	<4	8	48	20	1.46	<0.01	<1	1.11	883	3	88	510	58	0.13	<5	18	<10	189	1882	<2	34	<10	3	104
49190	199393	<1	5.98	13	386	<2	3	1.06	<4	8	29	24	1.10	0.17	<1	0.88	721	<1	49	446	72	0.13	8	26	<10	200	1902	84	32	<10	3	72
49191	199394	24	5.71	29	419	<2	17	0.60	17	9	53	188	2.28	0.14	<1	0.60	573	9	112	438	3062	0.34	18	31	<10	193	1851	<2	34	86	3	6775
49192	199395	2	5.77	27	307	<2	5	0.38	4	12	50	115	1.49	0.14	<1	0.54	406	2	97	511	810	0.25	<5	23	<10	163	1904	<2	36	26	3	1388
49193	199396	<1	5.55	18	235	<2	<1	0.65	<4	12	49	31	1.42	0.02	<1	0.69	600	5	97	518	89	0.19	<5	29	<10	165	1786	<2	36	<10	3	90
49194	199397	<1	5.24	26	237	<2	12	0.71	<4	11	42	29	1.51	0.02	<1	0.83	868	2	90	503	39	0.20	<5	28	<10	175	1600	45	34	<10	4	60
49195	199398	<1	5.34	27	329	<2	<1	0.80	<4	11	56	19	1.49	0.03	<1	0.87	754	6	113	521	28	0.15	6	20	<10	171	1817	<2	36	<10	4	104
49196R	199398	<1	5.65	25	291	<2	13	1.01	<4	13	29	12	1.49	<0.01	<1	1.01	972	<1	59	530	27	0.19	<5	27	<10	192	1846	<2	36	<10	4	93
49197	199399	<1	5.18	38	306	<2	<1	0.62	<4	14	56	21	1.57	0.08	<1	0.74	680	5	108	450	121	0.24	<5	31	<10	163	1819	<2	35	11	3	354
49198	199400	<1	3.70	12	343	<2	<1	2.27	<4	16	58	45	3.80	0.09	<1	1.18	755	2	38	620	11	0.08	9	17	<10	321	3065	23	118	<10	13	58
49199	199401	<1	8.13	37	526	2	11	1.23	6	14	59	77	1.94	0.34	100	0.87	756	8	104	671	713	0.38	14	45	<10	209	2509	11	50	31	5	2027
49200	199402	<1	5.64	26	373	<2	7	0.77	<4	7	39	17	1.51	<0.01	<1	0.62	605	<1	65	520	50	0.31	<5	30	<10	168	2032	<2	39	<10	3	117
49201	199403	<1	5.40	22	369	<2	<1	1.10	<4	9	34	13	1.74	<0.01	<1	0.70	910	<1	44	502	22	0.25	<5	22	<10	196	2244	<2	42	<10	4	49
49202	199404	<1	5.11	21	391	2	7	1.47	<4	7	35	13	1.61	<0.01	<1	0.79	1041	<1	63	584	22	0.19	<5	24	<10	205	1969	<2	40	<10	3	30
49203	199405	<1	3.88	10	447	<2	24	0.70	<4	9	46	38	1.84	<0.01	<1	0.51	794	2	73	478	52	0.17	5	8	13	187	2206	<2	45	<10	2	57
49204	199406	<1	5.06	26	531	<2	11	0.98	<4	12	56	67	2.15	<0.01	<1	0.66	841	1	79	510	130	0.33	<5	30	<10	190	2196	51	46	<10	4	347

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49205	199407	<1	5.27	34	397	<2	15	0.76	<4	8	28	28	1.84	<0.01	<1	0.57	864	<1	32	474	47	0.44	14	35	<10	164	2058	68	39	<10	4	266
49206	199408	<1	5.43	22	358	<2	10	1.08	<4	8	32	16	1.82	<0.01	<1	0.63	966	<1	38	482	15	0.25	<5	24	<10	166	2122	<2	40	<10	4	42
49207D	199408	<1	6.69	26	420	<2	<1	1.34	<4	9	34	19	2.07	<0.01	<1	0.72	1104	<1	40	537	20	0.23	6	29	<10	182	2386	33	46	<10	5	52
49208	199409	<1	5.79	27	367	2	3	0.91	<4	8	30	21	1.91	0.06	<1	0.59	935	<1	36	486	47	0.33	<5	36	<10	160	2176	44	42	<10	4	136
49209	199410	<1	3.96	15	367	<2	26	2.40	<4	18	60	47	3.99	<0.01	<1	1.23	801	<1	40	647	7	0.08	10	28	<10	332	3229	96	123	<10	14	54
49210	199411	<1	5.49	26	308	2	<1	0.97	<4	9	48	20	2.02	0.06	<1	0.62	982	<1	64	526	25	0.24	<5	13	<10	169	2143	<2	47	<10	5	51
49211	199412	<1	5.59	27	386	<2	4	0.73	<4	10	32	39	1.90	<0.01	<1	0.63	998	<1	28	484	32	0.34	<5	24	<10	156	2287	62	45	<10	5	44
49212	199413	<1	4.80	49	396	<2	<1	0.28	<4	10	52	51	2.02	<0.01	<1	0.51	479	1	67	450	257	0.52	<5	28	<10	129	2048	<2	41	15	4	1250
49213	199414	<1	5.53	33	330	<2	16	1.53	<4	13	52	36	2.06	<0.01	<1	0.90	1067	<1	59	482	104	0.44	<5	26	<10	172	2025	36	43	<10	5	188
49214	199415	36	4.86	41	307	<2	14	0.34	6	13	54	169	1.91	<0.01	<1	0.55	626	<1	68	451	982	0.52	39	24	<10	126	2086	75	41	26	4	2260
49215	199416	18	3.86	19	140	<2	8	1.18	5	8	46	82	2.16	<0.01	<1	2.20	2449	<1	59	408	932	0.21	18	31	<10	126	1773	3	37	28	4	1942
49216	199417	11	5.56	16	440	<2	25	2.24	<4	10	35	17	1.46	<0.01	<1	1.71	2181	<1	56	405	458	0.20	13	16	<10	171	1766	31	25	<10	4	859
49217	199418	13	4.99	34	317	2	<1	1.23	<4	8	53	27	1.70	<0.01	14	1.06	1124	5	87	392	288	0.33	6	44	<10	167	1662	<2	29	15	3	726
49218D	199418	10	4.55	30	281	2	13	1.08	<4	8	45	27	1.64	<0.01	<1	1.01	1065	4	74	376	270	0.34	9	25	<10	157	1591	<2	27	13	3	708
49219	199419	301	4.68	60	270	<2	<1	0.69	30	10	45	190	2.57	<0.01	<1	0.77	999	2	82	406	1653	0.58	40	25	<10	146	1690	<2	33	163	3	11769
49220	199420	<1	4.04	17	451	2	23	2.00	<4	19	57	217	4.23	0.06	<1	1.15	780	7	46	656	59	0.11	17	15	<10	335	2990	<2	117	14	14	439
49221	199421	<1	5.48	27	381	<2	6	1.11	<4	7	48	35	2.03	<0.01	<1	0.79	737	2	74	492	39	0.20	<5	16	16	184	2127	<2	43	<10	5	113
49222	199422	<1	6.17	18	385	2	13	1.63	<4	7	47	14	2.26	<0.01	<1	0.99	803	2	82	566	19	0.23	14	10	<10	231	2135	<2	43	<10	5	64
49223	199423	<1	6.95	12	393	<2	2	2.41	<4	11	28	18	2.24	0.04	<1	1.45	998	<1	46	509	47	0.36	5	24	<10	272	2376	<2	51	<10	4	129
49224	199424	<1	6.04	20	266	2	8	1.49	<4	9	34	16	1.62	0.21	<1	0.97	867	<1	59	479	31	0.24	<5	18	<10	229	2388	28	48	<10	4	111

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/04/2014
Date Completed: 04/17/2014
Job #: 201440628
Reference: TL14-351
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49225	199425	1	5.85	14	223	2	15	2.36	<4	6	42	17	2.14	<0.01	<1	1.62	1612	2	69	521	67	0.32	<5	31	<10	207	2270	<2	48	10	6	124
49226	199426	3	5.79	23	232	<2	6	2.33	<4	6	46	17	2.05	0.10	<1	1.52	1476	1	60	604	64	0.33	6	36	<10	202	2186	<2	45	<10	6	108
49227	199427	9	4.90	44	267	<2	4	<0.01	<4	8	34	48	1.42	<0.01	<1	0.43	210	<1	57	360	354	0.45	<5	30	<10	100	1649	<2	33	14	3	417
49228	199428	3	4.94	51	235	<2	<1	<0.01	<4	5	38	91	1.34	<0.01	<1	0.43	174	1	67	377	100	0.39	<5	20	<10	104	1497	17	30	<10	2	268
49229D	199428	4	5.49	56	262	<2	17	<0.01	<4	6	39	95	1.39	<0.01	<1	0.44	178	2	68	400	103	0.41	9	38	<10	106	1526	<2	30	<10	2	270
49230	199429	<1	4.93	32	231	2	30	<0.01	<4	6	37	49	1.64	<0.01	<1	0.57	351	<1	66	392	63	0.40	<5	25	<10	92	1649	<2	31	10	3	219
49231	199430	<1	4.40	11	396	2	<1	2.62	<4	21	66	52	4.32	<0.01	<1	1.34	855	<1	43	696	14	0.09	<5	23	<10	355	3467	<2	134	<10	16	62
49232	199431	<1	5.32	32	259	<2	<1	0.45	<4	6	40	10	1.73	<0.01	<1	0.63	475	2	64	406	20	0.35	6	20	<10	112	1706	<2	34	<10	3	50
49233	199432	<1	5.87	13	270	<2	<1	1.53	<4	7	39	6	1.57	<0.01	<1	1.02	653	1	68	442	21	0.14	<5	19	<10	126	1901	<2	34	<10	3	46
49234	199433	<1	5.54	18	229	<2	15	1.37	<4	7	31	7	1.49	<0.01	<1	0.91	594	<1	49	419	14	0.13	9	15	<10	120	1840	9	32	<10	3	35
49235	199434	<1	5.79	16	238	2	14	1.82	<4	7	29	8	1.73	<0.01	<1	1.14	922	1	52	431	19	0.18	11	29	<10	127	1871	10	32	<10	4	60
49236	199435	<1	5.89	35	271	<2	31	0.78	<4	6	28	7	1.55	<0.01	<1	0.64	536	<1	50	430	47	0.30	7	24	<10	120	1822	23	31	12	4	225
49237	199436	<1	5.52	22	277	2	6	1.46	<4	6	23	9	1.51	<0.01	<1	0.76	691	<1	33	431	38	0.25	<5	23	<10	128	1788	<2	30	<10	4	116

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 1, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/23/2014
Date Completed: 05/01/2014
Job #: 201440771
Reference: 201440628
Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
60316	199416	10.086	9.424	86.007	11.944	2.87%	28.75
60317	199419	5.719	5.832	7.709	5.794	0.95%	9.52

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14352A

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
49894	199437	7	<0.001	0.007
49895	199438	5	<0.001	0.005
49896	199439	<5	<0.001	<0.005
49897	199440	406	0.012	0.406
49898	199441	<5	<0.001	<0.005
49899	199442	<5	<0.001	<0.005
49900	199443	7	<0.001	0.007
49901	199444	7	<0.001	0.007
49902	199445	11	<0.001	0.011
49903	199446	<5	<0.001	<0.005
49904 Dup	199446	<5	<0.001	<0.005
49905	199447	<5	<0.001	<0.005
49906	199448	8	<0.001	0.008
49907	199449	18	<0.001	0.018
49908	199450	<5	<0.001	<0.005
49909	199451	18	<0.001	0.018
49910	199452	62	0.002	0.062
49911	199453	29	<0.001	0.029
49912	199454	10	<0.001	0.010
49913	199455	<5	<0.001	<0.005
49914	199456	27	<0.001	0.027
49915 Dup	199456	83	0.002	0.083
49916	199457	17	<0.001	0.017
49917	199458	12	<0.001	0.012
49918	199459	<5	<0.001	<0.005
49919	199460	396	0.012	0.396
49920	199461	7	<0.001	0.007
49921	199462	9	<0.001	0.009
49922	199463	48	0.001	0.048
49923	199464	586	0.017	0.586

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
49924	199465	200	0.006	0.200
49925	199466	66	0.002	0.066
49926 Dup	199466	68	0.002	0.068
49927	199467	85	0.002	0.085
49928	199468	9	<0.001	0.009
49929	199469	38	0.001	0.038
49930	199470	<5	<0.001	<0.005
49931	199471	29	<0.001	0.029
49932	199472	154	0.004	0.154
49933	199473	47	0.001	0.047
49934	199474	<5	<0.001	<0.005
49935	199475	43	0.001	0.043
49936	199476	193	0.006	0.193
49937 Dup	199476	190	0.006	0.190
49938	199477	64	0.002	0.064
49939	199478	43	0.001	0.043
49940	199479	5	<0.001	0.005
49941	199480	4892	0.143	4.892
49942	199481	36	0.001	0.036
49943	199482	32	<0.001	0.032
49944	199483	7	<0.001	0.007
49945	199484	8	<0.001	0.008
49946	199485	<5	<0.001	<0.005
49947	199486	<5	<0.001	<0.005
49948 Dup	199486	<5	<0.001	<0.005
49949	199487	7	<0.001	0.007
49950	199488	<5	<0.001	<0.005
49951	199489	<5	<0.001	<0.005
49952	199490	<5	<0.001	<0.005
49953	199491	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
49954	199492	<5	<0.001	<0.005
49955	199493	14	<0.001	0.014
49956	199494	52	0.002	0.052
49957	199495	34	<0.001	0.034
49958	199496	890	0.026	0.890
49959 Rep	199496	720	0.021	0.720
49960	199497	90	0.003	0.090
49961	199498	31	<0.001	0.031
49962	199499	458	0.013	0.458
49963	199500	1477	0.043	1.477
49964	199501	21	<0.001	0.021
49965	199502	54	0.002	0.054
49966	199503	292	0.009	0.292
49967	199504	152	0.004	0.152
49968	199505	25	<0.001	0.025
49969	199506	58	0.002	0.058
49970 Dup	199506	78	0.002	0.078
49971	199507	18	<0.001	0.018
49972	199508	61	0.002	0.061
49973	199509	21	<0.001	0.021
49974	199510	<5	<0.001	<0.005
49975	199511	47	0.001	0.047
49976	199512	136	0.004	0.136
49977	199513	80	0.002	0.080
49978	199514	57	0.002	0.057
49979	199515	25	<0.001	0.025
49980	199516	48	0.001	0.048
49981 Dup	199516	42	0.001	0.042
49982	199517	44	0.001	0.044
49983	199518	690	0.020	0.690

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
49984	199519	422	0.012	0.422
49985	199520	418	0.012	0.418
49986	199521	627	0.018	0.627
49987	199522	4376	0.128	4.376
49988	199523	360	0.010	0.360
49989	199524	238	0.007	0.238
49990	199525	1574	0.046	1.574
49991	199526	1091	0.032	1.091
49992 Dup	199526	1262	0.037	1.262
49993	199527	94	0.003	0.094
49994	199528	813	0.024	0.813
49995	199529	290	0.008	0.290
49996	199530	<5	<0.001	<0.005
49997	199531	3546	0.103	3.546
49998	199532	284	0.008	0.284
49999	199533	42	0.001	0.042
50000	199534	66	0.002	0.066
50001	199535	57	0.002	0.057
50002	199536	53	0.002	0.053
50003 Dup	199536	39	0.001	0.039
50004	199537	64	0.002	0.064
50005	199538	948	0.028	0.948
50006	199539	160	0.005	0.160
50007	199540	4948	0.144	4.948
50008	199541	208	0.006	0.208
50009	199542	30263	0.883	30.263
50010	199543	420	0.012	0.420
50011	199544	275	0.008	0.275
50012	199545	506	0.015	0.506
50013	199546	998	0.029	0.998

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
50014 Dup	199546	1027	0.030	1.027
50015	199547	37	0.001	0.037

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49894	199437	<1	6.38	9	499	5	7	3.27	<4	15	49	16	2.33	0.19	113	0.73	794	<1	76	591	16	4.09	7	13	<10	623	2512	<2	54	<10	6	141
49895	199438	<1	5.05	9	554	2	24	1.92	<4	10	37	6	1.91	0.02	105	0.57	462	<1	56	506	19	4.02	<5	16	<10	459	2183	33	44	<10	4	115
49896	199439	<1	4.85	4	467	3	25	1.72	<4	13	38	9	1.95	0.14	99	0.63	525	<1	61	482	18	4.20	5	13	<10	446	1998	88	42	<10	4	254
49897	199440	<1	4.86	46	237	3	3	0.87	<4	13	31	2088	4.82	0.07	77	0.74	1051	8	24	723	86	5.70	<5	23	<10	221	1138	3	61	<10	7	621
49898	199441	<1	6.08	11	667	2	7	1.95	4	9	30	76	2.19	0.03	66	0.67	692	<1	46	527	22	4.41	<5	16	<10	524	1915	18	44	25	5	1688
49899	199442	<1	4.46	4	312	2	2	1.16	<4	4	30	9	1.10	0.18	52	0.34	252	<1	39	288	14	3.79	12	8	<10	476	1177	<2	23	<10	3	109
49900	199443	<1	5.26	4	470	4	4	2.00	<4	6	20	8	1.60	0.27	81	0.58	569	<1	30	434	19	3.45	<5	18	<10	577	1787	<2	35	<10	4	92
49901	199444	<1	5.58	10	491	3	16	2.45	<4	11	23	17	1.90	0.13	49	0.72	1131	<1	30	519	11	3.94	<5	25	<10	508	2180	153	43	<10	5	118
49902	199445	<1	5.71	16	587	4	8	2.47	<4	11	28	8	1.86	0.26	73	0.66	1372	<1	37	523	19	4.36	9	30	<10	461	2243	<2	42	<10	5	152
49903	199446	<1	6.25	17	667	3	14	2.38	<4	9	38	16	2.15	0.30	152	0.80	1436	<1	52	587	34	4.50	<5	17	<10	491	2258	50	48	<10	4	169
49904D	199446	<1	5.42	9	593	4	2	2.10	<4	10	28	15	1.92	0.22	92	0.73	1306	<1	40	542	21	3.91	8	18	<10	447	2037	<2	42	12	4	159
49905	199447	<1	5.32	6	626	3	10	2.09	<4	11	24	23	2.16	0.09	54	0.86	1986	<1	33	509	45	4.05	<5	34	<10	399	2043	29	41	15	4	1140
49906	199448	<1	5.55	14	327	4	11	1.72	<4	7	25	5	1.14	0.07	83	1.08	679	<1	34	330	49	3.73	<5	25	<10	231	1462	89	25	<10	3	119
49907	199449	<1	5.32	9	264	3	8	1.27	<4	6	23	13	1.20	0.32	97	0.93	570	<1	36	338	117	4.13	5	22	<10	204	1408	<2	26	<10	3	195
49908	199450	<1	3.91	9	340	4	<1	2.25	<4	17	56	44	3.74	0.16	111	1.20	752	<1	38	617	14	3.78	<5	9	<10	317	3041	<2	116	<10	13	59
49909	199451	<1	5.98	15	283	3	12	1.32	<4	5	22	14	1.40	0.23	97	0.89	568	<1	29	364	128	4.01	<5	33	<10	214	1520	9	30	<10	4	225
49910	199452	2	3.23	17	170	3	5	0.26	<4	3	11	37	0.90	0.68	27	0.54	333	<1	18	259	326	3.29	<5	27	<10	138	1144	<2	20	<10	2	626
49911	199453	<1	5.54	12	367	3	<1	1.38	<4	11	49	20	1.92	0.20	36	0.84	695	<1	46	406	106	3.96	<5	28	<10	223	1719	<2	41	<10	6	165
49912	199454	<1	5.40	13	367	3	15	1.33	<4	12	60	19	2.05	0.31	58	0.72	493	<1	43	381	29	4.30	9	15	<10	250	1882	<2	50	<10	6	63
49913	199455	<1	4.80	8	371	3	4	1.14	<4	13	73	20	2.08	0.32	41	0.82	463	<1	50	403	30	4.50	6	15	<10	235	1809	<2	49	<10	7	62

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:54 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49914	199456	<1	4.22	5	284	4	6	1.25	<4	19	106	26	2.76	0.15	55	1.07	741	<1	66	484	40	4.59	<5	13	<10	235	2125	55	65	<10	8	96
49915D	199456	<1	4.21	4	263	3	<1	1.16	<4	14	98	25	2.61	0.11	45	1.05	687	<1	62	468	41	4.65	<5	9	<10	222	2029	<2	61	<10	8	82
49916	199457	<1	5.33	10	459	3	<1	0.87	<4	15	79	46	2.46	0.19	26	0.50	486	<1	49	471	27	4.85	5	36	<10	208	2187	42	64	<10	8	62
49917	199458	<1	5.29	13	470	3	13	0.68	<4	5	15	12	1.74	0.18	12	0.19	239	<1	20	397	44	4.81	<5	19	<10	196	1754	<2	35	<10	5	171
49918	199459	<1	6.25	11	624	4	12	1.08	<4	8	33	10	0.68	0.14	12	0.17	147	<1	29	442	35	4.21	<5	20	<10	276	1789	<2	40	<10	3	139
49919	199460	<1	5.15	44	264	3	4	0.93	4	16	32	2169	4.97	0.25	20	0.75	1077	7	24	755	88	5.56	<5	15	<10	224	1192	<2	63	<10	8	617
49920	199461	<1	2.22	16	172	3	5	0.12	<4	6	17	66	0.46	0.98	12	0.12	112	<1	18	282	29	2.36	<5	22	<10	184	1168	<2	27	<10	2	60
49921	199462	<1	5.79	11	486	3	7	0.76	<4	8	26	10	0.56	0.22	12	0.13	159	<1	23	409	38	3.62	5	32	<10	217	1638	<2	34	<10	3	27
49922	199463	2	3.36	17	325	2	4	0.66	<4	5	18	11	1.11	0.78	<1	0.16	252	<1	18	325	46	3.65	<5	15	<10	182	1308	<2	28	<10	3	98
49923	199464	<1	5.74	36	624	3	11	0.88	<4	8	36	38	1.63	0.25	<1	0.23	260	<1	25	389	61	4.91	<5	27	<10	202	1798	<2	37	<10	4	121
49924	199465	<1	5.60	5	513	3	14	1.76	<4	10	59	22	1.60	0.19	<1	0.38	492	<1	25	399	168	4.55	<5	23	<10	241	1714	63	34	<10	4	259
49925	199466	1	5.55	17	531	3	6	1.80	<4	7	47	20	1.54	0.34	62	0.37	429	<1	23	402	200	4.52	<5	37	<10	236	1747	<2	35	<10	4	296
49926D	199466	<1	4.83	11	471	3	20	1.62	<4	7	43	19	1.40	0.25	48	0.33	397	<1	20	375	193	4.47	<5	35	<10	222	1553	<2	32	<10	3	274
49927	199467	<1	4.52	7	540	4	11	1.51	<4	8	40	15	1.63	0.23	31	0.39	344	<1	34	394	90	4.49	<5	22	<10	249	1604	<2	32	<10	4	262
49928	199468	<1	4.62	15	585	3	10	1.59	<4	4	35	5	0.97	0.20	43	0.52	566	<1	24	255	52	4.57	<5	23	<10	159	1034	51	18	<10	3	51
49929	199469	<1	4.59	11	559	3	12	2.90	19	19	33	48	2.35	0.32	64	1.42	1458	<1	45	401	2194	4.27	<5	24	<10	162	1657	<2	32	65	5	5558
49930	199470	<1	3.62	4	324	4	25	2.20	<4	17	55	45	3.69	0.12	49	1.18	761	<1	37	610	72	3.31	8	12	<10	305	2857	64	114	<10	13	193
49931	199471	<1	6.32	14	667	4	32	2.18	<4	12	50	53	1.78	0.30	45	0.87	709	<1	50	539	174	4.24	<5	19	<10	175	2154	44	42	<10	5	270
49932	199472	<1	4.30	3	473	4	<1	0.46	<4	11	102	9	1.65	0.29	67	0.95	315	6	116	328	56	3.31	<5	31	<10	139	1311	32	35	<10	6	77
49933	199473	<1	4.31	3	482	3	14	0.72	<4	10	72	14	1.63	0.56	56	1.07	389	<1	64	395	33	3.68	9	20	<10	156	1506	<2	36	<10	6	37

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:54 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49934	199474	<1	6.19	5	524	3	9	0.88	<4	8	45	4	0.57	0.34	63	0.73	220	<1	49	428	17	4.42	<5	30	<10	187	1765	91	33	<10	3	27
49935	199475	<1	5.43	22	628	3	10	1.86	<4	11	64	33	1.45	0.42	88	1.17	474	<1	48	350	110	5.07	9	19	<10	201	1505	<2	29	<10	4	391
49936	199476	<1	5.71	53	489	3	<1	0.40	<4	15	50	16	1.68	0.44	52	0.57	232	<1	63	326	73	5.30	<5	24	<10	109	1609	<2	31	<10	3	515
49937D	199476	<1	5.63	51	474	4	<1	0.32	<4	15	48	16	1.69	0.49	42	0.56	230	<1	62	310	63	5.71	9	15	<10	106	1590	49	29	11	3	508
49938	199477	<1	5.95	24	435	3	8	0.31	<4	6	49	12	0.76	0.40	24	0.52	159	2	71	358	76	5.24	6	24	<10	87	1675	<2	31	<10	5	379
49939	199478	3	5.85	15	404	3	15	0.32	<4	7	56	10	0.56	0.16	13	0.52	145	<1	51	349	213	4.70	8	27	<10	90	1635	<2	32	17	4	834
49940	199479	<1	5.44	12	414	3	11	0.33	<4	6	40	11	0.54	0.11	21	0.59	164	<1	46	335	86	4.91	<5	21	<10	113	1526	92	30	<10	4	331
49941	199480	70	3.41	39	378	4	14	1.07	19	18	31	48	3.06	0.18	72	0.72	479	<1	25	558	564	4.63	53	15	223	266	2047	43	90	75	11	1853
49942	199481	2	5.53	16	404	3	17	0.68	<4	6	56	10	0.72	0.40	46	0.61	187	3	78	251	86	4.30	9	35	<10	129	1553	66	33	13	4	832
49943	199482	<1	5.84	17	473	3	25	0.54	<4	9	43	9	0.88	0.47	38	0.67	177	<1	47	181	53	4.11	8	12	<10	160	1648	17	31	<10	3	123
49944	199483	<1	4.84	29	363	3	10	0.79	<4	8	39	9	1.57	0.57	82	0.54	179	<1	44	228	25	4.46	<5	28	<10	194	1449	58	28	<10	3	43
49945	199484	<1	5.84	39	433	5	20	0.84	<4	8	57	6	2.04	0.30	57	0.48	193	<1	48	269	25	4.78	<5	25	<10	207	1649	<2	32	<10	3	73
49946	199485	<1	5.56	23	427	3	<1	0.62	<4	9	36	19	0.98	0.43	62	0.52	181	<1	34	327	31	4.30	10	18	<10	224	1634	19	29	<10	3	89
49947	199486	<1	5.33	19	399	3	14	0.57	<4	8	39	12	0.99	0.36	47	0.48	169	<1	45	308	35	4.44	9	21	<10	219	1592	<2	30	<10	3	78
49948D	199486	<1	5.78	16	434	3	12	0.68	<4	7	41	13	1.03	0.46	47	0.51	175	<1	46	320	34	4.71	<5	21	<10	231	1661	49	30	<10	3	103
49949	199487	2	7.25	21	561	4	1	0.89	<4	8	57	15	0.87	0.60	198	0.47	165	3	64	342	87	5.89	<5	43	<10	282	1785	65	36	<10	4	467
49950	199488	<1	5.22	20	508	2	13	0.70	<4	9	34	6	0.68	0.39	26	0.46	185	<1	44	344	27	4.34	<5	39	<10	262	1569	81	29	<10	3	63
49951	199489	<1	5.57	24	509	4	8	0.72	<4	8	34	8	0.72	0.22	44	0.49	190	<1	32	375	25	4.50	<5	23	<10	263	1577	54	29	<10	3	36
49952	199490	<1	3.88	7	343	2	11	2.22	<4	16	56	42	3.62	0.28	43	1.15	720	<1	36	617	15	3.96	6	21	<10	313	2919	104	114	<10	13	61
49953	199491	<1	6.00	24	519	3	12	0.80	<4	8	35	15	1.05	0.18	46	0.52	176	<1	45	432	31	4.45	<5	25	<10	288	1781	19	36	<10	3	143

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:54 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49954	199492	<1	6.61	18	615	3	29	1.22	<4	7	32	8	0.99	0.22	50	0.56	180	<1	34	414	33	4.35	<5	39	<10	304	1710	<2	32	<10	3	26
49955	199493	<1	6.32	14	566	3	10	1.12	<4	7	45	15	0.89	0.40	60	0.47	206	<1	38	412	295	4.27	5	25	<10	262	1758	<2	32	<10	4	159
49956	199494	<1	6.18	16	426	3	18	2.03	<4	10	62	10	1.40	0.43	72	0.59	403	<1	35	506	23	4.24	<5	25	<10	92	2214	40	40	<10	5	19
49957	199495	<1	5.94	16	427	4	17	0.89	<4	10	35	14	1.70	0.59	58	0.64	444	<1	23	507	14	4.32	<5	18	<10	101	2193	22	39	<10	6	100
49958	199496	<1	6.17	31	409	4	1	1.08	<4	9	29	7	1.86	0.41	38	0.64	430	<1	27	517	41	4.85	<5	20	<10	121	2179	<2	38	<10	5	100
49959R	199496	<1	5.39	39	361	<2	26	0.89	<4	7	24	14	1.77	0.33	27	0.60	401	<1	24	486	40	4.75	<5	19	<10	115	2057	<2	36	<10	5	162
49960	199497	<1	5.83	16	392	3	16	1.94	<4	9	35	13	1.92	0.46	57	0.91	712	<1	27	501	21	3.85	5	29	<10	174	2164	<2	39	<10	5	87
49961	199498	<1	6.15	14	460	3	6	1.76	<4	9	36	7	1.35	0.62	79	0.76	429	<1	29	609	17	4.10	<5	22	<10	198	2273	13	39	<10	5	53
49962	199499	<1	6.14	47	472	4	12	0.34	<4	8	44	22	1.52	0.38	28	0.53	218	<1	27	704	101	4.99	<5	14	<10	126	2282	<2	39	10	5	411
49963	199500	<1	3.63	15	388	3	29	1.69	<4	15	49	184	3.68	0.23	58	1.02	666	4	38	599	19	3.99	<5	23	<10	296	2667	18	103	<10	13	78
49964	199501	2	5.01	10	420	3	<1	1.53	<4	8	56	23	0.97	0.30	57	0.70	441	<1	40	634	115	4.41	9	24	<10	160	1736	<2	31	<10	5	147
49965	199502	<1	5.58	11	577	3	18	1.12	<4	7	48	30	0.97	0.52	32	0.86	438	<1	47	558	128	4.68	<5	24	<10	128	2005	<2	34	<10	4	159
49966	199503	<1	5.45	17	628	4	14	1.16	<4	7	28	78	1.06	0.33	19	0.93	481	<1	17	522	1426	4.34	<5	30	<10	128	1979	27	32	17	4	1302
49967	199504	<1	5.38	12	500	4	11	1.14	<4	9	40	131	1.17	0.13	32	0.89	509	<1	28	527	685	4.56	12	29	<10	134	1929	50	31	<10	4	378
49968	199505	<1	5.35	8	385	3	10	1.44	<4	10	36	32	1.22	0.15	31	0.96	585	<1	20	505	466	4.41	9	22	<10	163	1962	99	34	<10	4	497
49969	199506	<1	4.73	8	380	3	14	1.39	<4	7	55	13	1.11	0.52	28	0.93	579	<1	27	486	176	4.30	9	14	<10	163	1912	106	31	<10	3	110
49970D	199506	<1	5.25	10	391	3	18	1.44	<4	7	58	11	1.09	0.11	31	0.94	565	<1	27	479	172	4.60	10	25	<10	166	1898	67	31	<10	4	106
49971	199507	<1	5.98	12	415	3	1	1.29	<4	7	34	28	1.20	0.26	20	0.84	639	<1	27	496	963	4.54	7	29	<10	154	2013	19	34	10	4	951
49972	199508	<1	5.98	14	447	3	4	1.33	<4	6	38	25	1.35	0.52	34	0.90	713	<1	35	500	134	4.32	6	22	<10	163	2034	<2	32	<10	4	229
49973	199509	1	1.70	5	57	2	7	0.13	<4	4	17	74	1.04	0.55	22	0.39	316	<1	20	262	59	2.79	7	15	<10	139	1029	<2	17	<10	3	67

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:54 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49974	199510	<1	3.92	3	329	4	15	2.26	<4	16	61	46	3.83	0.17	49	1.20	757	<1	39	646	9	4.11	5	15	<10	317	3058	<2	121	<10	14	59
49975	199511	<1	5.41	16	256	4	9	1.38	<4	7	46	40	1.55	0.55	55	0.91	765	<1	28	513	27	4.56	<5	29	<10	201	1766	<2	32	<10	5	31
49976	199512	<1	6.41	27	408	3	19	1.26	<4	10	42	19	1.95	0.68	129	0.81	675	1	45	537	24	4.84	<5	38	<10	199	2139	51	39	<10	5	49
49977	199513	<1	5.53	16	260	4	4	1.27	<4	9	25	19	1.86	0.34	34	0.80	764	<1	26	521	20	4.58	<5	14	<10	179	2004	<2	38	<10	5	52
49978	199514	<1	5.43	16	216	4	20	0.94	<4	8	36	11	1.66	0.25	64	0.67	661	<1	38	474	25	4.40	<5	32	<10	185	1864	33	36	<10	5	48
49979	199515	<1	4.87	12	233	4	22	0.47	<4	4	17	26	0.85	0.49	72	0.47	399	<1	21	467	85	4.54	6	11	<10	160	1396	60	29	<10	4	45
49980	199516	<1	6.18	32	328	3	2	0.73	<4	5	19	27	1.05	0.19	93	0.59	521	<1	25	536	220	4.85	<5	14	<10	175	1794	<2	35	<10	4	177
49981D	199516	<1	6.04	23	326	3	14	0.71	<4	9	16	26	1.06	0.40	87	0.59	525	<1	23	535	233	4.57	<5	12	<10	176	1831	94	35	<10	4	179
49982	199517	<1	6.71	22	443	3	6	1.10	<4	7	18	8	1.24	0.15	109	0.83	613	<1	24	491	69	5.13	<5	23	<10	188	2068	90	36	<10	4	137
49983	199518	<1	5.74	66	491	3	15	0.76	<4	9	35	23	2.10	0.38	76	0.72	581	<1	31	453	599	5.02	5	29	<10	134	1961	<2	38	<10	5	494
49984	199519	<1	5.69	51	502	3	<1	0.41	<4	8	38	72	1.78	0.74	24	0.60	475	<1	33	498	559	4.60	<5	12	<10	130	2040	<2	40	13	5	1176
49985	199520	<1	5.91	53	298	4	30	1.08	4	15	38	2195	5.08	0.62	64	0.80	1115	10	25	784	96	6.19	<5	23	<10	229	1255	11	63	13	8	646
49986	199521	3	5.81	50	527	3	5	<0.01	5	10	45	200	2.40	0.77	38	0.34	134	<1	45	483	2556	5.38	9	31	<10	94	2015	70	37	30	5	1975
49987	199522	32	2.33	242	251	3	29	<0.01	67	11	33	1416	5.51	0.38	18	0.19	143	<1	34	280	7040	6.84	117	10	<10	88	986	<2	22	354	3	28779
49988	199523	<1	5.33	37	346	3	7	0.49	<4	13	26	92	1.49	0.40	69	0.71	678	<1	37	485	417	4.75	<5	34	<10	166	1811	<2	31	13	4	998
49989	199524	<1	5.13	19	341	3	12	0.92	<4	9	29	39	1.63	0.35	56	0.77	880	<1	27	478	60	4.54	<5	18	<10	174	1767	69	35	<10	5	118
49990	199525	3	4.98	23	334	4	31	0.63	<4	8	36	40	1.78	0.20	46	0.53	678	<1	33	457	181	4.42	10	6	<10	171	1766	15	38	<10	5	441
49991	199526	5	4.86	26	337	3	17	0.59	<4	8	32	38	1.74	0.32	75	0.48	628	<1	30	459	156	5.09	<5	16	<10	165	1731	15	37	<10	4	379
49992D	199526	4	4.56	21	315	4	<1	0.53	<4	9	33	38	1.69	0.26	63	0.47	607	<1	30	435	156	4.65	<5	36	<10	160	1715	<2	35	<10	4	354
49993	199527	<1	4.96	13	354	3	7	0.78	<4	8	27	13	1.51	0.41	38	0.46	602	<1	25	538	22	4.31	7	17	<10	191	1905	<2	38	<10	5	53

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:54 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49994	199528	<1	5.52	11	272	3	<1	0.79	<4	9	24	22	1.57	0.41	90	0.68	1054	<1	28	471	63	4.36	<5	23	<10	195	1781	15	35	<10	5	138
49995	199529	2	5.40	6	253	3	23	0.71	<4	8	32	19	1.69	0.56	66	0.69	1091	<1	32	486	49	3.79	9	28	<10	187	1846	<2	37	<10	5	103
49996	199530	<1	4.57	19	366	2	5	2.33	<4	17	58	51	3.73	0.38	65	1.18	772	<1	36	627	16	3.87	<5	28	<10	316	2986	<2	114	<10	13	63
49997	199531	12	5.08	13	246	3	9	0.68	4	7	37	77	1.41	0.49	85	0.53	626	<1	37	431	996	3.95	16	20	<10	152	1645	<2	31	18	4	1301
49998	199532	<1	5.93	14	282	4	14	0.98	<4	6	27	38	1.33	0.64	60	0.65	822	<1	28	469	106	4.62	<5	35	<10	158	1820	<2	34	<10	4	174
49999	199533	<1	5.46	17	277	4	<1	0.98	<4	5	31	13	1.37	0.76	81	0.66	663	<1	34	480	29	4.42	<5	9	<10	147	1843	27	36	<10	5	59
50000	199534	<1	5.93	12	354	3	22	1.06	<4	6	34	13	1.57	0.52	82	0.67	539	<1	33	492	26	4.75	<5	21	<10	139	1927	23	38	<10	5	45
50001	199535	<1	5.99	15	318	3	22	1.35	<4	12	32	11	1.51	0.55	61	0.90	843	<1	36	444	45	5.17	<5	26	<10	153	1882	29	37	<10	5	147
50002	199536	<1	6.03	20	242	3	18	1.05	<4	8	28	14	1.24	0.36	67	1.20	573	<1	32	469	48	4.97	10	39	<10	151	1851	<2	35	<10	4	97
50003D	199536	<1	5.68	10	230	5	4	1.01	<4	6	21	13	1.13	0.20	82	1.16	541	<1	23	453	45	4.89	<5	41	<10	149	1731	39	32	<10	4	73
50004	199537	<1	5.50	16	215	4	2	0.54	<4	7	16	19	0.92	0.26	53	1.13	432	<1	21	482	65	4.74	<5	25	<10	141	1818	57	35	<10	4	96
50005	199538	3	5.24	25	241	5	2	0.33	<4	6	25	69	1.08	0.22	49	0.63	284	<1	34	454	412	5.20	9	24	<10	113	1671	<2	32	13	4	491
50006	199539	<1	4.37	19	203	3	<1	0.93	<4	7	23	16	0.99	0.30	171	0.87	562	<1	37	399	43	7.24	<5	19	<10	121	1686	20	29	<10	3	138
50007	199540	65	2.94	45	336	4	<1	0.96	18	15	30	46	3.00	<0.01	15	0.70	464	<1	23	545	584	3.30	56	20	223	252	1980	<2	88	63	11	1840
50008	199541	4	1.55	17	2	3	16	0.46	<4	6	23	27	1.21	0.65	60	0.80	594	<1	45	301	68	2.50	<5	20	<10	92	1255	<2	25	<10	3	122
50009	199542	<1	3.30	11	161	4	12	0.86	<4	7	27	16	1.21	0.56	23	0.79	433	<1	47	390	56	2.89	15	31	<10	111	1542	5	30	<10	3	58
50010	199543	<1	3.85	23	194	3	15	1.02	<4	6	25	17	1.26	0.73	43	0.84	456	<1	43	416	67	3.41	8	29	<10	118	1646	<2	30	<10	4	61
50011	199544	<1	5.47	23	251	3	16	0.98	<4	9	30	20	0.92	0.57	40	0.88	480	<1	50	464	65	4.31	5	30	<10	134	1851	<2	32	<10	4	354
50012	199545	5	5.90	27	267	3	12	0.76	<4	3	36	46	1.28	0.33	72	0.63	381	<1	53	403	728	5.46	7	28	<10	130	1737	<2	30	<10	4	717
50013	199546	5	5.94	28	247	4	10	0.72	<4	8	37	44	1.43	0.36	89	0.65	399	<1	60	411	813	4.92	<5	31	<10	129	1742	108	31	10	4	938

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:54 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/22/2014
Job #: 201440645
Reference: TL14-352A
Sample #: 111

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
50014D	199546	7	6.13	36	268	4	12	0.81	<4	6	31	42	1.44	0.22	70	0.64	397	<1	48	405	808	5.49	6	21	<10	134	1776	10	31	16	4	959
50015	199547	<1	5.32	15	206	3	11	1.81	<4	8	20	28	1.37	0.41	93	1.00	706	<1	30	396	85	4.93	<5	19	<10	144	1703	100	29	<10	4	103

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 29, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/23/2014
Date Completed: 04/29/2014
Job #: 201440772
Reference: 201440645
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
60318	199542	8.757	8.398	231.273	16.617	3.61%	36.07

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14353

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49733	199548	0.006	
49734	199549	0.016	
49735	199550	<0.005	
49736	199551	0.094	
49737	199552	0.031	
49738	199553	0.088	
49739	199554	<0.005	
49740	199555	0.018	
49741	199556	0.048	
49742	199557	<0.005	
49743	199557 Dup	<0.005	
49744	199558	0.094	
49745	199559	<0.005	
49746	199560	<0.005	
49747	199561	<0.005	
49748	199562	0.006	
49749	199563	0.009	
49750	199564	0.025	
49751	199565	0.007	
49752	199566	<0.005	
49753	199567	0.017	
49754	199567 Dup	<0.005	
49755	199568	<0.005	
49756	199569	<0.005	
49757	199570	1.394	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49758	199571	<0.005	
49759	199572	<0.005	
49760	199573	0.008	
49761	199574	0.028	
49762	199575	0.010	
49763	199576	0.079	
49764	199577	0.018	
49765	199577 Dup	0.013	
49766	199578	0.029	
49767	199579	0.238	
49768	199580	<0.005	
49769	199581	0.018	
49770	199582	0.034	
49771	199583	0.018	
49772	199584	0.061	
49773	199585	0.025	
49774	199586	0.025	
49775	199587	3.206	
49776	199587 Dup	3.227	
49777	199588	1.305	
49778	199589	0.202	
49779	199590	0.377	
49780	199591	0.199	
49781	199592	0.075	
49782	199593	0.039	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49783	199594	0.035	
49784	199595	0.122	
49785	199596	0.071	
49786	199597	0.084	
49787	199597 Dup	0.090	
49788	199598	0.057	
49789	199599	0.007	
49790	199600	<0.005	
49791	199601	0.010	
49792	199602	<0.005	
49793	199603	<0.005	
49794	199604	<0.005	
49795	199605	<0.005	
49796	199606	0.008	
49797	199607	0.031	
49798	199607 Rep	0.026	
49799	199608	0.022	
49800	199609	0.010	
49801	199610	5.223	
49802	199611	0.028	
49803	199612	0.042	
49804	199613	0.099	
49805	199614	0.009	
49806	199615	0.030	
49807	199616	0.051	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49808	199617	0.014	
49809	199617 Dup	0.020	
49810	199618	0.022	
49811	199619	0.192	
49812	199620	0.005	
49813	199621	0.031	
49814	199622	0.218	
49815	199623	0.856	
49816	199624	0.077	
49817	199625	0.019	
49818	199626	0.032	
49819	199627	0.404	
49820	199627 Dup	0.437	
49821	199628	0.087	
49822	199629	0.012	
49823	199630	1.400	
49824	199631	0.018	
49825	199632	0.013	
49826	199633	0.006	
49827	199634	0.006	
49828	199635	0.013	
49829	199636	0.009	
49830	199637	0.054	
49831	199637 Dup	0.079	
49832	199638	0.069	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49833	199639	0.082	
49834	199640	<0.005	
49835	199641	0.061	
49836	199642	0.195	
49837	199643	0.061	
49838	199644	0.072	
49839	199645	0.035	
49840	199646	0.025	
49841	199647	0.023	
49842	199647 Dup	0.027	
49843	199648	0.130	
49844	199649	0.327	
49845	199650	0.383	
49846	199651	1.026	
49847	199652	0.219	
49848	199653	0.132	
49849	199654	1.583	
49850	199655	0.178	
49851	199656	0.037	
49852	199657	0.141	
49853	199657 Dup	0.159	
49854	199658	0.692	
49855	199659	0.059	
49856	199660	<0.005	
49857	199661	0.037	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49858	199662	0.068	
49859	199663	0.037	
49860	199664	0.008	
49861	199665	0.015	
49862	199666	0.016	
49863	199667	0.060	
49864	199667 Rep	0.042	
49865	199668	0.151	
49866	199669	>6.000	15.189
49867	199670	4.757	
49868	199671	5.515	
49869	199672	0.372	
49870	199673	>6.000	12.185
49871	199674	1.887	
49872	199675	1.370	
49873	199676	0.542	
49874	199677	0.723	
49875	199677 Dup	0.731	
49876	199678	0.494	
49877	199679	1.345	
49878	199680	<0.005	
49879	199681	3.874	
49880	199682	0.562	
49881	199683	>6.000	6.391
49882	199684	0.246	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
49883	199685	0.038	
49884	199686	0.027	
49885	199687	0.009	
49886	199687 Dup	0.007	
49887	199688	0.266	
49888	199689	0.211	
49889	199690	1.436	
49890	199691	0.037	
49891	199692	0.025	
49892	199693	0.049	
49893	199694	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.796	0.791	0.051
GS25	0.772	0.791	0.051
GS25	0.762	0.791	0.051
GS25	0.763	0.791	0.051
GS25	0.715	0.791	0.051
3046	4.411	4.580	0.190

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49733	199548	<1	4.95	9	317	<2	6	1.63	<4	13	35	18	2.14	0.25	32	0.59	417	<1	56	571	9	0.25	<5	19	<10	384	2455	9	50	<10	5	63
49734	199549	<1	5.71	5	318	<2	1	1.99	<4	13	53	18	2.27	0.20	68	0.70	515	<1	64	615	15	0.32	8	16	<10	371	2402	<2	55	<10	6	29
49735	199550	<1	3.93	11	365	2	6	2.37	<4	18	59	48	3.92	0.40	49	1.22	777	<1	43	646	14	0.10	<5	7	<10	331	3176	84	122	<10	14	54
49736	199551	<1	6.03	9	339	<2	15	2.49	<4	16	57	31	2.81	0.34	66	0.78	589	<1	66	665	13	0.55	7	17	<10	380	2513	35	60	<10	6	32
49737	199552	<1	6.39	7	584	2	24	1.87	<4	12	43	17	2.53	0.42	76	0.73	569	<1	68	728	17	0.43	9	21	<10	345	2642	<2	61	<10	6	39
49738	199553	<1	6.76	17	499	<2	19	2.77	<4	12	46	73	2.54	0.55	100	1.05	766	<1	56	652	18	0.45	<5	25	<10	330	2057	109	50	10	6	476
49739	199554	<1	5.13	14	426	<2	3	1.62	<4	6	29	9	1.20	0.43	70	1.18	557	<1	57	323	16	0.14	<5	37	<10	232	1315	68	24	<10	3	58
49740	199555	<1	4.79	129	262	2	7	1.89	<4	18	106	39	3.43	0.35	58	1.29	1196	<1	73	487	20	0.66	19	19	<10	262	1851	33	71	12	10	204
49741	199556	<1	5.07	2	387	<2	15	1.97	<4	23	139	37	3.07	0.42	82	1.33	1015	2	90	542	27	0.38	5	<5	<10	311	2437	65	84	<10	10	112
49742	199557	<1	4.34	20	356	<2	31	1.09	<4	8	26	8	0.84	0.65	36	0.25	218	<1	40	421	30	0.28	5	20	<10	238	1513	<2	38	<10	3	34
49743D	199557	<1	5.50	23	376	<2	21	1.20	<4	8	21	8	0.81	0.14	32	0.27	211	<1	30	450	26	0.29	<5	27	<10	250	1536	<2	38	<10	4	24
49744	199558	<1	5.30	11	455	<2	6	2.99	<4	8	33	11	0.92	0.21	57	0.49	539	2	54	409	28	0.24	5	22	<10	248	1492	<2	35	<10	4	73
49745	199559	<1	6.38	18	459	<2	8	2.16	<4	6	31	13	1.13	0.36	42	0.41	304	<1	46	469	19	0.39	<5	37	<10	333	1653	12	40	<10	4	30
49746	199560	<1	5.04	7	448	<2	9	2.85	<4	22	66	54	4.45	0.33	49	1.39	875	<1	48	741	9	0.11	<5	30	<10	369	3370	<2	139	<10	16	63
49747	199561	<1	7.35	18	548	<2	8	1.73	<4	13	38	17	0.93	0.66	98	0.34	281	4	58	523	33	0.29	<5	31	<10	322	1782	<2	46	11	4	696
49748	199562	<1	5.46	15	420	<2	4	1.48	<4	8	26	13	0.76	0.44	36	0.33	350	<1	37	425	30	0.37	5	14	<10	273	1469	8	36	<10	4	44
49749	199563	<1	3.55	6	364	<2	<1	0.42	<4	9	22	6	0.67	0.88	35	0.17	153	<1	44	344	16	0.23	7	19	<10	183	1400	<2	30	<10	3	83
49750	199564	<1	5.53	22	450	2	20	1.91	<4	8	33	12	1.43	0.47	47	0.27	364	<1	51	430	17	0.40	<5	20	<10	260	1435	<2	37	<10	4	61
49751	199565	<1	5.47	18	417	<2	3	1.45	<4	6	35	9	1.42	0.37	41	0.32	295	<1	56	413	18	0.36	<5	31	<10	231	1434	7	35	<10	4	37
49752	199566	<1	6.49	22	526	<2	19	1.74	<4	8	42	11	1.66	0.48	93	0.36	330	3	69	461	29	0.37	<5	29	<10	257	1618	<2	40	<10	4	35

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49753	199567	<1	6.24	22	640	<2	26	1.69	<4	7	26	14	1.51	0.39	64	0.26	307	<1	42	438	42	0.68	7	23	<10	279	1649	<2	37	<10	4	200
49754D	199567	<1	5.86	25	615	<2	23	1.57	<4	6	24	14	1.50	0.16	20	0.26	298	<1	31	435	39	0.70	<5	30	<10	275	1619	<2	37	<10	4	212
49755	199568	<1	4.55	20	455	3	7	1.39	<4	7	51	11	1.44	0.23	70	0.30	255	4	58	294	20	0.40	8	19	<10	213	1419	<2	32	<10	3	37
49756	199569	<1	5.61	8	614	<2	20	1.97	<4	13	26	5	2.32	0.18	39	0.83	626	<1	37	433	11	0.23	7	33	<10	279	2021	<2	42	10	5	38
49757	199570	<1	4.17	22	463	<2	13	1.97	<4	15	52	193	3.86	0.28	67	1.07	706	8	40	617	11	0.11	<5	28	<10	317	2656	<2	107	14	13	56
49758	199571	<1	6.25	18	601	3	2	2.17	<4	9	29	11	2.07	0.51	44	0.88	496	1	39	442	21	0.33	7	19	<10	318	1826	20	40	39	5	48
49759	199572	<1	7.05	9	670	3	21	2.67	<4	13	42	16	2.11	0.46	80	0.81	449	2	68	579	35	0.16	5	24	<10	384	1878	11	43	<10	5	68
49760	199573	<1	5.60	6	437	2	<1	2.65	<4	9	22	25	1.74	0.36	13	0.93	670	<1	27	475	47	0.24	<5	20	<10	345	1725	<2	38	10	5	84
49761	199574	<1	6.49	36	549	<2	24	1.81	6	12	26	46	2.25	0.46	63	0.99	768	<1	39	564	656	0.68	8	26	<10	330	2166	<2	42	27	5	1989
49762	199575	<1	5.50	30	569	2	7	2.05	<4	13	38	18	2.03	0.34	31	1.13	873	2	60	520	177	0.51	11	26	<10	349	2109	79	41	<10	5	304
49763	199576	<1	7.10	26	628	<2	12	2.77	9	12	42	150	2.41	0.42	59	1.32	1139	2	64	538	1054	0.53	<5	19	<10	347	2141	<2	44	37	5	2883
49764	199577	<1	4.80	14	382	<2	8	1.99	<4	11	31	22	1.82	0.72	71	0.91	690	<1	52	487	68	0.28	<5	34	<10	264	1722	2	36	<10	4	154
49765D	199577	<1	4.93	12	389	<2	11	2.01	<4	12	22	20	1.74	0.51	67	0.90	674	<1	36	481	37	0.29	5	9	<10	263	1735	<2	35	<10	4	80
49766	199578	<1	4.48	16	388	<2	<1	1.52	<4	9	28	9	1.64	0.28	39	0.67	506	<1	47	475	33	0.35	<5	34	<10	251	1754	91	36	<10	4	49
49767	199579	<1	3.94	6	344	2	13	0.99	<4	9	58	10	1.76	0.51	66	1.26	396	<1	55	396	34	0.13	7	11	<10	157	1241	<2	34	<10	7	57
49768	199580	<1	3.72	9	355	<2	14	2.31	<4	17	58	46	3.92	0.27	29	1.25	782	<1	40	659	9	0.10	<5	<5	<10	322	3078	30	120	<10	15	53
49769	199581	<1	5.36	14	665	<2	5	0.51	<4	8	55	10	1.52	0.38	30	1.34	385	<1	49	404	60	0.08	<5	12	<10	145	1423	<2	36	<10	8	54
49770	199582	<1	5.09	10	578	2	19	1.87	5	8	44	13	1.37	1.28	26	1.50	629	<1	43	407	50	0.12	5	14	<10	157	1323	22	30	18	7	833
49771	199583	<1	5.90	31	563	<2	<1	1.11	<4	11	20	3	1.31	0.40	<1	0.97	308	<1	37	391	28	0.59	<5	26	<10	151	1684	13	32	<10	4	319
49772	199584	<1	6.10	29	583	<2	19	0.98	<4	9	26	5	0.92	0.43	8	0.98	310	<1	45	402	35	0.54	<5	<5	<10	148	1680	16	33	<10	5	139

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49773	199585	<1	5.31	27	568	<2	5	0.63	<4	11	30	6	0.77	0.50	13	0.83	294	<1	53	352	23	0.44	<5	23	<10	123	1559	<2	31	<10	5	77
49774	199586	<1	5.61	30	587	<2	<1	0.75	<4	9	33	6	0.82	0.32	12	0.91	345	<1	55	351	25	0.50	<5	25	<10	131	1607	<2	31	<10	5	127
49775	199587	2	3.74	92	392	<2	<1	0.04	17	6	31	132	2.08	0.40	28	0.40	164	<1	37	254	248	0.91	49	29	<10	94	1123	16	26	45	3	3679
49776D	199587	5	3.82	100	400	2	<1	0.07	18	7	31	139	2.15	0.29	38	0.39	161	<1	36	253	269	0.97	45	22	<10	95	1123	6	25	50	3	3794
49777	199588	3	4.36	62	399	<2	42	<0.01	13	8	39	210	1.73	0.40	23	0.28	<100	2	53	236	108	0.74	26	27	13	91	1261	<2	25	48	3	3617
49778	199589	<1	5.79	46	516	<2	<1	0.31	<4	8	24	16	1.72	0.25	2	0.65	281	<1	41	164	35	0.85	8	30	<10	125	1638	<2	30	<10	3	285
49779	199590	<1	4.23	46	217	<2	3	0.74	4	14	30	2113	4.73	0.42	41	0.72	1034	11	21	696	79	1.45	<5	20	<10	205	1063	39	59	10	7	585
49780	199591	<1	4.19	67	344	<2	<1	0.62	<4	9	23	52	2.93	0.18	<1	0.66	304	<1	43	136	93	1.33	<5	25	<10	164	1321	<2	28	12	3	735
49781	199592	<1	5.40	78	416	<2	7	0.53	<4	10	19	5	4.20	0.36	45	0.63	213	<1	33	110	45	2.12	<5	10	<10	169	1618	<2	30	<10	3	164
49782	199593	<1	5.46	67	374	<2	21	0.65	<4	10	18	6	3.50	0.44	55	0.53	171	<1	30	143	41	1.87	10	21	<10	178	1515	<2	29	11	3	301
49783	199594	<1	4.52	57	330	<2	16	0.37	<4	8	13	5	3.04	0.29	30	0.61	177	<1	27	123	23	1.62	12	23	<10	157	1428	<2	26	<10	3	166
49784	199595	2	5.29	34	396	<2	<1	0.26	<4	8	19	8	1.32	0.48	51	0.47	127	<1	32	101	193	0.64	11	19	<10	154	1580	<2	31	<10	3	705
49785	199596	<1	5.61	35	389	<2	<1	0.03	<4	9	16	9	1.27	0.60	36	0.31	<100	<1	29	143	41	0.64	6	24	<10	165	1705	<2	30	10	3	111
49786	199597	<1	5.50	47	349	<2	<1	0.62	<4	10	22	14	2.37	0.35	26	0.38	141	<1	33	119	59	1.21	<5	21	<10	190	1592	<2	30	<10	3	272
49787D	199597	<1	4.96	57	316	<2	21	0.52	<4	11	21	13	2.35	0.48	23	0.36	137	<1	30	106	53	1.14	<5	12	<10	183	1487	<2	29	<10	3	276
49788	199598	<1	4.81	32	369	<2	10	0.27	<4	10	22	10	1.50	0.21	9	0.33	126	<1	32	125	34	0.70	<5	17	<10	172	1506	15	29	14	2	787
49789	199599	<1	4.72	28	351	<2	11	0.36	4	8	17	14	0.79	0.27	15	0.40	152	<1	26	119	33	0.40	<5	15	<10	192	1489	<2	29	29	3	2168
49790	199600	<1	2.94	6	282	<2	<1	1.87	<4	15	49	39	3.33	0.32	13	1.04	659	<1	33	559	5	0.09	<5	15	<10	281	2664	48	104	<10	12	84
49791	199601	<1	5.96	36	519	<2	<1	0.87	<4	10	36	15	1.16	0.88	10	0.67	224	<1	36	346	45	0.54	<5	33	<10	245	1744	<2	38	<10	4	131
49792	199602	<1	5.40	23	463	<2	26	0.48	<4	8	27	4	0.88	0.09	27	0.71	205	<1	41	322	17	0.47	<5	31	<10	194	1598	<2	30	<10	3	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49793	199603	<1	4.67	22	425	<2	<1	0.59	<4	5	16	6	0.78	0.36	9	0.54	163	<1	23	344	21	0.55	<5	18	<10	202	1429	<2	29	<10	3	94
49794	199604	<1	4.64	18	424	<2	<1	0.74	<4	6	23	6	0.82	0.37	16	0.51	172	<1	32	346	20	0.55	9	24	<10	204	1421	<2	30	<10	3	36
49795	199605	<1	4.72	24	466	<2	10	0.82	<4	8	20	10	0.96	0.38	13	0.70	306	<1	25	354	174	0.71	<5	17	<10	215	1493	19	27	<10	3	29
49796	199606	<1	5.63	28	529	<2	14	0.94	<4	9	19	14	1.06	0.22	11	0.75	320	<1	23	394	44	0.69	<5	34	<10	232	1666	4	31	<10	4	30
49797	199607	<1	6.07	38	585	<2	5	1.30	<4	12	27	32	1.56	0.48	11	1.00	436	<1	30	508	294	0.68	5	32	<10	250	1973	33	46	<10	5	117
49798R	199607	<1	5.80	39	571	<2	9	1.09	<4	14	30	62	1.36	0.44	50	0.83	371	<1	40	480	270	0.55	5	23	<10	222	1857	<2	41	<10	5	237
49799	199608	<1	6.34	18	624	<2	9	0.84	<4	11	27	15	0.98	0.48	40	0.76	303	2	38	610	51	0.56	<5	16	<10	237	2199	<2	41	<10	5	134
49800	199609	<1	6.35	23	636	2	4	1.24	<4	12	25	17	0.81	0.64	40	0.59	300	<1	32	677	31	0.42	6	45	<10	242	2307	<2	49	<10	6	235
49801	199610	73	3.59	42	416	<2	29	1.17	21	18	36	56	3.34	0.33	43	0.78	523	<1	28	617	627	0.21	53	8	244	284	2140	<2	98	65	12	2119
49802	199611	<1	5.60	35	446	<2	14	1.37	<4	8	23	11	0.78	0.62	27	0.33	167	<1	42	425	47	0.47	5	33	<10	221	1482	16	30	<10	3	193
49803	199612	<1	6.22	38	559	2	3	1.04	<4	7	22	25	1.04	0.49	26	0.50	182	<1	38	415	80	0.46	<5	29	<10	232	1674	41	33	<10	3	304
49804	199613	<1	4.03	22	415	<2	<1	0.51	<4	7	18	57	0.72	0.38	11	0.55	225	<1	35	346	66	0.35	8	18	<10	177	1355	<2	25	<10	3	175
49805	199614	<1	5.86	22	514	<2	8	0.70	<4	9	22	51	0.86	0.53	75	0.66	296	<1	99	436	25	0.39	<5	26	<10	229	1601	3	29	<10	3	34
49806	199615	<1	5.39	14	495	<2	<1	1.00	<4	7	22	10	0.99	0.22	36	0.64	253	<1	40	427	16	0.34	11	33	<10	239	1635	13	30	<10	4	74
49807	199616	<1	4.99	18	570	<2	<1	0.94	<4	10	28	8	1.60	0.34	55	0.87	396	<1	36	430	13	0.24	<5	15	<10	188	1893	<2	36	<10	4	91
49808	199617	<1	6.16	7	548	<2	2	1.62	<4	11	28	13	2.01	0.24	49	0.72	520	<1	40	531	20	0.24	<5	13	<10	299	2319	<2	43	<10	4	56
49809D	199617	<1	6.04	5	534	<2	28	1.61	<4	11	24	14	1.93	0.22	56	0.69	502	<1	34	520	13	0.24	7	31	<10	297	2253	29	41	<10	4	61
49810	199618	<1	7.02	13	545	<2	18	1.86	<4	10	28	17	2.05	0.57	56	0.75	528	<1	40	610	26	0.33	<5	34	<10	305	2419	<2	46	<10	5	76
49811	199619	<1	6.46	17	606	<2	4	0.96	<4	18	27	10	1.21	0.63	43	1.00	389	<1	53	803	8	0.29	8	36	<10	164	2526	<2	50	<10	5	27
49812	199620	<1	4.26	15	385	<2	9	2.45	<4	18	61	47	3.96	0.33	39	1.25	786	<1	41	671	12	0.10	5	9	<10	332	3018	<2	123	<10	14	63

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49813	199621	<1	6.04	11	687	2	38	1.22	<4	12	25	12	0.96	0.77	46	0.99	379	<1	40	737	21	0.25	7	29	<10	151	2369	<2	48	<10	5	23
49814	199622	<1	5.72	19	609	3	<1	1.20	<4	7	22	51	1.05	0.75	37	0.99	412	<1	37	692	38	0.34	13	34	<10	166	2146	<2	42	13	4	403
49815	199623	<1	5.59	49	500	<2	13	0.24	<4	11	21	40	1.43	0.62	69	0.51	231	<1	41	616	48	0.59	<5	18	<10	106	2003	<2	37	16	4	656
49816	199624	<1	5.62	20	436	2	6	0.62	<4	10	23	13	1.12	0.52	29	0.78	485	<1	41	669	31	0.38	<5	24	<10	107	2089	<2	37	<10	4	66
49817	199625	<1	5.44	7	400	2	24	0.64	<4	9	23	13	0.98	0.43	40	0.83	510	<1	40	610	23	0.25	<5	22	<10	105	2021	<2	36	<10	4	28
49818	199626	<1	5.48	8	402	<2	21	0.53	<4	7	28	11	0.92	0.28	14	0.71	413	<1	43	585	12	0.27	<5	25	<10	103	1962	17	35	<10	4	15
49819	199627	<1	4.89	47	381	<2	13	0.07	<4	6	28	33	1.44	0.19	48	0.40	157	<1	45	538	142	0.62	<5	28	<10	89	1743	<2	32	15	4	594
49820D	199627	<1	4.38	46	341	2	12	<0.01	<4	8	22	31	1.41	0.26	30	0.38	146	<1	36	508	135	0.65	<5	24	<10	83	1697	<2	31	13	3	573
49821	199628	<1	5.28	23	483	<2	<1	0.60	<4	7	20	23	1.17	0.24	34	0.69	466	<1	36	605	359	0.38	6	35	<10	103	1933	<2	34	21	4	1161
49822	199629	<1	6.02	5	499	<2	2	0.80	<4	8	28	10	1.19	0.74	33	0.82	543	<1	52	602	49	0.25	6	37	<10	107	2036	56	35	<10	4	127
49823	199630	<1	4.17	18	455	<2	2	1.92	<4	16	51	193	3.79	0.36	32	1.06	698	8	42	627	17	0.12	<5	12	<10	306	2642	32	107	<10	13	73
49824	199631	<1	6.02	4	434	<2	6	1.31	<4	11	27	26	1.22	0.65	27	0.99	608	<1	35	551	88	0.28	<5	28	<10	138	2086	<2	39	<10	5	49
49825	199632	<1	8.49	13	720	<2	<1	0.68	<4	13	28	14	1.38	0.95	166	0.59	339	1	46	613	290	0.29	<5	28	<10	134	2247	<2	41	16	4	492
49826	199633	<1	5.66	12	427	3	21	1.38	<4	7	22	21	1.27	0.51	13	0.93	650	<1	62	589	83	0.20	5	18	15	163	1864	8	32	14	4	343
49827	199634	<1	5.47	17	458	2	26	1.40	<4	7	25	7	1.02	0.43	57	0.90	506	<1	54	465	54	0.36	5	36	<10	188	1799	37	30	<10	4	85
49828	199635	<1	6.69	15	813	<2	6	2.48	<4	8	32	16	1.15	0.76	68	0.64	470	2	46	468	114	0.25	6	24	<10	225	1900	<2	32	<10	3	49
49829	199636	<1	5.63	6	570	<2	<1	1.37	<4	7	24	6	1.19	0.20	45	0.79	424	<1	43	495	24	0.27	9	23	<10	196	1847	125	33	<10	3	33
49830	199637	<1	5.05	14	409	<2	16	0.99	<4	6	26	12	1.58	0.85	42	0.93	648	<1	43	460	28	0.30	<5	20	<10	195	1807	<2	34	<10	4	49
49831D	199637	<1	5.13	20	413	<2	16	1.01	<4	7	23	12	1.64	0.62	34	0.96	680	<1	38	473	22	0.32	7	35	<10	201	1840	59	34	<10	4	56
49832	199638	<1	7.62	41	509	3	9	2.34	<4	13	48	26	2.20	1.56	210	1.08	1086	2	72	648	34	0.44	<5	29	<10	237	2425	4	49	<10	5	74

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49833	199639	<1	4.61	45	273	<2	10	0.11	<4	7	33	8	1.60	0.28	<1	0.36	232	1	53	459	52	0.66	<5	24	<10	109	1764	3	32	<10	3	138
49834	199640	<1	4.25	6	375	<2	20	2.36	<4	16	58	45	3.80	0.47	32	1.19	751	<1	39	648	59	0.11	<5	23	<10	321	2961	<2	117	<10	14	73
49835	199641	<1	4.94	35	297	<2	13	0.09	<4	7	35	19	1.36	0.77	19	0.37	192	1	52	489	95	0.40	<5	16	<10	118	1841	45	34	<10	4	39
49836	199642	4	3.13	57	182	<2	3	<0.01	6	9	34	438	2.75	0.55	<1	0.30	193	2	59	400	1029	0.74	<5	14	<10	98	1464	<2	30	30	3	2012
49837	199643	<1	5.45	27	236	<2	9	1.61	<4	7	23	27	1.87	0.34	17	1.05	1099	<1	36	523	65	0.46	<5	27	<10	191	1716	<2	35	<10	5	85
49838	199644	<1	5.92	36	366	<2	14	1.27	<4	7	36	30	1.82	0.66	47	0.87	859	2	60	537	48	0.49	<5	33	<10	179	2032	29	40	<10	5	84
49839	199645	<1	4.77	16	208	2	14	0.92	<4	6	36	10	1.10	0.70	29	0.65	600	1	60	435	63	0.32	<5	23	<10	173	1345	<2	27	10	4	96
49840	199646	<1	5.09	20	218	<2	<1	0.98	<4	7	33	17	1.19	0.83	57	0.71	650	<1	55	513	67	0.36	5	32	<10	183	1443	<2	29	<10	4	68
49841	199647	<1	4.99	21	297	<2	29	0.26	<4	8	24	14	1.19	1.14	53	0.50	458	<1	41	489	241	0.42	<5	28	<10	172	1860	<2	33	<10	4	120
49842D	199647	<1	6.05	22	338	<2	19	0.39	<4	10	24	14	1.19	0.76	29	0.54	453	<1	42	510	231	0.44	<5	40	<10	183	1892	35	34	<10	4	113
49843	199648	<1	6.53	30	592	<2	<1	0.84	<4	7	36	25	1.62	1.17	50	0.64	608	2	55	555	69	0.57	<5	39	<10	183	2042	<2	43	<10	4	128
49844	199649	<1	5.75	33	552	<2	<1	0.90	<4	7	31	38	1.51	0.63	91	0.71	643	3	46	496	99	0.52	10	29	<10	153	2011	19	39	<10	4	293
49845	199650	<1	5.59	70	307	2	6	1.11	5	16	34	2429	5.43	0.23	82	0.82	1195	14	27	829	91	1.68	<5	31	<10	235	1224	11	67	10	8	695
49846	199651	<1	6.52	41	540	<2	12	1.24	<4	7	29	34	1.79	0.42	72	0.78	1010	2	48	569	146	0.36	<5	41	<10	182	2113	<2	40	10	5	200
49847	199652	<1	6.55	17	442	<2	<1	1.29	<4	8	36	28	1.82	0.55	63	0.83	1192	2	60	543	64	0.31	<5	25	<10	196	1938	66	39	10	5	148
49848	199653	<1	5.18	14	405	2	13	0.96	<4	6	29	45	1.43	0.66	43	0.68	814	<1	47	447	110	0.34	<5	22	<10	176	1683	<2	34	<10	4	214
49849	199654	2	6.45	17	466	<2	<1	1.26	<4	7	40	310	1.70	0.55	83	0.88	1136	2	60	494	421	0.43	5	28	<10	213	1789	<2	38	16	5	963
49850	199655	<1	5.89	27	507	<2	<1	0.72	<4	7	42	37	1.54	0.65	46	0.58	594	<1	55	477	59	0.48	<5	19	<10	172	1845	<2	39	<10	5	198
49851	199656	<1	5.89	18	436	2	<1	0.85	<4	9	40	12	1.47	0.49	63	0.56	687	2	59	468	36	0.44	<5	24	<10	188	1752	38	39	<10	5	81
49852	199657	<1	6.24	11	451	<2	<1	0.86	<4	8	35	27	1.64	0.71	72	0.56	680	2	55	530	45	0.33	11	41	<10	212	1810	<2	41	<10	5	60

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49853D	199657	<1	6.61	10	479	<2	24	0.94	<4	9	28	27	1.66	0.36	65	0.58	715	<1	41	545	51	0.37	<5	21	<10	219	1865	20	41	<10	5	64
49854	199658	<1	5.69	8	416	<2	17	0.68	<4	8	41	24	1.48	0.49	57	0.47	707	2	59	491	39	0.27	<5	23	<10	199	1775	47	38	12	4	61
49855	199659	<1	6.31	8	415	2	12	0.59	<4	8	29	23	1.43	0.35	73	0.54	750	<1	42	537	40	0.27	8	27	<10	216	1909	24	42	<10	5	66
49856	199660	<1	3.53	15	338	2	4	2.20	<4	16	54	44	3.70	0.38	82	1.17	740	<1	35	620	11	0.10	<5	26	<10	310	2966	<2	116	<10	13	52
49857	199661	<1	5.47	11	468	2	22	0.31	<4	6	47	14	1.20	0.31	53	0.37	527	3	75	526	30	0.20	<5	20	<10	205	1876	31	43	<10	5	41
49858	199662	<1	6.50	3	475	<2	11	0.63	<4	8	23	20	1.14	0.47	65	0.47	653	<1	27	569	43	0.26	<5	29	<10	226	1881	<2	41	<10	5	58
49859	199663	<1	5.57	10	334	<2	<1	0.83	<4	7	64	17	1.69	0.61	60	0.57	956	3	87	437	28	0.18	6	35	<10	210	1568	<2	38	<10	5	53
49860	199664	<1	6.39	10	372	<2	16	1.01	<4	9	42	27	1.60	0.49	56	0.50	911	<1	42	583	38	0.24	<5	41	<10	230	1810	42	39	11	6	100
49861	199665	<1	5.78	7	286	<2	28	0.92	<4	9	42	18	1.71	0.58	61	0.68	1164	<1	43	482	28	0.21	<5	37	<10	201	1857	13	41	<10	5	94
49862	199666	<1	6.23	3	321	<2	15	0.99	<4	10	40	21	1.81	0.60	58	0.72	1198	<1	42	552	42	0.23	5	24	<10	201	1954	<2	44	<10	5	119
49863	199667	<1	6.39	16	419	<2	11	0.69	<4	9	35	34	1.59	0.68	48	0.62	877	<1	39	510	45	0.24	8	27	<10	183	2192	<2	44	<10	6	165
49864R	199667	<1	7.05	5	462	2	2	0.81	<4	13	35	25	1.64	0.57	57	0.64	932	<1	35	533	44	0.24	<5	22	<10	185	2276	33	47	<10	6	105
49865	199668	<1	5.69	6	400	<2	17	0.57	<4	11	70	53	1.94	1.07	37	0.55	510	6	99	498	76	0.19	<5	24	<10	151	1937	<2	44	12	5	270
49866	199669	6	3.75	40	271	<2	9	<0.01	<4	6	65	66	1.81	0.45	9	0.28	129	4	70	341	485	0.54	14	27	<10	99	1465	<2	30	18	4	1034
49867	199670	77	4.20	45	475	<2	<1	1.36	22	18	39	58	3.58	0.70	61	0.82	552	<1	29	643	681	0.21	60	25	259	296	2371	<2	104	73	13	2204
49868	199671	5	4.25	50	263	<2	<1	0.36	<4	9	57	27	1.59	0.95	40	0.38	285	1	36	327	415	0.65	6	27	<10	113	1487	9	31	14	4	1099
49869	199672	<1	5.07	34	231	<2	<1	1.59	<4	10	49	45	1.73	0.70	58	1.00	1469	2	52	423	111	0.28	<5	21	<10	154	1887	71	39	<10	5	212
49870	199673	<1	5.77	40	249	<2	<1	0.85	<4	9	36	200	1.59	0.35	58	0.68	856	2	45	416	158	0.45	5	24	<10	140	1726	38	30	<10	4	171
49871	199674	14	5.70	35	518	<2	18	2.10	6	6	45	177	1.66	0.31	76	0.55	855	5	42	373	1166	0.56	23	24	<10	182	1541	<2	27	26	3	1973
49872	199675	<1	6.16	53	581	<2	48	2.07	<4	7	48	65	1.98	0.64	73	0.50	755	5	31	385	166	0.70	13	20	<10	185	1651	56	29	<10	3	359

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49873	199676	<1	5.77	28	564	<2	22	2.21	<4	6	35	51	1.33	0.56	102	0.50	912	1	25	394	165	0.45	9	28	<10	201	1637	132	27	<10	3	320
49874	199677	2	4.76	47	607	<2	18	2.27	<4	6	49	108	2.24	0.46	73	0.52	1344	5	37	371	330	0.79	<5	25	<10	190	1593	66	28	13	3	666
49875D	199677	<1	5.29	56	258	<2	5	1.21	<4	6	41	111	2.33	0.96	35	0.87	1392	<1	31	364	329	0.82	10	35	<10	144	1527	<2	27	17	5	680
49876	199678	<1	5.91	17	345	<2	7	1.53	<4	8	41	88	3.80	0.51	75	1.77	2808	<1	32	414	76	0.44	8	26	<10	153	1683	25	33	16	6	263
49877	199679	<1	6.40	23	412	<2	19	1.36	<4	4	35	34	1.69	0.68	39	1.07	1431	<1	25	409	88	0.42	<5	38	<10	169	1773	26	30	<10	4	175
49878	199680	<1	4.87	13	426	<2	16	2.69	<4	18	62	48	4.06	0.51	59	1.28	812	<1	41	688	6	0.10	<5	17	<10	345	3138	<2	127	<10	15	59
49879	199681	<1	5.37	11	348	<2	16	0.98	<4	4	35	29	1.12	0.83	62	0.77	817	<1	34	382	61	0.33	<5	18	<10	157	1567	<2	25	<10	3	93
49880	199682	<1	5.11	13	341	<2	8	1.15	<4	5	37	17	1.16	0.56	47	0.79	887	<1	28	365	102	0.42	<5	27	<10	175	1561	44	26	<10	3	153
49881	199683	44	4.36	24	320	<2	<1	0.11	<4	4	38	190	1.04	0.79	30	0.32	209	<1	27	346	586	0.44	13	27	<10	99	1364	56	22	18	3	1110
49882	199684	<1	5.69	13	337	<2	12	0.65	<4	5	45	78	1.12	0.86	56	0.63	647	<1	31	389	57	0.35	9	31	<10	161	1748	<2	30	<10	3	75
49883	199685	<1	5.50	19	347	<2	26	1.70	<4	8	43	15	1.97	0.67	59	0.90	609	<1	34	535	22	0.35	8	23	<10	212	2006	<2	39	<10	4	88
49884	199686	<1	5.81	16	355	2	23	1.80	<4	10	66	14	2.15	0.58	60	0.96	645	4	58	554	26	0.36	5	28	<10	217	2106	<2	41	11	5	89
49885	199687	<1	5.15	5	229	2	4	2.42	<4	12	59	20	1.83	0.48	83	1.43	1006	<1	42	413	40	0.25	6	30	<10	193	1967	<2	36	19	5	95
49886D	199687	<1	6.25	14	273	2	19	2.76	<4	12	52	22	1.94	0.38	88	1.61	1096	<1	37	460	41	0.30	<5	12	<10	209	2165	10	39	14	6	97
49887	199688	<1	6.08	13	403	2	6	0.04	<4	10	29	50	1.53	0.53	46	0.41	157	<1	26	388	27	0.54	<5	37	<10	111	1737	<2	31	14	3	137
49888	199689	<1	6.33	28	332	2	18	0.35	<4	11	57	19	1.55	0.44	78	0.88	499	<1	36	436	26	0.54	9	30	<10	103	1851	<2	32	<10	4	53
49889	199690	<1	4.45	19	483	<2	20	2.08	<4	18	55	208	4.10	0.26	80	1.14	748	6	43	661	4	0.13	<5	20	<10	330	2884	<2	115	<10	14	75
49890	199691	<1	6.12	16	388	<2	14	1.19	<4	6	56	11	1.49	0.83	64	1.15	599	<1	34	413	54	0.22	7	24	<10	134	1815	<2	31	<10	4	82
49891	199692	<1	6.22	14	376	<2	<1	1.14	<4	6	33	7	1.26	0.78	72	0.93	529	<1	30	430	90	0.32	<5	18	<10	167	1807	<2	30	<10	4	132
49892	199693	<1	5.60	21	362	<2	24	0.61	<4	7	44	6	1.21	0.53	23	0.69	431	2	53	417	19	0.28	<5	22	<10	130	1813	<2	32	<10	3	36

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/09/2014
Date Completed: 04/21/2014
Job #: 201440644
Reference: TL14-353
Sample #: 147

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
49893	199694	<1	5.42	7	280	<2	10	1.45	<4	7	44	4	1.38	0.35	60	1.02	491	<1	34	408	22	0.14	<5	29	<10	152	1778	<2	29	<10	4	45

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/22/2014 3:51 PM

TL14354

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 28, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Au g/t (ppm)
53377	199695	0.032
53378	199696	0.154
53379	199697	0.099
53380	199698	0.049
53381	199699	0.025
53382	199700	<0.005
53383	199701	0.095
53384	199702	0.479
53385	199703	0.014
53386	199704	<0.005
53387	199704 Dup	<0.005
53388	199705	0.018
53389	199706	0.019
53390	199707	0.026
53391	199708	0.016
53392	199709	0.012
53393	199710	0.385
53394	199711	0.015
53395	199712	0.008
53396	199713	<0.005
53397	199714	<0.005
53398	199714 Dup	<0.005
53399	199715	0.056
53400	199716	0.062
53401	199717	0.119

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 28, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Au g/t (ppm)
53402	199718	0.068
53403	199719	0.018
53404	199720	<0.005
53405	199721	<0.005
53406	199722	0.093
53407	199723	0.074
53408	199724	0.048
53409	199724 Dup	0.056
53410	199725	0.037
53411	199726	0.043
53412	199727	0.006
53413	199728	0.032
53414	199729	0.009
53415	199730	5.158
53416	199731	0.026
53417	199732	0.068
53418	199733	<0.005
53419	199734	0.009
53420	199734 Dup	0.011
53421	199735	<0.005
53422	199736	0.018
53423	199737	0.095
53424	199738	0.109
53425	199739	0.007
53426	199740	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 28, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Au g/t (ppm)
53427	199741	0.008
53428	199742	0.032
53429	199743	0.040
53430	199744	0.391
53431	199744 Dup	0.390
53432	199745	0.064
53433	199746	0.046
53434	199747	0.064
53435	199748	0.048
53436	199749	0.052
53437	199750	1.412
53438	199751	0.020
53439	199752	0.021
53440	199753	0.352
53441	199754	0.256
53442	199754 Rep	0.232
53443	199755	0.321
53444	199756	5.286
53445	199757	0.706
53446	199758	2.797
53447	199759	0.095
53448	199760	<0.005
53449	199761	0.875
53450	199762	0.109
53451	199763	0.042

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 28, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Au g/t (ppm)
53452	199764	0.032
53453	199764 Dup	0.030
53454	199765	0.015
53455	199766	0.013
53456	199767	0.011
53457	199768	0.009
53458	199769	0.074
53459	199770	0.402
53460	199771	0.065
53461	199772	0.061
53462	199773	0.109
53463	199774	0.532
53464	199774 Dup	0.409
53465	199775	2.894
53466	199776	0.595
53467	199777	1.559
53468	199778	0.100
53469	199779	0.036
53470	199780	<0.005
53471	199781	0.062
53472	199782	0.046
53473	199783	1.720
53474	199784	0.445
53475	199784 Dup	0.417
53476	199785	0.140

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 28, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Au g/t (ppm)
53477	199786	0.430
53478	199787	0.092
53479	199788	0.410
53480	199789	0.055
53481	199790	4.881
53482	199791	0.017
53483	199792	0.005
53484	199793	<0.005
53485	199794	<0.005
53486	199794 Dup	<0.005
53487	199795	0.007
53488	199796	0.016

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 28, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.750	0.791	0.051
GS25	0.800	0.791	0.051
GS25	0.739	0.791	0.051
GS25	0.805	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53377	199695	<1	4.24	26	384	<2	3	1.23	<4	9	19	18	1.48	0.12	6	0.53	475	<1	35	505	24	0.33	<5	22	<10	285	1648	<2	37	<10	4	139
53378	199696	<1	4.30	22	307	<2	9	1.23	<4	8	25	33	1.38	0.41	15	0.63	512	<1	40	358	38	0.35	6	26	<10	240	1458	<2	33	<10	4	178
53379	199697	<1	5.11	25	380	2	2	1.08	<4	5	20	43	1.34	0.63	30	0.89	595	<1	33	346	170	0.35	<5	23	<10	221	1400	<2	24	<10	3	571
53380	199698	<1	5.00	23	344	<2	<1	0.83	<4	6	34	15	1.27	0.39	34	0.81	528	2	53	364	150	0.27	<5	27	<10	169	1371	<2	24	<10	3	276
53381	199699	<1	5.45	26	254	<2	<1	1.30	<4	7	23	9	1.25	0.46	29	1.00	729	<1	41	355	90	0.31	<5	17	<10	197	1447	<2	25	<10	3	353
53382	199700	<1	3.74	12	320	<2	13	2.22	<4	18	55	50	3.89	0.36	32	1.25	778	<1	38	654	8	0.08	<5	15	<10	314	3141	<2	119	<10	14	64
53383	199701	<1	5.52	41	213	2	12	1.37	<4	7	27	103	1.68	0.62	33	0.96	722	<1	44	372	369	0.57	<5	25	<10	221	1463	<2	24	11	3	155
53384	199702	5	5.00	29	272	<2	3	0.43	6	10	25	273	1.95	0.70	29	0.60	424	<1	45	338	1401	0.78	8	23	<10	154	1437	<2	25	20	3	1258
53385	199703	<1	5.76	44	216	<2	4	1.72	<4	7	23	30	1.65	0.57	33	1.15	836	1	40	335	86	0.45	<5	30	<10	207	1431	<2	26	<10	3	193
53386	199704	<1	5.09	18	293	<2	<1	0.74	<4	5	28	4	1.08	0.56	30	0.68	470	<1	42	355	59	0.33	<5	24	<10	190	1422	<2	25	<10	3	122
53387D	199704	<1	4.79	23	275	<2	<1	0.67	<4	6	27	4	1.05	0.80	29	0.66	456	<1	46	347	55	0.29	<5	25	<10	183	1383	<2	25	<10	3	113
53388	199705	<1	5.94	19	395	<2	<1	1.01	<4	19	105	40	2.78	0.50	40	0.89	610	<1	70	498	50	0.70	<5	16	<10	226	2431	<2	75	<10	10	156
53389	199706	<1	5.44	30	360	<2	8	0.99	<4	16	93	34	2.54	0.61	35	0.83	570	<1	67	466	56	0.63	<5	9	<10	225	2230	<2	67	<10	9	162
53390	199707	<1	5.47	19	226	<2	<1	1.34	<4	22	134	46	3.55	0.51	37	1.28	828	<1	80	563	40	0.59	<5	16	<10	278	2459	<2	83	<10	12	98
53391	199708	<1	5.97	33	362	2	3	1.65	<4	20	136	51	3.38	0.37	35	1.09	806	2	91	580	65	1.01	<5	11	<10	292	2519	<2	86	<10	13	87
53392	199709	<1	5.87	31	481	2	<1	1.24	<4	12	43	16	1.24	0.54	26	0.30	373	<1	44	474	58	0.49	<5	26	<10	228	1909	<2	48	<10	6	64
53393	199710	<1	4.86	63	213	2	4	0.79	5	14	31	2335	5.14	0.50	42	0.79	1135	12	22	753	91	1.93	<5	23	<10	218	1170	<2	63	12	7	598
53394	199711	<1	6.37	35	509	2	6	1.67	<4	10	28	26	1.53	0.78	25	0.24	318	1	46	457	53	0.63	<5	24	<10	257	1672	6	38	<10	4	151
53395	199712	<1	5.35	24	385	2	<1	1.68	<4	6	26	14	1.74	0.50	27	0.46	447	<1	41	413	20	0.55	6	23	<10	249	1488	<2	35	<10	4	58
53396	199713	<1	5.13	25	356	<2	6	1.31	<4	7	24	8	0.97	0.50	20	0.17	214	<1	39	446	40	0.39	<5	23	<10	258	1502	<2	32	<10	3	63

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/30/2014 3:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53397	199714	<1	6.07	27	437	<2	7	1.42	<4	8	27	6	0.60	0.61	19	0.12	133	<1	43	398	48	0.20	<5	27	10	288	1344	<2	32	<10	3	11
53398D	199714	<1	5.75	21	415	<2	11	1.34	<4	6	23	6	0.58	0.70	18	0.12	129	<1	37	395	43	0.21	5	27	<10	283	1319	<2	31	<10	3	13
53399	199715	<1	6.31	29	449	<2	6	1.70	<4	8	22	6	0.57	0.40	24	0.21	261	<1	32	460	33	0.18	<5	21	<10	258	1665	<2	37	<10	3	72
53400	199716	<1	6.11	38	556	<2	<1	1.21	<4	9	23	13	1.10	0.11	18	0.15	237	<1	38	447	36	0.37	<5	30	<10	219	1776	<2	37	<10	4	85
53401	199717	3	5.87	46	629	2	1	0.79	<4	8	28	12	1.87	0.14	22	0.26	278	<1	48	445	46	0.66	<5	27	<10	208	1858	<2	39	<10	4	127
53402	199718	<1	6.03	40	588	2	7	0.88	<4	10	23	12	1.73	0.29	24	0.31	292	<1	40	457	24	0.50	<5	12	<10	232	1853	<2	37	<10	4	72
53403	199719	<1	6.02	36	554	2	21	1.04	<4	10	29	8	1.65	0.42	27	0.59	427	<1	48	475	20	0.51	7	17	<10	289	1976	<2	40	<10	4	68
53404	199720	<1	4.09	15	342	<2	6	2.36	<4	16	58	51	4.03	0.39	27	1.31	804	<1	39	668	13	0.08	<5	7	<10	327	3270	<2	122	<10	14	55
53405	199721	<1	5.41	19	423	<2	1	1.72	<4	9	31	10	1.64	0.52	28	0.80	449	1	52	486	28	0.20	<5	32	<10	305	1867	<2	37	<10	4	57
53406	199722	<1	5.62	23	427	2	14	1.17	<4	6	22	8	1.10	0.46	25	1.17	545	<1	36	287	102	0.21	<5	25	<10	181	1184	<2	18	<10	2	142
53407	199723	<1	5.41	22	306	2	4	0.78	<4	8	21	7	1.11	0.29	26	1.60	630	<1	35	279	118	0.15	7	17	<10	153	1193	<2	19	12	2	292
53408	199724	<1	5.36	24	257	<2	4	1.00	<4	7	24	11	1.05	0.32	23	1.34	638	<1	44	300	103	0.16	<5	26	<10	194	1173	<2	21	14	2	210
53409D	199724	<1	5.50	17	267	<2	12	1.03	<4	6	33	11	1.13	0.43	24	1.36	655	1	60	310	112	0.15	7	33	<10	198	1199	<2	22	15	3	221
53410	199725	<1	5.68	18	266	<2	5	1.13	<4	6	24	14	1.14	0.17	28	1.02	696	<1	42	294	292	0.17	<5	22	<10	259	1230	<2	20	<10	3	193
53411	199726	<1	5.15	24	360	<2	14	1.30	<4	5	24	19	1.40	0.35	35	1.33	930	<1	36	286	295	0.17	<5	23	<10	250	1188	<2	21	16	3	754
53412	199727	<1	5.16	11	426	<2	6	0.89	<4	5	20	7	1.03	0.37	28	1.15	698	<1	33	278	126	0.08	<5	23	<10	220	1179	<2	18	<10	3	146
53413	199728	<1	5.25	17	411	<2	<1	1.11	<4	5	25	8	1.17	0.67	34	1.89	1096	<1	38	302	222	0.11	<5	21	<10	211	1098	<2	19	11	3	287
53414	199729	<1	6.37	21	533	<2	21	1.00	<4	8	19	12	1.13	0.70	31	1.84	914	4	44	305	90	0.14	<5	27	<10	220	1116	<2	17	11	3	655
53415	199730	73	2.20	43	295	<2	4	0.73	21	16	31	56	3.42	0.22	21	0.84	550	<1	26	591	640	0.25	62	9	253	264	2126	<2	97	64	12	1950
53416	199731	<1	5.28	19	528	2	1	0.74	<4	8	21	14	1.63	0.43	25	1.08	469	<1	34	283	84	0.55	7	15	10	205	1308	<2	28	25	3	99

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/30/2014 3:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53417	199732	<1	5.34	26	468	2	12	0.94	<4	9	28	105	1.22	0.44	27	0.99	536	5	47	333	451	0.36	<5	23	<10	238	1381	<2	27	26	3	1839
53418	199733	<1	5.27	20	494	<2	3	0.59	<4	6	17	7	0.66	0.67	34	0.61	278	<1	23	389	28	0.18	<5	20	<10	231	1477	<2	28	<10	3	47
53419	199734	<1	5.06	16	493	<2	14	0.62	<4	6	20	9	0.76	0.67	27	0.50	241	<1	23	429	8	0.22	<5	19	<10	254	1559	<2	34	<10	3	17
53420D	199734	<1	5.55	16	564	<2	5	0.85	<4	7	21	9	0.79	0.84	31	0.48	248	<1	25	432	13	0.26	<5	19	<10	268	1625	<2	35	<10	3	18
53421	199735	<1	5.69	21	554	2	11	0.95	<4	7	19	5	0.59	0.86	31	0.50	203	<1	31	461	10	0.14	<5	29	<10	271	1706	<2	34	<10	3	13
53422	199736	<1	6.16	20	594	<2	<1	0.84	<4	9	15	12	0.76	0.42	30	0.43	202	<1	20	762	31	0.22	<5	28	<10	286	2370	<2	51	<10	6	26
53423	199737	<1	5.59	24	489	2	<1	0.71	<4	7	18	13	0.86	0.55	22	0.37	203	<1	23	446	34	0.34	<5	30	<10	261	1694	<2	33	<10	3	68
53424	199738	<1	5.30	9	524	2	5	1.35	<4	10	20	200	1.39	0.43	21	0.76	398	<1	33	429	801	0.21	5	21	<10	279	1828	<2	35	16	4	962
53425	199739	<1	6.19	13	568	2	6	2.24	<4	12	23	22	1.99	0.49	29	1.09	576	<1	39	536	61	0.10	<5	22	<10	281	2213	<2	41	<10	5	131
53426	199740	<1	3.55	15	296	<2	<1	2.11	<4	15	53	46	3.75	0.29	19	1.22	748	<1	36	628	10	0.08	7	7	<10	306	3027	<2	113	<10	13	53
53427	199741	<1	5.10	13	550	2	9	1.20	<4	8	28	30	1.11	0.43	28	0.90	559	<1	37	531	134	0.09	<5	33	<10	134	1787	<2	31	10	4	171
53428	199742	<1	5.94	35	413	<2	2	1.55	<4	8	18	22	1.82	0.45	27	0.84	801	<1	30	576	62	0.42	<5	24	10	169	1890	<2	34	<10	4	128
53429	199743	<1	5.41	26	343	<2	<1	1.26	<4	6	21	19	1.47	0.84	22	0.75	757	<1	35	484	26	0.32	5	11	<10	169	1867	<2	31	<10	4	46
53430	199744	11	4.55	56	360	<2	11	0.54	7	7	23	395	2.46	0.56	23	0.57	512	<1	38	470	3406	1.07	8	17	<10	148	1638	<2	27	32	3	2478
53431D	199744	11	4.02	49	319	<2	11	0.40	6	8	21	384	2.35	0.83	21	0.55	488	<1	37	461	3351	1.09	5	20	<10	139	1550	<2	26	34	3	2412
53432	199745	<1	5.05	25	201	2	6	1.02	<4	5	28	80	1.56	0.90	23	0.69	597	<1	47	459	149	0.23	<5	19	<10	170	1709	<2	29	<10	4	195
53433	199746	<1	6.08	24	266	2	7	1.23	<4	6	29	73	1.59	0.80	26	0.78	686	<1	41	471	125	0.24	6	16	<10	188	1934	<2	33	<10	4	145
53434	199747	<1	4.80	23	297	<2	2	1.11	<4	8	23	52	1.77	0.97	23	0.71	707	<1	27	518	863	0.45	10	12	<10	170	1849	<2	33	15	3	980
53435	199748	<1	4.72	20	307	<2	7	0.80	<4	8	17	24	1.52	1.02	23	0.69	625	<1	19	517	85	0.28	<5	18	<10	158	1806	2	32	<10	3	124
53436	199749	<1	3.97	27	247	<2	4	0.80	<4	8	20	55	1.95	0.57	25	0.61	738	<1	23	482	74	0.45	<5	30	<10	163	1826	<2	34	<10	3	184

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/30/2014 3:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53437	199750	<1	2.57	23	291	<2	6	1.35	<4	14	43	179	3.49	0.07	5	0.98	635	6	35	552	12	0.10	6	12	<10	272	2466	<2	96	<10	12	53
53438	199751	<1	4.89	18	261	2	5	0.47	<4	5	32	17	1.41	0.43	23	0.67	546	<1	45	582	31	0.21	<5	20	<10	140	1902	<2	36	<10	4	53
53439	199752	<1	4.58	19	250	<2	7	0.47	<4	6	23	11	0.94	0.59	21	0.66	452	<1	38	491	28	0.21	<5	23	<10	126	1677	<2	31	<10	3	42
53440	199753	<1	4.15	39	350	2	17	<0.01	<4	4	22	12	1.09	0.62	12	0.29	119	<1	32	450	47	0.51	5	14	<10	91	1622	<2	27	<10	3	147
53441	199754	<1	5.45	29	421	<2	<1	0.41	<4	8	43	28	1.74	0.52	20	0.51	395	6	62	535	55	0.56	5	20	<10	142	1852	<2	36	10	4	76
53442R	199754	<1	4.94	51	382	<2	8	0.44	<4	8	36	58	1.67	0.74	14	0.49	386	2	44	509	75	0.45	<5	12	<10	140	1729	<2	33	<10	4	84
53443	199755	<1	5.05	54	438	<2	10	0.35	<4	11	16	48	1.69	1.15	17	0.53	722	<1	21	549	159	0.77	5	19	<10	138	1909	<2	36	<10	5	297
53444	199756	4	4.18	55	848	<2	2	0.08	13	9	34	173	1.86	0.90	14	0.44	270	<1	40	421	2356	0.85	59	14	<10	122	1540	<2	27	56	3	5836
53445	199757	<1	4.83	31	497	<2	9	0.36	<4	7	39	132	1.03	1.19	20	0.54	391	<1	38	464	407	0.37	<5	21	<10	143	1612	<2	28	16	3	1082
53446	199758	<1	5.08	41	307	<2	2	0.03	<4	12	27	69	1.09	0.72	18	0.39	280	1	38	480	290	0.35	<5	20	<10	131	1723	<2	31	15	3	793
53447	199759	<1	5.07	17	226	2	6	0.49	<4	8	28	63	1.51	0.72	12	0.37	849	<1	44	538	83	0.12	<5	28	<10	180	1500	<2	29	11	5	270
53448	199760	<1	4.47	10	305	<2	<1	2.12	<4	16	51	45	3.94	0.15	18	1.25	774	3	37	611	6	0.07	<5	19	<10	330	3055	<2	114	<10	14	74
53449	199761	<1	4.88	12	260	<2	3	0.52	<4	9	32	64	1.82	0.57	20	0.63	1226	<1	43	506	79	0.12	<5	15	<10	176	1825	<2	39	<10	4	200
53450	199762	<1	5.46	10	309	<2	13	0.75	<4	11	27	24	1.81	0.97	18	0.66	884	<1	43	520	24	0.16	<5	22	<10	194	1837	<2	39	<10	4	60
53451	199763	<1	5.23	20	279	<2	16	0.57	<4	8	33	21	1.44	0.28	8	0.48	468	<1	50	500	32	0.26	<5	<5	<10	192	1576	<2	36	<10	4	88
53452	199764	<1	5.03	17	301	<2	7	1.12	<4	9	26	14	1.65	0.85	11	0.62	602	<1	32	478	12	0.13	<5	15	<10	195	1667	<2	37	<10	4	64
53453D	199764	<1	4.38	15	265	<2	8	0.95	<4	8	29	17	1.59	0.26	6	0.59	572	<1	41	453	17	0.13	<5	13	<10	182	1579	<2	34	<10	4	93
53454	199765	<1	6.16	27	394	2	6	0.80	<4	8	27	15	1.65	0.52	24	0.57	452	<1	33	523	28	0.41	<5	21	11	190	1947	<2	39	<10	4	64
53455	199766	<1	6.44	23	414	2	<1	0.84	<4	8	28	11	1.63	0.41	21	0.58	455	<1	36	536	42	0.37	5	18	<10	193	2008	<2	41	<10	5	115
53456	199767	<1	6.39	24	324	<2	6	0.86	<4	7	33	12	1.41	0.95	24	0.67	541	<1	49	512	20	0.35	6	21	<10	187	1906	<2	39	<10	5	51

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/30/2014 3:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53457	199768	<1	6.08	17	259	2	<1	0.97	<4	8	52	17	1.95	0.84	19	0.63	630	4	79	535	18	0.40	5	11	<10	188	1816	<2	42	<10	5	63
53458	199769	<1	6.23	26	270	2	4	1.10	<4	9	43	15	1.90	0.78	21	0.71	684	1	60	504	26	0.26	<5	17	<10	182	2028	<2	42	<10	5	57
53459	199770	<1	4.70	59	194	2	8	0.74	5	14	29	2171	4.88	0.67	29	0.76	1082	11	22	715	82	1.81	<5	<5	<10	210	1165	<2	60	14	7	571
53460	199771	<1	4.94	22	222	2	<1	0.68	<4	8	37	62	1.53	0.69	16	0.55	472	<1	49	464	16	0.31	<5	18	<10	151	1891	<2	41	<10	4	68
53461	199772	<1	5.42	22	161	2	10	0.78	<4	10	45	21	1.98	0.69	15	0.74	732	<1	49	487	16	0.27	<5	12	<10	140	2116	<2	43	<10	5	75
53462	199773	<1	5.07	21	194	2	5	0.83	<4	9	24	15	1.59	1.09	13	0.92	731	<1	33	484	28	0.28	<5	16	<10	148	2106	<2	39	<10	4	108
53463	199774	<1	5.14	33	176	2	7	0.71	<4	10	33	23	1.55	0.89	10	1.00	571	1	52	438	227	0.42	9	25	<10	136	1810	<2	36	12	4	506
53464D	199774	<1	5.44	34	189	2	<1	0.77	<4	10	39	24	1.61	0.38	13	1.04	589	2	61	463	244	0.42	<5	28	<10	140	1865	<2	37	<10	4	525
53465	199775	10	4.81	22	206	<2	11	1.02	4	6	37	43	1.48	0.81	17	1.21	791	3	56	480	787	0.22	16	21	<10	141	1912	<2	38	23	3	1539
53466	199776	<1	5.44	45	198	2	2	<0.01	<4	7	35	63	1.08	0.31	12	0.44	207	3	60	443	68	0.31	<5	29	<10	88	1657	<2	32	<10	3	129
53467	199777	5	5.16	46	225	2	<1	<0.01	<4	6	29	73	1.63	0.49	13	0.50	287	<1	48	416	338	0.62	9	14	<10	87	1616	<2	31	<10	3	369
53468	199778	<1	6.52	39	326	2	4	0.67	<4	7	31	34	1.45	0.81	20	0.56	412	1	41	438	116	0.47	<5	23	<10	111	1778	<2	32	<10	4	200
53469	199779	<1	4.44	25	126	<2	3	1.18	<4	10	38	10	1.81	0.73	13	1.12	791	1	59	461	28	0.41	<5	16	<10	131	2011	<2	37	<10	4	50
53470	199780	<1	4.04	21	276	2	6	2.02	<4	16	49	44	3.87	0.10	4	1.23	751	1	35	589	13	0.06	6	7	<10	320	2991	<2	112	<10	14	51
53471	199781	<1	6.13	21	227	2	5	1.45	<4	9	27	24	1.72	0.48	17	1.06	673	<1	34	525	65	0.25	5	17	<10	172	2179	<2	40	<10	5	127
53472	199782	<1	5.79	27	180	<2	<1	1.25	<4	7	50	20	1.54	0.55	17	1.00	655	4	84	503	30	0.20	<5	15	<10	170	1985	<2	37	<10	4	45
53473	199783	11	5.49	46	206	<2	10	<0.01	5	8	33	74	1.68	0.60	12	0.40	156	3	54	404	705	0.66	<5	17	<10	97	1691	<2	30	24	3	1931
53474	199784	<1	5.46	39	193	<2	4	<0.01	<4	6	22	27	1.24	0.68	9	0.34	138	<1	36	391	107	0.51	<5	27	<10	89	1632	<2	28	<10	3	238
53475D	199784	<1	5.49	39	194	<2	<1	<0.01	<4	6	21	27	1.25	0.54	10	0.35	138	<1	35	394	99	0.51	5	26	<10	89	1647	<2	28	<10	3	205
53476	199785	<1	5.52	33	187	<2	3	0.02	<4	7	34	7	1.15	0.23	11	0.45	363	3	63	402	57	0.35	<5	24	<10	100	1659	<2	29	<10	3	129

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/30/2014 3:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/15/2014
Date Completed: 04/28/2014
Job #: 201440682
Reference: TL14-354
Sample #: 102

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53477	199786	<1	5.57	55	192	2	39	0.08	<4	10	37	16	1.48	0.23	10	0.47	383	4	68	395	141	0.51	<5	11	22	106	1652	<2	30	<10	3	362
53478	199787	<1	5.47	27	184	2	9	0.73	<4	8	26	11	1.31	0.72	14	0.80	792	2	48	399	47	0.43	<5	27	<10	126	1675	<2	28	<10	3	97
53479	199788	6	5.76	43	204	2	1	0.05	<4	7	35	35	1.40	0.49	13	0.41	279	1	38	376	597	0.54	9	17	<10	98	1640	<2	27	22	3	1385
53480	199789	<1	5.73	18	224	2	27	1.34	<4	7	23	9	1.41	0.40	18	0.79	452	<1	37	437	14	0.14	<5	24	14	150	1783	<2	29	<10	3	27
53481	199790	66	2.56	39	307	<2	13	0.82	19	15	30	52	3.24	0.28	7	0.75	499	<1	24	566	577	0.21	64	9	220	258	2114	<2	92	57	11	1801
53482	199791	<1	5.65	15	199	<2	<1	1.57	<4	7	21	6	1.28	0.64	15	0.69	447	<1	35	425	23	0.09	<5	31	<10	148	1749	<2	29	<10	4	44
53483	199792	<1	6.04	16	232	<2	3	1.31	<4	6	24	5	1.29	0.52	18	0.82	509	<1	39	434	25	0.06	<5	30	<10	198	1779	<2	31	<10	3	32
53484	199793	<1	5.36	15	204	2	14	1.66	<4	9	39	5	1.49	0.50	14	1.00	590	3	69	422	25	0.09	<5	12	<10	180	1734	<2	30	<10	3	24
53485	199794	<1	5.86	10	239	<2	12	1.83	<4	6	27	5	1.34	0.53	16	0.82	435	<1	46	433	20	0.08	<5	26	<10	172	1700	<2	30	<10	3	23
53486D	199794	<1	5.73	13	239	2	2	1.81	<4	7	28	5	1.31	0.70	13	0.80	427	<1	43	425	22	0.07	<5	20	<10	171	1686	<2	30	<10	3	25
53487	199795	<1	5.83	18	273	2	<1	1.97	<4	7	18	6	1.50	0.48	16	0.86	467	<1	28	438	19	0.10	<5	18	<10	176	1737	<2	29	<10	4	24
53488	199796	<1	6.43	19	197	<2	12	1.96	<4	7	16	10	1.71	0.62	18	1.35	926	<1	24	503	42	0.18	<5	26	<10	134	1844	<2	31	<10	4	142

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14355

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
60930	199883	<0.005	
60931	199884	<0.005	
60932	199885	<0.005	
60933	199886	0.026	
60934	199887	0.063	
60935	199888	0.320	
60936	199889	0.036	
60937	199890	0.386	
60938	199891	0.031	
60939	199892	0.021	
60940	199892 Dup	0.022	
60941	199893	0.203	
60942	199894	0.017	
60943	199895	0.022	
60944	199896	0.007	
60945	199897	0.010	
60946	199898	<0.005	
60947	199899	0.007	
60948	199900	<0.005	
60949	199901	0.200	
60950	199902	1.051	
60951	199902 Dup	1.118	
60952	199903	>6.000	17.028
60953	199904	0.172	
60954	199905	0.022	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
60955	199906	0.045	
60956	199907	0.019	
60957	199908	0.094	
60958	199909	0.040	
60959	199910	4.924	
60960	199911	0.036	
60961	199912	0.012	
60962	199912 Dup	0.012	
60963	199913	0.010	
60964	199914	0.012	
60965	199915	0.013	
60966	199916	0.019	
60967	199917	0.019	
60968	199918	0.016	
60969	199919	0.033	
60970	199920	<0.005	
60971	199921	0.051	
60972	199922	0.014	
60973	199922 Dup	0.015	
60974	199923	0.035	
60975	199924	0.020	
60976	199925	0.077	
60977	199926	0.090	
60978	199927	0.254	
60979	199928	0.405	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
60980	199929	0.057	
60981	199930	1.467	
60982	199931	0.075	
60983	199932	0.038	
60984	199932 Dup	0.034	
60985	199933	<0.005	
60986	199934	0.025	
60987	199935	0.079	
60988	199936	0.054	
60989	199937	0.282	
60990	199938	0.019	
60991	199939	0.025	
60992	199940	<0.005	
60993	199941	0.084	
60994	199942	0.075	
60995	199942 Rep	0.116	
60996	199943	0.121	
60997	199944	0.019	
60998	199945	0.071	
60999	199946	0.066	
61000	199947	0.262	
61001	199948	0.582	
61002	199949	0.177	
61003	199950	0.356	
61004	199951	0.401	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
61005	199952	0.201	
61006	199952 Dup	0.177	
61007	199953	0.084	
61008	199954	0.793	
61009	199955	0.182	
61010	199956	0.639	
61011	199957	0.414	
61012	199958	0.351	
61013	199959	0.216	
61014	199960	<0.005	
61015	199961	2.155	
61016	199962	2.974	
61017	199962 Dup	2.938	
61018	199963	4.847	
61019	199964	5.782	
61020	199965	1.744	
61021	199966	2.291	
61022	199967	0.655	
61023	199968	0.343	
61024	199969	3.183	
61025	199970	5.059	
61026	199971	0.072	
61027	199972	0.087	
61028	199972 Dup	0.091	
61029	199973	0.089	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
61030	199974	0.810	
61031	199975	0.170	
61032	199976	0.193	
61033	199977	0.173	
61034	199978	0.170	
61035	199979	0.382	
61036	199980	<0.005	
61037	199981	0.031	
61038	199982	<0.005	
61039	199982 Dup	0.013	
61040	199983	<0.005	
61041	199984	<0.005	
61042	199985	<0.005	
61043	199986	<0.005	
61044	199987	0.019	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 9, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
O504	1.622	1.610	0.040
GS26	0.764	0.804	0.043
GS26	0.849	0.804	0.043
GS26	0.830	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60930	199883	<1	>10.00	23	824	<2	1	2.80	<4	9	34	22	1.77	0.25	42	0.63	494	9	37	517	51	3.32	<5	28	11	336	1930	<2	42	<10	6	126
60931	199884	<1	5.67	49	539	<2	22	1.58	<4	8	32	13	1.10	0.90	25	0.46	359	5	40	435	11	2.14	<5	34	<10	278	1742	<2	41	<10	3	67
60932	199885	<1	5.97	39	461	<2	14	0.84	<4	10	19	8	0.70	0.88	16	0.31	175	2	24	395	24	1.72	11	27	<10	306	1801	<2	44	<10	2	29
60933	199886	6	6.23	37	410	<2	<1	1.23	<4	6	24	11	0.86	0.53	18	0.38	224	5	31	439	3	1.77	5	22	<10	278	1546	<2	39	<10	2	34
60934	199887	8	6.16	41	426	<2	<1	1.34	<4	11	28	13	0.55	0.41	10	0.19	161	4	43	417	42	1.94	5	17	<10	304	1758	<2	43	<10	3	28
60935	199888	12	5.69	40	612	<2	12	0.94	<4	7	28	12	1.01	0.50	13	0.24	213	3	39	419	35	2.05	<5	25	<10	253	2018	<2	43	<10	2	89
60936	199889	3	5.00	33	464	<2	11	1.26	<4	6	23	11	1.09	0.35	17	0.43	353	4	29	412	8	1.96	9	9	<10	260	1784	<2	39	<10	3	40
60937	199890	2	4.31	73	237	<2	7	0.97	6	14	35	2461	5.38	0.49	40	0.76	1158	22	25	769	78	4.76	<5	<5	<10	236	1253	<2	69	17	6	635
60938	199891	<1	5.18	60	498	<2	19	1.68	<4	9	48	38	1.73	0.49	30	0.77	501	7	55	517	77	2.56	<5	18	<10	202	2183	<2	45	13	3	153
60939	199892	<1	5.52	39	694	<2	23	1.16	<4	28	284	51	0.89	0.61	25	0.61	184	6	84	837	3	2.45	<5	14	<10	206	3053	<2	143	<10	8	78
60940D	199892	<1	5.85	33	723	<2	7	1.15	<4	31	283	55	0.91	0.39	24	0.62	185	8	85	862	7	2.30	<5	17	<10	210	3116	<2	145	<10	10	80
60941	199893	<1	6.04	44	454	2	18	1.89	<4	23	142	122	3.63	0.27	25	1.29	765	3	77	639	202	2.64	<5	<5	<10	252	2713	<2	94	10	10	447
60942	199894	<1	5.79	27	571	<2	41	1.98	<4	19	108	38	3.04	0.84	23	1.24	706	4	67	553	35	2.13	<5	22	14	239	2607	<2	84	15	9	78
60943	199895	<1	6.78	30	646	2	8	0.77	<4	13	87	21	2.24	0.68	21	1.39	406	6	56	488	35	2.15	10	16	<10	186	2008	<2	57	<10	7	61
60944	199896	<1	5.87	29	763	2	15	0.63	<4	11	65	16	2.42	0.81	25	1.63	447	6	57	486	37	1.96	5	11	<10	159	1800	<2	46	15	6	84
60945	199897	<1	5.75	35	637	<2	<1	1.08	<4	10	56	23	1.91	0.63	19	1.31	414	7	50	457	29	2.14	8	<5	<10	157	1499	<2	39	<10	7	43
60946	199898	<1	6.65	28	672	<2	13	1.03	<4	11	24	5	0.74	0.65	12	0.85	274	4	47	390	28	1.95	8	17	<10	174	1944	<2	38	<10	3	82
60947	199899	<1	5.30	54	622	<2	16	0.72	<4	11	24	7	0.83	0.65	24	0.75	327	2	53	332	13	2.16	6	14	<10	145	1804	<2	34	10	3	62
60948	199900	<1	4.03	28	367	<2	17	2.45	<4	14	58	48	4.21	0.52	18	1.29	800	9	37	623	<1	1.96	11	6	<10	356	3231	<2	124	<10	13	56
60949	199901	2	4.66	70	503	<2	11	1.50	<4	10	31	20	1.65	0.87	22	1.25	928	8	55	373	49	3.17	18	11	<10	120	1493	<2	33	13	4	206

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/21/2014 11:57 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60950	199902	7	4.06	85	480	<2	11	0.71	7	8	34	79	1.95	0.77	22	0.72	469	10	36	222	270	3.53	<5	<5	<10	116	1336	<2	27	26	3	1391
60951D	199902	5	4.10	82	477	<2	2	0.69	7	5	31	83	1.95	0.76	19	0.72	468	10	36	227	260	3.53	9	25	<10	116	1325	<2	26	25	3	1394
60952	199903	107	4.35	194	372	<2	12	0.95	67	9	34	331	6.38	0.82	18	0.79	474	5	43	233	598	6.86	152	8	<10	153	1328	<2	30	225	3	18249
60953	199904	<1	5.61	120	520	<2	4	0.92	4	7	33	7	6.02	0.50	18	0.65	259	8	58	129	58	7.03	9	17	<10	225	1615	<2	31	15	2	410
60954	199905	<1	5.22	53	454	<2	14	0.72	<4	9	26	64	2.55	0.83	18	0.45	169	7	58	105	28	3.21	<5	22	<10	221	1694	<2	30	<10	2	190
60955	199906	10	6.23	53	385	2	13	0.77	<4	15	41	19	1.38	0.62	15	0.47	163	8	145	127	341	2.19	7	18	<10	233	1723	<2	31	14	<2	377
60956	199907	<1	5.91	87	456	<2	18	0.74	4	8	51	5	4.27	0.59	19	0.68	224	12	91	132	70	3.76	<5	<5	<10	217	1730	<2	36	12	3	437
60957	199908	<1	6.12	65	447	<2	<1	0.62	<4	8	55	9	2.17	0.54	10	0.67	220	14	97	112	48	2.80	6	19	<10	197	1695	<2	34	15	2	431
60958	199909	<1	5.72	82	488	<2	<1	1.00	<4	10	37	14	3.13	0.69	12	0.47	180	8	59	246	12	3.51	5	<5	<10	245	1766	<2	39	<10	3	97
60959	199910	78	3.32	64	408	<2	6	1.20	23	17	37	59	3.61	0.62	11	0.82	541	6	26	632	664	2.27	88	8	260	299	2399	<2	105	68	12	2053
60960	199911	<1	4.21	100	476	<2	3	1.22	<4	14	41	16	3.95	0.91	8	0.26	168	3	65	439	8	4.89	5	7	<10	285	1794	<2	52	<10	3	201
60961	199912	<1	4.27	47	578	<2	11	1.18	<4	11	45	16	1.70	0.96	18	0.29	170	8	64	457	8	2.84	<5	11	<10	322	1910	<2	53	<10	3	97
60962D	199912	<1	4.08	56	601	<2	<1	1.20	<4	13	45	17	1.74	0.85	14	0.29	172	7	63	459	10	3.00	7	18	<10	328	1923	8	54	<10	3	94
60963	199913	<1	4.27	43	507	<2	7	0.74	<4	5	34	7	1.29	0.83	17	0.32	149	8	51	241	18	2.70	<5	10	<10	268	1696	<2	34	<10	2	45
60964	199914	<1	4.60	41	567	<2	9	1.05	<4	7	33	13	1.11	0.83	17	0.53	219	7	50	298	15	2.79	6	12	<10	224	1689	<2	32	<10	2	37
60965	199915	<1	5.46	45	588	<2	<1	1.00	<4	11	37	8	1.63	0.75	22	0.68	299	6	60	496	50	2.83	<5	15	<10	239	2210	<2	45	<10	3	108
60966	199916	<1	3.62	44	748	<2	<1	0.91	<4	10	32	8	1.08	0.91	14	0.68	387	7	49	637	24	1.98	<5	9	<10	254	2825	<2	62	<10	4	27
60967	199917	<1	6.95	48	671	<2	<1	1.12	<4	12	33	19	1.12	0.95	21	0.80	389	6	45	616	32	1.83	8	47	<10	270	2535	<2	48	11	4	91
60968	199918	<1	6.82	39	651	<2	6	1.23	<4	9	29	11	0.85	0.45	22	0.65	253	4	39	540	40	1.86	6	17	<10	261	2240	<2	43	<10	4	52
60969	199919	<1	5.62	31	576	<2	1	1.25	<4	7	39	35	1.34	0.64	14	0.64	371	12	53	462	85	2.17	5	20	<10	286	1915	<2	38	<10	3	124

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/21/2014 11:57 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60970	199920	<1	3.78	31	366	<2	5	2.46	<4	15	58	49	4.22	0.51	12	1.27	798	7	36	598	<1	2.04	<5	<5	<10	357	3215	<2	124	<10	13	52
60971	199921	<1	3.11	41	469	<2	<1	1.09	<4	8	30	13	1.92	1.08	8	0.44	434	5	42	404	5	2.61	5	13	<10	204	2218	<2	44	<10	3	42
60972	199922	<1	3.66	36	320	<2	10	1.76	<4	8	41	10	1.90	1.11	4	0.52	484	7	58	428	<1	2.22	14	21	<10	257	2086	<2	40	<10	3	46
60973D	199922	<1	2.53	31	311	<2	7	1.69	<4	8	41	10	1.87	1.29	8	0.47	476	7	57	394	5	2.36	<5	13	<10	251	2042	<2	39	<10	3	40
60974	199923	<1	2.58	37	442	<2	2	1.85	<4	9	47	12	1.96	0.99	8	0.50	483	8	67	397	<1	2.54	<5	5	<10	232	2066	<2	41	<10	2	48
60975	199924	<1	3.18	36	550	<2	<1	1.84	<4	7	28	15	1.25	0.93	10	0.76	375	5	41	650	12	2.27	<5	18	<10	198	2277	<2	43	<10	2	32
60976	199925	<1	2.97	50	508	<2	7	1.08	<4	10	34	15	1.11	0.98	15	0.64	484	6	56	608	73	2.53	<5	13	<10	150	2303	<2	43	<10	2	319
60977	199926	<1	6.59	45	520	<2	14	1.17	<4	10	33	16	1.10	0.58	16	0.80	477	5	51	750	72	2.83	<5	20	<10	153	2355	<2	43	14	3	448
60978	199927	<1	4.17	42	431	2	13	1.37	<4	7	33	14	1.31	1.01	14	0.92	599	6	48	598	26	2.22	<5	18	<10	151	2221	<2	39	<10	3	38
60979	199928	<1	5.96	52	509	<2	8	1.05	<4	8	33	14	1.28	0.92	17	0.88	629	5	48	670	29	2.26	5	30	<10	126	2347	<2	41	11	3	141
60980	199929	<1	6.51	48	521	<2	6	0.96	<4	9	50	26	1.31	0.68	18	0.73	493	10	86	620	33	1.88	5	14	<10	130	2266	<2	43	12	3	104
60981	199930	<1	4.56	39	472	<2	8	2.19	<4	16	59	237	4.36	0.64	17	1.22	774	14	43	695	<1	2.06	<5	10	<10	348	3131	<2	121	10	13	56
60982	199931	<1	5.13	43	502	<2	3	0.76	<4	10	27	11	1.06	0.92	13	0.67	446	5	45	461	113	2.43	<5	17	<10	129	2081	<2	36	10	2	374
60983	199932	<1	5.64	47	454	<2	9	1.04	<4	7	38	10	1.18	0.88	18	0.72	484	6	49	512	28	2.31	8	22	<10	157	2077	<2	35	<10	2	44
60984D	199932	<1	4.28	44	419	<2	16	0.92	<4	7	36	10	1.11	0.92	13	0.63	453	6	45	450	33	2.30	8	16	<10	150	1950	<2	34	<10	2	51
60985	199933	<1	4.86	19	359	<2	<1	1.47	6	6	25	26	1.19	0.83	15	0.80	515	4	39	517	31	2.16	<5	7	<10	185	1947	<2	34	19	2	1009
60986	199934	<1	5.20	29	433	<2	37	1.17	<4	6	25	16	1.28	0.65	12	0.76	501	4	41	503	8	1.91	<5	26	<10	185	2094	<2	36	<10	2	58
60987	199935	<1	4.87	53	373	<2	2	0.78	<4	6	18	23	1.31	0.56	14	0.63	448	2	28	479	27	2.88	11	20	<10	175	1959	<2	33	<10	2	41
60988	199936	<1	5.17	43	284	<2	2	0.56	<4	6	28	24	1.27	0.72	11	0.54	377	4	47	493	49	2.98	7	27	<10	165	1749	<2	33	11	2	75
60989	199937	10	5.58	37	219	2	4	0.87	<4	7	28	36	1.19	0.30	13	0.86	643	5	45	503	974	2.32	12	14	<10	182	1612	<2	32	<10	2	48

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/21/2014 11:57 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60990	199938	<1	4.97	37	217	<2	5	0.46	<4	5	33	21	1.09	0.52	12	0.61	490	8	55	451	97	2.32	5	26	<10	174	1622	<2	31	11	2	88
60991	199939	<1	4.32	27	237	<2	<1	1.11	<4	6	30	63	1.54	0.65	11	0.61	684	5	45	425	83	2.17	<5	14	<10	223	1409	<2	31	<10	2	75
60992	199940	<1	4.85	32	359	<2	9	2.54	<4	17	60	50	4.39	0.53	10	1.37	828	6	37	664	<1	1.92	7	8	<10	369	3374	<2	129	<10	14	55
60993	199941	<1	5.20	34	203	<2	3	0.67	5	6	42	83	1.36	0.77	6	0.56	580	6	67	457	246	2.06	7	17	<10	230	1408	<2	32	26	2	1603
60994	199942	14	4.11	182	280	<2	16	0.41	9	11	33	204	2.02	0.91	2	0.40	410	8	68	444	1440	2.49	13	8	<10	231	1718	<2	35	46	2	3241
60995R	199942	21	2.80	319	147	<2	18	0.25	10	7	18	82	1.07	0.47	7	0.21	229	3	35	249	1788	1.36	10	5	<10	114	900	<2	18	54	<2	3739
60996	199943	6	5.25	74	419	<2	4	0.53	6	19	26	230	1.58	0.79	20	0.52	429	5	57	485	1482	2.52	15	9	<10	231	1941	<2	40	40	2	2457
60997	199944	<1	4.78	45	439	<2	6	0.51	<4	11	24	22	1.23	0.71	8	0.66	607	4	50	431	50	2.00	5	7	<10	223	1982	<2	39	<10	2	50
60998	199945	<1	4.37	49	363	<2	5	0.54	<4	15	21	88	1.30	0.82	15	0.64	636	3	37	476	64	2.37	7	23	<10	214	1915	<2	41	<10	3	48
60999	199946	<1	6.14	45	349	<2	4	0.56	<4	16	22	98	1.30	0.83	14	0.69	597	4	36	543	32	2.16	<5	15	<10	215	1923	<2	40	<10	3	66
61000	199947	<1	5.48	43	361	<2	8	0.71	<4	8	34	22	1.39	0.76	15	0.61	638	6	51	569	86	2.63	<5	9	<10	205	1953	<2	40	12	3	177
61001	199948	<1	2.78	57	368	<2	10	1.02	<4	7	31	48	1.83	0.92	15	0.74	848	5	43	469	154	2.51	6	5	<10	190	1872	<2	34	<10	2	388
61002	199949	<1	5.39	48	397	<2	7	1.75	<4	9	42	24	1.98	0.67	22	0.95	1293	8	57	550	41	2.16	<5	16	<10	226	2097	<2	42	<10	3	76
61003	199950	<1	4.61	77	246	2	24	0.99	6	13	34	2483	5.33	0.53	27	0.76	1152	21	23	780	72	4.75	<5	30	<10	235	1264	<2	68	18	6	615
61004	199951	<1	4.97	52	361	<2	6	0.65	7	7	45	61	1.61	0.62	13	0.57	611	9	63	505	214	2.33	13	15	<10	173	2046	<2	39	27	2	1725
61005	199952	<1	5.65	35	518	<2	<1	1.28	<4	10	51	41	2.03	0.16	15	0.71	883	5	57	547	33	2.17	<5	9	<10	211	2271	<2	45	<10	4	58
61006D	199952	<1	5.90	39	536	<2	11	1.34	<4	6	52	41	2.02	0.29	16	0.72	882	5	54	549	12	2.49	6	11	<10	212	2299	<2	44	<10	4	56
61007	199953	<1	5.31	37	470	<2	<1	0.94	<4	9	42	20	1.79	0.80	12	0.50	542	2	50	490	4	1.98	<5	22	<10	200	2271	<2	44	<10	3	45
61008	199954	<1	4.64	32	356	<2	36	0.80	<4	7	38	30	2.01	1.07	12	0.58	742	4	42	442	18	2.38	<5	11	10	218	2068	<2	42	<10	3	308
61009	199955	<1	5.21	43	417	<2	20	0.62	<4	9	34	22	1.62	1.07	19	0.51	817	5	42	518	31	2.20	9	5	16	241	2054	<2	42	<10	3	68

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-05/21/2014 11:57 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
61010	199956	<1	5.59	41	403	<2	<1	0.90	<4	6	38	34	1.67	0.82	14	0.64	869	5	53	481	102	2.11	8	<5	<10	235	1919	<2	40	<10	3	121
61011	199957	<1	4.87	37	513	<2	<1	0.57	<4	12	34	38	1.74	0.80	13	0.54	754	2	45	449	38	1.92	<5	20	<10	208	2195	<2	46	12	3	203
61012	199958	<1	5.64	44	410	<2	6	0.87	<4	8	36	32	1.85	0.68	12	0.76	1034	4	49	517	141	2.27	<5	11	<10	189	2252	<2	45	11	3	475
61013	199959	<1	4.87	53	463	<2	<1	0.98	<4	7	37	22	1.75	0.70	12	0.72	1052	3	37	470	43	2.45	<5	13	<10	193	2122	<2	43	<10	3	72
61014	199960	<1	2.37	32	360	<2	22	2.41	<4	16	58	50	4.28	0.18	10	1.18	814	6	36	609	<1	1.99	<5	21	<10	358	3278	<2	126	<10	10	59
61015	199961	<1	5.03	63	382	<2	7	0.06	<4	7	45	46	1.79	0.34	4	0.38	227	4	49	438	509	2.75	<5	9	<10	131	1882	<2	38	13	3	863
61016	199962	<1	3.07	62	361	<2	9	0.18	<4	7	43	110	1.76	0.93	2	0.41	279	4	45	388	605	3.36	11	22	<10	133	1766	<2	38	13	2	683
61017D	199962	<1	4.72	65	370	<2	12	0.20	<4	8	43	107	1.74	0.48	5	0.46	274	4	45	444	579	3.05	19	19	<10	132	1768	<2	37	10	3	670
61018	199963	<1	4.57	85	350	<2	<1	<0.01	5	9	47	152	2.02	0.52	4	0.39	185	6	54	433	779	3.51	22	10	<10	103	1784	<2	37	31	2	1854
61019	199964	5	2.25	71	130	<2	5	<0.01	<4	10	41	143	1.74	0.19	<1	0.54	458	5	52	388	256	1.60	<5	14	<10	101	1767	<2	36	12	3	544
61020	199965	6	4.66	55	264	<2	<1	0.08	<4	8	46	51	1.27	0.79	3	0.44	274	6	55	381	166	1.99	8	21	<10	107	1582	<2	29	14	2	945
61021	199966	5	4.58	52	242	<2	<1	0.09	<4	7	36	64	1.25	0.87	2	0.42	254	6	41	356	98	2.39	8	21	<10	108	1507	<2	27	16	2	781
61022	199967	<1	4.49	42	164	<2	9	1.32	<4	5	25	40	1.65	0.99	11	0.97	1360	2	33	364	130	2.32	14	13	<10	175	1519	<2	27	11	2	403
61023	199968	<1	3.65	50	184	<2	5	1.06	<4	10	16	79	1.93	1.19	14	0.87	1299	<1	10	352	93	2.55	5	16	<10	168	1648	<2	29	11	2	339
61024	199969	13	3.58	43	271	<2	5	0.73	<4	8	27	134	1.51	0.99	14	0.69	851	3	11	341	617	2.45	10	19	<10	164	1574	<2	28	17	2	1034
61025	199970	71	2.98	63	380	<2	22	1.11	22	17	35	60	3.52	0.48	11	0.80	528	4	26	614	626	2.28	77	13	248	290	2368	<2	102	70	11	2016
61026	199971	<1	5.15	36	341	<2	16	3.67	<4	8	30	17	2.50	0.77	10	1.68	1414	4	9	467	29	2.23	<5	5	<10	323	2058	<2	41	<10	3	68
61027	199972	<1	4.90	37	268	2	5	2.43	<4	8	22	10	1.90	0.75	12	1.45	1194	3	9	440	4	2.63	12	15	<10	289	2230	<2	44	11	3	58
61028D	199972	<1	3.11	34	288	<2	3	2.46	<4	7	21	10	1.94	0.94	15	1.36	1231	2	8	433	17	2.47	<5	8	<10	291	2272	<2	46	<10	2	62
61029	199973	<1	4.41	50	296	2	<1	1.44	<4	8	32	22	2.20	0.74	8	0.99	706	4	9	455	21	2.90	<5	<5	<10	212	2265	<2	46	<10	3	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/21/2014 11:57 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/24/2014
Date Completed: 05/09/2014
Job #: 201440778
Reference: TL14-355
Sample #: 105

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
61030	199974	13	4.06	63	204	<2	13	<0.01	<4	5	35	68	1.38	0.42	8	0.24	<100	6	6	243	597	3.07	18	11	<10	108	1155	<2	22	11	<2	510
61031	199975	<1	4.64	45	321	<2	2	0.42	<4	6	26	19	1.34	0.72	8	0.60	394	4	7	406	28	2.57	<5	14	<10	126	1829	<2	33	<10	2	59
61032	199976	<1	4.06	45	327	<2	<1	0.80	<4	7	30	17	1.49	0.66	12	0.63	502	4	4	404	10	2.36	<5	28	<10	134	1829	<2	32	<10	2	52
61033	199977	<1	4.17	42	277	<2	14	0.53	<4	6	21	16	1.34	0.76	12	0.58	402	4	7	390	16	2.38	<5	7	<10	119	1756	<2	31	<10	2	57
61034	199978	<1	5.06	44	196	2	6	<0.01	<4	7	27	12	1.58	0.84	10	0.64	357	6	7	429	8	1.63	<5	<5	<10	110	1825	<2	32	<10	3	85
61035	199979	1	3.76	62	266	<2	<1	<0.01	<4	6	26	10	1.43	1.01	6	0.23	<100	7	5	331	251	2.25	8	9	<10	97	1735	<2	30	16	<2	1094
61036	199980	<1	4.60	27	358	<2	5	2.54	<4	15	59	52	4.51	0.51	13	1.40	851	6	38	682	<1	1.49	<5	13	<10	374	3409	<2	132	<10	14	60
61037	199981	<1	4.92	22	275	<2	5	1.84	<4	7	23	6	1.51	0.87	18	0.96	707	4	5	421	6	2.10	<5	26	<10	147	1922	<2	32	11	2	35
61038	199982	<1	3.98	38	271	<2	12	2.17	<4	7	23	5	1.74	0.91	24	0.94	554	4	8	424	<1	2.11	<5	34	<10	156	2150	<2	37	<10	2	34
61039D	199982	<1	4.41	31	253	<2	4	2.11	<4	6	24	5	1.70	1.01	19	0.95	537	3	5	429	<1	2.10	<5	18	<10	154	2104	<2	36	16	2	36
61040	199983	<1	4.48	28	323	<2	16	2.17	<4	5	21	6	1.70	0.64	16	0.88	568	2	4	430	4	2.17	18	18	<10	165	1992	<2	33	<10	2	35
61041	199984	<1	6.32	34	315	2	24	1.51	<4	5	31	21	1.70	0.73	18	0.69	529	6	6	458	10	2.15	7	21	<10	145	2070	<2	36	13	2	54
61042	199985	<1	4.88	29	209	2	<1	1.90	<4	5	27	15	1.68	0.97	13	0.81	778	3	5	444	22	2.29	<5	14	<10	141	1787	<2	32	17	2	54
61043	199986	<1	4.79	32	209	2	11	1.93	<4	5	31	15	1.76	0.82	10	0.87	785	3	5	430	24	2.16	<5	14	<10	141	1808	<2	32	12	2	58
61044	199987	<1	5.52	29	223	2	2	1.95	<4	5	30	9	1.59	0.53	9	0.85	726	6	4	390	26	2.06	<5	17	<10	151	1596	<2	28	<10	2	214

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/21/2014 11:57 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, June 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/09/2014
Job #: 201441047
Reference: TL14-355
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
81009	199903	17780	17315	17678	17554	4.80%	48.16

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14356

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65665	199988	0.030	
65666	199989	0.045	
65667	199990	1.547	
65668	199991	0.017	
65669	199992	0.071	
65670	199993	0.106	
65671	199994	0.041	
65672	199995	0.047	
65673	199996	0.029	
65674	199997	0.069	
65675	199997 Dup	0.077	
65676	199998	0.074	
65677	199999	0.093	
65678	200000	<0.005	
65679	200001	0.733	
65680	200002	0.020	
65681	200003	0.015	
65682	200004	0.026	
65683	200005	0.090	
65684	200006	0.082	
65685	200007	1.014	
65686	200007 Dup	1.030	
65687	200008	0.029	
65688	200009	0.009	
65689	200010	1.490	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65690	200011	0.034	
65691	200012	0.161	
65692	200013	0.173	
65693	200014	0.067	
65694	200015	0.036	
65695	200016	0.034	
65696	200017	0.031	
65697	200017 Dup	0.025	
65698	200018	0.092	
65699	200019	0.056	
65700	200020	0.007	
65701	200021	0.013	
65702	200022	0.050	
65703	200023	0.171	
65704	200024	>6.000	13.776
65705	200025	0.328	
65706	200026	0.211	
65707	200027	0.085	
65708	200027 Dup	0.081	
65709	200028	0.036	
65710	200029	1.219	
65711	200030	0.420	
65712	200031	0.114	
65713	200032	0.035	
65714	200033	2.359	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65715	200034	0.234	
65716	200035	1.469	
65717	200036	>6.000	6.397
65718	200037	1.046	
65719	200037 Dup	1.222	
65720	200038	0.673	
65721	200039	1.028	
65722	200040	0.009	
65723	200041	0.699	
65724	200042	0.246	
65725	200043	3.838	
65726	200044	0.253	
65727	200045	0.225	
65728	200046	0.233	
65729	200047	0.783	
65730	200047 Rep	0.669	
65731	200048	0.143	
65732	200049	0.158	
65733	200050	4.937	
65734	200051	0.348	
65735	200052	0.055	
65736	200053	0.021	
65737	200054	0.018	
65738	200055	0.043	
65739	200056	0.021	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65740	200057	0.109	
65741	200057 Dup	0.095	
65742	200058	0.039	
65743	200059	0.290	
65744	200060	<0.005	
65745	200061	0.225	
65746	200062	0.036	
65747	200063	0.082	
65748	200064	0.131	
65749	200065	0.425	
65750	200066	0.607	
65751	200067	1.607	
65752	200067 Dup	1.673	
65753	200068	0.230	
65754	200069	0.280	
65755	200070	1.562	
65756	200071	0.293	
65757	200072	0.417	
65758	200073	0.111	
65759	200074	0.280	
65760	200075	0.123	
65761	200076	0.194	
65762	200077	0.094	
65763	200077 Dup	0.079	
65764	200078	0.289	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65765	200079	0.418	
65766	200080	0.007	
65767	200081	0.171	
65768	200082	0.124	
65769	200083	0.806	
65770	200084	0.135	
65771	200085	0.108	
65772	200086	0.106	
65773	200087	0.184	
65774	200087 Dup	0.134	
65775	200088	0.043	
65776	200089	0.124	
65777	200090	0.367	
65778	200091	0.064	
65779	200092	0.081	
65780	200093	0.383	
65781	200094	0.068	
65782	200095	0.493	
65783	200096	0.088	
65784	200097	0.023	
65785	200097 Dup	0.022	
65786	200098	0.034	
65787	200099	0.034	
65788	200100	<0.005	
65789	200101	0.139	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65790	200102	0.037	
65791	200103	0.026	
65792	200104	0.010	
65793	200105	0.035	
65794	200106	0.054	
65795	200107	0.014	
65796	200107 Rep	0.020	
65797	200108	0.011	
65798	200109	0.027	
65799	200110	5.114	
65800	200111	0.037	
65801	200112	0.022	
65802	200113	0.018	
65803	200114	0.009	
65804	200115	0.045	
65805	200116	0.033	
65806	200117	0.073	
65807	200117 Dup	0.081	
65808	200118	0.119	
65809	200119	0.050	
65810	200120	0.006	
65811	200121	0.024	
65812	200122	0.032	
65813	200123	0.027	
65814	200124	0.358	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Andrew Oleski, Instrumentation Manager

Certified By:



Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65815	200125	2.417	
65816	200126	0.331	
65817	200127	0.076	
65818	200127 Dup	0.053	
65819	200128	0.033	
65820	200129	0.011	
65821	200130	1.342	
65822	200131	0.029	
65823	200132	0.073	
65824	200133	0.571	
65825	200134	0.289	
65826	200135	0.021	
65827	200136	0.037	
65828	200137	0.610	
65829	200137 Dup	0.605	
65830	200138	0.057	
65831	200139	0.060	
65832	200140	0.007	
65833	200141	0.470	
65834	200142	0.239	
65835	200143	0.062	
65836	200144	0.123	
65837	200145	0.512	
65838	200146	0.612	
65839	200147	0.061	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65840	200147 Dup	0.080	
65841	200148	0.088	
65842	200149	0.066	
65843	200150	0.404	
65844	200151	0.518	
65845	200152	0.102	
65846	200153	0.076	
65847	200154	0.155	
65848	200155	0.565	
65849	200156	0.091	
65850	200157	0.752	
65851	200157 Dup	0.850	
65852	200158	0.054	
65853	200159	0.520	
65854	200160	<0.005	
65855	200161	0.128	
65856	200162	0.324	
65857	200163	0.130	
65858	200164	1.093	
65859	200165	>6.000	17.035
65860	200166	>6.000	8.148
65861	200167	0.360	
65862	200167 Rep	0.303	
65863	200168	0.507	
65864	200169	0.349	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65865	200170	4.981	
65866	200171	0.242	
65867	200172	0.188	
65868	200173	0.411	
65869	200174	1.814	
65870	200175	0.402	
65871	200176	0.580	
65872	200177	0.239	
65873	200177 Dup	0.292	
65874	200178	0.129	
65875	200179	0.076	
65876	200180	<0.005	
65877	200181	0.118	
65878	200182	0.103	
65879	200183	0.037	
65880	200184	0.061	
65881	200185	0.090	
65882	200186	0.115	
65883	200187	0.536	
65884	200187 Dup	0.607	
65885	200188	0.767	
65886	200189	0.049	
65887	200190	1.461	
65888	200191	0.037	
65889	200192	0.081	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65890	200193	0.062	
65891	200194	0.203	
65892	200195	0.016	
65893	200196	0.016	
65894	200197	0.012	
65895	200197 Dup	0.016	
65896	200198	0.011	
65897	200199	0.051	
65898	200200	<0.005	
65899	200201	0.067	
65900	200202	0.049	
65901	200203	0.015	
65902	200204	0.050	
65903	200205	0.263	
65904	200206	0.206	
65905	200207	0.053	
65906	200207 Dup	0.052	
65907	200208	0.046	
65908	200209	0.020	
65909	200210	0.368	
65910	200211	0.028	
65911	200212	0.017	
65912	200213	0.042	
65913	200214	0.169	
65914	200215	0.152	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
65915	200216	0.020	
65916	200217	0.010	
65917	200217 Dup	0.011	
65918	200218	0.008	
65919	200219	0.006	
65920	200220	<0.005	
65921	200221	0.007	
65922	200222	0.020	
65923	200223	0.034	
65924	200224	0.017	
65925	200225	0.009	
65926	200226	0.009	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 20, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.837	0.804	0.043
GS26	0.828	0.804	0.043
GS26	0.854	0.804	0.043
GS26	0.518	0.804	0.043
GS26	0.534	0.804	0.043
GS26	0.507	0.804	0.043
GS26	0.863	0.804	0.043
GS26	0.855	0.804	0.043
GS26	0.869	0.804	0.043
GS26	0.850	0.804	0.043
GS26	0.786	0.804	0.043
GS26	0.777	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Andrew Oleski, Instrumentation Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65665	199988	<1	6.22	14	264	<2	<1	1.95	<4	8	30	148	1.79	<0.01	25	1.29	458	14	10	605	30	0.66	13	<5	1921	210	1973	<2	39	12	3	187
65666	199989	<1	6.61	30	361	<2	2	1.71	<4	9	27	19	1.78	0.03	32	1.19	421	16	8	596	4	0.82	15	<5	2032	208	2153	<2	41	<10	3	57
65667	199990	<1	4.42	21	447	<2	1	2.02	<4	15	46	211	3.92	0.10	8	1.12	699	22	39	685	<1	0.47	8	<5	1906	325	2784	<2	109	11	12	53
65668	199991	<1	6.91	13	373	<2	<1	2.46	<4	7	28	13	1.76	0.04	24	1.48	484	16	9	628	<1	0.51	11	<5	1934	232	2077	<2	42	<10	3	36
65669	199992	<1	6.56	16	308	<2	<1	2.11	<4	9	35	13	1.86	0.02	20	1.32	439	17	10	591	<1	0.57	9	5	1966	210	2006	<2	40	<10	3	34
65670	199993	<1	6.20	26	315	<2	<1	0.84	<4	9	33	15	1.22	0.02	22	0.69	285	16	9	572	7	0.62	6	<5	1999	180	2114	<2	39	11	3	241
65671	199994	<1	6.08	19	325	<2	<1	1.02	<4	8	34	29	1.50	<0.01	21	0.83	291	17	10	553	<1	0.61	8	<5	1959	174	2064	<2	39	<10	3	50
65672	199995	<1	6.12	22	252	<2	<1	2.62	<4	9	25	7	2.02	0.06	20	1.47	446	12	9	574	<1	0.57	6	<5	1834	211	1968	<2	40	<10	3	21
65673	199996	<1	6.67	26	350	<2	<1	2.25	<4	9	29	6	1.90	<0.01	24	1.53	486	14	10	623	<1	0.58	9	<5	1869	220	2180	<2	41	<10	3	32
65674	199997	<1	6.25	28	395	<2	<1	1.69	<4	10	28	11	1.91	0.03	29	1.47	611	17	9	584	51	0.75	11	<5	1889	195	2097	<2	40	11	3	197
65675D	199997	<1	6.42	25	407	<2	<1	1.74	<4	9	29	12	1.94	<0.01	29	1.47	619	15	9	594	50	0.76	13	<5	1906	198	2119	<2	41	11	3	196
65676	199998	<1	6.21	42	354	<2	<1	0.95	<4	9	23	9	1.65	<0.01	30	0.97	418	14	10	577	18	0.76	9	<5	1938	165	2187	<2	40	<10	3	39
65677	199999	<1	5.95	15	351	<2	<1	0.56	<4	8	29	49	1.57	<0.01	28	0.77	351	16	10	571	74	0.75	10	5	1973	142	2145	<2	40	12	3	96
65678	200000	<1	4.49	17	362	<2	<1	2.46	<4	15	51	52	3.90	0.08	8	1.27	756	14	35	700	<1	0.43	11	<5	1812	337	3111	<2	118	<10	13	44
65679	200001	<1	4.22	15	227	<2	<1	0.10	<4	7	60	60	1.86	<0.01	16	0.51	199	25	10	441	122	0.67	5	<5	2055	99	1588	<2	33	17	2	772
65680	200002	<1	6.47	8	399	<2	6	0.95	<4	9	32	16	1.76	0.04	28	1.30	535	14	9	598	16	0.57	11	<5	1915	173	2202	<2	41	<10	3	69
65681	200003	<1	6.54	23	309	<2	<1	1.04	<4	15	114	24	3.49	<0.01	29	1.49	527	15	41	619	<1	0.62	9	<5	1858	252	2766	<2	76	<10	10	17
65682	200004	<1	6.59	20	282	<2	<1	1.70	<4	10	29	8	2.01	0.02	18	1.03	332	11	10	624	2	0.55	10	<5	1777	246	2006	<2	42	<10	4	36
65683	200005	<1	6.60	13	349	<2	<1	1.53	<4	8	36	76	2.20	<0.01	21	0.99	357	15	10	587	224	0.80	7	<5	1899	258	1972	<2	40	<10	3	566
65684	200006	<1	6.74	11	326	<2	<1	1.73	<4	9	31	39	2.02	<0.01	21	1.05	380	15	10	583	85	0.73	16	<5	1904	275	1966	<2	39	11	3	147

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:22 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65685	200007	3	5.91	29	419	<2	<1	1.13	6	8	43	35	2.05	<0.01	19	0.91	412	16	10	548	1450	0.73	10	<5	1942	207	1881	<2	38	27	3	2341
65686D	200007	4	5.51	28	393	<2	<1	1.03	6	7	46	34	2.01	<0.01	18	0.88	402	17	9	532	1379	0.98	12	<5	1886	200	1836	<2	37	25	3	2245
65687	200008	<1	6.13	20	321	<2	<1	1.76	<4	9	23	19	1.83	0.03	23	1.17	383	12	8	594	18	0.68	11	<5	1758	236	2000	<2	39	<10	3	485
65688	200009	<1	5.53	9	322	<2	<1	1.76	<4	7	15	13	1.66	0.05	17	0.94	302	9	20	570	<1	0.54	11	<5	1669	213	2096	<2	40	<10	3	130
65689	200010	<1	4.62	30	457	<2	<1	2.09	<4	15	48	218	4.10	0.08	9	1.16	723	22	39	698	1	0.45	7	<5	1854	337	2869	<2	114	11	13	64
65690	200011	<1	6.85	9	364	<2	<1	2.30	<4	9	20	14	1.96	0.03	27	1.35	601	13	24	614	114	0.55	10	<5	1882	211	2129	<2	42	17	3	393
65691	200012	<1	6.31	27	354	<2	<1	1.17	<4	8	21	23	1.53	<0.01	22	0.80	419	14	23	558	145	0.80	5	<5	2020	156	2095	<2	40	13	3	280
65692	200013	<1	6.98	20	406	<2	<1	2.07	<4	7	16	10	1.72	<0.01	26	1.32	790	14	21	617	29	0.87	7	<5	1965	176	2187	<2	41	<10	3	108
65693	200014	<1	6.44	19	430	<2	<1	1.55	<4	8	21	27	1.61	<0.01	26	1.15	663	12	21	587	18	0.75	10	<5	1867	175	2190	<2	41	10	3	63
65694	200015	<1	6.28	64	411	<2	<1	2.73	<4	8	29	18	1.82	0.03	25	1.22	606	11	20	571	33	0.71	11	<5	1818	123	2001	<2	37	<10	3	181
65695	200016	<1	6.31	11	405	<2	<1	3.01	<4	9	25	13	1.76	0.04	15	0.92	412	12	22	585	3	0.47	8	<5	1882	212	2021	<2	38	<10	3	152
65696	200017	<1	6.01	16	439	<2	2	2.49	<4	7	15	9	1.58	0.04	17	1.04	544	10	18	570	17	0.54	10	<5	1795	178	1932	<2	37	<10	3	90
65697D	200017	<1	6.60	21	476	<2	5	2.64	<4	7	22	9	1.64	0.07	18	1.08	564	11	20	584	10	0.57	8	<5	1831	185	2025	<2	38	<10	3	53
65698	200018	<1	6.40	19	418	<2	<1	1.69	<4	8	13	6	1.52	0.08	24	0.96	602	12	19	574	4	0.68	5	<5	1845	171	2198	<2	39	<10	3	40
65699	200019	<1	6.65	14	586	<2	<1	1.13	<4	9	28	13	1.66	0.02	27	0.68	360	13	32	515	36	0.59	10	8	1894	163	2215	<2	41	13	2	91
65700	200020	<1	4.41	9	354	<2	<1	2.43	<4	15	50	52	3.81	0.08	8	1.23	737	14	34	692	<1	0.46	<5	<5	1810	335	3040	<2	116	<10	12	46
65701	200021	<1	7.02	12	643	<2	<1	2.75	<4	10	56	11	1.97	<0.01	22	1.25	510	13	35	894	12	0.48	11	6	1894	236	2269	<2	46	<10	5	65
65702	200022	<1	7.16	15	496	2	<1	2.83	<4	10	19	50	1.83	<0.01	18	1.14	713	11	21	584	34	0.54	11	<5	1875	198	2206	<2	44	10	4	383
65703	200023	<1	6.30	20	486	<2	<1	2.17	<4	10	25	64	1.69	0.06	17	1.15	564	13	20	573	9	0.66	<5	<5	1894	160	1986	<2	37	<10	3	112
65704	200024	<1	6.26	32	511	<2	<1	1.77	<4	7	23	37	1.79	0.01	17	1.09	565	15	22	557	15	0.82	6	<5	1911	146	1995	<2	38	<10	3	387

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:22 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65705	200025	<1	6.68	32	538	<2	<1	1.91	<4	9	19	12	1.78	0.04	19	1.25	587	12	20	594	19	0.78	8	<5	1923	150	2165	<2	39	10	3	56
65706	200026	<1	6.25	31	544	<2	<1	1.55	<4	8	26	10	1.65	0.05	16	1.10	516	12	20	577	23	0.75	7	<5	1831	141	2106	<2	39	<10	3	49
65707	200027	<1	7.13	19	558	<2	<1	1.76	<4	10	22	30	2.07	0.20	22	1.33	564	14	25	684	23	0.71	6	<5	1909	155	2307	<2	41	<10	4	130
65708D	200027	<1	6.17	29	502	<2	<1	1.52	<4	9	19	28	1.96	0.09	19	1.26	534	11	24	651	20	0.75	12	<5	1792	143	2161	<2	39	<10	4	116
65709	200028	<1	6.85	17	511	<2	<1	1.75	<4	9	16	13	1.79	0.03	21	1.31	566	14	21	614	27	0.54	5	<5	1928	144	2260	<2	40	<10	3	84
65710	200029	<1	6.39	29	499	<2	<1	1.19	<4	8	18	13	1.77	0.02	20	1.10	517	12	17	709	13	0.84	10	<5	1926	135	2113	<2	38	<10	4	224
65711	200030	<1	4.94	52	208	<2	<1	0.82	6	13	25	2389	4.93	0.07	25	0.76	1045	25	21	769	72	2.06	15	<5	1819	226	1118	<2	60	10	6	576
65712	200031	<1	5.45	17	399	<2	<1	1.57	<4	7	19	6	1.72	0.09	15	1.34	605	7	21	560	11	0.58	14	<5	1539	142	2184	<2	39	<10	3	60
65713	200032	<1	7.05	20	465	<2	1	1.68	<4	8	21	11	1.88	<0.01	19	1.40	599	14	19	608	33	0.65	12	11	1913	149	2231	<2	41	<10	3	71
65714	200033	<1	6.84	30	452	<2	2	1.61	<4	8	24	10	1.79	<0.01	18	1.32	554	12	28	622	38	0.60	16	<5	1886	151	2149	<2	41	<10	3	72
65715	200034	<1	6.07	44	508	<2	<1	0.66	<4	7	21	10	1.50	0.02	13	0.77	299	13	22	587	27	0.81	10	<5	1920	132	1941	<2	38	<10	3	59
65716	200035	14	5.23	24	422	<2	<1	<0.01	4	6	17	104	1.64	0.03	14	0.45	154	12	22	601	412	0.77	20	<5	2038	101	1679	<2	33	22	3	1469
65717	200036	96	4.50	42	532	<2	<1	0.33	59	5	30	741	2.24	<0.01	9	0.31	142	19	23	462	6601	1.04	121	6	2148	112	1205	<2	27	156	2	17494
65718	200037	6	4.82	12	697	<2	<1	0.72	7	9	97	157	1.55	0.07	9	0.91	176	16	59	847	1172	0.66	34	5	2037	120	1584	<2	40	940	5	1804
65719D	200037	5	5.27	10	744	<2	5	0.82	7	9	105	155	1.61	0.07	11	0.95	184	19	61	886	1190	0.71	40	5	2146	124	1683	<2	42	1156	5	1781
65720	200038	<1	4.35	38	516	<2	<1	0.13	<4	5	32	52	1.01	0.13	10	0.38	107	22	27	426	457	0.76	10	<5	2033	107	1321	<2	29	21	2	793
65721	200039	3	4.21	65	390	<2	<1	0.15	5	6	27	79	1.81	0.04	10	0.34	117	13	23	410	620	1.18	14	<5	2065	99	1295	<2	27	30	2	1974
65722	200040	<1	4.44	14	353	<2	<1	2.44	4	15	49	52	3.85	0.09	8	1.25	742	13	35	691	<1	0.46	10	<5	1818	337	3086	<2	117	<10	13	51
65723	200041	<1	5.41	48	507	<2	<1	0.08	<4	8	15	74	1.54	<0.01	12	0.40	142	11	20	505	583	1.15	11	<5	1987	100	1705	<2	34	21	2	1248
65724	200042	<1	5.40	53	494	<2	<1	0.06	<4	6	12	51	1.19	0.03	15	0.49	164	11	18	534	117	0.96	9	<5	1894	93	1765	<2	36	14	2	126

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-06/03/2014 10:22 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65725	200043	14	4.88	86	375	<2	<1	0.34	16	8	93	90	2.24	0.03	11	0.38	176	29	105	470	1776	0.98	22	<5	1998	93	1596	<2	49	65	4	6009
65726	200044	<1	6.28	135	412	2	<1	0.66	<4	18	144	74	3.01	<0.01	18	0.67	233	27	132	493	86	1.48	22	<5	2002	99	1972	<2	81	<10	11	73
65727	200045	<1	5.43	108	354	<2	<1	0.30	4	15	164	45	2.49	0.02	16	0.51	195	27	133	505	170	1.21	17	<5	2031	94	1860	<2	75	20	9	1285
65728	200046	<1	5.51	110	367	<2	<1	0.27	<4	13	147	46	2.55	0.03	16	0.46	160	23	112	472	216	1.41	13	<5	1991	94	1882	<2	75	11	8	165
65729	200047	<1	6.33	104	359	2	<1	1.15	4	16	130	66	3.62	0.03	18	0.74	354	26	117	612	225	1.60	11	8	2035	99	2043	<2	72	15	8	410
65730R	200047	<1	6.02	107	355	<2	<1	1.14	4	14	115	67	3.24	<0.01	16	0.73	350	24	96	565	257	1.48	17	<5	2041	95	2015	<2	67	10	8	584
65731	200048	<1	4.74	114	214	<2	<1	1.39	<4	15	136	76	2.93	0.06	13	0.94	537	28	123	449	40	1.01	10	<5	2134	99	1508	<2	61	<10	11	221
65732	200049	<1	6.75	89	415	2	<1	0.15	<4	22	188	60	2.85	<0.01	16	0.50	141	22	137	655	79	1.31	15	<5	1979	97	2457	<2	110	12	10	298
65733	200050	84	5.47	28	340	<2	2	2.84	8	16	32	104	5.02	0.19	4	1.19	861	15	24	633	11703	0.46	87	<5	1857	344	2786	<2	137	<10	15	361
65734	200051	<1	6.99	44	506	<2	<1	0.25	<4	6	54	30	1.56	<0.01	12	0.46	134	23	93	673	136	0.86	7	<5	2018	110	1867	<2	34	<10	3	170
65735	200052	<1	6.09	48	254	<2	<1	2.52	<4	5	59	21	1.64	0.02	20	1.66	490	22	81	387	64	0.71	11	<5	1866	154	1402	<2	28	<10	3	73
65736	200053	<1	6.85	30	571	<2	4	1.60	<4	7	40	6	1.44	<0.01	13	1.39	440	21	68	419	16	0.73	17	<5	1920	171	1692	<2	30	<10	2	40
65737	200054	<1	6.58	22	470	<2	<1	1.97	<4	7	57	13	1.78	0.08	13	1.75	472	23	104	405	23	0.68	10	<5	1849	175	1657	<2	29	<10	2	41
65738	200055	<1	6.60	34	473	<2	<1	1.68	<4	6	64	22	1.81	0.02	14	1.45	367	25	99	412	8	0.81	8	<5	1912	150	1673	<2	32	<10	2	40
65739	200056	<1	6.39	33	528	<2	<1	1.53	<4	7	54	17	1.57	0.05	12	1.43	348	23	95	408	6	0.68	6	<5	1846	150	1671	<2	30	<10	2	24
65740	200057	<1	6.10	33	433	<2	<1	<0.01	<4	7	49	18	1.89	<0.01	32	2.64	310	22	82	419	12	0.72	10	<5	1859	108	1283	<2	32	<10	3	135
65741D	200057	<1	5.92	27	416	<2	<1	<0.01	<4	7	43	17	1.86	<0.01	30	2.64	306	21	77	415	12	0.72	5	<5	1793	106	1257	<2	31	<10	3	92
65742	200058	<1	5.12	33	302	<2	2	<0.01	<4	4	71	18	1.45	0.03	26	1.91	315	27	105	317	13	0.55	7	<5	1976	107	923	<2	25	<10	2	61
65743	200059	<1	6.34	25	286	<2	<1	0.39	<4	7	45	18	1.82	0.07	49	2.58	505	22	68	416	28	0.64	8	<5	1899	127	1205	<2	27	<10	2	89
65744	200060	<1	4.80	6	360	<2	<1	2.52	<4	14	51	54	3.95	0.07	9	1.30	752	13	36	700	<1	0.45	12	<5	1817	346	3052	<2	119	<10	13	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:22 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65745	200061	<1	7.25	46	561	<2	<1	0.23	<4	7	52	12	1.47	<0.01	10	0.80	226	21	82	691	43	0.78	10	<5	1971	110	1444	<2	35	<10	2	77
65746	200062	<1	5.98	26	427	<2	<1	<0.01	<4	4	50	10	0.95	0.09	6	0.51	116	20	82	501	47	0.55	7	<5	1858	98	1224	<2	29	<10	2	45
65747	200063	<1	6.69	33	462	<2	<1	<0.01	<4	6	62	12	1.24	<0.01	4	0.33	<100	22	103	986	56	0.78	9	<5	1959	102	1290	<2	32	<10	3	185
65748	200064	<1	7.04	20	513	<2	<1	<0.01	<4	6	59	14	1.21	<0.01	6	0.34	<100	22	98	589	108	0.73	9	<5	1955	104	1368	<2	34	10	2	106
65749	200065	<1	6.74	43	443	<2	<1	0.34	<4	7	37	35	1.38	<0.01	15	0.53	109	17	38	1420	253	1.02	11	<5	2026	108	1282	<2	39	13	4	401
65750	200066	<1	6.74	37	452	<2	<1	0.48	<4	6	32	36	1.36	0.03	15	0.54	110	16	43	1751	206	0.85	11	<5	1957	107	1304	<2	39	11	4	612
65751	200067	22	5.15	47	287	<2	<1	0.18	27	6	32	350	1.83	<0.01	13	0.57	191	15	35	461	2599	0.96	23	8	2013	101	1103	<2	34	98	3	9627
65752D	200067	22	5.39	45	301	<2	<1	0.22	28	8	30	356	1.89	<0.01	13	0.59	199	16	36	463	2659	1.26	29	8	2020	103	1121	<2	35	102	3	9859
65753	200068	<1	6.33	27	344	<2	<1	0.42	<4	8	66	49	1.59	<0.01	14	0.65	204	21	88	586	344	0.73	5	<5	1927	113	1395	<2	47	<10	4	408
65754	200069	<1	6.99	40	307	<2	<1	1.25	4	18	163	148	3.86	<0.01	23	1.73	596	26	112	649	548	0.75	12	<5	2090	126	1849	<2	86	15	9	856
65755	200070	<1	5.28	25	484	<2	4	2.25	4	15	50	235	4.23	0.04	13	1.20	739	21	41	728	<1	0.49	12	<5	1902	354	2940	<2	116	11	13	67
65756	200071	<1	6.42	22	255	2	<1	0.82	4	21	181	62	4.28	0.03	32	2.80	692	27	130	671	91	0.63	13	<5	2051	124	2491	<2	96	<10	9	123
65757	200072	<1	5.78	14	261	2	<1	0.67	<4	20	174	64	3.89	0.04	28	2.61	586	29	148	653	86	0.55	6	<5	2075	116	2291	<2	94	<10	7	152
65758	200073	<1	5.94	63	264	<2	<1	0.52	<4	19	172	54	3.03	0.02	25	1.68	383	30	147	619	112	0.85	12	<5	1964	114	1747	<2	84	<10	8	187
65759	200074	<1	5.35	85	272	<2	1	0.41	4	15	133	51	2.96	<0.01	13	0.76	218	24	111	754	520	1.34	9	<5	1962	103	1331	<2	62	10	8	580
65760	200075	<1	5.68	44	287	<2	<1	0.35	<4	15	128	40	2.23	<0.01	14	0.84	261	16	59	623	142	0.74	7	<5	1973	107	1419	<2	75	<10	8	229
65761	200076	<1	5.48	46	258	<2	<1	0.32	<4	19	123	75	2.63	<0.01	15	1.02	333	16	59	559	122	0.85	10	<5	1943	109	1475	<2	74	<10	8	218
65762	200077	<1	5.46	52	209	<2	4	0.87	<4	17	106	31	3.19	<0.01	20	1.55	444	16	54	507	110	1.42	8	<5	1890	117	1545	<2	65	<10	7	100
65763D	200077	<1	5.12	49	197	<2	<1	0.79	<4	15	102	33	3.02	<0.01	19	1.50	429	16	55	504	105	1.23	12	<5	1865	113	1502	<2	63	<10	7	93
65764	200078	<1	5.80	80	294	2	<1	0.26	<4	21	126	78	4.09	0.07	25	2.01	500	19	75	634	146	1.16	8	<5	1988	109	1930	<2	99	<10	8	200

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:22 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65765	200079	<1	5.22	64	208	<2	<1	0.31	<4	19	117	226	3.89	0.07	27	2.18	547	15	57	564	638	1.10	9	<5	1896	112	1806	<2	92	<10	5	330
65766	200080	<1	4.35	9	338	<2	7	2.37	<4	16	49	52	3.84	0.06	12	1.25	735	11	35	677	1	0.42	9	<5	1723	336	3037	<2	116	<10	13	43
65767	200081	<1	5.66	70	129	<2	<1	1.20	9	16	109	47	3.90	0.08	27	2.52	653	16	47	585	1107	1.14	11	<5	1963	124	1779	<2	76	25	6	2332
65768	200082	<1	6.45	71	242	<2	<1	0.75	4	19	132	100	3.78	<0.01	28	2.39	575	18	57	637	146	1.22	14	<5	1980	119	1898	<2	96	<10	5	531
65769	200083	2	5.92	108	296	2	8	0.42	13	21	125	343	3.92	<0.01	12	0.59	184	15	57	732	1223	2.16	14	<5	2027	126	1264	<2	79	34	8	3201
65770	200084	<1	6.30	72	333	2	<1	0.53	<4	19	138	42	3.01	<0.01	23	1.91	367	18	56	669	92	1.08	9	<5	2003	121	1743	<2	93	<10	6	131
65771	200085	<1	4.71	79	183	<2	<1	0.43	<4	17	90	30	3.41	<0.01	26	2.79	455	21	47	630	43	1.05	9	<5	2034	105	1665	<2	70	<10	5	102
65772	200086	<1	5.21	64	214	<2	<1	0.65	<4	15	86	26	3.17	<0.01	28	2.80	460	20	40	565	46	1.01	7	<5	1980	115	1701	<2	68	<10	5	99
65773	200087	<1	5.30	28	399	<2	<1	<0.01	<4	7	48	5	1.23	<0.01	10	0.53	<100	15	19	497	51	0.93	9	<5	1972	107	1192	<2	39	<10	5	25
65774D	200087	<1	5.13	33	382	<2	<1	<0.01	<4	6	47	5	1.18	0.03	9	0.51	<100	13	17	484	49	0.92	10	<5	1947	106	1167	<2	38	<10	4	19
65775	200088	<1	5.75	48	349	<2	5	0.55	<4	9	42	15	1.80	<0.01	14	1.27	224	17	29	554	61	1.06	13	<5	1934	124	1313	<2	41	<10	4	75
65776	200089	<1	5.41	62	376	<2	<1	0.76	<4	9	41	6	1.89	<0.01	11	0.85	278	8	24	570	101	1.51	12	<5	16	124	1151	<2	38	<10	4	72
65777	200090	<1	5.66	50	257	<2	<1	1.00	6	14	26	2468	5.14	0.07	29	0.79	1108	22	22	774	64	2.06	7	5	<10	235	1186	<2	64	13	6	597
65778	200091	<1	5.55	22	424	<2	11	0.61	<4	5	19	6	1.02	0.03	11	1.00	442	9	7	447	42	0.77	7	<5	13	109	1307	<2	29	<10	4	63
65779	200092	<1	6.73	22	538	<2	<1	0.02	<4	8	4	10	0.81	<0.01	12	0.41	<100	4	7	462	27	0.70	13	6	<10	105	1684	<2	28	<10	2	39
65780	200093	<1	6.22	70	509	<2	<1	0.67	<4	6	12	146	1.00	0.03	17	0.79	277	6	7	400	209	0.67	12	<5	<10	130	1645	<2	28	18	2	759
65781	200094	<1	6.81	34	507	<2	<1	1.70	<4	6	8	13	1.42	<0.01	21	1.42	609	6	6	398	26	0.77	11	<5	<10	158	1763	<2	26	10	2	64
65782	200095	<1	6.45	68	501	<2	1	1.36	5	6	6	140	1.62	<0.01	32	1.26	633	4	6	409	278	0.99	15	<5	<10	146	1740	<2	27	14	2	1425
65783	200096	<1	6.21	36	495	<2	<1	2.03	<4	4	6	58	1.18	0.01	17	1.48	850	6	6	388	134	0.76	11	8	<10	166	1647	<2	25	17	2	969
65784	200097	<1	6.45	17	519	<2	<1	1.59	<4	5	7	25	1.34	<0.01	23	1.64	605	7	5	393	79	0.60	11	5	<10	147	1669	<2	25	<10	<2	116

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65785D	200097	<1	6.27	13	507	<2	1	1.54	<4	5	6	24	1.32	<0.01	23	1.62	594	6	7	374	78	0.58	8	<5	<10	144	1655	<2	25	<10	<2	117
65786	200098	<1	5.74	12	485	<2	<1	1.08	<4	6	5	13	1.41	<0.01	18	1.77	625	4	6	369	51	0.67	14	6	<10	147	1636	<2	24	<10	<2	277
65787	200099	<1	5.54	15	662	<2	<1	1.93	<4	6	5	28	1.44	<0.01	18	1.94	781	4	5	366	41	0.55	12	<5	<10	155	1605	<2	24	<10	2	137
65788	200100	<1	4.16	<2	331	<2	<1	2.32	<4	14	48	50	3.72	<0.01	8	1.21	723	6	35	649	<1	0.44	10	<5	<10	325	2932	<2	114	<10	12	45
65789	200101	<1	5.60	17	565	<2	<1	1.13	<4	6	1	11	1.22	0.03	17	1.23	475	2	5	368	41	0.66	8	<5	<10	147	1711	<2	25	<10	<2	663
65790	200102	<1	6.59	14	540	<2	<1	1.45	<4	6	6	8	1.29	<0.01	20	1.38	475	5	7	405	7	0.59	11	<5	11	175	1856	<2	27	<10	<2	43
65791	200103	<1	6.45	8	554	<2	<1	2.50	<4	5	6	25	1.50	0.02	19	1.71	758	4	6	419	16	0.48	9	<5	<10	193	1764	<2	26	<10	2	162
65792	200104	<1	6.62	12	597	<2	<1	2.14	<4	7	10	21	1.45	<0.01	19	1.42	617	5	7	410	15	0.48	13	<5	<10	175	1772	<2	26	<10	2	193
65793	200105	<1	6.30	16	619	<2	<1	3.73	5	5	6	25	1.71	0.02	16	2.10	1010	2	4	392	356	0.52	11	<5	<10	203	1613	<2	24	25	2	1486
65794	200106	<1	5.85	3	681	<2	2	4.57	7	5	10	34	2.20	<0.01	15	2.52	1224	6	7	358	1458	0.54	15	6	<10	204	1588	<2	23	29	3	1857
65795	200107	<1	6.21	17	504	<2	<1	3.00	<4	7	16	38	1.83	<0.01	25	1.94	941	8	16	394	14	0.60	11	10	<10	191	1739	<2	27	<10	2	233
65796R	200107	<1	6.23	23	501	<2	<1	2.86	<4	7	23	35	1.93	<0.01	26	1.97	943	3	7	387	21	0.55	9	<5	<10	184	1752	<2	27	<10	2	232
65797	200108	<1	6.63	11	563	<2	<1	3.10	<4	5	27	41	2.15	<0.01	19	2.24	1326	7	7	459	141	0.49	6	11	<10	191	1727	<2	28	<10	2	169
65798	200109	<1	4.75	12	617	<2	<1	2.50	4	5	25	121	1.91	<0.01	11	1.66	986	8	6	342	1173	0.49	12	<5	11	163	1227	<2	20	18	<2	1298
65799	200110	84	5.74	12	361	<2	<1	3.02	8	16	33	114	5.31	<0.01	5	1.25	921	11	24	653	11677	0.45	87	<5	10	356	2964	<2	145	<10	16	362
65800	200111	<1	6.80	14	641	<2	4	1.84	<4	6	10	19	1.36	<0.01	23	1.47	648	5	6	428	28	0.57	13	<5	<10	228	1811	<2	27	<10	2	46
65801	200112	<1	6.56	11	546	2	<1	2.49	<4	7	31	45	1.73	<0.01	19	1.56	734	7	7	387	59	0.52	10	9	<10	181	1649	<2	26	49	2	97
65802	200113	<1	6.43	23	705	<2	1	1.52	<4	6	28	40	1.49	<0.01	17	1.24	555	10	5	385	24	0.49	15	<5	<10	165	1778	<2	25	<10	<2	134
65803	200114	<1	8.71	4	1377	<2	<1	2.71	<4	7	23	62	2.06	<0.01	24	1.89	1032	8	9	485	72	0.42	12	<5	<10	208	2454	<2	39	10	3	88
65804	200115	5	5.14	15	769	<2	20	1.36	24	10	42	153	2.48	<0.01	19	1.43	832	11	20	1106	2402	0.88	5	<5	<10	127	1432	<2	30	97	9	7817

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65805	200116	<1	5.44	9	590	2	<1	3.43	<4	5	32	25	1.65	<0.01	13	2.51	1470	7	12	376	326	0.47	11	<5	16	176	1216	<2	26	<10	9	189
65806	200117	<1	5.55	11	280	2	<1	4.08	4	17	103	142	3.99	<0.01	17	3.13	1779	5	47	501	726	0.66	20	<5	<10	156	2377	<2	70	659	12	425
65807D	200117	<1	6.18	19	309	2	<1	4.42	4	19	113	151	4.28	<0.01	19	3.34	1894	7	51	525	799	0.59	17	<5	10	165	2494	<2	74	626	13	473
65808	200118	<1	7.46	9	465	2	<1	1.61	<4	25	185	96	4.30	<0.01	28	1.99	1200	14	68	667	39	0.52	6	<5	<10	170	3414	<2	119	21	14	107
65809	200119	<1	7.89	20	525	<2	<1	2.38	<4	11	48	30	2.74	<0.01	26	1.57	837	9	18	690	32	0.62	11	<5	<10	205	2619	<2	54	<10	5	95
65810	200120	<1	5.24	9	405	<2	<1	2.75	4	17	55	56	4.18	0.02	11	1.35	807	9	37	725	<1	0.43	8	<5	11	359	3315	<2	127	<10	13	53
65811	200121	<1	7.59	21	526	<2	<1	1.60	<4	7	15	14	1.93	<0.01	20	0.99	604	8	6	702	<1	0.75	7	10	<10	187	2511	<2	42	<10	4	38
65812	200122	<1	7.62	25	584	<2	<1	1.32	<4	8	28	4	2.00	<0.01	22	0.92	534	9	8	713	<1	0.84	<5	6	<10	169	2560	<2	42	<10	3	26
65813	200123	<1	7.68	28	582	<2	<1	1.41	<4	8	19	5	1.85	<0.01	22	0.96	551	7	7	703	<1	0.84	8	<5	<10	162	2562	<2	42	<10	3	24
65814	200124	<1	5.71	60	528	<2	<1	1.21	<4	8	25	64	2.18	<0.01	15	0.97	554	7	9	590	315	1.12	10	<5	<10	148	2033	<2	39	<10	3	451
65815	200125	2	6.39	81	552	<2	3	1.00	<4	9	57	176	2.83	<0.01	20	0.80	536	10	13	644	532	1.36	10	<5	<10	131	2258	<2	46	17	4	658
65816	200126	<1	6.66	66	588	<2	4	0.92	<4	9	39	22	2.51	<0.01	21	0.81	502	7	11	656	480	1.64	13	<5	11	132	2423	<2	48	10	4	443
65817	200127	<1	7.62	24	625	<2	<1	2.64	<4	9	12	12	2.71	<0.01	18	1.50	1329	7	8	685	42	0.64	7	<5	<10	199	2302	<2	44	16	4	99
65818D	200127	<1	7.11	20	593	<2	<1	2.49	<4	8	9	12	2.62	<0.01	17	1.45	1292	5	7	655	42	0.59	11	<5	<10	191	2233	<2	43	<10	4	97
65819	200128	<1	7.99	29	555	<2	<1	1.66	<4	8	10	19	2.08	<0.01	21	1.11	861	6	6	708	26	0.71	13	<5	<10	177	2544	<2	44	<10	4	306
65820	200129	<1	7.15	12	291	<2	<1	1.61	<4	5	18	7	1.45	<0.01	14	0.78	358	6	6	454	<1	0.43	12	<5	<10	190	1857	<2	31	<10	2	27
65821	200130	<1	5.27	21	493	<2	3	2.27	4	15	50	237	4.29	0.03	11	1.21	757	15	42	725	<1	0.46	11	<5	<10	355	2990	<2	118	11	13	59
65822	200131	<1	8.30	26	331	<2	<1	2.08	<4	7	21	15	1.73	0.04	20	1.14	685	6	8	534	28	0.53	12	17	<10	217	2111	<2	36	<10	3	74
65823	200132	<1	5.66	19	241	<2	<1	1.23	<4	4	29	8	1.27	0.02	15	0.90	538	9	5	460	28	0.59	5	<5	<10	151	1636	<2	27	<10	2	73
65824	200133	<1	5.95	46	172	<2	2	2.88	<4	10	51	35	2.47	0.02	10	1.86	1715	8	17	440	92	0.70	14	<5	<10	121	1805	<2	45	10	6	284

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65825	200134	6	6.79	50	248	<2	<1	3.57	<4	10	42	31	2.30	<0.01	13	1.84	1627	8	13	447	320	0.70	17	<5	<10	173	1831	<2	40	11	4	220
65826	200135	<1	7.02	21	353	<2	<1	1.90	<4	5	18	8	1.39	<0.01	14	1.10	755	7	7	450	51	0.58	12	<5	11	169	1816	<2	29	<10	2	40
65827	200136	<1	6.89	34	238	<2	<1	3.06	<4	7	34	16	2.07	<0.01	12	1.69	1227	9	13	443	38	0.63	14	<5	<10	181	1756	<2	32	<10	3	71
65828	200137	<1	5.81	37	303	<2	<1	0.21	<4	10	21	13	1.26	<0.01	9	0.43	224	4	12	412	80	0.96	12	<5	10	107	1749	<2	34	12	2	385
65829D	200137	<1	6.05	52	311	<2	<1	0.22	<4	10	20	13	1.32	<0.01	10	0.43	214	5	12	433	84	1.04	7	<5	<10	109	1767	<2	34	<10	2	398
65830	200138	<1	6.91	24	308	<2	<1	1.62	<4	7	21	10	1.25	0.04	13	1.10	851	7	6	467	34	0.64	15	<5	<10	153	1829	<2	29	<10	2	65
65831	200139	<1	7.45	16	295	<2	4	1.93	<4	7	26	11	1.31	0.03	16	1.22	851	9	8	479	38	0.58	5	6	<10	170	1894	<2	31	<10	2	51
65832	200140	<1	5.54	5	416	2	<1	2.82	<4	16	55	57	4.25	<0.01	11	1.38	826	9	39	748	<1	0.44	8	<5	<10	367	3376	<2	129	<10	14	57
65833	200141	2	7.01	37	251	<2	<1	1.56	<4	10	23	51	1.95	0.06	17	1.18	763	8	32	506	156	0.65	14	<5	<10	164	2170	<2	39	12	3	415
65834	200142	<1	6.94	27	253	<2	<1	1.79	<4	9	22	23	1.71	0.12	21	1.35	943	7	30	510	247	0.62	8	<5	<10	166	2132	<2	38	<10	3	182
65835	200143	<1	7.62	33	301	2	<1	1.75	<4	9	21	9	1.27	0.07	16	1.15	814	8	29	542	11	0.60	15	6	<10	164	2265	<2	40	<10	3	40
65836	200144	<1	7.46	57	229	<2	7	2.02	<4	9	18	14	1.78	0.08	14	1.35	989	5	22	531	14	0.89	14	<5	<10	188	2178	<2	38	<10	3	55
65837	200145	<1	7.47	48	304	<2	<1	0.33	<4	9	12	35	1.33	0.03	15	0.53	239	5	20	500	16	1.02	11	<5	<10	115	2156	<2	37	<10	2	101
65838	200146	<1	7.01	49	292	<2	<1	0.10	<4	9	13	40	1.32	0.01	13	0.41	156	5	21	499	40	1.04	14	<5	<10	105	1989	<2	35	<10	2	130
65839	200147	<1	7.38	68	266	<2	<1	1.25	<4	7	9	10	1.25	0.03	17	0.96	576	4	16	457	13	0.86	8	<5	<10	162	1871	<2	32	<10	2	53
65840D	200147	<1	7.34	27	263	<2	<1	1.25	<4	7	9	10	1.24	<0.01	17	0.95	573	5	15	457	16	0.86	10	<5	<10	162	1865	<2	32	<10	2	53
65841	200148	<1	8.78	66	338	<2	<1	2.26	<4	6	6	19	1.27	<0.01	20	1.43	966	4	15	454	39	0.69	12	<5	<10	194	2151	<2	35	<10	2	52
65842	200149	<1	6.36	41	261	<2	<1	0.94	<4	4	11	11	1.04	0.06	14	0.81	572	5	17	420	17	0.78	14	<5	<10	132	1671	<2	27	<10	<2	35
65843	200150	<1	5.66	55	233	<2	<1	0.94	6	13	25	2520	5.11	<0.01	29	0.78	1074	22	21	791	65	1.90	7	<5	12	237	1177	<2	62	10	6	581
65844	200151	<1	5.97	48	231	<2	<1	0.38	11	5	18	179	2.27	<0.01	11	0.56	331	5	30	406	343	1.14	20	<5	<10	113	1568	<2	27	34	<2	3045

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65845	200152	<1	6.85	25	303	<2	<1	0.41	<4	5	11	18	0.89	<0.01	12	0.58	330	5	21	458	13	0.69	10	<5	<10	113	1785	<2	29	<10	2	84
65846	200153	<1	6.86	36	291	<2	12	0.99	<4	9	13	31	1.39	0.06	15	0.88	561	6	23	461	20	0.79	8	5	<10	124	1762	<2	30	<10	2	217
65847	200154	<1	6.89	41	258	<2	3	0.62	<4	8	8	18	1.26	0.03	13	0.70	402	5	19	440	12	0.96	13	5	<10	122	1712	<2	29	<10	2	40
65848	200155	<1	6.26	50	234	<2	<1	0.03	<4	5	12	33	1.42	<0.01	10	0.38	181	4	20	415	49	1.15	12	<5	<10	99	1583	<2	28	<10	2	106
65849	200156	<1	6.77	32	249	<2	<1	0.71	<4	4	9	13	1.08	<0.01	12	0.75	479	4	18	427	16	0.86	7	<5	<10	124	1707	<2	29	<10	<2	28
65850	200157	<1	5.84	40	208	<2	<1	0.19	<4	5	11	33	1.01	<0.01	9	0.46	247	4	21	382	48	0.86	8	<5	<10	105	1520	<2	26	<10	<2	143
65851D	200157	<1	6.10	29	226	<2	1	0.24	<4	6	15	34	1.04	<0.01	9	0.48	262	5	24	390	46	0.86	10	<5	<10	107	1574	<2	27	<10	<2	140
65852	200158	<1	6.97	18	247	<2	<1	1.30	<4	5	8	10	0.87	<0.01	13	1.01	731	5	18	473	14	0.62	12	<5	<10	161	1795	<2	29	<10	<2	34
65853	200159	<1	6.06	34	266	<2	<1	<0.01	<4	5	12	25	0.97	<0.01	8	0.33	105	4	26	422	40	0.66	8	<5	<10	105	1585	<2	27	<10	<2	553
65854	200160	<1	4.64	9	354	<2	<1	2.44	<4	14	49	53	3.85	<0.01	10	1.23	738	7	35	684	<1	0.44	9	<5	<10	339	3082	<2	117	<10	12	45
65855	200161	<1	>10.00	12	565	<2	<1	1.53	<4	6	14	14	0.62	0.07	27	0.55	339	18	17	477	6	0.88	15	<5	11	186	1795	<2	30	<10	<2	21
65856	200162	<1	>10.00	24	629	<2	<1	1.97	<4	4	20	23	0.70	<0.01	31	0.56	302	22	24	494	221	1.01	11	10	<10	210	1794	<2	30	<10	<2	214
65857	200163	<1	>10.00	19	606	<2	<1	3.08	<4	4	26	11	0.90	<0.01	34	0.94	683	29	32	501	10	0.99	11	<5	<10	263	1573	<2	30	<10	<2	36
65858	200164	<1	6.25	15	105	<2	<1	0.58	<4	6	10	53	1.85	<0.01	14	1.38	963	4	20	436	11	0.53	11	<5	<10	167	1552	<2	31	<10	2	61
65859	200165	4	5.90	29	209	<2	<1	0.55	4	6	16	47	2.32	<0.01	11	0.90	680	5	26	463	1067	0.64	13	<5	<10	177	1236	<2	29	21	2	1502
65860	200166	<1	5.63	28	193	<2	<1	0.51	4	6	37	43	2.06	<0.01	11	0.91	726	9	60	460	542	0.62	10	<5	<10	174	1219	<2	30	18	2	1432
65861	200167	<1	6.34	32	119	<2	<1	0.63	<4	6	24	30	1.36	0.04	12	1.29	944	8	43	452	49	0.65	12	7	<10	192	1057	<2	30	<10	2	264
65862R	200167	<1	6.70	21	142	<2	<1	0.64	<4	7	35	14	1.59	0.05	15	1.39	1082	11	60	479	39	0.64	11	<5	<10	194	1122	<2	32	<10	2	170
65863	200168	<1	6.38	25	179	<2	<1	0.56	<4	5	38	29	1.35	0.09	12	0.77	643	10	61	455	509	0.60	14	<5	<10	179	1172	<2	31	<10	2	237
65864	200169	<1	6.42	32	245	<2	<1	0.79	<4	8	36	23	1.99	0.09	14	0.85	757	10	59	486	55	0.84	8	<5	<10	183	1610	<2	36	<10	3	130

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65865	200170	123	5.45	19	330	<2	2	2.81	8	16	30	107	4.96	0.13	5	1.17	855	10	23	620	19101	0.45	85	<5	17	343	2771	<2	135	<10	14	451
65866	200171	<1	7.31	35	326	<2	<1	0.89	<4	10	58	40	2.08	<0.01	17	0.97	1136	8	55	662	18	0.59	8	<5	<10	189	1938	<2	53	<10	5	77
65867	200172	<1	7.20	21	319	<2	<1	0.68	<4	9	44	29	1.40	0.01	15	0.63	597	12	68	545	29	0.65	10	<5	<10	179	1828	<2	40	<10	3	62
65868	200173	<1	7.07	37	348	<2	<1	0.58	<4	7	13	34	1.25	<0.01	14	0.60	514	4	17	539	54	0.90	7	<5	<10	182	1848	<2	37	<10	3	89
65869	200174	<1	7.36	19	392	<2	<1	0.98	<4	6	9	14	1.14	<0.01	16	0.76	587	4	17	564	36	0.74	9	<5	<10	203	1973	<2	36	<10	2	126
65870	200175	<1	7.09	28	370	<2	<1	0.75	<4	14	10	50	0.99	<0.01	19	0.61	455	6	26	539	34	0.63	15	<5	<10	188	2023	<2	39	<10	2	430
65871	200176	<1	6.40	30	338	<2	<1	0.75	<4	9	22	72	1.94	0.02	16	0.76	699	5	19	498	125	0.84	8	<5	<10	180	2025	<2	40	<10	3	318
65872	200177	<1	6.38	21	283	<2	<1	1.22	<4	8	22	51	2.11	0.02	17	1.08	1433	5	21	490	22	0.55	<5	<5	<10	190	2040	<2	40	<10	3	114
65873D	200177	<1	6.19	23	276	<2	<1	1.18	<4	9	21	50	2.07	<0.01	17	1.07	1452	4	21	489	30	0.58	13	<5	<10	187	2005	<2	39	<10	3	112
65874	200178	<1	6.77	7	447	<2	<1	0.74	<4	8	4	54	1.61	<0.01	15	0.60	404	4	16	551	252	0.53	11	<5	<10	180	1834	<2	28	13	2	659
65875	200179	<1	6.82	17	629	<2	<1	1.80	<4	5	6	39	1.48	<0.01	16	1.01	839	5	13	535	171	0.56	12	<5	<10	198	1755	<2	30	<10	2	308
65876	200180	<1	4.74	5	361	<2	<1	2.52	<4	16	50	54	3.94	0.03	10	1.27	756	7	36	693	<1	0.43	9	<5	10	346	3110	<2	119	<10	13	49
65877	200181	<1	5.78	28	650	<2	<1	1.16	<4	5	6	20	1.42	0.05	14	0.87	629	4	17	540	321	0.63	8	7	<10	160	1749	<2	29	12	2	983
65878	200182	<1	6.34	22	369	<2	<1	1.81	<4	5	8	24	1.43	<0.01	13	1.11	962	6	19	577	620	0.55	7	<5	<10	190	1786	<2	30	11	2	1015
65879	200183	<1	7.30	19	294	<2	4	2.16	<4	6	5	19	1.49	<0.01	17	1.18	1065	4	14	555	82	0.52	15	<5	<10	227	1926	<2	28	<10	2	708
65880	200184	<1	6.56	20	465	<2	<1	1.50	<4	5	6	12	1.44	<0.01	16	1.02	861	4	16	576	220	0.55	11	<5	<10	181	1959	<2	32	<10	2	280
65881	200185	<1	6.18	15	509	<2	<1	1.63	<4	6	7	31	1.51	<0.01	14	1.09	795	5	19	559	482	0.60	9	<5	<10	170	1781	<2	29	11	2	794
65882	200186	<1	5.86	17	500	<2	<1	1.60	<4	5	9	28	1.42	0.02	14	0.99	769	5	15	562	930	0.59	10	<5	<10	169	1800	<2	29	10	2	681
65883	200187	<1	5.98	30	511	<2	<1	0.96	4	4	5	68	1.44	<0.01	14	0.73	555	10	14	499	354	0.78	10	<5	1816	143	1858	<2	29	14	2	1234
65884D	200187	3	6.49	33	551	<2	<1	1.07	4	5	7	71	1.46	<0.01	15	0.76	585	12	17	531	361	0.74	11	<5	1895	148	1949	<2	31	21	2	1288

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65885	200188	6	4.89	89	178	<2	<1	1.03	28	8	7	112	6.26	<0.01	10	0.62	656	18	18	461	4421	2.63	31	<5	2042	151	1423	<2	26	98	2	12008
65886	200189	<1	5.79	21	269	<2	1	0.55	<4	3	6	27	1.23	<0.01	13	0.47	322	10	14	466	200	0.85	10	<5	1858	140	1746	<2	30	10	2	604
65887	200190	<1	4.77	17	444	<2	<1	2.06	<4	14	46	232	4.05	0.04	10	1.13	707	20	37	687	4	0.44	14	<5	1791	345	2835	<2	111	10	12	54
65888	200191	<1	6.20	14	282	<2	<1	0.99	<4	4	5	11	0.96	<0.01	12	0.67	497	10	13	542	48	0.67	8	<5	1869	153	1796	<2	29	<10	2	103
65889	200192	<1	6.20	35	279	<2	<1	0.81	<4	4	6	28	1.06	<0.01	12	0.61	380	12	13	519	44	0.73	6	<5	2013	161	1773	<2	28	<10	2	109
65890	200193	<1	6.92	14	337	<2	<1	1.38	<4	5	5	8	1.06	<0.01	15	0.85	560	12	15	572	14	0.62	9	<5	1932	189	1986	<2	31	<10	2	53
65891	200194	<1	6.89	16	494	<2	<1	1.45	4	8	5	27	1.50	<0.01	16	0.89	627	12	16	598	715	0.62	12	<5	1893	183	2080	<2	32	22	2	1648
65892	200195	<1	6.54	10	533	<2	<1	2.09	<4	6	18	15	1.74	<0.01	15	1.09	693	12	17	659	15	0.47	8	<5	1833	176	1977	<2	34	<10	3	62
65893	200196	<1	6.74	6	587	<2	9	2.28	<4	6	4	25	1.64	<0.01	14	1.03	605	11	16	719	<1	0.49	16	<5	1747	178	2036	<2	35	<10	4	42
65894	200197	<1	6.72	9	372	<2	<1	2.21	<4	8	9	11	1.86	<0.01	14	0.90	589	11	19	567	<1	0.51	12	<5	1863	169	2119	<2	38	<10	4	42
65895D	200197	<1	6.83	8	375	<2	<1	2.24	<4	9	11	11	1.89	<0.01	14	0.91	597	11	21	573	1	0.48	13	<5	1829	172	2143	<2	39	<10	4	43
65896	200198	<1	7.01	7	361	<2	<1	2.73	<4	8	6	12	1.99	<0.01	14	1.07	681	11	14	555	4	0.45	9	<5	1910	177	2162	<2	38	<10	4	48
65897	200199	<1	6.73	18	372	<2	<1	1.19	<4	10	17	14	1.92	<0.01	13	0.68	578	11	23	568	7	0.58	9	<5	1877	148	2217	<2	40	<10	4	89
65898	200200	<1	4.81	12	364	<2	2	2.51	<4	15	50	52	3.88	<0.01	9	1.25	743	14	34	690	<1	0.43	11	<5	1852	345	3071	<2	118	<10	13	48
65899	200201	<1	6.44	29	387	<2	<1	1.30	<4	9	8	19	1.89	<0.01	14	0.81	790	10	16	588	11	0.73	8	<5	1888	146	2033	<2	39	<10	4	135
65900	200202	<1	7.09	3	417	<2	<1	1.77	<4	8	11	9	1.91	<0.01	15	0.89	658	12	17	566	5	0.47	19	<5	1933	169	2237	<2	40	<10	4	57
65901	200203	<1	6.84	6	411	<2	<1	2.20	<4	7	6	5	1.79	<0.01	14	0.90	495	10	15	547	<1	0.47	13	<5	1869	187	2233	<2	38	<10	3	39
65902	200204	<1	7.44	7	404	<2	<1	2.27	<4	9	6	10	1.74	<0.01	16	0.85	389	10	15	600	8	0.49	9	<5	1885	227	2340	<2	40	<10	4	44
65903	200205	<1	6.25	40	523	<2	<1	1.40	<4	8	11	9	1.79	<0.01	14	0.74	410	10	17	555	45	0.80	10	<5	1827	173	2018	<2	36	<10	3	104
65904	200206	<1	6.63	41	550	<2	<1	1.46	<4	7	23	10	1.92	<0.01	16	0.74	434	14	7	538	38	0.71	7	<5	1890	177	2077	<2	37	<10	3	145

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65905	200207	<1	7.23	3	585	<2	<1	2.06	<4	9	15	7	1.83	<0.01	17	0.90	433	13	7	576	19	0.51	11	<5	1890	193	2302	<2	39	<10	3	42
65906D	200207	<1	7.34	5	593	<2	<1	2.09	<4	9	17	8	1.84	<0.01	17	0.89	434	14	7	587	17	0.51	10	<5	1906	194	2306	<2	39	<10	3	38
65907	200208	<1	6.86	12	531	<2	<1	1.61	<4	8	23	12	1.90	<0.01	20	0.84	455	13	7	561	16	0.51	9	<5	1824	183	2277	<2	38	<10	3	53
65908	200209	<1	7.61	5	602	<2	<1	1.51	<4	8	24	19	2.08	<0.01	19	0.84	488	15	9	603	34	0.47	12	<5	1944	187	2357	<2	41	<10	4	93
65909	200210	<1	5.78	53	244	<2	<1	0.99	6	14	26	2556	5.19	<0.01	29	0.80	1100	28	22	802	70	1.78	8	<5	1901	242	1204	<2	63	<10	6	595
65910	200211	<1	7.05	8	574	<2	<1	1.93	<4	9	28	20	1.99	<0.01	19	0.85	497	15	9	563	11	0.46	10	<5	1894	261	2242	<2	39	<10	3	44
65911	200212	<1	6.82	6	560	<2	<1	2.13	<4	8	23	12	1.85	<0.01	16	0.89	550	13	7	575	10	0.49	8	<5	1827	302	2143	<2	39	<10	4	39
65912	200213	<1	7.31	2	691	<2	4	1.33	<4	11	53	22	1.81	<0.01	21	0.83	499	14	21	503	5	0.44	<5	<5	1866	253	2169	<2	51	<10	4	28
65913	200214	<1	6.76	8	477	<2	<1	1.51	<4	11	66	31	2.16	<0.01	20	0.91	645	13	25	423	12	0.52	9	<5	1823	254	1819	<2	50	<10	4	71
65914	200215	<1	5.80	36	438	<2	8	0.47	<4	3	20	424	1.55	<0.01	15	0.38	384	12	6	288	448	0.73	14	<5	1892	236	1101	<2	18	13	<2	842
65915	200216	<1	6.25	16	496	<2	<1	1.10	<4	4	19	40	1.19	<0.01	14	0.66	636	12	5	330	193	0.49	9	<5	1807	292	1093	<2	17	11	<2	764
65916	200217	<1	6.66	8	488	<2	<1	1.25	<4	3	23	12	1.14	<0.01	16	0.67	675	14	4	320	37	0.47	11	<5	1835	321	1114	<2	18	<10	<2	124
65917D	200217	<1	6.45	6	471	<2	<1	1.21	<4	3	17	12	1.09	<0.01	16	0.66	687	12	5	315	38	0.51	7	<5	1771	319	1101	<2	18	<10	<2	115
65918	200218	<1	5.77	11	489	<2	<1	1.25	<4	4	24	12	0.96	<0.01	12	0.48	485	14	4	265	16	0.45	9	8	1884	303	908	<2	14	<10	<2	29
65919	200219	<1	6.44	17	541	<2	<1	1.49	<4	4	16	14	1.16	<0.01	17	0.80	796	12	5	329	24	0.44	13	<5	1760	310	1182	<2	17	<10	<2	66
65920	200220	<1	4.80	12	363	<2	<1	2.53	<4	14	51	54	3.96	<0.01	10	1.27	756	13	35	698	<1	0.42	8	<5	1795	352	3139	<2	120	<10	13	45
65921	200221	<1	6.78	6	492	<2	<1	1.23	<4	4	24	17	1.08	<0.01	14	0.65	728	13	5	326	22	0.40	13	<5	1811	265	1145	<2	18	<10	<2	54
65922	200222	<1	6.15	6	417	<2	<1	1.34	<4	4	25	12	1.11	<0.01	15	0.79	689	14	5	300	76	0.44	8	<5	1841	236	1058	<2	16	<10	<2	352
65923	200223	<1	6.56	19	566	<2	<1	1.37	<4	4	15	6	1.25	<0.01	18	1.10	843	14	4	309	74	0.50	8	<5	1882	225	1154	<2	18	<10	<2	341
65924	200224	<1	6.69	12	599	<2	<1	0.78	<4	5	18	6	1.29	<0.01	22	1.30	791	15	4	315	50	0.54	15	<5	1945	198	1217	<2	18	11	<2	519

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/02/2014
Date Completed: 05/20/2014
Job #: 201440835
Reference: TL14-356
Sample #: 239

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65925	200225	<1	5.48	24	508	<2	<1	1.37	<4	4	19	16	1.39	0.24	16	1.24	1071	16	5	335	55	0.47	9	<5	1945	212	939	<2	14	<10	2	131
65926	200226	<1	5.95	3	564	<2	<1	1.31	<4	5	20	11	1.42	0.06	20	1.41	1139	16	4	300	60	0.45	13	<5	1944	213	1064	<2	16	<10	<2	156

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2, ALAgMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, June 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/09/2014
Job #: 201441046
Reference: TL14-356
Sample #: 4

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
81005	200024	7605	7649	149545	12641	3.53%	36.06
81006	200036	9506	10029	24319	10279	3.51%	35.38
81007	200165	9262	8746	295332	16440	2.60%	24.55
81008	200166	5496	6164	133015	10511	3.68%	32.21

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14357

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, May 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/05/2014
Date Completed: 05/17/2014
Job #: 201440861
Reference: TL14-357
Sample #: 36

Acc #	Client ID	Au g/t (ppm)
68055	202501	0.008
68056	202502	0.007
68057	202503	0.010
68058	202504	0.021
68059	202505	0.020
68060	202506	0.089
68061	202507	0.221
68062	202508	0.046
68063	202509	0.974
68064	202510	4.870
68065	202510	Insufficient Sample
68066	202511	0.471
68067	202512	0.095
68068	202513	0.370
68069	202514	0.370
68070	202515	0.089
68071	202516	0.315
68072	202517	0.397
68073	202518	0.060
68074	202519	0.029
68075	202520	<0.005
68076	202520	Insufficient Sample
68077	202521	1.435
68078	202522	0.291
68079	202523	0.505

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, May 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/05/2014
Date Completed: 05/17/2014
Job #: 201440861
Reference: TL14-357
Sample #: 36

Acc #	Client ID	Au g/t (ppm)
68080	202524	0.023
68081	202525	0.014
68082	202526	0.012
68083	202527	0.084
68084	202528	0.104
68085	202529	0.064
68086	202530	0.441
68087	202530	Insufficient Sample
68088	202531	0.075
68089	202532	0.069
68090	202533	0.057
68091	202534	0.052
68092	202535	0.026
68093	202536	0.020

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, May 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/05/2014
Date Completed: 05/17/2014
Job #: 201440861
Reference: TL14-357
Sample #: 36

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.836	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/05/2014
Date Completed: 05/17/2014
Job #: 201440861
Reference: TL14-357
Sample #: 36

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68055	202501	<1	5.01	12	365	<2	<1	0.90	<4	8	30	12	1.48	0.46	15	0.69	557	4	49	475	22	0.24	<5	6	1726	217	1729	<2	40	<10	3	35
68056	202502	<1	5.12	12	500	<2	4	0.18	<4	6	38	14	1.15	0.30	17	0.50	280	5	56	478	19	0.23	<5	<5	1821	168	2022	<2	44	<10	3	33
68057	202503	<1	3.96	13	303	<2	<1	0.13	<4	5	42	7	0.71	0.26	5	0.39	224	5	66	417	21	0.19	<5	<5	1798	164	1476	<2	38	<10	3	20
68058	202504	<1	4.56	34	327	<2	3	0.54	<4	13	40	10	1.09	0.21	7	0.51	398	4	68	510	18	0.23	<5	<5	1890	175	1475	<2	40	<10	3	30
68059	202505	<1	4.37	20	381	<2	<1	0.50	<4	13	47	11	1.10	0.24	8	0.56	448	6	80	470	17	0.25	<5	<5	1834	165	1578	2	43	<10	3	137
68060	202506	<1	3.79	42	288	<2	4	0.52	<4	14	25	20	1.54	0.14	7	0.67	573	<1	45	448	20	0.40	<5	<5	1804	155	1378	<2	34	<10	3	44
68061	202507	<1	4.68	25	221	<2	<1	1.54	<4	6	27	11	1.16	0.19	9	1.00	765	<1	40	446	24	0.32	<5	<5	1746	187	1572	3	33	<10	2	23
68062	202508	<1	4.44	21	380	<2	2	0.58	<4	8	21	10	0.74	0.23	10	0.56	364	<1	31	432	31	0.30	<5	<5	1875	147	1683	4	30	<10	<2	189
68063	202509	3	3.37	33	269	<2	1	0.20	6	6	27	29	1.03	0.04	9	0.49	310	<1	33	356	643	0.40	6	<5	1863	115	1332	2	33	30	<2	2608
68064	202510	112	3.13	25	327	<2	4	2.53	8	15	33	96	4.50	0.01	<1	0.98	781	<1	23	574	17045	0.28	92	<5	1748	304	2507	<2	133	<10	13	370
68065D	202510																IS															
68066	202511	<1	3.45	27	243	<2	2	0.66	<4	6	18	23	0.93	<0.01	8	0.58	401	<1	28	408	317	0.37	<5	<5	1762	156	1527	<2	32	<10	2	161
68067	202512	<1	3.93	22	221	<2	4	0.69	<4	6	24	8	0.98	0.09	9	0.60	400	<1	36	406	31	0.35	<5	<5	1796	149	1578	<2	33	<10	2	33
68068	202513	<1	3.54	20	239	<2	3	0.62	<4	7	17	9	1.27	0.29	8	0.50	354	<1	26	402	18	0.42	<5	<5	1783	142	1516	<2	30	<10	2	21
68069	202514	<1	3.70	25	220	<2	2	0.61	<4	6	44	10	1.19	0.28	8	0.55	364	4	67	415	16	0.34	<5	<5	1668	150	1529	4	33	<10	2	21
68070	202515	<1	3.51	22	191	<2	1	0.63	<4	6	21	7	0.93	0.24	9	0.56	378	<1	32	381	18	0.31	<5	<5	1679	154	1475	3	30	<10	<2	18
68071	202516	<1	5.37	29	235	<2	5	1.41	<4	9	25	15	1.47	0.59	9	1.00	744	<1	40	544	29	0.31	<5	<5	1342	196	1842	<2	39	<10	3	72
68072	202517	<1	3.77	17	284	<2	3	1.28	<4	6	31	50	1.23	0.24	5	0.78	649	<1	44	461	176	0.25	<5	<5	1680	166	1428	<2	32	13	3	916
68073	202518	<1	4.01	19	162	<2	3	1.48	<4	5	49	22	1.24	0.51	4	0.88	760	4	68	477	24	0.26	<5	<5	1710	173	1400	<2	35	<10	3	48
68074	202519	<1	3.51	20	137	<2	<1	1.74	<4	5	35	11	1.15	0.03	4	1.03	851	1	46	506	29	0.25	<5	<5	1487	177	1431	4	33	<10	3	34

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:22 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/05/2014
Date Completed: 05/17/2014
Job #: 201440861
Reference: TL14-357
Sample #: 36

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68075	202520	<1	3.05	14	304	<2	<1	2.12	<4	14	48	48	3.44	<0.01	5	1.04	641	<1	32	619	16	0.23	<5	<5	1596	310	2603	2	111	<10	12	45
68076D	202520																IS															
68077	202521	<1	3.59	82	233	<2	4	0.12	12	6	63	84	2.16	0.21	7	0.26	123	8	82	355	914	0.69	6	<5	2016	105	1219	<2	28	37	<2	3314
68078	202522	<1	3.68	43	254	<2	<1	0.29	<4	6	50	28	1.21	0.22	12	0.56	292	5	74	347	276	0.43	<5	<5	1866	115	1419	<2	31	<10	<2	344
68079	202523	2	3.96	59	224	<2	<1	2.05	4	7	49	126	1.65	0.21	10	1.41	986	6	79	382	684	0.43	9	<5	1828	179	1325	<2	32	15	2	1228
68080	202524	<1	4.40	22	318	<2	4	1.40	<4	7	46	11	0.96	0.14	14	1.06	642	5	73	457	58	0.29	<5	<5	1815	177	1843	3	37	<10	2	59
68081	202525	<1	3.33	18	236	<2	<1	0.93	<4	6	35	6	0.71	0.48	11	0.88	452	2	56	389	30	0.25	<5	<5	1771	143	1542	<2	29	<10	<2	25
68082	202526	<1	4.37	16	260	2	1	0.98	<4	6	34	5	0.71	0.42	12	0.93	440	2	55	421	29	0.23	<5	5	1779	147	1607	2	30	<10	<2	23
68083	202527	<1	4.30	22	283	<2	2	0.16	<4	6	45	12	0.76	0.28	12	0.49	207	7	75	377	99	0.27	<5	<5	1923	96	1550	<2	31	<10	<2	41
68084	202528	<1	4.12	23	225	<2	<1	0.58	<4	6	49	17	0.86	0.35	8	0.70	343	6	88	405	48	0.29	<5	<5	1822	125	1495	<2	30	<10	<2	25
68085	202529	<1	4.50	21	287	<2	3	0.68	<4	6	45	11	0.85	0.30	12	0.76	434	5	76	427	17	0.31	<5	<5	1868	107	1607	3	33	<10	<2	17
68086	202530	<1	4.28	66	265	<2	6	1.00	7	14	30	2393	4.86	0.10	19	0.71	1032	13	22	762	76	1.51	<5	<5	1920	222	1110	2	64	12	6	610
68087D	202530																IS															
68088	202531	<1	3.93	25	240	<2	4	0.72	<4	6	33	42	1.03	0.12	9	0.78	485	2	51	390	41	0.41	<5	<5	1794	128	1463	<2	29	<10	2	166
68089	202532	<1	3.88	31	258	<2	3	0.66	<4	6	35	9	1.35	0.15	9	0.84	480	3	61	335	42	0.52	<5	<5	1776	122	1525	2	28	<10	2	267
68090	202533	<1	3.87	24	296	<2	<1	1.16	<4	7	25	13	1.24	0.45	7	0.73	469	<1	40	414	16	0.38	<5	<5	1743	133	1617	<2	31	<10	2	30
68091	202534	<1	<0.01	27	<1	<2	1	<0.01	<4	7	<1	<1	0.92	<0.01	<1	0.17	103	<1	40	351	5	0.48	<5	<5	24	10	280	<2	7	<10	2	7
68092	202535	<1	<0.01	29	<1	<2	3	<0.01	<4	9	3	4	1.00	<0.01	<1	0.59	287	<1	74	365	5	0.41	<5	<5	<10	10	505	<2	11	<10	2	18
68093	202536	<1	<0.01	31	<1	<2	1	<0.01	<4	7	10	5	1.24	<0.01	<1	0.72	382	2	75	310	5	0.53	<5	<5	<10	8	650	<2	13	<10	2	12

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 10:23 AM

TL14358

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68709	200227	<0.005
68710	200228	0.006
68711	200229	<0.005
68712	200230	4.620
68713	200231	0.006
68714	200232	<0.005
68715	200233	0.023
68716	200234	0.079
68717	200235	0.061
68718	200236	0.018
68719	200236 Dup	0.018
68720	200237	0.009
68721	200238	<0.005
68722	200239	<0.005
68723	200240	<0.005
68724	200241	<0.005
68725	200242	0.013
68726	200243	0.009
68727	200244	0.016
68728	200245	0.220
68729	200246	0.062
68730	200246 Dup	0.091
68731	200247	0.020
68732	200248	0.039
68733	200249	0.037

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68734	200250	1.546
68735	200251	0.211
68736	200252	0.017
68737	200253	0.058
68738	200254	0.011
68739	200255	0.024
68740	200256	0.090
68741	200256 Dup	0.074
68742	200257	0.020
68743	200258	0.025
68744	200259	0.096
68745	200260	<0.005
68746	200261	0.073
68747	200262	0.025
68748	200263	0.013
68749	200264	0.015
68750	200265	0.021
68751	200266	0.009
68752	200266 Dup	0.007
68753	200267	0.030
68754	200268	0.050
68755	200269	0.005
68756	200270	0.387
68757	200271	0.025
68758	200272	0.010

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68759	200273	0.025
68760	200274	0.316
68761	200275	0.674
68762	200276	0.191
68763	200276 Dup	0.173
68764	200277	0.057
68765	200278	0.017
68766	200279	0.025
68767	200280	0.207
68768	200281	0.011
68769	200282	0.015
68770	200283	0.027
68771	200284	0.011
68772	200285	0.010
68773	200286	0.007
68774	200286 Rep	0.008
68775	200287	0.009
68776	200288	0.007
68777	200289	0.011
68778	200290	4.582
68779	200291	0.017
68780	200292	0.010
68781	200293	0.039
68782	200294	0.009
68783	200295	0.023

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Andrew Oleski, Instrumentation Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68784	200296	0.008
68785	200296 Dup	0.009
68786	200297	0.018
68787	200298	0.012
68788	200299	0.019
68789	200300	<0.005
68790	200301	0.017
68791	200302	<0.005
68792	200303	0.036
68793	200304	0.029
68794	200305	0.057
68795	200306	0.065
68796	200306 Dup	0.065
68797	200307	0.024
68798	200308	0.059
68799	200309	0.016
68800	200310	1.346
68801	200311	0.007
68802	200312	0.023
68803	200313	0.063
68804	200314	0.078
68805	200315	0.029
68806	200316	0.185
68807	200316 Dup	0.200
68808	200317	0.022

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68809	200318	0.026
68810	200319	0.455
68811	200320	<0.005
68812	200321	0.098
68813	200322	0.016
68814	200323	0.009
68815	200324	0.034
68816	200325	0.024
68817	200326	0.030
68818	200326 Dup	0.028
68819	200327	0.012
68820	200328	0.018
68821	200329	0.064
68822	200330	0.327
68823	200331	0.026
68824	200332	0.139
68825	200333	0.148
68826	200334	0.312
68827	200335	0.079
68828	200336	0.090
68829	200336 Dup	0.136
68830	200337	0.016
68831	200338	0.015
68832	200339	0.482
68833	200340	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68834	200341	0.075
68835	200342	0.030
68836	200343	0.008
68837	200344	0.007
68838	200345	0.031
68839	200346	0.005
68840	200346 Rep	0.007
68841	200347	<0.005
68842	200348	<0.005
68843	200349	<0.005
68844	200350	4.771
68845	200351	0.010
68846	200352	<0.005
68847	200353	0.009
68848	200354	0.009
68849	200355	<0.005
68850	200356	0.008
68851	200356 Dup	0.009
68852	200357	0.057
68853	200358	0.015
68854	200359	0.097
68855	200360	<0.005
68856	200361	0.020
68857	200362	0.044
68858	200363	0.020

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68859	200364	0.215
68860	200365	0.286
68861	200366	1.629
68862	200366 Dup	1.414
68863	200367	0.170
68864	200368	0.118
68865	200369	0.090
68866	200370	1.566
68867	200371	0.120
68868	200372	0.007
68869	200373	0.080
68870	200374	0.026
68871	200375	0.011
68872	200376	0.220
68873	200376 Dup	0.195
68874	200377	3.347
68875	200378	0.804
68876	200379	0.041
68877	200380	<0.005
68878	200381	0.007
68879	200382	<0.005
68880	200383	<0.005
68881	200384	<0.005
68882	200385	<0.005
68883	200386	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Andrew Oleski, Instrumentation Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68884	200386 Dup	<0.005
68885	200387	0.006
68886	200388	<0.005
68887	200389	<0.005
68888	200390	0.369
68889	200391	0.007
68890	200392	0.010
68891	200393	0.067
68892	200394	0.020
68893	200395	0.123
68894	200396	0.042
68895	200396 Dup	0.024
68896	200397	0.069
68897	200398	0.070
68898	200399	0.012
68899	200400	0.006
68900	200401	0.048
68901	200402	0.016
68902	200403	0.241
68903	200404	0.172
68904	200405	0.025
68905	200406	0.039
68906	200406 Rep	0.068
68907	200407	0.028
68908	200408	0.039

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68909	200409	0.291
68910	200410	4.815
68911	200411	0.055
68912	200412	0.073
68913	200413	0.042
68914	200414	0.051
68915	200415	0.092
68916	200416	0.172
68917	200416 Dup	0.154
68918	200417	2.004
68919	200418	0.266
68920	200419	1.453
68921	200420	0.007
68922	200421	2.101
68923	200422	0.171
68924	200423	0.065
68925	200424	0.027
68926	200425	0.061
68927	200426	0.049
68928	200426 Dup	0.046
68929	200427	0.233
68930	200428	0.136
68931	200429	0.221
68932	200430	1.448
68933	200431	0.079

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68934	200432	0.188
68935	200433	0.072
68936	200434	0.061
68937	200435	0.043
68938	200436	0.156
68939	200436 Dup	0.202
68940	200437	0.253
68941	200438	0.167
68942	200439	0.044
68943	200440	<0.005
68944	200441	0.015
68945	200442	0.035
68946	200443	0.014
68947	200444	0.036
68948	200445	0.053
68949	200446	0.035
68950	200446 Dup	0.073
68951	200447	0.094
68952	200448	0.117
68953	200449	0.397
68954	200450	0.403
68955	200451	1.367
68956	200452	0.704
68957	200453	0.090
68958	200454	0.100

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Au g/t (ppm)
68959	200455	0.069
68960	200456	0.057
68961	200456 Dup	0.059
68962	200457	0.053
68963	200458	0.045
68964	200459	0.019
68965	200460	<0.005
68966	200461	0.272

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.837	0.804	0.043
GS26	0.808	0.804	0.043
GS26	0.851	0.804	0.043
GS26	0.820	0.804	0.043
GS26	0.830	0.804	0.043
GS26	0.805	0.804	0.043
GS26	0.812	0.804	0.043
OG70	0.988	1.007	0.013
GS26	0.864	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, May 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 05/26/2014
Job #: 201441051
Reference: TL14-358
Sample #: 19

Acc #	Client ID	Au g/t (ppm)
81318	200271	0.024
81319	200272	0.031
81320	200273	0.025
81321	200274	0.177
81322	200275	0.840
81323	200276	0.162
81324	200277	0.053
81325	200278	0.020
81326	200279	0.030
81327	200279 Dup	0.035
81328	200280	0.013
81329	200281	0.027
81330	200282	0.017
81331	200283	0.010
81332	200284	0.012
81333	200285	0.013
81334	200286	0.012
81335	200287	0.013
81336	200288	0.015
81337	200289	0.015
81338	200289 Dup	0.009

APPLIED SCOPES: ALFA1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:



Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, May 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 05/26/2014
Job #: 201441051
Reference: TL14-358
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALFA1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68709	200227	<1	2.76	17	303	<2	<1	1.10	<4	6	14	9	0.30	0.56	5	0.14	166	<1	18	373	19	0.42	<5	<5	1632	266	1272	<2	33	<10	<2	3
68710	200228	<1	5.31	14	415	<2	<1	1.04	<4	8	12	11	0.30	0.17	6	0.18	221	<1	21	423	17	0.44	<5	<5	1747	286	1591	<2	36	14	2	34
68711	200229	<1	1.53	16	376	<2	7	0.83	<4	7	13	21	0.30	0.66	4	0.11	111	<1	21	326	17	0.40	<5	<5	1727	275	1529	<2	42	<10	<2	35
68712	200230	124	2.56	20	327	<2	2	2.65	8	16	32	103	5.10	0.11	4	1.04	887	<1	25	601	18788	0.41	102	<5	1636	333	2813	<2	145	<10	12	341
68713	200231	<1	4.19	15	231	<2	<1	1.54	<4	7	15	13	0.40	0.17	2	0.17	233	<1	19	383	262	0.42	<5	<5	1658	272	1444	<2	36	<10	2	11
68714	200232	<1	4.24	21	318	<2	<1	0.98	<4	6	12	10	0.28	0.37	4	0.14	152	<1	19	371	39	0.42	5	<5	1792	247	1320	<2	33	<10	<2	10
68715	200233	<1	4.73	18	381	<2	3	1.27	<4	6	24	10	0.39	0.28	<1	0.13	194	<1	42	393	26	0.41	5	<5	1650	250	1270	4	35	<10	2	25
68716	200234	<1	3.49	14	595	<2	<1	0.77	<4	9	32	6	0.46	0.13	<1	0.13	209	<1	52	389	26	0.42	5	8	1624	240	1650	<2	39	<10	2	23
68717	200235	<1	4.58	21	632	<2	<1	0.63	<4	8	48	17	0.79	<0.01	3	0.20	191	<1	62	450	24	0.46	<5	<5	1577	224	1720	<2	39	<10	2	29
68718	200236	<1	4.50	25	639	<2	<1	0.37	<4	5	48	21	1.00	<0.01	2	0.21	143	<1	59	418	15	0.57	<5	6	1636	191	1547	<2	37	<10	2	33
68719D	200236	<1	4.23	29	596	<2	<1	0.32	<4	5	40	20	0.94	<0.01	2	0.19	132	<1	50	393	19	0.55	<5	9	1663	183	1461	<2	34	<10	2	31
68720	200237	<1	5.53	32	671	<2	<1	0.58	<4	11	18	10	1.74	<0.01	8	0.30	245	<1	33	450	16	0.92	<5	<5	1719	196	1863	<2	39	<10	4	205
68721	200238	<1	1.40	17	307	<2	8	0.05	<4	3	94	10	1.12	0.46	<1	0.18	138	<1	7	165	14	0.54	<5	<5	1767	134	871	<2	23	<10	<2	26
68722	200239	<1	2.45	20	654	<2	<1	2.07	<4	6	32	7	1.81	0.77	15	0.50	417	<1	7	414	19	0.72	<5	<5	1812	290	1930	<2	41	<10	2	28
68723	200240	<1	3.18	14	340	<2	7	2.30	<4	16	52	50	3.85	0.41	6	1.19	739	<1	37	654	11	0.36	5	<5	1639	332	3009	<2	121	<10	12	46
68724	200241	<1	5.16	7	592	<2	4	1.64	<4	9	42	9	2.22	0.37	15	0.72	450	<1	9	451	15	0.51	<5	<5	1680	286	1961	<2	39	<10	4	37
68725	200242	<1	4.68	22	492	<2	<1	1.94	<4	8	38	13	1.68	0.33	11	0.91	672	<1	10	495	20	0.56	<5	5	1707	167	1881	<2	36	<10	3	36
68726	200243	<1	5.69	20	631	<2	<1	2.07	<4	10	26	12	1.98	0.42	13	0.81	496	<1	9	511	18	0.62	<5	<5	1696	359	1921	<2	40	<10	4	36
68727	200244	<1	4.29	15	493	<2	<1	1.85	<4	9	45	15	2.00	0.69	9	0.73	573	<1	11	516	28	0.70	<5	<5	1613	176	1924	<2	39	<10	3	48
68728	200245	<1	4.68	33	497	<2	10	1.19	<4	8	24	15	1.84	0.32	15	0.83	590	<1	9	501	49	0.87	<5	7	1756	148	1910	<2	35	<10	4	133

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68729	200246	<1	4.28	29	446	<2	7	0.72	<4	9	36	14	1.75	0.46	13	0.76	513	<1	8	469	56	0.70	<5	<5	1668	133	1788	<2	33	<10	3	406
68730D	200246	<1	4.61	27	484	<2	4	0.79	<4	9	37	15	1.88	0.19	15	0.81	554	<1	10	499	66	0.74	5	<5	1611	138	1915	<2	35	<10	4	437
68731	200247	<1	4.80	24	480	<2	5	0.34	<4	8	28	12	1.52	0.24	15	0.64	374	<1	8	496	39	0.77	<5	6	1779	115	1963	<2	35	<10	3	130
68732	200248	<1	5.02	42	503	2	<1	0.23	<4	8	21	6	1.55	0.12	12	0.51	270	<1	8	490	37	0.88	<5	<5	1867	108	1885	<2	33	<10	3	109
68733	200249	<1	5.11	44	491	4	<1	0.50	<4	8	45	37	1.56	<0.01	11	0.45	281	<1	9	519	121	0.72	<5	5	1707	154	2043	<2	37	16	4	617
68734	200250	<1	4.83	25	515	<2	<1	2.30	4	17	54	248	4.52	0.41	11	1.26	787	<1	44	751	13	0.40	5	<5	1679	371	3160	<2	128	<10	14	71
68735	200251	<1	6.34	65	713	4	2	1.18	<4	9	40	34	1.66	0.34	15	0.68	444	<1	11	560	76	0.57	<5	<5	1776	180	2186	3	43	<10	3	114
68736	200252	<1	5.45	65	558	5	<1	1.75	<4	8	34	44	1.62	0.27	11	0.70	485	<1	7	549	76	0.68	<5	<5	1881	192	1819	<2	33	<10	4	121
68737	200253	<1	6.08	36	613	6	<1	1.36	<4	9	47	33	1.69	0.38	12	0.56	366	<1	15	459	40	0.67	<5	<5	1764	236	1841	<2	38	<10	4	54
68738	200254	<1	5.70	19	533	<2	<1	1.38	<4	8	24	13	1.36	0.20	13	0.64	294	<1	11	440	18	0.57	<5	<5	1723	237	1825	<2	36	<10	3	38
68739	200255	<1	3.82	29	470	<2	6	0.76	<4	5	26	6	0.97	0.30	7	0.34	269	<1	5	314	13	0.60	<5	<5	1637	208	1273	<2	22	<10	2	40
68740	200256	<1	5.37	47	479	<2	1	1.52	<4	6	28	8	1.18	0.21	9	0.49	1031	<1	6	323	25	0.68	<5	<5	1885	218	1385	<2	25	<10	3	49
68741D	200256	<1	5.65	56	516	<2	<1	1.65	<4	6	32	8	1.28	0.16	11	0.51	1130	<1	7	353	25	0.72	<5	<5	1857	231	1473	<2	27	<10	3	52
68742	200257	<1	4.63	83	701	<2	4	0.34	<4	8	46	21	1.49	0.25	12	0.42	351	<1	13	384	25	0.78	<5	<5	1769	199	1554	<2	32	<10	3	34
68743	200258	<1	5.52	48	552	<2	<1	0.34	<4	12	43	19	1.84	0.34	20	0.49	288	<1	19	534	18	0.92	<5	<5	1717	189	2297	<2	50	<10	4	50
68744	200259	<1	4.68	34	390	<2	5	0.55	<4	8	34	39	1.71	0.41	13	0.50	442	<1	14	452	61	0.89	<5	<5	1823	188	1752	<2	34	<10	3	718
68745	200260	<1	3.79	17	349	<2	36	2.35	<4	15	51	51	3.85	0.51	7	1.23	736	<1	36	671	10	0.39	6	<5	1710	335	3039	2	121	<10	13	54
68746	200261	<1	5.73	31	456	<2	<1	1.60	8	10	35	47	2.26	0.72	19	0.84	831	<1	14	426	45	0.78	<5	6	1809	270	2015	<2	38	22	3	1593
68747	200262	<1	5.33	22	392	<2	<1	1.05	<4	7	23	15	1.56	0.51	15	0.58	409	<1	11	392	19	0.62	5	<5	1806	241	1768	<2	31	<10	3	103
68748	200263	<1	4.15	15	361	<2	<1	1.74	<4	12	84	19	2.09	0.41	14	0.93	596	<1	21	481	31	0.59	<5	<5	1760	246	1868	<2	51	<10	5	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68749	200264	<1	3.69	10	322	<2	4	1.75	<4	12	52	55	2.36	0.54	14	0.78	558	<1	17	570	48	0.60	<5	<5	1672	237	2205	<2	55	<10	4	232
68750	200265	<1	4.09	12	304	<2	<1	1.84	<4	9	32	21	2.00	0.62	14	0.93	472	<1	7	582	33	0.53	<5	5	1744	241	2140	<2	44	<10	3	76
68751	200266	<1	1.74	9	256	<2	5	1.78	<4	10	29	24	2.03	0.58	13	0.81	478	<1	10	523	31	0.53	<5	<5	1706	228	2128	<2	44	<10	3	72
68752D	200266	<1	5.34	11	308	<2	1	2.25	<4	10	31	27	2.29	0.21	16	1.07	535	<1	10	637	31	0.57	<5	<5	1728	258	2401	<2	50	<10	4	81
68753	200267	<1	3.98	24	356	<2	5	2.09	<4	15	65	516	2.42	0.36	24	1.00	535	<1	449	525	52	0.76	<5	<5	1714	234	2222	<2	59	<10	5	164
68754	200268	<1	4.69	11	534	2	11	0.92	<4	21	130	55	3.27	0.16	20	1.28	633	<1	57	542	45	0.69	5	<5	1696	160	2469	<2	83	<10	9	133
68755	200269	<1	3.19	14	492	2	12	0.47	<4	6	58	8	1.32	0.17	12	0.97	345	<1	15	337	48	0.46	<5	<5	1691	140	1130	<2	23	<10	5	99
68756	200270	<1	1.04	56	207	<2	9	0.60	6	14	25	2441	4.97	0.12	24	0.54	1045	3	20	708	77	1.94	5	7	1659	221	1094	<2	63	10	3	619
68757	200271	<1	2.76	15	455	2	<1	1.32	<4	10	65	47	1.60	0.56	11	0.98	436	<1	23	367	34	0.55	<5	<5	1664	166	1376	<2	42	<10	4	66
68758	200272	<1	6.55	35	837	<2	<1	0.08	<4	13	23	10	1.03	0.36	13	0.56	139	<1	19	440	28	0.54	6	<5	1753	148	2010	<2	44	<10	2	102
68759	200273	<1	5.10	21	556	<2	5	<0.01	<4	9	29	11	0.79	0.44	9	0.55	154	<1	11	355	26	0.46	5	<5	1723	123	1681	<2	34	<10	2	155
68760	200274	4	3.38	32	578	<2	3	0.04	19	10	37	47	1.04	0.50	13	0.49	213	7	14	269	532	0.64	6	<5	1817	126	1612	<2	36	42	2	3920
68761	200275	7	3.09	70	368	<2	<1	3.71	18	9	43	60	2.14	0.58	6	1.57	1664	<1	12	133	856	0.96	11	<5	1595	191	1398	<2	24	51	2	4875
68762	200276	<1	4.37	88	451	<2	16	1.62	7	23	113	55	4.01	0.27	19	1.27	902	<1	48	469	349	1.68	6	6	1718	167	2471	<2	75	11	7	898
68763D	200276	<1	5.02	80	422	2	<1	1.54	6	21	106	51	3.77	0.43	18	1.27	854	<1	46	460	330	1.62	<5	<5	1726	163	2362	<2	71	12	8	837
68764	200277	<1	5.67	36	575	2	4	1.09	<4	20	77	30	2.69	0.19	23	1.09	556	<1	35	563	41	0.98	<5	<5	1782	182	2627	<2	75	<10	7	96
68765	200278	<1	4.64	32	727	2	4	0.73	<4	11	32	13	2.15	0.33	19	0.56	248	<1	12	495	25	1.03	<5	5	1586	224	2552	<2	56	<10	2	30
68766	200279	<1	4.34	29	693	<2	<1	1.18	<4	13	36	26	1.86	0.39	19	0.48	275	<1	15	530	17	0.94	<5	<5	1749	255	2319	<2	63	<10	3	28
68767	200280	<1	3.07	17	315	<2	2	2.14	<4	16	48	50	3.76	0.19	6	1.16	717	<1	35	655	5	0.40	<5	5	1494	326	2985	<2	118	<10	12	42
68768	200281	<1	4.81	28	604	<2	<1	0.88	<4	15	28	18	1.50	0.25	19	0.38	201	<1	15	599	13	0.78	<5	<5	1624	257	2196	<2	59	<10	3	18

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68769	200282	<1	4.72	38	530	<2	3	0.68	<4	11	30	9	1.01	0.58	16	0.43	189	<1	12	459	12	0.56	8	5	1656	279	1861	<2	39	<10	2	29
68770	200283	<1	4.55	31	555	<2	<1	0.85	<4	7	34	8	1.03	0.44	20	0.54	189	<1	9	388	23	0.56	<5	<5	1756	287	1818	<2	33	<10	<2	62
68771	200284	<1	3.96	28	365	<2	4	0.55	<4	7	18	5	1.56	0.74	10	0.24	108	<1	9	154	30	0.91	<5	<5	1695	251	1445	<2	27	<10	<2	90
68772	200285	<1	4.28	32	478	<2	<1	0.50	<4	7	32	5	1.31	1.02	12	0.37	146	<1	10	211	31	0.66	<5	<5	1625	257	1532	<2	28	<10	<2	203
68773	200286	<1	4.82	36	533	<2	3	0.52	<4	6	15	5	1.10	0.50	13	0.32	117	<1	9	212	40	0.75	<5	<5	1723	253	1528	<2	27	<10	<2	234
68774R	200286	<1	3.19	60	660	<2	<1	0.62	<4	8	18	46	1.33	1.07	17	0.34	155	<1	10	186	66	0.67	<5	<5	1564	286	1784	<2	33	12	<2	222
68775	200287	<1	6.38	33	709	<2	<1	1.09	<4	7	16	27	0.83	0.40	14	0.43	157	<1	9	381	29	0.53	<5	6	1719	305	1606	<2	32	10	2	390
68776	200288	<1	7.54	83	780	<2	<1	1.00	<4	22	21	54	1.89	0.37	22	0.44	170	<1	38	605	27	0.92	9	<5	1770	312	2817	<2	65	<10	4	183
68777	200289	<1	6.40	50	490	<2	3	1.40	<4	15	36	26	1.89	0.48	13	0.44	201	<1	19	340	16	0.92	<5	<5	1740	315	1918	<2	51	<10	3	39
68778	200290	120	4.28	18	297	<2	9	2.55	7	14	27	97	4.61	0.46	3	1.07	788	<1	23	575	19705	0.40	98	6	1698	329	2562	<2	129	<10	14	310
68779	200291	<1	6.19	55	593	<2	<1	0.72	<4	12	23	15	3.12	0.08	16	0.37	162	<1	15	260	37	1.62	<5	<5	1758	290	2099	4	52	<10	3	5
68780	200292	<1	4.97	44	421	<2	10	0.77	<4	10	15	18	2.39	0.31	11	0.34	147	<1	14	254	50	1.39	<5	<5	1783	269	1595	<2	40	<10	2	27
68781	200293	<1	5.12	47	573	<2	29	1.13	<4	14	23	55	1.85	0.10	13	0.51	228	<1	18	431	336	1.00	<5	<5	1734	298	1916	<2	45	<10	3	961
68782	200294	<1	5.44	50	663	<2	<1	0.97	<4	14	19	21	1.58	0.18	18	0.41	178	<1	18	360	28	0.93	<5	7	1781	314	2093	<2	48	<10	3	35
68783	200295	<1	5.61	53	553	<2	<1	1.26	<4	18	26	17	2.22	<0.01	9	0.32	173	<1	26	253	35	1.28	<5	<5	1728	343	1581	<2	35	<10	2	466
68784	200296	<1	5.77	36	559	<2	<1	0.89	<4	11	39	17	1.80	0.06	13	0.34	154	<1	14	283	22	0.96	<5	<5	1656	342	1815	<2	47	<10	2	20
68785D	200296	<1	4.87	32	571	<2	4	0.89	<4	10	40	17	1.82	<0.01	13	0.31	154	<1	15	271	28	1.00	<5	<5	1698	343	1819	<2	47	<10	2	23
68786	200297	<1	4.01	43	653	<2	<1	0.61	<4	15	31	12	2.70	0.48	15	0.27	138	<1	23	228	21	1.33	<5	<5	1608	343	2015	<2	48	<10	2	22
68787	200298	<1	4.08	44	348	<2	6	1.07	<4	9	43	17	3.00	0.90	11	0.39	183	<1	13	177	21	1.25	6	<5	1683	367	1580	<2	41	<10	2	10
68788	200299	<1	5.47	42	437	<2	3	0.89	<4	20	26	9	3.47	0.92	15	0.45	185	<1	27	142	26	1.30	<5	<5	1674	343	1714	<2	36	<10	2	214

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68789	200300	<1	3.71	15	329	<2	6	2.26	<4	16	49	50	3.71	0.62	7	1.17	699	<1	34	633	9	0.38	6	<5	1678	332	2922	<2	115	<10	12	39
68790	200301	<1	3.49	44	496	<2	<1	0.95	4	23	34	22	4.92	0.24	12	0.29	168	<1	30	145	27	1.90	6	<5	1561	373	1679	<2	37	<10	<2	57
68791	200302	<1	5.12	14	444	<2	<1	1.80	<4	8	35	19	1.48	0.40	15	0.82	442	<1	8	569	15	0.44	<5	7	1609	366	1891	<2	43	<10	3	47
68792	200303	<1	4.35	32	515	<2	2	1.45	<4	9	37	14	2.01	0.54	18	0.69	602	<1	8	509	27	0.66	<5	<5	1644	357	2059	<2	43	<10	3	49
68793	200304	<1	5.22	11	414	<2	<1	1.45	<4	7	40	15	2.01	0.17	16	0.71	625	<1	58	480	14	0.54	<5	<5	1742	295	1913	<2	40	<10	3	33
68794	200305	<1	4.80	30	442	<2	<1	0.97	<4	6	47	32	1.70	0.36	17	0.51	450	<1	54	454	148	0.56	<5	<5	1709	261	1786	<2	36	<10	3	214
68795	200306	<1	5.89	31	541	<2	<1	1.42	4	9	60	47	2.14	0.58	19	0.62	567	<1	76	567	306	0.63	<5	<5	1633	306	2090	<2	43	14	4	1227
68796D	200306	<1	5.25	24	467	<2	<1	1.21	<4	7	37	41	1.81	0.11	16	0.55	485	<1	60	514	257	0.61	5	<5	1743	275	1822	<2	37	15	3	1048
68797	200307	<1	5.27	25	443	<2	1	1.66	<4	7	31	11	1.92	0.18	11	0.67	608	<1	60	494	7	0.65	<5	<5	1696	299	1794	<2	37	<10	3	21
68798	200308	<1	4.84	19	398	<2	7	1.08	<4	7	31	11	1.69	0.24	13	0.51	445	<1	63	457	10	0.61	<5	7	1812	241	1720	<2	35	<10	3	35
68799	200309	<1	4.42	15	479	<2	<1	1.54	<4	8	10	11	1.88	0.70	15	0.54	442	<1	25	467	9	0.51	<5	<5	1744	273	2109	<2	40	<10	3	26
68800	200310	<1	3.56	27	429	<2	<1	1.92	<4	15	46	221	3.99	0.75	9	1.07	689	<1	39	642	11	0.40	5	<5	1610	338	2768	<2	112	<10	12	54
68801	200311	<1	3.84	12	456	<2	4	2.16	<4	10	10	21	1.80	0.67	14	0.80	488	<1	22	447	7	0.45	<5	<5	1846	286	1999	<2	37	<10	3	34
68802	200312	<1	4.96	14	549	<2	15	1.49	<4	10	10	15	1.91	0.44	16	0.77	403	<1	19	519	14	0.61	6	<5	1784	269	2091	<2	42	<10	3	37
68803	200313	<1	4.90	30	549	<2	<1	0.47	<4	8	19	14	1.08	0.38	8	0.41	233	<1	24	455	33	0.65	5	<5	1908	204	1598	<2	39	<10	2	111
68804	200314	<1	4.27	28	423	<2	<1	1.13	<4	9	9	9	1.22	0.56	9	0.45	240	<1	21	465	24	0.61	<5	<5	1824	302	1271	<2	38	<10	2	39
68805	200315	<1	6.10	15	422	<2	7	1.30	<4	8	10	15	1.91	0.24	15	0.70	479	<1	22	541	23	0.58	<5	8	1847	256	1758	<2	41	<10	3	94
68806	200316	<1	6.09	31	438	<2	2	0.43	<4	10	7	10	1.62	0.01	9	0.45	356	<1	20	531	22	0.73	5	<5	1847	207	1286	<2	38	<10	3	59
68807D	200316	<1	5.89	27	425	<2	<1	0.46	<4	9	6	10	1.51	<0.01	9	0.42	342	<1	18	506	21	0.74	6	<5	1976	201	1204	<2	36	<10	3	52
68808	200317	<1	4.54	22	419	<2	6	1.41	<4	6	20	8	1.31	<0.01	11	0.72	413	<1	29	402	24	0.70	<5	<5	1862	172	1504	<2	31	<10	2	30

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68809	200318	<1	5.48	19	599	<2	<1	2.00	<4	7	18	30	1.87	<0.01	11	0.73	464	<1	37	741	31	0.69	<5	<5	1717	204	2093	<2	43	<10	3	50
68810	200319	<1	2.27	40	384	<2	<1	0.12	4	7	21	100	1.38	0.67	10	0.33	165	<1	35	464	229	0.76	<5	8	1882	127	1604	<2	31	11	2	1165
68811	200320	<1	3.11	9	284	<2	4	2.00	<4	14	44	45	3.39	0.83	6	1.07	639	<1	31	585	6	0.37	<5	<5	1633	303	2671	<2	106	<10	11	35
68812	200321	<1	3.78	38	419	2	4	0.18	<4	9	17	16	1.09	1.00	16	0.54	308	<1	35	540	51	0.58	<5	6	1773	115	2025	<2	37	<10	2	71
68813	200322	<1	4.93	19	379	<2	<1	0.24	<4	9	52	13	1.28	0.41	28	1.25	747	<1	88	582	18	0.41	<5	<5	1720	115	1767	<2	33	<10	4	113
68814	200323	<1	4.78	16	380	2	7	0.26	<4	8	45	12	1.23	0.52	18	0.71	454	<1	82	621	36	0.43	<5	<5	1607	112	1890	<2	34	<10	2	118
68815	200324	<1	6.08	22	474	<2	<1	<0.01	<4	9	37	12	1.14	0.24	14	0.52	268	<1	76	558	40	0.51	6	<5	1781	99	2039	<2	35	<10	2	64
68816	200325	<1	5.24	20	415	2	<1	0.55	<4	10	77	18	1.54	0.42	16	0.95	646	3	131	485	423	0.51	<5	<5	1651	127	1896	<2	37	<10	2	65
68817	200326	<1	3.69	18	349	<2	5	0.50	<4	10	51	23	1.36	0.55	13	0.88	717	<1	84	430	127	0.54	<5	<5	1809	118	1586	<2	29	<10	2	180
68818D	200326	<1	4.36	15	330	<2	<1	0.52	<4	9	50	21	1.26	0.23	12	0.85	641	<1	83	417	108	0.54	<5	<5	1904	118	1468	<2	27	<10	2	164
68819	200327	<1	5.10	14	371	2	4	1.16	<4	8	50	7	1.16	0.35	17	1.08	645	<1	85	489	30	0.53	5	8	1807	162	1765	<2	32	<10	2	34
68820	200328	<1	7.03	18	397	2	6	1.75	<4	10	37	22	1.39	0.08	20	1.16	630	<1	72	606	35	0.52	<5	<5	1595	219	2290	<2	40	<10	3	150
68821	200329	<1	5.73	22	320	<2	4	0.90	<4	7	27	18	1.24	<0.01	12	0.63	567	<1	60	504	28	0.58	<5	<5	1667	187	1696	<2	32	<10	2	36
68822	200330	<1	2.83	54	202	<2	9	0.74	6	13	23	2213	4.59	0.77	23	0.60	965	2	20	649	74	1.64	<5	8	1860	217	1046	<2	58	<10	4	538
68823	200331	<1	5.73	22	386	<2	<1	0.87	<4	10	30	22	1.33	0.71	12	0.63	551	<1	63	507	40	0.53	<5	<5	1699	185	1775	<2	35	<10	3	38
68824	200332	<1	5.45	30	407	<2	5	0.31	<4	13	29	77	1.49	0.64	14	0.52	360	<1	64	533	717	0.67	10	<5	1644	168	1932	<2	32	16	2	1105
68825	200333	<1	5.27	29	311	<2	<1	0.13	<4	7	24	24	1.05	0.55	11	0.36	255	<1	58	487	81	0.60	5	<5	1753	156	1702	<2	30	<10	2	32
68826	200334	<1	4.74	31	357	<2	5	0.24	<4	5	51	18	1.29	0.44	10	0.48	362	<1	90	454	106	0.62	<5	<5	1733	148	1753	<2	34	<10	2	118
68827	200335	<1	5.72	30	366	<2	<1	1.49	<4	8	62	26	1.78	0.48	12	0.90	883	2	109	539	33	0.58	5	<5	1776	213	1714	<2	38	<10	4	43
68828	200336	<1	4.17	15	271	<2	9	0.83	<4	6	30	18	1.59	0.57	10	0.50	627	<1	52	398	18	0.47	<5	<5	1659	180	1611	<2	35	<10	2	37

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68829D	200336	<1	5.31	8	300	<2	12	0.98	<4	6	33	19	1.65	0.49	11	0.53	649	<1	56	441	20	0.50	5	<5	1735	189	1687	<2	37	<10	3	36
68830	200337	<1	5.69	19	317	2	8	1.49	<4	11	68	23	2.37	0.75	22	1.43	568	<1	105	528	27	0.51	<5	<5	1622	223	2277	<2	49	<10	5	92
68831	200338	<1	5.38	13	287	<2	<1	1.34	<4	9	57	22	2.08	0.29	18	1.13	523	<1	85	471	33	0.51	5	8	1686	227	1930	<2	43	<10	4	69
68832	200339	<1	4.84	36	312	<2	4	0.49	<4	8	57	21	2.11	0.02	11	0.43	272	<1	95	431	62	0.94	<5	<5	1655	172	1598	<2	33	<10	3	173
68833	200340	<1	3.91	15	340	<2	2	2.35	<4	16	51	53	3.96	0.04	8	1.25	745	<1	38	674	9	0.41	5	<5	1530	348	3077	<2	124	<10	13	46
68834	200341	<1	4.79	35	330	<2	<1	1.30	<4	7	44	19	2.01	0.53	12	0.69	856	<1	78	495	36	0.65	5	<5	1623	229	1701	<2	38	<10	3	59
68835	200342	<1	2.98	27	253	2	<1	1.07	<4	5	25	10	1.72	0.32	12	0.44	562	<1	47	380	31	0.67	<5	<5	1705	238	1673	<2	36	<10	2	65
68836	200343	<1	5.52	20	458	<2	<1	0.88	<4	5	41	14	1.61	0.44	11	0.42	405	<1	75	505	23	0.49	<5	<5	1561	222	1786	<2	38	<10	3	56
68837	200344	<1	5.30	19	440	<2	6	1.36	<4	10	35	28	1.72	0.46	16	0.53	513	<1	57	481	13	0.48	5	<5	1770	249	1920	<2	42	<10	3	111
68838	200345	<1	4.63	30	352	<2	5	1.24	<4	12	33	16	2.32	0.50	12	0.43	303	<1	63	446	17	1.00	<5	<5	1634	244	1707	<2	38	<10	3	169
68839	200346	<1	5.01	35	355	<2	6	1.29	<4	10	40	35	1.88	0.97	10	0.46	318	<1	78	471	26	0.73	6	<5	1617	244	1647	<2	36	<10	3	181
68840R	200346	<1	6.03	36	408	<2	8	1.52	<4	11	35	18	2.06	0.32	12	0.51	351	<1	66	501	19	0.80	5	<5	1640	266	1815	<2	39	<10	3	60
68841	200347	<1	4.30	10	320	<2	5	1.09	<4	5	20	10	0.89	0.54	10	0.30	183	<1	31	404	19	0.45	<5	<5	1694	240	1351	<2	30	<10	2	30
68842	200348	<1	5.19	28	399	<2	<1	1.15	<4	11	36	11	1.77	0.65	12	0.33	173	<1	67	464	17	0.80	<5	<5	1704	258	1665	<2	39	<10	3	85
68843	200349	<1	5.74	19	333	<2	<1	1.11	<4	7	34	9	1.14	0.40	13	0.39	144	<1	63	479	14	0.50	<5	<5	1646	255	1571	<2	39	<10	3	24
68844	200350	127	4.80	18	340	<2	<1	2.82	8	17	31	103	5.11	0.29	4	1.17	859	<1	25	618	19917	0.44	106	<5	1681	354	2819	<2	143	10	15	325
68845	200351	<1	5.55	17	313	<2	<1	1.06	<4	11	29	14	2.07	0.33	14	0.50	162	<1	57	465	94	0.98	6	8	1626	254	1666	<2	40	<10	3	170
68846	200352	<1	5.97	9	355	<2	1	0.94	<4	7	24	6	0.76	0.29	15	0.56	169	<1	42	477	23	0.42	<5	<5	1638	243	1730	<2	39	<10	2	25
68847	200353	<1	5.50	11	335	<2	7	0.75	<4	9	25	8	1.26	0.29	14	0.51	206	<1	42	483	15	0.59	<5	<5	1631	247	1867	<2	45	<10	3	39
68848	200354	<1	5.64	19	273	<2	7	1.69	<4	12	22	20	1.78	0.27	15	0.95	478	<1	37	498	17	0.72	<5	<5	1729	275	1924	<2	41	<10	3	65

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68849	200355	<1	6.37	21	301	<2	<1	1.40	<4	23	28	17	1.58	0.13	21	0.89	319	<1	68	572	23	0.52	<5	5	1649	300	2261	<2	46	10	3	395
68850	200356	<1	6.80	23	370	<2	<1	1.63	<4	10	34	32	1.34	0.10	16	1.03	384	<1	68	751	21	0.65	<5	<5	1714	260	2248	<2	42	<10	3	40
68851D	200356	<1	6.45	17	364	<2	1	1.62	<4	9	34	31	1.35	0.51	17	1.03	386	<1	67	742	20	0.58	<5	<5	1713	259	2227	<2	42	<10	3	44
68852	200357	2	6.49	25	439	<2	4	0.27	<4	6	24	14	1.29	0.64	12	0.54	242	<1	49	484	28	0.73	<5	<5	1872	145	1869	<2	36	<10	3	71
68853	200358	<1	5.65	25	318	2	5	0.76	<4	5	35	8	1.30	0.82	10	0.81	750	<1	71	424	27	0.60	<5	<5	1707	160	1626	<2	33	<10	2	31
68854	200359	<1	4.77	21	274	<2	3	<0.01	<4	4	32	11	0.89	0.30	7	0.33	185	<1	60	357	15	0.50	<5	<5	1829	102	1482	<2	29	<10	<2	43
68855	200360	<1	5.27	15	415	2	9	2.51	4	17	64	56	4.21	0.70	11	1.38	909	<1	59	753	15	0.45	<5	<5	1489	360	3356	<2	127	<10	13	56
68856	200361	<1	4.48	27	205	<2	24	0.46	<4	3	33	11	0.91	0.29	8	0.54	474	<1	62	331	23	0.59	<5	7	1991	132	1145	<2	24	<10	<2	26
68857	200362	<1	5.68	35	287	<2	<1	0.30	<4	5	54	14	1.50	0.13	9	0.61	514	<1	106	428	24	0.70	<5	<5	1678	121	1535	<2	33	<10	2	44
68858	200363	<1	5.95	21	261	<2	7	1.40	<4	5	47	20	1.39	0.26	11	1.09	986	<1	92	452	37	0.54	5	<5	1728	146	1438	<2	32	<10	2	51
68859	200364	<1	5.73	38	227	<2	4	<0.01	<4	6	69	17	1.62	0.12	10	0.63	426	2	129	442	47	0.73	5	6	1673	106	1551	<2	34	<10	2	98
68860	200365	6	5.22	38	189	<2	1	<0.01	<4	5	49	54	1.16	0.28	8	0.32	<100	<1	91	388	179	0.67	6	<5	1865	103	1312	<2	29	<10	2	383
68861	200366	30	5.16	47	173	<2	<1	<0.01	<4	5	51	94	1.08	0.21	8	0.33	<100	<1	93	398	391	0.62	22	<5	1741	103	1327	<2	30	<10	2	390
68862D	200366	31	5.61	52	193	<2	<1	<0.01	<4	6	48	99	1.11	0.21	9	0.35	<100	<1	88	422	410	0.64	22	11	1735	107	1384	<2	31	<10	2	411
68863	200367	6	5.42	28	174	<2	<1	<0.01	<4	5	61	32	1.08	0.44	7	0.31	<100	<1	93	405	195	0.55	14	<5	1843	104	1265	<2	30	<10	2	612
68864	200368	3	4.92	38	166	<2	<1	<0.01	<4	5	45	33	0.98	0.54	7	0.28	<100	<1	67	385	103	0.57	10	<5	1801	100	1195	<2	31	<10	2	197
68865	200369	2	4.91	32	208	<2	3	<0.01	<4	5	27	27	0.95	0.58	6	0.26	<100	<1	6	358	67	0.51	7	<5	1711	97	1315	<2	28	<10	2	217
68866	200370	<1	3.76	27	424	<2	6	1.92	<4	15	46	220	3.99	0.76	9	1.08	678	<1	37	636	10	0.41	<5	<5	1571	343	2727	<2	112	<10	12	52
68867	200371	3	5.77	21	277	<2	5	0.65	<4	6	41	15	1.32	0.59	10	0.68	483	<1	7	445	44	0.51	5	<5	1722	122	1740	<2	32	<10	2	60
68868	200372	<1	5.81	9	241	<2	<1	1.71	<4	6	32	10	1.69	0.58	15	1.02	736	<1	7	458	32	0.44	<5	<5	1717	142	1820	<2	31	<10	2	34

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68869	200373	4	5.88	37	197	2	2	1.45	<4	6	30	11	1.86	0.34	14	0.81	675	<1	7	423	31	0.61	<5	5	1731	148	1671	2	29	<10	2	140
68870	200374	<1	7.79	60	281	<2	<1	0.74	<4	7	12	10	1.89	0.27	15	0.56	576	<1	8	555	28	0.93	<5	<5	1888	140	2146	<2	37	<10	3	188
68871	200375	<1	4.96	23	135	2	2	1.79	<4	4	21	7	1.54	0.43	12	0.93	919	<1	5	390	21	0.52	<5	<5	1693	139	1503	<2	26	<10	2	36
68872	200376	40	5.46	23	139	<2	4	0.95	<4	5	23	35	1.88	0.28	11	0.67	628	<1	6	436	105	0.71	<5	<5	1669	128	1647	<2	31	<10	2	283
68873D	200376	46	5.86	25	150	<2	<1	1.02	<4	7	26	36	1.97	0.09	12	0.69	650	<1	6	443	115	0.72	<5	<5	1691	132	1724	<2	32	<10	2	304
68874	200377	<1	6.11	14	143	<2	5	2.98	<4	22	136	51	3.92	0.03	20	1.45	924	<1	58	562	24	0.63	<5	<5	1791	170	2785	<2	88	<10	10	71
68875	200378	<1	5.98	20	157	<2	11	3.10	<4	23	144	40	3.57	0.62	16	1.37	753	<1	64	567	26	0.43	8	<5	1726	183	2808	<2	88	<10	9	55
68876	200379	<1	5.72	12	195	2	3	2.00	<4	23	143	47	3.40	0.67	19	1.10	548	<1	56	537	24	0.48	5	<5	1797	173	2854	<2	94	<10	11	70
68877	200380	<1	3.73	8	323	<2	<1	2.26	<4	15	50	50	3.76	0.52	7	1.19	705	<1	35	645	6	0.36	7	<5	1622	331	2910	<2	116	<10	12	43
68878	200381	<1	5.93	26	384	<2	<1	1.10	<4	10	58	31	1.57	0.54	15	0.59	292	<1	19	640	18	0.45	<5	<5	1599	214	2321	<2	59	<10	5	31
68879	200382	<1	5.89	12	364	<2	<1	2.40	<4	7	26	16	1.23	0.42	13	0.71	534	<1	6	609	10	0.40	<5	9	1692	273	1949	<2	37	<10	3	10
68880	200383	<1	5.50	15	362	<2	<1	2.05	<4	11	29	14	1.47	0.53	13	0.62	335	<1	12	602	13	0.45	5	<5	1621	274	1930	<2	41	<10	3	21
68881	200384	<1	5.15	51	359	<2	<1	2.25	<4	12	16	19	1.40	0.49	11	0.37	288	<1	10	606	14	0.62	<5	<5	1643	313	1695	<2	42	<10	3	14
68882	200385	<1	5.25	61	356	<2	<1	1.98	<4	12	22	8	1.24	0.41	11	0.34	341	<1	9	603	12	0.63	<5	5	1643	260	1965	<2	38	<10	3	17
68883	200386	<1	5.96	55	507	<2	2	1.22	<4	12	17	11	0.99	0.19	15	0.33	231	<1	11	633	13	0.60	<5	<5	1674	275	2077	<2	39	<10	2	15
68884D	200386	<1	6.90	58	556	<2	<1	1.39	<4	13	21	12	1.06	0.02	17	0.35	245	<1	11	682	16	0.62	<5	<5	1739	290	2191	<2	42	<10	3	20
68885	200387	<1	6.53	66	503	<2	5	1.90	<4	13	25	25	1.60	0.02	15	0.69	470	<1	14	653	12	0.77	<5	<5	1710	245	2186	<2	43	<10	3	12
68886	200388	<1	6.80	46	479	<2	<1	2.07	<4	9	25	11	1.39	<0.01	13	0.44	360	<1	9	662	15	0.82	9	<5	1776	246	1962	<2	40	<10	3	23
68887	200389	<1	6.12	38	481	<2	7	1.44	<4	9	31	8	1.45	0.61	16	0.74	417	<1	7	630	11	0.63	<5	6	1710	228	2139	<2	40	<10	3	19
68888	200390	<1	5.83	63	271	<2	<1	1.04	7	15	28	2725	5.53	0.40	30	0.82	1140	4	23	819	86	1.86	5	<5	1827	255	1231	<2	69	<10	7	637

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68889	200391	<1	5.46	41	512	2	<1	2.21	<4	13	33	21	1.28	0.77	16	1.21	496	<1	14	651	14	0.54	<5	<5	1632	265	2147	<2	45	<10	3	19
68890	200392	<1	6.01	50	568	2	<1	1.81	<4	13	25	18	1.37	0.98	13	1.02	418	<1	13	663	14	0.62	<5	<5	1676	277	2114	<2	46	<10	3	56
68891	200393	<1	6.47	55	599	<2	<1	0.93	<4	10	36	28	1.71	0.50	13	0.72	387	<1	11	663	15	0.80	<5	<5	1698	216	2182	<2	43	<10	3	168
68892	200394	<1	5.68	50	520	<2	<1	1.21	<4	8	22	8	1.68	0.65	14	0.83	402	<1	9	580	16	0.84	<5	<5	1755	196	1913	<2	37	<10	3	17
68893	200395	<1	5.98	74	496	2	7	1.52	<4	21	134	48	3.64	0.20	18	0.98	631	<1	52	518	39	1.54	<5	<5	1775	201	2586	<2	92	<10	10	108
68894	200396	<1	5.29	12	361	2	<1	2.07	<4	21	149	57	3.62	0.22	18	1.23	531	<1	51	580	34	0.93	5	<5	1796	217	2676	<2	99	<10	11	115
68895D	200396	<1	4.64	21	362	2	<1	2.07	<4	20	159	61	3.82	0.14	18	1.24	563	<1	56	598	36	0.95	<5	<5	1653	219	2773	<2	104	<10	11	123
68896	200397	<1	5.83	26	629	2	9	0.54	<4	24	181	63	3.19	0.09	19	0.75	317	<1	57	557	174	1.09	<5	<5	1573	169	2990	<2	122	<10	12	72
68897	200398	<1	5.13	23	779	<2	<1	0.14	<4	9	49	12	1.66	0.34	14	0.48	181	<1	11	585	17	0.76	<5	<5	1592	142	2157	<2	46	<10	4	34
68898	200399	<1	5.19	19	528	2	<1	1.71	<4	9	31	14	1.89	0.14	15	0.97	489	<1	10	593	13	0.72	<5	<5	1643	219	2096	<2	41	<10	3	32
68899	200400	<1	2.32	12	304	<2	<1	2.07	<4	14	46	48	3.55	0.33	7	1.05	668	<1	32	590	6	0.40	<5	<5	1612	318	2786	<2	111	<10	10	44
68900	200401	<1	5.65	45	382	2	<1	1.47	<4	24	165	53	3.54	0.22	15	0.92	523	<1	73	606	24	1.31	<5	<5	1676	210	2778	<2	105	<10	12	54
68901	200402	<1	5.04	27	430	2	<1	1.59	<4	8	25	8	2.06	0.28	15	0.99	498	<1	10	546	15	0.91	<5	<5	1712	198	1908	<2	41	<10	4	39
68902	200403	<1	5.79	37	504	<2	<1	0.77	<4	13	75	7	2.35	0.20	15	0.75	396	<1	25	616	37	0.86	<5	<5	1608	173	2347	<2	61	<10	6	75
68903	200404	<1	5.90	33	650	2	<1	0.81	<4	15	104	13	2.67	0.42	15	0.65	359	<1	40	709	68	1.03	<5	<5	1643	202	2875	<2	85	<10	7	91
68904	200405	<1	5.63	35	437	2	<1	1.38	<4	8	19	57	1.60	0.14	15	0.72	364	<1	7	593	92	0.63	<5	<5	1687	200	1968	<2	39	<10	3	274
68905	200406	<1	5.84	29	415	2	<1	1.84	<4	9	32	54	1.93	0.24	15	0.85	471	<1	8	638	69	0.59	<5	<5	1650	240	2145	<2	42	<10	3	164
68906R	200406	<1	6.29	16	472	2	<1	1.32	<4	9	18	54	1.60	0.25	16	0.69	331	<1	7	614	181	0.58	<5	<5	1664	201	2090	<2	40	<10	3	373
68907	200407	<1	6.18	30	408	<2	7	1.32	<4	8	11	31	1.70	0.24	16	0.67	305	<1	7	633	27	0.69	<5	9	1688	199	1971	<2	40	<10	3	82
68908	200408	<1	6.36	19	418	<2	6	2.48	<4	8	21	11	1.94	0.46	16	0.84	523	<1	9	620	19	0.50	<5	<5	1718	229	1888	<2	38	<10	3	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68909	200409	<1	5.84	20	386	2	4	1.65	<4	8	20	6	1.61	0.27	13	0.57	471	<1	7	586	26	0.47	<5	<5	1745	207	1747	<2	36	<10	3	78
68910	200410	125	4.55	21	297	<2	<1	2.56	7	15	27	97	4.68	0.32	3	1.08	782	<1	22	580	18740	0.44	98	<5	1662	335	2579	<2	130	<10	14	297
68911	200411	<1	5.89	17	435	<2	3	2.16	<4	8	15	5	1.89	0.17	15	0.75	630	<1	7	653	55	0.53	<5	5	1644	229	1893	<2	39	<10	3	37
68912	200412	<1	4.59	16	338	<2	5	1.99	<4	8	14	5	1.84	0.20	10	0.66	652	<1	8	551	21	0.67	<5	7	1620	225	1542	<2	35	<10	3	49
68913	200413	<1	4.33	12	360	<2	<1	2.17	<4	7	24	5	1.87	0.18	10	0.74	615	<1	9	577	17	0.63	<5	<5	1666	228	1524	<2	34	<10	3	40
68914	200414	<1	5.09	16	419	<2	<1	1.54	<4	7	14	3	1.54	0.01	12	0.67	419	<1	8	572	16	0.60	<5	<5	1680	204	1533	<2	34	<10	3	29
68915	200415	<1	6.08	31	165	2	<1	2.55	4	20	158	55	4.07	0.12	15	2.19	877	<1	61	545	26	0.88	5	<5	1749	155	1987	<2	90	56	9	277
68916	200416	<1	5.88	55	469	2	<1	1.21	<4	24	166	54	3.74	0.42	18	1.45	667	<1	70	592	50	1.14	<5	<5	1738	147	2567	<2	128	<10	8	218
68917D	200416	<1	6.57	57	484	3	10	1.29	<4	26	170	56	3.80	0.47	19	1.51	675	<1	72	598	45	1.09	<5	<5	1856	151	2614	<2	129	<10	9	225
68918	200417	2	4.86	61	378	2	3	0.52	6	8	56	631	2.36	0.57	10	0.75	422	<1	11	530	703	0.88	7	<5	1578	111	1877	<2	42	20	3	1450
68919	200418	<1	5.52	70	440	<2	2	0.17	<4	9	35	29	2.00	0.45	11	0.56	321	<1	10	521	96	0.95	<5	<5	1750	94	1887	<2	38	<10	3	329
68920	200419	10	4.81	69	405	<2	5	0.26	12	8	63	155	2.51	0.25	11	0.60	433	<1	11	483	2293	1.05	15	9	1666	92	1727	<2	36	33	3	2959
68921	200420	<1	2.76	11	346	<2	<1	2.35	4	16	52	55	4.00	0.68	8	1.18	746	<1	37	658	33	0.37	5	<5	1545	350	3069	<2	124	<10	12	66
68922	200421	<1	4.48	52	442	<2	<1	1.04	<4	8	33	162	1.72	0.32	14	0.84	583	<1	9	468	42	0.82	<5	<5	1832	111	1642	<2	34	<10	4	258
68923	200422	<1	5.02	40	486	<2	5	1.76	<4	7	31	46	1.67	0.17	14	1.21	815	<1	10	514	16	0.72	<5	<5	1700	129	1814	<2	36	<10	3	220
68924	200423	<1	5.62	38	513	<2	2	1.86	<4	8	36	24	1.77	0.05	15	1.36	964	<1	11	544	37	0.65	5	<5	1649	134	1951	<2	38	<10	3	93
68925	200424	<1	6.44	16	582	2	10	2.63	<4	8	37	11	2.06	0.07	23	1.32	557	<1	11	624	19	0.55	<5	<5	1731	193	2087	<2	44	<10	4	87
68926	200425	<1	5.93	39	468	<2	<1	2.10	<4	10	30	27	2.05	0.15	26	1.22	511	<1	11	590	28	0.66	<5	<5	1591	185	2273	<2	42	<10	3	64
68927	200426	<1	5.56	35	481	<2	3	1.89	<4	9	24	17	1.80	0.14	26	1.12	476	<1	8	570	20	0.60	6	5	1645	173	2177	<2	41	<10	3	72
68928D	200426	<1	5.48	32	466	<2	<1	1.89	<4	8	22	16	1.74	0.36	25	1.08	455	<1	9	537	23	0.55	<5	<5	1736	172	2093	<2	39	<10	3	73

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68929	200427	<1	5.74	29	447	<2	<1	2.44	<4	8	20	15	2.11	0.52	20	1.36	736	<1	9	568	241	0.54	5	<5	1679	180	2039	<2	42	16	3	870
68930	200428	<1	4.97	33	401	<2	3	1.37	10	9	29	264	3.06	0.19	16	1.03	597	<1	9	475	101	0.94	<5	5	1770	156	1615	<2	33	32	4	2783
68931	200429	<1	5.48	32	475	<2	<1	1.38	<4	7	28	77	2.03	0.46	29	1.42	659	<1	10	543	62	0.65	<5	5	1729	195	1828	<2	37	10	3	434
68932	200430	<1	3.86	21	411	<2	<1	1.84	<4	15	43	217	3.89	0.45	9	1.07	662	<1	37	652	13	0.39	<5	<5	1597	333	2699	<2	109	<10	12	52
68933	200431	<1	5.33	19	475	<2	<1	1.82	<4	8	35	26	1.77	0.30	33	1.33	497	<1	9	521	17	0.64	<5	<5	1680	145	1917	<2	36	16	4	938
68934	200432	<1	4.92	49	496	2	6	1.15	<4	8	27	37	2.00	0.41	27	1.34	652	<1	9	522	34	0.87	7	<5	1741	172	1770	<2	37	<10	3	234
68935	200433	<1	5.06	9	483	2	2	1.50	<4	9	32	45	2.24	0.38	33	1.70	580	<1	10	539	135	0.80	<5	<5	1738	215	1764	<2	38	<10	4	343
68936	200434	<1	4.97	26	351	<2	9	0.91	<4	9	23	29	1.80	0.10	36	1.20	362	<1	9	536	25	0.66	<5	<5	1702	208	1905	<2	38	<10	3	68
68937	200435	<1	5.88	13	252	<2	<1	1.54	<4	7	25	9	1.50	0.11	46	1.67	377	<1	33	602	3	0.52	<5	<5	1661	153	2211	<2	44	<10	4	<1
68938	200436	<1	5.80	16	282	<2	1	1.47	<4	8	33	29	1.98	0.09	22	1.01	360	<1	54	565	60	0.58	<5	<5	1675	239	1907	<2	40	<10	3	220
68939D	200436	<1	5.90	13	289	<2	<1	1.51	<4	8	23	29	1.96	0.11	23	1.02	363	<1	36	572	62	0.58	6	<5	1654	245	1934	<2	40	<10	3	214
68940	200437	<1	5.59	11	346	<2	<1	1.44	<4	9	22	35	2.11	0.56	21	1.12	449	<1	38	554	277	0.53	<5	<5	1755	218	1938	<2	39	10	3	742
68941	200438	<1	6.53	5	341	<2	7	1.73	<4	10	27	35	2.03	0.43	26	1.11	437	<1	43	590	101	0.46	<5	6	1751	218	2184	<2	43	<10	4	439
68942	200439	<1	5.63	9	360	<2	<1	2.56	8	8	30	90	2.15	0.50	24	1.44	731	<1	52	533	119	0.47	<5	<5	1737	215	1824	<2	39	24	3	2082
68943	200440	<1	3.89	9	330	<2	3	2.29	<4	16	48	51	3.75	0.54	8	1.19	699	<1	35	653	9	0.36	<5	<5	1636	336	2939	<2	116	<10	13	47
68944	200441	<1	5.93	<2	378	<2	1	2.18	<4	8	27	15	1.92	0.40	22	0.95	397	<1	45	574	23	0.38	<5	<5	1591	201	2021	<2	43	<10	3	58
68945	200442	<1	6.25	21	580	2	<1	3.43	<4	11	39	26	2.61	0.34	25	1.29	650	<1	61	633	38	0.52	<5	<5	1631	274	2098	<2	47	<10	4	298
68946	200443	<1	6.41	12	389	<2	<1	2.80	<4	8	18	23	1.97	0.25	22	0.99	438	<1	28	588	37	0.48	<5	6	1710	219	1960	<2	41	<10	3	69
68947	200444	<1	5.89	12	397	2	<1	1.12	4	25	151	63	4.37	0.29	24	1.44	442	<1	102	648	27	0.50	<5	<5	1808	228	3369	<2	129	<10	9	30
68948	200445	<1	4.82	14	260	2	9	1.33	<4	22	130	66	3.90	0.42	19	1.33	604	<1	87	558	38	0.48	<5	<5	1623	226	2765	<2	99	<10	8	94

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/08/2014
Date Completed: 05/21/2014
Job #: 201440873
Reference: TL14-358
Sample #: 235

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
68949	200446	<1	6.37	13	455	3	<1	1.24	<4	26	153	86	4.33	0.31	23	1.41	537	<1	95	599	35	0.56	5	<5	1668	229	3298	<2	126	<10	9	104
68950D	200446	<1	6.97	10	493	2	3	1.38	4	28	159	89	4.52	0.07	26	1.46	558	<1	96	635	37	0.59	<5	<5	1724	241	3419	<2	131	<10	9	114
68951	200447	<1	3.68	16	231	2	<1	1.00	<4	14	110	217	3.10	0.04	9	0.97	567	<1	89	384	66	0.62	<5	<5	1751	194	1214	<2	64	<10	7	452
68952	200448	<1	4.68	58	335	<2	<1	0.19	<4	6	36	23	1.44	0.36	10	0.35	196	<1	57	394	62	0.60	<5	<5	1660	162	1488	<2	30	<10	2	153
68953	200449	<1	3.85	68	459	<2	2	<0.01	4	5	33	83	1.35	0.06	12	0.24	<100	<1	44	355	55	0.68	<5	5	1690	133	1473	<2	35	<10	2	793
68954	200450	<1	3.98	49	193	<2	<1	0.73	5	12	21	2148	4.39	0.50	24	0.63	905	1	18	669	70	1.65	<5	<5	1849	217	1019	<2	56	<10	5	504
68955	200451	1	3.71	76	990	<2	<1	<0.01	<4	6	34	247	1.52	0.40	9	0.23	<100	<1	54	353	62	0.79	7	<5	1483	147	1416	<2	38	<10	2	646
68956	200452	<1	4.13	58	870	<2	12	<0.01	<4	7	26	30	1.43	0.49	14	0.32	156	<1	50	373	51	0.72	<5	<5	1582	157	1597	<2	32	<10	2	269
68957	200453	<1	4.08	41	351	<2	2	0.69	<4	5	15	26	1.24	0.48	11	0.61	394	<1	30	350	26	0.66	<5	12	1652	150	1348	<2	26	<10	2	132
68958	200454	<1	5.09	46	476	<2	<1	1.22	<4	6	25	27	1.55	0.45	16	0.67	508	<1	48	448	36	0.66	<5	<5	1623	174	1688	<2	34	<10	3	291
68959	200455	<1	4.38	39	397	<2	6	0.71	<4	6	13	26	1.25	0.40	14	0.44	315	<1	28	384	21	0.69	5	<5	1762	148	1491	<2	29	<10	2	246
68960	200456	<1	5.15	46	467	<2	<1	0.41	<4	7	20	16	1.52	0.50	13	0.40	314	<1	33	435	38	0.67	<5	<5	1697	152	1773	<2	34	<10	2	128
68961D	200456	<1	5.82	54	476	<2	<1	0.46	<4	7	18	16	1.53	0.24	14	0.41	307	<1	30	449	31	0.69	<5	<5	1745	155	1773	<2	34	<10	2	122
68962	200457	<1	6.26	10	745	2	<1	1.36	4	23	151	77	4.20	0.15	17	0.98	498	<1	95	599	92	0.69	<5	<5	1685	217	2786	<2	105	<10	13	375
68963	200458	<1	5.95	18	469	2	5	0.71	4	25	142	57	4.38	0.15	22	1.05	459	<1	81	588	26	0.76	<5	<5	1647	163	2922	<2	109	10	13	226
68964	200459	<1	5.80	10	266	2	14	1.40	<4	25	145	57	4.16	0.37	24	1.31	594	<1	78	610	22	0.59	<5	11	1803	204	2930	<2	103	<10	10	74
68965	200460	<1	3.85	12	333	<2	<1	2.29	<4	16	50	52	3.79	0.34	8	1.20	710	<1	35	665	4	0.40	5	<5	1635	337	2973	<2	119	<10	13	43
68966	200461	<1	5.59	82	338	2	<1	0.96	<4	23	135	64	3.70	0.19	20	0.91	451	<1	73	580	38	1.22	<5	<5	1784	172	2689	<2	98	<10	10	162

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:12 AM

TL14359

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 29, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Au g/t (ppm)
73954	200462	0.007
73955	200463	0.015
73956	200464	0.041
73957	200465	0.198
73958	200466	0.233
73959	200467	0.042
73960	200468	0.027
73961	200469	<0.005
73962	200470	5.177
73963	200471	0.022
73964	200471 Dup	0.008
73965	200472	0.007
73966	200473	0.016
73967	200474	<0.005
73968	200475	0.006
73969	200476	<0.005
73970	200477	0.010
73971	200478	0.041
73972	200479	0.011
73973	200480	<0.005
73974	200481	0.008
73975	200481 Dup	0.013
73976	200482	<0.005
73977	200483	0.078
73978	200484	0.395

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 29, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Au g/t (ppm)
73979	200485	0.017
73980	200486	0.014
73981	200487	0.013
73982	200488	<0.005
73983	200489	0.010
73984	200490	1.415
73985	200491	0.044
73986	200491 Dup	0.039
73987	200492	0.147
73988	200493	0.033
73989	200494	0.087
73990	200495	0.065
73991	200496	0.079
73992	200497	0.171
73993	200498	0.036
73994	200499	0.020
73995	200500	<0.005
73996	200501	0.018
73997	200501 Dup	0.021
73998	200502	0.021
73999	200503	0.026
74000	200504	0.006
74001	200505	<0.005
74002	200506	0.012
74003	200507	0.013

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 29, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Au g/t (ppm)
74004	200508	0.006
74005	200509	0.005
74006	200510	0.361
74007	200511	0.022
74008	200511 Dup	0.014
74009	200512	0.029
74010	200513	0.047
74011	200514	0.058
74012	200515	0.006
74013	200516	0.021
74014	200517	0.153
74015	200518	0.018
74016	200519	1.473
74017	200520	<0.005
74018	200521	0.397
74019	200521 Rep	0.348
74020	200522	0.016
74021	200523	0.038
74022	200524	1.919
74023	200525	0.148
74024	200526	0.472
74025	200527	0.190
74026	200528	0.024
74027	200529	0.321
74028	200530	4.767

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 29, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Au g/t (ppm)
74029	200531	3.327
74030	200531 Dup	3.748
74031	200532	0.165
74032	200533	0.483
74033	200534	0.143
74034	200535	0.068
74035	200536	0.140
74036	200537	0.022
74037	200538	0.037
74038	200539	0.049
74039	200540	<0.005
74040	200541	0.322
74041	200541 Dup	0.430
74042	200542	0.110
74043	200543	0.200
74044	200544	0.030
74045	200545	0.009
74046	200546	0.008
74047	200547	0.587
74048	200548	0.007
74049	200549	0.029
74050	200550	1.449
74051	200551	0.017
74052	200551 Dup	0.026
74053	200552	0.498

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 29, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Au g/t (ppm)
74054	200553	0.181
74055	200554	0.782
74056	200555	0.183
74057	200556	0.061
74058	200557	0.015
74059	200558	0.042
74060	200559	0.023
74061	200560	<0.005
74062	200561	0.066
74063	200561 Dup	0.042
74064	200562	0.012
74065	200563	0.005
74066	200564	<0.005
74067	200565	0.005
74068	200566	0.011
74069	200567	<0.005
74070	200568	<0.005
74071	200569	0.009
74072	200570	0.385
74073	200571	<0.005
74074	200571 Dup	0.005
74075	200572	0.026
74076	200573	0.057
74077	200574	0.015
74078	200575	0.022

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 29, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Au g/t (ppm)
74079	200576	0.133
74080	200577	0.108
74081	200578	0.122
74082	200579	0.058
74083	200580	<0.005
74084	200581	0.012
74085	200581 Rep	0.009
74086	200582	<0.005
74087	1367984	0.068

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 29, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.745	0.804	0.043
GS26	0.826	0.804	0.043
GS26	0.745	0.804	0.043
GS26	0.876	0.804	0.043
GS26	0.860	0.804	0.043
GS26	0.774	0.804	0.043
GS26	0.753	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73954	200462	<1	4.69	15	508	<2	3	2.50	<4	12	47	126	2.11	0.11	11	0.72	640	<1	103	595	3	0.46	8	<5	<10	388	2543	<2	47	<10	4	68
73955	200463	<1	5.52	7	438	2	9	1.58	<4	5	35	13	1.45	0.32	16	0.88	543	<1	9	372	15	0.37	8	6	<10	305	1445	<2	26	<10	3	68
73956	200464	<1	6.13	16	398	2	<1	1.35	<4	5	43	18	1.58	0.30	16	0.90	617	<1	12	377	27	0.38	<5	<5	<10	239	1604	<2	27	<10	3	177
73957	200465	2	6.21	40	425	2	10	0.18	<4	8	69	861	1.22	0.10	8	0.37	205	<1	291	340	226	0.45	<5	6	<10	168	1712	<2	44	12	4	941
73958	200466	2	5.73	37	357	<2	<1	0.26	5	8	88	83	1.56	0.15	8	0.51	341	<1	17	334	254	0.43	<5	8	<10	182	1626	<2	42	21	4	1562
73959	200467	<1	6.85	36	512	<2	6	0.52	<4	13	95	37	2.43	0.12	15	0.74	477	<1	29	527	32	0.69	<5	<5	<10	208	2106	<2	55	<10	7	83
73960	200468	<1	5.93	14	417	<2	<1	1.47	<4	18	143	47	3.11	0.39	18	1.14	622	<1	48	556	64	0.48	<5	<5	<10	274	2555	<2	85	<10	10	231
73961	200469	<1	6.85	13	502	<2	2	2.21	<4	8	34	15	1.71	0.33	12	0.50	380	<1	9	450	4	0.52	<5	<5	<10	357	1643	<2	36	<10	4	64
73962	200470	66	5.53	19	386	<2	11	2.94	8	16	33	101	5.07	0.22	6	1.18	893	<1	26	626	8892	0.32	101	7	<10	345	2862	<2	137	<10	15	324
73963	200471	<1	6.32	20	409	<2	<1	1.84	<4	6	46	17	1.36	0.19	9	0.27	305	<1	8	456	61	0.41	<5	<5	<10	330	1686	<2	35	<10	4	33
73964D	200471	<1	6.26	12	393	<2	4	1.78	<4	5	53	16	1.30	<0.01	9	0.25	291	<1	8	450	2	0.41	<5	5	<10	325	1611	<2	33	<10	4	21
73965	200472	<1	6.83	26	683	<2	1	0.70	<4	7	37	13	0.97	<0.01	13	0.40	214	<1	9	454	21	0.41	<5	<5	<10	258	1889	<2	36	<10	3	29
73966	200473	<1	6.27	27	576	<2	<1	1.24	<4	8	25	792	1.34	0.39	14	0.59	383	<1	535	447	55	0.40	6	<5	<10	286	1899	<2	37	<10	3	115
73967	200474	<1	6.66	12	578	<2	<1	1.57	<4	7	28	54	1.40	0.45	12	0.59	336	<1	33	465	4	0.29	5	<5	<10	289	1895	<2	38	<10	3	40
73968	200475	<1	7.35	22	598	<2	<1	2.31	<4	9	51	146	2.18	0.45	11	0.63	457	<1	204	465	5	0.49	<5	14	<10	316	1977	<2	38	<10	4	51
73969	200476	<1	9.22	38	727	<2	9	2.34	<4	10	33	73	2.11	0.51	25	1.02	609	<1	126	557	16	0.54	<5	10	<10	340	2433	<2	47	<10	6	61
73970	200477	<1	5.61	31	538	2	<1	0.70	<4	9	18	32	1.85	0.28	20	1.13	565	<1	13	442	50	0.56	<5	<5	<10	182	1867	<2	35	<10	4	132
73971	200478	<1	6.58	18	478	2	7	2.09	<4	10	24	317	1.95	0.40	18	0.83	704	<1	231	573	122	0.54	<5	6	<10	364	2149	<2	42	<10	4	189
73972	200479	<1	6.26	12	538	<2	<1	1.72	<4	8	31	71	1.71	0.08	12	0.72	415	<1	59	528	19	0.53	<5	11	<10	193	1978	<2	36	<10	4	96
73973	200480	<1	4.68	12	398	<2	<1	2.59	<4	17	55	512	4.06	0.18	10	1.30	799	<1	475	711	<1	0.28	<5	<5	<10	346	3223	<2	121	<10	14	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 4:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73974	200481	<1	5.98	23	680	<2	<1	1.29	<4	7	39	40	1.63	0.13	12	0.60	359	<1	51	523	48	0.57	<5	6	<10	209	1843	<2	33	<10	4	155
73975D	200481	<1	6.71	31	767	<2	<1	1.46	<4	8	38	38	1.74	0.22	14	0.65	389	<1	20	554	52	0.63	<5	7	<10	226	2000	<2	36	<10	4	178
73976	200482	<1	6.95	15	502	<2	2	1.69	<4	7	27	11	1.16	0.21	13	0.45	346	<1	10	470	<1	0.38	<5	6	<10	248	1592	<2	29	<10	4	23
73977	200483	20	7.07	22	644	<2	<1	1.62	<4	7	44	22	2.36	0.40	24	0.64	560	<1	14	481	36	0.62	6	<5	<10	291	1862	<2	35	<10	6	71
73978	200484	45	6.49	32	671	<2	<1	0.87	<4	9	37	38	1.53	0.65	24	0.77	303	<1	20	339	74	0.46	7	5	<10	217	1786	<2	30	<10	4	208
73979	200485	<1	7.07	25	588	2	5	1.14	<4	8	23	15	1.74	0.57	18	0.80	345	<1	12	430	12	0.56	<5	<5	<10	281	1873	<2	33	<10	3	76
73980	200486	<1	7.30	35	658	<2	<1	1.16	<4	7	25	11	1.75	0.37	18	0.78	331	<1	11	448	12	0.55	<5	<5	<10	277	1939	<2	33	<10	3	55
73981	200487	<1	7.69	5	584	<2	<1	1.18	<4	10	30	13	0.97	0.43	19	0.51	222	<1	17	458	<1	0.30	5	10	<10	305	1950	4	41	<10	4	208
73982	200488	<1	6.74	34	531	<2	8	1.00	<4	7	57	6	0.77	0.30	13	0.36	159	<1	94	426	4	0.20	<5	6	<10	293	1683	<2	38	<10	3	15
73983	200489	<1	5.76	7	419	<2	<1	1.62	<4	10	60	23	2.31	0.23	13	0.65	469	<1	76	623	8	0.43	<5	8	<10	254	1854	<2	48	<10	4	81
73984	200490	<1	3.80	21	422	<2	<1	1.84	<4	14	46	207	3.83	0.45	9	1.06	686	<1	39	614	3	0.27	9	11	<10	315	2725	<2	104	<10	12	50
73985	200491	<1	6.38	16	441	<2	<1	2.16	<4	8	46	13	2.50	0.30	16	0.80	629	<1	68	702	62	0.58	<5	<5	<10	251	2232	<2	49	<10	4	148
73986D	200491	<1	6.81	15	437	<2	<1	2.14	<4	9	40	11	2.38	0.23	16	0.81	603	<1	56	713	54	0.59	<5	<5	<10	245	2147	<2	47	<10	4	151
73987	200492	<1	6.35	13	432	<2	<1	2.31	<4	9	48	18	2.30	0.17	15	0.75	623	<1	63	591	13	0.50	<5	9	<10	220	2225	<2	45	<10	4	59
73988	200493	<1	6.17	28	406	<2	<1	2.02	<4	10	39	28	2.26	0.27	21	0.90	591	<1	53	616	58	0.60	<5	<5	<10	217	2374	<2	46	<10	4	122
73989	200494	<1	7.29	13	494	<2	6	1.90	<4	21	147	73	3.36	0.05	28	1.23	696	<1	101	633	69	0.60	5	<5	<10	203	3082	<2	86	<10	10	178
73990	200495	<1	6.07	24	434	2	29	1.33	<4	15	102	35	2.58	0.38	23	1.06	473	<1	99	471	23	0.59	<5	<5	<10	166	2089	<2	64	<10	7	86
73991	200496	<1	6.84	39	635	<2	<1	0.23	<4	13	87	55	1.85	0.47	25	0.53	174	<1	85	423	9	0.52	<5	5	<10	131	2119	<2	57	<10	7	95
73992	200497	<1	6.42	18	486	<2	<1	1.66	<4	20	137	46	3.30	0.48	30	1.55	916	<1	88	585	148	0.40	<5	<5	<10	209	2603	<2	83	<10	11	80
73993	200498	<1	6.30	9	352	2	<1	1.85	<4	23	168	50	3.86	0.57	22	1.37	831	<1	117	646	14	0.35	<5	<5	<10	258	3026	<2	95	<10	11	69

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 4:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73994	200499	<1	7.35	48	767	<2	<1	1.02	<4	27	55	20	1.69	0.47	22	0.48	224	<1	112	689	2	0.50	<5	11	<10	305	2376	<2	66	<10	5	52
73995	200500	<1	4.59	4	396	<2	3	2.58	<4	15	54	53	4.05	0.45	11	1.29	789	<1	38	692	<1	0.27	<5	6	<10	346	3191	<2	121	<10	14	47
73996	200501	<1	6.33	36	646	<2	4	1.11	<4	24	44	19	1.59	0.53	21	0.37	203	<1	90	617	5	0.61	<5	9	<10	342	2212	<2	59	<10	4	30
73997D	200501	<1	6.20	37	617	<2	<1	1.09	<4	23	36	18	1.43	0.35	20	0.34	186	<1	78	597	<1	0.60	<5	<5	<10	322	2083	<2	54	<10	4	27
73998	200502	21	6.88	35	557	<2	<1	1.45	<4	23	46	28	2.06	0.33	21	0.37	224	<1	89	579	5	0.80	<5	8	<10	409	2136	<2	60	<10	4	53
73999	200503	<1	7.17	20	690	<2	<1	1.20	<4	15	56	23	1.39	0.25	21	0.30	181	<1	92	549	15	0.53	<5	<5	<10	396	2195	<2	60	<10	4	36
74000	200504	<1	6.11	16	638	<2	<1	1.26	<4	10	41	13	1.23	0.22	14	0.32	191	<1	68	537	<1	0.52	<5	<5	<10	366	1696	<2	46	<10	3	23
74001	200505	97	4.45	10	470	<2	1	1.03	<4	10	39	17	1.11	<0.01	10	0.36	219	<1	72	488	2	0.38	<5	7	<10	353	1763	<2	45	<10	4	25
74002	200506	<1	5.81	13	575	<2	<1	1.50	<4	11	50	16	1.20	0.46	15	0.41	240	<1	87	502	<1	0.34	5	<5	<10	395	1887	<2	48	<10	4	20
74003	200507	<1	6.37	8	625	<2	7	1.14	<4	15	51	19	1.09	0.27	15	0.32	167	<1	92	463	4	0.30	<5	13	<10	409	1636	<2	36	<10	3	422
74004	200508	<1	5.93	9	732	2	<1	1.84	<4	17	31	31	1.51	0.47	21	0.42	266	<1	79	553	7	0.30	<5	<5	<10	618	2125	<2	49	<10	3	152
74005	200509	<1	6.62	19	586	<2	<1	1.38	<4	13	65	31	1.18	0.26	16	0.46	202	<1	92	501	<1	0.36	<5	9	<10	397	1676	<2	44	<10	4	125
74006	200510	<1	5.07	54	251	<2	2	0.91	6	13	25	2319	4.91	0.40	28	0.74	1057	3	20	731	65	1.65	<5	<5	<10	224	1141	<2	60	<10	6	569
74007	200511	<1	4.67	8	361	<2	7	1.41	<4	10	53	20	1.90	0.42	10	0.57	337	<1	79	514	<1	0.36	5	10	<10	407	1774	<2	43	<10	5	46
74008D	200511	<1	5.77	6	457	<2	<1	1.79	<4	8	56	19	1.80	0.86	15	0.51	317	<1	77	508	<1	0.42	<5	12	<10	406	1738	<2	41	<10	5	44
74009	200512	<1	6.84	4	507	<2	<1	2.29	<4	9	56	7	2.46	<0.01	21	0.75	475	<1	92	588	<1	0.41	<5	<5	<10	412	2199	<2	45	<10	5	58
74010	200513	<1	6.06	8	320	<2	<1	1.32	<4	8	51	9	2.07	0.15	11	0.65	432	<1	86	528	3	0.32	<5	<5	<10	326	2141	<2	39	<10	4	47
74011	200514	<1	6.28	26	474	<2	14	0.18	<4	9	43	14	1.78	0.17	5	0.22	115	<1	72	487	13	0.66	5	<5	<10	201	1805	<2	38	<10	3	95
74012	200515	<1	7.74	2	457	<2	3	2.22	<4	9	43	15	2.06	0.09	15	0.62	462	<1	68	564	14	0.38	<5	<5	<10	299	2298	<2	42	<10	4	45
74013	200516	<1	7.70	24	448	<2	6	1.45	<4	10	37	12	1.81	<0.01	17	0.79	582	<1	61	561	4	0.52	<5	<5	<10	188	2275	3	41	<10	4	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 4:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74014	200517	<1	6.34	29	460	<2	<1	1.37	<4	8	40	18	1.66	0.15	19	1.00	522	<1	67	462	21	0.58	5	<5	<10	173	1769	<2	33	<10	3	60
74015	200518	<1	5.91	13	377	<2	<1	2.06	<4	6	39	10	1.41	0.30	14	1.01	468	<1	54	449	13	0.42	<5	<5	<10	216	1658	<2	30	<10	3	33
74016	200519	1	3.82	103	356	<2	29	<0.01	11	9	52	90	3.23	0.34	8	0.25	<100	<1	69	363	575	1.44	7	<5	<10	100	1302	<2	26	23	3	2027
74017	200520	<1	4.66	4	399	<2	4	2.57	<4	15	55	54	4.05	0.31	11	1.29	792	<1	38	691	<1	0.28	<5	<5	<10	348	3265	<2	121	<10	14	49
74018	200521	<1	5.12	77	488	<2	<1	<0.01	6	11	47	21	2.68	0.39	11	0.32	131	<1	65	446	710	1.20	<5	5	<10	98	1821	<2	36	28	3	1897
74019R	200521	<1	5.49	77	499	<2	<1	<0.01	7	10	50	24	2.69	0.33	11	0.37	156	<1	13	478	939	0.92	6	6	<10	96	1963	<2	39	25	3	2234
74020	200522	<1	5.40	27	354	<2	10	0.93	<4	6	62	9	1.28	0.31	18	0.92	588	<1	9	497	28	0.23	<5	<5	<10	153	1953	<2	32	<10	3	69
74021	200523	<1	6.34	24	426	<2	<1	1.53	<4	6	49	7	1.52	0.36	17	1.06	656	<1	8	549	31	0.31	<5	<5	<10	168	1996	<2	33	<10	3	77
74022	200524	6	6.28	42	402	<2	9	0.18	5	7	36	90	1.78	0.41	16	0.50	278	<1	8	504	1613	0.62	10	5	<10	122	1996	<2	33	25	3	1936
74023	200525	<1	5.64	19	363	<2	4	0.95	<4	7	28	13	1.08	0.38	18	0.96	697	<1	6	467	43	0.37	<5	5	<10	155	1884	<2	30	<10	3	73
74024	200526	<1	5.13	16	356	<2	<1	0.79	<4	6	24	12	1.04	0.61	17	0.93	677	<1	6	459	43	0.36	<5	<5	<10	146	1858	<2	29	<10	3	66
74025	200527	<1	6.25	20	433	<2	5	1.23	<4	7	29	21	1.19	0.64	18	0.95	672	<1	8	514	143	0.38	8	<5	<10	164	1953	<2	30	<10	3	544
74026	200528	<1	6.32	14	305	<2	1	1.18	<4	6	28	20	1.26	0.05	16	0.88	580	<1	7	510	38	0.39	<5	7	<10	170	1882	<2	32	<10	3	74
74027	200529	<1	5.64	28	244	<2	<1	0.95	<4	8	26	48	1.53	0.35	18	0.83	700	<1	8	529	191	0.47	<5	5	<10	175	1960	<2	33	<10	3	509
74028	200530	65	4.43	13	315	<2	2	2.45	6	13	26	88	4.39	0.52	5	1.02	772	<1	22	550	8574	0.30	91	<5	<10	307	2486	<2	119	<10	13	276
74029	200531	<1	5.80	20	305	<2	<1	0.74	<4	8	20	24	1.23	0.32	19	0.72	572	<1	8	498	101	0.40	<5	<5	<10	164	1960	<2	30	<10	3	402
74030D	200531	<1	6.97	19	350	<2	<1	0.93	<4	10	21	26	1.31	0.04	22	0.79	606	<1	9	541	101	0.42	<5	<5	<10	178	2093	<2	32	<10	3	491
74031	200532	<1	5.21	23	259	<2	15	1.18	<4	15	24	52	1.30	0.61	23	1.03	897	<1	15	502	41	0.30	<5	10	<10	184	1978	<2	35	<10	3	99
74032	200533	<1	6.61	29	306	<2	<1	0.56	<4	11	26	34	1.37	0.40	18	0.70	470	<1	12	550	53	0.36	<5	10	<10	171	1940	<2	32	<10	3	117
74033	200534	<1	7.24	39	368	<2	3	0.81	4	14	18	85	1.54	0.48	18	0.72	575	<1	15	587	81	0.45	<5	9	<10	184	2143	<2	36	<10	3	828

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 4:44 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74034	200535	<1	6.81	28	350	<2	3	0.85	<4	12	23	67	1.32	0.43	16	0.75	613	<1	15	583	231	0.37	<5	9	<10	178	2092	<2	34	<10	3	299
74035	200536	1	5.74	25	390	<2	<1	0.44	5	9	34	136	1.79	0.41	16	0.54	399	<1	11	486	912	0.58	9	14	<10	153	1871	<2	30	25	2	2063
74036	200537	<1	6.43	9	436	<2	<1	1.01	<4	8	26	18	1.29	0.26	15	0.67	517	<1	8	506	17	0.32	<5	<5	<10	182	1841	2	31	<10	3	53
74037	200538	<1	6.49	14	510	2	8	1.17	<4	8	18	11	1.52	0.45	17	0.74	566	<1	9	527	4	0.42	<5	5	<10	206	2164	<2	35	<10	3	37
74038	200539	<1	1.53	16	385	<2	<1	1.05	<4	7	19	17	1.56	0.48	15	0.55	722	<1	8	392	15	0.46	<5	9	<10	216	1822	<2	32	<10	2	40
74039	200540	<1	3.91	6	336	<2	<1	2.19	<4	15	47	48	3.58	0.51	8	1.15	699	<1	34	624	<1	0.26	<5	<5	<10	312	2883	<2	107	<10	12	40
74040	200541	<1	6.01	23	510	<2	3	0.77	<4	10	20	24	1.58	0.39	17	0.58	565	<1	9	612	15	0.44	<5	<5	<10	190	2345	<2	42	<10	4	89
74041D	200541	<1	7.46	20	559	<2	<1	0.95	<4	9	17	25	1.60	0.09	19	0.63	580	<1	10	658	20	0.51	5	9	<10	200	2412	<2	44	<10	4	91
74042	200542	<1	6.50	15	483	<2	<1	0.95	<4	9	37	30	1.84	0.06	19	0.63	982	<1	11	528	26	0.33	<5	<5	<10	185	2217	<2	40	<10	4	99
74043	200543	<1	5.41	16	407	<2	<1	0.90	<4	11	31	44	1.67	0.32	11	0.63	940	<1	12	456	173	0.35	<5	<5	<10	167	1775	<2	34	<10	3	402
74044	200544	<1	5.87	4	358	<2	10	0.70	<4	10	41	19	1.34	0.32	15	0.53	822	<1	13	509	41	0.25	<5	5	<10	166	1829	3	36	<10	3	121
74045	200545	<1	5.60	5	317	2	<1	0.74	<4	6	56	24	1.68	0.34	13	0.57	1396	<1	10	408	20	0.28	<5	<5	<10	162	1767	3	35	<10	4	60
74046	200546	<1	5.71	8	289	2	<1	0.69	<4	6	56	23	1.73	0.30	14	0.59	1238	<1	9	442	19	0.30	6	9	<10	163	1889	<2	37	<10	4	62
74047	200547	3	4.96	18	359	<2	2	0.02	<4	6	34	54	1.68	0.25	13	0.32	339	<1	9	429	473	0.45	<5	8	<10	128	1846	<2	34	13	3	1134
74048	200548	<1	6.38	13	306	<2	4	1.04	<4	9	34	16	1.96	0.42	14	0.58	832	<1	11	520	3	0.26	<5	11	<10	188	2255	<2	43	<10	4	48
74049	200549	<1	6.02	<2	333	<2	2	0.87	<4	8	31	20	1.99	0.23	15	0.68	1141	<1	9	497	7	0.33	5	<5	<10	172	2113	<2	38	<10	4	54
74050	200550	<1	4.63	19	458	<2	13	2.00	<4	14	46	211	3.87	0.21	11	1.09	692	<1	37	638	<1	0.30	<5	8	<10	326	2774	<2	105	<10	13	46
74051	200551	<1	3.25	<2	251	<2	<1	0.71	<4	5	39	10	1.43	0.27	10	0.35	566	<1	7	299	8	0.23	<5	<5	<10	125	1470	<2	28	<10	2	39
74052D	200551	<1	4.62	4	272	2	<1	0.79	<4	6	39	11	1.46	0.30	10	0.43	589	<1	7	374	6	0.35	<5	7	<10	160	1619	<2	29	<10	3	37
74053	200552	<1	6.61	12	409	<2	1	1.27	<4	7	39	37	2.08	0.24	14	0.68	1394	<1	10	561	47	0.40	6	<5	<10	193	2010	<2	37	<10	4	72

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 4:44 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74054	200553	<1	5.46	10	331	<2	5	0.87	<4	7	27	11	1.87	0.23	12	0.60	1237	<1	8	513	5	0.36	<5	13	<10	169	1923	<2	35	<10	4	54
74055	200554	<1	4.13	35	445	<2	<1	0.41	<4	7	40	32	2.32	0.46	14	0.37	448	<1	12	400	402	0.85	6	<5	<10	145	1711	<2	32	<10	3	407
74056	200555	<1	4.59	24	377	<2	<1	2.23	<4	9	57	25	2.44	0.48	10	1.02	1540	<1	12	450	40	0.46	<5	6	<10	225	1986	<2	41	<10	4	89
74057	200556	<1	4.94	15	354	<2	5	2.77	<4	10	62	13	2.48	0.70	10	1.09	1085	<1	13	498	16	0.26	<5	<5	<10	258	2361	<2	45	<10	4	71
74058	200557	<1	6.09	5	264	<2	<1	4.74	<4	9	42	29	2.71	0.44	1	1.90	1319	<1	13	502	15	0.32	6	<5	<10	264	2089	<2	36	<10	5	79
74059	200558	<1	5.68	14	437	<2	2	1.74	<4	9	38	14	1.97	0.36	20	1.31	824	<1	15	488	15	0.28	<5	11	<10	209	2107	<2	41	<10	4	83
74060	200559	<1	5.70	10	382	<2	<1	1.22	<4	9	34	14	1.95	0.40	24	1.15	721	<1	15	492	13	0.37	<5	9	<10	200	2155	<2	42	<10	4	81
74061	200560	<1	4.83	16	395	<2	<1	2.58	<4	16	55	54	4.09	0.22	11	1.32	793	<1	38	710	<1	0.26	<5	5	<10	352	3287	<2	123	<10	15	46
74062	200561	<1	5.98	10	444	<2	9	2.77	<4	6	28	16	2.02	0.48	15	1.39	1869	<1	9	386	40	0.35	<5	9	<10	284	1591	<2	29	<10	4	87
74063D	200561	<1	5.55	7	417	<2	<1	2.62	<4	6	31	16	1.95	0.53	14	1.33	1782	<1	8	369	38	0.39	<5	7	<10	273	1531	<2	28	<10	4	88
74064	200562	<1	6.34	13	417	<2	3	0.80	<4	7	28	15	1.11	0.21	18	0.48	379	<1	9	439	20	0.46	<5	<5	<10	205	1780	<2	35	<10	3	61
74065	200563	<1	7.09	16	467	<2	<1	0.80	<4	6	21	11	0.90	0.23	18	0.42	253	<1	8	510	5	0.39	<5	<5	<10	215	2017	<2	37	<10	3	23
74066	200564	<1	6.87	10	422	<2	6	1.38	<4	8	18	16	1.04	0.05	18	0.41	224	<1	9	497	3	0.36	<5	15	<10	242	1781	<2	37	<10	3	20
74067	200565	<1	4.11	14	308	<2	<1	0.75	<4	11	21	16	1.88	0.43	18	0.57	221	<1	13	440	4	0.75	<5	<5	<10	228	1902	<2	41	<10	4	33
74068	200566	<1	6.19	16	434	<2	7	1.15	<4	10	21	17	1.56	0.48	21	0.58	212	<1	13	480	<1	0.68	<5	6	<10	237	1959	<2	41	<10	4	38
74069	200567	<1	5.14	6	365	<2	<1	1.04	<4	6	19	11	0.65	0.52	19	0.42	141	<1	7	410	<1	0.26	<5	8	<10	234	1726	<2	36	<10	3	62
74070	200568	<1	6.37	9	385	<2	5	1.31	<4	7	20	9	1.28	0.42	21	0.70	301	<1	9	473	<1	0.34	<5	<5	<10	290	2012	<2	41	<10	4	27
74071	200569	<1	6.58	6	308	<2	42	2.53	<4	6	15	16	2.05	0.27	18	1.37	640	<1	7	481	<1	0.34	6	<5	<10	329	2145	<2	41	<10	4	51
74072	200570	<1	5.77	50	278	<2	5	1.05	6	14	28	2635	5.36	0.20	33	0.80	1144	5	24	791	68	1.85	<5	6	<10	245	1251	<2	65	11	8	606
74073	200571	<1	6.62	10	383	<2	1	1.67	<4	9	18	29	1.31	0.51	18	0.95	325	<1	9	683	4	0.43	<5	5	<10	287	1995	<2	36	<10	4	31

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/03/2014 4:44 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/14/2014
Date Completed: 05/29/2014
Job #: 201440939
Reference: TL14-359
Sample #: 122

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74074D	200571	<1	7.10	18	387	<2	<1	1.74	<4	9	20	22	1.36	0.44	18	1.02	334	<1	8	711	3	0.43	6	<5	<10	298	2079	<2	38	<10	4	29
74075	200572	<1	5.73	17	504	<2	4	0.03	<4	4	9	11	1.18	0.19	11	0.39	146	<1	6	406	7	0.67	<5	10	<10	130	1552	<2	27	<10	3	35
74076	200573	3	6.42	22	468	<2	<1	<0.01	<4	4	13	12	1.19	0.05	12	0.36	174	<1	6	416	14	0.63	5	<5	<10	111	1638	<2	28	<10	3	108
74077	200574	<1	6.25	22	307	<2	<1	0.65	<4	5	19	16	1.04	0.18	13	0.70	626	<1	5	410	24	0.48	<5	<5	<10	137	1476	<2	26	<10	3	38
74078	200575	<1	6.25	25	264	<2	2	0.82	<4	4	12	24	1.28	0.31	14	0.91	758	<1	6	423	35	0.55	<5	<5	<10	135	1390	<2	26	<10	3	54
74079	200576	7	5.80	15	253	<2	<1	<0.01	<4	5	14	28	0.79	0.25	11	0.26	<100	<1	7	378	185	0.48	11	10	<10	107	1279	<2	25	<10	2	442
74080	200577	5	6.12	27	262	<2	2	<0.01	<4	7	16	55	0.65	0.23	11	0.29	<100	<1	7	516	52	0.46	8	<5	<10	109	1192	<2	29	<10	3	68
74081	200578	3	6.17	41	310	<2	<1	<0.01	<4	9	10	31	0.69	0.24	13	0.32	<100	<1	9	424	40	0.45	<5	10	<10	108	1351	<2	27	<10	2	56
74082	200579	<1	8.97	54	444	<2	3	0.67	<4	8	13	21	2.03	0.16	24	0.70	614	<1	10	580	40	0.93	8	<5	<10	148	2182	<2	41	<10	4	124
74083	200580	<1	4.21	10	388	<2	7	2.51	<4	15	53	54	3.98	0.29	13	1.21	768	<1	37	678	<1	0.30	<5	13	<10	346	3186	<2	119	<10	13	45
74084	200581	<1	6.15	23	231	<2	1	2.00	<4	7	27	13	1.74	0.34	17	1.05	835	<1	7	423	15	0.40	8	<5	<10	153	1643	<2	28	<10	3	73
74085R	200581	<1	5.71	47	292	<2	7	2.34	<4	7	30	28	1.98	0.43	17	1.15	1030	<1	9	470	33	0.46	<5	7	<10	159	1863	<2	32	<10	4	117
74086	200582	<1	5.26	16	219	<2	<1	1.25	<4	5	17	8	1.28	0.35	18	0.63	595	<1	6	376	12	0.37	5	<5	<10	141	1684	<2	27	<10	3	40
74087	1367984	<1	4.44	20	390	<2	<1	1.85	<4	8	27	25	1.77	0.51	16	0.84	1158	<1	9	455	23	0.45	<5	<5	<10	249	1905	<2	35	<10	3	68

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14360

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
76156	202537	<0.005	
76157	202538	0.009	
76158	202539	0.006	
76159	202540	<0.005	
76160	202541	<0.005	
76161	202542	0.006	
76162	202543	0.006	
76163	202544	0.007	
76164	202545	0.059	
76165	202546	0.036	
76166	202546 Dup	0.039	
76167	202547	0.346	
76168	202548	0.065	
76169	202549	0.018	
76170	202550	1.519	
76171	202551	0.038	
76172	202552	0.043	
76173	202553	0.143	
76174	202554	0.078	
76175	202555	0.095	
76176	202556	0.028	
76177	202556 Dup	0.025	
76178	202557	0.070	
76179	202558	0.074	
76180	202559	0.126	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
76181	202560	0.012	
76182	202561	0.184	
76183	202562	0.110	
76184	202563	0.149	
76185	202564	0.038	
76186	202565	0.036	
76187	202566	0.049	
76188	202566 Dup	0.046	
76189	202567	0.023	
76190	202568	0.041	
76191	202569	0.092	
76192	202570	5.019	
76193	202571	0.010	
76194	202572	0.007	
76195	202573	0.008	
76196	202574	0.008	
76197	202575	0.104	
76198	202576	0.018	
76199	202576 Dup	0.016	
76200	202577	0.027	
76201	202578	0.021	
76202	202579	0.034	
76203	202580	<0.005	
76204	202581	0.211	
76205	202582	0.231	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
76206	202583	0.208	
76207	202584	0.029	
76208	202585	0.006	
76209	202586	0.008	
76210	202586 Dup	0.016	
76211	202587	0.462	
76212	202588	0.097	
76213	202589	0.032	
76214	202590	0.390	
76215	202591	0.032	
76216	202592	0.050	
76217	202593	0.031	
76218	202594	0.020	
76219	202595	0.076	
76220	202596	0.116	
76221	202596 Rep	0.101	
76222	202597	0.300	
76223	202598	0.190	
76224	202599	0.206	
76225	202600	<0.005	
76226	202601	0.519	
76227	202602	0.213	
76228	202603	0.116	
76229	202604	0.038	
76230	202605	0.103	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
76231	202606	0.213	
76232	202606 Dup	0.224	
76233	202607	0.087	
76234	202608	0.029	
76235	202609	0.019	
76236	202610	1.360	
76237	202611	0.294	
76238	202612	0.132	
76239	202613	0.050	
76240	202614	0.026	
76241	202615	0.259	
76242	202616	0.408	
76243	202616 Dup	0.441	
76244	202617	0.434	
76245	202618	0.115	
76246	202619	0.157	
76247	202620	<0.005	
76248	202621	0.223	
76249	202622	0.271	
76250	202623	0.072	
76251	202624	0.323	
76252	202625	0.043	
76253	202626	0.109	
76254	202626 Dup	0.100	
76255	202627	0.092	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
76256	202628	0.531	
76257	202629	0.179	
76258	202630	4.693	
76259	202631	0.075	
76260	202632	0.155	
76261	202633	0.734	
76262	202634	0.202	
76263	202635	0.121	
76264	202636	0.223	
76265	202636 Dup	0.218	
76266	202637	0.229	
76267	202638	0.088	
76268	202639	0.028	
76269	202640	<0.005	
76270	202641	0.591	
76271	202642	0.187	
76272	202643	0.046	
76273	202644	0.017	
76274	202645	0.014	
76275	202646	0.014	
76276	202646 Dup	0.015	
76277	202647	0.015	
76278	202648	0.549	
76279	202649	0.489	
76280	202650	0.389	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
76281	202651	0.043	
76282	202652	1.396	
76283	202653	0.229	
76284	202654	0.074	
76285	202655	0.039	
76286	202656	0.027	
76287	202656 Rep	0.028	
76288	202657	0.094	
76289	202658	0.034	
76290	202659	0.079	
76291	202660	<0.005	
76292	202661	0.099	
76293	202662	0.082	
76294	202663	0.063	
76295	202664	0.034	
76296	202665	0.015	
76297	202666	0.014	
76298	202666 Dup	0.013	
76299	202667	0.072	
76300	202668	0.057	
76301	202669	0.125	
76302	202670	1.508	
76303	202671	0.098	
76304	202672	0.097	
76305	202673	0.177	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
76306	202674	0.206	
76307	202675	0.212	
76308	202676	1.801	
76309	202676 Dup	1.805	
76310	202677	0.368	
76311	202678	0.086	
76312	202679	0.453	
76313	202680	<0.005	
76314	202681	0.191	
76315	202682	0.084	
76316	202683	0.118	
76317	202684	0.059	
76318	202685	0.217	
76319	202686	0.193	
76320	202686 Dup	0.198	
76321	202687	0.123	
76322	202688	0.177	
76323	202689	0.019	
76324	202690	1.270	
76325	202691	0.038	
76326	202692	0.264	
76327	202693	0.033	
76328	202694	0.041	
76329	202695	0.017	
76330	202696	0.042	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Andrew Oleski, Instrumentation Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
76331	202696 Dup	0.038	
76332	202697	0.407	
76333	202698	0.297	
76334	202699	0.978	
76335	202700	<0.005	
76336	202701	1.295	
76337	202702	0.539	
76338	202703	>6.000	5.445
76339	202704	1.123	
76340	202705	0.165	
76341	202706	0.129	
76342	202706 Dup	0.128	
76343	202707	0.227	
76344	202708	0.048	
76345	202709	0.750	
76346	202710	0.385	
76347	202711	0.223	
76348	202712	0.404	
76349	202713	0.151	
76350	202714	0.049	
76351	202715	0.551	
76352	202716	0.338	
76353	202716 Rep	0.319	
76354	202717	0.237	
76355	202718	0.071	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
76356	202719	0.015	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.794	0.804	0.043
WPR1	0.021	0.042	0.006
GS26	0.817	0.804	0.043
GS26	0.803	0.804	0.043
GS26	0.839	0.804	0.043
GS26	0.818	0.804	0.043
GS26	0.802	0.804	0.043
GS26	0.818	0.804	0.043
GS26	0.833	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76156	202537	<1	5.31	18	418	<2	<1	2.69	<4	11	45	6	2.20	0.07	13	0.70	385	<1	51	618	14	0.28	<5	<5	<10	558	2231	<2	44	13	5	62
76157	202538	<1	4.96	13	408	<2	3	1.81	<4	8	53	9	1.91	0.06	10	0.60	317	<1	60	540	13	0.37	5	6	<10	559	2102	<2	41	10	4	40
76158	202539	<1	4.90	11	349	<2	3	2.25	<4	9	60	12	1.97	0.11	8	0.65	307	<1	69	520	18	0.36	<5	12	10	553	1939	<2	38	<10	4	41
76159	202540	<1	3.70	21	333	<2	<1	2.29	<4	17	55	52	3.97	0.08	8	1.24	770	<1	37	687	14	0.18	<5	<5	<10	330	3106	<2	120	<10	14	45
76160	202541	<1	4.83	21	406	<2	<1	2.33	<4	12	60	17	2.19	0.20	9	0.51	304	<1	68	534	16	0.35	<5	<5	<10	681	2168	<2	45	<10	4	47
76161	202542	<1	3.52	21	785	<2	<1	2.21	<4	9	52	14	2.04	0.19	10	0.51	559	<1	57	526	31	0.42	<5	<5	<10	605	2263	<2	45	99	3	114
76162	202543	<1	3.30	19	607	<2	<1	1.81	<4	7	45	10	1.88	0.24	8	0.52	482	<1	44	488	25	0.50	6	10	<10	507	2046	<2	39	46	3	81
76163	202544	<1	3.11	16	592	<2	3	2.11	<4	9	44	14	1.97	0.32	6	0.46	456	<1	39	516	26	0.49	6	5	<10	556	2203	<2	41	<10	3	188
76164	202545	<1	4.98	25	573	<2	<1	1.63	<4	9	42	33	2.07	0.11	10	0.75	765	<1	43	599	116	0.56	5	7	<10	397	2099	<2	46	<10	4	160
76165	202546	<1	5.67	17	590	<2	<1	1.69	<4	10	42	36	2.08	0.06	11	0.73	696	<1	46	617	52	0.58	<5	<5	<10	411	2134	<2	46	<10	4	91
76166D	202546	<1	5.10	19	609	<2	<1	1.68	<4	12	45	32	2.12	0.02	11	0.70	717	<1	41	606	45	0.59	6	11	<10	416	2182	<2	47	<10	4	89
76167	202547	2	5.53	24	514	<2	<1	2.00	9	11	81	1245	2.73	<0.01	14	1.05	1019	<1	84	665	1904	0.75	<5	<5	<10	394	1970	<2	51	27	5	2199
76168	202548	<1	4.24	25	365	<2	8	2.07	<4	12	67	44	2.49	0.06	9	1.23	1245	<1	71	633	174	0.54	<5	12	<10	400	2120	<2	53	<10	5	170
76169	202549	<1	5.84	28	583	<2	4	2.36	<4	10	51	29	2.06	<0.01	12	0.81	737	<1	53	593	41	0.35	<5	<5	<10	313	2069	<2	45	<10	5	74
76170	202550	<1	4.10	25	424	<2	5	1.88	<4	15	49	218	4.00	<0.01	9	1.12	716	<1	40	670	13	0.21	<5	<5	<10	322	2836	<2	110	11	13	50
76171	202551	<1	5.74	26	561	<2	<1	1.94	<4	10	27	27	2.00	<0.01	14	0.93	780	<1	35	587	30	0.38	<5	<5	<10	281	2064	<2	43	<10	5	57
76172	202552	<1	6.65	33	664	<2	<1	2.40	<4	11	50	37	2.33	<0.01	16	1.13	1303	<1	52	623	40	0.55	<5	5	<10	313	2098	<2	47	<10	5	57
76173	202553	<1	4.71	32	633	<2	2	1.29	<4	9	43	36	2.02	0.06	18	0.95	1066	<1	15	534	429	0.54	<5	7	<10	252	1929	<2	42	<10	3	180
76174	202554	<1	4.08	37	479	<2	<1	1.83	<4	9	40	14	2.01	0.16	16	1.10	1215	<1	10	519	42	0.54	5	9	<10	250	1807	<2	39	<10	4	170
76175	202555	<1	4.44	24	375	<2	<1	1.99	<4	7	44	11	1.78	0.08	17	1.04	1150	<1	8	491	20	0.44	<5	<5	<10	247	1852	<2	35	<10	3	65

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:33 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76176	202556	<1	5.39	29	452	<2	3	1.68	<4	9	45	16	1.76	0.03	17	0.96	731	<1	10	528	31	0.38	<5	5	<10	249	1852	<2	37	<10	4	89
76177D	202556	<1	5.26	25	454	<2	7	1.67	<4	8	47	17	1.80	0.17	17	0.99	755	<1	10	530	34	0.37	<5	<5	<10	252	1922	<2	38	<10	4	96
76178	202557	<1	5.57	23	445	<2	<1	1.92	<4	8	47	36	1.98	<0.01	20	1.28	1020	<1	12	599	58	0.46	7	<5	<10	243	1959	<2	42	10	4	178
76179	202558	<1	5.52	26	275	<2	<1	2.93	<4	8	45	56	1.43	0.06	14	0.79	713	<1	11	521	11	0.33	<5	9	<10	138	2126	<2	43	<10	4	33
76180	202559	<1	6.66	38	489	<2	<1	1.46	<4	9	37	39	1.99	<0.01	22	1.11	933	<1	12	532	158	0.46	6	<5	<10	209	1948	<2	38	<10	4	550
76181	202560	<1	4.26	19	346	<2	5	2.34	<4	15	56	52	3.91	0.01	8	1.26	762	<1	37	671	8	0.18	<5	<5	<10	326	3078	<2	118	<10	14	56
76182	202561	1	6.31	38	423	<2	<1	1.75	<4	7	32	72	1.66	<0.01	20	1.05	986	<1	9	424	65	0.39	6	7	<10	180	1607	<2	29	<10	4	125
76183	202562	<1	3.66	38	237	<2	<1	0.35	11	4	58	198	1.31	<0.01	11	0.45	466	<1	5	258	126	0.33	<5	<5	<10	123	1075	<2	17	36	2	3417
76184	202563	<1	5.54	42	388	<2	<1	<0.01	4	5	29	126	1.12	<0.01	9	0.27	103	<1	6	346	540	0.34	7	<5	<10	99	1437	<2	24	13	3	1129
76185	202564	<1	4.73	34	369	<2	11	<0.01	<4	4	24	15	0.95	<0.01	8	0.27	146	<1	6	332	73	0.32	5	<5	<10	104	1243	<2	23	<10	2	83
76186	202565	<1	4.48	20	396	<2	<1	<0.01	<4	5	35	13	0.81	<0.01	6	0.22	<100	<1	6	340	71	0.30	<5	6	<10	102	1136	<2	24	<10	2	153
76187	202566	<1	5.01	31	398	<2	<1	<0.01	<4	4	26	12	0.85	0.11	5	0.23	<100	<1	5	360	76	0.33	<5	<5	<10	103	1149	<2	24	<10	2	152
76188D	202566	<1	4.47	31	440	<2	2	<0.01	<4	4	24	13	0.87	0.05	7	0.22	<100	<1	6	361	80	0.37	<5	<5	12	107	1190	<2	25	<10	2	160
76189	202567	<1	3.79	28	349	<2	<1	<0.01	<4	4	50	10	0.75	<0.01	5	0.22	<100	<1	6	304	64	0.26	<5	<5	<10	101	1071	<2	23	<10	2	204
76190	202568	<1	4.35	31	604	<2	<1	<0.01	<4	6	31	22	0.93	<0.01	8	0.21	<100	<1	7	304	117	0.37	5	<5	<10	125	1341	<2	28	<10	2	301
76191	202569	<1	5.14	36	669	<2	<1	1.04	<4	12	44	32	1.68	<0.01	13	0.56	494	<1	15	388	93	0.62	<5	6	<10	228	1905	<2	52	<10	4	148
76192	202570	126	5.52	21	355	<2	<1	2.95	9	18	36	108	5.37	<0.01	4	1.27	945	<1	30	664	18063	0.22	111	<5	12	350	2972	<2	147	<10	17	356
76193	202571	<1	4.76	16	310	<2	<1	0.67	<4	6	36	15	0.47	<0.01	<1	0.19	113	<1	6	273	43	0.13	<5	8	<10	252	1351	<2	35	<10	2	17
76194	202572	<1	5.92	19	351	<2	<1	1.39	<4	6	31	19	0.41	<0.01	3	0.14	127	<1	5	301	26	0.17	<5	11	<10	293	1380	<2	33	<10	3	31
76195	202573	<1	5.16	29	328	<2	<1	1.43	<4	6	31	11	0.46	0.08	6	0.27	259	<1	7	255	25	0.18	7	6	<10	273	1423	<2	33	<10	2	26

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:33 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76196	202574	<1	4.55	21	431	<2	2	1.10	<4	8	29	14	0.47	0.09	6	0.18	170	<1	7	206	27	0.20	<5	7	<10	249	1531	<2	35	<10	2	27
76197	202575	<1	5.12	21	429	<2	<1	1.10	<4	7	26	44	0.49	0.19	7	0.22	182	<1	7	178	49	0.22	<5	6	<10	261	1634	<2	35	<10	2	102
76198	202576	<1	5.64	14	516	<2	6	2.17	<4	11	35	38	1.71	0.26	12	0.73	531	<1	11	524	51	0.34	5	12	<10	326	1856	<2	36	<10	4	162
76199D	202576	<1	5.54	22	544	<2	<1	2.28	<4	11	38	40	1.77	0.31	13	0.74	558	<1	12	543	45	0.38	<5	<5	<10	338	1926	<2	37	10	4	173
76200	202577	<1	5.20	23	360	<2	<1	1.77	<4	10	36	20	2.12	0.25	19	0.86	613	<1	10	534	27	0.44	5	<5	<10	293	2192	<2	45	<10	6	93
76201	202578	<1	5.69	20	471	<2	3	1.53	<4	9	47	25	2.01	0.08	15	0.79	576	<1	10	551	38	0.44	<5	10	14	268	2138	<2	45	<10	5	86
76202	202579	<1	5.68	24	453	<2	<1	1.57	<4	9	35	13	1.91	0.04	19	0.93	605	<1	10	535	40	0.44	5	<5	<10	276	2121	<2	42	<10	5	127
76203	202580	<1	3.93	25	333	<2	<1	2.17	<4	15	51	49	3.66	<0.01	8	1.17	719	<1	34	644	11	0.23	<5	<5	<10	313	2972	<2	112	<10	13	79
76204	202581	<1	5.67	45	508	<2	<1	1.39	<4	10	38	25	2.01	<0.01	21	0.97	693	<1	10	524	400	0.51	<5	<5	<10	222	2144	<2	41	14	5	492
76205	202582	<1	4.90	37	423	<2	<1	1.31	<4	8	25	27	1.74	<0.01	16	0.92	719	<1	7	476	383	0.42	<5	<5	<10	167	1926	<2	34	11	4	478
76206	202583	<1	5.36	39	548	<2	4	1.54	<4	9	28	43	1.94	<0.01	17	1.05	718	<1	10	531	138	0.42	<5	<5	<10	162	2186	<2	39	<10	5	310
76207	202584	<1	5.19	15	633	<2	<1	1.75	<4	9	29	61	1.85	0.27	14	0.92	616	<1	9	507	84	0.25	<5	<5	<10	209	1981	2	36	11	4	345
76208	202585	<1	5.57	18	422	<2	<1	0.66	<4	4	26	7	1.15	0.20	15	1.24	449	<1	4	304	23	0.26	<5	<5	<10	183	1040	<2	17	<10	2	50
76209	202586	<1	3.87	7	408	<2	<1	0.61	<4	4	17	7	1.04	0.36	14	1.13	483	<1	27	277	17	0.27	5	8	<10	177	973	<2	17	<10	2	42
76210D	202586	<1	4.59	15	365	<2	10	0.55	<4	3	13	6	0.94	0.32	13	1.11	435	<1	22	275	18	0.28	<5	<5	<10	171	904	<2	16	<10	2	42
76211	202587	<1	4.86	33	470	<2	<1	<0.01	<4	3	18	6	1.10	0.20	8	0.33	264	<1	36	271	42	0.42	<5	<5	<10	102	1121	<2	18	13	2	816
76212	202588	<1	5.31	41	478	<2	<1	0.08	<4	4	13	6	1.05	0.08	9	0.40	466	<1	26	290	34	0.53	<5	<5	10	114	1115	<2	18	<10	2	138
76213	202589	<1	6.13	32	560	<2	<1	0.88	<4	4	19	23	1.01	<0.01	12	0.77	894	<1	34	318	56	0.41	9	5	<10	175	1217	<2	19	<10	2	114
76214	202590	<1	4.54	62	238	<2	<1	0.81	6	13	28	2308	4.83	0.09	25	0.71	1061	5	23	731	81	1.54	6	<5	<10	216	1152	<2	60	12	6	576
76215	202591	<1	5.69	23	451	<2	<1	0.67	<4	3	16	35	1.02	0.02	13	1.15	917	<1	28	323	184	0.38	<5	10	<10	168	1190	<2	20	<10	2	273

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:33 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76216	202592	<1	6.54	28	603	<2	4	0.92	<4	4	15	50	1.14	0.12	15	1.25	1302	<1	29	329	179	0.37	6	6	<10	180	1339	<2	20	11	2	292
76217	202593	<1	6.55	34	654	<2	9	1.14	<4	5	14	11	1.24	0.04	15	1.09	1475	<1	22	320	54	0.42	6	<5	<10	180	1305	<2	19	<10	3	199
76218	202594	<1	5.90	30	465	<2	3	1.20	<4	4	16	9	1.06	0.20	10	0.98	984	<1	31	312	82	0.34	<5	<5	<10	207	1199	<2	19	<10	2	106
76219	202595	<1	5.04	44	399	<2	<1	1.14	<4	8	24	48	2.23	0.31	12	1.03	944	<1	31	512	104	0.76	<5	<5	10	202	1258	<2	26	<10	5	386
76220	202596	<1	5.61	25	325	<2	<1	1.13	4	20	132	69	3.81	0.06	20	1.53	1150	<1	75	567	228	0.52	<5	<5	<10	186	2037	<2	89	11	10	729
76221R	202596	<1	6.39	34	365	<2	<1	1.25	4	22	130	73	3.94	0.17	22	1.57	1088	<1	73	603	262	0.47	<5	<5	<10	193	2132	<2	92	18	10	801
76222	202597	<1	7.31	22	442	<2	<1	0.95	4	27	142	85	4.57	<0.01	31	1.95	922	<1	92	652	42	0.28	<5	11	<10	191	3385	<2	116	10	10	62
76223	202598	<1	6.22	41	415	2	4	0.97	<4	20	122	80	3.42	<0.01	17	1.27	822	<1	74	528	103	0.53	8	9	11	169	1625	<2	82	10	9	278
76224	202599	<1	5.75	92	456	<2	8	0.35	4	24	157	136	4.07	0.04	13	0.63	536	<1	110	575	357	0.91	<5	<5	<10	149	1492	<2	99	10	9	628
76225	202600	<1	2.89	22	286	<2	<1	1.97	<4	15	50	46	3.57	<0.01	6	1.12	697	<1	34	602	11	0.19	<5	<5	<10	297	2805	<2	109	<10	12	38
76226	202601	<1	4.82	21	454	2	10	1.30	<4	27	151	76	4.20	<0.01	22	1.30	791	<1	82	579	57	0.46	<5	<5	<10	185	2878	<2	107	<10	10	92
76227	202602	<1	5.63	25	380	2	<1	0.80	<4	21	130	50	3.70	<0.01	18	1.18	395	<1	75	769	69	0.47	<5	<5	<10	188	1959	<2	90	<10	8	157
76228	202603	<1	4.90	17	324	2	<1	1.21	<4	20	125	52	3.58	0.15	19	1.14	536	<1	68	540	38	0.45	5	<5	<10	199	2285	<2	84	<10	8	103
76229	202604	<1	6.22	25	596	<2	6	0.96	<4	18	95	44	2.50	0.02	20	0.79	294	<1	59	445	44	0.42	<5	8	<10	200	2329	<2	77	<10	8	121
76230	202605	<1	6.48	25	554	<2	<1	2.00	<4	9	25	17	1.96	<0.01	20	0.94	538	<1	31	540	29	0.29	<5	10	<10	259	2257	<2	45	<10	5	47
76231	202606	<1	5.50	16	463	<2	<1	2.17	<4	10	31	34	2.04	0.15	11	0.97	561	<1	29	516	41	0.30	<5	<5	<10	237	1934	<2	42	<10	5	79
76232D	202606	<1	5.59	20	458	<2	<1	2.15	<4	9	27	34	2.00	0.07	12	0.96	554	<1	28	514	39	0.32	<5	10	<10	235	1909	<2	41	<10	5	77
76233	202607	<1	6.53	37	643	<2	14	1.70	<4	18	33	24	1.30	0.06	14	0.51	336	<1	42	551	45	0.36	<5	<5	<10	235	2253	<2	53	<10	5	46
76234	202608	<1	7.60	31	605	2	<1	1.80	<4	13	30	35	1.35	0.15	19	0.79	469	<1	36	610	72	0.27	<5	<5	<10	223	2246	<2	52	<10	5	69
76235	202609	<1	6.63	39	551	2	<1	1.56	<4	13	27	33	1.30	0.29	16	0.75	448	<1	37	574	64	0.25	<5	9	<10	210	2147	<2	50	<10	5	67

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:33 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76236	202610	<1	4.13	30	422	<2	24	1.88	<4	15	50	220	4.06	0.18	9	1.13	719	1	40	676	19	0.20	<5	5	10	325	2836	<2	111	<10	14	50
76237	202611	<1	6.23	39	371	<2	8	0.26	<4	10	10	20	0.91	<0.01	14	0.51	329	<1	24	724	64	0.37	<5	10	<10	114	2205	<2	39	<10	4	138
76238	202612	<1	5.08	39	369	<2	<1	1.35	<4	8	12	34	1.01	<0.01	11	0.52	440	<1	23	639	134	0.39	<5	<5	<10	143	1872	<2	33	<10	4	111
76239	202613	<1	5.19	28	536	<2	<1	1.21	<4	6	16	36	1.24	<0.01	18	0.96	564	<1	21	670	280	0.35	9	<5	<10	139	2086	<2	35	<10	4	204
76240	202614	<1	2.31	22	325	2	5	0.55	<4	10	25	15	1.91	<0.01	5	1.02	633	<1	31	732	59	0.32	<5	<5	<10	115	2246	<2	38	45	5	131
76241	202615	<1	5.88	62	655	2	<1	0.64	4	6	19	14	1.82	0.46	13	0.65	453	<1	29	575	539	0.70	<5	<5	<10	138	1950	<2	33	20	4	1225
76242	202616	<1	4.85	61	499	<2	1	0.36	<4	4	16	17	1.56	0.38	10	0.50	411	<1	25	548	300	0.69	5	5	<10	113	1683	<2	30	<10	4	359
76243D	202616	<1	3.79	54	416	<2	<1	0.02	<4	5	13	17	1.56	0.02	6	0.50	403	<1	25	528	284	0.64	<5	<5	<10	99	1667	<2	30	<10	4	346
76244	202617	<1	4.79	50	445	<2	<1	0.70	5	5	23	96	1.76	0.16	14	0.67	532	<1	34	527	169	0.67	14	9	<10	126	1783	<2	30	19	3	1328
76245	202618	<1	5.86	27	384	<2	<1	1.12	<4	8	23	6	1.39	<0.01	18	1.19	782	<1	37	611	21	0.35	9	<5	<10	128	1954	<2	34	<10	4	38
76246	202619	<1	5.98	37	362	<2	12	0.94	<4	8	15	38	1.50	<0.01	11	1.17	816	<1	32	633	129	0.32	5	<5	<10	159	1929	<2	34	<10	4	207
76247	202620	<1	4.01	16	330	<2	5	2.26	<4	16	54	50	3.84	<0.01	8	1.23	744	<1	39	659	4	0.11	<5	<5	<10	322	3014	<2	116	<10	14	42
76248	202621	<1	5.33	35	387	<2	<1	0.81	<4	8	30	101	1.39	<0.01	12	0.79	703	<1	54	537	337	0.39	12	<5	<10	160	1771	<2	30	10	4	809
76249	202622	<1	5.30	32	294	<2	14	0.39	<4	9	25	38	1.03	<0.01	14	0.64	473	<1	51	548	247	0.31	6	<5	<10	153	1814	<2	32	12	3	361
76250	202623	<1	4.78	29	265	<2	<1	0.54	<4	8	34	33	1.02	0.30	14	0.72	692	<1	60	560	139	0.29	5	<5	<10	179	1568	<2	29	<10	4	154
76251	202624	<1	4.68	30	140	<2	<1	1.09	<4	5	36	57	1.17	0.25	8	0.81	1102	<1	58	558	71	0.35	<5	5	<10	204	1264	<2	26	<10	4	173
76252	202625	<1	4.98	30	232	<2	9	0.56	<4	7	23	27	1.13	0.27	9	0.64	812	<1	43	509	40	0.33	<5	6	<10	208	1391	<2	31	<10	3	44
76253	202626	<1	5.36	28	250	<2	<1	0.68	<4	6	23	25	1.14	0.19	10	0.67	938	<1	32	520	41	0.35	<5	8	<10	217	1440	<2	31	<10	3	42
76254D	202626	<1	4.80	24	218	<2	10	0.58	<4	5	17	22	0.98	0.02	8	0.59	834	<1	29	464	37	0.34	<5	5	<10	197	1278	<2	27	<10	3	41
76255	202627	<1	5.15	35	163	<2	<1	0.09	<4	5	29	8	0.94	0.06	7	0.37	381	<1	45	446	22	0.34	<5	<5	<10	187	1090	<2	28	<10	2	16

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:34 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76256	202628	<1	5.33	30	153	<2	3	0.21	<4	5	14	19	1.19	0.01	8	0.59	835	<1	25	494	43	0.32	<5	<5	<10	206	1214	<2	30	<10	3	38
76257	202629	<1	3.09	19	168	2	<1	0.15	<4	4	13	43	1.21	0.16	2	0.38	934	<1	26	346	57	0.25	<5	8	<10	204	901	<2	25	<10	2	105
76258	202630	120	4.97	26	313	<2	4	2.65	8	16	32	100	4.95	0.11	4	1.17	863	<1	24	608	17061	0.19	103	<5	14	330	2754	<2	135	<10	16	315
76259	202631	<1	5.93	17	268	<2	3	0.07	<4	6	28	15	1.63	0.15	10	0.60	962	<1	43	552	39	0.23	<5	8	<10	205	1251	<2	37	<10	4	30
76260	202632	<1	6.02	21	284	<2	12	0.27	<4	7	20	27	1.74	0.23	13	0.77	966	<1	32	548	51	0.32	<5	<5	<10	190	1548	<2	36	<10	4	59
76261	202633	<1	5.32	40	362	<2	<1	0.75	<4	9	24	222	1.94	0.15	15	0.90	946	<1	32	487	83	0.42	<5	6	11	179	1781	<2	36	11	4	685
76262	202634	<1	2.08	22	339	<2	<1	0.37	<4	7	17	11	1.44	1.00	5	0.79	794	<1	22	355	24	0.26	<5	5	<10	130	1542	<2	30	<10	3	60
76263	202635	<1	5.93	26	437	<2	<1	0.90	<4	10	31	20	1.66	0.15	14	0.81	705	<1	34	510	16	0.30	5	<5	<10	181	2137	<2	43	<10	5	38
76264	202636	<1	4.40	56	551	<2	<1	<0.01	<4	11	33	65	1.83	0.27	11	0.40	162	<1	42	468	259	0.77	8	<5	<10	115	1532	<2	34	<10	4	611
76265D	202636	<1	5.12	67	632	<2	<1	<0.01	<4	11	36	72	1.99	0.22	13	0.43	174	<1	42	510	283	0.82	7	7	<10	123	1654	<2	37	<10	4	665
76266	202637	<1	5.88	37	353	<2	9	0.50	<4	10	26	20	1.39	0.15	14	1.14	601	<1	34	446	58	0.46	<5	6	<10	164	1758	<2	40	10	4	97
76267	202638	<1	5.60	35	269	<2	2	0.75	<4	6	16	7	1.22	0.07	15	1.11	643	<1	23	458	283	0.52	<5	<5	<10	173	1532	<2	31	<10	3	311
76268	202639	<1	5.65	36	205	<2	4	1.22	<4	6	12	7	0.80	<0.01	11	1.05	644	<1	21	433	29	0.34	<5	<5	<10	182	1623	<2	26	<10	3	22
76269	202640	<1	4.06	15	335	<2	4	2.34	<4	17	56	54	4.00	0.34	8	1.28	772	<1	37	688	11	0.17	9	9	<10	333	3124	<2	121	<10	14	40
76270	202641	3	4.74	57	197	<2	<1	<0.01	<4	6	18	33	1.18	0.44	7	0.26	<100	<1	31	357	886	0.41	10	<5	<10	97	1371	<2	25	11	2	984
76271	202642	<1	5.48	52	288	<2	2	0.65	<4	7	18	14	1.50	0.60	12	0.79	393	<1	28	436	143	0.45	<5	<5	<10	149	1780	<2	32	10	3	198
76272	202643	<1	5.92	35	321	<2	<1	0.85	<4	8	17	12	1.66	0.30	20	0.91	405	<1	32	460	13	0.50	7	<5	<10	174	1862	<2	33	<10	3	27
76273	202644	<1	4.10	40	289	<2	4	1.12	<4	6	20	8	1.54	0.02	18	1.01	594	<1	35	427	20	0.48	<5	8	<10	201	1762	<2	33	<10	3	34
76274	202645	<1	5.84	36	257	<2	<1	0.90	<4	7	16	18	1.47	0.43	19	1.04	587	<1	28	458	59	0.48	5	<5	<10	201	1837	<2	33	<10	3	128
76275	202646	<1	5.10	31	252	<2	<1	0.77	<4	6	16	5	1.57	0.21	15	0.91	496	<1	29	411	33	0.55	<5	<5	<10	179	1629	<2	29	<10	3	192

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:34 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76276D	202646	<1	5.58	26	283	<2	8	0.86	<4	7	17	6	1.80	0.33	17	1.04	578	<1	30	451	41	0.63	<5	<5	11	194	1862	<2	33	<10	3	216
76277	202647	<1	3.41	22	128	<2	11	0.82	<4	5	14	8	1.18	0.28	10	1.12	820	<1	24	390	45	0.33	<5	<5	<10	150	1623	<2	28	<10	3	52
76278	202648	<1	4.93	19	439	<2	12	1.79	<4	8	42	26	1.74	0.04	15	1.37	887	<1	34	489	39	0.26	<5	14	<10	160	1935	<2	44	<10	5	39
76279	202649	<1	4.93	21	391	<2	<1	0.98	<4	17	108	87	2.69	0.03	17	1.28	1143	<1	61	602	126	0.40	<5	8	<10	122	2152	<2	67	<10	9	445
76280	202650	<1	4.91	62	245	<2	13	0.86	6	14	29	2492	5.14	<0.01	27	0.74	1103	6	24	774	80	1.64	<5	<5	<10	230	1182	<2	63	10	7	626
76281	202651	<1	5.27	57	463	<2	2	1.56	<4	7	22	33	1.43	0.13	9	1.29	893	<1	31	367	226	0.30	5	<5	<10	156	1598	<2	26	11	3	680
76282	202652	<1	5.56	29	527	<2	<1	1.32	<4	6	14	26	1.32	0.18	14	1.15	815	<1	5	383	43	0.30	<5	<5	<10	161	1654	<2	26	<10	3	93
76283	202653	<1	6.59	20	655	<2	2	1.22	<4	7	13	60	1.41	0.11	18	1.05	655	<1	7	457	26	0.26	<5	<5	<10	177	1977	<2	30	<10	3	45
76284	202654	<1	5.59	12	511	<2	<1	1.87	<4	8	29	37	2.14	0.11	15	1.27	962	<1	7	543	137	0.26	5	7	<10	151	1863	<2	32	10	4	219
76285	202655	<1	5.28	25	499	<2	<1	1.33	<4	6	13	15	1.31	0.18	15	0.92	574	<1	7	356	46	0.30	5	<5	<10	163	1579	<2	24	<10	3	70
76286	202656	<1	5.59	18	507	<2	<1	1.70	<4	6	19	14	1.36	0.61	20	1.50	740	<1	6	367	41	0.29	6	<5	11	179	1669	<2	24	<10	3	68
76287R	202656	<1	5.24	24	466	<2	4	1.58	<4	5	18	12	1.28	0.43	19	1.43	701	<1	5	350	39	0.26	<5	6	<10	172	1580	<2	23	<10	3	56
76288	202657	<1	5.46	32	485	<2	<1	1.60	<4	6	15	8	1.43	0.29	18	1.60	758	<1	5	374	87	0.34	<5	<5	<10	155	1621	<2	24	10	3	259
76289	202658	<1	4.77	29	536	<2	<1	1.77	<4	7	15	15	1.43	0.22	20	1.41	691	<1	7	359	123	0.29	<5	<5	<10	153	1693	<2	26	<10	3	130
76290	202659	<1	4.58	16	461	<2	<1	1.81	<4	5	11	30	1.22	0.33	17	1.17	625	<1	5	341	30	0.28	<5	5	<10	137	1461	<2	22	<10	3	322
76291	202660	<1	3.03	20	266	<2	11	1.87	<4	15	48	46	3.44	0.32	6	1.10	670	<1	32	601	11	0.18	7	6	<10	289	2806	<2	105	<10	13	44
76292	202661	<1	5.32	16	500	<2	<1	1.36	<4	7	13	21	1.37	0.10	24	1.05	523	<1	6	388	17	0.34	7	<5	10	184	1833	<2	27	<10	3	73
76293	202662	<1	3.66	21	448	<2	2	1.17	<4	6	16	16	1.27	0.19	24	0.96	497	<1	6	341	14	0.32	<5	<5	<10	180	1639	<2	24	<10	2	17
76294	202663	<1	4.38	22	458	<2	<1	1.15	<4	6	16	9	1.29	0.19	22	1.08	494	<1	6	354	10	0.30	<5	<5	<10	165	1673	<2	24	<10	2	28
76295	202664	<1	2.26	42	393	<2	5	1.36	<4	6	13	37	1.35	0.01	9	1.04	636	<1	3	303	58	0.34	<5	<5	<10	131	1395	<2	20	14	2	600

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:34 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76296	202665	<1	3.95	18	601	<2	<1	1.38	<4	6	23	15	1.26	0.18	23	1.05	524	<1	6	362	40	0.33	6	10	<10	160	1676	<2	25	10	2	82
76297	202666	<1	3.72	22	628	<2	5	1.50	<4	6	27	12	1.38	0.27	24	1.15	602	<1	6	368	39	0.33	<5	<5	<10	165	1773	<2	27	<10	2	63
76298D	202666	<1	4.50	18	517	<2	<1	1.08	<4	6	21	12	1.48	0.44	19	1.42	639	<1	6	390	39	0.19	<5	6	<10	148	1831	<2	27	10	3	66
76299	202667	<1	6.26	26	550	<2	<1	1.95	<4	7	15	12	1.63	0.25	20	1.97	734	<1	7	416	37	0.29	8	6	<10	159	1768	<2	27	<10	3	162
76300	202668	<1	5.95	17	578	<2	<1	1.31	<4	6	20	11	1.44	0.36	20	1.55	570	<1	6	399	23	0.28	7	11	<10	145	1827	<2	27	<10	3	44
76301	202669	<1	4.52	31	488	<2	6	1.53	<4	6	12	28	1.47	0.35	18	1.65	880	<1	6	383	335	0.30	<5	11	<10	149	1661	<2	24	10	3	559
76302	202670	<1	2.93	28	339	<2	<1	1.51	<4	14	45	205	3.76	<0.01	5	1.06	671	<1	38	617	10	0.18	<5	<5	<10	295	2580	<2	104	10	13	60
76303	202671	<1	4.92	32	512	<2	<1	1.87	<4	5	20	11	1.71	0.37	19	1.90	942	<1	7	351	57	0.44	<5	5	<10	141	1623	<2	24	11	3	630
76304	202672	<1	4.69	27	466	<2	<1	1.49	<4	6	26	32	1.61	0.26	20	1.60	700	<1	5	349	89	0.34	<5	<5	<10	136	1553	<2	24	<10	3	243
76305	202673	<1	3.69	26	386	<2	1	1.95	<4	5	32	27	1.88	0.21	24	2.23	917	<1	6	344	82	0.43	5	<5	<10	129	1538	<2	23	<10	3	169
76306	202674	<1	5.55	27	508	<2	<1	1.18	<4	5	21	18	1.18	0.36	20	1.10	580	<1	6	393	112	0.39	<5	8	<10	125	1765	<2	26	<10	3	120
76307	202675	<1	5.52	46	472	<2	1	1.19	<4	7	15	25	1.65	0.22	20	1.19	676	<1	6	394	82	0.68	<5	<5	<10	115	1678	<2	26	<10	3	123
76308	202676	6	4.91	72	369	<2	<1	0.59	6	5	17	122	1.96	0.12	15	0.87	398	<1	6	381	599	0.85	18	5	<10	100	1454	<2	22	25	3	1808
76309D	202676	4	5.39	91	419	<2	<1	0.71	7	6	22	136	2.21	0.39	17	0.99	457	<1	7	423	683	0.93	22	<5	<10	104	1633	<2	25	26	3	2065
76310	202677	<1	5.70	49	389	<2	6	0.19	<4	5	14	17	1.22	<0.01	11	0.47	151	<1	7	434	52	0.44	10	<5	<10	94	1374	<2	24	<10	3	129
76311	202678	<1	5.87	53	456	<2	<1	<0.01	5	5	16	22	1.24	<0.01	1	0.21	<100	<1	7	528	56	0.40	10	8	<10	99	1225	<2	28	16	3	1387
76312	202679	5	5.08	60	377	<2	5	<0.01	11	5	18	30	1.44	0.29	3	0.21	<100	<1	6	438	1384	0.44	13	5	<10	96	1140	<2	25	40	3	3550
76313	202680	<1	3.61	20	303	<2	7	2.09	<4	14	52	50	3.71	<0.01	7	1.18	718	<1	35	633	8	0.19	5	<5	<10	313	2959	<2	113	<10	14	52
76314	202681	<1	5.30	48	484	<2	4	<0.01	4	7	30	33	1.60	0.07	3	0.29	<100	<1	9	540	199	0.64	5	<5	<10	92	1214	<2	28	16	3	1430
76315	202682	<1	5.60	33	488	2	<1	0.67	<4	6	35	16	1.65	0.21	14	1.01	402	<1	8	520	89	0.58	<5	<5	<10	110	1285	<2	27	<10	3	231

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:34 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76316	202683	<1	4.54	26	386	<2	11	0.31	<4	17	122	45	3.17	0.20	22	2.03	629	<1	46	567	71	0.47	<5	<5	<10	93	1659	<2	77	<10	5	267
76317	202684	<1	5.65	29	485	2	<1	1.00	<4	12	108	37	2.35	0.15	16	1.66	581	<1	28	496	89	0.44	<5	9	<10	120	1610	<2	51	<10	4	226
76318	202685	<1	5.61	46	485	<2	<1	0.19	<4	13	98	39	2.49	0.08	19	1.61	410	<1	34	558	139	0.56	5	<5	<10	95	1364	<2	59	10	4	186
76319	202686	<1	6.66	46	457	<2	<1	0.24	<4	12	80	37	2.38	0.06	21	1.83	486	<1	29	601	206	0.57	<5	<5	<10	95	1365	<2	56	<10	5	187
76320D	202686	<1	5.50	44	426	<2	7	0.16	<4	12	77	34	2.27	0.10	20	1.70	467	<1	27	553	197	0.53	6	<5	<10	91	1295	2	53	<10	4	180
76321	202687	<1	5.39	37	384	<2	<1	0.28	<4	5	30	13	1.30	0.15	14	1.32	245	<1	7	458	362	0.42	6	6	<10	94	1101	<2	26	<10	3	255
76322	202688	<1	6.54	47	499	<2	7	<0.01	<4	7	44	17	1.64	0.19	4	0.37	<100	<1	7	830	76	0.48	<5	5	<10	93	1431	<2	31	15	4	399
76323	202689	<1	6.49	40	499	<2	3	0.22	<4	5	35	22	1.30	0.35	16	1.30	180	<1	7	490	44	0.23	6	7	<10	88	1180	<2	28	<10	3	53
76324	202690	<1	4.34	31	444	<2	<1	1.98	4	16	52	228	4.18	0.24	9	1.16	739	1	40	689	13	0.21	<5	<5	<10	334	2901	<2	115	<10	14	48
76325	202691	<1	4.79	57	289	<2	3	0.99	<4	5	55	18	1.66	0.29	22	1.94	310	<1	8	409	51	0.34	6	<5	<10	86	1066	<2	24	<10	3	88
76326	202692	<1	5.72	29	417	<2	9	0.60	<4	6	32	10	1.38	0.16	17	1.57	352	<1	6	390	23	0.34	<5	<5	<10	112	1294	<2	27	<10	3	33
76327	202693	<1	3.85	25	403	<2	<1	0.53	<4	5	27	6	1.38	<0.01	19	1.80	367	<1	7	344	33	0.36	5	8	<10	109	1124	<2	24	<10	3	45
76328	202694	<1	5.35	37	457	<2	<1	0.68	<4	5	28	11	1.29	0.20	16	1.54	257	<1	7	370	31	0.33	<5	9	<10	114	1433	<2	26	<10	2	40
76329	202695	<1	5.41	37	465	<2	<1	1.22	<4	5	34	14	1.30	0.32	12	1.41	329	<1	6	408	27	0.38	<5	6	12	126	1448	<2	25	<10	3	35
76330	202696	<1	6.63	48	594	<2	9	0.86	<4	7	37	13	1.37	0.08	12	0.79	259	<1	8	384	57	0.50	5	9	10	116	1632	<2	30	<10	3	38
76331D	202696	<1	6.75	48	594	2	14	0.80	<4	7	34	13	1.40	0.14	11	0.84	267	<1	8	410	58	0.53	<5	6	24	114	1708	<2	31	10	3	36
76332	202697	<1	5.20	57	452	<2	<1	<0.01	<4	5	25	18	0.98	0.03	6	0.29	<100	<1	7	358	91	0.47	10	<5	<10	92	1304	<2	25	10	2	329
76333	202698	<1	5.06	87	405	<2	<1	<0.01	<4	6	41	81	1.25	<0.01	5	0.25	<100	<1	8	440	206	0.47	27	<5	<10	91	1253	<2	25	10	3	445
76334	202699	2	4.64	107	238	2	3	<0.01	<4	14	108	71	2.02	<0.01	9	0.28	<100	<1	38	530	224	0.64	15	<5	<10	87	1260	<2	61	16	6	760
76335	202700	<1	4.01	22	329	<2	<1	2.20	<4	15	52	49	3.67	0.23	8	1.17	711	<1	34	640	9	0.19	<5	<5	<10	315	2909	<2	111	<10	13	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:34 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76336	202701	7	5.41	91	293	<2	<1	<0.01	<4	10	32	63	2.53	0.43	6	0.25	<100	<1	12	574	225	0.93	16	<5	<10	92	1390	<2	41	12	4	518
76337	202702	4	4.41	52	318	<2	<1	<0.01	<4	6	32	62	1.39	0.46	8	0.43	110	<1	9	482	324	0.40	17	<5	<10	98	1344	<2	34	14	4	795
76338	202703	19	3.05	80	253	<2	<1	<0.01	17	5	60	283	1.78	<0.01	4	0.20	<100	<1	8	744	1567	0.59	47	<5	11	83	1074	<2	26	49	4	4654
76339	202704	22	3.25	44	384	<2	<1	0.22	4	6	35	18	1.25	0.16	10	0.45	177	<1	8	482	1408	0.43	29	10	<10	100	1568	<2	33	18	3	1321
76340	202705	<1	5.74	33	480	2	<1	1.44	<4	8	50	12	1.89	0.16	16	1.08	421	<1	10	609	50	0.32	6	9	<10	127	2211	<2	43	11	4	131
76341	202706	<1	5.52	25	453	2	<1	1.47	<4	8	37	13	1.74	<0.01	16	1.07	410	<1	12	587	36	0.35	<5	<5	<10	126	2115	<2	40	<10	4	110
76342D	202706	<1	6.09	28	458	2	6	1.49	<4	8	40	20	1.78	<0.01	16	1.12	417	<1	17	619	40	0.35	<5	<5	<10	129	2157	<2	41	<10	4	124
76343	202707	<1	5.72	38	441	<2	1	1.48	<4	10	23	19	1.81	0.27	17	1.05	387	<1	18	578	31	0.39	<5	<5	<10	128	2202	<2	40	<10	4	67
76344	202708	<1	5.20	35	435	<2	2	1.62	<4	8	35	75	1.69	0.38	20	1.12	529	<1	79	536	37	0.34	<5	<5	<10	137	2046	<2	38	<10	4	125
76345	202709	<1	5.94	42	447	<2	<1	1.34	10	9	24	188	1.65	0.08	21	1.10	603	<1	17	548	495	0.52	9	<5	<10	128	2001	<2	40	38	4	3439
76346	202710	<1	3.90	63	213	<2	4	0.75	6	14	25	2338	4.89	0.29	25	0.66	1054	5	21	702	77	1.33	<5	<5	<10	217	1109	<2	60	10	6	570
76347	202711	<1	4.64	18	459	2	<1	2.52	<4	10	26	13	2.02	0.27	16	1.16	535	<1	10	557	176	0.31	6	7	<10	155	2192	<2	41	12	4	232
76348	202712	<1	5.59	28	488	<2	3	1.68	<4	9	29	19	1.69	0.53	19	0.92	546	<1	8	561	151	0.34	<5	<5	<10	158	2125	<2	39	15	4	548
76349	202713	<1	5.98	41	442	<2	7	2.26	<4	10	30	11	2.13	0.34	19	1.11	661	<1	10	618	45	0.36	5	<5	12	188	2316	<2	44	10	4	62
76350	202714	<1	5.52	32	379	<2	3	1.63	<4	8	34	12	1.74	0.42	18	0.93	489	<1	10	540	16	0.33	<5	8	<10	177	2056	<2	39	<10	4	32
76351	202715	<1	4.29	49	312	<2	<1	0.81	<4	9	37	20	1.77	0.09	20	0.90	374	<1	8	471	25	0.48	<5	<5	11	167	1690	<2	31	<10	3	94
76352	202716	<1	5.07	33	404	<2	<1	1.15	<4	10	33	23	2.25	0.44	25	1.08	454	<1	10	603	187	0.41	<5	8	<10	237	2224	<2	44	10	4	414
76353R	202716	<1	4.63	30	348	<2	<1	0.99	<4	8	18	17	1.81	0.11	21	0.98	382	<1	23	529	121	0.38	7	<5	<10	217	1949	<2	38	10	3	239
76354	202717	<1	3.35	36	349	<2	<1	1.45	<4	9	28	13	1.79	<0.01	25	0.99	435	<1	26	531	50	0.36	<5	<5	<10	240	2046	<2	42	13	3	75
76355	202718	<1	3.54	27	241	<2	<1	0.98	<4	9	17	15	1.68	0.07	21	1.10	323	<1	23	489	62	0.35	<5	<5	<10	158	1943	<2	37	<10	3	91

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-06/04/2014 9:34 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/15/2014
Date Completed: 06/03/2014
Job #: 201440989
Reference: TL14-360
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
76356	202719	<1	4.03	22	225	<2	8	1.34	<4	8	14	9	1.80	0.12	27	1.45	394	<1	20	523	10	0.36	<5	<5	10	205	1936	<2	37	<10	3	214

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/22/2014
Job #: 201441388
Reference: 201440989
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
106366	202703	5.350	5.900	11.079	5.892	4.90%	49

PROCEDURE CODES: ALPM1

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

TL14361A

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81110	202720	<0.005	
81111	202721	0.081	
81112	202722	0.227	
81113	202723	0.113	
81114	202724	0.041	
81115	202725	0.078	
81116	202726	0.077	
81117	202727	0.057	
81118	202728	0.081	
81119	202729	0.044	
81120	202729 Dup	0.048	
81121	202730	1.522	
81122	202731	0.033	
81123	202732	0.049	
81124	202733	0.051	
81125	202734	0.020	
81126	202735	0.011	
81127	202736	0.007	
81128	202737	0.009	
81129	202738	0.007	
81130	202739	0.008	
81131	202739 Dup	0.007	
81132	202740	<0.005	
81133	202741	0.005	
81134	202742	0.008	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81135	202743	<0.005	
81136	202744	0.005	
81137	202745	0.009	
81138	202746	0.014	
81139	202747	0.041	
81140	202748	0.116	
81141	202749	0.055	
81142	202749 Dup	0.064	
81143	202750	4.937	
81144	202751	0.234	
81145	202752	0.064	
81146	202753	0.014	
81147	202754	0.034	
81148	202755	0.030	
81149	202756	0.178	
81150	202757	0.380	
81151	202758	0.412	
81152	202759	0.127	
81153	202759 Dup	0.119	
81154	202760	<0.005	
81155	202761	0.338	
81156	202762	0.017	
81157	202763	0.035	
81158	202764	0.071	
81159	202765	0.055	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81160	202766	0.037	
81161	202767	0.286	
81162	202768	0.041	
81163	202769	0.205	
81164	202769 Dup	0.174	
81165	202770	0.430	
81166	202771	0.142	
81167	202772	0.135	
81168	202773	0.095	
81169	202774	0.699	
81170	202775	4.473	
81171	202776	0.491	
81172	202777	0.821	
81173	202778	0.334	
81174	202779	0.072	
81175	202779 Rep	0.072	
81176	202780	<0.005	
81177	202781	0.235	
81178	202782	0.940	
81179	202783	0.252	
81180	202784	0.209	
81181	202785	0.714	
81182	202786	0.171	
81183	202787	0.109	
81184	202788	0.340	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81185	202789	0.183	
81186	202789 Dup	0.149	
81187	202790	1.451	
81188	202791	0.006	
81189	202792	0.009	
81190	202793	0.023	
81191	202794	0.024	
81192	202795	0.130	
81193	202796	0.054	
81194	202797	0.060	
81195	202798	0.024	
81196	202799	0.100	
81197	202799 Dup	0.062	
81198	202800	<0.005	
81199	202801	<0.005	
81200	202802	0.006	
81201	202803	<0.005	
81202	202804	<0.005	
81203	202805	<0.005	
81204	202806	<0.005	
81205	202807	0.013	
81206	202808	0.020	
81207	202809	0.009	
81208	202809 Dup	0.007	
81209	202810	4.961	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81210	202811	0.016	
81211	202812	0.013	
81212	202813	0.059	
81213	202814	0.012	
81214	202815	0.009	
81215	202816	0.064	
81216	202817	0.008	
81217	202818	0.010	
81218	202819	0.040	
81219	202819 Dup	0.058	
81220	202820	<0.005	
81221	202821	0.024	
81222	202822	0.037	
81223	202823	0.086	
81224	202824	0.249	
81225	202825	0.057	
81226	202826	0.059	
81227	202827	0.063	
81228	202828	0.066	
81229	202829	0.125	
81230	202829 Dup	0.101	
81231	202830	0.404	
81232	202831	0.151	
81233	202832	0.031	
81234	202833	0.087	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81235	202834	0.463	
81236	202835	0.749	
81237	202836	0.064	
81238	202837	0.418	
81239	202838	0.881	
81240	202839	0.454	
81241	202839 Rep	0.298	
81242	202840	<0.005	
81243	202841	0.021	
81244	202842	0.340	
81245	202843	0.133	
81246	202844	0.038	
81247	202845	0.032	
81248	202846	0.028	
81249	202847	0.147	
81250	202848	0.018	
81251	202849	0.043	
81252	202849 Dup	0.044	
81253	202850	1.447	
81254	202851	0.044	
81255	202852	0.065	
81256	202853	0.654	
81257	202854	0.505	
81258	202855	0.527	
81259	202856	0.361	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81260	202857	0.676	
81261	202858	0.754	
81262	202859	0.231	
81263	202859 Dup	0.216	
81264	202860	<0.005	
81265	202861	>6.000	7.259
81266	202862	0.155	
81267	202863	0.427	
81268	202864	0.257	
81269	202865	0.047	
81270	202866	0.038	
81271	202867	0.025	
81272	202868	0.019	
81273	202869	0.048	
81274	202869 Dup	0.046	
81275	202870	4.872	
81276	202871	0.133	
81277	202872	0.040	
81278	202873	0.069	
81279	202874	0.054	
81280	202875	0.107	
81281	202876	0.102	
81282	202877	0.137	
81283	202878	0.012	
81284	202879	0.009	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81285	202879 Dup	0.008	
81286	202880	0.006	
81287	202881	0.423	
81288	202882	0.122	
81289	202883	0.632	
81290	202884	0.046	
81291	202885	0.073	
81292	202886	0.115	
81293	202887	0.016	
81294	202888	0.184	
81295	202889	0.086	
81296	202889 Dup	0.105	
81297	202890	0.396	
81298	202891	0.123	
81299	202892	0.151	
81300	202893	0.045	
81301	202894	0.011	
81302	202895	0.009	
81303	202896	0.588	
81304	202897	0.014	
81305	202898	0.099	
81306	202899	0.014	
81307	202899 Rep	0.014	
81308	202900	<0.005	
81309	202901	0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81310	202902	0.015	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.860	0.804	0.043
GS26	0.861	0.804	0.043
GS26	0.849	0.804	0.043
GS26	0.841	0.804	0.043
GS26	0.819	0.804	0.043
GS26	0.840	0.804	0.043
GS26	0.870	0.804	0.043
SAR7	0.630	0.310	0.015
GS26	0.829	0.804	0.043
GS26	0.795	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81110	202720	<1	4.54	20	345	<2	9	2.51	<4	16	55	46	3.81	0.42	15	1.22	735	2	43	660	15	0.11	<5	8	<10	327	2973	<2	117	<10	14	48
81111	202721	<1	5.52	33	549	<2	11	1.71	<4	9	26	35	1.93	0.45	12	0.66	720	<1	37	565	96	0.69	<5	32	<10	266	1928	<2	44	12	3	537
81112	202722	<1	5.66	39	613	<2	8	1.54	<4	8	17	22	1.57	0.48	13	0.71	932	<1	28	518	45	0.72	<5	26	<10	216	1770	<2	38	<10	3	225
81113	202723	<1	5.89	42	564	<2	5	1.90	<4	8	20	19	1.71	0.46	13	0.75	1058	<1	31	546	35	0.76	5	19	<10	213	1803	<2	39	<10	3	192
81114	202724	<1	6.20	36	581	<2	11	2.44	<4	8	23	25	1.91	0.48	14	0.99	1234	<1	31	561	42	0.63	<5	22	<10	242	1895	<2	40	<10	4	56
81115	202725	<1	4.71	34	455	<2	6	2.38	4	7	20	64	2.06	0.41	10	1.08	1272	<1	25	482	151	0.70	<5	20	<10	225	1652	<2	34	19	3	1265
81116	202726	<1	5.56	40	624	<2	<1	2.75	5	7	26	88	2.30	0.43	11	1.16	1326	<1	30	547	114	0.95	5	20	<10	244	1799	<2	39	18	3	1515
81117	202727	<1	5.39	22	447	2	4	1.90	8	10	28	50	1.83	0.37	13	0.91	853	<1	32	565	1595	0.32	5	29	1557	251	1898	<2	39	33	3	2728
81118	202728	<1	5.13	17	314	<2	9	2.38	<4	8	21	21	1.84	0.43	14	1.04	586	<1	30	513	28	0.19	5	16	1554	264	1943	<2	38	<10	3	120
81119	202729	<1	5.40	36	387	<2	2	2.72	<4	9	33	41	1.92	0.42	9	0.92	1116	2	57	571	122	0.54	<5	7	1480	193	1658	<2	40	<10	3	145
81120D	202729	<1	5.83	44	389	2	6	2.79	<4	9	26	39	1.91	0.43	10	0.92	1109	2	41	570	120	0.60	<5	29	1551	197	1636	<2	41	<10	3	140
81121	202730	<1	3.83	26	400	<2	10	1.87	<4	13	48	195	3.75	0.35	9	1.05	680	10	41	620	18	0.15	6	17	1430	305	2690	<2	105	<10	13	55
81122	202731	<1	7.49	39	531	2	18	0.19	<4	6	29	19	1.00	0.42	17	0.34	167	2	47	398	61	0.27	<5	31	1860	130	1703	<2	29	<10	2	176
81123	202732	<1	5.74	34	407	2	<1	0.43	<4	5	23	18	1.04	0.37	12	0.34	270	2	40	337	194	0.40	<5	23	1709	142	1353	<2	23	<10	2	472
81124	202733	<1	5.87	37	433	2	2	<0.01	<4	5	23	20	0.86	0.38	8	0.25	<100	2	43	339	184	0.23	<5	11	1795	109	1299	<2	23	<10	2	329
81125	202734	<1	5.87	29	459	<2	15	<0.01	<4	4	22	8	0.67	0.30	6	0.20	<100	2	39	236	43	0.13	5	26	1709	112	1266	<2	24	<10	2	218
81126	202735	<1	5.65	26	407	<2	7	0.68	<4	4	25	10	0.54	0.41	8	0.37	221	<1	40	129	54	0.13	5	30	1653	210	1262	<2	30	<10	2	57
81127	202736	<1	5.84	23	389	<2	5	1.48	<4	5	29	11	0.45	0.47	7	0.25	187	3	52	161	37	0.06	<5	20	1488	256	1185	<2	30	<10	2	39
81128	202737	<1	5.14	20	399	2	10	1.30	<4	4	17	16	0.29	0.38	8	0.17	162	<1	27	142	31	0.05	<5	24	1503	239	1207	<2	29	<10	2	47
81129	202738	<1	4.88	25	359	<2	28	1.16	<4	5	18	12	0.32	0.32	5	0.11	125	<1	33	199	28	0.10	<5	24	1525	225	1170	<2	28	<10	<2	37

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81130	202739	<1	4.77	25	323	<2	<1	1.45	<4	6	17	13	0.31	0.42	5	0.12	143	<1	29	202	54	0.11	7	22	1455	249	1216	<2	29	<10	<2	77
81131D	202739	<1	6.23	20	389	<2	4	1.77	<4	6	18	15	0.35	0.37	7	0.14	155	<1	32	234	61	0.14	5	34	1502	280	1344	<2	33	<10	2	89
81132	202740	<1	3.95	20	306	<2	8	2.21	<4	13	49	42	3.39	0.44	9	1.09	656	2	37	596	9	0.11	<5	19	1588	301	2575	<2	105	<10	12	42
81133	202741	<1	5.76	21	447	<2	9	1.65	<4	8	24	26	0.49	0.38	8	0.19	240	2	19	158	112	0.14	6	26	1619	263	1505	3	32	<10	2	281
81134	202742	<1	6.29	20	414	<2	13	2.43	<4	14	39	21	1.81	0.35	14	0.84	519	4	18	514	29	0.17	6	28	1563	330	1930	<2	34	<10	4	280
81135	202743	<1	5.17	21	389	<2	5	1.12	<4	3	27	6	0.94	0.51	16	0.68	215	3	9	252	17	0.12	<5	26	1701	201	1026	<2	15	<10	<2	32
81136	202744	<1	5.77	19	412	<2	12	1.10	<4	4	31	5	1.10	0.43	19	0.97	279	2	12	272	10	0.17	6	21	1611	197	1089	<2	16	<10	<2	41
81137	202745	<1	5.90	28	447	<2	<1	1.74	<4	4	41	6	1.11	0.32	20	1.18	736	3	10	266	17	0.10	<5	27	1529	225	1018	<2	17	<10	2	48
81138	202746	<1	5.99	21	505	<2	16	1.77	<4	4	46	6	1.11	0.39	21	1.08	741	5	10	262	15	0.08	<5	21	1667	218	1001	<2	17	<10	2	48
81139	202747	<1	5.45	30	488	<2	9	<0.01	<4	5	35	7	1.00	0.34	8	0.23	190	3	9	258	22	0.39	<5	24	1738	102	1054	<2	18	<10	<2	533
81140	202748	<1	5.23	30	529	<2	8	0.20	<4	5	38	9	1.12	0.28	13	0.59	639	5	12	256	40	0.45	<5	28	1692	106	990	<2	16	<10	<2	86
81141	202749	<1	6.23	41	485	<2	9	0.13	<4	5	26	5	1.25	0.33	13	0.56	411	2	12	282	44	0.72	<5	16	1675	126	1053	<2	19	<10	2	359
81142D	202749	<1	5.48	40	435	<2	<1	0.13	<4	4	21	5	1.11	0.33	12	0.50	370	1	8	256	39	0.70	<5	19	1734	120	997	<2	17	<10	<2	313
81143	202750	124	4.92	33	319	<2	3	2.66	5	14	33	88	4.62	0.45	6	1.09	822	2	27	565	17344	0.22	96	12	1570	316	2661	<2	128	<10	15	302
81144	202751	<1	4.74	43	209	<2	13	0.66	<4	17	134	73	3.35	0.36	29	1.84	1187	1	50	506	40	0.66	5	7	1629	137	1183	5	71	<10	7	116
81145	202752	<1	5.19	51	359	<2	11	0.72	<4	8	60	34	1.72	0.49	19	1.18	996	<1	24	359	40	0.66	<5	24	1621	151	886	3	35	<10	4	73
81146	202753	<1	5.55	29	445	<2	4	0.95	<4	4	34	6	1.13	0.52	19	1.24	913	<1	15	308	33	0.43	<5	31	1622	177	980	6	25	<10	2	109
81147	202754	<1	5.78	31	542	<2	9	0.79	<4	4	28	13	1.05	0.41	18	0.83	558	2	9	276	39	0.46	<5	31	1655	178	1075	<2	17	<10	<2	179
81148	202755	<1	6.21	29	497	2	3	1.06	<4	4	29	16	1.14	0.38	18	0.84	521	1	10	306	53	0.50	5	24	1582	201	1109	<2	20	<10	2	101
81149	202756	<1	6.63	21	456	<2	<1	0.87	<4	17	106	63	2.85	0.35	25	1.28	954	<1	47	503	89	0.73	<5	23	1554	179	2097	<2	74	10	8	227

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81150	202757	<1	7.86	27	566	2	23	1.47	<4	22	160	86	4.20	0.56	33	1.67	1415	5	67	640	80	0.67	7	32	1701	214	1938	<2	102	<10	11	106
81151	202758	<1	5.28	50	395	<2	1	0.26	4	11	100	49	2.05	0.51	14	0.45	508	6	33	377	784	0.88	5	21	1800	128	1083	<2	50	15	5	1242
81152	202759	<1	6.20	52	555	<2	3	0.84	<4	16	114	53	3.13	0.41	21	1.13	1319	3	53	436	129	0.92	5	23	1713	145	1372	<2	73	<10	8	128
81153D	202759	<1	5.42	49	486	<2	12	0.69	<4	16	105	49	2.94	0.39	19	1.06	1237	2	50	405	128	1.05	<5	14	1615	138	1264	<2	69	<10	8	119
81154	202760	<1	3.69	19	299	<2	7	2.15	<4	13	49	43	3.41	0.21	9	1.10	673	1	38	598	12	0.13	5	14	1509	296	2769	<2	104	<10	12	40
81155	202761	<1	6.15	22	556	2	8	0.55	<4	16	113	44	3.21	0.34	25	1.52	767	5	52	428	53	0.26	<5	19	1599	140	1475	<2	78	<10	7	129
81156	202762	<1	6.33	31	515	2	17	1.48	<4	5	23	8	1.53	0.38	22	1.03	621	<1	11	633	29	0.54	<5	18	1746	148	1990	<2	33	<10	3	42
81157	202763	<1	5.84	36	547	2	6	0.98	<4	5	22	17	1.36	0.33	22	0.82	610	1	10	615	104	0.62	<5	28	1626	141	1926	<2	33	<10	3	180
81158	202764	<1	6.00	37	524	<2	9	1.06	4	5	24	80	1.34	0.31	24	0.83	622	<1	8	587	1133	0.42	<5	9	1644	131	1935	<2	31	23	3	1909
81159	202765	<1	5.46	30	653	2	8	1.02	<4	5	32	10	1.27	0.23	19	0.86	673	2	8	558	234	0.44	5	25	1602	150	1812	<2	31	12	3	660
81160	202766	<1	5.56	34	612	2	5	0.98	<4	5	31	10	1.30	0.43	18	0.87	637	3	11	564	213	0.40	<5	10	1610	151	1692	<2	31	14	3	698
81161	202767	<1	5.84	25	385	<2	13	1.27	<4	7	18	20	1.33	0.50	19	1.31	982	<1	11	525	144	0.38	<5	21	1700	164	1507	<2	32	10	3	220
81162	202768	<1	4.49	23	245	<2	<1	0.68	<4	6	19	13	0.91	0.42	14	0.89	648	<1	10	449	32	0.18	<5	28	1567	160	1159	<2	25	<10	3	50
81163	202769	<1	4.16	20	262	<2	4	0.38	<4	6	28	41	0.84	0.29	14	0.68	514	<1	12	420	140	0.19	<5	26	1579	155	1294	<2	23	<10	2	220
81164D	202769	<1	4.32	26	265	<2	2	0.40	<4	6	29	42	0.85	0.30	14	0.70	527	<1	10	434	145	0.23	<5	15	1601	158	1353	<2	23	<10	2	240
81165	202770	<1	4.60	58	198	2	<1	0.82	4	11	27	1999	4.46	0.28	26	0.67	960	13	22	691	73	2.88	<5	<5	1628	204	1026	<2	55	11	6	512
81166	202771	<1	4.53	19	154	<2	<1	0.41	<4	5	12	29	0.99	0.32	12	0.76	635	<1	9	413	83	0.25	<5	18	1437	183	1325	<2	24	<10	2	77
81167	202772	2	5.83	17	180	<2	6	0.75	<4	4	16	18	1.18	0.36	14	0.78	785	<1	10	464	38	0.27	<5	32	1326	209	1518	2	29	<10	3	52
81168	202773	<1	6.20	29	341	<2	13	0.60	<4	5	18	13	1.18	0.37	15	0.76	702	<1	9	468	79	0.44	<5	29	1614	239	1787	2	30	<10	2	194
81169	202774	<1	4.60	34	247	<2	1	0.09	<4	4	29	8	1.01	0.19	11	0.53	452	3	43	390	1271	0.42	<5	27	1620	155	1365	<2	23	21	2	1470

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81170	202775	<1	4.81	29	178	<2	<1	0.19	<4	5	34	8	0.93	0.41	12	0.43	402	4	60	425	429	0.28	<5	21	1590	157	1343	<2	26	<10	2	505
81171	202776	<1	4.93	27	176	<2	2	0.59	<4	5	24	9	1.12	0.50	14	0.71	748	<1	43	432	77	0.34	<5	18	1522	183	1275	<2	27	<10	2	96
81172	202777	<1	5.71	38	452	<2	<1	0.45	<4	9	49	37	1.96	0.43	17	0.80	926	2	56	498	33	0.41	<5	21	1567	191	1982	<2	41	<10	4	95
81173	202778	<1	5.61	36	291	<2	18	0.42	<4	8	49	23	1.92	0.39	16	0.64	852	3	64	488	17	0.35	<5	15	1479	158	1949	<2	41	<10	4	60
81174	202779	<1	4.87	22	221	<2	6	0.62	<4	6	46	23	1.80	0.44	11	0.72	1025	3	64	434	18	0.24	6	21	1443	191	1736	<2	37	<10	4	25
81175R	202779	<1	5.65	28	264	<2	8	0.71	<4	7	40	30	1.86	0.33	12	0.76	1087	2	49	482	17	0.29	6	17	1384	205	1923	<2	39	<10	4	53
81176	202780	<1	3.66	19	284	<2	<1	2.07	<4	13	47	43	3.32	0.47	9	1.07	647	<1	36	573	12	0.09	<5	8	1508	291	2634	<2	101	<10	12	49
81177	202781	<1	6.19	33	284	<2	8	0.88	<4	8	49	28	2.13	0.50	16	0.77	967	1	50	500	22	0.40	6	18	1540	203	1987	<2	43	<10	5	54
81178	202782	<1	4.35	28	189	<2	6	0.67	<4	9	54	33	1.98	0.46	13	0.75	1009	3	58	420	28	0.37	<5	26	1531	158	1734	<2	39	<10	5	73
81179	202783	<1	6.73	53	480	<2	12	0.59	<4	11	32	29	1.61	0.41	23	0.78	491	2	43	529	85	0.84	<5	19	1567	133	2000	<2	40	<10	4	116
81180	202784	<1	5.73	42	357	2	5	0.14	<4	7	33	11	1.43	0.50	19	0.50	211	5	58	484	53	0.78	<5	20	1678	97	1865	<2	32	<10	3	236
81181	202785	<1	4.95	37	333	2	<1	0.58	<4	5	32	16	1.26	0.26	18	0.80	468	4	44	450	395	0.61	<5	17	1514	113	1574	<2	32	16	3	1339
81182	202786	<1	5.43	31	137	<2	4	0.61	<4	5	30	11	1.32	0.43	18	1.06	578	3	44	402	56	0.52	<5	25	1546	187	1422	<2	29	<10	3	141
81183	202787	<1	5.67	33	144	<2	12	0.64	<4	5	27	15	1.36	0.61	17	1.09	600	<1	40	410	64	0.54	<5	14	1541	189	1500	<2	29	<10	3	152
81184	202788	<1	5.33	28	245	<2	<1	0.96	<4	4	30	27	1.56	0.52	14	1.41	895	2	44	393	43	0.43	<5	18	1423	173	1425	<2	27	<10	3	375
81185	202789	<1	4.62	29	106	<2	3	0.32	<4	4	20	11	0.94	0.48	9	0.77	453	<1	33	342	24	0.26	5	24	1512	163	1175	<2	24	<10	2	21
81186D	202789	<1	4.58	27	101	<2	5	0.28	<4	4	20	11	0.99	0.36	9	0.80	475	<1	34	355	28	0.31	<5	25	1420	166	1220	<2	25	<10	2	27
81187	202790	<1	3.76	31	363	<2	6	1.75	<4	12	43	178	3.44	0.41	10	0.96	613	7	43	572	12	0.16	<5	11	1501	291	2408	<2	95	<10	11	56
81188	202791	<1	4.93	17	114	<2	<1	0.35	<4	3	24	5	0.64	0.44	11	0.77	316	1	40	361	20	0.12	5	19	1527	165	1076	<2	24	<10	2	20
81189	202792	<1	5.44	28	149	<2	<1	0.60	<4	4	27	4	0.81	0.34	14	0.85	397	1	43	367	17	0.23	6	16	1601	177	1304	<2	25	<10	2	13

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81190	202793	<1	5.36	34	188	2	<1	0.98	<4	4	14	9	1.20	0.20	25	1.75	977	<1	24	337	31	0.43	<5	17	1442	177	1427	<2	27	<10	2	118
81191	202794	<1	5.75	30	221	<2	1	0.73	<4	6	23	16	0.79	0.35	17	0.82	377	1	34	378	21	0.40	<5	26	1611	135	1491	<2	26	<10	2	33
81192	202795	<1	6.99	53	389	2	5	0.44	<4	9	43	8	1.74	0.26	20	0.72	343	4	59	509	93	1.11	<5	24	1675	131	2009	<2	42	<10	4	213
81193	202796	<1	5.74	31	212	2	2	0.93	<4	5	22	4	0.88	0.43	15	0.86	522	1	31	376	225	0.48	<5	16	1650	143	1479	<2	26	<10	2	100
81194	202797	<1	5.03	35	203	2	9	0.84	<4	5	21	5	0.97	0.50	17	0.85	476	2	35	359	34	0.52	<5	21	1560	102	1472	<2	24	<10	2	106
81195	202798	<1	5.06	31	237	<2	<1	0.73	<4	5	18	6	0.88	0.34	18	0.76	385	<1	29	354	41	0.55	5	24	1607	86	1409	<2	24	<10	2	103
81196	202799	<1	4.61	45	278	<2	1	0.29	<4	6	16	17	1.34	0.36	14	0.58	268	2	31	336	32	0.88	<5	16	1538	122	1405	<2	24	<10	2	168
81197D	202799	<1	5.40	40	322	2	<1	0.40	<4	8	18	19	1.50	0.37	16	0.64	297	2	33	377	31	0.97	<5	22	1590	132	1474	<2	26	<10	2	190
81198	202800	<1	3.57	20	281	<2	<1	2.02	<4	12	45	40	3.20	0.38	9	1.02	623	1	34	565	14	0.13	<5	14	1517	286	2534	<2	98	<10	11	36
81199	202801	<1	5.37	31	281	<2	3	1.10	<4	5	20	6	0.96	0.37	11	0.56	300	<1	35	394	12	0.49	5	18	1473	182	1404	<2	26	<10	2	70
81200	202802	<1	6.64	34	315	<2	1	1.96	<4	5	18	13	1.36	0.47	15	0.92	645	<1	28	430	30	0.56	5	33	1559	230	1527	<2	28	<10	3	38
81201	202803	<1	5.74	25	297	2	4	1.09	<4	5	21	13	1.24	0.26	18	0.99	455	<1	28	409	27	0.53	<5	33	1436	195	1520	<2	27	<10	3	72
81202	202804	<1	5.51	24	278	<2	5	0.85	<4	5	23	8	0.62	0.39	10	0.39	188	<1	39	360	25	0.18	<5	24	1541	217	1321	<2	26	<10	<2	28
81203	202805	<1	5.71	17	264	<2	12	1.01	<4	5	18	7	0.90	0.46	14	0.54	294	<1	23	393	14	0.21	<5	12	1525	202	1454	<2	26	<10	2	17
81204	202806	<1	6.00	20	284	<2	8	1.08	<4	5	25	7	1.11	0.55	14	0.63	339	<1	10	379	12	0.19	<5	27	1527	208	1514	<2	29	<10	2	17
81205	202807	<1	5.74	23	294	<2	4	1.45	<4	6	19	9	1.32	0.47	13	0.60	330	<1	10	403	13	0.15	7	27	1509	202	1563	<2	27	<10	2	27
81206	202808	<1	5.72	21	444	<2	3	1.53	<4	5	29	11	1.35	0.52	19	1.15	680	1	10	341	34	0.32	6	15	1550	200	1596	<2	24	<10	2	42
81207	202809	<1	4.04	17	345	<2	<1	0.85	<4	4	31	19	1.06	0.31	15	0.84	530	1	8	314	38	0.12	<5	23	1531	146	1248	<2	18	<10	2	161
81208D	202809	<1	4.24	17	363	<2	2	0.91	<4	5	32	20	1.10	0.34	15	0.88	556	2	9	329	45	0.17	<5	17	1522	150	1315	<2	19	<10	2	172
81209	202810	134	4.94	27	299	<2	15	2.63	5	15	32	89	4.61	0.41	6	1.09	807	2	26	562	18808	0.21	95	11	1499	318	2547	<2	128	<10	15	290

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81210	202811	<1	4.80	16	428	<2	<1	0.96	<4	5	21	13	1.07	0.43	17	0.82	417	<1	9	325	35	0.24	<5	21	1575	136	1382	<2	21	<10	2	45
81211	202812	<1	5.19	19	505	<2	<1	1.54	<4	5	24	16	1.18	0.34	14	1.06	541	<1	8	336	43	0.34	<5	24	1426	174	1384	<2	22	<10	2	32
81212	202813	11	4.57	17	699	2	4	2.90	8	5	37	161	1.79	0.33	12	2.01	1249	3	9	345	2033	0.29	<5	20	1557	171	1253	8	20	34	2	3019
81213	202814	<1	5.07	17	607	<2	<1	1.40	<4	5	27	30	1.21	0.36	21	1.25	597	1	9	327	82	0.21	<5	31	1584	161	1370	6	21	<10	2	76
81214	202815	<1	4.12	15	431	<2	3	1.11	<4	4	26	41	1.10	0.31	21	1.02	520	1	7	255	88	0.20	<5	15	1477	130	1269	<2	18	<10	<2	136
81215	202816	<1	5.87	17	479	2	<1	3.84	7	6	33	89	2.22	0.52	27	2.40	1359	3	11	417	1268	0.47	<5	11	1514	170	1528	<2	24	31	3	2339
81216	202817	<1	6.07	16	507	<2	4	1.60	<4	5	24	20	1.37	0.44	31	1.37	517	<1	8	348	38	0.14	<5	20	1461	189	1702	<2	25	<10	2	76
81217	202818	<1	5.13	14	359	2	15	1.55	<4	5	31	29	1.24	0.37	16	1.04	454	2	10	331	35	0.12	<5	20	1464	191	1397	<2	20	<10	2	62
81218	202819	<1	4.91	17	413	<2	<1	0.75	<4	5	29	12	1.25	0.39	18	1.04	378	2	9	315	10	0.08	<5	25	1445	153	1514	<2	23	<10	2	40
81219D	202819	<1	5.54	20	467	<2	3	0.89	<4	6	24	13	1.28	0.25	20	1.12	402	<1	8	344	14	0.11	<5	18	1490	163	1645	<2	25	<10	2	46
81220	202820	<1	3.43	20	272	<2	3	1.99	<4	12	45	40	3.20	0.35	8	1.03	624	<1	33	562	10	0.11	5	<5	1460	283	2612	<2	98	<10	11	35
81221	202821	<1	4.87	17	373	<2	<1	1.18	<4	5	21	10	1.20	0.27	20	1.18	472	<1	8	318	10	0.29	<5	18	1491	154	1483	<2	21	<10	2	28
81222	202822	<1	5.12	20	411	<2	<1	1.48	<4	5	26	13	1.35	0.36	19	1.53	541	2	8	337	15	0.21	<5	22	1441	146	1527	<2	23	<10	2	35
81223	202823	<1	4.76	27	406	<2	<1	1.10	<4	5	29	13	1.36	0.36	18	1.37	524	2	9	325	29	0.37	<5	13	1626	132	1388	<2	22	<10	2	46
81224	202824	<1	4.69	35	430	<2	9	1.25	<4	5	20	68	1.33	0.29	17	1.20	576	<1	8	320	305	0.58	<5	16	1609	139	1376	<2	21	10	2	775
81225	202825	<1	5.32	33	473	<2	10	1.43	<4	6	32	9	1.41	0.36	19	1.33	618	3	9	341	37	0.36	<5	21	1557	153	1509	<2	23	<10	2	172
81226	202826	<1	4.34	28	400	<2	7	1.15	<4	5	19	7	1.18	0.32	16	1.13	521	<1	9	311	28	0.32	<5	20	1439	141	1371	<2	21	<10	2	53
81227	202827	<1	4.65	26	323	<2	<1	2.11	<4	4	18	15	1.46	0.35	25	2.02	1010	<1	8	302	71	0.37	<5	15	1607	100	1412	3	20	<10	2	198
81228	202828	<1	3.72	26	266	<2	7	3.40	<4	4	18	17	1.57	0.12	19	3.16	1513	<1	7	312	144	0.28	<5	16	1513	93	1193	6	19	11	2	575
81229	202829	<1	4.97	27	362	<2	11	1.79	<4	5	17	70	1.67	0.33	20	2.05	913	<1	9	342	369	0.30	5	15	1578	117	1449	<2	22	<10	2	486

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81230D	202829	<1	5.42	25	389	<2	4	1.95	<4	5	18	76	1.78	0.35	22	2.18	967	<1	9	371	387	0.31	<5	8	1557	123	1559	2	23	<10	2	515
81231	202830	<1	4.88	61	209	2	5	0.88	4	13	30	2181	4.84	0.30	27	0.74	1049	13	24	733	79	3.60	<5	34	1549	214	1074	<2	59	14	6	559
81232	202831	<1	4.45	41	419	<2	<1	1.35	<4	5	26	43	1.36	0.25	16	1.24	679	1	10	323	98	0.71	<5	16	1524	115	1345	<2	21	10	2	722
81233	202832	<1	5.02	50	440	<2	<1	1.03	<4	5	19	23	1.13	0.36	21	1.05	514	<1	8	346	59	0.49	<5	24	1590	120	1491	<2	23	<10	2	95
81234	202833	<1	4.54	39	401	<2	12	1.34	<4	5	17	47	1.18	0.25	19	1.01	495	<1	8	317	226	0.39	<5	17	1532	120	1410	<2	22	<10	2	402
81235	202834	<1	4.85	40	382	<2	9	0.62	<4	5	19	12	1.00	0.51	13	0.58	241	<1	10	337	37	0.53	<5	22	1592	92	1461	<2	23	<10	2	29
81236	202835	<1	5.06	41	326	<2	<1	1.31	<4	5	15	17	0.94	0.32	14	0.98	300	<1	10	361	91	0.51	<5	14	1545	81	1402	<2	23	<10	2	44
81237	202836	<1	5.55	53	439	<2	<1	0.03	<4	5	18	17	0.94	0.34	9	0.61	109	<1	10	425	242	0.53	<5	22	1696	87	1221	<2	24	<10	2	167
81238	202837	<1	5.10	41	438	<2	<1	<0.01	<4	5	27	19	0.95	0.24	5	0.37	<100	2	9	345	67	0.59	9	27	1572	86	1088	<2	24	<10	2	82
81239	202838	3	4.72	81	421	<2	<1	<0.01	<4	5	33	38	1.16	0.25	3	0.16	<100	3	11	371	56	0.82	24	15	1612	85	993	<2	24	10	<2	669
81240	202839	<1	5.12	93	496	<2	3	<0.01	<4	6	36	49	1.09	0.30	4	0.24	<100	2	47	427	119	0.63	19	20	1666	84	1079	<2	28	<10	2	798
81241R	202839	<1	4.85	64	483	<2	1	<0.01	<4	6	36	33	1.03	0.32	3	0.21	<100	1	51	412	84	0.62	13	25	1657	82	1024	<2	27	<10	2	422
81242	202840	<1	3.35	21	263	<2	<1	2.00	<4	13	47	42	3.33	0.30	8	1.07	649	<1	35	582	8	0.09	<5	16	1359	289	2661	<2	102	<10	12	40
81243	202841	<1	4.93	50	432	<2	2	0.40	<4	9	54	36	1.45	0.36	14	0.72	483	1	54	422	260	0.75	14	18	1668	85	1275	<2	41	<10	6	276
81244	202842	<1	5.32	60	542	<2	4	0.72	<4	6	27	31	1.25	0.34	11	0.60	395	3	44	422	96	0.74	11	20	1608	93	1370	<2	27	<10	3	209
81245	202843	<1	5.14	34	600	<2	<1	0.06	<4	6	21	31	1.13	0.36	8	0.42	203	1	34	423	59	0.73	<5	13	1652	88	1370	<2	26	<10	3	145
81246	202844	<1	4.88	52	501	<2	5	0.58	<4	5	24	25	0.87	0.36	11	0.62	444	<1	36	316	58	0.36	<5	20	1612	87	1301	2	22	<10	2	144
81247	202845	<1	4.81	29	474	<2	4	0.48	<4	4	20	16	0.96	0.38	15	0.91	584	<1	28	333	63	0.45	<5	13	1665	106	1195	<2	22	<10	2	109
81248	202846	<1	5.95	31	621	<2	10	0.61	<4	6	25	20	1.32	0.37	21	1.21	783	1	41	397	87	0.64	5	19	1550	117	1471	<2	28	<10	2	163
81249	202847	<1	4.19	22	373	<2	<1	<0.01	<4	5	13	8	0.69	0.32	6	0.29	106	<1	21	320	55	0.41	<5	17	1590	77	1086	<2	21	<10	2	102

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81250	202848	<1	4.63	31	437	<2	12	0.51	<4	4	19	9	0.92	0.34	14	1.00	269	<1	24	341	38	0.21	<5	18	1560	88	1202	<2	22	<10	<2	81
81251	202849	<1	6.78	24	627	2	6	1.52	<4	7	16	12	1.42	0.35	22	1.50	460	<1	24	393	47	0.21	<5	19	1461	135	1715	<2	31	<10	2	86
81252D	202849	<1	7.77	27	686	<2	8	1.75	<4	7	19	13	1.54	0.33	25	1.67	499	<1	23	415	54	0.29	<5	31	1520	147	1820	<2	33	<10	2	94
81253	202850	<1	3.98	28	385	<2	5	1.86	<4	13	46	186	3.62	0.20	10	1.03	649	8	41	598	10	0.19	<5	<5	1462	304	2561	<2	101	<10	12	48
81254	202851	<1	5.61	25	433	<2	<1	0.92	<4	5	19	9	1.20	0.36	22	1.82	278	<1	23	345	25	0.27	<5	19	1564	116	1292	<2	24	<10	2	31
81255	202852	<1	6.89	22	518	<2	<1	1.16	<4	5	16	8	1.47	0.42	26	2.08	343	<1	23	391	26	0.20	<5	27	1659	129	1374	<2	27	<10	2	32
81256	202853	<1	5.89	27	449	<2	<1	1.30	<4	6	13	15	1.36	0.43	18	1.21	240	<1	20	375	31	0.72	5	16	1583	88	1378	<2	25	<10	2	96
81257	202854	<1	5.20	50	430	<2	<1	<0.01	<4	6	14	18	1.21	0.40	6	0.22	<100	<1	25	360	81	0.96	<5	16	1654	89	1128	<2	24	<10	2	148
81258	202855	<1	5.06	44	416	<2	26	<0.01	<4	6	14	8	0.94	0.40	5	0.22	<100	<1	24	381	87	0.69	<5	21	1585	86	1137	<2	24	<10	2	198
81259	202856	<1	5.26	55	369	<2	2	0.05	<4	6	16	8	1.28	0.48	10	0.46	111	<1	25	351	279	0.90	8	18	1579	93	1156	<2	23	<10	2	293
81260	202857	<1	4.72	56	213	<2	6	0.45	<4	6	20	25	1.49	0.30	12	0.57	178	<1	24	454	77	0.85	6	18	1540	91	1157	<2	31	<10	3	87
81261	202858	3	4.59	78	232	<2	<1	<0.01	5	10	52	67	1.29	0.35	9	0.27	<100	<1	38	443	626	0.73	20	17	1611	86	1238	<2	50	19	6	1383
81262	202859	<1	4.10	29	279	2	<1	<0.01	<4	5	18	27	0.57	0.29	5	0.17	<100	<1	22	484	96	0.31	9	17	1633	86	987	<2	29	<10	3	461
81263D	202859	<1	4.83	41	323	<2	<1	<0.01	<4	5	19	30	0.65	0.34	6	0.19	<100	<1	25	555	108	0.40	10	20	1619	91	1147	<2	33	<10	4	530
81264	202860	<1	3.61	18	275	<2	4	2.03	<4	13	46	40	3.26	0.37	8	1.05	633	<1	34	562	10	0.11	<5	9	1481	287	2545	<2	99	<10	11	38
81265	202861	60	3.44	179	282	<2	<1	<0.01	37	7	44	284	2.14	0.37	9	0.18	<100	<1	32	741	1965	1.39	225	12	1705	83	970	<2	34	101	6	11496
81266	202862	<1	4.51	39	280	<2	<1	0.56	<4	5	15	46	1.12	0.47	16	0.58	223	<1	21	461	66	0.51	<5	19	1646	100	1307	<2	29	<10	3	137
81267	202863	<1	5.28	44	356	<2	<1	1.21	<4	7	18	85	1.49	0.40	19	0.90	352	<1	23	554	314	0.67	7	9	1582	111	1642	<2	33	11	3	687
81268	202864	<1	4.75	54	327	<2	<1	0.72	<4	7	16	22	1.27	0.43	16	0.61	264	<1	21	454	90	0.72	<5	17	1567	94	1650	<2	32	<10	3	376
81269	202865	<1	5.26	39	323	<2	4	1.48	<4	7	27	8	1.32	0.42	22	0.97	433	1	38	490	35	0.32	<5	17	1526	118	1808	<2	34	<10	3	62

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81270	202866	<1	5.44	38	333	2	6	1.56	<4	8	29	8	1.35	0.45	22	0.98	443	2	42	489	31	0.37	<5	19	1532	119	1887	<2	35	<10	3	67
81271	202867	<1	5.24	25	293	2	<1	1.59	<4	7	20	17	1.47	0.41	24	0.97	423	<1	29	483	28	0.33	<5	18	1565	113	1815	<2	34	<10	3	106
81272	202868	<1	4.66	21	344	<2	2	1.52	<4	7	26	7	1.35	0.43	20	0.91	423	<1	33	452	25	0.24	<5	10	1475	110	1731	<2	32	<10	3	52
81273	202869	<1	4.95	25	396	<2	<1	1.49	<4	7	21	6	1.46	0.45	19	0.93	412	<1	27	470	16	0.35	5	13	1472	111	1776	<2	33	<10	3	87
81274D	202869	<1	5.18	27	412	<2	12	1.54	<4	7	21	7	1.45	0.39	20	0.92	413	<1	29	469	19	0.34	<5	17	1572	113	1841	<2	33	<10	3	81
81275	202870	128	4.27	25	265	<2	3	2.36	5	13	31	83	4.25	0.37	5	0.99	745	2	25	530	17850	0.18	88	11	1463	295	2415	<2	118	<10	14	269
81276	202871	<1	5.19	32	390	<2	<1	1.26	<4	7	18	13	1.52	0.40	20	0.91	441	<1	26	470	27	0.56	<5	20	1513	135	1758	<2	34	<10	3	59
81277	202872	<1	5.99	26	248	<2	4	3.60	<4	8	28	10	1.52	0.40	17	0.88	385	1	12	496	16	0.51	5	16	1470	179	1948	<2	35	<10	3	11
81278	202873	<1	5.85	29	268	<2	4	1.39	<4	7	33	7	1.46	0.35	20	0.92	352	1	12	497	10	0.37	<5	21	1525	153	2011	<2	36	<10	3	10
81279	202874	<1	5.44	28	211	<2	10	1.44	<4	7	29	6	1.67	0.41	23	1.03	382	1	12	506	16	0.40	<5	22	1472	205	1842	<2	35	<10	3	49
81280	202875	<1	5.18	33	292	2	2	1.72	<4	7	32	10	1.61	0.39	22	1.06	385	<1	11	517	54	0.55	5	14	1501	194	1736	<2	34	<10	3	108
81281	202876	<1	4.41	33	189	<2	<1	1.05	<4	6	22	19	1.41	0.43	22	0.85	272	1	12	455	43	0.59	<5	10	1351	190	1557	<2	32	<10	3	110
81282	202877	<1	4.70	30	178	<2	<1	1.15	<4	7	20	9	1.50	0.32	24	0.91	260	<1	10	466	14	0.55	<5	13	1398	203	1617	<2	33	<10	3	16
81283	202878	<1	4.17	24	108	<2	<1	1.23	<4	7	20	7	1.60	0.45	21	0.91	262	<1	11	477	17	0.45	<5	13	1177	187	1706	<2	33	<10	3	76
81284	202879	<1	1.57	27	69	2	<1	1.30	<4	7	12	2	1.55	0.15	15	1.16	321	<1	11	415	27	0.48	<5	9	427	161	1587	<2	30	<10	3	126
81285D	202879	<1	3.21	26	180	<2	<1	1.82	<4	7	15	2	1.72	0.15	21	1.29	356	<1	12	481	31	0.50	<5	14	755	192	1825	<2	33	<10	3	137
81286	202880	<1	2.78	17	217	<2	<1	1.73	<4	12	41	37	2.94	0.34	6	0.95	572	<1	31	515	9	0.10	<5	7	1383	263	2333	<2	91	<10	10	32
81287	202881	<1	4.43	79	291	<2	<1	1.64	<4	7	20	9	1.46	0.52	22	1.13	336	<1	12	432	15	0.41	<5	20	1425	117	1576	<2	30	<10	3	77
81288	202882	<1	5.08	51	189	<2	1	2.65	<4	9	26	11	1.57	0.37	19	1.04	302	<1	15	450	11	0.56	<5	20	1435	113	1715	<2	33	<10	4	<1
81289	202883	<1	5.20	28	407	<2	1	1.41	<4	7	26	17	1.58	0.29	25	0.98	383	1	11	463	19	0.38	<5	25	1588	106	1713	<2	33	<10	3	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81290	202884	<1	5.72	26	494	2	<1	1.28	<4	9	27	10	1.87	0.42	26	1.20	491	<1	12	511	36	0.32	<5	17	1439	108	2085	<2	37	<10	3	176
81291	202885	<1	4.78	18	368	2	<1	0.87	<4	8	19	15	1.69	0.45	24	1.04	423	<1	12	457	63	0.38	<5	19	1425	108	1741	<2	33	<10	3	177
81292	202886	<1	5.21	25	413	2	<1	0.94	<4	8	23	18	1.70	0.42	26	1.07	436	<1	13	478	51	0.32	<5	9	1546	113	1749	<2	34	<10	3	173
81293	202887	<1	5.84	22	332	2	<1	1.89	<4	8	29	10	1.78	0.43	28	1.39	575	<1	11	614	59	0.18	<5	12	1473	119	1971	<2	36	<10	3	109
81294	202888	<1	4.45	30	216	<2	<1	0.42	<4	6	20	9	1.11	0.30	23	0.63	275	<1	9	436	23	0.36	<5	18	1505	115	1757	<2	31	<10	3	166
81295	202889	<1	4.60	48	210	<2	11	1.11	<4	7	20	9	1.38	0.30	25	0.87	396	<1	10	454	32	0.27	<5	11	1376	167	1687	<2	32	<10	3	211
81296D	202889	<1	4.96	51	237	<2	1	1.21	<4	7	20	9	1.40	0.39	26	0.90	410	<1	11	465	31	0.30	<5	19	1479	171	1747	<2	33	<10	3	216
81297	202890	<1	4.08	55	165	<2	2	0.70	4	11	24	1883	4.11	0.33	23	0.62	892	10	21	651	61	2.94	<5	6	1547	193	975	<2	51	<10	5	459
81298	202891	<1	5.01	37	259	<2	<1	1.40	<4	8	23	9	1.50	0.53	26	0.97	434	<1	12	466	28	0.47	5	16	1388	187	1784	<2	34	<10	3	47
81299	202892	<1	5.01	43	262	<2	2	1.64	<4	8	29	46	1.56	0.41	25	1.01	388	<1	12	487	28	0.49	<5	13	1456	198	1703	<2	34	<10	3	53
81300	202893	<1	5.36	38	234	2	<1	2.08	<4	8	27	38	1.55	0.52	31	1.16	401	<1	12	489	16	0.42	5	25	1499	217	1683	<2	33	<10	3	29
81301	202894	<1	4.56	21	191	<2	1	2.10	<4	7	25	7	1.41	0.45	19	0.79	264	<1	11	441	5	0.29	<5	12	1385	196	1660	<2	31	<10	3	8
81302	202895	<1	4.70	41	258	<2	7	1.98	<4	7	18	4	1.46	0.44	21	0.96	295	<1	11	444	8	0.26	<5	14	1442	214	1687	<2	31	<10	3	23
81303	202896	<1	4.93	1247	291	<2	1	1.82	<4	7	22	6	1.64	0.54	25	0.98	394	<1	11	449	14	0.43	7	13	1509	179	1710	<2	32	<10	3	31
81304	202897	<1	5.11	43	227	<2	1	2.05	<4	7	30	3	1.62	0.50	25	0.94	301	<1	11	485	8	0.12	<5	20	1423	196	1870	<2	34	<10	3	21
81305	202898	<1	3.18	323	82	<2	5	1.04	<4	8	79	20	1.69	0.38	20	0.79	311	<1	25	397	22	0.14	<5	16	1532	163	1523	<2	38	<10	5	60
81306	202899	<1	5.08	137	160	2	<1	0.96	<4	20	134	46	3.49	0.48	34	1.25	486	<1	53	468	22	0.15	<5	14	1411	228	2621	<2	81	<10	10	72
81307R	202899	<1	4.78	149	154	2	6	0.91	<4	19	131	45	3.50	0.34	34	1.24	483	<1	55	459	22	0.20	7	12	1349	227	2671	<2	82	<10	9	69
81308	202900	<1	2.35	17	188	<2	<1	1.61	<4	11	40	37	2.92	0.26	5	0.94	570	<1	30	501	6	0.09	<5	5	1202	256	2359	<2	89	<10	10	34
81309	202901	<1	4.92	79	93	2	7	1.25	<4	18	124	43	3.37	0.34	37	1.25	495	<1	50	532	22	0.08	<5	<5	1420	214	2483	<2	76	<10	9	39

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441049
Reference: TL14-361A
Sample #: 183

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81310	202902	<1	4.34	107	93	2	8	0.77	<4	17	119	42	3.30	0.37	38	1.18	441	<1	54	465	15	0.12	<5	12	1408	188	2278	<2	82	<10	9	34

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/09/2014
Date Completed: 06/17/2014
Job #: 201441176
Reference: TL14-361A
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
90999	202861	8373	8358	51833	9694	3.06%	30.6

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14362

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
84186	202994	0.230	
84187	202995	0.289	
84188	202996	0.032	
84189	202997	0.028	
84190	202998	0.042	
84191	202999	0.039	
84192	203000	<0.005	
84193	200601	0.069	
84194	200602	0.049	
84195	200603	0.009	
84196	200603 Dup	0.009	
84197	200604	0.007	
84198	200605	0.011	
84199	200606	0.010	
84200	200607	0.077	
84201	200608	0.011	
84202	200609	0.008	
84203	200610	0.390	
84204	200611	0.013	
84205	200612	0.009	
84206	200613	0.006	
84207	200613 Dup	<0.005	
84208	200614	0.010	
84209	200615	<0.005	
84210	200616	0.014	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
84211	200617	0.015	
84212	200618	0.039	
84213	200619	1.459	
84214	200620	<0.005	
84215	200621	0.023	
84216	200622	0.009	
84217	200623	0.540	
84218	200623 Dup	0.624	
84219	200624	0.068	
84220	200625	0.107	
84221	200626	0.210	
84222	200627	0.063	
84223	200628	0.015	
84224	200629	0.014	
84225	200630	1.336	
84226	200631	0.011	
84227	200632	>6.000	6.549
84228	200633	0.210	
84229	200633 Dup	0.205	
84230	200634	0.035	
84231	200635	0.022	
84232	200636	0.013	
84233	200637	0.064	
84234	200638	0.032	
84235	200639	0.026	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
84236	200640	<0.005	
84237	200641	0.037	
84238	200642	0.191	
84239	200643	0.062	
84240	200643 Dup	0.061	
84241	200644	0.054	
84242	200645	0.072	
84243	200646	0.056	
84244	200647	0.070	
84245	200648	0.082	
84246	200649	0.116	
84247	200650	4.771	
84248	200651	0.133	
84249	200652	0.013	
84250	200653	0.382	
84251	200653 Rep	0.337	
84252	200654	0.012	
84253	200655	<0.005	
84254	200656	1.173	
84255	200657	0.044	
84256	200658	0.328	
84257	200659	0.130	
84258	200660	0.007	
84259	200661	0.071	
84260	200662	0.134	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
84261	200663	0.016	
84262	200663 Dup	0.014	
84263	200664	0.065	
84264	200665	0.086	
84265	200666	0.087	
84266	200667	0.182	
84267	200668	>6.000	42.501
84268	200669	1.697	
84269	200670	0.383	
84270	200671	0.341	
84271	200672	0.153	
84272	200673	0.061	
84273	200673 Dup	0.079	
84274	200674	0.032	
84275	200675	0.043	
84276	200676	2.786	
84277	200677	0.021	
84278	200678	0.009	
84279	200679	0.009	
84280	200680	<0.005	
84281	200681	0.006	
84282	200682	0.013	
84283	200683	0.012	
84284	200683 Dup	0.008	
84285	200684	0.015	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
84286	200685	0.017	
84287	200686	0.021	
84288	200687	0.045	
84289	200688	0.035	
84290	200689	0.048	
84291	200690	1.420	
84292	200691	0.015	
84293	200692	0.008	
84294	200693	0.010	
84295	200693 Dup	0.007	
84296	200694	0.008	
84297	200695	0.010	
84298	200696	0.009	
84299	200697	0.007	
84300	200698	<0.005	
84301	200699	0.006	
84302	200700	<0.005	
84303	200701	0.009	
84304	200702	0.039	
84305	200703	0.196	
84306	200703 Dup	0.220	
84307	200704	0.023	
84308	200705	0.575	
84309	200706	1.671	
84310	200707	0.196	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
84311	200708	0.028	
84312	200709	0.822	
84313	200710	5.062	
84314	200711	0.033	
84315	200712	0.029	
84316	200713	0.041	
84317	200713 Rep	0.058	
84318	200714	0.033	
84319	200715	0.097	
84320	200716	0.143	
84321	200717	0.036	
84322	200718	0.018	
84323	200719	0.009	
84324	200720	<0.005	
84325	200721	0.031	
84326	200722	0.025	
84327	200723	0.012	
84328	200723 Dup	0.011	
84329	200724	0.037	
84330	200725	0.017	
84331	200726	0.008	
84332	200727	0.005	
84333	200728	0.006	
84334	200729	0.008	
84335	200730	0.436	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
84336	200731	0.023	
84337	200732	0.025	
84338	200733	0.016	
84339	200733 Dup	0.018	
84340	200734	0.014	
84341	200735	0.019	
84342	200736	0.106	
84343	200737	0.034	
84344	200738	0.036	
84345	200739	0.040	
84346	200740	<0.005	
84347	200741	0.029	
84348	200742	0.037	
84349	200743	0.019	
84350	200743 Dup	0.019	
84351	200744	0.041	
84352	200745	0.031	
84353	200746	0.034	
84354	200747	0.173	
84355	200748	0.290	
84356	200749	0.020	
84357	200750	1.491	
84358	200751	0.070	
84359	200752	0.023	
84360	200753	0.026	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
84361	200753 Dup	0.021	
84362	200754	0.047	
84363	200755	0.031	
84364	200756	0.041	
84365	200757	0.041	
84366	200758	0.068	
84367	200759	0.042	
84368	200760	<0.005	
84369	200761	0.079	
84370	200762	0.016	
84371	200763	0.017	
84372	200763 Dup	0.020	
84373	200764	0.014	
84374	200765	0.066	
84375	200766	0.053	
84376	200767	0.079	
84377	200768	0.086	
84378	200769	0.026	
84379	200770	4.984	
84380	200771	0.242	
84381	200772	2.306	
84382	200773	0.118	
84383	200773 Rep	0.137	
84384	200774	0.104	
84385	200775	0.050	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
84386	200776	0.036	
84387	200777	0.043	
84388	200778	0.034	
84389	200779	0.151	
84390	200780	0.006	
84391	200781	0.036	
84392	200782	0.157	
84393	200783	0.031	
84394	200783 Dup	0.021	
84395	200784	0.036	
84396	200785	0.151	
84397	200786	0.054	
84398	200787	2.027	
84399	200788	0.196	
84400	200789	0.082	
84401	200790	0.385	
84402	200791	0.742	
84403	200792	0.644	
84404	200793	0.079	
84405	200793 Dup	0.079	
84406	200794	0.253	
84407	200795	0.047	
84408	200796	0.510	
84409	200797	0.087	
84410	200798	0.018	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
84411	200799	0.227	
84412	200800	<0.005	
84413	200801	0.062	
84414	200802	0.084	
84415	200803	0.029	
84416	200803 Dup	0.030	
84417	200804	0.059	
84418	200805	0.019	
84419	200806	0.016	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, June 11, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.756	1.729	0.121
GS26	0.819	0.804	0.043
GS26	0.840	0.804	0.043
GS26	0.821	0.804	0.043
GS26	0.815	0.804	0.043
GS26	0.808	0.804	0.043
GS26	0.832	0.804	0.043
C100	0.178	0.167	0.008
GS26	0.846	0.804	0.043
GS26	0.854	0.804	0.043
AR01	1.722	1.729	0.121

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84186	202994	<1	5.48	30	853	<2	<1	2.72	<4	9	47	29	1.83	0.33	28	0.40	669	8	15	547	49	0.39	5	18	3885	250	1887	32	41	13	<2	131
84187	202995	<1	7.04	27	877	<2	5	3.00	6	9	60	112	2.13	0.20	31	0.47	741	12	22	549	376	0.45	7	19	4062	273	1858	25	38	24	<2	1969
84188	202996	<1	7.86	14	776	<2	17	3.10	<4	8	49	24	1.91	0.25	27	0.64	595	9	19	590	39	0.14	6	23	3696	293	1890	<2	38	<10	<2	78
84189	202997	<1	8.83	18	853	<2	18	3.13	<4	8	39	25	1.81	0.24	34	0.69	679	7	18	573	33	0.20	<5	25	3904	301	1927	19	39	<10	<2	105
84190	202998	<1	7.36	43	819	<2	17	3.59	<4	9	50	45	1.94	0.23	27	0.55	862	9	16	595	86	0.57	<5	21	3906	252	1645	46	38	<10	<2	129
84191	202999	<1	7.47	33	838	<2	14	3.23	<4	9	56	26	1.97	0.27	29	0.67	874	9	18	586	63	0.49	<5	22	3669	245	1823	18	42	<10	2	89
84192	203000	<1	7.05	18	707	<2	15	3.63	<4	16	63	52	3.55	0.16	23	0.95	696	8	38	675	24	0.01	<5	13	3695	353	2904	<2	110	<10	8	44
84193	200601	<1	8.75	34	841	<2	<1	2.82	<4	12	98	45	1.72	0.10	26	0.45	533	9	32	420	53	0.39	<5	25	3867	241	1564	<2	52	<10	3	54
84194	200602	<1	>10.00	29	802	<2	16	3.68	<4	15	109	53	2.69	<0.01	30	0.84	924	10	47	500	46	0.58	<5	32	3691	288	2100	8	64	<10	5	67
84195	200603	<1	7.87	20	885	<2	21	2.43	<4	6	47	15	0.58	0.17	20	0.13	253	10	16	351	60	<0.01	5	32	3570	244	1232	21	36	<10	<2	108
84196D	200603	<1	8.25	18	848	<2	21	2.43	<4	5	41	18	0.51	0.14	19	0.13	229	8	21	334	59	0.04	5	21	3555	234	1157	<2	33	<10	<2	118
84197	200604	<1	6.58	27	784	<2	19	3.02	<4	11	31	34	1.66	0.20	28	0.83	585	5	29	491	48	0.49	5	31	3310	346	1842	9	41	<10	<2	59
84198	200605	<1	6.91	16	788	<2	11	2.10	<4	6	27	18	0.44	0.26	29	0.34	226	6	17	163	56	0.03	5	21	3766	242	1518	<2	31	<10	<2	28
84199	200606	<1	7.24	18	742	<2	8	2.28	<4	7	42	13	0.56	0.42	30	0.38	274	10	17	159	57	0.02	5	26	3800	258	1410	12	32	<10	<2	39
84200	200607	13	5.39	22	783	<2	6	2.33	<4	7	38	21	0.51	0.54	28	0.24	236	8	13	136	133	0.01	6	15	3854	262	1448	<2	31	<10	<2	416
84201	200608	<1	6.90	21	867	<2	21	2.33	<4	5	64	20	0.63	0.37	26	0.16	166	12	18	251	78	0.02	<5	19	3914	279	1617	<2	34	<10	<2	145
84202	200609	<1	8.92	13	811	<2	7	2.11	<4	5	40	13	0.44	0.42	21	0.12	<100	10	15	265	50	<0.01	5	24	3845	269	1517	47	34	<10	<2	30
84203	200610	<1	9.72	61	650	<2	6	2.62	4	12	40	2292	4.70	0.37	44	0.63	995	20	33	743	97	1.61	7	27	4119	269	1113	10	57	16	3	561
84204	200611	<1	>10.00	20	830	<2	16	3.48	<4	6	49	27	0.55	0.31	24	0.15	194	10	21	188	48	0.05	<5	24	3892	343	1301	11	31	<10	<2	34
84205	200612	<1	8.98	19	840	<2	13	2.17	<4	7	44	21	0.47	0.19	21	0.13	107	10	20	320	42	0.04	<5	42	3959	273	1505	<2	33	<10	<2	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84206	200613	<1	7.35	21	731	<2	18	1.79	<4	7	38	18	0.48	0.09	25	0.23	149	6	21	354	43	0.02	5	29	3562	255	1541	16	33	<10	<2	89
84207D	200613	<1	7.65	21	732	<2	6	1.81	<4	8	36	17	0.47	0.10	25	0.23	146	7	20	363	45	0.02	<5	24	3609	257	1532	29	32	<10	<2	96
84208	200614	<1	7.09	23	859	<2	3	3.06	<4	8	53	16	1.72	0.16	29	0.55	405	10	17	544	39	0.31	6	16	3367	360	2002	<2	36	<10	<2	71
84209	200615	<1	8.03	15	805	<2	12	3.17	<4	9	40	26	1.81	0.09	27	0.57	416	7	27	550	32	0.19	<5	23	3553	380	2157	3	38	<10	2	39
84210	200616	<1	7.96	21	885	<2	16	4.00	<4	9	59	19	2.27	0.55	32	0.95	949	10	22	471	124	0.27	9	35	4033	356	1895	<2	40	<10	3	114
84211	200617	<1	8.34	12	968	<2	18	3.82	<4	8	45	38	2.12	0.16	45	0.93	914	8	21	526	114	0.19	<5	32	4236	354	2322	46	47	10	2	414
84212	200618	<1	8.56	36	835	<2	4	3.38	<4	10	38	21	2.33	0.33	38	1.01	859	8	19	491	80	0.45	<5	25	3967	308	2059	<2	42	<10	3	110
84213	200619	<1	7.22	28	793	<2	7	3.53	6	10	48	65	2.45	0.47	39	1.23	913	14	20	445	1109	0.39	9	19	4005	310	1872	46	40	22	2	1826
84214	200620	<1	8.15	14	673	<2	10	3.83	<4	14	62	65	3.57	0.28	24	1.00	685	8	42	618	31	0.03	<5	25	3596	359	2611	31	109	<10	9	63
84215	200621	<1	9.06	15	798	<2	7	3.12	<4	9	52	20	2.03	0.37	32	0.68	541	10	19	515	68	0.15	<5	28	3836	311	1822	<2	41	<10	2	95
84216	200622	<1	7.11	9	889	<2	13	3.67	<4	8	49	21	1.86	0.34	36	0.85	755	8	17	512	72	0.04	6	31	3855	225	1934	38	35	<10	<2	132
84217	200623	<1	7.20	16	889	<2	13	3.35	<4	7	47	25	1.58	0.27	31	0.82	780	9	18	483	96	0.12	9	29	3761	212	1573	17	29	<10	<2	95
84218D	200623	<1	6.77	11	904	<2	8	3.41	<4	7	46	24	1.60	0.32	31	0.77	799	9	16	468	101	0.13	8	24	3770	210	1600	15	29	<10	<2	101
84219	200624	40	6.71	16	671	<2	15	1.12	<4	3	38	18	1.08	0.13	22	0.34	198	8	10	277	58	0.35	<5	25	2974	138	1088	<2	17	<10	<2	63
84220	200625	<1	6.90	17	597	<2	12	1.23	<4	3	34	28	0.98	0.08	20	0.57	260	53	13	282	111	0.22	<5	23	2478	140	1041	6	15	<10	<2	223
84221	200626	<1	6.51	20	695	<2	5	1.48	<4	3	42	26	0.86	0.23	23	0.47	262	32	13	292	127	0.14	<5	28	3037	152	1015	14	15	<10	<2	209
84222	200627	<1	8.73	19	768	<2	20	2.07	<4	3	45	59	0.88	0.15	28	0.37	190	10	48	212	109	0.15	<5	17	4089	186	883	18	14	<10	<2	386
84223	200628	8	7.11	18	770	<2	4	2.43	<4	4	39	34	1.14	0.23	32	0.49	343	9	21	225	51	0.19	5	30	3797	246	1077	<2	15	<10	<2	60
84224	200629	<1	8.42	19	669	<2	14	2.78	<4	2	30	26	0.80	0.38	29	0.47	243	8	25	233	40	0.06	11	22	4173	228	833	<2	11	<10	<2	40
84225	200630	<1	9.71	30	821	<2	17	3.87	<4	14	60	232	3.81	0.12	30	0.94	659	16	50	621	33	0.06	6	21	3980	384	2691	26	103	12	8	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84226	200631	<1	7.98	20	790	<2	23	2.44	<4	3	34	24	0.97	0.35	33	0.39	196	7	25	250	33	0.04	<5	27	3921	260	1089	<2	17	<10	<2	43
84227	200632	55	8.83	24	1001	<2	11	2.94	<4	5	49	15	1.26	0.35	40	0.75	424	11	17	292	37	0.21	<5	34	3982	274	1147	4	18	<10	<2	51
84228	200633	<1	9.95	38	847	<2	28	1.78	<4	5	42	28	1.22	<0.01	30	0.34	187	9	26	306	87	0.43	5	36	3985	183	1089	10	18	11	<2	794
84229D	200633	<1	8.30	30	928	<2	14	1.58	<4	4	41	23	1.16	0.20	29	0.24	154	11	30	298	37	0.48	<5	21	4159	170	1063	3	18	11	<2	778
84230	200634	<1	7.87	40	872	<2	10	1.32	<4	4	42	26	1.02	0.26	26	0.23	212	10	31	303	41	0.46	<5	23	3941	149	982	<2	16	<10	<2	229
84231	200635	<1	8.02	31	848	<2	12	1.63	<4	4	48	28	1.15	0.16	33	0.41	334	11	29	299	42	0.34	5	23	3943	168	867	<2	15	<10	<2	103
84232	200636	<1	7.31	29	868	<2	20	2.54	<4	4	45	22	1.10	0.28	27	0.58	387	9	27	281	47	0.25	<5	24	3702	233	804	6	16	<10	<2	32
84233	200637	<1	7.19	31	659	<2	12	2.29	<4	12	113	67	2.51	0.20	35	1.07	596	10	59	473	37	0.49	<5	25	3500	212	1179	<2	55	<10	2	76
84234	200638	<1	7.64	23	1004	<2	10	2.84	<4	4	42	58	1.37	0.40	38	0.55	2043	11	59	307	101	0.26	<5	33	4081	225	1309	14	21	<10	<2	126
84235	200639	<1	9.24	30	1059	<2	4	2.92	<4	5	49	44	1.54	0.29	35	0.58	1975	11	43	290	125	0.24	<5	21	4127	213	1183	23	20	<10	<2	81
84236	200640	<1	6.44	14	735	<2	39	4.08	<4	16	66	75	3.77	0.25	27	0.86	723	9	64	598	29	0.03	<5	<5	3844	374	2996	<2	114	<10	8	40
84237	200641	<1	>10.00	857	1193	<2	53	2.27	15	5	149	495	1.49	0.18	37	0.32	1045	21	41	204	585	0.60	9	48	4389	197	1234	27	33	78	3	184
84238	200642	<1	4.73	27	1181	<2	17	2.44	<4	4	41	100	1.19	0.50	33	0.34	1549	9	31	225	483	0.29	5	24	4056	212	1089	8	18	<10	<2	397
84239	200643	<1	5.11	21	1253	<2	11	2.40	<4	4	51	45	1.26	0.34	34	0.35	1053	12	36	251	153	0.29	<5	19	4063	184	1250	14	19	<10	<2	230
84240D	200643	<1	8.42	23	1190	<2	2	2.49	<4	4	42	42	1.14	0.33	33	0.49	938	10	42	320	140	0.28	<5	25	4012	186	1127	30	18	<10	<2	199
84241	200644	<1	8.04	25	1183	<2	6	2.16	<4	4	45	37	1.11	0.26	32	0.44	914	12	31	304	66	0.21	<5	29	4006	187	1140	11	18	<10	<2	96
84242	200645	<1	7.17	24	1184	<2	12	2.16	<4	3	45	60	1.09	0.35	28	0.34	1067	9	35	292	196	0.47	<5	28	3933	190	1068	18	17	<10	<2	497
84243	200646	<1	7.71	17	1147	<2	5	2.29	<4	4	47	46	1.11	0.41	28	0.40	1225	11	30	297	164	0.24	5	15	3921	196	1088	20	16	<10	<2	270
84244	200647	<1	6.92	18	1271	<2	<1	2.25	<4	4	39	35	1.12	0.08	26	0.47	1490	9	22	283	125	0.26	5	23	3529	208	1033	32	16	<10	<2	192
84245	200648	<1	7.14	21	1161	<2	9	1.82	<4	3	36	35	1.06	0.16	23	0.42	1010	8	25	288	144	0.39	5	27	3361	164	1023	<2	16	<10	<2	265

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84246	200649	<1	7.64	24	1155	<2	3	2.14	<4	3	40	66	1.21	0.28	27	0.39	764	9	59	268	670	0.29	<5	23	3867	165	1062	<2	16	<10	<2	611
84247	200650	123	7.98	20	742	<2	17	4.38	5	14	46	174	4.71	0.38	23	0.80	820	9	102	571	17490	0.07	74	15	3970	372	2551	<2	128	<10	9	297
84248	200651	<1	8.86	31	1049	<2	13	1.84	<4	4	45	111	1.31	0.43	27	0.29	371	11	103	272	330	0.35	<5	19	4024	173	952	33	16	<10	<2	596
84249	200652	<1	7.47	29	1105	<2	2	3.13	<4	4	38	88	1.33	0.50	34	0.65	1092	8	111	284	124	0.23	7	30	4032	257	1203	23	23	<10	<2	139
84250	200653	<1	6.57	31	891	2	6	3.00	<4	4	50	66	1.54	0.65	31	0.55	1080	10	56	278	616	0.19	<5	20	3881	276	1048	<2	21	<10	<2	682
84251R	200653	2	6.30	32	964	2	4	3.33	<4	5	52	43	1.65	0.29	33	0.54	1153	12	45	245	654	0.20	<5	16	4076	291	1113	<2	23	12	<2	790
84252	200654	<1	7.56	17	709	<2	20	2.99	<4	8	50	32	1.87	<0.01	51	2.39	1924	11	43	526	154	0.07	7	22	4280	257	948	<2	31	<10	2	201
84253	200655	<1	6.07	16	525	<2	17	2.61	<4	7	42	21	1.55	<0.01	45	2.07	1977	11	32	470	120	0.01	<5	31	4067	222	801	51	26	<10	2	186
84254	200656	9	5.22	20	576	<2	6	2.48	<4	7	35	21	1.62	<0.01	44	1.82	1441	10	23	443	2958	0.07	<5	14	4153	218	790	37	28	<10	<2	281
84255	200657	<1	6.06	22	558	<2	3	2.08	<4	6	44	61	1.23	0.30	30	0.72	825	10	27	377	242	0.04	6	18	3897	210	933	<2	23	<10	<2	253
84256	200658	17	6.34	27	609	<2	14	2.79	26	12	46	585	2.87	0.30	31	1.05	1585	10	21	356	6540	0.70	11	13	3997	221	970	<2	21	105	<2	11700
84257	200659	2	5.24	20	560	<2	14	2.07	5	4	46	254	1.17	0.44	30	0.48	791	8	19	309	1120	0.13	6	23	3906	198	1102	5	20	25	<2	2364
84258	200660	<1	5.98	13	812	<2	3	4.13	<4	14	68	63	3.70	0.31	28	0.71	718	10	52	652	34	0.02	<5	17	4167	372	2814	22	113	<10	7	60
84259	200661	<1	6.27	19	671	<2	15	2.12	<4	6	46	169	1.03	0.37	30	0.47	743	9	18	426	878	0.14	5	25	3805	216	1279	26	23	13	<2	951
84260	200662	<1	5.89	13	622	<2	19	3.16	<4	7	31	56	1.31	0.30	27	1.11	1884	6	23	497	386	0.09	7	18	3737	268	1154	21	21	13	<2	1154
84261	200663	<1	5.80	20	657	<2	11	1.94	<4	4	35	17	0.91	0.15	28	0.50	785	7	16	451	62	0.06	<5	18	3564	218	1321	<2	25	<10	<2	84
84262D	200663	<1	6.49	16	644	<2	18	1.97	<4	4	33	18	0.85	0.27	27	0.51	726	7	18	436	57	<0.01	5	13	3552	216	1203	<2	24	<10	<2	75
84263	200664	<1	3.99	19	1326	<2	1	2.15	<4	4	34	36	0.96	0.19	30	0.32	534	7	21	289	68	0.05	7	17	3773	232	1365	58	26	<10	<2	49
84264	200665	<1	5.00	18	725	<2	8	2.60	<4	8	66	40	2.18	0.21	38	0.62	1335	10	30	311	56	0.08	<5	18	4180	227	1715	<2	42	<10	<2	80
84265	200666	<1	5.14	21	699	<2	15	2.21	<4	8	54	43	1.85	0.38	36	0.52	1015	9	42	325	49	0.10	<5	19	3870	209	1628	2	37	<10	<2	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84266	200667	<1	3.67	36	770	<2	6	2.36	<4	8	57	41	2.13	0.34	37	0.42	927	9	32	290	49	0.27	5	16	3806	220	1724	29	38	<10	<2	76
84267	200668	23	6.68	141	1142	<2	5	1.82	5	8	53	697	1.78	0.23	37	0.38	455	8	27	343	1407	0.44	164	22	3937	173	1624	<2	30	22	<2	2062
84268	200669	<1	6.49	45	1071	2	23	2.45	5	8	60	243	1.75	0.32	43	0.69	710	8	27	419	455	0.42	15	16	3873	195	1787	17	32	26	2	2012
84269	200670	<1	5.20	57	601	<2	16	2.30	4	11	37	2313	4.32	0.38	40	0.36	932	19	31	599	93	1.44	<5	12	3936	244	1044	<2	53	11	2	518
84270	200671	<1	5.98	36	820	<2	7	1.90	<4	8	59	53	1.98	0.51	46	0.65	691	9	24	381	118	0.46	5	17	3895	180	1692	40	33	<10	2	154
84271	200672	<1	5.14	43	815	<2	<1	2.14	<4	6	55	29	1.77	0.39	38	0.38	462	8	24	433	41	0.64	<5	14	3875	199	1682	15	33	<10	<2	54
84272	200673	<1	6.95	37	736	<2	4	1.76	<4	7	53	28	1.68	0.23	33	0.45	399	8	27	515	93	0.58	6	22	3459	233	1633	<2	35	<10	<2	164
84273D	200673	<1	6.53	34	741	<2	26	1.62	<4	7	49	26	1.67	0.14	32	0.47	418	6	21	524	95	0.55	<5	14	3378	226	1741	<2	35	<10	<2	164
84274	200674	<1	6.52	25	583	<2	13	1.41	<4	8	50	36	1.58	0.13	30	0.48	358	6	26	482	37	0.46	5	17	2805	206	1794	29	37	<10	2	44
84275	200675	<1	2.86	29	702	<2	4	2.26	<4	6	59	33	1.82	0.26	36	0.34	445	9	21	320	87	0.38	8	24	3817	252	1680	<2	40	<10	2	81
84276	200676	<1	3.26	22	632	<2	4	2.26	<4	9	45	34	1.54	0.14	30	0.38	412	8	27	248	48	0.14	8	6	3808	251	1251	4	34	<10	<2	71
84277	200677	<1	4.43	13	562	<2	13	2.24	<4	7	52	21	1.36	<0.01	44	1.35	871	10	19	313	58	0.09	6	18	3860	253	1195	<2	29	<10	<2	101
84278	200678	<1	6.19	25	614	<2	14	2.35	<4	5	51	22	0.96	<0.01	65	1.20	766	11	30	367	72	0.04	<5	15	3886	288	1160	2	32	<10	2	80
84279	200679	<1	6.48	18	550	<2	16	2.46	<4	5	44	22	0.95	<0.01	58	1.38	738	8	25	411	96	0.07	6	22	3942	296	1076	<2	28	<10	2	107
84280	200680	<1	4.57	12	711	<2	13	3.91	<4	16	66	59	3.74	0.29	29	0.71	714	8	46	609	30	0.06	7	15	3694	384	3029	<2	117	<10	7	57
84281	200681	<1	5.09	16	502	<2	20	1.64	<4	4	46	15	0.75	0.71	33	0.60	343	9	17	372	50	0.05	<5	17	3618	215	1164	<2	28	<10	2	30
84282	200682	<1	6.29	15	532	<2	21	1.69	<4	4	41	15	0.92	0.32	39	0.94	541	7	17	471	31	0.06	<5	27	3612	212	1273	8	34	<10	2	21
84283	200683	<1	6.19	15	499	<2	11	1.62	<4	3	35	14	0.73	0.46	28	0.53	341	6	15	423	32	0.09	<5	16	3355	212	1306	<2	28	<10	2	9
84284D	200683	<1	7.37	17	547	<2	20	1.85	<4	5	38	17	0.77	0.29	31	0.57	350	7	15	466	36	0.10	<5	34	3544	231	1345	<2	30	<10	2	9
84285	200684	<1	6.29	21	652	<2	33	2.03	<4	5	58	22	0.94	0.20	29	0.53	522	10	19	469	66	0.07	<5	24	3489	256	1423	2	28	<10	2	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84286	200685	<1	7.25	21	826	<2	9	2.07	<4	7	46	21	0.94	0.09	34	0.56	444	8	29	559	55	0.25	<5	16	3413	233	1867	<2	36	<10	2	93
84287	200686	<1	6.25	25	579	2	<1	1.17	<4	7	41	4	1.20	0.32	24	0.92	505	4	11	478	31	0.08	<5	23	<10	202	1883	<2	39	<10	3	56
84288	200687	<1	4.27	29	857	<2	4	2.43	<4	8	54	15	1.40	0.27	41	0.44	461	10	17	269	57	0.27	8	24	3855	218	1989	<2	36	<10	2	63
84289	200688	<1	2.97	25	830	<2	8	2.52	<4	5	53	15	1.04	0.29	37	0.39	445	11	18	190	43	0.15	<5	13	3819	217	1670	21	28	<10	<2	31
84290	200689	<1	2.68	45	775	<2	5	3.45	<4	10	49	29	2.16	<0.01	37	0.61	809	9	27	256	51	0.50	<5	5	3867	233	1624	11	29	<10	2	130
84291	200690	<1	4.82	21	779	<2	6	3.42	<4	14	58	214	3.57	0.35	30	0.59	627	16	46	543	34	0.03	<5	11	3761	365	2703	5	101	<10	6	49
84292	200691	<1	7.14	21	835	<2	13	2.62	<4	9	47	30	1.41	0.48	40	0.59	562	9	25	384	108	0.16	<5	25	3619	221	1868	<2	31	<10	2	60
84293	200692	<1	7.84	23	733	<2	15	2.50	<4	7	45	14	1.41	0.54	33	0.45	285	9	18	413	44	0.38	10	31	3517	249	1602	42	28	<10	2	42
84294	200693	<1	7.78	21	836	<2	11	2.90	<4	6	61	20	1.50	0.28	30	0.39	291	14	18	478	40	0.36	<5	31	3602	277	1652	<2	31	<10	2	17
84295D	200693	<1	8.02	27	748	<2	<1	2.72	<4	5	46	16	1.26	0.28	28	0.38	245	9	16	448	33	0.36	6	21	3515	264	1447	<2	27	<10	2	16
84296	200694	<1	8.89	24	849	<2	<1	2.80	<4	6	57	20	1.38	<0.01	37	0.63	337	11	17	514	41	0.32	5	30	3501	269	1945	<2	33	<10	2	195
84297	200695	<1	7.45	8	667	<2	4	2.31	<4	5	41	16	0.99	0.24	34	0.55	314	8	11	432	39	0.10	<5	22	3346	258	1561	<2	26	<10	2	16
84298	200696	<1	6.81	17	653	<2	12	1.96	<4	4	50	14	0.90	0.29	31	0.45	268	10	12	389	48	0.07	<5	13	3385	243	1445	6	24	<10	2	45
84299	200697	<1	1.37	17	682	<2	<1	1.65	<4	5	37	26	0.91	0.31	35	0.34	290	7	19	187	55	0.02	<5	13	3603	233	1662	42	30	<10	<2	52
84300	200698	<1	4.62	20	673	<2	7	2.87	<4	6	32	19	1.11	0.15	33	0.41	305	5	18	293	40	0.15	<5	16	3562	277	1805	22	33	<10	2	20
84301	200699	<1	5.11	20	816	<2	15	3.03	<4	8	31	21	0.88	0.31	38	0.46	376	6	17	292	36	0.07	5	20	3799	323	1727	<2	31	<10	2	22
84302	200700	<1	4.45	14	745	<2	<1	4.17	<4	18	70	66	4.08	<0.01	30	0.77	782	8	52	596	29	0.01	5	14	3617	408	3238	5	127	<10	8	49
84303	200701	<1	6.33	18	824	<2	11	3.22	<4	6	41	19	1.27	0.31	39	0.61	561	9	20	359	42	0.11	<5	18	3870	302	1838	18	30	<10	2	34
84304	200702	<1	5.54	16	1258	<2	15	2.91	<4	5	40	21	1.55	0.37	38	0.62	594	8	13	369	50	0.27	5	18	3689	298	1716	<2	29	<10	2	70
84305	200703	<1	7.06	20	>5000	2	5	6.18	<4	3	34	37	2.05	<0.01	30	1.82	1418	6	16	439	112	0.42	<5	28	3652	1621	1581	<2	26	13	4	190

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84306D	200703	<1	6.09	23	>5000	<2	6	5.69	<4	3	31	35	1.86	<0.01	28	1.61	1303	5	17	408	105	0.38	6	16	3599	1510	1448	<2	24	<10	3	165
84307	200704	<1	7.28	24	1782	2	12	2.99	<4	5	36	17	1.44	0.24	34	0.78	681	7	17	424	61	0.40	<5	29	3518	298	1666	<2	29	<10	2	28
84308	200705	<1	7.54	45	1001	<2	29	1.89	9	6	51	87	1.85	0.23	33	0.33	241	8	23	410	1042	0.84	14	17	3762	202	1589	<2	33	36	2	3338
84309	200706	3	7.47	51	938	<2	17	1.96	13	6	51	109	1.99	0.27	32	0.34	273	9	21	396	1636	0.83	21	23	3766	204	1466	<2	31	45	2	4284
84310	200707	<1	6.66	32	760	<2	9	1.64	<4	4	37	46	1.23	0.09	27	0.34	244	6	15	381	1195	0.49	9	29	3328	166	1448	15	24	12	<2	725
84311	200708	<1	5.29	28	896	<2	16	2.96	<4	6	50	28	1.61	0.30	38	0.66	712	10	19	358	103	0.25	5	13	3838	228	1790	62	30	<10	2	143
84312	200709	<1	2.00	42	880	<2	3	2.65	5	5	52	99	1.92	0.05	36	0.49	602	10	22	234	673	0.41	<5	13	3867	213	1537	32	27	19	2	1589
84313	200710	129	7.02	24	731	<2	4	4.33	6	15	44	107	4.65	0.41	26	0.72	807	9	36	564	17762	0.08	74	7	3775	387	2491	<2	130	<10	10	308
84314	200711	<1	4.97	28	1543	<2	14	3.13	<4	6	58	36	1.97	0.38	36	0.75	786	8	25	356	93	0.34	7	6	3814	251	1586	<2	31	<10	3	100
84315	200712	<1	5.49	14	2079	2	12	2.80	<4	7	39	72	1.59	0.35	39	0.63	672	6	23	399	153	0.12	<5	16	3592	341	2037	18	33	<10	2	257
84316	200713	<1	6.03	15	968	<2	6	2.56	<4	6	39	31	1.39	0.27	36	0.69	553	8	17	356	56	0.12	<5	21	3651	240	1915	<2	28	<10	2	82
84317R	200713	<1	4.32	11	1002	<2	6	2.79	<4	7	31	30	1.35	0.08	38	0.60	538	6	16	281	57	0.13	<5	18	3870	253	1939	4	29	<10	2	61
84318	200714	<1	8.20	12	937	<2	17	2.95	<4	7	38	27	1.36	0.18	40	0.77	412	7	21	378	42	0.09	<5	25	3895	271	1774	5	28	<10	2	41
84319	200715	<1	6.66	14	941	<2	19	2.74	<4	7	34	20	1.26	0.27	37	0.66	332	6	17	345	32	0.06	<5	19	3622	233	1815	<2	27	<10	2	43
84320	200716	<1	6.50	14	930	<2	5	2.78	<4	7	45	28	1.37	0.36	45	0.76	515	8	17	364	40	0.13	<5	15	3650	259	1809	30	27	<10	2	47
84321	200717	<1	7.11	10	922	<2	15	2.65	<4	6	41	26	1.27	0.30	42	0.68	521	9	20	351	47	0.04	<5	23	3761	243	1700	4	25	<10	2	107
84322	200718	<1	5.50	11	906	<2	18	1.91	<4	6	41	25	1.12	<0.01	38	0.53	460	7	13	337	33	0.03	5	18	3514	243	1694	<2	24	<10	2	48
84323	200719	<1	6.10	8	853	<2	3	2.13	<4	7	53	28	1.33	0.29	37	0.77	623	9	15	349	129	0.08	<5	25	3484	223	1589	39	24	<10	2	108
84324	200720	<1	5.73	9	629	<2	18	3.37	<4	14	58	58	3.41	0.38	24	0.79	657	6	46	640	25	<0.01	5	18	3198	350	2859	12	106	<10	8	40
84325	200721	<1	6.19	11	903	<2	6	2.32	<4	7	43	65	1.32	0.17	37	0.84	725	7	18	390	963	0.10	5	24	3418	226	1691	56	25	17	2	1454

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84326	200722	<1	4.88	18	735	<2	6	2.33	<4	6	35	23	1.08	0.21	35	0.64	659	5	17	367	64	0.18	<5	14	3356	224	1477	<2	22	<10	2	49
84327	200723	<1	6.96	17	1004	<2	12	2.63	<4	6	45	28	1.28	0.20	42	0.71	591	8	19	412	88	0.19	<5	22	3471	254	1744	<2	26	<10	<2	121
84328D	200723	<1	5.43	15	941	<2	10	2.70	<4	6	43	28	1.23	0.18	43	0.64	567	8	21	312	95	0.13	8	20	3647	253	1661	32	25	<10	2	118
84329	200724	<1	4.98	10	912	<2	13	3.24	<4	6	43	72	1.52	<0.01	42	0.90	907	9	17	319	1528	0.08	<5	6	3761	260	1664	<2	27	12	2	735
84330	200725	<1	7.32	7	861	<2	24	2.51	<4	7	45	26	1.29	0.28	48	0.85	552	10	59	329	213	0.09	<5	21	3735	242	1652	<2	28	<10	2	121
84331	200726	<1	8.75	9	922	<2	8	2.64	<4	7	38	26	1.32	0.11	48	0.98	585	8	61	368	65	0.07	7	26	3762	248	1826	5	28	<10	2	72
84332	200727	<1	7.98	5	736	<2	16	2.39	<4	5	43	21	1.04	0.32	40	0.73	451	9	59	317	44	<0.01	5	25	3781	237	1405	2	23	<10	2	33
84333	200728	<1	7.52	15	751	<2	2	3.16	<4	5	59	35	1.16	0.32	37	0.89	570	12	81	639	55	0.02	10	23	3777	231	1315	4	22	<10	2	66
84334	200729	<1	7.39	9	881	<2	5	2.67	<4	6	41	23	1.33	0.27	49	0.84	497	8	61	386	84	0.03	6	21	3759	268	1714	10	28	<10	2	75
84335	200730	<1	7.52	63	574	<2	6	2.30	4	12	37	2182	4.43	0.19	42	0.47	939	17	31	685	94	1.60	8	12	3580	268	1197	<2	58	13	4	501
84336	200731	<1	6.26	8	989	<2	2	3.21	<4	6	36	39	1.34	0.16	37	0.98	799	7	53	385	286	0.11	6	22	3483	213	1551	<2	25	<10	2	227
84337	200732	<1	5.51	10	902	<2	<1	2.42	<4	6	34	37	1.24	0.18	42	0.78	551	6	50	368	38	0.08	<5	15	3413	191	1736	<2	25	<10	2	63
84338	200733	<1	6.36	6	782	<2	11	2.40	<4	7	36	30	1.23	0.17	42	0.69	384	7	55	414	54	0.03	5	20	3435	228	1636	<2	27	<10	2	64
84339D	200733	<1	6.72	4	752	<2	24	2.25	<4	6	34	25	1.21	0.05	39	0.77	380	6	43	407	52	0.03	<5	23	3252	222	1641	<2	26	<10	<2	51
84340	200734	<1	3.99	11	829	<2	2	2.63	<4	6	36	30	1.33	<0.01	41	0.81	555	8	65	286	39	0.11	8	16	3605	209	1723	8	26	<10	2	18
84341	200735	<1	6.68	17	904	<2	2	2.87	<4	6	34	16	1.31	<0.01	52	1.08	584	7	44	338	54	0.09	6	19	4007	217	1674	<2	27	<10	2	24
84342	200736	<1	6.89	16	804	<2	7	3.23	4	5	33	82	1.61	<0.01	46	1.20	708	7	53	338	1004	0.16	8	11	3654	196	1609	8	24	16	2	1513
84343	200737	<1	6.33	18	851	<2	<1	3.67	<4	6	34	51	1.48	0.04	43	1.33	814	6	62	337	89	0.13	10	24	3662	213	1636	<2	26	<10	2	46
84344	200738	<1	7.20	23	791	<2	8	2.80	<4	6	38	32	1.47	0.18	44	1.00	581	8	68	361	244	0.25	5	20	3614	161	1723	10	27	<10	2	778
84345	200739	<1	6.73	25	634	<2	2	2.87	10	6	34	41	1.76	<0.01	43	1.43	847	7	58	363	92	0.37	9	27	3665	158	1460	<2	24	38	2	3783

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84346	200740	<1	5.42	9	642	<2	<1	3.47	<4	14	58	56	3.32	0.30	25	0.71	627	7	47	594	30	0.02	<5	15	3417	350	2634	<2	103	<10	8	38
84347	200741	<1	5.66	12	801	<2	7	3.24	<4	6	37	86	1.70	<0.01	40	1.06	763	8	60	378	523	0.13	<5	21	3472	204	1686	9	25	<10	3	612
84348	200742	<1	7.09	7	906	<2	<1	2.50	<4	6	38	26	1.29	0.22	44	0.94	509	8	55	415	50	0.07	<5	25	3500	161	1732	<2	26	<10	2	103
84349	200743	<1	6.85	11	888	<2	19	2.14	<4	7	33	19	1.20	0.14	51	1.09	504	8	51	403	46	0.06	8	17	3519	150	1727	66	27	<10	2	137
84350D	200743	<1	6.16	16	848	<2	10	2.07	<4	6	29	18	1.14	0.08	48	0.98	492	6	43	388	43	0.04	<5	20	3346	144	1770	23	26	<10	2	131
84351	200744	<1	6.24	23	965	<2	12	2.17	<4	6	36	26	1.25	0.17	44	0.85	475	7	56	372	50	0.13	5	21	3418	151	1662	10	25	<10	<2	82
84352	200745	<1	4.37	22	696	<2	16	6.19	<4	5	36	63	1.79	<0.01	31	2.60	1848	8	59	416	266	0.09	<5	23	3659	181	1479	<2	23	<10	3	228
84353	200746	<1	4.27	17	713	<2	8	7.21	<4	5	32	77	1.91	<0.01	31	2.83	2137	7	53	399	271	0.07	5	13	3836	191	1434	23	23	<10	3	259
84354	200747	<1	4.90	108	796	2	1	3.39	8	10	38	102	1.71	0.09	39	0.68	624	8	57	197	522	0.33	7	12	3714	229	1769	<2	23	27	2	2710
84355	200748	<1	7.65	26	822	<2	7	2.72	<4	6	40	120	1.38	<0.01	44	0.96	532	9	56	376	183	0.28	<5	22	3597	167	1710	23	27	<10	2	644
84356	200749	<1	6.75	16	758	<2	6	1.98	<4	5	38	21	1.27	0.07	44	0.99	462	9	60	362	50	0.07	<5	14	3459	142	1678	<2	26	<10	2	29
84357	200750	<1	7.62	22	816	<2	18	3.55	<4	15	58	220	3.71	0.08	31	0.79	650	15	49	639	36	0.02	7	7	3679	378	2813	<2	103	14	9	41
84358	200751	<1	6.32	37	497	2	<1	3.20	<4	6	38	139	1.33	0.06	47	1.48	631	9	61	314	65	0.07	<5	21	3470	138	1577	<2	23	<10	3	29
84359	200752	<1	6.11	53	693	<2	4	2.89	<4	6	44	52	1.46	0.33	55	1.53	656	10	67	405	41	0.03	9	17	3551	143	1642	76	26	<10	2	45
84360	200753	<1	7.01	17	672	<2	6	3.30	<4	6	46	50	1.56	0.24	49	1.62	601	10	72	366	507	0.11	<5	20	3376	148	1561	<2	23	16	2	1139
84361D	200753	<1	6.39	17	646	<2	16	3.22	<4	5	45	46	1.51	0.18	47	1.56	584	9	69	355	489	0.16	8	22	3305	144	1447	<2	23	15	2	1078
84362	200754	<1	5.83	24	742	<2	9	2.15	12	7	47	52	1.58	0.19	47	1.30	521	9	71	571	1206	0.28	9	17	3271	152	1546	<2	26	39	2	4392
84363	200755	<1	5.77	12	759	<2	12	1.27	<4	6	35	17	1.27	0.19	38	0.96	446	7	57	379	48	0.08	<5	23	3225	152	1594	<2	25	<10	<2	128
84364	200756	2	3.35	14	939	<2	6	2.60	6	6	39	37	1.53	<0.01	44	0.85	631	9	63	291	1388	0.16	7	26	3742	194	1864	<2	29	19	2	1996
84365	200757	<1	2.18	21	618	<2	5	2.53	5	4	50	64	1.72	<0.01	42	1.17	740	9	73	279	912	0.19	8	21	3659	150	1477	11	24	17	<2	1687

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84366	200758	<1	0.02	21	728	<2	11	2.23	<4	6	46	17	1.56	0.22	46	0.57	637	8	20	184	59	0.15	<5	<5	3623	163	1563	5	25	<10	<2	210
84367	200759	<1	5.79	38	730	<2	9	2.69	<4	6	41	21	1.54	0.13	46	0.86	591	8	16	305	80	0.21	<5	28	3776	174	1573	43	24	<10	2	77
84368	200760	<1	6.28	12	721	<2	3	3.86	<4	15	63	60	3.55	0.27	29	0.80	692	6	50	621	28	0.04	<5	11	3665	374	3004	17	111	<10	9	42
84369	200761	<1	6.05	15	709	<2	8	4.54	<4	5	36	36	1.49	0.06	40	1.66	1169	8	27	367	161	0.19	9	17	3618	197	1597	40	21	<10	2	101
84370	200762	<1	6.58	22	802	<2	9	3.12	<4	6	35	42	1.26	0.07	50	1.07	640	6	24	374	71	0.13	<5	17	3671	179	1700	25	23	<10	2	373
84371	200763	<1	7.22	17	882	<2	16	4.08	<4	8	47	49	1.96	0.19	51	1.56	988	12	23	442	75	0.09	<5	30	3789	205	1785	<2	28	<10	2	141
84372D	200763	<1	6.75	17	809	<2	11	3.66	<4	7	41	44	1.78	0.17	46	1.52	905	9	22	414	73	0.14	<5	22	3542	192	1662	<2	26	<10	2	123
84373	200764	<1	6.50	11	817	<2	10	4.27	<4	7	32	46	1.65	0.21	46	1.76	1130	7	21	478	58	0.11	<5	16	3674	165	1592	27	23	15	2	946
84374	200765	<1	5.92	31	817	<2	3	3.07	<4	6	33	48	1.23	0.24	35	0.97	687	6	17	316	300	0.17	<5	23	3260	194	1672	<2	23	<10	2	104
84375	200766	<1	6.37	33	765	<2	12	2.95	<4	5	25	49	1.05	0.09	32	0.93	617	4	20	338	178	0.18	<5	17	3238	189	1696	<2	21	<10	<2	172
84376	200767	<1	4.93	32	847	<2	4	3.49	<4	7	32	33	1.39	<0.01	46	0.93	739	5	9	323	74	0.19	<5	14	3830	167	1738	<2	27	<10	2	107
84377	200768	<1	<0.01	23	812	<2	12	2.74	<4	6	34	57	1.33	<0.01	41	0.46	519	7	16	256	65	0.12	<5	14	3741	154	1737	7	27	<10	<2	110
84378	200769	<1	1.47	28	797	<2	<1	1.54	<4	6	47	37	0.94	0.05	31	0.20	177	9	19	217	80	0.13	7	10	3694	142	1639	<2	25	<10	<2	155
84379	200770	126	4.24	17	664	<2	8	4.02	6	16	43	106	4.55	0.03	23	0.57	780	8	33	504	16825	0.09	67	18	3625	369	2695	<2	128	<10	8	298
84380	200771	<1	7.49	66	826	<2	2	1.57	<4	6	33	44	1.00	0.17	30	0.44	155	6	12	525	135	0.26	6	27	3514	151	1675	<2	27	<10	2	129
84381	200772	21	8.32	129	887	<2	5	1.34	4	6	56	139	1.28	0.20	23	0.22	<100	11	19	481	591	0.40	73	24	3733	155	1374	<2	29	22	2	2122
84382	200773	<1	8.14	35	961	<2	11	1.77	<4	7	55	40	1.14	0.26	27	0.32	203	9	19	452	82	0.34	6	26	3798	160	1494	7	31	<10	2	148
84383R	200773	<1	8.43	26	989	<2	3	2.00	<4	7	68	42	1.25	0.30	30	0.33	223	13	24	451	82	0.30	<5	20	4025	170	1533	8	32	<10	2	132
84384	200774	<1	5.73	30	981	<2	2	2.25	<4	8	43	31	1.40	0.19	33	0.45	504	7	20	378	59	0.40	<5	23	3830	173	1652	11	32	<10	2	307
84385	200775	<1	7.65	24	923	<2	<1	2.69	<4	7	55	30	1.47	0.35	40	0.90	851	9	23	438	54	0.26	6	18	3726	195	1595	<2	33	<10	3	107

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84386	200776	<1	6.92	34	852	<2	9	2.50	<4	6	45	27	1.32	0.30	38	0.73	737	7	19	411	43	0.29	<5	20	3587	199	1463	<2	31	<10	2	57
84387	200777	<1	7.27	23	962	<2	9	1.75	<4	6	38	25	1.10	0.24	30	0.41	364	7	16	397	46	0.20	<5	28	3574	160	1520	6	27	10	2	219
84388	200778	<1	6.10	24	821	<2	10	2.36	<4	5	48	26	1.18	0.12	34	0.69	786	9	14	379	70	0.21	<5	21	3333	185	1521	<2	25	<10	2	93
84389	200779	<1	7.43	23	899	<2	12	1.95	<4	6	40	23	1.19	0.11	35	0.55	536	8	14	423	74	0.28	9	15	3482	164	1755	34	28	<10	2	67
84390	200780	<1	6.41	12	680	<2	16	3.50	<4	15	60	59	3.44	0.06	24	0.78	668	7	42	663	26	<0.01	8	5	3354	355	2955	11	108	<10	8	35
84391	200781	<1	6.83	24	768	<2	8	2.14	<4	6	65	25	1.40	0.15	33	0.95	614	10	19	450	59	0.05	<5	31	2915	167	1650	<2	27	<10	2	75
84392	200782	<1	5.98	27	676	<2	10	1.22	<4	6	42	20	1.44	0.11	32	1.06	314	6	16	423	36	0.14	8	32	2456	144	1597	<2	27	<10	2	45
84393	200783	<1	5.26	15	779	<2	19	1.48	<4	7	41	32	1.64	<0.01	54	1.26	251	7	38	387	31	0.07	<5	20	3655	164	1399	<2	26	<10	3	32
84394D	200783	<1	5.91	29	818	<2	16	1.46	<4	7	40	58	1.74	0.31	57	1.38	269	6	33	417	42	0.06	7	20	3546	164	1478	21	27	<10	3	135
84395	200784	<1	7.50	90	775	<2	11	2.59	<4	6	43	115	1.51	0.16	46	1.18	325	8	29	435	90	0.08	<5	20	3825	173	1561	<2	28	10	3	394
84396	200785	<1	6.82	29	766	<2	21	2.26	<4	6	43	46	1.36	0.17	33	0.64	248	8	42	343	105	0.17	<5	19	3648	170	1577	50	25	<10	3	190
84397	200786	<1	7.50	22	778	<2	5	2.44	<4	7	40	36	1.19	0.31	35	0.79	282	7	32	380	122	0.06	8	22	3674	177	1617	<2	27	<10	2	91
84398	200787	3	7.76	44	843	<2	19	1.44	6	7	46	524	1.67	0.34	27	0.20	<100	10	16	395	959	0.64	8	28	3820	163	1484	25	28	24	2	2522
84399	200788	<1	8.18	27	721	<2	15	1.49	<4	7	55	28	1.19	0.16	26	0.27	113	10	22	394	80	0.28	5	29	3597	155	1453	<2	27	<10	2	63
84400	200789	<1	7.39	48	789	<2	<1	1.61	<4	8	45	26	1.38	0.27	29	0.28	139	8	24	547	96	0.38	7	17	3650	156	1640	10	39	<10	2	102
84401	200790	<1	5.38	56	588	<2	2	2.27	4	13	38	2337	4.55	0.38	44	0.35	972	19	32	693	99	1.56	<5	16	3649	264	1283	<2	59	<10	4	536
84402	200791	<1	6.40	68	644	<2	11	1.04	<4	8	52	32	1.38	0.08	21	0.14	<100	12	77	498	116	0.39	5	15	3418	143	1370	<2	38	<10	2	129
84403	200792	<1	6.86	57	568	<2	9	1.07	<4	6	49	86	0.80	0.05	22	0.20	<100	11	70	454	868	0.14	<5	25	3292	140	1375	<2	36	<10	2	1058
84404	200793	<1	7.41	31	628	<2	2	1.37	<4	8	53	21	1.18	0.01	27	0.52	186	9	69	605	132	0.19	<5	28	3050	140	1725	9	43	<10	2	110
84405D	200793	<1	8.71	35	825	<2	11	1.88	<4	10	63	38	1.38	0.14	37	0.53	214	14	88	670	161	0.29	14	11	3983	163	2062	3	50	10	3	149

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/09/2014 5:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/11/2014
Job #: 201441093
Reference: TL14-362
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84406	200794	<1	6.34	37	716	<2	15	2.28	<4	10	50	123	1.49	<0.01	33	0.53	286	11	79	599	283	0.40	5	28	3771	169	1967	<2	41	<10	3	217
84407	200795	<1	4.73	27	866	<2	33	2.97	<4	10	51	36	1.75	0.16	45	0.65	483	11	77	567	107	0.22	<5	17	4051	217	2398	<2	44	<10	2	131
84408	200796	<1	6.55	25	821	<2	3	2.99	<4	9	42	95	1.60	0.16	37	0.60	380	8	61	532	182	0.33	6	25	3974	207	1933	61	38	10	2	244
84409	200797	<1	6.15	20	917	<2	13	3.26	<4	9	50	19	1.59	0.08	41	0.63	440	10	61	507	44	0.19	6	20	4032	218	2122	17	39	<10	2	40
84410	200798	<1	4.44	13	871	2	20	3.23	<4	9	47	26	1.70	0.06	41	0.51	416	8	62	488	34	0.11	<5	20	3898	220	2269	28	40	<10	2	17
84411	200799	<1	5.26	16	710	<2	12	2.48	<4	8	50	27	1.68	0.16	39	0.64	419	11	71	538	34	0.15	6	22	3644	183	2149	<2	40	<10	2	103
84412	200800	<1	7.38	10	758	<2	7	3.90	<4	16	66	62	3.66	0.25	28	0.88	724	8	50	708	32	0.03	<5	21	3765	375	2925	26	113	<10	9	52
84413	200801	<1	6.01	22	728	<2	29	2.53	<4	9	42	17	1.60	0.12	40	0.63	416	8	53	548	57	0.30	<5	11	3707	209	2071	<2	40	<10	2	121
84414	200802	<1	5.37	32	740	<2	18	2.74	<4	8	45	22	1.60	0.22	39	0.55	507	8	50	551	58	0.31	<5	12	3479	200	2128	24	40	<10	<2	44
84415	200803	<1	6.57	29	668	<2	<1	2.99	<4	9	52	20	1.78	0.23	34	0.68	414	9	74	569	35	0.14	<5	6	3406	263	2047	<2	40	<10	3	31
84416D	200803	<1	6.38	26	634	<2	27	2.80	<4	8	46	19	1.61	0.25	33	0.63	376	8	62	539	39	0.13	<5	16	3357	248	1959	22	36	<10	2	37
84417	200804	<1	6.57	20	649	<2	16	3.10	<4	8	51	16	1.55	0.04	36	0.61	397	10	69	568	41	0.15	<5	20	3670	237	1954	<2	39	<10	2	46
84418	200805	<1	6.10	18	561	<2	6	3.09	<4	9	43	14	1.55	0.03	31	0.65	308	7	53	542	27	0.09	<5	21	3488	230	1969	<2	37	<10	2	20
84419	200806	<1	6.46	9	553	<2	4	3.25	<4	8	44	15	1.64	0.05	32	0.71	326	8	62	571	30	0.13	5	24	3453	238	1964	<2	39	<10	2	18

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, June 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 06/23/2014
Job #: 201441215
Reference: TL14-362
Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
94203	200632	11.080	10.730	8.480	10.818	3.58%	35.97
94204	200668	14.917	13.730	262.660	24.409	4.06%	40.68

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14364

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, June 23, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441195
Reference: TL14-364
Sample #: 74

Acc #	Client ID	Au g/t (ppm)
92296	200822	0.049
92297	200823	0.035
92298	200824	0.015
92299	200825	0.037
92300	200826	0.038
92301	200827	0.037
92302	200828	0.075
92303	200829	0.014
92304	200830	4.865
92305	200831	0.008
92306	200831 Dup	0.008
92307	200832	0.020
92308	200833	0.069
92309	200834	0.011
92310	200835	0.008
92311	200836	0.010
92312	200837	0.007
92313	200838	0.005
92314	200839	<0.005
92315	200840	<0.005
92316	200841	0.007
92317	200841 Dup	0.007
92318	200842	<0.005
92319	200843	0.005
92320	200844	0.006

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Andrew Oleski, Instrumentation Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, June 23, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441195
Reference: TL14-364
Sample #: 74

Acc #	Client ID	Au g/t (ppm)
92321	200845	0.006
92322	200846	<0.005
92323	200847	0.088
92324	200848	0.027
92325	200849	0.025
92326	200850	0.369
92327	200851	0.023
92328	200851 Dup	0.026
92329	200852	0.015
92330	200853	0.025
92331	200854	0.027
92332	200855	0.067
92333	200856	0.098
92334	200857	0.045
92335	200858	0.031
92336	200859	0.023
92337	200860	<0.005
92338	200861	0.060
92339	200861 Dup	0.058
92340	200862	0.063
92341	200863	0.273
92342	200864	0.047
92343	200865	0.069
92344	200866	0.106
92345	200867	0.031

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, June 23, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441195
Reference: TL14-364
Sample #: 74

Acc #	Client ID	Au g/t (ppm)
92346	200868	0.020
92347	200869	0.022
92348	200870	1.525
92349	200871	0.036
92350	200871 Dup	0.022
92351	200872	0.146
92352	200873	0.071
92353	200874	1.245
92354	200875	0.005
92355	200876	0.083
92356	200877	0.030
92357	200878	0.014
92358	200879	0.173
92359	200880	<0.005
92360	200881	0.055
92361	200881 Rep	0.100
92362	200882	0.012
92363	200883	<0.005
92364	200884	<0.005
92365	200885	<0.005
92366	200886	<0.005
92367	200887	<0.005
92368	200888	<0.005
92369	200889	<0.005
92370	200890	5.032

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, June 23, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441195
Reference: TL14-364
Sample #: 74

Acc #	Client ID	Au g/t (ppm)
92371	200891	<0.005
92372	200891 Dup	<0.005
92373	200892	<0.005
92374	200893	<0.005
92375	200894	0.006
92376	200895	0.009

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, June 23, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441195
Reference: TL14-364
Sample #: 74

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.825	0.804	0.043
GS26	0.830	0.804	0.043
GS26	0.795	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 16, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441195
Reference: TL14-364
Sample #: 74

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
92296	200822	<1	6.68	20	570	<2	10	2.41	<4	13	52	90	2.68	0.20	13	1.22	1077	<1	55	682	145	1.02	<5	8	<10	485	2282	<2	58	15	5	597
92297	200823	<1	6.92	23	684	<2	14	1.91	<4	12	40	78	2.55	0.21	9	1.05	964	<1	51	667	58	1.00	<5	5	<10	423	2018	<2	56	24	5	1005
92298	200824	<1	6.94	24	663	<2	3	2.08	<4	7	19	27	2.02	0.25	8	1.14	949	<1	36	496	76	0.71	<5	15	<10	515	1607	<2	39	15	4	666
92299	200825	<1	6.44	70	606	<2	3	0.98	<4	20	49	494	2.59	0.16	8	0.78	419	<1	59	390	48	0.64	<5	11	<10	331	1698	<2	57	22	10	1084
92300	200826	<1	7.34	92	676	<2	8	1.18	<4	21	50	541	2.74	0.02	10	0.81	445	<1	53	413	47	0.76	<5	13	11	350	1801	<2	61	23	10	1169
92301	200827	<1	7.75	144	661	<2	<1	1.30	<4	28	57	444	3.81	0.12	10	0.90	436	<1	90	527	52	0.95	<5	<5	<10	399	2080	<2	73	11	11	359
92302	200828	<1	6.82	182	510	2	25	1.08	<4	29	33	65	4.28	<0.01	11	0.90	361	<1	82	669	36	0.90	<5	<5	16	423	1846	<2	57	<10	10	200
92303	200829	<1	6.02	797	442	<2	9	0.96	<4	29	54	47	3.58	0.10	9	0.85	358	<1	87	542	25	0.75	<5	<5	<10	367	1786	<2	59	<10	9	199
92304	200830	106	5.21	29	337	<2	<1	2.43	5	15	25	99	4.76	0.28	<1	1.11	827	<1	25	567	14416	0.17	81	<5	<10	310	2637	<2	129	<10	15	285
92305	200831	<1	3.87	13	260	<2	<1	1.25	<4	7	26	26	1.71	0.57	3	0.63	431	<1	35	503	19	0.17	<5	6	<10	247	1404	<2	27	12	6	57
92306D	200831	<1	4.31	20	281	<2	<1	1.40	<4	9	34	27	1.84	0.21	4	0.70	465	<1	44	559	18	0.14	<5	<5	<10	261	1487	<2	29	13	6	63
92307	200832	<1	7.21	11	432	<2	9	2.17	<4	14	17	15	2.69	0.23	9	0.94	465	<1	46	708	14	0.22	<5	9	<10	328	3280	<2	59	<10	5	57
92308	200833	<1	7.88	54	518	2	5	1.85	<4	10	10	49	2.68	0.29	19	1.24	818	<1	28	664	24	0.80	<5	12	<10	282	2606	<2	52	49	6	172
92309	200834	<1	8.12	19	627	2	1	1.15	<4	9	10	9	1.03	0.27	16	0.52	262	<1	31	529	35	0.35	<5	13	<10	300	2004	<2	38	<10	3	41
92310	200835	<1	7.60	21	479	<2	<1	1.31	<4	5	8	27	0.40	0.19	10	0.34	161	<1	25	448	23	0.09	<5	22	<10	308	1606	<2	28	<10	2	38
92311	200836	<1	7.72	12	472	<2	10	1.61	<4	5	9	21	0.41	0.21	10	0.33	161	<1	24	425	17	0.10	<5	23	<10	331	1570	<2	28	<10	2	14
92312	200837	<1	7.03	15	446	<2	<1	1.39	<4	5	8	11	0.42	0.24	9	0.31	149	<1	24	411	16	0.10	<5	19	<10	316	1499	<2	29	<10	2	25
92313	200838	<1	7.65	13	463	<2	<1	1.46	<4	5	9	8	0.44	0.08	10	0.32	152	<1	30	436	25	0.13	<5	22	<10	381	1580	<2	29	<10	2	19
92314	200839	<1	7.65	18	534	<2	15	1.30	<4	8	13	9	0.66	<0.01	13	0.39	139	<1	33	426	17	0.23	<5	<5	<10	377	1720	<2	32	<10	3	16
92315	200840	<1	3.58	12	305	<2	7	1.88	<4	14	40	49	3.53	0.25	3	1.14	701	<1	36	585	17	0.13	<5	6	12	279	2880	<2	106	<10	12	50

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/16/2014 9:20 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 16, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441195
Reference: TL14-364
Sample #: 74

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
92316	200841	<1	6.95	15	542	<2	3	1.21	<4	7	5	8	0.64	0.12	10	0.33	139	<1	24	422	16	0.22	<5	7	<10	346	1630	<2	30	<10	3	22
92317D	200841	<1	7.14	25	539	<2	<1	1.21	<4	7	6	8	0.66	0.20	10	0.34	141	<1	28	437	19	0.24	5	19	<10	350	1607	<2	30	11	3	25
92318	200842	<1	7.32	16	490	2	<1	1.45	<4	6	7	12	0.71	0.17	11	0.38	156	<1	29	461	14	0.20	<5	12	<10	355	1636	<2	29	<10	4	20
92319	200843	<1	7.69	23	581	2	10	1.38	<4	8	13	13	0.75	0.19	12	0.39	170	<1	29	448	13	0.17	<5	17	<10	335	1803	<2	34	<10	3	23
92320	200844	<1	7.48	15	561	<2	13	1.26	<4	5	5	11	0.63	0.38	12	0.39	160	<1	23	430	24	0.14	<5	13	<10	331	1708	<2	31	<10	3	40
92321	200845	<1	6.99	14	635	<2	5	1.18	<4	5	7	11	0.60	0.23	12	0.34	154	<1	25	390	19	0.10	<5	<5	<10	308	1619	<2	30	<10	3	15
92322	200846	<1	7.64	20	665	<2	5	1.32	<4	4	13	10	0.67	0.29	13	0.37	164	<1	36	424	26	0.10	<5	27	<10	327	1673	<2	31	10	3	15
92323	200847	<1	7.47	18	550	<2	<1	1.94	<4	8	9	65	1.72	0.11	13	0.56	526	<1	26	494	548	0.33	<5	<5	<10	333	1885	<2	37	12	4	360
92324	200848	<1	7.16	11	536	<2	<1	1.74	<4	9	12	37	1.91	0.11	12	0.89	692	<1	37	532	59	0.27	<5	16	<10	191	2289	<2	40	<10	5	277
92325	200849	<1	7.28	25	565	<2	<1	1.30	<4	11	12	48	1.95	0.16	14	0.74	565	<1	35	546	985	0.22	10	11	<10	192	2328	<2	41	23	4	1182
92326	200850	<1	5.73	53	277	<2	<1	0.86	<4	12	22	2452	4.99	0.19	23	0.74	1067	5	23	756	77	1.92	<5	11	<10	217	1162	<2	62	15	7	552
92327	200851	<1	6.98	13	509	<2	<1	1.98	<4	8	9	62	1.82	0.09	11	0.68	581	<1	30	538	55	0.13	<5	6	<10	220	2278	<2	41	<10	4	80
92328D	200851	<1	5.73	8	442	<2	8	1.68	<4	8	7	56	1.66	0.18	8	0.61	532	<1	26	493	48	0.16	<5	22	<10	201	2080	<2	37	<10	4	76
92329	200852	<1	5.80	15	407	<2	11	2.18	<4	7	6	23	1.59	0.23	4	0.55	549	<1	25	487	22	0.12	<5	12	<10	199	1817	<2	35	<10	4	55
92330	200853	<1	7.71	35	544	<2	<1	1.65	<4	11	5	17	1.54	0.20	11	0.63	491	<1	24	557	31	0.42	<5	20	<10	206	2295	<2	41	<10	5	71
92331	200854	<1	7.55	24	551	<2	2	1.57	<4	10	31	22	1.54	<0.01	12	0.71	562	<1	36	529	29	0.30	<5	6	<10	192	2173	<2	46	<10	6	67
92332	200855	<1	7.02	41	533	<2	<1	1.50	<4	9	11	14	1.52	0.38	14	0.87	517	<1	11	460	43	0.54	<5	13	<10	168	1769	<2	32	<10	4	57
92333	200856	<1	7.02	43	577	<2	8	0.81	<4	7	10	16	1.31	0.29	12	0.75	328	<1	8	441	76	0.39	<5	12	17	138	1812	<2	30	<10	4	117
92334	200857	<1	5.81	45	471	2	2	1.22	<4	7	20	21	1.90	0.41	8	0.73	396	<1	10	341	84	0.48	<5	14	<10	132	1300	<2	22	<10	3	186
92335	200858	<1	7.19	36	566	<2	1	1.91	<4	7	14	19	1.66	0.32	11	0.78	511	<1	9	413	29	0.34	<5	16	<10	167	1525	<2	28	10	3	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/16/2014 9:20 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 16, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441195
Reference: TL14-364
Sample #: 74

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
92336	200859	<1	6.37	34	512	<2	1	1.66	<4	6	6	18	1.21	0.21	5	0.47	353	<1	6	399	19	0.43	<5	7	<10	162	1389	<2	26	<10	3	26
92337	200860	<1	4.94	16	389	<2	<1	2.25	<4	15	46	52	3.82	0.19	5	1.24	743	<1	38	652	11	0.13	<5	<5	<10	312	3071	<2	114	<10	13	43
92338	200861	<1	6.78	43	536	<2	<1	1.33	<4	8	14	22	1.57	<0.01	11	0.79	509	<1	11	505	51	0.64	<5	<5	<10	180	1943	<2	35	<10	4	78
92339D	200861	<1	6.96	42	566	2	<1	1.40	<4	8	16	24	1.62	0.12	12	0.81	528	<1	11	526	49	0.65	<5	13	<10	185	1983	<2	36	<10	4	77
92340	200862	<1	6.45	34	440	<2	<1	1.18	<4	6	8	15	1.15	0.16	11	0.81	668	<1	7	578	63	0.37	<5	11	<10	179	1973	<2	32	<10	4	92
92341	200863	<1	5.56	31	355	<2	7	0.84	<4	6	4	17	1.16	0.15	10	0.77	473	<1	5	517	261	0.45	<5	20	<10	169	1799	<2	28	16	4	664
92342	200864	<1	7.55	24	624	2	<1	2.03	<4	8	13	61	1.42	0.32	15	1.01	805	<1	8	582	126	0.29	<5	20	<10	246	2110	<2	36	13	5	357
92343	200865	<1	7.12	37	676	<2	<1	0.49	<4	6	12	15	1.69	0.18	12	0.51	334	<1	6	560	125	0.65	5	25	<10	163	2078	<2	34	18	4	796
92344	200866	<1	7.48	44	726	<2	<1	0.55	<4	7	10	14	1.92	0.22	13	0.50	312	<1	7	567	132	0.83	<5	5	<10	169	2091	<2	35	14	4	692
92345	200867	<1	6.94	20	524	2	2	1.81	<4	6	21	20	1.46	0.27	11	0.96	678	<1	13	579	180	0.43	<5	10	<10	241	1860	<2	34	<10	5	185
92346	200868	<1	7.64	21	524	2	<1	1.41	<4	6	7	20	0.65	0.24	8	0.34	265	<1	6	465	54	0.17	<5	19	<10	230	1473	<2	30	<10	3	38
92347	200869	<1	7.46	24	511	2	15	1.40	<4	6	10	26	0.69	0.24	9	0.44	370	<1	6	452	33	0.18	<5	25	<10	226	1582	<2	30	<10	3	16
92348	200870	<1	4.82	23	456	<2	4	1.80	<4	14	41	216	3.95	0.10	5	1.11	698	2	41	630	11	0.15	<5	14	<10	306	2790	<2	107	14	13	57
92349	200871	<1	6.97	30	517	<2	6	0.96	<4	6	10	18	1.01	0.09	9	0.38	323	<1	7	450	30	0.42	<5	14	<10	192	1753	<2	31	<10	3	21
92350D	200871	<1	6.21	32	476	2	<1	0.81	<4	5	8	15	0.94	0.14	7	0.36	299	<1	6	418	30	0.41	<5	14	<10	182	1656	<2	30	<10	3	20
92351	200872	2	6.15	106	443	<2	3	0.79	<4	6	7	72	1.43	<0.01	10	0.67	765	<1	7	402	272	0.55	<5	19	<10	180	1708	<2	30	17	3	693
92352	200873	<1	6.15	24	395	2	5	0.81	<4	6	9	19	1.15	0.02	11	0.69	534	<1	7	425	37	0.42	<5	<5	<10	161	1655	<2	27	<10	3	58
92353	200874	<1	6.19	34	324	2	<1	1.06	<4	4	7	62	1.31	<0.01	10	0.78	596	<1	6	419	55	0.46	<5	17	<10	163	1649	<2	26	10	3	154
92354	200875	<1	5.73	30	213	<2	12	1.50	<4	5	12	16	1.15	0.18	9	0.93	716	<1	5	384	27	0.22	<5	10	<10	177	1476	<2	25	<10	3	38
92355	200876	<1	5.81	36	301	<2	<1	0.05	<4	5	4	26	0.98	0.20	5	0.35	171	<1	6	351	22	0.41	<5	13	<10	111	1531	<2	25	<10	3	109

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/16/2014 9:20 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 16, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441195
Reference: TL14-364
Sample #: 74

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
92356	200877	<1	6.71	25	303	<2	<1	1.17	<4	5	5	6	1.14	0.22	12	0.83	588	<1	5	410	25	0.35	<5	9	<10	150	1679	<2	27	<10	3	30
92357	200878	<1	7.07	27	346	<2	7	1.47	<4	6	4	22	1.42	0.13	13	0.97	654	<1	6	420	40	0.37	<5	9	<10	167	1825	<2	29	<10	3	42
92358	200879	<1	6.49	32	339	<2	3	0.93	<4	6	3	12	1.14	0.13	11	0.73	511	<1	6	381	263	0.28	5	13	<10	145	1703	<2	27	10	3	296
92359	200880	127	5.13	24	327	<2	<1	2.39	5	14	24	100	4.80	0.13	<1	1.14	839	<1	24	574	17210	0.18	80	<5	12	303	2692	<2	130	<10	15	316
92360	200881	<1	6.37	40	283	<2	<1	1.10	<4	5	2	6	1.28	0.25	10	0.75	587	<1	6	392	30	0.61	<5	11	<10	176	1670	<2	27	<10	3	35
92361R	200881	<1	6.61	43	471	<2	<1	1.06	<4	5	3	5	1.40	0.31	9	0.69	556	<1	5	342	25	0.65	<5	25	<10	193	1637	<2	25	<10	3	23
92362	200882	<1	7.07	36	312	<2	2	1.50	<4	7	2	7	1.37	0.03	12	0.89	723	<1	7	421	12	0.51	<5	18	<10	202	1761	<2	28	<10	3	37
92363	200883	<1	7.09	16	327	<2	<1	2.83	<4	10	2	11	2.06	<0.01	14	1.06	735	<1	10	450	17	0.36	9	<5	<10	300	1697	<2	29	<10	4	34
92364	200884	<1	6.84	21	329	<2	<1	2.01	<4	7	2	9	1.60	<0.01	15	0.87	465	<1	6	426	20	0.65	6	7	<10	274	1716	<2	27	<10	3	40
92365	200885	<1	7.32	43	339	<2	9	1.49	<4	10	6	8	2.25	0.01	15	0.51	263	<1	12	449	13	1.58	<5	12	<10	298	1762	<2	29	<10	4	44
92366	200886	<1	4.89	27	202	<2	<1	0.92	<4	8	<1	5	1.80	<0.01	8	0.41	210	<1	10	365	12	1.36	<5	<5	<10	246	1398	<2	24	<10	3	26
92367	200887	<1	6.77	39	328	<2	<1	2.55	<4	8	7	7	2.61	<0.01	9	0.62	384	<1	11	489	15	1.94	<5	<5	<10	323	1407	<2	28	<10	4	22
92368	200888	<1	7.01	28	334	<2	<1	2.33	<4	9	7	5	2.20	0.05	13	0.88	427	<1	11	449	19	1.51	<5	<5	<10	318	1575	<2	28	<10	4	30
92369	200889	<1	6.61	18	330	2	<1	3.31	<4	8	11	5	2.08	0.06	10	1.24	688	<1	9	409	18	1.09	<5	19	<10	312	1602	<2	27	<10	4	26
92370	200890	<1	4.86	20	386	<2	<1	2.26	<4	15	48	52	3.91	0.08	4	1.26	762	<1	38	655	10	0.14	<5	15	<10	318	3065	<2	118	<10	14	46
92371	200891	<1	7.49	18	328	<2	<1	1.96	<4	6	9	6	1.39	0.18	13	0.61	263	<1	6	459	18	1.12	<5	14	10	297	1610	<2	29	<10	4	31
92372D	200891	<1	6.93	22	296	2	<1	1.80	<4	6	14	7	1.36	0.03	12	0.59	256	<1	6	428	11	1.02	<5	10	<10	285	1544	<2	27	<10	4	27
92373	200892	<1	7.51	27	347	<2	<1	1.52	<4	7	10	5	1.74	0.08	14	0.77	328	<1	9	434	19	1.44	<5	11	<10	289	1580	<2	30	<10	4	26
92374	200893	<1	6.63	29	134	<2	4	2.38	<4	5	6	7	1.53	<0.01	13	1.39	507	<1	7	421	19	1.07	<5	19	<10	262	1492	<2	27	<10	3	39
92375	200894	<1	7.06	29	406	<2	11	2.22	<4	8	12	14	2.15	<0.01	15	1.50	544	<1	13	461	28	1.52	<5	20	<10	278	1549	<2	33	11	4	77

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/16/2014 9:20 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 16, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441195
Reference: TL14-364
Sample #: 74

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
92376	200895	<1	6.38	35	459	<2	2	2.33	<4	22	109	48	4.26	<0.01	28	1.42	612	<1	62	503	20	2.37	<5	<5	<10	323	2347	<2	94	<10	10	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/16/2014 9:20 AM

TL14365A

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, June 23, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441194
Reference: TL14-365
Sample #: 3

Acc #	Client ID	Au g/t (ppm)
92292	200896	0.025
92293	200897	0.261
92294	200898	0.041
92295	200898 Dup	0.015

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, June 23, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441194
Reference: TL14-365
Sample #: 3

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Andrew Oleski, Instrumentation Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 9, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/10/2014
Date Completed: 06/23/2014
Job #: 201441194
Reference: TL14-365
Sample #: 3

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
92292	200896	<1	6.55	11	235	<2	<1	1.26	<4	9	5	32	3.07	<0.01	2	0.52	245	<1	22	441	26	0.56	<5	14	<10	487	1978	<2	35	<10	5	107
92293	200897	<1	2.52	24	<1	<2	38	0.25	19	76	8	364	37.54	<0.01	5	0.45	702	<1	216	151	51	>10.00	<5	<5	11	195	883	<2	36	<10	6	182
92294	200898	<1	6.31	13	321	<2	9	1.35	<4	9	12	26	3.14	<0.01	5	0.52	287	<1	34	529	11	0.38	<5	<5	<10	426	2168	<2	38	<10	5	46
92295D	200898	<1	6.38	13	314	<2	9	1.34	<4	9	13	26	3.16	0.05	5	0.53	292	<1	40	531	12	0.35	<5	<5	<10	432	2182	<2	38	<10	5	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
93626	200899	0.023	
93627	200900	<0.005	
93628	200901	0.009	
93629	200902	0.024	
93630	200903	0.025	
93631	200904	0.095	
93632	200905	<0.005	
93633	200906	0.007	
93634	200907	0.017	
93635	200908	0.016	
93636	200908 Dup	0.017	
93637	200909	0.005	
93638	200910	0.347	
93639	200911	0.008	
93640	200912	0.008	
93641	200913	<0.005	
93642	200914	<0.005	
93643	200915	0.028	
93644	200916	0.080	
93645	200917	0.012	
93646	200918	0.050	
93647	200918 Dup	0.053	
93648	200919	0.056	
93649	200920	<0.005	
93650	200921	0.029	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
93651	200922	0.047	
93652	200923	0.064	
93653	200924	0.136	
93654	200925	0.271	
93655	200926	0.215	
93656	200927	0.030	
93657	200928	0.038	
93658	200928 Dup	0.035	
93659	200929	0.033	
93660	200930	1.380	
93661	200931	0.016	
93662	200932	0.022	
93663	200933	0.025	
93664	200934	0.018	
93665	200935	0.080	
93666	200936	0.036	
93667	200937	0.015	
93668	200938	0.045	
93669	200938 Dup	0.035	
93670	200939	0.037	
93671	200940	<0.005	
93672	200941	0.015	
93673	200942	0.009	
93674	200943	0.022	
93675	200944	0.007	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
93676	200945	<0.005	
93677	200946	<0.005	
93678	200947	<0.005	
93679	200948	0.039	
93680	200948 Dup	0.011	
93681	200949	0.024	
93682	200950	4.762	
93683	200951	0.114	
93684	200952	0.044	
93685	200953	0.079	
93686	200954	0.008	
93687	200955	<0.005	
93688	200956	0.023	
93689	200957	0.030	
93690	200958	0.070	
93691	200958 Rep	0.050	
93692	200959	0.047	
93693	200960	<0.005	
93694	200961	0.073	
93695	200962	0.020	
93696	200963	<0.005	
93697	200964	0.141	
93698	200965	0.066	
93699	200966	0.055	
93700	200967	0.048	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
93701	200968	0.092	
93702	200968 Dup	0.111	
93703	200969	0.024	
93704	200970	0.342	
93705	200971	3.867	
93706	200972	0.265	
93707	200973	0.183	
93708	200974	0.168	
93709	200975	0.087	
93710	200976	0.077	
93711	200977	0.055	
93712	200978	0.057	
93713	200978 Dup	0.056	
93714	200979	0.013	
93715	200980	<0.005	
93716	200981	0.019	
93717	200982	0.015	
93718	200983	0.007	
93719	200984	0.006	
93720	200985	0.005	
93721	200986	<0.005	
93722	200987	<0.005	
93723	200988	<0.005	
93724	200988 Dup	<0.005	
93725	200989	0.020	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
93726	200990	1.361	
93727	200991	0.019	
93728	200992	0.025	
93729	200993	0.100	
93730	200994	0.287	
93731	200995	0.015	
93732	200996	0.018	
93733	200997	0.022	
93734	200998	0.207	
93735	200998 Dup	0.166	
93736	200999	0.155	
93737	201000	<0.005	
93738	201001	0.054	
93739	201002	0.011	
93740	201003	0.005	
93741	201004	0.069	
93742	201005	0.019	
93743	201006	0.014	
93744	201007	0.081	
93745	201008	0.027	
93746	201008 Dup	0.035	
93747	201009	0.039	
93748	201010	4.761	
93749	201011	0.051	
93750	201012	0.057	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
93751	201013	0.242	
93752	201014	0.064	
93753	201015	0.060	
93754	201016	0.097	
93755	201017	0.044	
93756	201018	0.020	
93757	201018 Rep	0.035	
93758	201019	0.052	
93759	201020	<0.005	
93760	201021	0.178	
93761	201022	0.299	
93762	201023	0.203	
93763	201024	0.600	
93764	201025	0.187	
93765	201026	0.180	
93766	201027	0.181	
93767	201028	5.150	4.680
93768	201028 Dup	6.663	4.998
93769	201029	0.130	
93770	201030	0.340	
93771	201031	0.115	
93772	201032	0.059	
93773	201033	0.023	
93774	201034	0.256	
93775	201035	0.562	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
93776	201036	0.571	
93777	201037	0.682	
93778	201038	0.333	
93779	201038 Dup	0.345	
93780	201039	0.866	
93781	201040	<0.005	
93782	201041	0.619	
93783	201042	0.020	
93784	201043	0.032	
93785	201044	0.191	
93786	201045	0.893	
93787	201046	0.677	
93788	201047	0.261	
93789	201048	0.160	
93790	201048 Dup	0.178	
93791	201049	0.022	
93792	201050	1.496	
93793	201051	0.072	
93794	201052	3.951	
93795	201053	0.413	
93796	201054	0.047	
93797	201055	0.057	
93798	201056	3.259	
93799	201057	1.046	
93800	201058	0.818	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
93801	201058 Dup	0.803	
93802	201059	0.142	
93803	201060	<0.005	
93804	201061	0.010	
93805	201062	0.008	
93806	201063	<0.005	
93807	201064	<0.005	
93808	201065	<0.005	
93809	201066	<0.005	
93810	201067	0.016	
93811	201068	0.047	
93812	201068 Dup	0.041	
93813	201069	0.012	
93814	201070	4.701	
93815	201071	0.024	
93816	201072	0.024	
93817	201073	0.036	
93818	201074	0.198	
93819	201075	0.048	
93820	201076	0.014	
93821	201077	0.012	
93822	201078	0.010	
93823	201078 Rep	0.011	
93824	201079	0.014	
93825	201080	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
93826	201081	0.006	
93827	201082	0.011	
93828	201083	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 3, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.771	0.804	0.043
GS26	0.822	0.804	0.043
GS26	0.776	0.804	0.043
GS26	0.759	0.804	0.043
GS26	0.787	0.804	0.043
GS26	0.788	0.804	0.043
O60C	2.314	2.470	0.080
GS26	0.793	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93626	200899	<1	2.44	19	163	<2	<1	1.26	<4	7	31	9	1.55	0.41	8	0.33	233	<1	10	389	18	0.07	<5	12	1669	399	1733	<2	30	23	2	42
93627	200900	<1	4.16	11	329	<2	<1	2.22	<4	16	60	52	4.08	0.08	11	1.33	805	<1	40	705	14	0.06	<5	11	1604	326	3312	<2	119	23	13	45
93628	200901	<1	3.18	11	297	<2	<1	0.79	<4	9	33	13	2.66	0.38	8	0.40	269	<1	11	455	28	0.21	<5	11	1675	409	1949	<2	35	26	2	134
93629	200902	<1	1.08	11	60	<2	<1	0.04	<4	7	58	32	4.14	0.18	4	0.24	213	<1	18	212	15	0.36	<5	<5	2004	189	732	<2	14	<10	<2	31
93630	200903	<1	3.83	14	272	<2	<1	1.64	<4	7	41	10	1.92	0.22	10	0.42	282	<1	10	443	13	0.03	<5	6	1714	398	1966	<2	32	58	2	33
93631	200904	<1	3.26	7	276	<2	<1	1.66	<4	9	28	9	1.86	0.24	10	0.41	283	<1	10	434	13	0.03	<5	13	1657	431	2212	<2	34	26	2	45
93632	200905	<1	5.51	11	601	<2	<1	2.13	<4	13	23	25	2.74	0.30	22	1.18	480	<1	13	799	16	0.10	<5	8	1681	827	3018	<2	59	12	3	54
93633	200906	<1	5.86	10	569	<2	<1	2.55	<4	14	32	26	2.88	0.34	22	1.23	534	<1	14	771	9	0.14	<5	11	1789	851	2964	<2	58	16	4	56
93634	200907	<1	6.94	15	773	<2	<1	1.91	<4	13	30	13	2.71	0.20	28	0.98	532	<1	13	779	29	0.43	<5	16	1784	692	2678	<2	56	19	4	61
93635	200908	<1	5.32	24	546	<2	<1	1.40	<4	10	36	4	2.24	0.27	20	0.84	576	<1	11	578	15	0.27	<5	11	1737	573	2313	<2	46	21	3	112
93636D	200908	<1	5.01	19	513	<2	<1	1.30	<4	10	33	3	2.15	0.23	19	0.82	555	<1	11	553	17	0.28	<5	9	1674	553	2239	<2	44	23	3	107
93637	200909	<1	5.19	18	421	<2	<1	1.99	<4	9	33	13	2.02	0.34	13	0.74	692	<1	11	547	14	0.28	<5	7	1651	458	2324	<2	42	20	3	80
93638	200910	<1	5.42	52	226	<2	<1	0.78	5	14	31	2401	5.09	0.08	31	0.79	1116	6	22	766	89	1.26	<5	8	1882	220	1208	<2	60	26	6	568
93639	200911	<1	5.65	14	575	<2	<1	1.72	<4	10	30	9	2.13	0.19	10	0.67	595	<1	12	570	11	0.32	<5	18	1647	483	2269	<2	41	22	3	31
93640	200912	<1	4.26	13	445	<2	<1	1.33	<4	6	24	4	1.39	0.14	9	0.46	371	<1	9	399	18	0.16	7	10	1940	398	1582	<2	27	10	2	13
93641	200913	<1	6.08	14	504	<2	<1	2.40	<4	5	47	5	1.70	0.28	6	0.59	438	<1	9	433	18	0.13	<5	12	1721	733	1286	<2	22	17	2	12
93642	200914	<1	3.24	8	276	<2	<1	0.84	<4	4	30	8	1.14	0.34	5	0.27	255	<1	6	272	14	0.02	<5	20	1608	590	1313	<2	20	16	<2	19
93643	200915	<1	5.32	17	457	<2	<1	1.57	<4	7	36	47	1.87	0.37	12	0.63	715	<1	9	413	26	0.16	<5	11	1665	555	1742	<2	30	21	2	506
93644	200916	<1	5.22	21	526	<2	<1	2.20	6	9	47	202	2.53	0.19	19	1.20	1492	<1	12	508	59	0.38	<5	21	1804	434	1794	<2	34	68	3	2177
93645	200917	<1	6.23	15	586	<2	<1	2.18	<4	8	30	19	2.06	0.27	15	0.87	734	<1	8	530	20	0.14	<5	12	1827	467	2041	<2	40	19	3	241

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/17/2014 3:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93646	200918	<1	5.71	22	478	<2	<1	1.55	<4	9	37	63	1.91	0.24	14	0.70	586	<1	11	523	16	0.29	<5	22	1743	377	1836	<2	36	19	3	316
93647D	200918	<1	6.62	24	568	<2	<1	1.85	<4	11	41	73	2.19	0.16	16	0.80	676	<1	11	588	21	0.37	6	20	1717	428	2065	<2	42	29	3	362
93648	200919	<1	5.63	15	416	<2	<1	1.71	<4	9	48	45	2.04	0.19	11	0.50	591	<1	10	513	19	0.32	7	12	1648	453	1850	<2	37	28	3	266
93649	200920	<1	3.82	10	297	<2	<1	2.02	<4	15	54	47	3.71	0.12	10	1.21	733	<1	38	647	15	0.05	<5	5	1652	305	3021	<2	109	25	12	38
93650	200921	<1	5.06	11	511	<2	<1	1.97	<4	11	38	27	2.09	0.18	13	0.63	664	<1	12	559	34	0.14	<5	16	1591	504	2345	<2	42	14	3	213
93651	200922	<1	6.63	21	541	<2	<1	2.67	5	11	41	72	2.22	0.19	17	0.86	912	<1	12	637	131	0.20	8	11	1579	576	2244	<2	44	59	4	2083
93652	200923	<1	5.82	19	522	<2	<1	1.51	<4	8	33	60	2.17	0.12	17	0.85	883	<1	10	544	91	0.25	<5	11	1631	497	1950	<2	41	32	3	321
93653	200924	<1	5.57	16	566	<2	<1	1.50	<4	9	24	17	2.08	0.28	17	0.78	806	<1	11	561	17	0.33	<5	18	1744	463	1954	<2	40	19	3	152
93654	200925	1	5.82	17	649	<2	<1	1.56	<4	8	29	140	2.02	0.40	16	0.91	675	<1	11	558	15	0.23	<5	24	1680	514	2019	<2	40	38	3	1119
93655	200926	1	6.38	16	669	<2	<1	1.67	<4	9	37	161	2.31	0.33	18	1.04	761	<1	13	589	21	0.30	7	24	1643	566	2162	<2	43	37	3	987
93656	200927	<1	5.74	9	543	<2	<1	1.74	<4	8	37	24	1.84	0.31	13	0.78	469	<1	11	525	11	0.23	6	12	1698	506	1932	<2	38	24	3	61
93657	200928	2	5.79	11	513	<2	<1	1.91	<4	10	45	17	2.11	0.26	10	0.79	453	<1	21	658	18	0.24	5	18	1690	792	2322	<2	45	22	4	69
93658D	200928	<1	6.54	15	552	<2	<1	2.08	<4	11	46	18	2.19	0.25	12	0.84	468	<1	20	683	16	0.26	<5	6	1785	822	2380	<2	46	23	4	72
93659	200929	<1	6.67	26	360	<2	<1	1.98	<4	7	38	12	2.00	0.17	20	1.41	914	<1	10	392	47	0.27	6	19	1791	281	1567	<2	24	21	2	182
93660	200930	<1	4.40	25	409	<2	<1	1.81	<4	15	53	217	4.10	0.05	12	1.17	739	<1	43	689	19	0.07	6	<5	1676	320	2934	<2	108	28	12	50
93661	200931	<1	5.01	23	250	<2	<1	1.53	<4	5	26	7	1.54	0.12	10	1.29	784	<1	10	352	51	0.14	<5	6	1275	228	1451	<2	23	27	2	88
93662	200932	<1	5.88	24	248	<2	<1	1.61	<4	6	24	10	1.37	0.46	16	1.16	700	<1	8	339	56	0.12	<5	26	1683	234	1394	<2	23	14	2	65
93663	200933	<1	5.91	28	262	<2	<1	1.26	<4	6	35	6	1.47	0.20	16	1.03	670	<1	9	391	97	0.15	<5	20	1602	221	1527	<2	24	20	2	168
93664	200934	<1	5.75	22	233	<2	<1	0.93	<4	4	32	6	1.02	0.24	16	0.89	554	<1	9	368	89	0.08	<5	17	1742	183	1436	<2	22	<10	2	177
93665	200935	2	6.15	23	369	<2	<1	0.17	<4	4	36	25	1.09	0.12	13	0.35	207	<1	8	337	259	0.11	<5	20	1868	163	1477	<2	23	25	2	506

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/17/2014 3:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93666	200936	<1	6.47	30	399	<2	<1	1.53	<4	18	139	59	3.24	0.15	16	1.04	827	<1	47	562	61	0.34	<5	15	1761	270	2262	<2	76	17	9	127
93667	200937	<1	6.67	13	388	<2	<1	1.31	<4	13	104	37	2.67	0.29	21	1.15	671	<1	38	574	37	0.08	6	6	1883	261	1972	<2	58	25	7	82
93668	200938	<1	6.23	10	304	<2	<1	1.22	<4	22	165	47	4.11	0.24	23	1.39	968	<1	59	597	42	0.08	5	12	1825	228	2896	<2	92	22	8	83
93669D	200938	<1	5.88	10	321	<2	<1	1.30	<4	23	176	50	4.40	0.32	24	1.42	1035	<1	64	607	46	0.10	<5	12	1768	238	3092	<2	99	17	7	91
93670	200939	<1	5.60	12	275	<2	<1	1.43	<4	22	152	52	3.92	0.22	23	1.19	859	<1	62	578	59	0.13	<5	6	1814	257	2662	<2	91	15	8	96
93671	200940	<1	4.96	18	371	<2	<1	2.48	<4	17	64	55	4.34	0.27	12	1.40	845	<1	43	748	12	0.04	7	11	1701	347	3501	<2	126	<10	14	47
93672	200941	<1	6.26	24	423	<2	<1	0.60	<4	7	47	17	2.10	0.22	10	0.40	293	<1	17	438	55	0.35	<5	13	1795	226	1894	<2	36	<10	3	51
93673	200942	<1	5.63	31	429	<2	<1	1.29	<4	7	30	12	2.02	0.33	11	0.29	372	<1	9	430	41	0.48	<5	9	1742	256	1730	<2	33	12	3	47
93674	200943	<1	5.56	13	439	<2	<1	0.44	<4	7	34	5	0.51	0.12	7	0.15	119	<1	9	406	22	0.02	<5	10	1744	210	1684	<2	34	15	<2	66
93675	200944	<1	5.37	6	390	<2	<1	1.31	<4	5	24	11	0.40	0.32	5	0.18	173	<1	7	424	22	0.01	<5	25	1432	258	1560	<2	33	20	2	6
93676	200945	1	6.80	26	392	<2	<1	1.64	<4	5	24	16	0.43	0.97	10	0.15	134	<1	7	478	18	0.04	7	23	1671	321	1399	<2	33	24	2	6
93677	200946	2	6.54	20	362	<2	<1	1.81	<4	6	25	16	0.45	0.22	10	0.15	198	<1	7	463	13	0.03	6	25	1666	312	1409	<2	33	<10	2	<1
93678	200947	1	6.51	20	347	<2	<1	1.14	<4	6	17	11	0.52	0.19	13	0.23	<100	<1	7	434	19	0.06	<5	27	1571	334	1629	<2	35	13	2	<1
93679	200948	1	7.20	15	379	<2	<1	1.42	<4	8	23	10	0.46	0.24	15	0.26	127	<1	9	488	16	0.03	<5	27	1653	347	1858	<2	38	16	2	<1
93680D	200948	2	6.27	9	330	<2	<1	1.23	<4	7	21	9	0.40	0.31	14	0.22	112	<1	8	439	15	0.04	<5	25	1698	315	1633	<2	33	18	2	3
93681	200949	2	5.52	30	439	<2	<1	1.80	<4	6	21	22	1.12	0.39	9	0.17	239	<1	8	446	33	0.24	5	20	1736	292	1356	<2	30	17	2	48
93682	200950	122	5.08	20	328	<2	<1	2.66	7	16	39	103	5.24	0.30	7	1.21	920	<1	26	626	17536	0.07	106	8	1749	335	2981	<2	137	22	14	319
93683	200951	2	6.91	38	561	<2	<1	1.45	<4	7	31	23	1.46	0.33	12	0.21	317	<1	9	474	60	0.30	5	28	1833	273	1822	<2	38	20	2	66
93684	200952	1	6.82	34	527	<2	<1	1.41	<4	7	25	13	1.72	0.32	14	0.32	393	<1	9	478	37	0.36	<5	13	1746	242	1780	<2	35	<10	3	37
93685	200953	2	7.08	42	720	<2	<1	1.15	<4	9	30	23	1.69	0.17	16	0.33	355	<1	11	459	124	0.26	<5	13	1871	247	2006	<2	37	10	3	166

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/17/2014 3:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93686	200954	<1	6.30	9	562	<2	<1	2.02	<4	8	34	18	1.77	0.05	15	0.71	518	<1	10	519	47	0.09	<5	18	1637	352	1862	<2	34	34	3	53
93687	200955	<1	6.79	10	583	<2	<1	2.28	<4	9	30	14	1.82	0.10	16	0.74	402	<1	12	582	35	0.08	<5	22	1653	366	2256	<2	37	17	3	36
93688	200956	<1	6.11	21	456	<2	<1	2.02	<4	8	31	13	1.75	0.17	18	0.98	647	<1	11	530	42	0.12	<5	16	1703	176	2039	<2	33	10	3	60
93689	200957	<1	6.57	30	449	<2	<1	2.03	<4	8	39	19	1.83	0.15	18	0.88	736	<1	11	558	50	0.15	7	14	1698	170	2039	<2	36	25	3	63
93690	200958	<1	6.44	32	420	<2	<1	1.55	<4	9	29	17	1.69	0.15	25	0.98	888	<1	12	591	152	0.25	<5	19	1865	149	2121	<2	35	32	3	342
93691R	200958	<1	6.23	31	433	<2	<1	1.47	<4	9	38	16	1.77	0.10	23	1.00	866	<1	12	593	127	0.22	<5	18	1733	143	2175	<2	36	34	3	318
93692	200959	<1	6.97	47	613	<2	<1	0.50	<4	11	37	22	1.80	0.17	19	0.60	395	<1	15	586	128	0.25	<5	19	1774	136	2286	<2	40	30	3	495
93693	200960	<1	4.20	12	322	<2	<1	2.19	<4	16	59	52	4.02	0.22	11	1.31	788	<1	39	694	14	0.04	<5	11	1611	324	3224	<2	117	11	12	44
93694	200961	<1	7.09	33	591	<2	<1	1.39	<4	11	48	25	1.98	0.28	22	0.92	639	<1	15	623	139	0.23	6	16	1860	189	2662	<2	43	42	4	227
93695	200962	<1	7.09	22	455	<2	<1	1.99	<4	10	55	12	2.17	0.35	24	1.28	619	<1	21	490	30	0.10	<5	21	1775	271	1989	<2	40	28	4	73
93696	200963	<1	5.86	9	504	<2	<1	1.16	<4	7	36	5	1.38	0.37	17	0.79	257	<1	11	403	14	0.02	<5	23	1814	218	1536	<2	26	21	2	34
93697	200964	<1	5.54	20	281	<2	<1	1.17	<4	21	150	55	3.80	0.34	21	1.28	621	<1	55	595	147	0.26	<5	12	1835	203	1932	<2	78	17	7	213
93698	200965	<1	5.96	8	278	<2	<1	1.43	<4	22	152	69	4.00	0.38	24	1.34	842	<1	76	682	74	0.24	6	12	1808	207	2288	<2	91	18	9	133
93699	200966	<1	5.10	8	242	<2	<1	1.13	<4	21	152	63	3.84	0.56	23	1.34	747	<1	72	660	70	0.20	<5	<5	1777	186	2209	<2	89	16	8	124
93700	200967	<1	5.45	10	473	<2	<1	1.10	<4	11	75	19	2.25	0.46	26	1.42	528	<1	41	544	51	0.11	6	8	1887	172	1670	<2	45	17	6	54
93701	200968	<1	5.91	17	550	<2	<1	1.46	<4	10	40	16	1.41	0.58	19	1.11	452	<1	38	413	37	0.10	6	21	1852	185	2005	<2	41	21	4	37
93702D	200968	<1	5.63	19	573	<2	<1	1.45	<4	9	41	18	1.45	0.66	19	1.12	469	<1	41	408	38	0.11	5	18	1764	185	2084	<2	42	14	4	40
93703	200969	26	4.46	159	408	<2	<1	0.22	45	12	48	1326	3.73	0.18	14	0.52	337	<1	40	335	1228	0.84	285	9	1887	118	1404	<2	30	286	3	14216
93704	200970	<1	5.57	56	218	<2	<1	0.77	5	13	33	2605	5.36	0.20	32	0.82	1159	4	25	836	91	0.88	5	17	1744	226	1234	<2	62	30	6	618
93705	200971	27	4.70	168	425	<2	<1	0.25	47	13	50	1380	3.97	0.16	15	0.55	355	<1	42	340	1269	0.78	311	8	1862	120	1467	<2	31	291	3	13081

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/17/2014 3:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93706	200972	3	6.31	64	458	<2	<1	0.17	5	13	21	148	2.06	0.27	19	0.61	273	<1	39	335	66	0.35	19	16	1908	117	1662	<2	28	55	<2	1670
93707	200973	3	6.68	55	477	<2	<1	0.85	4	8	22	21	2.21	0.30	19	0.88	323	<1	29	263	242	0.45	56	19	1998	151	1703	<2	28	60	<2	1748
93708	200974	7	6.32	35	406	<2	<1	0.48	<4	8	20	12	0.77	0.25	16	0.66	161	<1	23	358	111	0.13	23	19	1840	143	1660	2	28	19	2	395
93709	200975	6	6.33	40	420	<2	<1	0.39	<4	7	14	13	0.58	0.28	18	0.68	145	<1	20	389	113	0.08	18	27	1866	129	1698	<2	28	19	2	270
93710	200976	3	6.28	24	426	<2	<1	0.41	<4	6	18	12	0.44	0.44	17	0.66	134	<1	18	283	90	0.05	21	17	1867	141	1655	2	27	16	2	617
93711	200977	4	6.86	30	447	<2	<1	0.64	<4	8	16	17	0.63	0.37	20	0.75	157	<1	24	136	141	0.10	20	23	1807	196	1843	<2	28	25	2	573
93712	200978	1	5.21	44	379	<2	<1	0.41	<4	7	15	8	1.45	0.61	18	0.46	128	<1	24	152	50	0.33	9	10	1876	180	1593	<2	26	15	<2	219
93713D	200978	2	6.40	46	451	<2	<1	0.52	<4	8	19	9	1.61	0.50	21	0.54	145	<1	27	171	53	0.38	7	9	1852	196	1782	<2	30	24	<2	256
93714	200979	<1	5.46	35	431	<2	<1	1.12	<4	9	28	19	1.91	0.59	20	0.66	213	<1	25	293	27	0.49	<5	9	1786	229	1755	<2	34	23	2	148
93715	200980	<1	4.09	13	317	<2	<1	2.15	<4	17	60	52	4.03	0.34	11	1.31	789	<1	39	699	14	0.03	5	<5	1541	324	3264	<2	118	20	13	38
93716	200981	1	6.20	54	384	<2	<1	0.82	<4	8	23	14	2.10	0.30	20	0.63	252	<1	24	317	127	0.30	<5	17	1621	249	1734	<2	31	24	2	473
93717	200982	<1	>10.00	51	756	<2	<1	1.07	<4	10	20	18	1.54	0.95	35	0.63	204	<1	27	400	83	0.19	<5	35	2376	312	2389	<2	35	<10	2	100
93718	200983	<1	6.64	34	433	<2	<1	0.91	<4	7	18	9	0.75	0.31	18	0.36	114	<1	20	428	24	0.09	<5	20	1743	295	1587	<2	28	<10	2	28
93719	200984	<1	5.75	25	474	<2	<1	0.53	<4	6	14	4	0.71	0.40	21	0.42	140	<1	19	382	29	0.08	<5	17	1798	259	1598	<2	27	15	2	10
93720	200985	<1	5.61	25	406	<2	<1	0.93	<4	6	16	4	0.81	0.30	15	0.22	<100	<1	20	383	16	0.13	5	10	1719	276	1417	<2	26	15	<2	41
93721	200986	<1	5.23	31	410	<2	<1	1.02	<4	7	22	4	0.89	0.35	15	0.22	<100	<1	23	355	12	0.16	<5	24	1704	287	1428	<2	27	17	<2	38
93722	200987	<1	4.79	35	378	<2	<1	1.02	<4	6	20	7	1.01	0.50	14	0.25	<100	<1	20	332	21	0.16	<5	19	1707	317	1343	<2	26	20	<2	47
93723	200988	<1	6.14	10	535	<2	<1	0.51	<4	6	17	12	0.78	0.64	22	0.49	188	<1	18	376	43	0.03	<5	14	1746	274	1711	<2	29	23	<2	102
93724D	200988	<1	6.17	17	541	<2	<1	0.55	<4	6	15	12	0.78	0.70	22	0.49	186	<1	18	382	45	0.05	<5	11	1807	273	1728	<2	28	31	<2	95
93725	200989	3	6.56	28	622	<2	<1	0.73	<4	9	24	9	1.89	0.71	21	0.54	281	<1	27	378	622	0.39	<5	29	1866	266	1817	<2	29	24	2	262

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/17/2014 3:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93726	200990	<1	4.78	21	443	<2	<1	1.95	<4	17	58	237	4.43	0.51	14	1.24	785	1	43	722	15	0.08	<5	<5	1588	345	3140	<2	117	33	13	50
93727	200991	<1	6.42	18	502	<2	<1	1.97	<4	8	26	6	1.77	0.29	15	0.66	475	<1	23	542	35	0.07	<5	11	1684	286	2016	<2	36	35	4	61
93728	200992	<1	7.51	8	573	<2	<1	1.57	<4	10	23	23	2.08	0.15	23	0.79	521	<1	26	617	35	0.08	6	24	1745	253	2512	<2	42	12	3	51
93729	200993	<1	7.36	11	530	<2	<1	1.16	<4	9	21	124	2.37	0.16	19	0.75	622	<1	19	599	182	0.12	<5	23	1817	219	2325	<2	40	44	4	1035
93730	200994	<1	6.21	10	479	<2	<1	1.38	<4	8	17	42	1.83	0.32	15	0.79	568	<1	22	521	66	0.09	<5	13	1825	200	2145	<2	36	12	3	100
93731	200995	<1	6.30	6	396	<2	<1	1.59	<4	8	17	9	1.88	0.34	15	0.83	533	<1	20	539	27	0.06	<5	11	1836	209	2229	<2	36	22	3	33
93732	200996	<1	6.72	16	441	<2	<1	1.90	<4	9	20	14	1.92	0.41	19	1.03	658	<1	19	586	43	0.12	<5	18	1837	199	2397	<2	39	10	3	55
93733	200997	1	5.63	19	406	<2	<1	1.14	<4	7	32	19	1.08	0.30	21	0.79	507	<1	22	603	140	0.06	<5	14	1819	147	1891	<2	30	17	3	113
93734	200998	2	6.59	32	399	<2	<1	0.74	<4	6	30	119	1.28	0.46	24	0.76	489	<1	9	726	128	0.15	5	21	1904	115	2330	<2	35	33	3	384
93735D	200998	3	5.22	28	349	<2	<1	0.65	<4	6	26	114	1.20	0.63	22	0.68	461	<1	7	635	128	0.14	<5	21	1879	111	2192	<2	33	33	2	362
93736	200999	<1	5.87	33	396	<2	<1	1.26	<4	6	32	17	1.49	0.48	19	0.92	689	<1	7	694	33	0.14	<5	27	1797	117	2247	<2	35	14	3	34
93737	201000	<1	3.92	10	294	<2	<1	1.98	<4	15	54	47	3.59	0.44	10	1.17	707	<1	34	628	8	0.03	<5	<5	1710	299	2966	<2	105	15	11	41
93738	201001	<1	5.92	17	426	<2	<1	1.18	<4	5	42	9	1.30	0.47	17	0.80	488	<1	6	690	29	0.10	<5	11	1774	126	2281	<2	35	10	3	126
93739	201002	<1	7.18	19	524	<2	<1	1.93	<4	6	32	6	1.48	0.19	19	0.88	439	<1	6	689	22	0.08	5	21	1782	164	2172	<2	34	15	3	20
93740	201003	<1	7.04	16	563	<2	<1	1.85	<4	6	29	9	1.23	0.15	15	0.67	358	<1	7	718	30	0.06	5	9	1676	169	2023	<2	35	<10	3	27
93741	201004	1	6.62	26	561	<2	<1	0.80	<4	7	33	14	1.15	0.24	21	0.70	363	<1	8	605	300	0.08	5	15	1871	131	2076	<2	31	29	2	438
93742	201005	<1	7.04	11	551	<2	<1	1.37	<4	7	30	11	1.25	0.28	22	0.98	687	<1	9	594	52	0.06	5	22	1840	158	2203	<2	32	22	3	36
93743	201006	<1	7.35	14	585	<2	<1	1.42	<4	8	35	11	1.34	0.30	23	1.04	702	<1	10	626	50	0.06	6	19	1760	159	2334	<2	34	18	3	41
93744	201007	<1	6.40	23	376	<2	<1	1.37	<4	7	33	32	1.82	0.34	17	1.02	779	<1	7	604	44	0.15	<5	14	1752	191	2087	<2	34	20	3	116
93745	201008	<1	6.55	15	330	<2	<1	1.03	<4	5	32	25	1.67	0.42	17	0.99	780	<1	7	563	108	0.06	5	25	1755	178	1788	<2	32	<10	3	73

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/17/2014 3:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93746D	201008	<1	6.12	18	317	<2	<1	0.99	<4	6	28	25	1.56	0.42	16	0.96	758	<1	8	558	105	0.08	<5	5	1873	172	1730	<2	31	17	3	73
93747	201009	<1	6.27	11	243	<2	<1	0.97	<4	6	24	35	1.80	0.42	18	1.02	830	<1	8	581	34	0.09	5	22	1785	171	1635	<2	31	<10	3	97
93748	201010	119	5.48	24	356	<2	<1	2.85	7	17	41	109	5.52	0.42	8	1.27	969	<1	28	662	17279	0.06	112	<5	1774	352	3123	<2	145	33	14	343
93749	201011	<1	6.04	19	269	<2	<1	1.38	<4	7	48	19	2.02	0.30	17	0.97	881	<1	11	528	31	0.12	<5	32	1777	193	2048	<2	37	18	3	44
93750	201012	<1	5.63	18	237	<2	<1	1.10	<4	6	36	16	1.85	0.38	17	0.78	756	<1	9	530	22	0.09	6	11	1751	170	2106	<2	33	<10	3	43
93751	201013	5	5.86	34	209	<2	<1	0.55	<4	6	38	99	1.84	0.22	15	0.59	547	<1	10	497	952	0.12	10	17	1809	167	1717	<2	30	45	3	1173
93752	201014	<1	4.54	17	144	<2	<1	0.42	<4	5	34	38	1.60	0.48	12	0.70	609	<1	8	499	40	0.06	<5	10	1457	153	1629	149	28	21	3	44
93753	201015	<1	5.43	10	171	<2	<1	0.76	<4	5	40	22	1.75	0.23	14	0.78	788	<1	6	527	39	0.05	<5	13	1704	174	1513	<2	28	13	3	67
93754	201016	<1	6.33	29	172	<2	<1	1.02	<4	6	36	30	2.15	0.32	15	0.95	1058	<1	8	566	71	0.13	<5	19	1765	216	1351	<2	32	23	3	90
93755	201017	<1	5.54	22	116	<2	<1	1.16	<4	4	33	24	1.78	0.37	14	0.95	1028	<1	6	505	63	0.15	<5	13	1727	223	1167	<2	28	10	3	53
93756	201018	<1	6.02	20	190	<2	<1	0.75	<4	4	30	49	1.23	0.48	14	0.67	652	<1	7	559	262	0.07	6	23	1807	208	1282	<2	27	13	2	361
93757R	201018	<1	5.50	21	173	<2	<1	0.50	<4	5	35	48	1.29	0.33	12	0.66	634	<1	7	587	268	0.10	<5	22	1505	198	1319	<2	27	26	3	355
93758	201019	1	7.09	32	378	<2	<1	0.56	<4	8	28	25	1.21	0.19	18	0.57	752	<1	12	595	368	0.08	<5	15	1876	178	1891	<2	32	26	3	405
93759	201020	<1	5.01	16	365	<2	<1	2.44	<4	18	63	55	4.20	0.27	13	1.37	824	<1	41	724	19	0.04	6	21	1743	342	3327	<2	122	16	13	51
93760	201021	2	6.79	35	374	<2	<1	0.77	<4	9	28	14	1.40	0.37	16	0.71	498	<1	14	594	602	0.14	<5	15	1746	176	2017	<2	34	35	3	680
93761	201022	1	6.51	51	420	<2	<1	1.01	<4	7	45	28	2.12	0.47	20	0.83	828	<1	10	571	148	0.29	<5	22	1740	188	2097	<2	33	25	3	331
93762	201023	<1	6.52	45	480	<2	<1	1.09	<4	6	59	28	1.95	0.49	21	0.91	931	<1	9	567	75	0.21	<5	12	1644	185	2171	<2	34	19	3	120
93763	201024	4	5.24	61	301	<2	<1	0.61	7	4	33	74	1.91	0.28	20	0.72	664	<1	6	468	1281	0.32	9	19	1782	150	1729	<2	27	73	2	3194
93764	201025	1	5.84	51	394	<2	<1	0.27	<4	6	35	14	1.89	0.27	15	0.56	370	<1	8	506	241	0.32	<5	18	1909	133	1891	<2	31	36	2	1080
93765	201026	<1	4.79	48	315	<2	<1	0.11	<4	6	34	17	1.58	0.23	12	0.51	349	<1	7	457	369	0.25	<5	21	1790	121	1735	<2	28	31	2	711

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/17/2014 3:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93766	201027	2	4.90	49	324	<2	<1	0.30	<4	7	44	17	2.04	0.18	14	0.61	559	<1	11	483	470	0.36	7	18	1743	122	1822	<2	32	22	3	570
93767	201028	14	4.12	54	314	<2	<1	0.35	15	10	60	767	3.07	0.24	13	0.56	702	<1	17	435	2300	0.66	8	<5	1852	137	1553	<2	32	146	3	6681
93768D	201028	15	4.50	62	307	<2	<1	0.42	16	10	68	796	3.25	0.39	13	0.61	740	<1	17	453	2520	0.39	11	<5	1923	140	1599	<2	33	166	3	6818
93769	201029	<1	6.46	21	295	<2	<1	0.76	<4	8	58	55	2.01	0.16	18	0.72	640	<1	11	573	113	0.09	5	12	1715	225	2177	<2	37	17	3	305
93770	201030	<1	5.74	64	199	<2	<1	0.82	6	14	35	2603	5.44	0.19	32	0.84	1178	5	25	841	92	0.69	<5	14	1794	231	1233	<2	63	35	6	616
93771	201031	<1	5.73	7	383	<2	<1	0.93	<4	10	61	36	2.49	0.37	16	0.60	689	<1	15	499	24	0.08	8	11	1584	278	2325	<2	43	23	4	22
93772	201032	<1	5.95	24	548	<2	<1	0.61	<4	11	58	15	2.42	0.38	19	0.65	557	<1	15	535	22	0.13	<5	14	1628	272	2373	<2	44	10	3	59
93773	201033	<1	3.29	7	413	<2	<1	0.49	<4	9	43	16	1.99	0.41	10	0.48	554	<1	14	396	16	0.03	<5	8	1626	246	2164	<2	41	26	2	25
93774	201034	<1	6.10	13	281	<2	<1	0.91	<4	11	48	33	2.42	0.41	17	0.61	1021	<1	17	514	39	0.09	<5	15	1753	227	2101	<2	41	16	3	36
93775	201035	3	4.61	11	172	<2	<1	0.43	<4	8	44	71	2.03	0.42	14	0.63	1266	<1	12	448	75	0.08	<5	10	1704	180	1855	<2	34	20	3	247
93776	201036	2	5.80	24	200	<2	<1	0.39	<4	10	48	53	2.18	0.32	16	0.76	1313	<1	12	525	83	0.11	6	16	1645	179	2019	<2	37	17	4	140
93777	201037	2	5.54	28	222	<2	<1	0.99	<4	7	38	37	2.07	0.39	16	0.91	1492	<1	12	491	215	0.16	<5	17	1668	173	1860	<2	32	34	3	294
93778	201038	<1	5.02	28	226	<2	<1	0.84	<4	8	41	17	1.53	0.33	15	0.73	1087	<1	12	440	43	0.11	<5	14	1720	157	1703	<2	29	10	3	118
93779D	201038	<1	4.94	29	213	<2	<1	0.81	<4	8	40	17	1.57	0.49	14	0.76	1136	<1	11	446	44	0.14	<5	5	1614	157	1755	<2	30	21	3	121
93780	201039	3	3.50	25	79	<2	<1	0.26	<4	8	45	82	1.30	0.41	11	0.66	704	<1	11	404	80	0.07	<5	16	1472	125	1520	<2	25	23	2	128
93781	201040	<1	5.01	20	373	<2	<1	2.50	<4	17	65	56	4.34	0.35	13	1.42	851	<1	41	757	12	0.04	<5	6	1684	350	3525	<2	127	<10	14	44
93782	201041	3	6.45	22	245	<2	<1	1.31	<4	7	55	56	1.99	0.35	21	1.29	771	<1	11	497	72	0.12	7	14	1886	164	1983	<2	32	19	3	264
93783	201042	1	6.88	25	222	2	<1	3.12	<4	9	48	15	2.14	0.49	17	2.21	1418	<1	14	493	45	0.06	7	12	1722	233	2200	<2	37	24	4	105
93784	201043	<1	7.31	25	278	<2	<1	1.36	<4	9	43	12	1.53	0.53	19	1.22	600	<1	11	547	25	0.08	<5	20	1807	200	2303	<2	39	28	3	33
93785	201044	<1	6.59	23	235	<2	<1	0.90	<4	8	48	13	1.52	0.50	17	0.82	385	<1	13	481	45	0.12	5	14	1885	170	1982	<2	33	22	2	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/17/2014 3:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93786	201045	6	6.48	32	254	<2	<1	0.91	6	9	45	103	1.64	0.40	17	0.90	432	<1	11	488	560	0.17	13	18	1872	156	1899	<2	32	56	2	1980
93787	201046	4	6.35	39	282	<2	<1	0.87	<4	9	55	157	1.85	0.35	17	0.92	444	<1	13	463	372	0.21	15	24	1813	159	1971	<2	33	38	2	1132
93788	201047	2	6.13	38	281	<2	<1	0.38	<4	7	44	21	1.21	0.45	15	0.68	361	<1	9	476	91	0.09	<5	18	1815	124	2020	<2	31	16	2	45
93789	201048	1	6.44	28	286	<2	<1	0.97	<4	6	50	21	1.37	0.49	18	0.94	485	<1	9	513	100	0.12	<5	20	1830	144	2075	<2	34	29	2	216
93790D	201048	1	5.95	28	254	<2	<1	0.87	<4	6	47	19	1.32	0.45	17	0.89	467	<1	8	497	94	0.13	<5	14	1775	141	2055	<2	33	19	2	204
93791	201049	<1	6.21	18	261	<2	<1	1.40	<4	7	47	12	1.42	0.50	19	1.05	462	<1	10	537	27	0.08	5	14	1775	155	2120	<2	35	25	2	19
93792	201050	<1	4.47	24	414	<2	<1	1.81	<4	15	55	218	4.09	0.39	12	1.17	751	<1	41	694	19	0.05	6	<5	1660	319	2995	<2	108	31	12	50
93793	201051	<1	5.71	40	212	<2	<1	1.29	<4	16	51	28	1.54	0.83	17	1.11	580	<1	24	471	39	0.07	<5	30	1751	145	1932	<2	34	33	3	595
93794	201052	44	5.76	80	191	<2	<1	<0.01	5	7	65	241	1.70	0.44	14	0.30	101	<1	11	438	1748	0.13	95	13	2066	94	1733	<2	32	49	2	2112
93795	201053	3	6.61	52	236	<2	<1	<0.01	<4	8	68	42	1.71	0.43	16	0.48	205	<1	11	509	96	0.14	8	18	2011	107	2023	<2	36	17	2	196
93796	201054	<1	7.23	24	275	<2	<1	1.04	<4	6	50	16	1.35	0.54	21	1.07	673	<1	8	483	45	0.08	<5	15	1929	148	1957	<2	31	18	2	76
93797	201055	<1	7.12	24	256	<2	<1	1.85	<4	6	52	22	1.77	0.51	24	1.41	923	<1	10	497	46	0.07	5	21	1914	154	2079	<2	32	<10	2	65
93798	201056	31	5.28	127	161	<2	<1	<0.01	5	9	66	583	2.55	0.39	10	0.25	<100	<1	13	384	1555	0.34	93	14	2003	91	1462	<2	27	51	2	1740
93799	201057	15	5.59	81	177	<2	<1	<0.01	6	9	56	123	2.30	0.52	12	0.36	163	<1	12	411	1470	0.34	24	6	1903	100	1636	<2	30	56	2	2397
93800	201058	3	4.54	35	158	<2	<1	<0.01	<4	5	63	30	1.23	0.43	9	0.27	112	<1	10	343	61	0.11	<5	11	1852	91	1410	<2	23	20	2	70
93801D	201058	3	4.76	35	167	<2	<1	<0.01	<4	5	65	31	1.28	0.31	10	0.28	115	<1	9	353	52	0.10	6	13	1885	92	1438	<2	23	<10	2	70
93802	201059	<1	6.28	37	311	<2	<1	0.03	<4	7	67	13	1.57	0.40	15	0.38	213	1	11	429	32	0.12	<5	11	1910	111	1779	<2	28	24	2	35
93803	201060	<1	4.03	14	313	<2	<1	2.03	<4	15	53	49	3.64	0.43	11	1.16	717	<1	34	647	15	0.04	<5	12	1715	306	2991	<2	106	<10	11	34
93804	201061	<1	1.57	17	165	<2	<1	0.51	<4	2	101	19	0.85	0.45	4	0.20	191	3	9	139	21	<0.01	<5	10	2195	105	473	<2	5	17	<2	185
93805	201062	<1	6.96	21	316	<2	<1	1.49	<4	8	50	10	1.76	0.31	19	0.98	647	<1	10	498	31	0.03	5	10	1856	225	1887	<2	28	14	3	174

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/17/2014 3:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93806	201063	<1	6.91	18	279	<2	<1	1.68	<4	5	36	5	1.52	0.40	17	0.83	526	<1	7	471	22	0.03	<5	25	1858	215	1948	<2	29	18	2	8
93807	201064	<1	7.07	22	328	<2	<1	1.49	<4	5	25	8	1.65	0.41	20	0.88	607	<1	7	438	25	0.06	<5	12	1833	205	1991	<2	30	<10	2	85
93808	201065	<1	0.26	11	<1	<2	<1	0.43	<4	<1	86	5	0.47	0.51	1	0.05	<100	<1	5	295	18	<0.01	<5	<5	2138	81	262	<2	3	<10	<2	<1
93809	201066	1	<0.01	5	<1	<2	<1	0.10	<4	<1	87	7	0.39	0.50	<1	0.03	<100	<1	5	184	23	<0.01	<5	9	2128	79	232	<2	2	10	<2	<1
93810	201067	1	3.01	31	158	<2	<1	0.72	<4	2	73	11	1.10	0.29	9	0.36	257	<1	6	243	22	0.02	<5	10	2128	119	826	<2	12	10	<2	8
93811	201068	<1	6.52	22	250	<2	<1	1.79	<4	5	41	6	1.86	0.16	19	1.02	809	<1	9	430	30	0.08	<5	19	1939	163	1768	<2	27	25	2	433
93812D	201068	<1	5.35	21	201	<2	<1	1.54	<4	5	40	6	1.67	0.26	16	0.91	738	<1	6	396	29	0.08	<5	16	1860	151	1577	<2	25	18	2	387
93813	201069	<1	6.06	13	141	<2	<1	3.96	<4	4	31	5	1.71	0.37	19	0.99	885	<1	7	429	18	0.08	5	7	1791	125	1693	2	26	35	2	643
93814	201070	126	5.05	19	317	<2	<1	2.55	7	16	37	101	5.06	0.32	6	1.19	893	<1	25	635	17613	0.07	102	<5	1724	324	2894	<2	133	22	14	307
93815	201071	<1	5.43	20	183	<2	<1	2.68	<4	5	26	5	1.61	0.30	19	0.92	803	<1	7	413	21	0.08	<5	17	1839	120	1625	<2	25	<10	2	20
93816	201072	<1	6.03	18	179	<2	<1	3.04	<4	7	33	11	2.09	0.57	19	0.84	826	<1	8	420	24	0.13	<5	<5	1984	118	1749	<2	27	22	3	2
93817	201073	<1	6.68	42	214	<2	<1	1.88	<4	12	74	18	2.61	0.37	26	1.20	819	<1	25	514	31	0.23	5	<5	1965	138	2224	<2	51	21	6	40
93818	201074	2	6.81	91	254	<2	<1	0.53	<4	20	157	65	2.70	0.33	18	0.58	298	<1	59	633	40	0.42	19	27	1977	121	3053	<2	95	30	10	246
93819	201075	<1	6.96	23	350	<2	<1	1.83	<4	24	182	61	4.19	0.27	21	1.32	621	<1	65	639	32	0.17	<5	8	1874	165	3330	<2	105	30	12	98
93820	201076	2	5.23	749	256	<2	26	1.55	17	9	63	1115	2.02	0.25	16	0.70	371	5	17	525	703	0.13	<5	10	2052	165	1819	<2	33	223	8	42
93821	201077	<1	7.00	23	458	<2	<1	1.87	<4	8	28	17	1.65	0.17	19	0.86	395	<1	10	690	20	0.08	<5	15	1862	193	2370	<2	41	15	3	17
93822	201078	<1	6.50	25	342	<2	<1	2.23	<4	9	21	26	1.65	0.17	12	0.67	464	<1	9	661	21	0.10	<5	15	1793	164	1940	<2	35	11	3	32
93823R	201078	<1	7.57	25	409	<2	<1	2.51	<4	10	26	27	1.78	0.20	14	0.71	492	<1	11	725	22	0.07	<5	10	1878	179	2110	<2	39	20	3	33
93824	201079	<1	7.67	27	403	<2	<1	2.43	<4	9	22	22	1.42	0.22	15	0.66	449	<1	10	742	25	0.08	5	26	1809	197	2186	<2	45	14	3	12
93825	201080	<1	4.21	13	316	<2	<1	2.10	<4	14	55	49	3.73	0.14	11	1.21	731	<1	37	665	12	0.03	<5	<5	1732	312	3114	<2	109	<10	12	39

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/17/2014 3:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/12/2014
Date Completed: 07/03/2014
Job #: 201441206
Reference: TL14-365A
Sample #: 185

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93826	201081	<1	6.37	22	387	<2	<1	1.89	<4	9	24	23	1.48	0.36	17	0.78	493	<1	11	648	23	0.13	<5	27	1907	173	2069	<2	39	11	3	17
93827	201082	<1	6.28	37	394	<2	<1	1.86	<4	6	29	60	1.82	0.28	16	1.02	537	<1	9	645	29	0.18	5	18	1841	165	2041	<2	35	16	3	20
93828	201083	<1	5.16	35	365	<2	<1	1.42	<4	6	25	15	1.52	0.32	14	0.92	439	<1	7	635	21	0.19	<5	17	1695	149	2110	<2	37	15	3	21

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14366

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Au g/t (ppm)
99335	201084	1.105
99336	201085	0.066
99337	201086	0.047
99338	201087	<0.005
99339	201088	<0.005
99340	201089	<0.005
99341	201090	0.402
99342	201091	0.022
99343	201092	0.050
99344	201093	0.024
99345	201093 Dup	<0.005
99346	201094	<0.005
99347	201095	0.174
99348	201096	<0.005
99349	201097	<0.005
99350	201098	0.011
99351	201099	0.023
99352	201100	<0.005
99353	201101	0.103
99354	201102	0.209
99355	201103	0.107
99356	201103 Dup	0.027
99357	201104	0.030
99358	201105	0.150
99359	201106	0.165

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Au g/t (ppm)
99360	201107	0.026
99361	201108	0.015
99362	201109	0.192
99363	201110	1.398
99364	201111	0.055
99365	201112	0.187
99366	201113	0.074
99367	201113 Dup	0.023
99368	201114	0.018
99369	201115	0.021
99370	201116	0.013
99371	201117	0.199
99372	201118	0.086
99373	201119	0.052
99374	201120	<0.005
99375	201121	0.030
99376	201122	0.018
99377	201123	0.062
99378	201123 Dup	0.062
99379	201124	0.783
99380	201125	0.500
99381	201126	0.341
99382	201127	0.190
99383	201128	0.279
99384	201129	0.190

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Au g/t (ppm)
99385	201130	4.959
99386	201131	0.161
99387	201132	0.018
99388	201133	0.051
99389	201133 Dup	0.064
99390	201134	0.021
99391	201135	0.022
99392	201136	0.131
99393	201137	0.256
99394	201138	0.048
99395	201139	0.078
99396	201140	<0.005
99397	201141	0.262
99398	201142	0.263
99399	201143	0.251
99400	201143 Rep	0.247
99401	201144	0.191
99402	201145	0.354
99403	201146	0.619
99404	201147	0.449
99405	201148	0.845
99406	201149	0.900
99407	201150	0.397
99408	201151	0.236
99409	201152	0.759

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Au g/t (ppm)
99410	201153	0.483
99411	201153 Dup	0.484
99412	201154	1.476
99413	201155	1.314
99414	201156	0.709
99415	201157	0.418
99416	201158	1.704
99417	201159	0.402
99418	201160	<0.005
99419	201161	0.299
99420	201162	0.032
99421	201163	0.013
99422	201163 Dup	0.013
99423	201164	0.044
99424	201165	0.020
99425	201166	0.020
99426	201167	0.018
99427	201168	0.020
99428	201169	0.007
99429	201170	1.521
99430	201171	0.015
99431	201172	0.021
99432	201173	0.022
99433	201173 Dup	0.021
99434	201174	0.184

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Au g/t (ppm)
99435	201175	0.136
99436	201176	0.151
99437	201177	0.068
99438	201178	0.026
99439	201179	0.063
99440	201180	0.006
99441	201181	0.016
99442	201182	0.022
99443	201183	0.267
99444	201183 Dup	0.263
99445	201184	0.008
99446	201185	0.009
99447	201186	0.018
99448	201187	0.028
99449	201188	0.011
99450	201189	0.013
99451	201190	5.007
99452	201191	0.014
99453	201192	0.005
99454	201193	0.006
99455	201193 Dup	0.010
99456	201194	<0.005
99457	201195	<0.005
99458	201196	0.010
99459	201197	0.008

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Au g/t (ppm)
99460	201198	0.195
99461	201199	0.027
99462	201200	<0.005
99463	201201	0.037

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 7, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.814	0.804	0.043
GS26	0.776	0.804	0.043
GS26	0.799	0.804	0.043
O203	0.899	0.871	0.030
GS26	0.807	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99335	201084	<1	0.16	22	335	<2	41	1.79	4	14	60	107	2.82	<0.01	12	0.73	1560	<1	30	619	169	0.26	<5	40	4105	414	2047	<2	54	20	5	735
99336	201085	<1	0.16	25	269	<2	17	1.31	<4	10	50	26	2.19	<0.01	11	0.65	694	<1	23	582	51	0.25	<5	32	3992	395	1905	<2	45	15	4	103
99337	201086	<1	<0.01	19	99	<2	17	0.40	<4	8	37	22	1.82	<0.01	3	0.48	542	<1	19	428	43	0.17	<5	15	3458	323	1539	<2	36	<10	3	113
99338	201087	<1	0.41	26	262	<2	23	0.46	<4	8	19	11	0.73	<0.01	3	0.14	131	<1	10	500	38	0.24	<5	27	4035	389	1754	<2	36	12	<2	14
99339	201088	<1	0.54	22	231	<2	24	0.27	<4	10	17	14	0.39	<0.01	1	0.09	<100	<1	12	511	36	0.12	<5	44	4023	410	1814	<2	40	<10	<2	24
99340	201089	<1	1.12	24	194	<2	14	0.56	<4	9	21	11	0.40	<0.01	3	0.09	<100	<1	13	491	38	0.08	<5	32	4048	412	1700	<2	42	<10	<2	2
99341	201090	<1	3.13	57	197	<2	32	0.77	7	14	28	2403	5.04	<0.01	26	0.63	1088	<1	25	819	103	1.45	<5	35	4351	302	1488	<2	64	19	5	582
99342	201091	<1	2.60	23	355	<2	27	0.41	<4	9	15	45	0.49	<0.01	9	0.17	160	<1	9	573	62	0.12	<5	37	4013	392	2048	<2	43	<10	2	343
99343	201092	<1	1.31	22	270	<2	12	0.07	<4	8	14	19	0.39	<0.01	8	0.24	177	<1	11	553	30	0.11	<5	31	3983	340	2030	2	37	12	<2	20
99344	201093	<1	1.73	17	165	<2	17	0.32	<4	6	17	10	0.39	<0.01	5	0.25	149	<1	9	507	78	0.09	<5	36	3734	350	1769	4	34	10	<2	98
99345D	201093	<1	2.06	22	201	<2	11	0.44	<4	6	14	10	0.37	<0.01	6	0.26	150	<1	9	512	74	0.10	<5	67	3888	358	1797	6	35	<10	<2	89
99346	201094	<1	1.95	25	293	<2	23	0.63	<4	6	13	12	0.49	<0.01	3	0.22	157	<1	9	513	36	0.22	<5	51	3810	379	1747	2	34	12	<2	19
99347	201095	<1	<0.01	30	470	<2	8	0.01	<4	7	20	14	0.81	<0.01	9	0.16	191	<1	10	390	38	0.19	<5	25	4161	325	2057	2	39	<10	<2	13
99348	201096	<1	<0.01	24	301	<2	39	0.75	<4	6	31	18	1.35	<0.01	8	0.31	333	<1	8	398	32	0.15	<5	36	4115	330	1708	<2	30	<10	2	23
99349	201097	<1	0.91	26	650	<2	32	1.75	<4	9	59	16	1.99	0.11	24	0.26	386	<1	12	475	42	0.21	<5	38	>5000	401	2172	2	42	<10	2	23
99350	201098	<1	<0.01	19	419	2	41	0.60	<4	9	59	21	1.60	<0.01	13	0.55	281	<1	25	362	53	0.08	<5	20	4458	244	1555	<2	38	<10	2	31
99351	201099	<1	<0.01	23	471	<2	13	0.52	<4	9	48	19	1.40	<0.01	12	0.36	290	<1	28	324	49	0.12	5	24	4388	240	1665	<2	40	<10	2	43
99352	201100	<1	2.14	29	278	<2	18	2.05	<4	16	50	53	3.75	<0.01	8	1.06	729	<1	39	727	26	0.13	5	22	4137	391	3333	<2	113	12	11	41
99353	201101	<1	1.99	27	443	<2	14	<0.01	<4	8	28	10	0.77	<0.01	7	0.32	126	<1	15	375	42	0.16	<5	50	4158	221	1877	<2	33	10	2	26
99354	201102	<1	1.55	40	500	<2	38	0.64	<4	12	60	27	2.10	<0.01	13	0.57	374	<1	25	549	48	0.59	<5	24	4202	279	2138	3	50	11	4	177

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:55 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99355	201103	<1	1.93	39	472	<2	22	0.98	<4	9	52	20	1.76	<0.01	14	0.65	323	<1	21	455	132	0.61	8	44	4055	312	2036	<2	45	11	3	180
99356D	201103	<1	1.59	44	445	<2	22	0.88	<4	9	49	19	1.71	<0.01	12	0.62	314	<1	22	442	139	0.63	<5	36	4003	304	1975	<2	43	12	3	174
99357	201104	<1	1.33	51	358	<2	27	<0.01	<4	8	14	10	1.73	<0.01	9	0.41	162	<1	13	203	51	0.99	<5	39	3938	272	1743	<2	29	<10	<2	51
99358	201105	<1	0.23	44	358	<2	24	<0.01	<4	7	19	13	2.08	<0.01	8	0.32	154	<1	11	200	55	1.09	<5	35	3869	279	1686	<2	27	<10	<2	40
99359	201106	<1	<0.01	41	456	<2	19	0.34	<4	7	27	12	2.45	<0.01	15	0.29	179	<1	12	168	63	1.11	<5	19	4363	307	1854	<2	31	<10	<2	61
99360	201107	<1	<0.01	30	581	<2	19	1.01	<4	6	30	17	0.95	<0.01	12	0.20	181	<1	11	289	55	0.34	5	30	4310	383	1592	<2	30	13	<2	229
99361	201108	<1	<0.01	28	594	<2	20	0.58	<4	8	19	20	1.10	<0.01	17	0.18	132	<1	14	303	51	0.37	<5	35	4274	432	1925	<2	35	<10	<2	56
99362	201109	<1	<0.01	33	573	<2	11	0.84	<4	12	32	22	1.58	<0.01	16	0.28	214	<1	22	393	45	0.34	<5	18	4215	458	2286	<2	48	<10	2	79
99363	201110	<1	<0.01	33	392	<2	18	1.73	<4	15	49	227	4.12	<0.01	12	0.82	726	<1	43	697	36	0.13	10	15	4211	402	3204	<2	112	12	9	43
99364	201111	<1	<0.01	51	457	<2	4	0.64	<4	12	23	19	1.98	<0.01	14	0.22	143	<1	21	442	37	0.81	<5	26	4178	514	2108	<2	48	<10	2	28
99365	201112	<1	2.10	37	539	<2	17	0.55	<4	11	23	23	1.03	<0.01	17	0.24	137	<1	34	530	36	0.30	5	52	4120	447	2337	<2	52	<10	2	16
99366	201113	<1	2.99	32	624	<2	16	0.59	<4	13	26	21	1.26	<0.01	19	0.24	159	<1	37	651	47	0.40	<5	36	4232	428	2510	<2	55	<10	2	17
99367D	201113	<1	1.63	32	543	<2	23	0.25	<4	13	29	21	1.22	<0.01	15	0.22	154	<1	43	622	39	0.35	<5	23	3900	397	2450	<2	52	<10	2	10
99368	201114	<1	0.21	27	330	<2	16	<0.01	<4	10	16	20	0.98	<0.01	8	0.22	156	<1	32	440	41	0.25	<5	31	3573	349	2158	<2	45	<10	2	26
99369	201115	<1	0.82	25	359	<2	13	1.08	<4	9	23	16	1.77	<0.01	8	0.46	374	<1	26	573	28	0.27	<5	22	3830	366	2010	<2	40	<10	3	24
99370	201116	<1	1.51	18	408	<2	17	1.04	<4	10	21	16	1.81	<0.01	11	0.56	447	<1	29	593	39	0.25	<5	43	3913	325	2206	3	38	10	3	39
99371	201117	<1	<0.01	26	397	<2	14	0.75	<4	9	21	19	1.77	<0.01	12	0.28	435	<1	27	395	42	0.23	<5	22	4213	326	2194	<2	40	<10	<2	181
99372	201118	<1	<0.01	30	412	<2	11	1.40	<4	10	21	76	1.98	<0.01	13	0.38	477	<1	29	402	137	0.39	<5	14	4403	343	2366	<2	41	14	2	345
99373	201119	<1	<0.01	47	423	<2	8	1.11	<4	8	41	27	1.86	<0.01	10	0.39	502	<1	40	424	66	0.29	<5	23	4252	280	2184	<2	39	<10	2	73
99374	201120	<1	<0.01	25	257	<2	11	1.92	4	15	53	56	3.88	<0.01	8	0.93	765	<1	40	687	27	0.08	<5	28	4153	387	3377	<2	117	<10	8	43

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:55 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99375	201121	<1	<0.01	26	306	<2	11	0.66	<4	9	57	20	1.82	<0.01	9	0.28	423	<1	53	489	41	0.19	<5	30	4146	274	2220	<2	39	<10	2	46
99376	201122	<1	<0.01	21	448	<2	15	0.98	<4	6	33	37	1.01	<0.01	8	0.34	314	<1	33	633	50	0.14	8	35	4114	253	1991	<2	37	<10	2	14
99377	201123	<1	0.33	30	355	<2	33	0.84	<4	8	40	38	1.29	<0.01	13	0.59	522	<1	51	700	161	0.27	7	32	4091	217	2274	<2	38	11	2	78
99378D	201123	<1	<0.01	26	311	<2	13	0.53	<4	8	41	38	1.23	<0.01	11	0.45	499	<1	54	645	154	0.22	<5	43	4034	204	2184	<2	36	11	2	82
99379	201124	<1	0.74	44	321	<2	10	0.28	7	7	44	778	1.80	<0.01	12	0.44	411	<1	47	668	1200	0.50	43	41	4234	190	2154	<2	35	29	2	1837
99380	201125	<1	0.70	56	389	<2	11	<0.01	<4	8	39	27	1.38	<0.01	10	0.34	319	<1	46	601	82	0.45	<5	34	4313	171	2098	<2	33	<10	2	106
99381	201126	<1	<0.01	53	315	<2	17	<0.01	<4	7	27	12	1.22	<0.01	6	0.30	297	<1	37	562	56	0.42	<5	30	4005	159	2011	<2	31	15	<2	60
99382	201127	<1	<0.01	35	178	<2	9	<0.01	<4	8	23	9	0.88	<0.01	1	0.41	405	<1	31	526	42	0.27	<5	30	3375	147	1879	3	29	10	2	32
99383	201128	<1	2.70	63	745	2	29	1.08	<4	14	51	17	1.36	<0.01	24	0.41	398	<1	52	603	78	0.35	5	35	>5000	232	2536	<2	44	14	2	65
99384	201129	<1	<0.01	49	319	<2	13	<0.01	<4	11	35	20	1.16	<0.01	10	0.30	315	<1	47	402	138	0.34	<5	21	4160	178	2011	<2	32	12	<2	297
99385	201130	7	<0.01	30	231	<2	19	2.13	8	16	31	107	4.85	<0.01	4	0.85	851	<1	29	616	16724	0.14	77	16	4065	385	2962	2	131	14	10	304
99386	201131	<1	<0.01	39	465	<2	7	0.84	<4	10	43	23	1.17	<0.01	12	0.52	745	<1	47	439	210	0.21	<5	26	4219	223	2129	6	33	<10	2	21
99387	201132	<1	<0.01	23	261	<2	10	0.83	<4	8	34	14	1.20	<0.01	14	0.35	591	<1	42	330	50	0.17	<5	6	4284	235	2122	2	35	<10	<2	30
99388	201133	<1	1.14	25	330	<2	9	0.90	<4	7	31	13	1.04	<0.01	15	0.54	679	<1	34	535	46	0.18	<5	35	4325	247	2132	6	30	<10	2	36
99389D	201133	<1	0.30	20	269	<2	12	0.60	<4	6	27	13	1.00	<0.01	12	0.55	666	<1	33	524	46	0.13	<5	44	4062	233	2051	<2	29	11	2	40
99390	201134	<1	<0.01	15	269	<2	23	0.40	<4	6	29	14	1.14	<0.01	9	0.41	605	<1	34	464	66	0.14	<5	30	4035	231	1970	<2	30	<10	2	42
99391	201135	<1	0.31	26	293	<2	26	0.49	<4	7	14	12	1.05	<0.01	10	0.51	512	<1	23	526	51	0.14	<5	38	4056	248	2042	<2	32	<10	2	30
99392	201136	<1	<0.01	19	188	<2	22	0.41	<4	8	21	17	1.04	<0.01	8	0.64	740	<1	32	525	92	0.15	<5	30	3733	260	1894	7	29	10	2	176
99393	201137	<1	<0.01	23	214	<2	21	0.18	<4	10	19	16	1.05	<0.01	8	0.59	652	<1	31	528	61	0.17	<5	24	3785	249	2022	<2	31	12	2	83
99394	201138	<1	0.49	36	210	<2	20	<0.01	<4	10	14	41	1.25	<0.01	8	0.41	481	<1	30	565	144	0.40	7	43	3845	233	2054	<2	32	16	2	173

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:55 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99395	201139	<1	<0.01	32	232	<2	6	0.07	<4	11	21	24	1.39	<0.01	12	0.34	591	<1	34	460	63	0.34	<5	19	3916	241	2094	<2	34	<10	2	71
99396	201140	<1	1.52	22	272	<2	15	1.99	<4	16	51	55	3.85	<0.01	9	1.08	749	<1	40	730	27	0.10	<5	35	4066	395	3339	<2	116	<10	11	39
99397	201141	<1	3.75	39	251	<2	18	0.48	<4	13	29	59	1.56	<0.01	11	0.62	620	<1	47	581	62	0.33	6	40	3854	269	2020	<2	34	10	3	127
99398	201142	<1	3.13	61	360	<2	18	0.38	<4	15	18	112	1.60	<0.01	14	0.49	512	<1	40	555	124	0.46	<5	44	4039	282	2267	<2	36	12	2	111
99399	201143	<1	1.34	45	329	<2	33	0.50	<4	10	21	30	1.28	<0.01	13	0.54	647	<1	35	545	75	0.33	<5	42	4007	263	2147	<2	35	10	2	213
99400R	201143	<1	<0.01	44	230	<2	12	0.26	<4	10	20	41	1.27	<0.01	11	0.29	729	<1	32	393	84	0.30	<5	17	4179	256	1947	4	34	14	<2	450
99401	201144	<1	<0.01	42	294	<2	10	0.44	<4	9	34	67	1.67	<0.01	13	0.40	729	<1	11	407	61	0.28	<5	27	4213	263	2175	<2	40	10	<2	63
99402	201145	<1	<0.01	43	267	<2	3	<0.01	<4	9	45	31	1.78	<0.01	8	0.12	177	<1	14	197	45	0.44	<5	22	4290	201	1973	2	39	10	<2	52
99403	201146	<1	<0.01	56	274	<2	6	0.13	<4	8	43	76	2.01	<0.01	10	0.27	673	<1	15	384	78	0.34	<5	28	4243	228	1971	<2	39	11	<2	437
99404	201147	<1	<0.01	47	283	<2	9	0.14	<4	8	35	45	2.03	<0.01	10	0.31	674	<1	13	403	73	0.52	<5	24	4199	226	2009	<2	38	10	<2	62
99405	201148	<1	<0.01	31	269	<2	17	0.12	<4	7	40	62	1.70	<0.01	9	0.29	781	<1	12	440	99	0.34	<5	18	4137	229	2053	<2	37	<10	<2	129
99406	201149	<1	<0.01	41	346	<2	11	<0.01	<4	7	26	29	1.56	<0.01	11	0.31	647	<1	10	528	107	0.38	<5	21	4149	242	2273	<2	40	10	<2	79
99407	201150	<1	<0.01	67	177	<2	16	0.47	7	15	29	2400	5.03	<0.01	25	0.44	1092	<1	25	744	105	1.35	5	19	4360	287	1484	<2	64	15	3	580
99408	201151	<1	<0.01	35	379	<2	25	<0.01	<4	9	35	46	1.68	<0.01	8	0.26	580	<1	14	525	440	0.42	<5	21	4314	202	2015	2	32	17	2	791
99409	201152	<1	<0.01	46	322	<2	15	0.09	5	8	29	137	2.07	<0.01	9	0.28	913	<1	11	467	752	0.57	<5	18	4215	210	2155	<2	39	19	2	1225
99410	201153	<1	0.61	34	295	<2	43	0.53	<4	9	41	62	2.17	<0.01	10	0.42	1129	<1	14	543	137	0.46	<5	33	4115	237	2356	<2	40	15	3	408
99411D	201153	<1	<0.01	38	207	<2	33	0.19	<4	8	37	57	2.01	<0.01	6	0.39	1038	<1	13	504	130	0.36	<5	30	3837	219	2138	5	37	15	2	370
99412	201154	<1	<0.01	37	222	<2	13	0.16	<4	8	37	43	1.89	<0.01	10	0.16	970	<1	14	279	71	0.21	<5	<5	4316	215	2052	<2	40	10	<2	104
99413	201155	<1	<0.01	61	370	<2	<1	0.35	<4	8	43	53	2.05	<0.01	13	0.23	693	<1	16	224	133	0.54	<5	10	4413	227	2196	<2	43	11	<2	255
99414	201156	<1	<0.01	47	284	<2	23	0.81	<4	9	45	53	1.96	<0.01	12	0.35	729	<1	14	275	163	0.46	<5	13	4262	248	2055	<2	41	12	<2	295

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:55 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99415	201157	<1	<0.01	32	274	<2	20	1.44	<4	10	41	31	1.97	<0.01	12	0.54	1170	<1	16	313	69	0.28	7	9	4220	269	2141	6	41	<10	<2	78
99416	201158	<1	<0.01	23	155	<2	13	0.82	<4	7	26	34	2.11	<0.01	12	0.48	1550	<1	12	267	183	0.26	<5	21	4163	245	1659	3	28	<10	<2	269
99417	201159	<1	<0.01	20	189	<2	8	<0.01	<4	3	28	34	1.07	<0.01	13	0.24	432	<1	8	245	189	0.21	<5	13	4181	218	1729	13	29	12	<2	276
99418	201160	<1	<0.01	17	246	<2	3	1.78	<4	16	51	52	3.68	<0.01	7	0.77	720	<1	37	637	36	0.11	<5	10	4124	373	3176	<2	112	<10	7	45
99419	201161	<1	<0.01	38	299	<2	17	0.45	<4	5	22	21	1.16	<0.01	17	0.48	697	<1	8	425	87	0.29	<5	34	4190	262	1913	<2	29	10	2	127
99420	201162	<1	<0.01	29	339	<2	11	0.13	<4	12	18	12	1.27	<0.01	14	0.32	368	<1	15	437	44	0.17	<5	17	3997	291	2442	<2	43	<10	<2	49
99421	201163	<1	<0.01	17	301	<2	22	0.65	<4	8	20	19	1.55	<0.01	11	0.44	418	<1	12	511	40	0.13	<5	23	3919	305	2251	5	39	<10	2	89
99422D	201163	<1	<0.01	17	287	<2	15	0.42	<4	8	17	14	1.52	<0.01	10	0.36	410	<1	11	478	27	0.14	<5	21	3917	292	2236	<2	39	<10	2	27
99423	201164	<1	<0.01	20	228	<2	25	0.15	<4	9	15	14	1.58	<0.01	14	0.48	349	<1	12	522	34	0.24	<5	33	3740	271	2411	4	43	<10	2	30
99424	201165	<1	<0.01	20	99	<2	5	2.09	<4	6	34	14	2.14	<0.01	7	0.50	1034	<1	8	331	39	0.17	<5	17	4082	336	2088	5	40	<10	2	35
99425	201166	<1	<0.01	22	80	<2	16	2.51	<4	5	24	14	2.26	<0.01	6	0.92	1141	<1	8	351	33	0.16	<5	14	3857	344	2055	5	39	<10	<2	29
99426	201167	<1	<0.01	22	<1	<2	5	0.52	<4	8	21	17	1.53	<0.01	10	0.63	625	<1	12	287	28	0.09	<5	24	3318	287	2095	<2	40	<10	<2	37
99427	201168	<1	<0.01	27	<1	<2	23	0.49	4	8	28	20	4.56	<0.01	11	0.37	442	<1	12	373	31	1.34	<5	16	4028	261	1812	<2	36	<10	<2	50
99428	201169	<1	<0.01	20	<1	<2	1	0.18	<4	3	62	12	0.93	<0.01	4	0.20	341	<1	7	193	30	0.09	7	26	4348	191	915	<2	16	<10	<2	2
99429	201170	<1	<0.01	30	296	<2	6	1.34	<4	15	47	211	3.84	<0.01	8	0.58	684	<1	41	524	40	0.13	9	12	4035	369	2893	3	105	13	5	50
99430	201171	<1	<0.01	18	108	<2	23	0.86	<4	7	18	20	2.04	<0.01	14	0.53	932	<1	9	370	43	0.16	<5	21	3976	291	2384	<2	40	14	2	48
99431	201172	<1	<0.01	22	79	<2	20	1.11	<4	10	19	28	2.01	<0.01	17	0.65	1133	<1	14	455	45	0.23	<5	22	4189	247	2350	2	39	<10	2	106
99432	201173	<1	<0.01	33	129	<2	19	3.35	<4	15	21	20	1.81	<0.01	13	1.10	1409	<1	16	478	49	0.23	<5	24	4131	279	2399	<2	37	<10	3	77
99433D	201173	<1	<0.01	34	120	<2	41	3.27	<4	15	19	20	1.78	<0.01	11	1.32	1393	<1	16	519	48	0.26	5	30	3949	278	2400	11	36	14	3	75
99434	201174	<1	<0.01	42	150	<2	20	<0.01	<4	11	24	12	1.02	<0.01	7	0.23	120	<1	12	459	75	0.34	<5	27	3958	166	1930	<2	31	<10	<2	224

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:55 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99435	201175	<1	0.15	50	132	<2	20	<0.01	<4	13	24	12	0.87	<0.01	3	0.21	<100	<1	15	446	50	0.36	5	44	3955	164	1765	4	28	<10	<2	54
99436	201176	<1	<0.01	28	87	<2	6	0.06	<4	5	22	14	1.12	<0.01	8	0.27	544	<1	9	289	44	0.17	<5	12	4150	184	1641	<2	27	12	<2	27
99437	201177	<1	<0.01	31	192	<2	16	0.41	<4	6	28	11	1.42	<0.01	11	0.33	634	<1	11	276	40	0.20	5	12	4234	187	1847	6	32	<10	<2	22
99438	201178	<1	<0.01	30	175	2	10	0.74	<4	6	34	21	1.46	<0.01	14	0.31	648	<1	12	174	54	0.13	<5	16	4232	207	1863	3	32	<10	<2	33
99439	201179	<1	<0.01	31	187	<2	11	<0.01	<4	5	25	15	1.05	<0.01	8	0.10	141	<1	9	134	50	0.22	<5	5	4310	174	1716	<2	32	11	<2	76
99440	201180	<1	<0.01	17	206	<2	18	1.75	<4	15	49	53	3.72	<0.01	7	0.70	722	<1	39	544	29	0.07	<5	10	3982	377	3085	<2	112	<10	5	39
99441	201181	<1	<0.01	22	205	<2	45	0.69	<4	5	30	26	1.44	<0.01	14	0.28	648	<1	9	262	44	0.11	<5	7	4343	198	1828	<2	30	14	<2	70
99442	201182	<1	<0.01	29	175	<2	13	0.55	<4	6	23	19	1.48	<0.01	13	0.28	589	<1	9	321	49	0.21	<5	12	4191	189	1895	<2	29	<10	<2	88
99443	201183	2	<0.01	36	24	<2	18	<0.01	<4	5	14	20	1.23	<0.01	5	0.16	387	<1	9	274	169	0.28	<5	7	3781	161	1666	3	26	11	<2	180
99444D	201183	3	<0.01	43	140	<2	2	<0.01	<4	5	22	23	1.38	<0.01	10	0.24	431	<1	8	373	187	0.33	<5	25	4155	182	1851	<2	29	10	<2	203
99445	201184	<1	<0.01	23	129	<2	18	0.81	<4	6	31	11	1.69	<0.01	13	0.33	652	<1	10	387	34	0.19	<5	7	4083	203	1872	2	29	<10	<2	33
99446	201185	<1	<0.01	21	101	<2	8	1.10	<4	5	23	10	1.67	<0.01	11	0.35	653	<1	9	386	37	0.14	<5	14	4216	205	1902	<2	29	10	2	22
99447	201186	<1	<0.01	23	116	<2	21	1.24	<4	7	22	14	2.07	<0.01	9	0.57	775	<1	11	477	47	0.25	<5	27	3984	212	1816	<2	30	<10	3	47
99448	201187	<1	<0.01	17	168	<2	18	1.02	<4	19	111	46	3.10	<0.01	15	0.33	576	<1	47	451	46	0.22	<5	<5	4198	250	2753	14	77	<10	3	67
99449	201188	<1	<0.01	22	240	<2	11	1.11	<4	9	25	26	1.63	<0.01	14	0.22	372	<1	12	294	41	0.11	<5	11	4067	336	2212	<2	43	<10	<2	19
99450	201189	<1	<0.01	18	220	<2	16	1.32	<4	13	23	65	1.39	<0.01	11	0.28	403	<1	13	280	48	0.13	<5	13	4019	342	2022	3	40	<10	<2	29
99451	201190	7	<0.01	21	193	<2	18	1.97	8	16	30	100	4.76	<0.01	3	0.67	833	<1	27	524	16967	0.13	72	12	4003	380	2787	<2	128	15	6	292
99452	201191	<1	<0.01	31	278	<2	10	1.75	<4	25	20	33	2.47	<0.01	14	0.38	686	<1	24	371	273	0.25	<5	7	4168	314	2259	<2	45	13	<2	352
99453	201192	<1	<0.01	46	347	<2	<1	1.02	<4	15	21	14	1.48	<0.01	13	0.19	461	<1	15	334	45	0.28	<5	5	4170	280	2169	<2	41	<10	<2	19
99454	201193	<1	<0.01	70	339	<2	23	1.59	<4	12	18	19	1.84	<0.01	13	0.37	497	<1	14	555	42	0.54	<5	33	4216	306	1998	<2	40	<10	<2	4

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:55 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/18/2014
Date Completed: 07/07/2014
Job #: 201441281
Reference: TL14-366
Sample #: 118

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99455D	201193	<1	<0.01	57	327	<2	23	1.39	<4	12	15	19	1.84	<0.01	12	0.35	490	<1	14	559	41	0.58	<5	24	4199	299	1991	<2	40	10	2	46
99456	201194	<1	<0.01	46	340	<2	21	1.17	<4	11	18	22	1.51	<0.01	14	0.37	405	<1	13	598	37	0.41	<5	23	4146	313	2191	3	39	<10	<2	10
99457	201195	<1	<0.01	52	322	<2	24	0.67	<4	8	17	27	1.11	<0.01	11	0.28	321	<1	12	585	35	0.32	<5	21	4070	281	2134	<2	37	<10	<2	15
99458	201196	<1	<0.01	43	233	<2	5	1.15	<4	9	26	21	1.26	<0.01	8	0.53	577	<1	13	552	53	0.33	<5	31	3864	252	1841	<2	33	<10	2	68
99459	201197	<1	<0.01	42	435	<2	29	1.16	<4	9	22	18	2.25	<0.01	16	0.52	550	<1	12	671	59	0.61	<5	27	4347	267	2340	<2	40	12	2	77
99460	201198	<1	<0.01	60	211	<2	9	0.63	<4	11	67	104	2.49	<0.01	13	0.27	498	<1	27	365	84	0.58	6	13	4218	223	2228	<2	53	16	2	389
99461	201199	<1	<0.01	20	128	<2	22	1.03	<4	19	137	52	3.37	<0.01	12	0.53	629	<1	55	410	51	0.18	<5	16	4076	251	2632	3	83	12	3	81
99462	201200	<1	<0.01	22	272	<2	14	1.95	4	16	54	55	3.94	<0.01	10	0.81	768	<1	40	596	37	0.11	<5	18	4181	397	3287	<2	118	11	6	41
99463	201201	<1	<0.01	20	294	<2	8	0.92	4	22	144	56	3.80	<0.01	22	0.47	570	<1	65	491	59	0.23	<5	<5	4842	265	2824	<2	95	<10	3	90

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14367

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/20/2014
Date Completed: 07/14/2014
Job #: 201441318
Reference: TL14-367
Sample #: 85

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
102297	201202	<0.005	
102298	201203	0.005	
102299	201204	0.028	
102300	201205	0.831	
102301	201206	1.588	
102302	201207	4.189	
102303	201208	6.963	6.895
102304	201209	0.175	
102305	201210	1.469	
102306	201211	>10.000	12.254
102307	201211 Dup	>10.000	12.111
102308	201212	0.402	
102309	201213	0.791	
102310	201214	4.142	
102311	201215	0.033	
102312	201216	0.274	
102313	201217	0.168	
102314	201218	1.806	
102315	201219	2.306	
102316	201220	<0.005	
102317	201221	0.051	
102318	201221 Dup	0.060	
102319	201222	0.026	
102320	201223	0.016	
102321	201224	0.053	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/20/2014
Date Completed: 07/14/2014
Job #: 201441318
Reference: TL14-367
Sample #: 85

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
102322	201225	0.012	
102323	201226	0.011	
102324	201227	0.016	
102325	201228	0.038	
102326	201229	0.276	
102327	201230	4.963	
102328	201231	0.239	
102329	201231 Dup	0.268	
102330	201232	0.060	
102331	201233	0.068	
102332	201234	0.031	
102333	201235	0.017	
102334	201236	0.017	
102335	201237	0.120	
102336	201238	0.035	
102337	201239	0.044	
102338	201240	<0.005	
102339	201241	0.019	
102340	201241 Dup	0.012	
102341	201242	0.102	
102342	201243	0.017	
102343	201244	0.134	
102344	201245	0.076	
102345	201246	0.106	
102346	201247	0.767	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/20/2014
Date Completed: 07/14/2014
Job #: 201441318
Reference: TL14-367
Sample #: 85

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
102347	201248	0.062	
102348	201249	0.079	
102349	201250	0.347	
102350	201251	0.304	
102351	201251 Dup	0.243	
102352	201252	0.288	
102353	201253	0.505	
102354	201254	0.374	
102355	201255	0.178	
102356	201256	0.071	
102357	201257	0.047	
102358	201258	0.039	
102359	201259	0.103	
102360	201260	<0.005	
102361	201261	0.050	
102362	201261 Rep	0.041	
102363	201262	0.066	
102364	201263	0.068	
102365	201264	0.084	
102366	201265	0.147	
102367	201266	0.227	
102368	201267	0.127	
102369	201268	0.165	
102370	201269	0.075	
102371	201270	1.357	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/20/2014
Date Completed: 07/14/2014
Job #: 201441318
Reference: TL14-367
Sample #: 85

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
102372	201271	0.314	
102373	201271 Dup	0.236	
102374	201272	0.136	
102375	201273	0.156	
102376	201274	0.059	
102377	201275	0.610	
102378	201276	0.149	
102379	201277	0.191	
102380	201278	0.024	
102381	201279	0.128	
102382	201280	<0.005	
102383	201281	0.021	
102384	201281 Dup	0.024	
102385	201282	0.036	
102386	201283	0.025	
102387	201284	0.189	
102388	201285	0.129	
102389	201286	0.009	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 14, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/20/2014
Date Completed: 07/14/2014
Job #: 201441318
Reference: TL14-367
Sample #: 85

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.752	0.791	0.051
GS25	0.710	0.791	0.051
GS25	0.746	0.791	0.051
GS25	0.750	0.791	0.051
AR01	1.754	1.729	0.121
AR01	1.855	1.729	0.121

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/20/2014
Date Completed: 07/14/2014
Job #: 201441318
Reference: TL14-367
Sample #: 85

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102297	201202	<1	<0.01	19	323	<2	38	0.70	<4	10	39	25	1.45	<0.01	15	0.20	343	<1	39	237	43	0.16	<5	7	4219	251	1914	<2	42	10	<2	54
102298	201203	<1	<0.01	22	319	<2	20	0.55	<4	7	25	19	1.06	<0.01	12	0.34	309	<1	29	356	43	0.09	6	13	4157	243	1660	<2	31	<10	<2	56
102299	201204	<1	<0.01	24	432	<2	13	0.92	<4	7	26	19	1.20	<0.01	12	0.39	391	<1	39	330	43	0.10	<5	27	4127	258	1631	3	29	<10	<2	96
102300	201205	<1	<0.01	37	353	<2	15	<0.01	<4	6	30	67	1.20	<0.01	7	0.10	114	<1	51	141	346	0.28	5	7	4253	184	1351	<2	28	11	<2	396
102301	201206	<1	<0.01	39	357	<2	10	<0.01	<4	6	36	83	1.32	<0.01	7	0.11	106	<1	60	174	530	0.34	12	21	4235	182	1352	<2	28	14	<2	572
102302	201207	<1	<0.01	105	311	<2	20	<0.01	5	9	27	184	1.97	<0.01	10	0.08	<100	<1	38	294	683	0.72	10	<5	4549	181	1418	<2	48	23	<2	1334
102303	201208	<1	<0.01	67	270	<2	9	<0.01	<4	9	22	120	2.04	<0.01	12	0.12	171	<1	30	387	286	0.72	<5	19	4505	178	1540	<2	51	13	<2	463
102304	201209	<1	<0.01	60	176	<2	10	<0.01	<4	9	29	72	1.60	<0.01	10	0.22	380	<1	36	488	118	0.31	<5	19	4184	177	1516	<2	47	12	<2	119
102305	201210	<1	0.33	30	291	<2	8	1.23	<4	14	43	206	3.73	<0.01	8	0.89	657	<1	39	669	33	0.11	<5	30	3830	368	2904	<2	102	15	9	46
102306	201211	<1	<0.01	58	254	<2	11	<0.01	<4	9	22	39	1.55	<0.01	9	0.27	211	<1	33	654	83	0.43	<5	40	4074	170	1932	<2	50	15	2	112
102307D	201211	<1	<0.01	54	225	<2	12	<0.01	<4	9	20	36	1.50	<0.01	7	0.24	203	<1	32	617	83	0.43	<5	32	3934	161	1891	<2	49	14	2	105
102308	201212	<1	0.09	58	226	<2	15	0.17	<4	11	19	52	1.89	<0.01	13	0.48	488	<1	27	714	213	0.52	5	30	4092	175	2272	<2	49	20	3	564
102309	201213	<1	<0.01	76	212	<2	28	<0.01	<4	10	22	33	1.74	<0.01	8	0.21	215	<1	28	605	100	0.58	<5	23	4074	158	1946	<2	46	14	<2	124
102310	201214	<1	<0.01	67	261	<2	6	<0.01	<4	9	38	60	1.86	<0.01	17	0.19	352	<1	38	309	106	0.47	9	10	4306	181	1953	<2	47	18	<2	622
102311	201215	<1	<0.01	68	232	2	7	2.63	<4	8	25	18	1.21	<0.01	22	0.42	813	<1	25	310	62	0.11	8	17	3979	231	2073	<2	34	10	<2	33
102312	201216	<1	<0.01	53	209	<2	10	0.87	<4	8	24	21	1.38	<0.01	16	0.31	527	<1	27	309	47	0.25	7	26	4092	183	2062	2	38	<10	<2	37
102313	201217	<1	<0.01	41	198	<2	3	1.26	<4	10	27	36	1.94	<0.01	24	0.44	881	<1	32	435	70	0.29	<5	12	4288	217	2639	<2	51	15	2	180
102314	201218	<1	<0.01	61	161	<2	24	1.28	<4	11	22	125	2.31	<0.01	18	0.55	810	<1	26	562	639	0.47	7	29	4162	212	2758	3	51	17	2	585
102315	201219	<1	<0.01	48	275	<2	25	<0.01	<4	9	18	153	1.75	<0.01	17	0.22	285	<1	26	475	277	0.51	<5	27	4244	203	2395	<2	48	13	2	557
102316	201220	<1	<0.01	20	246	<2	24	1.83	4	15	49	53	3.72	<0.01	9	0.84	720	<1	38	645	28	0.09	<5	17	3994	381	3226	<2	111	<10	8	39

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:52 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/20/2014
Date Completed: 07/14/2014
Job #: 201441318
Reference: TL14-367
Sample #: 85

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102317	201221	<1	<0.01	28	249	<2	4	0.70	<4	7	15	11	1.08	<0.01	15	0.44	430	<1	19	394	51	0.13	7	32	4004	248	1737	5	27	<10	2	29
102318D	201221	<1	<0.01	24	228	<2	32	0.57	<4	6	16	11	1.06	<0.01	15	0.52	422	<1	19	425	47	0.10	5	23	3923	247	1699	5	27	<10	<2	21
102319	201222	<1	<0.01	26	227	<2	24	0.43	<4	5	11	19	1.15	<0.01	9	0.41	441	<1	21	432	72	0.11	<5	33	3593	239	1669	<2	25	<10	<2	76
102320	201223	<1	0.86	21	184	<2	10	0.43	<4	5	10	12	1.18	<0.01	8	0.39	341	<1	20	426	36	0.12	<5	35	3533	248	1661	<2	26	<10	2	27
102321	201224	<1	<0.01	22	50	<2	12	0.09	<4	6	9	19	1.29	<0.01	2	0.38	363	<1	19	395	49	0.15	<5	20	2805	232	1543	<2	26	<10	2	26
102322	201225	<1	<0.01	19	258	<2	1	0.86	<4	7	17	31	1.31	<0.01	10	0.18	396	<1	23	180	104	0.08	<5	7	3896	277	1618	<2	29	<10	<2	45
102323	201226	<1	<0.01	12	251	<2	11	0.87	<4	6	21	30	1.37	<0.01	11	0.18	401	<1	27	169	96	0.09	<5	<5	3907	280	1604	<2	30	10	<2	49
102324	201227	<1	<0.01	13	87	<2	8	0.41	<4	6	16	17	1.36	<0.01	5	0.27	439	<1	23	235	47	0.06	<5	23	3141	269	1603	4	28	13	<2	40
102325	201228	<1	<0.01	15	22	<2	16	0.24	<4	8	21	18	1.41	<0.01	<1	0.35	428	<1	26	306	52	0.16	<5	17	2768	260	1565	<2	27	10	<2	54
102326	201229	<1	<0.01	33	125	<2	11	0.83	<4	5	19	59	1.48	<0.01	<1	0.48	821	<1	28	307	124	0.22	<5	23	2929	274	1415	<2	26	<10	2	243
102327	201230	7	<0.01	31	170	<2	14	1.81	8	14	29	97	4.70	<0.01	2	0.73	823	<1	26	568	17359	0.15	75	20	3760	367	2813	2	127	10	8	291
102328	201231	<1	<0.01	44	391	<2	9	0.67	4	8	19	22	1.32	<0.01	11	0.27	553	<1	31	340	648	0.23	6	22	4016	281	1603	<2	28	14	<2	546
102329D	201231	<1	<0.01	41	441	<2	21	0.85	4	8	22	22	1.33	<0.01	13	0.33	556	<1	31	383	513	0.24	<5	23	4107	291	1653	6	28	15	<2	561
102330	201232	<1	<0.01	34	361	<2	18	0.60	<4	8	25	35	1.36	<0.01	14	0.33	523	<1	31	371	197	0.31	<5	35	4147	289	1718	<2	31	13	<2	336
102331	201233	<1	<0.01	27	368	<2	21	0.44	<4	7	22	19	1.45	<0.01	14	0.32	449	<1	30	442	57	0.18	<5	42	3950	276	1846	<2	35	<10	<2	78
102332	201234	<1	2.33	31	401	<2	22	0.66	<4	8	28	32	1.56	<0.01	15	0.40	456	<1	15	476	44	0.24	<5	42	3938	276	1837	<2	34	13	2	101
102333	201235	<1	<0.01	22	133	<2	16	<0.01	<4	5	25	14	1.30	<0.01	6	0.26	398	<1	12	376	36	0.14	<5	33	4041	234	1484	<2	27	<10	<2	44
102334	201236	<1	<0.01	24	298	<2	11	1.03	<4	6	39	19	1.59	<0.01	12	0.24	640	<1	16	204	80	0.09	<5	19	4044	283	1646	<2	31	<10	<2	77
102335	201237	<1	<0.01	28	344	<2	5	0.43	<4	8	24	34	1.64	<0.01	12	0.20	466	<1	16	199	171	0.23	<5	25	3984	254	1670	<2	33	11	<2	209
102336	201238	<1	<0.01	25	362	<2	6	0.78	<4	6	25	16	1.52	<0.01	15	0.20	696	<1	14	185	102	0.13	<5	15	4206	259	1675	<2	31	10	<2	85

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:52 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/20/2014
Date Completed: 07/14/2014
Job #: 201441318
Reference: TL14-367
Sample #: 85

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102337	201239	<1	<0.01	25	374	<2	9	0.82	<4	6	24	15	1.47	<0.01	16	0.22	793	<1	12	202	55	0.15	7	12	4157	260	1733	<2	30	<10	<2	52
102338	201240	<1	<0.01	21	256	<2	9	1.88	<4	15	51	54	3.75	<0.01	10	0.68	732	<1	40	588	32	0.09	6	14	4170	385	3207	<2	113	<10	6	43
102339	201241	<1	<0.01	16	377	<2	2	1.03	<4	6	28	16	1.54	<0.01	15	0.31	693	<1	14	319	47	0.08	<5	22	4166	262	1824	<2	32	13	<2	48
102340D	201241	<1	<0.01	20	317	<2	<1	0.83	<4	7	29	15	1.49	<0.01	13	0.28	685	<1	13	317	51	0.10	<5	22	4046	253	1753	<2	30	<10	<2	54
102341	201242	<1	<0.01	20	304	<2	9	0.69	<4	7	28	18	1.52	<0.01	11	0.26	725	<1	13	331	50	0.08	<5	25	3825	240	1703	<2	30	<10	<2	232
102342	201243	<1	<0.01	16	331	<2	16	0.70	<4	6	25	12	1.45	<0.01	16	0.24	518	<1	12	345	47	0.11	<5	31	4147	260	1809	<2	32	<10	<2	29
102343	201244	<1	<0.01	25	88	<2	19	0.66	<4	18	125	38	3.16	<0.01	16	0.76	1027	<1	49	525	35	0.24	<5	21	3920	219	2518	<2	70	<10	5	55
102344	201245	<1	<0.01	17	14	<2	11	0.35	<4	17	115	53	2.77	<0.01	9	0.70	801	<1	48	477	44	0.12	<5	23	3416	193	2460	<2	68	<10	5	84
102345	201246	<1	<0.01	25	61	<2	16	0.51	<4	18	117	52	2.80	<0.01	10	0.79	811	<1	48	502	46	0.19	<5	21	3593	201	2483	<2	67	11	6	80
102346	201247	<1	<0.01	61	168	<2	13	0.35	4	16	120	182	3.09	<0.01	14	0.33	589	<1	51	287	247	0.50	9	6	4136	184	1962	11	73	15	2	404
102347	201248	<1	<0.01	29	419	<2	15	0.63	<4	8	24	53	1.58	<0.01	16	0.37	671	<1	13	213	75	0.23	<5	22	4115	194	1825	2	36	12	<2	49
102348	201249	<1	<0.01	29	417	<2	9	1.34	<4	7	21	30	1.62	<0.01	14	0.40	712	<1	12	200	84	0.21	<5	15	4325	222	1841	2	33	13	<2	44
102349	201250	<1	<0.01	67	199	<2	20	0.93	8	16	34	2677	5.54	<0.01	33	0.39	1196	<1	27	683	120	1.10	8	13	4760	318	1559	3	69	20	2	628
102350	201251	<1	<0.01	35	226	<2	15	0.48	<4	13	71	114	2.48	<0.01	14	0.40	655	<1	32	331	261	0.37	6	19	4174	202	2151	6	53	10	2	251
102351D	201251	<1	<0.01	39	319	<2	8	0.74	<4	15	76	118	2.58	<0.01	17	0.47	683	<1	32	413	271	0.43	8	21	4432	213	2332	<2	55	13	3	263
102352	201252	<1	<0.01	33	402	<2	19	0.69	<4	12	59	96	2.16	<0.01	18	0.46	671	<1	28	433	235	0.34	<5	17	4253	195	2173	<2	52	14	3	165
102353	201253	<1	<0.01	34	520	<2	23	1.64	<4	8	25	51	1.92	<0.01	18	0.59	973	<1	12	482	142	0.41	<5	22	4451	217	2094	8	36	13	2	249
102354	201254	<1	<0.01	38	315	<2	23	0.64	<4	8	28	48	1.95	<0.01	17	0.34	674	<1	14	417	231	0.38	<5	16	4148	187	2111	<2	39	14	2	505
102355	201255	<1	0.09	26	365	<2	30	1.29	<4	9	26	24	1.78	<0.01	19	0.60	890	<1	11	598	63	0.22	8	28	4137	212	2195	<2	35	12	2	105
102356	201256	<1	<0.01	22	298	<2	27	0.80	<4	7	16	16	1.40	<0.01	13	0.58	672	<1	10	551	51	0.14	<5	31	3750	196	2033	4	32	11	2	73

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:52 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/20/2014
Date Completed: 07/14/2014
Job #: 201441318
Reference: TL14-367
Sample #: 85

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102357	201257	<1	0.34	30	245	<2	20	0.69	<4	7	13	21	1.52	<0.01	12	0.56	622	<1	8	547	287	0.23	<5	25	3806	208	1968	<2	32	12	2	387
102358	201258	<1	<0.01	26	263	<2	<1	1.10	<4	7	27	18	1.72	<0.01	16	0.35	804	<1	11	290	59	0.12	<5	9	4087	232	1932	<2	35	<10	<2	54
102359	201259	<1	<0.01	27	249	<2	16	0.88	<4	8	20	162	1.80	<0.01	19	0.39	820	<1	11	321	316	0.22	<5	11	4021	227	1835	<2	33	12	<2	429
102360	201260	<1	<0.01	23	220	<2	11	1.71	<4	14	50	54	3.76	<0.01	8	0.73	733	<1	38	564	28	0.12	<5	5	3940	380	3165	2	113	<10	5	42
102361	201261	<1	<0.01	32	336	<2	20	0.72	<4	7	21	52	1.56	<0.01	21	0.32	666	<1	10	292	386	0.22	<5	7	4105	219	2076	<2	36	12	<2	245
102362R	201261	<1	<0.01	29	318	<2	10	0.73	<4	7	26	51	1.57	<0.01	19	0.34	701	<1	9	332	247	0.21	<5	10	4076	219	1991	<2	35	11	<2	196
102363	201262	<1	<0.01	47	229	<2	18	0.28	6	12	54	110	2.23	<0.01	19	0.26	445	<1	22	365	588	0.21	<5	15	4261	196	2323	<2	42	27	<2	1429
102364	201263	<1	<0.01	40	179	<2	9	2.10	<4	24	90	72	3.40	<0.01	28	0.79	1001	<1	55	692	65	0.18	<5	16	4195	264	5195	<2	85	25	4	310
102365	201264	<1	<0.01	80	187	<2	20	1.40	4	14	83	73	2.71	<0.01	36	0.83	838	<1	41	572	541	0.38	5	17	4152	274	2834	<2	58	13	3	299
102366	201265	<1	<0.01	83	106	<2	<1	2.15	8	39	152	70	5.59	<0.01	37	1.41	1415	<1	103	1141	287	0.68	<5	6	4356	267	3413	<2	136	19	6	1020
102367	201266	<1	<0.01	77	102	<2	8	1.77	8	40	158	71	6.10	<0.01	34	1.05	1352	<1	108	1109	343	0.69	<5	17	4397	257	3217	<2	128	19	7	888
102368	201267	<1	<0.01	72	18	<2	29	1.40	6	35	130	45	5.86	<0.01	42	1.32	1205	<1	94	1123	152	0.64	<5	15	4147	222	2451	<2	123	12	6	226
102369	201268	<1	<0.01	75	17	<2	15	1.11	9	41	142	89	6.32	<0.01	33	0.93	1115	<1	95	1188	215	0.63	<5	19	4135	218	5575	<2	133	12	6	680
102370	201269	<1	<0.01	52	58	<2	9	1.60	5	28	126	75	4.24	<0.01	34	0.92	952	<1	71	804	78	0.41	<5	31	4069	236	4024	<2	99	12	6	276
102371	201270	<1	<0.01	27	304	<2	16	1.25	<4	14	44	211	3.79	<0.01	8	0.72	676	<1	39	651	31	0.11	<5	18	3926	366	3018	<2	104	16	7	49
102372	201271	<1	<0.01	35	<1	<2	17	2.92	5	35	121	74	5.20	<0.01	30	1.47	1333	<1	86	1132	52	0.14	<5	20	3828	247	6689	2	123	14	10	119
102373D	201271	<1	<0.01	28	<1	<2	28	2.89	5	35	124	75	5.20	<0.01	29	1.43	1329	<1	84	1163	59	0.18	<5	24	3837	249	6778	<2	120	<10	10	123
102374	201272	<1	<0.01	24	<1	<2	21	2.38	4	38	128	94	5.15	<0.01	24	1.12	1549	<1	88	1223	70	0.19	<5	23	3614	222	6936	<2	131	11	10	129
102375	201273	<1	<0.01	36	71	<2	7	0.72	<4	10	38	22	1.82	<0.01	16	0.33	614	<1	20	322	62	0.16	<5	18	4107	203	2059	<2	37	<10	2	32
102376	201274	<1	<0.01	23	168	<2	16	1.80	<4	19	111	45	3.20	<0.01	26	0.77	902	<1	48	593	53	0.18	<5	18	4262	235	3406	4	78	13	5	94

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:52 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/20/2014
Date Completed: 07/14/2014
Job #: 201441318
Reference: TL14-367
Sample #: 85

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102377	201275	<1	<0.01	114	256	<2	22	0.41	16	23	142	154	3.73	<0.01	29	0.39	496	<1	63	601	1032	0.86	31	<5	4759	183	2965	4	102	48	4	3329
102378	201276	<1	<0.01	83	232	<2	18	2.28	5	20	125	118	3.80	<0.01	28	0.92	1301	<1	59	496	576	0.44	7	19	4391	231	2550	<2	85	15	5	544
102379	201277	<1	<0.01	137	193	2	14	0.89	4	24	162	69	4.20	<0.01	41	1.01	774	<1	71	601	69	0.14	<5	15	4459	219	3038	<2	103	<10	5	86
102380	201278	<1	<0.01	28	129	<2	4	0.96	<4	22	144	58	3.78	<0.01	39	1.07	741	<1	62	578	43	0.10	<5	26	4397	218	2643	<2	88	11	5	60
102381	201279	<1	<0.01	20	58	<2	23	1.31	10	16	124	176	4.36	<0.01	29	1.05	926	<1	52	547	1409	0.31	<5	24	4266	210	2056	<2	61	33	7	2071
102382	201280	<1	0.11	16	264	<2	12	1.82	4	16	50	54	3.74	<0.01	8	0.93	730	<1	39	708	31	0.08	<5	23	3993	384	3357	<2	113	<10	9	35
102383	201281	<1	<0.01	26	171	2	31	0.70	4	23	151	92	3.88	<0.01	33	1.05	827	<1	69	620	266	0.17	6	25	4123	199	2996	<2	110	10	6	274
102384D	201281	<1	<0.01	22	149	2	14	0.61	4	23	152	91	3.89	<0.01	31	1.03	840	<1	72	641	257	0.13	<5	36	3983	195	2999	<2	111	<10	7	277
102385	201282	<1	0.32	27	96	<2	13	0.69	<4	21	138	59	3.51	<0.01	25	1.02	579	<1	62	646	56	0.08	<5	31	3955	206	3177	<2	87	12	6	52
102386	201283	<1	<0.01	30	53	<2	15	0.36	<4	21	123	53	3.45	<0.01	20	1.10	544	<1	58	620	39	0.09	<5	15	3900	176	2884	<2	83	12	5	67
102387	201284	<1	<0.01	23	79	<2	11	<0.01	5	21	135	136	3.52	<0.01	18	0.53	362	<1	63	482	48	0.15	<5	15	4402	166	2401	<2	77	12	2	331
102388	201285	<1	<0.01	21	143	<2	3	1.05	<4	18	119	48	3.05	<0.01	24	0.77	524	<1	54	569	55	0.11	<5	19	4583	206	2700	<2	70	30	4	83
102389	201286	<1	<0.01	14	<1	<2	13	<0.01	<4	13	82	36	2.22	<0.01	9	0.47	382	<1	40	400	44	0.08	<5	23	3494	151	2006	<2	51	35	3	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14368

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441386
Reference: TL14-368
Sample #: 78

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
106274	201287	0.006	
106275	201288	0.026	
106276	201289	0.631	
106277	201290	4.406	
106278	201291	0.136	
106279	201292	2.352	
106280	201293	0.032	
106281	201294	0.011	
106282	201295	1.237	
106283	201296	0.026	
106284	201296 Dup	0.012	
106285	201297	0.023	
106286	201298	0.007	
106287	201299	0.032	
106288	201300	<0.005	
106289	201301	0.025	
106290	201302	0.007	
106291	201303	<0.005	
106292	201304	<0.005	
106293	201305	0.006	
106294	201306	0.006	
106295	201306 Dup	0.007	
106296	201307	<0.005	
106297	201308	0.009	
106298	201309	0.054	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441386
Reference: TL14-368
Sample #: 78

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
106299	201310	0.370	
106300	201311	0.115	
106301	201312	0.026	
106302	201313	0.039	
106303	201314	0.024	
106304	201315	0.030	
106305	201316	0.009	
106306	201316 Dup	0.043	
106307	201317	<0.005	
106308	201318	<0.005	
106309	201319	<0.005	
106310	201320	<0.005	
106311	201321	0.005	
106312	201322	<0.005	
106313	201323	<0.005	
106314	201324	<0.005	
106315	201325	0.007	
106316	201326	0.010	
106317	201326 Dup	0.006	
106318	201327	0.013	
106319	201328	0.010	
106320	201329	0.120	
106321	201330	1.445	
106322	201331	0.237	
106323	201332	0.501	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441386
Reference: TL14-368
Sample #: 78

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
106324	201333	0.008	
106325	201334	0.007	
106326	201335	<0.005	
106327	201336	0.195	
106328	201336 Dup	0.190	
106329	201337	0.026	
106330	201338	0.128	
106331	201339	0.251	
106332	201340	<0.005	
106333	201341	1.777	
106334	201342	0.565	
106335	201343	0.045	
106336	201344	0.025	
106337	201345	0.035	
106338	201346	0.041	
106339	201346 Rep	0.038	
106340	201347	1.474	
106341	201348	0.048	
106342	201349	0.248	
106343	201350	4.713	
106344	201351	>10.000	9.696
106345	201352	0.098	
106346	201353	0.029	
106347	201354	0.768	
106348	201355	0.089	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441386
Reference: TL14-368
Sample #: 78

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
106349	201356	0.074	
106350	201356 Dup	0.090	
106351	201357	0.031	
106352	201358	0.023	
106353	201359	0.010	
106354	201360	<0.005	
106355	201361	0.065	
106356	201362	0.082	
106357	201363	0.027	
106358	201364	0.088	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441386
Reference: TL14-368
Sample #: 78

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	4.303	1.729	0.121
KL05	0.370	0.391	0.013
KL05	0.366	0.391	0.013
KL05	0.396	0.391	0.013
AR01	2.318	1.729	0.121

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441386
Reference: TL14-368
Sample #: 78

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106274	201287	<1	2.04	19	273	<2	<1	1.96	<4	10	12	13	1.73	<0.01	17	0.69	259	<1	23	601	35	0.32	<5	31	4041	313	2330	<2	42	52	3	16
106275	201288	<1	2.42	19	361	<2	<1	2.11	<4	10	11	22	1.75	<0.01	22	0.79	304	4	25	613	74	0.28	<5	28	4284	284	2521	<2	41	25	3	161
106276	201289	<1	3.58	68	274	<2	<1	1.22	6	12	44	126	2.35	<0.01	22	0.72	309	6	42	615	612	2.12	9	41	4418	235	2358	<2	53	89	4	2092
106277	201290	117	0.75	12	260	<2	<1	2.04	4	17	32	108	4.93	<0.01	5	0.82	866	3	25	671	16998	0.28	81	32	4199	397	3095	<2	136	43	10	317
106278	201291	<1	1.45	36	229	<2	1	1.89	<4	9	12	40	1.77	<0.01	18	0.74	426	2	21	581	152	0.84	<5	42	4320	260	2175	<2	36	28	3	279
106279	201292	<1	3.20	30	241	<2	<1	1.70	<4	10	12	70	1.72	<0.01	17	0.80	357	3	29	578	507	0.84	5	25	4209	277	2152	4	37	43	3	828
106280	201293	<1	2.58	20	280	<2	<1	1.74	<4	9	7	15	1.70	<0.01	15	0.73	313	<1	22	549	55	0.30	5	46	4115	291	2299	<2	37	13	3	35
106281	201294	<1	3.11	20	296	<2	<1	1.57	<4	11	6	44	1.84	<0.01	19	0.67	319	1	19	612	131	0.50	<5	32	4212	297	2356	<2	39	25	3	207
106282	201295	3	1.69	17	206	<2	<1	1.28	<4	9	11	95	1.67	<0.01	15	0.75	370	<1	26	557	2974	1.02	5	20	4042	247	2063	2	36	39	3	525
106283	201296	<1	1.90	11	268	<2	<1	1.74	<4	9	9	15	1.62	<0.01	17	0.68	337	2	22	592	55	0.43	7	21	4150	280	2294	<2	39	<10	3	33
106284D	201296	<1	2.95	18	280	<2	<1	1.99	<4	9	7	17	1.78	<0.01	15	0.79	369	<1	23	626	47	0.53	<5	32	3945	295	2470	<2	42	25	3	30
106285	201297	<1	1.65	19	160	<2	<1	1.15	<4	10	7	17	1.69	0.22	10	0.64	315	<1	22	578	32	0.50	5	38	3781	294	2144	<2	38	25	2	41
106286	201298	<1	2.91	14	328	<2	<1	1.58	<4	10	11	14	1.82	<0.01	20	0.58	242	4	38	569	37	0.11	<5	36	4373	364	2149	<2	39	21	2	40
106287	201299	<1	3.49	12	289	<2	<1	1.75	<4	10	9	16	1.83	<0.01	20	0.65	294	3	21	609	62	0.30	<5	50	4381	350	2237	<2	39	21	3	81
106288	201300	<1	2.49	9	273	<2	<1	2.05	<4	17	52	54	3.90	<0.01	10	1.05	758	2	38	754	28	0.09	6	26	4086	411	3437	<2	118	23	12	47
106289	201301	<1	4.56	7	348	<2	<1	1.85	<4	10	23	14	2.59	<0.01	21	0.66	600	4	32	551	37	0.34	<5	49	4340	328	2421	<2	41	10	3	53
106290	201302	<1	4.33	20	280	<2	<1	1.40	<4	9	23	15	2.05	<0.01	15	0.39	506	<1	28	530	33	0.12	<5	29	4190	303	2252	<2	39	25	3	60
106291	201303	<1	2.10	4	175	<2	2	0.83	<4	8	20	12	1.43	<0.01	10	0.25	294	<1	27	499	25	0.11	6	42	4040	282	1999	<2	33	27	2	45
106292	201304	<1	2.16	11	223	<2	<1	0.89	<4	10	22	16	1.56	<0.01	11	0.25	305	<1	33	538	27	0.19	<5	40	3816	298	2433	<2	44	13	2	64
106293	201305	<1	1.68	8	235	<2	2	0.68	<4	8	23	14	1.34	<0.01	8	0.21	254	<1	32	538	31	0.26	<5	53	3950	263	2245	<2	38	19	2	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:52 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441386
Reference: TL14-368
Sample #: 78

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106294	201306	<1	2.13	10	258	<2	<1	0.75	<4	8	20	15	1.38	<0.01	9	0.22	253	<1	30	543	24	0.20	<5	38	4014	271	2222	<2	38	11	<2	42
106295D	201306	<1	2.42	13	188	<2	<1	0.67	<4	9	18	14	1.31	<0.01	6	0.23	242	<1	32	508	21	0.21	<5	47	3707	261	2118	<2	37	27	2	36
106296	201307	<1	2.90	25	338	<2	<1	1.19	<4	19	17	16	1.38	<0.01	11	0.46	332	<1	32	535	29	0.28	<5	44	4019	279	2125	<2	40	35	2	37
106297	201308	<1	2.22	8	350	<2	<1	1.20	<4	10	21	17	1.54	<0.01	12	0.57	311	<1	32	565	29	0.32	14	44	3847	296	2131	<2	43	12	2	30
106298	201309	<1	<0.01	26	467	<2	<1	1.72	<4	10	28	13	1.70	<0.01	20	0.65	425	5	37	527	88	0.49	<5	26	4303	282	2201	<2	39	40	2	354
106299	201310	<1	3.35	68	194	<2	4	0.76	4	16	30	2604	5.44	<0.01	31	0.68	1176	16	25	870	102	5.68	10	37	4289	320	1560	<2	68	54	6	635
106300	201311	<1	4.40	24	380	<2	<1	2.25	<4	9	29	33	1.98	<0.01	16	0.90	651	3	39	507	74	0.89	<5	41	4172	269	1915	<2	34	12	3	121
106301	201312	<1	4.23	22	392	<2	1	1.78	<4	9	31	15	1.95	<0.01	16	0.83	552	2	39	508	71	0.79	<5	36	4066	255	1870	<2	36	16	3	70
106302	201313	<1	2.73	15	293	<2	<1	1.49	<4	11	31	14	1.66	<0.01	13	0.65	582	<1	36	499	42	0.24	5	34	3992	241	1905	<2	38	21	3	50
106303	201314	<1	1.60	18	271	<2	1	0.97	<4	8	15	9	1.30	<0.01	13	0.48	571	<1	25	484	51	0.28	<5	34	4064	232	1759	<2	29	16	2	51
106304	201315	<1	3.20	37	453	<2	<1	0.88	<4	10	24	11	1.79	<0.01	17	0.49	553	2	34	522	58	1.26	<5	34	4119	248	1980	<2	38	27	2	84
106305	201316	<1	2.79	10	318	<2	<1	0.40	<4	8	29	10	1.26	0.47	13	0.37	368	2	43	496	43	0.29	12	38	4258	230	1830	<2	31	24	<2	65
106306D	201316	<1	3.70	6	316	<2	<1	0.47	<4	7	25	10	1.27	<0.01	11	0.39	373	2	43	508	44	0.34	<5	37	4103	233	1812	<2	31	13	2	64
106307	201317	<1	1.27	10	285	<2	1	0.63	<4	7	26	10	1.22	<0.01	9	0.41	401	2	33	544	44	0.23	7	41	4083	239	1693	<2	28	29	<2	41
106308	201318	<1	0.42	7	241	<2	1	0.56	<4	8	26	9	1.51	0.01	6	0.38	379	<1	30	542	43	0.34	<5	22	4002	264	1995	<2	34	31	<2	60
106309	201319	<1	1.79	11	351	<2	<1	0.59	<4	9	17	15	1.41	<0.01	9	0.32	241	<1	30	482	38	0.41	5	45	3960	276	1748	<2	29	12	<2	40
106310	201320	<1	0.82	13	276	<2	<1	1.97	<4	17	56	56	4.08	<0.01	9	0.94	799	1	38	760	25	0.23	<5	11	4073	411	3552	<2	122	20	11	52
106311	201321	<1	2.52	9	424	<2	3	1.46	<4	7	21	11	1.42	<0.01	10	0.50	364	<1	30	472	29	0.27	7	51	3995	303	1634	<2	30	14	2	27
106312	201322	<1	3.76	62	369	<2	1	1.37	<4	8	18	92	1.50	<0.01	14	0.50	325	<1	30	503	79	0.19	<5	43	4109	298	1860	<2	30	27	2	379
106313	201323	<1	2.88	7	321	<2	1	0.94	<4	9	17	13	1.45	<0.01	13	0.41	289	<1	26	490	29	0.12	10	44	4046	287	1907	<2	29	17	2	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:52 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441386
Reference: TL14-368
Sample #: 78

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106314	201324	<1	3.10	20	447	<2	<1	1.36	<4	8	16	48	1.43	<0.01	17	0.48	416	2	26	517	45	0.15	<5	45	4261	325	1876	<2	29	17	2	101
106315	201325	<1	2.06	10	444	<2	<1	0.88	<4	10	15	21	1.21	<0.01	14	0.41	398	<1	27	559	44	0.22	<5	25	4017	320	1911	<2	31	12	2	52
106316	201326	<1	2.89	11	809	2	2	0.91	<4	10	26	20	0.98	<0.01	25	0.19	323	36	24	582	61	0.26	<5	39	>5000	342	2008	<2	28	19	<2	46
106317D	201326	<1	1.92	12	383	<2	3	0.85	<4	8	13	16	1.07	<0.01	11	0.39	381	<1	23	501	37	0.26	<5	40	4004	310	1780	<2	29	17	2	36
106318	201327	<1	1.39	7	350	<2	<1	0.86	<4	9	19	23	1.38	<0.01	12	0.38	477	<1	27	499	56	0.15	<5	38	4171	295	1788	<2	32	32	2	59
106319	201328	<1	1.11	7	397	<2	2	0.70	<4	9	20	18	1.38	<0.01	10	0.35	362	<1	32	513	36	0.18	15	37	4042	302	1780	<2	33	15	<2	51
106320	201329	<1	2.37	22	477	<2	<1	0.12	<4	23	152	63	3.52	<0.01	16	0.64	689	8	94	709	79	0.94	<5	30	4112	217	2414	<2	103	42	7	165
106321	201330	<1	0.81	34	360	<2	<1	1.40	<4	17	49	224	4.11	<0.01	7	0.84	739	9	41	758	32	0.18	<5	30	3901	401	3256	<2	114	35	10	59
106322	201331	<1	0.93	9	285	<2	<1	1.22	<4	24	147	61	3.91	<0.01	24	0.81	1266	2	77	676	97	0.54	<5	33	4086	244	3414	<2	105	25	8	307
106323	201332	<1	2.75	25	405	<2	<1	0.82	<4	12	34	48	1.88	<0.01	19	0.60	624	2	32	522	150	0.80	<5	37	4144	216	2241	<2	47	36	4	307
106324	201333	<1	3.88	12	426	<2	<1	1.88	<4	8	16	18	1.54	<0.01	15	0.67	609	<1	27	554	46	0.19	8	18	4107	239	2153	<2	35	22	3	56
106325	201334	<1	3.80	23	412	<2	<1	1.32	<4	10	18	10	1.64	<0.01	19	0.72	643	<1	33	498	44	0.53	6	37	4083	231	2121	3	33	29	2	66
106326	201335	<1	3.10	12	471	<2	<1	1.24	<4	8	27	15	1.47	<0.01	18	0.68	698	4	44	527	155	0.31	6	55	4086	223	2105	<2	35	50	2	741
106327	201336	<1	3.18	15	347	<2	<1	0.88	<4	19	109	51	2.92	<0.01	27	0.79	791	8	78	637	104	0.53	<5	45	4265	205	2984	<2	81	34	7	144
106328D	201336	<1	2.52	37	385	2	3	0.89	<4	21	120	78	3.20	<0.01	30	0.76	863	8	82	683	127	0.46	<5	39	4267	206	3234	<2	88	39	7	252
106329	201337	<1	2.92	22	384	<2	<1	1.12	<4	8	30	18	1.50	<0.01	16	0.65	689	6	48	571	62	0.46	8	41	4227	205	1996	<2	33	37	2	69
106330	201338	<1	2.13	30	323	<2	<1	0.83	<4	8	25	25	1.48	<0.01	18	0.57	628	5	41	581	75	0.49	<5	41	4228	193	2079	<2	36	24	2	84
106331	201339	<1	1.99	27	361	<2	2	0.40	<4	9	18	62	1.54	<0.01	16	0.51	561	2	37	652	108	0.92	5	30	4085	188	2236	<2	38	27	2	157
106332	201340	<1	0.87	16	283	<2	<1	1.86	<4	17	54	57	4.03	<0.01	7	0.93	792	<1	39	784	26	0.16	<5	30	3884	411	3562	<2	123	27	10	48
106333	201341	<1	3.44	31	428	2	3	0.91	<4	10	25	109	1.81	<0.01	18	0.64	754	8	44	707	159	1.13	<5	39	4233	212	2463	5	42	34	2	247

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-07/23/2014 3:52 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441386
Reference: TL14-368
Sample #: 78

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106334	201342	<1	3.60	27	463	<2	<1	1.65	<4	11	47	52	2.01	<0.01	23	0.87	961	7	51	763	198	0.84	8	32	4198	225	2468	<2	43	25	4	258
106335	201343	<1	2.08	20	425	<2	<1	1.22	<4	9	22	16	1.66	<0.01	19	0.62	794	8	39	638	66	0.46	<5	45	4255	205	2301	5	38	24	2	69
106336	201344	<1	2.42	13	334	<2	<1	1.70	<4	8	19	13	1.74	<0.01	19	0.74	982	5	37	664	63	0.26	8	36	4153	215	2316	<2	38	25	3	78
106337	201345	<1	4.16	16	360	<2	<1	1.92	<4	9	17	22	1.90	<0.01	21	0.82	980	1	34	715	78	0.71	<5	34	3958	224	2561	3	39	37	3	120
106338	201346	<1	3.15	36	318	<2	2	1.62	<4	9	22	30	1.78	<0.01	18	0.80	928	3	42	649	84	0.61	<5	40	3979	212	2285	<2	38	17	3	172
106339R	201346	<1	<0.01	23	265	<2	<1	0.73	<4	9	16	27	1.75	<0.01	16	0.41	901	<1	29	561	91	0.53	<5	20	4763	190	2213	<2	36	22	<2	224
106340	201347	<1	<0.01	24	390	<2	1	0.82	<4	8	25	33	1.58	<0.01	22	0.46	855	6	43	565	84	0.48	<5	22	4346	198	2274	<2	39	30	2	256
106341	201348	<1	<0.01	25	432	<2	2	1.20	<4	10	20	21	1.54	<0.01	23	0.51	966	8	36	539	145	0.51	11	33	4477	207	2300	<2	39	20	2	255
106342	201349	<1	<0.01	34	406	<2	2	0.77	6	8	27	65	1.82	<0.01	20	0.49	875	6	43	571	565	1.15	6	21	4370	196	2115	2	37	88	2	1865
106343	201350	116	<0.01	20	312	<2	<1	2.25	5	17	36	111	5.34	<0.01	8	0.84	940	6	24	687	16454	0.30	87	14	4366	419	3272	<2	147	23	10	360
106344	201351	2	<0.01	25	429	<2	<1	0.90	4	9	28	287	1.84	<0.01	25	0.41	685	8	43	587	1152	0.92	11	21	4584	215	2364	<2	41	77	2	1497
106345	201352	<1	0.43	41	359	<2	1	0.77	<4	10	23	23	1.68	<0.01	20	0.52	694	4	41	640	67	0.73	6	38	4153	212	2346	<2	40	22	3	102
106346	201353	<1	<0.01	19	278	<2	<1	1.06	<4	9	21	20	1.55	<0.01	17	0.53	758	3	38	593	43	0.27	<5	34	4202	222	2115	<2	34	14	2	60
106347	201354	<1	<0.01	8	361	<2	<1	0.85	<4	10	27	35	1.83	<0.01	22	0.55	712	6	47	666	71	0.31	<5	27	4058	227	2291	<2	41	21	2	93
106348	201355	<1	<0.01	13	74	<2	<1	2.72	<4	30	66	68	4.70	<0.01	24	1.16	968	5	72	694	41	0.20	<5	9	4106	284	4213	<2	119	27	7	131
106349	201356	<1	<0.01	11	184	2	2	3.71	<4	38	125	62	5.19	<0.01	26	1.23	1238	6	104	859	47	0.38	<5	36	4261	331	4982	<2	139	29	8	132
106350D	201356	<1	<0.01	11	206	<2	1	4.18	<4	42	142	67	5.85	<0.01	30	1.30	1402	6	110	955	42	0.41	<5	8	4177	351	5668	<2	156	41	8	135
106351	201357	<1	<0.01	7	84	<2	<1	2.09	<4	26	79	66	3.76	<0.01	27	0.86	926	<1	70	607	56	0.39	<5	<5	4171	257	3337	<2	88	28	5	135
106352	201358	<1	<0.01	3	32	<2	<1	1.33	<4	16	40	31	2.98	<0.01	29	0.74	615	<1	46	486	30	0.23	<5	23	4022	234	2878	<2	62	30	6	73
106353	201359	<1	<0.01	16	171	<2	<1	1.67	<4	17	61	30	3.00	<0.01	33	0.71	629	4	56	432	32	0.29	<5	31	4285	248	2948	<2	63	19	6	64

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:52 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441386
Reference: TL14-368
Sample #: 78

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106354	201360	<1	<0.01	9	308	<2	<1	2.02	<4	18	57	59	4.21	<0.01	12	0.90	823	5	39	688	35	0.19	5	18	4158	421	3642	<2	128	16	9	56
106355	201361	<1	0.95	39	173	2	<1	1.26	<4	24	133	51	3.68	<0.01	52	0.94	594	13	87	634	62	0.47	<5	31	4495	248	3159	<2	92	31	8	93
106356	201362	1	<0.01	18	214	<2	2	0.33	4	23	175	206	3.73	<0.01	35	0.52	516	11	98	581	250	0.98	8	29	4469	208	2270	<2	93	77	6	1276
106357	201363	<1	0.69	12	196	<2	<1	1.16	<4	22	150	114	3.80	<0.01	46	0.93	897	15	91	672	92	0.56	9	21	4511	225	2804	<2	93	31	8	159
106358	201364	<1	0.64	34	194	<2	<1	0.79	<4	27	165	67	4.34	<0.01	41	1.07	965	10	99	683	43	0.38	<5	38	4289	222	3138	<2	107	<10	8	79

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14369

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441401
Reference: TL14-369
Sample #: 83

Acc #	Client ID	Au g/t (ppm)
106882	201393	<0.005
106883	201394	<0.005
106884	201395	<0.005
106885	201396	<0.005
106886	201397	<0.005
106887	201398	0.223
106888	201399	2.471
106889	201400	0.040
106890	201401	0.083
106891	201402	0.038
106892	201402 Dup	0.523
106893	201403	0.040
106894	201404	0.158
106895	201405	0.237
106896	201406	0.349
106897	201407	0.418
106898	201408	0.588
106899	201409	2.578
106900	201410	2.602
106901	201411	0.021
106902	201412	0.396
106903	201412 Dup	0.398
106904	201413	0.020
106905	201414	0.015
106906	201415	0.050

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441401
Reference: TL14-369
Sample #: 83

Acc #	Client ID	Au g/t (ppm)
106907	201416	0.029
106908	201417	0.027
106909	201418	0.022
106910	201419	0.045
106911	201420	<0.005
106912	201421	0.025
106913	201422	0.017
106914	201422 Dup	0.029
106915	201423	0.148
106916	201424	0.026
106917	201425	0.262
106918	201426	0.068
106919	201427	0.058
106920	201428	0.056
106921	201429	0.024
106922	201430	4.839
106923	201431	0.088
106924	201432	0.059
106925	201432 Dup	0.046
106926	201433	0.066
106927	201434	0.014
106928	201435	0.037
106929	201436	0.258
106930	201437	0.146
106931	201438	0.298

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441401
Reference: TL14-369
Sample #: 83

Acc #	Client ID	Au g/t (ppm)
106932	201439	0.195
106933	201440	0.014
106934	201441	0.071
106935	201442	0.031
106936	201442 Dup	0.028
106937	201443	0.231
106938	201444	0.337
106939	201445	0.312
106940	201446	0.122
106941	201447	0.043
106942	201448	0.046
106943	201449	0.276
106944	201450	0.335
106945	201451	1.302
106946	201452	0.305
106947	201452 Rep	0.274
106948	201453	0.222
106949	201454	0.072
106950	201455	0.044
106951	201456	0.173
106952	201457	0.127
106953	201458	0.350
106954	201459	0.069
106955	201460	0.007
106956	201461	0.787

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441401
Reference: TL14-369
Sample #: 83

Acc #	Client ID	Au g/t (ppm)
106957	201462	0.081
106958	201462 Dup	0.065
106959	201463	0.263
106960	201464	0.135
106961	201465	0.238
106962	201466	0.155
106963	201467	0.090
106964	201468	0.069
106965	201469	0.909
106966	201470	1.453
106967	201471	0.163
106968	201472	0.352
106969	201472 Dup	0.380
106970	201473	0.089
106971	201474	0.037
106972	201475	0.294

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441401
Reference: TL14-369
Sample #: 83

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL05	0.406	0.391	0.013

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441401
Reference: TL14-369
Sample #: 83

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106882	201393	1	3.82	3	201	<2	47	1.30	<4	6	25	14	1.50	<0.01	13	0.86	368	<1	27	465	22	0.47	<5	27	1649	208	1543	<2	31	<10	3	39
106883	201394	1	5.03	15	240	<2	29	1.31	<4	7	28	11	1.63	0.24	8	0.37	322	1	31	439	21	0.41	<5	25	1777	216	1673	<2	33	14	3	50
106884	201395	1	5.85	17	361	<2	63	1.20	<4	7	36	12	1.33	0.19	14	0.44	256	<1	38	409	30	0.37	<5	34	1759	245	1696	<2	35	<10	3	50
106885	201396	1	5.64	7	382	<2	32	0.99	<4	7	31	12	0.97	0.23	12	0.39	213	<1	28	427	37	0.30	<5	21	1843	194	1576	<2	31	<10	2	43
106886	201397	1	5.54	7	403	<2	68	1.44	<4	7	22	19	1.09	0.18	18	0.74	361	1	25	429	39	0.23	<5	38	1813	229	1549	<2	26	11	2	196
106887	201398	1	5.33	28	463	<2	27	0.74	<4	5	24	21	1.27	0.18	13	0.51	253	<1	26	384	64	0.97	<5	37	1876	188	1521	<2	27	13	2	126
106888	201399	3	5.32	29	440	<2	44	0.61	<4	8	20	35	1.65	0.34	17	0.65	398	<1	24	529	63	1.04	<5	27	1862	190	2101	<2	37	18	4	160
106889	201400	<1	3.23	9	273	<2	26	2.02	<4	14	54	47	3.70	0.55	6	1.20	727	1	36	646	37	0.22	<5	15	1699	315	2990	<2	111	<10	12	51
106890	201401	2	5.78	25	426	<2	36	1.85	<4	12	22	21	1.97	0.19	20	0.93	598	<1	26	721	38	0.90	<5	40	1859	174	2862	<2	51	11	4	34
106891	201402	1	5.47	27	189	<2	20	3.85	<4	9	26	54	1.40	0.40	11	0.75	518	<1	28	694	18	0.57	<5	31	1780	99	2863	<2	45	<10	4	<1
106892D	201402	1	5.52	23	192	<2	45	3.91	<4	10	26	57	1.39	0.26	11	0.75	518	<1	27	700	15	0.59	<5	39	1788	98	2873	<2	45	11	4	2
106893	201403	1	4.95	34	317	<2	25	1.80	<4	10	25	25	1.71	0.19	17	0.91	573	<1	35	670	19	0.59	<5	14	1756	103	2588	<2	46	<10	4	6
106894	201404	2	4.97	49	284	<2	21	0.26	<4	12	24	28	1.81	<0.01	23	0.75	468	<1	34	712	14	0.92	<5	16	1890	91	2862	<2	50	<10	3	17
106895	201405	1	5.20	41	235	<2	8	0.17	<4	11	26	22	1.99	0.02	22	0.71	437	<1	32	715	17	1.27	<5	30	1945	95	2851	<2	50	11	4	18
106896	201406	2	5.12	50	217	<2	10	0.17	<4	11	25	32	1.85	0.23	21	0.64	381	<1	33	699	20	1.13	<5	18	1916	93	2856	<2	50	14	4	17
106897	201407	1	5.07	38	332	<2	27	0.57	<4	12	29	23	2.08	0.06	24	0.93	605	<1	31	735	29	1.13	<5	36	1849	125	2825	<2	53	13	5	30
106898	201408	2	4.63	54	314	<2	33	0.04	<4	19	122	53	2.53	0.19	25	0.66	374	2	77	543	48	1.43	<5	22	1868	91	2513	<2	74	<10	8	62
106899	201409	2	6.42	30	272	<2	26	4.25	<4	7	24	16	1.08	0.39	12	0.46	415	2	28	446	41	0.73	<5	45	1941	99	1782	<2	32	11	3	4
106900	201410	2	5.35	28	477	<2	22	0.91	<4	8	28	15	1.63	0.56	17	0.74	436	<1	29	426	31	1.00	<5	16	1948	133	1679	<2	32	10	3	14
106901	201411	1	5.59	7	235	<2	51	3.51	<4	5	28	6	0.83	0.38	11	0.64	398	<1	23	415	12	0.24	<5	34	1850	104	1552	<2	26	<10	3	9

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:38 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441401
Reference: TL14-369
Sample #: 83

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106902	201412	2	6.47	34	270	<2	41	3.38	<4	9	28	36	1.32	0.59	15	0.63	393	<1	27	441	25	0.91	<5	35	1939	108	1778	<2	35	11	4	8
106903D	201412	1	6.25	23	253	<2	11	3.29	<4	8	26	34	1.29	0.39	14	0.62	384	<1	27	433	22	0.83	8	42	1890	106	1739	4	34	11	3	5
106904	201413	2	5.47	9	389	<2	33	0.50	<4	6	30	18	1.23	0.12	23	0.97	498	<1	23	438	26	0.26	<5	45	1918	164	1752	<2	33	12	4	21
106905	201414	1	5.30	15	417	<2	21	0.44	<4	6	19	8	0.97	<0.01	17	0.67	345	<1	19	409	16	0.29	<5	33	1895	194	1572	<2	26	<10	3	19
106906	201415	1	4.85	18	286	<2	16	0.69	<4	5	15	6	1.18	<0.01	16	0.60	320	<1	20	388	31	0.47	<5	26	1727	232	1448	<2	25	<10	3	19
106907	201416	1	3.72	12	245	<2	28	0.91	<4	4	29	12	0.99	0.28	12	0.42	278	<1	24	321	47	0.29	<5	26	1909	199	1176	<2	21	<10	2	42
106908	201417	1	5.59	9	339	<2	49	1.27	<4	6	17	15	1.31	0.28	17	0.48	378	<1	20	423	57	0.19	<5	29	1903	246	1603	4	26	<10	2	58
106909	201418	1	3.02	11	357	<2	3	0.52	<4	6	19	10	1.16	0.47	11	0.34	308	<1	19	373	25	0.26	<5	25	1689	226	1559	<2	25	<10	2	31
106910	201419	1	5.56	12	406	<2	39	1.23	<4	6	23	7	1.26	0.22	13	0.59	467	<1	24	425	29	0.22	<5	27	1798	327	1588	<2	27	10	3	62
106911	201420	1	3.91	12	327	<2	86	2.34	4	17	60	51	4.04	0.30	8	1.31	798	2	40	713	13	0.14	<5	17	1793	341	3252	<2	122	10	14	51
106912	201421	1	5.63	6	447	<2	43	0.83	<4	6	19	9	1.51	0.48	15	0.73	548	<1	21	434	34	0.19	<5	35	1813	304	1736	<2	27	<10	3	69
106913	201422	1	4.91	13	321	<2	40	1.28	<4	9	16	16	1.31	0.58	12	0.68	501	<1	22	414	30	0.36	<5	46	1722	183	1647	<2	25	<10	3	31
106914D	201422	1	4.93	15	353	<2	21	1.40	<4	8	20	20	1.37	0.58	13	0.68	523	1	22	435	37	0.17	<5	24	1780	191	1723	<2	26	11	3	49
106915	201423	1	2.90	27	203	<2	<1	0.69	<4	11	22	5	1.28	0.43	2	0.34	296	2	28	350	22	0.99	<5	30	1609	139	1647	<2	26	11	2	11
106916	201424	<1	3.69	9	294	<2	51	0.67	<4	7	19	6	1.11	0.53	6	0.51	406	<1	11	380	14	0.43	<5	24	1699	140	1721	9	33	<10	2	13
106917	201425	1	3.55	30	171	<2	55	<0.01	<4	8	23	9	1.68	0.48	7	0.55	367	<1	12	375	24	1.13	<5	25	1674	130	1563	<2	28	<10	2	19
106918	201426	<1	1.84	13	82	<2	11	<0.01	<4	7	26	8	1.17	0.28	3	0.41	278	<1	10	340	18	0.67	<5	9	1456	109	1321	<2	24	<10	2	8
106919	201427	1	3.09	10	286	<2	31	<0.01	<4	7	29	37	1.46	0.44	13	0.57	382	<1	14	420	34	0.60	<5	18	1606	161	1524	<2	30	<10	2	22
106920	201428	1	3.89	12	399	<2	70	0.17	<4	7	34	9	1.38	0.06	18	0.61	372	<1	14	434	17	0.44	<5	12	1790	150	1713	<2	31	10	2	13
106921	201429	1	3.23	9	367	<2	12	0.50	<4	6	34	82	1.25	0.06	11	0.57	433	<1	15	366	17	0.32	<5	27	1706	161	1456	<2	28	<10	2	11

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-07/23/2014 3:38 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441401
Reference: TL14-369
Sample #: 83

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106922	201430	119	4.34	17	278	<2	25	2.49	8	15	36	95	4.90	<0.01	3	1.17	866	3	24	608	16992	0.29	78	11	1765	327	2775	<2	133	14	15	318
106923	201431	3	4.74	18	433	<2	54	0.46	<4	9	30	61	1.66	0.20	17	0.66	455	<1	13	439	271	0.70	<5	37	1741	248	1615	<2	33	10	3	62
106924	201432	1	5.08	12	433	<2	56	1.10	<4	7	32	13	1.53	0.26	21	0.72	585	2	11	428	160	0.61	<5	27	1803	247	1534	<2	28	10	3	236
106925D	201432	1	5.07	6	430	<2	39	1.11	<4	6	37	12	1.51	0.20	21	0.72	584	2	11	431	156	0.66	<5	35	1797	249	1535	<2	28	13	3	236
106926	201433	1	5.32	16	514	<2	48	0.59	<4	6	29	17	1.34	0.27	21	0.52	483	2	9	415	361	0.65	<5	35	1793	187	1603	<2	27	15	2	557
106927	201434	1	4.18	6	406	<2	59	0.79	<4	5	34	11	1.26	0.26	18	0.59	504	2	7	385	43	0.25	<5	31	1636	225	1499	<2	26	<10	2	67
106928	201435	1	4.49	11	439	<2	16	0.48	<4	5	26	9	1.24	0.14	20	0.63	508	<1	8	398	43	0.32	<5	13	1702	226	1472	<2	24	12	2	99
106929	201436	1	4.66	26	237	<2	66	1.56	<4	16	115	29	2.71	0.15	23	1.22	935	2	39	505	125	0.84	<5	17	1778	179	2331	<2	67	11	9	68
106930	201437	2	5.83	22	282	<2	25	1.31	<4	21	145	50	3.64	0.12	30	1.45	1160	1	60	571	98	1.20	<5	31	1887	176	2839	<2	94	<10	12	153
106931	201438	2	4.54	39	213	<2	61	1.26	<4	20	146	97	3.35	0.01	22	1.17	888	3	58	548	113	1.59	<5	26	1807	167	2049	<2	81	<10	11	172
106932	201439	2	4.46	20	285	<2	7	0.92	<4	19	151	103	3.29	0.15	27	1.11	695	2	52	565	98	1.17	<5	10	1805	150	2729	2	81	14	11	263
106933	201440	1	3.52	11	299	<2	23	2.13	<4	15	57	49	3.77	<0.01	8	1.22	748	2	37	666	17	0.24	<5	22	1821	321	3081	<2	115	10	13	45
106934	201441	1	5.02	20	562	<2	32	0.99	<4	7	37	69	1.70	0.07	24	1.04	625	1	11	449	129	0.78	<5	30	1771	156	1877	<2	37	<10	4	182
106935	201442	1	4.86	13	484	<2	30	1.71	<4	7	27	8	1.65	0.28	19	1.21	771	<1	9	459	26	0.71	5	33	1623	147	1834	2	31	12	3	43
106936D	201442	2	5.25	9	493	<2	39	1.80	<4	8	27	7	1.64	0.09	20	1.20	763	<1	8	456	26	0.59	<5	29	1738	151	1825	<2	31	<10	3	42
106937	201443	2	>10.00	32	864	2	45	2.79	<4	11	33	123	2.29	0.80	40	1.37	899	4	12	658	193	0.83	<5	50	2504	224	2409	<2	45	12	4	321
106938	201444	2	5.17	29	527	<2	48	0.65	<4	10	44	73	1.83	0.29	23	0.71	493	1	15	531	139	1.16	<5	28	1914	118	2011	<2	43	15	4	275
106939	201445	1	2.14	13	253	<2	13	0.55	<4	5	28	30	1.19	<0.01	9	0.66	501	<1	7	377	78	0.54	<5	25	1470	97	1407	<2	25	<10	2	95
106940	201446	1	4.45	20	442	<2	34	1.18	<4	8	40	33	1.70	<0.01	17	1.02	792	2	10	521	93	0.88	<5	17	1590	127	1925	<2	34	10	3	131
106941	201447	1	4.94	24	370	<2	58	1.55	<4	7	21	13	1.36	0.18	17	1.08	895	<1	8	536	95	0.62	<5	31	1851	135	1876	<2	32	<10	3	172

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:38 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441401
Reference: TL14-369
Sample #: 83

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106942	201448	1	5.52	20	469	<2	25	1.60	<4	9	27	14	1.33	0.03	17	1.08	960	3	10	506	118	0.58	<5	27	1875	152	1904	<2	32	15	3	144
106943	201449	2	4.81	13	356	<2	27	1.06	5	8	26	29	1.46	<0.01	20	1.03	794	2	9	546	339	0.90	7	27	1775	141	1879	<2	32	19	3	928
106944	201450	3	4.05	55	172	<2	90	0.65	7	13	30	2144	4.67	0.05	22	0.72	1033	14	23	742	93	3.75	<5	16	1942	215	1130	<2	58	20	6	553
106945	201451	33	3.69	26	292	<2	26	0.54	38	7	21	208	2.64	<0.01	15	0.73	590	<1	8	477	10413	1.60	15	25	1833	128	1549	<2	29	153	2	14647
106946	201452	2	4.89	26	325	<2	32	0.81	<4	8	33	38	1.77	0.05	20	0.80	661	<1	10	534	450	1.29	<5	28	1815	144	1820	<2	32	14	3	560
106947R	201452	1	4.30	23	287	<2	37	0.63	<4	7	26	23	1.60	0.13	18	0.75	629	2	7	500	112	1.11	<5	29	1742	135	1706	<2	30	11	3	157
106948	201453	2	4.49	21	316	<2	25	0.09	4	6	27	7	1.34	0.09	20	0.37	212	1	7	504	243	0.93	<5	24	1776	129	1787	<2	30	15	2	798
106949	201454	1	4.79	14	264	<2	54	1.31	<4	8	28	15	1.73	0.51	17	0.83	754	<1	7	554	55	0.68	<5	42	1725	179	1884	<2	34	12	3	91
106950	201455	1	4.76	16	393	<2	13	1.45	<4	5	30	20	1.65	0.30	17	0.88	712	3	6	552	31	0.48	<5	32	1730	189	1925	<2	33	10	3	71
106951	201456	1	5.34	31	515	<2	14	1.75	<4	10	84	17	1.86	<0.01	25	1.31	718	2	27	715	35	1.03	<5	42	1886	225	2025	<2	40	13	4	70
106952	201457	1	5.01	29	442	<2	28	1.19	<4	7	35	43	1.56	0.21	27	1.04	710	3	7	550	90	0.78	<5	18	1766	156	2000	<2	33	<10	3	235
106953	201458	2	5.01	23	460	<2	44	0.14	<4	7	39	149	1.59	<0.01	30	0.63	326	4	9	580	106	0.79	<5	35	1787	116	2026	3	36	14	3	473
106954	201459	1	5.19	34	328	<2	68	1.47	4	29	131	83	4.42	0.61	45	1.90	1070	3	81	1098	49	2.01	<5	25	1796	164	3265	<2	112	17	11	418
106955	201460	1	2.91	8	255	<2	74	1.93	<4	14	54	46	3.63	0.18	6	1.18	718	2	35	645	15	0.32	<5	13	1680	305	2969	<2	110	<10	13	49
106956	201461	2	4.18	53	93	<2	70	1.63	6	37	162	55	5.54	0.37	33	2.07	1129	3	92	1343	132	3.59	<5	12	1833	173	4296	<2	139	19	13	532
106957	201462	2	4.10	45	<1	<2	53	2.52	5	43	164	28	5.89	0.45	29	2.95	1495	<1	110	1363	107	2.78	<5	13	1832	183	5644	<2	149	<10	15	184
106958D	201462	2	4.31	52	<1	<2	33	2.57	5	45	167	29	5.97	0.41	30	3.00	1514	<1	113	1404	105	2.76	<5	29	1821	185	5710	<2	151	<10	15	179
106959	201463	2	4.42	30	78	<2	34	0.86	8	40	152	182	5.85	0.39	41	2.38	905	4	95	1457	134	2.01	<5	13	1837	188	2879	<2	134	22	13	798
106960	201464	2	4.82	26	127	<2	41	1.73	5	36	154	104	5.41	0.24	41	2.61	1440	2	88	1263	163	1.76	<5	14	1942	185	4322	<2	138	12	14	285
106961	201465	2	4.25	21	112	<2	32	2.79	4	41	165	66	4.69	0.04	33	1.72	1038	3	101	1249	56	1.52	<5	17	1870	199	6710	<2	128	15	14	190

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-07/23/2014 3:38 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/21/2014
Job #: 201441401
Reference: TL14-369
Sample #: 83

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106962	201466	1	4.06	22	116	<2	38	2.62	4	37	159	61	4.47	0.06	32	1.66	1007	<1	94	1207	49	1.46	<5	7	1813	193	6315	<2	124	11	13	256
106963	201467	2	4.52	20	98	<2	33	3.21	4	32	131	58	4.46	0.43	30	2.12	1221	2	77	1024	53	0.79	<5	13	1760	200	5882	<2	114	16	11	282
106964	201468	2	5.16	25	6	<2	48	4.41	7	51	188	69	7.47	0.27	30	2.88	2041	1	109	1631	39	1.10	<5	5	1894	210	9525	<2	181	12	19	208
106965	201469	3	4.96	38	121	<2	36	4.17	7	49	177	178	6.09	0.33	35	2.23	1826	<1	86	1522	109	2.25	<5	12	1889	221	8725	<2	169	20	18	742
106966	201470	2	3.68	23	389	<2	39	1.82	<4	14	53	211	4.00	0.04	9	1.12	728	10	41	679	20	0.34	<5	21	1813	323	3064	<2	109	12	13	65
106967	201471	2	5.67	35	199	2	57	1.88	<4	21	159	60	3.22	0.38	34	1.61	872	4	55	780	70	0.94	5	14	2146	168	3365	<2	95	14	13	161
106968	201472	5	3.40	80	110	<2	41	0.85	8	17	134	260	3.62	0.06	21	1.06	689	2	48	498	800	3.15	5	16	1798	119	2417	<2	82	31	10	1788
106969D	201472	6	4.58	92	172	<2	24	1.14	10	19	154	281	4.02	0.42	26	1.17	748	4	53	554	893	3.66	8	14	1976	134	2547	<2	90	37	11	2017
106970	201473	2	5.12	22	209	<2	47	1.43	<4	18	130	58	3.25	0.32	32	1.58	955	2	54	546	58	1.38	<5	28	1921	151	2626	<2	81	<10	10	125
106971	201474	2	4.80	11	238	<2	37	0.95	<4	20	146	35	3.65	0.31	30	1.73	715	2	59	559	37	1.12	<5	13	1878	137	2320	<2	91	10	9	131
106972	201475	2	5.93	25	265	2	54	0.47	<4	25	192	54	4.43	0.04	39	1.80	664	4	78	716	34	1.03	<5	22	1912	128	2507	<2	126	16	10	128

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

TL14370

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/17/2014
Job #: 201441402
Reference: TL14-370
Sample #: 56

Acc #	Client ID	Au g/t (ppm)
106973	201476	0.019
106974	201477	0.009
106975	201478	0.006
106976	201479	0.249
106977	201480	<0.005
106978	201481	0.018
106979	201482	<0.005
106980	201483	0.010
106981	201484	0.011
106982	201485	0.058
106983	201485 Dup	0.065
106984	201486	0.050
106985	201487	0.008
106986	201488	0.012
106987	201489	<0.005
106988	201490	4.882
106989	201491	0.017
106990	201492	0.012
106991	201493	0.014
106992	201494	0.103
106993	201495	0.065
106994	201495 Dup	0.095
106995	201496	0.091
106996	201497	0.015
106997	201498	0.010

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/17/2014
Job #: 201441402
Reference: TL14-370
Sample #: 56

Acc #	Client ID	Au g/t (ppm)
106998	201499	0.011
106999	201500	<0.005
107000	201501	0.011
107001	201502	0.010
107002	201503	0.012
107003	201504	0.009
107004	201505	0.016
107005	201505 Dup	0.016
107006	201506	0.015
107007	201507	0.006
107008	201508	0.015
107009	201509	0.013
107010	201510	0.406
107011	201511	0.022
107012	201512	0.017
107013	201513	<0.005
107014	201514	<0.005
107015	201515	0.014
107016	201515 Dup	<0.005
107017	201516	0.011
107018	201517	<0.005
107019	201518	<0.005
107020	201519	0.011
107021	201520	<0.005
107022	201521	0.008

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/17/2014
Job #: 201441402
Reference: TL14-370
Sample #: 56

Acc #	Client ID	Au g/t (ppm)
107023	201522	<0.005
107024	201523	0.022
107025	201524	0.005
107026	201525	0.009
107027	201525 Dup	0.012
107028	201526	0.005
107029	201527	0.060
107030	201528	0.019
107031	201529	0.012
107032	201530	1.530
112668	201531	0.027

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 17, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/17/2014
Job #: 201441402
Reference: TL14-370
Sample #: 56

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL05	0.382	0.391	0.013
O203	0.865	0.871	0.030

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/17/2014
Job #: 201441402
Reference: TL14-370
Sample #: 56

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106973	201476	2	5.87	21	406	<2	21	1.15	<4	9	29	15	1.67	0.09	18	0.84	549	2	13	597	45	0.75	<5	46	1955	131	2254	<2	41	11	3	116
106974	201477	3	5.44	16	406	<2	26	1.53	<4	9	81	21	1.99	0.27	20	0.99	656	2	12	595	51	0.97	<5	17	1959	138	2208	<2	42	11	3	106
106975	201478	2	6.04	19	435	<2	20	1.78	<4	9	27	16	1.98	0.33	23	1.13	640	<1	11	605	76	1.03	<5	37	1951	152	2226	<2	42	13	4	84
106976	201479	13	5.61	29	528	<2	69	0.56	5	8	31	154	1.86	<0.01	22	0.70	332	2	10	517	765	1.26	10	41	2027	138	2132	<2	39	25	3	1096
106977	201480	<1	4.02	10	340	<2	65	2.37	<4	17	60	51	4.04	0.15	8	1.33	800	3	39	715	20	0.24	<5	32	1859	340	3263	<2	124	15	14	54
106978	201481	2	5.30	18	524	<2	34	1.62	<4	9	37	17	1.98	0.14	19	1.03	498	5	14	568	49	0.77	<5	26	1865	158	2094	<2	37	12	4	253
106979	201482	2	5.22	9	469	<2	12	2.50	<4	7	46	12	1.66	0.12	10	0.83	386	4	9	577	32	0.26	<5	23	1881	205	1833	<2	36	10	3	61
106980	201483	1	5.88	6	323	3	12	1.94	<4	8	30	26	1.88	0.29	17	0.82	300	3	11	610	47	0.35	5	26	1856	215	2118	<2	40	13	4	96
106981	201484	1	5.26	10	218	<2	<1	1.52	<4	9	36	25	1.90	0.18	17	0.85	319	2	11	548	68	0.73	<5	37	1824	212	2001	<2	40	14	3	206
106982	201485	3	4.75	24	440	<2	33	0.06	5	7	22	50	1.22	<0.01	11	0.32	117	<1	8	531	373	0.85	<5	25	1923	139	1995	<2	38	25	3	1078
106983D	201485	3	5.28	12	486	<2	45	0.12	5	8	23	53	1.30	<0.01	13	0.34	122	2	9	550	388	0.83	<5	47	1947	146	2114	<2	40	26	3	1157
106984	201486	2	5.16	8	480	<2	16	0.09	5	7	22	49	1.22	<0.01	12	0.33	123	2	8	559	268	0.86	<5	32	1942	142	2096	<2	40	30	3	1223
106985	201487	1	5.83	13	599	<2	12	2.25	<4	9	26	13	1.90	0.38	20	1.03	433	<1	11	603	47	0.34	<5	22	1858	230	2255	<2	40	13	3	68
106986	201488	1	5.73	8	544	3	61	2.68	<4	9	31	14	2.00	0.50	14	0.85	351	2	10	602	37	0.49	<5	21	1886	300	1963	<2	37	13	4	67
106987	201489	<1	<0.01	8	<1	<2	15	<0.01	<4	1	57	4	0.27	<0.01	<1	0.04	<100	4	4	<100	15	0.16	<5	11	1860	72	222	<2	3	<10	<2	4
106988	201490	119	4.26	21	262	<2	9	2.45	8	15	39	94	4.83	0.31	3	1.15	846	2	25	598	17189	0.32	75	11	1763	324	2705	<2	133	19	15	311
106989	201491	2	5.55	12	342	2	54	2.14	<4	7	33	11	1.71	0.62	16	0.92	360	1	8	580	220	0.30	<5	24	1774	256	1793	<2	38	15	3	55
106990	201492	<1	5.17	6	194	<2	30	1.54	<4	8	23	4	1.64	0.55	15	0.82	373	<1	9	561	25	0.36	<5	32	1776	186	2207	<2	40	11	3	58
106991	201493	1	5.25	17	244	<2	38	1.74	<4	8	30	8	1.75	0.56	16	0.94	454	1	9	554	38	0.64	<5	19	1812	175	2063	<2	39	<10	3	61
106992	201494	1	4.13	29	222	<2	42	<0.01	<4	8	27	20	1.59	0.45	6	0.28	127	5	9	454	31	1.09	<5	22	1872	133	1791	2	34	14	3	213

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/17/2014
Job #: 201441402
Reference: TL14-370
Sample #: 56

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106993	201495	1	5.01	26	243	<2	2	0.03	<4	8	32	9	1.44	0.26	7	0.27	132	3	9	496	34	0.92	<5	27	1993	130	1900	<2	37	14	3	71
106994D	201495	1	4.62	36	223	<2	<1	<0.01	<4	6	35	9	1.46	0.15	6	0.27	133	2	7	497	35	0.86	<5	22	1901	124	1886	<2	37	12	3	75
106995	201496	2	4.77	28	303	<2	10	0.37	<4	8	79	15	1.42	0.18	14	0.43	222	3	13	529	54	0.73	<5	29	2003	131	2058	<2	39	17	3	87
106996	201497	2	4.89	12	328	<2	52	1.79	<4	11	47	23	2.08	0.32	18	0.94	464	2	16	568	42	0.47	<5	24	1844	167	2203	<2	47	15	4	73
106997	201498	2	5.54	8	346	2	49	1.84	<4	10	53	23	2.07	0.60	18	0.92	460	<1	16	625	45	0.40	<5	22	1552	197	2264	<2	45	14	5	88
106998	201499	1	6.05	7	408	<2	17	2.06	<4	10	29	4	2.23	0.25	18	0.84	344	<1	12	607	24	0.34	<5	37	1826	192	2292	<2	42	12	4	63
106999	201500	<1	4.05	17	333	<2	101	2.36	<4	17	60	53	4.03	0.24	9	1.31	787	2	38	710	16	0.24	<5	20	1820	341	3252	<2	122	<10	14	56
107000	201501	1	6.12	11	309	<2	25	2.07	<4	8	23	6	2.12	0.40	18	0.86	367	1	11	617	19	0.46	<5	31	1848	199	2213	<2	43	11	4	53
107001	201502	1	5.53	9	342	<2	61	1.52	<4	8	23	7	1.72	0.41	17	0.79	358	<1	9	578	17	0.39	<5	38	1753	195	2168	<2	40	<10	3	43
107002	201503	2	5.34	21	345	<2	47	1.77	<4	8	31	15	1.80	0.46	23	1.14	388	1	11	487	173	0.61	<5	24	1832	220	1916	<2	39	10	4	71
107003	201504	1	5.37	12	481	<2	14	1.38	<4	9	36	10	1.95	0.19	23	1.28	402	<1	15	561	24	0.61	<5	24	1838	224	2180	<2	42	<10	5	35
107004	201505	2	4.27	11	231	<2	32	2.38	<4	13	86	29	2.77	0.66	18	1.66	651	4	33	530	36	0.88	<5	22	1829	197	2188	<2	58	<10	8	84
107005D	201505	1	5.32	12	298	<2	39	2.34	<4	10	68	24	2.07	0.64	19	1.33	509	3	25	401	25	0.87	<5	29	1396	148	1657	<2	43	<10	6	68
107006	201506	2	4.62	10	219	<2	24	2.33	<4	15	99	20	2.89	0.29	20	1.75	700	3	37	530	36	0.98	<5	19	1857	185	2320	<2	63	14	8	68
107007	201507	1	5.26	17	235	<2	24	2.07	<4	7	22	8	1.63	0.26	17	1.32	432	2	7	481	29	0.65	<5	33	1855	204	1734	<2	32	11	4	68
107008	201508	1	2.94	14	190	<2	<1	1.01	<4	5	15	5	1.07	0.37	16	0.76	361	<1	5	286	21	0.46	<5	19	1906	146	1180	<2	18	<10	2	16
107009	201509	1	5.63	7	203	<2	5	0.25	<4	4	34	7	1.13	0.14	22	0.76	258	4	5	288	20	0.27	<5	27	1849	107	1318	<2	20	<10	3	12
107010	201510	3	4.76	52	187	<2	<1	0.74	7	13	31	2280	4.99	0.19	25	0.78	1084	14	24	788	88	3.19	<5	17	1906	226	1197	<2	62	20	6	583
107011	201511	1	5.08	10	188	<2	69	0.69	<4	4	30	37	1.07	0.31	19	0.70	284	4	4	292	14	0.46	<5	27	1792	115	1208	<2	19	11	2	27
107012	201512	1	5.23	11	146	<2	<1	1.04	<4	6	26	6	1.03	0.25	20	0.99	453	3	7	278	31	0.30	<5	41	1823	127	1187	2	18	<10	2	26

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/17/2014
Job #: 201441402
Reference: TL14-370
Sample #: 56

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107013	201513	1	4.31	10	168	<2	29	0.62	<4	4	21	6	0.82	0.28	19	0.74	249	1	4	265	22	0.28	<5	32	1813	120	1050	<2	15	<10	2	14
107014	201514	1	5.26	7	151	<2	26	0.91	<4	4	22	11	1.03	0.24	22	0.88	308	3	5	309	17	0.21	<5	42	1782	116	1218	<2	19	<10	2	14
107015	201515	1	5.16	12	168	<2	35	1.26	<4	6	34	10	1.23	<0.01	23	0.90	355	4	6	355	59	0.28	<5	32	1783	118	1174	<2	19	12	2	27
107016D	201515	1	4.67	11	149	<2	23	1.14	<4	6	31	9	1.16	0.10	21	0.86	342	4	7	344	61	0.31	<5	22	1752	113	1127	<2	18	<10	2	26
107017	201516	1	5.03	7	179	<2	21	2.12	<4	4	30	5	1.36	0.40	13	1.43	585	3	4	300	24	0.26	<5	31	1825	130	1144	<2	17	<10	3	18
107018	201517	<1	4.78	8	177	<2	24	1.59	<4	4	23	5	1.13	0.46	15	1.19	466	1	5	282	21	0.36	<5	35	1813	130	1160	7	17	<10	3	14
107019	201518	1	5.02	3	201	<2	17	2.11	<4	5	15	11	1.35	0.44	16	1.31	501	<1	4	297	20	0.24	<5	20	1885	134	1176	<2	17	11	3	30
107020	201519	1	4.70	6	191	<2	40	1.86	<4	5	14	16	1.35	0.39	13	1.22	503	<1	4	286	25	0.33	<5	37	1852	131	1100	<2	17	<10	3	19
107021	201520	<1	3.65	17	307	<2	60	2.22	<4	15	57	49	3.91	0.14	7	1.28	771	1	37	671	16	0.22	<5	13	1764	329	3173	<2	119	<10	13	45
107022	201521	1	5.76	2	161	<2	50	1.55	<4	4	18	4	1.21	0.27	17	1.19	335	<1	5	307	24	0.23	<5	38	1930	127	1261	<2	18	<10	3	30
107023	201522	1	5.98	11	166	<2	72	1.70	<4	5	20	3	1.42	0.19	20	1.41	396	<1	5	328	24	0.35	<5	37	1824	132	1365	<2	20	<10	3	32
107024	201523	1	5.29	10	150	<2	30	1.03	<4	4	24	5	1.42	0.27	21	0.98	302	1	5	309	20	0.50	<5	30	1830	122	1220	<2	19	<10	3	18
107025	201524	1	8.33	7	298	<2	63	2.34	<4	5	19	6	1.43	0.94	24	1.41	502	3	6	395	32	0.48	<5	51	2330	172	1445	<2	23	18	3	25
107026	201525	1	5.39	13	127	<2	24	1.38	<4	3	25	9	1.30	0.44	16	1.08	354	3	5	311	35	0.18	<5	23	1818	122	1268	<2	19	10	3	42
107027D	201525	<1	4.96	8	106	<2	35	1.26	<4	4	18	9	1.23	0.34	15	1.06	343	2	4	310	32	0.25	<5	29	1724	118	1216	<2	18	12	3	41
107028	201526	1	5.20	7	121	<2	24	1.29	<4	4	17	10	1.21	0.29	16	1.04	336	<1	5	296	22	0.22	<5	38	1820	121	1226	<2	18	13	3	45
107029	201527	1	4.88	5	127	<2	37	1.14	<4	5	18	8	1.26	0.48	16	1.08	351	2	5	290	39	0.26	<5	22	1765	121	1226	3	18	12	3	44
107030	201528	1	4.82	2	155	<2	15	0.43	<4	4	19	8	1.06	0.31	12	0.76	246	<1	5	287	229	0.36	<5	25	1776	109	1219	<2	18	<10	2	176
107031	201529	1	5.15	6	173	<2	45	0.93	<4	5	15	4	1.15	0.61	14	0.99	319	<1	4	314	36	0.35	<5	37	1816	120	1257	<2	19	10	3	39
107032	201530	1	3.21	17	354	<2	40	1.61	<4	13	49	193	3.75	0.18	7	1.05	674	10	38	638	25	0.33	<5	15	1740	307	2717	<2	103	13	12	50

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-07/23/2014 3:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/27/2014
Date Completed: 07/17/2014
Job #: 201441402
Reference: TL14-370
Sample #: 56

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112668	201531	1	5.70	8	177	<2	<1	1.16	<4	4	69	5	1.24	<0.01	12	1.18	352	1	6	346	33	0.15	5	41	1921	122	1307	<2	19	<10	3	39

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:35 PM

TL14371

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/21/2014
Job #: 201441414
Reference: TL14-371
Sample #: 86

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108483	201532	<1	0.86	20	282	<2	<1	1.26	<4	6	12	12	1.13	<0.01	13	0.41	394	3	23	491	34	0.28	<5	33	4224	290	1694	<2	30	14	<2	39
108484	201533	<1	<0.01	14	323	<2	1	1.12	<4	6	18	10	1.68	<0.01	14	0.40	440	3	33	490	41	0.57	<5	26	4230	300	1832	<2	30	<10	2	49
108485	201534	<1	0.32	20	311	<2	<1	1.57	<4	9	21	22	1.53	<0.01	14	0.36	549	3	41	589	60	0.79	<5	36	4175	368	1930	<2	34	13	2	51
108486	201535	<1	0.85	18	349	<2	<1	0.65	<4	7	14	30	1.18	<0.01	13	0.31	330	3	28	492	68	0.81	8	38	4247	306	1917	<2	31	<10	<2	83
108487	201536	<1	<0.01	21	235	<2	<1	0.41	<4	6	21	9	1.06	<0.01	14	0.19	310	<1	33	301	44	0.56	7	12	4392	317	1617	<2	29	19	<2	41
108488	201537	<1	<0.01	17	203	<2	<1	0.32	<4	7	19	9	1.31	<0.01	15	0.24	367	<1	33	305	45	0.86	<5	24	4125	317	1730	<2	35	25	<2	44
108489	201538	<1	<0.01	11	343	<2	<1	1.17	<4	22	142	61	3.59	<0.01	22	0.54	541	3	81	475	47	0.51	5	16	4402	361	3228	<2	92	26	5	101
108490	201539	<1	<0.01	4	259	2	<1	1.25	<4	22	100	42	3.35	<0.01	23	0.67	520	16	61	461	38	0.62	6	13	4560	422	2795	<2	79	24	4	46
108491	201540	<1	<0.01	14	294	<2	<1	1.90	<4	17	54	60	3.90	<0.01	11	0.83	762	3	38	651	41	0.11	<5	22	4294	405	3359	<2	119	33	7	125
108492	201541	<1	<0.01	13	265	<2	<1	1.17	<4	25	142	65	4.34	<0.01	26	0.85	695	6	90	657	48	0.46	8	13	4334	430	3636	<2	107	28	6	45
108493D	201541	<1	0.30	3	326	<2	3	1.36	<4	27	146	68	4.45	<0.01	29	0.91	712	11	93	719	43	0.43	<5	47	4511	449	3775	<2	109	21	6	41
108494	201542	<1	<0.01	4	316	<2	<1	1.16	<4	25	152	50	3.94	<0.01	27	0.78	647	9	85	665	45	0.46	<5	21	4457	435	3661	<2	105	31	6	57
108495	201543	<1	<0.01	7	317	<2	<1	0.51	<4	19	92	39	3.23	<0.01	21	0.54	480	3	63	740	36	0.81	<5	15	4244	380	2645	<2	79	17	4	62
108496	201544	<1	<0.01	10	229	<2	<1	0.42	<4	26	162	63	4.16	<0.01	25	0.74	518	2	96	662	44	0.59	<5	13	3871	377	3405	<2	102	26	5	67
108497	201545	<1	0.21	23	56	<2	<1	0.23	<4	19	133	41	3.45	<0.01	4	0.93	468	<1	87	582	34	2.62	5	19	2660	454	1477	<2	73	15	8	72
108498	201546	<1	<0.01	22	240	<2	5	0.67	<4	17	127	44	2.97	<0.01	14	0.55	453	4	69	572	45	3.14	<5	26	4050	457	1494	<2	68	26	5	80
108499	201547	<1	<0.01	27	493	<2	<1	1.40	<4	25	203	48	3.77	<0.01	24	0.60	591	4	101	753	48	3.00	<5	<5	4488	500	2839	<2	101	<10	5	81
108500	201548	<1	<0.01	19	357	2	1	1.49	<4	16	57	26	2.91	<0.01	23	0.71	507	5	46	569	38	3.05	6	17	4383	498	1715	<2	57	20	4	48
108501	201549	<1	<0.01	7	308	<2	<1	1.47	<4	9	9	9	1.97	<0.01	21	0.60	433	<1	23	520	31	1.00	<5	21	4117	576	1681	<2	41	11	2	52
108502	201550	122	<0.01	25	265	<2	<1	2.10	5	17	33	103	5.08	<0.01	7	0.80	883	3	25	606	17524	0.22	85	8	4250	410	3002	<2	139	32	7	336

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/21/2014
Job #: 201441414
Reference: TL14-371
Sample #: 86

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108503	201551	<1	<0.01	16	393	2	<1	1.72	<4	18	81	23	3.14	<0.01	21	0.53	489	<1	56	503	188	1.45	7	14	4303	552	2557	<2	76	30	4	52
108504D	201551	<1	<0.01	18	371	<2	<1	1.58	<4	17	78	21	2.97	<0.01	19	0.49	461	3	52	562	35	1.32	6	11	4291	526	2500	<2	72	<10	5	53
108505	201552	<1	<0.01	36	531	<2	1	1.55	<4	18	99	21	3.05	<0.01	24	0.59	520	5	56	670	38	2.30	5	32	4316	512	2421	<2	75	20	6	53
108506	201553	<1	<0.01	19	576	<2	<1	1.29	<4	20	85	36	2.97	<0.01	27	0.48	513	4	50	741	41	1.58	5	30	4491	511	2741	<2	79	12	4	70
108507	201554	<1	<0.01	9	243	<2	<1	0.42	<4	7	8	12	1.30	<0.01	14	0.38	290	<1	17	438	36	0.72	<5	34	4307	352	1519	<2	26	17	<2	69
108508	201555	<1	<0.01	16	349	<2	1	0.14	<4	13	55	25	1.94	<0.01	16	0.37	297	<1	35	502	34	1.14	5	26	4023	389	2069	<2	54	17	3	47
108509	201556	<1	<0.01	24	485	<2	<1	0.85	<4	17	83	35	3.08	<0.01	17	0.45	565	<1	53	659	44	2.78	<5	30	4059	497	2290	<2	75	<10	6	53
108510	201557	<1	0.15	24	446	<2	<1	1.26	<4	10	28	34	2.09	<0.01	20	0.55	746	4	45	735	68	0.93	<5	36	4178	509	2267	<2	46	30	3	87
108511	201558	2	<0.01	60	585	<2	<1	0.07	<4	10	27	29	2.08	<0.01	27	0.31	519	4	41	541	56	1.70	<5	24	4328	429	2407	<2	44	20	2	76
108512	201559	1	<0.01	48	421	<2	1	0.22	<4	9	18	21	1.53	<0.01	21	0.35	480	<1	34	461	43	1.18	<5	30	4165	356	2060	<2	38	43	2	68
108513	201560	<1	<0.01	13	267	<2	<1	1.69	<4	16	52	54	3.86	<0.01	11	0.84	751	<1	37	633	47	0.07	6	<5	4108	402	3315	<2	117	<10	7	74
108514	201561	2	<0.01	38	411	<2	<1	0.12	<4	8	14	16	1.66	<0.01	24	0.22	380	2	29	305	46	1.47	<5	29	4437	350	1953	<2	35	15	<2	57
108515D	201561	2	<0.01	49	469	<2	<1	0.07	<4	9	15	17	1.97	<0.01	27	0.24	447	<1	33	379	46	1.80	<5	13	4222	378	2237	<2	39	21	<2	72
108516	201562	3	<0.01	36	342	<2	2	0.52	4	8	26	19	1.58	<0.01	21	0.34	577	5	46	369	192	0.96	<5	24	4363	396	1817	<2	33	61	<2	1373
108517	201563	<1	<0.01	12	435	<2	3	0.78	<4	10	19	16	1.79	<0.01	26	0.34	619	5	36	504	48	0.66	<5	18	4586	363	2389	<2	40	<10	2	79
108518	201564	<1	<0.01	24	429	<2	<1	1.29	<4	9	23	23	1.66	<0.01	27	0.49	591	8	40	529	61	0.69	9	30	4407	372	2124	<2	34	25	3	72
108519	201565	<1	<0.01	33	536	<2	<1	<0.01	<4	9	19	21	1.88	<0.01	19	0.28	305	5	8	472	62	1.71	<5	32	4369	280	2096	<2	34	37	<2	125
108520	201566	<1	0.92	42	559	<2	<1	<0.01	<4	8	41	22	2.11	<0.01	19	0.31	302	12	9	477	222	1.69	<5	28	4380	286	2121	<2	34	33	2	221
108521	201567	<1	0.12	35	425	<2	3	0.21	<4	11	18	16	1.78	<0.01	18	0.28	293	2	10	655	55	1.61	7	28	4183	328	2299	<2	39	28	2	62
108522	201568	<1	<0.01	20	347	<2	<1	0.80	<4	8	22	11	1.56	<0.01	19	0.35	411	3	6	510	41	0.57	<5	32	4069	304	1883	<2	30	23	2	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/21/2014
Job #: 201441414
Reference: TL14-371
Sample #: 86

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108523	201569	<1	<0.01	11	437	<2	<1	0.94	<4	7	25	10	1.50	<0.01	16	0.31	344	2	6	467	48	0.43	<5	31	4203	313	1773	<2	29	10	2	47
108524	201570	<1	1.31	66	412	2	4	1.19	5	18	42	2697	6.30	<0.01	46	0.50	1290	40	30	850	132	4.33	8	18	>5000	372	1703	10	80	50	5	695
108525	201571	<1	<0.01	14	324	<2	<1	0.58	<4	8	28	44	1.70	<0.01	15	0.30	458	<1	9	439	42	0.42	<5	17	3966	294	1883	<2	32	25	2	59
108526D	201571	<1	<0.01	10	358	<2	<1	0.62	<4	8	39	13	1.78	<0.01	16	0.29	466	2	9	445	47	0.35	5	25	4054	298	1930	<2	33	17	2	56
108527	201572	<1	<0.01	17	271	<2	<1	1.22	<4	9	27	18	1.84	<0.01	21	0.57	729	5	9	560	59	0.25	8	20	4242	211	2469	<2	42	17	2	146
108528	201573	<1	3.51	18	354	<2	<1	1.53	<4	10	38	24	2.01	<0.01	22	0.80	874	11	11	686	67	0.44	<5	47	4225	224	2506	<2	43	21	3	103
108529	201574	7	2.92	33	342	<2	<1	0.36	<4	11	47	29	2.08	<0.01	19	0.51	539	7	11	630	163	1.48	<5	39	4072	200	2400	<2	44	25	3	247
108530	201575	<1	4.16	28	419	<2	<1	1.00	<4	11	37	18	2.11	<0.01	25	0.71	763	10	11	681	74	1.28	<5	59	4284	217	2592	<2	46	22	3	118
108531	201576	3	3.54	27	402	<2	<1	0.90	<4	9	22	22	2.01	<0.01	21	0.65	613	4	9	635	192	1.38	10	28	4140	209	2422	4	42	35	3	218
108532	201577	<1	3.56	22	460	<2	2	1.42	<4	11	32	17	1.95	<0.01	22	0.73	545	7	40	654	62	1.04	<5	38	4213	236	2433	<2	43	24	3	66
108533	201578	<1	3.11	20	431	<2	<1	1.26	<4	12	24	18	1.89	<0.01	19	0.60	436	4	34	622	49	1.19	7	31	4179	256	2339	<2	42	22	3	94
108534	201579	<1	0.75	18	356	<2	2	1.53	<4	10	23	18	1.63	<0.01	11	0.50	380	<1	29	601	43	0.50	<5	36	3942	272	2066	<2	38	18	2	65
108535	201580	<1	1.26	12	222	<2	<1	1.67	<4	16	47	51	3.60	<0.01	7	0.92	698	1	33	716	19	0.13	5	30	3907	385	3179	<2	109	26	10	34
108536	201581	<1	1.67	9	477	<2	<1	1.30	<4	8	22	16	1.64	<0.01	19	0.56	407	5	26	628	49	0.64	<5	35	4242	262	2259	3	41	34	2	79
108537D	201581	<1	1.38	16	478	<2	<1	1.27	<4	8	27	16	1.68	<0.01	19	0.56	416	5	33	642	49	0.61	<5	35	4152	260	2287	<2	42	26	2	79
108538	201582	<1	1.13	17	357	<2	<1	1.17	<4	11	20	24	1.76	<0.01	19	0.68	546	2	31	630	65	1.08	<5	44	3983	246	2175	<2	40	31	3	69
108539	201583	5	2.22	27	338	<2	3	<0.01	<4	9	41	113	1.63	<0.01	6	0.21	131	6	55	585	368	1.72	7	17	4078	221	2109	<2	41	43	<2	546
108540	201584	<1	2.96	16	297	<2	<1	2.13	<4	9	33	30	1.91	<0.01	25	0.87	513	7	39	679	78	0.50	5	40	4282	274	2226	<2	41	29	3	83
108541	201585	<1	5.57	33	346	<2	<1	1.79	<4	10	31	39	1.92	<0.01	28	0.73	367	14	38	690	85	1.16	10	49	4770	318	2384	<2	45	33	4	196
108542	201586	<1	4.14	22	315	<2	1	1.18	<4	10	37	45	1.86	<0.01	22	0.66	324	7	51	664	70	0.98	<5	37	4273	279	2397	<2	46	39	3	275

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/21/2014
Job #: 201441414
Reference: TL14-371
Sample #: 86

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108543	201587	<1	3.15	18	141	<2	2	1.42	<4	6	22	17	1.56	<0.01	18	0.79	314	<1	29	610	93	0.38	9	44	3873	261	2150	<2	39	13	3	280
108544	201588	<1	3.65	22	236	<2	<1	1.50	<4	11	20	28	1.79	<0.01	19	0.73	358	2	29	639	68	0.50	<5	44	4077	277	2433	<2	42	30	3	313
108545	201589	<1	3.95	14	430	<2	<1	0.68	<4	9	25	39	1.55	<0.01	15	0.56	254	<1	35	611	63	1.04	<5	36	4015	258	2229	<2	41	32	3	233
108546	201590	<1	1.04	24	324	<2	<1	1.34	<4	16	48	205	3.75	<0.01	9	0.80	668	9	37	702	34	0.19	9	31	3998	380	2983	<2	105	31	9	54
108547	201591	<1	4.00	12	528	<2	2	1.70	<4	11	29	40	1.80	<0.01	16	0.69	351	4	36	673	54	0.35	5	45	4123	306	2435	<2	44	24	3	66
108548R	201591	<1	2.65	9	560	<2	<1	1.60	<4	10	23	37	1.72	<0.01	19	0.58	345	4	28	668	61	0.36	7	31	4238	303	2451	7	43	20	2	61
108549	201592	<1	1.84	4	363	<2	<1	2.02	<4	10	25	10	1.98	<0.01	17	0.70	484	3	30	649	45	0.25	5	39	4082	323	2278	<2	42	17	3	68
108550	201593	<1	1.54	14	236	<2	<1	1.92	<4	9	25	29	1.90	<0.01	16	0.69	465	2	28	637	39	0.46	<5	35	4079	314	2171	<2	41	40	3	92
108551	201594	<1	0.15	11	150	<2	<1	1.52	<4	9	21	22	1.83	<0.01	10	0.62	521	<1	27	603	31	0.50	<5	24	3911	301	2196	<2	40	34	2	72
108552	201595	<1	0.19	8	381	<2	<1	1.47	<4	9	24	12	1.76	<0.01	14	0.52	432	3	28	625	47	0.22	<5	27	4266	310	2193	<2	39	16	2	64
108553	201596	<1	3.25	33	546	2	<1	1.81	<4	11	33	11	2.11	<0.01	14	0.62	430	5	42	660	43	0.74	<5	53	4197	328	2312	<2	40	35	3	58
108554	201597	<1	4.08	8	357	<2	<1	1.88	<4	10	22	14	1.87	<0.01	21	0.76	475	5	26	678	45	0.43	5	45	4374	308	2473	<2	45	15	3	66
108555	201598	<1	4.08	14	192	<2	<1	1.68	<4	9	26	17	1.92	<0.01	18	0.80	549	3	30	637	42	0.46	5	35	4194	263	2455	<2	43	29	3	73
108556	201599	<1	3.67	12	204	<2	<1	2.73	<4	12	28	12	2.38	<0.01	21	1.07	793	9	36	674	41	0.60	<5	40	4374	264	2510	<2	44	29	4	86
108557	201600	<1	3.07	14	313	<2	3	2.18	<4	16	52	53	3.87	<0.01	10	1.08	760	5	39	744	20	0.22	<5	31	4232	414	3425	<2	118	15	12	46
108558	201601	<1	3.44	25	300	2	1	0.34	<4	10	29	20	1.72	<0.01	15	0.40	244	7	41	620	46	1.38	<5	45	4327	231	2316	<2	43	49	2	190
108559D	201601	<1	3.02	25	298	<2	1	0.25	<4	10	36	20	1.78	<0.01	14	0.39	251	9	48	636	51	1.19	6	42	4273	228	2348	<2	44	56	2	205
108560	201602	<1	<0.01	25	330	<2	2	<0.01	<4	11	48	29	1.84	<0.01	13	0.31	244	8	51	546	71	1.58	<5	39	4286	237	2145	<2	45	37	2	95
108561	201603	<1	1.88	7	247	<2	<1	1.11	<4	9	26	23	1.76	<0.01	16	0.62	379	2	27	617	45	0.55	<5	41	4014	261	2205	<2	42	<10	3	69
108562	201604	<1	1.37	31	278	<2	<1	0.77	<4	9	35	24	1.79	<0.01	18	0.53	449	7	46	650	72	0.77	<5	30	4214	254	2320	<2	43	45	3	89

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/23/2014 3:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/21/2014
Job #: 201441414
Reference: TL14-371
Sample #: 86

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108563	201605	<1	2.14	20	332	<2	<1	<0.01	<4	10	43	14	1.16	<0.01	13	0.23	115	8	53	623	35	0.47	<5	49	4401	234	2345	<2	45	50	2	53
108564	201606	<1	1.75	27	327	<2	<1	<0.01	<4	10	36	10	1.03	<0.01	12	0.19	<100	7	47	638	34	0.49	<5	39	4339	216	2335	<2	44	37	2	47
108565	201607	<1	2.82	15	333	<2	<1	1.28	<4	10	28	8	1.88	<0.01	19	0.56	315	4	36	661	36	0.32	<5	40	4126	264	2422	<2	44	32	3	60
108566	201608	<1	3.59	14	386	<2	2	1.23	<4	10	19	10	1.76	<0.01	20	0.57	350	3	23	650	38	0.46	<5	52	4165	271	2511	<2	43	27	3	57
108567	201609	<1	2.43	10	251	<2	2	2.04	<4	11	43	14	2.18	<0.01	21	1.21	386	8	56	626	30	0.54	5	32	4242	294	2100	<2	40	24	3	50
108568	201610	120	1.79	25	277	<2	<1	2.20	4	17	34	103	4.94	<0.01	4	0.84	858	2	24	684	17289	0.31	75	27	4181	405	3045	<2	135	29	11	304
108569	201611	<1	2.59	23	340	<2	<1	2.05	<4	10	33	15	2.04	<0.01	19	0.93	383	10	50	661	147	0.95	7	34	4411	340	2314	<2	43	26	4	48
108570D	201611	<1	1.27	14	303	<2	<1	1.75	<4	9	31	14	1.95	<0.01	17	0.81	366	8	51	641	36	0.83	<5	40	4274	327	2238	<2	41	11	3	47
108571	201612	<1	1.30	18	298	<2	<1	1.39	<4	10	32	30	1.67	<0.01	14	0.74	430	6	52	503	31	0.59	<5	36	4171	267	1899	<2	34	10	3	33
108572	201613	<1	2.28	22	218	<2	1	0.18	<4	5	30	8	1.05	<0.01	17	0.50	263	6	51	378	34	0.59	<5	37	4160	216	1472	<2	23	18	2	18
108573	201614	<1	2.14	24	171	<2	<1	0.79	<4	7	35	8	1.12	<0.01	14	0.65	402	8	61	388	32	0.36	<5	27	4213	209	1430	<2	22	19	2	23
108574	201615	<1	<0.01	17	60	<2	1	<0.01	<4	5	23	7	0.79	<0.01	6	0.37	254	<1	44	332	25	0.47	8	34	3878	177	1342	<2	20	<10	<2	17
108575	201616	<1	1.04	11	183	<2	2	0.92	<4	5	45	9	1.19	<0.01	15	0.57	356	12	74	380	25	0.33	<5	44	4351	205	1481	3	23	27	2	22
108576	201617	<1	2.69	14	173	<2	2	1.19	<4	6	36	8	1.17	<0.01	17	0.69	322	8	56	398	26	0.27	<5	40	4249	207	1517	2	23	18	2	26

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/21/2014
Job #: 201441414
Reference: TL14-371
Sample #: 86

Acc #	Client ID	Au g/t (ppm)
108483	201532	<0.005
108484	201533	<0.005
108485	201534	0.027
108486	201535	0.025
108487	201536	<0.005
108488	201537	<0.005
108489	201538	<0.005
108490	201539	0.005
108491	201540	<0.005
108492	201541	0.028
108493	201541 Dup	0.012
108494	201542	0.015
108495	201543	0.006
108496	201544	0.024
108497	201545	0.015
108498	201546	0.014
108499	201547	0.016
108500	201548	0.007
108501	201549	0.007
108502	201550	5.293
108503	201551	0.023
108504	201551 Dup	0.018
108505	201552	0.009
108506	201553	0.011
108507	201554	0.009

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/21/2014
Job #: 201441414
Reference: TL14-371
Sample #: 86

Acc #	Client ID	Au g/t (ppm)
108508	201555	0.011
108509	201556	0.018
108510	201557	0.016
108511	201558	0.029
108512	201559	0.043
108513	201560	<0.005
108514	201561	0.041
108515	201561 Dup	0.044
108516	201562	0.027
108517	201563	0.007
108518	201564	0.014
108519	201565	0.078
108520	201566	0.199
108521	201567	0.063
108522	201568	0.010
108523	201569	0.008
108524	201570	0.372
108525	201571	0.008
108526	201571 Dup	0.008
108527	201572	<0.005
108528	201573	<0.005
108529	201574	0.073
108530	201575	0.026
108531	201576	0.353
108532	201577	0.017

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/21/2014
Job #: 201441414
Reference: TL14-371
Sample #: 86

Acc #	Client ID	Au g/t (ppm)
108533	201578	0.019
108534	201579	0.006
108535	201580	<0.005
108536	201581	0.007
108537	201581 Dup	<0.005
108538	201582	0.008
108539	201583	0.233
108540	201584	0.013
108541	201585	0.021
108542	201586	0.032
108543	201587	0.011
108544	201588	0.013
108545	201589	0.045
108546	201590	1.391
108547	201591	0.009
108548	201591 Rep	0.011
108549	201592	<0.005
108550	201593	0.006
108551	201594	<0.005
108552	201595	<0.005
108553	201596	0.053
108554	201597	<0.005
108555	201598	<0.005
108556	201599	0.009
108557	201600	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/21/2014
Job #: 201441414
Reference: TL14-371
Sample #: 86

Acc #	Client ID	Au g/t (ppm)
108558	201601	0.139
108559	201601 Dup	0.136
108560	201602	0.306
108561	201603	0.014
108562	201604	0.130
108563	201605	0.011
108564	201606	0.008
108565	201607	0.036
108566	201608	<0.005
108567	201609	<0.005
108568	201610	5.029
108569	201611	<0.005
108570	201611 Dup	<0.005
108571	201612	0.008
108572	201613	0.021
108573	201614	0.007
108574	201615	<0.005
108575	201616	<0.005
108576	201617	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, July 21, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/30/2014
Date Completed: 07/21/2014
Job #: 201441414
Reference: TL14-371
Sample #: 86

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS23	0.811	0.796	0.061
O203	0.882	0.871	0.030

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL161-14RE

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441048
Reference: TL161-14RE
Sample #: 91

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81010	202903	0.061	
81011	202904	0.193	
81012	202905	0.170	
81013	202906	0.147	
81014	202907	0.297	
81015	202908	0.498	
81016	202909	0.082	
81017	202910	1.506	
81018	202911	0.131	
81019	202912	0.017	
81020	202912 Dup	0.014	
81021	202913	0.053	
81022	202914	0.042	
81023	202915	0.069	
81024	202916	0.027	
81025	202917	0.054	
81026	202918	0.012	
81027	202919	0.029	
81028	202920	<0.005	
81029	202921	0.024	
81030	202922	0.049	
81031	202922 Dup	0.055	
81032	202923	0.050	
81033	202924	0.032	
81034	202925	0.046	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441048
Reference: TL161-14RE
Sample #: 91

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81035	202926	0.052	
81036	202927	0.040	
81037	202928	0.038	
81038	202929	0.065	
81039	202930	4.776	
81040	202931	0.096	
81041	202932	0.019	
81042	202932 Dup	0.018	
81043	202933	0.054	
81044	202934	0.129	
81045	202935	0.046	
81046	202936	0.240	
81047	202937	0.022	
81048	202938	0.151	
81049	202939	0.075	
81050	202940	0.009	
81051	202941	0.082	
81052	202942	0.051	
81053	202942 Dup	0.031	
81054	202943	0.452	
81055	202944	0.109	
81056	202945	0.085	
81057	202946	0.019	
81058	202947	0.060	
81059	202948	0.012	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441048
Reference: TL161-14RE
Sample #: 91

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81060	202949	0.013	
81061	202950	0.346	
81062	202951	0.014	
81063	202952	0.042	
81064	202952 Dup	0.018	
81065	202953	0.021	
81066	202954	0.032	
81067	202955	0.221	
81068	202956	0.131	
81069	202957	0.581	
81070	202958	0.027	
81071	202959	0.043	
81072	202960	<0.005	
81073	202961	0.024	
81074	202962	0.022	
81075	202962 Rep	0.010	
81076	202963	0.045	
81077	202964	0.286	
81078	202965	0.363	
81079	202966	0.260	
81080	202967	0.045	
81081	202968	0.721	
81082	202969	1.075	
81083	202970	1.598	
81084	202971	0.638	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441048
Reference: TL161-14RE
Sample #: 91

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81085	202972	0.958	
81086	202972 Dup	1.008	
81087	202973	>6.000	10.606
81088	202974	4.697	
81089	202975	3.485	
81090	202976	3.079	
81091	202977	0.342	
81092	202978	0.277	
81093	202979	0.801	
81094	202980	<0.005	
81095	202981	0.169	
81096	202982	0.027	
81097	202982 Dup	0.029	
81098	202983	0.057	
81099	202984	0.266	
81100	202985	0.085	
81101	202986	0.054	
81102	202987	0.271	
81103	202988	0.031	
81104	202989	1.723	
81105	202990	5.226	
81106	202991	0.083	
81107	202992	0.038	
81108	202992 Dup	0.071	
81109	202993	0.376	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, June 6, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441048
Reference: TL161-14RE
Sample #: 91

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.812	0.804	0.043
SAR7	0.250	0.310	0.015
GS26	0.832	0.804	0.043
GS26	0.856	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441048
Reference: TL161-14RE
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81010	202903	<1	6.84	28	585	2	27	2.64	<4	10	36	70	1.81	0.48	20	1.49	911	3	18	609	156	0.33	7	22	14	230	1722	7	42	24	5	119
81011	202904	1	6.16	33	522	<2	35	1.98	<4	7	37	50	1.57	0.60	17	1.11	733	6	16	595	291	0.22	7	32	15	203	1883	11	39	18	3	334
81012	202905	<1	6.03	45	474	<2	11	1.99	<4	8	31	35	1.64	0.58	15	1.04	722	5	11	604	64	0.29	<5	21	<10	194	1835	5	37	18	4	220
81013	202906	<1	6.51	47	491	<2	27	2.13	<4	8	38	46	1.75	0.54	16	1.14	777	7	12	652	72	0.25	9	15	<10	198	1873	4	39	13	4	137
81014	202907	<1	5.98	47	517	<2	31	2.06	<4	8	19	28	1.58	0.47	20	1.41	885	3	11	579	58	0.34	<5	15	<10	192	1840	7	36	<10	4	44
81015	202908	<1	5.57	36	440	<2	33	1.94	<4	8	18	58	1.72	0.56	21	1.39	950	3	10	538	37	0.22	6	20	11	181	1872	7	35	12	4	48
81016	202909	1	6.35	7	535	<2	43	1.41	<4	14	77	40	2.32	0.54	30	1.66	1214	5	34	461	56	0.17	<5	18	<10	150	1932	7	54	10	7	113
81017	202910	<1	4.85	22	480	<2	37	2.16	<4	16	50	222	3.72	0.52	13	1.07	674	11	43	644	19	0.09	8	18	10	316	2625	14	110	18	13	68
81018	202911	4	5.44	10	563	<2	36	1.86	<4	7	47	286	1.50	0.49	20	1.21	732	5	14	429	407	0.11	<5	28	12	170	1486	6	27	25	3	754
81019	202912	<1	5.57	8	586	<2	24	2.06	<4	7	41	34	1.26	0.52	21	1.17	611	8	12	291	69	0.08	7	22	10	174	1447	5	23	<10	2	90
81020D	202912	<1	5.25	10	564	<2	29	1.96	<4	7	35	33	1.20	0.33	20	1.14	597	5	10	286	65	0.11	<5	27	<10	170	1381	6	22	10	2	91
81021	202913	<1	6.33	8	542	<2	64	1.36	<4	7	28	15	1.38	0.42	21	1.08	490	4	13	420	22	0.14	<5	23	18	162	1732	10	27	<10	2	46
81022	202914	2	5.91	17	510	<2	19	1.71	<4	7	29	26	1.42	0.55	23	1.57	996	4	10	371	817	0.13	7	28	<10	170	1578	8	25	30	3	935
81023	202915	<1	6.02	6	540	<2	22	1.27	<4	6	44	15	1.42	0.56	24	1.24	632	8	11	362	23	0.12	<5	21	<10	174	1620	6	25	<10	2	46
81024	202916	1	5.88	34	579	<2	47	1.40	<4	7	36	17	1.47	0.57	22	1.39	647	5	14	373	464	0.31	8	28	10	166	1633	13	27	15	2	222
81025	202917	4	6.01	17	617	<2	34	3.27	9	7	29	203	2.15	0.65	24	2.53	1305	5	11	653	1269	0.22	9	27	<10	168	1507	8	25	62	4	3423
81026	202918	<1	6.18	18	633	<2	37	1.83	<4	7	38	33	1.37	0.51	24	1.39	596	8	11	498	50	0.15	5	21	<10	170	1588	2	25	<10	2	176
81027	202919	<1	5.35	16	472	<2	25	1.13	<4	6	29	11	1.23	0.32	24	1.04	453	2	9	357	20	0.09	5	24	<10	182	1588	5	24	<10	2	33
81028	202920	1	4.19	13	341	<2	16	2.32	<4	15	51	50	3.47	0.50	11	1.16	681	3	37	620	15	0.08	<5	17	<10	305	2819	8	113	<10	13	50
81029	202921	31	4.28	13	483	2	29	2.98	<4	5	18	140	1.68	0.54	14	1.75	808	<1	9	295	128	0.17	6	20	<10	146	1116	7	18	27	2	1050

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441048
Reference: TL161-14RE
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81030	202922	<1	5.56	17	567	<2	27	1.24	<4	6	32	18	1.19	0.25	26	1.02	391	5	10	345	48	0.19	<5	23	10	128	1568	7	24	<10	2	36
81031D	202922	<1	5.48	13	567	<2	40	1.22	<4	6	30	18	1.19	0.40	26	1.01	395	4	10	351	49	0.20	<5	26	<10	127	1617	6	24	12	2	42
81032	202923	<1	5.17	16	579	<2	25	1.23	<4	6	23	9	1.17	0.33	23	1.02	434	2	11	335	28	0.18	<5	28	<10	140	1543	14	23	<10	2	34
81033	202924	<1	5.61	7	681	<2	9	1.21	<4	6	18	10	1.11	0.40	24	1.07	440	2	32	355	28	0.16	<5	24	<10	159	1624	4	25	10	2	70
81034	202925	<1	5.82	14	552	<2	21	1.57	<4	7	23	12	1.20	0.70	25	1.20	430	2	35	369	15	0.19	<5	23	<10	147	1691	6	26	<10	2	31
81035	202926	<1	4.54	14	453	<2	12	1.27	<4	7	17	12	1.24	0.63	20	1.27	458	<1	29	374	18	0.22	5	14	<10	136	1719	4	26	<10	5	43
81036	202927	<1	6.63	19	541	<2	19	1.37	<4	7	18	17	1.30	0.37	32	1.44	486	3	28	386	19	0.20	<5	28	10	144	1786	7	27	10	2	40
81037	202928	1	6.32	16	472	<2	21	1.79	<4	7	19	14	1.59	0.41	32	1.98	750	3	27	375	27	0.21	<5	24	<10	120	1657	14	26	17	2	373
81038	202929	<1	6.52	17	561	<2	19	1.65	<4	7	19	12	1.29	0.36	31	1.67	674	<1	25	393	22	0.19	<5	24	<10	136	1775	8	28	<10	2	41
81039	202930	116	5.43	16	358	<2	19	2.83	5	15	33	100	4.56	0.42	8	1.10	801	5	26	582	15634	0.10	91	18	13	318	2633	5	134	12	15	307
81040	202931	<1	5.41	21	438	<2	29	1.62	<4	6	17	40	1.18	0.52	25	1.35	582	<1	26	340	52	0.21	<5	22	<10	125	1533	8	24	11	2	150
81041	202932	<1	5.38	20	434	<2	27	1.27	<4	6	20	14	1.52	0.50	23	2.05	757	3	28	360	35	0.21	<5	22	<10	120	1392	6	23	16	2	155
81042D	202932	<1	5.61	21	452	<2	14	1.31	<4	7	17	15	1.58	0.35	24	2.21	784	3	26	357	41	0.25	<5	23	<10	124	1473	9	25	17	2	164
81043	202933	<1	4.94	29	326	<2	48	1.04	<4	7	15	10	1.61	0.25	20	1.74	608	2	25	328	40	0.20	<5	13	<10	121	1352	5	23	<10	2	124
81044	202934	6	4.60	21	388	<2	31	2.65	<4	5	15	25	1.66	0.93	14	2.51	1240	2	23	329	1686	0.18	8	25	<10	139	1249	7	22	104	3	644
81045	202935	<1	5.01	12	456	<2	23	1.06	<4	7	35	5	1.31	0.35	19	1.72	580	<1	28	345	37	0.19	<5	16	<10	134	1418	8	24	14	2	36
81046	202936	5	6.54	53	590	<2	57	1.74	<4	7	24	134	1.47	0.41	25	1.32	466	2	32	407	279	0.29	27	16	<10	156	1772	3	29	18	2	682
81047	202937	<1	5.81	30	438	<2	40	1.38	<4	6	19	17	1.22	0.43	20	1.17	448	1	30	364	50	0.23	5	21	<10	142	1511	5	25	<10	2	55
81048	202938	1	6.35	39	526	<2	10	0.72	<4	7	18	27	1.25	0.39	20	0.77	318	4	30	381	80	0.31	<5	20	<10	103	1605	3	27	<10	2	211
81049	202939	<1	5.82	31	428	<2	12	1.27	<4	6	22	28	1.16	0.32	23	1.17	371	4	31	351	48	0.24	<5	20	<10	83	1515	4	24	<10	2	75

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441048
Reference: TL161-14RE
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81050	202940	<1	3.82	13	309	<2	15	2.17	<4	15	49	48	3.33	0.17	10	1.12	651	<1	36	596	11	0.07	<5	16	<10	295	2682	8	109	11	12	43
81051	202941	<1	5.44	30	443	<2	3	0.53	<4	7	16	12	0.96	0.41	18	1.00	196	3	30	383	58	0.22	<5	18	<10	80	1396	9	24	<10	2	78
81052	202942	<1	5.76	22	474	<2	43	0.22	<4	6	22	17	0.94	0.38	13	0.91	150	3	40	440	54	0.19	<5	26	<10	86	1216	4	27	<10	2	58
81053D	202942	<1	6.55	30	532	<2	21	0.31	<4	6	23	17	1.04	0.31	14	0.99	163	4	41	476	54	0.22	<5	16	10	93	1316	3	29	11	2	64
81054	202943	3	5.28	45	512	<2	33	<0.01	<4	6	23	14	1.04	0.25	3	0.22	<100	1	42	413	80	0.28	9	20	<10	81	1174	4	26	12	2	44
81055	202944	<1	4.88	36	491	2	39	<0.01	<4	6	28	23	1.07	0.23	5	0.27	<100	3	48	409	80	0.27	<5	7	11	79	1133	6	26	15	2	107
81056	202945	1	5.17	33	435	<2	22	0.73	<4	6	20	27	1.26	0.38	20	1.53	422	2	29	351	163	0.24	7	26	10	108	1268	8	23	17	2	589
81057	202946	<1	5.26	21	434	<2	17	0.55	<4	6	16	14	1.37	0.23	22	1.85	482	2	26	381	92	0.29	<5	27	<10	103	1340	14	24	17	2	479
81058	202947	1	5.54	32	493	<2	27	0.85	<4	7	26	27	1.54	0.39	19	1.36	504	3	39	444	155	0.35	<5	28	<10	119	1331	3	24	14	2	497
81059	202948	<1	5.65	18	504	<2	25	1.27	<4	6	28	8	1.34	0.39	22	1.57	651	3	13	355	48	0.23	<5	24	<10	100	1446	6	24	<10	2	106
81060	202949	<1	6.00	30	570	<2	14	1.06	<4	7	41	17	1.38	0.36	16	1.12	633	6	13	376	52	0.24	7	14	<10	122	1397	8	26	11	2	72
81061	202950	3	5.35	59	249	<2	39	1.02	5	15	31	2504	4.89	0.25	28	0.76	1072	17	24	755	90	1.10	7	8	<10	218	1123	4	64	24	7	624
81062	202951	<1	6.07	21	532	<2	24	0.78	<4	6	32	12	1.33	0.41	18	1.47	439	6	13	371	46	0.22	<5	22	<10	101	1454	4	26	<10	2	74
81063	202952	<1	5.58	25	545	<2	18	0.44	<4	6	30	10	1.19	0.30	10	0.64	228	4	10	521	43	0.27	<5	26	<10	79	1383	6	26	<10	2	47
81064D	202952	<1	6.12	27	599	<2	21	0.49	<4	7	32	12	1.31	0.29	11	0.68	248	4	10	554	43	0.27	<5	22	<10	81	1523	3	28	<10	2	53
81065	202953	<1	6.48	21	571	<2	22	1.02	<4	6	31	35	1.31	0.41	26	1.84	735	5	12	371	49	0.17	<5	17	10	135	1458	6	26	14	2	55
81066	202954	<1	5.17	20	394	<2	25	0.82	<4	6	36	17	1.37	0.43	36	2.31	585	5	10	343	42	0.15	6	22	<10	105	1245	3	23	12	2	77
81067	202955	<1	4.46	46	255	<2	17	1.39	<4	6	45	15	1.65	0.41	18	1.59	410	5	10	283	70	0.27	6	23	<10	134	1018	4	20	14	<2	95
81068	202956	<1	5.58	33	493	<2	17	0.53	<4	6	27	18	1.56	0.38	15	1.44	297	5	13	366	63	0.27	<5	18	<10	91	1304	4	27	12	2	129
81069	202957	1	5.14	28	476	<2	17	0.11	<4	6	31	21	1.16	0.21	9	0.66	157	3	8	454	89	0.25	5	23	<10	89	1253	7	26	15	2	241

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441048
Reference: TL161-14RE
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81070	202958	<1	5.45	23	420	<2	14	0.30	<4	6	27	7	1.20	0.34	18	1.62	289	3	9	357	46	0.14	7	19	<10	89	1195	7	26	<10	2	67
81071	202959	<1	6.05	17	447	<2	45	1.04	<4	6	18	7	1.32	0.28	19	1.83	307	2	10	371	36	0.21	<5	22	<10	103	1409	10	25	<10	2	47
81072	202960	<1	3.73	11	291	<2	12	2.09	<4	14	46	46	3.18	0.22	10	1.07	622	<1	34	572	15	0.07	<5	10	<10	288	2583	6	103	<10	12	41
81073	202961	<1	6.18	19	435	<2	2	1.75	<4	7	27	8	1.25	0.42	20	1.46	368	2	9	359	45	0.22	<5	23	10	156	1410	3	25	<10	2	46
81074	202962	<1	6.06	25	525	<2	25	1.69	<4	7	25	15	1.20	0.37	16	1.30	380	2	9	352	58	0.18	<5	23	<10	155	1422	4	26	<10	2	60
81075R	202962	<1	6.01	25	512	<2	38	1.69	<4	6	18	17	1.16	0.37	16	1.27	371	2	13	344	60	0.23	<5	25	<10	155	1386	2	25	14	2	99
81076	202963	<1	5.38	46	348	<2	39	1.60	<4	5	47	84	1.19	0.58	17	1.15	319	6	10	308	94	0.20	5	23	<10	132	1039	5	21	11	2	87
81077	202964	1	6.40	26	547	<2	11	0.06	<4	7	18	7	1.07	0.51	8	0.25	<100	<1	14	460	49	0.31	5	30	<10	99	1496	3	27	12	2	28
81078	202965	1	6.21	47	506	<2	12	<0.01	<4	10	54	21	1.39	0.46	7	0.22	<100	2	23	665	45	0.40	5	14	<10	95	1440	5	41	<10	3	30
81079	202966	1	6.71	52	577	<2	18	0.05	<4	12	62	20	1.53	0.32	7	0.22	<100	2	28	969	51	0.55	<5	25	<10	96	1646	3	48	14	5	128
81080	202967	<1	5.97	52	520	<2	31	1.04	<4	11	60	20	1.52	0.56	14	0.80	276	3	25	626	74	0.46	<5	6	<10	136	1421	7	51	<10	4	90
81081	202968	3	6.20	55	1826	<2	39	0.40	<4	8	30	116	1.17	0.53	13	0.38	110	8	15	553	265	0.32	15	21	<10	172	1445	5	40	29	3	674
81082	202969	5	4.87	46	1513	<2	23	<0.01	6	7	30	52	1.14	0.49	10	0.19	<100	5	13	490	450	0.26	19	23	<10	130	1264	4	33	48	2	2596
81083	202970	<1	4.48	20	439	<2	24	2.02	<4	16	48	227	3.73	0.43	12	1.07	659	10	42	637	17	0.09	7	15	<10	315	2633	4	109	18	13	58
81084	202971	5	5.28	35	509	<2	23	<0.01	<4	6	19	35	1.10	0.36	9	0.17	<100	<1	15	507	463	0.33	11	15	<10	113	1241	11	34	17	3	444
81085	202972	6	5.24	71	841	<2	18	<0.01	<4	14	83	74	1.50	0.33	11	0.19	<100	4	32	888	392	0.45	9	22	<10	114	1336	2	66	29	5	1066
81086D	202972	5	5.46	69	890	<2	34	<0.01	<4	15	90	79	1.60	0.27	12	0.21	<100	4	35	938	420	0.49	13	16	<10	118	1365	5	71	30	6	1131
81087	202973	39	4.94	154	1598	<2	28	0.75	18	8	39	462	1.53	0.42	15	0.56	148	9	21	937	3005	0.27	120	28	<10	147	1168	5	33	103	6	5559
81088	202974	45	4.46	89	986	<2	27	0.74	35	7	31	370	2.02	0.46	14	0.61	147	7	14	640	2949	0.42	76	26	<10	133	1126	3	29	156	4	8721
81089	202975	39	3.71	80	727	<2	14	0.35	25	8	39	152	1.66	0.48	12	0.31	<100	3	15	450	2702	0.41	76	17	<10	106	1037	3	30	123	3	7593

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, July 10, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/22/2014
Date Completed: 06/06/2014
Job #: 201441048
Reference: TL161-14RE
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81090	202976	53	4.12	96	304	<2	21	0.60	21	9	23	241	2.09	0.48	15	0.44	182	2	15	1049	2280	0.39	71	13	<10	101	1193	4	26	114	8	6564
81091	202977	6	6.19	34	414	<2	25	1.31	<4	9	21	83	1.59	0.40	18	0.90	427	<1	13	564	443	0.31	12	17	<10	117	1888	7	38	20	3	381
81092	202978	3	7.38	44	510	2	32	1.59	<4	10	33	28	1.97	0.62	23	1.06	481	4	20	624	242	0.35	5	19	<10	129	2186	5	46	21	4	553
81093	202979	6	5.52	45	396	<2	26	0.75	4	11	49	359	2.28	0.54	24	0.82	305	3	21	872	583	0.36	5	20	<10	99	1921	2	47	37	8	1321
81094	202980	<1	4.28	11	331	<2	11	2.31	<4	15	50	52	3.43	0.62	11	1.15	666	3	39	616	11	0.07	<5	9	10	308	2618	5	111	<10	13	47
81095	202981	<1	6.25	24	428	<2	10	2.01	<4	9	20	88	1.46	0.48	21	1.22	500	2	34	544	68	0.24	<5	27	<10	138	1951	5	38	17	4	240
81096	202982	<1	6.37	27	396	2	11	2.71	<4	10	26	17	1.58	0.46	21	1.29	545	2	33	541	35	0.21	<5	24	<10	132	1933	2	38	16	4	48
81097D	202982	<1	6.03	28	379	<2	53	2.57	<4	9	23	16	1.51	0.39	20	1.21	521	2	31	518	34	0.20	<5	21	15	128	1919	4	37	13	3	44
81098	202983	<1	5.77	26	371	<2	17	2.15	<4	8	21	18	1.43	0.48	19	1.06	499	1	33	522	35	0.17	5	29	<10	130	1846	6	37	11	3	79
81099	202984	<1	6.45	30	472	<2	11	2.30	<4	9	28	69	1.60	0.54	16	1.14	628	3	41	556	45	0.24	<5	24	<10	135	1793	11	39	19	4	500
81100	202985	<1	6.16	41	911	<2	9	1.96	<4	8	38	13	1.43	0.50	19	0.89	478	4	41	407	87	0.12	<5	26	<10	172	1689	8	31	<10	3	67
81101	202986	<1	4.26	30	474	<2	15	1.42	<4	6	45	15	1.13	0.55	15	0.70	374	4	41	344	55	0.09	5	22	<10	132	1304	11	25	<10	2	50
81102	202987	1	6.93	34	508	2	23	1.87	<4	9	26	16	1.68	0.63	21	0.96	507	4	34	573	122	0.26	<5	10	<10	146	2147	6	41	24	4	671
81103	202988	<1	6.34	13	445	<2	21	2.29	<4	10	23	6	1.62	0.56	19	0.97	391	<1	26	542	21	0.11	<5	15	<10	169	2016	6	38	11	4	49
81104	202989	<1	6.44	19	356	<2	29	1.92	<4	9	26	13	1.42	0.61	24	1.06	405	1	29	546	37	0.22	<5	23	<10	187	1781	8	39	11	3	76
81105	202990	128	5.03	17	325	<2	43	2.67	6	15	32	102	4.47	0.44	7	1.07	778	4	25	569	17945	0.10	87	11	10	315	2526	4	131	18	15	300
81106	202991	2	5.26	82	309	<2	35	0.80	5	8	29	91	2.91	0.53	23	0.69	249	5	32	461	227	0.77	9	13	<10	107	1653	9	37	32	4	1600
81107	202992	1	5.92	19	319	2	24	2.27	<4	8	18	23	1.65	0.62	17	1.21	507	<1	29	525	181	0.20	<5	19	10	201	1708	9	38	13	3	146
81108D	202992	<1	6.32	23	340	<2	19	2.41	<4	9	20	23	1.71	0.52	18	1.25	526	2	28	553	191	0.19	<5	12	<10	209	1723	8	39	14	3	153
81109	202993	<1	7.15	23	322	2	33	2.77	<4	11	18	9	1.89	0.49	26	1.27	447	<1	28	597	22	0.18	<5	26	10	232	2128	4	43	<10	4	31

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/10/2014 2:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 17, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/09/2014
Date Completed: 06/17/2014
Job #: 201441175
Reference: TL161-14RE
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
90998	202973	7429	7383	41041	8515	3.30%	33.06

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL166-14RE

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/16/2014
Date Completed: 04/30/2014
Job #: 201440683
Reference: TL166-14RE
Sample #: 86

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
53489	199797	0.006	
53490	199798	0.026	
53491	199799	>6.000	23.741
53492	199800	0.006	
53493	199801	0.212	
53494	199802	0.040	
53495	199803	0.038	
53496	199804	0.031	
53497	199805	0.056	
53498	199806	0.159	
53499	199806 Dup	0.135	
53500	199807	0.051	
53501	199808	0.027	
53502	199809	0.053	
53503	199810	1.369	
53504	199811	0.680	
53505	199812	0.020	
53506	199813	0.013	
53507	199814	0.029	
53508	199815	0.251	
53509	199816	0.081	
53510	199816 Dup	0.063	
53511	199817	0.068	
53512	199818	0.091	
53513	199819	0.072	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/16/2014
Date Completed: 04/30/2014
Job #: 201440683
Reference: TL166-14RE
Sample #: 86

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
53514	199820	<0.005	
53515	199821	0.031	
53516	199822	0.020	
53517	199823	0.011	
53518	199824	0.264	
53519	199825	0.070	
53520	199826	0.066	
53521	199826 Dup	0.061	
53522	199827	0.023	
53523	199828	0.015	
53524	199829	0.118	
53525	199830	0.398	
53526	199831	0.085	
53527	199832	0.107	
53528	199833	0.112	
53529	199834	0.187	
53530	199835	0.453	
53531	199836	0.056	
53532	199836 Dup	0.087	
53533	199837	0.041	
53534	199838	0.142	
53535	199839	0.112	
53536	199840	<0.005	
53537	199841	3.758	
53538	199842	5.660	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/16/2014
Date Completed: 04/30/2014
Job #: 201440683
Reference: TL166-14RE
Sample #: 86

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
53539	199843	0.247	
53540	199844	0.177	
53541	199845	0.021	
53542	199846	0.030	
53543	199846 Dup	0.021	
53544	199847	0.033	
53545	199848	0.075	
53546	199849	1.394	
53547	199850	4.995	
53548	199851	0.112	
53549	199852	0.243	
53550	199853	2.753	
53551	199854	0.260	
53552	199855	1.244	
53553	199856	0.225	
53554	199856 Rep	0.216	
53555	199857	0.487	
53556	199858	4.214	
53557	199859	0.331	
53558	199860	<0.005	
53559	199861	0.207	
53560	199862	0.107	
53561	199863	0.022	
53562	199864	0.115	
53563	199865	0.064	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/16/2014
Date Completed: 04/30/2014
Job #: 201440683
Reference: TL166-14RE
Sample #: 86

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
53564	199866	0.061	
53565	199866 Dup	0.055	
53566	199867	0.033	
53567	199868	0.090	
53568	199869	0.707	
53569	199870	1.440	
53570	199871	0.370	
53571	199872	0.167	
53572	199873	0.146	
53573	199874	0.119	
53574	199875	0.066	
53575	199876	0.100	
53576	199876 Dup	0.156	
53577	199877	0.027	
53578	199878	0.072	
53579	199879	0.030	
53580	199880	<0.005	
53581	199881	0.033	
53582	199882	0.024	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 30, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/16/2014
Date Completed: 04/30/2014
Job #: 201440683
Reference: TL166-14RE
Sample #: 86

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.794	0.791	0.051
GS25	0.767	0.791	0.051
GS25	0.792	0.791	0.051
3046	3.038	4.580	0.190
GS25	0.771	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 1, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/16/2014
Date Completed: 04/30/2014
Job #: 201440683
Reference: TL166-14RE
Sample #: 86

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53489	199797	<1	4.93	45	318	<2	15	1.11	<4	12	28	78	1.05	0.73	13	0.90	441	2	55	584	65	2.21	<5	11	10	103	2056	<2	39	17	4	364
53490	199798	<1	6.31	45	445	2	6	1.80	<4	7	25	38	1.47	0.94	17	1.35	810	2	45	631	31	2.86	<5	26	<10	117	2082	<2	42	<10	5	89
53491	199799	<1	5.28	71	517	<2	9	0.71	<4	8	29	98	1.63	0.74	13	0.74	431	3	51	546	71	2.91	14	15	<10	104	1894	<2	38	<10	4	119
53492	199800	<1	4.42	31	326	<2	5	2.23	<4	14	53	51	3.98	0.31	19	1.26	764	1	35	606	16	2.39	<5	<5	<10	330	3054	<2	118	<10	14	118
53493	199801	5	6.17	110	575	2	<1	0.06	<4	12	30	146	1.97	0.72	12	0.41	187	2	52	654	401	3.42	110	6	<10	101	2235	<2	45	<10	5	640
53494	199802	<1	5.78	59	478	2	<1	0.33	<4	9	31	28	1.60	0.50	10	0.56	335	2	54	642	51	3.07	13	9	<10	103	2068	<2	40	<10	5	152
53495	199803	<1	5.24	73	398	<2	<1	0.46	<4	9	35	16	2.02	0.53	10	0.62	398	4	65	557	34	2.99	<5	<5	10	105	2014	<2	39	<10	4	306
53496	199804	<1	4.03	45	268	<2	20	1.19	<4	5	37	28	1.70	0.77	9	0.87	630	4	57	501	70	2.90	8	7	<10	129	1639	<2	32	<10	4	123
53497	199805	<1	5.06	47	452	<2	6	1.19	<4	8	34	137	2.13	0.40	9	0.93	570	3	62	552	177	2.88	<5	6	11	148	2000	<2	39	10	4	590
53498	199806	<1	5.39	48	481	2	3	1.32	<4	7	32	145	2.25	0.44	12	0.94	582	2	58	564	256	2.98	<5	13	<10	152	2027	<2	39	12	4	763
53499D	199806	<1	5.41	40	483	<2	6	1.33	<4	9	32	145	2.26	0.44	13	0.94	586	2	58	574	250	2.97	<5	12	<10	153	2054	<2	39	12	4	777
53500	199807	<1	5.39	42	482	<2	6	1.27	<4	8	35	34	2.05	0.30	15	0.88	633	3	65	577	69	2.96	<5	11	<10	138	2038	<2	39	<10	4	100
53501	199808	<1	5.57	70	432	2	15	1.36	<4	12	34	9	2.64	0.60	16	1.10	807	4	65	579	48	3.05	<5	8	11	114	1973	<2	40	<10	5	212
53502	199809	<1	5.20	64	395	2	<1	2.64	<4	8	38	49	2.40	0.71	16	1.65	1506	4	66	544	149	2.62	<5	23	<10	109	1884	<2	39	<10	5	304
53503	199810	<1	2.53	33	311	<2	8	1.48	<4	14	47	195	3.78	0.10	10	1.10	712	6	38	583	16	1.49	5	<5	<10	283	2584	<2	104	<10	12	63
53504	199811	8	4.56	57	375	<2	7	2.66	11	5	32	532	3.40	0.96	16	1.72	1347	2	55	499	2906	3.06	8	13	<10	120	1731	<2	36	42	6	3371
53505	199812	<1	5.94	41	416	2	4	1.73	<4	7	31	21	1.72	0.80	16	1.17	766	2	55	588	94	2.85	<5	12	<10	109	2109	<2	41	<10	4	104
53506	199813	<1	6.02	46	362	2	10	2.27	<4	9	33	8	1.95	0.65	19	1.43	843	2	53	595	48	3.04	<5	11	10	121	2073	<2	40	<10	5	63
53507	199814	<1	5.61	49	318	2	17	2.03	<4	10	45	21	2.58	0.79	21	1.55	790	2	60	585	40	2.69	<5	<5	<10	142	2127	<2	46	10	6	186
53508	199815	<1	5.98	63	300	2	21	1.02	<4	25	177	79	4.57	0.75	21	1.56	688	4	128	617	77	3.21	7	20	<10	128	2779	<2	115	<10	13	271

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/01/2014 9:48 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 1, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/16/2014
Date Completed: 04/30/2014
Job #: 201440683
Reference: TL166-14RE
Sample #: 86

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53509	199816	<1	5.58	44	347	2	17	1.56	<4	23	166	52	4.11	0.79	16	1.70	807	3	107	574	38	3.24	5	5	<10	130	2501	<2	102	10	13	76
53510D	199816	<1	2.35	51	328	2	5	1.36	<4	22	164	51	4.06	0.39	17	1.42	806	2	108	548	33	2.98	<5	<5	<10	122	2450	<2	101	<10	8	72
53511	199817	<1	5.23	52	463	2	18	2.21	<4	20	149	47	3.34	1.06	15	1.46	784	2	91	556	33	2.99	<5	6	<10	142	2616	<2	92	<10	13	84
53512	199818	<1	4.89	31	386	2	14	1.31	4	25	167	59	4.14	0.80	25	1.57	849	1	103	566	51	3.06	<5	<5	<10	119	2987	<2	108	12	12	764
53513	199819	<1	5.50	33	373	2	14	1.46	<4	24	176	60	3.81	0.56	26	1.74	967	1	96	559	53	2.81	<5	7	<10	125	2882	<2	99	<10	14	91
53514	199820	<1	4.85	21	339	<2	20	2.37	<4	17	58	47	4.16	0.44	17	1.34	799	<1	37	626	8	1.71	<5	6	<10	341	3158	<2	121	<10	15	57
53515	199821	<1	5.99	46	587	2	14	0.64	<4	12	44	11	2.29	0.88	13	0.81	375	1	52	591	55	2.65	<5	22	<10	104	2319	<2	53	<10	6	243
53516	199822	<1	6.02	46	602	<2	4	1.26	<4	11	47	10	2.28	1.26	23	1.12	614	<1	51	589	204	3.11	<5	12	<10	118	2163	<2	48	<10	6	375
53517	199823	<1	6.16	33	508	<2	9	1.67	<4	10	30	8	1.88	1.08	21	1.17	677	2	46	615	104	2.71	<5	9	<10	138	2075	<2	41	<10	5	100
53518	199824	<1	5.51	47	376	<2	15	1.97	<4	6	31	8	1.91	0.42	14	1.23	805	1	50	578	50	2.60	<5	9	<10	155	1771	<2	38	<10	4	78
53519	199825	<1	5.74	38	435	2	11	2.33	<4	11	59	14	2.28	0.70	18	1.12	852	3	72	571	67	2.69	5	20	<10	166	2008	<2	50	<10	6	151
53520	199826	<1	5.48	43	433	2	<1	2.37	<4	8	53	15	2.18	0.91	15	1.15	863	2	61	568	95	2.70	5	16	<10	170	1949	<2	48	<10	5	216
53521D	199826	<1	5.47	44	410	<2	<1	2.27	<4	9	48	14	2.07	0.74	17	1.12	823	3	55	554	93	2.53	<5	6	<10	166	1880	<2	46	<10	5	211
53522	199827	<1	5.23	34	494	2	14	2.04	<4	9	47	12	1.94	0.64	21	1.52	576	4	62	542	27	2.66	<5	21	<10	155	1862	<2	44	<10	5	122
53523	199828	<1	5.11	32	315	<2	<1	2.36	<4	8	35	7	2.29	0.54	25	2.58	996	2	61	556	33	2.77	5	<5	11	144	1701	<2	37	12	5	323
53524	199829	<1	5.15	47	340	<2	21	1.39	4	22	160	55	4.25	0.75	22	2.37	699	6	116	555	45	3.14	<5	<5	<10	125	1956	<2	94	<10	7	491
53525	199830	<1	6.47	72	338	2	23	1.25	6	16	40	2740	5.83	1.37	56	0.98	1309	18	28	928	107	5.04	<5	18	11	246	1428	<2	74	13	9	692
53526	199831	<1	4.82	43	272	<2	12	1.94	<4	17	119	104	3.92	1.19	24	3.43	1292	2	84	503	48	2.47	<5	<5	<10	126	1755	<2	80	<10	9	383
53527	199832	<1	5.35	54	268	<2	12	1.25	<4	20	141	40	4.21	0.64	20	2.11	812	1	88	532	40	2.95	6	7	<10	129	1916	<2	85	<10	8	109
53528	199833	<1	4.82	46	298	<2	8	1.68	5	16	119	53	3.16	0.44	19	1.87	762	<1	72	481	232	2.58	<5	14	<10	121	1884	<2	74	17	8	987

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/01/2014 9:48 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 1, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/16/2014
Date Completed: 04/30/2014
Job #: 201440683
Reference: TL166-14RE
Sample #: 86

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53529	199834	<1	4.38	56	227	<2	20	1.69	6	18	132	66	3.91	0.25	20	2.44	899	3	94	501	106	3.13	<5	12	11	114	1771	<2	74	13	9	1047
53530	199835	<1	5.14	56	278	<2	4	0.82	13	22	151	170	3.63	0.91	23	1.35	472	3	97	520	1129	3.22	<5	<5	<10	123	1859	<2	94	50	8	4239
53531	199836	<1	4.38	27	240	<2	8	0.99	<4	23	147	59	3.78	0.86	25	1.66	555	<1	94	525	77	2.73	<5	8	<10	139	2829	<2	100	<10	8	176
53532D	199836	<1	4.66	21	242	2	7	1.02	<4	23	145	55	3.76	1.04	24	1.68	552	1	94	529	45	2.93	<5	12	<10	142	2865	<2	100	<10	8	67
53533	199837	<1	4.72	21	245	<2	25	0.98	<4	25	154	53	3.98	0.97	28	1.85	572	3	107	549	66	2.91	<5	<5	<10	141	2648	<2	105	<10	7	74
53534	199838	<1	4.19	23	182	2	8	0.86	<4	23	150	41	3.50	0.91	26	1.77	554	4	102	481	54	2.53	<5	<5	<10	135	2288	<2	93	<10	7	88
53535	199839	<1	5.28	35	230	2	18	0.47	<4	17	121	26	3.18	0.59	25	1.54	436	4	86	457	51	2.93	<5	10	<10	107	1868	<2	77	<10	7	68
53536	199840	<1	4.33	29	318	<2	8	2.22	<4	16	52	45	3.96	0.42	12	1.25	760	2	33	608	10	2.57	<5	<5	<10	332	3068	<2	117	<10	15	54
53537	199841	6	3.26	78	201	2	1	1.06	13	11	91	320	3.18	0.67	10	1.23	455	9	82	400	886	3.15	21	7	<10	96	889	<2	46	55	6	4070
53538	199842	<1	4.85	25	392	2	14	0.40	<4	10	83	49	1.93	1.09	19	1.71	441	3	67	529	121	2.38	6	20	<10	95	1478	<2	42	<10	6	176
53539	199843	<1	4.40	51	329	2	7	0.46	<4	13	114	37	2.40	0.79	12	1.06	435	5	83	491	92	1.99	<5	12	<10	89	1820	<2	66	<10	8	139
53540	199844	<1	3.82	52	342	<2	29	0.98	<4	9	39	38	1.86	1.16	18	0.91	482	2	54	461	44	2.24	<5	8	<10	98	1960	<2	41	<10	4	262
53541	199845	<1	6.19	42	345	<2	11	1.93	<4	9	45	14	2.07	0.99	26	1.69	637	4	72	546	26	2.53	6	13	<10	124	2305	<2	45	<10	5	54
53542	199846	<1	6.28	37	356	<2	<1	1.98	<4	9	36	12	1.92	1.22	27	1.68	627	2	50	556	25	2.75	5	9	10	125	2290	<2	43	<10	4	50
53543D	199846	<1	5.72	38	327	<2	5	1.84	<4	9	33	12	1.85	0.88	26	1.61	608	<1	47	532	29	2.81	<5	11	<10	120	2220	<2	42	<10	4	54
53544	199847	<1	5.27	44	272	2	12	1.87	<4	10	31	10	1.88	0.99	24	1.44	631	<1	52	504	31	2.78	<5	16	<10	115	2115	<2	41	<10	4	34
53545	199848	<1	5.26	44	282	<2	6	1.51	<4	8	31	12	1.76	1.21	26	1.26	658	<1	48	524	42	2.55	<5	10	<10	105	2108	<2	41	<10	4	65
53546	199849	9	4.51	66	240	2	9	0.66	7	7	33	45	2.58	0.95	19	0.83	439	2	52	436	1208	3.18	14	5	<10	89	1661	<2	36	30	4	2485
53547	199850	70	3.02	54	355	<2	<1	1.01	20	15	32	53	3.23	0.48	11	0.76	501	<1	22	573	601	2.43	65	10	232	267	2134	<2	94	68	12	1886
53548	199851	<1	3.59	47	299	2	17	0.66	<4	14	79	34	2.30	0.80	14	1.05	596	1	76	495	59	2.52	<5	<5	<10	85	2049	<2	60	11	5	115

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/01/2014 9:49 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 1, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/16/2014
Date Completed: 04/30/2014
Job #: 201440683
Reference: TL166-14RE
Sample #: 86

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53549	199852	<1	5.46	32	222	<2	3	0.89	<4	20	144	34	3.52	0.64	27	2.18	657	1	94	590	62	2.46	<5	5	<10	96	2362	<2	88	<10	7	96
53550	199853	<1	5.30	82	241	<2	<1	0.17	<4	20	141	40	3.30	0.23	23	1.26	354	2	92	537	370	3.34	<5	5	<10	82	1668	<2	84	10	7	325
53551	199854	<1	4.63	104	239	<2	4	0.03	<4	14	142	64	2.88	1.03	13	0.62	173	5	101	500	121	2.85	<5	<5	<10	78	1312	<2	74	<10	7	129
53552	199855	<1	4.77	99	218	<2	<1	0.42	<4	18	147	54	3.64	0.48	20	1.51	515	4	102	545	130	2.98	<5	<5	<10	85	1335	<2	73	<10	7	363
53553	199856	<1	2.99	82	75	<2	12	<0.01	<4	17	131	22	3.43	0.93	14	2.38	561	3	93	432	76	1.98	<5	<5	<10	64	1101	<2	69	10	6	115
53554R	199856	<1	4.59	84	191	<2	8	0.26	<4	15	125	40	3.39	0.36	27	2.36	562	3	105	458	78	3.07	<5	5	<10	84	1155	<2	69	<10	6	142
53555	199857	<1	4.65	48	258	<2	20	0.16	<4	21	150	43	4.06	0.50	28	2.17	589	3	112	550	65	2.66	<5	<5	<10	84	1874	<2	94	<10	7	173
53556	199858	<1	5.91	28	332	2	16	0.26	<4	33	179	54	5.59	0.68	37	2.47	738	3	127	624	53	2.49	<5	<5	<10	91	3146	<2	141	<10	9	101
53557	199859	<1	5.18	64	280	2	3	0.49	4	23	158	93	3.99	0.74	24	1.63	427	3	186	557	69	2.70	<5	<5	<10	101	1699	<2	93	<10	7	448
53558	199860	<1	4.95	27	345	<2	12	2.35	<4	16	55	48	4.10	0.35	17	1.31	772	2	37	617	19	2.30	5	12	11	341	3047	<2	120	<10	15	79
53559	199861	<1	5.54	81	340	<2	10	0.50	<4	18	141	43	4.05	1.12	28	1.97	536	7	106	529	110	2.86	<5	<5	<10	105	1582	<2	96	<10	5	150
53560	199862	<1	4.13	73	202	<2	15	0.32	<4	21	141	23	3.92	0.92	33	2.80	556	2	87	552	54	3.23	6	5	<10	91	1501	<2	85	<10	6	112
53561	199863	<1	5.11	31	334	<2	<1	1.04	<4	9	54	4	2.04	0.69	23	2.00	384	<1	54	543	40	2.53	6	13	10	153	1481	<2	46	<10	4	65
53562	199864	<1	5.42	36	342	2	12	1.37	<4	22	151	53	3.74	0.55	26	1.55	574	<1	76	516	148	3.07	7	<5	<10	164	2384	<2	91	<10	8	262
53563	199865	<1	5.61	28	273	2	15	1.38	<4	25	148	45	3.60	0.26	28	1.50	607	<1	74	555	43	2.71	<5	5	10	161	2532	<2	96	<10	10	95
53564	199866	<1	5.52	30	279	2	18	1.44	<4	23	141	47	3.61	0.23	25	1.47	620	<1	71	555	38	2.97	<5	<5	<10	162	2526	<2	95	<10	10	87
53565D	199866	<1	5.61	26	275	2	21	1.44	<4	24	143	47	3.67	0.05	24	1.51	633	<1	73	569	34	2.78	5	12	<10	163	2541	<2	97	<10	10	93
53566	199867	<1	5.82	27	307	2	4	1.69	<4	22	152	54	3.82	0.33	24	1.63	721	<1	82	601	60	2.95	5	13	<10	162	2459	<2	96	<10	12	91
53567	199868	<1	4.77	23	277	2	6	1.35	<4	23	154	63	3.98	0.64	22	1.62	679	2	88	576	61	2.70	8	<5	<10	128	2781	<2	104	<10	9	91
53568	199869	<1	5.59	59	362	2	15	0.15	<4	35	178	103	5.62	1.00	29	2.30	714	2	128	647	106	2.83	<5	8	10	87	2740	<2	139	<10	11	158

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/01/2014 9:49 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 1, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/16/2014
Date Completed: 04/30/2014
Job #: 201440683
Reference: TL166-14RE
Sample #: 86

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
53569	199870	<1	1.76	32	258	<2	3	1.24	<4	14	51	196	3.89	<0.01	<1	1.13	703	6	41	587	11	1.08	<5	9	<10	276	2521	<2	107	<10	13	65
53570	199871	<1	4.17	52	378	<2	6	<0.01	4	7	57	64	1.74	0.95	11	0.35	119	2	65	440	477	2.26	<5	18	<10	77	1517	<2	47	23	5	1143
53571	199872	<1	5.57	65	421	2	6	<0.01	<4	8	33	36	1.59	1.41	14	0.30	<100	2	46	507	111	2.76	<5	8	<10	78	1864	<2	41	<10	4	279
53572	199873	<1	5.48	58	355	<2	3	0.08	<4	7	27	32	1.23	0.37	9	0.47	216	1	42	500	169	2.57	6	15	<10	81	1936	<2	39	12	4	407
53573	199874	<1	5.68	60	304	2	13	1.29	<4	9	34	25	1.64	0.70	17	1.04	604	<1	53	547	98	2.47	5	21	<10	106	2021	<2	42	10	5	269
53574	199875	<1	4.56	46	446	<2	23	1.36	<4	9	25	14	1.77	1.13	19	1.10	594	<1	34	520	87	2.38	7	13	<10	123	2132	<2	41	12	4	115
53575	199876	<1	6.72	70	521	2	5	0.86	<4	10	30	14	1.85	1.48	43	1.02	456	1	50	573	52	3.23	<5	17	<10	131	2282	<2	44	12	4	231
53576D	199876	<1	5.61	62	426	2	5	0.60	<4	9	28	8	1.69	0.97	22	0.89	403	1	41	528	39	2.87	5	<5	<10	119	2109	<2	41	<10	4	214
53577	199877	<1	4.95	38	394	<2	9	2.01	<4	9	20	9	1.62	0.65	13	1.38	643	<1	30	524	50	1.90	7	12	<10	126	2043	<2	40	10	4	60
53578	199878	<1	5.87	53	404	<2	3	2.12	<4	9	21	13	1.78	0.19	23	1.32	647	<1	33	552	381	2.54	<5	18	<10	133	2106	<2	41	<10	4	296
53579	199879	<1	5.82	28	401	<2	17	2.39	<4	9	23	12	1.69	0.33	23	1.34	777	<1	32	524	54	2.45	7	13	<10	137	1979	<2	39	<10	4	67
53580	199880	<1	4.65	26	330	<2	16	2.32	<4	18	54	45	4.03	0.37	15	1.28	775	3	33	612	12	2.14	10	<5	<10	339	3077	<2	119	<10	15	52
53581	199881	<1	5.19	49	397	2	10	2.37	<4	9	21	7	2.13	0.58	26	1.65	906	<1	30	500	27	2.59	<5	8	<10	206	1937	<2	38	24	4	71
53582	199882	<1	5.14	54	403	2	14	1.65	<4	8	23	3	2.00	0.65	15	1.07	419	<1	35	531	15	2.44	<5	14	<10	190	1939	<2	40	<10	4	29

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/01/2014 9:49 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/07/2014
Date Completed: 05/23/2014
Job #: 201440866
Reference: TL166-14RE
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
68564	199799	5504	5063	189758	13125	4.25%	42.55

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL0851-14RE

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 10, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/10/2014
Job #: 201441094
Reference: TL0851-14RE
Sample #: 15

Acc #	Client ID	Au g/t (ppm)
84420	200807	0.232
84421	200808	0.010
84422	200809	0.061
84423	200810	1.459
84424	200811	0.025
84425	200812	0.051
84426	200813	0.026
84427	200814	0.090
84428	200815	0.775
84429	200816	2.030
84430	200816 Dup	1.628
84431	200817	0.220
84432	200818	0.017
84433	200819	0.009
84434	200820	<0.005
84435	200821	0.009

APPLIED SCOPES: ALP1, ALFA1, ALSu1, ALMA1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, June 10, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/10/2014
Job #: 201441094
Reference: TL0851-14RE
Sample #: 15

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS26	0.861	0.804	0.043

APPLIED SCOPES: ALP1, ALFA1, ALSu1, ALMA1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 2, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 05/27/2014
Date Completed: 06/10/2014
Job #: 201441094
Reference: TL0851-14RE
Sample #: 15

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84420	200807	1	5.73	24	446	<2	23	1.52	<4	9	22	8	1.57	0.58	27	1.00	366	22	12	510	13	0.22	<5	20	1440	150	1926	4	38	<10	3	40
84421	200808	1	6.02	8	496	<2	12	1.90	<4	8	24	10	1.59	0.53	29	1.05	320	21	12	533	9	0.09	<5	16	1465	188	2044	6	38	<10	3	47
84422	200809	1	5.29	8	364	<2	21	1.74	<4	9	27	128	1.61	0.45	24	1.18	374	21	13	459	19	0.12	<5	13	1455	167	1743	4	33	<10	3	49
84423	200810	1	3.88	19	395	<2	5	1.81	<4	14	44	205	3.41	0.42	10	0.98	610	27	39	587	13	0.08	8	6	1354	293	2404	2	100	16	12	57
84424	200811	1	6.05	16	368	3	26	2.02	<4	9	26	17	1.80	0.49	29	1.40	535	22	13	597	62	0.15	<5	22	1447	157	1941	5	39	24	4	137
84425	200812	1	6.21	21	367	2	11	2.74	<4	9	27	12	1.54	0.60	33	1.04	495	22	12	532	24	0.16	<5	22	1513	140	1984	5	37	28	3	37
84426	200813	1	5.98	20	308	<2	51	1.71	<4	9	29	8	1.66	0.56	24	0.98	362	22	13	544	25	0.19	<5	18	1432	254	1896	3	38	14	3	75
84427	200814	1	5.56	24	313	<2	36	1.49	<4	9	30	7	1.77	0.57	29	1.32	447	21	12	590	22	0.18	<5	12	1374	251	1908	2	38	11	3	35
84428	200815	1	5.08	48	306	<2	30	0.85	<4	10	27	21	1.74	0.50	25	0.86	318	20	14	490	197	0.34	<5	25	1435	174	1737	7	36	21	3	544
84429	200816	1	5.42	52	281	2	23	1.01	<4	9	30	19	1.75	0.47	26	0.81	329	23	14	486	91	0.34	<5	11	1461	159	1778	8	36	18	3	551
84430D	200816	2	5.76	55	310	2	14	1.10	<4	10	31	21	1.80	0.50	27	0.81	338	24	20	511	95	0.34	<5	16	1520	164	1836	4	37	21	3	562
84431	200817	2	5.25	37	304	<2	21	0.99	<4	8	23	71	1.41	0.40	24	0.69	262	20	12	471	540	0.25	<5	19	1442	147	1788	2	35	17	3	562
84432	200818	<1	5.85	19	291	<2	35	2.03	<4	9	30	10	1.63	0.51	26	1.02	336	20	13	529	34	0.13	<5	19	1362	266	1911	5	39	<10	3	50
84433	200819	<1	5.84	27	325	<2	17	2.22	<4	9	24	8	1.65	0.53	28	1.01	330	21	15	528	27	0.13	<5	22	1450	257	1959	5	38	<10	3	49
84434	200820	1	4.25	13	347	<2	32	2.31	<4	15	50	51	3.42	0.38	11	1.13	668	21	37	616	14	0.07	<5	8	1416	308	2775	3	111	<10	12	43
84435	200821	<1	5.54	15	550	<2	22	1.86	<4	8	20	5	1.53	0.52	23	0.92	283	18	13	508	23	0.06	<5	14	1360	250	1943	<2	36	<10	3	72

PROCEDURE CODES: ALP1, ALFA1, ALSu1, ALMA1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL0855-14RE

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 14, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
32301	198345	0.011	
32302	198346	<0.005	
32303	198347	0.009	
32304	198348	0.089	
32305	198349	0.052	
32306	198350	5.209	
32307	198351	0.019	
32308	198352	0.013	
32309	198353	0.056	
32310	198354	3.579	
32311	198354 Dup	2.545	
32312	198355	0.545	
32313	198356	0.981	
32314	198357	0.322	
32315	198358	0.115	
32316	198359	0.092	
32317	198360	<0.005	
32318	198361	0.065	
32319	198362	0.041	
32320	198363	0.243	
32321	198364	0.083	
32322	198364 Dup	0.076	
32323	198365	0.208	
32324	198366	0.201	
32325	198367	2.794	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 14, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
32326	198368	0.279	
32327	198369	0.082	
32328	198370	0.273	
32329	198371	0.035	
32330	198372	0.093	
32331	198373	1.083	
32332	198374	1.132	
32333	198374 Dup	1.039	
32334	198375	0.390	
32335	198376	0.170	
32336	198377	0.422	
32337	198378	0.164	
32338	198379	0.091	
32339	198380	<0.005	
32340	198381	0.485	
32341	198382	0.098	
32342	198383	0.060	
32343	198384	0.059	
32344	198384 Dup	0.065	
32345	198385	0.171	
32346	198386	0.129	
32347	198387	1.970	
32348	198388	0.051	
32349	198389	0.089	
32350	198390	2.008	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 14, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
32351	198391	0.351	
32352	198392	0.141	
32353	198393	>6.000	6.448
32354	198394	0.346	
32355	198394 Dup	0.378	
32356	198395	0.284	
32357	198396	1.014	
32358	198397	0.533	
32359	198398	1.046	
32360	198399	>6.000	5.646
32361	198400	0.009	
32362	198401	2.042	
32363	198402	0.247	
32364	198403	0.233	
32365	198404	0.108	
32366	198404 Rep	0.114	
32367	198405	0.120	
32368	198406	0.077	
32369	198407	3.307	
32370	198408	0.293	
32371	198409	0.725	
32372	198410	4.982	
32373	198411	0.200	
32374	198412	0.063	
32375	198413	0.666	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 14, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
32376	198414	0.027	
32377	198414 Dup	0.025	
32378	198415	0.042	
32379	198416	0.013	
32380	198417	0.033	
32381	198418	0.461	
32382	198419	0.467	
32383	198420	<0.005	
32384	198421	0.163	
32385	198422	0.474	
32386	198423	0.008	
32387	198424	0.017	
32388	198424 Dup	0.016	
32389	198425	0.014	
32390	198426	0.018	
32391	198427	0.463	
32392	198428	0.090	
32393	198429	0.204	
32394	198430	0.399	
32395	198431	0.209	
32396	198432	0.041	
32397	198433	0.229	
32398	198434	0.076	
32399	198434 Dup	0.047	
32400	198435	0.045	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 14, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
32401	198436	0.071	
32402	198437	0.085	
32403	198438	0.525	
32404	198439	0.376	
32405	198440	<0.005	
32406	198441	0.114	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 14, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.796	0.791	0.051
GS25	0.784	0.791	0.051
GS25	0.781	0.791	0.051
GS3K	3.384	3.190	0.130

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
32301	198345	1	4.88	12	521	3	<1	2.59	<4	8	28	31	1.65	1.45	45	1.23	779	4	43	484	33	0.48	11	13	<10	201	1485	<2	31	13	6	81
32302	198346	<1	4.89	10	534	3	<1	2.48	<4	6	33	29	1.49	1.04	44	1.03	674	4	44	415	40	0.46	12	5	12	200	1538	<2	32	11	4	74
32303	198347	1	4.64	60	613	5	10	1.83	<4	5	43	36	1.16	0.59	34	0.48	248	8	70	500	27	0.45	13	9	<10	161	1175	<2	30	15	7	45
32304	198348	2	5.52	72	485	2	17	1.60	19	25	172	143	4.06	0.94	48	1.19	869	7	115	592	1013	1.04	15	<5	<10	126	2696	<2	101	63	15	5226
32305	198349	<1	5.41	45	455	2	2	1.75	<4	15	100	32	2.52	0.68	42	1.08	618	5	81	630	23	0.75	13	5	<10	137	2389	<2	73	11	10	83
32306	198350	74	2.74	45	361	<2	<1	0.99	21	16	34	54	3.07	0.43	33	0.73	478	3	24	589	593	0.50	67	11	221	277	2031	<2	99	64	12	1884
32307	198351	1	5.23	53	664	<2	<1	1.70	<4	12	22	31	1.46	0.99	37	0.95	456	4	39	611	20	0.76	10	6	<10	169	2049	<2	41	<10	5	86
32308	198352	<1	5.23	31	566	<2	<1	1.41	<4	13	61	15	1.74	0.79	35	0.51	299	5	68	608	5	0.74	14	8	<10	177	1833	<2	53	<10	6	43
32309	198353	<1	4.68	32	514	<2	<1	1.28	<4	11	38	49	1.75	0.99	31	0.73	424	2	42	586	1	0.75	14	<5	<10	153	1945	<2	48	<10	5	36
32310	198354	5	3.54	77	366	<2	6	1.08	46	7	35	151	2.55	0.78	31	0.89	754	4	57	460	4308	1.16	24	<5	<10	115	1611	5	36	178	5	18380
32311D	198354	6	4.15	83	419	2	8	1.26	50	7	38	160	2.73	0.32	40	0.96	811	4	56	487	4608	1.29	24	<5	<10	122	1707	<2	37	188	6	17694
32312	198355	8	5.68	83	588	<2	11	1.33	15	11	68	189	2.97	0.35	56	0.93	743	8	76	589	3309	1.32	14	<5	<10	134	2089	<2	51	64	6	5117
32313	198356	<1	4.97	16	552	2	<1	0.83	<4	23	135	82	3.34	0.94	31	1.42	1237	3	87	525	42	0.63	5	6	<10	113	2669	<2	95	<10	12	126
32314	198357	<1	5.82	51	515	<2	<1	1.39	<4	8	25	9	2.03	1.01	37	1.00	767	2	39	629	47	0.77	9	<5	<10	132	2156	<2	44	<10	5	228
32315	198358	<1	6.16	55	580	2	12	1.56	<4	8	32	13	2.19	1.20	39	1.08	867	5	53	670	34	0.73	10	<5	<10	136	2319	<2	45	<10	5	168
32316	198359	<1	5.88	20	558	<2	4	1.68	<4	7	38	21	1.55	0.82	45	1.31	637	4	47	414	15	0.58	16	<5	<10	148	1812	<2	32	<10	4	64
32317	198360	<1	3.44	10	327	<2	2	2.32	<4	18	57	48	3.66	0.36	24	1.17	726	2	35	651	3	0.41	13	10	<10	328	2972	<2	123	<10	15	53
32318	198361	1	5.29	15	552	<2	2	1.76	<4	8	31	41	1.46	1.09	34	1.14	559	4	53	383	85	0.58	13	11	<10	137	1702	<2	30	13	4	488
32319	198362	<1	4.62	14	588	2	7	2.26	<4	8	23	21	1.47	1.12	31	1.35	710	2	35	368	132	0.62	14	13	<10	159	1620	2	29	<10	3	521
32320	198363	1	4.00	13	724	<2	11	2.27	4	8	28	26	1.65	0.81	37	1.62	894	4	46	362	124	0.59	14	17	<10	159	1597	2	30	20	3	1305

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/25/2014 11:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
32321	198364	1	3.09	13	236	<2	9	1.74	5	8	58	67	1.86	0.58	23	1.58	794	5	62	350	155	0.69	8	<5	<10	113	1349	<2	34	18	6	1062
32322D	198364	1	2.96	23	248	<2	9	1.78	4	8	56	68	1.88	0.83	23	1.58	806	4	57	354	154	0.68	14	8	<10	115	1374	<2	34	20	6	1074
32323	198365	<1	4.70	40	416	<2	<1	1.59	<4	12	74	29	2.01	0.52	31	1.57	877	3	59	461	25	0.98	9	<5	<10	119	1858	<2	56	<10	7	83
32324	198366	<1	5.22	31	410	<2	5	1.70	<4	11	72	19	1.86	0.30	33	1.52	815	3	68	471	28	0.92	13	<5	<10	121	1813	<2	55	<10	8	89
32325	198367	21	4.05	54	302	<2	29	4.43	83	8	29	803	3.04	0.61	24	2.38	2127	2	45	346	5264	0.97	26	21	14	132	1260	<2	30	240	8	21394
32326	198368	3	5.21	33	464	<2	9	0.60	<4	7	35	39	1.41	0.99	22	0.85	448	4	59	377	488	0.60	8	5	<10	102	1550	<2	30	15	4	680
32327	198369	<1	5.18	19	466	<2	<1	1.06	<4	7	35	12	1.40	1.34	32	1.52	581	4	60	382	117	0.54	10	<5	<10	119	1597	<2	31	<10	3	132
32328	198370	<1	4.53	55	230	<2	<1	0.86	5	14	31	2301	4.81	1.25	24	0.74	1063	13	21	752	99	1.51	5	13	<10	226	1097	2	65	15	8	644
32329	198371	<1	5.45	22	477	<2	4	1.39	<4	6	25	22	1.40	0.47	29	1.64	557	2	41	378	51	0.63	7	5	<10	129	1588	<2	31	<10	3	101
32330	198372	1	5.01	22	439	<2	7	1.77	<4	7	34	27	1.79	0.55	32	1.85	697	5	56	377	371	0.76	11	<5	<10	126	1435	<2	31	21	4	943
32331	198373	10	4.42	30	288	<2	<1	1.33	31	7	32	106	2.42	0.56	35	2.02	639	4	48	350	2725	0.98	20	<5	<10	112	1359	<2	28	123	3	13048
32332	198374	4	5.10	41	528	<2	13	0.46	6	8	43	65	1.53	1.07	29	0.60	266	6	64	384	489	0.86	11	<5	<10	99	1598	<2	33	23	3	1676
32333D	198374	3	5.26	32	479	<2	<1	0.35	6	8	39	62	1.43	0.34	27	0.58	248	4	61	385	422	0.84	7	<5	<10	94	1531	<2	31	26	3	1460
32334	198375	3	5.09	39	409	<2	7	0.94	5	8	28	26	1.44	0.51	20	0.98	380	2	43	361	169	0.83	15	8	<10	109	1380	<2	30	21	3	1016
32335	198376	3	5.21	61	300	<2	<1	0.56	<4	12	78	23	2.24	0.38	40	2.09	518	5	64	374	174	0.96	11	8	<10	98	1526	<2	48	14	4	613
32336	198377	5	4.88	58	281	<2	<1	0.36	8	16	142	171	3.20	0.43	26	1.26	413	10	91	556	781	1.03	9	<5	<10	95	1244	<2	79	36	7	2594
32337	198378	<1	4.90	53	158	2	1	0.71	<4	23	147	36	4.05	0.89	44	2.71	677	4	90	699	99	0.82	12	<5	37	100	1786	<2	100	<10	7	229
32338	198379	<1	4.77	39	233	<2	12	0.97	<4	19	150	45	3.52	0.88	32	2.17	545	6	105	537	94	0.71	12	8	<10	106	1576	<2	87	<10	8	130
32339	198380	<1	3.38	8	324	<2	7	2.29	<4	18	58	56	3.70	0.30	18	1.19	737	2	35	655	<1	0.40	11	<5	<10	331	3004	<2	125	<10	16	70
32340	198381	3	4.45	49	243	<2	8	0.58	<4	21	150	50	3.45	0.82	33	1.86	463	6	93	565	305	0.85	15	<5	<10	101	1716	<2	87	<10	9	243

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/25/2014 11:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
32341	198382	<1	3.89	33	203	<2	6	0.34	<4	21	146	30	3.62	1.04	49	2.35	478	4	97	536	97	0.71	7	6	<10	93	1964	6	93	<10	6	166
32342	198383	<1	4.57	15	292	2	8	0.92	<4	25	173	52	3.97	1.14	31	1.90	590	6	117	602	76	0.59	12	<5	<10	120	2645	<2	106	<10	8	99
32343	198384	<1	3.96	27	196	<2	7	0.51	<4	21	158	51	3.46	1.02	23	1.94	614	5	102	536	79	0.71	12	<5	<10	99	1919	<2	83	<10	8	118
32344D	198384	<1	4.12	19	202	<2	<1	0.54	<4	20	152	51	3.41	0.48	37	1.95	612	6	95	521	79	0.72	9	8	<10	101	1907	<2	81	<10	8	118
32345	198385	2	4.95	28	263	<2	14	0.29	<4	28	170	86	4.31	0.76	27	2.14	652	4	104	606	134	0.87	11	12	<10	97	2135	<2	125	<10	8	293
32346	198386	<1	5.39	34	285	2	<1	0.25	4	28	169	119	4.30	0.87	30	2.01	611	5	104	626	101	0.98	11	10	<10	97	2056	6	124	<10	9	339
32347	198387	20	5.52	84	344	<2	11	0.73	8	16	77	147	3.06	0.85	32	1.18	330	3	61	561	855	1.40	19	7	<10	103	1290	<2	66	31	6	1746
32348	198388	<1	5.76	25	329	2	6	0.96	<4	13	69	25	2.27	0.38	39	2.20	434	2	55	586	77	0.70	6	6	<10	112	1501	<2	66	10	5	401
32349	198389	<1	4.73	18	225	<2	<1	0.99	<4	24	155	31	3.77	1.04	31	2.67	558	5	95	592	52	0.58	12	<5	<10	119	2091	<2	95	<10	7	145
32350	198390	<1	2.35	6	209	<2	5	1.67	<4	21	52	35	3.82	<0.01	16	1.34	740	<1	32	680	<1	0.18	7	<5	<10	319	3026	<2	138	26	16	67
32351	198391	<1	4.84	11	350	<2	<1	0.39	<4	24	140	34	3.49	1.42	26	2.28	477	4	80	539	26	0.54	12	9	<10	100	2408	<2	93	<10	8	185
32352	198392	1	5.55	38	501	<2	6	0.79	<4	8	30	7	1.65	1.37	26	0.80	283	2	38	388	106	0.74	13	<5	<10	106	1543	<2	32	<10	4	115
32353	198393	45	5.00	102	498	<2	<1	0.57	6	7	36	192	1.63	1.26	21	0.53	211	5	46	342	3359	0.84	50	11	<10	108	1504	<2	30	26	3	1543
32354	198394	2	5.44	74	434	<2	6	0.94	<4	15	83	17	2.22	0.97	26	0.74	338	4	73	543	124	1.08	9	11	<10	119	1971	<2	60	10	7	342
32355D	198394	2	4.84	73	460	2	10	1.00	<4	14	88	16	2.29	1.57	24	0.70	348	5	78	553	120	1.04	11	<5	<10	122	1995	<2	63	10	6	364
32356	198395	<1	5.78	59	435	<2	<1	0.74	<4	20	142	53	3.06	0.78	28	1.02	672	6	90	567	60	0.91	7	8	<10	116	2712	<2	98	11	11	147
32357	198396	7	3.07	57	612	<2	<1	0.27	<4	9	46	27	1.93	1.21	23	0.51	435	8	66	474	308	0.98	14	10	<10	110	1820	<2	43	16	3	396
32358	198397	12	4.58	64	1053	<2	<1	0.33	<4	9	33	24	1.57	1.00	16	0.47	277	4	45	467	376	0.99	8	<5	<10	123	1667	<2	39	19	4	568
32359	198398	3	5.06	44	727	2	4	1.45	<4	8	37	20	1.57	0.66	26	0.95	829	3	47	511	104	0.93	10	10	<10	172	1788	<2	41	<10	4	218
32360	198399	12	3.52	41	445	<2	<1	0.66	<4	6	52	55	1.08	0.36	20	0.56	425	5	51	368	136	0.76	16	<5	<10	117	1369	<2	32	13	3	428

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/25/2014 11:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
32361	198400	<1	3.85	11	364	<2	5	2.50	<4	17	61	50	3.82	0.37	17	1.22	756	2	36	671	<1	0.48	9	<5	<10	346	3111	<2	128	<10	16	56
32362	198401	3	4.36	48	520	<2	<1	0.71	<4	8	38	69	1.34	0.55	18	0.68	479	4	46	483	76	0.67	12	11	<10	131	1716	<2	39	16	4	508
32363	198402	1	5.21	47	470	<2	<1	1.49	<4	8	38	29	1.40	0.44	23	1.08	743	2	45	540	55	0.67	11	<5	<10	150	1898	<2	42	15	5	115
32364	198403	2	4.02	28	411	<2	<1	0.46	<4	9	36	21	1.30	0.55	18	0.58	315	3	38	472	182	0.63	12	19	<10	101	1691	<2	36	16	4	466
32365	198404	<1	4.84	22	357	<2	3	1.64	<4	8	33	23	1.44	0.70	25	1.15	618	2	36	508	62	0.53	11	11	<10	124	1927	<2	40	<10	5	52
32366R	198404	<1	4.88	19	351	<2	<1	1.66	<4	10	30	29	1.47	<0.01	17	1.14	613	12	28	503	69	0.68	<5	5	<10	126	1881	<2	39	12	5	100
32367	198405	<1	5.89	29	395	2	4	2.07	<4	10	26	25	1.74	0.17	24	1.46	738	6	31	567	20	0.82	<5	12	<10	155	2209	<2	46	<10	5	57
32368	198406	<1	5.36	25	354	<2	<1	1.94	<4	8	23	21	1.52	0.31	20	1.37	686	2	25	536	14	0.69	9	<5	<10	150	2013	<2	41	<10	5	45
32369	198407	11	5.29	32	510	2	<1	2.02	<4	10	24	412	1.68	0.23	22	1.47	742	1	25	551	232	0.69	10	5	<10	161	1983	<2	43	10	5	247
32370	198408	<1	5.29	39	411	2	<1	1.63	<4	9	24	22	1.39	0.24	25	1.13	589	1	24	541	106	0.78	11	6	<10	133	1918	<2	41	11	5	203
32371	198409	2	4.68	43	427	<2	<1	0.80	<4	10	28	45	1.66	0.83	24	0.76	403	2	29	553	190	0.87	10	9	<10	115	2011	<2	42	13	4	547
32372	198410	83	2.88	50	389	<2	<1	1.05	23	17	34	59	3.31	0.43	15	0.76	511	3	23	618	630	0.61	65	13	230	294	2224	<2	106	72	13	2231
32373	198411	<1	5.71	31	463	2	9	1.84	<4	9	52	10	1.84	0.42	33	1.24	591	5	64	564	31	0.68	12	5	<10	138	2191	<2	47	10	5	91
32374	198412	<1	5.39	15	403	<2	1	1.01	<4	10	36	15	1.58	0.45	24	0.89	451	2	47	525	43	0.63	7	<5	<10	127	2158	<2	45	<10	5	101
32375	198413	2	4.36	47	375	<2	5	0.19	4	9	46	53	1.59	0.13	14	0.40	204	8	66	463	343	0.76	9	<5	<10	100	1748	<2	39	18	4	926
32376	198414	<1	5.14	12	484	<2	<1	2.39	<4	10	35	6	1.82	0.49	22	1.19	465	2	47	558	22	0.54	10	8	<10	152	2094	<2	44	<10	5	80
32377D	198414	<1	5.34	10	492	2	4	2.45	<4	10	36	6	1.83	0.47	27	1.19	468	4	48	577	16	0.57	9	10	<10	155	2116	<2	45	13	5	79
32378	198415	2	6.41	18	568	2	<1	2.14	<4	12	51	6	1.99	0.56	44	1.24	580	6	71	613	55	0.58	17	19	<10	153	2300	<2	48	<10	5	135
32379	198416	<1	5.93	16	601	3	<1	2.29	<4	10	44	13	1.97	0.48	32	1.28	627	4	54	596	20	0.47	9	5	<10	169	2267	6	45	11	5	99
32380	198417	<1	5.82	15	508	2	3	2.51	<4	10	33	7	1.80	0.74	32	1.32	778	1	41	583	18	0.60	13	5	<10	167	2052	<2	45	10	5	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/25/2014 11:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
32381	198418	1	5.45	39	519	2	<1	1.37	<4	9	39	15	1.68	1.11	32	0.82	570	3	54	540	214	0.77	10	5	<10	149	1992	<2	41	15	5	345
32382	198419	<1	4.49	49	342	<2	<1	0.75	<4	10	38	10	1.82	0.89	23	0.66	460	5	59	494	54	0.87	8	9	<10	121	1935	<2	41	13	4	249
32383	198420	<1	3.31	9	324	<2	<1	2.25	<4	15	54	47	3.57	0.31	15	1.14	713	2	34	628	<1	0.48	9	<5	<10	323	2926	<2	121	<10	15	52
32384	198421	<1	4.77	19	332	2	7	1.91	<4	9	33	7	1.69	1.02	24	1.01	584	3	46	537	27	0.70	14	9	<10	179	2058	<2	43	<10	4	69
32385	198422	2	4.88	12	230	2	<1	1.45	<4	9	33	40	2.00	0.65	26	1.03	561	2	43	545	359	0.64	8	<5	<10	170	1922	<2	43	18	5	857
32386	198423	<1	5.59	4	325	2	41	3.11	<4	13	26	12	2.06	1.02	33	1.46	564	1	36	572	23	0.54	11	9	12	231	2293	<2	49	<10	5	81
32387	198424	<1	5.89	5	205	3	<1	3.79	<4	22	138	55	3.66	0.85	38	1.88	761	5	88	701	29	0.67	12	7	<10	281	2854	<2	80	<10	12	191
32388D	198424	<1	5.48	19	179	2	<1	3.56	<4	22	132	52	3.49	0.74	35	1.82	727	3	81	663	26	0.63	12	7	<10	268	2747	<2	76	11	11	149
32389	198425	<1	5.02	4	171	2	3	1.54	<4	26	156	47	3.78	0.66	35	1.35	510	2	85	619	11	0.59	9	<5	<10	218	2899	<2	93	11	13	87
32390	198426	<1	6.02	11	215	2	17	1.79	<4	24	171	52	4.07	0.93	41	1.45	546	4	100	645	16	0.42	8	7	<10	235	3160	<2	101	10	15	92
32391	198427	<1	5.11	15	205	2	<1	1.05	<4	22	171	63	3.74	0.86	29	1.19	488	6	111	541	140	0.56	13	7	<10	180	2351	<2	102	<10	9	319
32392	198428	<1	5.13	8	422	<2	<1	1.18	<4	27	164	50	3.86	1.48	40	1.41	601	2	94	594	9	0.53	6	5	<10	159	3083	<2	106	11	12	81
32393	198429	<1	5.72	97	822	2	<1	1.31	<4	27	149	67	4.06	1.10	24	1.12	656	5	97	598	68	1.16	9	6	<10	167	2981	<2	127	10	14	333
32394	198430	<1	4.60	45	226	<2	1	0.83	5	17	29	2335	4.82	0.70	33	0.73	1062	13	20	756	63	1.73	11	<5	<10	227	1122	4	65	19	8	604
32395	198431	<1	5.32	40	280	2	9	1.22	<4	22	161	157	3.84	0.96	39	1.03	503	6	101	616	57	0.95	10	<5	<10	159	2044	<2	98	11	11	149
32396	198432	<1	5.65	16	175	2	11	1.64	<4	28	193	100	4.37	1.17	34	1.43	649	5	119	602	38	0.64	9	8	<10	185	2820	<2	108	<10	12	119
32397	198433	<1	4.95	73	296	2	10	0.11	<4	23	166	60	3.58	0.64	28	0.82	316	4	104	588	39	1.13	10	11	<10	112	2417	<2	104	14	10	419
32398	198434	<1	4.63	21	239	2	<1	1.37	<4	25	149	49	3.72	1.11	27	1.32	578	<1	81	589	41	0.66	12	12	<10	157	2431	<2	97	<10	9	115
32399D	198434	<1	4.42	17	223	<2	3	1.30	<4	23	148	47	3.63	0.95	24	1.30	562	1	80	576	34	0.64	14	8	<10	154	2382	<2	95	<10	9	108
32400	198435	<1	5.14	10	246	<2	7	0.98	<4	28	164	49	4.36	1.19	43	1.59	618	1	94	592	9	0.65	6	<5	<10	152	3250	<2	123	10	9	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/25/2014 11:05 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 25, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/03/2014
Date Completed: 03/14/2014
Job #: 201440367
Reference: TL0855-14RE
Sample #: 97

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
32401	198436	<1	4.98	18	225	<2	5	1.15	<4	24	158	49	3.66	0.97	21	1.24	544	3	91	597	22	0.74	9	<5	<10	170	2516	<2	96	<10	11	107
32402	198437	<1	5.50	16	336	2	7	1.31	<4	22	159	72	3.48	0.58	23	1.19	510	2	86	588	15	0.63	15	18	<10	183	2560	<2	99	<10	14	85
32403	198438	2	4.87	132	372	2	<1	<0.01	5	23	148	69	3.22	0.61	19	0.34	116	4	86	564	63	1.40	<5	<5	<10	107	2571	<2	94	17	11	1175
32404	198439	<1	5.47	23	319	2	<1	1.08	<4	23	156	57	3.58	0.43	26	1.15	557	4	88	564	31	0.64	7	6	<10	167	2160	<2	100	<10	12	84
32405	198440	<1	3.65	8	351	<2	10	2.42	<4	19	59	50	3.78	0.35	11	1.20	751	3	35	657	<1	0.45	12	7	<10	340	3099	<2	128	<10	15	55
32406	198441	<1	5.16	259	289	2	28	0.78	<4	27	167	68	4.09	0.51	21	1.32	633	2	102	562	18	0.49	11	7	<10	159	3087	<2	122	<10	13	133

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 31, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/26/2014
Date Completed: 03/31/2014
Job #: 201440547
Reference: 201440367
Sample #: 19

Acc #	Client ID	Au g/t (ppm)
43969	198361	0.056
43970	198362	0.048
43971	198363	0.433
43972	198364	0.090
43973	198365	0.156
43974	198366	0.314
43975	198367	1.819
43976	198368	0.265
43977	198369	0.080
43978	198370	0.385
43979	198370	Insufficient Sample
43980	198371	0.031
43981	198372	0.084
43982	198373	1.327
43983	198374	0.944
43984	198375	0.318
43985	198376	0.203
43986	198377	0.445
43987	198378	0.150
43988	198379	0.085

APPLIED SCOPES: ALFA1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 31, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/26/2014
Date Completed: 03/31/2014
Job #: 201440547
Reference: 201440367
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.722	0.791	0.051
GS25	0.699	0.791	0.051

APPLIED SCOPES: ALFA1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 20, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/17/2014
Date Completed: 03/20/2014
Job #: 201440438
Reference: 201440367
Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
37475	198393	3722	3793	54299	6037	4.51%	49.34
37476	198399	4744	4793	16824	5300	4.41%	44.66

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL0855W1

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Au g/t (ppm)
34420	198442	0.023
34421	198443	0.072
34422	198444	0.029
34423	198445	0.263
34424	198446	0.164
34425	198447	0.119
34426	198448	0.104
34427	198449	0.052
34428	198450	1.916
34429	198451	0.132
34430	198451 Dup	0.173
34431	198452	0.123
34432	198453	0.058
34433	198454	0.028
34434	198455	0.217
34435	198456	0.046
34436	198457	0.751
34437	198458	0.029
34438	198459	0.059
34439	198460	<0.005
34440	198461	0.029
34441	198461 Dup	0.028
34442	198462	0.006
34443	198463	0.007
34444	198464	0.006

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Au g/t (ppm)
34445	198465	<0.005
34446	198466	<0.005
34447	198467	<0.005
34448	198468	<0.005
34449	198469	0.019
34450	198470	4.978
34451	198471	0.012
34452	198471 Dup	0.006
34453	198472	<0.005
34454	198473	<0.005
34455	198474	<0.005
34456	198475	0.018
34457	198476	<0.005
34458	198477	<0.005
34459	198478	0.091
34460	198479	0.497
34461	198480	<0.005
34462	198481	0.137
34463	198481 Dup	0.163
34464	198482	0.036
34465	198483	0.064
34466	198484	0.143
34467	198485	0.095
34468	198486	0.058
34469	198487	0.017

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Au g/t (ppm)
34470	198488	0.042
34471	198489	0.385
34472	198490	0.355
34473	198491	0.047
34474	198491 Dup	0.052
34475	198492	0.007
34476	198493	0.007
34477	198494	<0.005
34478	198495	0.024
34479	198496	0.010
34480	198497	0.043
34481	198498	0.008
34482	198499	0.019
34483	198500	<0.005
34484	198501	0.080
34485	198501 Rep	0.070
34486	198502	0.104
34487	198503	0.104
34488	198504	0.018
34489	198505	0.015
34490	198506	0.012
34491	198507	0.032
34492	198508	0.017
34493	198509	0.011
34494	198510	1.413

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Au g/t (ppm)
34495	198511	0.008
34496	198511 Dup	0.007
34497	198512	0.098
34498	198513	0.415
34499	198514	0.029
34500	198515	0.035
34501	198516	0.027
34502	198517	0.037
34503	198518	0.024
34504	198519	0.010
34505	198520	<0.005
34506	198521	0.102
34507	198521 Dup	0.021
34508	198522	0.019
34509	198523	0.112
34510	198524	0.087
34511	198525	0.045
34512	198526	0.045
34513	198527	0.259
34514	198528	0.269
34515	198529	0.046
34516	198530	0.493
34517	198531	0.024
34518	198531 Dup	0.021
34519	198532	0.042

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Au g/t (ppm)
34520	198533	0.114
34521	198534	0.053
34522	198535	0.099
34523	198536	0.085
34524	198537	0.046
34525	198538	0.023
34526	198539	<0.005
34527	198540	<0.005
34528	198541	0.128
34529	198541 Dup	0.145
34530	198542	0.039
34531	198543	0.152
34532	198544	0.190
34533	198545	0.671
34534	198546	0.248
34535	198547	0.076
34536	198548	0.042
34537	198549	0.015
34538	198550	4.855
34539	198551	0.198
34540	198551 Dup	0.178
34541	198552	0.206
34542	198553	0.252
34543	198554	0.032
34544	198555	0.044

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Au g/t (ppm)
34545	198556	0.067
34546	198557	0.101
34547	198558	0.035
34548	198559	0.060
34549	198560	<0.005
34550	198561	0.218
34551	198561 Rep	0.275
34552	198562	0.147
34553	198563	0.037
34554	198564	0.057
34555	198565	0.251
34556	198566	0.290
34557	198567	0.536
34558	198568	0.043
34559	198569	0.036
34560	198570	1.493
34561	198571	0.016
34562	198571 Dup	0.018
34563	198572	<0.005
34564	198573	0.008
34565	198574	0.010
34566	198575	0.013
34567	198576	0.056
34568	198577	0.931
34569	198578	0.031

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Au g/t (ppm)
34570	198579	0.012
34571	198580	<0.005
34572	198581	0.051
34573	198581 Dup	0.050
34574	198582	1.801
34575	198583	0.127
34576	198584	0.571
34577	198585	0.187
34578	198586	0.291
34579	198587	0.260
34580	198588	0.166
34581	198589	0.059
34582	198590	0.364
34583	198591	0.024
34584	198591 Dup	0.021
34585	198592	0.009
34586	198593	0.110
34587	198594	0.022
34588	198595	<0.005
34589	198596	0.186
34590	198597	0.023
34591	198598	0.060
34592	198599	0.074
34593	198600	<0.005
34594	198601	0.399

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Au g/t (ppm)
34595	198601 Dup	0.374
34596	198602	0.044
34597	198603	0.054
34598	198604	0.302
34599	198605	0.279
34600	198606	0.262
34601	198607	0.049
34602	198608	0.076
34603	198609	0.070
34604	198610	4.873
34605	198611	0.144
34606	198611 Dup	0.124
34607	198612	0.124
34608	198613	0.306
34609	198614	0.904
34610	198615	0.244
34611	198616	0.225
34612	198617	0.047
34613	198618	4.006
34614	198619	0.743
34615	198620	<0.005
34616	198621	0.181
34617	198621 Rep	0.174
34618	198622	0.200
34619	198623	0.156

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Au g/t (ppm)
34620	198624	0.095
34621	198625	0.079
34622	198626	0.047
34623	198627	0.221
34624	198628	0.584
34625	198629	3.031
34626	198630	1.452
34627	198631	1.392
34628	198631 Dup	1.304
34629	198632	0.366
34630	198633	1.328
34631	198634	2.525
34632	198635	0.086
34633	198636	0.151
34634	198637	0.013
34635	198638	0.079
34636	198639	0.099
34637	198640	<0.005
34638	198641	0.033
34639	198641 Dup	0.037
34640	198642	0.068
34641	198643	0.016
34642	198644	0.033
34643	198645	0.141
34644	198646	0.142

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Au g/t (ppm)
34645	198647	0.032
34646	198648	0.099
34647	198649	0.134
34648	198650	0.365
34649	198651	<0.005
34650	198651 Dup	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 19, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS3K	3.038	3.190	0.130
GS25	0.796	0.791	0.051
GS25	0.777	0.791	0.051
GS25	0.767	0.791	0.051
GS25	0.775	0.791	0.051
GS25	0.560	0.791	0.051
GS25	0.762	0.791	0.051
GS25	0.766	0.791	0.051
GS25	0.758	0.791	0.051
GS25	0.737	0.791	0.051
GS25	0.772	0.791	0.051
GS25	0.786	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34420	198442	<1	5.43	19	700	<2	7	2.01	<4	11	28	11	2.02	<0.01	45	0.84	473	3	30	556	22	1.07	11	<5	<10	355	2078	6	46	<10	7	71
34421	198443	<1	5.06	30	702	<2	<1	1.67	<4	11	28	24	1.92	<0.01	41	0.77	691	3	25	509	76	1.24	9	20	<10	290	1863	<2	42	<10	7	207
34422	198444	<1	5.52	31	637	2	16	2.00	<4	11	27	39	2.11	0.12	78	0.82	916	4	25	519	48	1.42	11	<5	<10	254	2069	<2	45	<10	7	89
34423	198445	<1	5.50	34	631	<2	<1	2.63	5	10	28	73	2.09	<0.01	80	0.88	916	4	28	507	27	1.49	9	5	<10	223	1832	<2	41	16	6	1255
34424	198446	<1	5.64	40	629	<2	<1	2.69	5	10	51	73	2.36	<0.01	83	0.92	1047	9	57	520	30	1.36	9	<5	<10	223	1862	2	42	22	7	1455
34425	198447	<1	5.39	35	656	<2	6	2.52	<4	8	32	53	1.84	<0.01	70	0.98	997	3	32	483	16	1.42	5	<5	<10	224	1579	<2	37	<10	6	430
34426	198448	<1	5.46	37	552	2	<1	3.56	4	14	102	125	2.19	<0.01	59	1.81	1296	3	62	944	24	1.33	11	<5	<10	227	2257	<2	47	15	9	880
34427	198449	<1	5.15	26	573	<2	3	2.71	<4	7	28	50	1.82	<0.01	44	1.22	1076	4	27	496	10	1.32	9	<5	<10	211	1839	<2	38	<10	6	184
34428	198450	<1	3.92	19	431	<2	13	2.26	<4	19	53	30	3.68	<0.01	20	1.41	721	1	31	609	5	0.75	15	<5	<10	285	3116	<2	121	25	16	60
34429	198451	<1	5.11	35	582	2	8	3.72	6	9	27	121	2.10	0.24	43	1.50	1502	4	26	464	72	1.43	12	<5	<10	210	1879	<2	37	18	6	1247
34430D	198451	<1	5.20	34	595	2	9	3.83	6	10	29	123	2.17	<0.01	49	1.53	1548	5	28	482	77	1.48	6	<5	<10	215	1933	<2	38	17	6	1263
34431	198452	<1	5.15	28	533	2	9	3.01	<4	9	35	115	2.02	<0.01	40	1.44	1276	5	33	545	234	1.21	10	<5	<10	215	1949	<2	40	<10	8	458
34432	198453	<1	5.08	43	514	<2	<1	1.09	<4	7	35	24	1.43	<0.01	31	0.85	542	5	36	315	63	1.04	6	<5	<10	140	1500	<2	28	<10	6	201
34433	198454	<1	5.51	35	538	2	10	1.21	<4	5	33	16	1.33	<0.01	32	0.95	622	5	37	305	96	1.10	9	9	<10	121	1409	<2	24	<10	5	155
34434	198455	<1	5.04	40	554	2	9	0.97	<4	6	29	66	1.38	0.22	26	0.83	527	6	36	289	133	1.17	12	<5	<10	106	1368	<2	24	12	5	745
34435	198456	<1	5.14	49	550	<2	<1	1.41	<4	7	32	15	1.41	0.03	19	0.97	750	7	38	302	104	1.03	9	5	<10	115	1378	<2	24	<10	5	403
34436	198457	3	4.83	38	480	<2	2	1.28	8	7	35	115	1.37	<0.01	19	0.89	653	6	38	289	1089	1.09	11	<5	<10	107	1308	<2	23	23	5	1980
34437	198458	<1	5.49	38	528	<2	6	1.74	<4	5	27	10	1.43	0.02	29	0.96	718	4	29	299	61	1.19	9	<5	<10	132	1389	<2	23	10	5	187
34438	198459	<1	5.26	41	516	<2	10	0.96	<4	5	27	15	1.31	<0.01	29	0.80	497	4	30	313	181	1.22	9	<5	<10	107	1417	<2	24	<10	5	208
34439	198460	<1	3.11	18	419	<2	2	2.41	<4	17	56	43	3.68	<0.01	15	1.30	740	5	34	593	3	0.79	13	<5	<10	281	2920	<2	112	<10	15	46

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:15 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34440	198461	<1	5.26	36	486	<2	<1	1.62	<4	5	31	14	1.34	<0.01	30	0.80	647	6	33	278	94	1.18	9	<5	<10	153	1332	<2	25	10	5	306
34441D	198461	<1	5.58	41	507	2	1	1.70	<4	5	29	14	1.38	<0.01	33	0.83	661	5	32	282	98	1.21	<5	11	<10	158	1377	<2	25	<10	5	320
34442	198462	<1	5.66	22	439	<2	4	1.54	<4	8	27	8	0.41	<0.01	18	0.35	171	6	27	122	25	0.82	12	<5	<10	206	1342	<2	37	<10	4	38
34443	198463	<1	4.63	27	340	<2	8	1.36	<4	7	29	6	0.39	<0.01	14	0.47	167	5	27	<100	14	0.85	14	7	<10	223	1187	<2	34	<10	4	62
34444	198464	<1	5.21	23	372	<2	<1	1.37	<4	6	28	7	0.47	<0.01	14	0.50	186	5	29	160	10	0.85	<5	<5	<10	249	1400	5	34	<10	4	22
34445	198465	<1	5.20	33	398	<2	<1	1.54	<4	7	37	6	0.57	<0.01	14	0.46	217	8	36	283	15	0.91	8	<5	<10	243	1427	13	31	<10	5	37
34446	198466	<1	5.53	35	386	<2	<1	1.44	<4	6	28	8	0.52	0.09	14	0.55	200	6	28	266	12	0.90	10	<5	<10	233	1517	<2	34	<10	5	38
34447	198467	<1	5.42	28	465	<2	<1	1.15	<4	5	23	6	0.37	0.11	3	0.29	106	3	23	187	7	0.81	10	<5	<10	224	1469	<2	33	<10	5	33
34448	198468	<1	6.08	28	517	<2	12	1.05	<4	8	23	8	0.44	0.04	8	0.30	100	4	24	293	11	0.94	11	<5	<10	211	1787	<2	38	<10	5	129
34449	198469	<1	5.97	29	521	<2	<1	1.30	<4	8	28	7	0.45	<0.01	12	0.32	137	4	27	335	30	0.94	7	10	<10	226	1731	<2	35	<10	5	94
34450	198470	67	2.93	52	460	<2	11	1.29	20	15	32	49	3.13	0.10	8	0.87	494	4	21	530	562	1.03	60	<5	219	238	2032	<2	90	60	13	1809
34451	198471	<1	4.90	32	421	<2	<1	1.01	<4	8	36	9	0.67	0.15	10	0.34	174	5	36	353	13	0.89	7	<5	<10	217	1617	<2	38	<10	5	22
34452D	198471	<1	5.50	27	450	<2	7	1.09	<4	8	40	10	0.69	<0.01	6	0.33	177	6	42	382	14	0.93	13	<5	<10	231	1678	<2	40	<10	5	53
34453	198472	<1	5.29	24	507	<2	3	1.31	<4	4	36	5	0.45	<0.01	5	0.28	136	6	33	280	18	0.87	9	<5	<10	243	1314	<2	33	<10	5	41
34454	198473	<1	5.51	31	516	<2	<1	1.60	<4	7	22	9	0.79	<0.01	7	0.49	255	2	22	268	27	1.02	12	<5	<10	291	1523	<2	35	10	6	57
34455	198474	<1	5.79	30	565	2	3	2.69	<4	10	31	34	2.07	<0.01	18	0.94	674	5	32	495	39	1.03	9	<5	<10	326	2151	<2	41	<10	9	85
34456	198475	<1	5.70	27	713	<2	<1	2.12	<4	9	59	40	2.03	<0.01	22	0.72	479	13	99	508	49	0.96	9	7	<10	309	2081	<2	42	<10	9	219
34457	198476	<1	5.42	22	694	<2	5	2.39	<4	10	38	9	1.96	<0.01	18	0.83	444	7	59	495	20	1.00	12	<5	<10	362	2025	<2	38	<10	9	45
34458	198477	<1	1.42	17	198	<2	<1	0.47	<4	3	43	16	0.82	<0.01	8	0.47	229	6	52	173	17	1.03	17	<5	<10	79	779	<2	15	<10	5	26
34459	198478	<1	5.42	35	568	<2	<1	0.62	<4	13	27	5	1.98	0.02	19	0.70	350	4	43	464	176	1.75	13	<5	<10	116	2049	<2	37	10	8	312

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:15 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34460	198479	<1	4.85	50	494	2	11	0.84	<4	10	61	51	2.05	<0.01	10	0.75	403	14	101	501	515	1.43	17	<5	<10	107	1991	<2	40	24	8	592
34461	198480	<1	3.18	22	397	<2	<1	2.40	<4	17	54	43	3.64	<0.01	2	1.30	728	4	33	588	2	0.81	14	<5	<10	287	2871	<2	111	<10	15	43
34462	198481	<1	5.14	36	584	<2	<1	0.97	6	10	53	77	2.22	<0.01	15	0.87	525	10	83	471	206	1.10	9	<5	<10	89	2110	3	43	17	8	926
34463D	198481	<1	5.25	23	592	<2	2	0.96	6	12	50	77	2.21	<0.01	14	0.87	525	11	79	481	197	1.10	8	<5	<10	88	2141	<2	42	16	8	995
34464	198482	<1	6.67	22	773	3	8	2.10	<4	11	39	48	2.21	<0.01	9	1.36	934	10	57	572	68	0.96	9	<5	<10	126	2460	7	47	15	9	423
34465	198483	<1	5.40	31	669	<2	<1	1.56	<4	10	42	55	1.72	<0.01	10	0.98	661	6	66	469	235	1.09	9	14	<10	126	2015	<2	37	13	7	368
34466	198484	<1	5.58	40	754	<2	4	1.71	<4	10	51	44	1.92	<0.01	19	1.05	732	9	81	485	230	1.08	10	8	<10	127	2059	<2	37	14	7	291
34467	198485	<1	5.66	34	780	<2	<1	2.06	<4	9	36	44	1.85	<0.01	17	1.14	804	5	57	482	77	1.14	12	8	<10	132	2121	<2	37	<10	8	104
34468	198486	<1	5.66	29	775	2	<1	2.13	<4	9	36	30	1.85	0.16	13	1.19	840	7	60	477	70	1.04	7	13	<10	133	2148	<2	37	<10	8	114
34469	198487	<1	5.85	26	706	2	<1	2.24	<4	9	37	15	1.93	0.05	16	1.18	768	7	58	498	34	0.90	18	<5	<10	144	2199	<2	39	<10	8	86
34470	198488	<1	6.17	35	753	3	<1	2.51	<4	9	46	15	1.97	0.20	18	1.16	727	8	77	523	25	0.93	13	<5	<10	156	2193	<2	40	<10	8	79
34471	198489	<1	5.62	38	702	2	8	2.02	<4	10	41	86	1.96	0.15	13	1.25	720	8	63	486	427	1.28	15	<5	<10	131	2051	<2	37	<10	7	551
34472	198490	<1	4.98	63	307	2	7	1.15	6	15	33	2307	5.14	0.11	12	0.96	1150	17	22	726	84	2.87	9	<5	<10	202	1159	<2	62	13	10	608
34473	198491	<1	6.55	46	716	<2	3	2.35	<4	12	45	43	1.91	0.27	31	1.28	729	9	77	502	276	1.19	6	8	<10	188	2114	<2	39	13	8	621
34474D	198491	<1	6.00	37	684	<2	2	2.22	<4	11	40	21	1.81	0.11	14	1.24	700	7	68	471	251	1.13	11	<5	<10	180	2020	2	37	10	8	494
34475	198492	<1	5.91	27	497	<2	<1	1.44	<4	6	29	12	1.21	0.20	16	1.20	459	6	46	278	157	1.00	11	5	13	211	1268	<2	20	11	6	681
34476	198493	<1	5.21	21	324	2	11	3.30	<4	8	38	16	1.40	0.31	19	1.67	792	5	58	309	153	1.05	8	<5	<10	145	1335	<2	25	10	7	418
34477	198494	<1	5.22	16	330	<2	29	1.51	<4	7	47	11	1.37	0.34	14	0.94	477	8	73	314	20	0.93	17	18	10	198	1396	<2	28	<10	7	66
34478	198495	<1	3.20	20	331	<2	<1	0.84	<4	5	52	8	1.10	0.06	3	0.81	409	10	81	336	23	0.89	10	10	<10	129	1161	<2	21	20	6	60
34479	198496	<1	5.03	21	542	<2	<1	1.24	<4	4	39	4	1.15	<0.01	3	0.99	496	8	68	240	20	0.92	12	<5	<10	168	1071	<2	19	<10	5	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:15 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34480	198497	<1	5.33	23	518	<2	<1	0.87	<4	4	30	2	1.07	<0.01	4	0.97	468	6	56	259	20	0.95	10	8	<10	139	1034	<2	19	<10	5	353
34481	198498	<1	5.70	22	659	<2	<1	1.22	<4	3	42	3	1.16	0.05	2	0.95	496	9	75	282	14	0.96	13	<5	<10	154	1210	<2	21	<10	6	45
34482	198499	<1	5.64	23	666	<2	<1	1.27	<4	4	31	5	1.12	0.09	8	0.86	527	6	55	259	9	0.91	10	5	<10	161	1176	<2	19	<10	5	29
34483	198500	<1	3.94	19	447	2	7	2.63	<4	18	59	47	3.90	0.18	14	1.40	788	5	37	615	4	0.83	12	10	<10	307	3063	<2	118	<10	16	46
34484	198501	<1	5.36	31	541	<2	<1	0.60	<4	4	45	6	1.33	0.05	2	0.73	498	11	80	266	13	1.07	8	5	<10	113	1155	<2	21	<10	5	137
34485R	198501	<1	5.39	42	556	2	9	0.61	<4	5	54	13	1.40	0.15	7	0.74	522	13	104	258	18	0.99	9	<5	<10	112	1163	<2	21	<10	5	275
34486	198502	<1	5.03	41	557	<2	<1	0.12	<4	3	49	8	1.22	0.13	6	0.52	311	15	90	238	17	1.14	7	<5	<10	71	1120	<2	20	<10	5	108
34487	198503	<1	5.94	47	647	<2	<1	0.56	11	6	48	29	1.63	<0.01	12	0.72	490	10	82	267	26	1.35	13	9	<10	107	1214	<2	21	32	6	2776
34488	198504	<1	5.23	31	470	<2	<1	1.38	<4	5	25	9	1.08	0.19	<1	0.88	715	5	44	248	24	1.00	13	<5	<10	182	1130	<2	18	<10	5	109
34489	198505	<1	5.47	27	489	<2	3	1.47	<4	4	45	14	1.13	0.15	10	0.93	1754	11	79	249	98	0.97	9	<5	<10	188	1165	<2	20	<10	5	136
34490	198506	<1	5.16	29	466	<2	<1	1.45	<4	4	34	12	1.06	0.13	11	0.91	1796	7	58	241	43	0.95	16	6	<10	183	1142	<2	18	<10	5	83
34491	198507	<1	4.87	33	473	<2	17	1.50	<4	4	27	12	1.13	0.21	4	1.08	1725	4	39	220	59	0.97	12	<5	<10	175	1137	<2	20	<10	5	285
34492	198508	<1	4.69	20	466	<2	<1	1.37	<4	5	27	13	1.16	0.25	5	0.97	1772	5	41	229	115	1.02	14	<5	<10	178	1087	<2	17	<10	5	209
34493	198509	<1	4.93	27	551	<2	<1	1.48	<4	5	17	5	1.06	<0.01	6	0.88	1820	2	23	242	24	1.04	14	6	<10	202	1153	<2	17	<10	5	92
34494	198510	<1	3.30	29	491	2	<1	2.04	<4	15	49	193	3.77	0.03	<1	1.19	711	12	36	576	4	0.84	15	<5	<10	285	2680	<2	104	<10	15	62
34495	198511	<1	4.34	25	408	<2	<1	1.47	<4	3	17	7	1.11	<0.01	2	0.89	1006	2	23	206	20	1.05	13	6	<10	207	1000	2	16	<10	5	41
34496D	198511	<1	4.02	25	383	<2	<1	1.39	<4	4	16	6	1.06	<0.01	<1	0.86	960	3	22	200	20	1.01	12	<5	<10	197	940	<2	15	<10	5	36
34497	198512	<1	5.47	31	412	2	3	1.29	<4	21	135	86	3.47	<0.01	<1	1.57	1076	4	74	510	98	1.17	12	<5	<10	166	1990	<2	84	<10	12	200
34498	198513	<1	6.83	20	462	<2	16	2.05	<4	25	172	48	4.02	0.14	46	1.70	866	4	92	587	48	1.25	7	<5	<10	214	3159	<2	97	<10	16	81
34499	198514	<1	6.73	29	716	2	9	1.32	<4	12	34	15	1.62	<0.01	16	1.05	363	3	30	433	73	1.14	5	<5	<10	198	1930	<2	43	<10	8	220

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:15 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34500	198515	<1	6.01	34	494	<2	<1	2.79	<4	13	67	14	2.40	0.11	16	1.68	840	1	46	588	65	1.22	9	14	<10	213	2445	<2	49	<10	10	134
34501	198516	<1	5.60	32	527	<2	5	1.66	<4	11	38	16	1.86	0.51	<1	0.98	618	2	31	536	25	1.16	9	<5	<10	138	2187	<2	43	<10	8	64
34502	198517	<1	5.53	23	632	<2	<1	2.23	<4	8	14	8	1.73	0.16	<1	0.88	487	2	19	621	18	1.03	9	<5	<10	159	1847	<2	34	<10	7	71
34503	198518	<1	5.89	43	630	<2	5	1.80	<4	9	22	7	1.67	0.04	10	0.85	492	3	32	650	24	1.11	9	<5	<10	160	2152	<2	38	<10	7	79
34504	198519	<1	5.65	48	760	<2	6	1.75	<4	8	39	4	1.65	<0.01	<1	1.08	578	7	52	587	47	1.19	<5	<5	<10	144	1958	<2	34	<10	7	88
34505	198520	<1	3.34	22	404	2	<1	2.44	<4	15	56	43	3.67	<0.01	<1	1.31	737	4	33	590	4	0.85	8	<5	<10	291	2896	<2	111	<10	16	56
34506	198521	<1	5.13	31	795	2	8	1.71	<4	7	21	9	1.62	0.22	<1	1.14	650	3	35	573	36	1.14	9	<5	<10	120	1955	<2	33	<10	7	97
34507D	198521	<1	5.25	29	803	<2	<1	1.72	<4	7	23	10	1.63	0.03	3	1.15	658	4	35	571	38	1.21	8	<5	<10	121	1979	<2	33	<10	7	112
34508	198522	<1	5.64	39	807	<2	<1	1.38	<4	7	31	7	1.60	<0.01	4	1.11	660	6	46	575	35	1.14	11	<5	<10	115	2070	<2	35	<10	7	79
34509	198523	<1	5.20	41	670	<2	<1	1.43	<4	5	50	9	1.65	<0.01	2	1.01	606	11	80	528	486	1.15	7	<5	<10	104	1906	<2	32	14	7	532
34510	198524	<1	5.45	37	725	2	<1	1.75	<4	6	43	16	1.69	<0.01	<1	1.15	798	7	65	594	282	1.02	13	<5	<10	110	2076	<2	35	<10	7	312
34511	198525	<1	6.05	34	656	<2	2	1.90	<4	7	45	17	1.87	<0.01	2	1.30	853	9	72	646	37	1.02	10	6	<10	113	2193	4	37	<10	8	58
34512	198526	<1	5.73	33	640	<2	<1	1.84	<4	7	40	15	1.70	<0.01	5	1.22	789	7	55	614	43	1.14	14	7	<10	110	2107	<2	36	13	8	70
34513	198527	3	5.35	91	751	<2	8	1.35	23	6	38	242	3.90	0.06	<1	1.06	640	8	59	576	1092	1.87	12	<5	<10	109	1780	<2	32	52	7	5654
34514	198528	<1	5.32	37	763	2	6	1.37	<4	6	63	42	1.77	<0.01	5	1.08	693	13	101	534	139	1.22	11	9	<10	123	1911	<2	34	10	7	345
34515	198529	<1	5.44	40	661	<2	6	1.00	<4	11	39	13	2.21	0.08	6	0.98	577	7	74	490	26	1.65	9	<5	<10	133	1887	<2	34	<10	7	90
34516	198530	<1	4.99	63	302	2	3	1.12	6	15	32	2319	5.13	0.15	9	0.94	1139	17	22	720	80	2.76	7	12	<10	203	1137	<2	62	16	10	593
34517	198531	<1	5.56	34	583	2	4	0.97	<4	12	44	18	1.70	<0.01	<1	0.85	505	9	80	433	36	1.30	12	<5	<10	151	1927	<2	35	11	6	131
34518D	198531	<1	6.12	39	614	<2	8	1.03	<4	13	46	12	1.79	<0.01	2	0.89	532	10	86	448	39	1.31	11	7	<10	158	2031	<2	36	<10	6	114
34519	198532	<1	5.86	40	458	2	3	0.86	<4	18	43	19	2.10	<0.01	<1	0.88	570	9	90	490	26	1.42	6	<5	<10	157	1889	<2	34	<10	6	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:15 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34520	198533	<1	5.66	39	456	<2	<1	0.98	<4	17	44	34	1.85	<0.01	<1	0.96	768	10	90	507	647	1.32	15	<5	<10	171	1873	<2	35	<10	6	122
34521	198534	<1	5.96	31	428	<2	8	0.72	<4	11	40	33	1.29	<0.01	<1	0.79	595	7	73	495	59	0.83	6	<5	<10	178	1836	<2	35	<10	6	149
34522	198535	<1	5.99	31	464	<2	10	0.86	<4	10	55	12	1.21	0.10	<1	0.69	599	11	95	480	33	0.89	10	<5	<10	187	1794	<2	34	<10	6	48
34523	198536	<1	5.28	28	375	<2	<1	0.92	<4	8	48	8	1.20	0.04	<1	0.70	578	9	81	436	41	0.95	8	14	<10	201	1605	<2	32	<10	6	95
34524	198537	<1	6.22	17	412	<2	17	1.19	<4	7	45	22	1.58	0.05	<1	0.81	870	9	75	485	42	0.82	10	<5	<10	237	1792	<2	35	<10	6	41
34525	198538	<1	4.79	19	375	<2	<1	0.89	<4	6	34	15	1.43	0.09	<1	0.63	505	5	54	437	23	0.82	14	<5	<10	189	1634	<2	31	<10	5	25
34526	198539	<1	3.81	19	452	<2	<1	0.88	<4	8	38	14	1.43	0.04	<1	0.60	568	7	60	465	24	0.83	12	<5	<10	199	1959	7	38	<10	4	59
34527	198540	<1	3.85	18	432	<2	<1	2.62	<4	18	61	47	3.92	<0.01	<1	1.39	782	5	35	625	10	0.89	8	9	<10	308	3087	<2	119	<10	17	49
34528	198541	<1	4.38	38	492	<2	<1	0.65	<4	9	30	11	1.35	<0.01	<1	0.54	386	4	43	479	28	1.03	8	<5	<10	195	1891	<2	39	<10	5	84
34529D	198541	<1	4.89	32	485	<2	7	0.66	<4	8	32	10	1.32	<0.01	<1	0.56	377	5	44	477	27	1.11	7	<5	<10	195	1853	<2	38	<10	5	87
34530	198542	<1	4.52	35	415	<2	2	0.75	<4	16	35	10	1.49	<0.01	<1	0.72	522	7	61	416	25	1.11	7	<5	12	193	1666	4	35	<10	5	49
34531	198543	<1	4.87	30	377	<2	<1	0.69	<4	8	20	13	1.67	<0.01	<1	0.94	671	2	25	415	23	1.23	7	<5	<10	162	1564	7	34	<10	7	41
34532	198544	<1	4.85	25	429	<2	<1	0.94	<4	10	23	18	1.91	<0.01	<1	0.96	614	<1	23	405	14	0.99	9	<5	<10	164	1955	5	37	<10	7	48
34533	198545	<1	4.84	23	411	<2	5	1.32	<4	10	23	13	1.92	<0.01	<1	0.96	716	2	22	403	11	0.98	8	<5	<10	155	1912	<2	35	<10	7	65
34534	198546	<1	5.44	18	452	<2	8	1.46	<4	9	26	14	2.09	<0.01	<1	1.02	781	<1	23	462	9	1.06	17	<5	<10	165	2103	<2	37	<10	8	48
34535	198547	<1	5.48	26	425	2	11	1.33	<4	9	25	16	2.15	0.03	<1	1.17	834	<1	20	447	24	1.05	9	<5	<10	154	2061	<2	37	<10	8	65
34536	198548	<1	5.28	21	385	<2	4	2.23	<4	9	24	20	2.09	0.19	<1	1.48	670	2	22	427	6	0.95	15	<5	<10	176	1895	9	35	<10	7	51
34537	198549	<1	5.17	21	407	2	<1	1.09	<4	7	24	7	1.31	0.21	<1	0.86	495	2	26	393	17	0.89	14	<5	<10	140	1860	<2	36	<10	7	27
34538	198550	71	2.67	53	444	2	<1	1.29	20	14	34	50	3.20	0.05	<1	0.87	501	4	22	536	574	0.98	61	<5	222	247	2089	10	91	60	14	1836
34539	198551	<1	5.15	29	391	<2	<1	0.88	<4	7	20	25	1.69	0.24	<1	0.92	661	2	24	417	21	1.04	10	<5	<10	121	1993	<2	35	<10	7	104

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:15 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34540D	198551	<1	5.38	29	397	2	<1	0.90	<4	7	21	25	1.74	<0.01	<1	0.94	670	1	24	426	24	1.06	13	7	<10	125	2018	<2	36	<10	7	109
34541	198552	<1	4.61	34	404	<2	<1	1.14	<4	8	15	19	1.40	0.32	<1	0.86	643	2	20	433	15	1.07	9	<5	<10	133	1877	6	32	<10	6	35
34542	198553	4	4.64	46	510	2	3	0.62	11	10	29	148	1.64	0.18	<1	0.77	380	6	45	364	1183	1.18	23	<5	<10	111	1780	<2	33	26	6	2786
34543	198554	<1	5.53	31	379	<2	<1	0.84	<4	9	26	7	1.00	<0.01	<1	0.80	377	3	38	425	35	1.02	11	<5	<10	138	1917	<2	35	<10	7	52
34544	198555	<1	5.33	29	416	<2	<1	0.91	<4	8	25	4	1.09	0.12	<1	0.91	508	3	39	434	50	1.07	5	<5	<10	132	1997	<2	35	<10	7	71
34545	198556	<1	6.49	25	420	2	5	1.23	<4	6	23	13	1.47	<0.01	<1	1.01	580	3	26	425	32	1.05	7	9	<10	150	1909	<2	33	<10	7	67
34546	198557	<1	5.46	18	288	<2	1	1.17	<4	5	22	6	1.13	<0.01	<1	0.77	447	2	29	381	13	0.94	11	<5	<10	148	1652	<2	30	<10	6	14
34547	198558	<1	6.27	34	365	<2	5	2.12	<4	9	22	6	1.72	0.07	<1	1.13	797	2	25	447	14	1.08	12	8	<10	204	1808	<2	35	<10	7	31
34548	198559	<1	5.60	19	388	2	2	1.62	<4	7	19	12	1.20	0.31	<1	0.67	431	<1	20	408	12	0.81	8	<5	<10	179	1598	<2	30	<10	6	30
34549	198560	<1	3.23	16	396	<2	<1	2.39	<4	15	54	43	3.61	0.14	<1	1.29	726	4	33	572	4	0.79	9	5	<10	287	2861	<2	110	<10	15	46
34550	198561	<1	5.44	38	498	<2	2	1.30	<4	7	23	15	1.23	<0.01	<1	0.80	470	<1	25	387	19	1.14	9	<5	<10	155	1680	<2	30	<10	6	75
34551R	198561	<1	5.88	24	516	<2	<1	1.43	<4	7	22	17	1.28	<0.01	<1	0.85	503	1	23	404	21	1.15	9	<5	<10	165	1758	<2	31	<10	6	69
34552	198562	<1	5.24	26	399	<2	<1	1.81	<4	5	24	12	1.25	0.35	<1	0.57	351	3	33	374	9	0.86	12	5	<10	165	1394	<2	28	<10	6	61
34553	198563	<1	5.13	37	400	2	3	1.67	<4	4	21	7	1.01	0.38	<1	0.78	457	3	30	383	18	1.01	7	<5	<10	145	1459	<2	28	<10	6	66
34554	198564	<1	5.64	36	455	<2	11	1.50	<4	7	25	8	1.35	0.15	<1	0.87	445	3	36	404	16	1.06	10	<5	<10	127	1689	<2	29	<10	7	54
34555	198565	<1	3.92	37	302	<2	<1	0.25	<4	6	36	5	1.19	0.07	<1	0.53	197	7	60	299	53	1.29	9	<5	<10	73	1316	<2	24	<10	5	242
34556	198566	<1	3.82	35	288	<2	<1	0.21	<4	5	26	6	1.05	0.05	<1	0.50	162	5	44	288	104	1.29	9	<5	<10	70	1268	<2	23	<10	5	339
34557	198567	<1	4.18	81	259	<2	<1	0.09	5	7	19	13	2.85	0.11	<1	0.53	148	4	30	285	314	2.60	6	<5	<10	62	1358	6	25	13	6	814
34558	198568	<1	5.61	54	307	<2	<1	1.43	<4	6	26	2	1.96	0.13	<1	1.24	695	3	31	337	30	1.69	9	<5	<10	110	1734	<2	32	<10	6	72
34559	198569	<1	5.20	36	281	<2	5	2.33	<4	9	41	4	1.58	0.29	<1	1.88	1266	6	49	357	84	1.27	11	<5	<10	132	1645	<2	33	<10	8	109

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:16 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34560	198570	<1	3.58	30	506	<2	<1	2.15	<4	17	52	199	3.94	<0.01	<1	1.22	726	12	37	600	9	0.85	8	<5	<10	297	2735	<2	108	10	16	61
34561	198571	<1	5.00	25	412	<2	<1	1.49	<4	6	20	4	1.14	<0.01	<1	1.30	707	3	29	365	91	0.96	10	<5	<10	141	1553	<2	27	<10	6	301
34562D	198571	<1	4.82	26	404	<2	2	1.44	<4	5	23	3	1.12	0.07	<1	1.28	694	2	32	354	90	0.80	12	7	<10	134	1520	<2	26	<10	6	301
34563	198572	<1	5.23	23	352	<2	<1	1.46	<4	6	26	5	0.93	<0.01	<1	1.04	533	3	34	353	36	0.88	10	<5	<10	133	1601	<2	27	<10	6	39
34564	198573	<1	5.47	16	420	2	6	1.38	<4	7	26	4	1.48	<0.01	<1	1.55	567	4	40	355	28	0.91	17	9	<10	117	1673	<2	28	<10	5	144
34565	198574	<1	6.68	26	489	<2	<1	1.79	<4	6	42	6	1.78	<0.01	<1	1.45	516	7	66	463	12	0.96	9	<5	<10	146	1912	<2	33	<10	6	42
34566	198575	<1	5.62	26	454	2	5	1.26	<4	6	28	5	1.29	<0.01	<1	1.16	485	5	37	380	6	0.93	12	<5	<10	109	1668	<2	28	10	6	41
34567	198576	<1	5.36	40	537	2	<1	2.11	<4	12	78	29	2.41	0.24	<1	1.42	769	5	62	442	30	1.21	6	<5	<10	110	2043	<2	57	<10	10	65
34568	198577	<1	4.66	104	478	<2	7	0.91	5	16	103	99	3.13	0.05	<1	0.86	405	8	76	440	722	2.19	8	<5	<10	81	2209	<2	68	23	11	1384
34569	198578	<1	5.48	52	594	<2	<1	1.50	<4	10	33	8	1.19	0.12	<1	1.00	430	7	57	567	20	1.17	7	<5	<10	126	2017	<2	36	<10	6	25
34570	198579	<1	5.94	44	638	<2	<1	2.37	<4	8	35	13	1.68	<0.01	<1	0.90	464	9	58	600	31	1.28	6	<5	<10	171	1759	<2	39	<10	7	116
34571	198580	<1	3.97	23	458	<2	10	2.63	<4	15	58	48	3.93	0.14	<1	1.39	789	4	35	608	6	0.81	9	<5	<10	300	3111	<2	119	<10	16	61
34572	198581	<1	6.15	41	627	<2	<1	1.54	<4	14	36	53	1.55	0.61	<1	0.88	368	6	42	587	17	1.21	10	<5	<10	130	2315	<2	49	<10	7	14
34573D	198581	<1	6.43	47	660	<2	<1	1.63	<4	15	43	56	1.62	<0.01	<1	0.91	388	7	51	624	18	1.28	12	<5	<10	135	2421	<2	51	<10	7	13
34574	198582	<1	5.01	67	584	<2	<1	1.19	23	7	40	261	2.38	<0.01	<1	0.95	579	8	67	500	1953	1.63	27	5	<10	96	1815	<2	35	72	7	7721
34575	198583	<1	5.81	38	859	2	<1	2.24	<4	7	29	41	1.75	<0.01	<1	1.37	922	6	41	569	336	1.21	11	<5	<10	132	1973	2	36	<10	7	400
34576	198584	<1	5.37	60	535	2	3	1.31	<4	20	137	135	3.16	0.06	<1	1.44	1053	7	81	501	101	1.66	8	<5	<10	91	2308	<2	81	<10	13	212
34577	198585	<1	6.21	41	602	<2	1	1.39	<4	8	39	13	2.24	<0.01	<1	1.18	858	7	57	573	26	1.24	7	<5	<10	99	2150	<2	41	<10	7	41
34578	198586	<1	6.32	39	617	<2	<1	1.53	<4	9	29	12	2.29	0.09	<1	1.27	961	4	43	605	23	1.34	10	5	<10	104	2212	2	41	<10	7	46
34579	198587	<1	6.49	68	582	2	<1	2.04	<4	9	28	86	2.37	0.11	<1	1.54	1112	6	45	610	211	1.37	17	<5	<10	106	2420	<2	43	10	7	346

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:16 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34580	198588	<1	5.96	39	581	<2	<1	2.21	<4	9	32	8	2.00	0.28	<1	1.20	757	7	53	589	18	1.15	9	<5	<10	113	2124	<2	38	<10	7	72
34581	198589	<1	5.80	47	561	<2	<1	2.14	<4	7	24	8	2.01	0.28	<1	1.20	741	4	40	539	22	1.17	6	<5	<10	107	2065	8	37	<10	6	77
34582	198590	<1	4.83	63	306	<2	<1	1.06	6	15	31	2218	4.94	0.11	<1	0.91	1097	16	21	686	78	2.60	7	<5	<10	184	1097	<2	60	10	9	581
34583	198591	<1	5.92	31	576	<2	8	1.73	<4	6	33	24	1.54	<0.01	<1	1.00	514	5	51	371	5	0.98	11	<5	<10	112	1694	<2	30	<10	6	66
34584D	198591	<1	5.93	37	590	<2	3	1.77	<4	6	31	14	1.54	0.12	<1	1.02	525	6	46	388	10	1.01	9	<5	<10	113	1740	<2	31	<10	5	66
34585	198592	<1	5.62	44	571	2	<1	2.41	<4	9	22	4	1.97	0.34	<1	1.20	819	3	39	568	8	1.13	15	<5	<10	123	2136	<2	38	<10	6	34
34586	198593	<1	5.64	59	517	<2	14	1.61	<4	8	27	13	2.26	0.03	<1	1.52	893	6	42	544	63	1.34	<5	<5	<10	96	2070	<2	38	<10	7	533
34587	198594	<1	5.31	33	658	<2	4	3.56	5	6	27	41	1.84	<0.01	<1	2.33	1385	5	43	331	682	1.19	12	6	<10	130	1590	<2	27	34	6	1445
34588	198595	<1	5.25	25	586	2	3	1.42	<4	6	22	8	1.37	0.10	<1	1.40	549	2	33	319	29	0.95	7	<5	<10	119	1632	<2	25	<10	5	161
34589	198596	<1	5.25	33	563	<2	<1	1.50	<4	7	41	6	1.55	0.06	<1	1.99	595	8	66	322	53	1.03	7	<5	<10	73	1619	<2	26	<10	5	85
34590	198597	<1	5.05	20	498	2	<1	1.06	<4	5	35	9	1.61	0.16	<1	2.26	682	9	58	304	36	0.97	7	<5	<10	69	1517	<2	24	<10	5	209
34591	198598	<1	4.95	35	534	<2	<1	1.15	<4	6	35	15	1.48	0.02	<1	1.78	509	7	53	288	69	1.03	10	<5	<10	72	1501	<2	24	<10	5	147
34592	198599	<1	5.59	31	698	<2	6	0.97	<4	6	42	17	1.16	0.08	<1	1.11	497	9	73	366	63	1.02	11	<5	<10	70	1689	<2	30	<10	5	38
34593	198600	<1	4.01	28	456	<2	<1	2.65	<4	17	59	47	3.96	0.25	<1	1.40	793	4	37	621	4	0.87	11	<5	<10	302	3075	<2	120	<10	16	55
34594	198601	<1	5.69	45	602	<2	<1	1.42	<4	6	41	36	1.58	0.02	<1	1.71	609	9	68	364	307	1.13	12	5	<10	86	1633	<2	29	14	6	423
34595D	198601	<1	5.26	38	586	<2	<1	1.34	<4	6	35	35	1.54	0.15	<1	1.69	602	7	61	342	302	1.15	13	<5	<10	82	1607	<2	29	15	5	400
34596	198602	<1	6.15	25	682	<2	<1	1.68	<4	5	38	16	1.45	<0.01	<1	1.81	593	8	62	381	48	1.06	11	6	<10	99	1783	<2	30	<10	5	64
34597	198603	<1	5.45	28	569	2	1	1.70	<4	6	33	9	1.39	<0.01	<1	1.70	536	6	55	343	35	1.08	12	<5	<10	89	1577	<2	27	<10	5	84
34598	198604	<1	5.71	42	585	<2	<1	1.30	<4	8	34	25	1.38	0.07	<1	1.40	562	6	56	363	128	1.08	5	<5	<10	78	1625	<2	28	10	5	305
34599	198605	<1	6.32	46	563	<2	7	1.00	<4	5	30	13	1.59	0.02	<1	1.30	421	6	47	370	92	1.46	10	<5	<10	73	1604	<2	28	10	5	514

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:16 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34600	198606	<1	6.21	44	578	<2	6	1.01	<4	8	41	15	1.64	0.25	<1	1.32	433	7	58	391	154	1.37	10	<5	<10	74	1646	<2	30	12	5	458
34601	198607	<1	5.37	49	476	<2	10	1.01	<4	7	49	10	1.75	0.53	<1	2.06	464	10	74	345	54	1.11	10	<5	<10	68	1389	<2	29	<10	5	137
34602	198608	<1	4.83	40	383	<2	<1	0.75	<4	6	32	3	1.78	0.59	<1	1.83	358	5	47	323	61	1.33	8	<5	<10	63	1216	<2	29	<10	5	126
34603	198609	<1	5.49	68	212	<2	1	1.84	<4	19	145	44	3.68	0.40	3	3.74	785	11	106	1151	155	1.50	10	<5	<10	79	1467	<2	73	<10	10	479
34604	198610	71	3.13	46	457	<2	<1	1.30	20	15	33	50	3.16	0.46	<1	0.89	493	3	22	526	566	1.06	62	7	220	238	1998	<2	90	55	13	1790
34605	198611	<1	5.56	78	337	2	<1	1.56	<4	23	160	48	4.15	0.37	<1	2.30	585	6	104	484	144	2.03	7	<5	<10	81	1512	4	89	10	10	167
34606D	198611	<1	6.23	84	362	3	2	1.68	<4	25	172	50	4.48	0.21	<1	2.47	627	8	110	522	145	2.02	7	<5	<10	87	1608	<2	97	<10	11	160
34607	198612	<1	5.65	54	339	2	<1	0.81	<4	21	161	36	4.23	0.03	<1	2.06	640	7	102	519	118	1.60	7	<5	<10	67	1802	<2	97	<10	9	126
34608	198613	<1	4.56	85	386	<2	7	0.21	<4	19	152	37	3.32	<0.01	<1	0.76	227	10	113	404	183	1.88	7	<5	<10	52	1349	<2	73	10	8	469
34609	198614	<1	4.20	65	373	<2	<1	0.20	<4	18	133	37	2.88	<0.01	<1	0.99	261	7	91	409	269	1.50	14	5	<10	55	1459	<2	72	11	9	197
34610	198615	<1	4.00	31	311	<2	3	0.40	<4	24	175	38	4.04	0.02	<1	2.58	600	12	130	510	71	0.96	10	<5	<10	52	2430	<2	94	<10	10	99
34611	198616	<1	5.51	52	347	<2	2	0.78	<4	24	155	55	4.07	<0.01	<1	2.00	535	8	106	545	164	1.55	13	<5	<10	80	2237	<2	93	<10	10	296
34612	198617	<1	5.32	26	353	<2	<1	1.46	<4	24	174	40	4.14	0.25	<1	2.57	577	11	121	518	72	1.00	8	<5	<10	103	2583	<2	95	<10	9	217
34613	198618	<1	5.26	93	376	<2	<1	0.63	<4	21	168	93	3.54	0.31	<1	1.30	326	12	121	512	192	2.06	10	<5	<10	76	1538	<2	94	<10	9	261
34614	198619	<1	4.60	54	359	<2	<1	0.65	7	6	51	22	2.02	0.45	<1	0.87	251	8	65	387	149	1.50	10	<5	<10	66	1111	<2	29	22	6	1863
34615	198620	<1	3.69	24	446	<2	19	2.62	<4	17	62	48	3.95	<0.01	<1	1.38	788	5	37	610	4	0.78	12	<5	12	301	3068	3	120	<10	16	76
34616	198621	<1	5.75	38	493	<2	<1	0.61	<4	6	41	7	1.40	<0.01	<1	0.98	204	7	59	382	69	1.45	9	13	<10	62	1479	6	27	<10	5	141
34617R	198621	<1	5.80	39	483	<2	<1	0.69	<4	7	51	7	1.47	<0.01	<1	1.05	224	9	73	410	78	1.38	8	<5	<10	60	1476	<2	27	<10	5	136
34618	198622	<1	5.10	52	479	<2	<1	0.43	<4	6	42	6	1.33	<0.01	<1	0.68	169	7	58	359	56	1.47	10	<5	<10	52	1487	<2	25	<10	5	190
34619	198623	<1	5.46	52	591	2	20	1.15	<4	7	37	14	1.45	<0.01	<1	1.00	343	6	51	388	105	1.53	9	<5	10	89	1461	<2	28	<10	5	257

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:16 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34620	198624	<1	5.90	49	656	<2	<1	0.50	<4	7	43	11	1.44	<0.01	<1	0.73	174	8	61	375	143	1.34	10	<5	<10	73	1675	<2	30	<10	5	140
34621	198625	<1	5.89	49	824	2	8	1.04	<4	8	55	17	1.56	<0.01	<1	0.94	283	13	77	335	228	1.22	11	<5	<10	94	1642	<2	30	<10	5	78
34622	198626	<1	5.56	55	786	2	5	1.12	<4	7	47	15	1.48	<0.01	<1	1.00	320	9	68	328	71	1.15	7	<5	<10	93	1611	10	29	<10	5	80
34623	198627	<1	5.72	87	721	2	10	0.43	<4	26	158	53	3.19	<0.01	<1	1.01	420	8	95	471	77	1.91	12	<5	<10	74	2212	<2	104	17	11	107
34624	198628	<1	5.17	91	882	2	14	0.50	<4	15	91	37	2.40	<0.01	<1	0.74	297	9	88	448	96	1.93	12	<5	<10	75	1870	11	65	11	8	230
34625	198629	23	4.49	82	1227	<2	<1	0.13	4	7	50	71	1.32	<0.01	<1	0.46	126	8	71	421	469	1.30	33	<5	<10	67	1713	<2	36	25	6	1520
34626	198630	<1	3.60	34	506	<2	3	2.05	<4	15	52	191	3.78	<0.01	<1	1.18	693	12	35	566	8	0.86	10	<5	<10	280	2648	<2	104	<10	15	62
34627	198631	7	5.13	66	907	<2	<1	0.52	<4	7	40	71	1.43	0.13	<1	0.67	278	8	60	447	276	1.47	16	<5	12	82	1830	<2	38	16	6	853
34628D	198631	6	4.81	67	876	<2	<1	0.48	<4	8	40	69	1.39	0.04	<1	0.64	267	7	58	417	270	1.48	17	<5	<10	79	1772	<2	36	19	6	825
34629	198632	<1	5.12	48	727	<2	2	1.80	<4	9	39	12	1.57	0.25	<1	1.38	794	8	56	465	68	1.41	14	<5	<10	133	1786	<2	38	<10	7	116
34630	198633	<1	4.80	49	758	<2	<1	1.00	<4	6	39	42	1.44	0.13	<1	0.96	465	7	55	426	163	1.41	18	<5	<10	103	1710	<2	37	<10	6	302
34631	198634	<1	4.84	72	653	2	3	1.28	<4	12	74	27	2.08	0.16	<1	0.97	360	8	79	458	212	1.46	13	<5	<10	110	1741	<2	53	14	8	539
34632	198635	<1	5.63	20	393	2	<1	1.66	<4	22	148	48	3.93	0.32	<1	2.15	680	7	92	518	48	0.92	9	<5	<10	104	2787	<2	95	<10	14	86
34633	198636	<1	6.01	49	522	<2	<1	1.89	<4	11	38	45	1.92	0.15	<1	1.44	481	5	45	530	240	1.15	9	<5	<10	99	2157	<2	44	13	7	447
34634	198637	<1	6.09	31	513	2	<1	2.41	<4	11	43	15	1.89	<0.01	<1	1.43	485	8	59	528	39	0.99	8	6	<10	113	2281	<2	46	13	7	80
34635	198638	<1	6.33	32	614	<2	<1	2.28	<4	9	32	11	1.69	<0.01	<1	1.25	495	4	42	544	33	1.01	11	<5	<10	115	2271	<2	44	<10	7	196
34636	198639	<1	5.80	42	548	2	<1	1.99	<4	11	39	18	1.86	<0.01	<1	1.20	494	6	54	505	37	1.16	8	<5	<10	106	2214	<2	41	<10	7	79
34637	198640	<1	3.52	29	437	2	<1	2.55	<4	17	59	46	3.86	<0.01	<1	1.35	774	4	37	600	3	0.78	6	<5	<10	294	3045	<2	117	10	15	51
34638	198641	<1	5.46	31	590	2	<1	2.29	<4	10	52	10	2.01	<0.01	<1	1.38	551	8	81	503	48	0.95	8	9	<10	145	2153	<2	42	<10	6	119
34639D	198641	<1	5.93	30	614	<2	<1	2.39	<4	9	52	11	2.06	<0.01	<1	1.42	565	9	80	532	43	1.02	13	<5	<10	150	2227	<2	43	10	7	119

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2014 9:16 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 26, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/07/2014
Date Completed: 03/19/2014
Job #: 201440394
Reference: TL08-055W1
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34640	198642	<1	5.42	40	566	<2	<1	2.27	<4	10	33	4	1.84	0.25	<1	1.20	456	5	51	462	25	1.20	10	<5	<10	94	2024	<2	38	12	7	24
34641	198643	<1	5.92	28	581	2	12	1.74	<4	8	43	4	1.74	0.03	<1	1.23	477	7	66	525	26	0.95	<5	<5	<10	106	2185	<2	43	<10	7	41
34642	198644	<1	6.41	36	543	2	16	2.55	<4	11	44	4	1.87	<0.01	<1	1.34	617	6	67	538	14	1.17	5	6	<10	106	2233	<2	43	<10	7	29
34643	198645	<1	5.72	39	560	2	<1	2.25	<4	9	35	7	1.80	0.18	<1	1.29	752	5	55	499	36	1.14	15	<5	<10	119	2091	<2	40	12	7	197
34644	198646	<1	5.79	32	553	<2	<1	2.22	<4	10	41	7	1.88	<0.01	<1	1.29	752	5	55	500	41	1.19	8	<5	<10	119	2096	<2	40	17	7	421
34645	198647	<1	5.98	26	612	2	<1	2.15	<4	10	42	3	1.97	<0.01	<1	1.28	628	7	62	514	17	1.01	5	<5	<10	126	2225	2	41	<10	7	44
34646	198648	<1	6.69	38	650	2	<1	2.41	<4	10	35	11	2.03	<0.01	<1	1.38	644	5	53	529	97	1.04	12	<5	<10	151	2320	<2	42	<10	7	77
34647	198649	<1	4.89	28	408	2	<1	1.75	<4	10	69	15	2.06	<0.01	<1	1.32	599	14	110	451	30	0.94	7	10	<10	122	1895	5	39	10	6	111
34648	198650	<1	4.13	55	289	<2	<1	0.97	5	13	31	2112	4.71	<0.01	<1	0.86	1052	16	19	630	71	2.78	9	<5	<10	176	1033	<2	57	15	9	525
34649	198651	<1	6.64	22	348	2	3	2.86	<4	11	33	11	2.01	<0.01	<1	1.64	532	4	45	643	28	0.85	5	10	<10	215	2256	<2	45	<10	7	58
34650D	198651	<1	6.20	20	346	2	4	2.84	<4	9	39	9	2.02	<0.01	<1	1.49	520	5	51	646	26	0.88	10	<5	<10	214	2254	<2	43	<10	7	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL0855W2b

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40163	198652	0.057	
40164	198653	0.006	
40165	198654	0.047	
40166	198655	0.018	
40167	198656	0.252	
40168	198657	0.401	
40169	198658	0.067	
40170	198659	0.033	
40171	198660	<0.005	
40172	198661	0.024	
40173	198661 Dup	0.024	
40174	198662	0.076	
40175	198663	0.036	
40176	198664	0.037	
40177	198665	1.928	
40178	198666	0.387	
40179	198667	0.058	
40180	198668	0.041	
40181	198669	0.053	
40182	198670	5.119	
40183	198671	0.020	
40184	198671 Dup	0.032	
40185	198672	<0.005	
40186	198673	<0.005	
40187	198674	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40188	198675	<0.005	
40189	198676	<0.005	
40190	198677	0.094	
40191	198678	0.117	
40192	198679	<0.005	
40193	198680	<0.005	
40194	198681	0.016	
40195	198681 Dup	0.043	
40196	198682	0.009	
40197	198683	<0.005	
40198	198684	<0.005	
40199	198685	<0.005	
40200	198686	<0.005	
40201	198687	0.010	
40202	198688	<0.005	
40203	198689	<0.005	
40204	198690	1.384	
40205	198691	<0.005	
40206	198691 Dup	<0.005	
40207	198692	0.166	
40208	198693	0.795	
40209	198694	0.214	
40210	198695	0.012	
40211	198696	<0.005	
40212	198697	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40213	198698	<0.005	
40214	198699	0.009	
40215	198700	<0.005	
40216	198701	0.042	
40217	198701 Dup	0.052	
40218	198702	0.174	
40219	198703	0.025	
40220	198704	<0.005	
40221	198705	0.013	
40222	198706	0.006	
40223	198707	0.012	
40224	198708	<0.005	
40225	198709	0.005	
40226	198710	0.401	
40227	198711	0.014	
40228	198711 Rep	0.022	
40229	198712	0.090	
40230	198713	0.016	
40231	198714	<0.005	
40232	198715	0.233	
40233	198716	0.151	
40234	198717	0.094	
40235	198718	0.024	
40236	198719	0.009	
40237	198720	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40238	198721	0.011	
40239	198721 Dup	0.006	
40240	198722	0.005	
40241	198723	0.007	
40242	198724	0.010	
40243	198725	0.072	
40244	198726	0.118	
40245	198727	0.024	
40246	198728	0.043	
40247	198729	0.020	
40248	198730	4.868	
40249	198731	0.045	
40250	198731 Dup	0.039	
40251	198732	0.042	
40252	198733	0.354	
40253	198734	0.086	
40254	198735	0.117	
40255	198736	1.517	
40256	198737	0.206	
40257	198738	0.102	
40258	198739	0.028	
40259	198740	<0.005	
40260	198741	0.030	
40261	198741 Dup	0.035	
40262	198742	0.027	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40263	198743	0.046	
40264	198744	0.046	
40265	198745	0.043	
40266	198746	0.071	
40267	198747	0.212	
40268	198748	0.036	
40269	198749	0.204	
40270	198750	1.447	
40271	198751	0.030	
40272	198751 Dup	0.029	
40273	198752	0.034	
40274	198753	0.049	
40275	198754	0.036	
40276	198755	0.812	
40277	198756	0.022	
40278	198757	0.014	
40279	198758	<0.005	
40280	198759	<0.005	
40281	198760	<0.005	
40282	198761	<0.005	
40283	198761 Dup	0.005	
40284	198762	<0.005	
40285	198763	<0.005	
40286	198764	<0.005	
40287	198765	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40288	198766	<0.005	
40289	198767	<0.005	
40290	198768	0.282	
40291	198769	0.027	
40292	198770	0.359	
40293	198771	<0.005	
40294	198771 Rep	<0.005	
40295	198772	<0.005	
40296	198773	0.402	
40297	198774	2.225	
40298	198775	0.669	
40299	198776	0.384	
40300	198777	0.307	
40301	198778	0.104	
40302	198779	0.258	
40303	198780	<0.005	
40304	198781	0.046	
40305	198781 Dup	0.038	
40306	198782	0.058	
40307	198783	0.066	
40308	198784	0.822	
40309	198785	0.019	
40310	198786	0.010	
40311	198787	<0.005	
40312	198788	0.021	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40313	198789	0.017	
40314	198790	5.074	
40315	198791	0.043	
40316	198791 Dup	0.053	
40317	198792	0.060	
40318	198793	0.065	
40319	198794	0.116	
40320	198795	0.009	
40321	198796	4.631	
40322	198797	0.157	
40323	198798	0.207	
40324	198799	0.668	
40325	198800	<0.005	
40326	198801	0.475	
40327	198801 Dup	0.434	
40328	198802	0.060	
40329	198803	0.259	
40330	198804	0.024	
40331	198805	1.359	
40332	198806	0.861	
40333	198807	0.608	
40334	198808	0.971	
40335	198809	1.218	
40336	198810	1.433	
40337	198811	0.395	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40338	198811 Dup	0.401	
40339	198812	0.445	
40340	198813	0.090	
40341	198814	0.183	
40342	198815	0.220	
40343	198816	0.156	
40344	198817	2.407	
40345	198818	0.079	
40346	198819	0.062	
40347	198820	<0.005	
40348	198821	0.063	
40349	198821 Dup	0.063	
40350	198822	4.647	
40351	198823	0.035	
40352	198824	0.166	
40353	198825	0.029	
40354	198826	0.024	
40355	198827	0.058	
40356	198828	0.397	
40357	198829	0.574	
40358	198830	0.335	
40359	198831	0.056	
40360	198831 Rep	0.058	
40361	198832	0.161	
40362	198833	3.006	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40363	198834	0.199	
40364	198835	0.567	
40365	198836	0.626	
40366	198837	2.500	
40367	198838	>6.000	14.606
40368	198839	0.115	
40369	198840	<0.005	
40370	198841	0.099	
40371	198841 Dup	0.169	
40372	198842	0.094	
40373	198843	0.163	
40374	198844	0.072	
40375	198845	0.303	
40376	198846	0.406	
40377	198847	0.098	
40378	198848	0.060	
40379	198849	0.103	
40380	198850	5.052	
40381	198851	0.014	
40382	198851 Dup	0.011	
40383	198852	0.014	
40384	198853	0.057	
40385	198854	0.015	
40386	198855	0.027	
40387	198856	0.625	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40388	198857	0.402	
40389	198858	0.070	
40390	198859	1.242	
40391	198860	<0.005	
40392	198861	0.009	
40393	198861 Dup	0.013	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 2, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS25	0.747	0.791	0.051
GS25	0.716	0.791	0.051
GS25	0.758	0.791	0.051
GS3K	3.225	3.190	0.130
GS25	0.718	0.791	0.051
GS25	0.750	0.791	0.051
GS25	0.757	0.791	0.051
GS25	0.748	0.791	0.051
GS25	0.796	0.791	0.051

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40163	198652	<1	4.90	8	574	<2	<1	1.86	<4	10	26	38	2.18	0.56	63	0.78	644	3	28	619	158	1.11	<5	17	<10	407	2152	9	49	12	5	447
40164	198653	<1	4.42	9	559	<2	<1	1.87	<4	11	45	19	1.93	0.33	61	0.65	559	6	39	526	42	1.24	<5	13	<10	379	1921	<2	45	<10	5	100
40165	198654	<1	5.92	12	854	2	3	2.14	<4	11	41	23	2.21	0.25	77	0.81	978	6	36	583	75	1.23	<5	14	<10	391	2197	4	55	15	5	825
40166	198655	<1	4.85	22	519	2	<1	2.02	<4	10	32	16	1.93	0.41	55	0.76	894	3	33	520	29	1.15	<5	19	<10	274	1871	<2	43	<10	4	78
40167	198656	<1	4.70	33	537	<2	3	1.85	<4	10	53	67	1.95	0.25	55	0.71	1034	8	47	501	49	1.12	<5	23	<10	249	1777	2	42	10	4	473
40168	198657	<1	5.51	24	586	<2	12	2.33	<4	10	53	73	2.11	0.36	52	0.89	1010	7	51	562	32	1.08	<5	14	<10	254	1917	<2	46	14	4	867
40169	198658	<1	5.29	31	446	<2	12	3.22	4	14	102	99	2.17	0.31	55	1.59	1453	5	58	741	80	1.12	<5	20	<10	259	2217	4	48	20	6	1006
40170	198659	<1	5.46	16	536	2	21	2.50	<4	10	36	62	1.84	0.48	56	1.07	1037	4	32	551	30	1.06	<5	12	<10	248	2091	<2	43	<10	4	81
40171	198660	<1	3.51	10	348	<2	8	2.31	<4	17	57	46	3.71	0.19	16	1.20	749	4	31	618	15	0.75	<5	12	<10	316	3008	2	117	<10	15	57
40172	198661	<1	4.49	11	498	<2	8	2.84	<4	11	46	42	1.85	0.28	36	1.11	1235	7	44	507	49	1.05	<5	5	<10	249	1909	4	40	11	4	245
40173D	198661	<1	4.94	20	518	<2	15	2.94	<4	8	42	42	1.86	0.39	40	1.18	1277	5	38	516	59	1.09	<5	9	<10	255	1958	9	41	<10	4	243
40174	198662	<1	5.02	15	432	2	<1	2.53	<4	11	34	95	1.85	0.32	28	1.16	1109	4	30	530	48	1.10	<5	15	<10	259	2024	5	44	12	4	505
40175	198663	<1	5.80	27	531	2	8	0.97	<4	8	35	16	1.41	0.43	40	0.74	536	4	30	368	45	1.04	<5	18	<10	182	1580	2	30	<10	3	104
40176	198664	<1	5.81	31	536	<2	<1	1.04	<4	6	34	15	1.37	0.44	35	0.75	596	5	31	343	125	1.12	<5	22	<10	147	1487	13	27	<10	3	211
40177	198665	<1	5.62	34	542	2	6	1.13	4	7	52	674	1.72	0.40	29	0.83	708	8	54	359	190	0.97	<5	11	<10	148	1533	<2	29	20	3	1332
40178	198666	<1	5.57	34	530	2	15	1.10	5	6	35	399	1.58	0.47	31	0.82	697	5	32	333	245	1.23	<5	18	<10	149	1475	11	27	23	3	1395
40179	198667	<1	5.25	34	492	<2	17	1.27	4	6	36	44	1.43	0.44	25	0.83	783	5	30	329	310	0.95	6	15	<10	146	1418	14	26	16	3	1047
40180	198668	<1	5.75	34	565	2	<1	2.13	<4	7	41	17	1.46	0.49	31	0.92	847	4	24	381	84	0.99	6	13	<10	178	1582	<2	30	<10	4	135
40181	198669	<1	4.89	33	510	2	8	0.85	<4	6	26	10	1.18	0.56	17	0.55	399	1	21	319	50	1.14	5	17	<10	156	1324	<2	24	<10	3	120
40182	198670	69	3.21	41	400	<2	4	1.19	19	16	35	51	3.14	0.21	7	0.75	493	3	19	565	593	0.98	58	<5	255	277	2136	9	94	62	13	1832

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40183	198671	<1	4.81	32	418	2	4	0.65	<4	7	21	12	1.17	0.34	19	0.63	444	<1	18	334	147	1.10	<5	10	<10	124	1383	8	26	<10	3	261
40184D	198671	<1	4.76	28	418	2	4	0.65	<4	6	21	12	1.12	0.57	22	0.61	447	<1	19	324	147	1.18	<5	14	<10	124	1358	3	24	10	3	244
40185	198672	<1	5.11	15	305	<2	2	1.05	<4	9	15	5	0.30	0.39	7	0.28	168	<1	12	150	38	0.70	<5	19	<10	232	1413	9	37	<10	2	142
40186	198673	<1	5.12	13	273	<2	3	1.04	<4	8	24	7	0.43	0.15	6	0.32	169	3	30	140	40	0.76	<5	23	<10	270	1492	3	36	<10	2	51
40187	198674	<1	4.76	22	318	<2	7	1.28	<4	8	33	15	0.49	0.63	8	0.18	139	4	48	219	22	0.66	11	13	<10	280	1455	<2	37	<10	2	26
40188	198675	<1	3.63	14	266	<2	6	0.35	<4	8	18	7	0.39	0.14	<1	0.20	124	<1	25	179	14	0.41	<5	16	<10	210	1516	5	40	<10	3	48
40189	198676	<1	4.51	19	284	<2	4	0.32	<4	7	28	6	0.38	0.33	<1	0.34	121	2	36	341	35	0.50	<5	9	<10	179	1809	4	38	<10	3	110
40190	198677	1	5.78	19	348	<2	<1	1.04	<4	8	35	15	0.54	0.53	8	0.21	210	3	45	411	61	0.62	10	14	<10	263	1837	12	39	<10	4	147
40191	198678	<1	5.65	23	227	<2	6	1.29	<4	7	41	8	0.64	0.57	7	0.19	192	5	48	380	10	0.72	<5	16	<10	227	1574	2	39	<10	4	24
40192	198679	<1	5.30	18	420	2	19	1.22	<4	8	32	9	0.67	0.55	10	0.24	190	3	40	365	27	0.74	<5	11	14	292	1616	<2	37	<10	3	57
40193	198680	<1	3.56	10	346	<2	7	2.32	<4	17	57	45	3.71	0.23	8	1.19	741	4	29	616	12	0.77	<5	5	<10	318	2977	<2	118	<10	15	51
40194	198681	<1	5.47	20	567	<2	24	0.94	<4	9	30	10	1.74	0.49	18	0.38	328	3	30	506	78	1.27	<5	16	<10	286	2054	4	41	<10	4	150
40195D	198681	<1	4.89	23	510	<2	2	0.78	<4	10	27	10	1.65	0.55	16	0.36	306	2	30	472	70	1.23	<5	17	<10	267	1922	4	39	<10	4	139
40196	198682	<1	5.29	23	593	<2	8	1.35	<4	8	27	12	1.77	0.60	16	0.53	477	3	27	510	58	1.09	<5	14	<10	314	1992	20	42	<10	6	93
40197	198683	<1	5.00	11	580	<2	4	2.26	<4	9	26	8	1.75	0.08	12	0.68	435	1	27	480	28	0.88	<5	7	<10	371	1951	<2	38	<10	6	51
40198	198684	<1	4.91	3	528	<2	7	1.89	<4	9	25	7	1.75	0.65	11	0.63	357	2	30	497	22	0.83	<5	11	<10	363	1861	9	37	<10	5	54
40199	198685	<1	6.24	4	564	<2	8	2.36	<4	12	38	9	1.93	0.31	17	0.85	549	5	48	564	27	0.75	<5	11	<10	387	2252	2	43	<10	5	69
40200	198686	<1	6.32	9	574	<2	4	2.29	<4	12	33	9	1.92	0.58	16	0.83	533	3	42	560	33	0.54	<5	6	<10	385	2254	4	44	<10	5	62
40201	198687	<1	5.75	22	660	<2	<1	1.38	<4	11	40	11	1.94	0.66	17	0.75	559	5	54	528	74	1.13	<5	8	<10	351	2039	<2	41	10	5	342
40202	198688	<1	4.73	9	422	2	<1	1.76	<4	8	31	9	1.60	0.25	8	0.77	446	3	38	480	24	0.85	<5	11	<10	281	1696	<2	35	<10	4	55

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40203	198689	<1	5.16	6	471	<2	1	2.36	<4	7	43	8	1.70	0.37	10	0.71	392	5	53	484	22	0.72	<5	5	<10	264	1733	7	38	<10	5	51
40204	198690	<1	3.62	13	427	<2	2	1.90	<4	15	52	192	3.75	0.16	7	1.05	684	10	31	596	16	0.82	<5	12	<10	310	2747	<2	107	<10	14	59
40205	198691	<1	5.39	9	469	<2	<1	2.11	<4	8	34	10	1.80	0.51	8	0.81	450	2	41	525	28	0.85	<5	13	<10	258	1955	6	38	<10	4	62
40206D	198691	<1	5.18	6	475	<2	11	2.12	<4	9	29	9	1.79	0.47	11	0.79	451	3	32	517	30	0.93	<5	7	<10	259	1943	<2	37	<10	4	62
40207	198692	<1	4.33	18	440	3	<1	0.93	<4	12	36	23	1.54	0.50	12	0.61	390	6	49	455	227	0.97	<5	14	<10	152	1927	9	35	13	4	481
40208	198693	<1	4.72	48	475	2	13	0.09	4	13	30	75	1.80	0.45	8	0.39	229	4	38	455	751	1.59	<5	12	<10	107	1980	3	38	22	5	1444
40209	198694	<1	5.23	23	571	<2	<1	0.63	<4	11	28	77	1.79	0.47	16	0.57	374	3	30	490	380	1.14	<5	11	<10	114	2157	2	42	17	5	727
40210	198695	<1	5.58	10	586	2	21	2.21	<4	11	28	20	1.78	0.43	17	1.17	814	2	28	512	70	0.79	6	19	<10	175	2242	<2	42	<10	5	138
40211	198696	<1	5.81	15	677	<2	10	2.38	<4	9	28	22	1.76	0.45	16	1.03	707	1	29	530	60	0.52	<5	10	<10	198	2172	6	41	<10	5	89
40212	198697	<1	6.28	9	672	2	9	2.38	<4	10	32	21	1.77	0.45	17	1.06	708	1	27	528	58	0.46	<5	11	<10	181	2253	<2	42	<10	5	99
40213	198698	<1	4.95	8	743	<2	13	1.84	<4	9	31	27	1.49	0.56	10	0.86	575	2	27	465	71	0.48	<5	14	<10	170	1847	16	33	<10	5	102
40214	198699	<1	5.70	8	648	2	2	1.96	<4	9	30	25	1.76	0.47	14	1.14	741	2	35	512	62	0.69	<5	20	<10	188	2123	<2	40	<10	5	121
40215	198700	<1	3.64	4	348	<2	20	2.33	<4	15	57	46	3.69	<0.01	3	1.20	741	2	30	614	16	0.71	<5	10	<10	316	2945	<2	115	<10	14	54
40216	198701	<1	5.58	6	615	2	1	1.84	<4	12	26	40	1.95	0.34	9	1.18	894	2	29	522	366	0.90	<5	22	<10	156	2043	<2	41	14	5	445
40217D	198701	<1	5.59	15	619	<2	9	1.85	<4	11	24	41	1.95	0.40	13	1.18	892	<1	30	513	364	0.98	<5	<5	<10	155	2059	4	40	12	5	457
40218	198702	<1	5.46	25	586	2	6	1.70	<4	10	33	14	1.90	0.59	16	1.08	693	3	42	502	127	1.01	8	22	<10	165	2081	3	40	14	4	555
40219	198703	<1	5.73	22	612	<2	16	1.98	<4	12	21	21	1.73	0.52	17	1.06	679	<1	23	464	232	0.96	<5	12	<10	232	1925	2	37	14	5	720
40220	198704	<1	5.08	4	345	2	6	1.20	<4	5	15	9	1.01	0.50	14	0.72	347	<1	9	281	47	0.85	7	21	<10	216	1192	4	20	<10	3	82
40221	198705	<1	4.95	4	341	<2	9	1.23	<4	6	14	6	1.07	0.58	12	1.29	441	<1	15	256	59	1.03	<5	20	<10	241	1088	<2	17	<10	2	87
40222	198706	<1	4.66	2	356	2	4	1.19	<4	6	32	7	1.10	0.54	11	1.28	438	6	48	245	55	0.91	<5	20	<10	247	1112	<2	19	<10	2	85

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40223	198707	<1	2.96	16	272	<2	6	0.23	<4	4	23	8	0.89	0.53	6	0.57	355	2	31	219	46	0.52	<5	5	<10	156	1022	<2	18	<10	2	76
40224	198708	<1	3.94	2	386	<2	4	0.90	<4	5	20	6	0.91	0.21	10	0.87	481	4	26	240	85	0.31	<5	8	<10	184	1042	<2	17	<10	2	149
40225	198709	<1	5.61	11	395	<2	6	1.26	<4	4	46	6	1.17	0.32	10	0.75	460	8	69	303	21	0.58	<5	11	<10	204	1084	<2	22	<10	3	53
40226	198710	<1	5.18	52	272	<2	6	1.03	5	15	35	2327	5.13	0.08	26	0.79	1129	17	20	772	88	3.00	<5	17	<10	229	1229	<2	66	12	8	600
40227	198711	<1	6.11	17	542	<2	20	0.42	<4	5	48	30	1.14	0.42	8	0.49	263	9	76	303	22	0.97	10	11	17	162	1173	4	23	<10	3	130
40228R	198711	<1	6.63	19	578	<2	<1	0.64	<4	5	42	8	1.21	0.27	11	0.60	313	7	63	317	31	0.66	<5	8	<10	172	1186	<2	23	<10	3	169
40229	198712	<1	4.03	12	383	<2	<1	0.49	<4	4	27	5	0.92	0.17	<1	0.75	422	4	43	249	16	0.27	<5	12	<10	124	958	5	18	<10	2	68
40230	198713	<1	5.51	12	533	<2	<1	1.19	<4	5	21	6	1.02	<0.01	8	0.81	565	3	30	277	18	0.39	<5	13	<10	173	1190	<2	20	<10	3	50
40231	198714	<1	6.06	14	581	<2	5	1.63	<4	5	14	4	1.11	<0.01	10	1.00	679	<1	17	290	14	0.79	5	17	<10	196	1252	<2	20	<10	2	41
40232	198715	<1	6.33	32	573	<2	8	0.72	<4	6	18	10	1.22	0.42	8	0.65	732	<1	16	303	25	0.94	5	6	<10	131	1256	<2	21	<10	3	138
40233	198716	<1	5.90	29	569	<2	1	0.02	<4	5	51	8	1.33	0.46	9	0.36	257	8	74	287	28	1.21	<5	18	<10	105	1245	<2	22	<10	3	290
40234	198717	<1	5.78	31	593	<2	4	<0.01	<4	5	28	9	1.17	0.61	8	0.29	188	14	37	274	29	1.25	<5	17	<10	105	1265	<2	21	14	2	417
40235	198718	<1	5.52	24	580	<2	12	0.89	<4	6	33	10	1.07	0.82	18	0.79	1445	4	38	286	28	0.99	<5	<5	<10	188	1192	<2	21	<10	3	87
40236	198719	<1	4.96	16	416	<2	4	1.18	<4	4	39	13	1.07	0.47	12	0.78	1974	6	61	268	40	0.84	<5	10	<10	195	1109	4	20	<10	2	61
40237	198720	<1	3.65	10	352	<2	<1	2.31	<4	15	57	45	3.65	0.18	7	1.18	737	3	32	610	9	0.83	<5	7	<10	314	2949	<2	115	<10	14	50
40238	198721	<1	5.44	15	581	<2	10	1.08	<4	6	30	12	1.03	0.38	16	0.78	1439	4	43	269	49	1.01	<5	33	<10	210	1244	16	21	<10	2	70
40239D	198721	<1	5.52	22	591	2	2	1.06	<4	5	46	13	1.14	0.01	40	0.79	1442	8	71	290	51	0.96	<5	11	<10	213	1259	<2	22	<10	2	75
40240	198722	<1	6.29	9	580	<2	7	1.31	<4	5	36	15	1.17	0.35	16	0.75	1751	5	51	293	65	0.69	<5	20	<10	217	1331	<2	23	<10	3	121
40241	198723	<1	4.66	8	453	<2	2	0.96	<4	4	42	17	1.12	0.63	8	0.66	1417	6	67	245	53	0.22	<5	15	<10	216	1085	7	20	<10	2	112
40242	198724	<1	6.31	9	731	<2	9	1.44	<4	5	53	10	1.27	0.27	10	0.78	1119	11	87	315	36	0.25	<5	10	<10	251	1148	<2	23	<10	3	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40243	198725	<1	5.44	14	401	<2	11	1.16	<4	22	154	57	3.49	0.34	24	1.55	1138	7	100	549	75	0.71	6	<5	<10	183	2245	2	92	<10	10	115
40244	198726	<1	5.79	14	429	<2	9	1.20	<4	23	151	60	3.52	0.54	25	1.58	1119	5	85	545	75	0.92	<5	9	<10	188	2317	9	95	<10	10	138
40245	198727	<1	5.97	14	962	<2	10	2.01	<4	8	23	14	1.88	0.70	8	1.10	706	2	31	683	153	0.80	<5	19	<10	173	2032	4	40	10	5	239
40246	198728	<1	5.87	28	844	<2	8	1.46	<4	8	36	6	1.66	0.54	8	0.90	626	7	56	619	45	1.09	<5	7	<10	140	2117	8	38	<10	4	58
40247	198729	<1	4.96	15	680	<2	5	1.64	<4	6	21	6	1.41	0.94	5	1.07	743	1	31	556	51	0.87	<5	23	<10	130	1871	<2	33	14	4	200
40248	198730	70	3.19	36	396	<2	<1	1.17	19	16	35	50	3.15	0.35	1	0.74	489	3	19	558	595	0.99	55	7	240	276	2084	4	94	57	12	1797
40249	198731	<1	5.34	21	625	2	38	1.61	<4	6	26	34	1.41	0.79	11	0.91	744	3	37	555	129	0.99	<5	13	<10	132	1891	<2	34	10	4	177
40250D	198731	<1	4.46	23	535	<2	6	1.32	<4	6	20	31	1.28	0.40	<1	0.86	691	1	27	523	119	0.95	<5	5	<10	118	1746	2	31	<10	4	160
40251	198732	<1	4.91	24	606	<2	2	1.29	<4	4	18	11	1.30	0.13	7	0.84	708	1	24	555	116	1.00	<5	21	<10	127	1915	<2	33	10	4	273
40252	198733	<1	5.56	50	569	2	11	0.89	9	8	34	159	1.91	0.69	12	0.70	530	6	57	584	481	0.99	<5	22	<10	128	1940	7	36	30	4	1958
40253	198734	<1	2.81	18	194	<2	<1	0.54	<4	7	13	18	0.95	0.48	<1	0.67	631	1	25	395	61	0.30	<5	10	<10	134	1407	13	25	<10	3	252
40254	198735	<1	2.34	18	135	<2	<1	0.38	<4	8	6	13	0.82	0.76	<1	0.61	627	<1	21	331	62	0.19	<5	5	<10	135	1246	<2	22	<10	2	132
40255	198736	27	6.01	54	630	<2	17	0.37	17	21	23	417	2.42	0.48	16	0.45	367	4	44	447	5108	0.99	40	23	<10	153	1826	3	33	77	3	6039
40256	198737	<1	5.77	38	589	2	6	0.92	<4	21	31	31	1.89	0.68	13	0.75	632	6	67	541	301	1.04	<5	<5	<10	184	1768	<2	34	11	5	321
40257	198738	<1	6.32	18	468	2	16	0.94	<4	16	34	33	2.11	0.40	17	0.74	713	6	69	548	86	0.80	6	14	<10	199	1901	<2	36	<10	4	74
40258	198739	<1	0.22	8	50	<2	<1	0.15	<4	<1	3	2	0.04	<0.01	<1	0.03	<100	<1	<1	<100	13	0.98	<5	10	<10	79	229	14	3	<10	<2	7
40259	198740	<1	4.12	8	381	<2	3	2.48	<4	16	60	46	3.77	0.07	8	1.22	752	4	31	628	15	0.86	<5	<5	<10	328	3071	<2	119	<10	15	59
40260	198741	<1	5.55	16	367	<2	<1	0.75	<4	8	22	21	1.12	0.56	11	0.67	730	4	38	471	162	0.88	<5	10	<10	199	1767	2	33	11	3	156
40261D	198741	<1	5.03	15	377	<2	11	0.78	<4	8	20	21	1.08	0.50	8	0.62	743	3	35	457	167	0.93	<5	<5	<10	199	1721	3	32	<10	3	152
40262	198742	<1	6.02	14	408	<2	19	0.91	<4	8	22	33	1.19	0.60	7	0.62	614	3	37	503	80	0.81	<5	9	14	224	1751	11	34	<10	4	124

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40263	198743	<1	5.68	21	379	<2	2	0.79	<4	6	19	22	1.25	0.44	5	0.50	550	2	29	506	40	1.01	<5	<5	<10	205	1655	3	33	<10	4	39
40264	198744	<1	6.02	21	487	<2	6	0.82	<4	10	16	17	1.24	0.54	8	0.50	492	1	24	489	23	0.80	<5	<5	<10	211	1846	<2	35	<10	3	42
40265	198745	<1	4.16	22	293	<2	2	0.30	<4	5	31	13	1.20	0.63	<1	0.42	393	5	57	456	26	0.35	5	<5	<10	185	1624	7	32	<10	3	40
40266	198746	<1	6.03	26	417	<2	6	0.64	<4	7	35	17	1.42	0.54	6	0.50	483	5	56	534	29	0.36	<5	13	<10	224	1900	<2	37	<10	4	54
40267	198747	<1	6.43	18	421	<2	11	0.67	<4	13	26	17	1.63	0.61	6	0.70	600	2	37	511	22	0.51	<5	9	<10	237	1900	<2	43	<10	5	72
40268	198748	<1	5.86	9	396	<2	<1	1.64	<4	7	29	9	1.63	<0.01	5	0.57	444	2	35	429	30	0.69	6	6	<10	205	1769	8	35	<10	4	41
40269	198749	<1	6.11	16	517	<2	1	1.00	<4	5	29	35	1.28	0.58	13	0.66	440	4	37	430	25	0.95	<5	11	<10	171	1761	13	33	<10	4	54
40270	198750	<1	3.94	20	451	<2	<1	1.99	<4	16	54	197	3.87	<0.01	4	1.08	704	11	34	612	14	0.87	<5	10	<10	319	2777	7	110	10	14	56
40271	198751	<1	5.35	18	372	<2	1	1.57	<4	5	19	6	1.14	0.47	5	0.48	335	<1	25	383	18	0.75	<5	8	<10	175	1468	<2	29	<10	3	34
40272D	198751	<1	5.27	12	366	<2	<1	1.54	<4	5	25	6	1.15	0.63	3	0.47	336	3	37	388	15	0.85	<5	12	<10	175	1457	11	29	<10	3	30
40273	198752	<1	5.73	16	433	<2	10	1.51	<4	5	20	7	1.12	0.54	7	0.63	422	<1	23	406	16	0.86	5	17	<10	177	1630	2	30	<10	3	29
40274	198753	<1	5.32	17	394	2	<1	1.05	<4	5	20	9	1.12	0.61	11	0.77	470	<1	22	389	17	0.90	<5	12	<10	140	1661	6	29	<10	3	37
40275	198754	<1	5.83	28	351	<2	12	1.30	<4	7	22	13	1.05	0.25	17	1.04	599	2	27	407	23	1.19	<5	10	<10	93	1802	11	31	<10	3	28
40276	198755	<1	4.71	34	239	2	9	0.11	<4	7	32	8	1.11	0.55	4	0.50	223	6	51	359	42	0.96	6	11	<10	86	1578	<2	29	<10	3	380
40277	198756	<1	4.01	7	189	<2	11	1.07	<4	6	26	5	1.07	0.75	8	1.08	685	3	46	334	48	0.25	<5	7	<10	137	1450	<2	26	<10	3	51
40278	198757	<1	5.11	15	284	<2	<1	1.48	<4	6	20	7	1.14	0.64	9	1.09	602	2	25	386	44	0.19	<5	10	<10	151	1630	4	29	<10	3	54
40279	198758	<1	6.68	16	430	<2	5	1.39	<4	7	39	9	0.98	0.26	9	0.82	408	3	42	435	23	0.35	<5	9	<10	193	1789	6	33	<10	3	23
40280	198759	<1	5.36	4	319	2	6	1.61	<4	6	21	5	0.98	0.53	5	0.90	546	1	29	371	29	0.63	<5	12	<10	164	1556	8	28	<10	3	106
40281	198760	<1	3.41	6	322	<2	5	2.21	<4	16	56	51	3.55	<0.01	<1	1.13	703	12	32	595	14	0.67	<5	15	<10	307	2812	<2	112	<10	14	176
40282	198761	<1	5.64	16	297	<2	4	1.73	<4	9	21	8	1.30	0.18	3	0.64	379	2	28	399	25	0.83	<5	19	<10	182	1647	<2	33	<10	4	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40283D	198761	<1	5.32	16	274	<2	17	1.62	<4	8	25	7	1.26	0.24	4	0.60	362	3	38	396	21	0.90	<5	19	<10	175	1569	9	30	<10	4	51
40284	198762	<1	5.29	14	297	<2	20	1.69	<4	6	24	8	1.37	0.49	3	0.65	361	1	34	395	15	0.67	<5	9	<10	187	1562	4	30	<10	4	39
40285	198763	<1	3.84	<2	374	<2	<1	1.52	<4	6	28	9	1.49	0.13	21	0.59	433	3	50	269	7	0.10	<5	53	<10	180	1517	<2	27	<10	2	39
40286	198764	<1	5.34	6	418	2	8	1.87	<4	5	22	9	1.43	0.27	11	0.85	592	2	27	411	18	0.79	<5	12	<10	182	1725	<2	30	<10	3	30
40287	198765	<1	3.23	31	249	2	5	1.59	<4	5	36	31	1.30	0.41	<1	0.59	398	7	37	559	50	0.97	<5	6	<10	141	1034	<2	19	<10	4	44
40288	198766	<1	3.04	35	215	<2	9	1.47	<4	4	35	24	1.20	0.37	<1	0.63	424	3	39	377	41	0.73	<5	16	<10	134	1079	3	19	<10	3	46
40289	198767	<1	6.05	13	677	2	3	2.10	<4	6	42	14	1.59	0.20	8	1.18	607	7	59	432	59	0.42	<5	18	<10	159	1733	3	35	<10	4	65
40290	198768	<1	3.61	92	326	<2	31	0.87	<4	20	125	40	3.21	0.45	<1	0.84	545	1	68	449	458	1.07	<5	<5	<10	102	2183	8	77	<10	10	483
40291	198769	<1	6.21	56	582	<2	9	1.54	<4	12	30	17	1.61	0.44	5	1.02	479	5	34	611	40	0.67	<5	17	<10	151	2344	4	49	<10	5	151
40292	198770	<1	5.27	49	277	<2	13	1.05	5	16	37	2361	5.22	0.36	20	0.80	1145	19	24	772	85	2.91	<5	14	<10	233	1223	<2	67	16	8	620
40293	198771	<1	6.23	33	544	<2	5	1.99	<4	13	25	18	1.37	0.08	5	0.68	356	4	31	626	26	0.77	<5	18	<10	192	1968	11	43	<10	5	92
40294R	198771	<1	4.87	35	433	<2	6	1.58	<4	14	27	14	1.25	0.25	<1	0.60	319	4	40	559	27	0.49	<5	15	<10	170	1739	<2	38	<10	4	69
40295	198772	<1	5.27	8	343	<2	16	1.81	<4	15	68	28	2.29	0.46	4	0.80	418	2	45	514	25	0.42	<5	6	<10	163	1967	3	58	<10	8	84
40296	198773	<1	6.30	49	559	<2	1	1.81	<4	11	21	54	2.02	0.38	8	0.90	553	2	26	601	150	0.86	<5	14	<10	156	2109	2	41	11	4	325
40297	198774	<1	1.28	44	187	<2	<1	0.23	11	4	10	106	1.57	0.76	<1	0.57	458	<1	20	325	1543	0.81	7	14	<10	79	1235	<2	25	48	3	3499
40298	198775	<1	5.41	100	502	2	2	1.80	<4	15	68	111	2.57	0.65	6	1.18	892	1	37	522	674	1.48	<5	10	<10	134	2066	4	56	<10	7	583
40299	198776	<1	6.83	30	624	<2	2	1.75	<4	8	26	16	2.15	0.52	16	1.15	1081	2	29	639	31	1.02	<5	<5	<10	146	2437	<2	44	10	5	69
40300	198777	<1	5.81	37	529	2	17	1.69	<4	8	21	64	2.05	0.58	15	1.17	936	<1	21	576	393	1.18	<5	20	<10	133	2204	2	40	<10	4	196
40301	198778	<1	5.57	26	535	<2	<1	1.75	<4	8	20	11	1.84	0.54	11	1.10	874	<1	24	576	29	1.16	<5	7	<10	136	2196	<2	41	<10	4	54
40302	198779	<1	4.92	44	505	<2	13	1.85	<4	7	16	9	1.81	0.35	9	0.94	750	<1	20	563	23	1.23	<5	9	<10	153	2000	<2	38	<10	4	37

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40303	198780	<1	4.36	5	412	2	14	2.60	<4	16	61	47	3.87	0.28	9	1.25	783	4	32	649	21	0.93	<5	15	<10	334	3204	<2	122	<10	15	57
40304	198781	<1	6.19	50	501	<2	9	2.13	<4	10	15	8	2.09	0.07	12	0.80	567	<1	15	622	20	1.27	<5	6	<10	164	2103	<2	42	<10	5	38
40305D	198781	<1	5.82	54	464	<2	20	2.01	<4	9	15	9	2.07	0.56	9	0.80	558	<1	16	618	17	0.85	<5	9	<10	158	2071	<2	41	<10	5	63
40306	198782	<1	6.57	41	564	<2	3	2.12	<4	9	18	9	2.41	0.50	14	1.10	826	<1	22	628	43	0.82	<5	18	<10	156	2369	7	44	<10	5	163
40307	198783	<1	5.30	61	427	2	7	1.96	<4	10	14	6	2.28	0.84	6	1.38	1003	<1	20	588	29	0.82	<5	19	<10	135	2088	3	39	<10	5	84
40308	198784	6	3.93	50	490	<2	5	1.05	5	8	14	97	2.07	0.96	3	0.87	584	<1	23	466	2894	0.81	6	10	<10	125	1725	<2	33	21	4	1390
40309	198785	<1	5.62	22	603	<2	<1	1.79	<4	6	20	15	1.47	0.67	9	1.41	619	<1	19	368	93	0.92	5	19	<10	164	1626	2	28	<10	3	124
40310	198786	<1	5.40	21	553	<2	8	1.73	<4	6	15	10	1.44	0.86	9	1.38	592	1	19	358	49	1.03	<5	12	<10	161	1593	<2	27	<10	3	74
40311	198787	<1	5.66	15	603	<2	<1	1.66	<4	6	18	6	1.26	0.78	8	1.08	380	<1	19	347	16	0.87	<5	12	<10	161	1674	4	27	<10	3	32
40312	198788	<1	5.61	9	625	2	<1	1.80	<4	6	19	22	1.37	0.50	14	1.18	478	1	24	353	22	0.97	<5	11	<10	159	1695	5	27	<10	3	43
40313	198789	<1	4.99	9	591	<2	11	1.96	<4	7	21	12	1.35	0.50	9	1.18	576	2	23	345	22	1.00	5	15	<10	161	1615	<2	27	<10	3	76
40314	198790	71	3.18	40	399	<2	8	1.17	19	16	34	52	3.18	0.42	<1	0.74	492	2	18	555	604	0.91	63	<5	242	276	2122	8	95	62	12	1836
40315	198791	<1	5.17	5	490	<2	<1	1.61	<4	7	16	15	1.31	0.44	10	1.07	489	<1	18	359	20	1.04	7	8	<10	143	1799	<2	28	<10	3	38
40316D	198791	<1	4.50	16	466	<2	3	1.54	<4	7	14	16	1.28	0.39	7	1.02	484	<1	19	346	13	0.97	<5	<5	<10	138	1788	5	28	<10	2	38
40317	198792	<1	5.39	11	477	<2	5	1.82	<4	7	16	14	1.39	0.55	11	1.34	680	<1	18	361	127	0.99	<5	15	<10	142	1693	5	28	10	2	158
40318	198793	<1	5.48	14	537	<2	<1	1.71	<4	8	14	13	1.24	0.82	12	1.17	586	<1	17	365	23	0.80	<5	8	<10	133	1736	<2	28	<10	2	82
40319	198794	<1	6.16	16	580	<2	12	2.24	<4	7	18	166	1.47	0.61	15	1.39	680	<1	20	386	347	0.62	6	19	<10	151	1786	5	29	<10	2	391
40320	198795	<1	6.07	11	661	<2	14	2.39	<4	7	19	28	1.51	0.68	14	1.52	737	<1	20	344	152	0.61	6	9	<10	168	1719	<2	28	12	2	476
40321	198796	<1	5.92	23	613	<2	<1	1.52	<4	7	19	18	1.72	0.79	17	1.89	654	<1	21	365	120	0.96	<5	11	<10	142	1692	<2	29	14	2	614
40322	198797	<1	6.29	29	497	<2	<1	1.29	<4	12	56	19	2.15	0.81	16	1.94	780	<1	36	476	42	1.32	<5	10	<10	124	2171	3	53	<10	6	80

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40323	198798	<1	4.62	36	392	<2	2	1.89	8	12	57	157	2.40	1.15	4	1.41	892	<1	39	402	747	1.47	<5	14	<10	123	1516	4	46	38	6	2336
40324	198799	<1	4.94	35	396	<2	3	0.22	<4	8	30	30	1.70	1.07	2	0.73	276	<1	28	351	439	1.51	<5	13	<10	92	1534	3	32	17	2	981
40325	198800	<1	3.76	11	342	<2	7	2.36	<4	17	57	46	3.68	0.06	1	1.19	733	1	33	618	16	0.86	<5	11	<10	318	2964	<2	117	<10	14	49
40326	198801	<1	4.66	26	397	<2	7	1.08	<4	7	66	97	1.77	0.54	6	1.15	523	11	104	350	342	1.29	<5	11	<10	101	1544	9	32	11	2	651
40327D	198801	<1	4.13	20	361	<2	5	0.96	<4	6	64	96	1.73	0.19	<1	1.10	509	10	95	343	334	1.25	<5	13	<10	98	1483	<2	32	11	2	644
40328	198802	<1	7.28	32	653	<2	12	1.96	<4	7	35	31	1.73	0.86	40	2.07	708	3	32	444	95	1.55	<5	14	<10	148	1906	6	35	15	2	421
40329	198803	<1	5.15	20	432	2	<1	1.25	5	7	64	28	2.20	0.66	13	2.13	657	8	97	367	401	1.00	<5	6	<10	122	1482	<2	31	18	2	1245
40330	198804	<1	5.44	28	418	<2	4	1.64	<4	9	53	18	1.97	0.78	14	2.60	903	8	80	371	67	0.91	<5	20	<10	122	1576	<2	30	<10	3	400
40331	198805	5	5.21	50	466	<2	3	1.68	14	6	80	85	2.71	0.69	8	1.17	529	13	121	364	2729	1.47	6	13	<10	118	1422	<2	33	57	3	4552
40332	198806	7	5.22	45	471	<2	5	1.59	14	6	56	77	2.55	0.60	9	1.21	527	8	84	361	2972	1.27	7	18	<10	120	1428	<2	33	62	3	4716
40333	198807	<1	5.73	34	492	<2	5	1.14	8	6	36	57	1.45	0.88	7	1.11	480	4	45	365	430	1.00	<5	8	<10	117	1553	5	31	36	2	2431
40334	198808	<1	5.08	36	404	<2	<1	0.17	4	7	58	32	1.61	0.91	5	0.49	210	9	91	357	671	1.27	9	9	<10	84	1527	<2	31	19	3	1374
40335	198809	<1	4.96	38	348	<2	2	0.47	<4	8	65	21	1.78	0.83	2	0.61	261	10	100	393	262	1.36	<5	6	<10	95	1308	<2	32	<10	2	453
40336	198810	<1	3.49	15	400	<2	4	1.82	<4	14	52	189	3.71	0.11	<1	1.04	673	10	32	581	16	0.85	9	12	<10	304	2653	<2	105	<10	13	67
40337	198811	<1	5.74	86	295	<2	15	0.70	<4	17	111	51	3.48	0.31	15	1.95	530	8	103	531	158	1.72	<5	16	<10	112	1412	<2	65	16	4	646
40338D	198811	<1	4.95	72	274	<2	10	0.63	<4	18	106	48	3.34	0.30	14	1.85	513	7	104	495	142	1.48	<5	<5	<10	107	1334	<2	62	15	4	637
40339	198812	4	4.98	76	235	<2	5	0.45	9	17	135	249	3.64	0.44	18	1.49	482	6	103	488	945	1.75	<5	<5	<10	98	1346	<2	73	46	5	2895
40340	198813	<1	4.79	26	177	<2	9	0.16	<4	22	181	72	4.01	0.43	21	2.25	725	10	146	582	109	1.14	<5	7	<10	85	1821	5	95	10	7	184
40341	198814	<1	5.63	69	299	<2	5	0.60	<4	23	192	52	4.08	0.86	15	1.46	398	11	164	579	131	1.54	<5	11	<10	96	1650	<2	105	<10	7	549
40342	198815	2	4.85	69	227	<2	8	0.80	<4	18	182	35	4.00	0.47	16	2.10	616	15	162	477	313	1.30	<5	<5	<10	101	1492	<2	75	<10	6	575

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40343	198816	<1	5.60	30	294	<2	13	0.79	<4	25	220	44	4.42	1.17	34	2.51	547	19	209	581	108	0.41	<5	8	<10	96	1872	<2	102	<10	9	117
40344	198817	10	3.60	71	231	2	<1	0.25	8	15	159	189	2.51	0.81	5	0.52	148	16	149	419	799	1.13	8	7	<10	92	1037	3	63	30	4	1923
40345	198818	<1	5.24	14	248	<2	2	0.80	<4	24	173	34	4.47	0.69	40	3.15	636	8	134	581	96	1.04	<5	5	<10	105	2378	5	101	<10	6	156
40346	198819	<1	5.64	31	277	<2	6	0.98	<4	23	184	34	4.25	0.64	23	2.21	566	9	137	558	96	1.32	<5	<5	<10	116	2051	<2	96	<10	7	113
40347	198820	<1	4.42	6	388	<2	2	2.57	<4	17	61	48	3.84	<0.01	4	1.23	761	2	32	640	11	0.90	<5	19	<10	332	3123	<2	121	<10	14	155
40348	198821	<1	4.64	20	162	<2	10	1.24	<4	16	168	53	3.71	0.62	18	2.18	600	12	146	609	124	1.03	<5	<5	<10	123	1934	<2	79	11	7	295
40349D	198821	<1	4.01	17	124	<2	6	1.06	<4	18	177	50	3.63	0.54	14	2.08	580	15	163	592	116	0.97	<5	18	<10	114	1824	<2	78	10	7	203
40350	198822	28	4.57	56	284	<2	<1	0.51	9	11	81	457	2.80	0.83	4	0.81	250	9	89	457	1216	1.69	7	8	<10	100	1199	11	50	29	4	2324
40351	198823	<1	5.51	18	331	<2	14	1.43	<4	9	60	9	1.95	0.20	20	2.05	472	8	84	508	103	0.93	<5	12	<10	123	1795	4	42	<10	3	97
40352	198824	<1	3.63	16	276	<2	<1	1.13	<4	21	140	35	3.45	0.27	15	2.10	511	10	119	515	58	1.00	<5	18	<10	123	2226	<2	81	<10	5	92
40353	198825	<1	3.71	16	268	<2	4	0.47	<4	24	157	34	3.65	0.75	19	2.39	507	10	133	581	39	0.74	7	<5	<10	102	2430	9	91	<10	6	84
40354	198826	<1	4.74	22	333	<2	5	0.64	<4	25	181	34	4.07	0.97	33	2.71	564	11	155	626	49	0.43	<5	9	<10	111	2649	8	102	<10	7	104
40355	198827	<1	6.26	37	427	<2	10	1.44	<4	17	133	18	3.22	0.89	19	1.89	581	8	119	571	307	0.54	<5	<5	<10	118	2103	<2	79	<10	7	165
40356	198828	<1	4.97	44	432	<2	4	0.26	<4	7	58	10	1.69	1.20	4	0.70	238	9	93	338	138	0.61	<5	13	<10	103	1580	<2	30	15	2	874
40357	198829	<1	5.89	48	500	<2	5	0.59	<4	8	49	14	1.63	1.20	<1	0.68	233	7	80	422	174	1.08	5	11	<10	114	1651	<2	31	11	3	632
40358	198830	<1	4.83	48	237	<2	5	0.94	4	15	34	2291	5.07	<0.01	18	0.77	1111	15	19	731	91	3.05	<5	8	<10	224	1225	<2	66	14	7	620
40359	198831	<1	6.10	38	462	<2	2	0.88	<4	8	53	17	1.61	0.72	5	0.81	316	7	78	422	64	1.23	<5	19	<10	126	1676	4	34	<10	3	66
40360R	198831	<1	6.46	45	471	<2	8	1.06	<4	8	77	12	1.79	0.40	10	0.95	377	11	115	444	63	0.88	<5	14	<10	132	1737	<2	36	10	3	53
40361	198832	<1	4.89	80	300	2	6	0.75	<4	22	148	36	3.25	1.90	7	1.00	569	5	109	505	80	0.77	<5	11	<10	95	2248	2	91	11	10	70
40362	198833	2	5.30	52	396	<2	6	0.87	<4	10	40	48	1.89	2.16	6	0.70	500	1	45	479	399	0.69	<5	6	<10	115	1934	<2	48	17	5	569

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40363	198834	<1	5.48	42	1391	<2	2	0.19	<4	10	65	56	1.81	1.55	2	0.40	210	6	70	520	129	0.74	<5	12	<10	112	2095	4	58	15	4	261
40364	198835	3	4.72	28	1116	<2	2	0.38	<4	8	37	98	1.43	2.02	1	0.53	268	5	62	467	319	0.96	<5	14	<10	123	1859	<2	40	21	3	1042
40365	198836	<1	5.17	52	751	2	13	1.00	<4	9	36	29	1.56	1.22	6	0.76	567	3	48	470	109	1.45	<5	6	<10	140	1801	<2	39	<10	3	145
40366	198837	<1	4.21	38	706	2	6	1.34	<4	7	44	30	1.47	0.61	9	0.93	835	6	65	547	158	1.11	<5	9	<10	154	2188	<2	45	11	3	164
40367	198838	8	4.60	65	529	<2	<1	0.26	6	7	55	251	1.57	1.01	5	0.48	297	10	71	500	699	1.25	10	10	<10	107	1817	<2	40	34	3	2211
40368	198839	<1	6.25	28	597	<2	13	1.93	<4	8	53	17	1.44	0.46	12	1.29	908	6	64	649	115	1.04	<5	7	<10	168	2241	<2	47	13	4	141
40369	198840	<1	3.27	9	349	<2	12	2.36	<4	17	55	48	3.73	0.10	2	1.15	748	2	29	628	9	0.84	<5	6	<10	318	3019	<2	118	<10	12	58
40370	198841	<1	4.78	23	473	<2	9	0.35	<4	7	34	18	1.06	0.89	10	0.48	197	2	46	485	212	0.88	<5	<5	<10	109	1811	<2	39	11	3	182
40371D	198841	<1	3.84	19	401	<2	<1	0.13	<4	6	35	20	1.00	1.49	3	0.45	184	4	52	484	223	0.71	<5	17	<10	95	1691	<2	37	10	3	186
40372	198842	<1	0.29	10	85	<2	<1	0.36	<4	4	23	12	0.81	0.84	<1	0.70	259	2	38	283	59	0.30	<5	<5	<10	79	1009	2	26	<10	2	32
40373	198843	<1	1.48	17	98	<2	<1	0.78	<4	5	20	11	1.02	1.36	<1	0.95	462	<1	39	409	29	0.16	<5	<5	<10	88	1467	<2	28	<10	3	37
40374	198844	<1	5.85	26	460	2	<1	2.39	<4	10	32	15	1.59	1.13	17	1.45	720	1	39	549	39	0.20	7	8	<10	142	2104	8	42	<10	4	61
40375	198845	<1	5.16	49	408	<2	31	0.70	<4	9	31	40	1.57	1.27	7	0.68	329	2	41	525	521	0.81	<5	13	<10	109	1972	7	39	19	3	711
40376	198846	<1	5.42	60	429	<2	5	0.72	<4	11	27	56	1.57	1.10	6	0.72	355	<1	36	506	437	1.15	<5	17	<10	113	1936	5	39	17	3	861
40377	198847	<1	5.60	24	447	<2	8	1.86	<4	8	37	10	1.68	0.97	4	1.18	623	3	48	575	56	1.01	<5	9	<10	127	2242	<2	44	<10	4	109
40378	198848	<1	6.08	21	478	2	3	1.48	<4	9	43	12	1.61	0.48	10	0.95	461	5	59	539	67	1.14	8	15	<10	127	2270	<2	46	<10	4	153
40379	198849	<1	5.06	15	403	2	11	0.61	4	9	39	38	1.36	0.63	5	0.53	248	3	48	478	300	0.95	<5	<5	<10	108	1936	<2	39	22	3	1294
40380	198850	74	3.35	41	400	<2	<1	1.21	20	17	34	54	3.22	0.24	<1	0.75	499	2	20	572	606	1.03	57	<5	252	279	2203	<2	98	63	12	1869
40381	198851	<1	4.68	4	565	2	6	2.26	<4	10	39	8	1.86	0.27	7	1.20	611	4	50	595	52	0.82	<5	15	<10	147	2315	<2	45	<10	3	61
40382D	198851	<1	4.66	6	497	2	13	2.02	<4	9	33	7	1.72	0.44	70	1.20	570	4	45	541	43	1.05	<5	<5	<10	137	2133	8	42	<10	3	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-04/04/2014 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 4, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/18/2014
Date Completed: 04/02/2014
Job #: 201440485
Reference: TL-0855-W2b
Sample #: 210

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40383	198852	<1	5.85	9	578	2	8	2.23	<4	10	32	5	1.86	0.89	16	1.18	506	1	40	547	58	0.80	<5	5	<10	155	2201	<2	44	<10	4	53
40384	198853	<1	5.77	32	474	<2	2	1.59	<4	11	36	6	1.86	0.75	19	1.08	506	3	49	547	40	0.99	<5	9	<10	125	2160	<2	43	<10	4	177
40385	198854	<1	6.34	11	597	<2	1	2.41	<4	10	51	5	1.95	0.74	11	1.24	514	5	61	616	21	0.55	5	9	<10	163	2426	6	46	<10	4	39
40386	198855	<1	5.63	11	521	<2	<1	2.23	<4	9	43	7	1.90	0.85	8	1.26	560	4	58	634	29	0.34	<5	7	<10	150	2403	3	46	10	4	44
40387	198856	<1	5.17	21	396	2	3	1.29	<4	7	40	15	1.54	1.00	8	0.87	621	4	58	524	224	0.68	<5	8	<10	141	1983	<2	40	13	3	316
40388	198857	<1	5.49	26	399	<2	8	1.41	<4	9	40	17	1.57	1.08	15	0.95	549	5	54	540	60	0.96	<5	16	<10	138	2069	<2	40	11	4	96
40389	198858	<1	5.89	19	370	<2	17	1.95	<4	10	35	12	1.95	0.92	10	1.14	632	2	42	554	87	0.97	<5	19	<10	166	2172	<2	45	13	5	183
40390	198859	<1	6.00	14	350	2	2	2.67	<4	12	44	18	2.11	0.46	9	1.53	654	5	64	664	44	0.79	<5	21	<10	203	2450	<2	48	11	4	391
40391	198860	<1	4.51	12	392	<2	<1	2.60	<4	17	59	48	3.87	<0.01	8	1.25	770	2	33	656	19	0.87	<5	<5	<10	336	3175	5	122	<10	15	53
40392	198861	<1	4.96	14	382	2	12	3.46	<4	11	45	13	2.33	<0.01	10	1.51	630	4	60	543	122	0.76	8	8	<10	252	2552	<2	46	<10	4	191
40393D	198861	<1	5.07	12	346	2	9	3.20	<4	11	39	12	2.18	0.14	4	1.47	592	3	57	526	117	0.75	<5	14	<10	239	2431	19	43	<10	4	179

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 7, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 04/03/2014
Date Completed: 04/07/2014
Job #: 201440606
Reference: 201440485
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
47239	198838	13.621	13.811	81.953	14.643	1.36%	14.54

PROCEDURE CODES: ALPM1

Certified By: Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL10109-14RE

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 16, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/26/2014
Date Completed: 07/16/2014
Job #: 201441385
Reference: TL10109-14RE
Sample #: 28

Acc #	Client ID	Au g/t (ppm)
106244	201365	0.347
106245	201366	0.455
106246	201367	0.536
106247	201368	0.271
106248	201369	0.408
106249	201370	0.370
106250	201371	0.256
106251	201372	0.026
106252	201373	0.137
106253	201374	0.156
106254	201374 Dup	0.177
106255	201375	0.106
106256	201376	0.271
106257	201377	0.141
106258	201378	0.075
106259	201379	0.184
106260	201380	<0.005
106261	201381	0.067
106262	201382	0.173
106263	201383	0.013
106264	201384	0.012
106265	201384 Dup	0.014
106266	201385	0.025
106267	201386	0.653
106268	201387	0.553

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 16, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/26/2014
Date Completed: 07/16/2014
Job #: 201441385
Reference: TL10109-14RE
Sample #: 28

Acc #	Client ID	Au g/t (ppm)
106269	201388	0.047
106270	201389	0.124
106271	201390	1.563
106272	201391	0.030
106273	201392	0.024

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, July 16, 2014

Preliminary Analysis

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/26/2014
Date Completed: 07/16/2014
Job #: 201441385
Reference: TL10109-14RE
Sample #: 28

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL05	0.369	0.391	0.013

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Derek Demianiuk H.Bsc., Laboratory Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/26/2014
Date Completed: 07/16/2014
Job #: 201441385
Reference: TL10109-14RE
Sample #: 28

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106244	201365	2	5.72	34	519	<2	47	0.19	<4	9	28	55	1.27	<0.01	17	0.48	190	<1	12	527	91	0.92	<5	31	2131	108	1815	<2	38	15	3	349
106245	201366	2	5.51	34	515	<2	18	<0.01	<4	7	15	58	1.17	0.05	14	0.41	159	<1	7	532	111	0.74	<5	30	1997	105	1850	<2	34	14	2	424
106246	201367	7	4.79	41	445	<2	35	<0.01	<4	6	20	183	1.41	0.19	11	0.39	190	2	9	504	86	1.00	<5	45	1972	97	1695	<2	32	<10	2	236
106247	201368	2	5.73	34	447	<2	50	0.77	<4	7	20	31	1.36	0.02	18	0.72	480	<1	4	570	92	0.76	<5	49	2064	117	1892	<2	34	10	3	138
106248	201369	2	<0.01	10	32	<2	<1	<0.01	<4	3	6	58	0.85	<0.01	2	0.44	288	<1	3	305	172	0.50	<5	9	1095	62	1062	<2	19	<10	2	78
106249	201370	3	4.55	50	192	<2	41	0.74	7	14	29	2192	4.80	0.07	23	0.74	1048	12	21	756	86	3.44	<5	18	2002	221	1169	<2	60	17	6	563
106250	201371	1	4.89	25	401	<2	22	0.98	<4	7	18	54	1.54	0.23	20	0.82	620	<1	7	536	71	0.61	<5	15	1958	119	1912	<2	33	<10	3	95
106251	201372	<1	<0.01	4	<1	<2	<1	<0.01	<4	3	12	10	0.73	<0.01	<1	0.45	382	<1	4	258	27	0.25	<5	6	1129	66	940	<2	16	<10	<2	43
106252	201373	1	5.25	23	405	<2	23	1.79	5	8	20	17	1.70	0.05	17	1.01	1006	<1	7	573	65	0.66	<5	27	1960	140	1992	<2	34	23	3	946
106253	201374	1	4.13	25	323	<2	21	1.35	<4	5	32	16	1.23	0.08	12	0.82	711	3	4	430	53	0.44	<5	17	2104	130	1513	<2	25	11	2	81
106254D	201374	1	4.13	20	325	<2	36	1.35	<4	5	39	16	1.24	<0.01	12	0.83	717	3	6	440	50	0.52	<5	32	2087	130	1517	<2	25	13	2	86
106255	201375	2	2.64	8	203	<2	23	0.90	<4	5	18	37	1.31	1.55	11	0.72	746	<1	5	451	329	0.56	<5	33	1482	109	1590	<2	28	<10	2	316
106256	201376	2	1.77	27	442	<2	21	0.77	<4	7	29	49	1.62	0.26	18	0.67	626	2	7	528	201	0.92	<5	16	1983	119	1955	<2	34	12	2	376
106257	201377	2	5.83	34	454	<2	47	1.03	<4	7	22	43	1.73	0.22	21	0.86	598	2	7	565	302	1.01	<5	26	2049	135	1958	3	36	15	3	378
106258	201378	1	5.81	30	364	<2	35	2.29	<4	14	69	17	2.38	0.19	19	1.34	919	3	27	595	63	0.65	6	21	1976	190	2635	<2	60	16	6	132
106259	201379	2	5.72	27	347	<2	65	1.93	<4	15	46	18	2.47	0.20	28	1.62	866	2	24	551	50	0.79	<5	24	1972	186	2579	<2	54	<10	6	103
106260	201380	<1	3.33	6	285	<2	17	2.07	<4	14	55	46	3.70	0.30	6	1.21	731	1	36	657	21	0.22	<5	20	1790	315	3006	<2	114	12	12	42
106261	201381	1	5.35	13	206	<2	33	2.44	<4	21	104	35	3.13	0.36	43	1.64	967	<1	49	685	22	0.51	<5	20	1880	188	3768	<2	88	13	9	39
106262	201382	1	4.45	14	132	<2	13	2.18	<4	16	90	29	2.68	0.50	35	1.54	809	<1	39	576	23	0.57	<5	17	1557	132	2894	<2	70	<10	10	50
106263	201383	<1	3.79	15	86	<2	1	1.32	<4	18	101	32	3.01	0.26	49	1.29	675	<1	41	527	92	0.37	6	27	1435	162	2827	<2	70	15	12	87

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/22/2014 3:24 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 22, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: rory@treasurymetals.com, dennis@treasurymetals.com

Date Received: 06/26/2014
Date Completed: 07/16/2014
Job #: 201441385
Reference: TL10109-14RE
Sample #: 28

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106264	201384	1	5.36	9	209	<2	43	1.51	<4	18	130	39	3.22	0.20	41	1.32	719	<1	51	587	101	0.37	<5	34	1788	185	2948	<2	86	18	11	136
106265D	201384	1	5.33	23	211	<2	42	1.53	<4	20	130	40	3.24	0.19	41	1.33	726	2	50	584	105	0.41	<5	30	1774	185	3002	<2	86	11	12	139
106266	201385	1	2.96	10	96	<2	<1	0.89	<4	22	134	52	3.42	0.41	31	1.10	511	<1	60	569	40	0.61	<5	15	1644	153	3058	<2	89	12	9	72
106267	201386	1	3.90	19	133	2	32	1.04	<4	22	136	58	3.49	0.19	33	1.08	519	<1	59	577	43	0.58	<5	23	1852	160	2999	<2	88	<10	10	81
106268	201387	5	3.55	112	166	<2	2	0.17	9	16	125	78	3.41	1.42	24	0.34	144	4	39	489	585	1.61	10	39	2407	106	1793	2	60	35	7	1991
106269	201388	1	3.14	20	151	<2	50	1.57	<4	22	157	43	3.68	1.85	33	0.97	810	2	56	604	62	0.70	<5	21	2086	136	3033	<2	82	10	11	132
106270	201389	7	4.89	13	181	<2	44	0.99	4	21	145	113	3.70	0.24	37	1.40	788	2	58	592	553	0.72	5	23	1957	122	2645	<2	93	20	11	576
106271	201390	1	4.01	17	422	<2	30	1.90	<4	16	55	216	4.12	0.36	14	1.17	748	11	42	695	28	0.45	6	23	1880	331	2949	<2	114	16	13	62
106272	201391	2	4.77	24	180	<2	50	1.38	<4	19	129	46	3.37	0.41	35	1.75	870	1	51	556	59	0.54	<5	33	2090	145	2220	<2	76	<10	8	102
106273	201392	1	5.26	15	214	<2	38	1.02	<4	20	140	47	3.42	0.39	28	1.72	627	2	56	579	35	0.48	<5	36	1989	148	2098	<2	87	<10	8	79

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

PHASE 2, 2014 – 2015

ACCURASSAY CERTIFICATES

TL14372

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
237520	201801	0.016	
237521	201802	0.015	
237522	201803	0.030	
237523	201804	0.014	
237524	201805	0.013	
237525	201806	0.015	
237526	201807	0.014	
237527	201808	0.017	
237528	201809	0.221	
237529	201810	0.415	
237530	201810	Insufficient Sample	
237531	201811	0.474	
237532	201812	0.829	
237533	201813	0.018	
237534	201814	0.044	
237535	201815	0.022	
237536	201816	0.033	
237537	201817	0.194	
237538	201818	0.068	
237539	201819	0.013	
237540	201820	<0.005	
237541	201820	Insufficient Sample	
237542	201821	0.020	
237543	201822	0.028	
237544	201823	0.025	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
237545	201824	0.010	
237546	201825	0.010	
237547	201826	0.010	
237548	201827	<0.005	
237549	201828	0.010	
237550	201829	0.030	
237551	201830	1.378	
237552	201830	Insufficient Sample	
237553	201831	0.058	
237554	201832	0.013	
237555	201833	0.030	
237556	201834	0.010	
237557	201835	0.011	
237558	201836	0.009	
237559	201837	0.008	
237560	201838	0.006	
237561	201839	0.057	
237562	201840	<0.005	
237563	201840	Insufficient Sample	
237564	201841	0.186	
237565	201842	0.165	
237566	201843	0.725	
237567	201844	0.022	
237568	201845	0.008	
237569	201846	0.010	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
237570	201847	0.013	
237571	201848	0.012	
237572	201849	0.137	
237573	201850	Insufficient Sample	
237574	201850	Insufficient Sample	
237575	201851	0.084	
237576	201852	0.013	
237577	201853	0.032	
237578	201854	0.130	
237579	201855	0.101	
237580	201856	0.064	
237581	201857	0.116	
237582	201858	0.174	
237583	201859	0.635	
237584	201860	<0.005	
237585	201860	Insufficient Sample	
237586	201861	0.111	
237587	201862	0.079	
237588	201863	0.009	
237589	201864	0.008	
237590	201865	0.009	
237591	201866	0.015	
237592	201867	0.026	
237593	201868	0.015	
237594	201869	0.877	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
237595	201870	Insufficient Sample	
237596	201870	Insufficient Sample	
237597	201871	0.207	
237598	201872	0.117	
237599	201873	0.043	
237600	201874	0.145	
237601	201875	0.175	
237602	201876	0.040	
237603	201877	0.062	
237604	201878	0.203	
237605	201879	0.237	
237606	201880	<0.005	
237607	201880	Insufficient Sample	
237608	201881	0.220	
237609	201882	1.454	
237610	201883	0.908	
237611	201884	0.036	
237612	201885	0.197	
237613	201886	0.203	
237614	201887	7.980	11.817
237615	201888	0.239	
237616	201889	0.474	
237617	201890	1.450	
237618	201890	Insufficient Sample	
237619	201891	3.213	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
237620	201892	0.078	
237621	201893	0.363	
237622	201894	0.229	
237623	201895	0.436	
237624	201896	0.464	
237625	201897	0.239	
237626	201898	0.035	
237627	201899	0.039	
237628	201900	<0.005	
237629	201900	Insufficient Sample	
237630	201901	0.083	
237631	201902	0.203	
237632	201903	0.182	
237633	201904	0.520	
237634	201905	0.576	
237635	201906	0.459	
237636	201907	4.911	
237637	201908	0.041	
237638	201909	0.066	
237639	201910	4.783	
237640	201910	Insufficient Sample	
237641	201911	0.107	
237642	201912	1.122	
237643	201913	0.106	
237644	201914	4.612	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
237645	201915	0.431	
237646	201916	0.444	
237647	201917	0.273	
237648	201918	0.097	
237649	201919	0.301	
237650	201920	<0.005	
237651	201920	Insufficient Sample	
237652	201921	0.494	
237653	201922	0.495	
237654	201923	0.085	
237655	201924	0.213	
237656	201925	0.023	
237657	201926	0.026	
237658	201927	0.038	
237659	201928	0.039	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.816	0.886	0.071
GS35	0.848	0.886	0.071
GS35	0.576	0.886	0.071
GS35	0.930	0.886	0.071
GS35	0.799	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
237520	201801	<1	4.79	5	512	<2	20	1.02	<4	10	22	7	1.92	0.25	15	0.95	313	5	20	459	1	0.32	<5	24	20	276	2012	<2	38	<10	6	144
237521	201802	<1	4.87	10	484	<2	16	1.35	<4	10	25	11	1.99	0.35	15	0.80	316	5	21	447	5	0.52	5	15	<10	273	1812	<2	37	<10	6	50
237522	201803	<1	5.18	6	557	2	14	3.04	<4	12	25	9	2.81	0.27	15	0.89	518	7	21	476	33	0.91	7	10	23	394	1981	<2	37	<10	6	87
237523	201804	<1	5.44	6	522	<2	20	1.22	<4	11	22	4	2.67	0.22	12	0.74	288	4	20	511	11	1.03	<5	10	19	312	1664	<2	39	<10	6	45
237524	201805	<1	5.39	10	506	<2	12	1.31	<4	10	26	4	2.66	0.41	13	0.79	314	5	20	492	12	1.10	5	6	26	311	1753	<2	39	<10	6	44
237525	201806	<1	4.80	3	617	<2	10	1.10	<4	9	26	4	2.06	0.16	18	0.94	328	3	19	451	13	0.59	<5	26	18	277	1731	<2	40	<10	5	50
237526	201807	<1	4.37	4	727	<2	5	0.78	<4	10	22	5	2.21	0.38	24	1.32	401	3	16	451	7	0.62	<5	22	26	251	1691	<2	37	<10	5	37
237527	201808	<1	4.48	13	744	<2	11	1.10	<4	8	27	4	1.94	0.54	25	1.22	468	3	17	485	7	0.38	<5	24	21	245	1829	<2	37	<10	5	43
237528	201809	<1	4.24	35	559	<2	13	1.81	<4	8	21	7	1.81	0.22	20	1.07	687	<1	16	463	15	0.49	<5	11	18	237	1647	<2	35	<10	5	68
237529	201810	<1	4.56	51	303	<2	17	1.11	5	15	34	2190	4.79	0.35	26	0.84	1072	23	31	679	77	1.68	<5	29	28	173	1092	<2	58	10	8	575
237530D	201810																IS															
237531	201811	<1	4.92	531	597	<2	13	2.10	<4	11	27	22	2.26	<0.01	23	1.12	854	5	20	557	28	0.61	6	19	22	258	2071	<2	44	<10	6	239
237532	201812	<1	6.14	58	755	<2	22	2.10	<4	11	29	56	2.23	0.46	20	0.99	716	5	21	578	44	0.57	<5	18	31	261	2219	<2	48	11	7	548
237533	201813	<1	5.91	13	636	<2	1	2.17	<4	8	31	13	1.96	0.53	15	0.79	423	3	22	480	10	0.16	<5	32	27	227	2087	<2	41	<10	7	57
237534	201814	<1	6.10	12	603	<2	27	2.56	<4	12	29	10	2.21	0.59	19	1.00	461	3	22	524	15	0.22	<5	23	26	273	2225	<2	45	<10	7	71
237535	201815	<1	6.26	8	576	<2	17	1.31	<4	11	27	9	1.82	0.30	24	1.25	616	3	15	440	18	0.28	<5	32	20	216	1873	<2	36	<10	6	115
237536	201816	<1	5.28	9	421	<2	7	0.94	<4	9	36	22	1.80	0.52	19	1.18	634	3	22	575	25	0.26	5	21	24	181	1374	<2	31	<10	7	173
237537	201817	<1	5.61	10	497	<2	26	0.78	<4	11	26	31	2.27	0.58	21	0.94	551	5	20	429	20	0.41	6	26	26	192	1795	<2	41	<10	6	245
237538	201818	<1	4.16	7	409	<2	5	1.35	<4	9	24	13	1.85	0.29	15	0.98	552	3	18	374	15	0.21	5	23	22	238	1667	<2	36	<10	5	61
237539	201819	<1	3.62	4	353	<2	16	0.83	<4	10	21	6	2.21	0.47	22	1.29	586	2	20	405	13	0.18	<5	12	18	218	2045	<2	39	<10	5	33

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-12/19/2014 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
237540	201820	<1	4.39	3	447	<2	16	2.67	<4	16	59	44	4.02	0.15	10	1.35	788	11	45	588	11	0.08	<5	18	26	304	3077	<2	117	<10	15	60
237541D	201820																IS															
237542	201821	<1	3.69	21	422	<2	7	1.87	<4	9	29	12	1.91	0.19	13	0.74	606	2	19	432	26	0.35	5	8	24	283	1975	<2	41	<10	5	86
237543	201822	<1	5.20	35	493	<2	22	1.75	<4	13	35	25	2.42	0.44	20	0.85	603	6	24	493	31	0.59	5	21	20	311	2214	<2	48	10	7	69
237544	201823	<1	5.25	16	510	<2	6	1.75	<4	10	29	47	1.87	0.69	19	0.78	565	3	20	455	117	0.32	<5	24	27	260	2078	<2	43	<10	7	422
237545	201824	<1	5.26	8	418	<2	14	2.17	<4	10	32	11	1.86	0.46	15	0.91	626	2	19	449	26	0.25	6	25	22	263	1978	<2	40	<10	7	64
237546	201825	<1	5.81	7	479	<2	25	1.92	<4	9	33	12	1.72	0.66	21	0.86	486	2	18	442	36	0.25	<5	17	22	273	1980	<2	38	<10	7	107
237547	201826	<1	5.01	6	513	<2	6	1.68	<4	8	29	11	1.54	0.40	17	0.76	421	<1	15	392	32	0.23	<5	18	24	250	1744	<2	34	<10	6	101
237548	201827	<1	5.61	6	593	<2	6	2.20	<4	9	33	11	1.86	0.64	14	0.75	405	3	19	431	25	0.20	<5	33	27	266	2133	<2	41	<10	6	94
237549	201828	<1	4.28	4	515	<2	20	1.90	<4	8	37	16	1.64	0.41	12	0.68	402	3	18	364	30	0.29	<5	16	21	303	1847	<2	34	<10	6	190
237550	201829	<1	4.93	4	527	<2	22	2.27	<4	9	36	23	1.83	0.47	13	0.68	503	1	19	457	66	0.20	<5	30	20	314	2131	<2	41	<10	6	77
237551	201830	<1	3.67	16	494	<2	21	2.12	<4	15	55	198	3.75	0.15	10	1.18	691	18	46	578	11	0.12	<5	<5	24	266	2643	<2	103	<10	15	60
237552D	201830																IS															
237553	201831	<1	4.04	11	510	<2	4	1.65	<4	8	32	45	1.57	<0.01	6	0.57	440	<1	19	434	79	0.34	<5	14	15	281	1729	<2	36	<10	5	195
237554	201832	<1	3.75	7	490	<2	20	2.02	<4	9	31	9	1.84	0.24	7	0.72	502	<1	20	454	38	0.24	<5	27	<10	282	2102	<2	38	<10	5	71
237555	201833	<1	2.33	12	489	<2	17	1.40	<4	9	38	24	1.84	0.10	5	0.64	538	<1	21	444	158	0.40	<5	<5	<10	242	1721	<2	37	<10	5	115
237556	201834	<1	3.51	15	599	<2	18	1.19	<4	5	25	4	1.06	0.71	19	0.85	324	2	13	216	21	0.21	<5	24	19	172	1144	<2	19	<10	3	42
237557	201835	<1	6.12	7	622	<2	22	1.55	<4	9	95	6	1.61	0.70	25	1.52	658	3	41	729	31	0.33	<5	25	25	196	1476	<2	25	<10	7	129
237558	201836	<1	5.83	10	630	<2	25	0.79	<4	5	31	3	1.07	0.49	20	0.78	432	4	21	278	11	0.26	<5	23	26	146	1219	<2	17	<10	4	80
237559	201837	<1	5.39	7	500	<2	8	1.08	<4	4	38	7	1.02	0.31	18	0.83	519	3	15	212	17	0.16	<5	22	27	146	1125	<2	17	<10	4	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-12/19/2014 5:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
237560	201838	<1	3.62	7	419	<2	10	1.22	<4	4	24	8	1.01	0.67	13	0.70	544	1	14	176	21	0.16	<5	22	19	137	1087	<2	17	<10	3	207
237561	201839	<1	4.59	12	449	<2	22	0.79	<4	6	29	86	1.08	0.57	17	0.67	456	2	17	237	65	0.30	<5	18	28	130	1113	<2	20	<10	4	578
237562	201840	<1	4.20	<2	414	<2	16	2.47	<4	15	53	41	3.71	0.32	9	1.28	726	11	42	539	8	0.07	5	<5	27	282	2881	<2	109	<10	14	56
237563D	201840																IS															
237564	201841	<1	1.71	6	381	<2	6	0.90	<4	23	151	57	3.66	0.34	28	1.47	1096	10	67	433	53	0.26	5	5	11	120	2326	<2	88	<10	7	108
237565	201842	<1	4.78	3	432	2	15	1.20	<4	25	159	56	4.07	0.40	39	1.84	1086	12	75	507	37	0.23	<5	16	26	126	3048	<2	100	<10	11	79
237566	201843	<1	4.34	19	404	<2	6	0.37	<4	6	45	17	0.98	0.14	11	0.50	228	3	23	243	36	0.22	7	12	23	89	1057	<2	28	<10	5	48
237567	201844	<1	4.59	17	428	<2	21	1.32	<4	5	24	12	1.17	0.24	16	0.77	1635	2	14	259	66	0.24	<5	28	23	175	1256	<2	19	<10	4	117
237568	201845	<1	5.11	16	464	<2	20	1.80	<4	5	33	6	1.31	0.67	19	0.82	1967	3	14	244	54	0.32	<5	15	28	257	1334	<2	21	<10	4	75
237569	201846	<1	5.19	16	402	<2	14	1.59	<4	5	30	5	1.16	0.31	15	0.79	1630	1	14	239	46	0.28	<5	29	17	230	1188	<2	18	<10	4	66
237570	201847	<1	5.51	22	596	<2	25	1.77	<4	5	21	2	1.19	0.47	13	0.82	1529	2	14	270	21	0.34	<5	20	21	319	1139	<2	19	<10	5	44
237571	201848	<1	5.80	14	644	<2	19	1.65	<4	5	26	2	1.14	0.96	13	0.87	911	3	15	247	17	0.29	6	33	27	283	1219	4	19	<10	5	32
237572	201849	<1	5.40	2	383	2	17	1.37	<4	24	165	52	3.92	0.76	23	1.72	1038	11	76	514	25	0.27	5	12	26	156	3012	<2	100	<10	12	58
237573	201850	124	4.99	15	427	<2	14	3.11	7	17	42	99	4.91	0.25	5	1.32	913	13	39	574	17427	0.15	97	<5	30	295	2825	<2	134	<10	18	355
237574D	201850																IS															
237575	201851	1	4.57	21	429	<2	21	1.34	<4	14	106	67	2.34	0.30	14	1.01	575	7	45	464	531	0.37	11	21	29	153	1642	<2	58	10	9	128
237576	201852	<1	5.47	25	417	<2	21	0.99	<4	10	22	11	0.92	0.18	15	0.76	540	2	24	669	61	0.22	<5	29	28	125	2058	<2	36	<10	6	112
237577	201853	<1	5.22	23	579	<2	14	1.68	<4	12	41	14	1.50	0.26	14	0.78	517	4	25	485	24	0.27	7	31	25	173	2045	<2	43	<10	5	47
237578	201854	<1	5.59	43	684	<2	20	1.84	<4	15	41	32	2.33	0.18	22	1.19	884	5	26	532	45	0.63	<5	19	24	147	2281	<2	47	<10	6	316
237579	201855	<1	5.23	26	623	<2	28	1.62	<4	10	42	22	1.73	0.18	23	0.99	543	4	23	486	37	0.47	7	32	27	134	2184	<2	45	<10	5	321

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-12/19/2014 5:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
237580	201856	<1	5.13	33	675	<2	18	1.77	<4	9	45	11	2.03	0.53	21	1.15	602	5	24	495	118	0.59	6	25	24	153	2091	<2	42	<10	6	73
237581	201857	<1	5.85	40	559	<2	6	1.61	<4	11	59	19	2.01	0.34	14	0.88	558	4	29	354	27	0.52	<5	25	21	140	1823	<2	44	<10	8	47
237582	201858	<1	4.16	31	500	<2	15	1.58	<4	8	52	20	1.59	0.93	11	0.95	692	3	23	314	78	0.43	5	31	18	128	1562	<2	35	<10	6	239
237583	201859	<1	5.45	64	577	<2	25	1.41	<4	10	59	28	2.08	0.93	16	0.98	733	10	25	362	207	0.69	<5	10	23	128	1870	<2	43	<10	7	382
237584	201860	<1	5.00	5	449	<2	27	2.69	<4	16	58	44	4.00	0.28	10	1.41	786	13	44	591	7	0.08	<5	11	24	303	3094	<2	115	<10	17	70
237585R	201860																IS															
237586	201861	<1	5.53	17	609	<2	20	1.54	<4	12	33	20	1.59	0.52	19	1.20	703	4	23	468	181	0.41	5	27	30	184	1773	<2	37	<10	6	474
237587	201862	2	4.95	12	402	<2	29	0.82	<4	14	18	36	1.35	0.49	15	1.19	536	3	23	439	70	0.40	5	12	22	143	1300	<2	30	<10	5	150
237588	201863	<1	5.01	9	405	<2	13	0.65	<4	13	25	22	1.15	0.53	16	1.05	495	3	21	437	61	0.19	<5	31	<10	169	1332	<2	31	<10	5	174
237589	201864	<1	3.44	6	436	<2	9	0.73	<4	16	19	13	0.91	0.64	13	0.65	371	<1	27	361	24	0.11	<5	28	14	163	1179	<2	29	<10	3	46
237590	201865	<1	4.37	18	582	<2	52	1.02	<4	25	26	24	0.92	0.54	14	0.52	287	3	31	381	41	0.10	<5	37	30	196	1267	<2	32	<10	3	34
237591	201866	<1	1.76	19	565	<2	15	0.75	<4	22	23	19	0.78	0.67	13	0.43	266	1	29	365	33	0.09	5	18	21	141	1290	<2	32	<10	3	30
237592	201867	<1	2.83	9	459	<2	8	1.02	<4	10	25	18	1.30	0.51	12	0.62	472	3	15	359	25	0.23	<5	20	18	177	1108	<2	30	<10	3	39
237593	201868	<1	2.58	12	483	<2	15	0.71	<4	7	26	28	0.99	<0.01	13	0.42	353	2	10	347	25	0.18	7	24	21	150	1284	<2	28	<10	3	36
237594	201869	3	4.19	34	601	<2	16	0.93	9	15	26	249	1.40	0.55	15	0.65	410	3	19	392	2402	0.51	12	21	27	166	1222	<2	26	25	4	3581
237595	201870	<1	4.66	45	289	<2	24	1.07	5	12	33	2181	4.75	0.64	26	0.84	1048	22	32	658	85	1.63	6	14	25	170	1071	<2	57	10	9	580
237596D	201870																IS															
237597	201871	<1	5.14	36	545	<2	11	1.36	<4	17	27	44	1.29	0.35	16	1.44	975	2	23	468	1171	0.33	9	24	31	166	1354	<2	26	15	5	1246
237598	201872	<1	5.58	22	364	<2	19	1.30	<4	12	22	6	1.30	0.82	19	1.94	1075	1	21	463	465	0.28	<5	17	26	167	1222	<2	28	<10	5	415
237599	201873	<1	5.91	36	307	<2	20	1.50	<4	15	24	7	1.53	0.90	24	2.13	1202	3	21	472	141	0.37	8	15	25	159	1134	<2	27	<10	5	187

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-12/19/2014 5:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
237600	201874	2	5.37	37	252	<2	26	1.68	16	18	25	34	1.85	0.88	18	2.26	1308	3	23	461	3867	0.44	15	26	30	148	1218	<2	26	52	5	6651
237601	201875	2	6.79	39	419	<2	9	1.60	<4	25	32	23	1.56	1.32	21	1.59	732	4	36	544	3099	0.45	14	30	26	165	1343	<2	32	19	5	1447
237602	201876	<1	5.67	33	413	<2	10	0.98	<4	21	20	4	1.05	0.62	16	1.13	567	1	26	484	449	0.30	5	24	23	139	1340	<2	31	11	5	568
237603	201877	<1	5.08	35	362	<2	18	0.41	<4	11	18	20	1.37	0.49	15	0.54	218	1	16	439	728	0.58	7	23	<10	97	1473	<2	30	<10	5	1014
237604	201878	<1	5.49	19	406	<2	14	1.08	<4	6	23	70	1.20	0.69	18	0.86	522	2	15	401	129	0.42	<5	30	28	121	1621	<2	33	12	5	345
237605	201879	<1	4.13	27	260	<2	6	1.70	<4	6	23	14	1.61	0.49	19	1.40	1081	<1	15	368	43	0.38	<5	29	23	121	1618	<2	31	<10	4	70
237606	201880	<1	4.54	6	434	<2	21	2.61	<4	16	56	43	3.89	0.17	11	1.33	769	12	44	568	12	0.08	<5	21	29	295	2973	<2	112	<10	15	57
237607D	201880																IS															
237608	201881	<1	4.45	24	261	<2	21	1.31	<4	6	22	6	1.34	0.19	16	0.95	607	1	14	385	53	0.39	<5	26	22	114	1590	<2	28	<10	5	56
237609	201882	<1	4.93	33	277	<2	18	1.62	4	7	28	10	1.50	0.40	19	1.10	582	4	16	420	702	0.51	9	29	13	122	1696	<2	28	20	6	1611
237610	201883	<1	5.59	36	380	<2	9	1.63	<4	7	33	19	1.72	0.95	19	1.30	1179	3	16	382	788	0.55	10	34	27	122	1647	<2	30	11	6	941
237611	201884	<1	5.86	37	358	<2	17	1.65	<4	7	33	3	1.51	1.03	18	1.21	886	<1	20	300	60	0.57	8	30	33	138	1558	<2	32	<10	6	122
237612	201885	3	6.18	48	457	<2	19	1.28	4	10	37	13	1.88	0.64	20	1.10	759	5	23	381	1207	0.75	12	9	27	107	1724	<2	33	17	6	1360
237613	201886	<1	5.39	36	410	<2	14	1.18	<4	9	31	8	1.65	0.46	18	1.08	694	4	23	349	122	0.68	6	12	25	102	1671	<2	31	<10	6	390
237614	201887	2	4.95	39	764	<2	7	0.94	<4	9	33	9	1.78	0.87	16	0.85	509	4	21	372	289	0.73	<5	29	<10	96	1544	<2	29	<10	6	625
237615	201888	<1	3.76	26	301	<2	12	1.30	<4	6	31	4	1.64	0.85	19	1.83	1436	3	16	405	341	0.40	5	17	11	111	1175	<2	27	10	5	431
237616	201889	2	4.62	33	246	<2	19	0.70	<4	7	28	37	1.88	0.92	22	1.57	1079	3	17	401	232	0.60	7	5	10	115	1075	<2	30	<10	5	412
237617	201890	<1	3.56	19	469	<2	7	2.03	<4	14	51	187	3.57	<0.01	9	1.13	658	16	44	554	13	0.11	<5	8	19	256	2475	<2	98	10	14	58
237618D	201890																IS															
237619	201891	2	5.33	30	272	<2	26	0.62	<4	8	34	17	1.95	0.67	24	1.65	987	6	20	450	120	0.53	<5	29	14	108	1073	<2	35	<10	6	395

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-12/19/2014 5:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
237620	201892	<1	4.77	20	325	<2	15	0.95	<4	7	28	12	1.62	0.36	13	1.24	895	2	17	402	77	0.44	<5	25	27	101	1206	<2	30	<10	5	118
237621	201893	<1	4.76	34	345	<2	12	1.21	5	7	35	121	1.78	0.23	16	1.08	866	3	21	431	822	0.56	6	22	10	107	1577	<2	32	22	6	2073
237622	201894	4	5.13	174	338	<2	6	0.65	4	12	83	150	2.03	0.57	14	0.70	419	7	30	858	636	0.48	6	34	29	61	1687	<2	42	16	9	1439
237623	201895	<1	5.90	69	324	2	16	1.31	<4	20	128	80	3.23	0.66	17	1.31	1329	8	56	521	297	0.96	<5	20	26	73	2313	<2	79	<10	14	415
237624	201896	<1	5.43	62	252	<2	7	1.95	<4	20	164	64	3.15	0.73	19	1.45	2019	10	71	420	110	0.52	11	18	<10	83	2362	<2	74	<10	14	182
237625	201897	<1	5.27	40	389	<2	19	0.81	<4	11	52	137	1.61	0.46	14	0.77	528	4	38	444	201	0.58	<5	22	<10	63	1990	<2	44	<10	7	397
237626	201898	<1	5.10	27	462	<2	17	1.32	<4	7	24	10	1.18	0.83	18	0.91	724	5	26	442	51	0.38	<5	20	10	86	1885	<2	33	<10	5	93
237627	201899	<1	5.11	24	514	<2	10	1.63	<4	7	23	8	1.38	0.93	20	1.03	888	3	26	456	36	0.37	<5	13	23	104	1911	<2	33	<10	5	113
237628	201900	<1	5.08	8	442	<2	29	2.66	<4	16	58	44	3.95	0.15	10	1.39	772	12	44	589	8	0.08	<5	17	28	301	3061	<2	114	<10	17	57
237629D	201900																IS															
237630	201901	<1	4.69	18	333	<2	15	1.82	<4	6	19	19	1.36	0.42	14	1.04	970	3	24	461	35	0.32	<5	24	22	116	1784	<2	32	<10	5	52
237631	201902	<1	4.91	32	327	<2	17	1.11	<4	8	25	62	1.44	0.46	20	0.81	753	4	28	429	217	0.50	5	26	10	138	1731	<2	27	<10	5	336
237632	201903	1	4.34	32	259	<2	12	1.31	<4	7	22	12	1.64	0.36	15	0.92	912	3	26	425	437	0.61	<5	14	<10	129	1431	<2	24	<10	5	487
237633	201904	2	1.47	29	155	<2	9	0.84	8	7	13	15	1.66	<0.01	6	0.59	658	2	17	325	537	0.77	<5	13	<10	95	1111	<2	19	22	3	3021
237634	201905	<1	5.48	32	249	<2	23	1.50	4	8	26	11	1.98	0.47	14	0.93	902	5	27	498	392	0.76	<5	22	<10	152	1505	<2	28	16	6	1461
237635	201906	46	4.55	42	227	2	13	0.92	62	8	24	105	3.27	0.64	14	0.73	799	7	28	415	18932	1.41	47	18	11	124	1430	<2	27	193	6	25170
237636	201907	<1	4.58	15	201	<2	18	1.01	<4	7	45	6	1.58	0.89	15	0.85	789	6	29	472	502	0.52	<5	20	10	138	1428	<2	26	16	6	948
237637	201908	<1	4.26	16	232	<2	9	1.20	<4	7	15	47	1.48	0.68	13	0.93	836	<1	23	351	487	0.46	8	14	13	160	1538	<2	25	17	4	1292
237638	201909	<1	2.51	6	119	<2	7	0.90	<4	5	23	73	1.46	0.45	10	0.96	1074	3	25	351	137	0.17	6	5	<10	123	1139	<2	23	<10	4	690
237639	201910	124	4.39	11	345	<2	16	2.70	6	15	38	87	4.34	0.04	4	1.17	809	13	31	506	17474	0.12	91	11	11	266	2482	<2	119	<10	17	306

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-12/19/2014 5:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, December 19, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/04/2014
Date Completed: 12/19/2014
Job #: 201443046
Reference: TL14-372
Sample #: 128

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
237640D	201910																IS														
237641	201911	<1	3.64	3	209	<2	15	1.59	<4	6	25	58	1.63	0.26	15	1.34	1503	2	25	437	413	0.21	<5	9	<10	162	1433	<2	30	14	5	1203
237642	201912	1	4.12	18	311	<2	14	1.23	8	6	23	1284	1.72	0.51	21	1.00	922	3	25	459	799	0.50	7	26	<10	153	1625	<2	30	31	5	3340
237643	201913	<1	4.32	23	259	<2	26	1.57	<4	6	29	57	1.56	0.25	16	1.15	1106	5	26	506	343	0.51	6	16	<10	164	1396	<2	24	<10	5	382
237644	201914	<1	4.68	19	350	<2	12	1.34	<4	6	26	49	1.22	0.27	17	0.91	756	3	26	491	140	0.32	<5	17	11	146	1696	<2	29	13	5	440
237645	201915	<1	4.63	21	270	<2	13	1.63	<4	7	32	48	1.66	0.26	18	1.20	1141	4	26	512	359	0.55	<5	13	<10	168	1475	<2	25	11	6	356
237646	201916	<1	5.10	19	368	<2	15	1.36	<4	6	23	47	1.22	0.53	15	0.94	733	<1	27	486	135	0.33	<5	25	21	140	1680	<2	28	<10	5	427
237647	201917	<1	5.59	16	2425	<2	12	1.83	<4	4	24	6	1.15	0.61	14	1.17	938	2	24	474	60	0.25	<5	21	<10	231	1643	<2	28	<10	6	58
237648	201918	<1	5.42	18	532	<2	14	1.61	<4	7	19	5	1.35	0.67	14	1.00	955	1	24	470	55	0.34	5	25	26	152	1692	<2	30	<10	5	114
237649	201919	6	4.44	20	1072	<2	20	1.71	20	5	25	117	1.33	1.04	15	1.16	746	2	23	443	2593	0.38	13	22	<10	141	1518	<2	25	75	5	10141
237650	201920	<1	4.80	6	408	<2	12	2.53	<4	15	56	43	3.82	0.32	10	1.34	752	12	41	567	33	0.07	5	10	10	295	2956	<2	111	<10	16	135
237651R	201920																IS														
237652	201921	<1	5.13	24	636	<2	24	1.22	12	7	28	142	1.80	<0.01	22	1.10	610	5	26	472	1089	0.68	5	17	<10	133	1607	<2	27	38	7	4253
237653	201922	<1	5.81	10	589	<2	10	1.46	<4	6	28	54	1.20	0.57	24	1.02	593	2	24	335	101	0.23	7	28	12	155	1654	<2	24	<10	5	199
237654	201923	<1	5.42	5	590	<2	18	1.22	<4	7	27	17	1.23	0.54	24	1.21	552	2	22	338	19	0.17	<5	24	<10	158	1662	<2	24	<10	5	59
237655	201924	<1	5.79	15	618	<2	15	2.49	<4	6	36	37	1.17	0.70	21	1.14	664	2	25	294	210	0.25	<5	41	<10	123	1486	<2	22	<10	5	211
237656	201925	<1	5.85	11	648	<2	24	1.66	<4	7	34	19	1.36	0.39	31	1.56	850	3	22	334	54	0.24	<5	28	11	141	1766	<2	26	<10	5	214
237657	201926	<1	4.89	7	540	<2	10	1.44	<4	6	26	17	1.15	0.21	26	1.31	711	2	20	291	39	0.21	<5	24	<10	129	1535	<2	22	<10	4	159
237658	201927	<1	4.72	17	598	<2	9	1.81	<4	5	35	29	1.26	0.27	21	1.51	930	3	23	300	94	0.27	6	26	<10	125	1445	<2	22	<10	5	128
237659	201928	<1	4.31	15	432	<2	4	1.86	<4	7	37	32	1.35	0.67	25	1.67	931	4	30	270	97	0.30	<5	15	<10	112	1429	<2	22	<10	5	293

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-12/19/2014 5:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/07/2015
Date Completed: 01/13/2015
Job #: 201540047
Reference: 201443046
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
3526	201887	6.805	6.518	65.483	9.570	4.95%	49.64

PROCEDURE CODES: ALPM1

Certified By: Andrew Oleski, Instrumentation Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14373-15RE

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, December 28, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/28/2014
Job #: 201443176
Reference: TL14-373
Sample #: 91

Acc #	Client ID	Au g/t (ppm)
248594	201929	0.009
248595	201930	1.248
248596	201931	0.008
248597	201932	0.007
248598	201933	0.015
248599	201934	0.015
248600	201935	0.063
248601	201936	0.026
248602	201937	0.080
248603	201938	0.272
248604	201938 Dup	0.340
248605	201939	0.228
248606	201940	<0.005
248607	201941	0.417
248608	201942	0.033
248609	201943	0.019
248610	201944	0.165
248611	201945	0.154
248612	201946	0.071
248613	201947	0.035
248614	201948	0.030
248615	201948 Dup	0.054
248616	201949	0.056
248617	201950	4.653
248618	201951	0.026

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, December 28, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/28/2014
Job #: 201443176
Reference: TL14-373
Sample #: 91

Acc #	Client ID	Au g/t (ppm)
248619	201952	0.030
248620	201953	0.013
248621	201954	0.026
248622	201955	0.024
248623	201956	0.033
248624	201957	0.013
248625	201958	0.014
248626	201958 Dup	0.011
248627	201959	0.018
248628	201960	0.006
248629	201961	0.012
248630	201962	0.011
248631	201963	0.015
248632	201964	0.020
248633	201965	0.015
248634	201966	0.010
248635	201967	0.011
248636	201968	0.016
248637	201968 Dup	0.016
248638	201969	0.022
248639	201970	0.335
248640	201971	0.056
248641	201972	0.022
248642	201973	0.021
248643	201974	0.015

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, December 28, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/28/2014
Job #: 201443176
Reference: TL14-373
Sample #: 91

Acc #	Client ID	Au g/t (ppm)
248644	201975	0.019
248645	201976	0.014
248646	201977	0.014
248647	201978	0.017
248648	201978 Dup	0.016
248649	201979	0.025
248650	201980	0.007
248651	201981	0.013
248652	201982	0.031
248653	201983	0.078
248654	201984	0.068
248655	201985	0.048
248656	201986	0.068
248657	201987	0.148
248658	201988	0.551
248659	201988 Rep	0.360
248660	201989	0.072
248661	201990	1.253
248662	201991	0.017
248663	201992	0.043
248664	201993	0.018
248665	201994	0.044
248666	201995	0.169
248667	201996	0.031
248668	201997	0.040

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, December 28, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/28/2014
Job #: 201443176
Reference: TL14-373
Sample #: 91

Acc #	Client ID	Au g/t (ppm)
248669	201998	0.403
248670	201998 Dup	0.369
248671	201999	0.032
248672	202000	0.006
248673	202351	0.012
248674	202352	0.029
248675	202353	0.024
248676	202354	0.138
248677	202355	0.138
248678	202356	0.024
248679	202357	0.016
248680	202358	0.030
248681	202358 Dup	0.027
248682	202359	0.010
248683	202360	<0.005
248684	202361	0.011
248685	202362	0.030
248686	202363	0.033
248687	202364	0.059
248688	202365	0.223
248689	202366	0.189
248690	202367	0.021
248691	202368	0.643
248692	202368 Dup	0.021
248693	202369	0.033

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, December 28, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/28/2014
Job #: 201443176
Reference: TL14-373
Sample #: 91

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.870	0.886	0.071
GS35	0.852	0.886	0.071
GS35	0.776	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, January 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/28/2014
Job #: 201443176
Reference: TL14-373
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248594	201929	<1	0.79	<2	158	<2	<1	0.89	<4	5	16	37	1.18	<0.01	3	0.51	241	<1	83	256	3	0.13	<5	<5	<10	248	1031	<2	27	<10	3	21
248595	201930	<1	0.03	9	215	<2	<1	1.00	<4	8	26	117	2.07	<0.01	<1	0.63	412	4	69	305	4	0.05	<5	<5	<10	141	1319	<2	55	<10	7	32
248596	201931	3	1.52	7	143	<2	<1	1.54	<4	6	12	31	1.01	<0.01	<1	0.40	163	<1	75	301	<1	0.24	<5	<5	<10	90	1245	2	22	<10	3	2
248597	201932	<1	0.76	3	215	<2	<1	1.37	<4	6	9	24	0.89	<0.01	<1	0.40	179	<1	48	244	<1	0.18	<5	<5	<10	134	1007	<2	20	<10	3	87
248598	201933	<1	0.64	<2	240	<2	<1	0.93	<4	3	13	45	0.89	<0.01	2	0.50	202	<1	102	218	4	0.08	<5	<5	<10	301	760	<2	16	<10	3	76
248599	201934	<1	0.40	5	344	<2	<1	1.16	<4	5	15	48	1.09	<0.01	<1	0.52	475	2	81	295	15	0.24	<5	<5	<10	132	1019	<2	24	<10	3	37
248600	201935	<1	0.76	6	361	<2	<1	1.09	<4	6	11	41	1.23	<0.01	<1	0.48	484	<1	50	298	41	0.27	<5	<5	<10	120	1041	<2	25	<10	3	476
248601	201936	<1	0.87	5	367	<2	<1	0.87	<4	6	11	51	1.20	<0.01	<1	0.57	496	<1	85	307	27	0.24	<5	<5	<10	125	1074	<2	26	<10	3	119
248602	201937	<1	0.73	13	236	<2	<1	0.87	<4	4	11	38	1.06	<0.01	<1	0.59	479	<1	83	252	21	0.23	<5	<5	<10	93	991	<2	21	<10	3	87
248603	201938	<1	0.57	15	242	<2	<1	0.65	<4	4	10	29	0.92	<0.01	<1	0.48	464	<1	51	240	57	0.21	<5	<5	<10	79	891	<2	20	<10	3	120
248604D	201938	<1	0.28	14	219	<2	<1	0.58	<4	4	10	24	0.84	<0.01	<1	0.44	427	<1	41	226	53	0.20	<5	<5	<10	74	859	<2	18	<10	3	113
248605	201939	<1	0.79	16	255	<2	<1	0.79	<4	4	11	67	0.96	<0.01	<1	0.51	480	<1	76	252	76	0.19	<5	<5	<10	95	1016	<2	21	<10	3	221
248606	201940	<1	0.43	5	187	<2	<1	1.27	<4	8	27	55	2.18	<0.01	<1	0.72	472	<1	111	307	4	0.03	<5	<5	<10	152	1441	2	61	<10	8	37
248607	201941	<1	0.35	17	236	<2	<1	0.37	<4	5	9	34	0.99	<0.01	<1	0.37	291	<1	61	235	157	0.28	<5	<5	<10	71	1009	<2	19	<10	3	332
248608	201942	<1	0.82	8	280	<2	<1	0.90	<4	5	12	43	1.05	<0.01	<1	0.66	556	<1	35	261	76	0.20	<5	<5	<10	103	999	3	21	<10	3	215
248609	201943	<1	1.42	8	294	<2	<1	1.37	<4	5	12	45	1.22	<0.01	<1	0.84	774	<1	64	319	37	0.27	<5	<5	<10	119	1175	<2	24	<10	3	106
248610	201944	<1	1.35	7	307	<2	<1	1.44	<4	4	13	45	1.16	<0.01	<1	0.80	706	<1	33	300	42	0.20	<5	<5	<10	115	1172	<2	23	<10	3	221
248611	201945	5	4.08	28	382	<2	2	2.20	5	7	21	405	1.69	<0.01	2	0.93	819	<1	166	459	1358	0.23	<5	<5	<10	187	1742	2	33	15	5	1145
248612	201946	4	1.17	11	232	<2	2	1.46	4	5	16	176	1.12	<0.01	<1	0.65	598	<1	109	288	946	0.15	<5	<5	<10	121	1070	<2	23	17	3	858
248613	201947	4	1.04	10	242	<2	4	1.43	<4	5	14	123	1.11	<0.01	<1	0.53	472	<1	109	293	521	0.23	<5	<5	<10	123	1043	<2	22	<10	3	405

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/08/2015 4:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, January 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/28/2014
Job #: 201443176
Reference: TL14-373
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248614	201948	<1	1.53	12	248	<2	<1	1.44	<4	6	13	52	1.15	<0.01	<1	0.67	566	<1	95	303	103	0.25	<5	<5	<10	128	1097	<2	24	<10	3	209
248615D	201948	<1	2.52	13	309	<2	<1	1.73	<4	7	16	68	1.38	<0.01	<1	0.79	662	<1	117	355	117	0.29	<5	<5	<10	151	1386	<2	28	<10	4	243
248616	201949	2	1.11	7	258	<2	2	1.07	<4	6	12	110	1.12	<0.01	<1	0.67	582	<1	68	291	267	0.15	<5	<5	<10	123	1104	2	23	10	3	496
248617	201950	61	0.54	10	178	<2	<1	1.61	5	9	20	82	2.74	<0.01	<1	0.70	546	<1	103	299	13927	0.06	59	<5	<10	156	1453	2	73	<10	9	196
248618	201951	2	1.00	5	214	<2	<1	1.12	<4	4	12	61	1.05	<0.01	<1	0.70	623	<1	85	268	301	0.11	<5	<5	<10	125	1036	2	22	<10	3	382
248619	201952	<1	0.78	5	176	<2	<1	0.98	<4	5	11	52	1.08	<0.01	<1	0.86	617	<1	105	290	82	0.21	<5	<5	<10	120	1154	2	21	<10	3	175
248620	201953	<1	0.76	7	176	<2	<1	1.06	<4	5	10	31	1.05	<0.01	<1	0.86	362	<1	74	265	10	0.16	<5	<5	<10	119	1110	2	21	<10	3	40
248621	201954	<1	0.20	5	140	<2	<1	0.97	<4	4	7	22	0.95	<0.01	<1	0.67	285	<1	52	248	3	0.14	<5	<5	<10	117	916	2	19	<10	3	30
248622	201955	1	0.72	9	177	<2	<1	1.18	<4	5	9	28	1.07	<0.01	<1	0.83	376	<1	57	283	20	0.22	<5	<5	<10	140	1050	2	21	<10	3	53
248623	201956	3	2.77	9	236	<2	<1	0.33	<4	5	13	54	0.38	<0.01	<1	0.29	121	<1	107	163	75	0.11	<5	<5	<10	120	1042	2	21	<10	3	145
248624	201957	2	5.94	17	472	<2	<1	1.09	<4	8	22	175	0.46	<0.01	4	0.30	149	<1	282	160	38	0.10	<5	<5	<10	213	1597	2	33	10	4	399
248625	201958	2	5.72	13	484	<2	<1	1.35	<4	6	21	137	0.46	0.21	<1	0.29	207	<1	183	190	27	0.10	<5	<5	<10	264	1408	6	32	<10	4	87
248626D	201958	2	4.20	9	400	<2	2	1.13	<4	6	17	131	0.40	<0.01	<1	0.25	181	<1	205	168	24	0.11	<5	<5	<10	229	1186	7	27	<10	3	76
248627	201959	1	3.58	4	252	<2	<1	0.69	<4	6	21	128	0.68	<0.01	<1	0.44	165	2	181	208	22	0.09	<5	<5	<10	143	1256	2	24	<10	4	154
248628	201960	<1	3.98	9	389	<2	<1	2.57	<4	14	52	104	3.88	<0.01	2	1.24	784	4	172	536	3	0.05	<5	<5	<10	279	2937	<2	106	<10	14	56
248629	201961	1	4.59	23	303	<2	<1	2.56	<4	10	21	82	1.86	<0.01	5	0.99	425	<1	160	374	17	0.40	<5	<5	<10	264	1902	5	36	<10	6	81
248630	201962	1	4.95	29	390	<2	<1	1.97	<4	10	21	68	1.49	<0.01	6	0.79	348	1	137	304	14	0.36	<5	<5	<10	255	1790	<2	35	<10	6	33
248631	201963	<1	4.50	9	367	<2	2	2.17	<4	7	24	79	1.63	<0.01	5	0.83	439	<1	166	417	10	0.12	5	<5	<10	278	1983	3	32	<10	6	54
248632	201964	<1	4.81	7	503	<2	<1	2.18	<4	10	23	95	2.04	<0.01	9	0.97	542	<1	196	458	20	0.11	5	<5	<10	257	2490	2	43	<10	8	88
248633	201965	1	4.58	8	479	<2	<1	1.70	<4	10	23	84	2.07	<0.01	12	0.97	573	<1	174	448	62	0.12	<5	8	<10	267	2484	4	41	<10	8	154

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/08/2015 4:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, January 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/28/2014
Job #: 201443176
Reference: TL14-373
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248634	201966	<1	5.05	5	539	<2	1	1.73	<4	9	25	97	2.04	<0.01	13	0.97	570	<1	198	464	35	0.09	7	<5	<10	273	2539	<2	43	<10	8	109
248635	201967	<1	5.21	7	575	2	<1	2.52	<4	11	26	98	2.26	<0.01	7	0.91	604	<1	198	498	49	0.23	5	<5	<10	375	2624	2	45	<10	8	132
248636	201968	<1	4.98	2	544	<2	<1	1.92	<4	9	24	86	2.04	<0.01	6	0.88	531	<1	189	451	51	0.19	<5	<5	<10	286	2602	7	42	<10	7	174
248637D	201968	<1	5.18	7	543	<2	2	1.92	<4	10	23	86	2.03	<0.01	6	0.87	529	<1	195	464	51	0.20	<5	<5	<10	285	2580	4	42	<10	7	175
248638	201969	<1	4.97	8	518	<2	<1	1.92	<4	10	24	99	1.94	<0.01	7	0.81	506	<1	215	455	20	0.17	<5	<5	<10	247	2424	<2	42	<10	7	88
248639	201970	3	4.35	46	269	<2	<1	1.11	7	12	31	2377	4.87	<0.01	15	0.81	1122	14	254	629	65	1.26	<5	<5	<10	168	1089	3	55	13	8	562
248640	201971	1	4.93	7	446	<2	<1	2.41	<4	9	20	130	2.00	<0.01	6	0.87	632	<1	237	433	60	0.15	<5	<5	<10	289	2265	<2	39	<10	7	160
248641	201972	1	4.96	12	446	<2	1	2.30	<4	11	23	112	2.13	<0.01	6	0.80	621	<1	233	474	40	0.26	<5	<5	<10	287	2004	8	39	<10	7	169
248642	201973	<1	5.06	7	600	<2	<1	2.34	<4	8	20	78	1.86	<0.01	11	1.04	665	<1	140	479	20	0.25	<5	<5	<10	239	2176	5	36	<10	6	74
248643	201974	1	5.63	7	619	<2	<1	2.28	<4	8	20	92	1.81	<0.01	16	1.29	725	<1	184	489	29	0.17	5	<5	<10	180	2237	5	34	<10	6	77
248644	201975	<1	4.80	7	618	<2	2	1.66	<4	7	18	72	1.62	<0.01	14	1.15	629	<1	173	438	28	0.19	<5	<5	<10	130	1980	<2	31	<10	5	69
248645	201976	1	5.06	6	600	<2	<1	1.70	<4	8	18	101	1.69	<0.01	17	1.30	839	<1	197	442	42	0.26	<5	7	<10	136	2015	3	32	<10	6	161
248646	201977	1	5.97	6	545	2	2	1.24	<4	9	17	121	2.03	<0.01	20	1.24	756	1	187	508	51	0.37	<5	<5	10	108	2349	4	41	14	6	271
248647	201978	2	3.28	5	306	<2	<1	1.66	<4	9	110	88	1.52	<0.01	9	1.28	620	3	169	631	91	0.17	5	<5	<10	61	1618	4	30	<10	7	188
248648D	201978	2	3.76	8	329	2	3	1.80	<4	11	117	99	1.65	<0.01	11	1.36	661	3	201	672	93	0.20	5	<5	<10	65	1701	7	32	10	7	205
248649	201979	3	4.78	4	544	<2	3	1.98	<4	7	21	137	1.69	<0.01	15	1.21	749	<1	163	413	144	0.19	<5	<5	<10	135	1857	3	29	11	6	319
248650	201980	<1	4.22	12	405	<2	<1	2.60	<4	15	52	109	3.98	<0.01	3	1.28	794	4	185	549	3	0.05	<5	<5	<10	286	2916	<2	108	<10	14	56
248651	201981	1	5.15	8	505	<2	<1	1.65	<4	8	18	88	1.67	<0.01	15	1.21	692	<1	145	445	101	0.18	<5	<5	<10	149	2089	<2	32	<10	6	183
248652	201982	2	4.87	10	603	<2	<1	1.85	4	8	37	108	1.87	<0.01	13	1.29	710	<1	205	528	420	0.18	5	<5	<10	149	1940	4	31	16	6	796
248653	201983	1	4.76	22	456	<2	1	1.92	<4	8	18	114	1.75	<0.01	10	1.06	590	<1	224	478	47	0.33	<5	<5	<10	182	1853	5	31	<10	5	184

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/08/2015 4:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, January 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/28/2014
Job #: 201443176
Reference: TL14-373
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248654	201984	<1	4.78	20	490	<2	<1	1.50	<4	7	19	108	1.75	<0.01	13	1.02	474	<1	219	394	28	0.47	<5	<5	<10	165	1785	3	30	<10	5	82
248655	201985	<1	4.25	23	469	<2	1	0.99	<4	4	21	83	1.08	<0.01	12	0.98	378	<1	191	221	59	0.24	<5	<5	<10	80	1064	5	15	<10	4	67
248656	201986	<1	4.01	29	557	<2	<1	0.76	<4	4	17	82	0.85	<0.01	10	0.83	327	<1	171	208	64	0.17	<5	<5	<10	96	1056	3	15	<10	4	88
248657	201987	1	3.33	22	394	<2	<1	0.90	<4	5	15	88	1.22	<0.01	12	0.97	437	<1	185	235	45	0.38	<5	<5	<10	106	1155	2	16	<10	4	118
248658	201988	2	3.84	18	399	<2	<1	1.03	<4	4	16	90	1.02	<0.01	9	0.88	362	12	194	228	119	0.24	<5	<5	<10	108	1221	5	20	<10	4	116
248659R	201988	2	3.91	19	389	<2	1	1.03	<4	4	15	80	0.99	<0.01	10	0.86	353	10	160	224	104	0.23	<5	<5	<10	107	1207	4	20	<10	4	103
248660	201989	1	4.40	20	439	<2	2	1.23	<4	5	14	83	1.04	<0.01	10	0.81	313	<1	171	256	43	0.22	<5	<5	<10	132	1233	4	18	<10	4	185
248661	201990	1	3.44	18	455	<2	<1	2.08	<4	13	48	266	3.72	<0.01	3	1.07	705	10	208	539	9	0.08	<5	<5	<10	251	2554	2	95	<10	13	60
248662	201991	1	4.87	13	439	<2	<1	1.71	<4	3	14	102	1.04	<0.01	9	1.02	390	<1	205	227	17	0.14	<5	<5	<10	171	1150	4	15	<10	4	70
248663	201992	<1	4.74	12	404	<2	3	1.37	<4	4	12	78	1.03	<0.01	14	1.25	371	<1	168	234	9	0.15	<5	<5	<10	169	1142	4	15	<10	4	177
248664	201993	<1	4.63	16	413	<2	<1	1.07	<4	3	15	60	0.98	<0.01	8	0.89	280	<1	118	227	7	0.26	<5	<5	<10	154	958	<2	14	<10	4	136
248665	201994	<1	4.18	19	375	<2	<1	0.41	<4	3	16	67	0.92	<0.01	4	0.60	204	<1	134	297	6	0.28	<5	<5	<10	94	856	<2	15	<10	4	240
248666	201995	2	3.71	16	390	<2	<1	0.87	<4	3	24	66	1.02	<0.01	6	0.93	366	<1	157	230	20	0.28	<5	<5	<10	130	709	<2	14	<10	3	133
248667	201996	<1	4.19	18	339	<2	<1	0.82	<4	2	15	54	0.97	<0.01	6	1.09	345	<1	117	222	13	0.30	<5	<5	<10	157	722	<2	14	<10	4	49
248668	201997	<1	3.85	19	387	<2	<1	0.96	<4	4	15	58	0.97	<0.01	8	0.96	482	<1	99	218	48	0.27	<5	<5	<10	146	952	2	14	<10	3	87
248669	201998	3	3.86	13	400	<2	2	0.79	<4	3	14	49	0.91	<0.01	8	0.67	458	<1	98	208	132	0.27	<5	<5	<10	112	993	2	13	<10	3	176
248670D	201998	4	4.28	15	426	<2	<1	0.81	<4	3	16	66	0.96	<0.01	9	0.70	473	<1	150	211	138	0.25	<5	<5	<10	116	1061	<2	14	<10	4	176
248671	201999	<1	4.04	15	393	<2	<1	1.06	<4	3	15	76	0.94	<0.01	10	0.77	698	<1	164	215	34	0.21	<5	<5	<10	133	1009	<2	14	<10	3	104
248672	202000	<1	4.16	10	400	<2	<1	2.55	<4	14	52	118	3.96	<0.01	3	1.26	783	4	189	553	4	0.05	<5	<5	<10	283	2904	3	106	<10	14	55
248673	202351	<1	4.39	5	409	<2	<1	1.52	<4	4	14	99	1.00	<0.01	11	0.95	923	<1	202	225	43	0.18	<5	<5	<10	133	1117	3	14	<10	3	83

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/08/2015 4:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, January 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/28/2014
Job #: 201443176
Reference: TL14-373
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248674	202352	<1	4.48	10	392	<2	2	1.46	<4	3	18	86	1.00	<0.01	12	0.86	946	<1	175	276	37	0.12	<5	<5	<10	143	1118	<2	15	<10	3	80
248675	202353	<1	4.60	11	329	<2	2	1.42	<4	4	14	81	0.97	<0.01	10	0.72	1280	<1	156	232	63	0.17	5	<5	<10	157	1106	3	15	<10	3	87
248676	202354	2	3.80	19	418	<2	1	0.32	<4	4	12	96	0.95	<0.01	6	0.42	454	<1	135	225	119	0.27	<5	<5	<10	96	988	5	14	<10	3	264
248677	202355	2	3.06	14	381	<2	<1	0.34	<4	3	12	72	0.82	<0.01	3	0.52	588	<1	128	234	159	0.24	<5	<5	<10	95	884	2	14	<10	3	194
248678	202356	<1	4.88	8	420	<2	3	1.20	<4	4	15	81	1.06	<0.01	8	0.67	941	<1	183	269	46	0.21	<5	<5	<10	199	1018	5	17	<10	4	68
248679	202357	<1	4.62	4	415	<2	2	1.40	<4	4	13	68	1.02	<0.01	8	0.79	632	<1	156	259	25	0.15	<5	<5	<10	175	1200	2	17	<10	4	50
248680	202358	<1	4.74	15	506	<2	<1	0.95	<4	4	15	66	1.25	<0.01	14	0.91	1028	<1	139	254	65	0.28	<5	<5	<10	180	1251	6	17	<10	4	103
248681D	202358	<1	4.21	12	481	<2	1	0.92	<4	4	12	50	1.20	<0.01	13	0.89	990	<1	98	252	59	0.26	<5	<5	<10	175	1196	<2	17	<10	4	98
248682	202359	<1	4.33	6	387	<2	<1	1.17	<4	4	13	68	1.05	<0.01	8	0.66	687	<1	127	253	21	0.17	<5	<5	<10	186	1198	2	16	<10	4	70
248683	202360	<1	3.24	7	366	<2	<1	2.40	<4	13	48	102	3.68	<0.01	<1	1.18	739	3	179	513	2	0.04	<5	<5	<10	260	2665	8	101	<10	13	51
248684	202361	<1	4.27	7	445	<2	<1	0.88	<4	4	19	55	1.00	<0.01	7	0.59	474	1	135	252	8	0.12	<5	<5	<10	139	1216	5	17	<10	4	19
248685	202362	<1	5.41	9	617	<2	1	1.46	<4	5	18	56	1.17	0.31	14	0.72	863	<1	124	276	12	0.19	<5	<5	<10	181	1290	<2	18	<10	4	27
248686	202363	<1	5.48	19	783	<2	3	1.34	<4	5	14	72	1.24	0.16	12	0.87	1243	<1	153	281	66	0.31	<5	<5	<10	175	1267	3	18	<10	4	142
248687	202364	1	4.81	32	662	<2	2	0.56	<4	10	54	102	1.76	0.25	9	0.67	491	<1	229	341	27	0.44	<5	5	<10	86	1408	2	38	<10	7	52
248688	202365	1	4.62	5	451	2	<1	1.41	<4	21	130	119	3.88	<0.01	14	1.43	1207	<1	202	492	54	0.35	<5	<5	<10	146	2366	7	83	<10	11	109
248689	202366	1	5.49	9	467	2	<1	1.42	<4	20	133	88	4.09	<0.01	16	1.51	1288	<1	127	518	54	0.35	6	<5	<10	155	2588	<2	88	<10	12	124
248690	202367	2	4.95	17	636	<2	1	1.82	<4	7	38	132	1.69	<0.01	8	0.93	1249	2	241	287	354	0.18	<5	<5	<10	231	1261	<2	28	16	5	764
248691	202368	1	4.83	5	424	2	<1	1.44	<4	17	107	164	3.30	<0.01	11	1.40	807	<1	289	442	40	0.20	<5	<5	<10	155	2441	3	74	<10	8	76
248692D	202368	<1	4.54	9	433	<2	<1	1.44	<4	18	109	124	3.34	<0.01	10	1.42	839	<1	252	438	37	0.21	<5	<5	<10	155	2550	3	75	<10	8	72
248693	202369	<1	4.00	5	86	<2	<1	0.37	<4	<1	2	99	0.08	<0.01	12	0.16	<100	<1	222	<100	4	<0.01	<5	<5	<10	31	204	<2	2	<10	4	11

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/08/2015 4:46 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 24, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
46889	364540	<0.005	
46890	364541	0.206	
46891	364542	0.137	
46892	364543	0.020	
46893	364544	0.020	
46894	364545	0.193	
46895	364546	0.152	
46896	364547	0.030	
46897	364548	0.021	
46898	364549	0.722	
46899	364549 Dup	0.601	
46900	364550	1.131	
46901	364551	0.054	
46902	364552	0.053	
46903	364553	0.121	
46904	364554	0.180	
46905	364555	0.065	
46906	364556	0.070	
46907	364557	0.196	
46908	364558	0.185	
46909	364559	0.189	
46910	364559 Dup	0.248	
46911	364560	<0.005	
46912	364561	0.091	
46913	364562	0.131	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 24, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
46914	364563	0.089	
46915	364564	0.184	
46916	364565	2.776	
46917	364566	2.107	
46918	364567	0.344	
46919	364568	0.102	
46920	364569	0.041	
46921	364569 Dup	0.038	
46922	364570	5.091	
46923	364571	0.123	
46924	364572	0.081	
46925	364573	0.037	
46926	364574	0.093	
46927	364575	0.045	
46928	364576	0.175	
46929	364577	0.043	
46930	364578	0.049	
46931	364579	0.008	
46932	364579 Dup	0.012	
46933	364580	<0.005	
46934	364581	0.053	
46935	364582	0.014	
46936	364583	0.021	
46937	364584	0.220	
46938	364585	0.382	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 24, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
46939	364586	0.281	
46940	364587	0.194	
46941	364588	0.101	
46942	364589	2.405	
46943	364589 Dup	2.318	
46944	364590	0.367	
46945	364597	0.417	
46946	364598	0.543	
46947	364599	0.238	
46948	364600	<0.005	
46949	364601	0.123	
46950	364602	0.261	
46951	364603	0.276	
46952	364604	0.031	
46953	364605	0.212	
46954	364605 Rep	0.205	
46955	364606	0.138	
46956	364607	0.039	
46957	364608	0.044	
46958	364609	0.433	
46959	364610	4.883	
46960	364611	0.220	
46961	364612	0.345	
46962	364613	0.311	
46963	364614	>10.000	29.314

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 24, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
46964	364620	0.007	
46965	364630	5.150	
46966	364633	0.113	
46967	364634	0.065	
46968	364635	0.048	
46969	364636	0.034	
46970	364637	0.029	
46971	364638	0.010	
46972	364639	0.037	
46973	364640	<0.005	
46974	364641	0.019	
46975	364642	0.009	
46976	364642 Dup	0.009	
46977	364643	0.008	
46978	364644	0.009	
46979	364645	0.007	
46980	364646	0.011	
46981	364647	0.010	
46982	364648	0.018	
46983	364649	0.019	
46984	364650	0.415	
46985	364651	0.027	
46986	364652	0.013	
46987	364652 Dup	0.010	
46988	364653	0.036	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 24, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
46989	364654	0.015	
46990	364655	0.033	
46991	364656	0.024	
46992	364657	0.497	
46993	364658	0.069	
46994	364659	1.641	
46995	364660	<0.005	
46996	364661	1.206	
46997	364662	1.177	
46998	364662 Dup	1.493	
46999	364663	0.044	
47000	364664	0.021	
47001	364665	0.043	
47002	364666	0.040	
47003	364667	0.396	
47004	364668	0.376	
47005	364669	0.138	
47006	364670	1.288	
47007	364671	0.094	
47008	364672	0.011	
47009	364672 Dup	0.014	
47010	364673	0.010	
47011	364674	0.027	
47012	364675	0.351	
47013	364676	0.038	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:



Karl Magbanua, Fire Assay Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 24, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
47014	364677	0.067	
47015	364678	0.138	
47016	364679	0.254	
47017	364680	<0.005	
47018	364681	0.184	
47019	364682	1.025	
47020	364682 Rep	1.021	
47021	364683	0.117	
47022	364684	0.015	
47023	364685	0.009	
47024	364686	<0.005	
47025	364687	0.011	
47026	364688	0.327	
47027	364689	0.406	
47028	364690	5.028	
47029	364691	0.009	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 24, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR03	1.350	1.456	0.083
GS37	2.750	3.220	0.210
AR03	1.469	1.456	0.083
GS35	0.628	0.886	0.071
AR03	1.443	1.456	0.083
AR03	1.304	1.456	0.083
GS37	2.816	3.220	0.210

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46889	364540	<1	3.09	21	365	<2	3	2.35	<4	15	52	47	3.52	<0.01	6	1.28	712	7	49	573	6	0.07	5	15	13	266	2856	6	109	10	16	134
46890	364541	2	5.20	30	429	<2	<1	1.37	<4	20	148	51	3.81	<0.01	25	1.62	823	10	75	523	181	0.42	10	22	<10	121	2638	11	91	17	15	439
46891	364542	2	3.02	27	292	<2	5	0.77	<4	11	66	62	1.52	<0.01	11	0.66	335	10	39	453	79	0.26	10	13	<10	87	1548	12	40	18	10	163
46892	364543	5	5.16	29	461	<2	<1	2.16	<4	8	57	15	1.13	<0.01	22	0.71	327	12	27	804	17	0.11	9	15	<10	172	1843	15	34	12	8	79
46893	364544	<1	6.22	30	498	<2	2	2.43	<4	10	45	14	1.13	<0.01	10	0.89	540	10	23	807	57	0.15	6	13	<10	166	2120	13	37	10	8	27
46894	364545	2	5.50	56	621	<2	2	0.75	<4	8	39	31	1.30	<0.01	12	0.76	393	10	27	655	354	0.32	<5	22	<10	100	2030	11	34	17	8	330
46895	364546	2	5.74	51	744	<2	<1	0.69	<4	8	55	40	1.46	<0.01	11	0.72	373	14	24	644	431	0.31	8	23	12	113	2034	12	34	29	7	1151
46896	364547	<1	5.97	29	599	2	3	1.83	<4	11	35	41	1.85	<0.01	23	1.24	667	7	24	563	45	0.22	6	15	<10	158	2198	16	43	<10	8	112
46897	364548	<1	5.52	31	488	<2	4	0.98	<4	8	24	17	1.23	<0.01	16	0.97	566	7	26	580	30	0.15	10	24	<10	182	1650	10	34	12	6	56
46898	364549	3	5.36	31	484	<2	1	0.69	<4	7	40	197	1.14	0.91	18	0.72	394	10	26	541	1485	0.14	15	10	<10	173	1775	13	33	14	6	615
46899D	364549	3	5.01	34	469	<2	7	0.65	<4	7	36	188	1.07	<0.01	25	0.71	379	8	26	537	1449	0.14	21	6	<10	171	1725	7	32	17	5	607
46900	364550	<1	3.63	35	482	<2	2	2.09	<4	14	50	205	3.80	<0.01	8	1.21	710	15	55	581	35	0.11	9	13	11	276	2748	7	106	22	16	134
46901	364551	<1	4.82	35	396	<2	1	0.90	<4	4	24	33	1.08	<0.01	12	0.90	683	5	14	506	87	0.17	<5	15	<10	180	1501	11	31	15	6	123
46902	364552	<1	5.00	30	343	<2	2	1.03	<4	4	33	61	1.20	0.04	11	0.86	604	8	20	480	136	0.15	17	23	<10	170	1467	10	30	16	6	227
46903	364553	<1	5.59	35	324	<2	1	0.88	<4	5	26	69	1.16	<0.01	12	0.78	505	7	18	433	64	0.26	8	18	<10	171	1511	10	30	<10	6	70
46904	364554	<1	5.04	40	312	<2	3	0.84	<4	5	17	66	1.09	0.04	11	0.72	490	5	24	396	63	0.31	14	23	13	167	1454	11	28	<10	6	64
46905	364555	<1	5.15	36	336	<2	1	0.84	<4	8	23	37	1.09	<0.01	11	0.79	582	6	23	419	80	0.21	14	24	<10	171	1469	11	29	12	6	87
46906	364556	<1	5.86	42	479	<2	3	0.68	<4	9	23	15	1.24	0.06	12	0.67	615	5	22	481	39	0.37	7	20	11	181	1712	12	35	12	6	57
46907	364557	<1	5.45	32	447	<2	<1	0.41	<4	5	43	14	1.10	<0.01	13	0.54	324	10	17	515	21	0.20	<5	25	13	134	1765	10	34	11	6	18
46908	364558	<1	5.56	27	462	<2	4	0.37	<4	5	36	10	1.19	<0.01	8	0.46	244	9	19	411	22	0.28	10	21	<10	155	1630	10	34	15	6	19

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2015 4:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46909	364559	<1	5.38	36	502	<2	2	0.56	<4	7	44	22	1.32	<0.01	11	0.53	355	11	21	508	17	0.26	19	16	<10	144	1844	11	34	16	7	25
46910D	364559	<1	5.66	46	514	<2	3	0.59	<4	7	42	22	1.33	<0.01	13	0.54	358	10	22	522	14	0.27	7	15	<10	147	1852	13	35	<10	7	28
46911	364560	<1	4.56	26	442	<2	<1	2.78	<4	16	60	52	4.03	0.09	10	1.46	816	10	49	650	3	0.08	13	<5	14	306	3277	11	125	16	18	124
46912	364561	1	5.53	28	525	<2	3	1.21	<4	7	38	17	1.67	<0.01	16	0.73	537	9	21	520	19	0.19	7	8	<10	187	1995	15	36	<10	7	49
46913	364562	<1	4.89	27	439	<2	4	1.14	<4	7	44	30	1.82	0.11	16	0.70	495	7	22	524	19	0.21	6	19	10	174	1958	15	37	<10	7	106
46914	364563	<1	5.18	31	449	<2	<1	1.18	<4	6	47	37	1.90	0.02	19	0.77	559	10	22	592	22	0.15	9	12	<10	197	2197	10	42	10	7	143
46915	364564	1	4.85	58	462	<2	<1	0.70	<4	7	44	80	2.05	<0.01	17	0.74	501	8	24	460	63	0.45	10	15	<10	154	1961	13	36	12	7	189
46916	364565	6	4.86	59	417	<2	3	0.71	8	10	48	160	2.17	<0.01	16	0.76	541	10	32	512	1358	0.52	12	22	<10	135	1902	10	36	48	7	3032
46917	364566	6	4.22	58	404	<2	1	0.53	11	12	38	235	2.16	<0.01	15	0.72	513	8	28	483	2432	0.57	8	11	<10	123	1838	7	35	67	7	3965
46918	364567	2	4.83	56	501	<2	2	0.37	<4	12	25	27	1.72	<0.01	20	0.85	517	6	25	430	365	0.67	<5	13	<10	90	1790	14	35	17	7	825
46919	364568	1	3.39	45	410	<2	<1	0.40	<4	6	27	55	1.44	<0.01	16	1.01	546	2	20	364	385	0.40	14	<5	<10	81	1613	14	29	17	6	335
46920	364569	<1	4.83	48	419	<2	<1	0.98	<4	8	55	24	2.15	<0.01	26	1.50	839	9	25	470	152	0.52	13	13	<10	163	2056	16	42	15	8	184
46921D	364569	3	4.82	51	417	<2	2	0.97	<4	9	53	26	2.15	<0.01	25	1.45	831	8	29	464	143	0.51	9	15	<10	163	2018	20	42	11	8	182
46922	364570	127	4.92	30	392	<2	<1	3.00	7	15	38	98	5.00	<0.01	3	1.33	906	11	43	565	15745	0.13	133	25	12	299	2801	6	138	17	19	361
46923	364571	4	4.76	47	382	<2	10	0.81	<4	8	33	11	1.92	<0.01	22	1.19	593	6	23	447	346	0.53	14	9	12	165	1759	14	38	19	6	777
46924	364572	<1	3.15	27	200	<2	2	0.54	<4	5	28	13	1.61	0.82	17	1.29	638	4	22	393	110	0.25	5	13	<10	106	1378	6	32	15	6	317
46925	364573	<1	6.14	36	314	<2	3	0.49	<4	8	38	17	1.82	<0.01	17	1.28	545	6	29	455	26	0.52	16	13	<10	135	1275	4	41	12	8	51
46926	364574	<1	5.50	32	280	<2	2	0.46	<4	8	45	27	1.61	<0.01	21	1.30	552	6	28	480	24	0.34	7	11	<10	126	1264	8	41	14	8	45
46927	364575	<1	5.40	32	176	<2	<1	0.48	<4	4	30	28	0.91	0.03	8	0.91	419	6	19	393	355	0.17	8	23	<10	137	903	11	27	14	6	308
46928	364576	1	5.21	39	149	<2	<1	0.43	<4	5	26	59	0.89	<0.01	9	0.94	392	6	25	366	396	0.21	11	32	<10	131	886	16	25	18	6	709

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2015 4:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46929	364577	1	5.48	28	203	<2	6	0.60	<4	5	26	12	1.09	<0.01	25	2.08	763	7	20	383	360	0.17	12	13	<10	115	1137	9	28	15	6	300
46930	364578	<1	2.74	34	92	<2	3	0.49	<4	2	23	28	0.92	<0.01	22	2.09	893	6	19	297	150	0.12	10	13	<10	122	775	13	21	15	5	427
46931	364579	<1	5.31	27	304	<2	3	0.69	<4	4	44	6	0.93	<0.01	18	1.41	585	9	23	379	60	0.10	12	17	<10	151	1306	6	27	14	6	205
46932D	364579	<1	5.12	29	294	<2	<1	0.66	<4	3	39	5	0.88	<0.01	35	1.35	553	7	20	364	55	0.10	<5	19	10	147	1260	8	27	12	6	188
46933	364580	<1	3.29	20	376	<2	3	2.37	<4	15	53	46	3.54	<0.01	6	1.31	729	6	51	576	15	0.07	<5	7	<10	270	2901	6	109	12	16	54
46934	364581	1	5.25	33	379	<2	6	0.60	<4	4	35	16	0.94	<0.01	18	1.07	421	8	21	367	302	0.14	10	19	11	116	1627	7	27	21	6	758
46935	364582	<1	3.31	28	331	<2	4	2.12	<4	4	25	5	0.92	<0.01	21	1.96	1124	5	22	325	197	0.08	5	24	<10	166	1364	21	24	18	5	300
46936	364583	<1	3.37	26	398	<2	3	0.54	<4	4	26	4	0.68	<0.01	17	1.09	494	7	18	289	70	0.09	<5	8	<10	59	1335	13	24	15	5	82
46937	364584	2	4.57	47	397	<2	2	0.47	<4	8	33	18	1.30	<0.01	19	0.98	474	5	29	327	536	0.37	10	20	<10	65	1631	10	33	29	7	1062
46938	364585	2	3.25	56	280	<2	2	0.20	<4	8	47	31	1.37	<0.01	9	0.60	247	7	30	305	364	0.43	5	<5	<10	45	1490	4	34	21	7	785
46939	364586	2	3.33	52	283	<2	3	0.28	<4	7	44	35	1.33	<0.01	9	0.64	251	6	25	303	307	0.45	9	10	<10	48	1480	8	32	<10	7	467
46940	364587	1	4.73	46	451	<2	1	0.19	<4	10	34	14	1.06	<0.01	15	0.76	274	6	28	383	70	0.36	8	14	<10	54	1959	11	42	13	8	119
46941	364588	1	4.66	35	468	<2	3	0.59	<4	6	33	9	1.27	<0.01	13	1.07	466	7	23	339	193	0.39	<5	22	<10	68	1525	10	30	17	6	261
46942	364589	29	2.59	117	684	<2	<1	0.46	27	5	33	965	2.66	<0.01	4	0.73	217	9	27	212	9721	1.05	34	10	<10	48	1114	8	26	139	7	10605
46943D	364589	28	2.44	123	687	<2	2	0.45	27	6	32	969	2.72	<0.01	4	0.72	211	9	27	212	9583	1.15	33	8	10	47	1110	6	25	134	7	10388
46944	364590	2	2.89	58	213	<2	2	0.78	4	12	26	1942	4.06	<0.01	17	0.78	935	17	41	633	90	1.36	9	10	<10	151	1029	12	51	16	9	539
46945	364597	4	3.90	24	203	<2	1	0.75	6	3	19	138	1.50	<0.01	46	3.37	1480	4	23	344	1441	0.17	14	10	27	77	1265	10	28	44	5	2294
46946	364598	4	4.61	28	237	<2	4	1.01	6	5	26	129	1.12	<0.01	27	1.71	904	3	27	336	1155	0.27	18	13	<10	89	1379	25	25	39	6	2500
46947	364599	2	3.46	29	273	<2	3	0.81	<4	4	31	64	0.72	<0.01	16	0.98	489	2	21	300	735	0.14	11	10	31	70	1293	17	22	27	5	1466
46948	364600	<1	2.09	24	331	<2	<1	2.03	<4	12	46	44	3.18	0.66	2	1.14	641	3	41	501	14	0.06	<5	<5	23	232	2566	15	97	11	14	59

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2015 4:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46949	364601	2	3.89	44	374	<2	4	1.23	<4	6	32	15	1.30	<0.01	22	1.13	628	4	25	367	760	0.35	9	15	24	81	1611	21	32	20	6	529
46950	364602	<1	3.50	49	299	<2	<1	0.25	<4	7	42	24	1.39	<0.01	11	0.66	266	5	26	333	150	0.50	5	9	21	53	1572	9	31	12	6	422
46951	364603	<1	3.54	55	321	<2	<1	0.27	<4	8	38	23	1.15	<0.01	8	0.62	224	6	31	338	199	0.40	11	9	25	48	1419	10	28	<10	7	392
46952	364604	1	2.13	46	241	<2	5	0.08	<4	6	54	43	1.27	<0.01	4	0.45	<100	7	26	315	286	0.39	8	<5	32	42	1103	5	26	18	7	547
46953	364605	<1	3.40	45	364	<2	4	0.06	<4	8	26	21	1.48	<0.01	6	0.54	128	6	29	281	264	0.58	11	9	28	43	1371	9	27	12	6	279
46954R	364605	<1	3.95	53	399	<2	1	0.08	<4	8	37	25	1.62	<0.01	8	0.57	144	9	22	303	358	0.61	7	5	28	45	1487	7	30	15	6	338
46955	364606	<1	4.35	52	429	<2	<1	0.14	<4	9	40	22	1.46	<0.01	8	0.61	166	8	29	350	140	0.58	10	23	26	49	1623	8	35	15	7	263
46956	364607	<1	3.94	53	427	<2	3	<0.01	<4	9	42	13	1.45	0.17	6	0.51	<100	6	32	360	98	0.58	11	21	25	44	1581	11	35	<10	6	92
46957	364608	<1	4.38	54	405	<2	2	0.14	<4	8	43	17	1.54	<0.01	8	0.62	188	8	25	446	133	0.61	10	16	13	58	1592	12	33	11	7	122
46958	364609	2	3.61	66	398	<2	2	0.27	6	5	32	99	1.33	<0.01	6	0.60	196	5	22	404	455	0.51	7	11	25	49	1479	6	28	37	5	2279
46959	364610	98	3.35	27	347	<2	3	2.59	6	13	33	86	4.31	<0.01	<1	1.18	787	7	34	496	16518	0.11	113	<5	27	258	2459	11	120	16	17	316
46960	364611	5	3.54	46	319	<2	1	0.37	4	5	35	19	1.74	<0.01	8	0.61	195	6	23	387	1424	0.63	13	16	25	58	1402	11	27	29	6	1267
46961	364612	2	3.93	41	314	<2	3	0.12	<4	6	23	4	1.75	<0.01	6	0.56	135	5	20	414	249	0.74	13	7	28	50	1522	10	24	11	5	170
46962	364613	3	3.85	72	346	<2	2	0.49	<4	7	35	14	2.19	<0.01	9	0.75	322	8	20	411	822	0.79	15	14	24	63	1452	10	28	23	5	797
46963	364614	38	1.51	124	233	<2	3	0.18	11	5	22	201	2.02	<0.01	2	0.52	157	3	21	287	3381	0.89	30	<5	21	40	1065	15	21	60	5	3981
46964	364620	<1	1.46	20	296	<2	5	1.86	<4	11	42	37	2.88	<0.01	<1	1.06	581	3	40	469	15	0.06	8	5	24	217	2444	12	89	<10	13	52
46965	364630	90	2.79	26	324	<2	2	2.40	5	13	30	80	4.08	<0.01	<1	1.10	739	6	32	471	16464	0.11	105	7	28	244	2334	6	114	14	15	272
46966	364633	2	2.23	38	368	<2	2	0.88	<4	4	25	11	1.25	<0.01	13	0.98	494	1	18	389	418	0.39	6	7	18	138	1379	11	24	27	5	1010
46967	364634	2	2.46	34	495	<2	5	1.29	<4	4	26	55	1.35	<0.01	11	1.33	726	2	17	372	648	0.34	<5	18	22	115	1364	12	24	14	6	445
46968	364635	<1	5.07	28	890	<2	1	2.23	<4	4	30	41	1.54	<0.01	18	1.76	1117	5	21	455	202	0.27	12	17	31	141	1747	18	29	25	7	947

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/25/2015 4:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46969	364636	1	5.22	29	672	<2	2	1.75	<4	6	38	21	1.46	0.04	22	1.45	715	7	17	398	42	0.20	9	8	28	182	1723	14	27	17	6	85
46970	364637	<1	4.73	29	537	<2	3	1.26	<4	6	37	19	1.34	0.06	23	1.44	645	4	23	324	22	0.22	9	21	26	170	1662	15	25	13	5	47
46971	364638	<1	4.91	24	497	<2	4	1.64	<4	5	33	17	1.36	<0.01	15	1.39	598	4	22	337	20	0.14	<5	12	29	115	1671	12	24	13	6	69
46972	364639	14	4.55	29	496	<2	3	1.64	16	5	38	84	1.56	<0.01	15	1.30	674	7	23	320	9805	0.22	24	25	26	112	1542	14	24	89	5	6104
46973	364640	<1	3.56	21	419	<2	2	2.55	<4	16	55	48	3.71	<0.01	7	1.36	753	7	48	609	130	0.07	10	<5	27	280	3053	6	114	<10	17	116
46974	364641	<1	4.92	27	488	<2	3	1.42	<4	6	22	20	1.30	<0.01	20	1.11	432	2	24	341	96	0.21	7	22	30	118	1726	11	27	14	6	177
46975	364642	<1	4.53	25	456	<2	<1	1.87	<4	6	35	16	1.39	0.06	17	1.34	544	6	20	343	15	0.09	<5	<5	26	118	1672	9	24	<10	5	49
46976D	364642	<1	4.16	23	423	<2	4	1.75	<4	5	31	14	1.30	0.11	15	1.29	515	5	19	327	9	0.08	<5	22	30	112	1586	15	23	<10	5	42
46977	364643	<1	5.38	18	474	<2	2	1.97	<4	7	43	25	1.73	0.02	18	1.45	491	9	22	431	22	0.08	14	13	27	114	1897	10	27	12	6	120
46978	364644	<1	4.42	21	430	<2	<1	1.47	<4	5	25	19	1.40	0.02	17	1.30	433	5	21	322	8	0.13	7	8	34	104	1601	13	23	10	5	48
46979	364645	<1	4.94	21	473	<2	3	1.40	<4	5	30	13	1.39	<0.01	19	1.27	344	2	22	346	6	0.08	<5	15	27	125	1775	24	26	<10	5	28
46980	364646	<1	7.53	29	599	<2	5	1.81	<4	8	32	18	1.65	0.30	28	1.55	398	3	25	390	6	0.11	<5	27	36	152	2110	5	31	14	6	39
46981	364647	<1	5.61	25	559	<2	2	1.58	<4	6	26	13	1.46	0.05	21	1.53	381	2	22	343	5	0.11	9	18	27	140	1802	11	26	<10	6	33
46982	364648	<1	5.76	17	570	<2	1	1.80	<4	6	30	30	1.53	0.02	23	1.84	567	4	21	339	9	0.16	<5	20	30	128	1817	12	26	<10	6	43
46983	364649	<1	4.27	28	537	<2	2	2.48	<4	5	27	17	1.53	0.07	17	2.10	929	4	20	304	27	0.12	<5	15	29	131	1505	11	22	12	5	86
46984	364650	2	4.37	55	249	<2	1	1.02	5	13	32	2168	4.73	0.01	25	0.91	1067	19	34	672	70	1.54	<5	12	13	180	1204	14	60	22	11	561
46985	364651	<1	4.65	28	533	<2	3	1.60	<4	7	33	64	1.59	<0.01	22	1.62	659	5	21	318	22	0.19	6	8	26	123	1599	9	24	<10	6	61
46986	364652	<1	4.76	23	621	<2	<1	1.55	<4	5	31	22	1.27	0.05	23	1.41	582	6	25	334	42	0.13	12	8	<10	128	1719	15	25	15	6	173
46987D	364652	<1	5.51	24	700	<2	4	1.69	<4	6	33	20	1.34	<0.01	25	1.52	607	7	22	359	46	0.12	13	10	28	129	1801	16	26	19	6	188
46988	364653	<1	5.18	26	602	<2	2	2.06	<4	6	24	17	1.52	0.03	29	2.19	740	5	20	323	28	0.13	12	25	35	88	1715	10	25	10	6	84

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/25/2015 4:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46989	364654	<1	4.40	44	322	<2	2	3.08	<4	4	34	42	1.32	0.04	13	1.98	970	4	22	258	49	0.10	14	5	30	149	1354	17	20	16	7	130
46990	364655	<1	4.63	30	684	<2	2	1.68	<4	6	20	19	1.17	<0.01	18	1.36	620	3	24	339	30	0.11	<5	11	26	131	1710	9	28	<10	6	90
46991	364656	1	4.36	31	627	<2	5	1.95	<4	6	32	26	1.37	0.37	16	1.42	587	5	22	366	171	0.09	8	12	31	121	1585	15	27	15	6	465
46992	364657	<1	6.49	50	704	<2	2	1.14	<4	7	23	13	1.33	0.05	22	1.29	423	5	25	379	39	0.17	17	11	33	96	1940	8	30	14	6	91
46993	364658	<1	5.59	39	578	<2	4	0.26	<4	7	26	31	0.95	0.05	15	0.65	164	6	23	362	73	0.21	6	17	30	50	1801	7	27	18	6	291
46994	364659	13	5.63	73	531	<2	2	0.57	13	6	22	155	1.51	0.02	13	0.77	208	6	22	459	2525	0.56	56	15	30	63	1587	8	26	66	7	4090
46995	364660	<1	3.21	20	403	<2	3	2.42	<4	14	53	49	3.58	0.24	6	1.31	716	6	51	586	58	0.08	6	9	27	268	2919	16	110	<10	16	124
46996	364661	13	5.28	89	517	<2	3	0.44	6	8	29	65	1.33	0.02	8	0.62	165	6	22	568	171	0.42	40	5	25	67	1469	7	26	38	7	2036
46997	364662	17	5.07	72	509	<2	3	0.28	4	7	35	95	1.64	<0.01	4	0.40	<100	5	25	1607	412	0.61	57	8	33	56	1370	8	30	28	10	1230
46998D	364662	17	5.30	81	532	<2	2	0.30	4	6	39	102	1.69	<0.01	4	0.40	<100	8	27	1674	439	0.62	56	10	33	57	1408	6	31	26	10	1297
46999	364663	<1	5.95	42	658	<2	3	0.80	<4	10	37	24	1.37	0.05	13	0.88	342	5	29	475	89	0.39	16	22	32	92	1714	12	37	13	7	77
47000	364664	<1	5.29	48	689	<2	3	1.93	<4	7	34	11	1.58	0.07	14	1.22	693	3	25	381	41	0.42	15	23	28	148	1723	20	33	12	7	52
47001	364665	<1	5.89	42	669	<2	4	1.30	<4	7	35	16	1.50	<0.01	11	1.14	496	6	28	387	24	0.41	6	23	31	111	1741	11	34	16	7	48
47002	364666	<1	5.19	38	616	<2	2	1.19	<4	7	31	12	1.44	0.22	10	1.06	472	11	25	374	20	0.40	13	20	32	104	1646	11	31	12	6	44
47003	364667	<1	5.10	46	559	<2	2	1.81	<4	7	36	16	1.44	0.09	12	1.42	624	5	27	367	14	0.32	10	12	27	113	1625	24	32	<10	6	45
47004	364668	<1	5.55	35	621	<2	3	1.28	<4	6	33	21	1.41	<0.01	8	1.19	548	6	27	387	17	0.30	9	16	28	104	1618	21	31	<10	6	36
47005	364669	<1	5.76	38	614	<2	1	0.74	<4	7	29	25	1.22	0.07	8	0.89	445	6	25	370	38	0.33	<5	22	28	77	1648	20	29	<10	6	93
47006	364670	<1	4.70	37	597	<2	1	2.47	<4	17	57	246	4.28	0.31	11	1.40	812	17	72	669	13	0.11	15	19	31	310	3272	11	119	22	18	70
47007	364671	<1	5.35	37	596	<2	4	1.17	<4	7	23	19	1.26	0.21	15	1.16	444	5	22	361	60	0.21	10	6	32	97	1698	7	28	<10	6	72
47008	364672	<1	4.63	29	629	<2	2	1.72	<4	7	30	9	1.34	0.22	17	1.47	347	2	22	339	27	0.09	8	17	27	133	1733	10	27	13	5	53

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2015 4:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
47009D	364672	<1	4.94	26	649	<2	2	1.77	<4	6	25	8	1.36	0.17	18	1.51	350	5	21	344	23	0.09	10	16	22	136	1761	5	28	14	5	59
47010	364673	<1	5.02	26	625	<2	3	1.67	<4	6	24	6	1.40	0.10	14	1.46	276	5	21	328	19	0.09	<5	7	33	148	1785	12	26	10	5	43
47011	364674	<1	4.98	29	575	<2	3	1.28	<4	6	26	7	1.35	<0.01	19	1.58	299	4	21	323	22	0.13	8	21	29	111	1706	10	26	12	5	46
47012	364675	<1	4.91	55	511	<2	2	0.70	<4	6	24	40	1.35	<0.01	9	0.82	165	5	22	299	23	0.37	15	19	31	57	1493	7	24	15	7	19
47013	364676	<1	5.51	39	569	<2	3	1.04	<4	7	27	8	1.39	<0.01	18	1.34	332	7	24	351	25	0.21	8	21	33	70	1644	15	28	16	6	48
47014	364677	<1	6.04	47	613	<2	3	0.11	<4	7	27	6	1.24	<0.01	10	0.79	144	8	23	372	22	0.25	5	17	28	59	1430	2	29	10	6	33
47015	364678	<1	5.74	42	558	<2	<1	0.08	<4	7	24	6	1.23	<0.01	7	0.57	100	6	22	364	32	0.38	8	28	26	57	1527	8	29	10	6	26
47016	364679	<1	5.50	58	546	<2	1	0.34	<4	6	31	14	1.47	<0.01	10	0.72	160	7	26	454	54	0.37	<5	<5	29	60	1423	9	31	15	7	104
47017	364680	<1	3.32	25	410	<2	5	2.49	<4	15	54	47	3.69	0.04	6	1.34	739	5	52	599	8	0.08	12	18	25	277	2978	12	114	<10	16	48
47018	364681	<1	5.47	53	524	<2	3	0.05	<4	8	29	9	1.54	<0.01	3	0.41	<100	6	29	571	59	0.54	6	13	26	62	1285	9	40	20	7	357
47019	364682	<1	4.35	45	428	<2	2	<0.01	<4	8	27	16	1.10	0.07	<1	0.31	<100	6	24	486	38	0.31	9	10	<10	62	1139	10	35	10	6	202
47020R	364682	<1	5.23	45	473	<2	3	<0.01	<4	8	22	8	1.09	0.10	1	0.33	<100	5	28	535	39	0.40	11	8	<10	67	1233	9	38	15	7	191
47021	364683	1	6.14	47	561	<2	2	0.38	<4	9	24	15	1.37	<0.01	13	0.68	126	5	29	571	41	0.39	9	9	<10	73	1821	9	42	13	8	191
47022	364684	<1	6.10	35	478	<2	3	2.67	<4	9	38	9	2.01	<0.01	26	1.55	429	8	29	554	22	0.20	7	18	11	127	2157	10	41	14	8	263
47023	364685	<1	5.20	31	526	<2	3	2.49	<4	10	40	6	1.91	0.10	20	1.24	384	9	75	509	10	0.14	14	<5	<10	154	2172	14	55	13	7	52
47024	364686	<1	5.91	22	568	<2	5	2.68	<4	10	34	5	1.85	0.02	21	1.26	376	6	60	531	9	0.16	9	21	10	156	2253	12	51	13	8	45
47025	364687	<1	5.56	25	324	<2	1	2.45	<4	10	31	6	1.81	<0.01	15	0.94	319	7	52	507	10	0.17	<5	11	12	149	2221	8	46	11	8	52
47026	364688	<1	5.77	56	313	<2	2	1.46	<4	7	42	22	1.64	<0.01	25	0.97	433	10	76	523	62	0.35	9	21	<10	134	2206	10	57	14	7	207
47027	364689	2	5.63	55	317	<2	2	1.70	5	9	39	49	1.71	<0.01	23	1.25	667	7	59	499	354	0.38	5	11	<10	146	2009	13	50	44	8	1872
47028	364690	120	4.36	38	376	<2	4	2.82	6	15	36	92	4.68	0.04	3	1.25	862	10	38	539	15969	0.12	117	14	11	283	2684	7	131	17	18	348

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/25/2015 4:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/24/2015
Job #: 201540563
Reference: TL14-373-15RE
Sample #: 130

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
47029	364691	2	5.05	26	367	<2	3	2.06	<4	8	33	15	1.64	0.07	17	1.08	300	7	55	524	294	0.10	16	<5	<10	167	2037	9	49	15	7	62

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2015 4:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/25/2015
Job #: 201540564
Reference: TL14-373-15RE
Sample #: 22

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
47030	364591	0.544	0.543	3.765	0.586	1.32%	27.2
47031	364592	0.093	0.082	0.066	0.087	1.13%	26.7
47032	364593	0.092	0.080	0.078	0.086	2.13%	49.37
47033	364594	0.102	0.108	0.110	0.105	1.90%	39.75
47034	364595	0.177	0.175	0.193	0.176	1.44%	31.8
47035	364596	0.413	0.389	0.437	0.402	1.88%	38.33
47036	364615	0.543	0.477	0.744	0.514	1.62%	30.43
47037	364616	0.102	0.098	0.245	0.101	0.62%	11.34
47038	364617	0.226	0.230	0.568	0.234	1.78%	36.32
47039	364618	1.303	1.362	8.448	1.412	1.12%	23.73
47041	364619	0.764	0.821	1.425	0.808	2.41%	48.46
47042	364621	0.467	0.424	2.910	0.478	1.31%	25.16
47043	364622	0.329	0.382	3.810	0.399	1.26%	23.09
47044	364623	0.310	0.327	3.535	0.336	0.54%	8.39
47045	364624	1.759	2.263	21.250	2.391	1.97%	33.6
47046	364625	0.414	0.461	1.086	0.472	5.30%	26.93
47047	364626	0.376	0.336	0.680	0.382	7.88%	35.65
47048	364627	0.167	0.198	1.069	0.194	1.26%	19.67
47049	364628	0.480	0.499	65.249	0.554	0.10%	2.02
47050	364629	0.471	0.476	3.169	0.536	2.31%	43.03
47051	364631	0.257	0.269	0.506	0.264	0.41%	5.92
47052	364632	0.423	0.413	2.664	0.473	2.47%	47.35

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALPM4, ALPM1

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By:  Jason Moore, VP Operations, Assayer

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/25/2015
Job #: 201540564
Reference: TL14-373-15RE
Sample #: 22

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
47030	364591	3	3.98	76	690	<2	<1	0.12	9	9	65	78	2.24	<0.01	7	0.66	112	8	69	357	830	0.72	8	<5	13	53	1548	<2	46	54	7	3024
47031	364592	1	4.69	50	331	<2	2	0.22	10	10	64	34	1.14	<0.01	12	0.91	282	<1	55	404	502	0.32	11	<5	<10	60	1815	<2	45	76	7	4109
47032	364593	<1	4.87	33	288	2	2	0.71	<4	7	74	12	1.07	<0.01	18	1.08	399	4	61	355	232	0.22	10	12	12	73	1710	<2	47	14	7	304
47033	364594	1	4.08	45	387	<2	3	0.56	<4	6	59	16	1.23	<0.01	17	0.90	314	4	52	327	366	0.31	11	6	<10	74	1451	6	38	18	6	511
47034	364595	2	4.41	38	312	2	<1	1.03	<4	6	44	16	1.26	<0.01	25	1.65	741	<1	49	352	500	0.25	9	18	<10	78	1521	<2	39	27	6	1193
47035	364596	5	3.49	47	169	<2	<1	0.41	8	5	48	58	2.27	0.04	37	3.31	1364	2	57	298	2762	0.43	12	9	10	69	1130	<2	36	57	6	2946
47036	364615	5	4.11	43	306	<2	2	0.23	5	7	40	11	1.90	0.02	7	0.87	238	1	59	419	738	0.61	11	<5	<10	59	1541	<2	41	47	6	2073
47037	364616	<1	4.43	41	402	<2	<1	0.16	<4	6	42	4	1.45	0.06	8	0.75	251	<1	57	431	152	0.41	9	<5	15	75	1511	<2	43	13	6	228
47038	364617	2	4.61	72	398	<2	3	0.26	4	7	45	18	2.04	0.06	10	0.88	324	2	59	446	611	0.64	13	8	11	82	1566	<2	42	35	6	1635
47039	364618	6	4.20	65	393	<2	1	0.24	7	7	44	237	2.29	<0.01	9	0.66	249	2	63	431	2039	0.72	18	13	<10	82	1538	3	44	51	7	2358
47041	364619	7	4.86	43	301	<2	3	0.76	<4	6	45	23	1.67	0.07	14	1.02	602	2	57	467	2122	0.39	13	19	<10	167	1533	<2	42	24	6	1076
47042	364621	3	4.65	53	220	<2	1	0.84	<4	6	37	9	1.58	0.23	12	1.09	709	<1	46	440	978	0.39	7	12	11	181	1502	<2	37	36	6	1358
47043	364622	2	4.68	52	246	<2	1	0.58	<4	7	36	8	1.96	0.03	12	0.66	313	<1	46	419	1030	0.63	13	17	<10	122	1559	<2	37	29	6	1212
47044	364623	2	4.96	47	350	<2	<1	0.40	<4	6	33	23	1.52	0.01	16	0.73	355	<1	41	442	515	0.43	8	10	<10	131	1692	<2	38	21	6	722
47045	364624	11	4.44	47	325	<2	<1	0.82	21	6	40	52	2.62	0.09	10	0.78	538	<1	53	403	4966	0.83	13	10	<10	146	1442	<2	37	142	6	9129
47046	364625	2	4.94	44	341	<2	2	0.84	<4	6	32	23	1.55	0.03	11	0.75	429	<1	42	442	612	0.49	9	14	<10	155	1540	<2	38	31	6	1001
47047	364626	1	4.35	53	296	<2	2	0.77	<4	7	45	14	1.55	0.13	10	0.71	427	1	60	403	370	0.46	11	<5	10	151	1343	<2	39	18	6	443
47048	364627	<1	3.42	106	89	<2	<1	2.48	4	57	98	50	7.60	0.16	42	2.18	1320	<1	105	613	9	0.05	9	<5	15	118	6767	<2	339	14	9	87
47049	364628	2	4.38	38	388	<2	<1	0.75	<4	6	49	186	1.80	0.27	18	1.08	511	1	15	458	381	0.43	10	8	11	164	1734	<2	33	17	6	984
47050	364629	2	5.24	40	428	<2	2	0.54	<4	6	66	22	1.78	0.14	22	1.04	411	3	17	520	491	0.41	12	10	<10	137	1914	<2	34	30	7	1302

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALPM4, ALPM1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/25/2015 4:30 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/25/2015
Job #: 201540564
Reference: TL14-373-15RE
Sample #: 22

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
47051	364631	1	5.57	39	1253	<2	2	0.89	<4	7	62	46	1.50	0.09	23	1.20	507	3	16	548	358	0.26	14	13	<10	194	1985	<2	36	17	7	517
47052	364632	2	4.55	32	1180	<2	2	1.88	6	5	62	201	2.52	0.20	16	1.79	835	2	15	466	797	0.30	12	11	<10	155	1563	<2	30	48	7	2030

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALPM4, ALPM1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14374

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, December 29, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Au g/t (ppm)
248694	202370	0.353
248695	202371	0.020
248696	202372	0.040
248697	202373	0.679
248698	202374	0.134
248699	202375	0.018
248700	202376	0.010
248701	202377	0.094
248702	202378	0.011
248703	202379	0.071
248704	202379 Dup	0.038
248705	202380	<0.005
248706	202381	0.203
248707	202382	0.037
248708	202383	0.083
248709	202384	0.033
248710	202385	0.059
248711	202386	0.047
248712	202387	0.034
248713	202388	0.041
248714	202389	0.030
248715	202389 Dup	0.033
248716	202390	1.621
248717	202391	0.041
248718	202392	0.018

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, December 29, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Au g/t (ppm)
248719	202393	0.012
248720	202394	0.017
248721	202395	0.023
248722	202396	0.019
248723	202397	0.019
248724	202398	0.013
248725	202399	0.029
248726	202399 Dup	0.021
248727	202400	<0.005
248728	202101	0.037
248729	202102	0.058
248730	202103	0.112
248731	202104	0.080
248732	202105	0.042
248733	202106	0.046
248734	202107	0.056
248735	202108	0.052
248736	202109	0.019
248737	202109 Dup	0.016
248738	202110	4.925
248739	202111	0.016
248740	202112	<0.005
248741	202113	0.024
248742	202114	0.017
248743	202115	0.022

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, December 29, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Au g/t (ppm)
248744	202116	0.021
248745	202117	0.009
248746	202118	0.010
248747	202119	<0.005
248748	202119 Dup	<0.005
248749	202120	<0.005
248750	202121	0.022
248751	202122	0.012
248752	202123	0.078
248753	202124	0.441
248754	202125	0.104
248755	202126	0.151
248756	202127	0.135
248757	202128	0.012
248758	202129	0.015
248759	202129 Rep	0.012
248760	202130	0.410
248761	202131	0.019
248762	202132	0.023
248763	202133	0.018
248764	202134	0.011
248765	202135	0.008
248766	202136	0.270
248767	202137	0.354
248768	202138	1.303

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, December 29, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Au g/t (ppm)
248769	202139	0.118
248770	202139 Dup	0.226
248771	202140	0.005
248772	202141	0.019
248773	202142	0.020
248774	202143	0.007
248775	202144	0.022
248776	202145	0.030
248777	202146	0.029
248778	202147	0.027
248779	202148	0.084
248780	202149	0.037
248781	202149 Dup	0.032
248782	202150	1.291
248783	202151	0.025
248784	202152	0.047
248785	202153	0.090
248786	202154	0.017
248787	202155	0.042
248788	202156	0.139
248789	202157	0.135
248790	202158	0.100
248791	202159	0.338
248792	202159 Dup	0.345
248793	202160	0.015

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, December 29, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Au g/t (ppm)
248794	202161	0.033
248795	202162	0.018
248796	202163	0.067
248797	202164	0.162
248798	202165	0.021
248799	202166	0.014
248800	202167	0.031
248801	202168	0.029
248802	202169	0.036
248803	202169 Dup	0.028
248804	202170	4.710
248805	202171	0.024
248806	202172	0.019
248807	202173	0.025
248808	202174	0.021
248809	202175	0.140
248810	202179	0.399
248811	202180	<0.005
248812	202181	0.112
248813	202182	0.052
248814	202182 Dup	0.045
248815	202183	0.201
248816	202184	0.096
248817	202185	0.509
248818	202186	0.685

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, December 29, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Au g/t (ppm)
248819	202187	0.644
248820	202188	0.062
248821	202189	0.140
248822	202190	0.416
248823	202191	0.923
248824	202198	0.352
248825	202198 Rep	0.160
248826	202199	0.100
248827	202200	0.009
248828	202201	0.103
248829	202202	0.057
248830	202203	0.185
248831	202204	0.348
248832	202205	0.182
248833	202206	0.193
248834	202207	0.147
248835	202208	0.510
248836	202208 Dup	0.397
248837	202209	0.097
248838	202210	1.331
248839	202211	0.070
248840	202212	0.738
248841	202213	0.124
248842	202214	0.061
248843	202215	0.082

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, December 29, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Au g/t (ppm)
248844	202216	0.037
248845	202217	0.063
248846	202218	0.093
248847	202218 Dup	0.077
248848	202219	0.284

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, December 29, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.959	0.886	0.071
GS35	0.908	0.886	0.071
GS35	0.771	0.886	0.071
AR01	1.606	1.729	0.121
GS35	0.808	0.886	0.071
GS35	0.861	0.886	0.071
GS35	0.886	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248694	202370	3	6.01	49	305	<2	<1	1.19	6	15	30	2591	5.35	0.32	29	0.90	1145	29	300	746	70	1.37	7	14	12	188	1043	<2	60	18	10	638
248695	202371	<1	7.26	16	774	2	<1	2.73	<4	12	20	154	2.27	0.71	19	1.14	1021	5	304	560	11	0.40	5	14	24	250	2618	5	48	<10	7	130
248696	202372	<1	7.42	35	696	<2	<1	2.80	<4	12	22	158	2.34	0.51	16	1.05	1054	7	250	541	<1	0.38	<5	33	21	246	2188	<2	45	12	7	513
248697	202373	<1	6.66	64	610	2	<1	1.59	<4	11	17	144	1.97	0.56	16	0.82	742	6	287	493	2	0.40	<5	18	<10	215	1933	<2	40	<10	6	116
248698	202374	1	7.04	29	625	<2	<1	1.86	7	11	20	258	2.26	0.33	18	1.06	739	6	281	498	9	0.38	<5	12	16	266	1970	<2	42	23	7	2308
248699	202375	<1	7.07	6	507	<2	<1	1.58	<4	8	12	94	2.01	0.48	19	1.23	573	7	220	504	<1	0.26	<5	17	22	260	1760	<2	36	<10	6	79
248700	202376	<1	7.33	<2	645	<2	<1	1.26	<4	9	11	109	2.10	0.43	20	1.10	473	6	315	471	<1	0.17	5	9	19	253	2049	<2	38	<10	7	45
248701	202377	2	7.03	6	549	2	<1	2.04	<4	10	32	124	2.05	0.41	30	1.71	1085	6	229	512	329	0.16	5	19	20	176	1836	<2	39	<10	6	127
248702	202378	<1	6.67	2	609	<2	<1	1.89	<4	9	20	111	1.83	0.46	25	1.26	926	7	274	520	42	0.17	5	25	<10	204	1986	<2	38	13	6	201
248703	202379	<1	7.33	16	633	2	<1	2.16	<4	10	17	125	1.93	0.43	22	1.11	869	6	250	509	190	0.25	<5	8	22	191	1947	<2	39	12	6	404
248704D	202379	1	7.54	10	654	2	<1	2.26	<4	9	17	142	2.02	0.26	24	1.15	908	6	273	540	200	0.24	<5	31	24	200	2037	<2	41	10	6	441
248705	202380	<1	7.04	6	499	<2	<1	2.92	<4	16	53	118	4.25	0.25	14	1.47	812	17	231	643	118	0.07	5	20	28	319	3036	<2	117	<10	17	59
248706	202381	<1	6.75	20	635	2	<1	2.47	<4	9	21	109	1.99	0.48	15	1.04	1117	6	245	542	312	0.33	5	17	23	214	1802	<2	40	13	6	622
248707	202382	1	6.36	11	522	2	<1	2.01	<4	9	18	143	1.88	0.43	15	0.84	895	5	237	529	417	0.22	6	30	22	195	1790	<2	40	16	5	476
248708	202383	<1	6.50	13	522	<2	<1	2.44	<4	9	19	144	1.96	0.34	16	1.04	1091	6	202	517	59	0.26	7	15	21	229	1860	<2	40	12	6	268
248709	202384	<1	6.47	25	537	2	<1	2.51	<4	9	18	102	1.88	0.16	19	1.10	995	6	232	519	25	0.27	<5	30	21	228	1940	<2	39	<10	5	91
248710	202385	<1	6.54	29	579	2	<1	2.55	<4	10	15	89	1.93	0.54	18	1.12	971	6	224	530	408	0.36	<5	33	21	225	2029	<2	40	<10	6	95
248711	202386	<1	6.35	25	523	<2	<1	2.47	<4	9	18	102	1.85	0.63	17	1.10	948	5	255	518	286	0.30	9	21	18	223	1917	<2	38	<10	5	115
248712	202387	<1	6.20	20	559	<2	<1	2.69	<4	9	20	92	1.96	0.41	18	1.22	1058	6	243	524	28	0.35	<5	19	11	238	2063	2	40	<10	5	79
248713	202388	<1	5.77	22	536	2	<1	1.75	<4	11	15	100	2.01	0.39	20	1.37	968	6	264	528	42	0.49	6	22	17	194	2002	<2	39	11	5	155

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/07/2015 7:36 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248714	202389	<1	6.79	7	517	<2	<1	1.56	<4	10	16	114	1.95	0.43	25	1.51	681	6	278	539	27	0.32	<5	16	26	202	2123	<2	40	<10	5	84
248715D	202389	<1	6.48	14	499	<2	<1	1.50	<4	11	15	115	1.91	0.47	24	1.48	660	6	274	534	28	0.32	7	23	21	195	2068	<2	39	<10	5	82
248716	202390	<1	4.92	15	539	2	<1	2.34	<4	16	50	314	4.07	0.29	11	1.25	750	22	296	632	<1	0.12	11	9	20	284	2598	<2	106	12	15	61
248717	202391	<1	6.28	10	532	<2	<1	1.50	<4	9	16	109	2.14	0.41	29	1.77	845	7	214	528	46	0.35	<5	19	25	156	2077	<2	41	<10	5	122
248718	202392	<1	7.36	10	620	2	<1	2.50	<4	11	18	166	2.12	0.23	27	1.44	645	7	431	564	<1	0.41	<5	13	24	187	2217	<2	42	<10	6	19
248719	202393	<1	6.39	7	442	<2	<1	2.15	<4	8	22	162	1.86	0.30	29	1.52	626	5	394	519	<1	0.22	6	28	16	174	1973	<2	39	<10	5	12
248720	202394	<1	6.47	5	419	<2	<1	1.43	<4	10	19	150	2.06	0.14	33	1.42	589	4	357	544	<1	0.41	<5	21	20	187	1868	<2	41	<10	5	22
248721	202395	<1	5.91	5	344	<2	<1	1.49	<4	10	16	152	2.12	0.10	24	1.17	559	4	427	474	<1	0.47	6	18	18	256	2058	<2	48	<10	7	27
248722	202396	<1	5.69	19	440	2	<1	0.98	<4	9	18	131	1.45	0.21	7	0.52	240	5	315	372	<1	0.40	<5	20	11	220	1636	<2	37	<10	5	5
248723	202397	<1	5.73	20	433	<2	<1	1.40	<4	12	18	120	1.86	0.39	10	0.68	296	4	277	438	<1	0.47	<5	18	15	283	1992	<2	42	<10	6	10
248724	202398	<1	6.33	9	340	<2	<1	2.12	<4	11	17	130	1.75	0.34	15	0.94	410	5	327	486	<1	0.36	<5	17	19	231	2287	<2	45	<10	7	14
248725	202399	<1	5.34	6	321	<2	<1	1.36	<4	10	16	132	1.75	0.26	20	1.21	451	5	302	509	<1	0.34	<5	19	22	183	2416	<2	45	<10	7	19
248726D	202399	<1	6.07	11	351	<2	<1	1.41	<4	12	18	145	1.77	0.34	21	1.24	460	4	321	524	<1	0.31	<5	26	20	191	2460	<2	45	<10	7	17
248727	202400	<1	5.17	10	438	<2	<1	2.69	<4	17	52	146	4.17	0.18	10	1.41	790	15	268	614	<1	0.08	5	13	14	298	2825	<2	116	<10	16	50
248728	202101	<1	6.18	7	501	<2	<1	2.19	<4	13	16	152	2.32	1.05	20	1.32	535	6	361	511	<1	0.74	6	22	16	286	2084	5	45	<10	6	19
248729	202102	<1	5.99	15	522	<2	<1	1.78	<4	11	16	99	1.82	0.40	22	1.15	699	4	251	502	4	0.39	6	24	19	201	1967	<2	38	<10	5	53
248730	202103	<1	6.89	24	489	<2	<1	2.26	<4	9	24	53	1.85	0.28	20	1.11	1114	7	105	519	104	0.38	<5	21	<10	259	1838	<2	38	<10	6	197
248731	202104	<1	7.11	37	574	<2	<1	2.36	<4	10	23	69	1.94	0.33	27	1.15	1047	7	146	522	560	0.33	8	21	<10	238	1981	<2	40	<10	6	390
248732	202105	<1	7.12	38	613	2	<1	2.45	<4	9	21	43	2.06	0.31	30	1.24	976	7	149	554	202	0.38	<5	30	<10	288	2060	<2	41	<10	6	140
248733	202106	<1	6.43	35	548	2	<1	2.22	<4	9	19	41	1.81	0.45	26	1.10	854	7	142	511	112	0.32	<5	29	15	262	1845	<2	37	<10	6	163

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/07/2015 7:36 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248734	202107	<1	7.03	21	571	2	<1	2.59	<4	11	16	60	2.13	0.49	24	1.30	1113	6	137	553	42	0.33	<5	26	11	269	2031	<2	43	<10	6	120
248735	202108	<1	7.41	11	530	<2	<1	1.81	<4	9	21	53	1.89	0.57	25	1.34	936	8	142	508	51	0.24	<5	24	14	228	1906	<2	40	<10	7	158
248736	202109	<1	5.24	10	405	2	<1	1.48	<4	9	26	36	1.84	0.31	18	1.60	609	8	142	484	12	0.32	<5	11	13	211	1614	<2	36	<10	5	103
248737D	202109	<1	5.08	11	394	<2	<1	1.48	<4	8	22	41	1.80	0.37	17	1.57	597	6	161	475	16	0.27	<5	21	18	212	1594	<2	35	<10	5	93
248738	202110	113	5.27	10	402	2	<1	3.02	7	16	35	132	5.05	0.31	5	1.28	895	15	157	566	16982	0.12	108	15	12	290	2628	<2	133	<10	17	336
248739	202111	1	6.58	8	447	2	<1	1.94	<4	9	22	43	1.92	0.34	25	1.76	699	8	153	507	90	0.29	<5	20	10	228	2106	<2	41	10	6	82
248740	202112	<1	6.43	<2	365	2	<1	2.58	<4	10	22	49	2.01	0.27	23	1.72	855	7	142	528	21	0.21	7	16	<10	271	1985	<2	38	<10	6	86
248741	202113	<1	6.61	7	358	2	<1	2.30	<4	10	22	58	2.11	0.40	17	1.17	696	8	155	480	20	0.22	<5	16	<10	259	1897	<2	43	<10	7	184
248742	202114	<1	6.45	12	399	2	<1	2.11	<4	10	21	47	2.06	0.13	18	0.94	616	7	125	439	2	0.29	<5	27	<10	273	1870	<2	45	<10	8	60
248743	202115	<1	7.27	20	463	2	<1	2.58	<4	11	26	51	2.39	0.11	20	1.01	677	8	136	523	<1	0.47	<5	19	12	318	2261	<2	53	<10	9	56
248744	202116	<1	7.21	21	424	2	<1	2.34	<4	12	24	62	2.32	0.39	18	0.94	637	9	128	434	2	0.53	7	31	14	301	1991	<2	50	<10	8	63
248745	202117	<1	6.43	6	412	<2	<1	2.28	<4	9	21	56	2.07	0.56	18	0.88	686	6	134	483	25	0.13	<5	17	<10	302	2271	<2	44	<10	8	81
248746	202118	<1	7.02	<2	471	2	<1	2.41	<4	11	24	80	2.19	0.51	17	0.96	677	6	157	498	43	0.12	<5	24	12	330	2293	<2	45	<10	8	349
248747	202119	<1	7.16	<2	563	2	<1	2.62	<4	11	24	60	2.11	0.52	17	0.95	542	7	155	487	24	0.14	<5	30	10	334	2382	<2	44	<10	8	76
248748D	202119	<1	7.12	9	564	2	<1	2.61	<4	10	27	75	2.13	0.50	17	0.96	554	7	195	515	28	0.14	6	23	<10	331	2477	<2	44	<10	8	107
248749	202120	<1	4.94	7	425	<2	<1	2.64	<4	15	55	108	3.84	0.33	10	1.32	756	13	207	620	<1	0.08	<5	13	<10	281	2891	<2	112	<10	15	54
248750	202121	<1	5.90	14	476	2	<1	1.61	<4	7	28	85	1.58	0.48	17	0.91	390	5	228	314	16	0.15	<5	23	<10	192	1428	<2	29	<10	6	138
248751	202122	<1	5.74	5	384	2	<1	1.74	<4	6	29	82	1.31	0.42	18	1.04	414	6	203	282	7	0.12	<5	34	<10	166	1354	<2	26	11	6	58
248752	202123	<1	6.17	14	483	<2	<1	0.89	<4	6	24	66	1.10	0.41	23	0.88	292	6	170	316	2	0.22	<5	19	<10	94	1451	<2	26	10	6	46
248753	202124	1	6.28	33	499	2	<1	1.40	<4	5	18	73	1.48	0.33	23	1.26	465	8	214	276	7	0.38	7	31	<10	110	1291	<2	22	<10	6	44

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/07/2015 7:36 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248754	202125	<1	7.55	12	563	2	<1	1.45	<4	4	21	209	1.21	0.40	23	1.22	367	8	378	241	7	0.24	<5	30	10	169	1208	<2	20	<10	5	87
248755	202126	<1	6.66	11	513	<2	<1	1.45	<4	4	19	116	1.16	0.48	20	1.20	368	7	298	233	7	0.26	7	32	16	163	1150	<2	19	<10	5	85
248756	202127	<1	6.98	10	515	<2	<1	1.05	<4	4	19	137	1.07	0.53	24	1.23	363	6	344	264	6	0.20	<5	26	19	169	1194	<2	17	10	5	111
248757	202128	<1	6.44	14	562	<2	<1	1.19	<4	5	22	133	1.10	0.57	24	0.87	257	5	310	231	8	0.14	7	24	<10	166	1239	<2	19	<10	4	47
248758	202129	<1	7.17	13	638	2	<1	1.44	<4	5	25	150	1.24	0.40	22	1.00	346	6	372	288	3	0.26	<5	20	13	189	1264	<2	19	<10	5	45
248759R	202129	<1	7.42	6	638	<2	<1	1.41	<4	5	19	140	1.15	0.67	23	0.97	328	6	345	254	<1	0.23	6	27	10	184	1255	<2	19	<10	5	43
248760	202130	2	6.01	50	296	2	<1	1.16	6	13	30	2285	5.05	0.20	28	0.87	1091	27	116	705	66	1.37	9	19	<10	178	1033	<2	58	16	9	615
248761	202131	<1	6.32	16	577	<2	<1	2.05	<4	10	101	131	1.65	0.19	24	1.70	589	7	131	876	18	0.16	<5	19	12	202	1486	<2	29	<10	8	131
248762	202132	<1	6.48	9	511	<2	<1	1.47	<4	4	26	40	1.00	0.28	19	0.99	785	6	118	222	85	0.14	9	19	13	179	1063	<2	16	<10	5	177
248763	202133	<1	6.26	11	566	<2	<1	1.11	<4	4	34	42	1.03	0.35	21	0.83	835	5	124	264	27	0.14	6	28	13	131	1140	<2	17	11	5	96
248764	202134	<1	7.23	15	628	<2	<1	1.06	<4	4	30	27	1.03	0.25	19	0.83	586	6	96	272	19	0.16	<5	34	27	133	1202	<2	17	<10	5	175
248765	202135	<1	6.70	4	529	<2	<1	0.79	<4	4	15	39	0.92	0.39	15	0.61	472	5	107	247	25	0.16	8	25	<10	147	1121	<2	17	<10	4	67
248766	202136	<1	7.39	13	467	<2	<1	0.96	<4	9	55	55	1.71	0.50	18	0.87	583	9	143	315	<1	0.12	5	14	12	165	1448	2	37	<10	7	88
248767	202137	1	7.48	<2	472	2	<1	1.47	<4	25	152	156	4.11	0.50	38	1.84	1310	15	184	553	35	0.17	<5	21	<10	156	2812	<2	101	10	15	248
248768	202138	2	6.37	35	477	<2	<1	0.12	<4	10	65	79	1.14	0.39	12	0.35	<100	7	148	331	306	0.23	<5	31	14	81	1172	<2	41	18	7	1136
248769	202139	<1	7.46	22	525	<2	<1	0.57	<4	5	21	44	0.98	0.46	19	0.58	462	7	103	271	17	0.21	<5	32	<10	125	1217	<2	19	<10	6	557
248770D	202139	<1	7.59	20	536	2	<1	0.57	<4	6	18	52	1.01	0.32	19	0.59	474	7	122	284	14	0.21	<5	13	11	128	1243	<2	20	12	6	567
248771	202140	<1	6.16	6	444	2	<1	2.74	<4	16	56	104	3.88	0.40	15	1.36	760	16	215	627	<1	0.08	8	25	13	290	2981	<2	112	11	17	56
248772	202141	<1	7.09	6	499	<2	<1	1.57	<4	4	17	33	1.20	0.21	15	0.82	1678	5	104	276	9	0.19	5	30	11	196	1309	<2	20	<10	5	52
248773	202142	<1	6.91	7	481	<2	<1	1.40	<4	5	27	30	1.18	0.33	19	0.73	1930	6	83	343	29	0.18	6	41	11	226	1253	2	19	<10	5	85

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/07/2015 7:36 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248774	202143	<1	7.03	11	477	<2	<1	1.35	<4	5	21	33	1.21	0.20	19	0.73	1416	5	115	278	13	0.22	5	22	<10	250	1307	<2	20	<10	5	70
248775	202144	<1	7.04	17	661	<2	<1	1.64	<4	5	16	27	1.15	0.17	18	0.90	978	5	109	282	11	0.20	<5	42	<10	246	1250	3	20	<10	5	49
248776	202145	<1	6.61	33	772	<2	<1	0.73	<4	5	32	28	1.12	0.32	16	0.63	711	8	107	266	27	0.27	<5	31	10	136	1220	<2	19	<10	5	64
248777	202146	<1	6.53	29	784	<2	<1	0.64	<4	5	16	30	1.09	0.17	16	0.60	635	5	108	255	25	0.27	<5	28	12	132	1227	<2	19	<10	5	71
248778	202147	<1	6.32	13	668	<2	<1	1.53	<4	5	29	20	1.16	0.52	16	0.91	916	6	95	262	16	0.16	7	17	10	180	1171	<2	18	<10	5	84
248779	202148	1	7.13	7	574	2	<1	1.60	<4	19	130	75	3.50	0.52	30	1.60	924	14	181	503	28	0.11	<5	17	13	180	2713	<2	86	14	12	70
248780	202149	<1	6.93	<2	367	2	<1	1.35	<4	22	150	76	3.68	0.39	24	1.61	897	14	168	597	23	0.12	7	15	12	157	2594	<2	84	<10	13	46
248781D	202149	<1	6.07	8	337	<2	<1	1.23	<4	20	140	71	3.49	0.39	22	1.51	869	13	156	559	22	0.14	<5	15	14	147	2455	<2	80	<10	12	45
248782	202150	<1	5.31	15	536	2	<1	2.35	<4	17	55	239	4.17	0.37	12	1.26	754	23	134	631	<1	0.11	8	20	17	290	2742	<2	109	16	16	65
248783	202151	<1	5.93	5	342	2	<1	1.24	<4	22	151	63	3.65	0.42	21	1.51	708	13	168	524	4	0.17	7	20	13	153	2816	<2	92	<10	11	31
248784	202152	1	7.14	5	390	2	<1	1.67	<4	27	172	89	4.24	0.32	24	1.70	1012	15	179	571	16	0.20	5	<5	11	175	2554	<2	98	<10	13	73
248785	202153	1	6.62	7	329	2	<1	1.60	<4	22	150	86	3.63	0.19	24	1.54	659	13	188	500	20	0.15	<5	16	<10	155	2498	<2	88	10	13	95
248786	202154	<1	6.28	11	440	<2	<1	1.33	<4	11	53	46	1.29	0.47	17	0.75	460	8	122	466	69	0.10	<5	38	11	144	1707	<2	38	<10	7	112
248787	202155	2	9.33	28	531	<2	<1	1.52	<4	11	33	47	0.98	1.20	22	0.77	493	8	152	812	94	0.18	8	34	10	174	2294	<2	41	12	7	64
248788	202156	<1	7.47	14	458	<2	<1	1.86	<4	12	36	37	1.86	0.33	20	0.80	594	7	93	505	3	0.25	<5	26	<10	181	2280	<2	51	<10	8	59
248789	202157	<1	7.39	16	620	2	<1	1.89	<4	9	34	64	1.67	0.31	18	0.85	615	7	114	466	33	0.25	<5	32	11	197	2051	<2	42	14	7	92
248790	202158	<1	7.62	8	766	<2	<1	2.16	<4	9	39	94	1.65	0.73	17	0.91	633	8	130	465	<1	0.15	<5	21	13	198	2092	<2	45	<10	7	56
248791	202159	2	6.26	35	677	<2	<1	0.90	<4	8	29	62	1.83	0.39	15	0.71	307	7	76	448	255	0.51	8	16	<10	128	1875	<2	39	16	6	865
248792D	202159	2	6.25	38	676	<2	<1	0.90	<4	8	29	73	1.83	0.24	15	0.72	309	8	111	448	255	0.46	8	15	12	129	1856	<2	39	15	6	843
248793	202160	<1	4.82	4	417	2	<1	2.60	<4	15	55	73	3.81	0.30	10	1.31	743	14	146	599	<1	0.08	6	8	13	276	2804	<2	111	<10	15	51

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/07/2015 7:36 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248794	202161	<1	7.06	9	710	2	<1	1.88	<4	8	21	38	1.70	0.56	20	1.27	542	7	144	706	3	0.18	<5	23	10	207	2257	<2	37	<10	7	40
248795	202162	<1	6.99	12	628	2	<1	1.51	<4	8	23	32	1.35	0.61	25	1.41	494	6	112	654	5	0.19	5	24	10	189	2082	<2	35	12	7	40
248796	202163	1	7.14	25	615	<2	<1	1.67	<4	8	18	50	1.28	0.58	20	1.22	548	8	106	581	50	0.21	<5	18	10	171	1923	<2	33	14	7	261
248797	202164	<1	6.91	13	575	2	<1	1.54	<4	8	17	30	1.46	0.40	19	1.31	675	6	93	579	65	0.17	5	27	12	180	1897	<2	33	13	6	545
248798	202165	<1	6.54	4	348	2	<1	1.44	<4	8	23	48	1.24	0.13	16	1.12	514	7	132	675	26	0.09	5	28	12	180	1320	<2	27	<10	6	88
248799	202166	<1	6.37	<2	372	2	<1	1.38	<4	8	24	39	1.28	0.13	16	1.18	529	7	112	638	22	0.11	<5	29	<10	175	1366	<2	28	10	6	90
248800	202167	<1	6.50	5	371	<2	<1	0.96	<4	6	19	30	1.27	0.16	17	1.32	621	6	104	513	89	0.22	5	22	13	165	1293	<2	30	10	5	148
248801	202168	<1	5.14	3	262	<2	<1	0.60	<4	4	20	65	0.92	0.15	11	0.70	275	5	114	431	80	0.10	6	32	21	120	888	<2	20	<10	5	168
248802	202169	<1	6.27	<2	345	2	<1	0.96	<4	5	23	79	1.11	0.43	13	0.66	422	6	136	344	42	0.10	<5	17	16	184	1085	<2	23	12	5	153
248803D	202169	<1	5.89	3	336	<2	<1	0.93	<4	5	22	80	1.10	0.14	12	0.64	416	6	137	338	46	0.10	<5	26	<10	180	1060	<2	23	10	5	154
248804	202170	117	5.96	14	415	2	<1	3.08	7	17	36	133	5.14	0.34	8	1.30	897	18	153	570	16983	0.12	110	12	16	294	2678	<2	134	10	18	338
248805	202171	1	6.38	2	466	<2	<1	0.99	<4	5	15	47	1.22	0.41	12	0.61	391	4	131	456	116	0.13	5	24	13	182	1318	<2	29	<10	5	65
248806	202172	<1	6.22	5	375	<2	<1	1.24	<4	4	16	64	1.06	0.42	14	0.85	489	4	164	468	18	0.11	7	19	13	205	1270	<2	27	<10	5	31
248807	202173	<1	6.85	5	469	<2	<1	1.07	<4	7	24	55	0.89	0.41	16	0.70	344	5	162	489	34	0.13	<5	24	12	209	1401	<2	28	<10	5	40
248808	202174	<1	7.84	10	558	2	<1	1.12	<4	13	20	43	0.98	0.72	21	0.79	346	6	124	511	2	0.14	8	32	12	174	1710	<2	31	<10	5	47
248809	202175	<1	6.79	18	425	<2	<1	1.22	<4	5	21	44	1.23	0.55	15	0.73	405	6	107	437	9	0.22	<5	26	17	185	1397	<2	27	<10	5	33
248810	202179	4	7.09	58	390	2	<1	0.76	<4	34	19	24	1.10	0.49	17	0.81	348	7	110	471	1696	0.21	23	24	10	133	1360	<2	28	18	6	838
248811	202180	<1	5.65	<2	426	2	<1	2.64	<4	16	56	107	3.77	0.17	13	1.33	739	14	235	604	6	0.08	7	18	16	279	2859	<2	110	<10	16	56
248812	202181	<1	8.09	34	377	<2	<1	1.04	<4	26	21	50	1.34	0.60	22	1.53	702	8	172	518	35	0.26	9	38	12	143	1349	<2	33	<10	5	89
248813	202182	<1	7.79	35	407	<2	<1	0.83	<4	22	19	43	0.86	0.89	26	1.40	566	6	154	544	<1	0.09	6	38	<10	133	1421	<2	32	<10	5	25

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/07/2015 7:36 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248814D	202182	<1	9.97	36	498	2	<1	1.05	<4	29	25	45	1.03	1.35	33	1.66	670	8	177	659	<1	0.11	9	38	17	158	1703	<2	39	<10	6	45
248815	202183	2	7.00	26	362	2	<1	0.84	4	9	22	54	1.53	0.64	20	1.24	670	7	143	503	694	0.28	6	33	<10	127	1390	<2	33	19	5	1822
248816	202184	<1	6.41	35	333	<2	<1	1.17	<4	6	26	48	1.57	0.56	16	1.05	585	7	150	437	83	0.46	5	27	<10	118	1333	<2	29	<10	5	160
248817	202185	2	4.75	34	294	<2	<1	0.59	<4	5	21	46	1.41	<0.01	14	0.61	299	7	120	373	802	0.32	6	17	<10	83	1444	<2	25	16	5	1496
248818	202186	4	6.94	30	359	<2	<1	0.79	<4	8	26	54	1.56	0.38	20	0.72	326	7	145	447	700	0.40	15	20	<10	100	1674	<2	30	19	6	1470
248819	202187	3	5.41	40	347	<2	<1	0.27	<4	8	29	110	1.87	0.38	17	0.47	131	6	142	373	1120	0.51	7	17	10	58	1491	<2	27	12	6	1201
248820	202188	<1	8.29	44	528	<2	<1	1.54	<4	6	34	72	2.06	0.86	27	1.23	906	10	202	356	167	0.47	7	36	13	147	1657	<2	31	<10	7	95
248821	202189	3	6.70	60	454	2	<1	0.50	<4	11	45	50	1.87	0.48	22	0.70	308	7	163	426	1112	0.43	6	29	11	83	1947	<2	40	16	7	886
248822	202190	2	6.12	44	304	2	<1	1.17	5	15	31	2347	5.10	0.54	29	0.88	1095	26	171	700	79	1.39	10	9	14	180	1090	<2	58	11	10	603
248823	202191	3	5.91	35	399	<2	<1	0.70	<4	7	32	141	1.77	0.48	22	0.73	330	8	159	335	1261	0.45	12	15	<10	75	1495	<2	29	23	6	1597
248824	202198	1	6.61	12	373	2	<1	0.90	<4	6	34	73	1.19	0.36	22	1.13	782	7	148	449	180	0.21	11	27	13	130	1459	<2	28	<10	6	122
248825R	202198	1	6.49	14	372	2	<1	0.92	<4	6	30	73	1.16	0.62	22	1.15	803	7	154	470	165	0.23	5	24	<10	134	1448	<2	29	<10	6	96
248826	202199	1	5.86	21	289	<2	<1	1.95	<4	6	19	38	1.31	0.27	21	0.98	681	6	106	452	284	0.40	<5	15	12	39	1634	<2	26	11	5	666
248827	202200	<1	4.62	4	416	<2	<1	2.64	<4	17	55	68	3.88	0.37	10	1.33	760	13	126	609	3	0.09	6	10	<10	279	2726	<2	111	<10	15	91
248828	202201	1	6.33	24	418	2	<1	1.68	<4	9	24	62	1.67	0.38	28	1.30	1044	8	75	439	386	0.40	5	18	21	84	1864	<2	33	<10	6	124
248829	202202	<1	6.58	29	492	2	<1	0.87	<4	12	32	55	1.71	0.32	27	1.00	739	8	127	417	105	0.34	8	21	13	92	1914	<2	38	11	6	224
248830	202203	2	6.36	53	395	<2	<1	0.24	<4	12	53	196	2.03	0.30	22	0.49	175	8	112	382	669	0.52	16	12	<10	41	1781	<2	42	14	8	1321
248831	202204	1	5.80	70	431	<2	<1	0.57	<4	13	62	103	2.05	0.30	23	0.80	600	8	129	469	145	0.62	22	5	<10	63	1950	<2	50	<10	8	158
248832	202205	1	6.31	50	499	<2	<1	0.59	<4	13	25	110	1.95	0.30	27	0.68	445	8	141	506	170	0.65	6	19	12	51	1887	<2	37	13	6	384
248833	202206	2	6.23	45	461	2	<1	0.84	<4	11	23	160	2.14	0.31	30	0.99	774	8	133	503	147	0.63	6	20	11	58	1827	<2	35	<10	6	237

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/07/2015 7:36 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/29/2014
Job #: 201443177
Reference: TL14-374
Sample #: 141

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248834	202207	1	6.93	42	512	2	<1	0.59	<4	9	14	68	1.34	0.28	23	0.76	406	7	148	494	240	0.39	6	25	11	78	1795	<2	32	12	6	257
248835	202208	4	6.66	39	516	2	<1	0.82	4	11	10	67	1.71	0.26	22	0.78	477	6	161	495	512	0.38	10	22	15	86	1749	<2	28	21	6	1627
248836D	202208	4	7.22	43	544	2	<1	0.87	4	12	10	69	1.77	0.15	24	0.81	497	7	158	505	525	0.42	13	22	10	90	1832	<2	30	17	6	1644
248837	202209	<1	7.17	27	412	2	<1	1.41	<4	8	8	91	1.38	0.17	20	0.84	641	7	231	514	47	0.31	8	23	11	110	1787	<2	30	<10	6	184
248838	202210	<1	4.40	19	498	2	<1	2.20	<4	15	50	235	3.96	0.22	10	1.19	716	21	146	601	1	0.11	5	<5	<10	274	2519	<2	104	<10	14	62
248839	202211	<1	5.74	27	395	2	<1	1.72	<4	8	10	43	1.50	0.44	15	1.02	857	5	105	507	30	0.32	7	27	11	115	1783	<2	31	<10	5	97
248840	202212	2	6.06	14	413	2	<1	1.63	<4	7	9	129	1.49	0.47	17	0.99	902	5	96	498	81	0.33	<5	28	<10	112	1794	<2	32	<10	5	295
248841	202213	<1	5.56	27	364	<2	<1	1.39	<4	8	9	96	1.92	0.49	19	0.96	818	6	106	451	88	0.58	5	25	11	118	1717	<2	29	<10	5	168
248842	202214	<1	4.99	10	202	2	<1	0.90	<4	7	9	53	1.50	0.15	16	1.03	894	5	86	518	42	0.29	<5	26	<10	102	1661	<2	31	<10	5	92
248843	202215	<1	4.05	11	198	<2	<1	0.63	<4	7	8	58	1.06	<0.01	9	0.68	613	2	56	418	27	0.22	<5	15	<10	89	1186	<2	25	<10	4	86
248844	202216	<1	5.75	11	221	<2	<1	1.11	<4	8	19	67	1.46	0.17	15	1.10	827	5	85	515	27	0.21	<5	28	10	128	1518	<2	29	<10	5	200
248845	202217	<1	5.76	28	236	<2	<1	1.39	<4	10	20	37	1.80	0.22	16	1.12	1025	7	85	481	38	0.42	5	24	<10	159	1569	<2	29	13	5	135
248846	202218	1	5.59	8	158	<2	<1	1.74	<4	7	16	51	1.66	0.07	13	1.32	1399	7	80	588	152	0.33	<5	26	12	164	1387	<2	24	<10	6	242
248847D	202218	<1	5.54	9	152	<2	<1	1.74	<4	7	14	51	1.61	0.04	13	1.29	1344	6	76	564	141	0.30	<5	24	<10	165	1355	<2	22	<10	6	236
248848	202219	<1	5.00	11	185	<2	<1	0.84	<4	8	13	41	1.64	0.09	14	1.13	895	6	94	482	64	0.26	<5	28	<10	128	1214	<2	28	<10	5	211

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, December 24, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/24/2014
Job #: 201443178
Reference: TL14-374
Sample #: 9

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
248849	202176	0.139	0.150	1.023	0.160	1.77%	42.32
248850	202177	1.995	1.884	20.609	2.297	1.91%	42.98
248851	202178	0.341	0.377	0.965	0.372	2.19%	48.39
248852	202192	0.635	0.503	1.742	0.595	2.25%	49.72
248853	202193	125.501	112.971	12644.306	397.391	2.22%	49.79
248854	202194	1.808	1.918	22.771	2.099	1.13%	25.13
248855	202195	0.180	0.169	2.868	0.220	1.67%	34.92
248856	202196	0.448	0.479	6.842	0.587	1.93%	44.44
248857	202197	0.193	0.247	0.221	0.220	0.50%	11.08

PROCEDURE CODES: ALP1, ALPM4, ALSu1, ALMA1, ALPM1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/11/2014
Date Completed: 12/24/2014
Job #: 201443178
Reference: TL14-374
Sample #: 9

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248849	202176	<1	4.59	24	638	<2	10	0.60	<4	7	130	47	1.21	<0.01	10	0.52	296	<1	9	442	15	0.62	7	12	<10	126	1421	<2	27	<10	4	160
248850	202177	29	4.08	48	536	<2	3	0.25	25	27	109	554	1.33	<0.01	7	0.46	192	1	15	432	17040	0.62	15	15	15	78	1231	<2	22	80	4	9093
248851	202178	2	4.98	49	492	<2	9	0.83	<4	27	182	11	1.56	<0.01	14	1.29	712	3	20	494	1371	0.61	<5	16	<10	118	1314	<2	25	21	4	1376
248852	202192	3	5.77	32	500	<2	12	0.90	7	9	177	10	1.91	<0.01	17	0.90	525	4	11	452	944	0.80	<5	22	18	96	1616	<2	27	25	4	2558
248853	202193	26	4.55	48	657	<2	29	1.11	13	7	86	54	1.72	0.36	13	1.04	632	3	6	408	2795	0.68	21	10	13	99	1382	<2	23	45	5	4861
248854	202194	<1	4.25	25	266	2	7	1.20	<4	8	106	5	1.71	<0.01	18	2.02	1178	3	7	372	79	0.64	<5	16	17	108	1177	11	22	<10	4	571
248855	202195	<1	4.66	26	219	<2	10	0.66	<4	8	99	7	1.64	<0.01	21	1.89	854	3	7	590	103	0.50	<5	23	11	96	1098	<2	28	<10	5	159
248856	202196	6	2.95	38	98	2	1	0.53	9	8	142	141	2.34	<0.01	12	1.69	1072	3	6	282	2773	0.60	7	<5	<10	87	756	<2	17	24	3	2786
248857	202197	2	3.43	34	126	2	22	0.68	<4	8	161	19	1.98	<0.01	15	1.60	1059	2	9	310	795	0.47	<5	13	15	99	841	<2	19	11	4	806

APPLIED SCOPES: ALP1, ALPM4, ALSu1, ALMA1, ALPM1, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14375

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
253834	202220	<0.005	
253835	202221	<0.005	
253836	202222	0.027	
253837	202223	0.077	
253838	202224	0.045	
253839	202225	0.041	
253840	202226	0.052	
253841	202227	0.048	
253842	202228	0.246	
253843	202229	0.110	
253844	202229 Dup	0.118	
253845	202230	4.896	
253846	202231	0.027	
253847	202232	0.114	
253848	202233	0.149	
253849	202234	0.162	
253850	202235	0.478	
253851	202236	1.163	
253852	202237	0.135	
253853	202238	0.078	
253854	202239	0.045	
253855	202239 Dup	0.032	
253856	202240	<0.005	
253857	202241	0.023	
253858	202242	0.041	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
253859	202243	0.069	
253860	202244	0.007	
253861	202245	1.605	
253862	202246	0.024	
253863	202247	0.079	
253864	202248	0.109	
253865	202249	0.041	
253866	202249 Dup	0.030	
253867	202250	0.431	
253868	202251	0.041	
253869	202252	0.039	
253870	202253	0.232	
253871	202254	0.286	
253872	202255	0.024	
253873	202256	0.104	
253874	202257	0.024	
253875	202258	0.069	
253876	202259	0.032	
253877	202259 Dup	0.033	
253878	202260	<0.005	
253879	202261	0.029	
253880	202262	0.032	
253881	202263	0.058	
253882	202264	0.030	
253883	202265	0.021	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
253884	202266	0.020	
253885	202267	0.060	
253886	202268	0.158	
253887	202269	0.191	
253888	202269 Dup	0.175	
253889	202270	1.484	
253890	202271	0.139	
253891	202272	0.036	
253892	202273	0.061	
253893	202274	0.051	
253894	202275	0.156	
253895	202276	0.108	
253896	202277	0.515	
253897	202278	0.015	
253898	202279	0.095	
253899	202279 Rep	0.098	
253900	202280	<0.005	
253901	202281	0.010	
253902	202282	0.222	
253903	202283	0.057	
253904	202284	0.034	
253905	202285	0.055	
253906	202286	0.055	
253907	202287	0.239	
253908	202288	0.050	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
253909	202289	0.026	
253910	202289 Dup	0.027	
253911	202290	5.078	
253912	202291	0.155	
253913	202292	0.350	
253914	202293	>10.000	15.575
253915	202294	0.227	
253916	202295	0.986	
253917	202296	0.132	
253918	202297	0.367	
253919	202298	0.295	
253920	202299	0.307	
253921	202299 Dup	0.258	
253922	202300	<0.005	
253923	202301	0.319	
253924	202302	0.270	
253925	202303	0.101	
253926	202304	0.093	
253927	202305	0.456	
253928	202306	0.624	
253929	202307	0.118	
253930	202308	0.097	
253931	202309	0.023	
253932	202309 Dup	0.023	
253933	202310	0.438	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
253934	202311	0.028	
253935	202312	0.044	
253936	202313	0.187	
253937	202314	0.080	
253938	202315	0.108	
253939	202316	0.693	
253940	202317	0.395	
253941	202318	0.103	
253942	202319	1.181	
253943	202319 Dup	0.950	
253944	202320	<0.005	
253945	202321	0.502	
253946	202322	0.263	
253947	202323	0.149	
253948	202324	0.370	
253949	202325	0.258	
253950	202326	0.258	
253951	202327	0.427	
253952	202328	0.363	
253953	202329	0.595	
253954	202329 Dup	0.535	
253955	202330	1.403	
253956	202331	0.600	
253957	202332	8.419	8.649
253958	202333	0.361	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
253959	202334	0.121	
253960	202335	0.092	
253961	202336	0.128	
253962	202337	0.300	
253963	202338	2.533	
253964	202339	0.113	
253965	202339 Rep	0.106	
253966	202340	<0.005	
253967	202341	0.127	
253968	202342	0.139	
253969	202343	0.044	
253970	202344	0.031	
253971	202345	0.529	
253972	202346	0.579	
253973	202347	0.179	
253974	202348	2.082	
253975	202349	2.717	
253976	202349 Dup	2.901	
253977	202350	5.022	
253978	202401	3.684	
253979	202402	1.555	
253980	202407	0.146	
253981	202408	0.544	
253982	202409	0.321	
253983	202410	<0.005	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
253984	202411	0.366	
253985	202412	0.496	
253986	202413	0.086	
253987	202413 Dup	0.077	
253988	202414	0.045	
253989	202415	0.047	
253990	202416	0.035	
253991	202417	0.133	
253992	202418	0.140	
253993	202419	0.119	
253994	202420	0.374	
253995	202421	0.052	
253996	202422	0.047	
253997	202423	0.149	
253998	202423 Dup	0.129	
253999	202424	0.121	
254000	202425	0.136	
254001	202426	0.067	
254002	202427	0.126	
254003	202428	0.114	
254004	202429	0.819	
254005	202430	0.006	
254006	202431	0.014	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.922	0.886	0.071
GS35	0.880	0.886	0.071
GS35	0.876	0.886	0.071
GS35	0.812	0.886	0.071
AR01	1.644	1.729	0.121
GS35	0.988	0.886	0.071
GS35	0.935	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
253834	202220	<1	4.26	9	412	<2	<1	2.53	<4	15	54	45	3.73	0.41	10	1.32	731	8	45	589	<1	0.08	<5	<5	20	270	2900	<2	106	<10	16	54
253835	202221	<1	6.95	7	533	<2	<1	3.23	<4	10	30	68	2.26	1.20	21	1.00	615	4	30	505	<1	0.10	<5	14	<10	341	2676	<2	49	<10	9	72
253836	202222	<1	6.43	13	604	<2	<1	2.30	<4	10	25	26	2.09	1.24	17	0.90	517	4	30	477	19	0.27	<5	22	<10	345	2170	<2	42	<10	8	85
253837	202223	<1	6.40	10	661	2	<1	2.58	<4	12	29	44	2.39	0.94	16	1.01	693	8	32	478	64	0.42	<5	18	<10	405	2063	<2	44	11	8	236
253838	202224	<1	6.80	14	624	<2	<1	2.09	<4	11	31	39	2.26	0.77	20	0.84	566	6	32	489	43	0.55	<5	22	<10	338	1996	<2	40	<10	8	126
253839	202225	<1	5.18	23	548	<2	<1	1.70	<4	9	24	14	1.60	0.70	20	1.01	492	2	25	416	8	0.33	<5	20	<10	149	1742	<2	31	<10	6	81
253840	202226	<1	7.19	38	646	<2	<1	2.07	<4	10	21	19	1.95	1.21	27	1.23	596	2	28	520	13	0.42	<5	19	<10	170	2249	<2	38	<10	7	113
253841	202227	<1	5.46	9	513	<2	<1	1.96	<4	7	26	10	1.55	0.82	21	1.08	517	4	25	413	22	0.26	<5	15	<10	141	1704	<2	29	<10	7	106
253842	202228	9	6.14	27	584	<2	<1	2.04	5	9	19	22	2.09	0.46	22	1.19	707	4	25	484	826	0.56	5	19	<10	135	2058	<2	34	23	7	1617
253843	202229	<1	6.55	38	525	<2	<1	1.62	<4	9	19	22	2.01	0.38	23	1.06	489	4	26	520	63	0.62	<5	26	<10	142	2134	<2	37	<10	7	131
253844D	202229	<1	6.88	42	560	2	<1	1.72	<4	10	19	22	2.12	0.36	24	1.11	514	3	27	547	56	0.68	<5	21	<10	150	2256	<2	40	<10	7	123
253845	202230	224	5.34	13	413	<2	<1	2.96	6	15	37	96	4.98	0.53	7	1.28	876	11	33	559	16569	0.14	79	12	11	283	2775	<2	130	12	18	322
253846	202231	1	6.77	32	573	<2	<1	2.46	<4	10	20	11	1.99	0.65	20	1.31	541	2	26	537	308	0.43	<5	13	<10	209	2175	<2	39	10	7	59
253847	202232	<1	6.35	25	597	<2	<1	2.22	<4	9	20	28	1.84	0.68	19	1.14	592	2	25	496	48	0.29	<5	9	<10	173	1985	<2	34	<10	7	157
253848	202233	<1	7.21	36	741	<2	<1	2.37	<4	9	22	56	2.22	0.53	23	1.28	735	4	28	540	439	0.43	7	27	<10	203	2081	<2	37	18	7	1095
253849	202234	<1	6.25	18	472	<2	<1	1.66	<4	6	21	29	1.41	0.47	25	1.03	403	2	27	346	37	0.23	<5	15	<10	161	1532	<2	25	10	6	228
253850	202235	1	6.66	24	474	<2	<1	1.06	<4	6	17	18	1.04	0.43	27	0.95	319	5	15	274	19	0.20	<5	26	<10	125	1373	<2	22	<10	6	136
253851	202236	5	8.58	41	567	<2	<1	0.89	<4	6	28	40	1.51	0.86	27	0.96	290	192	23	299	464	0.47	5	31	13	121	1541	<2	25	14	7	399
253852	202237	<1	6.56	24	576	<2	<1	1.65	<4	6	23	20	1.40	0.71	22	1.18	476	7	16	278	68	0.45	6	14	<10	174	1390	<2	22	<10	6	136
253853	202238	1	6.70	16	482	<2	<1	0.95	<4	4	18	17	1.00	1.00	23	0.85	309	4	13	261	67	0.29	<5	23	<10	151	1313	<2	19	<10	5	145

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:02 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
253854	202239	1	6.32	7	463	<2	<1	1.62	<4	5	17	5	1.27	0.51	24	1.62	507	3	14	253	168	0.21	<5	23	<10	171	1279	<2	19	<10	5	182
253855D	202239	2	6.63	13	470	<2	<1	1.63	<4	5	17	5	1.30	0.27	23	1.69	506	3	14	263	163	0.23	<5	14	<10	172	1282	<2	19	11	6	174
253856	202240	<1	4.84	13	470	<2	<1	2.86	<4	16	62	52	4.21	0.37	12	1.47	826	10	48	673	<1	0.09	<5	22	<10	305	3315	<2	121	11	18	59
253857	202241	<1	7.11	49	614	<2	<1	1.65	<4	3	19	25	1.21	0.50	29	1.44	432	4	15	270	83	0.14	<5	17	<10	232	1365	<2	19	10	5	203
253858	202242	<1	6.56	6	485	<2	<1	1.51	<4	3	21	11	1.13	0.78	24	1.23	1896	<1	16	261	25	0.13	<5	28	<10	187	1253	<2	18	<10	5	61
253859	202243	<1	5.04	11	366	<2	<1	1.29	<4	3	18	10	0.97	0.49	17	0.95	1312	2	10	231	127	0.12	<5	17	<10	146	1074	<2	15	<10	4	484
253860	202244	<1	7.36	14	509	<2	<1	1.40	<4	4	23	14	1.24	0.82	20	0.93	1236	3	12	281	56	0.22	<5	21	<10	182	1383	3	19	<10	5	114
253861	202245	<1	6.29	9	475	<2	<1	0.97	<4	5	27	15	1.12	0.64	18	0.85	898	4	14	261	83	0.19	<5	21	<10	184	1202	<2	18	16	5	709
253862	202246	<1	5.56	4	428	<2	<1	0.81	<4	4	32	11	0.95	0.82	16	0.75	784	3	11	241	72	0.15	<5	24	<10	174	1099	<2	15	11	5	275
253863	202247	<1	6.11	6	413	<2	<1	0.90	<4	18	121	58	3.06	0.51	34	1.44	1668	6	59	489	50	0.42	<5	14	<10	128	2299	<2	72	<10	14	141
253864	202248	<1	6.39	16	544	<2	<1	1.08	<4	5	19	17	1.33	<0.01	20	0.86	1643	4	14	273	120	0.33	6	16	<10	136	1327	<2	21	10	6	344
253865	202249	<1	6.98	11	539	<2	<1	1.00	<4	5	14	8	1.13	0.53	19	0.78	1343	3	12	300	28	0.26	<5	17	23	186	1424	<2	21	<10	5	99
253866D	202249	<1	7.73	15	551	<2	<1	1.05	<4	5	15	9	1.20	0.33	23	0.82	1395	5	13	328	42	0.28	<5	20	<10	205	1507	<2	23	<10	6	104
253867	202250	<1	5.73	58	313	<2	<1	1.17	5	14	32	2368	5.24	<0.01	29	0.93	1148	23	31	717	69	1.78	<5	28	<10	187	1195	<2	61	15	10	635
253868	202251	<1	5.95	6	523	<2	<1	1.53	<4	5	14	37	1.23	0.40	17	0.74	830	2	13	275	7	0.22	<5	21	<10	191	1283	<2	19	<10	5	211
253869	202252	<1	7.66	17	1151	2	<1	1.97	<4	6	19	19	1.43	0.69	27	1.18	1720	5	17	326	28	0.28	<5	25	<10	246	1716	4	24	<10	6	173
253870	202253	<1	6.47	30	870	<2	<1	0.96	<4	4	14	59	1.19	0.50	16	0.85	1050	3	14	275	220	0.36	<5	26	<10	142	1278	<2	20	10	6	329
253871	202254	<1	6.09	14	722	<2	<1	1.12	<4	14	87	83	2.59	0.61	24	1.18	1260	4	48	415	55	0.45	5	17	<10	128	1840	<2	64	<10	11	158
253872	202255	<1	6.57	14	674	2	<1	1.19	<4	8	33	22	1.82	0.68	18	1.11	1005	3	22	311	71	0.36	<5	14	<10	219	1306	<2	30	<10	7	162
253873	202256	<1	7.09	38	557	2	<1	1.76	<4	21	128	40	4.15	0.90	35	1.91	1007	8	69	533	19	0.51	<5	11	<10	265	2435	<2	91	<10	14	86

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:02 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
253874	202257	<1	4.33	11	143	2	<1	7.70	<4	43	968	44	5.50	0.62	24	6.25	1482	<1	461	3784	14	0.43	6	<5	<10	195	2439	<2	113	10	27	162
253875	202258	<1	5.89	14	460	2	<1	1.49	<4	25	170	92	3.69	0.44	28	1.66	537	9	104	1025	84	0.87	<5	14	<10	251	2174	<2	72	12	17	298
253876	202259	<1	6.72	35	543	<2	<1	0.49	<4	22	18	12	0.83	0.42	22	0.77	280	9	38	699	86	0.15	<5	25	<10	104	2217	<2	39	14	8	314
253877D	202259	<1	7.13	34	597	<2	<1	0.51	<4	23	21	12	0.86	0.58	23	0.81	296	8	41	726	89	0.17	<5	19	<10	109	2375	<2	42	12	8	336
253878	202260	<1	5.16	6	460	<2	<1	2.81	<4	16	60	51	4.10	0.82	13	1.44	801	9	49	649	<1	0.09	<5	13	<10	298	3218	4	118	<10	17	58
253879	202261	<1	7.96	31	639	<2	<1	2.00	<4	18	25	15	1.25	0.50	25	1.04	669	7	33	738	38	0.37	<5	23	<10	201	2321	<2	45	<10	8	195
253880	202262	<1	7.50	27	587	<2	<1	1.00	<4	13	14	7	0.99	<0.01	17	0.61	358	4	26	710	9	0.31	<5	28	<10	134	2243	<2	39	<10	7	198
253881	202263	1	6.12	31	592	<2	<1	0.88	<4	11	12	11	0.83	<0.01	15	0.53	248	3	20	638	39	0.24	<5	17	<10	143	1883	<2	33	<10	6	241
253882	202264	<1	8.83	21	743	2	<1	2.76	<4	13	21	17	1.49	0.65	27	0.88	559	4	23	835	16	0.38	<5	25	<10	244	2568	<2	45	<10	8	46
253883	202265	<1	8.09	35	621	2	<1	1.99	<4	12	23	20	1.36	0.45	25	0.87	505	4	21	730	<1	0.26	<5	26	<10	200	2530	<2	42	14	8	61
253884	202266	<1	6.67	25	545	<2	<1	1.84	<4	10	17	16	1.29	0.51	21	0.79	998	2	17	636	2	0.27	<5	15	<10	185	2237	<2	40	13	8	74
253885	202267	<1	3.82	9	410	<2	<1	1.39	<4	9	22	37	1.32	0.14	8	0.70	408	<1	18	375	6	0.29	<5	27	<10	175	1418	<2	33	<10	6	34
253886	202268	<1	6.60	20	786	<2	<1	1.72	<4	11	33	132	1.82	0.84	15	0.79	583	5	43	469	28	0.31	<5	24	<10	222	1968	<2	46	<10	7	95
253887	202269	<1	5.96	24	513	<2	<1	1.71	<4	8	29	67	1.40	0.54	14	0.73	492	2	34	456	1	0.29	<5	29	<10	202	1894	<2	45	<10	7	48
253888D	202269	<1	6.75	11	590	<2	<1	1.91	<4	9	40	72	1.53	0.80	17	0.79	540	4	36	473	5	0.31	<5	17	<10	224	2084	<2	49	<10	7	53
253889	202270	<1	4.74	16	480	<2	<1	2.13	<4	13	48	196	3.75	0.86	13	1.18	672	15	46	575	<1	0.10	<5	<5	<10	266	2633	<2	97	<10	15	58
253890	202271	<1	6.65	18	777	<2	<1	1.93	<4	11	26	39	1.81	0.31	24	0.90	487	6	36	582	49	0.48	<5	24	<10	208	2168	<2	45	<10	7	66
253891	202272	<1	6.45	16	746	<2	<1	1.73	<4	6	16	29	1.70	0.79	26	1.07	517	5	30	633	10	0.36	<5	20	<10	204	2054	<2	34	11	7	61
253892	202273	<1	6.60	11	421	2	<1	1.76	<4	6	31	47	1.68	0.40	27	1.30	568	5	37	651	<1	0.40	<5	23	<10	187	2024	<2	34	<10	8	25
253893	202274	<1	3.62	10	324	<2	<1	1.90	<4	10	67	20	1.53	<0.01	12	0.76	395	1	52	660	<1	0.38	<5	13	<10	192	1718	<2	40	<10	7	14

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
253894	202275	<1	7.87	13	842	<2	<1	1.48	<4	11	27	25	1.88	0.45	17	0.90	472	3	36	541	<1	0.41	<5	17	<10	294	2376	<2	55	10	8	19
253895	202276	<1	6.42	15	697	<2	<1	0.88	<4	7	21	50	1.41	0.45	16	1.04	445	2	31	495	<1	0.31	<5	20	<10	162	1991	4	43	<10	7	13
253896	202277	<1	6.67	25	733	<2	<1	0.62	<4	9	26	46	1.89	0.86	20	1.13	429	3	40	548	<1	0.55	<5	10	<10	149	2230	<2	45	<10	7	25
253897	202278	<1	6.42	9	638	<2	<1	1.92	<4	7	15	6	1.33	0.54	20	1.19	535	4	31	695	4	0.16	<5	17	<10	248	2057	<2	36	<10	7	119
253898	202279	<1	7.24	21	672	<2	<1	2.14	<4	9	15	41	1.69	0.80	26	1.37	584	3	32	720	271	0.38	<5	19	<10	207	2205	<2	37	17	7	1111
253899R	202279	<1	7.28	14	670	<2	<1	2.14	<4	9	15	37	1.70	0.59	26	1.36	578	2	35	697	267	0.40	<5	22	<10	208	2163	<2	37	19	7	1139
253900	202280	<1	4.49	12	444	<2	<1	2.76	<4	17	60	50	4.09	0.83	10	1.42	804	8	46	641	<1	0.08	6	5	<10	291	3174	<2	119	<10	17	72
253901	202281	<1	6.67	13	586	<2	<1	1.63	<4	7	12	10	1.55	0.82	32	1.57	475	2	27	675	5	0.16	<5	18	<10	188	2240	<2	36	<10	7	140
253902	202282	<1	6.61	29	615	<2	<1	1.57	<4	6	14	20	1.72	0.77	26	1.29	650	4	28	599	108	0.44	<5	19	<10	158	2007	<2	33	10	7	287
253903	202283	<1	6.95	18	583	2	<1	2.28	<4	5	17	7	1.68	0.76	31	1.65	825	3	26	749	7	0.35	<5	26	<10	184	1985	<2	34	<10	8	99
253904	202284	<1	7.42	22	473	<2	<1	1.49	<4	5	13	11	1.36	0.98	16	0.92	536	4	27	615	8	0.33	<5	23	<10	191	1897	<2	35	<10	7	111
253905	202285	<1	5.92	16	349	<2	<1	1.35	<4	5	12	12	1.18	0.83	13	0.79	511	2	23	353	<1	0.25	5	15	<10	208	1579	<2	32	<10	5	59
253906	202286	<1	5.76	14	314	<2	<1	1.26	<4	4	12	9	1.13	0.91	13	0.78	496	4	23	367	<1	0.25	<5	27	<10	197	1460	<2	29	<10	5	55
253907	202287	<1	5.81	21	382	<2	<1	1.34	<4	5	12	8	1.20	0.93	14	0.84	569	3	25	423	<1	0.23	<5	17	<10	201	1627	<2	31	<10	5	38
253908	202288	<1	5.66	16	415	<2	<1	0.93	<4	5	14	10	1.13	0.59	16	0.74	524	4	24	386	19	0.26	<5	15	<10	184	1560	<2	32	<10	5	82
253909	202289	<1	5.98	11	386	<2	<1	0.79	<4	4	11	16	1.00	0.79	15	0.75	500	4	24	404	19	0.13	<5	18	<10	167	1412	3	30	<10	5	71
253910D	202289	<1	6.60	19	391	<2	<1	0.80	<4	4	10	15	1.01	0.85	16	0.79	511	3	22	443	20	0.15	<5	18	<10	169	1438	<2	30	<10	6	68
253911	202290	143	5.09	17	391	<2	<1	2.80	6	15	35	91	4.75	0.79	7	1.23	830	10	30	527	7826	0.13	75	<5	18	272	2599	<2	125	13	18	312
253912	202291	2	5.14	17	319	<2	<1	0.71	<4	8	10	11	0.97	0.80	12	0.70	469	2	28	360	247	0.16	7	20	<10	149	1319	<2	27	<10	5	54
253913	202292	<1	6.53	12	364	<2	<1	1.08	<4	6	10	11	1.04	0.73	15	0.89	708	3	28	467	16	0.20	<5	17	<10	184	1477	<2	30	<10	6	61

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-01/10/2015 6:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
253914	202293	7	6.97	20	399	<2	<1	0.87	<4	10	11	155	1.18	0.53	16	0.78	471	4	30	508	137	0.28	<5	27	<10	187	1603	<2	33	<10	6	250
253915	202294	<1	6.84	19	497	<2	<1	0.66	<4	6	14	65	1.20	0.94	15	0.64	542	3	28	564	115	0.26	<5	30	<10	188	1643	285	36	16	6	573
253916	202295	4	6.85	23	368	<2	<1	1.31	<4	8	21	905	1.81	0.90	14	0.84	775	4	35	558	83	0.39	<5	20	<10	226	1816	<2	36	<10	7	102
253917	202296	<1	6.03	21	465	<2	<1	1.33	<4	8	19	33	1.40	0.92	17	0.69	569	4	29	451	14	0.22	<5	28	<10	212	1888	<2	35	<10	6	175
253918	202297	<1	6.76	22	450	<2	<1	1.09	<4	8	19	22	1.64	0.96	20	0.63	514	4	29	498	23	0.45	<5	18	<10	187	1982	<2	38	<10	7	84
253919	202298	<1	5.60	24	492	<2	<1	1.23	<4	8	18	18	1.66	0.67	21	0.65	589	5	28	455	19	0.21	<5	<5	<10	168	2158	<2	39	<10	5	129
253920	202299	<1	5.30	31	461	<2	<1	1.06	<4	7	21	22	1.62	0.56	19	0.83	570	3	35	466	66	0.34	<5	12	<10	143	2165	<2	36	<10	7	124
253921D	202299	<1	6.54	28	502	<2	<1	1.27	<4	7	24	25	1.80	0.63	23	0.88	606	6	39	524	72	0.39	<5	23	<10	164	2092	<2	40	12	7	138
253922	202300	<1	4.66	4	455	<2	<1	2.76	<4	16	60	52	4.11	0.43	11	1.41	801	8	47	655	<1	0.09	<5	14	<10	297	3186	<2	120	<10	17	62
253923	202301	4	5.52	36	470	<2	<1	0.31	4	8	24	7	1.38	0.34	20	0.54	201	5	16	414	1050	0.38	<5	5	<10	83	1724	<2	32	27	6	1845
253924	202302	1	4.96	49	298	<2	<1	0.40	<4	10	27	8	1.65	0.60	16	0.63	374	5	21	400	338	0.54	5	17	<10	79	1551	<2	32	17	6	1162
253925	202303	3	5.90	26	338	<2	<1	1.27	<4	7	23	4	1.66	0.58	23	1.18	1005	3	17	351	133	0.48	<5	20	20	145	1517	<2	30	<10	6	190
253926	202304	<1	6.49	16	405	<2	<1	1.35	<4	7	23	7	1.58	0.71	23	1.34	987	4	17	375	559	0.37	<5	20	<10	152	1718	<2	32	12	6	421
253927	202305	5	5.50	51	305	<2	<1	0.44	<4	10	24	13	1.78	0.58	17	0.65	348	4	22	383	988	0.62	<5	20	<10	71	1685	<2	33	11	6	621
253928	202306	4	4.66	42	264	<2	<1	0.24	<4	8	21	8	1.44	0.18	14	0.54	253	3	18	352	837	0.50	5	17	<10	62	1538	<2	29	<10	6	520
253929	202307	<1	6.52	34	359	2	<1	1.28	<4	9	27	5	1.83	0.85	22	1.27	984	3	18	487	81	0.54	<5	16	<10	146	1716	<2	36	<10	7	110
253930	202308	<1	8.95	23	510	2	<1	1.35	<4	9	28	6	2.00	1.16	33	1.56	1049	5	23	471	39	0.54	<5	29	13	193	2132	2	42	12	8	195
253931	202309	<1	6.26	30	413	<2	<1	1.32	<4	8	29	5	1.79	0.47	20	1.28	1165	3	19	425	89	0.51	<5	18	<10	172	1614	<2	36	<10	7	201
253932D	202309	<1	5.44	32	397	<2	<1	1.23	<4	8	27	4	1.70	0.29	19	1.19	1113	2	20	398	79	0.46	<5	22	<10	164	1517	<2	35	<10	7	192
253933	202310	<1	5.22	52	295	<2	<1	1.07	5	13	30	2281	4.94	0.65	27	0.87	1060	21	28	705	68	1.62	<5	13	<10	176	1127	<2	59	15	10	678

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
253934	202311	<1	5.89	17	307	<2	<1	1.39	<4	6	23	21	1.67	0.32	19	1.33	989	2	16	377	123	0.31	5	15	<10	153	1472	<2	32	12	6	542
253935	202312	<1	5.78	34	343	<2	<1	1.00	<4	11	24	16	1.65	0.66	15	0.88	548	6	21	337	228	0.62	<5	26	<10	139	1382	<2	32	12	6	524
253936	202313	<1	5.83	15	340	<2	<1	0.82	<4	8	21	16	1.51	0.81	17	0.92	584	3	17	438	17	0.27	<5	21	<10	137	1549	<2	36	<10	6	71
253937	202314	<1	6.99	25	325	<2	<1	1.49	<4	8	22	12	2.16	1.02	22	1.64	1102	2	18	598	7	0.31	<5	24	11	179	1831	<2	38	<10	8	93
253938	202315	<1	6.90	37	361	<2	<1	1.23	<4	8	24	10	1.77	0.57	19	0.89	552	4	16	569	<1	0.47	<5	16	<10	164	1771	<2	37	10	7	56
253939	202316	<1	6.18	27	301	<2	<1	1.09	<4	7	22	18	1.92	0.97	18	1.04	740	3	17	389	3	0.50	<5	18	<10	160	1638	<2	41	<10	6	52
253940	202317	<1	>10.00	13	<1	<2	<1	<0.01	<4	<1	123	434	0.39	<0.01	<1	0.48	196	<1	28	<100	<1	0.09	<5	69	18	26	273	<2	29	<10	<2	149
253941	202318	<1	6.44	56	328	<2	<1	1.09	<4	6	22	17	1.97	0.88	26	1.29	796	3	16	407	91	0.57	5	35	<10	150	1619	<2	35	<10	7	110
253942	202319	17	6.45	33	410	<2	<1	0.65	15	8	18	185	1.56	0.60	22	1.02	529	4	17	383	3977	0.54	25	22	<10	123	1672	<2	32	79	6	6421
253943D	202319	16	6.16	33	402	<2	<1	0.61	14	7	15	176	1.49	0.54	21	0.98	500	2	17	367	3754	0.51	23	20	<10	117	1579	<2	31	70	6	6562
253944	202320	<1	5.28	9	467	<2	<1	2.90	<4	17	64	52	4.24	0.13	13	1.47	824	10	44	664	<1	0.09	6	14	<10	308	3316	<2	124	<10	18	74
253945	202321	5	5.75	16	352	<2	<1	1.41	<4	9	15	17	0.92	0.33	26	1.56	1006	3	27	379	1209	0.21	9	16	<10	132	1563	<2	27	20	5	1287
253946	202322	<1	5.76	13	362	<2	<1	1.68	<4	7	17	4	0.92	0.34	29	1.90	1199	2	19	366	327	0.15	5	23	<10	156	1637	<2	27	15	5	752
253947	202323	<1	6.47	22	300	2	<1	2.12	<4	6	19	13	1.46	0.91	31	1.85	1149	3	18	387	621	0.43	<5	17	<10	117	1605	<2	26	27	6	1511
253948	202324	4	6.51	28	383	2	<1	2.85	7	6	18	149	2.12	0.38	36	3.33	1823	2	15	408	2005	0.54	13	22	<10	143	1748	<2	28	39	6	3058
253949	202325	5	6.37	37	400	<2	<1	1.65	<4	7	23	60	2.22	0.31	23	1.35	839	3	18	552	786	0.82	5	16	<10	127	1892	<2	36	20	7	1300
253950	202326	2	6.57	36	409	<2	<1	1.60	<4	8	24	61	2.13	0.18	23	1.28	804	3	16	584	528	0.74	6	8	<10	123	1960	<2	38	17	7	998
253951	202327	7	7.09	50	396	<2	<1	1.73	9	11	20	73	3.43	0.25	25	1.55	1572	5	19	545	1516	1.10	7	12	<10	138	2166	<2	42	46	8	3539
253952	202328	<1	6.58	43	388	<2	<1	1.43	<4	9	23	28	2.06	0.53	22	1.19	1054	3	16	484	336	0.60	<5	17	<10	148	2015	<2	36	17	7	730
253953	202329	<1	6.74	50	349	<2	<1	0.51	4	8	22	80	1.94	0.42	20	0.79	435	4	17	453	711	0.69	6	22	<10	85	1868	<2	36	24	7	1608

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
253954D	202329	<1	6.90	46	339	<2	<1	0.51	4	7	21	74	1.80	0.02	21	0.77	391	5	15	433	671	0.62	5	15	<10	84	1783	<2	34	20	7	1486
253955	202330	<1	4.86	21	532	<2	<1	2.34	<4	16	54	219	4.20	0.31	13	1.28	748	16	47	637	<1	0.12	<5	15	10	291	2913	<2	111	12	17	73
253956	202331	2	5.59	62	300	<2	<1	0.06	7	7	28	46	1.80	0.31	13	0.40	<100	5	17	321	954	0.57	9	24	<10	57	1443	<2	35	28	7	2383
253957	202332	<1	5.35	50	443	<2	<1	0.09	13	8	28	84	2.02	0.23	11	0.45	116	6	19	346	320	0.71	7	14	<10	57	1393	<2	38	55	7	4196
253958	202333	<1	5.40	34	418	<2	<1	0.03	<4	7	29	13	1.81	0.31	6	0.37	<100	7	17	319	145	0.70	9	18	<10	60	1299	<2	39	<10	6	107
253959	202334	<1	5.06	17	405	<2	<1	0.01	<4	5	26	12	1.16	0.33	9	0.36	<100	7	41	303	167	0.35	<5	18	<10	55	1224	<2	28	12	6	696
253960	202335	<1	6.69	25	531	<2	<1	0.06	<4	8	34	17	1.63	0.76	14	0.50	115	7	45	411	47	0.49	<5	16	<10	64	1631	<2	39	<10	6	144
253961	202336	<1	6.71	32	486	2	<1	0.32	<4	7	31	27	1.35	0.59	12	0.51	144	8	44	491	192	0.38	<5	20	<10	101	1621	<2	35	11	6	166
253962	202337	<1	3.58	17	248	<2	<1	0.29	<4	4	32	8	1.03	0.09	10	0.49	161	7	38	308	77	0.25	<5	19	<10	75	982	<2	20	<10	5	110
253963	202338	8	5.20	23	321	<2	<1	0.29	34	7	28	138	2.45	<0.01	15	0.49	245	9	41	427	4853	0.67	14	19	<10	83	1500	<2	28	169	6	14321
253964	202339	<1	6.93	34	473	<2	<1	0.95	<4	8	25	23	1.90	0.02	21	0.78	481	7	36	433	141	0.67	5	25	<10	145	2003	<2	40	<10	6	524
253965R	202339	<1	6.65	30	456	<2	<1	0.91	<4	8	21	22	1.78	0.17	20	0.75	473	6	33	405	110	0.68	6	33	<10	141	1875	<2	37	13	6	383
253966	202340	<1	5.04	13	466	<2	<1	2.93	<4	18	65	54	4.35	0.70	11	1.49	843	9	51	688	<1	0.10	<5	15	28	307	3272	<2	126	<10	17	81
253967	202341	<1	7.53	26	445	<2	<1	1.72	<4	9	33	43	1.90	0.85	23	1.21	1025	7	49	608	64	0.37	<5	21	<10	190	1979	<2	40	<10	7	126
253968	202342	<1	6.65	27	354	<2	<1	1.37	<4	7	28	67	2.19	0.80	23	1.01	770	7	41	521	221	0.63	<5	16	<10	167	1768	<2	32	20	6	690
253969	202343	<1	7.02	25	360	<2	<1	1.45	<4	6	21	33	1.54	0.82	23	1.08	827	5	30	621	176	0.34	<5	29	<10	185	1784	<2	34	13	6	971
253970	202344	<1	6.50	23	262	<2	<1	1.10	<4	7	22	7	1.32	0.70	18	0.82	497	6	33	508	109	0.34	<5	13	<10	154	1633	<2	29	<10	6	129
253971	202345	9	5.70	28	282	<2	<1	0.38	17	6	25	140	2.18	<0.01	17	0.54	268	8	37	436	4601	0.62	16	22	<10	102	1603	<2	26	80	6	6914
253972	202346	9	6.39	30	319	<2	<1	0.42	17	7	27	194	2.49	0.21	19	0.56	295	8	39	470	4403	0.72	18	20	<10	105	1701	<2	27	82	6	6558
253973	202347	<1	6.56	28	298	<2	<1	1.15	<4	6	29	52	1.47	0.11	19	0.89	735	9	43	493	400	0.29	7	19	<10	157	1671	<2	31	22	7	1265

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
253974	202348	1	4.89	28	339	<2	<1	1.00	<4	6	15	28	1.59	<0.01	18	0.87	508	4	25	421	351	0.49	<5	10	<10	127	1506	<2	25	20	6	1370
253975	202349	9	5.37	24	404	<2	<1	1.50	9	6	30	52	2.26	0.32	23	0.91	604	8	37	521	1740	0.63	12	23	<10	100	1436	<2	29	49	7	3606
253976D	202349	6	4.90	25	383	<2	<1	1.41	9	6	28	50	2.13	0.02	22	0.87	572	6	33	492	1658	0.63	7	18	<10	94	1367	<2	27	48	6	3430
253977	202350	52	5.20	9	391	<2	<1	2.78	6	14	35	91	4.69	0.40	7	1.22	824	10	30	524	7824	0.13	81	5	12	270	2594	<2	124	11	17	357
253978	202401	6	4.69	21	242	<2	<1	0.61	<4	6	28	16	1.67	0.19	16	0.61	312	6	38	396	1045	0.42	8	15	<10	115	1399	<2	28	17	6	1230
253979	202402	3	5.69	20	294	<2	<1	0.44	<4	7	21	26	2.10	0.69	16	0.50	204	6	35	469	1997	0.75	7	13	11	115	1609	<2	30	21	5	1288
253980	202407	1	6.32	28	615	<2	<1	1.44	<4	7	20	71	2.21	0.55	25	1.22	613	5	30	506	1114	0.73	6	20	<10	141	1810	<2	32	20	6	1077
253981	202408	<1	6.41	34	1353	2	<1	2.17	<4	7	20	93	2.02	0.49	23	1.45	1029	5	26	466	255	0.61	5	23	<10	190	1720	<2	29	22	6	1217
253982	202409	<1	7.31	23	2801	<2	<1	3.39	<4	6	21	41	1.74	0.82	20	2.16	1293	2	31	439	53	0.38	<5	21	<10	358	1902	<2	30	<10	6	126
253983	202410	<1	4.50	5	462	<2	<1	2.64	<4	16	58	47	3.86	0.85	10	1.37	769	7	44	611	<1	0.08	<5	7	<10	280	2972	<2	113	<10	16	58
253984	202411	<1	6.27	17	628	<2	<1	1.71	<4	6	19	43	1.33	0.59	20	1.39	881	4	26	341	174	0.24	<5	24	<10	150	1740	<2	26	11	6	178
253985	202412	<1	6.45	20	1019	<2	<1	2.28	<4	6	23	43	1.44	0.42	20	1.55	1091	5	32	344	23	0.27	<5	22	<10	148	1755	<2	26	<10	6	62
253986	202413	<1	5.28	87	1038	<2	<1	3.95	<4	4	21	73	1.65	0.37	13	2.17	1659	4	26	281	362	0.15	<5	12	<10	168	1412	4	20	<10	6	242
253987D	202413	<1	5.61	105	1112	<2	<1	4.18	<4	5	19	76	1.72	0.80	14	2.33	1784	3	28	297	368	0.18	5	9	<10	176	1499	<2	21	<10	6	233
253988	202414	<1	5.82	12	1825	<2	<1	3.45	<4	5	20	73	1.71	0.19	15	2.09	1409	2	30	316	236	0.18	<5	17	<10	182	1512	<2	22	<10	6	293
253989	202415	<1	6.18	8	1066	2	<1	2.92	<4	5	20	83	1.68	0.48	18	1.61	1159	4	31	281	824	0.21	6	19	<10	207	1549	<2	22	16	6	1150
253990	202416	1	6.96	5	1065	2	<1	3.41	4	6	20	108	1.95	0.47	20	1.92	1413	2	29	305	1510	0.24	<5	29	<10	224	1746	<2	25	25	6	1511
253991	202417	<1	6.09	17	662	2	<1	2.18	<4	6	25	44	1.53	0.60	23	1.42	769	6	38	315	218	0.29	5	22	<10	177	1477	<2	25	<10	6	284
253992	202418	<1	6.04	22	661	<2	<1	2.17	<4	5	20	18	1.51	0.90	21	1.46	913	1	30	321	183	0.33	<5	11	<10	179	1487	<2	25	11	6	310
253993	202419	<1	6.44	8	697	<2	<1	1.84	<4	5	23	23	1.36	0.64	23	1.46	782	5	35	326	86	0.20	<5	16	<10	162	1628	<2	25	<10	6	197

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 01/06/2015
Job #: 201443229
Reference: TL14-375
Sample #: 158

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
253994	202420	<1	5.79	51	276	<2	<1	1.18	5	14	32	2284	5.17	0.45	29	0.93	1118	23	32	734	68	1.60	6	15	<10	184	1171	<2	61	14	10	603
253995	202421	<1	4.82	9	490	<2	<1	1.53	<4	4	36	56	1.18	0.60	16	1.22	601	5	14	228	47	0.11	6	18	<10	118	1299	<2	19	<10	5	83
253996	202422	<1	7.35	10	736	<2	<1	2.81	<4	6	25	27	1.82	0.75	27	2.22	1394	5	15	329	85	0.26	<5	16	<10	162	1700	<2	26	<10	6	176
253997	202423	<1	6.24	10	621	<2	<1	1.56	<4	6	24	18	1.51	0.24	23	1.78	708	6	15	341	3	0.12	<5	18	<10	112	1745	<2	27	<10	5	66
253998D	202423	<1	6.08	2	599	<2	<1	1.49	<4	5	22	17	1.44	0.57	23	1.70	666	7	14	328	3	0.11	<5	25	<10	109	1675	<2	26	<10	5	60
253999	202424	<1	6.49	7	634	<2	<1	2.02	<4	6	22	134	1.59	0.13	24	1.67	696	5	14	331	258	0.28	<5	25	<10	133	1662	<2	25	12	6	500
254000	202425	<1	6.95	9	660	<2	<1	1.58	<4	5	21	43	1.36	0.75	26	1.51	651	6	12	336	121	0.18	<5	13	<10	117	1737	<2	25	13	6	619
254001	202426	5	6.26	14	583	<2	<1	1.49	<4	5	28	19	1.52	0.72	30	1.47	681	7	13	335	2195	0.26	<5	24	<10	121	1599	<2	25	15	6	859
254002	202427	<1	5.92	12	505	<2	<1	2.21	11	6	20	83	1.77	0.98	20	1.45	927	5	15	338	366	0.44	6	22	<10	124	1534	<2	23	51	6	3916
254003	202428	<1	6.01	11	509	<2	<1	1.56	<4	7	25	102	1.33	0.78	20	1.08	523	5	12	342	228	0.19	<5	16	<10	111	1676	<2	24	<10	5	212
254004	202429	<1	7.48	13	624	<2	<1	2.07	<4	6	24	45	1.56	0.91	27	1.47	631	5	14	370	30	0.23	<5	20	<10	124	1912	<2	28	10	6	145
254005	202430	<1	4.86	11	452	<2	<1	2.83	<4	17	61	52	4.15	0.74	11	1.45	809	7	46	654	<1	0.08	<5	9	<10	298	3193	<2	121	<10	17	61
254006	202431	<1	5.52	8	637	<2	<1	6.04	<4	5	18	36	2.19	0.64	16	4.24	2535	<1	13	414	291	0.14	<5	19	<10	128	1469	<2	25	11	6	288

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, December 23, 2014

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 12/23/2014
Job #: 201443230
Reference: TL14-375
Sample #: 4

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
254007	202403	0.755	0.782	5.328	0.870	2.22%	48.15
254008	202404	4.347	3.475	331.841	8.223	1.31%	28.95
254009	202405	8.708	8.762	57.660	9.337	1.23%	27.65
254010	202406	1.908	1.444	18.525	2.001	1.93%	42.45

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALPM1, ALPM4

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, January 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/16/2014
Date Completed: 12/24/2014
Job #: 201443230
Reference: TL14-375
Sample #: 4

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
254007	202403	5	4.57	21	355	<2	7	0.45	<4	8	148	279	1.52	0.13	17	0.49	226	<1	11	373	1917	0.08	14	14	12	92	1747	<2	34	18	5	1111
254008	202404	10	4.34	37	301	<2	<1	0.91	22	6	291	858	2.58	0.16	13	0.76	457	3	11	395	4626	0.11	23	17	<10	109	1211	<2	23	94	6	10409
254009	202405	26	3.99	138	935	<2	<1	1.23	62	6	335	2276	5.01	<0.01	14	1.09	678	5	9	417	13503	0.25	128	7	17	116	1076	<2	21	236	6	33627
254010	202406	7	4.56	36	326	<2	23	1.39	11	6	199	498	2.41	0.14	22	1.72	627	<1	11	466	2843	0.10	21	23	13	137	1586	<2	26	59	6	4954

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALPM1, ALPM4, ALZnMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/07/2015
Date Completed: 01/13/2015
Job #: 201540048
Reference: 201443229
Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
3527	202293	8512	8146	157500	11388	2.05%	20.52
3528	202332	6668	6456	16627	6988	4.23%	42.62

PROCEDURE CODES: ALPM1

Certified By: Andrew Oleski, Instrumentation Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14376

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Au g/t (ppm)
254293	202432	<0.005
254294	202433	0.035
254295	202434	0.046
254296	202435	0.101
254297	202436	0.120
254298	202437	0.151
254299	202438	0.008
254300	202439	0.045
254301	202440	1.551
254302	202441	0.215
254303	202441 Dup	0.243
254304	202442	0.086
254305	202443	0.020
254306	202444	0.017
254307	202445	0.029
254308	202446	0.606
254309	202447	0.544
254310	202448	0.034
254311	202449	0.032
254312	202450	<0.005
254313	202451	0.011
254314	202451 Dup	0.010
254315	202452	0.023
254316	202453	0.010
254317	202454	0.028

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Au g/t (ppm)
254318	202455	0.027
254319	202456	0.021
254320	202457	0.061
254321	202458	0.061
254322	202459	0.047
254323	202460	<0.005
254324	202461	0.054
254325	202461 Dup	0.081
254326	202462	0.017
254327	202463	0.064
254328	202464	0.105
254329	202465	0.168
254330	202466	0.112
254331	202467	0.020
254332	202468	0.085
254333	202469	0.207
254334	202470	4.525
254335	202471	0.015
254336	202471 Dup	0.014
254337	202472	0.011
254338	202473	0.110
254339	202474	0.048
254340	202475	0.103
254341	202476	0.012
254342	202477	0.011

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Au g/t (ppm)
254343	202478	0.033
254344	202479	0.027
254345	202480	<0.005
254346	202481	0.160
254347	202481 Dup	0.147
254348	202482	0.070
254349	202483	0.061
254350	202484	0.016
254351	202485	0.005
254352	202486	0.005
254353	202487	<0.005
254354	202488	0.072
254355	202489	0.028
254356	202490	0.395
254357	202491	0.022
254358	202491 Rep	0.025
254359	202492	0.040
254360	202493	0.028
254361	202494	0.095
254362	202495	0.105
254363	202496	0.109
254364	202497	0.014
254365	202498	0.070
254366	202499	0.750
254367	202500	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Au g/t (ppm)
254368	363001	0.111
254369	363001 Dup	0.123
254370	363002	0.059
254371	363003	0.470
254372	363004	0.313
254373	363005	0.453
254374	363006	0.842
254375	363007	0.605
254376	363008	0.147
254377	363009	0.144
254378	363010	1.469
254379	363011	0.035
254380	363011 Dup	0.039
254381	363012	0.101
254382	363013	0.028
254383	363014	0.008
254384	363015	0.040
254385	363016	0.151
254386	363017	0.443
254387	363018	0.031
254388	363019	0.082
254389	363020	<0.005
254390	363021	0.027
254391	363021 Dup	0.026
254392	363022	0.129

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Au g/t (ppm)
254393	363023	0.145
254394	363024	0.109
254395	363025	0.041
254396	363026	0.084
254397	363027	0.053
254398	363028	0.017
254399	363029	0.033
254400	363030	4.872
254401	363031	0.062
254402	363031 Dup	0.058
254403	363032	0.019
254404	363033	0.022
254405	363034	0.021
254406	363035	2.345
254407	363036	0.117
254408	363037	0.037
254409	363038	0.213
254410	363039	0.343
254411	363040	<0.005
254412	363041	0.280
254413	363041 Dup	0.282
254414	363042	0.213
254415	363043	0.543
254416	363044	0.101
254417	363045	0.221

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Au g/t (ppm)
254418	363046	0.114
254419	363047	0.124
254420	363048	0.063
254421	363049	0.066
254422	363050	0.286
254423	363051	0.816
254424	363051 Rep	0.750
254425	363052	0.067
254426	363053	0.038
254427	363054	0.038
254428	363055	0.018
254429	363056	0.034
254430	363057	0.147
254431	363058	0.134
254432	363059	0.037
254433	363060	0.007
254434	363061	0.290
254435	363061 Dup	0.299
254436	363062	0.044
254437	363063	0.081
254438	363064	0.042
254439	363065	0.078
254440	363066	0.041
254441	363067	0.069
254442	363068	0.057

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Au g/t (ppm)
254443	363069	0.028
254444	363070	1.515
254445	363071	0.047
254446	363071 Dup	0.051
254447	363072	0.021
254448	363073	0.035
254449	363074	No Sample Received

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.825	0.886	0.071
GS35	0.894	0.886	0.071
GS35	0.803	0.886	0.071
GS35	0.864	0.886	0.071
GS35	0.835	0.886	0.071
GS35	0.881	0.886	0.071
GS35	0.853	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Andrew Oleski, Instrumentation Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
254293	202432	<1	4.55	7	329	<2	<1	1.53	<4	7	39	25	1.67	0.17	17	1.12	620	<1	17	457	39	0.12	<5	<5	<10	237	2002	<2	36	<10	7	120
254294	202433	<1	4.21	17	396	<2	<1	1.24	<4	9	29	13	1.87	0.03	19	1.23	690	<1	17	468	392	0.23	<5	<5	<10	205	2171	<2	41	<10	7	268
254295	202434	<1	4.76	18	443	<2	2	1.39	5	11	34	131	2.42	0.34	20	1.49	811	<1	20	506	637	0.31	<5	<5	<10	227	2306	<2	45	17	8	1323
254296	202435	4	5.03	7	626	<2	<1	1.85	8	8	30	339	2.19	0.27	21	1.71	941	<1	20	510	1256	0.21	5	<5	<10	253	2355	<2	44	30	8	2191
254297	202436	3	4.58	6	549	<2	<1	1.68	8	9	35	286	2.16	0.17	19	1.68	925	<1	19	498	1358	0.18	<5	<5	<10	236	2258	<2	42	31	8	2286
254298	202437	3	4.89	16	586	<2	<1	1.96	9	10	37	362	2.42	<0.01	19	1.62	889	<1	19	517	1567	0.25	<5	<5	<10	268	2342	<2	44	37	8	2633
254299	202438	<1	5.78	9	587	<2	<1	1.96	<4	10	35	28	2.24	0.07	19	1.15	712	<1	21	574	66	0.12	<5	<5	<10	228	2603	<2	49	<10	8	295
254300	202439	<1	4.61	25	688	<2	<1	1.64	<4	6	45	13	1.45	<0.01	13	1.12	698	<1	16	442	121	0.14	<5	<5	<10	99	1755	<2	29	<10	6	236
254301	202440	<1	2.85	17	459	<2	<1	1.73	<4	14	56	212	3.68	0.07	3	1.14	713	5	47	600	<1	0.07	5	<5	<10	211	2738	<2	98	<10	13	73
254302	202441	1	3.86	19	567	<2	<1	1.59	<4	7	29	54	1.66	<0.01	10	0.92	563	<1	15	426	252	0.31	<5	<5	<10	106	1798	<2	30	10	5	468
254303D	202441	2	4.97	19	653	<2	<1	1.86	<4	8	32	60	1.81	<0.01	15	1.03	626	<1	16	480	275	0.30	<5	<5	<10	119	1996	<2	33	10	6	521
254304	202442	<1	4.90	14	622	<2	2	1.56	<4	7	28	41	1.72	<0.01	15	1.19	617	<1	17	494	71	0.21	<5	5	<10	134	2117	<2	35	<10	6	359
254305	202443	<1	4.28	9	553	<2	<1	1.84	<4	7	40	30	1.65	<0.01	12	1.16	559	<1	17	505	46	0.13	<5	<5	<10	167	1983	<2	33	<10	6	124
254306	202444	<1	3.27	16	313	<2	2	1.45	<4	5	45	24	1.34	<0.01	6	0.90	440	<1	15	359	27	0.07	<5	<5	<10	129	1405	<2	24	<10	5	71
254307	202445	<1	5.26	42	621	<2	1	2.16	<4	7	26	38	2.03	<0.01	14	1.67	855	<1	18	665	35	0.17	<5	<5	<10	160	2072	<2	38	11	7	467
254308	202446	1	4.33	18	486	<2	<1	0.15	<4	6	22	31	1.09	<0.01	7	0.53	141	<1	15	279	24	0.18	<5	<5	<10	66	1393	<2	25	<10	5	107
254309	202447	2	4.49	15	537	<2	<1	0.65	<4	5	24	23	0.97	<0.01	10	0.76	251	<1	13	263	31	0.17	<5	<5	<10	97	1370	<2	22	<10	5	93
254310	202448	<1	4.71	21	485	<2	<1	1.37	<4	5	27	16	1.14	<0.01	10	0.99	333	<1	14	296	17	0.09	<5	<5	<10	136	1393	<2	22	<10	5	66
254311	202449	<1	4.45	12	597	<2	<1	0.90	<4	4	25	11	1.12	<0.01	14	1.17	483	<1	12	261	6	0.25	<5	<5	<10	155	1210	3	17	<10	4	48
254312	202450	<1	3.17	9	393	<2	<1	2.13	<4	14	62	51	3.63	0.04	3	1.32	764	<1	45	620	<1	0.05	<5	<5	<10	223	3007	<2	108	<10	14	70

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
254313	202451	<1	4.42	17	468	<2	2	1.11	<4	4	23	11	1.19	0.05	14	1.09	777	<1	13	283	20	0.20	<5	<5	<10	152	1304	<2	19	<10	5	124
254314D	202451	<1	3.65	12	499	<2	1	1.11	<4	3	24	10	1.12	<0.01	14	1.00	753	<1	11	270	20	0.21	5	<5	28	147	1252	3	18	<10	4	127
254315	202452	<1	4.40	7	470	<2	<1	1.12	<4	4	25	11	0.97	<0.01	13	0.96	928	<1	12	248	27	0.09	<5	<5	<10	122	1141	<2	16	<10	4	115
254316	202453	<1	3.26	7	443	<2	<1	1.14	<4	3	22	8	0.90	0.10	6	0.93	1415	<1	11	216	23	0.05	<5	<5	<10	120	981	<2	15	<10	4	77
254317	202454	<1	2.52	14	170	<2	<1	6.06	4	42	1003	52	4.85	<0.01	10	7.39	1902	<1	428	4400	13	0.17	<5	6	<10	224	3963	2	106	<10	25	189
254318	202455	<1	4.52	6	664	<2	2	1.18	<4	5	32	18	1.21	<0.01	11	0.99	1757	<1	17	293	402	0.08	<5	<5	<10	152	1228	<2	23	<10	4	383
254319	202456	<1	4.10	10	634	<2	2	1.03	<4	4	32	15	1.00	<0.01	9	0.83	1386	<1	13	208	176	0.08	<5	<5	<10	120	1084	<2	16	<10	4	284
254320	202457	<1	4.09	15	521	<2	<1	1.40	<4	4	28	52	1.24	<0.01	8	1.12	2024	<1	13	256	219	0.13	<5	<5	<10	133	1135	<2	16	<10	4	496
254321	202458	<1	4.00	12	612	<2	2	0.92	<4	6	25	13	1.16	<0.01	5	0.81	1451	<1	13	257	119	0.19	<5	5	<10	121	1135	<2	18	<10	4	214
254322	202459	<1	5.20	12	726	<2	<1	0.68	<4	5	30	12	1.07	<0.01	9	0.69	979	<1	15	304	72	0.16	5	<5	10	118	1450	<2	21	<10	5	138
254323	202460	<1	2.75	9	375	<2	<1	2.07	<4	14	61	48	3.55	<0.01	2	1.28	751	<1	44	613	<1	0.04	5	<5	<10	215	2949	<2	105	<10	13	64
254324	202461	<1	4.12	14	560	<2	2	0.65	<4	5	19	26	1.03	0.09	6	0.67	955	<1	12	262	89	0.22	5	<5	<10	92	1195	<2	17	<10	4	219
254325D	202461	<1	3.62	13	562	<2	<1	0.61	<4	4	20	26	1.00	<0.01	6	0.63	891	<1	12	244	90	0.21	<5	<5	<10	88	1171	<2	17	<10	4	224
254326	202462	<1	4.36	10	737	<2	<1	1.13	<4	4	23	15	1.08	<0.01	10	0.81	1350	<1	13	278	11	0.14	<5	5	<10	114	1296	<2	19	<10	4	64
254327	202463	<1	4.14	12	811	<2	<1	1.02	<4	4	25	29	1.04	<0.01	6	0.83	1581	<1	12	257	105	0.19	<5	<5	<10	104	1210	<2	18	<10	4	285
254328	202464	<1	3.81	18	784	<2	2	0.87	<4	4	30	28	1.05	<0.01	6	0.80	1210	<1	11	237	389	0.20	<5	<5	<10	94	1087	<2	17	<10	4	487
254329	202465	<1	4.32	26	738	<2	<1	0.09	<4	4	32	18	1.20	<0.01	2	0.41	283	<1	13	268	234	0.22	6	<5	10	97	1138	<2	19	10	4	679
254330	202466	<1	4.13	27	697	<2	<1	0.12	<4	4	21	15	1.16	<0.01	2	0.42	335	<1	12	266	166	0.24	<5	<5	<10	97	1107	<2	18	<10	4	310
254331	202467	<1	4.09	22	738	<2	<1	0.84	<4	7	50	16	1.50	<0.01	7	0.96	834	<1	21	314	901	0.19	7	<5	<10	133	1255	<2	27	<10	6	667
254332	202468	<1	4.47	6	535	2	<1	1.42	<4	17	139	57	3.39	<0.01	15	1.67	1019	<1	66	461	130	0.29	<5	<5	<10	135	1939	<2	81	<10	11	262

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
254333	202469	<1	3.88	6	470	<2	<1	1.04	<4	21	157	46	3.68	<0.01	15	1.65	806	<1	69	516	31	0.26	<5	<5	<10	129	2669	<2	87	<10	11	94
254334	202470	124	3.81	19	377	<2	<1	2.42	7	15	43	101	4.76	<0.01	<1	1.27	905	<1	33	582	16954	0.08	104	<5	11	223	2717	<2	127	<10	16	339
254335	202471	<1	3.75	7	465	2	2	1.26	<4	18	139	36	3.44	<0.01	9	1.35	621	<1	63	481	21	0.11	<5	<5	<10	132	2896	<2	82	<10	8	74
254336D	202471	<1	3.69	4	476	<2	1	1.28	<4	19	142	36	3.48	<0.01	9	1.35	621	<1	62	484	12	0.12	<5	<5	<10	132	2910	<2	84	<10	8	76
254337	202472	<1	3.44	4	423	<2	<1	1.00	<4	22	162	46	3.59	<0.01	11	1.33	637	<1	72	489	7	0.13	<5	<5	<10	102	3043	<2	94	<10	9	54
254338	202473	<1	3.54	5	372	<2	<1	1.05	<4	21	159	49	3.70	<0.01	11	1.38	655	<1	67	509	15	0.14	<5	<5	<10	96	3024	<2	88	<10	9	97
254339	202474	1	3.97	24	396	<2	1	0.44	<4	12	54	28	1.56	<0.01	7	0.72	329	<1	30	501	115	0.18	<5	<5	<10	68	1772	<2	40	<10	7	346
254340	202475	2	4.47	33	388	<2	<1	0.30	<4	12	30	35	0.86	<0.01	5	0.54	315	<1	22	639	67	0.13	<5	9	<10	63	2031	3	34	<10	5	333
254341	202476	<1	4.76	12	358	<2	<1	1.77	<4	8	35	16	1.38	<0.01	6	1.02	631	<1	16	685	4	0.08	<5	<5	<10	103	2239	<2	39	<10	6	50
254342	202477	<1	5.57	28	419	<2	<1	2.10	<4	9	19	19	1.43	<0.01	10	1.01	545	<1	16	744	11	0.20	<5	<5	<10	116	2355	<2	39	<10	7	50
254343	202478	<1	4.74	35	379	<2	2	0.77	<4	12	15	7	1.00	<0.01	9	0.85	578	<1	21	678	5	0.15	<5	<5	<10	73	2249	<2	38	<10	6	95
254344	202479	<1	4.90	21	377	<2	<1	1.88	<4	10	21	15	1.21	<0.01	9	1.00	630	<1	21	644	2	0.12	<5	<5	<10	114	2154	<2	37	<10	6	46
254345	202480	<1	2.59	4	376	<2	<1	2.03	<4	15	61	46	3.56	<0.01	<1	1.29	754	<1	43	613	<1	0.04	<5	<5	<10	207	2919	<2	105	<10	13	67
254346	202481	<1	4.32	20	403	<2	<1	1.51	<4	9	33	190	1.52	<0.01	5	0.69	512	<1	21	470	187	0.29	<5	<5	<10	146	1813	<2	42	<10	7	428
254347D	202481	2	5.21	20	455	<2	<1	1.70	<4	10	37	209	1.66	<0.01	7	0.75	560	<1	23	518	199	0.32	6	6	<10	161	2001	<2	45	10	7	565
254348	202482	<1	5.46	22	521	<2	2	1.52	4	10	36	158	1.95	<0.01	9	0.80	567	<1	25	530	96	0.38	<5	<5	10	162	1947	<2	45	15	7	1069
254349	202483	1	4.63	14	621	<2	1	1.72	<4	6	20	50	1.81	<0.01	8	1.07	602	<1	17	655	29	0.24	5	<5	<10	146	1974	<2	37	<10	6	130
254350	202484	<1	5.34	11	637	<2	<1	1.76	<4	9	19	29	2.02	<0.01	11	1.18	684	<1	18	723	30	0.17	<5	5	<10	136	2304	<2	39	<10	7	200
254351	202485	<1	3.65	12	553	<2	2	1.32	<4	6	17	9	1.40	<0.01	4	0.95	459	<1	15	615	7	0.17	<5	<5	<10	129	1814	<2	31	<10	6	50
254352	202486	<1	2.42	9	445	<2	<1	1.01	<4	5	14	8	1.23	<0.01	3	0.77	390	<1	13	501	9	0.18	<5	<5	<10	112	1629	<2	27	<10	5	47

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
254353	202487	<1	5.52	8	658	2	2	2.05	<4	12	53	29	2.35	0.07	16	1.56	619	<1	27	834	8	0.27	<5	<5	<10	168	2665	<2	49	<10	7	110
254354	202488	<1	4.88	21	638	<2	<1	0.98	<4	7	28	21	1.57	<0.01	14	1.04	437	<1	18	642	18	0.27	<5	<5	<10	88	2216	<2	34	<10	6	132
254355	202489	<1	4.96	24	657	<2	1	1.63	<4	6	20	8	1.59	<0.01	10	1.24	689	<1	15	652	42	0.29	<5	<5	<10	121	2190	<2	34	<10	6	77
254356	202490	<1	4.10	52	261	<2	<1	0.91	6	14	37	2371	4.94	<0.01	15	0.88	1143	11	31	742	67	1.18	<5	<5	<10	143	1146	<2	58	18	8	590
254357	202491	<1	4.10	17	699	<2	<1	1.45	<4	6	36	7	1.61	<0.01	10	1.26	653	<1	17	603	52	0.16	6	<5	<10	124	2006	<2	32	<10	5	61
254358R	202491	<1	5.02	22	777	<2	2	1.61	<4	6	56	10	1.92	<0.01	13	1.39	727	3	17	672	52	0.18	6	<5	<10	136	2282	<2	36	<10	6	71
254359	202492	<1	5.40	22	638	<2	<1	1.32	<4	6	25	33	1.75	0.16	18	1.34	739	<1	17	704	267	0.28	<5	<5	<10	129	2354	<2	36	<10	6	339
254360	202493	<1	4.54	16	498	<2	<1	1.41	<4	5	29	8	1.44	<0.01	13	1.43	898	<1	17	607	23	0.17	<5	<5	<10	132	1996	<2	33	<10	6	98
254361	202494	<1	4.71	12	361	<2	2	0.68	<4	4	36	28	1.02	<0.01	6	0.65	510	<1	14	585	47	0.11	<5	<5	<10	110	1793	<2	31	<10	5	106
254362	202495	<1	4.68	16	377	<2	1	0.90	<4	6	31	15	1.20	<0.01	5	0.79	661	<1	14	547	137	0.15	<5	<5	<10	126	1720	<2	30	11	5	618
254363	202496	<1	5.03	14	380	<2	2	0.97	<4	5	20	20	1.04	<0.01	9	0.81	617	<1	15	484	7	0.11	<5	<5	<10	135	1921	<2	34	<10	5	60
254364	202497	<1	3.75	12	229	<2	<1	0.74	<4	4	42	57	0.76	<0.01	2	0.59	503	<1	16	359	19	0.08	<5	<5	<10	117	1239	<2	20	<10	5	82
254365	202498	<1	5.35	16	459	<2	1	1.50	<4	7	22	37	1.54	0.12	10	1.07	902	<1	15	475	13	0.21	<5	<5	<10	171	2049	<2	32	<10	5	73
254366	202499	<1	4.68	15	390	<2	3	1.54	<4	5	27	17	1.54	<0.01	6	1.05	947	<1	14	471	1	0.17	5	<5	<10	163	1851	<2	31	<10	5	65
254367	202500	<1	2.65	7	367	<2	<1	2.08	<4	14	58	48	3.56	<0.01	3	1.30	755	<1	45	607	<1	0.05	<5	<5	<10	216	2967	<2	106	<10	14	69
254368	363001	<1	0.33	9	151	<2	<1	0.41	<4	3	22	25	0.70	0.09	3	0.32	296	<1	9	204	8	0.09	<5	<5	<10	59	760	<2	14	<10	3	76
254369D	363001	<1	0.25	8	162	<2	<1	0.36	<4	4	23	30	0.92	<0.01	<1	0.39	372	<1	12	258	12	0.11	<5	<5	<10	73	893	<2	18	<10	3	99
254370	363002	<1	2.68	6	348	<2	<1	0.89	<4	7	21	17	1.85	<0.01	9	0.66	633	<1	18	421	4	0.11	<5	<5	<10	125	1966	<2	33	<10	4	82
254371	363003	<1	5.28	32	493	<2	2	0.83	<4	9	24	69	2.32	0.01	10	0.77	880	<1	22	566	15	0.29	<5	<5	<10	123	2193	<2	40	<10	6	192
254372	363004	<1	5.17	30	414	<2	<1	0.69	<4	9	38	118	2.29	<0.01	12	0.94	967	<1	22	574	86	0.30	7	<5	<10	116	1965	<2	37	<10	6	568

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
254373	363005	<1	4.67	36	463	<2	<1	0.94	<4	21	28	61	2.28	<0.01	13	1.01	1098	<1	39	540	59	0.30	<5	<5	<10	116	2091	<2	37	<10	6	361
254374	363006	<1	3.90	34	417	<2	2	0.76	<4	20	24	95	2.05	<0.01	10	0.93	1001	<1	36	516	78	0.30	5	<5	<10	103	1929	<2	34	<10	6	303
254375	363007	4	3.49	30	435	<2	<1	0.78	<4	10	23	71	1.70	<0.01	6	0.84	715	<1	20	426	809	0.42	6	<5	<10	88	1667	<2	32	11	5	968
254376	363008	1	2.86	29	343	<2	<1	0.42	<4	8	21	14	1.45	<0.01	5	0.70	680	<1	17	332	178	0.40	<5	<5	<10	66	1357	<2	25	<10	5	372
254377	363009	<1	1.59	21	301	<2	<1	0.35	<4	6	16	3	1.19	<0.01	1	0.66	378	<1	15	265	20	0.32	<5	<5	<10	62	1132	<2	20	<10	3	58
254378	363010	<1	1.00	13	336	<2	<1	1.22	<4	10	43	153	2.88	<0.01	<1	0.91	550	2	38	467	<1	0.06	<5	<5	<10	156	2011	<2	76	<10	10	58
254379	363011	<1	1.39	19	270	<2	<1	0.46	<4	6	23	7	1.14	<0.01	2	0.72	494	<1	15	278	8	0.26	<5	<5	<10	73	1121	<2	23	<10	4	62
254380D	363011	<1	2.08	23	289	<2	<1	0.54	<4	7	26	6	1.21	<0.01	3	0.76	536	<1	17	310	13	0.28	<5	<5	<10	80	1201	<2	24	<10	4	71
254381	363012	<1	0.45	23	206	<2	<1	0.26	<4	6	21	3	1.37	<0.01	<1	0.60	363	<1	14	272	100	0.39	<5	<5	<10	67	839	<2	22	<10	4	96
254382	363013	<1	1.45	10	197	<2	1	0.24	<4	6	19	13	1.09	<0.01	1	0.70	397	<1	14	306	21	0.18	<5	<5	<10	71	958	<2	25	<10	4	52
254383	363014	<1	1.45	9	174	<2	<1	0.41	<4	3	11	2	0.49	<0.01	<1	0.85	385	<1	11	263	18	0.06	<5	<5	<10	72	1044	<2	18	<10	3	46
254384	363015	<1	4.48	18	349	<2	<1	1.14	<4	6	18	3	0.79	<0.01	7	1.26	634	<1	18	417	18	0.10	<5	<5	<10	120	1514	<2	27	<10	5	37
254385	363016	<1	0.24	19	209	<2	<1	0.36	<4	5	11	3	1.45	<0.01	<1	0.68	394	<1	15	219	16	0.40	<5	<5	<10	50	764	<2	16	<10	3	317
254386	363017	<1	2.77	24	285	<2	<1	0.52	<4	6	13	10	1.08	<0.01	3	1.15	496	<1	18	314	18	0.25	5	<5	<10	77	1270	<2	22	<10	4	184
254387	363018	<1	0.25	14	150	<2	<1	0.61	<4	5	7	4	1.50	<0.01	<1	1.04	568	<1	13	224	11	0.47	<5	<5	<10	63	893	<2	16	<10	3	96
254388	363019	1	0.28	13	168	<2	<1	0.26	<4	7	10	7	0.82	<0.01	<1	0.56	266	<1	16	199	60	0.22	<5	<5	<10	44	880	<2	15	<10	3	178
254389	363020	<1	1.32	7	296	<2	<1	1.56	<4	12	50	37	2.91	<0.01	<1	1.07	610	<1	37	494	<1	0.05	<5	<5	<10	165	2184	<2	85	<10	11	62
254390	363021	<1	4.33	17	419	<2	1	0.95	<4	8	21	5	1.03	<0.01	7	1.05	516	<1	23	357	87	0.28	<5	6	<10	93	1511	<2	25	<10	5	383
254391D	363021	<1	4.35	18	423	<2	<1	0.95	<4	9	20	4	1.04	<0.01	7	1.05	518	<1	24	343	93	0.27	<5	<5	10	93	1528	<2	25	<10	5	413
254392	363022	2	4.19	54	369	<2	<1	1.95	6	16	119	36	3.17	<0.01	8	1.32	959	<1	54	469	918	1.06	8	<5	<10	86	1959	<2	63	18	10	1446

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
254393	363023	1	3.87	60	407	2	<1	1.64	4	21	145	53	3.61	0.17	9	1.37	1138	<1	67	493	356	1.10	6	<5	<10	130	2263	<2	78	10	12	780
254394	363024	2	4.67	66	428	2	<1	2.21	<4	20	160	43	3.68	<0.01	6	1.54	1952	<1	68	553	274	1.14	<5	<5	29	132	2400	6	81	10	13	597
254395	363025	<1	4.60	29	425	<2	<1	1.47	<4	12	65	24	2.48	<0.01	6	1.25	1186	<1	38	453	44	0.74	<5	5	10	121	1944	<2	50	<10	8	142
254396	363026	<1	4.51	29	439	2	1	1.47	<4	13	67	25	2.46	<0.01	8	1.22	1152	<1	36	454	31	0.67	<5	<5	<10	124	1935	<2	50	<10	8	107
254397	363027	<1	5.19	25	641	2	<1	1.28	<4	14	76	25	2.63	<0.01	15	1.10	940	<1	45	517	22	0.65	<5	<5	<10	130	2233	<2	56	<10	10	108
254398	363028	<1	5.37	19	737	2	2	1.03	<4	11	36	14	2.43	<0.01	11	1.00	665	<1	29	565	12	0.74	5	<5	<10	155	2312	<2	47	<10	7	52
254399	363029	<1	4.66	27	707	2	1	1.06	<4	14	55	15	2.29	<0.01	9	0.96	588	<1	36	528	4	0.71	<5	<5	<10	134	2178	<2	50	<10	8	41
254400	363030	117	3.91	18	400	<2	<1	2.50	7	15	44	104	4.88	0.05	<1	1.31	932	<1	36	594	16799	0.10	106	<5	13	230	2815	<2	130	<10	16	339
254401	363031	<1	4.26	31	669	<2	<1	1.29	<4	13	62	32	2.24	<0.01	8	1.10	729	<1	40	492	44	0.72	5	<5	<10	132	1965	<2	53	<10	8	125
254402D	363031	<1	4.19	28	652	<2	<1	1.24	<4	12	57	31	2.15	0.08	9	1.06	702	<1	39	472	39	0.69	5	<5	<10	131	1913	<2	51	<10	8	119
254403	363032	<1	4.62	14	555	<2	<1	0.24	<4	7	16	7	1.44	0.14	6	0.49	167	<1	16	490	90	0.46	<5	<5	<10	87	1849	<2	31	<10	5	73
254404	363033	1	3.96	18	381	<2	<1	0.80	<4	6	16	9	1.34	<0.01	6	0.87	485	<1	14	470	90	0.40	<5	<5	<10	144	1468	<2	28	<10	5	227
254405	363034	<1	3.90	14	477	<2	<1	0.64	<4	6	15	8	1.12	0.06	9	0.76	403	<1	13	464	58	0.33	<5	<5	<10	96	1640	<2	28	<10	5	129
254406	363035	<1	<0.01	<2	<1	<2	<1	<0.01	<4	<1	<1	<1	0.03	<0.01	<1	0.02	<100	<1	<1	<100	<1	<0.01	<5	<5	<10	3	<100	<2	<2	<10	<2	16
254407	363036	<1	4.25	21	711	<2	<1	0.81	<4	6	20	9	1.57	<0.01	12	1.08	581	<1	15	477	723	0.41	5	<5	<10	102	1819	<2	30	10	5	644
254408	363037	<1	4.67	15	636	<2	<1	0.40	<4	8	25	6	1.66	0.03	9	0.67	298	<1	15	477	92	0.41	<5	<5	<10	74	1882	<2	31	<10	5	61
254409	363038	1	3.98	19	635	<2	4	1.17	10	5	31	143	1.80	<0.01	12	1.27	767	<1	16	483	393	0.39	<5	<5	<10	142	1578	<2	27	47	5	3330
254410	363039	<1	5.61	18	832	<2	1	1.66	<4	7	37	27	1.63	0.03	14	1.68	1017	<1	18	554	161	0.33	<5	<5	<10	117	1948	<2	33	12	6	487
254411	363040	<1	3.29	8	404	<2	<1	2.23	<4	15	65	52	3.75	<0.01	3	1.37	787	<1	47	647	<1	0.05	<5	<5	<10	228	3003	<2	112	<10	14	71
254412	363041	<1	4.14	22	612	<2	<1	0.91	<4	6	27	40	1.66	<0.01	10	0.82	463	<1	16	448	263	0.44	<5	<5	<10	53	1779	4	30	<10	5	319

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
254413D	363041	<1	4.13	26	614	<2	<1	0.89	<4	7	26	38	1.61	<0.01	9	0.80	453	<1	16	436	268	0.44	<5	<5	<10	50	1706	<2	29	10	5	321
254414	363042	<1	4.23	29	787	<2	<1	0.95	<4	6	33	44	1.92	<0.01	10	1.02	648	<1	17	485	94	0.52	<5	<5	<10	66	1781	<2	30	<10	5	162
254415	363043	7	3.82	20	883	<2	2	3.28	8	4	22	374	2.10	<0.01	7	2.07	1386	<1	16	446	2832	0.46	6	<5	<10	67	1418	<2	22	33	6	2161
254416	363044	4	3.81	16	1699	<2	<1	3.72	6	5	29	185	1.64	<0.01	6	1.98	1352	<1	14	426	1853	0.27	<5	<5	<10	75	1403	<2	24	25	6	1837
254417	363045	<1	3.92	16	1717	<2	2	1.50	<4	5	24	129	1.31	0.05	9	1.49	901	<1	14	340	179	0.24	<5	<5	<10	106	1363	<2	22	<10	5	137
254418	363046	<1	4.45	15	1955	<2	3	1.93	<4	5	23	82	1.36	0.20	10	1.75	1055	<1	16	340	98	0.21	<5	<5	<10	115	1566	<2	23	<10	5	480
254419	363047	<1	4.44	16	1423	<2	2	1.64	<4	4	26	57	1.37	<0.01	11	1.57	938	<1	16	362	225	0.21	<5	<5	<10	151	1564	<2	24	<10	5	172
254420	363048	<1	3.99	14	1419	<2	1	2.49	5	5	19	169	1.85	<0.01	8	2.08	1323	<1	15	333	620	0.25	7	<5	<10	187	1471	<2	21	19	5	1426
254421	363049	<1	4.47	9	661	<2	<1	2.05	<4	6	21	63	1.56	<0.01	17	1.70	898	<1	16	347	460	0.18	<5	<5	<10	144	1656	<2	24	13	5	788
254422	363050	<1	4.03	51	272	<2	<1	0.95	6	14	37	2407	4.95	<0.01	16	0.91	1141	11	32	730	70	1.17	<5	<5	12	147	1149	<2	59	13	8	603
254423	363051	2	4.47	8	782	<2	<1	2.41	5	5	20	150	1.74	<0.01	12	1.99	1261	<1	16	324	1054	0.22	5	<5	<10	164	1570	<2	23	26	5	1857
254424R	363051	3	4.44	6	734	<2	<1	2.70	7	5	20	145	1.86	0.11	10	2.21	1414	<1	16	307	1596	0.25	5	<5	<10	149	1560	5	22	38	5	2571
254425	363052	<1	4.86	12	897	<2	2	1.35	<4	6	19	16	1.28	0.17	15	1.24	695	<1	15	337	166	0.19	6	<5	<10	157	1758	<2	25	<10	4	361
254426	363053	<1	4.94	8	711	<2	2	1.39	<4	6	19	11	1.26	<0.01	21	1.61	748	<1	15	351	34	0.14	<5	<5	<10	113	1726	<2	25	<10	5	116
254427	363054	<1	4.81	16	648	<2	<1	1.03	<4	5	20	39	1.35	<0.01	22	1.51	725	<1	15	342	195	0.20	7	<5	<10	126	1658	<2	24	<10	5	338
254428	363055	<1	4.49	14	769	<2	<1	1.19	<4	6	19	14	1.31	<0.01	20	1.62	826	<1	15	357	21	0.17	<5	<5	<10	89	1720	<2	25	<10	4	109
254429	363056	<1	5.31	10	888	<2	2	1.30	<4	6	23	74	1.40	<0.01	24	1.66	716	<1	15	402	184	0.16	<5	<5	<10	107	1826	<2	24	<10	5	449
254430	363057	<1	5.62	13	711	<2	<1	1.05	<4	6	17	71	1.35	0.08	22	1.70	646	<1	15	377	340	0.19	6	<5	10	80	1841	<2	26	<10	5	519
254431	363058	<1	5.17	8	593	<2	<1	0.81	<4	6	21	23	1.36	0.16	26	2.01	664	<1	15	355	125	0.11	<5	<5	<10	118	1773	<2	25	<10	5	270
254432	363059	<1	5.13	10	597	<2	<1	1.05	<4	5	23	25	1.36	0.11	19	1.68	664	<1	15	357	200	0.18	<5	<5	<10	103	1706	<2	25	<10	5	231

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/10/2015 6:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, January 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/18/2014
Date Completed: 01/06/2015
Job #: 201443239
Reference: TL14-376
Sample #: 143

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
254433	363060	<1	3.51	9	418	<2	<1	2.22	<4	15	63	53	3.70	0.15	5	1.36	790	<1	44	651	<1	0.05	<5	<5	<10	231	3152	<2	110	<10	14	71
254434	363061	1	4.83	9	730	<2	2	1.11	<4	6	21	108	1.26	<0.01	18	1.53	633	<1	11	353	31	0.17	<5	<5	<10	60	1718	<2	25	<10	5	36
254435D	363061	<1	4.41	9	701	<2	<1	1.03	<4	5	20	102	1.19	0.09	16	1.46	612	<1	15	335	28	0.15	6	<5	<10	56	1651	<2	23	<10	4	34
254436	363062	<1	4.52	12	646	<2	<1	2.10	<4	6	16	50	1.26	<0.01	18	1.66	691	<1	12	325	100	0.19	<5	<5	<10	59	1548	<2	22	<10	5	130
254437	363063	<1	5.02	7	763	<2	<1	2.81	<4	6	24	43	1.33	<0.01	12	1.56	893	<1	14	364	566	0.18	<5	<5	11	76	1731	<2	26	11	5	599
254438	363064	<1	4.61	9	844	<2	<1	1.38	<4	5	26	20	1.33	<0.01	18	1.64	838	<1	15	351	93	0.15	<5	<5	<10	112	1723	<2	25	<10	4	193
254439	363065	<1	4.93	11	730	<2	<1	1.07	<4	5	27	50	1.45	0.06	17	1.55	757	<1	16	367	357	0.15	<5	<5	10	150	1669	<2	24	<10	5	412
254440	363066	<1	2.29	9	546	<2	<1	0.71	<4	5	17	28	1.09	<0.01	9	1.21	580	<1	12	280	235	0.12	<5	<5	<10	113	1356	<2	19	<10	4	224
254441	363067	2	2.38	7	486	<2	<1	3.17	4	4	20	124	2.04	<0.01	7	2.39	1351	<1	15	244	1637	0.20	<5	<5	<10	108	1130	<2	18	15	4	1100
254442	363068	<1	3.49	9	633	<2	<1	1.29	<4	5	26	45	1.44	<0.01	12	1.24	675	<1	14	311	103	0.17	<5	<5	<10	123	1524	<2	23	<10	4	389
254443	363069	<1	3.96	9	709	<2	<1	1.28	<4	5	28	14	1.28	<0.01	15	1.48	773	<1	14	283	52	0.17	<5	<5	<10	130	1488	<2	21	<10	5	117
254444	363070	<1	2.78	17	462	<2	<1	1.72	<4	13	55	209	3.61	<0.01	3	1.16	706	5	46	594	2	0.07	<5	<5	<10	209	2651	<2	97	<10	13	73
254445	363071	<1	3.20	15	582	<2	<1	0.92	<4	4	36	27	1.20	<0.01	12	1.28	661	<1	15	295	169	0.12	<5	<5	<10	91	1411	<2	21	<10	4	206
254446D	363071	<1	3.75	14	636	<2	<1	1.01	<4	5	33	26	1.26	<0.01	13	1.38	718	<1	13	316	191	0.13	<5	<5	<10	96	1520	<2	22	<10	4	223
254447	363072	<1	3.84	13	687	<2	<1	1.41	<4	5	22	15	1.30	<0.01	14	1.56	787	<1	14	320	92	0.13	<5	<5	10	99	1583	<2	23	<10	4	86
254448	363073	<1	2.14	8	473	<2	1	0.93	<4	5	22	17	1.08	<0.01	10	1.24	609	<1	12	268	68	0.09	<5	<5	<10	89	1374	<2	19	<10	4	57
254449	363074																NS															

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14377-15RE

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Au g/t (ppm)
260533	363074	0.054
260534	363075	0.032
260535	363076	0.012
260536	363077	0.027
260537	363078	0.047
260538	363079	0.160
260539	363080	<0.005
260540	363081	0.566
260541	363082	0.345
260542	363083	0.038
260543	363083 Dup	0.034
260544	363084	0.011
260545	363085	0.017
260546	363086	0.023
260547	363087	0.010
260548	363088	0.045
260549	363089	0.030
260550	363090	5.354
260551	363091	0.023
260552	363092	0.165
260553	363093	0.308
260554	363093 Dup	0.311
260555	363094	0.018
260556	363095	0.504
260557	363096	0.039

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Au g/t (ppm)
260558	363097	0.073
260559	363098	0.025
260560	363099	0.023
260561	363100	<0.005
260562	363101	0.103
260563	363102	0.266
260564	363103	0.080
260565	363103 Dup	0.082
260566	363104	0.027
260567	363105	0.045
260568	363106	0.035
260569	363107	0.195
260570	363108	0.101
260571	363109	0.143
260572	363110	0.414
260573	363111	0.021
260574	363112	0.132
260575	363113	0.067
260576	363113 Dup	0.084
260577	363114	0.045
260578	363115	0.019
260579	363116	0.146
260580	363117	0.114
260581	363118	0.105
260582	363119	0.079

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Au g/t (ppm)
260583	363120	<0.005
260584	363121	0.013
260585	363122	0.006
260586	363123	0.047
260587	363123 Dup	0.051
260588	363124	0.102
260589	363125	0.047
260590	363126	0.026
260591	363127	0.027
260592	363128	0.037
260593	363129	0.060
260594	363130	0.934
260595	363131	0.125
260596	363132	0.492
260597	363133	0.037
260598	363133 Rep	0.036
260599	363134	0.473
260600	363135	0.034
260601	363136	0.294
260602	363137	0.239
260603	363138	0.328
260604	363139	0.197
260605	363140	0.005
260606	363141	0.012
260607	363142	0.023

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:



Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Au g/t (ppm)
260608	363143	0.252
260609	363143 Dup	0.253
260610	363144	0.222
260611	363145	0.032
260612	363146	0.027
260613	363147	0.021
260614	363148	0.011
260615	363149	0.043
260616	363150	4.970
260617	363151	0.066
260618	363152	0.091
260619	363153	1.019
260620	363153 Dup	1.093
260621	363154	0.130
260622	363155	0.109
260623	363156	0.024
260624	363157	0.091
260625	363158	0.116
260626	363159	0.036
260627	363160	<0.005
260628	363161	0.129
260629	363162	0.073
260630	363163	0.222
260631	363163 Dup	0.198
260632	363164	0.155

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Au g/t (ppm)
260633	363165	0.116
260634	363166	0.493
260635	363167	0.259
260636	363168	0.284
260637	363169	0.092
260638	363170	0.369
260639	363171	0.159
260640	363172	0.542
260641	363173	1.417
260642	363173 Dup	1.516
260643	363174	0.359
260644	363175	0.114
260645	363176	0.093
260646	363177	0.418
260647	363178	0.126
260648	363179	0.227
260649	363180	<0.005
260650	363181	0.086
260651	363182	0.141
260652	363183	0.142
260653	363183 Dup	0.162
260654	363184	0.083
260655	363185	1.175
260656	363186	0.538
260657	363187	0.367

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:



Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Au g/t (ppm)
260658	363188	0.252
260659	363189	0.086
260660	363190	Insufficient Sample
260661	363191	0.118
260662	363192	0.070
260663	363193	0.033
260664	363193 Rep	0.029
260665	363194	0.014
260666	363195	0.047
260667	363196	0.041

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.788	1.729	0.121
GS35	0.846	0.886	0.071
GS35	0.829	0.886	0.071
GS35	0.831	0.886	0.071
GS35	0.759	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260533	363074	<1	5.29	20	475	2	15	2.72	<4	10	28	30	2.18	0.24	16	1.21	1239	6	52	520	35	0.47	<5	7	<10	209	1863	<2	39	<10	6	38
260534	363075	1	5.49	31	529	<2	14	2.21	<4	11	28	19	2.13	0.14	14	1.04	1035	6	54	529	71	0.47	<5	8	<10	203	1852	<2	38	<10	6	158
260535	363076	1	4.36	11	444	<2	19	2.22	<4	9	26	38	1.80	0.12	16	1.14	954	5	49	480	79	0.14	<5	10	<10	198	1779	<2	35	<10	5	98
260536	363077	5	6.38	16	599	2	18	1.88	9	11	27	127	2.21	0.31	29	1.55	1255	6	49	566	706	0.21	<5	22	10	233	2203	<2	42	22	7	1844
260537	363078	2	4.90	24	452	<2	6	1.23	4	10	32	35	1.86	0.14	22	1.46	890	4	48	487	136	0.34	<5	21	<10	171	1963	<2	39	10	7	588
260538	363079	2	5.93	17	439	<2	18	2.19	<4	9	27	19	1.21	0.13	17	1.10	471	5	42	319	40	0.26	<5	15	<10	116	1921	<2	34	<10	6	148
260539	363080	<1	4.24	11	407	<2	21	2.71	5	18	60	50	3.93	0.14	8	1.35	776	6	46	642	5	0.07	<5	10	<10	291	2992	<2	110	<10	16	46
260540	363081	5	4.97	12	284	<2	18	0.94	<4	8	24	75	0.57	0.17	9	0.81	277	4	46	201	42	0.07	6	15	<10	139	1530	<2	30	<10	5	11
260541	363082	4	6.17	40	402	<2	19	0.72	<4	14	63	66	1.45	0.15	11	0.79	286	6	65	272	35	0.44	<5	23	<10	185	1980	<2	50	<10	8	9
260542	363083	3	6.22	19	423	<2	1	0.73	<4	9	41	11	0.84	0.08	3	0.39	152	8	62	227	18	0.20	<5	5	<10	165	1710	<2	37	<10	6	8
260543D	363083	3	6.21	20	423	<2	18	0.73	<4	9	40	10	0.84	<0.01	2	0.38	151	9	64	230	24	0.22	<5	14	<10	166	1673	<2	37	<10	6	9
260544	363084	1	6.16	21	415	<2	19	1.55	<4	8	29	12	0.78	0.11	5	0.48	222	7	51	252	20	0.18	<5	23	10	272	1645	<2	32	<10	6	51
260545	363085	3	6.21	25	591	<2	34	1.94	<4	9	33	14	1.72	0.24	15	0.94	499	6	55	453	47	0.35	5	20	<10	288	1913	<2	36	<10	7	75
260546	363086	2	6.49	18	572	<2	21	2.08	<4	11	36	15	1.68	0.38	15	0.98	497	8	64	483	42	0.31	<5	10	<10	297	1988	<2	38	<10	7	53
260547	363087	2	6.53	9	554	<2	14	2.09	<4	12	31	37	1.81	0.29	18	1.11	542	7	59	522	19	0.20	<5	25	<10	326	1844	<2	34	<10	7	224
260548	363088	<1	5.92	21	569	2	23	2.05	<4	11	30	23	1.80	0.22	18	1.12	503	7	51	480	42	0.13	<5	12	<10	197	1873	<2	33	<10	7	94
260549	363089	<1	5.25	19	623	2	12	2.69	<4	12	109	18	2.06	0.09	15	1.73	555	4	79	906	18	0.28	<5	7	<10	307	2114	<2	39	<10	9	31
260550	363090	124	4.95	15	385	<2	14	3.06	11	16	40	98	4.93	0.22	4	1.28	892	7	33	579	16739	0.11	102	10	<10	296	2710	<2	125	13	18	320
260551	363091	2	5.58	40	652	<2	22	2.25	<4	8	26	19	1.48	0.21	14	0.99	397	4	42	343	276	0.14	<5	11	<10	364	1605	<2	32	<10	6	54
260552	363092	1	6.05	23	535	<2	23	0.73	<4	6	21	15	1.06	0.09	15	0.75	249	6	42	264	54	0.28	5	18	<10	142	1262	<2	20	<10	6	120

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/13/2015 3:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260553	363093	1	6.03	23	627	<2	13	0.88	<4	6	24	13	1.11	0.02	16	0.91	373	11	42	291	41	0.27	5	23	<10	149	1317	<2	22	<10	6	79
260554D	363093	2	8.57	27	777	2	12	1.17	<4	8	30	16	1.35	0.32	23	1.10	453	14	53	346	53	0.34	<5	33	10	182	1522	<2	26	<10	7	98
260555	363094	<1	5.66	17	659	<2	14	1.33	<4	6	21	7	1.17	0.08	15	0.97	326	5	40	272	24	0.20	<5	22	<10	175	1226	<2	19	<10	5	20
260556	363095	5	5.85	17	601	<2	4	0.74	<4	5	16	39	0.91	0.01	15	0.73	230	3	34	257	206	0.18	<5	25	<10	124	1186	<2	17	12	5	677
260557	363096	<1	6.13	25	553	<2	25	1.82	<4	5	17	3	1.12	0.32	20	1.51	431	4	31	232	32	0.23	<5	21	<10	226	1208	<2	16	<10	5	69
260558	363097	<1	6.42	11	455	<2	18	1.74	<4	7	26	11	1.45	0.33	17	1.33	418	4	32	305	12	0.22	7	20	<10	199	1488	<2	26	<10	7	76
260559	363098	<1	6.19	13	427	<2	16	1.61	<4	6	23	12	1.18	0.45	17	1.01	1534	6	41	293	135	0.16	<5	29	<10	156	1208	<2	17	<10	5	264
260560	363099	<1	6.30	13	584	<2	10	1.22	<4	6	21	15	1.18	0.33	18	0.90	1449	6	42	272	128	0.22	<5	19	10	156	1224	<2	19	<10	5	159
260561	363100	<1	4.20	9	422	<2	27	2.65	5	17	58	49	3.85	0.32	8	1.33	763	5	45	627	11	0.07	<5	9	10	287	2921	<2	108	<10	15	44
260562	363101	<1	5.39	15	612	<2	15	1.03	<4	5	18	11	1.09	0.35	15	0.79	1107	2	33	249	167	0.21	<5	21	<10	138	1202	<2	18	12	5	364
260563	363102	<1	4.15	10	579	<2	23	0.84	<4	4	13	12	0.91	<0.01	11	0.73	1195	<1	26	243	51	0.16	<5	12	23	104	1130	<2	16	<10	4	179
260564	363103	<1	7.98	19	605	<2	23	0.58	<4	5	25	77	0.98	0.66	14	0.66	812	3	35	283	142	0.23	<5	23	<10	88	1271	<2	19	<10	5	315
260565D	363103	<1	6.22	18	640	<2	25	0.60	<4	5	17	15	1.02	0.34	15	0.66	853	2	34	296	152	0.22	<5	14	<10	90	1372	<2	19	11	5	324
260566	363104	<1	5.93	19	662	2	21	1.47	<4	5	14	16	1.14	0.10	14	0.86	1330	2	30	283	36	0.18	5	21	12	130	1296	<2	19	<10	5	78
260567	363105	<1	5.83	16	764	<2	8	1.58	<4	6	12	14	1.14	0.68	14	0.84	1586	2	30	281	36	0.20	<5	28	<10	148	1312	<2	19	<10	5	71
260568	363106	<1	4.51	14	653	<2	5	1.34	<4	4	10	12	0.96	<0.01	10	0.76	1315	<1	21	245	31	0.15	<5	10	18	123	1111	<2	16	<10	4	57
260569	363107	1	6.26	23	901	<2	17	1.33	<4	6	16	53	1.30	0.48	13	0.88	1572	2	6	272	257	0.36	<5	27	<10	134	1256	<2	18	<10	5	529
260570	363108	<1	6.21	30	917	<2	14	1.14	<4	5	19	28	1.28	0.44	14	0.89	1169	2	11	274	233	0.38	<5	10	<10	111	1207	<2	18	11	6	236
260571	363109	<1	5.68	27	798	<2	11	0.59	<4	5	18	18	1.19	0.42	13	0.69	682	3	9	250	124	0.38	<5	20	<10	112	1131	<2	17	<10	5	184
260572	363110	3	4.91	59	298	2	19	1.11	9	15	33	2293	5.02	0.34	24	0.86	1084	17	33	698	81	1.56	<5	6	12	182	1068	<2	55	12	9	563

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/13/2015 3:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260573	363111	<1	5.72	30	643	<2	5	1.23	<4	6	19	35	1.35	0.30	15	0.92	699	3	17	286	30	0.36	<5	18	<10	196	1192	<2	20	<10	5	105
260574	363112	1	5.39	23	631	2	21	1.57	6	21	149	50	3.59	0.36	23	1.20	728	2	71	549	162	0.31	5	10	<10	175	2297	<2	89	<10	11	313
260575	363113	2	5.47	12	457	2	23	1.73	5	22	142	57	3.96	0.27	21	1.53	837	4	67	570	44	0.22	<5	<5	<10	124	2954	<2	87	<10	13	105
260576D	363113	2	5.33	12	465	2	24	1.75	5	21	155	60	4.08	0.22	21	1.53	863	7	69	577	43	0.21	<5	<5	10	123	3021	<2	89	<10	13	118
260577	363114	1	>10.00	45	662	2	28	2.33	<4	23	69	26	1.97	0.89	22	0.82	419	8	52	898	63	0.48	7	27	42	148	2691	<2	61	10	11	188
260578	363115	<1	6.84	33	430	<2	17	1.93	<4	19	16	16	0.98	0.39	15	0.81	426	3	32	704	32	0.19	<5	22	<10	119	2141	<2	35	11	7	143
260579	363116	3	6.86	38	417	2	22	0.92	<4	12	18	11	0.96	0.19	15	0.78	546	3	22	721	34	0.27	<5	19	<10	91	2225	<2	35	<10	7	192
260580	363117	2	6.39	29	408	<2	21	1.69	<4	11	32	46	1.35	1.13	14	0.72	450	2	23	623	33	0.25	<5	18	<10	137	2164	<2	39	<10	7	114
260581	363118	1	6.51	21	462	<2	10	1.51	<4	11	34	147	1.72	0.51	15	0.70	545	2	19	516	114	0.25	<5	17	<10	153	2130	<2	47	<10	8	108
260582	363119	<1	6.57	34	474	<2	19	1.44	4	11	38	50	1.98	0.50	15	0.76	504	4	18	533	74	0.33	<5	24	<10	151	2029	<2	41	12	8	375
260583	363120	<1	4.23	9	411	<2	15	2.58	5	16	57	47	3.75	0.62	8	1.32	739	5	40	614	9	0.07	<5	6	<10	279	2818	<2	105	<10	16	47
260584	363121	<1	5.18	9	456	<2	5	1.85	<4	7	22	12	1.59	0.35	12	0.89	393	2	13	663	19	0.08	<5	10	<10	147	1836	<2	31	<10	7	36
260585	363122	<1	6.55	14	553	<2	7	2.02	<4	8	15	8	1.68	0.42	14	0.95	333	1	14	697	18	0.14	<5	21	<10	170	2041	<2	34	<10	7	34
260586	363123	<1	5.47	21	596	2	19	2.87	<4	9	15	22	2.08	0.48	22	1.58	820	1	26	667	29	0.37	<5	<5	<10	151	1995	<2	36	<10	7	56
260587D	363123	<1	5.85	30	613	<2	19	2.95	<4	9	17	22	2.13	0.34	23	1.64	844	<1	19	687	30	0.38	<5	12	<10	154	2041	<2	36	<10	7	56
260588	363124	<1	5.88	31	635	<2	17	1.20	<4	8	15	13	1.52	0.25	21	1.07	578	2	27	609	81	0.33	<5	20	<10	113	1942	<2	30	10	7	131
260589	363125	4	5.82	6	491	2	18	3.69	5	9	14	16	2.21	0.34	19	2.35	1506	3	26	538	598	0.39	<5	12	26	87	1779	<2	28	12	8	934
260590	363126	1	5.74	12	379	2	17	4.03	6	9	12	14	2.31	0.40	20	2.60	1632	<1	24	495	907	0.29	5	9	<10	98	1731	<2	27	14	8	1344
260591	363127	<1	6.73	19	651	<2	17	1.62	<4	10	15	6	1.22	0.40	21	1.32	724	<1	27	537	97	0.16	<5	22	<10	194	1891	<2	30	<10	6	144
260592	363128	<1	7.74	22	537	<2	18	1.04	<4	10	10	20	1.14	0.16	20	1.00	546	<1	31	653	39	0.16	<5	28	11	185	2028	<2	35	<10	7	329

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/13/2015 3:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260593	363129	<1	6.49	15	385	<2	19	0.81	<4	7	10	16	0.98	0.46	12	0.73	538	<1	20	558	42	0.18	<5	21	<10	150	1715	<2	32	<10	6	158
260594	363130	<1	4.97	23	539	2	15	2.39	6	18	57	224	4.18	0.35	11	1.29	755	14	48	660	15	0.10	6	12	10	299	2817	<2	105	10	17	58
260595	363131	<1	4.69	13	333	<2	6	0.84	<4	6	10	27	0.87	0.16	6	0.64	508	<1	17	460	40	0.18	<5	15	<10	127	1422	<2	26	<10	5	117
260596	363132	4	5.91	20	303	<2	3	1.07	<4	5	11	20	1.02	0.45	10	0.87	824	<1	19	452	803	0.13	6	27	<10	152	1496	<2	26	<10	6	57
260597	363133	<1	6.12	23	363	<2	16	1.19	<4	7	13	10	1.17	0.38	14	0.92	685	<1	21	461	44	0.25	<5	12	<10	171	1585	<2	27	<10	6	30
260598R	363133	<1	6.00	23	358	<2	15	1.17	<4	7	13	9	1.20	0.32	14	0.94	703	<1	26	468	23	0.24	<5	18	10	168	1564	<2	26	<10	6	30
260599	363134	6	5.82	23	376	<2	7	1.16	4	7	14	92	1.16	1.09	10	0.79	521	1	18	426	390	0.18	<5	17	<10	166	1493	<2	24	16	5	1180
260600	363135	<1	6.29	22	476	<2	8	0.99	<4	7	14	10	1.00	0.52	14	0.74	375	1	15	486	29	0.22	5	32	21	162	1764	<2	29	<10	5	97
260601	363136	<1	6.57	23	426	<2	20	0.79	<4	6	12	14	1.34	0.57	10	0.67	390	<1	14	464	22	0.44	<5	18	<10	170	1640	<2	27	<10	6	38
260602	363137	<1	6.27	25	475	<2	13	1.08	<4	8	12	30	1.14	0.59	12	0.73	554	<1	17	489	28	0.26	<5	27	23	162	1661	<2	28	<10	5	50
260603	363138	1	6.37	22	509	<2	30	1.42	<4	9	27	33	1.99	0.80	16	0.82	781	2	23	510	29	0.26	<5	18	<10	199	2102	<2	38	<10	8	64
260604	363139	1	6.55	25	545	2	21	1.28	<4	10	20	44	1.54	0.60	14	0.74	653	<1	20	544	123	0.27	<5	19	<10	182	1943	<2	36	<10	7	72
260605	363140	<1	4.00	11	421	<2	14	2.66	5	16	60	49	3.90	0.66	8	1.34	766	5	40	631	11	0.07	<5	10	10	288	2892	<2	110	<10	16	52
260606	363141	<1	4.91	20	298	<2	16	1.23	<4	6	19	6	0.83	0.53	14	1.38	714	2	25	351	33	0.12	<5	20	<10	135	1410	<2	29	<10	5	40
260607	363142	<1	5.35	18	302	<2	11	1.18	<4	5	14	3	0.73	0.30	11	1.03	521	<1	24	354	37	0.15	<5	11	<10	129	1415	<2	25	<10	5	21
260608	363143	5	4.73	33	378	<2	17	0.52	6	9	18	34	0.90	0.72	12	0.65	258	8	32	327	860	0.18	12	13	<10	91	1462	<2	25	18	5	1913
260609D	363143	6	5.75	38	411	<2	24	0.59	6	9	19	37	0.95	0.17	15	0.70	270	8	30	354	908	0.17	8	24	10	99	1563	<2	27	24	6	2067
260610	363144	<1	5.38	25	508	<2	8	0.42	<4	8	14	5	0.75	0.23	11	0.65	208	4	31	361	39	0.19	<5	11	24	74	1563	<2	25	<10	5	46
260611	363145	<1	6.21	16	338	<2	22	1.81	<4	7	19	3	0.88	0.47	16	1.36	676	3	28	394	35	0.15	<5	22	<10	188	1664	<2	28	10	5	36
260612	363146	<1	6.02	15	317	<2	20	2.02	<4	8	17	2	0.93	0.44	15	1.46	757	2	25	407	36	0.18	<5	17	<10	195	1578	<2	26	<10	6	36

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/13/2015 3:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260613	363147	<1	4.35	28	324	<2	16	1.48	<4	7	13	4	1.85	0.14	12	1.17	681	<1	22	310	48	0.70	<5	7	<10	131	1382	<2	22	<10	6	145
260614	363148	<1	5.57	22	405	<2	18	1.19	<4	10	14	3	0.97	0.52	15	1.12	518	2	24	367	64	0.26	<5	15	10	115	1641	<2	26	<10	5	214
260615	363149	1	5.97	46	489	2	8	1.32	5	18	91	10	3.36	0.65	23	1.23	828	2	57	425	86	1.40	<5	7	<10	134	2383	<2	67	<10	11	126
260616	363150	121	5.04	24	407	<2	19	3.01	11	17	39	98	4.93	0.48	5	1.28	881	5	27	558	16088	0.12	101	12	12	291	2704	<2	126	<10	18	315
260617	363151	2	5.08	49	429	2	21	1.90	4	17	93	20	3.02	0.73	15	1.15	1145	<1	55	442	201	0.90	5	17	<10	153	2142	<2	66	<10	10	118
260618	363152	4	5.45	48	506	2	17	1.86	5	19	110	40	3.28	0.48	17	1.23	1403	2	62	491	133	0.91	<5	9	28	160	2234	<2	74	15	12	273
260619	363153	72	5.77	21	524	2	18	0.65	<4	8	22	67	1.47	0.45	13	0.67	386	2	30	482	164	0.46	17	22	<10	118	1756	<2	33	<10	6	271
260620D	363153	76	6.19	22	550	2	17	0.67	<4	8	22	69	1.54	0.30	14	0.69	395	2	29	519	177	0.52	13	19	<10	123	1809	<2	34	<10	7	292
260621	363154	9	6.22	16	592	<2	18	0.62	<4	8	12	40	1.11	0.30	15	0.66	405	2	21	518	77	0.33	<5	12	<10	137	1867	<2	32	<10	6	203
260622	363155	3	5.78	21	617	<2	16	0.98	<4	8	14	58	1.42	0.28	12	0.75	560	<1	23	498	28	0.41	<5	26	<10	152	1704	<2	30	<10	6	34
260623	363156	<1	6.40	19	619	2	34	0.84	<4	9	14	12	1.60	0.52	12	0.69	417	<1	21	513	45	0.58	<5	17	25	156	1717	<2	31	<10	6	89
260624	363157	2	6.24	17	490	2	10	0.80	<4	9	16	38	1.61	0.62	13	0.74	356	3	23	508	162	0.54	<5	14	10	152	1576	<2	30	12	7	410
260625	363158	2	5.55	20	474	<2	19	0.49	4	7	16	18	1.38	0.42	12	0.59	210	<1	22	461	309	0.44	5	17	<10	116	1635	<2	28	16	6	909
260626	363159	1	5.88	22	458	<2	15	0.95	<4	7	22	15	1.64	0.75	13	0.77	378	4	8	538	144	0.56	5	18	<10	152	1636	<2	32	<10	7	422
260627	363160	<1	3.65	8	391	<2	15	2.45	5	16	55	45	3.59	0.66	7	1.25	705	5	34	570	14	0.07	6	7	<10	267	2699	<2	101	<10	15	48
260628	363161	2	5.33	20	420	<2	20	0.65	<4	8	31	69	1.37	0.55	12	0.70	298	4	8	487	331	0.38	<5	20	<10	140	1633	<2	29	11	6	498
260629	363162	1	5.30	20	416	<2	19	0.68	<4	6	27	9	1.50	0.67	16	0.56	198	2	9	428	179	0.51	<5	<5	44	120	1519	<2	26	<10	5	392
260630	363163	2	3.91	29	358	<2	26	0.21	<4	8	19	24	1.46	0.36	6	0.43	145	<1	11	453	287	0.50	<5	16	<10	95	1636	<2	27	<10	4	419
260631D	363163	2	5.04	26	376	<2	20	0.29	<4	9	20	24	1.46	0.32	10	0.47	146	2	11	459	281	0.47	<5	23	<10	101	1683	<2	28	10	5	410
260632	363164	1	5.17	29	399	<2	14	0.79	<4	6	27	11	1.40	0.50	13	0.76	368	2	6	451	315	0.38	<5	18	<10	161	1517	<2	25	<10	6	240

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/13/2015 3:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260633	363165	1	4.41	19	483	<2	17	0.14	<4	6	40	8	1.42	0.24	14	0.52	178	7	9	428	376	0.36	<5	12	<10	78	1595	<2	26	13	5	437
260634	363166	3	4.78	25	498	<2	11	0.15	6	7	27	27	1.55	0.36	16	0.57	184	4	10	442	766	0.36	<5	19	<10	76	1629	<2	27	21	5	1698
260635	363167	2	4.42	36	649	<2	13	0.72	6	8	38	60	1.90	0.02	15	0.78	376	7	5	481	580	0.57	5	13	<10	157	1773	<2	31	21	5	1251
260636	363168	3	4.37	26	1352	2	15	1.21	8	8	33	63	2.28	0.23	16	0.87	491	3	7	490	1318	0.56	<5	10	<10	132	1742	<2	29	25	5	2010
260637	363169	1	3.99	26	600	2	13	0.87	5	6	33	7	1.68	0.18	15	0.96	470	3	7	466	564	0.51	<5	7	<10	61	1677	<2	28	14	5	932
260638	363170	2	4.30	47	255	<2	9	0.98	9	15	30	2129	4.64	0.64	20	0.82	1000	15	21	678	77	1.38	<5	15	<10	167	1007	<2	52	15	9	527
260639	363171	1	5.44	20	576	<2	5	0.72	5	7	37	38	1.48	0.53	23	0.86	373	5	7	475	773	0.36	<5	<5	<10	81	1684	<2	27	20	6	1002
260640	363172	2	5.18	43	554	<2	17	0.99	7	7	38	90	1.68	0.57	17	0.94	453	4	6	432	663	0.41	5	14	<10	74	1651	<2	26	26	6	1801
260641	363173	2	5.43	24	557	2	5	0.90	<4	7	29	34	1.70	0.43	18	1.18	485	4	9	479	65	0.49	<5	18	11	107	1743	<2	29	<10	6	132
260642D	363173	4	4.85	27	548	<2	16	0.87	<4	7	25	34	1.68	0.58	17	1.15	481	3	10	455	50	0.51	6	21	10	105	1722	<2	28	<10	6	118
260643	363174	2	5.77	21	509	2	5	0.76	<4	12	67	121	2.02	0.27	14	0.90	539	3	25	524	70	0.58	15	<5	<10	135	1941	<2	47	<10	9	208
260644	363175	2	5.92	22	491	<2	23	0.36	<4	7	23	33	1.53	0.21	10	0.53	264	2	13	548	126	0.43	<5	24	<10	123	1663	<2	31	<10	6	301
260645	363176	1	5.71	20	511	<2	24	0.40	<4	8	26	17	1.66	0.27	11	0.49	220	3	10	477	86	0.44	<5	9	13	108	1699	<2	31	11	6	434
260646	363177	2	5.06	26	337	<2	11	0.62	<4	8	33	21	1.58	0.15	9	0.65	349	3	13	477	104	0.40	<5	17	<10	132	1508	<2	30	<10	6	138
260647	363178	1	4.49	22	437	<2	14	0.38	<4	8	29	31	1.45	0.43	7	0.52	217	3	8	523	148	0.40	<5	<5	15	106	1749	<2	31	<10	5	179
260648	363179	2	5.86	25	334	2	17	0.61	5	7	35	90	1.66	0.40	12	0.70	310	4	9	519	458	0.40	<5	17	<10	140	1667	<2	29	18	6	1362
260649	363180	<1	4.28	10	428	<2	13	2.68	5	16	60	50	3.89	0.50	9	1.34	767	4	38	616	6	0.08	<5	7	<10	288	2942	<2	110	<10	16	50
260650	363181	1	5.76	31	380	<2	38	0.53	5	7	28	27	1.63	0.45	14	0.72	306	3	12	483	209	0.46	5	17	<10	135	1712	<2	29	16	6	1061
260651	363182	2	4.52	23	446	<2	23	0.55	5	7	37	119	1.53	0.05	13	0.76	401	4	9	545	374	0.46	<5	21	<10	130	1931	<2	33	14	5	956
260652	363183	3	5.12	58	926	<2	18	1.01	7	8	44	73	1.92	0.44	20	1.03	544	6	9	456	1112	0.32	5	13	<10	139	1677	<2	30	24	6	1805

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-01/13/2015 3:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, January 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 12/23/2014
Date Completed: 01/07/2015
Job #: 201443310
Reference: TL14-377
Sample #: 123

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260653D	363183	3	4.77	54	868	<2	19	0.93	7	7	40	71	1.82	0.49	18	0.98	508	6	9	440	1057	0.28	<5	11	<10	132	1567	<2	28	21	6	1706
260654	363184	2	4.89	23	3711	<2	14	1.20	6	7	37	18	1.51	0.45	17	1.02	484	4	9	505	765	0.29	<5	14	<10	355	1717	<2	28	55	5	1255
260655	363185	7	4.80	30	661	<2	8	1.28	8	6	27	260	1.59	0.37	15	1.00	500	2	11	449	2101	0.32	7	10	<10	153	1545	<2	26	30	5	2411
260656	363186	6	4.65	33	587	<2	11	1.31	8	6	27	137	1.70	0.22	14	1.00	520	4	12	428	1460	0.31	<5	18	<10	148	1456	<2	25	31	5	2540
260657	363187	2	5.68	32	553	<2	17	1.12	4	7	35	128	1.68	0.14	18	0.93	499	4	10	465	611	0.36	<5	15	<10	148	1773	<2	29	11	6	625
260658	363188	1	4.44	27	2069	<2	13	2.58	4	6	29	46	1.72	0.38	16	1.76	1168	2	14	427	267	0.32	<5	10	<10	243	1573	<2	22	14	5	746
260659	363189	3	4.23	25	901	<2	22	5.22	5	7	25	96	2.02	0.44	14	3.27	2342	3	11	281	1079	0.16	<5	13	<10	132	1237	<2	18	11	6	794
260660	363190																IS															
260661	363191	<1	5.28	19	908	<2	20	2.03	<4	6	35	55	1.33	0.32	21	1.27	762	4	13	340	30	0.20	<5	28	<10	162	1646	<2	24	10	5	101
260662	363192	2	4.57	13	695	<2	14	5.13	9	6	31	104	2.16	0.26	26	2.63	1458	4	12	341	447	0.18	<5	14	<10	141	1434	<2	21	23	7	1449
260663	363193	<1	4.68	10	686	<2	14	2.08	<4	6	37	23	1.31	0.47	18	1.32	795	4	11	355	137	0.10	<5	22	<10	169	1475	<2	22	<10	5	122
260664R	363193	1	8.30	9	844	2	53	2.83	<4	8	45	30	1.69	1.10	27	1.70	980	4	15	490	186	0.16	9	32	31	222	1638	<2	28	15	7	155
260665	363194	<1	4.78	12	794	<2	4	1.67	<4	7	27	15	1.28	0.27	21	1.21	700	2	16	320	41	0.11	<5	12	<10	159	1613	<2	23	15	4	177
260666	363195	1	3.00	8	678	<2	18	1.10	<4	7	27	55	1.29	1.46	17	1.13	612	3	9	312	192	0.06	<5	11	21	114	1566	<2	22	<10	3	330
260667	363196	<1	3.64	13	733	<2	17	1.12	<4	7	30	52	1.34	0.46	19	1.30	675	4	10	292	124	0.09	<5	7	24	108	1577	<2	22	<10	3	250

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/10/2015
Job #: 201540389
Reference: TL15-377RE
Sample #: 66

Acc #	Client ID	Au g/t (ppm)
34261	363964	0.027
34262	363965	0.034
34263	363966	0.028
34264	363967	0.031
34265	363968	0.080
34266	363969	0.096
34267	363970	4.854
34268	363971	0.044
34269	363972	0.056
34270	363973	0.019
34271	363973 Dup	0.021
34272	363974	0.027
34273	363975	0.013
34274	363979	0.061
34275	363980	<0.005
34276	363981	0.631
34277	363982	0.037
34278	363983	0.495
34279	363984	0.055
34280	363985	0.067
34281	363986	0.080
34282	363986 Dup	0.087
34283	363987	0.058
34284	363988	0.311
34285	363989	0.113

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/10/2015
Job #: 201540389
Reference: TL15-377RE
Sample #: 66

Acc #	Client ID	Au g/t (ppm)
34286	363990	0.335
34287	363991	0.295
34288	363992	0.033
34289	363993	0.015
34290	363994	0.016
34291	363995	0.103
34292	363996	0.095
34293	363996 Dup	0.069
34294	363997	0.034
34295	363998	0.279
34296	363999	0.273
34297	364000	0.006
34298	364004	0.022
34299	364005	0.024
34300	364006	0.022
34301	364007	0.014
34302	364008	0.015
34303	364009	0.025
34304	364009 Dup	0.024
34305	364010	1.446
34306	364011	0.032
34307	364012	0.013
34308	364013	0.057
34309	364014	0.028
34310	364015	0.083

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/10/2015
Job #: 201540389
Reference: TL15-377RE
Sample #: 66

Acc #	Client ID	Au g/t (ppm)
34311	364016	0.173
34312	364017	0.034
34313	364018	0.019
34314	364019	0.154
34315	364019 Dup	0.167
34316	364020	<0.005
34317	364021	0.850
34318	364022	0.076
34319	364023	0.018
34320	364024	0.023
34321	364025	0.068
34322	364026	0.076
34323	364027	0.060
34324	364028	0.206
34325	364029	0.042
34326	364029 Rep	0.031
34327	364030	4.687
34328	364031	0.240
34329	364032	0.267
34330	364033	0.177
34331	364034	0.162
34332	364035	0.027

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/10/2015
Job #: 201540389
Reference: TL15-377RE
Sample #: 66

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.564	1.729	0.121
GS35	0.787	0.886	0.071
GS35	0.995	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/10/2015
Job #: 201540389
Reference: TL15-377RE
Sample #: 66

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34261	363964	<1	4.66	7	653	<2	11	1.71	4	6	35	78	1.51	0.28	15	1.65	847	3	52	276	863	0.20	<5	19	<10	126	1453	4	25	13	6	1449
34262	363965	<1	4.92	5	738	<2	15	1.96	<4	6	40	13	1.28	0.11	19	1.47	585	4	50	336	44	0.19	6	18	<10	149	1590	<2	27	<10	3	72
34263	363966	<1	4.18	12	666	<2	<1	1.78	<4	5	35	12	1.11	0.09	15	1.28	499	3	51	311	17	0.15	5	17	<10	135	1421	<2	24	<10	3	33
34264	363967	<1	4.56	8	747	<2	10	1.83	<4	6	38	43	1.30	0.14	23	1.50	593	3	45	335	126	0.20	<5	<5	<10	153	1536	<2	26	<10	3	313
34265	363968	<1	4.45	14	687	<2	5	1.57	<4	6	38	178	1.30	0.21	23	1.53	546	3	47	333	91	0.21	<5	11	<10	143	1453	<2	26	<10	3	127
34266	363969	<1	3.95	11	739	<2	8	1.71	<4	6	42	83	1.45	0.18	20	1.15	525	3	54	328	268	0.35	7	19	<10	147	1509	<2	26	<10	3	385
34267	363970	122	2.98	13	547	<2	3	3.43	7	17	39	98	4.75	<0.01	4	1.03	831	3	25	535	16997	0.15	97	<5	<10	322	2694	<2	140	<10	13	328
34268	363971	<1	4.24	9	791	<2	7	1.76	<4	6	33	54	1.22	0.18	22	1.11	479	2	42	324	184	0.19	5	20	<10	148	1629	<2	27	<10	3	38
34269	363972	<1	4.11	12	748	<2	1	2.13	<4	6	35	26	1.33	0.04	23	1.20	608	4	55	326	33	0.17	8	22	<10	149	1630	<2	27	<10	3	34
34270	363973	<1	4.11	13	687	<2	5	1.91	<4	6	41	26	1.28	0.17	22	1.08	532	5	58	353	37	0.20	<5	7	<10	142	1667	<2	28	<10	3	34
34271D	363973	<1	4.16	9	686	<2	12	1.93	<4	6	37	26	1.22	0.21	21	1.05	509	3	50	339	33	0.19	<5	15	<10	142	1624	<2	27	<10	3	32
34272	363974	<1	3.30	16	882	<2	1	2.28	<4	6	36	22	1.44	0.26	20	1.33	617	3	47	335	120	0.25	<5	7	<10	159	1596	<2	26	<10	3	246
34273	363975	<1	5.07	10	711	<2	4	1.92	<4	6	32	14	1.44	0.43	27	1.79	605	3	51	352	23	0.19	<5	17	<10	117	1706	<2	28	<10	3	87
34274	363979	<1	5.48	19	669	<2	3	0.81	<4	7	35	13	0.87	0.01	9	0.58	129	3	56	437	57	0.25	5	21	<10	83	1498	<2	29	<10	4	122
34275	363980	<1	3.90	12	576	<2	17	3.14	<4	16	58	49	3.68	<0.01	9	1.23	715	2	39	622	19	0.10	<5	16	<10	318	3054	<2	120	<10	15	42
34276	363981	<1	5.32	42	655	<2	<1	0.59	<4	6	38	35	0.94	0.12	6	0.64	139	4	50	463	41	0.28	8	21	<10	92	1475	<2	30	<10	5	125
34277	363982	<1	5.39	27	679	<2	6	0.57	<4	6	38	8	1.05	0.05	8	0.66	119	4	53	373	46	0.37	6	17	<10	94	1323	<2	29	<10	4	20
34278	363983	1	5.19	33	715	<2	<1	0.65	<4	6	33	51	1.11	0.08	4	0.38	107	1	38	701	67	0.49	10	11	<10	100	1177	<2	30	<10	5	514
34279	363984	<1	5.02	24	777	<2	19	1.19	<4	8	44	27	1.43	0.21	14	1.06	537	3	53	426	45	0.52	<5	23	<10	115	1385	<2	39	<10	5	75
34280	363985	<1	4.57	27	779	<2	<1	0.97	<4	7	44	12	1.04	0.02	8	0.51	265	4	50	374	38	0.37	<5	17	<10	108	1462	<2	34	<10	4	21

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 10:49 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/10/2015
Job #: 201540389
Reference: TL15-377RE
Sample #: 66

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34281	363986	<1	4.96	22	745	<2	14	0.87	<4	7	48	14	1.05	<0.01	7	0.56	266	5	57	399	32	0.33	6	27	<10	108	1446	<2	35	<10	6	18
34282D	363986	<1	5.05	22	800	<2	22	0.93	<4	7	49	15	1.10	<0.01	8	0.56	281	4	60	405	34	0.35	5	16	<10	112	1524	<2	37	<10	5	22
34283	363987	<1	4.96	19	784	<2	3	1.72	<4	7	35	16	1.19	0.05	14	0.87	559	3	48	382	28	0.33	<5	21	<10	130	1640	<2	30	<10	3	35
34284	363988	<1	4.42	18	796	<2	18	1.49	<4	7	34	12	1.11	0.03	17	0.93	495	3	48	358	35	0.20	<5	20	<10	117	1687	<2	30	<10	3	59
34285	363989	<1	5.59	21	740	<2	10	1.59	<4	6	30	18	1.15	0.28	13	0.91	419	2	44	381	41	0.26	8	19	<10	110	1657	<2	30	<10	4	50
34286	363990	<1	5.01	59	465	2	14	1.72	6	15	35	2364	5.03	0.28	25	0.81	1079	15	24	703	83	2.02	10	6	<10	223	1241	<2	66	<10	8	648
34287	363991	<1	5.80	26	746	<2	1	1.22	<4	7	29	56	1.27	0.24	15	1.01	337	3	46	391	36	0.33	<5	18	<10	100	1747	<2	31	<10	4	52
34288	363992	<1	5.32	12	774	<2	12	2.13	<4	6	31	11	1.28	0.27	13	1.15	387	3	46	367	25	0.20	7	22	<10	149	1705	<2	30	<10	3	31
34289	363993	<1	4.44	8	845	<2	13	2.30	<4	7	29	6	1.33	0.22	14	1.30	280	2	44	356	21	0.12	8	15	<10	173	1774	<2	30	<10	3	36
34290	363994	<1	4.25	18	772	<2	8	2.26	<4	6	35	14	1.37	0.21	13	1.32	285	4	51	358	20	0.15	<5	16	<10	163	1639	<2	28	<10	3	39
34291	363995	<1	5.76	37	843	<2	11	1.19	<4	8	37	14	1.42	0.44	15	0.65	173	5	61	407	24	0.33	9	21	<10	114	1576	5	33	<10	4	44
34292	363996	<1	5.11	30	796	<2	13	1.21	<4	7	24	9	1.29	0.02	14	0.88	235	2	34	392	22	0.25	5	27	<10	104	1508	<2	31	<10	3	30
34293D	363996	<1	5.43	30	811	<2	<1	1.23	<4	7	23	9	1.28	0.02	15	0.91	237	<1	34	394	21	0.22	<5	29	<10	104	1556	<2	31	<10	4	41
34294	363997	<1	4.39	18	692	<2	11	1.20	<4	6	27	7	1.21	<0.01	14	0.95	250	1	41	367	22	0.21	6	20	<10	98	1411	<2	29	<10	3	35
34295	363998	<1	4.16	29	600	<2	15	0.75	<4	6	26	12	1.17	0.17	9	0.83	214	<1	43	341	28	0.22	5	13	<10	85	1175	<2	26	<10	3	63
34296	363999	<1	4.52	33	666	<2	2	0.49	<4	8	26	8	0.99	<0.01	3	0.26	<100	2	40	380	32	0.43	6	14	<10	92	1224	<2	28	<10	3	20
34297	364000	<1	3.99	11	588	<2	4	3.23	<4	17	60	51	3.84	<0.01	9	1.26	738	3	38	646	9	0.11	7	<5	<10	328	3143	<2	126	<10	16	40
34298	364004	<1	4.77	28	581	<2	1	2.29	<4	8	41	13	1.72	0.33	20	1.25	411	3	12	502	35	0.18	<5	17	<10	145	1902	<2	41	<10	6	62
34299	364005	<1	4.94	23	693	<2	10	2.16	<4	10	36	10	1.67	0.43	23	1.15	421	2	12	564	24	0.18	5	21	<10	139	2302	<2	46	<10	5	60
34300	364006	<1	5.63	30	670	<2	16	2.12	<4	9	30	10	1.60	<0.01	21	1.18	401	2	12	574	20	0.20	<5	32	<10	140	2233	<2	44	<10	5	64

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 10:49 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/10/2015
Job #: 201540389
Reference: TL15-377RE
Sample #: 66

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34301	364007	<1	3.66	16	630	<2	6	2.47	<4	8	32	4	1.70	0.16	20	1.22	364	2	11	505	18	0.20	<5	20	<10	144	2038	<2	39	<10	4	40
34302	364008	<1	3.99	13	636	<2	10	1.40	<4	7	31	6	1.11	0.13	15	0.70	224	2	9	537	12	0.17	<5	26	<10	120	2009	<2	41	<10	4	32
34303	364009	<1	4.07	22	682	<2	4	2.23	<4	9	30	7	1.57	0.24	20	0.99	359	2	11	524	25	0.28	7	15	<10	133	2093	<2	41	<10	4	35
34304D	364009	<1	3.66	16	675	<2	6	2.21	<4	10	28	7	1.56	0.24	20	0.97	359	1	11	517	26	0.29	<5	12	<10	133	2063	<2	40	<10	4	30
34305	364010	<1	3.30	20	651	<2	<1	2.68	<4	16	52	204	3.83	0.11	9	1.07	676	10	40	614	12	0.13	<5	<5	<10	316	2757	<2	113	11	14	44
34306	364011	<1	4.09	9	725	<2	8	2.67	<4	9	32	8	1.81	0.07	21	1.07	325	2	11	537	16	0.19	<5	20	<10	147	2204	<2	43	<10	4	32
34307	364012	<1	4.06	3	725	<2	6	2.92	<4	8	32	4	1.62	0.02	15	0.91	285	3	10	505	18	0.11	5	14	<10	186	1999	<2	37	<10	4	25
34308	364013	<1	4.16	14	602	<2	<1	2.39	<4	9	30	19	1.56	0.11	29	1.04	500	1	11	518	78	0.26	5	19	<10	145	2130	<2	40	<10	4	149
34309	364014	<1	5.78	19	668	2	16	2.89	<4	10	31	20	1.89	0.35	32	1.32	647	<1	12	565	37	0.26	6	23	<10	181	2440	<2	48	<10	6	74
34310	364015	<1	5.55	23	590	<2	10	2.70	<4	9	27	13	1.71	0.22	25	1.19	635	<1	11	532	26	0.28	<5	14	<10	176	2064	<2	40	<10	5	82
34311	364016	<1	7.75	67	749	2	8	3.67	<4	14	51	14	2.66	0.42	33	1.56	783	3	16	760	27	0.56	<5	30	<10	256	2998	<2	63	<10	6	59
34312	364017	<1	3.65	24	437	<2	8	2.04	<4	6	20	4	1.02	0.29	12	0.61	234	1	8	346	17	0.20	6	20	<10	147	1245	<2	25	<10	3	20
34313	364018	<1	9.01	32	754	2	27	4.58	<4	14	41	7	2.41	0.82	36	1.49	577	3	15	705	29	0.55	5	33	<10	268	2475	<2	55	<10	6	46
34314	364019	<1	4.57	18	456	2	<1	2.40	<4	8	33	22	1.68	0.05	25	1.02	514	1	9	507	75	0.33	<5	24	<10	170	1924	<2	38	<10	4	379
34315D	364019	<1	4.12	20	442	2	<1	2.32	<4	8	38	22	1.66	0.29	25	0.98	510	<1	10	501	75	0.31	<5	13	<10	167	1875	<2	38	<10	4	377
34316	364020	<1	3.13	10	530	<2	5	2.90	<4	15	53	46	3.42	0.03	7	1.13	666	2	33	575	13	0.10	<5	23	<10	299	2788	<2	112	<10	14	41
34317	364021	<1	4.01	53	448	<2	14	1.64	<4	9	31	64	1.80	0.19	21	0.77	499	1	9	457	570	0.64	5	16	<10	144	1797	<2	38	<10	4	748
34318	364022	<1	3.81	10	642	2	<1	2.39	<4	10	28	10	1.71	0.17	16	0.79	290	<1	10	527	27	0.20	<5	14	<10	196	2007	<2	41	<10	4	36
34319	364023	<1	3.99	21	446	<2	16	2.36	<4	9	23	9	1.49	0.25	19	0.78	264	<1	10	466	11	0.23	<5	21	<10	203	1785	<2	37	<10	4	44
34320	364024	<1	4.41	14	525	<2	8	2.50	<4	9	26	4	1.58	0.17	23	0.91	291	<1	11	489	8	0.20	<5	19	<10	223	1873	<2	38	<10	4	19

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 10:49 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/10/2015
Job #: 201540389
Reference: TL15-377RE
Sample #: 66

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34321	364025	<1	4.62	14	503	2	11	1.79	<4	21	139	55	3.41	0.31	22	1.03	474	2	57	484	44	0.15	6	17	<10	229	2510	<2	85	10	13	66
34322	364026	<1	4.98	8	500	3	29	1.95	<4	23	148	57	3.65	0.30	23	1.12	524	1	58	507	46	0.15	6	9	<10	263	2590	<2	87	<10	13	71
34323	364027	<1	4.84	10	409	2	6	2.09	<4	21	148	47	3.29	0.32	21	1.11	577	1	54	512	35	0.12	8	<5	<10	217	2722	<2	84	<10	13	49
34324	364028	<1	4.95	59	437	3	13	1.62	<4	22	149	53	3.60	0.20	27	0.93	388	3	63	498	63	0.24	<5	15	<10	181	2630	<2	100	<10	13	126
34325	364029	<1	4.57	490	501	3	11	1.88	<4	27	169	51	4.24	0.31	37	1.19	558	3	78	583	31	0.14	7	12	<10	195	3762	<2	128	10	12	67
34326R	364029	<1	4.29	463	494	3	2	1.73	<4	27	166	46	4.10	0.15	36	1.16	559	1	75	565	32	0.14	6	12	<10	181	3532	<2	129	<10	11	68
34327	364030	>100	3.89	16	494	<2	4	3.16	7	14	33	87	4.16	0.07	3	1.00	717	4	21	489	>5000	0.12	84	7	<10	294	2377	<2	124	<10	15	487
34328	364031	<1	4.67	81	454	2	7	1.72	<4	22	138	52	3.41	0.26	23	0.84	429	3	61	410	340	0.43	8	19	<10	170	2510	<2	95	<10	18	371
34329	364032	<1	5.02	44	416	2	16	1.91	<4	19	425	53	3.50	0.03	26	1.03	493	4	62	482	57	0.48	7	<5	<10	187	2516	<2	83	<10	13	114
34330	364033	<1	5.44	44	538	2	12	1.60	<4	20	146	46	3.32	<0.01	32	1.03	453	3	55	523	38	0.56	<5	12	<10	170	2667	<2	88	10	13	84
34331	364034	<1	4.97	11	450	2	11	1.86	<4	22	154	53	3.73	0.09	27	1.23	547	3	64	565	37	0.26	6	10	<10	182	2781	<2	96	<10	11	89
34332	364035	<1	4.21	9	369	2	14	1.96	<4	21	139	47	3.44	0.01	25	1.19	529	1	59	547	27	0.19	<5	8	<10	193	2623	<2	89	<10	11	53

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 12, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/09/2015
Job #: 201540390
Reference: TL15-377RE
Sample #: 6

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34333	363976	<1	4.87	17	763	<2	10	1.96	<4	6	36	27	1.29	<0.01	24	1.35	457	3	9	319	45	0.10	6	16	<10	154	1599	<2	25	<10	3	55
34334	363977	24	4.73	49	626	<2	2	1.53	7	5	30	125	1.20	0.04	15	0.76	348	2	8	413	876	0.42	39	18	<10	96	1435	<2	24	17	4	2584
34335	363978	<1	4.58	33	531	<2	3	1.84	<4	5	30	86	1.17	<0.01	11	1.12	507	2	7	528	121	0.33	7	23	<10	111	1293	<2	25	<10	4	152
34336	364001	<1	5.64	49	685	<2	17	0.94	<4	7	48	16	1.59	<0.01	10	0.68	207	5	10	371	57	0.52	<5	18	<10	102	1496	<2	31	<10	5	49
34337	364002	<1	4.89	48	646	<2	11	0.59	<4	7	36	18	1.75	<0.01	6	0.30	<100	4	10	295	173	0.78	6	20	<10	88	1351	<2	29	<10	4	309
34338	364003	15	4.32	43	560	<2	7	0.88	9	6	37	131	1.23	<0.01	8	0.39	<100	4	10	411	1798	0.43	21	27	<10	100	1355	<2	34	18	4	2159

PROCEDURE CODES: ALP1, ALPM1, ALMA1, ALSu1, ALPM4

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL14378B

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Au g/t (ppm)
13965	363197	<0.005
13966	363198	<0.005
13967	363199	0.020
13968	363200	0.006
13969	363201	0.008
13970	363202	<0.005
13971	363203	0.008
13972	363204	0.014
13973	363205	0.020
13974	363206	0.013
13975	363206 Dup	0.018
13976	363207	0.008
13977	363208	0.054
13978	363209	0.006
13979	363210	4.797
13980	363211	0.061
13981	363212	0.047
13982	363213	0.070
13983	363214	0.046
13984	363215	0.077
13985	363216	0.046
13986	363216 Dup	0.038
13987	363217	0.064
13988	363218	0.023
13989	363219	0.021

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Au g/t (ppm)
13990	363220	<0.005
13991	363221	0.034
13992	363222	0.033
13993	363223	0.018
13994	363224	0.067
13995	363225	<0.005
13996	363226	0.007
13997	363226 Dup	0.006
13998	363227	0.006
13999	363228	0.006
14000	363229	0.008
14001	363230	0.392
14002	363231	0.026
14003	363232	0.030
14004	363233	0.011
14005	363234	0.011
14006	363235	0.017
14007	363236	0.148
14008	363236 Dup	0.158
14009	363237	0.022
14010	363238	0.127
14011	363239	0.018
14012	363240	<0.005
14013	363241	0.006
14014	363242	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Karl Magbanua, Fire Assay Manager

Certified By:



Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Au g/t (ppm)
14015	363243	0.008
14016	363244	0.017
14017	363245	0.030
14018	363246	0.033
14019	363246 Dup	0.044
14020	363247	0.062
14021	363248	0.040
14022	363249	0.074
14023	363250	1.631
14024	363251	0.099
14025	363252	0.014
14026	363253	0.040
14027	363254	0.036
14028	363255	0.022
14029	363256	0.105
14030	363256 Rep	0.094
14031	363257	0.078
14032	363258	1.188
14033	363259	0.081
14034	363260	<0.005
14035	363261	0.038
14036	363262	0.107
14037	363263	0.052
14038	363264	0.084
14039	363265	0.105

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Au g/t (ppm)
14040	363266	0.063
14041	363266 Dup	0.055
14042	363267	0.068
14043	363268	0.120
14044	363269	0.043
14045	363270	4.862
14046	363271	0.011
14047	363272	0.036
14048	363273	0.235
14049	363274	0.668
14050	363275	0.307
14051	363276	0.179
14052	363276 Dup	0.132
14053	363277	0.527
14054	363278	0.035
14055	363279	0.148
14056	363280	<0.005
14057	363281	0.243
14058	363282	0.091
14059	363283	0.307
14060	363284	1.210
14061	363285	0.667
14062	363286	0.230
14063	363286 Dup	0.197
14064	363287	0.079

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Au g/t (ppm)
14065	363288	0.163
14066	363289	0.129
14067	363290	0.399
14068	363291	0.206
14069	363292	0.139
14070	363293	0.050
14071	363294	0.069
14072	363295	0.031
14073	363296	0.039
14074	363296 Dup	0.023
14075	363297	0.013
14076	363298	0.013
14077	363299	0.025
14078	363300	<0.005
14079	363301	0.011
14080	363302	<0.005
14081	363303	0.006
14082	363304	0.015
14083	363305	0.020
14084	363306	0.014
14085	363306 Dup	0.011
14086	363307	0.027
14087	363308	0.024
14088	363309	0.020
14089	363310	1.424

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Au g/t (ppm)
14090	363311	0.050
14091	363312	0.091
14092	363313	0.016
14093	363314	0.007
14094	363315	0.018
14095	363316	<0.005
14096	363316 Rep	<0.005
14097	363317	<0.005
14098	363318	0.005
14099	363319	0.005
14100	363320	<0.005
14101	363321	0.007
14102	363322	<0.005
14103	363323	<0.005
14104	363324	0.038
14105	363325	0.090
14106	363326	0.075
14107	363326 Dup	0.070
14108	363327	0.335
14109	363328	0.074
14110	363329	0.360
14111	363330	4.560
14112	363331	0.066
14113	363332	0.007
14114	363333	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Au g/t (ppm)
14115	363334	0.021
14116	363335	0.182
14117	363336	0.014
14118	363336 Dup	0.022
14119	363337	0.053
14120	363338	0.041
14121	363339	0.009
14122	363340	<0.005
14123	363341	<0.005
14124	363342	0.026
14125	363343	0.048
14126	363344	0.026
14127	363345	0.062
14128	363346	0.119
14129	363346 Dup	0.094
14130	363347	0.059
14131	363348	0.164
14132	363349	0.089
14133	363350	0.352
14134	363351	0.028
14135	363352	0.053
14136	363353	0.070
14137	363354	0.244
14138	363355	0.171
14139	363356	0.053

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Karl Magbanua, Fire Assay Manager

Certified By:



Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Au g/t (ppm)
14140	363356 Dup	0.060
14141	363357	0.022
14142	363358	0.043
14143	363359	0.142
14144	363360	0.005
14145	363361	0.035
14146	363362	1.104
14147	363363	0.241
14148	363364	3.411
14149	363365	0.228
14150	363366	0.137
14151	363366 Dup	0.148
14152	363367	0.114
14153	363368	0.088
14154	363369	0.017
14155	363370	1.454
14156	363371	0.035
14157	363372	0.043
14158	363373	0.044
14159	363374	0.017
14160	363375	0.069
14161	363376	1.107
14162	363376 Rep	0.213
14163	363377	0.112
14164	363378	0.138

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Au g/t (ppm)
14165	363379	0.022
14166	363380	<0.005
14167	363381	0.017
14168	363382	0.070
14169	363383	0.291
14170	363384	0.443
14171	363395	0.048
14172	363396	0.268
14173	363396 Dup	0.239
14174	363397	0.022
14175	363398	0.016
14176	363399	0.045
14177	363400	<0.005
14178	363401	0.027
14179	363402	0.776
14180	363403	0.088
14181	363404	0.188
14182	363413	0.080
14183	363414	0.196
14184	363414 Dup	0.210
14185	363415	0.050
14186	363416	0.020
14187	363417	0.008
14188	363418	0.024
14189	363419	0.011

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Au g/t (ppm)
14190	363420	<0.005
14191	363421	0.006
14192	363422	0.036
14193	363423	0.021
14194	363424	0.049
14195	363424 Dup	0.049
14196	363425	1.469
14197	363426	0.105
14198	363427	0.033

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, January 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.807	0.886	0.071
GS35	0.816	0.886	0.071
GS35	0.910	0.886	0.071
GS35	0.958	0.886	0.071
GS35	0.791	0.886	0.071
GS35	0.991	0.886	0.071
GS35	0.924	0.886	0.071
GS35	0.874	0.886	0.071
GS35	0.852	0.886	0.071
GS35	0.978	0.886	0.071
GS35	0.816	0.886	0.071
AR01	1.763	1.729	0.121

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
13965	363197	<1	6.47	15	457	<2	23	2.65	<4	12	29	17	2.28	0.58	20	1.23	490	<1	33	694	10	0.11	7	19	<10	696	1919	<2	46	<10	8	47
13966	363198	<1	6.24	10	464	<2	18	1.84	<4	10	28	5	2.18	0.40	20	1.14	429	<1	31	668	7	0.08	14	21	<10	547	2001	<2	45	<10	8	42
13967	363199	<1	6.75	8	566	<2	3	2.28	<4	9	22	5	2.00	0.21	18	1.01	336	<1	24	589	4	0.15	6	12	<10	494	1904	<2	41	<10	8	32
13968	363200	<1	4.33	14	390	<2	16	2.45	<4	16	56	48	3.76	0.24	9	1.32	735	<1	47	630	7	0.08	7	6	<10	274	3046	<2	111	<10	17	50
13969	363201	<1	6.68	9	596	<2	17	2.11	<4	9	23	7	1.94	0.31	17	0.84	404	<1	21	528	5	0.14	7	19	13	558	2157	<2	40	<10	8	35
13970	363202	<1	6.34	4	590	<2	10	1.37	<4	8	19	7	1.80	0.34	12	0.69	299	<1	20	447	9	0.62	8	6	<10	398	1658	<2	36	<10	8	31
13971	363203	<1	5.80	8	588	<2	35	2.23	<4	8	21	4	2.11	0.53	15	0.75	377	<1	21	493	12	0.76	<5	8	21	378	1798	<2	37	<10	8	14
13972	363204	<1	6.06	16	449	<2	7	2.06	<4	7	21	15	1.91	0.37	19	0.81	471	<1	20	508	47	0.37	7	18	<10	383	1852	<2	39	<10	7	137
13973	363205	<1	6.87	21	541	<2	16	0.41	<4	11	23	12	2.17	0.11	5	0.36	132	<1	22	589	27	0.94	7	11	11	182	2316	<2	46	11	8	197
13974	363206	<1	6.68	28	517	<2	18	0.36	<4	10	22	9	2.16	0.28	5	0.37	130	<1	23	552	25	0.92	5	12	10	187	2224	<2	44	<10	8	117
13975D	363206	<1	6.51	28	505	<2	9	0.34	<4	11	20	9	2.13	0.48	5	0.36	127	<1	21	552	28	0.92	6	8	11	180	2176	<2	43	13	7	118
13976	363207	<1	6.52	14	618	<2	8	2.23	<4	9	21	12	1.93	0.53	24	1.02	527	<1	19	543	85	0.22	8	14	<10	348	2171	<2	41	10	8	295
13977	363208	<1	6.18	13	747	<2	27	2.74	<4	13	35	20	2.39	0.47	17	1.52	606	<1	33	677	39	0.38	11	6	<10	360	2220	<2	58	<10	8	137
13978	363209	<1	5.36	12	317	<2	26	8.25	<4	6	21	3	1.50	0.32	12	0.72	353	<1	17	410	6	0.45	9	14	14	312	1431	<2	28	<10	8	10
13979	363210	131	5.56	18	387	<2	16	2.96	7	15	38	99	5.01	0.03	6	1.29	867	3	35	587	16688	0.13	83	5	12	287	2818	<2	133	11	19	323
13980	363211	<1	5.84	13	653	<2	12	3.03	<4	11	22	6	2.33	0.31	17	1.36	1196	<1	22	601	351	0.52	10	16	<10	326	2193	<2	45	10	8	397
13981	363212	<1	6.22	14	706	<2	18	2.60	<4	10	23	6	2.25	0.39	14	1.26	992	<1	21	625	45	0.51	10	22	10	317	2347	<2	45	10	8	705
13982	363213	<1	6.75	15	670	<2	16	3.03	<4	11	23	7	2.44	0.29	14	1.36	1048	<1	23	654	29	0.67	6	9	<10	309	2545	<2	49	<10	8	77
13983	363214	<1	6.29	9	597	<2	18	3.10	<4	14	79	41	2.51	0.30	16	1.33	873	<1	47	661	47	0.42	10	13	<10	352	2325	<2	58	<10	8	197
13984	363215	<1	6.15	45	384	<2	27	2.42	<4	8	20	120	1.91	0.18	12	0.99	1061	<1	22	638	317	0.72	9	9	<10	178	1864	<2	42	11	8	606

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/02/2015 1:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
13985	363216	<1	5.77	39	534	<2	15	2.54	<4	9	30	28	1.91	0.71	12	0.94	1069	<1	24	506	85	0.65	<5	16	<10	186	1779	<2	44	<10	7	140
13986D	363216	<1	5.51	46	515	<2	23	2.45	<4	9	27	29	1.88	1.05	11	0.92	1036	<1	25	493	80	0.62	<5	11	<10	182	1746	<2	43	<10	7	137
13987	363217	<1	6.33	33	611	2	11	1.18	12	11	38	28	1.28	0.55	16	0.61	484	<1	27	377	744	0.33	10	18	<10	141	1823	<2	43	23	8	2018
13988	363218	<1	6.13	21	555	<2	15	1.68	<4	9	33	14	0.95	0.61	12	0.52	469	<1	20	305	79	0.33	7	13	<10	162	1725	<2	45	10	7	130
13989	363219	<1	7.18	22	843	<2	22	1.86	<4	10	26	24	1.34	0.54	18	0.79	508	<1	22	381	121	0.45	5	14	11	229	2074	<2	47	<10	7	151
13990	363220	<1	4.11	14	393	<2	21	2.49	<4	14	56	49	3.81	0.14	9	1.29	738	<1	46	621	11	0.07	9	13	<10	277	2979	<2	112	<10	16	55
13991	363221	2	4.49	16	383	<2	18	1.01	<4	6	29	6	0.49	0.30	11	0.76	313	<1	34	<100	48	0.05	8	16	<10	157	1404	<2	31	<10	5	216
13992	363222	<1	5.11	16	390	<2	15	1.25	<4	7	24	6	0.49	0.35	10	0.72	326	<1	34	107	43	0.07	7	18	<10	176	1446	<2	33	<10	5	86
13993	363223	<1	6.27	13	493	<2	19	1.57	<4	6	30	8	0.54	0.29	8	0.68	373	<1	37	193	97	0.09	10	22	<10	197	1514	<2	32	<10	6	146
13994	363224	2	5.99	15	522	<2	<1	1.42	<4	5	25	17	0.39	<0.01	6	0.33	199	<1	31	212	64	0.06	7	16	<10	221	1472	<2	34	<10	6	132
13995	363225	<1	6.86	16	483	<2	14	0.97	<4	9	27	9	0.50	0.79	4	0.31	124	<1	39	201	18	0.13	8	19	<10	201	1432	<2	32	<10	6	20
13996	363226	<1	6.40	18	501	<2	19	1.00	<4	9	24	11	0.46	0.59	4	0.31	131	<1	37	199	27	0.11	7	16	<10	212	1453	<2	34	<10	6	75
13997D	363226	<1	6.71	23	513	<2	16	1.04	<4	8	24	12	0.47	0.54	4	0.32	134	<1	34	202	23	0.11	12	15	<10	217	1475	<2	34	<10	6	76
13998	363227	<1	6.07	20	476	<2	20	1.25	<4	9	24	15	0.40	0.80	5	0.31	191	<1	36	125	54	0.08	6	14	<10	222	1487	<2	36	<10	5	64
13999	363228	<1	<0.01	19	466	<2	3	0.71	<4	10	22	15	0.74	1.58	7	0.26	207	<1	35	216	32	0.19	9	7	<10	200	1613	<2	35	<10	3	103
14000	363229	<1	5.44	15	438	<2	11	2.59	<4	9	27	32	1.80	0.73	12	1.00	538	<1	36	467	19	0.14	<5	16	<10	307	1980	<2	33	<10	7	61
14001	363230	<1	5.01	48	273	<2	32	1.05	5	13	32	2335	4.96	0.61	24	0.87	1065	13	33	718	75	1.80	8	13	23	180	1128	<2	59	14	9	567
14002	363231	<1	3.08	18	428	<2	8	1.06	<4	7	19	13	1.36	<0.01	12	0.77	439	<1	30	382	56	0.30	5	<5	<10	105	1633	<2	27	<10	5	62
14003	363232	<1	5.91	22	560	<2	17	1.11	<4	8	25	8	1.63	0.29	22	0.89	436	<1	34	478	56	0.45	6	15	<10	111	1996	<2	33	<10	7	67
14004	363233	<1	5.62	12	539	<2	12	1.41	<4	8	22	8	1.66	0.26	18	0.92	440	<1	31	472	34	0.18	10	12	<10	176	1964	<2	35	<10	7	179

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/02/2015 1:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14005	363234	<1	6.17	9	505	<2	12	1.56	<4	9	23	13	1.85	0.54	19	1.04	466	<1	36	505	61	0.28	7	11	<10	256	2032	<2	36	<10	7	137
14006	363235	<1	5.49	10	611	<2	12	1.85	<4	8	25	6	1.82	0.63	19	1.27	603	<1	35	476	48	0.34	10	19	<10	159	1992	<2	34	<10	8	77
14007	363236	<1	5.85	27	742	<2	7	1.55	<4	9	25	32	1.94	0.50	21	1.15	592	<1	33	480	340	0.43	<5	13	12	117	1955	<2	33	19	7	521
14008D	363236	<1	5.38	29	690	<2	14	1.44	<4	9	26	30	1.82	0.67	19	1.10	554	<1	35	449	323	0.33	9	15	<10	111	1837	<2	31	13	7	486
14009	363237	<1	5.89	3	665	<2	10	1.77	<4	8	24	33	1.76	0.71	22	1.33	764	<1	31	455	108	0.19	9	9	<10	134	1878	<2	32	<10	7	172
14010	363238	<1	5.61	21	517	<2	20	0.54	<4	4	20	19	1.26	0.43	17	0.77	228	9	30	241	49	0.23	6	11	<10	108	1162	<2	17	<10	6	66
14011	363239	<1	6.28	22	535	<2	7	0.84	<4	5	22	8	1.00	0.63	19	0.89	304	<1	28	258	17	0.23	5	10	<10	156	1259	<2	18	<10	6	228
14012	363240	<1	4.53	16	412	<2	22	2.59	<4	17	59	50	3.95	0.92	8	1.40	775	<1	48	655	7	0.07	7	<5	13	283	3049	<2	118	<10	17	67
14013	363241	<1	5.04	10	559	<2	31	1.37	<4	4	28	5	1.08	1.03	21	0.95	322	<1	34	227	38	0.17	9	20	<10	191	1269	<2	19	<10	5	63
14014	363242	<1	4.28	10	452	<2	30	1.59	<4	4	24	5	1.11	1.14	18	0.94	340	<1	34	207	37	0.15	6	6	<10	216	1207	<2	18	<10	4	89
14015	363243	<1	4.20	10	421	<2	23	1.26	<4	4	23	6	1.00	1.15	16	0.89	295	<1	33	201	17	0.15	10	11	11	187	1078	<2	17	<10	4	63
14016	363244	<1	4.38	25	542	<2	10	0.25	<4	4	26	5	0.91	0.98	11	0.49	251	<1	32	212	14	0.25	10	18	<10	107	1151	<2	18	<10	4	128
14017	363245	<1	4.12	21	549	<2	18	<0.01	<4	4	20	2	0.99	0.66	9	0.35	<100	<1	30	197	12	0.38	5	16	<10	76	1176	<2	19	<10	4	167
14018	363246	<1	4.60	25	543	<2	13	<0.01	<4	5	21	1	1.04	0.54	9	0.37	<100	<1	25	212	15	0.42	7	17	<10	75	1186	<2	19	<10	4	178
14019D	363246	<1	5.12	27	533	<2	14	<0.01	<4	4	21	2	1.03	0.34	8	0.38	<100	<1	27	214	15	0.45	12	8	<10	72	1171	<2	18	10	5	174
14020	363247	<1	5.17	38	522	<2	15	0.08	<4	4	18	4	1.30	0.68	11	0.57	236	<1	21	259	36	0.49	7	8	10	78	1072	<2	17	14	5	723
14021	363248	<1	4.87	20	430	<2	22	1.51	<4	5	39	13	1.38	0.53	15	1.03	568	<1	35	266	45	0.34	7	19	<10	162	1010	<2	25	<10	5	82
14022	363249	<1	7.44	14	293	<2	27	0.74	<4	21	129	63	3.95	0.15	30	2.11	787	<1	74	528	15	0.24	12	5	<10	114	2695	<2	88	<10	16	69
14023	363250	<1	4.66	26	489	<2	18	2.16	<4	15	54	223	4.04	0.65	10	1.26	716	9	50	636	14	0.10	8	<5	<10	282	2794	<2	107	10	17	60
14024	363251	<1	6.04	18	332	<2	31	0.75	<4	21	137	86	3.73	0.99	29	2.14	882	<1	76	889	18	0.33	6	<5	<10	121	1757	<2	84	<10	9	94

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/02/2015 1:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14025	363252	<1	6.28	21	381	<2	24	1.39	<4	4	18	11	1.09	1.17	12	1.17	613	<1	29	269	26	0.19	8	18	<10	211	999	<2	18	<10	6	60
14026	363253	<1	5.65	21	575	<2	12	1.07	<4	5	21	20	1.09	0.96	19	1.04	578	<1	30	231	78	0.30	8	19	<10	165	1203	<2	19	<10	5	178
14027	363254	<1	4.07	22	614	<2	11	1.43	<4	4	21	15	1.16	1.15	16	0.98	704	<1	37	209	67	0.25	9	13	<10	175	1204	<2	21	<10	4	94
14028	363255	<1	4.70	14	504	<2	8	1.31	<4	5	27	10	1.21	0.86	14	1.02	1096	<1	45	233	88	0.24	7	18	<10	155	1204	<2	21	<10	5	120
14029	363256	<1	3.64	15	514	<2	15	1.55	<4	20	138	108	3.93	0.85	23	1.32	1804	<1	98	465	91	0.68	7	<5	<10	144	1840	<2	78	<10	9	162
14030R	363256	<1	3.18	17	513	<2	41	1.54	<4	21	141	107	4.01	1.26	22	1.28	1828	<1	99	479	92	0.73	8	<5	<10	142	1879	<2	80	<10	9	156
14031	363257	<1	4.23	20	652	<2	12	0.59	<4	5	25	19	1.15	<0.01	10	0.56	455	1	49	269	146	0.35	7	11	<10	119	1078	<2	23	<10	4	362
14032	363258	2	4.48	31	642	<2	13	0.25	19	3	17	221	1.07	1.19	10	0.46	498	<1	36	227	815	0.36	<5	16	<10	87	1034	<2	18	41	5	3962
14033	363259	<1	2.66	24	565	<2	18	0.33	<4	3	14	21	0.88	<0.01	5	0.48	2207	<1	33	200	244	0.24	<5	17	<10	75	863	<2	16	12	4	741
14034	363260	<1	<0.01	9	206	<2	15	1.32	<4	10	34	32	2.46	<0.01	<1	0.75	490	<1	30	380	10	0.05	7	<5	10	170	1902	<2	71	<10	8	51
14035	363261	<1	6.39	35	935	<2	19	0.43	<4	4	23	19	1.19	0.76	11	0.64	817	<1	39	283	162	0.42	8	16	<10	95	1260	<2	22	11	6	257
14036	363262	<1	6.11	29	946	<2	23	0.28	<4	5	20	24	1.13	0.85	11	0.56	547	<1	38	265	639	0.29	12	24	<10	80	1207	<2	20	15	6	1066
14037	363263	<1	6.10	31	1066	<2	15	0.88	<4	5	24	12	1.23	1.00	17	1.03	1929	<1	34	266	287	0.33	5	21	10	90	1263	2	21	13	6	484
14038	363264	<1	6.11	30	1176	<2	18	1.39	<4	5	29	29	1.31	0.79	16	0.95	1394	<1	44	254	621	0.31	6	20	10	129	1239	<2	20	12	6	585
14039	363265	<1	4.42	27	797	<2	14	1.78	<4	7	47	41	1.81	1.13	11	1.05	2504	<1	47	269	530	0.49	7	19	<10	161	1305	<2	33	14	7	978
14040	363266	<1	4.06	31	812	<2	21	1.88	<4	8	50	38	1.84	1.10	11	1.07	2635	<1	45	262	428	0.48	6	16	<10	164	1323	<2	32	15	6	1078
14041D	363266	<1	3.64	23	783	<2	12	1.80	<4	8	49	37	1.78	1.46	11	1.00	2475	<1	46	253	414	0.45	<5	10	12	159	1276	<2	31	16	6	1060
14042	363267	<1	4.05	29	814	2	18	1.37	<4	18	116	90	3.26	1.32	22	1.23	1505	<1	81	341	99	0.71	8	<5	<10	138	1989	<2	76	10	8	250
14043	363268	<1	3.16	24	537	<2	29	1.25	<4	20	130	69	3.17	<0.01	16	0.95	1023	<1	79	431	147	0.75	8	<5	<10	133	1945	<2	78	<10	10	225
14044	363269	<1	<0.01	6	333	<2	15	0.95	<4	12	85	46	2.43	<0.01	9	0.85	919	<1	56	288	37	0.20	5	<5	<10	109	1563	<2	62	<10	5	88

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/02/2015 1:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14045	363270	87	0.20	11	208	<2	12	1.64	6	11	23	71	3.36	<0.01	<1	0.74	592	<1	22	368	16003	0.10	66	<5	<10	185	1827	<2	87	<10	9	303
14046	363271	<1	1.01	14	339	<2	6	0.77	<4	4	13	2	0.94	<0.01	4	0.50	576	<1	22	195	52	0.27	7	13	<10	154	882	<2	15	<10	3	65
14047	363272	<1	5.53	19	364	<2	6	0.53	<4	5	21	3	1.32	0.76	16	1.31	695	<1	37	533	149	0.29	10	19	<10	109	1259	<2	31	<10	6	102
14048	363273	<1	6.41	15	273	<2	14	0.69	<4	8	17	16	1.38	<0.01	17	1.95	1002	<1	40	553	313	0.17	8	18	11	123	982	<2	31	14	7	621
14049	363274	<1	6.17	26	323	<2	21	0.78	<4	8	29	11	1.29	1.16	18	1.56	1045	<1	45	565	52	0.16	7	8	<10	151	1257	<2	34	<10	7	97
14050	363275	4	5.59	12	331	<2	17	0.67	<4	7	21	158	1.26	1.18	16	1.26	965	<1	32	503	294	0.14	<5	14	<10	140	1313	<2	30	15	6	634
14051	363276	<1	4.97	16	310	<2	19	0.68	<4	6	20	13	1.26	0.99	14	0.92	726	<1	37	399	57	0.21	10	15	<10	175	1371	<2	30	11	5	88
14052D	363276	<1	4.15	16	318	<2	16	0.69	<4	6	20	12	1.29	1.49	14	0.88	723	<1	34	368	59	0.24	10	17	10	180	1383	<2	31	<10	5	87
14053	363277	17	3.17	28	251	<2	9	1.06	13	6	28	145	1.73	1.28	14	1.09	1041	<1	45	300	3490	0.42	13	<5	<10	169	1045	<2	22	54	5	5494
14054	363278	<1	2.63	14	221	<2	17	1.03	<4	5	25	5	1.09	1.07	14	1.10	1197	<1	42	293	137	0.09	7	14	<10	155	1137	<2	25	<10	3	174
14055	363279	<1	3.26	11	187	<2	25	1.61	4	5	23	4	1.49	0.82	16	1.93	2073	<1	41	350	73	0.14	7	11	11	181	1115	<2	24	20	4	1430
14056	363280	<1	1.35	10	293	<2	13	1.97	<4	14	47	41	3.17	<0.01	6	1.00	635	<1	40	490	10	0.06	8	5	<10	228	2484	<2	94	<10	10	60
14057	363281	<1	2.44	14	137	<2	19	0.72	<4	3	20	4	1.13	<0.01	14	1.40	1209	<1	38	342	47	0.12	9	10	11	135	704	<2	23	<10	3	114
14058	363282	<1	2.24	10	196	<2	13	1.16	<4	4	21	2	1.27	<0.01	17	1.52	1411	<1	33	350	160	0.17	5	12	10	148	973	<2	25	<10	4	208
14059	363283	<1	6.02	21	453	<2	14	1.30	<4	6	22	21	1.42	0.91	13	1.18	998	<1	39	486	88	0.40	7	13	<10	166	1630	<2	33	10	6	163
14060	363284	<1	6.48	26	503	<2	15	0.77	<4	7	23	13	1.68	0.69	16	0.83	631	<1	38	518	146	0.42	8	19	<10	129	1838	<2	38	<10	7	344
14061	363285	<1	6.33	25	375	<2	16	0.61	<4	9	40	40	2.02	0.66	17	1.02	996	<1	35	473	58	0.37	8	9	12	124	1689	<2	40	<10	8	102
14062	363286	<1	5.50	26	359	<2	21	0.53	<4	8	45	38	2.00	1.04	16	0.96	958	<1	26	424	53	0.29	8	14	<10	118	1638	<2	39	<10	7	97
14063D	363286	<1	5.09	28	369	<2	24	0.54	<4	8	47	39	2.06	1.08	16	0.93	975	<1	26	409	53	0.32	8	19	<10	118	1672	<2	41	<10	6	103
14064	363287	<1	4.59	33	322	<2	18	0.73	<4	10	35	32	2.10	1.15	20	1.05	962	<1	20	381	39	0.47	8	<5	<10	115	1838	<2	39	<10	6	66

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/02/2015 1:30 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14065	363288	<1	4.87	47	396	<2	16	0.99	<4	12	33	86	1.35	1.15	14	0.71	684	<1	27	393	62	0.34	11	9	11	131	1845	<2	33	<10	6	103
14066	363289	<1	3.99	31	410	<2	15	1.05	<4	12	43	38	2.06	1.02	16	0.82	855	2	28	465	67	0.33	9	7	10	122	2067	<2	40	<10	6	145
14067	363290	<1	4.36	53	282	<2	15	1.11	6	14	34	2461	5.24	0.57	26	0.83	1129	14	33	703	88	2.14	5	<5	<10	185	1166	<2	62	13	8	610
14068	363291	<1	4.23	42	462	<2	16	0.54	<4	9	27	10	1.89	0.68	16	0.73	379	<1	19	424	167	0.84	5	15	<10	97	1848	<2	34	<10	6	93
14069	363292	<1	5.53	37	450	<2	27	0.57	<4	8	21	7	1.46	0.93	15	0.72	334	<1	21	446	101	0.59	7	7	<10	108	1861	<2	33	<10	6	414
14070	363293	<1	5.16	29	371	<2	12	0.84	<4	6	22	6	1.07	0.93	13	0.74	435	<1	18	473	95	0.39	9	16	10	116	1737	<2	31	<10	6	154
14071	363294	<1	6.56	27	462	<2	17	0.99	<4	7	33	14	1.55	0.70	16	0.95	523	<1	22	559	49	0.59	8	20	13	140	2133	<2	41	<10	8	49
14072	363295	<1	6.69	30	392	<2	16	1.16	<4	13	27	25	1.41	0.86	14	1.00	531	<1	25	483	42	0.36	11	22	11	173	1890	<2	41	<10	7	75
14073	363296	<1	5.56	13	297	<2	14	1.15	<4	7	29	35	1.32	0.84	15	1.03	613	<1	21	420	27	0.19	9	15	<10	178	1538	<2	32	<10	6	51
14074D	363296	<1	5.17	14	289	<2	16	1.13	<4	7	25	34	1.28	1.15	14	0.99	596	<1	23	389	29	0.19	8	9	<10	176	1491	<2	32	<10	6	48
14075	363297	<1	4.62	17	267	<2	19	0.57	<4	5	24	8	0.87	1.03	17	0.99	466	<1	18	347	87	0.16	8	15	<10	115	1435	<2	28	<10	4	93
14076	363298	<1	3.31	7	185	<2	17	0.64	<4	3	22	5	0.73	1.04	13	0.87	422	<1	18	308	70	0.13	<5	14	<10	141	1117	<2	26	<10	3	121
14077	363299	<1	6.42	12	190	<2	19	0.49	<4	4	26	3	0.77	0.47	13	1.14	483	<1	14	397	143	0.13	8	20	10	139	1107	<2	28	<10	6	260
14078	363300	<1	4.65	11	406	<2	18	2.57	<4	15	59	50	3.93	0.46	10	1.37	769	2	47	642	9	0.08	9	17	12	284	3059	<2	116	<10	17	69
14079	363301	<1	5.39	12	222	<2	16	1.20	<4	4	27	5	1.15	0.81	24	2.48	1074	<1	19	390	64	0.14	10	18	<10	187	1058	<2	30	<10	5	276
14080	363302	<1	4.57	13	227	<2	9	0.77	<4	4	22	<1	0.93	0.77	21	2.06	822	<1	18	375	83	0.09	10	15	10	149	1140	3	30	10	4	133
14081	363303	<1	4.25	13	230	<2	10	0.79	<4	5	19	2	0.80	0.61	16	1.55	679	<1	19	345	73	0.10	8	13	<10	145	1407	<2	27	<10	4	81
14082	363304	<1	5.04	19	267	<2	22	1.10	<4	5	29	3	0.91	0.98	10	0.78	386	<1	19	1790	41	0.32	8	11	11	143	1342	<2	26	<10	8	43
14083	363305	<1	5.53	19	416	<2	23	0.96	<4	7	19	6	1.07	0.66	14	0.91	462	<1	21	386	25	0.44	8	12	10	123	1742	<2	30	<10	5	65
14084	363306	<1	5.02	12	409	<2	47	0.90	<4	6	23	6	0.98	1.00	12	0.85	447	<1	20	362	24	0.37	7	11	22	120	1713	<2	29	<10	4	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/02/2015 1:30 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14085D	363306	<1	5.08	18	410	<2	19	0.94	<4	6	24	6	0.99	0.78	13	0.85	452	<1	19	370	29	0.37	5	19	11	121	1727	<2	29	<10	4	50
14086	363307	<1	4.86	18	450	<2	17	0.68	<4	7	18	4	1.03	0.91	14	0.75	339	<1	21	368	41	0.44	5	13	<10	110	1755	<2	29	<10	4	94
14087	363308	<1	5.76	21	389	2	17	1.15	<4	6	21	5	1.29	0.62	16	0.98	499	<1	20	398	41	0.54	8	16	<10	126	1797	<2	30	<10	5	77
14088	363309	<1	3.76	32	338	<2	12	1.42	<4	8	18	4	1.72	0.77	20	1.10	753	<1	18	403	27	0.74	8	<5	11	134	1805	<2	31	<10	5	60
14089	363310	<1	5.48	25	539	<2	13	2.40	<4	17	58	234	4.38	0.64	12	1.36	781	10	57	697	8	0.13	12	11	<10	305	2978	<2	117	12	18	70
14090	363311	<1	6.15	42	366	<2	8	1.79	<4	8	21	26	1.91	0.72	24	1.60	962	<1	22	425	31	0.88	5	22	<10	131	1809	<2	32	10	7	204
14091	363312	<1	5.72	30	387	<2	23	0.97	<4	7	23	12	1.76	0.71	22	1.19	595	<1	20	396	65	0.73	5	10	15	108	1790	<2	29	12	5	126
14092	363313	<1	5.10	24	453	<2	10	1.12	<4	6	19	3	1.46	0.45	21	1.13	538	<1	20	348	36	0.56	12	<5	<10	128	1667	<2	27	10	5	305
14093	363314	<1	5.88	25	454	<2	16	1.27	<4	6	21	3	1.38	1.02	17	0.84	347	<1	20	375	21	0.56	10	17	11	171	1714	<2	30	<10	6	36
14094	363315	<1	5.95	12	434	<2	19	1.75	<4	7	26	7	1.33	1.05	12	0.61	274	<1	17	388	18	0.14	5	18	13	180	1568	<2	30	<10	6	50
14095	363316	<1	5.64	9	383	<2	20	1.87	<4	7	21	7	1.21	0.94	12	0.84	389	<1	21	384	19	0.10	6	11	<10	185	1562	<2	29	<10	6	40
14096R	363316	<1	4.84	10	378	<2	6	1.76	<4	6	21	6	1.17	0.78	12	0.79	390	<1	20	362	13	0.08	<5	14	<10	177	1539	<2	28	<10	5	37
14097	363317	<1	5.20	11	409	<2	10	1.75	<4	6	18	8	1.33	0.73	15	0.87	529	<1	19	379	29	0.09	6	21	<10	190	1691	<2	30	<10	5	41
14098	363318	<1	4.86	5	449	<2	17	1.60	<4	5	19	11	1.37	0.92	17	0.87	541	<1	18	356	52	0.11	9	16	<10	189	1617	<2	29	<10	5	62
14099	363319	<1	4.86	7	373	<2	11	1.41	<4	6	20	13	1.40	0.75	16	0.80	457	<1	19	364	30	0.15	6	21	11	174	1552	<2	29	<10	5	39
14100	363320	<1	3.46	6	401	<2	26	2.52	<4	16	59	49	3.88	0.20	9	1.22	761	2	51	609	10	0.09	9	8	<10	279	3017	<2	115	<10	14	56
14101	363321	<1	5.80	9	405	<2	12	1.71	<4	9	24	11	1.47	0.43	14	0.95	463	<1	21	399	31	0.21	8	16	<10	183	1595	<2	30	<10	6	78
14102	363322	<1	4.53	9	381	<2	21	1.43	<4	7	18	7	1.21	0.62	14	0.87	374	<1	18	382	21	0.11	<5	12	<10	178	1592	<2	29	10	5	58
14103	363323	<1	6.52	18	692	2	14	1.02	<4	7	23	5	1.13	0.72	22	1.14	424	<1	20	407	18	0.17	5	16	<10	184	1916	<2	32	<10	6	31
14104	363324	<1	4.96	25	2615	2	15	2.43	<4	4	26	43	1.85	1.19	22	1.78	981	<1	20	362	208	0.48	6	17	11	209	1643	<2	28	<10	6	71

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/02/2015 1:30 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14105	363325	<1	4.94	22	1730	2	21	1.88	<4	5	23	28	1.64	1.22	19	1.42	785	<1	18	335	120	0.34	7	11	<10	139	1557	<2	26	12	6	366
14106	363326	<1	4.06	25	1724	2	10	1.95	<4	5	27	21	1.73	1.38	18	1.42	841	<1	17	318	100	0.31	10	15	<10	139	1556	<2	27	<10	6	300
14107D	363326	<1	3.90	27	1688	<2	13	1.92	<4	5	29	20	1.71	1.30	18	1.38	828	<1	14	320	94	0.35	8	8	<10	137	1520	<2	27	10	5	295
14108	363327	1	3.65	36	2643	<2	13	2.06	<4	5	26	36	2.61	1.02	15	1.21	663	<1	16	308	1531	0.95	9	12	10	142	1446	<2	24	13	5	342
14109	363328	<1	3.96	26	644	<2	14	1.84	<4	4	30	9	1.50	0.87	22	1.05	603	<1	19	317	53	0.41	9	17	<10	94	1587	<2	27	<10	5	53
14110	363329	<1	3.24	19	547	<2	11	1.55	<4	10	47	77	2.07	0.85	22	1.10	715	<1	27	355	115	0.49	9	9	10	144	2003	<2	42	<10	5	296
14111	363330	131	1.77	19	389	<2	22	2.83	7	16	39	98	5.01	0.55	5	0.98	892	2	29	529	16415	0.13	85	<5	15	282	2768	<2	135	<10	12	340
14112	363331	<1	2.00	17	645	2	16	1.54	<4	8	52	19	2.05	0.52	25	0.94	597	<1	27	366	85	0.32	10	11	<10	152	2066	<2	43	<10	5	124
14113	363332	<1	6.22	11	598	<2	17	1.28	<4	7	30	15	1.39	0.69	21	1.32	611	2	14	287	39	0.07	8	14	10	142	1729	<2	25	<10	6	63
14114	363333	<1	2.84	6	220	<2	13	0.67	<4	3	52	10	0.77	0.62	8	0.68	278	2	13	165	31	0.03	8	12	<10	80	861	<2	12	<10	5	38
14115	363334	<1	6.31	14	2763	<2	6	2.05	<4	5	24	56	1.71	1.03	21	1.81	838	<1	19	346	608	0.13	5	19	13	181	1666	<2	26	13	6	827
14116	363335	<1	5.72	11	1234	<2	15	1.86	<4	6	28	24	1.44	1.19	18	1.38	685	<1	10	328	50	0.16	8	21	<10	134	1704	<2	26	14	6	96
14117	363336	<1	5.45	9	673	<2	13	1.99	<4	6	25	23	1.75	1.36	22	1.73	840	<1	18	326	98	0.17	10	8	<10	133	1664	<2	25	10	6	306
14118D	363336	<1	4.52	10	635	<2	13	1.87	<4	6	24	21	1.69	1.27	21	1.62	807	<1	12	296	98	0.12	7	16	<10	128	1620	<2	24	<10	5	296
14119	363337	3	4.27	8	502	2	18	2.52	10	6	25	44	1.77	1.34	21	2.23	1325	<1	17	302	2854	0.15	11	22	<10	121	1493	7	22	39	6	3688
14120	363338	<1	3.31	8	599	2	16	3.55	4	5	21	109	2.21	1.08	17	2.78	2125	<1	18	341	1294	0.18	7	13	13	150	1445	2	22	19	5	1670
14121	363339	<1	4.19	4	586	<2	20	1.43	<4	7	23	25	1.49	0.79	25	1.17	518	<1	17	298	44	0.10	7	9	10	132	1810	<2	26	<10	4	113
14122	363340	<1	3.03	5	405	<2	19	2.49	<4	15	58	48	3.84	0.82	10	1.20	756	1	41	588	11	0.08	9	9	<10	275	2990	<2	114	<10	13	57
14123	363341	<1	5.69	6	660	2	7	1.51	<4	6	28	28	1.41	0.80	23	1.14	435	<1	18	358	19	0.08	<5	7	<10	155	1824	<2	29	<10	5	61
14124	363342	<1	3.79	16	585	<2	33	1.41	<4	7	20	16	1.27	0.54	23	1.03	445	<1	17	307	13	0.19	5	6	10	130	1785	<2	26	<10	4	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/02/2015 1:30 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14125	363343	<1	6.29	12	593	<2	16	1.68	<4	7	20	17	1.46	0.83	22	1.35	441	<1	15	350	23	0.11	10	13	<10	148	1871	<2	27	<10	6	155
14126	363344	<1	5.84	11	573	<2	12	1.46	<4	6	23	12	1.34	1.09	20	1.36	459	<1	11	349	10	0.28	7	24	<10	138	1717	<2	25	<10	6	38
14127	363345	<1	6.22	19	627	<2	20	1.19	<4	6	23	7	1.36	0.98	22	1.67	663	<1	11	351	29	0.27	8	18	12	120	1739	<2	26	<10	6	58
14128	363346	<1	5.54	14	584	<2	23	1.20	<4	5	20	8	1.30	1.19	21	1.55	639	<1	17	330	27	0.28	6	13	<10	117	1663	<2	25	<10	5	57
14129D	363346	<1	4.86	17	619	<2	13	1.26	<4	6	24	7	1.37	1.17	21	1.53	677	<1	19	317	33	0.28	8	<5	<10	119	1756	<2	26	<10	5	61
14130	363347	<1	4.85	23	598	<2	12	2.28	<4	6	18	36	1.79	1.05	19	1.76	902	<1	17	310	101	0.29	7	7	10	133	1623	<2	24	<10	5	602
14131	363348	<1	5.22	26	573	<2	22	1.90	<4	5	19	24	1.60	0.95	21	1.59	884	<1	17	331	218	0.36	<5	16	12	120	1709	<2	25	13	5	784
14132	363349	<1	4.44	32	434	<2	18	2.40	<4	6	20	20	1.85	0.73	21	1.99	1188	<1	16	329	1036	0.27	9	11	<10	123	1610	<2	23	10	6	391
14133	363350	<1	4.71	54	291	<2	30	1.13	5	15	35	2483	5.30	0.85	27	0.85	1142	13	29	723	85	2.13	6	<5	15	188	1171	<2	63	16	9	624
14134	363351	<1	4.50	15	510	<2	16	1.71	<4	6	18	14	1.45	0.49	23	1.79	770	<1	14	302	38	0.19	7	7	15	125	1630	<2	24	21	5	306
14135	363352	<1	4.46	13	587	<2	22	1.36	<4	6	18	8	1.40	0.34	29	1.70	646	<1	12	329	33	0.17	11	6	<10	101	1675	<2	24	<10	5	214
14136	363353	<1	3.45	31	400	<2	24	1.46	5	6	16	44	1.69	0.22	23	1.91	718	<1	10	303	332	0.21	13	11	10	63	1431	<2	21	24	5	1732
14137	363354	<1	5.90	14	470	<2	19	2.06	<4	5	21	31	1.54	0.81	24	1.95	789	<1	17	324	52	0.21	<5	<5	14	80	1634	<2	23	<10	6	109
14138	363355	2	5.84	28	506	<2	14	1.90	7	4	22	85	1.40	0.98	30	1.58	642	<1	17	358	2010	0.18	13	17	11	57	1640	<2	25	26	7	2149
14139	363356	<1	5.15	36	494	<2	19	2.97	<4	6	27	63	1.73	0.99	29	2.19	1082	<1	17	492	124	0.32	7	19	<10	62	1790	<2	27	10	6	342
14140D	363356	<1	5.07	29	482	<2	24	2.88	<4	6	22	61	1.69	0.30	29	2.14	1054	<1	17	469	111	0.33	9	9	13	62	1750	<2	26	13	6	326
14141	363357	<1	5.12	20	505	<2	6	2.49	<4	5	20	9	1.17	0.87	34	1.26	530	<1	17	307	15	0.23	5	17	11	52	1825	<2	28	<10	5	24
14142	363358	<1	4.78	25	570	<2	27	1.87	<4	6	24	27	1.37	0.61	27	1.24	590	<1	16	300	40	0.37	7	17	<10	78	1812	<2	28	<10	5	50
14143	363359	<1	7.30	24	644	<2	13	1.22	<4	7	29	21	1.44	0.44	25	1.45	507	<1	18	400	94	0.51	<5	15	11	97	1893	<2	30	18	7	720
14144	363360	<1	5.26	13	437	<2	2	2.71	<4	17	61	52	4.13	<0.01	10	1.46	808	2	48	675	16	0.09	8	10	12	296	3192	<2	122	<10	18	77

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/02/2015 1:30 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14145	363361	<1	6.32	32	567	<2	17	1.09	<4	6	32	15	1.21	0.66	20	1.10	316	<1	16	422	64	0.32	7	22	<10	55	1849	<2	30	<10	6	113
14146	363362	4	6.70	39	594	<2	19	0.34	<4	6	32	25	1.01	0.38	15	0.74	146	<1	18	449	104	0.46	17	18	10	59	1673	<2	29	12	6	676
14147	363363	<1	6.53	46	589	<2	23	0.11	<4	6	31	27	1.08	0.51	8	0.61	125	<1	12	393	69	0.51	7	23	<10	60	1352	<2	28	<10	6	261
14148	363364	6	5.69	74	564	<2	17	0.02	<4	6	33	53	1.47	0.81	7	0.57	117	<1	19	394	232	0.66	24	9	<10	56	1137	<2	27	10	7	437
14149	363365	<1	5.90	41	693	<2	18	0.19	<4	7	38	11	1.38	0.60	10	0.59	314	<1	20	364	131	0.65	14	24	<10	59	1382	<2	28	<10	6	134
14150	363366	<1	5.96	43	667	<2	14	0.21	<4	7	33	15	1.59	0.33	9	0.60	257	<1	19	402	120	0.82	13	19	17	57	1329	<2	27	<10	7	185
14151D	363366	<1	6.41	41	699	<2	7	0.24	<4	7	36	16	1.61	0.26	10	0.63	265	<1	21	416	125	0.81	9	10	<10	59	1394	<2	29	<10	7	189
14152	363367	<1	6.51	32	686	<2	21	1.07	<4	6	22	21	1.38	0.31	15	0.93	490	<1	17	413	42	0.73	8	13	<10	58	1568	<2	26	<10	7	207
14153	363368	<1	7.10	22	715	<2	25	1.06	<4	6	26	37	1.32	0.22	16	0.91	551	<1	17	409	37	0.70	11	14	11	61	1739	<2	28	<10	7	49
14154	363369	<1	2.75	20	468	<2	9	0.59	<4	6	14	11	1.17	0.70	15	0.92	469	<1	13	311	40	0.55	5	13	<10	45	1405	<2	21	<10	4	80
14155	363370	<1	4.89	23	509	<2	16	2.24	<4	16	56	221	4.16	0.24	10	1.30	748	9	48	653	14	0.13	<5	10	17	285	2874	<2	112	11	17	70
14156	363371	<1	6.77	24	682	<2	15	0.63	<4	7	20	12	1.21	0.61	16	1.07	485	<1	17	401	45	0.52	9	22	10	67	1730	<2	28	<10	7	102
14157	363372	<1	6.90	25	701	<2	21	0.71	<4	6	21	9	1.24	0.72	15	1.03	528	<1	17	397	233	0.51	8	17	<10	58	1716	<2	28	13	6	528
14158	363373	<1	6.59	21	631	<2	16	0.29	<4	6	22	8	1.12	0.74	19	0.90	272	<1	17	477	48	0.38	7	25	<10	58	1655	<2	27	<10	6	49
14159	363374	<1	6.87	17	486	<2	11	2.50	<4	8	23	11	1.46	0.70	29	1.82	806	<1	17	383	28	0.35	9	17	<10	55	1825	<2	27	<10	6	21
14160	363375	<1	5.24	28	427	<2	20	2.02	<4	6	27	9	1.42	0.93	23	1.57	542	<1	16	374	45	0.39	10	19	10	60	1517	<2	24	<10	6	56
14161	363376	<1	5.66	53	354	<2	15	2.04	<4	6	33	19	1.59	0.72	30	1.86	565	<1	15	303	57	0.23	8	8	<10	79	1413	<2	26	<10	6	61
14162R	363376	<1	3.66	38	334	<2	22	1.87	<4	6	40	16	1.50	0.65	29	1.59	542	<1	18	260	54	0.24	8	18	11	74	1331	<2	22	<10	5	56
14163	363377	<1	5.27	41	459	<2	18	1.35	<4	7	26	9	1.79	0.24	38	2.50	411	<1	17	365	27	0.38	9	13	<10	61	1596	<2	26	<10	6	27
14164	363378	<1	5.93	26	435	<2	23	1.10	<4	7	23	6	1.74	<0.01	53	2.61	400	<1	17	387	16	0.27	10	12	13	83	1348	<2	26	<10	6	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/02/2015 1:30 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14165	363379	<1	4.75	16	592	<2	15	1.25	<4	9	26	12	1.91	0.21	33	1.71	457	<1	19	407	23	0.25	6	10	12	103	1866	<2	37	<10	5	58
14166	363380	<1	4.53	10	462	<2	24	2.68	<4	18	58	26	3.77	0.20	12	1.37	785	<1	40	703	5	0.07	13	6	12	321	3571	<2	130	22	15	66
14167	363381	<1	6.17	25	478	<2	15	1.35	<4	7	23	12	1.52	0.34	25	1.82	394	<1	15	373	42	0.29	7	15	10	75	1518	<2	26	<10	7	60
14168	363382	<1	6.06	36	558	<2	14	<0.01	<4	7	23	11	1.20	0.45	8	0.47	<100	<1	16	395	51	0.53	10	28	13	66	1476	<2	27	11	7	66
14169	363383	<1	6.63	48	545	<2	17	<0.01	<4	7	27	7	1.19	0.54	8	0.46	<100	2	19	376	62	0.53	5	24	13	65	1467	<2	29	<10	7	251
14170	363384	<1	6.41	69	532	<2	22	0.20	<4	7	28	14	1.64	0.41	13	0.67	126	1	15	381	206	0.70	8	14	37	57	1542	<2	27	<10	6	234
14171	363395	<1	5.73	28	585	<2	14	1.47	<4	9	37	15	1.85	0.59	30	1.44	534	<1	19	533	44	0.30	11	20	<10	84	2276	<2	41	<10	7	276
14172	363396	1	6.04	37	446	2	19	1.59	<4	10	28	18	1.67	0.39	23	1.44	360	<1	19	525	30	0.47	16	15	18	68	2102	<2	36	<10	8	35
14173D	363396	<1	4.89	34	439	2	18	1.54	<4	11	27	18	1.65	0.39	22	1.31	357	<1	21	507	29	0.47	11	14	<10	67	2069	<2	35	<10	7	33
14174	363397	<1	5.79	9	393	<2	11	1.81	<4	6	24	19	1.26	0.33	30	1.70	367	<1	15	332	14	0.16	5	18	15	57	1666	<2	25	<10	7	17
14175	363398	<1	4.80	17	528	<2	15	1.52	<4	6	28	9	1.33	0.35	32	1.50	373	<1	16	352	18	0.19	10	6	11	57	1784	<2	27	<10	5	42
14176	363399	<1	5.20	10	492	<2	13	0.99	<4	6	31	14	1.46	0.24	30	1.72	387	<1	16	338	49	0.16	6	9	19	60	1674	<2	27	<10	6	134
14177	363400	<1	4.67	10	370	<2	26	2.30	<4	16	50	22	3.23	0.18	11	1.31	667	<1	37	611	9	0.05	6	14	15	284	3106	<2	112	20	17	54
14178	363401	<1	4.74	20	502	<2	14	1.03	<4	6	22	7	1.48	0.15	29	1.71	409	<1	16	367	39	0.20	8	10	38	54	1705	<2	27	<10	5	70
14179	363402	<1	6.22	33	455	<2	11	0.69	<4	7	27	13	1.34	0.24	17	0.96	230	<1	16	356	52	0.51	8	23	10	61	1591	<2	27	<10	7	26
14180	363403	<1	5.44	48	488	2	18	1.57	<4	10	29	42	1.93	0.43	27	1.34	532	<1	20	556	135	0.66	10	16	<10	86	2035	<2	38	11	7	461
14181	363404	<1	5.67	25	492	<2	14	1.60	<4	9	24	11	1.60	0.42	22	1.44	556	<1	19	515	51	0.33	8	17	<10	101	2061	<2	38	<10	7	110
14182	363413	<1	5.78	20	546	<2	19	2.06	<4	9	23	9	1.74	0.32	24	1.33	495	<1	20	536	32	0.25	7	7	36	102	2193	<2	39	10	7	119
14183	363414	<1	5.93	30	444	<2	17	0.03	<4	7	24	9	1.20	0.27	9	0.51	<100	<1	16	358	84	0.52	10	8	12	62	1528	<2	27	<10	6	12
14184D	363414	<1	6.46	31	459	<2	21	0.05	<4	6	27	9	1.21	0.16	10	0.53	<100	<1	17	360	91	0.54	5	21	13	64	1578	<2	27	<10	7	13

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/02/2015 1:30 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/26/2015
Job #: 201540176
Reference: TL14-378B
Sample #: 213

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14185	363415	<1	5.69	32	378	<2	11	0.11	<4	7	30	25	1.15	0.18	8	0.48	<100	<1	14	477	151	0.47	10	25	37	59	1623	<2	34	12	7	187
14186	363416	<1	5.09	37	476	<2	16	0.58	<4	9	28	57	1.63	0.24	25	1.08	368	<1	15	563	163	0.45	11	12	10	70	1963	<2	38	10	7	420
14187	363417	<1	5.84	12	539	2	19	2.17	<4	8	25	6	1.79	0.36	26	1.24	452	<1	16	550	31	0.17	8	13	15	138	2258	<2	42	11	7	72
14188	363418	<1	1.52	16	559	<2	7	1.93	<4	8	27	4	1.83	1.78	24	0.79	481	<1	16	487	19	0.18	<5	6	31	120	2157	<2	38	<10	4	51
14189	363419	<1	2.92	12	545	<2	1	2.75	<4	9	24	3	1.92	0.32	24	1.11	559	<1	19	483	20	0.13	9	18	15	153	2020	<2	37	<10	5	54
14190	363420	<1	2.89	8	338	<2	3	2.08	<4	15	46	21	3.00	0.21	10	1.09	624	<1	33	562	13	0.06	8	5	12	262	2892	<2	104	19	13	52
14191	363421	<1	5.91	8	556	2	41	2.03	<4	8	27	2	1.79	0.09	26	1.39	466	<1	18	536	17	0.10	11	10	33	125	2092	<2	39	<10	7	99
14192	363422	<1	5.17	16	488	<2	12	1.96	<4	8	25	4	1.80	0.40	29	1.70	657	<1	17	501	178	0.20	5	20	14	121	1931	<2	36	<10	7	166
14193	363423	<1	6.14	15	478	<2	<1	2.24	<4	9	24	3	1.87	0.19	31	1.48	558	<1	19	567	16	0.26	6	7	11	141	2190	<2	40	<10	7	48
14194	363424	<1	5.98	16	381	<2	12	2.16	<4	9	25	7	1.79	<0.01	27	1.41	671	<1	18	537	18	0.16	7	16	<10	149	1984	<2	39	<10	7	55
14195D	363424	<1	5.49	14	387	2	17	2.18	<4	9	26	7	1.82	0.26	27	1.35	683	<1	19	539	11	0.16	8	15	14	150	2007	<2	39	<10	7	56
14196	363425	<1	5.65	19	315	<2	12	1.40	<4	8	29	12	1.57	0.19	25	1.20	474	<1	18	491	36	0.28	<5	10	15	85	1949	<2	36	<10	7	53
14197	363426	<1	5.89	15	364	<2	10	1.73	<4	8	27	8	1.58	0.11	28	1.23	496	<1	18	529	20	0.36	9	24	14	80	2149	<2	39	<10	7	42
14198	363427	<1	3.77	10	379	<2	8	1.74	<4	8	23	3	1.84	0.18	24	1.07	477	<1	18	512	26	0.24	9	10	44	198	1934	<2	38	<10	5	61

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, January 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/28/2015
Job #: 201540177
Reference: TL14-378B
Sample #: 18

Acc #		Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
14199		363385	231	223	233	227	4.40%	26.73
14200		363386	88	79	140	86	4.34%	27.69
14201		363387	283	257	275	270	1.24%	26.23
14202		363388	257	233	305	247	2.81%	44.46
14203		363389	8389	8391	605315	11051	0.45%	8.71
14204		363390	4409	4548		4479	No Met.	
14205		363391	681	799	2101	763	1.72%	28.35
14206		363392	313	304	319	309	2.11%	34.59
14207		363393	320	400	267	358	1.79%	35.36
14208		363394	79	118	133	99	1.45%	30.37
14209	Dup	363394	Insufficient Sample					
14210		363405	401	429	796	443	7.47%	49.43
14211		363406	238	199	221	219	5.70%	32.3
14212		363407	416	337	3945	416	1.11%	20.6
14213		363408	12676	12860	199284	15087	1.24%	22.24
14214		363409	677	683	955	686	2.32%	42.52
14215		363410	339	343		341	No Met.	
14216		363411	68	57	108	63	1.18%	19.07
14217		363412	181	160	176	171	2.13%	44.14

PROCEDURE CODES: ALP1, ALPM4, ALMA1, ALSu1, ALPM1

Certified By: Andrew Oleski, Instrumentation Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, February 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/14/2015
Date Completed: 01/28/2015
Job #: 201540177
Reference: TL14-378B
Sample #: 18

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
14199	363385	<1	7.41	109	480	2	<1	0.45	<4	14	25	30	3.06	<0.01	16	0.79	232	2	24	520	338	1.64	14	19	11	76	1792	<2	44	23	8	678
14200	363386	<1	7.40	42	478	<2	13	0.38	<4	9	25	31	1.23	<0.01	15	0.79	207	3	18	656	335	0.47	14	25	11	74	1829	<2	44	15	9	410
14201	363387	<1	5.44	33	412	<2	38	0.08	<4	7	28	36	1.23	0.02	8	0.53	107	4	16	503	244	0.46	10	17	18	68	1367	<2	37	13	7	734
14202	363388	4	5.62	42	420	<2	4	0.05	4	11	70	49	1.56	0.05	7	0.42	<100	3	38	640	459	0.58	18	15	10	69	1374	<2	59	20	11	961
14203	363389	385	4.42	637	364	<2	<1	0.25	74	9	51	1194	2.75	0.02	7	0.44	<100	6	24	1180	9897	1.10	951	18	41	58	1215	<2	41	211	13	18745
14204	363390	124	4.93	16	387	<2	14	2.96	7	16	39	102	5.11	0.14	4	1.34	904	6	33	579	16042	0.10	112	<5	14	288	2850	<2	138	13	20	349
14205	363391	4	3.36	60	382	<2	<1	0.10	<4	9	27	37	1.94	<0.01	9	0.62	157	2	22	514	385	0.68	19	18	26	43	1705	<2	36	16	6	925
14206	363392	<1	5.88	39	470	<2	7	0.19	<4	9	32	31	1.72	<0.01	20	0.67	166	3	20	654	203	0.80	8	16	12	54	2130	<2	40	12	8	77
14207	363393	<1	5.36	53	516	<2	5	0.53	6	9	26	186	2.22	0.02	21	1.02	292	3	20	570	270	0.70	10	19	36	54	1982	<2	37	33	7	2215
14208	363394	<1	5.39	28	458	<2	<1	0.61	<4	8	21	18	1.36	0.08	23	1.02	316	3	19	562	99	0.36	11	22	14	75	2171	<2	39	11	7	174
14210	363405	<1	5.60	51	334	<2	1	0.17	<4	9	25	50	1.19	<0.01	8	0.48	<100	2	19	445	205	0.58	14	11	<10	65	1697	<2	38	10	7	324
14211	363406	1	5.63	47	329	<2	20	0.11	<4	8	25	20	1.00	0.12	7	0.46	<100	3	20	462	139	0.52	12	9	<10	63	1729	<2	38	<10	8	229
14212	363407	1	5.06	54	277	<2	20	0.19	<4	6	38	48	1.13	0.28	9	0.52	<100	4	20	424	142	0.50	9	17	11	62	1582	<2	36	11	8	267
14213	363408	429	5.25	567	326	<2	5	0.27	11	9	33	1148	2.75	0.35	8	0.50	<100	10	20	1088	3536	1.25	339	20	<10	62	1586	<2	42	56	13	3953
14214	363409	4	5.56	80	388	<2	9	0.14	4	11	25	74	2.37	0.37	13	0.52	<100	6	23	690	945	1.25	17	18	<10	59	1818	<2	41	22	8	1502
14215	363410	<1	5.23	47	329	<2	29	1.18	5	14	33	2513	5.28	0.20	26	0.96	1137	18	35	755	93	2.02	11	11	30	185	1237	<2	64	18	10	609
14216	363411	<1	5.57	43	527	<2	<1	0.77	<4	8	30	30	1.50	0.30	24	1.18	363	2	20	512	540	0.36	9	18	11	82	2009	<2	40	20	7	1040
14217	363412	<1	5.68	37	486	<2	6	0.56	<4	9	26	40	1.57	0.14	21	0.87	249	3	23	495	68	0.63	5	11	13	71	2000	<2	38	11	8	200

PROCEDURE CODES: ALP1, ALPM4, ALMA1, ALSu1, ALPM1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/02/2015 1:32 PM

TL15379

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Au g/t (ppm)
20626	363428	<0.005
20627	363429	<0.005
20628	363430	1.530
20629	363431	<0.005
20630	363432	<0.005
20631	363433	<0.005
20632	363434	<0.005
20633	363435	<0.005
20634	363436	0.008
20635	363437	0.013
20636	363437 Dup	0.010
20637	363438	0.012
20638	363439	0.014
20639	363440	<0.005
20640	363441	0.019
20641	363442	0.014
20642	363443	0.017
20643	363444	0.012
20644	363445	0.022
20645	363446	0.019
20646	363447	0.261
20647	363447 Dup	0.329
20648	363448	0.151
20649	363449	0.237
20650	363450	4.412

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Au g/t (ppm)
20651	363451	0.121
20652	363452	0.056
20653	363453	0.013
20654	363454	0.020
20655	363455	0.007
20656	363456	0.009
20657	363457	0.008
20658	363457 Dup	0.010
20659	363458	0.012
20660	363459	0.012
20661	363460	<0.005
20662	363461	0.022
20663	363462	0.012
20664	363463	0.012
20665	363464	0.012
20666	363465	0.007
20667	363466	0.009
20668	363467	0.035
20669	363467 Dup	0.030
20670	363468	0.018
20671	363469	0.034
20672	363470	0.397
20673	363471	0.194
20674	363472	0.023
20675	363473	0.033

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Au g/t (ppm)
20676	363474	0.041
20677	363475	0.011
20678	363476	0.015
20679	363477	<0.005
20680	363477 Dup	0.006
20681	363478	0.008
20682	363479	0.072
20683	363480	<0.005
20684	363481	0.042
20685	363482	0.022
20686	363483	0.032
20687	363484	0.048
20688	363485	0.007
20689	363486	0.010
20690	363487	<0.005
20691	363487 Rep	0.006
20692	363488	0.023
20693	363489	0.106
20694	363490	4.537
20695	363491	0.042
20696	363492	0.044
20697	363493	0.032
20698	363494	0.009
20699	363495	0.142
20700	363496	0.037

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Au g/t (ppm)
20701	363497	0.025
20702	363497 Dup	0.031
20703	363498	0.065
20704	363499	0.011
20705	363500	<0.005
20706	363501	0.011
20707	363502	0.023
20708	363503	0.046
20709	363504	0.036
20710	363505	0.036
20711	363506	0.035
20712	363507	0.058
20713	363507 Dup	0.087
20714	363508	0.040
20715	363509	0.035
20716	363510	0.361
20717	363511	0.075
20718	363512	0.061
20719	363513	0.104
20720	363514	0.062
20721	363515	<0.005
20722	363516	0.339
20723	363517	0.020
20724	363517 Dup	0.022
20725	363518	0.059

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Au g/t (ppm)
20726	363519	0.021
20727	363520	<0.005
20728	363521	0.367
20729	363522	0.174
20730	363523	0.078
20731	363524	0.049
20732	363525	0.065
20733	363526	0.052
20734	363527	0.051
20735	363527 Dup	0.044
20736	363528	0.442
20737	363529	0.280
20738	363530	1.472
20739	363531	0.216
20740	363532	0.102
20741	363533	0.198
20742	363534	0.590
20743	363535	0.072
20744	363536	0.079
20745	363537	0.024
20746	363537 Dup	0.025
20747	363538	0.575
20748	363539	1.986
20749	363540	<0.005
20750	363541	0.056

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Au g/t (ppm)
20751	363542	0.067
20752	363543	0.048
20753	363544	0.370
20754	363545	0.177
20755	363546	0.196
20756	363547	0.042
20757	363547 Rep	0.041
20758	363548	0.136
20759	363549	0.890
20760	363550	4.286
20761	363551	0.532
20762	363552	1.374
20763	363553	0.101
20764	363554	0.117
20765	363555	0.188
20766	363556	0.085
20767	363557	0.177
20768	363557 Dup	0.146
20769	363558	0.164
20770	363559	0.059
20771	363560	<0.005
20772	363561	0.024
20773	363562	0.053
20774	363563	0.034
20775	363564	0.032

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Au g/t (ppm)
20776	363565	0.107
20777	363566	0.090
20778	363567	0.137
20779	363567 Dup	0.110
20780	363568	0.049
20781	363569	0.005
20782	363570	0.394
20783	363571	0.031
20784	363572	0.014
20785	363573	0.576
20786	363574	0.111
20787	363575	0.062
20788	363576	0.473
20789	363577	0.306
20790	363577 Dup	0.265
20791	363578	0.211
20792	363579	0.032
20793	363580	<0.005
20794	363581	0.019
20795	363582	0.034

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.887	0.886	0.071
GS35	0.818	0.886	0.071
GS35	0.748	0.886	0.071
GS35	0.783	0.886	0.071
GS35	0.859	0.886	0.071
AR01	1.789	1.729	0.121
GS35	0.793	0.886	0.071
GS35	0.861	0.886	0.071
GS35	0.893	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20626	363428	<1	5.50	<2	144	<2	6	0.56	<4	8	14	5	1.64	<0.01	14	0.92	256	<1	21	342	3	0.37	<5	<5	<10	261	1489	<2	34	<10	7	25
20627	363429	<1	5.75	<2	122	<2	4	0.64	<4	7	17	2	1.58	0.32	13	0.93	259	1	21	358	2	0.34	<5	<5	<10	255	1689	<2	32	<10	7	27
20628	363430	<1	5.16	20	549	<2	8	2.29	4	14	47	214	3.87	<0.01	11	1.15	690	13	50	562	6	0.32	<5	5	<10	277	2668	11	116	10	16	99
20629	363431	<1	6.60	<2	249	<2	7	0.71	<4	10	19	2	2.17	0.32	20	1.34	360	2	22	465	<1	0.38	<5	11	<10	287	2190	4	44	<10	9	36
20630	363432	<1	6.88	<2	220	<2	6	0.72	<4	10	20	84	2.32	0.45	22	1.44	412	3	26	483	2	0.38	6	<5	<10	249	2068	7	42	<10	10	46
20631	363433	<1	8.01	2	145	<2	7	0.66	<4	11	15	4	2.74	0.18	26	1.86	506	<1	26	468	2	0.34	<5	7	<10	211	2029	4	45	<10	13	38
20632	363434	<1	7.48	<2	239	<2	<1	0.65	<4	12	19	3	3.06	0.04	27	1.92	536	<1	28	530	<1	0.43	<5	5	<10	228	2363	6	54	<10	12	36
20633	363435	<1	6.71	<2	318	<2	7	0.88	<4	10	23	2	2.28	0.06	21	1.37	379	2	24	463	2	0.38	<5	<5	<10	268	2075	5	43	<10	9	28
20634	363436	<1	6.58	<2	645	<2	2	2.36	<4	9	22	19	1.80	0.02	18	1.13	464	2	24	508	73	0.50	<5	<5	<10	559	1777	2	42	<10	8	344
20635	363437	<1	6.35	6	519	<2	3	2.52	<4	12	22	2	2.53	0.27	13	0.70	305	3	21	424	5	1.00	<5	<5	<10	543	1833	3	45	<10	7	30
20636D	363437	<1	6.81	9	540	<2	4	2.65	<4	13	19	3	2.77	0.10	13	0.73	317	3	19	444	4	1.18	<5	<5	<10	565	1904	5	46	<10	8	26
20637	363438	<1	7.62	6	588	<2	8	2.81	<4	14	18	3	2.79	0.49	15	0.79	352	2	27	486	5	1.16	<5	<5	<10	609	2114	4	53	<10	8	26
20638	363439	<1	5.10	2	539	<2	1	1.63	<4	8	14	3	1.52	<0.01	13	0.87	289	<1	23	431	<1	0.43	<5	10	<10	228	1729	<2	36	<10	7	63
20639	363440	<1	4.40	5	416	<2	6	2.25	<4	14	43	20	2.91	<0.01	7	1.17	614	<1	38	505	6	0.26	<5	<5	<10	255	2823	11	116	16	16	63
20640	363441	<1	4.89	2	568	<2	6	0.97	<4	8	17	3	1.81	<0.01	17	1.14	327	<1	23	432	2	0.41	<5	5	<10	289	1722	2	38	<10	7	37
20641	363442	<1	5.11	2	611	<2	5	1.23	<4	10	14	3	2.23	<0.01	17	1.27	377	1	25	507	1	0.63	<5	<5	<10	338	1863	5	43	<10	8	49
20642	363443	<1	5.30	2	436	<2	3	1.78	<4	12	19	3	2.19	<0.01	9	0.95	334	2	28	469	2	0.57	<5	<5	<10	372	1941	2	43	<10	8	27
20643	363444	<1	4.94	2	361	<2	5	1.32	<4	9	17	2	1.88	<0.01	9	0.83	295	1	19	417	3	0.52	<5	5	<10	373	1741	3	39	<10	7	25
20644	363445	<1	5.47	16	523	<2	9	2.41	<4	8	19	12	1.64	0.09	12	1.23	994	<1	24	441	13	0.57	<5	<5	<10	184	1798	9	42	<10	7	79
20645	363446	<1	5.36	6	571	<2	4	2.37	<4	8	20	11	1.59	0.11	10	1.20	981	1	24	434	15	0.54	<5	<5	<10	184	1769	2	43	<10	7	91

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20646	363447	<1	5.49	29	572	<2	6	2.18	<4	8	24	17	1.75	<0.01	10	0.95	884	1	24	457	62	1.04	<5	<5	<10	168	1689	3	42	<10	7	211
20647D	363447	<1	5.31	28	561	<2	<1	2.17	<4	8	22	15	1.74	<0.01	10	0.94	865	2	24	451	66	1.03	5	<5	<10	168	1668	<2	41	<10	7	216
20648	363448	<1	6.32	26	660	<2	<1	2.88	<4	9	21	31	1.94	0.09	10	1.05	1082	2	25	531	93	1.10	<5	<5	<10	211	1858	6	49	<10	8	99
20649	363449	<1	5.24	33	596	<2	6	1.97	<4	8	15	13	1.66	0.03	8	0.84	777	<1	22	450	104	1.08	<5	<5	<10	186	1748	<2	42	<10	7	285
20650	363450	135	4.50	13	431	<2	3	2.90	9	15	35	92	4.75	<0.01	3	1.19	852	6	38	506	19558	0.32	103	8	<10	264	2606	<2	147	<10	18	385
20651	363451	<1	5.46	19	537	<2	<1	3.24	5	9	22	34	2.02	<0.01	12	1.01	1089	2	25	438	290	1.15	<5	<5	<10	234	1941	2	42	13	8	1188
20652	363452	<1	5.67	13	518	<2	2	2.33	<4	8	22	20	1.73	<0.01	12	0.94	813	2	23	488	47	0.81	<5	6	<10	213	1836	<2	45	<10	7	236
20653	363453	<1	6.25	7	438	<2	5	2.60	<4	10	24	17	2.06	<0.01	17	1.42	778	1	20	532	26	0.59	<5	<5	<10	263	2093	4	51	11	8	341
20654	363454	<1	6.04	5	443	<2	7	2.22	<4	10	26	23	1.69	0.05	15	1.28	603	3	20	402	33	0.52	<5	<5	<10	261	1885	4	47	<10	8	156
20655	363455	<1	5.81	9	441	<2	1	2.34	<4	9	25	21	1.74	<0.01	10	0.87	534	2	20	386	14	0.73	<5	<5	<10	248	1746	<2	46	<10	8	83
20656	363456	<1	6.05	16	469	<2	6	2.10	<4	9	26	21	1.77	<0.01	9	0.81	512	2	20	387	13	0.88	<5	5	<10	237	1569	<2	45	<10	8	63
20657	363457	<1	5.51	10	509	<2	5	2.14	<4	9	21	20	1.74	0.13	7	0.72	441	2	19	416	28	0.61	<5	<5	<10	255	1618	<2	42	<10	8	84
20658D	363457	<1	5.65	9	504	<2	<1	2.15	<4	9	20	20	1.74	<0.01	8	0.73	435	<1	17	420	28	0.60	<5	<5	<10	261	1607	<2	42	<10	8	88
20659	363458	<1	5.78	15	500	<2	4	2.31	<4	9	26	16	1.48	0.12	7	0.63	392	2	20	366	22	0.65	<5	5	<10	264	1651	<2	44	<10	7	126
20660	363459	<1	5.62	15	606	<2	5	2.34	<4	9	22	26	1.79	0.10	11	0.85	568	1	19	434	8	0.79	<5	5	<10	274	1903	<2	42	<10	8	61
20661	363460	<1	2.40	2	317	<2	5	1.74	<4	12	33	22	2.38	<0.01	4	0.96	518	<1	29	423	4	0.25	<5	<5	<10	205	2390	<2	95	13	13	55
20662	363461	<1	7.05	17	672	2	10	2.56	<4	11	27	60	2.13	0.19	16	0.96	603	2	26	510	70	0.75	<5	6	<10	296	2123	8	53	12	8	642
20663	363462	<1	5.56	6	763	2	3	2.06	9	11	22	46	2.20	0.05	12	0.82	527	1	24	435	519	0.96	<5	<5	<10	328	1737	4	44	24	7	2004
20664	363463	<1	5.61	2	764	2	4	2.18	<4	8	22	21	1.79	<0.01	11	0.78	509	<1	23	463	58	0.47	<5	<5	<10	377	1722	2	42	<10	7	124
20665	363464	<1	3.34	4	454	<2	3	1.54	<4	6	19	16	1.34	<0.01	7	0.57	386	<1	17	319	39	0.47	<5	<5	<10	233	1414	2	30	<10	6	167

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20666	363465	<1	5.76	7	484	2	9	2.65	<4	10	28	8	1.86	<0.01	12	0.79	504	3	19	425	17	0.83	<5	<5	<10	474	1982	3	42	<10	9	103
20667	363466	<1	6.42	8	623	2	5	2.91	<4	11	30	6	1.92	0.12	12	0.78	488	3	25	481	23	0.97	<5	<5	<10	541	2311	<2	44	<10	9	93
20668	363467	<1	6.24	11	533	2	7	3.00	4	9	28	35	2.06	<0.01	13	0.87	750	2	24	458	56	0.77	<5	5	<10	365	1947	<2	48	14	9	894
20669D	363467	<1	6.07	11	526	2	9	2.92	4	10	27	34	2.00	0.02	12	0.85	741	2	25	460	56	0.72	<5	<5	<10	352	1909	<2	46	10	9	896
20670	363468	<1	5.80	4	311	<2	9	1.68	<4	6	23	44	1.46	0.05	11	1.23	955	2	20	494	34	0.53	<5	<5	<10	185	1531	3	33	<10	7	110
20671	363469	<1	5.89	8	333	<2	4	1.87	5	6	20	105	1.69	0.28	13	1.28	1177	2	16	431	493	0.61	<5	<5	<10	193	1575	3	34	20	7	1396
20672	363470	<1	4.45	42	286	<2	6	1.01	6	12	27	2028	4.30	0.20	19	0.79	944	15	32	580	59	2.53	<5	<5	<10	157	996	<2	59	11	9	568
20673	363471	<1	5.31	5	327	<2	<1	1.36	<4	5	20	35	1.14	0.19	10	0.86	681	2	17	439	72	0.50	<5	<5	<10	163	1310	<2	27	<10	6	107
20674	363472	<1	6.18	11	394	<2	2	1.49	<4	7	19	28	1.61	0.04	19	1.17	956	2	19	493	70	0.63	<5	<5	<10	155	1891	3	38	<10	7	161
20675	363473	<1	5.64	11	566	<2	7	2.19	<4	7	20	13	1.68	0.01	15	1.03	527	2	19	432	21	0.49	<5	<5	<10	177	1884	2	38	<10	7	159
20676	363474	<1	5.78	32	504	2	5	2.09	<4	10	26	19	2.09	<0.01	18	1.09	633	2	23	465	99	0.86	5	<5	<10	165	2242	3	54	<10	9	170
20677	363475	<1	5.65	8	355	<2	7	1.15	<4	5	20	8	1.24	<0.01	13	0.69	332	1	19	237	8	0.44	5	5	<10	183	1123	<2	27	<10	6	49
20678	363476	<1	5.61	18	495	<2	8	1.50	<4	6	28	9	1.41	<0.01	15	0.78	260	2	22	278	13	0.56	<5	<5	<10	224	1428	5	32	<10	7	59
20679	363477	<1	5.26	18	409	<2	5	1.38	<4	3	18	5	0.97	<0.01	11	0.69	214	1	16	239	11	0.43	<5	8	<10	221	1069	<2	20	<10	5	41
20680D	363477	<1	5.92	17	437	<2	3	1.47	<4	4	18	6	1.03	0.25	13	0.73	225	1	17	251	13	0.47	<5	5	<10	235	1127	3	21	<10	6	43
20681	363478	<1	5.02	19	457	<2	4	1.26	<4	3	15	3	0.95	0.10	10	0.70	218	<1	16	220	16	0.52	<5	<5	<10	195	1046	<2	19	<10	5	58
20682	363479	<1	5.56	17	641	<2	4	1.53	<4	7	26	34	1.37	<0.01	15	0.82	325	2	22	259	63	0.61	<5	7	<10	188	1345	<2	29	<10	7	322
20683	363480	<1	4.45	3	426	<2	6	2.28	<4	14	44	21	2.96	0.16	8	1.18	619	<1	37	519	5	0.26	<5	<5	<10	257	2829	2	117	15	16	62
20684	363481	<1	2.23	23	174	2	8	3.04	4	34	480	29	4.53	0.19	34	2.95	1159	2	256	3019	17	0.74	<5	9	<10	146	3529	4	99	<10	20	77
20685	363482	<1	5.26	9	668	<2	6	1.11	<4	6	29	11	1.29	0.17	18	1.05	346	2	27	242	21	0.47	<5	<5	<10	218	1388	<2	30	<10	8	77

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20686	363483	<1	6.28	17	687	<2	6	1.57	<4	7	26	11	1.24	0.03	26	1.21	472	1	21	370	25	0.75	<5	<5	<10	150	1681	<2	33	<10	7	155
20687	363484	<1	6.15	17	697	<2	6	1.41	<4	5	23	6	1.33	<0.01	30	1.43	502	2	19	269	21	0.72	<5	<5	<10	154	1418	9	28	<10	6	102
20688	363485	<1	6.49	19	594	2	1	1.71	<4	4	16	7	1.26	<0.01	22	1.25	433	2	18	232	22	0.68	6	5	<10	206	1232	6	23	<10	6	94
20689	363486	<1	6.08	20	556	<2	5	1.59	<4	4	17	8	1.25	0.01	20	1.19	415	2	17	228	19	0.67	<5	9	<10	198	1180	4	22	<10	6	87
20690	363487	<1	6.10	24	606	<2	5	1.49	<4	4	16	5	1.13	0.11	10	0.95	331	2	18	253	23	0.74	5	<5	<10	167	1152	4	23	<10	5	90
20691R	363487	<1	5.79	22	578	<2	4	1.40	<4	4	15	4	1.03	0.15	10	0.90	311	2	27	233	15	0.68	<5	<5	<10	161	1091	2	21	<10	5	85
20692	363488	<1	6.05	24	580	<2	6	1.01	<4	4	22	5	1.05	<0.01	11	0.77	289	2	25	246	21	0.87	<5	<5	<10	158	1114	<2	21	<10	6	450
20693	363489	<1	6.48	16	646	<2	6	1.25	<4	4	15	6	1.05	<0.01	12	0.99	451	2	27	266	20	0.76	<5	<5	<10	155	1173	<2	22	<10	6	147
20694	363490	132	5.46	10	470	<2	3	3.10	9	16	37	98	5.02	<0.01	5	1.26	888	6	34	535	19017	0.34	106	<5	<10	278	2743	6	154	12	19	378
20695	363491	2	6.10	15	593	<2	7	1.04	<4	4	19	4	1.22	<0.01	14	0.90	530	3	26	247	241	0.95	<5	<5	<10	125	1169	<2	23	<10	6	355
20696	363492	<1	5.87	22	653	<2	8	0.38	<4	4	15	3	0.94	<0.01	13	0.59	252	2	26	257	24	0.81	<5	10	<10	89	1170	<2	20	<10	6	217
20697	363493	<1	4.22	18	372	<2	5	0.92	<4	2	32	3	0.75	0.13	11	0.69	370	5	35	150	8	0.43	<5	<5	<10	110	805	<2	15	<10	5	54
20698	363494	<1	7.72	13	737	<2	5	1.67	<4	4	20	3	1.18	0.33	18	0.97	677	3	30	278	15	0.61	6	6	<10	144	1388	6	25	<10	6	62
20699	363495	<1	5.18	5	357	2	9	0.96	<4	19	125	38	3.05	0.16	22	1.50	645	3	70	460	39	0.69	<5	<5	<10	103	2159	3	82	<10	10	105
20700	363496	<1	5.32	8	470	<2	7	0.57	<4	4	24	3	0.92	0.03	12	0.69	265	2	30	228	21	0.52	<5	6	<10	106	1162	<2	28	<10	6	55
20701	363497	<1	5.64	14	508	<2	1	0.82	<4	5	14	4	1.04	0.07	14	0.79	559	2	26	265	12	0.76	<5	<5	<10	114	1187	<2	22	<10	6	80
20702D	363497	<1	5.59	13	497	<2	7	0.78	<4	4	14	3	1.00	0.11	13	0.76	563	2	26	258	11	0.74	<5	<5	<10	111	1164	<2	22	<10	6	77
20703	363498	<1	5.87	13	584	<2	3	1.12	<4	5	14	20	1.09	<0.01	15	0.73	1210	2	27	275	142	0.68	<5	<5	<10	157	1287	<2	24	<10	6	291
20704	363499	<1	5.47	15	450	<2	5	1.56	<4	4	14	8	1.12	<0.01	12	0.75	1504	1	26	247	52	0.66	<5	7	<10	184	1239	<2	23	<10	6	100
20705	363500	<1	4.38	<2	441	<2	5	2.38	<4	16	45	21	3.06	<0.01	8	1.24	646	1	38	536	7	0.26	<5	<5	<10	260	2934	5	121	16	17	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20706	363501	<1	5.39	19	500	<2	2	1.57	<4	5	14	4	1.08	<0.01	8	0.69	758	2	29	242	34	0.70	<5	8	<10	217	1061	<2	22	<10	6	69
20707	363502	<1	5.95	37	767	2	5	1.52	<4	5	15	8	1.28	<0.01	16	0.99	790	3	29	357	63	0.76	6	<5	<10	235	1171	<2	25	<10	6	112
20708	363503	<1	5.53	6	410	<2	8	1.44	<4	20	114	43	3.20	0.03	17	1.46	606	2	69	468	34	0.58	<5	<5	<10	159	2577	3	87	<10	12	62
20709	363504	<1	5.37	23	505	<2	2	1.26	<4	10	42	19	1.85	<0.01	9	0.79	427	3	41	321	24	0.99	<5	<5	<10	174	1344	2	47	<10	7	101
20710	363505	<1	5.44	22	536	2	4	1.58	<4	8	26	16	1.45	<0.01	10	0.75	486	<1	35	357	47	0.99	<5	<5	<10	192	1565	2	38	<10	7	143
20711	363506	<1	5.62	17	528	<2	1	1.66	<4	7	26	16	1.47	0.06	10	0.77	498	2	33	346	39	0.99	<5	<5	<10	191	1531	4	37	<10	7	165
20712	363507	2	4.96	43	416	<2	5	0.35	<4	11	12	13	0.79	<0.01	6	0.41	134	1	34	606	67	0.79	<5	5	<10	71	1840	<2	36	<10	7	247
20713D	363507	1	4.87	41	413	<2	<1	0.38	<4	12	11	15	0.79	0.03	6	0.41	133	2	35	626	70	0.78	<5	<5	<10	71	1820	<2	35	<10	7	250
20714	363508	<1	5.18	26	382	<2	3	0.71	<4	11	13	7	0.61	0.10	7	0.59	289	2	31	639	17	0.49	<5	<5	<10	91	1887	<2	37	<10	7	43
20715	363509	<1	5.59	23	478	<2	<1	2.35	<4	15	26	17	1.48	<0.01	9	0.83	445	2	38	439	13	0.69	<5	7	<10	169	1904	2	52	<10	8	46
20716	363510	<1	5.89	59	372	<2	11	1.32	8	15	38	2482	5.26	<0.01	22	0.95	1157	18	40	700	72	3.18	<5	<5	<10	182	1210	<2	73	14	11	705
20717	363511	<1	6.21	15	565	<2	2	2.05	<4	10	31	19	1.54	<0.01	12	0.86	511	2	35	496	17	0.61	<5	6	<10	157	2194	<2	54	<10	9	83
20718	363512	<1	6.67	42	866	2	3	1.67	<4	10	25	26	1.60	0.03	16	1.05	511	2	33	498	41	1.02	<5	<5	<10	155	2140	3	48	<10	8	130
20719	363513	<1	5.60	29	742	2	8	1.81	<4	9	20	24	1.55	<0.01	13	1.14	544	2	34	569	40	0.85	<5	6	<10	147	2137	<2	46	<10	8	401
20720	363514	<1	6.68	24	822	2	7	2.31	<4	7	17	13	1.71	0.03	18	1.34	768	2	30	625	46	0.67	<5	<5	<10	178	2103	<2	43	<10	8	213
20721	363515	<1	5.40	6	448	2	1	1.73	<4	6	24	23	1.47	0.01	15	1.14	741	3	33	396	27	0.47	<5	<5	<10	142	1378	4	30	21	8	304
20722	363516	2	6.41	13	466	2	<1	1.18	4	7	15	155	1.41	0.16	13	0.97	436	2	34	513	358	0.91	<5	<5	<10	152	1424	<2	35	14	7	1063
20723	363517	<1	7.08	18	589	<2	7	0.97	<4	8	12	12	1.36	0.13	17	1.40	473	<1	27	593	20	0.59	6	<5	<10	163	1476	5	40	<10	7	63
20724D	363517	<1	6.62	20	563	<2	9	0.92	<4	8	11	12	1.31	0.16	16	1.34	460	<1	28	590	17	0.57	<5	10	<10	157	1418	3	39	<10	7	60
20725	363518	<1	6.29	10	534	<2	7	1.18	<4	7	14	8	1.29	0.40	12	0.80	378	1	28	478	10	0.74	<5	5	<10	180	1689	7	36	<10	6	25

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20726	363519	<1	6.67	21	620	<2	6	1.24	<4	12	17	22	1.17	0.25	13	0.84	429	2	39	469	17	0.61	<5	7	<10	192	1509	<2	38	<10	7	36
20727	363520	<1	5.18	7	486	<2	11	2.59	4	17	50	23	3.30	<0.01	8	1.34	700	2	40	575	7	0.28	<5	10	<10	281	3194	6	132	18	18	64
20728	363521	<1	5.40	42	524	<2	2	0.25	7	19	22	31	1.08	<0.01	13	0.49	105	5	48	413	510	0.94	<5	<5	<10	106	1461	<2	38	27	6	2446
20729	363522	<1	5.33	46	449	<2	7	0.11	<4	19	21	5	1.03	<0.01	11	0.51	<100	4	50	442	61	0.94	<5	<5	<10	82	1481	2	38	<10	6	267
20730	363523	<1	6.61	44	477	2	6	0.38	<4	19	19	4	0.86	0.16	17	0.60	159	3	49	482	199	0.72	<5	<5	<10	110	1590	<2	39	<10	6	274
20731	363524	<1	4.01	38	324	<2	3	0.71	<4	25	13	3	0.79	<0.01	11	0.86	407	2	49	388	97	0.55	<5	<5	<10	122	1145	<2	33	<10	5	57
20732	363525	<1	6.16	45	430	<2	<1	0.88	<4	30	17	7	1.13	0.17	15	1.06	517	3	54	556	19	0.58	<5	<5	<10	132	1720	4	41	<10	6	58
20733	363526	<1	6.43	43	424	<2	<1	0.91	<4	33	16	7	1.15	0.19	16	1.08	520	3	54	570	15	0.58	5	<5	<10	131	1770	10	43	<10	6	48
20734	363527	<1	5.73	33	434	<2	<1	0.69	<4	16	20	2	1.12	0.09	15	1.01	455	4	46	479	18	0.63	<5	<5	<10	119	1652	<2	40	<10	6	49
20735D	363527	<1	5.37	32	420	<2	4	0.65	<4	17	19	2	1.08	0.07	14	0.98	438	4	42	464	21	0.61	5	6	<10	117	1621	3	39	<10	6	48
20736	363528	<1	7.23	45	553	2	2	1.09	<4	15	24	11	1.98	0.33	20	1.24	641	4	43	533	63	1.27	<5	5	<10	135	2074	5	49	<10	7	163
20737	363529	1	5.69	35	394	<2	8	0.89	5	7	23	111	1.81	0.19	13	0.89	486	4	40	401	603	1.33	5	8	<10	118	1600	<2	41	21	6	1666
20738	363530	<1	4.95	15	594	2	8	2.31	4	16	52	210	4.04	0.16	8	1.19	737	13	51	590	8	0.32	7	6	<10	270	2803	7	124	13	17	73
20739	363531	2	5.81	48	446	<2	5	0.82	<4	7	25	202	1.66	<0.01	17	0.84	414	4	38	415	455	1.31	<5	<5	<10	108	1884	<2	42	<10	7	382
20740	363532	<1	5.84	38	423	2	8	1.19	<4	7	22	10	1.56	<0.01	17	0.93	540	3	39	412	635	1.17	5	9	<10	120	1884	<2	43	<10	7	527
20741	363533	<1	6.58	28	503	<2	4	1.43	<4	8	20	15	1.77	0.05	22	1.16	820	3	36	481	396	0.93	<5	<5	<10	132	2071	13	44	<10	7	64
20742	363534	2	5.77	51	636	<2	1	0.53	<4	7	27	7	1.72	0.02	15	0.76	360	4	42	375	1291	1.44	<5	<5	<10	100	1766	<2	41	10	7	668
20743	363535	<1	6.12	36	761	<2	6	1.03	<4	7	29	8	1.40	0.17	21	1.20	742	3	40	324	305	0.93	<5	5	<10	116	1702	3	43	<10	7	274
20744	363536	<1	6.51	62	619	2	4	1.22	<4	12	36	12	2.36	0.03	22	1.25	766	3	49	426	71	1.69	5	<5	<10	121	2121	5	52	10	9	177
20745	363537	<1	6.41	22	648	<2	<1	1.61	<4	8	30	4	1.58	0.25	20	1.34	884	4	40	387	41	1.13	<5	<5	<10	138	1902	7	46	<10	8	120

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20746D	363537	<1	7.23	31	699	2	2	1.79	<4	8	32	4	1.72	0.42	25	1.43	951	4	41	411	46	1.22	<5	<5	<10	152	2016	<2	49	<10	8	128
20747	363538	21	5.05	35	605	2	3	0.78	18	6	25	31	1.97	0.27	17	0.96	538	3	40	345	4445	1.85	17	<5	<10	104	1568	<2	38	78	6	8181
20748	363539	4	6.02	36	569	<2	3	1.01	<4	8	29	30	1.55	0.16	13	1.18	706	6	45	455	339	0.89	<5	10	<10	109	1673	10	47	<10	8	425
20749	363540	<1	5.13	11	465	<2	9	2.43	<4	16	48	22	3.15	0.27	8	1.28	669	<1	37	557	8	0.27	<5	5	<10	269	3071	5	125	21	18	64
20750	363541	<1	5.22	19	371	<2	6	0.84	<4	6	31	9	1.45	0.08	13	1.42	886	3	40	317	83	0.62	<5	<5	<10	97	1263	9	42	<10	6	213
20751	363542	<1	5.82	31	359	<2	2	0.93	<4	7	29	6	1.78	0.03	13	1.52	821	5	45	442	204	1.04	5	<5	<10	109	1272	9	43	<10	7	485
20752	363543	<1	6.37	39	488	<2	6	1.20	<4	8	28	25	1.47	<0.01	13	1.10	598	4	41	460	191	0.93	<5	<5	<10	110	1719	<2	46	12	7	600
20753	363544	2	5.89	35	471	<2	5	1.16	7	8	27	36	1.50	<0.01	15	0.97	655	4	38	462	621	1.10	<5	<5	<10	96	1837	<2	46	30	8	2395
20754	363545	<1	5.56	34	556	2	7	1.22	<4	9	21	10	1.25	<0.01	15	0.94	504	3	40	450	353	0.82	<5	<5	<10	97	1858	<2	41	10	7	395
20755	363546	<1	5.91	28	551	2	5	1.36	<4	7	19	18	1.25	0.26	16	1.03	552	4	37	466	251	0.79	5	<5	<10	102	1879	7	41	<10	7	174
20756	363547	<1	6.16	53	657	<2	5	0.82	<4	8	24	11	1.36	0.08	17	1.08	566	4	42	496	46	0.82	<5	9	<10	135	1901	4	43	<10	7	105
20757R	363547	<1	5.83	31	634	<2	8	0.80	<4	8	23	10	1.33	<0.01	17	1.07	558	4	43	485	37	0.79	<5	<5	<10	137	1875	<2	42	<10	7	102
20758	363548	<1	6.18	45	636	2	<1	0.82	<4	10	42	20	1.75	0.09	23	1.19	643	4	46	450	166	1.15	10	6	<10	65	2098	5	54	<10	8	380
20759	363549	2	4.89	72	455	2	3	0.36	7	12	66	451	2.13	<0.01	17	0.88	499	4	56	383	671	1.80	6	<5	<10	61	1871	<2	62	25	10	2047
20760	363550	>100	4.67	8	440	<2	7	2.88	9	16	35	96	4.74	<0.01	3	1.21	851	5	33	511	>5000	0.33	106	5	<10	256	2619	9	147	<10	18	382
20761	363551	2	5.20	71	450	2	5	0.76	<4	18	98	64	2.61	<0.01	20	1.13	881	3	69	415	299	1.37	6	7	<10	71	2324	<2	83	<10	13	381
20762	363552	7	5.02	57	467	<2	4	0.63	16	12	55	175	2.45	<0.01	17	0.77	551	4	53	415	2414	2.03	8	<5	<10	66	1891	2	58	67	9	6771
20763	363553	<1	5.04	19	521	<2	4	1.30	<4	6	21	22	1.23	<0.01	13	0.99	721	3	32	432	59	0.78	<5	11	<10	81	1760	<2	37	<10	7	123
20764	363554	<1	5.25	30	527	2	8	0.75	<4	7	15	29	1.09	<0.01	9	0.68	419	2	34	458	33	0.82	<5	<5	<10	71	1735	<2	34	<10	7	107
20765	363555	<1	5.38	32	488	<2	4	1.50	<4	10	19	36	1.52	0.03	13	0.95	754	3	38	452	69	0.82	5	<5	<10	100	1828	<2	37	<10	7	156

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20766	363556	<1	5.09	28	416	<2	3	1.70	<4	6	17	25	1.55	<0.01	12	1.11	964	3	33	406	44	0.86	<5	<5	<10	109	1662	5	35	<10	7	75
20767	363557	<1	5.22	21	408	<2	1	1.39	<4	7	16	104	1.39	0.04	13	0.97	743	2	33	436	84	0.87	<5	<5	<10	113	1762	<2	35	<10	6	192
20768D	363557	<1	4.83	23	393	<2	6	1.32	<4	8	17	101	1.36	0.13	12	0.94	723	2	33	427	81	0.86	<5	8	<10	109	1711	2	34	<10	6	186
20769	363558	<1	5.53	22	347	<2	5	1.59	<4	11	15	93	2.17	0.04	12	1.11	976	2	35	488	55	0.97	5	<5	<10	125	1680	8	38	<10	7	137
20770	363559	<1	6.22	16	360	<2	2	1.45	<4	9	17	47	1.72	0.25	14	1.18	985	2	36	505	150	0.76	<5	7	<10	139	1781	6	40	<10	7	303
20771	363560	<1	5.27	7	490	<2	6	2.59	4	17	50	23	3.29	0.11	9	1.34	701	2	38	579	8	0.28	<5	<5	<10	280	3155	<2	131	20	18	66
20772	363561	<1	5.53	5	295	<2	4	1.26	<4	7	13	45	1.68	<0.01	13	1.20	944	2	30	453	66	0.46	<5	5	<10	129	1619	8	37	<10	7	163
20773	363562	<1	5.38	9	349	<2	7	1.45	<4	7	14	23	1.47	<0.01	13	1.18	936	1	32	459	58	0.60	<5	5	<10	147	1699	4	37	<10	7	297
20774	363563	<1	5.39	17	312	<2	<1	1.28	<4	7	18	49	1.64	<0.01	11	1.12	973	3	41	496	55	0.69	<5	<5	<10	138	1651	4	39	<10	7	117
20775	363564	<1	5.52	10	303	<2	3	0.95	<4	7	15	46	1.53	0.07	10	1.11	927	2	32	468	47	0.60	<5	7	<10	128	1447	<2	38	<10	7	103
20776	363565	<1	5.28	11	236	<2	5	0.96	<4	7	16	50	1.59	0.09	9	1.11	1076	3	36	452	35	0.60	<5	<5	<10	140	1306	10	34	<10	7	127
20777	363566	<1	5.77	9	256	<2	7	1.03	<4	7	15	49	1.46	0.09	11	1.07	951	2	34	471	35	0.52	<5	<5	<10	149	1352	2	34	<10	7	103
20778	363567	1	6.14	8	339	<2	2	1.03	4	7	16	42	1.63	0.20	12	1.07	832	3	32	481	393	0.75	<5	<5	<10	142	1550	<2	37	15	7	1086
20779D	363567	1	6.00	8	339	<2	4	1.03	4	7	16	42	1.64	0.03	11	1.06	808	2	36	485	396	0.74	<5	<5	<10	140	1542	<2	36	18	7	1086
20780	363568	<1	6.17	11	568	2	6	1.80	<4	17	52	28	2.81	0.08	21	1.18	817	2	58	543	66	1.19	<5	<5	<10	239	3124	<2	69	<10	12	129
20781	363569	<1	6.11	8	639	<2	3	1.91	<4	3	20	9	1.15	0.03	13	0.70	393	5	35	272	17	0.48	<5	6	<10	220	959	<2	19	<10	10	74
20782	363570	<1	5.85	52	372	2	10	1.31	8	15	34	2316	5.30	0.20	23	0.95	1177	21	35	720	75	3.06	5	<5	<10	183	1209	<2	74	13	11	710
20783	363571	<1	5.93	18	597	2	7	1.10	<4	7	19	18	1.23	0.23	14	0.70	366	3	33	352	62	0.69	<5	<5	<10	159	1556	<2	30	<10	7	75
20784	363572	<1	6.42	9	593	2	5	2.57	<4	9	25	20	1.89	0.09	16	1.35	817	3	43	482	54	0.55	<5	7	<10	204	2069	8	44	<10	8	174
20785	363573	7	6.47	15	464	<2	4	1.76	7	8	15	495	1.65	0.14	17	1.51	1026	2	33	489	1367	0.73	7	10	<10	162	1976	11	39	29	8	2513

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Susan Schmitz, Customer Services Manager

-0735-07/14/2015 1:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/19/2015
Date Completed: 02/01/2015
Job #: 201540252
Reference: TL15-379
Sample #: 155

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
20786	363574	<1	6.33	19	3730	<2	3	2.07	<4	6	16	39	1.69	0.02	14	1.39	757	2	35	513	444	1.01	5	<5	<10	323	1761	4	37	10	8	533
20787	363575	<1	4.80	15	1931	<2	3	1.57	4	6	17	99	1.54	<0.01	12	1.23	668	3	33	448	256	0.78	<5	<5	<10	171	1507	<2	30	14	7	983
20788	363576	2	5.23	15	856	<2	5	1.07	<4	8	24	71	1.50	0.04	17	1.17	577	4	39	386	504	0.81	<5	6	<10	95	1531	2	30	14	7	676
20789	363577	<1	5.64	5	716	<2	3	1.72	<4	6	17	17	1.20	0.05	12	1.05	556	2	30	318	19	0.57	<5	<5	<10	144	1579	8	29	<10	6	52
20790D	363577	<1	6.01	10	743	<2	5	1.80	<4	5	17	18	1.25	0.02	14	1.09	580	2	34	332	18	0.59	5	<5	<10	150	1625	2	30	<10	6	48
20791	363578	<1	5.40	6	772	<2	7	1.47	<4	7	23	12	1.30	0.11	15	1.11	541	4	48	325	7	0.47	<5	5	<10	153	1687	<2	30	<10	6	40
20792	363579	<1	5.37	10	677	<2	5	1.73	<4	7	14	33	1.29	0.04	12	1.36	760	1	26	319	43	0.47	<5	7	<10	119	1601	2	29	<10	6	133
20793	363580	<1	5.06	7	504	<2	<1	2.54	<4	18	52	22	3.23	0.06	7	1.36	710	2	39	575	6	0.30	<5	10	<10	266	3180	11	130	19	18	69
20794	363581	<1	5.45	10	578	2	2	2.35	<4	7	17	21	1.49	0.04	13	1.88	1193	2	38	304	62	0.47	<5	<5	<10	119	1566	3	31	12	7	116
20795	363582	<1	5.78	11	604	<2	2	1.96	<4	7	16	16	1.41	0.10	14	1.66	946	2	34	323	65	0.61	<5	5	<10	111	1721	<2	31	<10	6	120

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2015
Date Completed: 02/13/2015
Job #: 201540412
Reference: TL15-379 re assay
Sample #: 18

Acc #	Client ID	Au g/t (ppm)
36069	363542	0.085
36070	363543	0.056
36071	363544	0.280
36072	363545	0.204
36073	363546	0.150
36074	363547	0.048
36075	363548	0.120
36076	363549	0.924
36077	363550	4.880
36078	363551	0.597
36079	363551 Dup	0.584
36080	363552	1.166
36081	363553	0.079
36082	363554	0.133
36083	363555	0.206
36084	363556	0.124
36085	363557	0.074
36086	363558	0.126
36087	363559	0.064

APPLIED SCOPES: ALFA1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

Andrew Oleski, Instrumentation Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/04/2015
Date Completed: 02/13/2015
Job #: 201540412
Reference: TL15-379 re assay
Sample #: 18

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.980	0.886	0.071
GS35	0.942	0.886	0.071
GS35	0.996	0.886	0.071

APPLIED SCOPES: ALFA1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

Andrew Oleski, Instrumentation Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15380

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 3, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
21631	363583	<0.005	
21632	363584	<0.005	
21633	363585	0.116	
21634	363586	0.141	
21635	363587	0.989	
21636	363588	0.109	
21637	363589	0.010	
21638	363590	1.392	
21639	363591	0.011	
21640	363592	0.008	
21641	363592 Dup	0.008	
21642	363593	0.005	
21643	363594	0.006	
21644	363595	<0.005	
21645	363596	0.007	
21646	363597	0.007	
21647	363598	0.037	
21648	363599	<0.005	
21649	363600	<0.005	
21650	363601	0.017	
21651	363602	0.023	
21652	363602 Dup	0.034	
21653	363603	<0.005	
21654	363604	0.015	
21655	363605	0.067	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 3, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
21656	363606	0.055	
21657	363607	0.096	
21658	363608	0.047	
21659	363609	0.144	
21660	363610	4.309	
21661	363611	0.061	
21662	363612	0.110	
21663	363612 Dup	0.124	
21664	363613	0.097	
21665	363614	0.012	
21666	363615	0.071	
21667	363616	<0.005	
21668	363617	0.007	
21669	363618	0.007	
21670	363619	<0.005	
21671	363620	<0.005	
21672	363621	<0.005	
21673	363622	<0.005	
21674	363622 Dup	<0.005	
21675	363623	0.012	
21676	363624	<0.005	
21677	363625	0.010	
21678	363626	0.013	
21679	363627	0.020	
21680	363628	0.022	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 3, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
21681	363629	0.023	
21682	363630	0.362	
21683	363631	0.022	
21684	363632	0.025	
21685	363632 Dup	0.028	
21686	363633	0.022	
21687	363634	0.054	
21688	363635	0.062	
21689	363636	0.602	
21690	363637	0.164	
21691	363638	0.257	
21692	363639	0.007	
21693	363640	<0.005	
21694	363641	0.049	
21695	363642	0.069	
21696	363642 Rep	0.048	
21697	363643	0.092	
21698	363644	0.082	
21699	363645	0.125	
21700	363646	0.058	
21701	363647	0.074	
21702	363648	0.034	
21703	363649	0.041	
21704	363650	1.365	
21705	363651	0.021	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 3, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
21706	363652	0.109	
21707	363652 Dup	0.197	
21708	363653	1.491	
21709	363654	0.137	
21710	363655	0.087	
21711	363656	0.063	
21712	363657	0.029	
21713	363658	0.442	
21714	363659	1.249	
21715	363660	0.006	
21716	363661	0.015	
21717	363662	0.019	
21718	363662 Dup	0.017	
21719	363663	0.014	
21720	363664	0.029	
21721	363665	0.018	
21722	363666	0.016	
21723	363667	0.029	
21724	363668	0.037	
21725	363669	0.021	
21726	363670	4.866	
21727	363671	0.016	
21728	363672	0.024	
21729	363672 Dup	0.008	
21730	363673	0.011	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 3, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
21731	363674	0.018	
21732	363675	0.407	
21733	363676	0.322	
21734	363677	0.022	
21735	363678	0.061	
21736	363679	0.102	
21737	363680	<0.005	
21738	363681	0.028	
21739	363682	0.021	
21740	363682 Dup	0.032	
21741	363683	0.063	
21742	363684	0.144	
21743	363685	0.111	
21744	363686	0.071	
21745	363687	0.216	
21746	363688	0.285	
21747	363690	0.362	
21748	363694	0.072	
21749	363695	0.513	
21750	363696	0.563	
21751	363696 Dup	0.621	
21752	363697	0.040	
21753	363698	0.048	
21754	363699	0.012	
21755	363700	0.007	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 3, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
21756	363701	0.219	
21757	363702	0.335	
21758	363703	0.225	
21759	363704	0.038	
21760	363710	1.585	
21761	363711	0.277	
21762	363711 Rep	0.302	
21763	363712	0.170	
21764	363713	0.101	
21765	363714	0.171	
21766	363715	0.192	
21767	363716	0.126	
21768	363717	0.157	
21769	363718	0.519	
21770	363719	0.162	
21771	363720	<0.005	
21772	363721	0.428	
21773	363721 Dup	0.374	
21774	363722	1.500	
21775	363723	0.525	
21776	363724	0.131	
21777	363725	0.099	
21778	363726	0.046	
21779	363727	2.797	
21780	363728	0.088	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 3, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
21781	363729	0.092	
21782	363730	4.718	
21783	363731	0.123	
21784	363731 Dup	0.155	
21785	363732	0.077	
21786	363733	0.077	
21787	363734	0.472	
21788	363735	0.457	
21789	363736	0.380	
21790	363737	0.033	
21791	363738	0.034	
21792	363739	0.128	
21793	363740	<0.005	
21794	363741	7.277	10.842
21795	363741 Dup	9.069	11.021
21796	363742	0.140	
21797	363743	0.086	
21798	363744	0.122	
21799	363745	0.128	
21800	363746	0.114	
21801	363747	0.056	
21802	363748	0.590	
21803	363749	0.043	
21804	363750	0.487	
21805	363751	0.040	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 3, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
21806	363751 Dup	0.047	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 3, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.834	0.886	0.071
GS35	0.919	0.886	0.071
AR01	1.631	1.729	0.121
GS35	0.861	0.886	0.071
GS35	0.828	0.886	0.071
GS35	0.940	0.886	0.071
GS35	0.921	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
21631	363583	<1	4.68	2	532	<2	13	2.13	<4	11	26	9	2.10	0.39	22	0.76	346	7	46	480	19	0.25	<5	19	<10	421	2162	<2	46	<10	7	194
21632	363584	<1	6.35	<2	522	<2	8	2.68	<4	10	29	8	2.06	<0.01	18	0.98	390	8	48	579	<1	0.27	<5	26	<10	381	2054	<2	44	11	8	100
21633	363585	<1	4.70	13	462	<2	9	1.67	<4	8	35	20	1.65	0.07	12	0.67	351	10	55	462	9	0.33	<5	26	<10	308	1605	<2	36	16	7	808
21634	363586	<1	4.63	5	468	<2	17	2.06	<4	8	38	22	1.68	0.06	12	0.70	386	9	16	467	10	0.28	<5	15	<10	305	1599	<2	35	10	7	501
21635	363587	<1	7.74	9	980	<2	18	1.70	<4	11	29	42	2.24	0.46	26	0.85	392	8	16	577	27	0.44	<5	25	<10	407	2748	<2	55	<10	8	199
21636	363588	<1	5.66	16	552	<2	13	1.94	<4	10	23	24	1.84	<0.01	21	1.00	440	7	16	497	9	0.31	6	19	<10	374	1894	<2	40	<10	8	99
21637	363589	<1	5.01	<2	673	<2	18	2.25	<4	9	33	36	1.84	0.15	18	0.96	419	9	14	491	<1	0.23	<5	19	<10	479	1892	<2	38	<10	7	57
21638	363590	<1	3.31	16	496	<2	18	2.17	<4	16	55	209	3.81	0.36	11	1.18	699	17	42	591	<1	0.09	<5	9	<10	277	2817	<2	107	<10	15	102
21639	363591	<1	4.75	<2	1057	<2	11	2.04	<4	9	28	17	1.97	0.37	24	0.99	429	8	15	528	<1	0.36	<5	27	<10	456	1987	2	41	<10	6	45
21640	363592	<1	2.31	6	630	<2	3	1.62	<4	9	17	3	1.77	<0.01	13	0.56	300	5	16	413	<1	0.53	<5	11	<10	323	1748	<2	36	<10	4	15
21641D	363592	<1	2.84	8	674	<2	10	1.78	<4	10	18	3	1.81	0.06	15	0.60	313	5	17	450	<1	0.55	<5	13	<10	340	1845	<2	37	<10	5	11
21642	363593	<1	4.45	13	796	<2	20	1.71	<4	9	22	5	1.81	0.08	15	0.78	369	6	14	474	<1	0.56	<5	17	<10	324	1823	<2	36	<10	7	33
21643	363594	<1	5.85	8	1019	<2	14	2.14	<4	9	27	10	1.87	0.19	21	1.06	502	7	16	525	<1	0.46	<5	21	<10	349	2049	5	37	<10	8	70
21644	363595	<1	6.02	9	864	<2	8	1.36	<4	9	24	5	2.00	<0.01	18	0.92	345	8	17	553	<1	0.54	<5	12	<10	329	1975	<2	39	<10	8	21
21645	363596	<1	7.34	12	710	<2	10	2.19	<4	9	27	5	2.16	<0.01	22	1.07	416	8	17	621	<1	0.51	<5	18	<10	447	1992	<2	44	<10	9	61
21646	363597	<1	4.54	12	458	<2	12	2.11	<4	7	22	9	1.69	<0.01	13	0.98	422	4	15	486	<1	0.35	<5	10	<10	364	1630	<2	34	<10	7	125
21647	363598	<1	6.06	11	917	<2	16	2.84	<4	10	21	15	2.27	<0.01	18	1.55	689	7	17	637	<1	0.46	<5	17	<10	423	2024	<2	46	<10	9	130
21648	363599	<1	7.49	17	1188	<2	29	2.18	<4	11	30	8	2.38	<0.01	21	1.21	579	10	19	701	<1	0.60	5	23	<10	364	2342	5	52	<10	10	107
21649	363600	<1	3.16	6	362	<2	12	2.19	<4	14	49	22	2.91	<0.01	10	1.19	602	4	30	525	<1	0.05	<5	21	<10	268	2840	<2	104	17	15	73
21650	363601	<1	4.67	19	833	<2	12	1.52	<4	10	26	22	1.92	<0.01	14	0.86	397	8	16	553	16	0.49	<5	20	<10	311	1841	<2	45	<10	7	321

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Susan Schmitz, Customer Services Manager

-0735-07/14/2015 1:23 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
21651	363602	<1	4.33	19	587	<2	11	2.78	<4	9	20	11	1.82	0.29	21	1.13	665	6	16	530	<1	0.36	<5	18	<10	229	2060	<2	42	<10	7	307
21652D	363602	<1	3.88	19	611	<2	10	2.90	<4	9	22	11	1.91	0.09	22	1.13	695	6	15	540	<1	0.41	7	19	<10	236	2128	2	43	<10	6	320
21653	363603	<1	4.10	16	772	<2	13	1.78	<4	10	22	8	1.91	0.06	19	1.04	533	6	17	553	2	0.41	<5	10	<10	320	2027	3	45	<10	6	83
21654	363604	<1	4.75	14	699	<2	14	2.69	<4	10	27	41	2.11	0.17	14	0.96	852	7	15	575	6	0.39	<5	18	<10	263	2216	<2	47	<10	7	158
21655	363605	<1	6.27	17	589	<2	18	3.40	<4	10	26	77	2.36	0.19	13	1.28	1403	7	18	571	8	0.51	<5	24	<10	270	2193	<2	46	<10	9	329
21656	363606	<1	6.38	13	710	<2	35	3.39	<4	11	32	82	2.37	<0.01	13	1.25	1358	7	19	553	10	0.47	<5	23	<10	269	2155	<2	45	<10	9	453
21657	363607	<1	5.99	10	430	<2	8	1.61	<4	9	22	30	1.74	0.28	19	1.49	778	6	17	517	71	0.18	<5	12	10	223	1909	<2	39	<10	7	206
21658	363608	<1	6.63	24	491	<2	18	1.88	<4	10	26	17	2.13	<0.01	18	1.25	968	10	18	532	66	0.46	<5	24	<10	205	2070	<2	42	10	8	185
21659	363609	<1	6.25	27	477	<2	8	2.62	<4	9	29	77	2.18	<0.01	16	1.59	1327	7	17	535	52	0.33	<5	10	<10	205	2085	<2	41	13	8	690
21660	363610	153	4.78	11	394	<2	4	2.97	6	16	40	101	4.85	0.36	6	1.31	881	11	29	570	17848	0.10	95	13	12	290	2843	<2	135	<10	20	335
21661	363611	1	4.58	15	480	<2	10	1.87	<4	9	22	28	1.81	<0.01	20	1.25	879	6	17	489	262	0.26	<5	17	<10	180	2114	<2	41	<10	7	143
21662	363612	<1	4.55	26	608	<2	8	1.10	<4	9	61	15	1.67	<0.01	22	1.00	649	7	16	478	58	0.37	<5	22	<10	157	2123	<2	41	<10	6	167
21663D	363612	<1	2.87	15	507	<2	13	0.83	<4	8	20	15	1.53	<0.01	16	0.82	578	6	15	418	56	0.36	<5	16	<10	132	1936	<2	36	<10	5	176
21664	363613	<1	4.30	11	599	<2	13	2.33	<4	9	36	49	2.03	0.06	18	1.28	1046	9	18	528	375	0.28	<5	22	11	202	1976	<2	42	<10	7	305
21665	363614	<1	3.99	5	465	<2	7	2.52	<4	8	28	44	1.83	0.03	20	1.26	1066	7	18	473	136	0.25	<5	24	<10	196	1832	<2	37	<10	6	467
21666	363615	<1	4.93	20	719	<2	<1	2.62	<4	10	25	72	2.03	0.09	14	1.06	1094	7	20	532	543	0.45	<5	17	<10	225	1888	<2	42	14	7	936
21667	363616	<1	5.38	10	449	<2	15	1.26	<4	11	37	26	1.92	0.35	20	1.11	595	8	18	467	247	0.12	6	16	<10	242	2217	<2	45	11	9	621
21668	363617	<1	6.14	14	555	<2	11	1.28	<4	13	35	42	2.13	<0.01	23	1.30	647	8	21	531	270	0.19	<5	21	<10	213	2312	<2	50	13	10	1066
21669	363618	<1	5.94	11	509	<2	3	1.23	<4	11	29	31	2.11	<0.01	27	1.55	678	6	19	497	240	0.20	<5	17	<10	127	2437	<2	48	17	10	1125
21670	363619	<1	1.08	9	146	<2	5	0.46	<4	3	42	19	0.69	<0.01	7	0.52	174	8	31	145	98	0.07	<5	11	<10	66	699	4	13	10	6	900

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:23 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
21671	363620	<1	4.50	6	398	<2	3	2.42	<4	16	54	24	3.17	0.03	12	1.34	658	6	33	601	<1	0.05	<5	20	<10	290	3234	<2	113	19	19	66
21672	363621	<1	0.42	2	62	<2	20	0.45	<4	2	65	11	0.59	<0.01	4	0.36	104	12	48	105	89	0.05	<5	6	<10	66	433	<2	8	<10	6	396
21673	363622	<1	1.49	5	148	<2	11	0.79	<4	4	59	14	0.84	<0.01	5	0.44	175	11	46	161	54	0.07	<5	10	<10	122	740	<2	12	<10	6	164
21674D	363622	<1	1.74	5	154	<2	15	0.81	<4	4	56	14	0.84	<0.01	6	0.44	174	11	46	160	50	0.08	<5	7	<10	122	741	<2	12	<10	6	158
21675	363623	<1	3.14	19	664	<2	15	0.98	<4	10	33	26	1.94	0.41	19	0.93	555	7	34	399	146	0.23	<5	11	<10	224	2029	<2	40	12	6	536
21676	363624	<1	1.76	<2	224	<2	7	0.78	<4	3	55	47	0.72	0.16	7	0.67	191	11	45	154	137	0.08	<5	14	<10	91	787	<2	12	<10	6	150
21677	363625	<1	3.84	10	759	<2	15	1.27	<4	11	34	26	2.07	0.22	20	0.93	525	7	31	420	20	0.24	<5	7	<10	264	2157	<2	44	<10	6	38
21678	363626	<1	3.95	9	656	<2	<1	1.16	<4	11	29	22	2.01	0.11	19	0.89	499	6	31	423	11	0.25	<5	18	<10	283	2144	<2	41	<10	6	36
21679	363627	<1	5.83	11	470	<2	16	1.55	<4	11	31	16	2.15	0.42	17	0.92	515	7	35	502	17	0.29	<5	20	<10	314	2138	<2	45	<10	9	86
21680	363628	<1	5.27	7	605	<2	15	1.15	<4	7	28	26	1.56	0.27	13	0.99	462	6	35	383	1	0.23	<5	18	<10	190	1521	<2	29	<10	8	25
21681	363629	<1	5.96	10	591	2	14	2.67	<4	9	27	27	1.81	0.14	26	1.58	591	7	29	470	2	0.25	<5	26	<10	136	1940	<2	37	<10	8	26
21682	363630	<1	4.99	48	276	<2	22	1.14	4	14	34	2405	4.94	0.08	27	0.93	1084	22	30	731	61	1.35	<5	20	11	184	1242	<2	62	12	12	586
21683	363631	<1	5.54	9	819	<2	12	0.99	<4	9	31	58	2.07	<0.01	26	1.49	828	7	33	471	27	0.23	<5	24	<10	144	1921	<2	39	<10	8	41
21684	363632	<1	5.15	19	805	<2	16	1.17	<4	9	27	64	2.14	<0.01	29	1.50	974	7	32	413	136	0.28	<5	23	<10	161	2154	<2	42	<10	7	94
21685D	363632	<1	4.09	19	784	<2	9	1.12	<4	9	28	62	2.08	<0.01	28	1.39	945	7	32	382	132	0.27	<5	25	<10	156	2087	<2	41	<10	6	93
21686	363633	1	4.80	17	563	<2	23	0.81	<4	9	28	61	1.82	<0.01	29	1.28	846	7	30	457	48	0.21	<5	14	<10	128	2019	<2	39	<10	7	61
21687	363634	<1	6.08	30	617	<2	8	0.95	<4	10	34	24	1.90	0.05	26	1.52	657	6	35	489	2	0.28	<5	16	<10	116	2209	<2	42	10	9	40
21688	363635	<1	4.72	10	520	<2	17	1.32	<4	6	27	17	1.57	0.22	33	1.82	663	7	28	320	<1	0.23	<5	14	<10	90	1611	5	28	<10	7	278
21689	363636	<1	5.50	26	535	<2	17	1.20	<4	7	58	19	1.54	0.05	25	1.37	491	12	42	416	12	0.27	<5	20	11	127	1474	<2	26	<10	8	68
21690	363637	<1	4.39	17	517	<2	6	0.56	<4	6	29	18	1.06	0.08	19	1.01	327	80	29	259	61	0.17	<5	25	<10	147	1336	<2	23	<10	6	197

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Susan Schmitz, Customer Services Manager

-0735-07/14/2015 1:23 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
21691	363638	<1	5.24	13	501	<2	14	0.39	<4	5	23	19	1.08	<0.01	19	1.13	310	9	28	251	<1	0.18	<5	23	<10	134	1250	<2	19	<10	6	52
21692	363639	<1	4.96	5	424	<2	39	0.81	<4	5	23	6	1.07	<0.01	20	1.29	407	7	28	212	<1	0.09	5	23	<10	144	1176	<2	17	<10	6	20
21693	363640	<1	3.72	5	396	<2	13	2.35	<4	16	52	23	3.11	0.30	11	1.28	649	4	33	567	<1	0.05	<5	5	<10	285	3116	<2	111	17	16	50
21694	363641	<1	4.42	11	509	<2	5	1.69	<4	5	30	69	1.24	<0.01	20	1.19	472	8	34	235	<1	0.26	<5	24	<10	104	1234	<2	22	<10	6	20
21695	363642	<1	4.67	10	502	<2	15	1.90	<4	9	27	10	1.92	<0.01	14	0.99	423	8	34	390	<1	0.40	5	12	<10	310	1890	<2	33	<10	7	17
21696R	363642	<1	3.89	8	754	<2	11	0.95	<4	9	28	12	1.78	<0.01	27	1.53	588	6	33	456	<1	0.28	<5	13	<10	127	2141	<2	36	<10	6	39
21697	363643	<1	5.68	25	601	<2	16	0.82	<4	11	31	34	2.22	<0.01	25	1.46	532	8	40	486	23	0.55	<5	13	<10	101	2136	<2	38	10	8	211
21698	363644	<1	6.37	28	619	<2	11	0.97	<4	10	30	37	2.17	<0.01	25	1.39	634	9	32	512	84	0.48	<5	26	<10	88	2179	<2	39	10	8	92
21699	363645	<1	6.49	26	602	<2	11	1.02	<4	10	26	23	1.95	<0.01	23	1.31	583	8	34	478	66	0.45	<5	23	10	88	2102	<2	38	<10	8	54
21700	363646	<1	6.02	20	617	<2	18	0.70	<4	10	29	5	2.00	0.10	26	1.54	649	8	35	506	10	0.37	<5	18	<10	122	2176	<2	39	<10	8	45
21701	363647	<1	5.97	13	500	<2	12	2.08	<4	10	40	9	2.13	<0.01	16	1.09	449	11	48	436	<1	0.35	<5	11	<10	339	2053	<2	36	<10	8	16
21702	363648	<1	4.96	8	514	<2	17	1.20	<4	9	25	7	1.55	<0.01	23	1.47	566	7	37	448	<1	0.21	<5	18	<10	139	2018	<2	35	<10	7	30
21703	363649	<1	6.36	17	651	<2	10	0.83	<4	10	33	6	1.85	0.18	26	1.49	612	9	42	511	<1	0.25	<5	21	<10	120	2210	<2	39	<10	8	36
21704	363650	<1	4.20	16	500	<2	10	2.22	<4	15	55	216	3.89	0.28	12	1.24	703	19	48	612	<1	0.08	<5	18	<10	282	2940	<2	108	11	18	59
21705	363651	<1	4.20	5	536	<2	13	0.77	<4	8	26	34	1.74	0.13	23	1.21	620	7	34	435	<1	0.15	<5	19	<10	175	2003	<2	38	<10	7	42
21706	363652	<1	4.50	66	328	<2	9	1.30	<4	18	149	107	3.27	0.24	42	1.88	1179	9	60	552	<1	0.42	<5	10	10	104	3033	5	91	<10	12	60
21707D	363652	<1	3.94	55	309	<2	12	1.23	<4	18	143	103	3.13	0.27	40	1.81	1147	9	60	523	<1	0.37	<5	14	<10	99	2924	11	88	<10	11	69
21708	363653	<1	5.44	42	331	<2	15	0.85	<4	18	161	142	3.02	0.22	40	1.77	1065	10	59	596	<1	0.27	<5	13	<10	99	3267	3	98	<10	13	63
21709	363654	<1	5.30	59	307	<2	13	1.02	<4	18	135	116	2.95	<0.01	39	2.01	997	9	57	505	11	0.42	<5	14	11	77	2729	<2	80	<10	14	59
21710	363655	<1	5.66	32	617	<2	6	1.20	<4	13	75	41	2.03	0.18	34	1.67	712	7	35	406	14	0.35	<5	19	<10	91	2085	<2	53	<10	11	49

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:23 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
21711	363656	<1	6.07	24	384	<2	10	2.07	<4	13	212	42	2.16	<0.01	52	2.70	971	7	89	1349	14	0.29	<5	16	<10	94	2111	<2	48	<10	13	51
21712	363657	<1	5.28	13	475	<2	5	0.71	<4	7	28	9	1.25	<0.01	28	1.53	510	7	22	290	<1	0.14	5	26	<10	72	1400	<2	24	<10	7	35
21713	363658	<1	5.67	29	495	<2	3	0.97	<4	6	21	7	1.24	0.57	25	1.30	439	8	18	270	3	0.21	<5	25	<10	60	1406	<2	23	<10	7	23
21714	363659	<1	3.81	24	444	<2	11	0.43	<4	6	22	8	1.29	0.09	16	0.92	303	16	13	200	7	0.31	<5	11	<10	59	1050	<2	18	<10	6	16
21715	363660	<1	3.44	7	368	<2	16	2.24	<4	15	49	22	2.99	0.33	10	1.24	621	4	32	544	<1	0.05	<5	13	<10	272	2976	<2	106	13	15	47
21716	363661	<1	4.52	3	505	<2	7	0.75	<4	5	19	5	1.05	<0.01	21	1.22	442	6	15	239	<1	0.12	<5	17	<10	89	1197	<2	18	<10	6	22
21717	363662	<1	4.43	10	472	<2	17	0.55	<4	5	17	6	1.03	0.08	23	1.13	386	6	15	232	<1	0.16	<5	17	<10	76	1243	<2	18	<10	5	22
21718D	363662	<1	4.67	9	476	<2	2	0.55	<4	5	17	7	1.04	0.13	23	1.14	387	6	16	242	<1	0.18	<5	18	10	75	1245	<2	18	<10	5	21
21719	363663	<1	4.02	2	404	<2	8	0.57	<4	4	25	4	1.04	0.19	23	1.30	421	6	11	243	<1	0.12	<5	15	<10	89	1127	3	16	<10	5	17
21720	363664	<1	5.10	17	672	<2	13	0.42	<4	7	33	38	1.19	<0.01	23	1.10	408	7	19	277	<1	0.15	<5	16	10	93	1469	<2	26	<10	6	35
21721	363665	<1	6.20	11	491	<2	9	0.51	<4	5	23	8	1.25	0.32	26	1.82	503	7	17	271	<1	0.24	5	14	<10	97	1273	<2	20	10	7	24
21722	363666	<1	6.40	10	548	<2	12	0.47	<4	4	22	7	1.37	<0.01	26	1.75	460	6	17	271	78	0.30	<5	14	10	91	1301	3	20	<10	7	24
21723	363667	<1	6.00	10	465	<2	10	0.54	<4	4	20	6	1.12	0.45	21	1.25	431	6	15	342	<1	0.19	<5	20	<10	113	1275	<2	18	<10	6	20
21724	363668	<1	5.94	16	449	<2	12	0.83	<4	5	22	10	1.34	0.36	25	1.29	768	7	14	268	<1	0.21	<5	26	<10	112	1285	<2	19	<10	6	30
21725	363669	<1	5.22	5	474	<2	6	0.73	<4	5	33	8	1.02	0.51	22	1.01	1060	8	14	250	5	0.07	<5	15	<10	177	1206	<2	17	<10	6	81
21726	363670	154	4.03	12	348	<2	19	2.83	6	16	36	97	4.64	0.24	6	1.19	819	10	31	515	18790	0.08	93	8	11	281	2649	<2	129	<10	17	302
21727	363671	2	4.85	10	426	<2	11	1.18	<4	5	25	9	1.13	0.24	21	0.93	1221	8	13	245	266	0.13	<5	14	<10	183	1259	<2	20	<10	6	71
21728	363672	<1	5.58	7	479	<2	11	0.78	<4	4	25	11	0.95	0.53	20	0.85	824	7	15	268	49	0.09	<5	20	<10	164	1271	<2	19	<10	6	288
21729D	363672	<1	5.19	9	489	<2	5	0.78	<4	4	22	11	0.94	0.34	21	0.83	835	7	15	254	27	0.11	<5	13	<10	165	1263	<2	18	<10	6	293
21730	363673	<1	5.18	6	415	<2	13	0.87	<4	4	27	10	1.05	<0.01	19	0.88	923	7	15	238	13	0.12	<5	23	<10	194	1127	<2	16	<10	6	83

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Susan Schmitz, Customer Services Manager

-0735-07/14/2015 1:23 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
21731	363674	<1	4.10	7	381	<2	10	0.46	<4	5	31	10	1.05	0.35	11	0.51	302	8	17	239	4	0.16	<5	18	<10	137	1141	<2	19	<10	5	26
21732	363675	3	4.16	8	424	<2	9	0.95	<4	19	141	119	2.93	0.22	29	1.21	969	10	56	496	312	0.37	5	17	12	147	2153	<2	78	11	12	665
21733	363676	<1	5.63	11	467	<2	20	0.31	<4	5	33	104	1.00	0.20	18	0.64	370	9	19	281	191	0.16	<5	21	<10	110	1298	<2	23	10	7	738
21734	363677	<1	6.22	4	419	<2	9	1.40	<4	5	25	6	1.22	<0.01	20	0.92	1129	7	15	265	22	0.19	<5	23	<10	255	1328	2	21	<10	7	68
21735	363678	<1	6.25	12	482	<2	15	1.53	<4	9	46	31	1.67	0.02	21	1.13	625	8	22	400	31	0.25	<5	20	<10	195	1910	<2	36	<10	8	90
21736	363679	<1	6.49	16	479	<2	2	1.74	<4	9	39	42	1.38	<0.01	20	1.06	890	9	22	528	48	0.22	<5	25	<10	180	1903	<2	34	<10	8	159
21737	363680	<1	4.09	3	362	<2	14	2.36	<4	15	52	24	3.09	0.24	11	1.29	650	4	35	570	<1	0.05	<5	10	<10	284	3096	<2	110	16	17	55
21738	363681	<1	3.89	24	443	<2	10	1.57	<4	11	22	7	0.95	<0.01	16	0.62	456	8	22	527	13	0.19	<5	21	<10	126	2051	<2	36	<10	6	32
21739	363682	<1	4.08	12	458	<2	5	2.27	<4	15	36	18	1.51	0.11	17	0.90	627	9	26	443	2	0.16	<5	17	<10	151	2140	<2	47	<10	6	61
21740D	363682	<1	4.11	15	439	<2	12	2.19	<4	15	32	17	1.43	0.16	17	0.88	598	8	28	456	<1	0.19	<5	10	<10	147	2013	<2	44	<10	6	56
21741	363683	<1	4.94	14	453	<2	6	1.21	<4	8	26	26	1.17	<0.01	19	0.76	492	9	14	469	11	0.20	<5	17	<10	187	1713	<2	35	<10	6	50
21742	363684	<1	5.81	27	542	<2	8	0.76	<4	9	28	61	1.73	0.04	22	0.69	450	9	19	467	245	0.52	<5	17	11	174	1832	<2	35	<10	7	414
21743	363685	<1	5.06	20	440	<2	8	1.19	<4	8	24	21	1.46	0.27	19	0.92	729	9	46	480	12	0.22	<5	20	<10	165	1744	<2	42	<10	6	55
21744	363686	<1	3.27	16	425	<2	11	1.09	<4	8	20	19	1.27	0.35	17	0.78	647	7	38	471	6	0.17	<5	15	<10	155	1669	<2	39	<10	5	47
21745	363687	<1	6.17	16	377	<2	18	1.14	<4	7	30	26	1.36	0.51	17	0.85	605	10	55	472	10	0.21	<5	17	<10	162	1770	5	46	<10	7	42
21746	363688	<1	6.23	17	394	<2	8	0.96	<4	9	43	16	1.54	0.37	19	0.72	524	14	80	483	7	0.24	<5	25	<10	142	2006	<2	55	<10	7	50
21747	363690	<1	5.49	46	246	<2	20	1.17	4	15	34	2453	5.04	0.11	29	0.95	1107	23	31	743	64	1.34	<5	10	<10	190	1274	<2	63	14	12	602
21748	363694	<1	6.29	43	343	<2	21	0.64	<4	8	64	51	1.84	0.15	21	0.96	489	20	119	515	32	0.34	<5	12	<10	99	1858	<2	68	<10	8	138
21749	363695	12	5.87	49	314	<2	14	0.74	<4	8	38	22	1.79	0.59	16	0.83	497	12	62	429	1776	0.48	15	20	<10	103	1683	<2	47	<10	8	529
21750	363696	4	5.17	40	366	<2	11	0.56	4	8	35	47	1.48	0.45	15	0.73	314	11	59	425	811	0.37	8	21	<10	89	1627	<2	41	21	7	1612

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:23 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
21751D	363696	5	4.06	41	355	<2	2	0.52	4	8	32	44	1.44	0.45	14	0.67	304	11	57	383	798	0.39	6	14	<10	86	1571	<2	40	18	6	1597
21752	363697	<1	4.68	35	376	<2	12	1.05	<4	9	37	13	1.68	0.02	18	1.00	706	9	49	383	51	0.47	<5	24	<10	131	1716	<2	44	<10	7	95
21753	363698	<1	5.33	31	427	<2	16	1.32	<4	9	46	13	1.84	<0.01	19	1.23	969	11	61	447	33	0.42	<5	19	<10	144	1927	<2	54	<10	8	65
21754	363699	<1	5.59	25	601	<2	9	1.13	<4	8	41	12	1.66	<0.01	20	1.03	574	10	51	444	9	0.41	<5	13	<10	155	1902	<2	49	<10	8	61
21755	363700	<1	4.37	<2	433	<2	2	2.51	<4	16	54	24	3.27	0.41	13	1.32	683	5	36	594	<1	0.06	5	18	<10	300	3266	<2	117	16	17	54
21756	363701	<1	5.03	23	439	<2	21	1.12	<4	8	35	23	1.78	0.45	21	0.95	638	9	37	455	<1	0.35	<5	16	<10	146	2048	<2	47	<10	7	120
21757	363702	<1	6.03	29	474	<2	17	1.13	<4	8	34	29	1.81	0.12	19	0.92	647	8	45	444	17	0.40	<5	21	<10	151	2088	<2	48	<10	8	142
21758	363703	<1	6.44	23	908	<2	11	1.57	<4	8	43	12	1.77	0.45	17	1.03	792	10	55	446	40	0.36	<5	20	<10	167	2019	<2	49	<10	8	125
21759	363704	<1	6.52	22	2309	<2	20	1.43	<4	9	33	7	1.38	0.51	21	1.12	584	7	45	482	42	0.32	<5	17	10	192	1912	<2	42	<10	8	98
21760	363710	<1	4.61	17	512	<2	15	2.34	<4	16	58	229	4.05	<0.01	13	1.29	733	18	48	640	<1	0.09	<5	12	<10	295	2965	<2	113	13	18	66
21761	363711	2	5.08	31	396	<2	3	1.44	9	9	40	42	2.14	<0.01	15	1.44	1112	13	64	445	1243	0.52	5	9	<10	120	1675	<2	47	41	8	3725
21762R	363711	3	4.77	31	415	<2	14	1.45	11	9	31	38	2.20	<0.01	17	1.44	1133	10	45	487	1727	0.61	6	27	<10	120	1692	<2	40	49	7	4326
21763	363712	<1	5.80	28	392	<2	7	1.46	<4	10	30	51	1.99	0.02	16	1.44	983	9	41	466	473	0.56	9	10	<10	124	1797	<2	41	13	8	849
21764	363713	<1	6.17	31	450	<2	18	1.09	<4	7	30	9	1.67	0.07	20	1.07	735	8	35	441	362	0.41	6	22	11	120	1908	<2	42	18	7	931
21765	363714	2	6.23	51	438	<2	14	1.00	4	8	27	18	2.03	0.24	23	1.05	671	9	37	534	1191	0.52	<5	18	10	126	2163	<2	44	23	8	1642
21766	363715	<1	5.25	37	407	<2	1	2.07	<4	8	29	31	1.46	<0.01	20	1.08	778	8	33	388	196	0.35	<5	20	<10	89	1864	<2	39	<10	7	658
21767	363716	<1	6.31	40	523	<2	22	1.51	<4	9	32	27	1.75	0.09	25	1.23	731	9	35	386	66	0.45	5	16	10	111	1987	<2	42	<10	8	197
21768	363717	<1	5.56	36	628	<2	19	1.44	<4	11	63	20	1.72	0.25	19	1.27	767	16	86	406	74	0.38	5	19	<10	105	1984	<2	61	<10	8	153
21769	363718	3	5.25	56	594	<2	11	0.46	<4	12	59	43	1.92	<0.01	17	0.81	342	12	70	417	390	0.56	<5	14	<10	76	1934	<2	59	<10	9	406
21770	363719	5	4.21	52	410	<2	18	0.08	5	9	55	100	2.07	<0.01	15	0.47	121	12	58	303	766	0.52	7	19	<10	51	1442	<2	43	26	7	2135

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:23 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
21771	363720	<1	6.25	5	491	<2	20	2.85	<4	17	63	30	3.73	0.62	17	1.53	750	8	44	682	6	0.07	<5	19	<10	338	3511	<2	132	21	20	107
21772	363721	2	4.51	66	401	<2	22	0.13	<4	10	42	22	2.00	<0.01	13	0.51	135	11	60	398	669	0.58	9	19	<10	58	1640	<2	48	14	7	1078
21773D	363721	2	4.92	65	440	<2	5	0.11	<4	11	53	23	2.18	<0.01	14	0.52	133	11	59	418	723	0.71	6	14	<10	56	1709	<2	48	18	7	1175
21774	363722	<1	4.61	43	386	<2	18	0.33	5	7	37	31	2.03	0.21	13	0.58	193	12	64	420	247	0.58	<5	11	<10	68	1595	<2	42	25	7	1994
21775	363723	2	5.85	33	480	<2	8	0.29	<4	8	25	10	1.44	0.21	13	0.58	179	10	50	475	154	0.42	<5	22	10	57	1860	<2	41	<10	7	167
21776	363724	<1	6.17	28	568	<2	10	0.68	<4	9	34	13	1.35	0.11	18	0.89	382	10	42	494	126	0.33	<5	24	<10	92	1906	<2	38	<10	7	123
21777	363725	<1	6.84	23	667	<2	16	1.57	<4	10	28	45	1.62	<0.01	23	1.23	818	10	43	548	36	0.36	6	34	10	148	2135	<2	41	<10	8	98
21778	363726	<1	5.84	22	851	<2	16	1.36	<4	8	30	71	1.32	<0.01	20	1.05	720	10	45	461	91	0.24	<5	20	<10	147	1919	<2	41	<10	6	151
21779	363727	3	5.13	40	390	<2	6	1.27	6	9	22	57	2.28	<0.01	18	1.00	862	8	18	440	1460	0.62	12	16	<10	121	1766	<2	30	31	7	2335
21780	363728	<1	4.78	16	334	<2	6	1.91	<4	8	26	27	1.72	<0.01	18	1.25	1123	6	14	465	48	0.35	<5	28	<10	145	1849	<2	32	<10	6	164
21781	363729	<1	4.92	20	307	<2	5	1.70	<4	8	34	24	1.84	<0.01	20	1.18	1177	10	16	472	298	0.35	<5	13	<10	161	1824	<2	31	12	6	1063
21782	363730	161	4.90	15	420	<2	13	3.10	6	17	41	103	5.05	0.14	8	1.32	916	12	35	581	19422	0.10	103	<5	10	301	2902	<2	140	<10	19	355
21783	363731	3	4.96	42	263	<2	5	0.87	<4	8	27	18	1.77	0.25	16	0.67	616	8	17	424	602	0.49	5	21	11	136	1588	<2	28	<10	7	446
21784D	363731	1	5.44	44	261	<2	13	0.83	<4	8	30	477	1.72	0.10	16	0.68	608	9	11	440	351	0.48	<5	20	<10	133	1587	<2	26	<10	7	475
21785	363732	<1	4.94	23	299	<2	30	0.65	<4	8	27	22	1.33	0.07	15	0.57	385	8	15	493	64	0.35	<5	23	<10	129	1676	<2	30	<10	6	72
21786	363733	<1	3.08	19	256	<2	<1	1.38	<4	8	20	31	1.67	0.35	16	1.00	1250	6	16	465	16	0.35	<5	21	<10	159	1649	<2	35	<10	5	63
21787	363734	<1	5.03	15	218	<2	9	0.77	<4	7	23	26	1.53	<0.01	15	0.83	738	7	16	490	155	0.24	<5	20	<10	146	1582	<2	32	<10	6	378
21788	363735	<1	2.78	8	197	<2	<1	0.70	<4	7	18	27	1.43	0.02	14	0.84	849	6	16	397	37	0.16	<5	18	<10	144	1434	<2	33	<10	5	153
21789	363736	2	3.51	10	179	<2	23	1.27	5	7	29	49	1.75	<0.01	9	0.88	981	8	17	433	940	0.24	<5	11	<10	175	1253	2	27	23	5	1753
21790	363737	<1	4.27	18	246	<2	10	0.79	<4	6	29	28	1.22	<0.01	17	0.79	582	7	14	432	189	0.24	<5	15	<10	142	1545	<2	26	<10	6	404

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:23 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540262
Reference: TL15-380
Sample #: 160

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
21791	363738	<1	4.15	17	214	<2	13	0.86	<4	6	32	46	1.48	<0.01	15	0.99	830	8	16	464	399	0.24	<5	17	<10	151	1627	<2	29	16	6	1265
21792	363739	2	2.75	17	278	<2	18	0.91	<4	6	24	120	1.40	0.02	13	0.81	678	6	17	380	487	0.35	<5	11	<10	132	1441	<2	27	<10	4	396
21793	363740	<1	3.01	<2	394	<2	8	2.38	<4	16	53	26	3.13	<0.01	12	1.21	662	5	36	534	2	0.06	<5	19	<10	284	3088	<2	112	16	14	72
21794	363741	17	3.72	37	463	<2	19	1.79	18	7	24	1738	2.29	<0.01	15	1.23	731	8	16	475	3491	0.76	20	15	<10	162	1411	<2	26	76	7	8625
21795D	363741	18	4.48	33	458	<2	13	1.83	19	6	25	1812	2.32	<0.01	16	1.30	743	8	16	500	3532	0.81	21	14	<10	163	1400	<2	25	81	8	7949
21796	363742	<1	3.61	30	470	<2	<1	1.38	<4	6	32	49	1.62	<0.01	22	1.32	790	8	11	465	345	0.41	<5	18	<10	135	1773	<2	29	<10	6	335
21797	363743	<1	4.97	23	498	<2	8	1.59	<4	7	28	13	1.53	0.08	23	1.29	763	8	15	466	280	0.33	5	18	<10	151	1895	<2	32	<10	6	214
21798	363744	2	4.05	20	574	<2	6	1.92	8	7	25	57	1.94	0.39	16	1.35	776	6	16	429	1022	0.63	5	23	<10	152	1553	<2	29	41	6	3522
21799	363745	<1	4.42	26	522	<2	<1	1.55	<4	7	21	37	2.11	0.02	16	1.17	691	6	16	407	411	0.61	<5	21	10	142	1589	<2	26	15	7	810
21800	363746	<1	3.72	26	500	<2	6	1.52	<4	7	28	38	1.96	0.10	17	1.09	671	8	15	397	483	0.52	<5	15	<10	141	1538	<2	25	10	6	841
21801	363747	<1	5.03	18	520	<2	22	1.78	<4	6	30	25	1.70	<0.01	16	1.32	859	8	16	433	231	0.32	<5	17	<10	156	1581	<2	25	<10	7	653
21802	363748	1	4.40	9	961	<2	22	1.66	<4	7	32	97	1.75	<0.01	18	1.11	661	8	14	401	542	0.23	<5	15	<10	138	1520	<2	26	10	8	401
21803	363749	<1	5.03	5	685	<2	1	1.81	<4	6	22	32	1.28	<0.01	19	1.34	839	6	16	335	41	0.09	<5	20	<10	173	1711	<2	25	<10	6	90
21804	363750	<1	4.54	50	305	<2	9	1.20	4	15	35	2509	5.11	<0.01	29	0.91	1138	25	34	705	68	1.39	<5	16	10	190	1265	<2	64	16	10	614
21805	363751	<1	5.27	5	755	<2	38	2.16	<4	7	22	71	1.45	<0.01	19	1.46	879	7	16	377	36	0.15	<5	10	17	180	1744	3	26	<10	7	175
21806D	363751	<1	4.59	8	763	<2	12	2.13	<4	6	22	38	1.40	0.01	19	1.41	867	7	16	355	39	0.14	<5	19	12	179	1723	<2	26	<10	6	147

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 3, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540263
Reference: TL15-380
Sample #: 9

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
21807	363689	0.313	0.202	0.210	0.257	1.92%	38.52
21808	363691	20.513	23.356	1490.987	29.320	0.50%	12.51
21809	363692	0.779	0.780	99.241	1.032	0.26%	6.06
21810	363693	0.194	0.162	0.314	0.180	1.75%	38.89
21811	363705	0.076	0.083	0.048	0.079	1.54%	8.79
21812	363706	0.085	0.081	0.067	0.083	1.44%	8.88
21813	363707	3.019	3.013	157.330	3.576	0.36%	7.55
21814	363708	1.500	1.577	42.307	1.873	0.82%	17.96
21815	363709	0.307	0.345	0.567	0.331	1.96%	44.33

PROCEDURE CODES: ALP1, ALPM4, ALMA1, ALSu1, ALPM1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 14, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 01/21/2015
Date Completed: 02/03/2015
Job #: 201540263
Reference: TL15-380
Sample #: 9

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
21807	363689	1	4.69	24	470	<2	2	1.02	<4	9	318	37	1.54	<0.01	6	1.06	593	<1	50	476	25	0.60	8	<5	<10	111	1963	<2	35	<10	6	91
21808	363691	86	4.60	236	655	2	<1	1.22	11	10	220	3799	1.97	<0.01	4	1.14	515	2	27	430	9070	0.94	1799	5	<10	90	1744	<2	33	54	7	3587
21809	363692	6	4.58	44	466	2	2	0.21	4	7	349	242	1.25	<0.01	5	0.58	145	<1	26	432	403	0.72	16	5	<10	84	1738	<2	31	23	6	1147
21810	363693	3	5.09	31	477	<2	<1	0.32	<4	7	358	11	1.49	<0.01	5	0.60	222	<1	26	477	265	0.84	5	5	<10	78	1932	<2	37	<10	6	202
21811	363705	2	3.77	25	>5000	<2	4	2.24	<4	6	374	67	1.77	<0.01	2	1.62	751	2	27	370	419	0.74	5	9	<10	286	1514	<2	30	13	7	643
21812	363706	2	4.03	19	>5000	2	<1	1.97	<4	5	419	70	1.72	<0.01	2	1.44	680	1	28	399	372	0.68	<5	<5	<10	343	1669	<2	33	13	7	363
21813	363707	12	2.95	66	1300	<2	1	0.85	42	6	214	1005	4.35	<0.01	3	0.83	326	3	22	327	2882	2.43	54	6	<10	149	1307	<2	24	233	6	15099
21814	363708	6	3.16	31	975	<2	2	0.66	17	5	178	41	1.39	<0.01	5	0.78	443	<1	20	379	2824	0.78	16	<5	<10	76	1487	<2	26	87	6	7038
21815	363709	5	3.75	32	582	<2	1	1.21	13	8	513	21	2.24	<0.01	4	1.07	872	3	29	455	2644	0.71	12	<5	<10	95	1750	<2	33	71	6	4806

PROCEDURE CODES: ALP1, ALPM4, ALMA1, ALSu1, ALPM1, ALPbMA2, ALZnMA2

Certified By: Susan Schmitz, Customer Services Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-07/14/2015 1:24 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540466
Reference: 201450262
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
40433	363741	9.366	9.622	139.696	12.943	2.65%	26.51

PROCEDURE CODES: ALPM1

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

TL15381B

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 11, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Au g/t (ppm)
34028	363752	0.079
34029	363753	0.067
34030	363754	0.032
34031	363755	0.016
34032	363756	0.237
34033	363757	0.203
34034	363758	0.213
34035	363759	0.046
34036	363760	<0.005
34037	363761	0.057
34038	363761 Dup	0.052
34039	363762	0.041
34040	363763	0.029
34041	363764	0.068
34042	363765	0.089
34043	363766	0.084
34044	363767	0.043
34045	363768	0.027
34046	363769	0.117
34047	363770	1.248
34048	363771	0.113
34049	363771 Dup	0.098
34050	363772	0.033
34051	363773	0.025
34052	363774	0.010

APPLIED SCOPES: ALFA1, ALP1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 11, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Au g/t (ppm)
34053	363775	0.116
34054	363776	0.007
34055	363777	0.010
34056	363778	0.008
34057	363779	0.205
34058	363780	0.006
34059	363781	0.149
34060	363781 Dup	0.130
34061	363782	0.040
34062	363783	2.746
34063	363784	0.104
34064	363785	0.029
34065	363786	0.020
34066	363787	0.124
34067	363788	0.011
34068	363789	0.015
34069	363790	4.745
34070	363791	0.023
34071	363791 Dup	0.020
34072	363792	0.091
34073	363793	0.055
34074	363794	0.045
34075	363795	0.148
34076	363796	0.189
34077	363797	0.334

APPLIED SCOPES: ALFA1, ALP1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 11, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Au g/t (ppm)
34078	363798	0.324
34079	363799	0.169
34080	363800	<0.005
34081	363801	0.107
34082	363801 Dup	0.112
34083	363802	0.029
34084	363803	0.067
34085	363804	0.145
34086	363805	0.062
34087	363806	0.063
34088	363807	0.052
34089	363808	0.070
34090	363809	0.085
34091	363810	0.331
34092	363811	0.036
34093	363811 Rep	0.041
34094	363812	0.029
34095	363813	0.014
34096	363814	0.041
34097	363815	0.038
34098	363816	0.086
34099	363817	0.033
34100	363818	0.041
34101	363819	1.015
34102	363820	0.005

APPLIED SCOPES: ALFA1, ALP1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 11, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Au g/t (ppm)
34103	363821	0.212
34104	363821 Dup	0.335
34105	363822	0.062
34106	363823	0.094
34107	363824	0.173
34108	363825	0.107
34109	363826	0.230
34110	363827	0.638
34111	363828	0.135
34112	363829	0.159
34113	363830	1.428
34114	363831	0.384
34115	363831 Dup	0.384
34116	363832	0.068
34117	363833	0.060
34118	363834	0.021
34119	363835	0.019
34120	363836	0.145
34121	363837	0.025
34122	363838	<0.005
34123	363839	<0.005
34124	363840	<0.005
34125	363841	0.029
34126	363841 Dup	0.017
34127	363842	0.007

APPLIED SCOPES: ALFA1, ALP1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 11, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Au g/t (ppm)
34128	363843	0.010
34129	363844	0.012
34130	363845	0.023
34131	363846	0.020
34132	363847	0.035
34133	363848	0.034
34134	363849	0.027
34135	363850	4.482
34136	363851	0.068
34137	363851 Dup	0.087
34138	363852	0.041
34139	363853	0.122
34140	363854	0.040
34141	363855	0.029
34142	363856	0.011
34143	363857	0.010
34144	363858	0.013
34145	363859	0.009
34146	363860	0.005
34147	363861	0.012
34148	363861 Dup	0.014
34149	363862	0.008
34150	363863	0.008
34151	363864	0.012
34152	363865	0.021

APPLIED SCOPES: ALFA1, ALP1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 11, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Au g/t (ppm)
34153	363866	0.021
34154	363870	0.365
34155	363872	0.025
34156	363873	0.021
34157	363874	0.024
34158	363875	0.025
34159	363875 Rep	0.021
34160	363876	0.180
34161	363877	0.077
34162	363878	0.020
34163	363879	0.109
34164	363880	0.006
34165	363881	0.077
34166	363882	0.008
34167	363883	0.009
34168	363884	0.016
34169	363885	0.046
34170	363885 Dup	0.095
34171	363886	0.072
34172	363887	0.062
34173	363888	0.006
34174	363889	0.030
34175	363890	1.283
34176	363891	0.231
34177	363892	0.125

APPLIED SCOPES: ALFA1, ALP1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 11, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Au g/t (ppm)
34178	363893	0.025
34179	363894	0.056
34180	363895	0.051
34181	363895 Dup	0.027
34182	363896	0.026
34183	363897	0.122
34184	363898	0.145
34185	363899	0.061
34186	363900	0.006
34187	363901	0.049
34188	363902	0.019
34189	363903	0.242
34190	363904	0.042
34191	363905	0.160
34192	363905 Dup	0.160
34193	363906	0.275
34194	363907	0.427
34195	363908	1.361
34196	363909	0.039
34197	363910	4.316
34198	363911	0.049
34199	363912	0.044
34200	363913	0.035
34201	363914	0.014
34202	363915	0.057

APPLIED SCOPES: ALFA1, ALP1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 11, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Au g/t (ppm)
34203	363915 Dup	0.061
34204	363916	0.058
34205	363917	0.103
34206	363918	0.049
34207	363919	0.016
34208	363920	<0.005
34209	363921	0.021
34210	363922	0.063
34211	363923	0.286
34212	363924	0.284
34213	363925	0.178
34214	363925 Dup	0.181
34215	363926	0.088
34216	363930	0.339
34217	363932	0.352
34218	363933	0.194
34219	363934	0.114
34220	363935	0.193
34221	363936	0.031
34222	363937	0.023
34223	363938	0.060
34224	363939	0.015
34225	363939 Rep	0.015
34226	363940	0.005
34227	363941	0.024

APPLIED SCOPES: ALFA1, ALP1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 11, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Au g/t (ppm)
34228	363942	0.055
34229	363943	0.121
34230	363944	0.076
34231	363945	0.514
34232	363946	0.601
34233	363947	0.195
34234	363948	0.099
34235	363949	0.517
34236	363949 Dup	0.532
34237	363950	1.530
34238	363951	0.134
34239	363952	0.019
34240	363953	0.027
34241	363954	0.134
34242	363955	0.035
34243	363956	0.035
34244	363957	0.032
34245	363958	0.051
34246	363959	0.085
34247	363959 Dup	0.065
34248	363960	0.005
34249	363961	0.048
34250	363962	0.079
34251	363963	0.059

APPLIED SCOPES: ALFA1, ALP1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 11, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.860	0.886	0.071
GS35	0.856	0.886	0.071
GS35	0.760	0.886	0.071
GS35	0.962	0.886	0.071
GS35	0.779	0.886	0.071
GS35	0.937	0.886	0.071
GS35	0.809	0.886	0.071
GS35	0.846	0.886	0.071

APPLIED SCOPES: ALFA1, ALP1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34028	363752	<1	3.44	16	474	<2	<1	1.68	<4	9	26	13	2.13	0.41	11	0.94	894	3	18	469	18	0.43	<5	7	<10	263	1922	<2	44	<10	6	85
34029	363753	<1	3.99	16	460	<2	4	1.15	<4	9	25	31	2.10	0.35	10	0.83	912	<1	22	442	264	0.71	<5	14	<10	257	1713	<2	39	<10	7	631
34030	363754	<1	4.92	17	522	<2	10	1.78	<4	11	27	16	2.25	0.57	12	0.98	961	2	21	535	39	0.47	<5	13	<10	280	2252	6	45	<10	7	96
34031	363755	<1	4.31	9	384	<2	6	1.84	<4	11	43	13	2.18	0.67	11	0.78	498	<1	28	483	16	0.20	<5	21	<10	251	2111	<2	44	<10	7	60
34032	363756	<1	5.15	29	459	<2	9	0.98	<4	8	24	29	2.03	0.39	15	0.86	801	<1	18	479	413	0.60	<5	13	<10	184	1784	<2	37	<10	8	886
34033	363757	<1	4.91	28	420	<2	12	0.89	<4	8	22	21	1.83	0.35	12	0.73	770	<1	22	463	223	0.52	<5	21	<10	161	1672	<2	35	<10	7	617
34034	363758	<1	5.09	35	452	<2	8	0.91	<4	8	29	112	2.20	0.29	15	0.75	747	<1	18	464	242	0.68	5	18	<10	164	1844	<2	38	11	7	720
34035	363759	<1	4.40	22	394	<2	5	1.61	<4	8	32	19	1.97	0.38	11	1.05	1128	<1	18	445	44	0.37	<5	24	<10	196	1725	<2	35	<10	7	106
34036	363760	<1	3.63	8	211	<2	16	1.66	<4	13	45	20	2.97	0.35	9	1.20	635	<1	32	560	4	0.06	5	17	<10	272	2897	<2	98	16	16	48
34037	363761	<1	4.22	16	352	<2	17	1.23	<4	8	27	14	1.81	0.36	11	0.94	859	<1	19	477	77	0.28	6	12	<10	216	1722	<2	36	<10	6	108
34038D	363761	<1	4.18	16	357	<2	11	1.22	<4	8	26	14	1.79	0.35	11	0.93	857	<1	19	472	74	0.28	<5	15	<10	216	1706	<2	35	<10	6	77
34039	363762	<1	4.46	14	270	<2	5	1.46	<4	8	29	28	1.84	0.24	9	0.96	742	<1	20	475	106	0.27	<5	16	<10	244	1682	<2	35	10	6	950
34040	363763	<1	5.34	16	284	2	7	1.91	<4	8	32	16	1.77	0.35	12	1.20	946	<1	19	471	17	0.25	<5	12	<10	264	1806	<2	35	<10	7	107
34041	363764	<1	5.54	35	261	<2	9	1.74	<4	9	31	55	1.98	0.53	12	1.18	1097	<1	20	523	214	0.52	<5	20	<10	179	1798	<2	39	<10	8	256
34042	363765	<1	5.99	44	214	2	3	2.06	<4	12	60	84	2.35	0.53	13	1.15	1215	1	28	569	107	0.67	<5	15	<10	180	1896	3	47	<10	10	139
34043	363766	<1	5.94	52	210	<2	9	2.14	<4	12	61	92	2.44	0.60	13	1.18	1432	2	28	549	63	0.68	6	22	<10	179	1859	<2	45	<10	11	125
34044	363767	<1	5.21	35	263	<2	9	1.88	<4	9	41	29	1.92	0.59	13	1.00	860	1	24	505	73	0.54	6	18	<10	180	1676	<2	39	<10	8	102
34045	363768	<1	5.06	19	342	<2	11	<0.01	<4	5	26	11	1.05	0.39	9	0.49	245	<1	18	310	44	0.27	<5	15	<10	98	1385	<2	25	<10	7	211
34046	363769	5	5.02	25	366	<2	<1	0.14	7	12	42	119	1.36	0.28	14	0.62	296	<1	28	296	593	0.45	7	25	<10	120	1800	<2	41	<10	8	1459
34047	363770	<1	3.19	17	289	<2	8	1.45	<4	13	46	186	3.61	0.33	7	1.11	660	9	41	576	19	0.09	7	6	<10	261	2621	<2	93	<10	15	77

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:00 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34048	363771	8	4.59	19	302	<2	11	0.57	<4	9	30	19	0.73	0.32	11	0.56	255	2	19	192	139	0.17	7	22	<10	186	1622	<2	38	<10	6	285
34049D	363771	8	4.01	16	258	<2	16	0.45	<4	8	25	14	0.62	0.38	10	0.53	227	<1	20	171	127	0.17	<5	17	<10	171	1467	<2	34	<10	5	255
34050	363772	<1	4.24	13	297	<2	9	0.99	<4	5	21	21	0.38	0.35	4	0.28	188	1	15	190	98	0.09	<5	18	<10	211	1256	<2	30	<10	5	100
34051	363773	<1	3.80	17	296	<2	8	0.94	<4	6	21	8	0.44	0.26	4	0.26	129	<1	17	160	19	0.13	6	19	<10	212	1189	<2	30	<10	5	10
34052	363774	<1	5.79	7	264	<2	19	1.20	<4	5	28	6	0.47	0.58	6	0.33	135	1	17	208	13	0.11	<5	24	<10	223	1229	<2	31	<10	6	16
34053	363775	4	6.53	13	312	<2	3	0.99	<4	8	20	7	0.41	0.61	6	0.30	129	1	17	179	40	0.08	<5	25	<10	238	1497	<2	36	<10	6	40
34054	363776	<1	6.37	9	324	<2	6	0.22	<4	8	23	14	0.45	0.54	4	0.32	109	<1	16	204	54	0.07	<5	26	<10	205	1768	<2	35	<10	6	84
34055	363777	<1	5.66	8	285	<2	8	1.90	<4	12	25	23	1.65	0.68	13	0.94	540	<1	19	467	38	0.26	<5	16	<10	303	1889	<2	31	<10	7	234
34056	363778	<1	5.79	5	471	<2	<1	1.76	<4	8	30	8	1.77	0.68	15	0.92	419	<1	13	476	24	0.17	<5	27	<10	210	1826	6	33	<10	8	52
34057	363779	<1	4.36	19	407	<2	9	0.63	<4	7	21	61	1.64	0.41	21	0.87	420	<1	14	437	85	0.33	5	12	<10	120	1909	<2	32	<10	7	316
34058	363780	<1	3.55	9	205	<2	3	1.66	<4	14	44	21	2.98	0.40	8	1.19	625	<1	31	550	4	0.06	<5	11	<10	273	2905	<2	98	14	15	65
34059	363781	<1	3.79	28	321	<2	1	1.16	<4	8	26	28	1.69	0.49	21	0.97	620	<1	13	446	61	0.40	<5	12	<10	117	1968	<2	33	<10	6	260
34060D	363781	<1	4.16	22	333	<2	<1	1.20	<4	8	25	29	1.68	0.35	22	0.99	630	<1	15	450	58	0.43	<5	26	<10	116	1980	<2	33	<10	6	263
34061	363782	<1	3.86	17	391	<2	<1	1.71	<4	8	28	9	1.65	0.35	19	1.07	714	<1	16	446	37	0.23	<5	22	<10	142	1955	<2	31	<10	6	149
34062	363783	9	4.31	27	455	<2	10	1.13	5	9	23	123	2.06	0.35	24	1.04	681	<1	17	450	777	0.62	<5	10	<10	148	1944	2	31	13	6	1792
34063	363784	<1	4.49	15	322	<2	<1	0.05	<4	3	19	17	0.81	0.28	12	0.67	220	3	14	253	45	0.21	<5	13	<10	81	1046	<2	14	<10	6	86
34064	363785	<1	5.48	10	436	<2	9	0.63	<4	3	23	8	0.96	0.64	19	0.87	348	1	37	243	24	0.15	<5	19	<10	135	1207	<2	17	<10	6	59
34065	363786	<1	6.09	11	385	<2	12	0.73	<4	3	28	9	1.01	0.48	18	0.93	372	2	36	263	21	0.17	<5	25	<10	135	1245	3	18	<10	6	58
34066	363787	<1	6.05	13	433	<2	13	0.85	<4	3	44	37	1.18	0.52	22	0.96	308	4	46	287	152	0.13	5	31	<10	178	1266	<2	18	<10	6	658
34067	363788	<1	5.92	10	370	<2	<1	1.06	<4	3	33	5	1.11	0.60	23	0.99	308	3	34	280	36	0.15	<5	29	<10	215	1274	<2	18	<10	6	96

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:00 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34068	363789	<1	4.49	8	241	<2	<1	1.04	<4	4	26	6	1.03	0.45	17	0.84	301	2	32	233	7	0.13	<5	23	<10	155	1104	<2	16	<10	5	25
34069	363790	86	4.66	7	217	<2	5	2.34	6	14	35	93	4.78	0.49	4	1.24	863	3	33	555	13209	0.10	98	5	<10	292	2677	<2	123	<10	18	329
34070	363791	<1	4.01	8	311	<2	14	0.77	<4	3	29	12	1.17	0.40	19	1.29	474	3	35	260	308	0.12	5	20	<10	159	1008	3	18	<10	5	176
34071D	363791	<1	3.80	11	313	<2	18	0.75	<4	3	28	11	1.11	0.50	20	1.28	465	2	36	259	59	0.14	<5	13	<10	157	967	<2	16	<10	5	176
34072	363792	<1	4.23	21	297	<2	5	<0.01	<4	3	35	5	0.99	0.32	6	0.36	<100	2	30	206	19	0.28	5	15	<10	71	992	<2	15	<10	5	344
34073	363793	<1	4.84	18	344	<2	<1	<0.01	<4	3	33	6	1.21	0.37	13	0.68	476	3	36	243	38	0.34	<5	25	<10	84	977	<2	17	<10	5	229
34074	363794	<1	4.02	19	306	<2	5	0.80	<4	4	28	7	1.14	0.36	16	0.93	476	3	33	268	33	0.27	<5	12	<10	166	889	<2	18	<10	5	49
34075	363795	<1	4.07	22	131	<2	12	0.30	<4	15	145	77	3.37	0.25	32	1.89	879	3	93	524	32	0.28	<5	16	<10	112	1232	2	71	<10	9	94
34076	363796	<1	5.88	22	115	2	11	0.24	<4	18	163	172	3.88	0.54	34	2.34	979	6	112	572	29	0.37	7	11	<10	114	1102	7	80	<10	11	87
34077	363797	<1	6.18	8	245	2	15	0.82	<4	22	193	105	4.33	0.50	25	1.65	1377	7	127	568	39	0.23	5	18	<10	140	2610	14	93	<10	16	145
34078	363798	<1	6.09	21	276	2	4	1.04	<4	21	159	49	3.75	0.47	23	1.56	1605	5	105	591	73	0.44	5	14	<10	136	2206	<2	91	<10	15	106
34079	363799	<1	6.34	29	444	2	9	0.61	<4	18	157	159	3.62	0.55	22	1.25	1289	8	117	508	144	0.63	<5	19	<10	109	1469	<2	84	<10	15	222
34080	363800	<1	3.86	2	197	<2	<1	1.68	<4	14	44	20	3.00	0.55	8	1.23	623	<1	31	567	2	0.05	<5	21	<10	276	2873	<2	99	14	16	45
34081	363801	<1	5.15	20	495	<2	<1	<0.01	<4	4	56	35	1.29	0.40	11	0.59	597	5	70	435	130	0.26	<5	16	<10	100	1217	<2	26	11	7	719
34082D	363801	<1	5.43	18	531	<2	9	<0.01	<4	5	58	36	1.30	0.38	12	0.59	622	8	77	450	137	0.27	<5	17	<10	100	1199	<2	25	<10	7	760
34083	363802	<1	5.39	22	701	<2	8	0.45	<4	6	43	22	1.57	0.48	15	0.85	1716	2	56	318	136	0.34	<5	21	<10	126	1238	2	33	<10	7	326
34084	363803	<1	4.69	13	431	<2	12	0.57	<4	16	133	57	2.93	0.37	22	1.35	1201	5	91	441	82	0.32	<5	14	<10	119	1761	<2	70	<10	13	103
34085	363804	<1	5.40	30	444	2	3	0.55	<4	21	172	70	3.50	0.35	21	1.05	844	4	106	535	83	0.79	6	17	<10	153	2165	<2	100	<10	15	116
34086	363805	<1	4.11	6	247	2	<1	1.17	<4	19	151	46	3.68	0.40	24	1.48	1034	3	90	546	36	0.26	<5	8	<10	154	2586	<2	84	<10	14	111
34087	363806	<1	3.99	7	230	2	2	1.06	<4	18	146	43	3.69	0.28	24	1.49	1005	4	90	522	26	0.24	<5	<5	<10	147	2541	<2	81	<10	14	70

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:00 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34088	363807	<1	6.01	<2	275	2	5	0.98	<4	21	154	45	3.84	0.43	25	1.66	723	3	96	566	36	0.19	7	16	<10	128	2755	2	89	<10	14	69
34089	363808	<1	6.31	24	281	2	12	0.78	<4	22	155	49	3.85	0.47	24	1.47	661	2	96	578	43	0.80	5	12	<10	104	2496	<2	98	<10	16	72
34090	363809	<1	6.37	25	279	2	14	0.14	<4	10	45	10	1.01	0.61	19	0.70	407	8	81	754	45	0.11	<5	15	<10	79	2254	<2	42	<10	9	60
34091	363810	<1	5.17	50	102	<2	8	0.61	5	13	31	2184	4.92	0.51	26	0.90	1085	16	33	706	71	1.51	5	5	<10	187	1183	<2	57	<10	11	555
34092	363811	<1	4.51	24	178	<2	2	<0.01	<4	8	46	7	0.86	0.31	13	0.50	219	10	77	605	24	0.13	<5	17	<10	64	1834	<2	32	<10	7	39
34093R	363811	<1	4.26	26	179	<2	3	<0.01	<4	9	54	5	0.91	0.42	14	0.51	240	8	91	598	24	0.12	<5	17	<10	65	1867	2	33	<10	7	202
34094	363812	<1	5.89	23	556	<2	<1	0.77	5	7	49	30	1.08	0.66	13	0.40	213	6	66	665	35	0.15	6	25	<10	112	1987	<2	36	16	4	1211
34095	363813	<1	6.30	13	756	2	<1	2.30	<4	9	53	14	2.06	0.60	15	1.01	533	3	57	775	36	0.21	<5	26	<10	176	2327	<2	40	70	5	298
34096	363814	<1	4.80	18	686	<2	1	1.80	<4	5	36	14	1.48	0.74	12	0.91	554	4	49	606	124	0.24	6	6	<10	149	1881	<2	31	<10	4	266
34097	363815	1	5.07	17	696	<2	<1	2.58	<4	6	37	33	1.89	0.58	18	1.45	954	6	50	660	110	0.23	<5	17	<10	151	2002	<2	33	11	5	221
34098	363816	<1	4.74	24	681	<2	6	1.79	<4	5	37	25	1.38	0.57	16	0.93	764	6	54	604	259	0.25	<5	22	<10	145	1992	<2	33	<10	4	659
34099	363817	<1	4.54	17	597	<2	10	1.42	<4	6	38	21	1.32	0.55	14	1.23	835	4	63	547	128	0.14	<5	33	<10	149	1330	<2	29	<10	4	491
34100	363818	<1	2.54	10	341	<2	4	0.83	<4	6	31	16	1.29	<0.01	10	1.11	823	54	50	472	44	0.14	<5	16	<10	128	1100	<2	30	<10	3	189
34101	363819	<1	2.02	13	381	<2	<1	0.72	<4	5	29	71	1.09	0.13	10	0.95	667	6	48	469	51	0.10	<5	14	<10	130	972	<2	29	<10	3	149
34102	363820	<1	2.50	10	450	<2	8	2.29	<4	13	48	22	2.88	0.05	7	0.97	601	<1	32	555	9	0.06	5	<5	<10	292	2828	<2	97	16	11	64
34103	363821	<1	3.99	15	468	<2	7	1.27	<4	8	34	68	1.18	0.36	13	0.77	754	3	43	615	152	0.16	<5	14	<10	180	1219	<2	29	<10	3	223
34104D	363821	<1	3.31	16	451	<2	10	1.17	<4	7	30	67	1.11	0.15	12	0.74	752	2	42	602	155	0.15	<5	15	<10	171	1163	<2	27	<10	3	202
34105	363822	<1	2.68	13	405	<2	16	1.23	<4	6	33	22	1.17	0.34	11	0.82	917	3	44	476	94	0.17	<5	16	<10	176	1399	<2	26	<10	3	239
34106	363823	4	4.60	14	330	<2	3	1.55	6	4	47	23	1.38	0.65	7	0.99	1092	4	50	406	1853	0.20	8	16	<10	200	1064	<2	21	22	3	2583
34107	363824	2	3.98	15	243	<2	2	1.17	4	3	36	6	1.44	0.61	10	1.63	1480	3	40	401	1119	0.12	6	18	<10	165	741	2	22	10	3	1697

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:00 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34108	363825	<1	4.41	18	296	<2	5	1.16	<4	4	32	5	1.19	0.81	10	1.23	991	3	37	417	143	0.12	<5	20	<10	166	1171	<2	25	<10	3	228
34109	363826	<1	3.97	18	293	<2	8	1.22	<4	3	28	6	1.14	0.73	10	1.15	973	2	35	371	137	0.15	<5	25	<10	158	1125	<2	23	11	2	206
34110	363827	<1	4.11	21	537	<2	6	1.02	<4	5	35	12	1.19	0.81	15	0.70	658	4	58	427	74	0.18	<5	23	<10	200	1595	<2	33	<10	3	149
34111	363828	<1	3.93	29	515	<2	9	1.22	<4	11	37	18	1.59	0.70	17	0.91	896	2	52	436	33	0.25	<5	10	<10	166	1637	<2	34	<10	4	47
34112	363829	<1	3.56	25	553	<2	6	1.21	<4	7	47	9	1.72	0.39	15	0.75	875	5	66	457	67	0.32	<5	6	<10	164	1522	<2	34	<10	3	129
34113	363830	<1	3.33	17	573	<2	5	2.27	<4	14	54	193	3.74	0.13	8	1.00	689	10	45	611	15	0.10	<5	9	<10	297	2705	<2	97	<10	12	50
34114	363831	1	3.32	25	453	<2	1	0.81	<4	9	44	54	2.27	0.41	15	0.77	900	3	47	433	107	0.46	<5	21	<10	143	1657	<2	37	<10	4	260
34115D	363831	<1	3.62	29	475	<2	15	0.82	<4	8	54	51	2.30	0.31	16	0.83	933	5	62	466	106	0.41	<5	8	<10	141	1769	<2	38	<10	4	271
34116	363832	<1	3.93	27	505	<2	3	1.33	<4	7	42	16	1.67	0.27	15	0.89	561	4	50	462	57	0.46	<5	11	<10	155	1823	<2	35	<10	4	66
34117	363833	<1	8.29	44	715	2	5	1.89	<4	13	45	18	1.59	0.73	28	0.87	532	7	63	757	81	0.47	8	25	<10	221	2212	<2	44	11	5	744
34118	363834	<1	4.55	22	399	<2	<1	1.63	<4	6	45	12	1.36	0.87	19	1.57	1139	10	59	461	47	0.25	5	22	<10	180	1685	5	33	<10	4	65
34119	363835	<1	5.19	16	466	<2	10	1.30	<4	8	40	8	1.27	1.06	14	0.94	538	5	54	465	31	0.27	<5	24	<10	183	1644	<2	37	<10	4	39
34120	363836	<1	4.56	18	386	<2	<1	1.43	<4	5	33	22	1.20	0.74	10	0.73	439	4	48	394	38	0.22	<5	16	<10	198	1337	<2	30	<10	4	37
34121	363837	<1	2.89	13	325	<2	<1	0.92	<4	5	37	30	0.71	0.86	8	0.57	367	4	62	323	191	0.08	<5	16	<10	178	1185	<2	27	<10	2	232
34122	363838	<1	2.87	16	317	<2	14	0.94	20	3	32	46	0.73	0.60	6	0.64	445	3	51	337	55	0.19	<5	22	<10	177	993	<2	26	33	2	4446
34123	363839	<1	3.29	12	318	<2	7	0.77	<4	3	35	5	0.68	0.64	8	0.75	425	3	52	353	47	0.05	<5	18	<10	162	1099	<2	27	<10	2	95
34124	363840	<1	2.75	4	467	<2	<1	2.34	<4	14	49	22	2.83	0.23	8	0.96	597	<1	34	537	12	0.06	<5	<5	<10	291	2812	<2	95	16	11	38
34125	363841	<1	2.21	35	271	<2	9	1.25	<4	3	32	7	0.81	0.41	8	1.00	634	2	42	443	242	0.11	<5	17	<10	191	949	<2	23	<10	2	281
34126D	363841	<1	3.48	43	311	<2	6	1.41	<4	3	37	7	0.89	0.26	10	1.12	696	4	54	502	273	0.12	5	14	<10	208	1014	<2	25	<10	2	333
34127	363842	<1	3.75	13	346	<2	15	1.18	<4	3	32	5	0.78	0.37	13	1.30	678	4	51	400	60	0.10	<5	18	<10	172	1158	<2	28	<10	2	636

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:00 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34128	363843	<1	3.53	6	363	<2	<1	1.16	<4	3	37	10	0.79	0.33	12	1.27	570	5	51	335	82	0.07	<5	13	<10	148	1276	<2	24	<10	2	93
34129	363844	<1	3.97	18	438	<2	7	1.32	<4	4	48	8	0.81	0.28	12	0.93	623	5	64	446	62	0.08	5	19	<10	156	1268	<2	24	<10	3	64
34130	363845	<1	5.35	12	465	<2	<1	1.26	<4	5	44	16	1.07	0.73	14	0.81	557	5	59	512	102	0.18	<5	19	<10	132	1563	<2	29	<10	4	192
34131	363846	<1	6.20	16	515	<2	<1	1.30	<4	7	43	19	1.15	0.74	15	0.80	474	5	62	499	76	0.21	<5	20	<10	143	1732	<2	31	<10	4	232
34132	363847	<1	4.36	22	406	<2	<1	1.29	<4	6	43	16	1.16	0.66	11	0.65	344	4	51	442	55	0.30	<5	25	<10	137	1431	<2	26	<10	4	82
34133	363848	<1	8.71	35	728	2	5	3.35	<4	12	86	10	2.30	0.28	30	1.93	1396	11	115	697	31	0.33	<5	28	<10	246	3338	<2	59	<10	6	68
34134	363849	<1	4.66	21	277	<2	<1	1.86	<4	7	43	5	1.36	0.42	16	1.27	802	4	68	395	21	0.19	<5	13	<10	130	1808	14	34	<10	5	38
34135	363850	110	4.44	17	512	<2	4	3.19	6	15	41	93	4.82	0.33	5	1.10	883	4	32	572	16408	0.11	99	<5	10	321	2787	<2	125	<10	14	300
34136	363851	1	4.57	28	424	<2	4	1.66	<4	6	29	11	1.42	0.69	15	0.93	653	4	48	386	424	0.33	7	16	<10	133	1906	<2	28	<10	4	66
34137D	363851	<1	3.57	27	393	<2	3	1.59	<4	5	25	8	1.26	0.38	14	0.82	581	2	39	348	26	0.35	<5	13	<10	126	1551	<2	24	<10	3	57
34138	363852	<1	3.51	20	457	<2	10	1.64	<4	5	29	6	1.08	0.44	13	0.84	515	2	43	376	38	0.32	<5	15	<10	136	1702	<2	27	<10	2	30
34139	363853	3	3.98	37	497	<2	4	0.83	<4	5	42	56	1.18	0.33	11	0.45	240	7	63	365	101	0.32	<5	21	<10	107	1644	<2	28	<10	3	227
34140	363854	7	3.89	21	505	<2	8	1.10	<4	5	39	29	1.11	0.45	12	0.60	329	4	63	385	144	0.28	<5	17	<10	128	1691	<2	28	<10	2	91
34141	363855	<1	4.47	23	532	<2	10	1.46	<4	6	49	10	1.17	0.32	13	0.59	395	8	78	437	133	0.28	5	13	<10	165	1665	<2	29	11	3	377
34142	363856	<1	3.20	21	468	<2	12	2.08	<4	5	33	23	1.40	0.28	10	0.67	573	5	51	385	46	0.28	<5	14	<10	202	1492	<2	26	<10	2	50
34143	363857	<1	5.11	24	486	<2	<1	1.88	<4	5	37	11	1.53	0.89	11	0.70	545	5	66	421	29	0.34	<5	12	<10	203	1669	<2	29	<10	3	57
34144	363858	<1	5.89	16	512	<2	2	2.20	<4	5	42	11	1.53	0.75	10	0.67	480	6	72	449	19	0.22	<5	26	<10	215	1665	<2	29	<10	4	28
34145	363859	<1	5.07	14	517	<2	<1	1.96	<4	6	33	8	1.25	0.64	10	0.51	330	3	50	370	18	0.16	<5	13	<10	223	1558	<2	28	<10	3	17
34146	363860	<1	4.27	11	516	<2	18	2.65	<4	15	54	23	3.17	0.38	10	1.14	659	<1	37	606	13	0.07	<5	18	<10	320	3112	<2	106	13	13	42
34147	363861	<1	4.30	10	430	<2	6	2.17	<4	5	31	7	1.32	0.53	13	0.76	421	3	35	391	12	0.16	<5	16	<10	176	1580	<2	27	<10	3	10

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:00 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34148D	363861	<1	4.09	8	427	<2	<1	2.14	<4	4	27	7	1.26	0.50	12	0.72	407	2	31	370	12	0.16	<5	23	<10	173	1540	<2	26	<10	3	21
34149	363862	<1	3.80	14	457	<2	4	2.32	<4	7	43	10	1.67	0.53	13	0.77	477	5	47	440	16	0.11	5	20	<10	217	1846	<2	28	<10	3	34
34150	363863	<1	3.97	10	547	<2	7	2.14	<4	6	36	10	1.58	0.41	14	0.74	440	4	46	447	21	0.10	<5	12	<10	223	1817	<2	29	<10	3	23
34151	363864	<1	3.75	14	756	<2	6	2.28	<4	6	27	26	1.70	0.43	16	0.79	475	3	33	392	26	0.27	<5	14	<10	230	1757	<2	28	<10	3	30
34152	363865	<1	4.02	18	1981	<2	<1	2.32	<4	5	37	6	1.72	0.36	22	1.16	649	4	40	425	51	0.36	6	25	<10	251	1867	2	31	<10	3	52
34153	363866	<1	4.16	11	1815	<2	26	2.22	<4	5	42	6	1.64	0.31	21	1.16	651	4	41	458	44	0.30	<5	10	<10	236	1884	<2	31	<10	3	46
34154	363870	<1	3.62	49	416	<2	6	1.35	5	13	34	2070	4.65	0.30	24	0.67	1031	15	29	693	80	1.39	6	8	<10	204	1115	<2	54	<10	6	516
34155	363872	<1	6.07	30	645	<2	13	2.14	<4	9	69	60	2.06	0.74	17	1.25	554	6	57	480	35	0.36	6	18	<10	187	2057	4	42	<10	5	53
34156	363873	<1	5.37	23	883	2	4	2.36	<4	6	38	11	1.74	0.66	16	1.26	572	3	39	426	30	0.33	<5	17	<10	173	1878	<2	33	<10	4	35
34157	363874	<1	4.27	14	1245	<2	3	2.16	<4	5	64	49	1.61	0.63	9	1.04	625	7	54	223	180	0.14	<5	21	<10	192	1166	<2	25	<10	4	116
34158	363875	<1	4.66	10	864	<2	1	1.91	<4	5	38	15	1.42	0.74	17	1.06	518	4	42	331	36	0.11	6	19	<10	207	1799	<2	28	<10	3	56
34159R	363875	<1	4.53	11	888	<2	6	2.06	<4	6	33	14	1.39	0.56	19	1.02	518	4	37	310	40	0.12	5	25	<10	221	1805	<2	28	<10	3	53
34160	363876	<1	4.45	7	779	<2	5	1.82	<4	5	36	14	1.38	0.50	18	1.04	560	5	45	364	20	0.14	<5	22	<10	194	1780	<2	25	<10	3	170
34161	363877	<1	5.03	11	664	<2	<1	1.51	<4	6	29	28	1.31	0.75	16	0.97	545	4	26	360	25	0.12	<5	15	<10	176	1683	<2	24	11	3	802
34162	363878	<1	6.06	10	744	<2	11	2.16	<4	6	32	18	1.48	0.82	16	1.37	929	4	32	383	28	0.08	<5	16	<10	173	1796	<2	26	<10	3	292
34163	363879	2	5.99	8	743	<2	4	2.95	9	6	32	134	1.77	0.77	15	1.83	1579	2	29	402	1805	0.14	<5	28	<10	178	1672	<2	25	28	3	3697
34164	363880	<1	4.43	9	548	<2	2	2.97	<4	16	64	53	3.93	0.51	9	1.25	798	4	38	679	42	0.08	<5	11	<10	323	3142	<2	112	<10	14	184
34165	363881	<1	4.32	10	619	<2	<1	1.41	<4	5	39	15	1.17	0.66	13	0.98	695	6	35	325	234	0.11	<5	25	<10	133	1464	<2	23	<10	2	615
34166	363882	<1	7.28	14	981	<2	12	2.57	<4	7	56	36	1.54	1.34	27	1.12	780	8	45	309	92	0.08	<5	28	<10	217	2018	<2	29	10	3	130
34167	363883	<1	2.95	11	468	<2	21	1.21	<4	4	100	17	0.83	0.89	11	0.41	261	12	61	209	55	0.05	<5	22	<10	115	876	<2	14	<10	2	67

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:00 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34168	363884	<1	5.84	10	650	2	2	4.63	<4	8	36	42	2.06	1.09	30	2.94	1831	4	31	377	129	0.26	5	22	<10	186	1796	<2	25	<10	3	240
34169	363885	<1	3.08	8	687	<2	4	1.70	<4	5	30	19	1.38	0.28	18	1.16	515	2	25	352	59	0.13	5	23	<10	164	1490	<2	22	<10	2	172
34170D	363885	<1	4.78	11	838	<2	5	2.13	<4	6	36	21	1.62	0.41	25	1.36	602	3	31	414	68	0.15	<5	20	<10	190	1784	<2	26	<10	3	191
34171	363886	<1	5.15	12	822	<2	9	2.08	<4	6	49	15	1.64	0.61	27	1.40	591	5	34	414	110	0.14	<5	16	<10	194	1820	3	26	<10	3	204
34172	363887	<1	3.79	6	746	<2	6	1.41	<4	7	32	28	1.39	0.57	27	1.13	452	3	29	340	42	0.14	5	21	<10	187	1838	<2	26	<10	2	46
34173	363888	<1	6.96	10	861	<2	3	2.49	<4	8	43	26	1.86	1.02	29	1.44	601	12	40	514	42	0.10	<5	22	<10	219	2369	<2	32	<10	4	58
34174	363889	<1	7.74	8	791	<2	<1	2.16	<4	6	41	12	1.55	0.99	30	1.65	517	7	39	447	17	0.10	5	20	<10	182	2068	<2	29	<10	3	30
34175	363890	<1	6.22	26	766	2	<1	3.10	<4	19	69	245	4.74	0.92	15	1.34	873	15	48	786	20	0.13	6	17	<10	372	3520	<2	121	<10	15	70
34176	363891	<1	7.83	12	718	<2	3	2.36	<4	6	45	17	1.75	1.09	32	1.95	803	6	40	457	41	0.17	5	39	<10	162	1797	<2	30	<10	4	72
34177	363892	<1	4.32	16	580	<2	5	1.61	7	6	23	8	1.53	0.92	20	1.82	948	1	20	341	197	0.24	5	13	<10	136	1499	6	22	24	3	2843
34178	363893	<1	3.46	14	681	<2	<1	2.04	<4	4	28	9	1.39	0.73	15	1.34	656	3	24	334	46	0.20	5	18	<10	138	1615	<2	22	<10	2	106
34179	363894	<1	3.58	17	691	<2	4	2.15	<4	5	27	13	1.34	0.72	20	1.25	735	2	25	324	111	0.20	<5	26	<10	154	1625	<2	23	<10	3	360
34180	363895	<1	3.39	23	600	<2	<1	1.61	<4	5	30	13	1.38	0.44	22	1.41	676	2	24	326	35	0.17	<5	17	<10	128	1560	<2	22	<10	2	64
34181D	363895	<1	4.03	19	606	<2	4	1.61	<4	4	32	13	1.37	0.42	22	1.44	671	1	23	326	40	0.17	<5	12	<10	129	1584	<2	22	<10	3	60
34182	363896	<1	3.42	21	608	<2	2	1.74	<4	5	31	21	1.40	0.43	19	1.52	637	2	27	329	53	0.14	<5	22	<10	136	1465	3	21	<10	2	150
34183	363897	<1	4.01	29	783	<2	<1	2.07	<4	6	41	68	1.16	0.29	22	1.11	609	2	8	340	131	0.21	5	17	<10	121	1779	<2	27	<10	3	141
34184	363898	<1	4.45	26	749	<2	5	1.58	<4	6	43	67	1.35	0.28	21	0.96	485	6	9	401	153	0.22	5	18	<10	119	1817	<2	27	<10	3	355
34185	363899	<1	6.06	11	764	<2	8	2.32	<4	5	39	40	1.69	0.91	19	1.44	969	5	7	416	800	0.16	6	25	<10	183	1821	<2	26	13	3	1117
34186	363900	<1	4.51	7	551	<2	4	3.00	<4	16	66	50	4.02	0.51	10	1.28	809	3	38	698	17	0.09	<5	<5	<10	329	3258	<2	115	<10	14	59
34187	363901	<1	4.78	23	582	<2	<1	1.92	<4	5	44	17	1.36	0.56	21	1.29	609	6	8	386	49	0.20	5	22	<10	123	1728	<2	24	<10	3	239

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:01 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34188	363902	<1	6.24	34	651	<2	8	2.16	<4	6	45	12	1.58	0.69	20	1.33	616	6	9	410	36	0.32	5	23	<10	144	1794	<2	26	<10	3	44
34189	363903	<1	5.60	35	652	<2	4	1.17	<4	6	41	23	1.64	0.91	27	1.28	390	5	8	471	85	0.37	5	22	<10	100	1910	<2	28	<10	3	189
34190	363904	<1	3.92	25	636	<2	11	1.42	<4	6	36	14	1.24	0.91	19	1.09	314	4	8	396	119	0.22	5	17	<10	97	1717	<2	27	<10	3	105
34191	363905	1	3.14	38	729	<2	3	0.49	<4	6	28	15	1.05	0.83	6	0.43	116	2	9	324	55	0.34	7	13	<10	94	1239	<2	28	<10	2	135
34192D	363905	1	4.30	34	765	<2	14	0.46	<4	5	35	16	0.96	0.72	5	0.43	113	3	8	377	55	0.27	8	20	<10	95	1287	<2	29	<10	2	132
34193	363906	4	4.67	28	801	2	9	0.42	<4	5	45	27	1.08	0.49	6	0.53	143	5	9	385	74	0.25	9	19	<10	94	1358	<2	31	<10	3	110
34194	363907	5	3.94	41	708	<2	6	0.37	<4	5	36	28	1.02	0.34	<1	0.19	<100	3	9	372	126	0.31	25	26	<10	89	1191	<2	28	<10	2	290
34195	363908	9	4.01	83	772	<2	6	0.67	<4	5	48	90	1.07	0.45	4	0.43	240	5	12	452	466	0.29	67	9	<10	78	1398	<2	30	<10	4	349
34196	363909	<1	3.70	18	762	<2	7	1.21	<4	6	42	21	1.30	0.27	13	0.89	828	3	13	421	65	0.37	<5	16	<10	132	1452	<2	29	<10	3	83
34197	363910	104	5.28	15	524	<2	11	3.32	6	16	43	96	5.04	0.47	5	1.18	910	4	26	619	16048	0.11	102	22	13	333	2900	<2	130	10	16	324
34198	363911	<1	6.13	26	905	<2	<1	1.37	<4	8	42	16	1.54	0.75	15	1.01	710	4	12	422	78	0.51	5	20	<10	129	1788	<2	32	<10	4	166
34199	363912	<1	5.57	19	798	<2	2	1.11	<4	5	35	24	1.08	0.57	12	0.81	413	3	7	405	50	0.26	<5	15	<10	93	1759	<2	27	<10	3	65
34200	363913	<1	4.34	25	591	<2	9	1.43	<4	4	43	27	1.00	0.87	10	0.78	485	4	7	376	68	0.21	6	28	<10	86	1297	<2	19	<10	3	96
34201	363914	<1	5.00	24	807	<2	<1	1.72	<4	5	41	22	1.32	0.90	18	1.23	819	4	8	397	63	0.24	5	22	<10	111	1808	<2	28	<10	3	55
34202	363915	<1	3.56	19	803	<2	4	1.33	<4	5	43	22	1.21	1.03	14	0.97	817	5	8	339	79	0.20	5	13	<10	116	1657	<2	28	<10	3	178
34203D	363915	<1	4.43	18	829	<2	6	1.41	<4	5	39	21	1.24	0.82	15	1.00	857	6	7	374	81	0.25	7	14	<10	122	1709	<2	28	<10	3	175
34204	363916	1	4.40	19	915	<2	13	1.46	<4	6	40	45	1.41	0.65	13	0.84	603	4	8	416	220	0.18	9	16	<10	102	1897	<2	30	<10	3	325
34205	363917	<1	3.21	26	685	<2	1	1.24	<4	7	32	21	1.83	0.62	33	1.89	361	2	8	418	32	0.36	<5	13	<10	109	1355	<2	25	<10	2	42
34206	363918	<1	3.52	26	755	<2	4	1.20	<4	5	31	19	1.22	0.54	14	1.10	233	<1	7	414	25	0.16	<5	15	<10	98	1341	<2	24	<10	2	18
34207	363919	<1	3.36	14	601	<2	11	0.90	<4	5	29	9	1.38	0.49	41	1.79	346	2	7	370	30	0.13	<5	15	<10	104	1205	<2	22	<10	2	33

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:01 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34208	363920	<1	2.64	11	498	<2	9	2.58	<4	14	57	44	3.53	<0.01	9	1.08	704	3	33	601	7	0.08	5	18	<10	295	2836	<2	101	<10	11	34
34209	363921	<1	5.98	26	650	<2	19	2.52	<4	5	37	21	1.42	0.75	17	1.65	323	3	9	403	30	0.20	<5	19	<10	98	1651	<2	28	<10	3	27
34210	363922	<1	6.11	24	700	<2	8	0.90	<4	6	31	17	1.08	0.76	8	0.58	151	1	9	380	43	0.30	<5	29	<10	102	1427	<2	26	<10	3	16
34211	363923	<1	6.56	37	737	<2	<1	0.68	<4	6	38	13	1.23	0.83	9	0.42	115	4	9	415	90	0.34	8	28	<10	98	1488	<2	28	12	3	397
34212	363924	<1	5.75	43	579	<2	<1	0.72	<4	7	35	24	1.53	1.20	10	0.39	139	4	10	332	183	0.34	5	22	<10	93	1309	<2	24	<10	3	220
34213	363925	<1	3.50	37	453	<2	6	0.59	6	7	30	19	1.34	0.91	7	0.31	106	1	10	434	280	0.38	6	16	<10	89	1356	<2	32	25	4	2103
34214D	363925	<1	4.56	31	509	<2	7	0.72	6	8	39	21	1.42	0.79	9	0.34	119	4	11	499	311	0.37	8	21	<10	97	1485	<2	36	25	4	2374
34215	363926	<1	4.18	32	491	<2	<1	0.63	<4	6	61	22	1.22	0.49	8	0.32	123	7	10	545	173	0.25	5	19	<10	92	1421	<2	35	<10	4	335
34216	363930	<1	3.90	51	418	<2	7	1.47	5	12	36	2136	4.78	0.58	26	0.66	1042	15	21	693	84	1.44	5	19	<10	213	1157	<2	56	<10	6	540
34217	363932	<1	4.02	42	570	<2	2	1.61	<4	8	30	59	1.71	0.44	18	0.75	328	3	9	494	111	0.45	<5	9	<10	118	1923	<2	34	<10	3	450
34218	363933	<1	4.78	36	619	<2	1	1.69	<4	9	36	18	1.54	0.48	22	0.84	366	1	11	576	142	0.34	<5	16	<10	114	2046	<2	37	10	4	94
34219	363934	<1	3.10	25	553	<2	<1	1.98	<4	8	30	17	1.45	0.42	20	0.80	426	<1	10	482	162	0.25	<5	10	<10	133	1981	<2	34	<10	3	253
34220	363935	<1	1.99	23	589	<2	12	2.33	<4	9	44	10	1.66	0.25	20	0.89	498	2	18	485	39	0.28	<5	17	<10	144	2028	3	36	<10	2	66
34221	363936	<1	4.52	14	652	<2	3	2.79	<4	9	45	13	1.90	0.80	24	1.15	566	4	11	511	28	0.18	5	18	<10	151	2210	<2	38	<10	4	43
34222	363937	<1	4.66	12	693	<2	5	2.10	<4	9	49	10	2.04	0.82	20	1.14	573	5	11	521	31	0.17	<5	21	<10	154	2178	<2	38	<10	4	63
34223	363938	<1	3.87	26	579	<2	<1	2.21	<4	9	34	9	1.73	0.89	22	0.90	520	2	11	456	32	0.23	6	23	<10	126	2063	<2	37	<10	3	32
34224	363939	<1	3.59	14	601	2	7	2.98	<4	8	33	13	1.93	0.84	25	1.22	564	3	11	476	65	0.16	<5	8	<10	180	2136	<2	39	<10	4	110
34225R	363939	<1	3.02	14	628	2	7	3.07	<4	9	31	13	1.98	0.75	26	1.21	581	1	11	474	66	0.17	<5	17	<10	185	2187	<2	39	<10	4	117
34226	363940	<1	3.83	8	531	<2	1	2.86	<4	15	61	47	3.75	0.40	9	1.17	745	3	36	640	13	0.11	<5	7	<10	314	3048	<2	107	<10	13	58
34227	363941	<1	5.01	12	467	<2	<1	2.99	<4	8	41	11	1.83	0.64	19	1.32	589	5	11	531	45	0.18	<5	21	<10	157	1948	<2	37	10	4	404

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:01 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34228	363942	<1	5.54	27	457	<2	9	2.05	<4	8	38	10	1.59	0.48	22	1.07	483	3	11	533	32	0.34	5	23	<10	166	2131	<2	37	<10	4	130
34229	363943	<1	4.66	25	457	<2	<1	2.00	<4	8	39	18	1.59	0.68	21	0.95	440	2	10	507	22	0.30	5	13	<10	162	2101	10	36	<10	3	234
34230	363944	<1	4.49	30	481	<2	6	1.80	<4	8	29	12	1.67	0.54	21	1.05	486	3	10	507	32	0.30	<5	23	<10	194	1931	<2	36	<10	4	212
34231	363945	<1	3.98	23	417	<2	<1	1.54	<4	8	31	10	1.71	0.52	12	0.74	279	2	10	473	15	0.46	5	8	<10	195	1802	<2	34	<10	4	43
34232	363946	<1	4.75	31	410	<2	15	1.41	<4	8	34	49	2.10	0.31	12	0.75	264	5	12	500	15	0.63	<5	17	<10	180	1850	<2	35	<10	5	25
34233	363947	<1	4.94	34	473	<2	1	1.29	<4	9	32	21	1.37	0.27	9	0.62	208	3	11	547	27	0.31	5	17	<10	150	2039	<2	34	<10	4	39
34234	363948	<1	5.99	39	541	<2	2	1.76	<4	9	44	27	1.28	0.58	17	0.63	246	4	10	642	30	0.29	7	22	<10	102	2021	<2	38	13	4	291
34235	363949	<1	4.73	58	468	<2	3	1.70	<4	9	29	48	1.90	0.33	16	0.74	272	1	11	509	49	0.59	6	19	<10	94	1883	<2	32	<10	4	222
34236D	363949	<1	4.12	56	460	<2	10	1.67	<4	10	29	46	1.94	0.36	17	0.72	273	<1	11	497	54	0.65	8	21	<10	93	1868	<2	32	11	4	134
34237	363950	<1	3.53	21	579	<2	11	2.31	<4	14	53	194	3.76	0.15	9	1.01	682	10	37	630	13	0.12	6	5	<10	298	2746	<2	97	10	12	55
34238	363951	<1	4.29	22	521	<2	2	1.70	<4	8	39	14	1.68	0.31	22	1.01	361	3	10	529	36	0.24	<5	20	<10	106	2114	<2	37	<10	4	272
34239	363952	<1	5.30	14	640	<2	<1	2.07	<4	9	40	10	1.94	0.54	24	1.27	469	3	11	545	65	0.20	9	14	<10	142	2163	<2	36	<10	4	195
34240	363953	<1	5.30	15	643	<2	9	2.69	<4	8	43	6	1.79	0.47	24	1.20	507	3	11	558	90	0.16	9	16	<10	123	2210	<2	38	<10	4	77
34241	363954	<1	5.02	27	635	<2	<1	2.18	<4	8	46	13	1.81	0.42	24	1.15	541	5	11	558	52	0.31	<5	21	<10	133	2155	<2	38	<10	4	110
34242	363955	<1	4.07	15	589	<2	4	2.80	<4	7	35	6	1.58	0.44	20	1.01	505	2	10	501	55	0.25	<5	17	<10	120	2033	<2	34	<10	3	99
34243	363956	<1	4.23	14	622	<2	<1	2.24	<4	8	37	5	1.85	0.56	24	1.25	533	3	10	525	17	0.22	5	18	<10	136	2092	<2	36	<10	4	29
34244	363957	<1	3.60	12	547	<2	<1	2.66	<4	8	36	5	1.65	0.55	21	1.14	548	2	11	520	12	0.20	5	17	<10	123	2044	<2	34	<10	3	<1
34245	363958	<1	3.66	18	512	<2	3	2.26	<4	8	42	19	1.68	0.26	23	1.10	533	4	9	524	31	0.22	<5	18	<10	143	2109	<2	36	<10	4	28
34246	363959	<1	3.82	26	457	<2	<1	1.76	<4	8	36	9	1.64	0.33	22	0.89	426	1	11	512	20	0.27	<5	14	<10	155	2030	3	35	<10	3	98
34247D	363959	<1	4.75	16	489	<2	1	1.89	<4	8	42	10	1.74	0.37	23	0.95	446	4	10	554	26	0.29	<5	19	<10	163	2130	<2	38	<10	4	105

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:01 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/11/2015
Job #: 201540387
Reference: TL15-381B
Sample #: 204

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34248	363960	<1	3.73	10	521	<2	7	2.77	<4	15	60	46	3.71	0.13	9	1.14	741	3	35	647	8	0.09	<5	14	<10	310	3029	<2	106	<10	12	47
34249	363961	<1	4.02	15	457	<2	6	2.00	<4	7	34	11	1.61	0.34	21	0.91	455	2	10	527	24	0.20	<5	19	<10	189	2045	<2	36	<10	4	55
34250	363962	<1	3.90	17	461	<2	15	2.21	<4	8	48	10	1.77	0.22	19	0.95	533	5	10	553	30	0.28	<5	17	<10	196	2061	<2	37	<10	3	27
34251	363963	<1	3.71	20	421	<2	<1	2.04	<4	8	32	48	1.71	0.10	20	0.85	347	1	11	528	17	0.35	<5	17	<10	204	1914	<2	36	<10	3	46

PROCEDURE CODES: ALFA1, ALP1, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:01 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 01/29/2015
Date Completed: 02/09/2015
Job #: 201540388
Reference: TL15-381B
Sample #: 8

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34252	363867	<1	3.71	8	1826	<2	13	3.36	<4	4	33	18	1.36	0.10	10	1.72	888	1	8	337	50	0.18	6	13	<10	215	1336	4	26	<10	4	91
34253	363868	<1	4.35	33	984	<2	2	1.71	<4	7	41	20	1.34	<0.01	14	0.78	400	3	10	366	74	0.43	<5	21	<10	126	1570	<2	33	<10	5	103
34254	363869	<1	4.30	22	791	<2	13	2.24	<4	8	40	15	1.64	<0.01	14	1.19	670	1	12	418	44	0.36	<5	18	<10	162	1868	<2	38	<10	5	55
34255	363871	<1	4.04	19	609	<2	5	1.95	4	5	31	56	1.57	<0.01	16	1.15	479	2	9	367	1245	0.32	9	14	<10	149	1572	<2	29	11	4	1253
34256	363927	<1	5.63	73	621	2	14	0.68	5	13	75	92	2.12	<0.01	8	0.41	<100	3	27	955	442	0.96	20	9	<10	96	1608	<2	69	15	12	1482
34257	363928	90	3.67	217	537	<2	<1	0.69	54	8	49	466	2.15	<0.01	4	0.22	<100	5	15	812	2870	1.01	208	9	<10	88	1118	3	37	76	7	12624
34258	363929	4	4.49	49	511	<2	13	0.94	<4	7	34	43	1.38	<0.01	11	0.48	141	2	12	547	414	0.57	17	22	<10	94	1442	<2	37	12	5	691
34259	363931	<1	4.95	35	624	2	<1	1.51	<4	8	30	133	1.64	<0.01	16	0.75	297	2	9	592	510	0.69	13	17	<10	105	1746	<2	37	11	5	754

PROCEDURE CODES: ALP1, ALPM1, ALMA1, ALSu1, ALPM4, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 10:50 AM

TL15382

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
35816	364036	0.142	
35817	364037	0.051	
35818	364038	0.012	
35819	364039	0.038	
35820	364040	0.006	
35821	364041	0.069	
35822	364042	0.147	
35823	364043	0.206	
35824	364044	0.424	
35825	364045	7.929	8.520
35826	364045 Dup	9.106	9.889
35827	364046	3.573	
35828	364047	0.519	
35829	364048	0.974	
35830	364049	0.185	
35831	364050	0.414	
35832	364051	0.221	
35833	364052	0.133	
35834	364053	0.008	
35835	364054	0.029	
35836	364055	0.070	
35837	364055 Dup	0.065	
35838	364056	0.029	
35839	364057	0.053	
35840	364058	0.020	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
35841	364059	0.044	
35842	364060	0.005	
35843	364061	0.019	
35844	364062	0.131	
35845	364063	0.026	
35846	364064	0.020	
35847	364065	0.032	
35848	364065 Dup	0.063	
35849	364066	0.174	
35850	364067	0.038	
35851	364068	0.025	
35852	364069	0.054	
35853	364070	1.700	
35854	364071	0.143	
35855	364072	0.064	
35856	364073	0.063	
35857	364074	0.014	
35858	364075	0.016	
35859	364075 Dup	0.017	
35860	364076	0.026	
35861	364077	0.014	
35862	364078	0.009	
35863	364079	0.009	
35864	364080	<0.005	
35865	364081	0.007	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
35866	364082	0.014	
35867	364083	0.055	
35868	364084	0.192	
35869	364085	0.135	
35870	364085 Dup	0.093	
35871	364086	0.202	
35872	364087	0.236	
35873	364088	0.123	
35874	364089	1.160	
35875	364090	5.149	
35876	364091	3.341	
35877	364092	0.173	
35878	364093	0.265	
35879	364094	0.058	
35880	364095	0.074	
35881	364095 Rep	0.092	
35882	364096	3.689	
35883	364097	0.107	
35884	364098	0.024	
35885	364099	0.049	
35886	364100	<0.005	
35887	364101	0.061	
35888	364102	0.019	
35889	364103	0.026	
35890	364104	0.016	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
35891	364105	0.029	
35892	364105 Dup	0.024	
35893	364106	0.018	
35894	364107	0.017	
35895	364108	0.010	
35896	364109	0.087	
35897	364110	0.455	
35898	364111	0.069	
35899	364112	0.128	
35900	364113	0.063	
35901	364114	0.017	
35902	364115	0.079	
35903	364115 Dup	0.073	
35904	364116	0.068	
35905	364117	0.699	
35906	364118	2.319	
35907	364119	0.552	
35908	364120	<0.005	
35909	364121	0.058	
35910	364122	1.607	
35911	364123	0.722	
35912	364124	0.402	
35913	364125	0.052	
35914	364125 Dup	0.054	
35915	364126	0.453	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
35916	364127	0.241	
35917	364128	0.088	
35918	364129	0.205	
35919	364130	1.403	
35920	364131	0.040	
35921	364132	0.113	
35922	364133	0.059	
35923	364134	0.071	
35924	364135	0.063	
35925	364135 Dup	0.066	
35926	364136	0.033	
35927	364137	0.555	
35928	364138	0.795	
35929	364139	0.189	
35930	364140	<0.005	
35931	364141	0.903	
35932	364142	0.169	
35933	364143	4.705	
35934	364144	0.102	
35935	364145	0.040	
35936	364145 Dup	0.077	
35937	364146	0.035	
35938	364147	0.020	
35939	364148	0.521	
35940	364149	0.382	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
35941	364150	5.192	
35942	364151	0.161	
35943	364152	1.239	
35944	364153	2.473	
35945	364154	2.950	
35946	364155	0.367	
35947	364155 Rep	0.397	
35948	364156	0.158	
35949	364157	1.568	
35950	364158	0.218	
35951	364159	0.684	
35952	364160	<0.005	
35953	364161	0.043	
35954	364162	0.145	
35955	364163	1.303	
35956	364164	0.033	
35957	364165	0.019	
35958	364165 Dup	0.017	
35959	364166	0.020	
35960	364167	0.044	
35961	364168	0.024	
35962	364169	0.028	
35963	364170	0.438	
35964	364171	0.220	
35965	364172	0.241	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
35966	364173	0.160	
35967	364174	0.071	
35968	364175	0.086	
35969	364175 Dup	0.083	
35970	364176	0.069	
35971	364177	0.047	
35972	364178	0.806	
35973	364179	0.103	
35974	364180	<0.005	
35975	364181	0.021	
35976	364182	0.011	
35977	364183	0.010	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, February 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.879	0.886	0.071
GS35	0.921	0.886	0.071
GS35	0.902	0.886	0.071
GS35	0.872	0.886	0.071
AR01	1.628	1.729	0.121
GS35	1.002	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35816	364036	<1	4.31	18	618	<2	8	2.13	<4	6	37	13	1.12	<0.01	15	0.84	857	3	9	686	25	0.14	7	21	<10	183	1467	<2	30	<10	5	33
35817	364037	<1	5.30	19	1018	<2	10	1.80	<4	11	23	17	1.52	0.07	26	0.76	818	<1	11	673	41	0.33	5	18	<10	238	2361	<2	46	12	4	80
35818	364038	<1	3.73	11	585	2	3	1.17	<4	8	24	17	1.13	0.16	16	0.54	545	1	9	419	47	0.18	6	14	<10	186	1648	<2	32	10	3	163
35819	364039	<1	2.98	13	516	2	<1	1.33	<4	6	23	9	1.04	<0.01	8	0.50	576	2	8	409	25	0.13	<5	23	<10	215	1465	<2	32	<10	2	62
35820	364040	<1	3.82	11	580	<2	2	3.09	<4	18	59	47	3.70	<0.01	7	1.19	741	3	35	635	11	0.08	5	<5	<10	328	3151	<2	121	<10	16	44
35821	364041	<1	3.12	17	519	<2	14	1.43	<4	6	26	8	1.18	<0.01	10	0.58	707	2	6	421	30	0.18	5	14	<10	210	1541	<2	34	<10	3	42
35822	364042	<1	3.44	22	440	<2	<1	1.05	<4	5	29	21	1.16	0.14	8	0.48	626	3	6	409	43	0.24	7	9	<10	175	1379	<2	30	<10	2	78
35823	364043	<1	2.63	23	424	<2	5	0.79	<4	6	30	38	1.30	0.19	8	0.38	491	2	9	359	35	0.37	5	5	<10	149	1368	<2	30	<10	2	69
35824	364044	<1	4.56	19	602	<2	9	0.92	<4	6	29	91	1.34	0.06	12	0.42	438	2	6	454	62	0.39	<5	20	<10	187	1609	<2	33	<10	3	54
35825	364045	<1	4.82	31	851	<2	3	1.47	<4	14	36	38	1.84	0.17	20	0.87	857	2	17	518	178	0.46	7	25	<10	196	1968	<2	37	10	4	107
35826D	364045	14	5.25	34	841	<2	<1	1.48	<4	15	31	35	1.86	0.34	19	0.90	871	3	17	510	174	0.50	8	25	<10	195	1937	<2	36	<10	4	98
35827	364046	<1	4.69	36	815	<2	5	1.44	<4	15	33	34	1.91	0.37	19	0.92	968	3	16	519	199	0.49	<5	11	<10	190	1905	<2	36	<10	4	109
35828	364047	<1	5.54	46	1036	<2	7	1.81	<4	12	40	16	1.81	0.61	16	0.89	836	3	15	481	449	0.56	<5	31	<10	188	1884	<2	38	12	5	666
35829	364048	<1	5.80	42	1164	2	19	1.94	<4	14	39	78	1.65	0.37	19	0.90	817	3	16	470	201	0.41	<5	29	<10	204	1944	<2	39	12	5	581
35830	364049	<1	6.11	28	738	<2	7	1.36	<4	11	37	33	1.13	0.20	18	0.71	680	4	14	494	38	0.15	8	26	<10	196	1974	<2	39	<10	4	150
35831	364050	<1	5.33	53	482	<2	6	1.75	5	15	36	2322	4.98	0.32	26	0.77	1102	17	23	752	85	1.65	7	17	<10	233	1322	<2	66	16	9	613
35832	364051	<1	5.66	20	621	<2	15	1.45	<4	7	32	37	1.01	<0.01	11	0.59	566	2	9	469	32	0.15	7	14	<10	205	1647	<2	38	<10	3	129
35833	364052	<1	4.71	27	658	<2	11	1.59	<4	9	29	20	1.37	0.18	16	0.77	690	<1	9	459	29	0.23	<5	14	<10	208	1815	<2	40	<10	3	60
35834	364053	<1	6.23	11	834	<2	<1	1.06	<4	7	31	7	0.85	0.07	18	0.47	295	2	8	462	20	0.08	6	25	<10	189	1976	<2	39	<10	4	15
35835	364054	<1	5.45	30	631	<2	4	1.23	<4	8	37	21	1.18	0.04	15	0.50	402	2	9	441	20	0.25	<5	6	<10	205	1721	<2	32	<10	4	35

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 10:54 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35836	364055	<1	4.84	23	681	<2	<1	1.29	<4	18	32	39	1.28	0.26	20	0.61	549	2	15	486	16	0.15	5	13	<10	198	1934	<2	37	<10	3	205
35837D	364055	<1	4.21	21	690	<2	2	1.30	<4	19	30	40	1.28	0.25	20	0.58	565	1	15	489	21	0.16	<5	5	<10	198	1956	<2	38	<10	3	229
35838	364056	<1	5.51	18	683	<2	<1	1.42	<4	14	39	20	0.98	0.46	17	0.59	377	5	17	507	20	0.10	<5	20	<10	216	1841	<2	36	<10	4	91
35839	364057	<1	4.73	35	613	<2	2	1.17	<4	18	35	17	0.87	0.50	16	0.44	273	3	19	463	125	0.14	7	18	<10	188	1711	<2	35	<10	3	422
35840	364058	<1	7.91	34	692	<2	13	1.91	<4	27	66	21	1.24	0.55	22	0.70	426	7	27	505	35	0.13	5	33	<10	240	1866	<2	45	<10	4	124
35841	364059	<1	5.57	30	568	<2	5	1.45	<4	13	47	24	1.76	0.23	20	0.73	668	2	19	486	20	0.24	7	20	<10	195	1942	<2	40	<10	5	86
35842	364060	<1	4.04	6	585	<2	<1	3.13	<4	16	60	47	3.72	<0.01	9	1.20	744	3	37	644	17	0.09	7	15	<10	330	3147	<2	121	<10	16	37
35843	364061	<1	5.45	18	415	2	14	2.23	<4	8	36	6	1.34	0.19	26	1.89	1105	2	12	425	24	0.19	8	12	<10	173	1559	3	34	<10	5	52
35844	364062	<1	5.48	25	510	2	<1	2.08	<4	7	31	11	1.13	0.43	14	1.11	642	3	9	443	270	0.27	5	25	<10	192	1572	<2	33	<10	3	669
35845	364063	<1	5.87	20	536	2	4	2.38	<4	7	25	6	0.97	0.46	10	1.20	603	<1	8	478	23	0.17	5	22	<10	206	1846	<2	34	<10	3	22
35846	364064	<1	5.75	20	477	<2	6	2.36	<4	7	34	13	1.38	0.29	16	1.30	634	3	44	458	19	0.24	5	23	<10	212	1889	<2	35	<10	4	30
35847	364065	<1	5.40	25	506	<2	<1	1.76	<4	7	28	10	1.38	0.19	19	0.97	437	2	35	437	20	0.30	<5	23	<10	176	1809	<2	32	<10	4	15
35848D	364065	<1	5.32	26	513	<2	12	1.75	<4	8	27	11	1.42	0.32	19	0.96	444	1	33	442	18	0.33	6	23	<10	177	1853	<2	33	11	3	15
35849	364066	<1	5.33	22	512	<2	19	1.75	<4	6	29	11	1.49	0.30	19	0.99	466	4	44	458	19	0.30	<5	12	<10	177	1871	<2	34	<10	4	14
35850	364067	<1	4.76	26	480	<2	<1	2.01	<4	8	20	11	1.76	0.43	17	0.89	493	<1	8	454	32	0.60	<5	7	<10	189	1885	<2	33	<10	3	30
35851	364068	<1	5.17	29	526	<2	16	1.37	<4	8	23	12	1.51	0.08	16	0.67	327	<1	9	448	23	0.55	9	20	<10	150	1878	<2	33	<10	3	36
35852	364069	<1	5.31	37	511	<2	12	1.34	<4	6	29	10	1.70	0.55	14	0.65	339	3	9	366	28	0.58	<5	18	<10	133	1683	<2	29	<10	3	28
35853	364070	<1	4.24	24	686	<2	4	2.78	<4	16	57	208	3.91	<0.01	9	1.10	712	12	41	633	15	0.11	6	5	<10	332	2987	<2	116	14	15	50
35854	364071	<1	5.43	32	481	<2	11	1.65	<4	7	31	10	1.44	<0.01	14	0.86	556	4	8	382	245	0.36	7	18	<10	149	1631	<2	30	<10	3	351
35855	364072	<1	7.69	50	561	2	8	3.91	<4	8	39	24	2.41	0.75	20	1.71	1506	7	10	426	113	0.75	<5	24	<10	228	1747	<2	34	<10	5	384

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/17/2015 10:54 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35856	364073	<1	5.66	36	475	<2	8	2.66	<4	7	28	21	1.62	0.33	13	1.28	1033	1	7	406	37	0.44	5	27	<10	168	1712	<2	30	<10	4	40
35857	364074	<1	6.13	29	484	<2	<1	2.33	<4	6	30	7	1.38	0.33	12	1.06	722	3	8	415	16	0.34	7	16	<10	161	1743	<2	30	<10	4	12
35858	364075	<1	5.25	26	503	<2	<1	2.30	<4	7	23	7	1.33	0.46	10	0.95	654	<1	6	402	21	0.41	6	32	<10	170	1663	<2	29	10	3	18
35859D	364075	<1	4.69	23	530	<2	9	2.31	<4	6	22	7	1.33	0.35	11	0.91	657	2	6	402	22	0.45	5	21	<10	171	1706	<2	30	<10	3	8
35860	364076	<1	5.01	24	731	<2	<1	1.69	<4	6	22	9	0.96	0.20	12	0.69	443	<1	18	393	25	0.29	7	14	<10	149	1725	<2	32	<10	3	22
35861	364077	<1	4.51	18	641	<2	<1	2.10	<4	6	25	4	0.92	0.28	11	0.85	568	2	27	392	23	0.22	6	24	<10	167	1607	<2	29	<10	3	40
35862	364078	<1	5.22	18	695	<2	<1	2.32	<4	5	26	6	1.21	0.28	13	0.82	549	<1	26	416	21	0.26	7	8	<10	189	1664	<2	29	<10	3	15
35863	364079	<1	4.57	27	618	2	<1	2.39	<4	7	27	8	1.57	0.32	15	1.12	579	2	29	372	28	0.32	7	25	<10	138	1644	<2	28	<10	3	26
35864	364080	<1	4.01	10	575	<2	<1	3.08	<4	16	58	46	3.57	0.09	8	1.16	713	3	36	616	9	0.09	8	18	<10	319	2976	<2	117	<10	15	32
35865	364081	<1	6.05	17	665	<2	1	3.70	<4	6	22	10	1.82	0.41	14	1.86	1015	<1	20	434	45	0.25	<5	12	<10	165	1732	<2	32	<10	4	25
35866	364082	<1	5.32	20	620	<2	<1	2.80	<4	6	26	7	1.49	0.67	13	1.21	699	<1	23	380	33	0.31	6	21	<10	141	1625	<2	30	<10	3	101
35867	364083	<1	5.65	42	708	<2	13	2.22	<4	6	28	15	1.76	0.58	19	1.17	667	2	24	404	104	0.52	<5	23	<10	163	1597	<2	30	<10	4	245
35868	364084	<1	8.06	93	813	2	14	2.57	<4	21	143	53	3.42	1.02	33	1.17	729	5	71	601	152	1.16	9	19	<10	169	2651	<2	94	15	12	183
35869	364085	<1	3.92	60	480	<2	8	2.23	<4	18	151	49	3.19	0.38	14	1.05	722	3	70	476	261	0.98	5	6	<10	142	2200	<2	73	13	11	913
35870D	364085	<1	3.90	67	480	<2	9	2.27	<4	18	154	52	3.30	0.53	14	1.06	733	4	74	477	274	1.07	8	8	<10	144	2201	<2	73	13	11	979
35871	364086	<1	4.26	67	522	2	6	2.33	<4	19	146	65	3.26	0.43	15	1.06	738	9	68	478	338	1.15	5	14	<10	148	2270	<2	74	11	11	1052
35872	364087	<1	5.40	87	659	2	2	1.93	9	22	155	121	3.79	0.17	18	0.86	613	6	91	510	1073	1.50	7	7	<10	135	2530	<2	97	24	12	3037
35873	364088	<1	4.74	29	460	<2	7	1.03	<4	12	51	55	2.20	0.25	16	1.02	687	<1	37	381	234	0.67	5	17	<10	110	1895	<2	48	12	10	703
35874	364089	1	4.62	23	486	<2	10	1.26	<4	6	22	58	1.28	0.41	14	1.14	791	<1	28	283	789	0.31	8	17	<10	147	1442	<2	25	11	6	631
35875	364090	113	4.46	11	324	<2	15	2.55	7	16	34	94	4.60	0.26	5	1.20	830	2	23	527	17107	0.12	94	<5	<10	293	2692	<2	134	14	19	496

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 10:54 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35876	364091	6	5.51	23	595	2	<1	1.61	<4	6	31	701	1.42	0.41	14	1.23	873	2	37	321	939	0.26	6	23	<10	163	1682	<2	29	10	7	843
35877	364092	<1	5.93	23	559	<2	7	1.35	<4	6	29	50	1.25	0.22	15	1.16	761	2	48	329	59	0.24	7	16	<10	149	1694	<2	29	<10	7	54
35878	364093	<1	5.73	26	497	<2	<1	1.20	<4	6	24	32	1.23	0.22	13	1.07	594	<1	33	325	23	0.23	<5	23	<10	154	1683	<2	27	<10	6	30
35879	364094	<1	5.18	19	507	2	9	1.34	<4	7	28	13	1.43	0.62	20	1.26	716	<1	36	388	60	0.26	<5	24	<10	152	1840	<2	32	<10	7	54
35880	364095	<1	4.41	37	573	<2	3	1.70	<4	9	22	13	1.91	0.48	16	1.35	861	<1	35	514	35	0.51	6	16	<10	139	1972	<2	39	<10	7	259
35881R	364095	<1	5.22	34	614	2	2	1.79	<4	10	22	11	1.89	0.33	16	1.39	906	<1	31	556	34	0.44	<5	19	<10	144	2116	<2	40	12	7	237
35882	364096	<1	5.47	21	552	<2	2	1.48	<4	7	28	14	1.47	0.01	15	1.21	626	5	37	405	135	0.31	5	8	<10	137	1750	<2	33	<10	7	262
35883	364097	<1	5.78	18	642	<2	7	1.57	<4	7	22	11	1.43	0.53	17	1.18	577	<1	24	378	19	0.25	5	23	<10	157	1755	<2	31	<10	7	53
35884	364098	<1	5.64	15	658	2	18	2.29	<4	6	19	46	1.84	0.45	13	1.71	943	<1	20	308	426	0.30	7	21	<10	174	1435	<2	25	17	7	1150
35885	364099	<1	5.57	18	527	2	10	1.07	<4	6	20	21	1.34	0.42	17	1.73	587	<1	21	321	54	0.22	5	24	<10	135	1558	<2	26	<10	6	200
35886	364100	<1	4.19	8	359	<2	<1	2.32	<4	17	55	46	3.71	0.37	8	1.35	744	2	33	594	3	0.08	7	11	<10	299	3125	<2	121	<10	19	46
35887	364101	<1	6.09	19	550	2	14	0.94	<4	6	21	8	1.40	0.33	18	1.81	568	<1	27	342	35	0.21	7	12	<10	112	1779	<2	29	<10	7	87
35888	364102	<1	4.78	9	437	<2	10	2.04	<4	5	19	17	1.44	0.44	16	2.19	968	<1	25	305	67	0.18	6	16	<10	117	1530	<2	25	47	6	140
35889	364103	<1	5.30	12	531	<2	3	1.70	<4	6	23	11	1.34	0.46	17	1.74	705	<1	27	309	23	0.24	<5	22	<10	130	1623	<2	26	<10	6	70
35890	364104	<1	5.62	15	656	<2	13	1.72	<4	6	21	11	1.33	0.35	17	1.50	655	<1	25	344	37	0.24	6	24	<10	137	1697	<2	28	<10	6	69
35891	364105	<1	4.76	9	464	<2	<1	1.57	10	6	22	15	1.50	0.67	16	1.70	844	<1	27	305	1232	0.24	5	25	<10	114	1540	<2	24	34	6	4154
35892D	364105	<1	5.60	11	502	<2	5	1.71	11	6	26	17	1.60	0.28	18	1.82	900	1	32	336	1324	0.25	5	20	<10	120	1623	<2	26	38	7	4529
35893	364106	<1	4.90	15	474	<2	<1	1.36	<4	5	25	25	1.46	0.34	17	1.63	735	<1	33	315	840	0.25	6	19	<10	103	1566	<2	25	12	6	1505
35894	364107	<1	4.50	4	319	<2	2	2.38	4	5	21	36	1.73	0.51	14	2.61	1375	<1	30	300	1459	0.12	5	15	<10	119	1403	<2	23	17	6	1674
35895	364108	<1	2.36	2	300	<2	4	0.98	<4	4	21	23	1.07	<0.01	6	1.16	535	<1	5	226	64	0.05	<5	11	<10	103	1199	<2	19	<10	5	134

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/17/2015 10:54 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35896	364109	<1	5.30	9	469	<2	9	1.20	<4	6	37	22	1.42	0.59	15	1.19	518	3	5	327	8	0.12	<5	18	<10	137	1672	<2	27	<10	6	28
35897	364110	<1	5.09	47	218	<2	<1	0.77	5	15	30	2253	4.87	0.30	25	0.91	1077	14	22	677	73	1.46	9	14	<10	194	1278	<2	64	<10	12	587
35898	364111	<1	5.64	15	510	<2	<1	1.54	<4	8	47	45	1.55	0.35	18	1.36	448	4	7	349	14	0.17	<5	9	<10	128	1779	<2	29	<10	7	130
35899	364112	<1	5.54	17	537	<2	1	2.19	<4	6	43	34	1.69	0.24	19	1.87	842	4	6	331	45	0.21	5	21	<10	119	1737	<2	27	<10	7	274
35900	364113	<1	5.11	24	491	<2	8	2.18	<4	6	38	14	2.05	0.39	18	2.38	1334	3	6	339	51	0.30	<5	22	<10	120	1619	<2	26	<10	7	136
35901	364114	<1	6.08	23	397	<2	<1	1.62	<4	6	51	20	1.84	0.33	23	2.27	774	6	8	377	80	0.15	6	24	<10	135	1662	3	26	<10	7	176
35902	364115	<1	5.19	27	524	<2	10	1.49	<4	6	43	17	1.46	0.34	15	1.36	657	4	6	330	41	0.30	8	17	<10	112	1606	<2	27	<10	7	111
35903D	364115	<1	4.90	27	516	<2	20	1.44	<4	6	38	16	1.37	0.36	14	1.29	639	2	6	321	46	0.28	<5	11	<10	111	1584	<2	26	<10	6	107
35904	364116	<1	5.30	26	544	2	6	1.59	<4	6	52	17	1.53	0.22	15	1.39	702	6	7	339	50	0.28	7	22	<10	117	1655	<2	27	<10	6	108
35905	364117	<1	4.78	33	443	2	15	0.81	<4	5	40	42	1.79	0.23	21	1.00	481	2	7	328	231	0.55	10	15	<10	93	1604	<2	26	13	6	1073
35906	364118	<1	5.23	36	456	<2	20	0.94	<4	5	44	48	1.39	0.03	22	1.09	585	3	7	319	472	0.32	19	22	<10	88	1617	<2	27	<10	7	386
35907	364119	<1	5.26	28	438	<2	9	0.56	<4	6	40	22	1.36	<0.01	20	0.96	456	3	6	326	248	0.29	8	21	<10	80	1651	<2	27	<10	7	325
35908	364120	<1	3.88	5	347	2	2	2.27	<4	17	55	46	3.71	0.56	7	1.31	734	<1	34	593	6	0.08	6	<5	<10	297	3089	<2	120	<10	19	41
35909	364121	<1	5.95	23	447	<2	<1	1.33	<4	6	39	15	1.51	0.23	23	1.45	605	3	7	334	22	0.28	8	12	<10	105	1762	<2	28	<10	7	17
35910	364122	2	4.71	43	345	<2	6	0.69	4	6	22	41	2.34	<0.01	15	1.24	418	<1	6	325	271	0.76	8	14	<10	76	1468	<2	24	13	7	1333
35911	364123	2	6.32	30	486	2	<1	0.52	<4	7	26	20	1.41	0.39	13	0.89	268	<1	7	420	147	0.39	13	29	<10	80	1708	<2	30	<10	8	397
35912	364124	<1	6.39	24	543	<2	12	0.02	<4	6	26	16	0.97	0.61	11	0.70	150	<1	5	504	60	0.24	6	18	<10	67	1733	<2	30	<10	8	127
35913	364125	<1	6.72	24	562	2	<1	0.42	<4	6	26	11	1.21	0.25	12	1.09	262	<1	5	433	67	0.30	<5	20	<10	84	1587	<2	30	<10	7	221
35914D	364125	<1	5.62	18	536	<2	6	0.34	<4	5	29	11	1.15	0.24	11	1.01	256	2	5	407	63	0.29	<5	22	<10	79	1490	<2	30	<10	6	213
35915	364126	<1	5.26	23	569	<2	8	<0.01	4	6	23	13	1.01	0.18	4	0.38	<100	<1	5	485	129	0.35	9	25	<10	66	1368	<2	30	14	6	1485

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 10:54 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35916	364127	1	5.24	21	514	<2	7	<0.01	<4	5	25	18	1.31	0.11	4	0.42	<100	1	6	403	226	0.42	6	17	<10	72	1260	<2	29	13	6	1224
35917	364128	<1	5.33	24	522	<2	11	<0.01	<4	6	21	14	1.49	0.17	5	0.36	<100	<1	6	409	136	0.56	<5	21	<10	69	1349	<2	29	10	6	646
35918	364129	<1	7.08	39	502	<2	6	1.35	7	8	38	125	2.03	0.86	19	1.24	492	1	10	487	350	0.60	8	23	<10	89	1429	<2	33	23	9	2154
35919	364130	<1	4.09	18	435	<2	6	1.88	<4	16	50	202	3.81	0.28	8	1.20	693	8	37	584	17	0.11	7	7	<10	293	2826	<2	112	<10	18	80
35920	364131	<1	5.13	27	422	<2	17	0.32	<4	8	55	18	1.96	<0.01	14	1.49	489	<1	18	520	65	0.33	<5	19	<10	72	1461	<2	42	<10	9	84
35921	364132	<1	5.16	22	342	<2	6	0.44	<4	19	138	49	3.26	0.76	20	2.26	622	<1	52	498	57	0.19	<5	13	<10	72	1931	<2	85	<10	12	104
35922	364133	<1	4.99	34	356	<2	6	0.19	<4	16	126	49	2.83	0.49	24	2.43	600	2	41	459	53	0.31	7	9	<10	64	1738	<2	76	<10	11	130
35923	364134	<1	6.20	19	577	2	4	0.51	<4	7	36	9	1.59	0.10	18	1.76	514	<1	10	353	80	0.31	6	26	<10	83	1434	<2	34	<10	7	66
35924	364135	<1	6.10	17	765	<2	14	0.22	<4	6	34	9	1.23	<0.01	9	1.02	238	3	7	361	81	0.20	6	22	<10	66	1522	<2	31	<10	7	103
35925D	364135	<1	6.45	15	803	<2	3	0.25	<4	6	34	10	1.26	0.21	10	1.04	239	3	6	373	85	0.21	<5	24	<10	68	1557	<2	31	<10	7	104
35926	364136	<1	5.06	20	462	2	16	1.16	<4	6	23	19	1.68	0.35	21	1.80	469	<1	6	366	64	0.32	5	17	<10	67	1334	<2	27	<10	6	54
35927	364137	<1	4.25	34	337	<2	11	0.69	<4	20	132	42	3.48	0.32	27	2.46	600	<1	61	521	60	0.44	7	17	<10	65	1762	<2	98	11	12	93
35928	364138	<1	4.54	47	284	<2	<1	1.44	<4	12	76	93	2.35	0.31	16	1.67	449	<1	31	493	316	0.76	6	15	<10	90	1353	<2	61	<10	8	346
35929	364139	1	5.03	24	540	<2	7	<0.01	4	6	24	107	1.16	0.15	4	0.49	<100	<1	6	425	562	0.32	7	14	<10	58	1385	<2	32	16	5	1439
35930	364140	<1	3.78	6	334	<2	7	2.29	<4	16	53	47	3.67	0.54	8	1.35	722	2	36	577	4	0.10	<5	11	10	287	2919	<2	118	<10	18	46
35931	364141	4	5.53	33	437	<2	7	<0.01	<4	6	28	87	1.15	0.16	6	0.55	102	<1	6	484	880	0.26	11	25	<10	61	1312	<2	30	13	7	1487
35932	364142	<1	6.13	20	522	<2	13	<0.01	<4	6	25	14	0.93	0.14	6	0.46	<100	<1	5	398	98	0.19	7	21	<10	61	1376	<2	31	11	7	30
35933	364143	3	5.51	40	464	<2	5	0.19	4	5	26	62	1.23	0.31	8	0.79	180	1	5	417	489	0.23	11	16	<10	64	1233	<2	27	13	7	1645
35934	364144	<1	4.69	11	329	<2	9	0.26	<4	5	25	9	1.50	0.30	21	2.61	346	<1	5	344	35	0.18	<5	20	<10	61	900	<2	26	<10	6	76
35935	364145	<1	4.68	20	494	<2	18	0.32	<4	5	30	3	1.56	0.45	22	2.49	260	<1	6	322	34	0.24	<5	23	<10	65	1267	<2	33	<10	6	38

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/17/2015 10:54 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35936D	364145	<1	4.68	20	497	<2	19	0.33	<4	5	30	3	1.56	0.45	22	2.49	260	1	6	322	34	0.24	<5	23	<10	73	1270	<2	33	<10	6	38
35937	364146	<1	3.77	15	392	<2	12	0.45	<4	6	25	2	1.56	0.61	21	2.50	268	<1	6	304	34	0.26	7	18	<10	77	1218	9	29	<10	5	39
35938	364147	<1	5.31	34	487	<2	3	1.21	<4	5	25	14	1.24	0.34	11	1.34	363	<1	6	332	49	0.31	11	21	<10	99	1565	<2	30	<10	6	52
35939	364148	4	4.98	109	411	<2	18	<0.01	<4	7	27	47	1.17	0.22	8	0.46	<100	4	7	305	372	0.36	45	20	<10	60	1460	<2	29	11	6	753
35940	364149	1	3.63	62	294	2	3	0.05	<4	6	21	33	1.11	0.28	9	0.62	152	<1	7	328	200	0.37	13	26	<10	62	1284	<2	26	10	5	432
35941	364150	>100	3.17	15	304	2	11	2.41	6	15	32	89	4.46	0.58	6	1.13	792	1	21	496	>5000	0.14	91	9	<10	277	2558	<2	130	<10	16	304
35942	364151	5	5.30	82	289	2	3	<0.01	<4	14	107	100	2.06	0.22	11	0.56	<100	3	74	512	601	0.51	16	23	<10	65	1419	<2	80	<10	12	645
35943	364152	9	5.49	82	350	2	17	<0.01	<4	11	62	93	1.73	0.35	9	0.48	<100	3	72	533	429	0.39	28	19	<10	61	1354	<2	56	14	10	1350
35944	364153	30	5.74	170	412	<2	18	<0.01	4	8	34	85	1.42	0.31	9	0.43	<100	2	56	625	1027	0.30	70	16	<10	63	1480	<2	43	11	10	1230
35945	364154	45	4.63	164	350	2	14	<0.01	5	7	44	190	1.83	0.05	8	0.41	<100	4	57	371	884	0.50	123	24	<10	57	1288	<2	35	11	7	1295
35946	364155	4	5.44	36	413	2	8	0.72	<4	7	38	31	1.32	0.26	13	0.89	338	3	58	447	436	0.27	17	21	<10	95	1586	<2	41	11	8	517
35947R	364155	3	5.72	35	454	2	25	0.64	<4	7	37	29	1.28	0.20	15	0.85	318	2	58	455	408	0.28	14	21	<10	91	1637	<2	42	10	8	713
35948	364156	<1	4.92	26	379	2	<1	0.52	<4	6	38	25	1.09	0.07	9	0.80	320	5	60	443	115	0.24	10	30	<10	74	1554	<2	39	14	8	841
35949	364157	3	5.33	37	352	2	20	0.91	11	8	31	90	1.86	<0.01	18	1.15	381	1	41	510	888	0.45	16	15	<10	73	1823	<2	38	23	9	2771
35950	364158	<1	5.93	23	440	2	6	1.21	<4	9	31	26	2.19	0.33	22	1.34	502	1	42	551	65	0.29	5	19	<10	92	2135	<2	42	10	9	206
35951	364159	<1	5.60	51	359	2	17	0.98	<4	9	27	28	1.73	0.02	17	0.86	281	<1	41	571	29	0.47	10	24	<10	57	1981	<2	40	<10	8	262
35952	364160	<1	4.28	6	356	<2	6	2.39	<4	16	55	49	3.82	0.39	9	1.39	739	<1	38	601	3	0.10	6	13	<10	298	3128	<2	123	<10	19	65
35953	364161	<1	6.30	18	440	2	8	1.87	<4	10	34	14	1.81	0.16	24	1.24	420	2	50	547	18	0.19	7	23	<10	84	2377	<2	47	<10	9	87
35954	364162	<1	4.63	23	452	<2	2	1.30	<4	8	29	12	1.73	0.26	20	1.30	483	<1	39	458	21	0.24	<5	15	<10	104	1987	<2	39	<10	7	60
35955	364163	<1	5.24	37	458	<2	4	0.86	<4	8	29	198	1.58	0.46	20	1.02	367	3	45	474	496	0.34	9	18	<10	86	2028	<2	42	<10	8	392

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 10:54 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35956	364164	<1	5.34	25	460	<2	9	1.11	<4	9	33	15	1.58	0.24	18	1.04	390	1	50	499	57	0.28	<5	12	<10	89	2191	<2	43	<10	8	195
35957	364165	<1	4.82	18	505	2	9	2.06	<4	9	33	4	1.75	0.46	16	1.18	410	3	55	491	26	0.20	<5	17	<10	98	2094	<2	42	<10	7	58
35958D	364165	<1	4.65	11	499	<2	14	2.06	<4	8	31	7	1.73	0.33	16	1.16	406	2	49	493	26	0.21	<5	12	<10	99	2059	<2	41	<10	7	52
35959	364166	<1	4.00	7	475	<2	<1	1.98	<4	8	30	3	1.67	0.17	15	1.10	398	<1	46	466	23	0.17	<5	16	<10	97	1990	<2	40	<10	6	44
35960	364167	<1	5.89	17	436	2	17	2.32	<4	8	38	10	1.79	0.35	16	1.36	575	2	53	504	32	0.25	8	26	<10	100	1980	<2	42	<10	8	138
35961	364168	<1	5.98	19	465	2	7	2.18	<4	9	37	19	1.63	0.26	19	1.29	705	2	45	544	36	0.17	7	15	<10	121	2126	<2	43	<10	9	112
35962	364169	<1	6.43	12	545	2	<1	2.90	<4	9	39	8	1.98	0.31	18	1.25	533	2	46	530	31	0.19	5	26	<10	160	2102	<2	44	<10	9	88
35963	364170	<1	4.78	49	207	2	15	0.79	6	13	28	2243	4.77	0.20	25	0.92	1030	11	21	659	71	1.59	<5	7	<10	187	1183	<2	62	<10	11	580
35964	364171	<1	6.01	25	512	2	19	1.80	<4	8	34	44	1.80	0.31	21	1.18	602	<1	41	513	238	0.34	7	20	<10	132	2164	<2	42	<10	8	143
35965	364172	<1	6.55	29	531	2	21	2.10	<4	10	30	24	2.03	0.48	21	0.96	472	2	40	545	189	0.37	<5	23	<10	172	2001	<2	46	<10	9	570
35966	364173	<1	5.08	18	384	2	1	1.69	<4	9	25	15	1.73	0.28	15	0.89	354	<1	31	468	41	0.29	<5	14	<10	139	1924	<2	39	<10	8	64
35967	364174	<1	4.54	14	352	2	8	1.85	<4	8	26	13	1.58	0.32	15	0.96	392	<1	32	435	24	0.31	<5	24	<10	145	1817	<2	37	<10	7	111
35968	364175	<1	4.67	22	293	2	6	1.70	<4	8	25	13	1.63	0.39	18	1.05	420	<1	35	464	37	0.34	<5	24	<10	135	1970	<2	40	<10	7	92
35969D	364175	<1	4.86	19	296	2	1	1.72	<4	9	26	12	1.64	0.23	19	1.04	423	<1	36	464	41	0.37	<5	15	<10	136	1992	<2	41	<10	7	86
35970	364176	<1	4.45	23	333	2	26	1.59	<4	10	25	9	1.64	0.24	17	1.04	472	<1	31	461	12	0.44	6	21	17	141	1906	<2	39	<10	7	44
35971	364177	<1	4.80	14	392	2	<1	1.67	<4	8	28	6	1.70	0.20	16	1.02	389	<1	37	487	22	0.28	<5	19	<10	161	1966	<2	41	<10	7	79
35972	364178	<1	5.49	44	345	2	5	0.67	<4	7	26	20	1.40	0.23	19	0.84	299	3	35	487	139	0.38	6	17	<10	128	1944	<2	40	<10	8	289
35973	364179	<1	6.51	32	452	2	11	1.53	<4	9	28	22	1.95	0.18	22	1.22	401	2	42	526	60	0.37	5	24	<10	208	2108	<2	50	<10	8	102
35974	364180	<1	3.94	10	344	<2	14	2.33	<4	16	53	48	3.72	0.29	8	1.38	737	1	37	597	7	0.09	6	7	<10	292	3022	<2	120	<10	18	50
35975	364181	<1	6.04	18	330	<2	7	1.97	<4	9	28	14	1.82	0.31	16	1.05	323	2	43	511	19	0.16	5	27	<10	203	1979	<2	44	<10	8	50

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 10:54 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/15/2015
Job #: 201540410
Reference: TL15-382
Sample #: 148

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35976	364182	<1	4.85	14	326	2	4	1.75	<4	10	32	13	1.95	0.82	19	1.08	348	<1	45	502	7	0.21	6	19	<10	216	2121	<2	43	<10	7	47
35977	364183	<1	4.79	14	253	2	18	1.98	<4	9	26	5	1.82	0.33	19	1.28	394	<1	8	499	5	0.24	8	12	<10	227	2089	<2	40	<10	7	27

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 10:54 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 24, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/23/2015
Job #: 201540561
Reference: 201540410
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
46887	364045	4.007	4.060	524.213	15.827	2.27%	17.28

PROCEDURE CODES: ALPM1

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2015
Date Completed: 02/24/2015
Job #: 201540604
Reference: TL15-382 re assay
Sample #: 19

Acc #	Client ID	Au g/t (ppm)
50811	364061	0.019
50812	364062	0.163
50813	364063	0.022
50814	364064	0.042
50815	364065	0.025
50816	364066	0.104
50817	364067	0.032
50818	364068	0.027
50819	364069	0.066
50820	364070	0.405
50821	364070	Insufficient Sample
50822	364071	0.168
50823	364072	0.109
50824	364073	0.039
50825	364074	0.015
50826	364075	0.013
50827	364076	0.027
50828	364077	0.015
50829	364078	0.006
50830	364079	0.008

APPLIED SCOPES: ALFA1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2015
Date Completed: 02/24/2015
Job #: 201540604
Reference: TL15-382 re assay
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.927	0.886	0.071

APPLIED SCOPES: ALFA1

Validated By:



Karl Magbanua, Fire Assay Manager

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2015
Date Completed: 02/24/2015
Job #: 201540605
Reference: TL15-382 re assay
Sample #: 19

Acc #	Client ID	Au g/t (ppm)
50831	364101	0.078
50832	364102	0.025
50833	364103	0.032
50834	364104	0.023
50835	364105	0.029
50836	364106	0.014
50837	364107	0.017
50838	364108	0.016
50839	364109	0.072
50840	364110	2.077
50841	364110	Insufficient Sample
50842	364111	0.088
50843	364112	0.127
50844	364113	0.213
50845	364114	0.022
50846	364115	0.125
50847	364116	0.073
50848	364117	0.738
50849	364118	2.589
50850	364119	0.534

APPLIED SCOPES: ALFA1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2015
Date Completed: 02/24/2015
Job #: 201540605
Reference: TL15-382 re assay
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	1.072	0.886	0.071

APPLIED SCOPES: ALFA1

Validated By:



Karl Magbanua, Fire Assay Manager

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15383

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 12, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/12/2015
Job #: 201540411
Reference: TL15-383
Sample #: 83

Acc #	Client ID	Au g/t (ppm)
35978	364184	0.050
35979	364185	0.031
35980	364186	0.025
35981	364187	0.098
35982	364188	0.140
35983	364189	2.385
35984	364190	1.492
35985	364191	0.045
35986	364192	0.140
35987	364193	0.027
35988	364193 Dup	0.034
35989	364194	0.052
35990	364195	0.062
35991	364196	0.071
35992	364197	0.060
35993	364198	0.011
35994	364199	0.251
35995	364200	0.006
35996	364201	0.010
35997	364202	0.006
35998	364203	0.015
35999	364203 Dup	0.012
36000	364204	0.013
36001	364205	0.012
36002	364206	0.015

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 12, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/12/2015
Job #: 201540411
Reference: TL15-383
Sample #: 83

Acc #	Client ID	Au g/t (ppm)
36003	364207	0.068
36004	364208	0.071
36005	364209	0.019
36006	364210	4.807
36007	364211	0.023
36008	364212	0.008
36009	364213	0.056
36010	364213 Dup	0.055
36011	364214	0.120
36012	364215	0.064
36013	364216	0.300
36014	364217	0.046
36015	364218	0.054
36016	364219	0.030
36017	364220	<0.005
36018	364221	0.008
36019	364222	0.019
36020	364223	0.150
36021	364223 Dup	0.140
36022	364224	0.156
36023	364225	0.021
36024	364226	0.027
36025	364227	0.026
36026	364228	0.019
36027	364229	0.014

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 12, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/12/2015
Job #: 201540411
Reference: TL15-383
Sample #: 83

Acc #	Client ID	Au g/t (ppm)
36028	364230	0.341
36029	364231	0.008
36030	364232	0.007
36031	364233	0.016
36032	364233 Dup	0.019
36033	364234	0.018
36034	364235	0.064
36035	364236	0.014
36036	364237	0.009
36037	364238	0.009
36038	364239	0.020
36039	364240	<0.005
36040	364241	0.025
36041	364242	0.016
36042	364243	0.043
36043	364243 Rep	0.045
36044	364244	0.373
36045	364245	0.110
36046	364246	0.109
36047	364247	0.015
36048	364248	0.016
36049	364249	0.086
36050	364250	1.401
36051	364251	0.302
36052	364252	0.110

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 12, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/12/2015
Job #: 201540411
Reference: TL15-383
Sample #: 83

Acc #	Client ID	Au g/t (ppm)
36053	364253	0.035
36054	364253 Dup	0.043
36055	364254	0.048
36056	364255	0.154
36057	364256	0.096
36058	364257	0.041
36059	364258	0.112
36060	364259	0.037
36061	364260	<0.005
36062	364261	0.051
36063	364262	0.030
36064	364263	0.018
36065	364263 Dup	0.017
36066	364264	0.049
36067	364265	0.010
36068	364266	0.022

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 12, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/12/2015
Job #: 201540411
Reference: TL15-383
Sample #: 83

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.866	0.886	0.071
GS35	0.857	0.886	0.071
GS35	0.914	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/12/2015
Job #: 201540411
Reference: TL15-383
Sample #: 83

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35978	364184	<1	3.40	10	367	<2	4	0.67	<4	9	26	77	1.91	0.39	21	0.78	656	<1	10	632	54	0.23	11	11	<10	154	2181	<2	46	<10	6	101
35979	364185	<1	4.84	8	409	<2	17	0.56	<4	7	28	14	1.30	0.55	18	0.75	572	<1	7	414	33	0.15	5	18	<10	140	1989	<2	41	<10	7	47
35980	364186	<1	4.74	12	387	<2	<1	0.63	<4	7	27	14	1.34	0.23	17	0.76	613	<1	8	430	34	0.19	<5	15	<10	145	1983	<2	40	<10	7	51
35981	364187	<1	4.85	26	456	<2	6	<0.01	<4	6	26	3	1.34	0.10	14	0.64	326	2	7	372	74	0.44	7	19	<10	98	1855	<2	35	<10	8	248
35982	364188	<1	4.60	22	360	<2	<1	0.15	<4	6	31	5	0.99	0.12	17	0.73	328	4	6	319	327	0.29	6	9	<10	113	1710	<2	34	<10	8	448
35983	364189	10	5.33	44	336	2	7	0.27	24	7	27	655	1.72	0.03	25	0.84	432	1	8	440	2489	0.89	18	20	<10	128	1869	<2	38	76	8	9125
35984	364190	<1	4.27	16	458	2	18	2.00	6	16	52	238	4.00	0.24	10	1.29	715	9	40	602	55	0.15	9	11	<10	301	2919	<2	117	15	19	880
35985	364191	<1	6.11	17	315	<2	10	0.87	<4	7	30	13	1.28	0.19	18	1.16	657	<1	8	441	60	0.38	10	17	<10	153	1887	<2	40	<10	8	128
35986	364192	<1	6.62	31	435	<2	<1	0.03	<4	8	31	9	1.60	0.17	25	0.80	310	4	9	453	35	0.52	<5	22	<10	96	2101	<2	41	<10	8	215
35987	364193	<1	6.96	23	244	<2	15	1.47	<4	8	29	4	1.05	0.59	22	1.95	1237	<1	11	454	28	0.19	8	23	<10	202	1574	<2	36	<10	8	72
35988D	364193	<1	4.63	18	157	<2	9	1.12	<4	6	23	2	0.84	0.24	14	1.59	1074	<1	9	388	19	0.15	5	24	<10	170	1359	<2	30	<10	7	49
35989	364194	<1	5.23	20	195	2	5	0.59	<4	6	24	4	1.13	0.32	24	1.65	755	<1	9	423	26	0.21	5	29	<10	178	1431	<2	31	<10	7	58
35990	364195	<1	4.52	19	158	<2	9	0.56	<4	6	32	8	1.44	0.44	12	1.56	711	<1	6	379	25	0.45	<5	26	<10	144	1324	<2	35	<10	7	52
35991	364196	<1	4.84	17	162	<2	10	0.48	<4	6	29	6	1.39	0.19	15	1.63	775	<1	6	396	35	0.42	8	20	<10	144	1491	<2	37	<10	7	100
35992	364197	<1	5.03	11	252	2	9	0.76	<4	6	30	3	1.46	0.22	21	1.93	1082	<1	7	453	45	0.31	<5	22	<10	165	1583	<2	37	<10	7	626
35993	364198	<1	4.43	11	72	2	5	1.06	<4	5	38	27	1.73	0.15	19	1.82	1034	2	7	330	35	0.27	7	18	<10	192	1302	<2	30	<10	6	112
35994	364199	1	4.09	88	75	2	14	0.95	<4	7	42	71	1.66	0.25	14	1.09	638	3	8	155	40	0.35	<5	16	<10	197	982	<2	21	<10	6	63
35995	364200	<1	3.66	8	328	2	8	2.23	<4	15	51	47	3.59	0.26	8	1.30	709	1	33	562	4	0.10	5	9	<10	286	2879	<2	116	<10	17	45
35996	364201	<1	5.83	8	259	<2	15	1.10	<4	6	28	10	1.01	0.33	13	0.90	497	2	47	399	44	0.16	6	20	<10	198	1529	<2	38	<10	6	38
35997	364202	<1	9.53	23	353	3	12	1.37	<4	6	35	3	1.09	0.77	22	1.07	554	4	55	394	48	0.19	7	46	12	237	1874	<2	44	<10	8	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/17/2015 11:02 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/12/2015
Job #: 201540411
Reference: TL15-383
Sample #: 83

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35998	364203	<1	5.79	13	229	<2	8	0.41	<4	5	19	2	0.70	0.10	11	0.74	323	<1	30	366	20	0.13	7	22	<10	141	1559	<2	29	<10	6	38
35999D	364203	<1	4.60	12	194	<2	10	0.28	<4	4	18	2	0.64	0.11	8	0.68	294	<1	27	336	19	0.14	6	22	<10	127	1454	<2	27	<10	6	40
36000	364204	<1	6.34	14	292	2	15	0.51	<4	4	22	2	0.73	0.21	14	0.83	361	<1	5	390	22	0.11	5	27	<10	145	1789	<2	31	<10	6	11
36001	364205	<1	6.82	8	319	<2	8	0.53	<4	6	25	3	0.84	0.01	16	0.96	404	<1	6	405	38	0.17	7	29	<10	145	1815	<2	34	<10	7	41
36002	364206	<1	6.19	10	371	<2	<1	0.28	<4	6	19	2	0.87	0.43	15	0.85	354	<1	5	403	26	0.25	<5	25	<10	122	1883	<2	35	<10	6	77
36003	364207	<1	4.48	20	268	<2	10	0.18	<4	5	20	12	0.69	0.28	10	0.68	286	<1	5	309	28	0.18	5	22	<10	100	1493	<2	27	<10	6	16
36004	364208	<1	5.18	14	278	<2	9	0.39	<4	4	18	8	0.71	0.19	17	0.82	380	<1	5	345	46	0.18	<5	26	<10	124	1555	<2	27	<10	6	40
36005	364209	<1	4.27	23	163	<2	<1	0.25	<4	4	36	4	0.71	0.17	14	0.74	341	2	4	290	17	0.12	<5	21	<10	103	1391	<2	24	<10	6	23
36006	364210	100	4.38	14	329	2	23	2.62	7	16	34	94	4.70	0.42	6	1.23	827	2	23	530	15057	0.14	96	<5	10	295	2671	<2	138	<10	18	313
36007	364211	<1	3.71	17	177	<2	<1	0.38	<4	4	54	4	0.81	0.11	13	0.74	383	5	4	293	147	0.11	<5	16	<10	113	1348	<2	25	<10	6	23
36008	364212	<1	5.97	11	240	2	12	0.80	<4	5	47	3	1.00	0.11	15	0.98	514	5	6	383	29	0.13	7	20	<10	146	1730	<2	31	<10	6	23
36009	364213	<1	5.70	36	269	<2	11	1.41	<4	8	40	14	1.62	0.20	13	1.30	780	2	10	374	50	0.44	<5	27	<10	160	1569	<2	34	<10	8	66
36010D	364213	<1	5.59	36	265	2	10	1.39	<4	7	39	13	1.59	0.34	13	1.29	779	3	11	368	47	0.37	8	30	<10	158	1584	<2	33	<10	8	92
36011	364214	<1	4.98	47	277	2	10	0.08	<4	16	78	15	1.34	0.19	13	0.73	310	5	26	349	36	0.41	6	15	<10	86	1872	<2	54	<10	10	51
36012	364215	<1	4.81	23	249	<2	<1	<0.01	<4	8	54	6	1.09	0.16	10	0.66	239	7	11	330	22	0.23	<5	19	<10	102	1558	<2	34	<10	7	23
36013	364216	<1	4.68	47	268	2	<1	0.18	<4	14	70	18	1.56	0.21	13	0.89	434	9	23	334	112	0.51	<5	15	<10	94	1711	<2	44	<10	9	133
36014	364217	<1	4.75	13	215	2	10	0.98	<4	7	29	16	1.04	0.14	7	1.14	663	<1	9	341	61	0.27	<5	22	<10	136	1389	<2	30	10	7	785
36015	364218	<1	5.87	24	273	2	17	1.03	<4	11	36	10	1.74	0.28	13	1.68	823	3	17	402	57	0.41	<5	15	<10	151	1757	3	41	<10	7	219
36016	364219	<1	6.11	24	174	2	10	1.53	<4	8	36	11	1.75	0.41	17	1.48	751	1	10	427	29	0.48	8	18	<10	212	1881	<2	35	<10	8	90
36017	364220	<1	3.90	8	339	2	18	2.33	<4	16	52	48	3.72	0.24	8	1.37	730	<1	35	589	5	0.10	<5	11	<10	294	3025	<2	120	<10	18	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:02 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/12/2015
Job #: 201540411
Reference: TL15-383
Sample #: 83

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
36018	364221	<1	5.19	19	123	<2	9	1.72	<4	5	45	6	1.40	0.25	11	1.54	818	3	6	420	13	0.33	<5	19	<10	164	1531	3	31	<10	8	50
36019	364222	<1	5.69	19	231	<2	15	1.17	<4	7	43	8	1.69	0.19	14	1.31	633	4	7	380	18	0.48	5	17	<10	130	1742	<2	31	<10	7	46
36020	364223	<1	5.59	35	203	<2	5	0.75	<4	6	28	10	1.66	0.35	21	1.39	563	<1	6	367	9	0.58	5	27	<10	60	1668	<2	29	<10	8	38
36021D	364223	<1	5.45	31	205	2	17	0.74	<4	7	30	11	1.71	0.15	21	1.38	568	2	6	369	10	0.58	<5	19	<10	59	1663	<2	29	<10	7	21
36022	364224	<1	4.84	27	172	<2	15	0.76	<4	5	30	15	1.34	0.14	11	1.07	622	1	6	341	18	0.35	<5	16	<10	101	1595	<2	28	<10	7	90
36023	364225	<1	4.90	26	222	<2	6	1.24	<4	5	26	7	1.24	0.08	11	1.07	658	<1	6	354	14	0.33	<5	15	<10	130	1525	<2	28	<10	6	10
36024	364226	<1	4.78	29	212	2	22	1.26	<4	5	34	6	1.31	0.26	10	1.04	657	2	6	359	11	0.31	<5	13	<10	128	1497	<2	28	<10	6	14
36025	364227	<1	4.97	28	250	2	12	1.06	<4	7	37	6	1.31	<0.01	13	0.99	545	3	8	364	10	0.29	<5	14	<10	139	1629	<2	29	<10	6	36
36026	364228	<1	5.54	23	320	2	5	1.57	<4	10	44	7	1.48	0.19	13	1.30	807	5	11	378	13	0.27	5	14	<10	156	1619	<2	30	<10	7	185
36027	364229	<1	6.23	19	303	2	10	1.68	<4	9	42	7	1.44	0.34	14	1.23	682	4	10	400	13	0.20	<5	26	<10	166	1799	<2	31	<10	7	173
36028	364230	<1	6.02	61	241	2	10	0.95	6	15	34	2635	5.28	0.20	29	1.01	1140	15	23	700	79	2.04	8	13	<10	209	1347	<2	68	<10	13	657
36029	364231	<1	6.02	16	282	<2	<1	1.26	<4	7	35	51	1.25	0.04	12	0.94	512	3	8	387	9	0.21	<5	23	<10	165	1744	<2	32	<10	6	34
36030	364232	<1	5.52	5	382	2	18	1.63	<4	6	36	13	1.61	0.06	13	0.85	414	1	7	398	16	0.17	7	24	<10	200	1821	<2	35	<10	7	39
36031	364233	<1	5.98	30	362	2	9	1.50	<4	10	36	26	2.37	<0.01	19	1.24	592	1	10	407	39	0.77	<5	20	<10	175	1833	<2	36	<10	8	131
36032D	364233	<1	6.09	27	368	2	14	1.51	<4	9	36	26	2.39	0.10	19	1.27	602	2	10	406	44	0.75	<5	20	<10	174	1853	<2	36	<10	8	131
36033	364234	<1	5.73	17	227	2	3	3.85	<4	8	24	15	2.05	0.24	13	2.19	1381	<1	10	381	80	0.52	<5	17	<10	137	1649	<2	31	<10	8	90
36034	364235	19	4.58	32	225	2	17	1.65	13	10	25	32	2.89	0.21	12	1.41	795	<1	8	333	3743	0.94	16	12	<10	113	1520	<2	27	27	6	4066
36035	364236	<1	4.45	10	249	2	6	3.08	<4	6	33	13	1.76	0.11	9	1.94	1081	3	7	354	104	0.34	<5	25	<10	144	1424	8	25	<10	7	112
36036	364237	<1	4.81	11	227	<2	7	1.65	<4	6	35	5	1.41	0.08	15	1.47	678	3	7	387	22	0.19	6	17	<10	128	1691	<2	29	<10	6	28
36037	364238	<1	4.56	14	277	2	9	1.30	<4	5	50	6	1.73	<0.01	15	1.42	917	5	6	385	18	0.23	5	16	<10	104	1718	<2	30	<10	6	29

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:02 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/12/2015
Job #: 201540411
Reference: TL15-383
Sample #: 83

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
36038	364239	<1	5.81	26	466	2	7	1.30	<4	6	58	10	1.86	0.09	15	1.55	1004	8	6	410	27	0.34	6	24	<10	100	1749	<2	31	<10	7	105
36039	364240	<1	3.67	10	338	<2	<1	2.27	<4	16	53	47	3.66	0.14	8	1.35	730	<1	34	580	3	0.10	6	<5	<10	285	3010	<2	119	<10	18	42
36040	364241	<1	5.53	22	393	2	22	0.81	<4	6	46	9	1.64	<0.01	24	1.36	672	4	7	381	17	0.32	7	21	<10	79	1739	<2	31	<10	7	30
36041	364242	<1	5.82	28	464	2	<1	1.79	<4	5	45	7	1.64	0.04	13	1.46	931	5	5	386	25	0.31	<5	12	<10	106	1729	<2	30	<10	7	32
36042	364243	<1	5.04	22	726	2	9	1.15	<4	4	24	5	1.22	0.15	12	1.10	662	<1	4	369	27	0.36	6	18	<10	101	1613	<2	28	<10	7	23
36043R	364243	<1	4.68	32	704	2	22	1.16	<4	4	25	5	1.26	0.01	11	1.13	708	<1	4	368	27	0.34	6	12	<10	100	1569	<2	27	<10	6	25
36044	364244	<1	4.27	44	501	<2	7	0.65	4	4	36	81	1.91	<0.01	11	0.93	462	4	5	318	561	0.63	<5	8	<10	79	1348	<2	24	11	7	1526
36045	364245	<1	4.94	30	354	2	<1	1.03	<4	4	27	26	1.72	<0.01	15	1.06	546	<1	5	355	112	0.56	7	7	<10	87	1526	<2	28	<10	7	433
36046	364246	<1	4.41	28	338	2	4	0.83	<4	4	33	29	1.53	<0.01	14	0.94	465	3	5	334	103	0.45	<5	11	<10	82	1437	<2	27	<10	7	454
36047	364247	<1	4.46	16	348	2	13	1.29	<4	4	30	16	1.38	0.09	15	1.10	562	3	4	359	51	0.20	5	18	<10	96	1588	<2	29	<10	6	132
36048	364248	<1	4.74	16	445	2	5	1.32	<4	4	28	10	1.39	0.07	14	1.10	556	<1	5	379	38	0.21	<5	22	<10	97	1734	<2	31	<10	6	42
36049	364249	<1	4.92	28	677	2	<1	0.35	<4	5	34	77	1.42	<0.01	15	0.73	326	3	6	380	599	0.39	6	22	<10	83	1652	<2	33	<10	6	646
36050	364250	1	2.89	19	509	<2	2	2.10	6	15	55	201	3.84	<0.01	6	1.13	724	15	39	614	7	0.08	<5	<5	<10	212	2693	6	114	<10	14	63
36051	364251	2	2.91	33	701	2	3	1.72	6	19	155	82	3.26	<0.01	8	1.07	817	10	54	486	218	0.36	<5	6	<10	75	2257	2	85	11	11	517
36052	364252	6	3.19	5	536	2	2	2.38	16	24	177	369	4.53	<0.01	13	1.15	928	10	64	508	1073	0.36	<5	<5	<10	73	2946	8	102	52	12	3470
36053	364253	2	3.45	17	675	2	5	1.54	<4	11	55	67	1.98	<0.01	11	0.81	622	6	15	510	45	0.17	<5	<5	<10	88	1978	4	47	10	6	73
36054D	364253	2	3.42	16	663	2	1	1.50	<4	10	51	64	1.95	<0.01	11	0.82	618	5	13	516	43	0.14	<5	6	<10	87	1946	<2	46	10	6	71
36055	364254	1	4.24	27	638	2	3	1.25	<4	8	32	17	1.83	<0.01	13	0.91	674	6	6	530	46	0.40	<5	5	<10	90	2144	3	42	<10	5	158
36056	364255	1	3.13	27	620	2	3	1.49	<4	9	29	28	1.85	<0.01	12	1.00	782	5	8	501	18	0.26	<5	6	<10	93	2165	3	42	<10	5	66
36057	364256	1	3.67	26	530	<2	3	1.47	<4	9	26	17	1.77	<0.01	12	0.94	652	4	7	577	25	0.26	<5	<5	<10	99	2215	<2	43	<10	5	28

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 11:02 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/03/2015
Date Completed: 02/12/2015
Job #: 201540411
Reference: TL15-383
Sample #: 83

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
36058	364257	1	3.20	31	458	<2	4	1.57	<4	6	46	12	1.61	<0.01	8	0.94	618	6	7	504	17	0.23	<5	<5	<10	90	1637	<2	33	<10	6	40
36059	364258	1	3.02	30	666	<2	3	1.87	<4	5	36	12	1.41	<0.01	10	1.07	761	7	6	350	125	0.21	<5	<5	<10	108	1669	11	31	<10	4	169
36060	364259	1	2.70	18	728	<2	3	1.81	<4	6	35	9	1.49	<0.01	14	1.49	803	7	7	345	101	0.17	<5	6	<10	102	1608	11	30	<10	4	163
36061	364260	1	2.50	4	443	<2	2	2.56	6	16	61	47	3.81	<0.01	6	1.20	791	8	38	612	4	0.05	<5	6	<10	215	3008	5	126	<10	13	45
36062	364261	<1	4.61	13	491	<2	13	0.99	<4	5	22	10	1.26	<0.01	18	1.03	371	<1	5	318	13	0.12	<5	13	<10	133	1687	<2	28	<10	6	47
36063	364262	<1	4.47	8	505	<2	17	1.25	<4	6	30	13	1.42	0.05	16	1.38	562	<1	6	375	111	0.15	5	21	<10	117	1653	3	25	<10	6	178
36064	364263	<1	4.39	<2	534	2	<1	2.30	<4	6	20	32	1.71	0.17	16	1.73	906	<1	6	328	277	0.16	<5	22	<10	123	1619	8	26	64	6	598
36065D	364263	<1	4.41	7	534	2	6	2.31	<4	6	22	33	1.72	0.11	16	1.73	910	<1	5	335	276	0.15	7	16	<10	122	1640	4	26	66	6	611
36066	364264	<1	4.40	15	575	2	<1	1.77	<4	6	25	16	1.52	<0.01	20	1.62	677	<1	5	295	207	0.21	5	19	<10	135	1579	<2	25	<10	6	331
36067	364265	<1	5.07	13	589	2	20	1.07	<4	5	25	24	1.33	<0.01	18	1.27	396	2	5	343	14	0.13	5	18	<10	132	1750	<2	27	10	6	37
36068	364266	<1	4.45	8	546	<2	5	0.97	<4	6	18	21	1.22	<0.01	18	1.17	367	<1	6	325	15	0.17	<5	17	<10	130	1699	<2	26	<10	6	28

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

TL15384

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540469
Reference: TL15-384
Sample #: 85

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40621	364267	0.011	
40622	364268	0.027	
40623	364269	0.009	
40624	364270	4.595	
40625	364271	0.044	
40626	364272	0.092	
40627	364273	0.055	
40628	364274	0.059	
40629	364275	0.043	
40630	364276	0.446	
40631	364276 Dup	0.365	
40632	364277	0.468	
40633	364278	0.058	
40634	364279	0.365	
40635	364280	0.008	
40636	364281	0.090	
40637	364282	0.045	
40638	364283	0.017	
40639	364284	0.271	
40640	364285	0.922	
40641	364286	0.356	
40642	364286 Dup	0.354	
40643	364287	2.526	
40644	364288	0.363	
40645	364289	0.081	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540469
Reference: TL15-384
Sample #: 85

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40646	364290	0.340	
40647	364291	0.073	
40648	364292	6.062	10.280
40649	364293	0.342	
40650	364294	0.593	
40651	364295	0.358	
40652	364296	0.060	
40653	364296 Dup	0.028	
40654	364297	0.022	
40655	364298	0.158	
40656	364299	0.024	
40657	364300	<0.005	
40658	364301	0.071	
40659	364302	0.652	
40660	364303	0.249	
40661	364304	2.624	
40662	364305	0.504	
40663	364306	0.747	
40664	364306 Dup	0.690	
40665	364307	0.408	
40666	364308	1.938	
40667	364309	2.292	
40668	364310	1.405	
40669	364311	0.510	
40670	364312	0.019	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540469
Reference: TL15-384
Sample #: 85

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40671	364313	0.789	
40672	364314	0.047	
40673	364315	0.140	
40674	364316	0.155	
40675	364316 Dup	0.157	
40676	364317	0.489	
40677	364318	0.568	
40678	364319	0.124	
40679	364320	<0.005	
40680	364321	0.018	
40681	364322	0.015	
40682	364323	0.010	
40683	364324	<0.005	
40684	364325	0.014	
40685	364326	0.018	
40686	364326 Rep	0.028	
40687	364327	<0.005	
40688	364328	0.009	
40689	364329	0.012	
40690	364330	4.616	
40691	364331	0.015	
40692	364332	0.015	
40693	364333	0.028	
40694	364334	0.021	
40695	364335	0.193	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540469
Reference: TL15-384
Sample #: 85

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
40696	364336	0.036	
40697	364336 Dup	0.024	
40698	364337	0.035	
40699	364338	0.089	
40700	364339	0.278	
40701	364340	<0.005	
40702	364341	0.082	
40703	364342	0.103	
40704	364343	0.008	
40705	364344	0.092	
40706	364345	0.038	
40707	364346	0.053	
40708	364346 Dup	0.049	
40709	364347	0.050	
40710	364348	0.033	
40711	364349	0.031	
40712	364350	0.426	
40713	364351	0.060	

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540469
Reference: TL15-384
Sample #: 85

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS35	0.840	0.886	0.071
GS35	0.818	0.886	0.071
AR01	1.646	1.729	0.121
GS35	0.889	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540469
Reference: TL15-384
Sample #: 85

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40621	364267	<1	4.21	9	604	2	<1	1.72	<4	10	58	39	1.61	0.39	14	1.49	654	4	90	599	34	0.07	<5	22	<10	113	1864	<2	34	11	6	271
40622	364268	<1	5.02	7	664	2	<1	1.76	<4	11	44	14	2.00	0.32	13	0.98	604	7	75	606	23	0.13	<5	12	<10	124	1902	<2	33	<10	6	56
40623	364269	<1	4.48	12	391	<2	<1	1.99	<4	7	72	12	1.57	0.17	11	1.13	680	8	80	530	27	0.09	<5	21	<10	128	1737	<2	33	51	8	67
40624	364270	126	5.50	13	407	2	<1	3.00	7	16	41	97	4.93	0.19	6	1.34	896	12	35	594	16821	0.11	97	13	<10	306	2835	<2	134	10	20	322
40625	364271	<1	5.88	7	627	2	<1	0.46	4	6	21	10	1.40	<0.01	15	0.59	224	1	37	487	186	0.15	5	12	<10	94	1988	<2	32	23	6	1129
40626	364272	7	5.20	12	553	<2	<1	0.23	<4	5	34	31	1.19	<0.01	12	0.49	153	4	44	447	2160	0.12	<5	11	10	75	1679	<2	27	<10	7	158
40627	364273	<1	6.04	29	579	2	<1	1.07	<4	6	33	13	1.60	<0.01	17	0.85	509	4	51	551	96	0.35	<5	13	<10	102	1929	<2	33	11	7	41
40628	364274	<1	5.19	21	568	2	<1	0.84	<4	5	30	8	1.27	<0.01	16	0.75	486	4	55	514	61	0.20	<5	9	<10	99	1967	<2	32	13	6	194
40629	364275	<1	5.25	20	533	<2	<1	0.84	<4	5	31	7	1.35	<0.01	17	0.83	567	3	52	527	59	0.20	<5	18	<10	92	1898	<2	31	<10	7	106
40630	364276	<1	5.23	34	565	2	<1	0.86	<4	6	29	57	2.11	0.25	17	0.90	628	4	48	501	73	0.47	<5	17	<10	94	1884	<2	32	<10	7	146
40631D	364276	<1	5.32	28	569	<2	<1	0.85	<4	6	29	60	2.09	0.15	17	0.91	629	4	47	508	72	0.48	<5	12	<10	94	1881	<2	32	<10	7	144
40632	364277	<1	6.18	31	538	2	<1	0.30	<4	6	23	15	1.51	0.14	15	0.61	207	3	18	524	299	0.40	<5	12	<10	74	1875	<2	31	<10	7	262
40633	364278	<1	5.23	24	523	<2	<1	0.25	<4	7	30	15	1.16	0.10	14	0.58	233	3	17	526	193	0.24	<5	18	<10	88	1786	<2	30	10	6	843
40634	364279	1	1.37	45	497	<2	<1	0.07	<4	13	34	9	1.46	0.53	13	0.38	214	4	19	434	329	0.33	<5	14	<10	64	1714	<2	30	<10	3	54
40635	364280	<1	3.64	9	437	<2	<1	2.59	<4	17	59	48	3.86	0.36	11	1.23	760	8	45	637	14	0.08	<5	9	<10	297	3042	<2	116	<10	14	56
40636	364281	<1	5.32	28	514	2	<1	1.43	<4	8	42	23	1.79	0.34	18	1.03	808	5	16	552	74	0.21	<5	16	<10	164	2000	<2	35	<10	7	118
40637	364282	<1	6.00	20	651	2	<1	1.02	<4	8	27	6	1.48	<0.01	20	0.85	521	3	16	572	28	0.29	<5	14	<10	149	2115	<2	35	<10	6	51
40638	364283	<1	6.29	17	469	<2	<1	1.25	<4	7	36	19	1.38	<0.01	18	0.96	687	4	18	588	27	0.24	5	32	<10	177	1882	<2	33	12	8	50
40639	364284	<1	6.33	23	434	2	<1	1.14	<4	9	64	25	2.31	0.41	22	1.24	1118	8	23	499	22	0.18	<5	19	<10	155	1933	<2	44	<10	8	65
40640	364285	<1	6.26	19	443	2	<1	0.79	<4	22	33	22	1.52	<0.01	20	0.90	681	3	31	483	28	0.23	<5	18	<10	155	1734	<2	37	<10	7	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 5:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540469
Reference: TL15-384
Sample #: 85

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40641	364286	<1	5.94	25	482	2	<1	0.84	<4	22	38	21	1.60	0.33	20	0.89	696	4	32	501	23	0.21	<5	22	<10	163	1872	<2	40	13	6	58
40642D	364286	<1	7.39	27	523	2	<1	0.95	<4	23	38	23	1.69	0.65	24	1.00	739	4	36	551	28	0.25	<5	24	<10	174	2000	<2	42	<10	7	56
40643	364287	<1	5.26	37	442	<2	<1	0.71	<4	22	33	18	1.37	0.02	14	0.71	552	2	27	522	113	0.28	<5	25	<10	148	1624	<2	35	<10	6	164
40644	364288	2	5.71	26	444	<2	<1	1.15	<4	20	38	25	1.31	<0.01	15	0.83	770	9	34	519	342	0.16	<5	22	<10	168	1574	<2	37	17	6	918
40645	364289	1	6.83	20	499	2	<1	1.30	<4	8	39	21	2.13	0.37	20	0.98	1000	3	17	488	75	0.20	<5	21	<10	204	1779	<2	44	<10	6	116
40646	364290	2	5.12	45	294	2	<1	1.09	5	14	33	2158	4.90	0.49	28	0.86	1077	20	30	709	78	1.27	6	<5	<10	190	1151	<2	59	14	10	557
40647	364291	<1	3.42	20	232	<2	<1	0.84	<4	9	30	44	1.33	<0.01	9	0.79	602	2	17	382	39	0.26	<5	15	<10	140	1261	<2	27	<10	5	117
40648	364292	<1	6.49	25	338	<2	<1	1.07	<4	7	33	53	1.23	0.26	18	0.97	593	5	18	414	76	0.23	<5	21	<10	165	1654	<2	32	<10	6	82
40649	364293	<1	5.30	25	330	2	<1	1.39	<4	5	31	22	1.23	0.30	11	0.97	613	2	14	406	96	0.24	<5	29	<10	171	1243	<2	28	<10	6	39
40650	364294	2	4.79	20	288	<2	<1	0.41	<4	6	32	115	1.09	<0.01	12	0.54	266	<1	14	348	203	0.25	<5	11	<10	113	1356	<2	24	<10	6	411
40651	364295	<1	4.69	20	358	<2	<1	1.08	<4	5	35	21	1.22	0.02	12	1.20	761	<1	15	424	59	0.20	<5	28	<10	148	1288	<2	36	<10	6	164
40652	364296	<1	4.29	6	193	2	<1	1.35	<4	5	40	7	1.98	<0.01	32	2.99	1843	7	17	475	15	0.05	5	10	<10	147	1442	<2	34	<10	6	140
40653D	364296	<1	5.26	7	217	2	<1	1.50	<4	6	48	7	2.12	0.26	36	3.13	1943	8	17	484	15	0.05	<5	20	<10	156	1547	3	36	<10	7	167
40654	364297	<1	4.59	7	242	2	<1	0.55	<4	6	39	9	1.59	<0.01	26	1.68	912	4	13	477	4	0.08	<5	16	<10	127	1280	<2	38	<10	6	74
40655	364298	<1	5.53	26	325	<2	<1	1.34	<4	6	27	14	1.31	0.08	13	0.87	517	2	16	406	15	0.20	<5	20	<10	128	1594	<2	30	<10	6	30
40656	364299	<1	4.92	12	254	2	<1	1.58	<4	5	24	3	0.83	0.24	14	1.19	684	4	14	395	28	0.10	<5	16	<10	136	1547	<2	26	<10	5	33
40657	364300	<1	4.48	9	406	<2	<1	2.54	<4	16	57	47	3.70	0.17	10	1.35	746	10	41	622	5	0.08	<5	<5	<10	288	2964	<2	112	<10	17	49
40658	364301	<1	7.42	22	340	<2	<1	0.22	<4	9	33	5	0.98	0.10	16	0.66	151	4	18	457	48	0.19	8	24	<10	77	1947	<2	34	<10	7	47
40659	364302	3	3.96	49	162	<2	<1	0.12	5	4	31	44	1.43	<0.01	8	0.38	<100	5	17	743	352	0.32	8	17	<10	49	1108	<2	20	16	6	1611
40660	364303	<1	4.65	25	241	<2	<1	0.08	<4	7	31	11	0.75	<0.01	15	0.60	163	3	19	370	40	0.17	<5	25	<10	59	1539	<2	25	<10	5	381

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 5:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540469
Reference: TL15-384
Sample #: 85

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40661	364304	5	4.78	33	232	<2	<1	0.04	<4	5	27	91	0.72	0.05	12	0.52	134	6	15	356	267	0.17	19	14	<10	53	1457	<2	26	<10	5	296
40662	364305	<1	5.86	30	297	<2	<1	0.02	<4	7	36	12	0.83	<0.01	11	0.49	123	4	17	399	29	0.16	6	23	<10	54	1792	<2	30	<10	5	167
40663	364306	1	4.84	43	239	<2	<1	<0.01	<4	5	27	17	0.87	<0.01	9	0.44	104	2	16	358	126	0.19	10	18	<10	49	1481	<2	25	<10	5	475
40664D	364306	2	5.77	51	266	<2	<1	<0.01	<4	6	28	17	0.92	<0.01	11	0.48	111	3	17	376	127	0.22	8	21	<10	52	1605	<2	27	10	6	492
40665	364307	<1	4.97	28	241	2	<1	0.46	<4	8	25	10	0.93	<0.01	11	0.78	370	3	16	362	57	0.23	5	16	<10	79	1529	<2	26	<10	5	96
40666	364308	5	4.77	68	196	<2	<1	<0.01	6	5	24	62	1.35	<0.01	8	0.47	<100	10	16	328	680	0.57	11	25	<10	50	1307	<2	23	22	6	2177
40667	364309	3	4.27	51	176	<2	<1	<0.01	<4	6	34	36	1.61	<0.01	7	0.41	<100	5	18	314	98	0.80	9	18	<10	48	1220	<2	22	<10	6	247
40668	364310	<1	5.06	21	528	2	1	2.24	<4	17	55	215	4.05	0.23	13	1.27	727	17	49	651	9	0.12	9	14	<10	299	2838	<2	110	14	17	95
40669	364311	<1	5.89	35	256	<2	<1	0.23	<4	6	33	17	1.01	<0.01	13	0.68	234	5	15	381	33	0.28	6	25	<10	59	1637	<2	28	<10	7	61
40670	364312	<1	6.67	16	285	<2	<1	1.20	<4	4	23	11	0.94	0.18	20	1.39	824	3	16	409	26	0.24	<5	25	<10	116	1732	<2	28	<10	7	39
40671	364313	7	4.79	30	232	<2	<1	0.66	<4	6	25	11	1.03	<0.01	6	0.79	415	2	11	373	322	0.32	6	25	<10	79	1523	<2	25	11	6	435
40672	364314	<1	6.22	29	352	<2	<1	1.28	<4	5	30	5	1.14	0.08	11	0.89	533	4	11	370	34	0.27	<5	25	<10	125	1655	<2	27	<10	6	31
40673	364315	<1	6.89	17	316	2	<1	1.94	<4	6	28	20	1.77	0.43	15	1.29	880	3	14	430	18	0.17	<5	17	<10	137	1855	<2	29	<10	8	39
40674	364316	<1	6.43	19	298	2	<1	2.01	<4	6	28	23	1.61	0.10	13	1.34	945	2	13	455	23	0.23	<5	22	<10	127	1790	<2	29	<10	7	45
40675D	364316	<1	7.23	19	328	2	<1	2.15	<4	6	29	23	1.67	0.12	15	1.42	997	3	15	461	29	0.23	<5	21	<10	133	1927	<2	30	<10	8	47
40676	364317	3	5.96	28	285	2	<1	0.88	<4	6	28	36	1.44	<0.01	11	0.90	491	4	14	430	102	0.38	<5	19	<10	91	1699	<2	28	<10	7	241
40677	364318	7	6.09	62	305	2	<1	0.45	<4	6	21	39	1.40	<0.01	11	0.72	347	2	12	425	232	0.54	6	15	<10	74	1716	<2	28	<10	7	706
40678	364319	1	6.28	26	320	2	<1	1.06	<4	5	29	17	1.38	0.09	13	1.01	591	3	13	435	36	0.40	<5	19	11	99	1797	<2	29	10	7	64
40679	364320	<1	4.28	14	422	2	<1	2.62	<4	16	60	50	3.93	0.19	9	1.39	779	9	44	654	6	0.08	6	7	<10	300	3100	<2	118	<10	18	55
40680	364321	<1	5.65	24	303	2	<1	1.70	<4	7	28	13	1.58	0.22	12	1.15	688	2	18	397	24	0.43	<5	12	<10	125	1792	<2	30	<10	6	35

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/17/2015 5:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540469
Reference: TL15-384
Sample #: 85

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40681	364322	1	7.85	5	274	2	<1	4.01	<4	8	23	10	2.19	0.31	16	2.67	1564	3	18	495	16	0.18	<5	21	<10	155	1953	<2	32	<10	9	47
40682	364323	<1	6.87	7	224	2	<1	2.47	<4	7	30	8	2.09	0.29	20	2.73	1222	5	16	489	15	0.09	<5	27	<10	132	1781	<2	30	<10	8	85
40683	364324	<1	6.61	2	268	2	<1	1.34	<4	5	22	3	1.55	<0.01	17	2.11	791	2	14	425	16	0.07	<5	26	10	102	1850	<2	29	<10	7	49
40684	364325	<1	6.41	11	221	2	<1	2.69	<4	7	20	12	2.20	<0.01	15	2.69	1374	2	15	453	11	0.13	<5	13	<10	121	1697	<2	27	12	7	65
40685	364326	<1	6.27	3	217	<2	<1	2.62	<4	7	20	12	2.19	0.05	14	2.66	1392	3	14	436	10	0.13	<5	30	<10	118	1667	<2	27	11	8	62
40686R	364326	1	7.05	12	244	2	<1	2.89	<4	8	22	13	2.38	<0.01	17	2.88	1508	4	15	468	13	0.14	<5	12	<10	129	1841	<2	29	14	8	70
40687	364327	<1	5.68	5	256	2	<1	1.59	<4	6	18	4	1.49	0.14	15	1.58	671	<1	13	409	8	0.08	<5	11	<10	95	1707	<2	27	<10	7	32
40688	364328	<1	5.82	3	252	<2	<1	1.56	<4	5	21	7	1.33	<0.01	14	1.22	690	1	14	400	14	0.13	<5	30	<10	85	1664	<2	27	10	7	26
40689	364329	<1	2.08	9	148	2	<1	2.82	<4	5	15	21	1.95	0.23	6	1.73	1718	<1	11	411	20	0.16	<5	14	<10	88	1302	<2	23	<10	6	77
40690	364330	130	5.47	11	415	2	<1	3.10	7	17	41	106	5.18	0.16	6	1.38	957	12	33	621	17590	0.12	96	10	13	314	2936	<2	141	<10	20	328
40691	364331	<1	5.65	10	340	2	<1	1.68	<4	5	21	11	1.40	<0.01	12	1.18	737	<1	16	387	124	0.14	6	12	<10	106	1645	<2	29	<10	7	48
40692	364332	<1	6.11	15	321	2	<1	1.85	<4	5	23	13	1.48	<0.01	16	1.28	830	1	14	411	23	0.14	<5	24	<10	110	1670	<2	29	17	8	43
40693	364333	<1	6.14	17	417	2	<1	2.15	<4	5	23	9	1.81	<0.01	15	1.50	876	2	13	435	26	0.25	<5	23	<10	125	1747	<2	29	<10	7	26
40694	364334	<1	5.87	23	553	2	<1	2.22	<4	5	24	14	1.68	<0.01	13	1.37	688	3	13	502	23	0.26	<5	16	<10	162	1734	<2	30	<10	8	45
40695	364335	<1	6.32	32	497	2	<1	2.01	<4	7	20	21	2.16	<0.01	13	1.16	639	2	15	600	14	0.69	7	22	<10	172	2043	<2	36	<10	8	31
40696	364336	<1	6.67	32	533	2	<1	1.65	<4	7	17	9	1.73	<0.01	17	1.17	690	1	11	635	25	0.52	<5	15	<10	152	2312	<2	38	<10	9	33
40697D	364336	<1	6.75	29	543	2	<1	1.69	<4	8	17	9	1.80	<0.01	17	1.20	709	<1	14	654	27	0.60	<5	21	<10	156	2319	<2	39	10	9	34
40698	364337	<1	6.66	46	559	2	<1	1.35	<4	7	18	3	1.78	<0.01	20	1.10	671	<1	15	649	26	0.84	<5	14	<10	123	2310	<2	39	10	9	180
40699	364338	<1	6.20	47	532	2	<1	1.47	<4	8	22	32	1.76	<0.01	19	1.20	675	2	16	624	188	0.52	<5	22	<10	119	2229	<2	40	13	9	1128
40700	364339	<1	5.16	69	515	2	<1	1.06	<4	8	45	12	2.17	<0.01	18	0.88	475	3	23	459	191	1.08	<5	13	<10	85	1844	<2	44	<10	8	445

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/17/2015 5:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/05/2015
Date Completed: 02/17/2015
Job #: 201540469
Reference: TL15-384
Sample #: 85

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
40701	364340	<1	3.82	4	369	<2	<1	2.24	<4	15	52	41	3.37	<0.01	8	1.22	667	7	40	564	10	0.09	<5	17	<10	260	2710	<2	101	<10	16	53
40702	364341	<1	5.47	26	495	<2	<1	1.85	<4	9	19	20	1.83	<0.01	14	1.16	689	<1	15	533	18	0.59	6	11	<10	128	1913	<2	34	<10	9	71
40703	364342	<1	5.08	18	455	<2	<1	1.22	<4	7	15	10	1.41	<0.01	11	0.84	439	<1	15	526	7	0.54	<5	15	<10	102	1878	<2	31	<10	8	23
40704	364343	<1	6.88	24	475	<2	<1	1.48	<4	9	28	12	2.27	<0.01	17	1.05	568	5	51	675	5	0.98	<5	24	<10	152	2375	<2	51	<10	9	37
40705	364344	<1	4.36	19	525	2	<1	1.44	<4	16	124	46	2.83	<0.01	18	1.58	861	8	106	434	121	0.40	<5	15	<10	80	2065	<2	80	<10	13	355
40706	364345	<1	4.67	26	643	2	<1	1.14	<4	17	145	48	2.90	<0.01	20	1.65	684	13	129	468	267	0.58	<5	11	<10	91	2037	<2	90	12	14	396
40707	364346	3	5.78	23	679	2	<1	1.30	4	18	142	62	3.24	<0.01	25	1.85	788	14	116	512	562	0.66	<5	12	<10	102	2280	<2	89	14	15	1211
40708D	364346	3	6.69	29	700	3	<1	1.40	5	19	158	66	3.48	<0.01	29	1.92	799	17	138	542	591	0.83	<5	18	11	111	2157	5	97	16	16	1299
40709	364347	<1	5.19	29	607	<2	<1	1.04	<4	10	70	30	2.02	<0.01	32	2.18	596	6	78	366	25	0.53	<5	23	<10	76	1877	<2	55	10	10	45
40710	364348	<1	5.45	25	628	<2	<1	1.63	<4	20	131	51	2.85	<0.01	30	2.25	697	6	81	499	34	1.10	8	12	<10	58	2398	<2	80	<10	15	150
40711	364349	<1	5.87	9	597	2	<1	1.15	<4	7	45	80	1.52	<0.01	24	1.59	542	4	67	351	216	0.25	<5	22	<10	146	1768	<2	43	14	7	314
40712	364350	2	5.81	44	311	2	5	1.14	6	15	34	2333	5.05	<0.01	29	0.98	1113	21	31	734	78	1.81	<5	<5	<10	195	1229	<2	61	14	11	588
40713	364351	<1	4.95	15	460	<2	<1	1.26	<4	6	29	62	1.31	<0.01	20	1.49	613	3	44	325	141	0.30	<5	13	<10	152	1482	<2	32	12	6	216

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, February 24, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/18/2015
Date Completed: 02/23/2015
Job #: 201540562
Reference: 201540469
Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
46888	364292	7.634	8.283	367.033	11.323	0.94%	9.37

PROCEDURE CODES: ALPM1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15385B

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
42268	364352	0.064
42269	364353	0.081
42270	364354	0.120
42271	364355	0.036
42272	364356	1.099
42273	364357	0.020
42274	364358	0.024
42275	364359	0.022
42276	364360	<0.005
42277	364361	0.029
42278	364361 Dup	0.033
42279	364362	0.022
42280	364363	0.018
42281	364364	0.053
42282	364365	<0.005
42283	364366	<0.005
42284	364367	<0.005
42285	364368	0.015
42286	364369	0.018
42287	364370	1.347
42288	364371	0.123
42289	364371 Dup	0.105
42290	364372	0.020
42291	364373	0.020
42292	364374	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
42293	364375	<0.005
42294	364376	<0.005
42295	364377	0.095
42296	364378	0.119
42297	364379	0.160
42298	364380	<0.005
42299	364381	0.047
42300	364381 Dup	0.041
42301	364382	0.067
42302	364383	<0.005
42303	364384	0.031
42304	364385	0.032
42305	364386	0.032
42306	364387	0.019
42307	364388	0.007
42308	364389	0.010
42309	364390	4.686
42310	364391	0.050
42311	364391 Dup	0.044
42312	364392	0.018
42313	364393	0.065
42314	364394	0.153
42315	364395	0.140
42316	364396	0.054
42317	364397	0.108

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
42318	364398	0.100
42319	364399	1.356
42320	364400	<0.005
42321	364401	0.065
42322	364401 Dup	0.070
42323	364402	0.277
42324	364403	0.065
42325	364404	0.121
42326	364405	0.018
42327	364406	0.006
42328	364407	0.030
42329	364408	0.119
42330	364409	0.035
42331	364410	0.324
42332	364411	0.048
42333	364411 Rep	0.071
42334	364412	0.448
42335	364413	0.072
42336	364414	0.084
42337	364415	0.053
42338	364416	1.395
42339	364417	0.127
42340	364418	0.051
42341	364419	0.024
42342	364420	<0.005

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
42343	364421	0.045
42344	364421 Dup	0.051
42345	364422	0.035
42346	364423	0.041
42347	364424	0.041
42348	364425	0.020
42349	364426	0.014
42350	364427	2.584
42351	364428	0.170
42352	364429	0.522
42353	364430	1.159
42354	364431	0.112
42355	364431 Dup	0.165
42356	364432	0.299
42357	364433	0.052
42358	364434	0.074
42359	364435	0.100
42360	364436	0.204
42361	364437	0.139
42362	364438	0.034
42363	364439	0.072
42364	364440	<0.005
42365	364441	0.346
42366	364441 Dup	0.388
42367	364442	0.081

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
42368	364443	0.058
42369	364444	0.053
42370	364445	0.130
42371	364446	0.047
42372	364447	0.037
42373	364448	0.019
42374	364449	0.334
42375	364450	4.926
42376	364451	0.045
42377	364451 Dup	0.032
42378	364452	0.220
42379	364453	0.048
42380	364454	0.070
42381	364455	0.016
42382	364456	0.014
42383	364457	0.014
42384	364458	0.103
42385	364459	0.088
42386	364460	<0.005
42387	364461	0.156
42388	364461 Dup	0.166
42389	364462	0.082
42390	364463	0.343
42391	364464	0.075
42392	364465	0.055

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Validated By:

Jesse Deschutter, Wet Lab Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
42393	364466	0.096
42394	364467	0.047
42395	364468	0.296
42396	364469	0.011
42397	364470	0.438
42398	364471	0.013
42399	364471 Rep	0.015
42400	364472	0.081
42401	364473	0.079
42402	364474	0.069
42403	364475	0.169
42404	364476	0.211
42405	364477	0.327
42406	364478	1.276
42407	364479	0.097
42408	364480	<0.005
42409	364481	0.142
42410	364481 Dup	0.164
42411	364482	0.542
42412	364483	0.082
42413	364484	0.138
42414	364485	0.263
42415	364486	0.135
42416	364487	0.230
42417	364488	0.290

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
42418	364489	0.658
42419	364490	1.256
42420	364491	0.417
42421	364491 Dup	0.454
42422	364492	0.174
42423	364493	1.001
42424	364494	1.085
42425	364495	0.627
42426	364496	0.118
42427	364497	0.055
42428	364498	0.076
42429	364499	<0.005
42430	364500	0.015
42431	364501	0.069
42432	364501 Dup	0.068
42433	364502	0.202
42434	364503	1.140
42435	364504	0.045
42436	364505	0.182
42437	364506	0.053
42438	364507	0.324
42439	364508	0.369
42440	364509	0.298
42441	364510	5.028
42442	364511	0.140

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
42443	364511 Dup	0.148
42444	364512	0.224
42445	364513	0.253
42446	364514	0.077
42447	364515	0.070
42448	364516	0.990
42449	364517	0.027
42450	364518	0.020
42451	364519	<0.005
42452	364520	<0.005
42453	364521	0.006
42454	364521 Dup	0.006
42455	364522	0.011
42456	364523	0.011
42457	364524	0.237
42458	364525	0.051
42459	364526	0.035
42460	364527	0.101
42461	364528	0.167
42462	364529	0.016
42463	364530	0.421
42464	364531	0.119
42465	364531 Rep	0.108
42466	364532	0.082
42467	364533	0.166

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
42468	364534	0.072
42469	364535	0.131
42470	364536	0.153
42471	364537	1.521
42472	364538	0.025
42473	364539	0.150

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.660	1.729	0.121
GS35	0.766	0.886	0.071
GS35	0.788	0.886	0.071
GS35	0.878	0.886	0.071
GS35	0.841	0.886	0.071
GS35	0.877	0.886	0.071
GS35	0.778	0.886	0.071
GS35	0.700	0.886	0.071

APPLIED SCOPES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Validated By:
Jesse Deschutter, Wet Lab Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42268	364352	<1	3.93	52	777	<2	9	2.58	<4	9	22	27	1.98	0.53	5	0.47	1139	<1	35	462	52	1.24	<5	14	<10	488	2024	<2	38	<10	3	384
42269	364353	<1	5.42	50	878	<2	<1	2.94	<4	9	23	31	1.87	0.08	7	0.54	1268	<1	35	511	56	1.17	<5	18	<10	542	2018	<2	38	<10	4	383
42270	364354	1	6.37	57	1024	<2	1	2.81	8	11	27	176	2.32	0.06	11	0.74	1411	<1	32	600	72	1.29	<5	16	<10	563	2094	<2	45	43	4	3664
42271	364355	<1	6.87	56	944	<2	12	3.25	<4	10	30	141	2.07	<0.01	12	0.74	1709	<1	38	616	58	1.18	<5	25	<10	613	2222	<2	44	17	4	1120
42272	364356	22	6.53	54	1024	<2	17	3.26	53	12	27	350	2.81	0.05	19	1.41	2242	8	39	575	65	1.00	<5	22	<10	596	2060	2	50	185	4	15143
42273	364357	<1	6.28	24	914	<2	3	3.25	<4	9	26	43	1.95	<0.01	12	0.86	1125	<1	38	554	50	0.47	<5	7	<10	627	2075	<2	40	<10	4	525
42274	364358	<1	6.52	24	819	<2	7	3.52	<4	11	28	34	2.11	<0.01	9	0.69	1081	<1	41	569	39	0.54	<5	17	<10	601	2296	<2	43	<10	5	140
42275	364359	<1	4.91	35	588	<2	5	2.02	<4	7	32	22	1.47	0.10	11	0.66	583	1	30	325	60	0.71	<5	13	<10	189	1350	<2	24	<10	3	90
42276	364360	<1	3.92	22	614	<2	13	3.12	<4	15	58	53	3.71	0.05	7	1.17	726	<1	63	623	11	0.09	<5	6	<10	310	2919	<2	111	<10	13	24
42277	364361	<1	5.32	42	871	<2	23	2.00	<4	10	52	46	1.61	<0.01	9	0.42	385	<1	46	374	67	1.00	<5	20	<10	193	1769	<2	44	<10	5	180
42278D	364361	<1	5.69	41	872	<2	10	2.05	<4	11	51	44	1.45	<0.01	10	0.40	364	<1	48	363	65	0.89	<5	6	<10	193	1648	<2	41	<10	5	156
42279	364362	<1	4.32	32	888	<2	3	2.42	<4	7	33	33	0.76	0.23	3	0.21	320	<1	41	349	61	0.43	<5	15	<10	194	1388	<2	34	<10	3	142
42280	364363	<1	5.25	32	818	<2	13	2.62	<4	9	38	31	0.73	0.17	6	0.19	312	3	45	439	37	0.31	<5	25	<10	271	1959	<2	41	<10	3	24
42281	364364	<1	6.92	31	720	<2	5	1.63	<4	8	30	20	0.45	0.19	4	0.15	116	<1	40	448	29	0.14	<5	7	<10	214	1940	<2	37	<10	3	369
42282	364365	<1	6.67	29	656	<2	3	1.91	<4	6	30	12	0.41	0.18	4	0.13	112	<1	41	409	17	0.13	<5	20	<10	222	1755	<2	34	<10	3	72
42283	364366	<1	6.61	25	669	<2	<1	1.84	<4	6	28	11	0.38	0.12	4	0.12	105	<1	37	399	19	0.12	<5	22	<10	220	1752	<2	34	<10	3	56
42284	364367	<1	6.43	42	634	<2	11	2.54	<4	8	29	22	0.99	0.18	8	0.17	255	<1	42	403	14	0.42	<5	25	<10	239	1713	<2	33	<10	4	2
42285	364368	<1	5.26	29	567	<2	3	1.96	<4	6	26	16	0.62	<0.01	7	0.16	145	<1	25	348	25	0.25	<5	17	<10	221	1368	<2	29	<10	3	72
42286	364369	<1	5.82	27	624	<2	14	2.04	<4	7	24	21	0.54	0.07	7	0.17	138	<1	38	363	31	0.20	<5	27	<10	237	1445	<2	32	<10	3	32
42287	364370	<1	3.96	31	690	<2	8	2.71	<4	14	51	202	3.67	0.06	8	1.00	647	8	64	603	14	0.10	<5	16	<10	300	2610	<2	100	12	12	27

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42288	364371	<1	6.48	38	783	<2	3	1.13	<4	10	28	20	0.74	<0.01	7	0.22	125	<1	38	454	16	0.25	<5	17	<10	183	1833	<2	39	<10	3	51
42289D	364371	<1	6.06	34	757	<2	8	1.02	<4	9	28	16	0.67	<0.01	6	0.19	111	<1	43	435	17	0.24	<5	17	<10	173	1755	<2	37	<10	3	55
42290	364372	<1	6.03	29	680	<2	10	0.83	<4	8	22	8	0.56	<0.01	3	0.16	<100	<1	34	443	9	0.27	<5	28	<10	134	1727	<2	34	<10	3	<1
42291	364373	<1	5.95	30	687	<2	<1	0.96	<4	8	24	9	0.58	0.50	1	0.18	<100	<1	37	432	9	0.28	<5	21	<10	175	1671	<2	34	<10	3	6
42292	364374	<1	6.62	31	803	<2	14	1.98	<4	9	24	15	0.52	0.47	6	0.23	128	<1	35	458	18	0.18	<5	24	<10	313	1882	<2	39	<10	3	<1
42293	364375	<1	7.86	24	923	<2	30	1.78	<4	7	28	10	0.49	0.43	9	0.23	110	<1	39	499	33	0.07	5	23	10	376	2051	<2	43	<10	3	<1
42294	364376	<1	6.68	20	898	<2	18	3.97	<4	9	29	22	2.19	0.33	15	0.89	514	<1	38	599	33	0.17	<5	17	<10	372	1969	<2	38	11	4	70
42295	364377	<1	6.83	21	818	<2	15	3.07	<4	9	32	11	1.84	0.39	19	1.12	776	<1	26	551	38	0.24	5	16	<10	160	2208	<2	37	<10	5	41
42296	364378	<1	6.22	30	793	<2	9	3.12	<4	10	25	32	1.84	0.30	17	1.15	822	<1	38	518	199	0.46	<5	19	<10	134	2031	<2	34	<10	4	511
42297	364379	2	5.21	24	814	<2	<1	2.12	<4	9	26	32	1.43	<0.01	13	0.82	660	<1	37	491	284	0.49	<5	14	<10	125	1811	<2	33	12	4	699
42298	364380	<1	4.06	20	656	<2	<1	3.23	<4	16	59	56	3.84	0.10	8	1.22	770	<1	69	651	13	0.09	<5	6	<10	316	3153	<2	114	<10	13	39
42299	364381	<1	6.60	39	1055	<2	3	2.12	<4	11	35	18	1.73	<0.01	17	0.82	601	<1	43	567	108	0.75	<5	8	<10	150	2259	<2	41	<10	5	210
42300D	364381	<1	6.88	34	1069	<2	26	2.15	<4	12	31	17	1.68	<0.01	18	0.81	586	<1	40	573	108	0.86	<5	20	17	149	2195	<2	38	<10	4	207
42301	364382	<1	6.29	27	1076	<2	11	1.97	<4	11	28	22	2.00	0.20	18	0.63	458	<1	46	513	211	1.03	<5	26	<10	179	2129	<2	39	12	4	383
42302	364383	<1	3.72	14	751	<2	2	3.03	<4	6	28	19	1.44	0.88	18	0.91	976	<1	38	523	93	0.15	5	8	<10	191	1476	<2	23	52	3	158
42303	364384	<1	5.25	35	735	<2	7	1.49	<4	4	20	14	0.94	<0.01	10	0.55	395	<1	30	273	64	0.49	<5	17	<10	124	1109	<2	16	<10	2	242
42304	364385	<1	6.17	36	806	<2	<1	1.82	<4	5	31	11	1.08	0.43	12	0.86	565	2	65	289	31	0.29	<5	25	10	131	1176	<2	29	<10	3	78
42305	364386	<1	6.06	33	778	<2	1	1.84	<4	5	34	11	1.11	0.44	12	0.93	646	3	75	288	32	0.28	<5	23	<10	133	1153	<2	29	<10	3	140
42306	364387	<1	7.05	34	907	<2	12	1.98	<4	5	35	13	1.31	0.48	12	1.08	640	2	77	313	43	0.34	<5	18	<10	150	1176	<2	33	14	3	825
42307	364388	<1	5.76	19	796	<2	6	2.43	<4	4	41	15	1.23	0.09	10	0.80	614	4	81	298	28	0.15	<5	19	<10	182	1160	<2	33	<10	3	67

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42308	364389	<1	5.34	28	737	<2	7	2.12	<4	4	38	25	1.05	0.12	11	0.72	877	4	78	261	151	0.23	<5	20	<10	199	1009	<2	28	<10	2	103
42309	364390	135	4.56	31	613	<2	5	3.57	5	15	40	100	4.94	<0.01	4	1.09	868	<1	47	575	14495	0.13	104	<5	<10	322	2750	<2	133	<10	14	293
42310	364391	<1	5.54	29	877	<2	18	1.89	<4	5	51	56	1.28	0.12	14	0.62	859	7	94	296	483	0.26	<5	19	<10	208	1169	<2	40	11	3	579
42311D	364391	<1	4.41	29	758	<2	7	1.60	<4	4	41	47	1.01	0.14	10	0.53	720	5	87	251	190	0.21	<5	6	<10	180	975	<2	32	<10	2	468
42312	364392	<1	4.45	32	776	<2	5	1.26	<4	4	24	18	1.06	0.91	7	0.41	467	2	57	256	124	0.62	<5	<5	<10	170	1005	<2	23	<10	2	99
42313	364393	<1	3.84	34	628	<2	<1	1.32	<4	5	35	29	1.10	0.48	5	0.47	483	3	67	255	288	0.51	<5	5	<10	154	858	<2	29	<10	2	276
42314	364394	<1	3.68	19	543	<2	7	2.40	<4	18	148	152	3.72	0.19	19	1.34	1558	5	111	500	171	0.23	<5	6	<10	180	1763	<2	81	<10	7	245
42315	364395	<1	3.75	22	598	<2	<1	1.71	<4	22	147	162	4.06	0.35	22	1.34	1282	4	119	550	309	0.22	5	9	<10	160	2641	<2	106	<10	8	140
42316	364396	<1	4.68	21	579	<2	<1	1.87	<4	20	146	97	3.37	0.42	17	1.30	1008	6	132	510	119	0.19	<5	15	<10	173	2296	<2	96	<10	8	61
42317	364397	<1	5.37	23	691	<2	4	1.75	<4	21	161	57	3.77	0.21	22	1.67	1009	9	150	595	75	0.13	<5	16	<10	166	2683	<2	111	<10	10	20
42318	364398	<1	5.62	21	785	<2	2	1.64	<4	23	152	99	3.99	0.19	21	1.59	999	3	135	595	69	0.21	<5	9	<10	160	2903	<2	121	<10	10	4
42319	364399	<1	4.98	21	722	<2	10	1.50	<4	16	108	65	2.84	0.46	20	1.39	825	2	102	477	56	0.16	5	10	<10	155	2069	<2	83	<10	8	33
42320	364400	<1	4.42	25	642	<2	37	3.28	<4	17	62	53	3.92	0.17	8	1.25	760	2	57	656	12	0.08	6	<5	<10	321	3096	<2	117	11	13	22
42321	364401	<1	6.80	58	821	<2	<1	1.12	<4	13	43	17	2.05	0.26	13	0.48	294	4	86	566	113	1.06	<5	13	<10	133	1609	<2	57	<10	5	227
42322D	364401	<1	6.14	58	773	<2	16	1.04	<4	12	39	14	1.78	0.19	12	0.42	259	5	71	510	98	0.82	<5	18	<10	123	1431	<2	51	10	4	204
42323	364402	<1	5.82	23	703	<2	11	2.04	<4	7	34	23	2.04	0.15	16	0.94	668	2	64	515	44	0.17	<5	18	<10	150	1716	<2	47	<10	4	51
42324	364403	<1	6.40	35	805	<2	<1	1.47	<4	10	44	16	1.62	<0.01	11	0.46	330	6	96	520	42	0.64	<5	14	<10	128	1839	<2	54	<10	4	51
42325	364404	<1	5.06	22	780	<2	18	2.64	<4	9	37	17	1.97	1.05	12	0.78	580	2	68	505	39	0.18	<5	15	<10	170	2152	<2	48	<10	4	33
42326	364405	<1	5.01	23	854	<2	4	2.65	<4	8	35	32	1.96	0.39	14	0.84	690	4	82	758	93	0.16	<5	10	<10	156	2126	<2	48	<10	4	162
42327	364406	<1	3.89	21	924	<2	9	2.83	<4	9	47	36	2.36	<0.01	17	0.82	806	6	96	790	70	0.19	<5	12	<10	160	2390	<2	57	10	3	139

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42328	364407	<1	6.22	41	746	<2	8	2.95	<4	7	36	34	1.97	0.39	13	1.01	1090	1	70	627	66	0.19	<5	12	<10	179	2110	<2	44	<10	4	220
42329	364408	<1	8.49	35	860	<2	<1	3.07	<4	8	47	20	1.76	0.52	19	1.10	896	6	97	662	321	0.32	<5	31	<10	192	2054	<2	52	<10	5	135
42330	364409	<1	5.90	37	730	<2	11	2.50	<4	7	35	30	1.54	0.57	13	0.82	717	3	70	566	45	0.27	5	8	<10	156	1999	<2	41	<10	4	23
42331	364410	<1	5.71	68	553	<2	15	1.97	4	15	36	2287	5.11	0.19	27	0.78	1104	14	50	748	83	2.21	5	10	<10	228	1201	<2	62	12	7	572
42332	364411	<1	6.40	35	663	<2	17	2.48	<4	8	34	94	1.86	0.21	15	0.84	684	4	74	552	38	0.41	<5	13	<10	151	2058	<2	48	<10	4	55
42333R	364411	<1	5.96	32	675	<2	8	2.50	<4	8	36	43	1.71	0.16	15	0.83	691	3	78	572	35	0.28	<5	19	<10	149	2106	<2	48	<10	4	39
42334	364412	<1	5.75	59	824	<2	5	1.82	13	7	44	223	1.91	0.69	12	0.65	456	6	88	550	380	0.71	<5	22	<10	127	1945	<2	46	37	4	3153
42335	364413	<1	4.92	37	833	<2	<1	2.33	<4	6	34	29	1.39	0.92	10	0.81	648	2	65	507	66	0.29	<5	17	<10	138	1890	<2	40	<10	3	208
42336	364414	<1	5.62	44	791	<2	<1	2.37	<4	8	42	45	1.71	0.90	12	0.82	717	5	77	544	79	0.35	<5	20	<10	140	2025	<2	47	10	3	425
42337	364415	<1	5.90	45	861	<2	<1	2.11	<4	7	48	32	1.58	0.83	11	0.70	580	5	79	551	100	0.41	<5	20	<10	136	1935	<2	45	<10	3	108
42338	364416	9	4.70	82	724	<2	12	2.12	24	7	38	629	3.25	0.80	10	0.74	557	3	66	446	4758	1.17	429	20	<10	133	1530	<2	35	97	4	8695
42339	364417	<1	4.30	38	942	<2	<1	2.37	<4	5	30	30	1.55	0.74	16	0.84	776	1	28	471	186	0.50	16	13	<10	152	1812	<2	30	<10	3	286
42340	364418	<1	8.17	50	1166	2	20	2.60	<4	17	38	43	2.13	0.82	24	0.85	729	2	46	578	135	0.73	9	25	<10	237	2683	<2	41	<10	3	138
42341	364419	<1	5.28	42	707	<2	3	1.50	<4	22	21	17	1.50	0.21	16	0.63	532	<1	48	454	35	0.64	<5	20	<10	178	1860	<2	32	<10	2	49
42342	364420	<1	2.26	21	563	<2	7	2.83	<4	15	52	54	3.45	<0.01	7	0.99	684	1	53	583	12	0.09	<5	5	<10	281	2785	<2	102	10	10	304
42343	364421	<1	4.77	46	604	<2	10	1.55	<4	22	25	20	1.30	0.09	13	0.73	565	<1	61	481	33	0.43	<5	19	<10	192	1678	<2	33	<10	3	187
42344D	364421	<1	5.13	47	661	<2	<1	1.63	<4	25	27	21	1.45	0.06	16	0.76	647	<1	65	532	34	0.39	<5	21	<10	209	1865	<2	36	<10	3	204
42345	364422	<1	6.45	48	830	<2	2	1.46	<4	24	24	14	1.25	0.64	16	0.49	324	4	57	489	40	0.57	<5	21	<10	223	1898	<2	31	<10	2	42
42346	364423	<1	4.97	51	746	<2	5	1.73	<4	30	35	18	1.67	0.54	15	0.62	568	3	66	501	32	0.52	<5	23	<10	235	1868	<2	34	<10	3	52
42347	364424	<1	5.82	57	657	<2	6	1.43	<4	43	24	35	1.53	0.75	13	0.55	441	<1	66	440	33	0.54	<5	15	<10	210	1647	<2	32	<10	2	112

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42348	364425	<1	5.23	28	537	<2	2	2.09	<4	5	36	14	1.04	0.77	12	0.70	480	2	32	367	17	0.19	<5	11	<10	153	1643	<2	27	<10	3	4
42349	364426	<1	5.29	25	542	<2	<1	2.15	<4	4	39	15	1.03	0.80	12	0.67	465	2	36	360	18	0.15	<5	14	<10	152	1601	<2	26	<10	3	1
42350	364427	<1	5.47	43	574	<2	3	1.51	<4	4	31	20	1.18	0.77	11	0.51	328	<1	28	366	64	0.44	<5	18	<10	122	1627	<2	27	<10	2	25
42351	364428	<1	5.22	35	574	<2	7	1.77	<4	5	32	12	1.12	0.53	14	0.63	457	<1	37	411	27	0.41	<5	24	<10	128	1762	<2	29	<10	2	20
42352	364429	<1	5.34	35	556	<2	7	1.74	<4	5	37	30	1.09	0.46	12	0.64	554	1	35	399	79	0.29	<5	5	<10	113	1665	<2	26	<10	3	190
42353	364430	<1	3.47	30	704	<2	14	2.76	<4	15	53	195	3.70	0.17	9	0.94	659	9	67	589	18	0.11	<5	<5	<10	299	2616	<2	100	<10	11	35
42354	364431	<1	5.39	33	580	<2	<1	2.28	<4	6	29	21	1.12	0.41	14	0.78	651	<1	30	416	58	0.27	<5	14	<10	128	1819	<2	30	11	3	88
42355D	364431	<1	7.74	40	668	<2	23	2.73	<4	8	38	19	1.33	0.39	22	0.91	781	2	36	518	76	0.33	9	15	<10	148	2023	<2	35	<10	3	133
42356	364432	4	4.37	41	518	<2	<1	1.26	11	6	38	98	1.46	<0.01	8	0.51	396	1	34	383	1497	0.33	15	27	<10	89	1577	<2	25	35	2	3131
42357	364433	<1	3.47	32	572	<2	7	2.11	<4	5	25	22	1.23	0.33	11	0.60	534	<1	30	361	66	0.26	<5	16	<10	125	1591	<2	25	<10	2	85
42358	364434	<1	3.95	36	638	2	<1	2.43	<4	7	34	22	1.37	0.73	14	0.79	682	<1	36	385	45	0.38	<5	19	<10	152	2056	<2	33	<10	2	107
42359	364435	<1	5.07	42	566	<2	10	1.69	<4	6	33	18	1.35	0.90	10	0.66	527	1	28	365	52	0.56	<5	15	<10	113	1722	<2	28	<10	2	56
42360	364436	<1	5.64	51	548	<2	9	1.62	<4	8	42	43	1.57	0.89	16	0.78	501	2	30	408	142	0.48	7	19	<10	115	1816	<2	31	<10	3	224
42361	364437	<1	3.53	62	342	<2	7	1.45	<4	10	32	28	1.78	0.88	5	0.97	662	<1	40	435	47	0.55	8	17	<10	104	1934	<2	34	<10	4	123
42362	364438	<1	3.34	38	524	<2	6	2.41	<4	6	28	17	1.34	0.83	12	0.85	812	<1	27	336	73	0.32	<5	11	<10	138	1644	<2	27	<10	2	34
42363	364439	<1	3.89	30	729	<2	1	3.07	<4	14	126	202	2.63	0.84	16	1.02	757	4	68	557	32	0.42	<5	<5	<10	197	2393	<2	69	<10	8	23
42364	364440	<1	4.13	22	675	<2	<1	3.44	<4	17	63	60	3.99	0.18	9	1.19	777	<1	70	659	12	0.09	6	15	<10	328	3140	<2	119	<10	13	33
42365	364441	<1	4.04	34	660	<2	4	2.93	<4	19	139	95	3.32	0.58	17	0.90	930	2	80	536	33	0.58	<5	<5	<10	195	2793	<2	87	<10	9	74
42366D	364441	<1	4.03	37	660	<2	<1	2.91	<4	19	141	98	3.37	0.43	17	0.89	950	3	82	549	38	0.53	<5	13	<10	192	2835	<2	87	<10	9	73
42367	364442	<1	2.98	46	635	<2	9	1.61	<4	8	43	59	1.60	<0.01	9	0.47	503	<1	37	499	33	0.51	<5	5	<10	130	2051	<2	42	<10	3	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42368	364443	<1	2.58	56	647	<2	<1	1.83	<4	11	44	41	1.53	0.08	10	0.57	552	<1	41	488	36	0.37	<5	9	<10	137	2001	<2	43	<10	3	57
42369	364444	<1	5.17	59	788	<2	<1	2.58	<4	9	27	44	1.93	0.17	13	0.78	720	<1	37	703	43	0.60	<5	11	<10	153	2181	<2	40	<10	4	84
42370	364445	<1	4.16	37	889	<2	<1	2.40	<4	9	42	38	2.26	0.71	13	0.70	688	3	32	630	32	0.32	5	14	<10	142	2408	<2	42	<10	3	48
42371	364446	<1	4.49	40	837	<2	<1	2.25	<4	8	40	39	2.10	0.90	11	0.73	647	2	37	579	23	0.32	<5	21	<10	135	2255	<2	39	<10	4	47
42372	364447	<1	4.50	46	780	<2	7	2.17	<4	11	27	16	2.06	0.85	12	0.79	643	<1	24	523	53	0.68	<5	15	<10	132	2047	<2	37	<10	3	117
42373	364448	<1	4.22	41	780	<2	4	2.51	<4	10	26	15	1.82	1.00	10	0.99	685	<1	35	486	34	0.39	<5	6	<10	130	2002	<2	34	<10	3	46
42374	364449	14	0.08	43	300	<2	<1	>10.00	40	4	16	839	4.06	<0.01	2	5.48	4750	<1	27	300	4854	0.90	19	7	12	153	707	2	21	166	6	12840
42375	364450	106	4.43	24	614	<2	16	3.57	5	15	39	98	4.75	0.05	4	1.04	829	2	48	547	14772	0.12	97	<5	10	313	2620	<2	127	11	13	318
42376	364451	<1	5.44	38	811	<2	2	2.92	<4	9	32	27	2.08	0.43	15	1.06	709	2	39	569	132	0.60	<5	18	<10	144	1985	<2	35	<10	4	47
42377D	364451	<1	4.82	35	831	<2	5	2.97	<4	9	32	28	2.13	0.49	15	1.00	721	<1	40	556	59	0.58	<5	11	<10	146	2005	<2	35	<10	4	35
42378	364452	<1	4.15	22	637	<2	2	2.05	<4	24	160	72	4.12	0.37	24	1.41	671	2	95	566	43	0.18	6	6	<10	136	2851	<2	105	<10	6	71
42379	364453	<1	3.54	32	625	<2	<1	1.98	<4	24	159	51	3.96	0.25	19	1.09	611	<1	86	505	50	0.53	<5	<5	<10	127	2643	<2	100	<10	7	53
42380	364454	<1	3.60	41	649	<2	<1	2.77	<4	22	178	65	3.71	0.20	15	1.25	742	3	83	538	112	0.55	<5	6	<10	142	2827	<2	87	<10	10	177
42381	364455	<1	3.58	26	712	<2	4	2.79	<4	8	32	11	1.78	0.27	14	0.82	634	<1	38	532	25	0.57	<5	14	<10	148	1882	<2	36	<10	3	40
42382	364456	<1	3.59	33	893	<2	15	2.84	<4	9	31	13	1.88	0.75	13	0.69	551	<1	37	483	29	0.64	<5	7	<10	136	1992	<2	38	<10	3	50
42383	364457	<1	3.51	34	895	<2	<1	3.17	<4	9	36	11	1.92	1.10	18	1.07	783	<1	36	503	71	0.56	<5	12	<10	141	2318	<2	43	<10	4	134
42384	364458	<1	4.44	29	472	<2	6	1.89	<4	8	24	11	1.63	0.86	15	1.20	699	<1	34	463	25	0.45	<5	9	<10	99	1890	<2	34	<10	6	39
42385	364459	<1	4.93	50	509	<2	10	1.87	<4	8	25	14	2.14	0.81	19	1.35	799	<1	35	515	100	0.92	<5	14	<10	98	1855	<2	37	<10	6	387
42386	364460	<1	4.54	17	337	<2	8	2.38	<4	15	53	50	3.73	0.70	10	1.34	726	2	63	589	7	0.08	<5	<5	10	280	2867	<2	110	<10	17	30
42387	364461	<1	5.99	45	514	<2	10	1.49	<4	8	26	14	1.90	0.54	20	1.19	550	2	31	549	69	0.82	<5	15	<10	101	2101	<2	40	<10	7	209

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42388D	364461	<1	4.57	48	452	<2	<1	1.27	<4	7	21	11	1.65	0.68	18	1.00	485	<1	29	500	57	0.68	7	9	<10	91	1906	<2	35	<10	6	183
42389	364462	<1	3.53	39	356	<2	19	2.86	<4	9	41	26	2.43	0.52	14	1.55	953	1	41	525	40	0.76	<5	17	<10	144	1689	<2	44	32	8	330
42390	364463	<1	5.16	31	203	<2	13	1.55	<4	18	126	222	3.59	0.49	19	2.48	1008	3	76	487	35	0.34	<5	<5	<10	102	1814	<2	72	14	13	790
42391	364464	<1	4.11	28	294	<2	4	1.42	<4	15	83	122	3.29	0.33	20	2.18	977	3	60	509	43	0.26	5	<5	<10	106	1865	<2	57	<10	9	142
42392	364465	1	0.68	33	165	<2	11	8.54	16	6	20	156	2.71	0.21	6	3.90	3225	<1	41	276	382	0.59	<5	<5	<10	126	884	5	22	54	10	4574
42393	364466	1	<0.01	35	153	<2	2	7.96	14	5	18	165	2.42	0.44	5	3.64	3060	<1	37	257	402	0.52	<5	<5	<10	109	851	7	21	45	9	4069
42394	364467	<1	3.18	35	347	<2	5	1.61	<4	10	35	22	2.29	0.68	21	1.78	802	<1	45	464	75	0.30	<5	8	<10	93	1917	<2	43	<10	6	156
42395	364468	4	4.11	56	382	<2	9	3.14	8	14	89	298	3.21	0.80	25	2.69	1483	3	50	554	1191	0.48	8	13	<10	135	1986	<2	59	28	10	2082
42396	364469	<1	4.60	29	369	<2	3	2.52	<4	8	27	18	1.74	0.94	25	1.91	770	<1	33	465	49	0.22	<5	17	<10	121	1814	<2	34	<10	7	59
42397	364470	<1	4.44	63	240	<2	12	1.07	4	15	33	2347	5.38	0.81	29	0.92	1163	17	48	699	82	1.91	<5	20	<10	198	1175	<2	64	14	9	610
42398	364471	<1	4.69	27	369	2	15	2.62	<4	8	27	61	2.02	0.78	24	2.10	724	2	33	493	18	0.31	<5	5	<10	113	1869	<2	36	<10	7	22
42399R	364471	<1	4.96	33	382	2	10	2.74	<4	9	31	15	2.05	0.61	25	2.18	748	2	35	499	18	0.27	5	<5	10	112	1912	<2	37	<10	7	11
42400	364472	<1	3.94	40	386	<2	4	1.50	5	13	83	26	2.60	0.52	25	1.79	681	4	60	514	61	0.39	<5	6	<10	92	1800	<2	64	15	6	924
42401	364473	<1	4.07	26	147	2	5	0.47	<4	16	122	24	3.24	0.74	48	2.56	506	5	70	448	42	0.14	<5	17	12	62	1600	<2	65	<10	9	168
42402	364474	<1	5.53	21	224	2	18	0.73	<4	24	156	46	4.33	0.87	55	3.18	693	4	83	589	57	0.12	<5	11	<10	78	2435	<2	95	<10	12	131
42403	364475	<1	4.33	18	265	<2	3	1.11	<4	20	144	45	3.56	0.56	32	2.02	659	2	86	496	72	0.13	<5	11	10	88	2035	<2	91	<10	10	134
42404	364476	<1	5.74	29	351	2	11	0.97	6	20	167	107	4.24	0.40	29	1.90	663	6	85	532	257	0.26	7	<5	10	96	2130	<2	96	24	10	1929
42405	364477	<1	4.38	22	209	<2	14	0.39	<4	16	154	148	3.76	0.33	24	2.02	567	7	81	528	74	0.28	<5	11	<10	65	1763	<2	80	<10	11	161
42406	364478	12	3.84	42	257	<2	<1	0.12	25	12	64	264	3.10	0.32	10	0.63	187	7	57	491	2035	0.44	12	<5	<10	60	929	<2	34	86	8	8422
42407	364479	<1	4.15	30	389	<2	5	0.32	<4	7	51	38	1.58	0.23	15	1.17	305	3	40	432	126	0.16	<5	12	<10	64	1113	<2	26	<10	7	262

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42408	364480	<1	4.13	17	353	<2	5	2.43	<4	16	56	52	3.87	0.06	10	1.29	747	3	57	610	5	0.07	<5	15	<10	289	2995	<2	115	<10	16	36
42409	364481	<1	5.29	23	434	<2	8	0.35	<4	9	70	31	1.68	<0.01	16	1.01	270	6	46	519	73	0.16	<5	24	<10	62	1595	<2	49	10	8	255
42410D	364481	<1	4.44	22	445	<2	10	0.27	<4	9	70	31	1.64	0.12	16	0.94	261	7	47	510	75	0.18	<5	8	<10	55	1567	<2	49	<10	7	268
42411	364482	<1	3.34	31	313	2	14	1.00	<4	8	45	20	1.86	0.23	13	1.00	415	6	34	424	101	0.30	<5	12	<10	74	1586	<2	35	<10	5	168
42412	364483	<1	3.86	48	243	<2	11	0.94	<4	15	110	37	2.75	0.61	17	1.44	559	2	66	445	60	0.35	<5	10	<10	72	1749	<2	63	<10	8	49
42413	364484	<1	5.53	55	277	2	12	0.80	<4	18	159	63	3.55	0.51	20	1.67	673	2	79	552	82	0.56	<5	11	<10	72	1982	<2	90	<10	11	96
42414	364485	<1	4.16	89	167	<2	10	0.35	4	21	123	139	3.47	0.42	10	0.67	239	5	77	347	119	0.72	<5	5	<10	61	1085	<2	58	16	10	946
42415	364486	<1	4.43	32	182	<2	9	0.45	<4	16	123	43	3.15	0.48	17	1.50	424	2	75	405	85	0.35	<5	<5	<10	61	1444	<2	72	<10	9	133
42416	364487	<1	4.30	35	193	<2	17	0.36	<4	18	121	36	3.38	0.38	18	1.62	435	2	77	425	71	0.39	<5	10	10	58	1509	<2	78	<10	8	114
42417	364488	<1	5.09	76	256	<2	16	0.22	<4	15	141	28	2.96	0.26	17	1.03	315	4	75	451	80	0.58	5	20	<10	62	1281	<2	75	<10	9	69
42418	364489	<1	4.29	42	219	<2	12	0.33	15	18	132	59	3.52	0.28	28	1.91	578	2	78	458	110	0.30	<5	18	10	61	1747	<2	77	53	8	4671
42419	364490	<1	4.05	28	427	<2	18	1.97	<4	15	52	206	3.96	0.22	10	1.18	696	9	64	592	9	0.10	<5	<5	<10	279	2695	<2	107	12	15	138
42420	364491	<1	4.14	48	224	<2	<1	0.28	<4	18	129	81	3.84	0.16	22	1.78	523	3	84	549	63	0.43	<5	9	<10	69	1576	<2	82	10	10	430
42421D	364491	<1	3.59	43	209	<2	<1	0.21	<4	16	139	77	3.69	0.16	21	1.68	504	4	79	534	61	0.39	<5	<5	11	62	1471	<2	79	<10	9	424
42422	364492	<1	4.99	23	182	<2	5	0.26	<4	20	146	38	4.18	0.04	34	2.84	665	5	91	580	40	0.14	<5	<5	10	59	1982	<2	93	<10	12	124
42423	364493	<1	3.59	24	182	<2	17	0.58	<4	18	134	47	3.65	0.30	29	2.30	590	2	75	491	62	0.16	<5	13	<10	68	1977	<2	77	<10	9	62
42424	364494	9	5.30	114	300	<2	19	0.45	15	21	153	94	3.93	0.60	17	1.04	291	6	88	532	880	1.14	8	14	<10	74	1466	<2	89	45	9	3759
42425	364495	<1	4.80	40	348	2	11	0.39	<4	22	153	63	4.12	0.66	31	2.40	553	4	95	553	226	0.37	<5	<5	<10	73	2211	<2	109	<10	9	219
42426	364496	<1	3.90	53	306	2	25	0.27	<4	22	154	94	4.49	0.80	38	2.58	534	4	109	634	84	0.42	<5	11	10	66	2044	<2	106	<10	10	174
42427	364497	<1	5.07	29	276	2	4	0.79	<4	20	146	37	3.53	0.56	34	2.25	584	4	118	513	75	0.24	<5	10	<10	91	2054	<2	93	<10	10	105

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42428	364498	<1	8.14	48	407	<2	3	1.47	<4	11	78	22	2.39	1.13	31	1.63	403	7	100	537	44	0.48	<5	21	12	141	1585	<2	61	11	9	168
42429	364499	<1	5.38	36	297	<2	<1	1.86	<4	10	55	12	1.95	0.33	18	1.12	374	1	49	456	35	0.43	<5	17	<10	180	1489	<2	40	<10	7	39
42430	364500	<1	4.53	22	398	<2	15	2.68	<4	17	60	56	4.23	0.27	11	1.39	813	2	62	667	8	0.08	<5	7	10	316	3265	<2	125	<10	17	31
42431	364501	<1	4.38	31	300	<2	14	1.42	<4	20	154	59	3.70	0.22	22	1.42	655	3	83	550	46	0.27	<5	<5	<10	121	2366	<2	90	<10	10	93
42432D	364501	<1	5.07	34	293	<2	<1	1.39	<4	20	148	57	3.61	0.24	22	1.48	635	2	81	540	44	0.26	<5	<5	<10	117	2318	<2	88	<10	11	91
42433	364502	<1	4.05	25	277	2	6	0.48	<4	19	140	55	3.86	0.26	16	1.43	508	2	89	487	69	0.28	<5	12	<10	72	1819	<2	101	<10	7	89
42434	364503	13	4.86	85	236	<2	2	<0.01	5	14	125	68	2.47	<0.01	9	0.50	108	5	65	414	1288	0.52	12	12	<10	63	1205	<2	70	26	10	1841
42435	364504	13	4.24	97	208	<2	17	<0.01	4	15	116	61	2.48	0.02	8	0.48	102	3	62	387	1185	0.54	10	19	<10	60	1123	<2	64	23	9	1697
42436	364505	<1	4.39	23	227	<2	4	1.33	<4	20	153	53	3.77	0.66	20	1.53	600	2	82	447	110	0.18	<5	9	<10	101	2461	<2	93	<10	10	114
42437	364506	<1	4.59	23	224	<2	9	1.23	<4	23	140	46	3.85	0.69	22	1.55	576	3	82	427	53	0.15	<5	7	<10	102	2667	<2	88	<10	10	55
42438	364507	<1	6.45	25	194	<2	25	1.71	<4	21	136	46	3.99	0.71	25	1.83	633	3	85	488	42	0.18	<5	9	11	113	2790	<2	85	<10	13	53
42439	364508	<1	5.06	25	198	<2	6	0.88	<4	21	150	62	3.65	0.43	19	1.41	671	<1	94	441	58	0.21	<5	9	10	83	2614	<2	110	<10	11	60
42440	364509	<1	6.44	57	282	2	9	0.36	<4	9	48	28	1.75	0.44	15	0.69	299	4	36	519	92	0.50	<5	<5	<10	61	2099	<2	44	<10	9	111
42441	364510	106	5.07	26	322	<2	18	2.68	5	15	36	97	4.84	0.36	6	1.22	837	3	50	546	15025	0.12	92	<5	14	287	2680	<2	130	<10	18	287
42442	364511	<1	5.05	48	238	<2	16	1.60	<4	8	26	15	1.68	0.34	17	1.07	709	2	34	463	400	0.34	<5	9	<10	92	1883	<2	38	<10	7	63
42443D	364511	<1	4.35	45	225	<2	8	1.49	<4	8	24	14	1.55	0.33	17	0.97	679	<1	33	454	74	0.32	<5	11	<10	84	1815	<2	35	<10	6	57
42444	364512	<1	5.82	72	327	<2	3	0.69	<4	9	34	20	1.68	0.14	22	0.77	385	1	26	480	47	0.37	<5	13	<10	68	2044	<2	38	10	8	163
42445	364513	<1	4.20	69	325	2	10	1.70	4	12	54	62	2.41	0.18	17	1.08	708	2	42	476	190	0.44	6	21	<10	85	2004	<2	45	18	7	1081
42446	364514	<1	5.44	47	318	2	22	1.33	<4	8	27	29	1.57	0.17	21	0.92	535	1	32	475	44	0.25	<5	16	<10	80	1964	<2	37	12	7	184
42447	364515	<1	4.05	27	300	<2	8	2.20	<4	7	22	30	1.71	0.09	18	1.18	777	<1	33	486	45	0.15	<5	23	<10	91	1897	<2	37	10	6	182

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42448	364516	7	4.75	30	265	2	18	1.51	10	8	46	106	2.11	0.59	16	1.36	598	10	36	449	728	0.14	6	6	10	81	1659	<2	32	63	7	2506
42449	364517	<1	6.98	49	439	2	15	1.89	<4	9	33	12	2.46	0.38	21	1.88	540	2	30	557	78	0.57	<5	7	<10	119	2171	<2	41	12	8	436
42450	364518	<1	6.02	37	427	2	19	2.12	<4	9	34	9	2.11	0.68	21	1.74	508	1	34	530	28	0.26	<5	11	<10	121	2207	<2	41	<10	8	67
42451	364519	<1	6.30	25	384	<2	5	2.00	<4	9	28	7	1.79	0.46	23	1.69	421	<1	33	509	9	0.10	<5	15	<10	117	2250	<2	40	<10	8	23
42452	364520	<1	4.26	20	332	<2	16	2.32	<4	15	52	48	3.67	0.43	9	1.33	714	2	60	587	4	0.07	<5	15	<10	274	2871	<2	109	<10	17	24
42453	364521	<1	5.61	22	385	<2	<1	2.19	<4	10	28	9	1.90	0.51	24	1.57	470	<1	37	515	12	0.09	<5	21	<10	127	2277	<2	42	<10	8	25
42454D	364521	<1	4.35	21	347	<2	3	1.92	<4	8	26	8	1.69	0.60	22	1.32	423	1	35	478	10	0.10	5	12	<10	114	2093	<2	37	<10	6	23
42455	364522	<1	4.63	23	416	2	6	2.08	<4	9	30	7	1.84	0.26	22	1.19	425	<1	34	526	8	0.17	<5	18	<10	128	2301	<2	41	<10	6	17
42456	364523	<1	4.82	20	334	2	3	2.20	<4	9	23	8	1.88	0.06	21	1.24	386	<1	34	477	5	0.13	<5	8	11	131	1976	<2	38	<10	7	12
42457	364524	<1	4.47	35	295	<2	17	1.53	<4	8	22	17	1.50	0.16	18	1.05	422	<1	32	471	31	0.25	<5	16	<10	92	1952	<2	35	<10	6	119
42458	364525	<1	3.87	32	394	<2	<1	1.89	<4	9	37	12	1.88	0.14	20	1.07	540	3	35	492	59	0.27	5	8	<10	108	2053	<2	38	<10	5	17
42459	364526	<1	4.20	44	384	<2	<1	1.97	<4	8	25	13	1.78	0.12	21	1.15	551	<1	29	500	53	0.38	<5	<5	<10	107	2091	<2	38	<10	6	19
42460	364527	<1	4.98	44	331	2	11	2.02	<4	8	35	11	1.95	0.50	20	1.35	639	2	34	465	30	0.38	<5	14	10	102	2063	<2	38	<10	7	17
42461	364528	<1	5.71	67	324	<2	4	2.18	<4	10	35	8	2.65	0.57	23	1.70	724	2	38	515	28	0.83	<5	13	<10	109	2119	<2	40	11	8	192
42462	364529	<1	5.64	52	373	2	12	2.68	<4	8	34	6	2.02	0.52	22	1.64	626	2	28	533	12	0.50	<5	14	<10	147	2050	<2	41	<10	7	6
42463	364530	<1	5.30	58	222	<2	3	1.00	4	14	31	2191	4.99	0.45	27	0.93	1079	15	46	698	72	1.75	8	8	<10	188	1131	<2	60	12	11	554
42464	364531	<1	5.34	25	298	<2	8	2.12	<4	19	138	99	3.51	0.32	23	1.66	872	4	72	489	24	0.27	<5	12	<10	147	2353	<2	78	<10	13	47
42465R	364531	<1	5.43	24	336	<2	14	2.31	<4	20	145	51	3.73	0.35	24	1.74	934	3	72	533	29	0.22	<5	12	<10	152	2579	<2	84	<10	14	53
42466	364532	<1	6.48	156	254	2	16	1.74	5	24	170	71	4.54	0.15	34	1.97	825	7	138	561	32	0.22	<5	19	<10	146	2938	4	117	16	13	993
42467	364533	<1	>10.00	52	490	2	23	2.91	<4	26	171	73	4.49	0.62	33	1.86	805	12	162	661	42	0.48	9	24	14	214	2491	<2	125	18	17	400

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, February 19, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/12/2015
Date Completed: 02/19/2015
Job #: 201540500
Reference: TL15-385B
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42468	364534	<1	6.10	39	296	2	6	2.82	<4	21	147	94	3.92	0.15	20	1.64	893	6	122	595	274	0.48	<5	8	10	187	2461	<2	98	12	15	536
42469	364535	<1	6.31	21	374	<2	20	1.94	<4	24	179	113	4.24	0.12	30	1.41	799	7	141	606	68	0.22	<5	13	<10	161	3203	<2	122	<10	16	136
42470	364536	<1	5.21	31	386	2	6	1.19	<4	23	138	61	3.67	0.38	25	1.06	658	2	104	667	108	0.49	<5	13	<10	130	2776	<2	99	<10	14	107
42471	364537	<1	6.06	114	408	2	7	0.86	4	21	144	80	4.04	<0.01	28	1.05	623	5	118	518	588	1.10	<5	9	<10	125	2816	<2	99	18	16	1363
42472	364538	<1	5.02	26	282	<2	12	1.50	<4	21	173	65	3.99	0.13	32	1.35	644	9	142	565	66	0.20	<5	<5	<10	159	3090	<2	109	<10	13	181
42473	364539	<1	4.56	26	229	<2	9	2.42	<4	16	101	44	2.94	0.20	21	1.31	621	4	91	497	22	0.13	<5	<5	<10	179	2312	<2	72	<10	10	39

PROCEDURE CODES: ALP1, ALFA1, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-02/19/2015 10:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2015
Date Completed: 02/24/2015
Job #: 201540606
Reference: TL15-385B re assay
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
50851	364421	0.041
50852	364422	0.036
50853	364423	0.082
50854	364424	0.091
50855	364425	0.020
50856	364426	0.030
50857	364427	2.339
50858	364428	0.167
50859	364429	0.456
50860	364430	1.967
50861	364430	Insufficient Sample

APPLIED SCOPES: ALFA1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, February 25, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: gerry@treasurymetals.com, dennis@treasurymetals.com

Date Received: 02/20/2015
Date Completed: 02/24/2015
Job #: 201540606
Reference: TL15-385B re assay
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALFA1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15386

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Au g/t (ppm)
69321	366001	0.020
69322	366002	0.019
69323	366003	0.053
69324	366004	0.026
69325	366005	0.016
69326	366006	0.011
69327	366007	<0.005
69328	366008	<0.005
69329	366009	<0.005
69330	366010	0.392
69331	366010	Insufficient Sample
69332	366011	0.007
69333	366012	0.006
69334	366013	0.006
69335	366014	0.012
69336	366015	0.005
69337	366016	0.009
69338	366017	0.007
69339	366018	0.013
69340	366019	<0.005
69341	366020	<0.005
69342	366020	Insufficient Sample
69343	366021	0.009
69344	366022	0.009
69345	366023	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Au g/t (ppm)
69346	366024	0.014
69347	366025	0.023
69348	366026	0.025
69349	366027	0.038
69350	366028	0.166
69351	366029	0.024
69352	366030	1.436
69353	366030	Insufficient Sample
69354	366031	0.072
69355	366032	0.016
69356	366033	0.015
69357	366034	0.023
69358	366035	0.014
69359	366036	0.018
69360	366037	0.032
69361	366038	0.027
69362	366039	0.055
69363	366040	<0.005
69364	366040	Insufficient Sample
69365	366041	0.008
69366	366042	0.027
69367	366043	0.025
69368	366044	0.057
69369	366045	0.026
69370	366046	0.027

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Au g/t (ppm)
69371	366047	0.014
69372	366048	0.013
69373	366049	0.008
69374	366050	4.802
69375	366050	Insufficient Sample
69376	366051	0.010
69377	366052	0.012
69378	366053	0.010
69379	366054	0.011
69380	366055	0.016
69381	366056	0.021
69382	366057	0.045
69383	366058	0.015
69384	366059	0.009
69385	366060	0.006
69386	366060	Insufficient Sample
69387	366061	0.009
69388	366062	0.015
69389	366063	0.014
69390	366064	0.019
69391	366065	0.034
69392	366066	0.035
69393	366067	0.040
69394	366068	0.038
69395	366069	0.057

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Au g/t (ppm)
69396	366070	0.389
69397	366070	Insufficient Sample
69398	366071	0.284
69399	366072	0.363
69400	366073	0.115
69401	366074	0.011
69402	366075	0.030
69403	366076	0.321
69404	366077	0.257
69405	366078	0.900
69406	366079	0.221
69407	366080	<0.005
69408	366080	Insufficient Sample
69409	366081	0.030
69410	366082	0.044
69411	366083	0.103
69412	366084	0.028
69413	366085	0.049
69414	366086	0.057
69415	366087	0.042
69416	366088	0.044
69417	366089	0.030
69418	366090	1.425
69419	366090	Insufficient Sample
69420	366091	1.687

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Au g/t (ppm)
69421	366092	0.041
69422	366093	0.350
69423	366094	0.042
69424	366095	0.156
69425	366096	0.012
69426	366097	0.022
69427	366098	0.175
69428	366099	0.114
69429	366100	0.008
69430	366100	Insufficient Sample
69431	366101	0.032
69432	366102	0.753
69433	366103	0.055
69434	366104	0.171
69435	366105	0.787
69436	366106	0.301
69437	366107	0.380
69438	366108	0.487
69439	366109	0.363
69440	366110	4.876
69441	366110	Insufficient Sample
69442	366111	0.054
69443	366112	0.128
69444	366113	0.278
69445	366114	1.727

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Au g/t (ppm)
69446	366115	0.324
69447	366116	0.371
69448	366117	0.252
69449	366118	0.024
69450	366119	0.236
69451	366120	0.005
69452	366120	Insufficient Sample
69453	366121	0.152
69454	366122	0.445
69455	366123	0.311
69456	366124	0.125
69457	366125	0.362
69458	366126	0.306
69459	366127	0.317
69460	366128	0.030
69461	366129	0.011
69462	366130	0.393
69463	366130	Insufficient Sample
69464	366131	<0.005
69465	366132	0.012
69466	366133	0.005
69467	366134	0.010
69468	366135	0.030
69469	366136	<0.005
69470	366137	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Au g/t (ppm)
69471	366138	0.013
69472	366139	0.060
69473	366140	<0.005
69474	366140	Insufficient Sample
69475	366141	0.277
69476	366142	0.270
69477	366143	0.043
69478	366144	0.006
69479	366145	<0.005
69480	366146	0.007
69481	366147	0.029
69482	366148	0.050
69483	366149	0.009
69484	366150	1.461
69485	366150	Insufficient Sample
69486	366151	0.008
69487	366152	0.006
69488	366153	<0.005
69489	366154	0.010

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	2.599	1.729	0.121
AR01	2.831	1.729	0.121
AR01	2.947	1.729	0.121
AR01	2.934	1.729	0.121
AR01	2.986	1.729	0.121
KL01	0.647	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69321	366001	<1	3.97	25	392	2	<1	1.73	<4	14	97	32	2.77	<0.01	13	1.29	683	<1	41	429	26	0.67	5	26	<10	273	1868	<2	57	<10	11	88
69322	366002	<1	3.80	19	299	<2	1	1.45	<4	15	109	30	2.50	0.35	12	1.09	610	<1	41	330	25	0.34	9	26	10	225	1822	<2	53	<10	10	78
69323	366003	<1	<0.01	19	489	2	3	1.11	<4	22	146	57	3.55	1.00	14	0.28	653	<1	63	494	31	0.37	<5	7	<10	219	2773	<2	86	<10	7	114
69324	366004	<1	3.91	37	414	<2	4	1.61	<4	16	79	31	2.94	0.32	12	0.83	577	<1	33	390	24	0.62	<5	22	<10	246	2102	<2	72	<10	11	88
69325	366005	<1	4.72	45	420	<2	16	0.75	<4	8	28	17	1.49	0.22	5	0.42	227	<1	34	366	16	0.39	11	30	<10	202	1481	<2	43	<10	7	103
69326	366006	<1	4.75	47	431	<2	6	0.76	<4	9	39	19	1.52	0.23	6	0.39	215	3	52	369	12	0.37	6	21	10	211	1497	<2	48	<10	7	66
69327	366007	<1	4.90	25	421	<2	17	1.30	<4	6	37	10	0.72	0.39	5	0.37	184	2	45	346	13	0.14	8	34	<10	259	1344	<2	41	<10	5	16
69328	366008	<1	4.48	25	462	<2	<1	1.02	<4	7	25	7	0.41	0.28	2	0.23	131	<1	35	380	12	0.08	8	28	12	306	1475	8	40	<10	5	30
69329	366009	<1	4.39	22	411	<2	13	1.03	<4	7	40	8	0.61	0.27	6	0.24	<100	6	62	429	11	0.10	7	32	10	326	1408	<2	44	<10	5	10
69330	366010	<1	4.25	65	269	<2	6	0.98	4	12	32	2055	4.67	0.26	26	0.84	1037	13	24	648	74	1.29	<5	19	12	174	1128	<2	56	16	9	534
69331D	366010																IS															
69332	366011	<1	4.49	20	353	<2	5	1.60	<4	8	42	29	0.62	0.15	8	0.27	120	3	54	366	9	0.10	5	35	<10	359	1378	<2	41	<10	5	17
69333	366012	<1	5.95	19	491	<2	<1	1.70	<4	7	47	13	0.88	0.31	26	0.34	164	2	47	385	12	0.11	11	52	13	324	1435	<2	41	<10	6	19
69334	366013	<1	5.57	26	565	<2	<1	1.14	<4	7	37	17	0.90	0.28	16	0.45	194	2	46	387	24	0.07	9	22	10	296	1861	2	45	<10	6	22
69335	366014	<1	5.92	24	581	<2	1	1.34	<4	7	41	11	0.95	0.23	13	0.59	282	3	55	413	31	0.11	9	35	11	321	1807	<2	46	<10	6	66
69336	366015	<1	5.78	22	562	<2	2	1.28	<4	7	36	11	1.03	0.10	13	0.42	234	1	45	405	16	0.09	7	17	<10	282	1796	<2	43	<10	6	30
69337	366016	<1	5.79	19	590	<2	14	1.40	<4	10	38	17	1.11	0.28	18	0.55	311	2	53	386	66	0.09	<5	31	<10	290	1846	3	46	<10	6	199
69338	366017	<1	5.73	17	680	<2	2	1.63	<4	12	40	14	1.09	0.15	20	0.76	411	3	53	387	72	0.10	7	25	<10	251	1899	<2	44	<10	6	111
69339	366018	<1	6.46	24	667	<2	12	2.59	<4	10	35	30	2.28	0.23	21	1.18	743	<1	43	619	18	0.29	12	22	<10	319	2417	<2	44	<10	7	60
69340	366019	<1	4.94	21	604	<2	14	1.59	<4	8	50	13	1.36	<0.01	19	0.93	366	3	48	389	16	0.17	5	25	<10	235	1944	<2	45	<10	6	203

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:44 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69341	366020	<1	0.88	17	273	<2	<1	1.64	<4	11	40	38	2.98	<0.01	3	0.96	586	<1	29	435	9	0.06	8	13	<10	199	2330	<2	82	<10	11	54
69342D	366020																IS															
69343	366021	<1	5.48	19	469	<2	14	2.39	<4	10	50	18	2.02	0.27	14	0.98	439	3	58	484	17	0.10	11	22	12	292	2068	<2	52	<10	8	63
69344	366022	<1	4.88	19	431	<2	7	2.06	<4	9	37	11	1.65	0.12	12	0.66	346	2	42	451	13	0.09	7	33	12	280	1867	<2	42	<10	6	45
69345	366023	<1	5.75	17	496	<2	<1	1.93	<4	10	29	9	1.59	0.34	18	0.78	401	<1	34	490	19	0.13	5	23	<10	314	2021	<2	42	<10	7	184
69346	366024	<1	4.76	24	513	<2	4	1.67	<4	9	34	26	1.66	0.27	12	0.66	446	<1	35	517	60	0.18	8	30	10	300	1853	9	42	10	6	144
69347	366025	<1	4.58	25	518	<2	<1	1.39	<4	8	35	38	1.79	0.19	13	0.82	651	<1	38	494	54	0.26	12	28	<10	231	2125	<2	43	<10	6	106
69348	366026	<1	5.23	30	536	<2	10	1.47	<4	8	27	34	1.88	0.17	15	0.86	682	<1	31	504	53	0.30	8	24	12	235	2183	2	41	<10	7	70
69349	366027	<1	6.54	35	562	<2	2	1.63	<4	9	32	37	1.88	0.19	17	0.87	623	<1	24	460	99	0.42	8	34	11	249	2109	<2	39	<10	7	215
69350	366028	<1	4.94	46	558	<2	12	0.96	9	11	41	231	2.28	0.20	17	0.62	434	4	63	477	1200	0.52	<5	21	10	171	2070	<2	48	31	6	2798
69351	366029	<1	4.11	24	546	<2	3	1.68	<4	7	37	30	1.49	0.51	20	0.74	566	1	44	437	70	0.17	8	25	12	186	1987	<2	44	<10	6	134
69352	366030	<1	2.92	25	442	<2	<1	1.87	<4	13	49	177	3.56	0.29	9	1.10	652	8	39	532	9	0.09	8	19	11	250	2583	<2	94	<10	14	53
69353D	366030																IS															
69354	366031	<1	5.64	31	528	<2	3	1.61	<4	11	32	122	1.70	0.36	16	0.84	583	<1	31	484	96	0.35	11	23	14	204	2075	<2	41	<10	7	253
69355	366032	<1	4.78	21	474	<2	<1	2.26	<4	8	40	10	1.65	0.22	15	0.79	539	4	54	446	49	0.24	5	20	<10	157	1737	5	43	<10	6	132
69356	366033	<1	5.01	36	512	<2	10	1.40	<4	9	28	12	1.63	0.23	15	0.68	385	<1	37	455	67	0.38	14	22	<10	136	2048	<2	42	<10	7	135
69357	366034	<1	5.87	51	562	<2	8	1.42	<4	9	34	7	1.86	0.38	16	0.92	455	1	39	474	45	0.49	10	27	10	130	2092	<2	42	<10	7	189
69358	366035	<1	5.96	34	601	<2	6	1.99	<4	8	33	10	1.67	0.19	12	0.95	462	<1	31	488	32	0.31	8	23	<10	138	2034	2	40	<10	7	60
69359	366036	<1	5.90	39	583	<2	15	1.61	<4	9	40	14	1.72	0.25	19	0.98	520	3	50	481	123	0.32	8	22	11	141	2034	2	45	<10	7	240
69360	366037	<1	5.50	43	552	<2	16	0.50	<4	8	37	8	1.76	0.35	15	0.59	323	2	47	455	66	0.46	10	26	<10	91	2085	<2	42	<10	7	160

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:44 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69361	366038	<1	5.72	42	606	<2	3	1.79	<4	7	38	20	1.56	0.26	13	0.89	447	<1	11	428	112	0.29	<5	32	10	168	1828	<2	29	10	7	129
69362	366039	<1	4.74	34	483	<2	9	1.59	<4	17	168	39	3.34	0.38	18	1.29	609	7	60	479	66	0.29	5	24	<10	128	1984	<2	82	<10	14	105
69363	366040	<1	2.91	22	349	<2	<1	2.10	<4	14	54	39	3.31	0.33	6	1.20	666	<1	33	533	7	0.07	11	14	<10	241	2742	<2	97	<10	15	47
69364D	366040																IS															
69365	366041	<1	4.96	28	668	<2	4	0.36	<4	8	49	5	0.91	0.24	14	0.53	140	<1	15	324	19	0.12	8	38	<10	109	1577	<2	36	<10	6	32
69366	366042	<1	3.33	38	615	<2	3	0.21	<4	8	27	11	0.74	0.15	7	0.46	<100	<1	12	186	35	0.16	6	24	11	99	1259	<2	28	<10	4	87
69367	366043	<1	5.77	37	805	<2	10	0.30	<4	8	34	5	0.83	0.13	11	0.52	123	<1	13	198	50	0.15	8	29	<10	113	1666	<2	33	11	6	175
69368	366044	<1	0.62	19	537	<2	<1	1.41	<4	18	139	37	3.08	0.47	15	1.06	652	<1	54	449	38	0.19	9	6	10	152	2098	<2	77	<10	7	104
69369	366045	<1	6.39	50	627	<2	1	1.35	<4	12	39	11	2.40	0.22	16	0.58	230	<1	15	428	29	0.74	7	30	<10	203	2047	<2	43	<10	7	262
69370	366046	<1	6.17	45	609	<2	12	1.30	<4	11	39	10	2.35	0.22	15	0.56	222	<1	14	416	20	0.74	9	30	10	199	1984	<2	42	<10	7	226
69371	366047	<1	5.44	30	566	<2	<1	1.40	<4	5	32	9	0.97	0.45	10	0.46	145	<1	8	362	18	0.25	9	27	11	214	1436	<2	26	<10	5	57
69372	366048	<1	5.89	36	686	<2	<1	1.28	<4	7	31	6	0.81	0.33	20	0.61	181	<1	9	341	17	0.18	9	36	<10	246	1676	<2	30	<10	5	70
69373	366049	<1	4.78	30	681	<2	<1	1.35	<4	5	27	5	0.58	0.23	13	0.46	145	<1	6	318	12	0.12	5	33	10	247	1417	<2	26	<10	4	42
69374	366050	123	4.64	34	388	<2	18	2.76	5	15	38	87	4.73	0.36	5	1.26	857	2	23	530	17658	0.12	71	24	17	279	2760	<2	125	10	17	306
69375D	366050																IS															
69376	366051	<1	5.01	24	765	<2	14	1.32	<4	6	32	6	0.75	0.48	18	0.58	175	<1	8	301	153	0.16	10	31	<10	279	1486	8	27	<10	5	37
69377	366052	<1	5.05	38	815	<2	<1	1.35	<4	9	36	15	0.93	0.36	17	0.44	179	<1	14	407	13	0.22	6	30	11	338	2003	<2	44	<10	5	19
69378	366053	<1	4.02	34	596	<2	9	1.31	<4	15	27	14	1.29	0.29	13	0.35	139	<1	22	269	15	0.37	8	34	10	352	1755	<2	36	<10	5	77
69379	366054	<1	2.15	27	454	<2	<1	1.11	<4	14	46	18	0.77	<0.01	8	0.36	168	<1	20	232	18	0.15	7	26	10	290	1452	<2	29	<10	3	128
69380	366055	<1	2.87	35	635	<2	14	1.06	<4	14	26	9	0.80	<0.01	10	0.28	131	<1	20	257	18	0.21	10	25	<10	330	1731	<2	29	<10	3	247

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/26/2015 1:45 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69381	366056	<1	5.48	31	624	<2	9	1.40	<4	11	36	17	1.22	0.38	17	0.54	238	<1	16	486	19	0.23	9	33	<10	344	1858	<2	34	<10	6	52
69382	366057	<1	6.71	35	608	<2	7	1.75	<4	18	35	19	1.21	0.15	16	0.53	221	<1	25	444	29	0.24	8	21	<10	452	2196	<2	37	<10	6	108
69383	366058	<1	5.35	28	603	<2	14	1.46	<4	14	37	13	0.97	0.16	15	0.56	218	<1	21	381	26	0.14	9	23	<10	343	1925	6	33	<10	6	147
69384	366059	<1	5.38	34	602	<2	3	1.63	<4	12	38	13	1.60	0.37	19	0.61	276	<1	18	387	29	0.43	7	24	14	331	1997	3	37	<10	6	54
69385	366060	<1	3.33	18	377	<2	7	2.25	<4	15	55	41	3.47	0.29	7	1.26	695	<1	33	552	5	0.08	8	21	<10	258	2872	9	102	<10	15	50
69386R	366060																IS															
69387	366061	<1	5.53	27	596	<2	9	1.39	<4	10	29	6	0.81	0.50	13	0.40	168	4	12	385	28	0.15	<5	20	<10	336	1816	<2	31	<10	6	151
69388	366062	<1	5.89	23	694	<2	3	1.95	<4	10	44	13	1.56	0.58	16	0.74	388	1	15	491	25	0.14	8	32	<10	353	1940	<2	39	<10	8	102
69389	366063	<1	3.49	18	426	<2	4	1.38	<4	5	44	12	1.36	0.64	6	0.52	298	2	7	335	18	0.08	10	15	<10	222	1310	<2	25	<10	6	52
69390	366064	<1	6.07	26	579	<2	<1	2.20	<4	8	27	19	1.84	0.30	16	0.79	539	<1	7	488	35	0.22	8	35	13	292	1820	<2	35	<10	7	70
69391	366065	<1	6.07	19	453	<2	4	2.51	<4	10	34	57	2.26	0.74	15	1.17	647	41	9	525	19	0.22	9	34	<10	277	2159	<2	37	11	8	354
69392	366066	<1	5.99	26	478	<2	7	2.34	<4	9	33	40	2.21	0.86	17	1.09	585	36	9	491	16	0.21	10	33	10	267	2204	<2	37	<10	7	208
69393	366067	<1	5.03	16	221	<2	12	4.10	<4	16	47	98	2.76	0.63	10	1.44	1020	87	12	459	25	0.22	7	20	13	315	1971	<2	41	11	9	635
69394	366068	<1	4.57	23	434	<2	18	1.37	<4	9	31	8	1.70	0.54	12	0.66	422	1	8	426	17	0.11	11	24	<10	220	1973	3	35	<10	6	47
69395	366069	<1	4.13	23	455	<2	7	1.71	<4	7	23	11	1.65	0.25	9	0.78	518	<1	8	411	16	0.20	10	10	<10	193	1838	<2	31	<10	6	108
69396	366070	<1	2.99	47	232	<2	3	0.80	<4	11	27	1944	4.01	0.06	20	0.74	931	10	19	570	63	1.12	11	15	<10	145	1063	<2	47	15	8	469
69397D	366070																IS															
69398	366071	<1	5.17	46	522	<2	14	0.87	5	9	28	457	1.78	0.14	11	0.56	345	<1	8	454	572	0.43	10	28	<10	150	1762	<2	34	16	6	1562
69399	366072	<1	5.72	52	510	<2	3	0.59	<4	9	32	45	1.58	0.57	12	0.59	291	<1	7	484	75	0.36	<5	10	10	81	1990	<2	37	<10	7	623
69400	366073	<1	6.27	18	531	<2	10	1.42	<4	8	35	11	1.80	0.55	15	0.68	484	<1	8	518	39	0.15	9	25	11	176	2307	5	39	<10	7	173

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/26/2015 1:45 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69401	366074	<1	6.43	23	573	<2	16	2.25	<4	8	29	11	1.23	0.42	15	0.91	389	<1	10	575	12	0.09	8	25	<10	185	2064	2	32	<10	7	31
69402	366075	<1	6.22	32	527	2	6	1.84	<4	9	23	17	1.20	0.39	20	1.18	546	<1	11	520	23	0.15	7	37	<10	118	2158	<2	32	<10	7	37
69403	366076	<1	4.90	70	379	2	11	2.29	<4	12	39	28	2.52	0.26	12	1.78	1672	7	12	532	182	0.68	5	29	13	79	1760	<2	30	<10	7	113
69404	366077	<1	5.18	44	459	2	32	0.63	<4	7	36	15	1.04	<0.01	12	0.80	437	2	9	475	224	0.21	5	31	18	66	1867	<2	27	11	6	340
69405	366078	<1	4.31	45	427	<2	2	0.30	<4	7	36	30	1.12	0.28	8	0.57	267	<1	8	418	404	0.25	12	36	<10	54	1692	<2	26	15	6	498
69406	366079	<1	4.63	40	510	<2	<1	0.38	<4	8	36	20	0.91	0.36	8	0.58	266	1	7	424	184	0.19	6	29	<10	56	1832	<2	26	12	5	409
69407	366080	<1	3.24	19	376	<2	14	2.24	<4	14	55	41	3.46	0.36	8	1.24	696	<1	33	553	9	0.07	<5	21	<10	255	2872	3	101	<10	14	54
69408D	366080																IS															
69409	366081	<1	5.42	31	561	2	14	1.31	<4	8	37	8	0.97	<0.01	14	1.02	650	<1	9	472	56	0.14	6	14	14	86	1976	2	29	<10	5	70
69410	366082	<1	5.06	29	538	<2	1	0.68	<4	9	29	7	0.88	0.21	15	0.72	452	<1	8	462	56	0.14	8	29	11	70	2048	3	31	12	5	84
69411	366083	<1	4.48	31	327	<2	7	0.88	<4	5	60	48	0.90	0.57	13	0.82	466	3	5	409	211	0.11	11	28	<10	83	1649	<2	23	<10	6	499
69412	366084	<1	5.64	30	462	<2	<1	1.43	<4	6	44	9	0.95	0.42	19	1.02	676	<1	6	427	37	0.12	11	31	11	107	1839	<2	26	<10	6	54
69413	366085	<1	2.08	19	231	<2	<1	0.98	<4	4	26	3	0.76	0.41	3	0.77	446	<1	4	308	16	0.07	8	24	<10	82	1345	<2	19	<10	4	31
69414	366086	<1	5.50	19	385	<2	<1	1.59	<4	5	39	4	1.07	0.72	14	1.07	629	<1	4	464	22	0.10	8	31	<10	118	1926	<2	28	<10	6	41
69415	366087	<1	5.34	20	401	<2	9	1.35	<4	6	33	9	1.00	0.81	13	0.96	577	<1	5	436	33	0.10	7	34	13	127	1865	<2	28	<10	6	73
69416	366088	<1	5.21	29	457	<2	11	1.66	<4	5	49	6	1.09	0.64	11	1.04	657	1	5	411	38	0.11	7	27	<10	159	1812	5	25	<10	5	75
69417	366089	<1	4.61	20	360	<2	12	1.41	<4	5	29	9	1.08	0.74	13	0.95	576	<1	4	426	20	0.08	<5	28	<10	138	1886	6	28	<10	5	43
69418	366090	<1	2.93	22	441	<2	<1	1.85	<4	13	49	178	3.55	0.54	8	1.11	657	9	35	531	6	0.09	8	18	<10	249	2579	<2	93	<10	14	58
69419D	366090																IS															
69420	366091	<1	5.04	24	411	<2	3	1.36	<4	6	31	20	1.29	0.67	16	0.95	635	<1	6	480	41	0.14	9	22	<10	155	2114	<2	33	<10	6	48

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:45 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69421	366092	9	3.72	40	415	<2	2	0.26	11	6	27	394	1.17	0.08	12	0.50	225	<1	5	364	2082	0.29	15	28	<10	91	1544	<2	25	44	5	4719
69422	366093	<1	3.75	26	451	<2	2	0.68	4	7	22	232	1.30	<0.01	12	0.59	387	<1	6	377	348	0.32	10	33	10	112	1785	<2	27	18	5	1496
69423	366094	<1	5.90	31	542	<2	2	1.06	<4	8	28	46	1.22	0.41	22	0.85	502	<1	7	444	117	0.23	<5	22	<10	137	1959	<2	28	11	6	215
69424	366095	<1	7.09	34	619	<2	8	0.97	<4	10	31	31	1.40	0.55	21	0.77	461	<1	12	519	38	0.23	5	28	13	168	2336	<2	35	<10	7	76
69425	366096	<1	5.99	31	533	<2	4	1.06	<4	8	35	9	1.21	0.41	13	0.61	355	<1	10	481	17	0.16	7	31	<10	172	1789	<2	31	<10	6	35
69426	366097	<1	5.35	23	443	<2	4	1.26	<4	6	27	19	1.22	0.81	7	0.56	344	<1	5	408	12	0.16	12	32	11	174	1479	<2	28	<10	6	32
69427	366098	<1	4.94	26	451	<2	18	1.33	<4	7	29	34	1.61	1.00	10	0.61	475	<1	8	414	12	0.37	7	40	10	192	1615	4	31	<10	6	44
69428	366099	<1	5.28	32	506	<2	3	1.11	<4	14	26	67	2.04	0.53	12	0.66	493	<1	14	414	39	0.51	8	30	<10	212	1701	<2	30	<10	6	106
69429	366100	<1	2.84	15	348	<2	9	2.12	<4	13	52	39	3.31	0.48	6	1.19	663	<1	31	524	5	0.06	9	11	13	244	2712	<2	97	<10	14	45
69430D	366100																IS															
69431	366101	<1	3.62	21	514	<2	<1	1.08	<4	11	23	19	1.60	0.31	15	0.69	533	<1	13	385	25	0.17	5	22	11	188	1905	<2	31	<10	4	79
69432	366102	<1	3.85	27	427	<2	<1	1.11	<4	10	24	36	1.13	0.36	16	0.74	427	<1	11	400	95	0.15	10	19	11	170	1779	3	29	<10	4	231
69433	366103	<1	3.83	24	353	<2	<1	1.33	<4	6	31	14	1.21	0.26	11	0.82	557	<1	7	430	20	0.18	6	14	11	149	1654	2	28	<10	5	44
69434	366104	<1	4.20	47	447	<2	4	0.83	<4	6	28	48	1.61	0.11	10	0.69	448	<1	7	404	91	0.47	8	25	<10	111	1641	2	27	<10	5	246
69435	366105	2	4.58	94	416	<2	25	0.36	24	7	54	142	2.26	<0.01	9	0.57	261	4	58	372	601	0.63	45	25	10	80	1653	<2	38	63	6	7595
69436	366106	<1	5.41	43	421	<2	11	0.99	<4	6	56	56	1.82	0.48	11	0.82	634	10	96	560	87	0.33	11	15	<10	112	1959	3	58	<10	7	301
69437	366107	<1	6.25	35	474	<2	10	1.04	<4	5	40	53	1.72	0.38	14	0.88	567	4	55	611	80	0.37	7	29	<10	115	2119	12	48	<10	7	200
69438	366108	<1	6.24	38	465	<2	12	0.89	<4	6	56	25	1.80	0.62	15	0.74	650	9	90	590	44	0.32	10	34	<10	108	2228	2	61	<10	7	92
69439	366109	<1	6.18	31	445	<2	7	1.19	<4	6	36	16	2.06	0.42	15	0.89	1155	3	56	596	36	0.25	9	24	11	133	2306	<2	52	<10	7	87
69440	366110	124	3.97	21	360	<2	15	2.59	5	14	36	83	4.52	0.66	4	1.19	827	<1	23	506	17608	0.12	66	9	12	262	2570	<2	119	<10	16	290

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/26/2015 1:45 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69441D	366110																IS														
69442	366111	<1	5.14	26	507	<2	15	1.19	<4	7	35	14	1.63	0.43	14	0.79	823	2	47	443	200	0.14	6	22	<10	136	2239	<2	47	<10	6	62
69443	366112	<1	4.45	32	515	<2	15	1.08	<4	8	38	17	1.74	0.38	15	0.71	840	<1	32	399	32	0.34	8	25	12	115	2121	3	45	<10	6	52
69444	366113	<1	4.26	29	383	<2	2	1.59	<4	7	41	22	1.72	0.40	12	0.92	1409	1	40	386	41	0.35	10	12	14	138	1816	6	41	<10	6	75
69445	366114	<1	4.16	34	437	<2	<1	0.83	<4	8	59	39	1.95	0.13	12	0.61	753	8	87	405	365	0.37	12	22	<10	112	1834	<2	54	<10	6	517
69446	366115	<1	4.35	36	425	<2	3	0.92	<4	8	50	22	1.82	0.16	13	0.61	904	5	65	421	41	0.33	12	14	12	132	1969	<2	50	<10	6	95
69447	366116	<1	5.42	30	397	<2	9	1.23	<4	8	52	19	1.96	0.48	12	0.73	811	4	58	439	18	0.30	<5	34	13	153	2054	3	51	11	7	91
69448	366117	<1	5.00	27	320	<2	5	2.18	<4	8	54	16	2.25	0.71	10	1.03	1050	5	66	408	20	0.37	11	25	<10	171	1982	<2	51	<10	7	88
69449	366118	<1	5.72	27	367	<2	<1	2.00	<4	8	61	15	2.10	0.60	17	1.43	789	6	75	477	25	0.25	8	25	<10	168	2091	<2	56	<10	8	67
69450	366119	<1	5.41	40	418	<2	7	1.65	<4	8	37	12	1.72	0.69	15	1.31	1138	5	41	382	30	0.29	10	24	<10	158	1897	<2	42	<10	7	89
69451	366120	<1	3.46	20	371	<2	9	2.27	<4	14	56	41	3.51	0.59	8	1.28	711	<1	34	556	2	0.08	9	21	11	258	2882	<2	102	<10	15	49
69452R	366120																IS														
69453	366121	<1	4.85	33	356	<2	21	1.56	<4	5	54	13	1.39	0.54	14	1.13	1047	11	97	344	62	0.18	12	32	<10	155	1501	9	46	<10	6	173
69454	366122	<1	4.96	26	360	<2	15	1.18	<4	6	29	34	1.48	0.65	14	0.98	1079	2	40	327	45	0.21	8	25	<10	133	1589	<2	32	<10	6	200
69455	366123	<1	6.28	29	420	<2	15	1.22	<4	5	48	21	1.31	0.46	20	0.97	836	7	74	404	52	0.14	8	27	10	147	1812	5	45	<10	6	114
69456	366124	<1	6.38	27	363	<2	6	1.23	<4	4	59	17	1.36	0.51	15	0.81	905	11	98	416	30	0.13	11	35	<10	156	1813	<2	53	<10	6	49
69457	366125	<1	5.30	36	399	<2	12	0.86	<4	5	47	49	1.63	0.76	18	0.75	654	6	73	381	34	0.24	9	34	10	127	1669	2	46	10	7	199
69458	366126	<1	5.01	41	405	<2	10	0.83	<4	5	32	49	1.56	0.35	16	0.72	612	3	43	359	30	0.28	9	24	<10	127	1699	2	38	<10	6	109
69459	366127	<1	4.70	25	446	<2	6	1.21	<4	8	26	20	1.40	0.50	17	0.67	389	1	28	376	41	0.13	9	28	12	185	1891	15	38	12	6	163
69460	366128	<1	4.78	19	447	<2	14	2.59	<4	11	32	21	1.85	<0.01	16	1.40	527	4	57	468	13	0.08	9	22	10	232	2332	6	54	<10	5	90

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:45 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69461	366129	<1	3.53	19	382	<2	<1	3.11	<4	7	20	9	2.05	<0.01	9	1.49	826	<1	26	373	19	0.11	9	23	15	216	2068	<2	41	<10	5	66
69462	366130	2	4.68	55	305	<2	9	1.15	4	13	33	2212	4.97	0.56	29	0.90	1132	14	23	699	82	1.28	8	27	14	183	1259	<2	59	16	9	569
69463D	366130																IS															
69464	366131	<1	4.27	15	324	<2	3	1.51	<4	6	25	17	1.28	0.34	16	0.82	406	2	38	373	9	0.05	6	23	<10	184	2143	<2	50	<10	4	67
69465	366132	<1	6.01	15	280	<2	6	5.25	<4	6	14	6	2.74	0.70	5	2.57	1483	<1	22	383	15	0.10	10	27	13	307	2073	7	40	<10	6	68
69466	366133	<1	5.54	17	267	<2	<1	1.61	<4	6	20	9	1.60	0.61	16	1.00	534	<1	27	370	10	0.14	<5	17	<10	192	1816	8	40	<10	6	85
69467	366134	<1	6.29	22	251	<2	<1	1.78	<4	7	28	11	1.83	0.09	17	1.16	806	1	43	400	18	0.13	6	27	<10	214	2236	<2	49	<10	7	55
69468	366135	<1	2.43	17	191	<2	<1	1.68	<4	6	24	15	1.85	0.76	13	1.09	955	<1	35	285	17	0.07	5	24	<10	172	1825	4	42	<10	6	59
69469	366136	<1	4.81	25	245	<2	2	1.75	<4	6	22	8	1.56	0.98	15	1.06	725	<1	33	373	10	0.13	11	25	<10	176	2054	<2	43	<10	6	51
69470	366137	<1	4.75	19	397	<2	<1	1.94	<4	8	26	6	1.18	0.94	19	0.97	412	2	39	406	15	0.11	6	26	10	234	2399	8	49	<10	5	39
69471	366138	<1	4.34	40	342	<2	52	2.77	<4	7	33	15	1.76	0.65	17	1.44	600	2	8	345	42	0.29	7	18	12	198	1997	17	37	<10	5	97
69472	366139	2	3.26	35	333	<2	6	0.10	<4	5	29	7	0.86	0.69	11	0.43	<100	2	5	206	118	0.15	9	28	11	56	1536	3	26	<10	4	197
69473	366140	<1	3.97	21	417	<2	<1	2.44	<4	15	60	44	3.71	0.46	11	1.32	743	2	36	581	9	0.08	7	14	10	273	3119	7	109	<10	15	65
69474D	366140																IS															
69475	366141	2	3.95	34	258	<2	5	0.35	<4	4	21	33	1.04	0.08	11	0.63	322	<1	4	316	67	0.25	13	35	19	62	1436	3	23	<10	5	163
69476	366142	<1	4.46	42	274	<2	6	0.32	<4	4	24	29	1.42	0.14	11	0.57	318	<1	4	344	19	0.34	6	28	<10	55	1605	<2	25	11	5	119
69477	366143	<1	5.57	38	277	2	6	1.44	<4	4	28	12	1.29	0.54	16	1.11	972	<1	5	385	24	0.14	12	21	11	85	1711	6	27	10	6	51
69478	366144	<1	5.20	22	270	<2	12	1.52	<4	4	27	4	0.97	0.74	16	1.06	614	<1	4	343	14	0.05	7	27	<10	83	1739	12	26	<10	5	36
69479	366145	<1	4.95	23	226	<2	<1	1.90	<4	5	30	7	0.98	0.67	15	1.33	897	1	6	352	24	0.08	10	24	13	88	1612	9	24	<10	5	30
69480	366146	<1	4.70	21	230	<2	3	1.88	<4	4	27	5	0.94	0.81	15	1.27	968	<1	5	326	29	0.07	10	20	<10	90	1621	6	25	<10	5	29

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/26/2015 1:45 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/09/2015
Date Completed: 03/17/2015
Job #: 201540828
Reference: TL15-005
Sample #: 154

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69481	366147	<1	4.45	31	248	2	8	1.22	<4	5	23	17	1.32	0.51	13	1.06	1010	<1	7	323	28	0.14	9	31	<10	69	1587	11	26	<10	5	62
69482	366148	<1	4.23	41	252	2	11	1.27	<4	5	23	18	1.75	0.48	12	0.99	904	<1	6	332	29	0.28	8	26	<10	72	1554	<2	26	<10	6	119
69483	366149	<1	4.46	33	294	<2	<1	1.41	<4	4	28	5	1.52	0.35	14	0.89	696	<1	5	345	15	0.12	6	24	12	82	1637	2	25	<10	5	50
69484	366150	<1	3.76	25	490	<2	31	2.09	<4	15	54	197	3.86	0.53	12	1.20	718	10	40	572	8	0.09	14	10	10	269	2750	<2	100	12	14	65
69485D	366150																IS															
69486	366151	<1	4.49	22	357	2	<1	1.71	<4	6	24	6	1.69	0.22	19	1.00	623	<1	6	358	15	0.07	8	11	11	101	1787	3	28	<10	5	39
69487	366152	<1	4.52	22	291	<2	8	1.72	<4	5	26	4	1.57	0.21	16	0.90	513	<1	5	359	12	0.06	7	18	10	96	1716	<2	26	<10	6	38
69488	366153	<1	4.79	18	265	<2	<1	2.03	<4	5	24	4	1.71	0.25	16	0.95	594	<1	6	362	15	0.06	6	21	13	106	1788	2	28	<10	6	39
69489	366154	<1	5.55	24	295	<2	4	2.24	<4	5	24	5	1.76	0.29	16	1.18	1066	<1	7	399	16	0.11	11	35	12	128	1760	<2	29	10	6	32

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:45 PM

TL15387

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60536	364692	0.098
60537	364693	0.039
60538	364694	0.011
60539	364695	0.014
60540	364696	0.025
60541	364697	0.022
60542	364698	0.022
60543	364699	0.091
60544	364700	<0.005
60545	364701	0.007
60546	364701 Dup	0.010
60547	364702	0.021
60548	364703	0.452
60549	364704	0.093
60550	364705	0.191
60551	364706	0.069
60552	364707	0.012
60553	364708	0.007
60554	364709	0.006
60555	364710	0.319
60556	364711	0.008
60557	364711 Dup	0.009
60558	364712	0.017
60559	364713	0.010
60560	364714	0.025

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60561	364715	0.032
60562	364716	0.088
60563	364717	0.026
60564	364718	2.563
60565	364719	0.022
60566	364720	<0.005
60567	364721	0.056
60568	364721 Dup	0.030
60569	364722	0.040
60570	364723	0.024
60571	364724	0.016
60572	364725	0.017
60573	364726	0.015
60574	364727	0.005
60575	364728	0.007
60576	364729	0.015
60577	364730	1.420
60578	364731	0.008
60579	364731 Dup	<0.005
60580	364732	<0.005
60581	364733	0.010
60582	364734	0.012
60583	364735	0.010
60584	364736	0.024
60585	364737	0.007

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60586	364738	0.015
60587	364739	0.020
60588	364740	<0.005
60589	364741	0.018
60590	364741 Dup	0.019
60591	364742	0.013
60592	364743	0.018
60593	364744	0.039
60594	364745	0.059
60595	364746	0.057
60596	364747	0.012
60597	364748	2.067
60598	364749	0.028
60599	364750	4.938
60600	364751	0.023
60601	364751 Rep	0.018
60602	364752	0.090
60603	364753	0.067
60604	364754	0.074
60605	364755	0.095
60606	364756	0.037
60607	364757	0.022
60608	364758	0.058
60609	364759	0.102
60610	364760	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60611	364761	0.102
60612	364761 Dup	0.104
60613	364762	0.007
60614	364763	0.008
60615	364764	0.711
60616	364765	0.062
60617	364766	0.052
60618	364767	0.040
60619	364768	0.036
60620	364769	0.066
60621	364770	0.358
60622	364771	0.261
60623	364771 Dup	0.270
60624	364772	0.048
60625	364773	0.216
60626	364774	0.149
60627	364775	0.273
60628	364776	0.325
60629	364777	0.463
60630	364778	0.165
60631	364779	0.179
60632	364780	<0.005
60633	364781	0.106
60634	364781 Dup	0.121
60635	364782	0.025

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60636	364783	0.020
60637	364784	0.019
60638	364785	0.023
60639	364786	0.025
60640	364787	0.073
60641	364788	1.270
60642	364789	0.023
60643	364790	1.485
60644	364791	0.011
60645	364791 Dup	0.007
60646	364792	<0.005
60647	364793	<0.005
60648	364794	0.006
60649	364795	0.008
60650	364796	0.012
60651	364797	0.091
60652	364798	0.058
60653	364799	0.093
60654	364800	<0.005
60655	364801	0.013
60656	364801 Dup	0.010
60657	364802	0.032
60658	364803	0.021
60659	364804	0.019
60660	364805	0.020

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60661	364806	0.016
60662	364807	0.048
60663	364808	0.006
60664	364809	<0.005
60665	364810	4.943
60666	364811	0.021
60667	364811 Rep	0.012
60668	364812	0.007
60669	364813	0.166
60670	364814	0.418
60671	364815	0.075
60672	364816	0.027
60673	364817	0.040
60674	364818	0.088
60675	364819	0.119
60676	364820	<0.005
60677	364821	0.014
60678	364821 Dup	0.014
60679	364822	0.008
60680	364823	0.009
60681	364824	0.021
60682	364825	0.008
60683	364826	<0.005
60684	364827	0.006
60685	364828	0.008

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua, Fire Assay Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60686	364829	0.011
60687	364830	1.433
60688	364831	0.012
60689	364831 Dup	0.012
60690	364832	0.007
60691	364833	<0.005
60692	364834	0.007
60693	364835	0.015
60694	364836	0.005
60695	364837	0.025
60696	364838	0.037
60697	364839	0.029
60698	364840	<0.005
60699	364841	0.090
60700	364841 Dup	0.093
60701	364842	0.090
60702	364843	0.030
60703	364844	0.028
60704	364845	0.040
60705	364846	0.049
60706	364847	0.587
60707	364848	0.132
60708	364849	0.226
60709	364850	4.868
60710	364851	0.093

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Karl Magbanua, Fire Assay Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60711	364851 Dup	0.094
60712	364852	0.024
60713	364853	0.040
60714	364854	0.015
60715	364855	0.098
60716	364856	0.041
60717	364857	0.122
60718	364858	0.459
60719	364859	0.018
60720	364860	<0.005
60721	364861	0.009
60722	364861 Dup	0.010
60723	364862	0.017
60724	364863	0.088
60725	364864	0.019
60726	364865	0.018
60727	364866	0.013
60728	364867	0.007
60729	364868	0.014
60730	364869	0.025
60731	364870	0.392
60732	364871	0.120
60733	364871 Rep	0.097
60734	364872	0.046
60735	364873	0.121

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Karl Magbanua, Fire Assay Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60736	364874	0.029
60737	364875	0.010
60738	364876	0.008
60739	364877	0.059
60740	364878	0.031
60741	364879	0.038
60742	364880	<0.005
60743	364881	0.015
60744	364881 Dup	0.019
60745	364882	0.036
60746	364883	0.046
60747	364884	0.035
60748	364885	0.122
60749	364886	0.063
60750	364887	0.056
60751	364888	0.194
60752	364889	0.295
60753	364890	1.412
60754	364891	0.513
60755	364891 Dup	0.517
60756	364892	0.056
60757	364893	0.470
60758	364894	0.756
60759	364895	0.485
60760	364896	0.255

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Karl Magbanua, Fire Assay Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60761	364897	0.128
60762	364898	0.101
60763	364899	0.182
60764	364900	<0.005
60765	364901	0.044
60766	364901 Dup	0.045
60767	364902	0.038
60768	364903	0.182
60769	364904	0.076
60770	364905	0.034
60771	364906	0.040
60772	364907	0.040
60773	364908	0.064
60774	364909	0.176
60775	364910	5.035
60776	364911	0.022
60777	364911 Dup	0.018
60778	364912	0.031
60779	364913	0.018
60780	364914	0.146
60781	364915	0.052
60782	364916	0.108
60783	364917	0.851
60784	364918	1.067
60785	364919	3.565

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Karl Magbanua, Fire Assay Manager

Certified By:

Andrew Oleski, Instrumentation Manager

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60786	364920	0.009
60787	364921	0.364
60788	364921 Dup	0.389
60789	364922	1.177
60790	364923	0.383
60791	364924	0.068
60792	364925	0.046
60793	364926	0.031
60794	364927	0.044
60795	364928	0.029
60796	364929	0.391
60797	364930	0.389
60798	364931	0.211
60799	364931 Rep	0.230
60800	364932	0.146
60801	364933	0.272
60802	364934	0.239
60803	364935	0.063
60804	364936	0.157
60805	364937	0.063
60806	364938	0.415
60807	364939	0.752
60808	364940	<0.005
60809	364941	2.416
60810	364941 Dup	2.768

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Au g/t (ppm)
60811	364942	0.314
60812	364943	0.207
60813	364944	0.132
60814	364945	0.014
60815	364946	0.039
60816	364947	0.016
60817	364948	0.017
60818	364949	0.009
60819	364950	1.379
60820	364951	0.081
60821	364951 Dup	0.115
60822	364952	0.196
60823	364953	0.097
60824	364954	0.077

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.583	1.729	0.121
AR01	1.586	1.729	0.121
KL01	0.654	0.394	0.011
AR01	1.756	1.729	0.121
AR01	1.750	1.729	0.121
AR01	1.744	1.729	0.121
GS37	2.811	3.220	0.210
GS37	2.890	3.220	0.210
GS37	2.749	3.220	0.210
GS37	2.901	3.220	0.210
GS37	3.044	3.220	0.210
AR01	1.604	1.729	0.121
GS37	3.080	3.220	0.210

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua, Fire Assay Manager

Certified By:
Andrew Oleski, Instrumentation Manager

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60536	364692	<1	5.08	41	585	<2	27	2.43	<4	8	41	159	1.82	0.34	18	1.19	1108	<1	10	548	387	0.57	<5	26	28	175	1971	2	38	15	7	491
60537	364693	<1	4.17	33	471	<2	20	2.68	<4	8	44	86	1.83	0.24	15	1.17	943	<1	10	499	270	0.61	<5	20	24	191	2164	11	37	11	6	562
60538	364694	<1	5.76	33	610	<2	8	3.14	<4	10	39	17	2.12	0.34	20	1.21	634	<1	10	591	32	0.37	<5	34	34	206	2517	<2	44	<10	7	83
60539	364695	<1	5.02	28	546	<2	11	2.56	<4	9	40	11	1.82	0.34	16	1.05	546	<1	8	528	21	0.31	<5	29	28	199	2123	5	39	<10	6	55
60540	364696	<1	5.00	32	508	<2	8	2.62	<4	9	39	13	2.01	0.13	26	1.36	744	<1	11	567	52	0.48	<5	17	27	208	2238	7	41	<10	7	314
60541	364697	<1	5.07	33	547	<2	7	2.10	<4	10	34	10	1.68	0.46	23	1.21	674	<1	10	512	29	0.40	<5	33	31	228	2139	<2	43	<10	6	82
60542	364698	<1	4.36	38	513	<2	13	1.61	<4	12	103	27	2.01	0.31	18	0.85	510	<1	31	327	35	0.70	<5	17	31	172	1745	<2	55	<10	9	66
60543	364699	<1	4.78	45	700	<2	8	2.23	<4	15	95	55	2.55	0.40	24	1.29	790	<1	37	440	47	0.69	<5	23	29	213	2125	<2	64	<10	11	190
60544	364700	<1	3.63	17	422	<2	23	2.49	<4	16	57	45	3.62	0.20	10	1.32	735	<1	33	597	3	0.10	7	17	31	273	2920	2	106	<10	15	52
60545	364701	<1	4.82	20	879	<2	23	2.55	<4	9	35	12	1.88	0.24	21	1.59	600	<1	13	550	24	0.42	5	20	27	258	2033	<2	42	<10	6	64
60546D	364701	<1	4.58	20	824	<2	27	2.35	<4	8	33	11	1.72	0.33	19	1.49	552	<1	11	505	19	0.41	<5	10	34	240	1851	<2	38	<10	6	62
60547	364702	<1	4.89	21	620	<2	13	2.58	<4	9	32	20	1.66	0.37	21	1.76	724	<1	9	463	45	0.35	<5	13	26	263	1965	8	36	<10	6	171
60548	364703	23	6.16	27	688	<2	14	1.35	<4	7	30	51	0.92	0.30	23	1.16	465	<1	6	267	416	0.25	9	31	31	198	1896	6	38	11	6	695
60549	364704	5	6.08	23	472	<2	5	0.85	<4	7	33	30	0.56	0.14	9	0.48	176	<1	6	295	351	0.15	7	33	27	170	1949	9	36	11	5	548
60550	364705	13	4.85	28	447	<2	20	0.63	<4	7	34	174	0.44	0.28	3	0.32	110	<1	6	104	67	0.11	6	19	30	193	1712	4	36	<10	4	44
60551	364706	5	3.09	25	414	<2	13	0.49	<4	7	26	35	0.30	<0.01	<1	0.31	<100	<1	5	<100	15	0.09	<5	20	23	151	1566	<2	33	<10	3	23
60552	364707	<1	4.04	24	410	<2	6	1.21	<4	8	37	19	0.38	0.36	6	0.35	171	<1	6	<100	19	0.10	6	28	30	256	1664	4	38	<10	4	60
60553	364708	<1	2.87	23	347	<2	20	0.89	<4	7	35	15	0.65	0.15	5	0.40	176	<1	7	125	6	0.15	<5	19	24	199	1441	3	31	<10	4	41
60554	364709	<1	4.02	19	453	<2	14	1.86	<4	10	33	13	1.61	0.40	21	0.97	484	<1	9	433	27	0.36	<5	22	28	283	1944	<2	32	<10	5	74
60555	364710	<1	4.65	57	263	<2	18	1.10	4	13	33	2152	4.79	0.51	28	0.91	1059	11	19	673	77	1.96	<5	17	36	181	1195	2	57	12	9	548

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:28 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60556	364711	<1	5.18	17	586	2	6	2.12	<4	10	41	17	1.87	0.27	22	1.20	714	<1	7	483	43	0.36	5	19	28	213	2208	2	40	12	7	172
60557D	364711	<1	5.74	24	643	2	25	2.28	<4	9	49	18	1.99	0.15	28	1.25	758	<1	9	513	49	0.39	5	32	32	227	2342	5	43	15	7	186
60558	364712	<1	4.66	24	570	<2	1	1.75	<4	8	25	3	1.62	0.44	23	1.18	474	<1	6	436	8	0.40	6	17	28	150	1960	3	31	<10	6	16
60559	364713	<1	5.10	23	629	<2	21	1.58	<4	7	24	8	1.67	0.30	24	1.09	486	<1	6	471	17	0.37	<5	41	32	206	2077	3	33	<10	6	57
60560	364714	<1	5.80	28	571	<2	21	1.74	<4	8	33	22	1.65	<0.01	27	1.31	717	<1	6	507	62	0.18	<5	23	32	127	2111	<2	36	<10	7	103
60561	364715	<1	5.64	18	665	<2	13	2.00	<4	8	29	14	1.78	<0.01	28	1.31	794	<1	7	502	77	0.29	<5	26	34	142	2231	<2	37	10	7	97
60562	364716	<1	5.93	29	689	<2	26	1.81	<4	10	32	30	2.07	0.14	28	1.31	715	<1	8	498	150	0.53	<5	13	37	149	2227	5	36	15	7	908
60563	364717	<1	4.60	26	565	<2	9	1.81	<4	7	31	20	1.59	0.18	24	1.18	757	<1	8	475	82	0.23	6	20	32	144	2118	12	34	<10	6	124
60564	364718	9	4.26	41	553	<2	19	0.69	12	8	35	189	2.00	0.04	23	0.74	365	<1	9	432	1291	0.61	6	18	27	91	1962	<2	34	31	6	3099
60565	364719	<1	4.01	17	591	<2	27	1.96	<4	8	33	30	1.70	0.03	24	1.22	638	<1	8	432	88	0.18	<5	17	28	177	2093	<2	34	<10	6	203
60566	364720	<1	3.77	13	408	<2	18	2.53	<4	15	57	46	3.66	0.46	11	1.34	738	<1	35	600	2	0.10	<5	12	30	276	3004	<2	107	11	15	54
60567	364721	<1	4.79	21	719	2	17	2.43	<4	10	49	19	1.93	0.19	23	1.48	746	1	51	467	65	0.20	6	17	31	229	2154	7	48	<10	7	155
60568D	364721	<1	5.07	20	772	2	15	2.50	<4	10	50	19	1.94	<0.01	24	1.52	770	3	52	499	67	0.21	<5	25	30	235	2182	3	48	<10	6	162
60569	364722	<1	4.70	25	724	<2	30	1.76	<4	8	129	18	1.81	0.21	22	1.50	482	5	96	698	34	0.33	5	18	30	183	1796	<2	48	10	7	83
60570	364723	<1	4.67	23	586	<2	8	1.33	<4	4	44	5	1.18	0.21	23	1.02	429	<1	44	254	25	0.29	5	18	28	166	1296	<2	29	<10	5	93
60571	364724	<1	3.72	22	481	<2	9	1.07	<4	5	33	7	1.12	0.20	13	0.92	344	<1	38	235	99	0.27	<5	13	22	157	1113	10	25	12	4	701
60572	364725	<1	5.12	21	571	<2	9	1.01	<4	4	29	13	1.06	<0.01	24	0.85	313	<1	31	256	76	0.16	<5	17	31	166	1266	<2	25	10	5	223
60573	364726	<1	5.16	17	579	<2	14	0.97	<4	4	35	11	1.06	0.02	24	0.83	305	<1	45	253	58	0.16	6	27	30	161	1276	4	28	<10	5	184
60574	364727	<1	4.08	16	468	<2	16	1.32	<4	4	32	5	1.01	0.09	20	0.91	306	<1	32	215	38	0.15	<5	20	24	192	1162	<2	24	<10	4	57
60575	364728	<1	2.59	15	469	<2	10	1.17	<4	4	30	4	1.00	0.25	16	0.67	223	<1	26	162	9	0.13	<5	6	25	174	1122	<2	23	<10	3	40

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60576	364729	<1	3.60	18	554	<2	20	1.28	<4	4	37	7	1.06	0.22	18	1.01	275	<1	43	216	9	0.20	<5	18	27	198	1194	<2	28	<10	4	43
60577	364730	<1	3.61	25	486	<2	17	2.12	<4	14	53	197	3.76	0.33	11	1.21	694	8	36	590	7	0.12	8	14	26	276	2726	<2	100	13	14	59
60578	364731	<1	4.09	17	598	<2	13	0.93	<4	5	30	8	1.12	0.56	24	1.25	269	<1	30	230	7	0.23	<5	20	32	170	1228	6	26	<10	5	44
60579D	364731	<1	4.45	20	628	<2	24	0.92	<4	4	30	4	1.06	0.58	24	1.27	259	<1	29	227	11	0.22	5	26	32	170	1181	<2	24	<10	4	41
60580	364732	<1	4.15	25	489	<2	8	1.00	<4	4	34	6	1.12	<0.01	18	1.33	282	<1	39	227	11	0.19	<5	11	30	168	1078	17	26	<10	4	58
60581	364733	<1	4.27	25	557	<2	8	1.03	<4	4	32	5	1.00	<0.01	20	1.06	312	<1	33	256	11	0.24	<5	10	30	159	1083	3	24	<10	4	38
60582	364734	<1	4.74	25	439	<2	6	1.04	<4	5	36	6	1.00	0.05	23	1.05	341	<1	36	272	17	0.25	<5	26	33	165	1158	6	29	10	5	34
60583	364735	1	2.96	24	350	<2	14	0.63	<4	2	56	8	0.66	0.54	14	0.69	395	2	41	153	32	0.12	<5	21	30	109	738	<2	22	<10	4	62
60584	364736	<1	5.59	67	522	<2	19	0.54	<4	5	45	4	1.24	<0.01	23	0.96	520	<1	41	256	19	0.44	<5	41	35	117	1178	3	28	11	5	38
60585	364737	<1	5.71	23	479	<2	16	1.14	<4	4	39	3	1.10	0.07	26	1.36	444	<1	40	270	15	0.27	<5	22	33	185	1119	11	28	<10	5	49
60586	364738	<1	4.76	29	410	<2	20	1.05	<4	4	35	9	1.02	0.13	22	1.36	375	<1	28	250	13	0.25	<5	19	34	192	988	5	25	<10	5	48
60587	364739	<1	3.83	35	438	<2	18	1.27	<4	5	40	15	1.21	0.24	21	1.07	512	<1	29	240	21	0.38	5	15	28	211	1076	17	26	<10	5	56
60588	364740	<1	4.02	16	416	<2	10	2.62	<4	16	60	47	3.82	0.47	10	1.39	767	<1	36	634	9	0.11	<5	17	33	287	3127	8	111	<10	16	52
60589	364741	<1	3.14	34	426	<2	14	1.35	<4	3	28	9	1.05	0.30	17	0.72	507	<1	26	184	36	0.31	<5	33	28	234	1147	2	24	<10	4	63
60590D	364741	<1	3.48	33	432	<2	12	1.34	<4	4	29	9	1.02	0.26	17	0.71	504	<1	27	176	32	0.30	<5	19	29	233	1115	<2	24	<10	4	64
60591	364742	<1	4.22	32	501	<2	5	1.33	<4	4	33	27	1.11	0.36	20	0.83	495	<1	29	239	45	0.35	<5	25	27	219	1199	5	25	<10	4	125
60592	364743	<1	3.01	30	383	<2	12	0.71	<4	3	58	28	1.03	<0.01	17	0.73	365	5	61	164	17	0.25	<5	22	30	160	1045	<2	30	<10	3	37
60593	364744	<1	4.81	29	579	<2	11	1.40	<4	4	32	18	1.01	<0.01	22	0.92	527	<1	23	243	53	0.34	8	19	33	191	1189	<2	22	<10	4	100
60594	364745	<1	5.51	27	622	<2	15	1.04	<4	5	44	16	1.14	<0.01	19	0.91	673	2	53	272	490	0.32	<5	32	34	150	1275	<2	33	14	5	535
60595	364746	2	5.12	34	630	<2	17	1.04	<4	5	31	14	1.13	0.19	20	0.89	688	<1	24	267	666	0.43	6	18	35	156	1262	<2	25	14	5	684

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60596	364747	<1	5.13	21	418	<2	29	1.53	<4	5	52	5	1.23	<0.01	26	1.32	1057	3	47	247	62	0.28	<5	37	29	172	1258	11	30	<10	5	59
60597	364748	3	5.35	31	395	<2	23	1.31	<4	4	42	3	1.51	<0.01	27	1.09	874	<1	44	261	37	0.49	5	8	31	148	1274	11	28	<10	5	72
60598	364749	<1	4.17	19	344	<2	21	1.39	<4	5	34	6	1.04	0.07	19	0.98	990	<1	29	238	34	0.17	<5	14	28	133	1187	7	24	<10	5	52
60599	364750	127	3.92	21	364	<2	15	2.83	5	15	37	90	4.61	0.33	5	1.24	850	<1	22	541	17920	0.13	98	9	36	281	2647	3	122	11	16	310
60600	364751	<1	4.52	24	406	<2	12	1.65	<4	5	46	6	1.31	<0.01	19	1.01	1085	3	50	243	189	0.27	<5	14	30	154	1276	7	33	<10	5	67
60601R	364751	<1	4.25	23	472	<2	17	1.79	<4	5	45	5	1.22	0.10	21	0.96	1009	4	61	218	71	0.21	<5	22	31	179	1295	2	36	10	4	83
60602	364752	3	6.90	45	635	<2	22	1.20	<4	6	30	11	1.41	<0.01	20	0.91	2112	<1	27	318	787	0.43	5	36	38	136	1425	10	28	<10	6	482
60603	364753	<1	5.48	32	614	<2	19	0.92	<4	5	27	33	1.30	<0.01	15	0.84	1928	<1	4	275	140	0.36	<5	26	29	122	1263	5	20	<10	5	413
60604	364754	<1	4.57	35	611	<2	17	0.73	<4	9	59	65	1.91	0.07	19	0.90	1879	<1	19	305	138	0.45	<5	20	31	106	1341	6	38	<10	8	358
60605	364755	<1	3.06	31	810	<2	7	0.92	<4	18	127	73	3.17	<0.01	26	1.30	2001	<1	54	362	106	0.50	7	22	35	103	1705	<2	87	<10	9	102
60606	364756	<1	2.90	44	725	<2	12	0.76	<4	6	38	15	1.51	0.08	11	0.82	993	<1	11	246	111	0.42	11	11	33	121	1121	<2	24	<10	5	205
60607	364757	<1	3.49	36	937	<2	4	0.90	<4	4	35	5	1.22	0.17	10	0.70	897	<1	4	226	113	0.37	<5	17	31	124	1132	4	20	<10	4	158
60608	364758	1	4.25	44	844	<2	10	0.56	<4	5	46	8	1.42	0.18	15	0.58	569	<1	10	256	930	0.52	<5	22	34	109	1216	<2	28	18	5	1078
60609	364759	<1	3.36	16	490	<2	<1	2.23	<4	18	161	52	3.61	0.49	19	1.51	1677	2	59	480	79	0.21	<5	8	29	163	1759	3	76	<10	12	86
60610	364760	<1	4.75	19	457	<2	23	2.74	<4	17	66	48	3.95	0.59	13	1.45	820	<1	36	657	10	0.11	<5	10	34	296	3224	6	114	<10	17	55
60611	364761	<1	4.47	37	889	<2	26	1.11	<4	11	73	28	2.19	0.11	18	0.91	1294	<1	25	327	457	0.51	5	30	33	120	1382	15	49	<10	7	558
60612D	364761	<1	5.14	36	903	<2	32	1.10	<4	11	69	29	2.15	0.16	22	0.95	1261	<1	25	328	458	0.52	6	25	34	118	1402	<2	48	12	7	580
60613	364762	<1	4.33	38	663	<2	13	1.70	<4	5	28	3	1.22	0.19	15	1.05	1345	<1	4	256	65	0.39	<5	17	30	211	1077	7	18	<10	5	96
60614	364763	<1	5.94	32	416	2	16	1.82	<4	4	41	2	1.22	0.01	18	1.16	1437	<1	2	284	74	0.30	<5	16	26	250	1092	18	18	<10	6	103
60615	364764	2	5.15	34	463	<2	17	1.48	<4	4	41	25	1.41	0.12	16	0.87	992	<1	4	271	327	0.35	<5	23	29	208	1174	14	20	12	5	354

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60616	364765	<1	3.48	22	491	<2	22	1.41	<4	12	85	26	2.39	0.03	18	0.88	504	<1	29	393	29	0.22	<5	31	29	154	1805	2	53	<10	8	65
60617	364766	<1	3.81	19	497	<2	8	1.49	<4	12	86	27	2.38	0.26	17	0.89	508	<1	29	396	25	0.20	<5	22	28	159	1823	<2	52	<10	8	56
60618	364767	<1	3.08	20	391	<2	8	1.63	<4	16	112	34	3.06	<0.01	21	1.10	539	<1	42	433	21	0.13	<5	14	28	151	2478	<2	68	10	9	59
60619	364768	<1	3.85	19	395	<2	13	1.69	<4	22	165	37	3.58	0.58	22	1.38	578	<1	57	482	27	0.14	5	12	26	139	3006	4	93	<10	10	68
60620	364769	<1	4.53	17	349	<2	17	1.60	<4	19	146	48	3.73	0.60	22	1.53	597	<1	55	522	48	0.22	<5	10	32	128	2666	<2	84	<10	11	99
60621	364770	<1	5.03	54	284	<2	15	1.14	4	14	34	2271	4.97	0.42	29	0.93	1100	12	20	735	79	1.79	9	18	32	185	1194	<2	58	12	10	573
60622	364771	2	5.38	44	502	<2	20	0.95	<4	13	52	41	1.24	<0.01	14	0.75	350	1	22	429	94	0.29	6	29	33	98	1714	<2	49	<10	7	231
60623D	364771	3	4.66	39	477	<2	9	0.89	<4	13	48	17	1.15	0.32	13	0.71	326	<1	22	405	95	0.28	<5	35	34	93	1642	<2	46	<10	7	218
60624	364772	<1	5.25	53	430	2	10	1.23	<4	17	30	23	1.08	0.15	19	0.92	603	<1	26	620	49	0.33	<5	29	28	111	1655	<2	46	<10	7	76
60625	364773	<1	6.20	64	427	2	14	0.94	<4	20	24	13	0.90	0.16	17	0.84	563	<1	26	728	42	0.23	5	27	32	103	1892	6	36	<10	7	67
60626	364774	<1	5.77	76	286	2	24	0.74	<4	28	39	37	0.85	<0.01	15	0.64	272	2	32	565	39	0.27	<5	37	34	81	1667	5	31	<10	7	149
60627	364775	1	4.02	72	305	<2	20	0.34	<4	18	29	48	1.00	0.15	12	0.51	205	<1	19	527	34	0.31	<5	25	33	71	1847	<2	35	<10	6	62
60628	364776	<1	3.20	58	263	<2	14	0.08	<4	17	26	16	0.72	<0.01	5	0.37	<100	<1	17	498	21	0.14	<5	24	31	60	1758	8	28	<10	5	14
60629	364777	<1	2.99	57	307	<2	10	0.08	<4	17	20	24	0.87	<0.01	6	0.37	<100	<1	18	493	46	0.26	6	15	31	59	1872	<2	38	10	5	155
60630	364778	<1	2.20	51	288	<2	12	0.15	<4	11	24	11	0.89	<0.01	10	0.40	173	<1	11	436	50	0.23	<5	10	29	55	1803	<2	32	<10	5	148
60631	364779	<1	3.53	83	348	2	13	0.70	<4	14	26	37	1.16	0.25	18	0.68	509	<1	11	526	68	0.39	<5	22	34	92	1950	2	34	<10	6	73
60632	364780	<1	3.84	17	415	<2	22	2.57	<4	15	59	46	3.74	0.46	11	1.35	752	<1	35	612	7	0.09	<5	13	28	282	3063	2	109	<10	15	51
60633	364781	<1	3.51	48	383	<2	14	0.16	<4	8	23	13	0.96	0.50	10	0.43	130	<1	7	496	27	0.32	<5	19	33	54	2072	7	39	<10	5	30
60634D	364781	<1	5.06	53	406	<2	23	0.14	<4	9	22	13	0.95	0.42	12	0.46	120	<1	8	586	29	0.36	<5	26	33	52	2125	5	38	<10	6	28
60635	364782	<1	8.99	46	624	2	22	1.18	<4	13	38	39	1.73	1.08	37	0.95	732	<1	12	797	30	0.24	9	31	50	118	2665	7	48	18	8	224

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60636	364783	<1	5.57	30	459	<2	16	1.98	<4	10	36	16	1.62	0.30	35	0.88	513	<1	11	512	18	0.19	6	25	35	143	2197	4	43	<10	7	44
60637	364784	<1	5.44	20	678	<2	8	1.79	<4	6	21	7	1.51	0.25	17	0.89	520	<1	6	659	14	0.31	7	23	30	141	2153	<2	35	<10	7	31
60638	364785	<1	6.00	29	703	<2	6	2.14	<4	9	34	25	1.86	0.04	16	0.91	506	<1	9	741	15	0.22	7	23	30	161	2258	3	38	<10	7	58
60639	364786	<1	4.66	29	681	<2	16	1.83	<4	7	38	15	1.67	0.09	12	0.82	459	<1	30	601	16	0.19	<5	19	25	148	1940	6	34	<10	7	60
60640	364787	<1	5.27	35	689	<2	18	2.12	<4	10	58	22	2.06	0.23	19	1.21	563	<1	34	651	46	0.40	6	29	26	158	2160	<2	40	12	7	63
60641	364788	2	3.58	58	529	<2	9	1.02	4	6	32	13	2.05	0.12	16	0.84	427	<1	25	511	894	0.82	6	10	26	102	1732	<2	30	17	6	1263
60642	364789	<1	4.05	30	600	<2	11	2.05	<4	6	31	6	1.77	0.42	25	1.37	782	<1	23	603	65	0.34	<5	13	29	141	2171	13	36	10	6	105
60643	364790	<1	4.10	36	529	<2	14	2.31	<4	15	57	211	4.05	0.49	14	1.29	750	9	39	626	8	0.13	8	6	29	293	2949	3	107	14	15	64
60644	364791	<1	4.31	24	671	2	9	1.96	<4	8	45	16	1.76	0.28	30	1.24	850	<1	30	529	28	0.16	<5	23	30	158	2412	5	41	13	6	73
60645D	364791	<1	5.76	23	687	2	8	2.03	<4	7	47	13	1.73	0.29	31	1.32	866	<1	26	571	29	0.16	<5	29	34	161	2454	4	41	14	7	73
60646	364792	<1	4.91	25	606	<2	15	1.44	<4	6	34	7	1.33	0.37	25	1.08	656	<1	30	595	21	0.09	5	21	30	145	2262	<2	35	11	6	54
60647	364793	<1	4.99	21	553	<2	12	1.94	<4	5	48	8	1.15	0.31	19	1.22	871	2	30	572	36	0.08	<5	16	30	150	1753	10	28	12	7	98
60648	364794	<1	3.85	18	160	<2	16	2.85	<4	5	52	14	1.58	0.25	16	2.02	3970	3	32	457	24	0.10	<5	22	33	147	1477	28	26	10	12	181
60649	364795	<1	5.25	15	407	2	19	2.07	<4	9	33	10	1.61	0.36	21	1.44	1420	<1	27	457	35	0.15	<5	20	30	224	1887	<2	34	10	6	103
60650	364796	<1	4.70	28	155	<2	18	0.67	<4	4	64	4	1.24	<0.01	18	1.53	733	<1	32	353	16	0.13	<5	27	34	118	1141	<2	27	<10	6	53
60651	364797	<1	5.54	37	229	<2	19	0.58	<4	6	39	12	1.75	0.13	27	1.87	824	<1	29	432	14	0.25	<5	26	31	122	1278	7	35	<10	6	61
60652	364798	<1	5.21	43	222	<2	29	0.60	<4	9	46	21	2.14	0.32	33	1.90	773	<1	31	426	17	0.37	5	17	29	132	1127	2	39	<10	6	59
60653	364799	<1	4.57	25	204	<2	23	0.50	<4	6	48	11	1.77	0.47	53	1.84	689	<1	30	435	13	0.20	<5	15	33	128	1178	12	40	<10	6	54
60654	364800	<1	3.30	19	366	<2	18	2.34	<4	15	54	43	3.47	0.35	8	1.27	689	<1	31	573	5	0.09	<5	8	29	261	2758	9	101	<10	15	47
60655	364801	<1	4.52	29	246	<2	20	0.54	<4	8	40	6	1.09	0.10	33	1.34	508	<1	32	390	21	0.14	<5	28	31	151	1088	4	39	10	5	59

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60656D	364801	<1	3.24	26	207	<2	9	0.36	<4	7	34	4	0.89	0.41	28	1.19	451	<1	28	324	18	0.12	5	13	24	126	931	<2	33	<10	4	56
60657	364802	1	3.70	33	169	<2	8	0.50	<4	7	34	2	0.89	0.09	36	1.66	671	<1	29	293	416	0.14	<5	18	30	160	850	2	25	<10	4	165
60658	364803	<1	3.64	19	105	<2	3	1.29	<4	5	38	6	1.26	0.39	34	3.63	2628	<1	28	341	314	0.10	5	22	33	158	926	12	23	<10	5	257
60659	364804	<1	4.11	34	169	<2	12	1.52	<4	5	30	19	1.69	0.41	30	3.26	1938	<1	25	340	214	0.42	<5	34	31	172	1054	11	25	<10	5	322
60660	364805	1	2.45	24	134	2	9	1.04	<4	4	25	4	0.93	<0.01	25	1.63	918	<1	21	277	203	0.21	5	27	31	162	792	4	18	<10	4	204
60661	364806	<1	3.22	26	198	2	20	1.20	<4	5	28	5	1.09	<0.01	23	1.63	978	<1	24	304	286	0.26	5	12	35	181	928	9	22	<10	4	231
60662	364807	6	5.85	32	139	2	19	1.27	<4	4	31	6	1.16	0.10	31	2.16	1085	<1	26	387	1505	0.29	8	17	32	178	994	<2	26	<10	5	390
60663	364808	<1	4.82	33	170	<2	3	0.49	<4	4	28	2	0.77	0.25	16	1.31	583	<1	25	334	94	0.15	<5	18	28	132	972	<2	26	<10	4	63
60664	364809	<1	4.37	29	152	<2	10	0.33	<4	3	27	2	0.67	0.26	15	1.17	398	<1	24	334	29	0.13	6	26	28	115	862	<2	24	<10	4	38
60665	364810	125	4.44	24	397	<2	28	3.02	5	16	40	97	4.95	0.40	5	1.31	896	1	22	564	18305	0.14	100	14	33	298	2806	4	131	<10	17	327
60666	364811	<1	4.30	22	199	<2	24	1.24	<4	4	37	5	0.83	0.46	15	1.67	821	<1	28	368	104	0.11	<5	30	30	165	956	<2	24	<10	5	153
60667R	364811	<1	3.56	23	171	<2	4	1.05	<4	3	40	5	0.78	0.17	10	1.50	720	<1	32	351	86	0.10	<5	10	25	151	863	6	23	<10	4	137
60668	364812	<1	5.13	26	193	<2	25	0.57	<4	4	29	2	0.58	<0.01	10	1.08	424	<1	37	364	51	0.10	<5	22	25	119	1117	<2	23	<10	5	79
60669	364813	<1	5.53	28	293	<2	10	0.91	<4	5	30	9	0.84	0.15	15	1.41	616	<1	36	427	66	0.21	<5	24	31	130	1400	3	27	<10	6	290
60670	364814	<1	4.92	48	363	<2	7	0.65	<4	6	39	19	1.08	0.24	13	0.86	369	1	41	359	36	0.33	5	35	28	89	1477	4	26	<10	5	34
60671	364815	<1	5.78	36	345	<2	21	2.27	<4	5	34	15	1.03	0.28	23	1.52	924	<1	39	393	11	0.20	<5	22	30	126	1601	3	26	<10	6	183
60672	364816	<1	4.43	28	281	<2	21	2.43	<4	7	40	4	1.03	0.31	18	1.61	1068	<1	38	386	19	0.22	<5	27	31	132	1789	<2	33	<10	6	52
60673	364817	<1	3.31	25	256	<2	6	1.31	<4	6	29	4	1.08	0.32	17	1.07	524	<1	30	328	15	0.32	<5	22	29	117	1694	9	28	<10	5	55
60674	364818	<1	4.00	34	301	<2	18	0.98	<4	8	31	7	1.12	0.31	15	1.05	543	8	19	329	53	0.35	6	15	30	89	1623	7	26	<10	5	62
60675	364819	<1	3.97	35	293	<2	14	0.20	<4	8	40	7	1.12	0.15	14	0.57	192	<1	23	334	72	0.39	<5	21	27	48	1652	<2	29	<10	5	67

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60676	364820	<1	3.79	16	386	<2	12	2.45	<4	15	58	44	3.60	<0.01	10	1.30	713	<1	41	590	10	0.10	<5	6	25	272	2899	10	106	<10	15	47
60677	364821	<1	4.20	42	383	<2	17	1.68	<4	7	30	5	1.48	0.48	17	1.25	746	<1	20	331	46	0.52	<5	27	25	123	1713	<2	26	<10	5	102
60678D	364821	<1	5.36	38	407	<2	11	1.75	<4	7	27	4	1.46	0.04	20	1.33	769	<1	20	356	42	0.55	<5	20	33	124	1725	<2	25	<10	5	107
60679	364822	<1	5.50	39	341	<2	7	1.44	<4	8	28	5	1.16	0.26	18	1.16	578	<1	17	369	28	0.42	<5	27	33	116	1648	5	25	11	6	78
60680	364823	<1	5.60	36	333	<2	12	1.12	<4	6	35	3	1.43	<0.01	19	0.95	445	<1	20	367	38	0.50	5	32	29	120	1612	4	28	<10	6	71
60681	364824	<1	6.36	40	386	<2	19	1.32	<4	6	31	5	1.26	0.18	21	1.03	467	<1	20	413	129	0.38	<5	26	30	116	1785	<2	28	10	6	207
60682	364825	<1	6.96	36	440	<2	5	1.73	<4	7	34	5	1.17	0.45	18	1.07	511	<1	21	410	20	0.33	<5	40	32	149	1772	4	28	<10	6	41
60683	364826	<1	5.37	29	368	<2	9	1.44	<4	6	27	5	1.00	0.12	15	0.91	440	<1	17	356	15	0.25	<5	28	29	130	1519	6	25	<10	6	22
60684	364827	<1	4.88	30	389	<2	35	1.96	<4	6	29	5	1.14	0.43	11	0.77	386	<1	18	362	9	0.29	<5	28	30	177	1502	2	27	<10	5	29
60685	364828	<1	3.72	25	424	<2	6	1.67	<4	4	36	9	1.14	0.49	13	0.66	351	<1	16	285	36	0.20	<5	21	30	163	1487	6	26	<10	5	40
60686	364829	<1	2.44	29	396	<2	6	1.58	<4	5	25	7	1.21	0.42	12	0.69	338	<1	15	264	16	0.25	6	18	26	161	1412	4	26	<10	4	24
60687	364830	<1	3.52	27	485	<2	10	2.14	<4	15	54	196	3.79	0.61	11	1.20	697	9	48	581	11	0.12	6	7	29	274	2717	14	100	13	14	59
60688	364831	<1	4.10	28	490	<2	11	2.02	<4	6	31	15	1.50	0.85	16	0.76	386	<1	20	308	17	0.24	5	31	29	183	1630	6	30	<10	5	27
60689D	364831	<1	4.64	26	465	<2	12	1.86	<4	6	28	9	1.33	0.45	13	0.75	351	<1	16	337	12	0.25	<5	15	31	170	1520	2	26	<10	5	22
60690	364832	<1	5.16	23	429	<2	11	1.79	<4	6	30	7	1.25	0.43	16	0.88	389	<1	19	371	11	0.24	6	19	29	169	1618	<2	28	<10	5	99
60691	364833	<1	3.68	20	338	<2	4	1.27	<4	9	24	7	0.69	0.39	15	0.81	335	<1	21	355	15	0.08	6	24	26	156	1463	7	26	<10	4	443
60692	364834	<1	6.36	30	478	<2	24	1.94	<4	6	26	6	1.62	0.29	22	1.24	557	<1	17	428	29	0.37	<5	33	30	192	1883	4	28	10	6	102
60693	364835	<1	5.51	26	526	<2	8	2.22	<4	8	28	8	1.68	0.37	18	1.46	679	<1	15	377	26	0.41	<5	26	28	172	1650	10	26	10	6	55
60694	364836	<1	5.50	17	645	<2	30	1.55	<4	5	26	8	1.36	0.23	21	1.26	548	<1	14	399	38	0.15	<5	25	24	154	1696	<2	27	<10	6	45
60695	364837	<1	5.20	23	896	<2	23	1.08	<4	5	27	11	1.52	0.26	28	1.61	708	<1	15	377	59	0.26	<5	14	28	114	1719	2	27	<10	6	133

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60696	364838	<1	3.91	32	1691	<2	11	1.70	<4	5	40	6	1.73	0.46	19	1.43	754	<1	13	327	92	0.48	6	21	30	148	1473	<2	25	<10	6	341
60697	364839	<1	3.34	33	1088	<2	4	1.82	<4	5	28	6	1.35	0.37	15	1.23	656	<1	11	311	26	0.29	<5	11	33	139	1535	3	24	<10	5	53
60698	364840	<1	3.30	20	411	<2	7	2.46	<4	15	57	43	3.59	0.46	9	1.30	730	<1	43	591	11	0.10	<5	17	26	272	2906	<2	105	<10	15	48
60699	364841	<1	4.72	33	4955	2	20	2.39	<4	4	34	18	1.71	0.70	16	1.61	806	<1	14	358	584	0.58	5	13	39	409	1567	2	26	21	7	344
60700D	364841	<1	4.38	35	>5000	2	13	2.28	<4	3	37	17	1.60	0.67	14	1.53	773	<1	16	335	581	0.61	<5	23	32	399	1458	<2	22	18	6	340
60701	364842	<1	4.18	28	902	<2	12	2.00	<4	4	34	4	1.57	0.55	23	1.44	683	<1	17	345	25	0.43	<5	15	31	88	1662	7	26	<10	5	36
60702	364843	<1	4.53	32	708	<2	20	2.41	<4	6	41	8	1.77	0.31	20	1.68	947	<1	17	332	21	0.54	<5	21	29	121	1498	<2	27	13	6	57
60703	364844	<1	4.70	35	763	<2	21	1.52	<4	5	42	6	1.44	0.33	20	1.30	613	<1	15	347	31	0.34	<5	22	30	127	1602	<2	27	<10	6	26
60704	364845	<1	5.85	44	1126	2	11	1.72	<4	7	51	43	1.83	0.04	24	1.53	747	<1	28	415	86	0.52	<5	34	30	141	1785	<2	36	<10	7	124
60705	364846	<1	6.87	48	1217	2	17	1.98	<4	8	52	56	1.98	0.35	28	1.68	816	<1	24	454	153	0.58	<5	31	31	151	1917	9	40	<10	8	231
60706	364847	6	3.51	71	452	<2	20	1.95	8	13	106	406	3.48	0.15	12	1.45	829	<1	46	431	4034	1.51	9	16	28	107	1562	<2	48	27	9	2758
60707	364848	<1	4.28	63	811	<2	38	1.87	5	17	157	39	3.77	0.28	16	1.43	862	2	53	456	866	1.50	7	<5	31	117	1880	<2	54	21	12	1575
60708	364849	<1	4.29	52	1566	2	12	1.63	<4	17	129	72	2.94	0.13	21	1.27	799	1	55	459	623	1.03	6	23	32	128	2259	6	68	15	12	658
60709	364850	122	3.08	21	393	<2	14	2.86	5	15	39	92	4.75	0.29	6	1.21	861	<1	31	521	18174	0.13	95	7	35	282	2606	3	124	<10	16	321
60710	364851	2	3.21	35	1832	<2	13	1.48	4	6	43	32	2.20	0.27	15	1.23	608	<1	18	421	1379	0.71	<5	23	29	132	1558	<2	28	16	7	1473
60711D	364851	1	4.10	45	1885	<2	20	1.51	4	7	45	32	2.20	0.24	17	1.29	619	<1	19	447	1226	0.76	<5	35	27	135	1586	<2	27	17	7	1516
60712	364852	<1	4.63	33	917	<2	17	2.47	<4	6	38	23	2.25	0.34	17	1.63	990	<1	18	427	153	0.53	5	19	36	139	1612	2	27	10	6	148
60713	364853	<1	4.74	45	701	<2	8	1.71	<4	8	33	4	1.77	0.54	25	1.56	787	<1	17	466	97	0.54	<5	21	32	123	1868	5	31	13	5	246
60714	364854	<1	4.93	20	770	<2	22	2.73	<4	6	42	16	1.80	0.41	23	1.80	1150	<1	18	378	96	0.35	<5	21	32	108	1614	<2	27	<10	6	84
60715	364855	4	5.60	17	652	<2	17	1.77	<4	6	42	53	1.54	0.42	26	1.86	1144	<1	18	332	3014	0.25	<5	37	36	150	1673	<2	24	15	6	1480

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60716	364856	<1	6.00	35	645	<2	23	1.20	<4	6	45	10	1.43	0.13	27	1.63	893	2	14	350	91	0.24	<5	30	28	158	1757	<2	24	<10	6	161
60717	364857	<1	6.69	39	587	<2	21	1.43	<4	7	49	32	1.73	0.42	31	1.68	1048	<1	17	357	337	0.33	<5	31	35	146	1571	<2	25	<10	6	295
60718	364858	<1	5.25	31	558	<2	9	2.02	<4	6	40	34	1.45	0.24	22	1.57	958	2	14	320	213	0.25	<5	22	29	134	1570	<2	23	12	5	364
60719	364859	<1	4.79	16	676	<2	17	1.69	<4	5	50	55	1.48	0.33	20	1.30	747	<1	17	297	312	0.13	<5	23	31	141	1532	7	20	10	5	815
60720	364860	<1	3.85	20	420	<2	14	2.59	<4	16	58	46	3.76	0.38	10	1.37	758	<1	48	627	14	0.08	<5	5	27	285	3061	<2	109	<10	15	61
60721	364861	<1	3.80	18	770	<2	13	1.66	<4	5	42	26	1.41	0.15	22	1.16	570	<1	14	304	96	0.10	<5	20	23	181	1628	<2	25	11	5	140
60722D	364861	<1	3.88	20	762	<2	19	1.64	<4	6	43	25	1.38	0.20	22	1.15	562	<1	15	298	99	0.11	5	13	29	178	1582	<2	24	10	5	141
60723	364862	<1	4.66	23	781	<2	19	1.74	<4	6	45	13	1.42	0.27	20	1.19	551	2	17	328	38	0.15	<5	25	32	163	1672	<2	25	<10	5	52
60724	364863	<1	3.73	22	779	<2	19	2.65	<4	5	44	19	1.56	0.27	14	1.64	889	2	17	286	509	0.15	<5	17	28	145	1421	5	22	14	5	766
60725	364864	<1	4.85	19	847	<2	11	2.98	<4	5	48	32	1.59	0.06	17	1.91	1045	3	16	307	313	0.14	6	19	28	151	1394	12	23	11	5	322
60726	364865	<1	4.66	13	760	<2	13	2.73	<4	5	38	29	1.56	0.30	14	1.90	1040	<1	18	337	440	0.15	5	28	34	143	1258	2	22	11	5	312
60727	364866	<1	4.02	15	734	<2	5	2.27	<4	5	35	21	1.34	0.34	11	1.66	897	<1	16	314	447	0.12	6	19	26	132	1171	3	21	10	5	274
60728	364867	<1	5.29	17	621	<2	8	2.28	<4	6	47	40	1.55	0.12	22	1.76	743	2	17	329	85	0.12	<5	<5	29	121	1575	3	23	<10	5	160
60729	364868	<1	6.12	21	505	<2	35	2.05	<4	7	48	28	1.83	0.43	34	2.41	884	<1	16	370	92	0.14	<5	27	36	147	1931	4	25	<10	6	143
60730	364869	<1	5.29	19	392	<2	31	1.87	<4	5	34	28	1.56	0.31	26	2.12	701	<1	17	354	15	0.09	5	11	28	146	1654	3	24	10	5	38
60731	364870	<1	3.53	60	247	<2	11	1.03	4	12	31	2126	4.77	0.05	26	0.85	1046	11	31	637	74	1.70	<5	20	31	176	1083	2	56	14	9	553
60732	364871	<1	3.35	22	426	<2	8	1.20	<4	6	29	15	1.34	0.17	28	1.44	479	<1	12	284	10	0.14	<5	24	32	154	1574	5	23	<10	5	34
60733R	364871	<1	3.55	16	453	<2	8	1.31	<4	6	30	15	1.38	0.17	30	1.55	508	<1	13	293	14	0.15	<5	11	34	161	1689	3	24	<10	5	54
60734	364872	<1	5.33	23	436	<2	6	1.53	<4	6	31	19	1.34	<0.01	23	1.49	511	<1	15	313	12	0.16	<5	27	29	111	1573	7	22	<10	6	99
60735	364873	<1	5.90	19	440	<2	8	2.18	<4	7	34	12	1.46	<0.01	30	1.64	542	<1	17	350	42	0.16	5	32	25	114	1707	8	24	<10	6	78

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60736	364874	<1	4.74	19	485	<2	22	1.46	<4	6	31	16	1.34	0.26	27	1.40	433	<1	12	327	7	0.14	<5	16	25	138	1695	6	24	<10	5	98
60737	364875	<1	4.09	21	563	<2	24	1.12	<4	5	39	3	1.25	0.13	24	1.29	406	<1	13	313	2	0.07	<5	23	25	172	1711	<2	24	<10	5	27
60738	364876	<1	3.49	24	603	<2	16	1.17	<4	5	34	3	1.15	0.23	25	1.20	403	<1	12	316	4	0.08	<5	19	31	136	1713	5	24	<10	5	19
60739	364877	<1	4.45	18	577	<2	10	1.11	<4	5	45	8	1.38	0.45	30	1.18	369	<1	19	347	9	0.12	6	25	28	135	1900	5	27	<10	5	35
60740	364878	<1	3.28	18	529	<2	9	0.81	<4	5	34	6	1.11	0.12	26	1.15	352	<1	16	273	14	0.16	<5	19	28	120	1585	6	23	10	4	30
60741	364879	<1	5.17	21	609	<2	17	1.56	<4	7	43	11	1.47	0.18	34	1.75	593	<1	19	337	12	0.16	5	14	33	82	1903	<2	26	<10	5	44
60742	364880	<1	2.95	19	355	<2	10	2.29	<4	14	52	41	3.39	0.28	7	1.22	675	<1	41	560	11	0.08	<5	8	26	257	2693	7	99	<10	14	42
60743	364881	<1	4.33	21	543	<2	14	1.40	<4	6	39	11	1.39	0.58	28	1.70	556	<1	18	325	17	0.15	5	11	34	82	1796	<2	25	<10	5	28
60744D	364881	<1	4.53	20	518	<2	3	1.33	<4	5	40	10	1.34	0.35	27	1.64	529	<1	13	321	10	0.16	<5	21	24	79	1660	8	24	<10	5	27
60745	364882	1	4.61	17	498	<2	3	3.93	4	5	25	34	1.61	0.38	24	2.90	1376	<1	16	288	1336	0.23	<5	25	30	63	1395	9	18	21	7	1568
60746	364883	2	5.61	28	534	<2	18	2.19	8	5	44	76	1.71	0.26	33	2.17	1054	<1	18	351	1787	0.34	6	19	29	116	1644	<2	23	31	6	2771
60747	364884	<1	3.56	31	391	<2	26	1.63	<4	5	42	12	1.62	<0.01	29	2.04	986	<1	14	280	94	0.37	<5	21	22	104	1327	15	20	14	5	507
60748	364885	<1	3.53	34	211	<2	7	1.73	<4	5	47	29	1.37	<0.01	17	1.52	635	<1	17	179	352	0.20	<5	15	33	117	1092	<2	14	11	5	301
60749	364886	<1	3.00	31	187	<2	16	1.66	<4	5	56	26	1.30	<0.01	18	1.51	631	<1	16	177	299	0.21	<5	24	28	108	1141	8	14	<10	5	234
60750	364887	<1	3.38	22	721	2	11	1.44	<4	6	28	74	1.75	<0.01	26	1.21	596	<1	18	296	239	0.16	<5	18	29	145	1725	<2	27	14	4	511
60751	364888	<1	4.25	39	550	<2	18	1.20	<4	5	31	51	1.32	<0.01	27	1.32	596	<1	18	322	116	0.31	5	28	28	101	1611	3	24	<10	5	239
60752	364889	<1	3.96	38	498	<2	13	1.27	<4	6	30	27	1.26	0.12	27	1.28	569	<1	12	311	98	0.33	<5	28	30	94	1676	2	25	10	5	217
60753	364890	<1	3.86	25	495	<2	19	2.17	<4	15	54	203	3.86	0.30	11	1.24	715	8	50	610	13	0.12	7	9	29	279	2789	<2	102	14	15	59
60754	364891	<1	3.76	30	469	<2	25	0.97	<4	6	28	45	1.49	0.31	27	1.35	516	<1	17	353	834	0.40	5	14	29	103	1674	<2	25	17	5	1255
60755D	364891	<1	4.43	29	508	<2	29	0.99	<4	6	25	42	1.47	0.49	29	1.37	522	<1	17	350	856	0.42	7	19	49	102	1688	7	24	15	5	1276

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60756	364892	<1	5.34	31	462	<2	18	1.46	<4	6	27	12	1.24	0.34	24	1.52	451	<1	18	376	68	0.34	5	29	29	60	1645	2	25	<10	5	128
60757	364893	<1	1.64	22	349	<2	8	0.08	<4	4	17	21	0.76	<0.01	6	0.57	138	<1	11	271	43	0.31	5	22	29	36	1044	<2	17	<10	3	251
60758	364894	3	5.48	37	592	<2	9	0.03	<4	5	28	25	0.97	0.03	5	0.48	<100	<1	16	381	51	0.44	6	26	31	54	1305	<2	24	<10	7	57
60759	364895	4	4.59	39	588	<2	12	0.02	<4	5	33	37	0.92	<0.01	4	0.40	<100	<1	16	359	66	0.41	11	12	29	55	1302	5	27	<10	5	293
60760	364896	<1	3.74	36	671	<2	26	0.33	<4	8	34	38	1.33	<0.01	9	0.56	223	<1	21	408	50	0.61	<5	27	28	56	1507	<2	32	<10	6	299
60761	364897	<1	3.91	36	701	<2	12	0.26	<4	7	35	47	1.23	<0.01	9	0.58	174	<1	19	361	44	0.48	<5	31	28	58	1637	7	30	<10	5	541
60762	364898	<1	3.90	21	578	<2	11	1.10	<4	6	36	44	1.55	0.15	25	1.56	913	<1	17	335	95	0.46	7	22	27	71	1505	11	27	<10	5	183
60763	364899	<1	3.85	32	598	<2	12	0.64	<4	5	27	40	1.22	0.06	20	0.89	568	<1	15	350	58	0.44	<5	24	<10	94	1569	<2	25	<10	5	372
60764	364900	<1	3.65	15	352	<2	12	2.43	<4	14	58	45	3.63	0.14	10	1.30	731	<1	44	594	6	0.09	<5	22	<10	279	2929	<2	106	<10	15	52
60765	364901	<1	4.23	26	572	<2	9	0.77	<4	6	29	21	1.29	<0.01	21	1.18	560	<1	18	327	43	0.30	8	25	<10	76	1730	<2	28	<10	5	52
60766D	364901	<1	3.89	24	563	<2	6	0.71	<4	6	27	20	1.22	0.41	20	1.12	552	<1	17	325	41	0.31	<5	24	<10	71	1660	5	26	<10	4	49
60767	364902	<1	3.62	24	493	<2	14	0.49	<4	7	28	17	1.15	0.28	17	0.97	383	<1	19	334	48	0.27	6	31	<10	55	1590	<2	26	<10	5	21
60768	364903	<1	5.30	26	512	<2	19	0.63	<4	5	32	9	1.05	0.34	14	0.82	281	<1	13	369	30	0.27	<5	11	<10	55	1656	<2	27	<10	5	17
60769	364904	<1	5.88	47	545	<2	24	0.85	<4	6	38	18	1.16	0.25	18	1.15	571	<1	14	385	17	0.21	5	25	<10	53	1788	<2	27	<10	6	58
60770	364905	<1	5.94	28	559	<2	14	1.42	<4	7	32	8	1.38	<0.01	24	1.48	681	<1	18	365	20	0.25	<5	19	<10	118	1723	<2	26	<10	6	45
60771	364906	<1	6.00	29	554	<2	23	1.47	<4	7	34	13	1.41	<0.01	25	1.52	698	<1	17	360	22	0.26	9	28	<10	125	1720	7	26	<10	6	49
60772	364907	<1	5.41	35	480	<2	15	1.04	<4	6	29	8	1.45	<0.01	32	1.74	454	<1	17	358	18	0.29	<5	20	<10	82	1750	5	26	<10	6	41
60773	364908	<1	5.13	30	362	<2	14	1.75	<4	6	35	5	1.40	<0.01	27	1.75	423	<1	11	430	21	0.37	<5	15	<10	66	1532	<2	25	<10	6	44
60774	364909	<1	5.04	29	442	<2	17	1.10	<4	6	31	13	1.57	<0.01	30	1.85	469	<1	17	349	18	0.33	<5	15	<10	68	1554	11	25	<10	6	70
60775	364910	35	3.88	20	324	<2	13	2.71	5	15	37	87	4.50	0.40	6	1.21	831	<1	29	530	5086	0.13	91	<5	<10	277	2581	<2	119	<10	16	297

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60776	364911	<1	3.98	30	361	<2	19	0.71	<4	7	38	6	2.15	0.36	73	2.87	491	<1	15	343	280	0.22	<5	17	<10	96	1424	13	27	<10	6	67
60777D	364911	<1	4.10	32	395	<2	17	0.70	<4	7	36	5	2.10	0.42	75	2.95	489	<1	18	364	24	0.22	<5	<5	<10	94	1411	8	25	<10	6	66
60778	364912	<1	3.99	52	583	<2	14	0.97	<4	7	36	13	2.10	<0.01	51	2.12	401	<1	15	379	21	0.37	5	20	<10	93	1562	<2	30	<10	5	66
60779	364913	<1	3.80	29	444	<2	8	0.46	<4	6	26	7	1.46	0.34	27	1.74	279	<1	14	323	31	0.22	<5	23	<10	71	1457	3	25	<10	5	49
60780	364914	<1	4.70	33	429	<2	6	0.44	<4	6	29	6	1.60	0.36	38	1.81	323	<1	12	354	32	0.22	7	23	<10	73	1460	3	26	<10	6	63
60781	364915	<1	5.85	40	503	<2	11	0.09	<4	7	28	4	1.23	0.21	12	0.69	117	<1	14	355	34	0.41	<5	23	<10	64	1458	3	27	10	6	21
60782	364916	<1	6.35	38	491	<2	16	0.33	<4	6	37	15	1.13	0.41	15	0.70	169	<1	15	394	54	0.36	7	40	<10	63	1847	10	29	<10	7	98
60783	364917	97	4.90	260	241	<2	16	<0.01	<4	12	97	149	1.65	0.42	6	0.38	<100	3	37	354	2564	0.62	126	30	<10	57	1234	<2	59	<10	10	237
60784	364918	8	6.00	126	377	<2	12	0.08	6	8	43	109	2.29	0.03	12	0.47	<100	<1	27	545	1552	1.09	25	22	11	64	1372	<2	40	28	8	2255
60785	364919	43	4.88	253	301	<2	14	0.18	13	6	47	340	1.39	<0.01	11	0.51	<100	<1	21	508	3305	0.54	152	23	<10	59	1496	2	32	41	8	3919
60786	364920	<1	3.20	16	319	<2	30	2.29	<4	14	56	44	3.47	0.15	8	1.23	692	<1	41	572	13	0.09	6	7	<10	266	2752	<2	102	<10	15	60
60787	364921	<1	4.83	80	207	2	11	1.53	<4	10	38	56	2.17	<0.01	18	0.98	327	<1	20	453	819	0.78	12	20	<10	99	1819	<2	36	22	8	1314
60788D	364921	<1	4.65	76	206	2	20	1.48	<4	9	39	55	2.09	0.02	18	0.96	314	1	22	432	806	0.73	11	16	10	94	1771	7	34	24	8	1320
60789	364922	8	0.52	166	58	<2	8	<0.01	43	10	26	193	3.72	<0.01	<1	0.30	<100	2	15	297	3429	2.24	16	<5	<10	38	839	<2	19	141	5	18131
60790	364923	<1	4.61	65	276	<2	10	0.41	10	7	29	59	1.37	0.45	13	0.92	202	<1	14	377	868	0.38	6	31	<10	58	1557	<2	25	37	7	4148
60791	364924	<1	5.00	30	404	<2	21	0.75	<4	7	37	29	1.54	0.41	25	1.53	447	<1	16	341	477	0.30	<5	25	<10	58	1741	<2	25	19	5	1372
60792	364925	<1	5.09	24	373	<2	9	1.75	<4	6	35	10	1.45	0.39	29	1.86	664	<1	17	350	118	0.20	<5	25	<10	53	1744	<2	25	<10	6	246
60793	364926	<1	5.85	29	398	<2	8	2.09	<4	6	34	6	1.34	<0.01	29	1.77	629	<1	17	334	89	0.21	<5	34	<10	55	1728	<2	25	<10	6	101
60794	364927	<1	4.90	22	540	<2	23	1.39	<4	7	37	5	1.39	<0.01	22	1.42	530	<1	18	317	72	0.23	<5	16	<10	77	1685	2	24	<10	5	32
60795	364928	<1	4.96	27	593	<2	27	1.01	<4	6	35	9	1.34	0.07	23	1.41	457	<1	14	350	49	0.16	5	24	13	78	1764	9	26	<10	5	126

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60796	364929	<1	5.32	27	488	<2	20	1.37	<4	6	33	15	1.63	0.27	26	1.60	455	<1	17	355	28	0.27	<5	22	<10	60	1678	<2	25	<10	6	133
60797	364930	<1	4.68	60	233	<2	14	1.04	4	14	33	2161	4.83	<0.01	30	0.91	1077	11	26	691	79	1.65	6	13	<10	182	1162	2	57	16	9	560
60798	364931	<1	4.76	28	473	<2	13	0.21	<4	7	39	120	2.13	0.28	26	1.86	392	2	15	379	26	0.29	5	17	<10	63	1647	8	28	<10	7	105
60799R	364931	<1	4.56	30	472	<2	8	0.16	<4	8	31	68	2.02	0.33	25	1.84	366	<1	18	356	20	0.30	<5	27	13	61	1609	<2	26	<10	7	83
60800	364932	<1	5.58	26	503	<2	<1	0.19	<4	6	29	19	1.59	0.02	21	1.57	266	<1	16	373	13	0.19	<5	20	11	62	1576	<2	26	<10	7	105
60801	364933	<1	8.92	55	707	<2	29	0.07	<4	9	35	19	1.83	0.41	17	0.82	106	2	19	408	33	0.67	7	29	<10	93	1644	<2	33	10	9	43
60802	364934	<1	5.13	29	465	<2	13	<0.01	<4	6	29	7	1.01	0.04	3	0.37	<100	<1	13	325	29	0.36	<5	20	<10	66	1271	2	25	<10	7	18
60803	364935	<1	5.66	38	466	<2	15	<0.01	<4	6	26	9	1.52	0.06	7	0.62	<100	<1	18	317	35	0.61	<5	20	<10	59	1242	3	26	<10	6	23
60804	364936	3	5.23	48	391	<2	10	0.22	<4	6	32	19	1.41	0.01	8	0.57	159	<1	15	342	280	0.53	5	33	<10	58	1275	<2	24	11	6	594
60805	364937	3	4.81	36	317	<2	19	<0.01	<4	5	30	18	0.98	0.12	5	0.37	<100	<1	15	250	357	0.29	10	9	<10	54	1253	<2	23	<10	6	144
60806	364938	8	3.63	96	231	<2	28	<0.01	6	5	32	113	1.48	0.02	5	0.44	<100	<1	13	130	1151	0.52	60	25	<10	52	1036	<2	22	18	5	1891
60807	364939	13	4.10	138	282	<2	11	0.01	15	8	39	511	3.75	0.01	8	0.44	<100	<1	22	258	1453	1.90	37	12	<10	54	1116	4	30	53	6	6335
60808	364940	<1	3.20	20	349	<2	19	2.30	<4	15	54	46	3.53	0.08	8	1.26	708	<1	38	584	18	0.10	5	14	<10	268	2851	<2	103	<10	15	82
60809	364941	49	3.15	180	223	<2	12	0.13	63	11	32	139	3.28	0.03	5	0.44	106	<1	17	284	15042	1.63	103	22	<10	52	1041	14	28	147	7	20665
60810D	364941	50	3.41	193	231	<2	12	0.14	67	13	32	146	3.52	<0.01	6	0.44	105	<1	15	287	13942	1.80	107	13	<10	51	1029	4	28	154	7	19280
60811	364942	<1	5.62	74	370	<2	13	0.06	<4	8	35	77	1.82	<0.01	9	0.44	<100	<1	21	783	399	0.73	13	26	<10	63	1545	5	38	20	8	559
60812	364943	<1	5.82	45	415	<2	6	0.17	<4	9	30	185	1.42	0.05	14	0.52	<100	<1	19	606	637	0.54	9	24	<10	62	1807	<2	38	12	8	501
60813	364944	<1	7.35	45	498	<2	20	1.69	<4	10	34	15	1.64	0.05	29	1.29	419	<1	21	593	74	0.39	7	21	<10	112	2239	2	42	<10	8	83
60814	364945	<1	5.73	37	463	<2	16	1.86	<4	9	32	6	1.76	0.04	29	1.39	452	<1	20	526	30	0.29	7	26	<10	110	2134	4	37	<10	7	60
60815	364946	<1	6.86	38	567	<2	17	2.02	<4	9	37	8	1.89	0.23	34	1.50	482	<1	17	561	44	0.28	<5	18	12	121	2346	<2	40	11	8	65

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540724
Reference: TL15-001
Sample #: 263

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60816	364947	<1	6.35	36	474	<2	14	2.37	<4	10	33	5	1.83	0.07	28	1.54	476	<1	17	601	42	0.28	<5	10	<10	130	2272	4	39	10	8	50
60817	364948	<1	5.85	40	405	<2	16	2.06	<4	9	31	8	1.64	0.08	26	1.32	470	<1	18	542	43	0.29	<5	21	<10	126	2121	2	37	<10	7	61
60818	364949	<1	5.67	18	458	<2	24	2.42	<4	7	37	4	1.81	0.15	24	1.34	421	<1	50	501	31	0.17	<5	18	<10	137	2108	<2	45	<10	7	52
60819	364950	<1	3.27	31	434	<2	11	1.97	<4	14	51	190	3.64	0.22	9	1.16	674	7	47	570	25	0.12	<5	12	<10	268	2636	10	97	15	15	60
60820	364951	<1	5.44	32	472	<2	15	1.54	<4	9	38	5	1.80	0.07	28	1.15	433	2	60	513	21	0.37	5	24	<10	128	2095	6	49	10	7	40
60821D	364951	<1	5.69	39	481	<2	<1	1.57	<4	9	38	3	1.80	<0.01	29	1.17	437	2	61	515	25	0.36	<5	16	<10	130	2112	2	49	<10	7	39
60822	364952	<1	3.35	35	327	<2	9	1.34	<4	7	48	6	1.69	<0.01	19	1.05	487	7	84	435	14	0.42	<5	17	<10	89	1741	3	51	<10	6	58
60823	364953	<1	5.60	37	466	<2	28	1.77	<4	9	59	6	1.81	0.14	26	1.27	548	8	99	518	15	0.36	<5	21	<10	113	2046	8	57	12	7	40
60824	364954	<1	5.75	37	492	2	21	2.43	<4	8	36	2	1.64	0.08	24	1.35	589	2	55	508	10	0.44	7	26	<10	100	1937	5	42	10	7	16

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15388

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
66429	364955	0.006	
66430	364956	<0.005	
66431	364957	<0.005	
66432	364958	<0.005	
66433	364959	<0.005	
66434	364960	<0.005	
66435	364961	<0.005	
66436	364962	<0.005	
66437	364963	<0.005	
66438	364964	0.010	
66439	364964 Dup	0.009	
66440	364965	0.082	
66441	364966	0.336	
66442	364967	0.014	
66443	364968	0.005	
66444	364969	0.009	
66445	364970	5.080	
66446	364971	0.006	
66447	364972	0.046	
66448	364973	0.035	
66449	364974	0.102	
66450	364974 Dup	0.126	
66451	364975	0.080	
66452	364976	0.103	
66453	364977	0.043	

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
66454	364978	0.026	
66455	364979	0.024	
66456	364980	<0.005	
66457	364981	0.026	
66458	364982	0.033	
66459	364983	0.020	
66460	364984	0.023	
66461	364984 Dup	0.030	
66462	364985	0.059	
66463	364986	0.073	
66464	364987	0.046	
66465	364988	0.019	
66466	364989	0.020	
66467	364990	0.405	
66468	364991	0.022	
66469	364992	0.037	
66470	364993	0.063	
66471	364994	0.011	
66472	364994 Dup	0.020	
66473	364995	0.009	
66474	364996	0.023	
66475	364997	0.009	
66476	364998	0.030	
66477	364999	0.238	
66478	365000	<0.005	

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
66479	365001	0.006	
66480	365002	0.011	
66481	365003	0.081	
66482	365004	0.013	
66483	365004 Dup	0.018	
66484	365005	0.005	
66485	365006	0.006	
66486	365007	0.006	
66487	365008	0.008	
66488	365009	0.027	
66489	365010	5.028	
66490	365011	0.103	
66491	365012	0.054	
66492	365013	0.091	
66493	365014	0.433	
66494	365014 Rep	0.409	
66495	365015	0.028	
66496	365016	0.016	
66497	365017	0.017	
66498	365018	0.011	
66499	365019	0.011	
66500	365020	0.008	
66501	365021	0.056	
66502	365022	0.025	
66503	365023	0.020	

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
66504	365024	0.033	
66505	365024 Dup	0.034	
66506	365025	0.009	
66507	365026	0.009	
66508	365027	0.010	
66509	365028	0.005	
66510	365029	0.009	
66511	365030	0.376	
66512	365031	0.010	
66513	365032	0.075	
66514	365033	0.285	
66515	365034	0.012	
66516	365034 Dup	0.028	
66517	365035	0.007	
66518	365036	0.020	
66519	365037	0.020	
66520	365038	0.005	
66521	365039	<0.005	
66522	365040	<0.005	
66523	365041	0.021	
66524	365042	<0.005	
66525	365043	0.016	
66526	365044	0.019	
66527	365044 Dup	0.020	
66528	365045	0.041	

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
66529	365046	0.044	
66530	365047	0.069	
66531	365048	0.058	
66532	365049	0.024	
66533	365050	1.333	
66534	365051	0.032	
66535	365052	0.055	
66536	365053	0.023	
66537	365054	0.035	
66538	365054 Dup	0.052	
66539	365055	0.088	
66540	365056	0.093	
66541	365057	0.042	
66542	365058	0.060	
66543	365059	0.028	
66544	365060	<0.005	
66545	365061	0.015	
66546	365062	0.032	
66547	365063	0.026	
66548	365064	0.009	
66549	365064 Dup	0.011	
66550	365065	0.056	
66551	365066	0.101	
66552	365067	0.090	
66553	365068	0.012	

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
66554	365069	0.080	
66555	365070	5.063	
66556	365071	3.332	
66557	365072	0.180	
66558	365073	0.041	
66559	365074	0.014	
66560	365074 Rep	0.012	
66561	365075	0.050	
66562	365076	0.036	
66563	365077	0.319	
66564	365078	0.031	
66565	365079	0.095	
66566	365080	<0.005	
66567	365081	0.088	
66568	365082	0.070	
66569	365083	0.038	
66570	365084	0.084	
66571	365084 Dup	0.054	
66572	365085	0.022	
66573	365086	0.037	
66574	365087	0.028	
66575	365088	0.080	
66576	365089	0.041	
66577	365090	0.439	
66578	365091	0.203	

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
66579	365092	0.264	
66580	365093	0.074	
66581	365094	0.155	
66582	365094 Dup	0.124	
66583	365095	0.171	
66584	365096	0.102	
66585	365097	0.074	
66586	365098	0.426	
66587	365099	0.170	
66588	365100	<0.005	
66589	365101	0.198	
66590	365102	7.050	12.270
66591	365103	0.407	
66592	365104	0.025	
66593	365104 Dup	0.027	
66594	365105	0.016	
66595	365106	0.029	
66596	365107	0.059	
66597	365108	0.071	
66598	365109	0.755	
66599	365110	0.038	
66600	365111	0.023	
66601	365112	0.007	
66602	365113	0.330	
66603	365114	0.040	

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
66604	365114 Dup	0.041	
66605	365115	0.070	
66606	365116	0.143	
66607	365117	0.064	
66608	365118	0.081	
66609	365119	0.132	
66610	365120	<0.005	
66611	365121	0.512	
66612	365122	<0.005	
66613	365123	0.117	
66614	365124	0.054	
66615	365124 Dup	0.048	
66616	365125	0.037	
66617	365126	0.023	
66618	365127	0.014	
66619	365128	0.017	
66620	365129	0.021	
66621	365130	5.002	
66622	365131	0.060	
66623	365132	2.970	
66624	365133	0.175	
66625	365134	0.049	
66626	365134 Rep	0.075	
66627	365135	0.324	
66628	365136	0.215	

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
66629	365137	1.141	
66630	365138	0.875	
66631	365139	0.192	
66632	365140	<0.005	
66633	365141	0.280	
66634	365142	0.148	
66635	365143	0.267	
66636	365144	0.103	
66637	365144 Dup	0.115	
66638	365145	0.256	
66639	365146	0.346	
66640	365147	0.228	
66641	365148	0.045	
66642	365149	0.165	
66643	365150	0.322	
66644	365151	0.129	
66645	365152	0.113	
66646	365153	0.432	
66647	365154	0.695	
66648	365154 Dup	0.685	
66649	365155	0.691	
66650	365156	0.106	
66651	365157	0.229	
66652	365158	0.199	
66653	365159	0.072	

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
66654	365160	<0.005	
66655	365161	0.159	
66656	365162	0.120	
66657	365163	0.035	
66658	365164	7.020	6.041
66659	365164 Dup	6.479	5.588
66660	365165	0.006	
66661	365166	0.224	
66662	365167	0.134	
66663	365168	0.126	
66664	365169	0.220	
66665	365170	1.435	
66666	365171	0.266	
66667	365172	0.113	
66668	365173	0.012	
66669	365174	0.018	
66670	365174 Dup	0.018	
66671	365175	0.018	
66672	365176	0.011	
66673	365177	0.566	
66674	365178	0.030	
66675	365179	0.031	
66676	365180	<0.005	
66677	365181	0.014	

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, March 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
GS37	2.877	3.220	0.210
AR01	1.601	1.729	0.121
GS37	2.762	3.220	0.210
GS37	2.723	3.220	0.210
GS37	2.752	3.220	0.210
GS37	2.910	3.220	0.210
GS37	2.931	3.220	0.210
GS37	3.081	3.220	0.210
GS37	2.981	3.220	0.210
GS37	2.926	3.220	0.210
KL01	0.584	0.394	0.011

APPLIED SCOPES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66429	364955	<1	5.76	5	446	<2	2	2.21	<4	8	24	8	1.96	0.26	14	1.02	363	7	43	556	19	0.42	<5	5	27	400	1892	2	46	10	7	15
66430	364956	2	5.88	6	503	<2	2	2.02	<4	9	26	13	1.96	0.20	16	0.99	380	7	49	567	17	0.36	<5	<5	30	418	1901	3	44	<10	7	19
66431	364957	<1	6.02	7	501	<2	6	2.21	<4	8	22	6	1.92	0.27	15	0.95	345	7	43	582	17	0.48	<5	6	31	441	1835	<2	41	<10	7	12
66432	364958	<1	4.64	8	518	<2	5	2.01	<4	7	32	5	1.66	0.23	13	1.00	340	8	48	433	10	0.43	<5	5	29	273	1698	<2	36	<10	6	4
66433	364959	2	5.28	10	1077	<2	5	2.12	<4	8	35	10	1.77	0.22	16	0.96	404	10	60	520	46	0.44	<5	<5	29	274	1866	<2	44	11	6	136
66434	364960	<1	6.57	4	547	<2	8	3.95	<4	16	12	74	4.21	0.26	2	1.59	954	7	29	704	13	0.04	<5	6	28	448	2896	5	139	13	22	28
66435	364961	1	6.13	19	935	<2	3	1.90	<4	9	24	10	2.11	0.35	16	1.03	418	7	43	580	34	0.64	<5	6	30	324	2039	<2	43	11	7	89
66436	364962	1	6.14	12	913	<2	7	1.92	<4	9	25	19	1.97	0.23	19	1.02	430	7	44	598	26	0.50	<5	5	30	370	2048	4	43	<10	7	95
66437	364963	<1	6.01	14	830	<2	6	1.82	<4	9	25	11	2.21	0.13	19	1.15	488	7	41	592	27	0.65	<5	<5	29	388	1975	3	42	10	6	156
66438	364964	<1	4.93	10	708	<2	3	1.66	<4	7	18	11	1.98	0.03	16	1.02	475	6	35	601	17	0.44	<5	<5	27	343	1983	5	41	11	6	11
66439D	364964	<1	4.46	13	714	<2	4	1.63	<4	8	18	12	1.97	0.04	15	0.99	473	5	37	599	15	0.44	<5	<5	25	341	1974	5	41	<10	6	11
66440	364965	<1	3.93	14	556	<2	7	1.66	<4	7	18	63	1.80	0.10	12	0.89	363	5	37	552	9	0.49	<5	<5	24	151	1846	3	36	<10	6	<1
66441	364966	1	4.83	13	649	<2	7	1.77	<4	8	19	55	2.01	<0.01	15	1.01	400	5	39	568	10	0.58	<5	5	27	168	2087	3	41	10	6	15
66442	364967	1	5.48	20	337	<2	3	5.84	<4	8	27	24	1.46	0.18	7	0.86	386	7	48	514	5	0.48	<5	5	28	74	1987	5	46	<10	7	<1
66443	364968	<1	4.43	13	452	<2	7	2.43	<4	9	27	15	1.69	0.15	11	1.12	402	6	48	509	7	0.42	<5	6	24	86	2011	<2	44	<10	7	<1
66444	364969	<1	5.36	10	659	<2	5	1.50	<4	10	32	19	2.23	0.13	22	1.64	530	7	54	575	17	0.43	<5	5	28	305	1958	4	49	<10	8	92
66445	364970	125	3.87	13	360	<2	10	2.44	6	13	34	92	4.67	<0.01	<1	1.23	798	12	37	559	17457	0.09	95	<5	29	228	2537	3	118	14	16	261
66446	364971	1	5.23	7	723	<2	7	1.88	<4	9	33	16	2.15	0.13	16	1.55	467	8	60	598	37	0.13	<5	<5	27	314	1907	2	53	<10	7	42
66447	364972	2	5.17	11	513	<2	7	1.43	<4	8	25	34	1.85	0.05	18	1.27	682	8	40	591	77	0.26	5	<5	28	186	2053	5	43	14	6	117
66448	364973	1	4.40	10	382	<2	3	1.72	<4	7	25	19	1.66	<0.01	9	1.09	700	5	33	472	41	0.26	<5	6	30	146	1674	9	36	<10	6	41

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66449	364974	1	4.62	10	465	<2	6	1.92	5	7	24	106	1.74	0.11	8	1.11	823	7	45	510	328	0.17	<5	5	25	155	1851	<2	42	34	6	1245
66450D	364974	1	4.58	7	474	<2	6	1.94	5	7	23	108	1.75	0.06	8	1.07	824	7	44	521	333	0.18	<5	<5	28	156	1867	4	41	32	6	1265
66451	364975	1	4.34	13	469	<2	6	1.78	<4	7	19	113	1.70	0.10	8	1.07	864	6	39	512	23	0.25	<5	<5	26	136	1896	3	39	15	6	463
66452	364976	1	4.10	10	491	<2	2	1.64	<4	8	19	61	1.68	<0.01	8	0.98	810	5	37	508	27	0.24	<5	<5	26	135	1932	2	39	18	5	171
66453	364977	<1	4.70	12	509	<2	7	1.76	<4	8	27	38	1.81	0.02	11	1.37	1077	5	39	466	45	0.35	<5	5	29	143	1864	<2	41	17	6	94
66454	364978	<1	4.73	8	551	<2	3	1.62	<4	8	23	20	1.76	<0.01	14	1.46	859	5	37	540	32	0.17	<5	<5	29	147	2093	2	42	29	6	81
66455	364979	1	5.08	13	572	<2	6	2.28	<4	8	26	25	2.00	0.03	11	1.48	1022	6	36	558	287	0.50	<5	<5	29	140	1843	4	41	14	6	373
66456	364980	1	4.54	4	476	<2	11	2.64	9	16	64	75	4.32	0.20	6	1.56	835	13	59	738	21	0.09	<5	5	31	262	3244	2	122	41	17	1459
66457	364981	2	5.32	18	537	<2	5	2.18	<4	8	22	39	1.86	0.26	9	1.38	1020	7	42	618	367	0.51	<5	<5	32	161	1910	2	43	16	6	473
66458	364982	<1	5.68	20	579	<2	8	1.98	<4	9	20	16	1.91	0.10	10	1.02	736	6	40	566	33	0.61	<5	<5	33	159	1949	3	42	10	7	21
66459	364983	<1	5.43	12	487	<2	2	2.35	<4	8	28	29	1.72	0.24	11	1.13	815	8	45	526	26	0.23	<5	<5	29	185	1853	4	41	<10	6	26
66460	364984	1	5.51	12	537	<2	7	2.43	<4	8	23	89	1.87	0.35	8	1.10	852	7	43	566	172	0.31	<5	<5	30	195	1892	2	43	18	6	627
66461D	364984	1	5.37	14	518	<2	7	2.37	<4	8	20	88	1.82	0.19	7	1.08	831	6	39	552	163	0.31	<5	6	29	190	1837	5	41	20	6	612
66462	364985	2	5.39	17	627	<2	6	2.40	5	10	20	162	1.76	<0.01	9	1.03	879	6	39	571	556	0.37	<5	6	29	211	1987	<2	42	35	6	1276
66463	364986	2	4.65	18	653	<2	6	2.33	6	9	21	162	1.72	0.31	7	0.95	885	6	40	561	735	0.35	6	<5	29	205	1924	4	42	37	6	1465
66464	364987	1	4.48	23	513	<2	3	2.19	<4	7	20	107	1.64	0.09	7	0.97	873	6	39	522	219	0.30	<5	<5	28	185	1579	<2	38	17	6	559
66465	364988	<1	4.65	20	529	<2	9	2.20	<4	9	31	48	1.91	0.06	9	1.19	804	8	65	544	93	0.24	<5	<5	27	196	1859	<2	48	16	6	609
66466	364989	2	5.14	21	533	<2	5	2.03	<4	9	29	35	1.91	0.04	8	1.11	760	8	60	561	416	0.29	<5	<5	27	186	1864	<2	47	13	6	326
66467	364990	3	4.13	45	291	<2	11	0.96	6	13	33	2216	4.89	0.07	16	0.94	1066	24	39	729	80	1.58	<5	<5	31	144	1129	3	56	23	9	535
66468	364991	1	4.43	20	423	<2	8	2.00	<4	9	33	25	1.82	0.16	6	1.16	977	9	61	746	73	0.35	<5	<5	31	167	1661	4	43	<10	7	226

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66469	364992	1	5.54	24	562	<2	9	1.99	<4	9	37	31	1.94	<0.01	10	1.32	1068	11	78	621	93	0.30	<5	7	30	201	2014	4	53	<10	7	100
66470	364993	2	4.44	20	396	<2	5	1.56	<4	8	27	29	1.81	<0.01	10	1.39	837	8	57	532	214	0.38	<5	<5	30	166	1864	3	42	11	6	196
66471	364994	1	4.73	18	418	<2	4	1.61	<4	9	31	14	1.71	0.02	12	1.59	744	8	55	523	44	0.27	<5	6	32	166	1855	2	41	10	6	149
66472D	364994	1	4.86	20	434	<2	7	1.70	<4	9	40	14	1.82	0.01	14	1.65	775	11	69	549	37	0.27	<5	5	31	172	1907	3	46	<10	6	147
66473	364995	1	5.11	12	580	<2	8	1.96	<4	8	38	28	1.90	<0.01	8	1.44	563	12	79	580	35	0.23	<5	5	29	183	2006	7	51	<10	6	46
66474	364996	1	4.93	14	390	<2	8	1.97	<4	9	30	16	2.11	0.08	11	1.59	641	9	65	567	27	0.31	<5	<5	31	181	1974	<2	47	10	6	75
66475	364997	1	4.38	11	346	<2	2	1.64	<4	9	24	10	1.86	0.15	12	1.46	489	8	55	571	23	0.26	<5	6	29	198	1920	6	44	<10	6	47
66476	364998	2	4.73	24	419	<2	2	1.81	<4	9	29	17	1.92	<0.01	12	1.28	554	8	56	565	39	0.38	<5	<5	30	225	2061	6	48	10	6	95
66477	364999	16	4.69	22	450	<2	7	0.61	<4	9	31	21	0.82	0.05	2	0.62	207	10	57	198	87	0.22	5	6	28	134	1564	2	45	14	5	228
66478	365000	<1	3.81	9	424	<2	5	2.29	<4	15	58	49	3.82	<0.01	5	1.42	751	12	56	661	14	0.06	<5	6	26	230	2947	5	109	<10	15	30
66479	365001	2	4.19	16	433	<2	6	0.61	<4	8	29	9	0.49	0.20	<1	0.36	115	9	64	156	33	0.09	<5	<5	26	120	1321	<2	43	10	4	69
66480	365002	2	5.04	9	477	<2	5	1.40	<4	9	47	97	0.59	0.02	<1	0.31	141	14	93	195	33	0.05	<5	6	29	190	1487	<2	53	12	5	105
66481	365003	11	5.35	13	445	<2	3	1.39	<4	8	20	756	0.53	<0.01	4	0.30	122	22	42	137	44	0.16	<5	7	<10	191	1562	3	42	19	5	698
66482	365004	1	5.10	27	380	<2	8	1.69	<4	9	37	42	1.51	<0.01	7	0.57	231	13	71	311	21	0.49	<5	<5	<10	222	1700	4	49	<10	6	55
66483D	365004	2	5.51	30	412	<2	6	1.79	<4	10	36	43	1.61	<0.01	8	0.61	245	13	70	330	25	0.54	<5	<5	<10	229	1797	<2	49	11	7	123
66484	365005	1	5.51	24	369	<2	6	1.66	<4	8	22	10	0.81	<0.01	7	0.63	219	15	44	216	36	0.21	<5	<5	<10	199	1524	<2	35	13	6	95
66485	365006	1	5.65	21	365	<2	10	1.81	<4	8	23	8	0.82	<0.01	8	0.66	233	14	44	222	40	0.20	<5	<5	<10	206	1603	2	36	12	6	121
66486	365007	1	5.86	6	497	<2	7	2.21	<4	9	24	14	2.00	0.04	12	0.92	434	9	42	575	22	0.15	<5	<5	<10	274	2081	5	43	<10	7	37
66487	365008	<1	4.93	6	483	<2	7	1.97	<4	9	26	14	1.81	0.13	10	0.83	443	8	47	528	9	0.09	<5	<5	<10	239	2072	<2	42	<10	7	40
66488	365009	1	5.10	19	398	<2	3	1.50	<4	6	26	6	1.26	0.09	15	1.28	549	10	37	323	19	0.24	<5	<5	<10	113	1493	5	29	11	6	35

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66489	365010	125	4.67	16	365	<2	11	2.65	7	15	41	99	5.11	<0.01	2	1.37	896	15	43	625	17636	0.10	106	5	11	246	2781	10	131	16	18	294
66490	365011	2	2.84	15	326	<2	4	0.75	<4	6	27	12	1.26	0.59	9	1.09	390	9	53	312	155	0.22	<5	<5	<10	73	1363	<2	32	<10	5	38
66491	365012	1	6.25	13	547	<2	2	1.25	<4	6	32	7	1.48	<0.01	23	1.33	415	12	51	353	28	0.25	<5	<5	<10	126	1557	4	31	13	6	31
66492	365013	2	7.65	20	579	<2	7	1.71	<4	6	36	9	1.51	0.40	28	1.58	493	21	60	405	35	0.25	5	<5	<10	151	1915	4	36	16	8	45
66493	365014	2	5.47	30	486	<2	4	0.86	<4	6	30	29	1.52	0.02	19	1.10	346	12	49	299	100	0.48	<5	<5	<10	101	1379	4	28	11	6	182
66494R	365014	2	5.27	25	461	<2	3	0.84	<4	5	29	23	1.41	0.02	19	1.07	332	12	55	287	81	0.41	<5	<5	<10	98	1311	<2	29	10	6	142
66495	365015	2	4.67	13	411	<2	7	1.15	<4	4	26	17	1.10	0.04	15	1.12	345	11	53	270	97	0.17	<5	<5	<10	128	1176	<2	25	13	5	371
66496	365016	1	6.01	14	518	<2	8	1.93	<4	4	33	10	1.26	<0.01	18	1.55	523	12	47	318	21	0.23	<5	<5	<10	164	1139	2	25	<10	6	81
66497	365017	1	5.20	12	485	<2	6	0.20	<4	4	34	4	0.97	<0.01	6	0.58	149	10	45	274	14	0.34	5	5	<10	89	1205	3	24	14	6	208
66498	365018	<1	5.75	13	511	<2	7	1.23	<4	4	29	5	1.12	0.03	14	1.23	396	10	43	298	17	0.30	5	6	<10	153	1059	4	24	<10	6	115
66499	365019	<1	5.05	21	421	<2	4	1.22	<4	3	25	2	1.12	<0.01	9	1.12	335	11	36	285	19	0.41	<5	5	<10	151	839	<2	22	11	5	34
66500	365020	<1	3.88	9	383	<2	7	2.31	<4	15	60	50	3.93	<0.01	5	1.42	774	12	57	681	14	0.06	<5	<5	<10	241	3028	4	112	<10	16	43
66501	365021	1	4.78	23	407	<2	6	0.45	<4	4	24	8	1.17	<0.01	14	1.15	344	8	23	289	34	0.38	<5	<5	<10	112	846	4	18	<10	5	31
66502	365022	1	4.66	13	399	<2	5	1.22	<4	4	27	11	1.00	<0.01	12	1.26	526	10	21	276	39	0.23	<5	<5	<10	132	877	6	17	11	5	47
66503	365023	1	5.27	11	431	<2	3	1.25	<4	4	26	14	1.15	<0.01	16	1.37	709	9	22	287	95	0.19	<5	<5	<10	135	1147	<2	18	10	5	75
66504	365024	1	5.54	14	445	<2	8	0.92	<4	4	25	10	1.02	<0.01	12	0.89	660	10	24	301	46	0.20	<5	5	<10	110	1223	4	18	<10	5	41
66505D	365024	1	5.24	18	442	<2	7	0.91	<4	4	29	11	1.05	<0.01	12	0.88	643	10	23	293	53	0.20	<5	7	<10	109	1189	2	18	13	5	40
66506	365025	1	4.75	9	426	<2	1	0.81	<4	4	25	6	0.98	<0.01	15	0.93	680	8	23	298	33	0.16	<5	<5	<10	108	1182	3	18	13	5	278
66507	365026	1	6.42	14	488	<2	6	0.99	<4	5	34	6	1.15	0.04	19	1.06	790	11	25	422	26	0.16	<5	<5	<10	123	1365	2	20	18	6	588
66508	365027	<1	5.64	11	481	<2	4	1.41	<4	4	29	4	1.17	<0.01	21	1.25	1081	9	23	295	30	0.17	<5	<5	<10	128	1276	2	19	<10	6	24

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66509	365028	<1	5.61	11	497	<2	6	1.38	<4	5	30	8	1.18	0.03	19	1.25	1246	9	24	311	49	0.14	5	<5	<10	155	1304	5	18	11	5	113
66510	365029	<1	4.91	7	434	<2	7	1.40	<4	4	28	6	1.16	0.47	16	1.17	1736	9	24	298	40	0.07	<5	5	<10	132	1250	6	18	<10	5	39
66511	365030	3	5.05	46	267	2	11	1.01	6	13	36	2412	5.19	<0.01	21	0.98	1138	29	41	778	82	1.48	<5	<5	<10	159	1216	<2	60	23	10	562
66512	365031	<1	4.96	9	455	<2	5	0.54	<4	4	29	36	0.94	<0.01	14	0.67	781	9	23	297	62	0.12	<5	5	<10	102	1222	2	18	<10	5	61
66513	365032	2	4.89	12	484	<2	2	0.49	<4	4	31	24	1.04	<0.01	11	0.67	617	10	23	320	295	0.20	<5	<5	<10	96	1224	<2	19	21	6	392
66514	365033	1	5.36	13	472	<2	6	0.97	<4	5	24	5	1.29	0.12	13	0.90	1019	9	23	313	58	0.32	<5	<5	<10	153	1268	2	20	<10	6	34
66515	365034	1	5.70	9	463	<2	2	1.05	<4	4	25	5	1.13	<0.01	13	0.94	1239	9	23	325	21	0.16	<5	<5	<10	171	1333	4	21	<10	6	19
66516D	365034	1	5.85	8	476	<2	3	1.07	<4	4	24	6	1.14	0.08	13	0.95	1263	9	23	332	19	0.17	<5	7	<10	174	1360	3	21	<10	6	26
66517	365035	<1	5.97	10	467	<2	5	1.14	<4	5	30	7	1.16	0.02	16	0.79	984	9	23	300	20	0.16	<5	<5	<10	179	1406	2	21	15	6	36
66518	365036	<1	5.72	4	377	<2	7	1.30	<4	5	20	5	1.23	<0.01	9	0.70	319	8	25	323	13	0.11	<5	<5	<10	155	1299	2	22	<10	6	18
66519	365037	<1	5.71	11	479	<2	8	1.39	<4	5	29	10	1.18	0.37	14	0.84	1111	9	25	330	42	0.11	<5	6	<10	215	1444	3	22	15	6	120
66520	365038	<1	6.21	9	415	<2	7	1.54	<4	4	25	8	1.27	0.29	14	0.86	643	9	24	319	18	0.15	<5	<5	<10	196	1443	3	22	10	6	29
66521	365039	<1	4.80	11	411	<2	3	1.28	<4	5	24	4	1.17	0.09	7	0.60	356	7	22	298	19	0.15	<5	<5	<10	184	1252	3	20	10	5	18
66522	365040	<1	4.48	8	419	<2	6	2.51	<4	16	67	53	4.21	0.24	6	1.53	832	14	59	730	13	0.06	<5	<5	<10	256	3264	6	121	<10	17	32
66523	365041	<1	5.04	7	440	<2	4	1.47	<4	5	21	11	1.28	0.25	11	0.73	590	7	22	314	25	0.13	<5	5	<10	200	1293	<2	20	<10	5	15
66524	365042	1	5.26	14	614	<2	6	1.36	<4	5	25	12	1.28	0.15	11	0.79	909	8	23	332	84	0.15	<5	<5	<10	172	1415	3	23	12	5	19
66525	365043	1	6.78	15	980	2	3	2.15	<4	6	25	10	1.76	0.27	20	1.21	1675	10	26	278	75	0.14	<5	<5	<10	202	1814	<2	44	11	6	55
66526	365044	2	7.54	23	472	2	7	4.24	<4	36	177	124	5.20	0.22	26	2.14	3935	13	97	234	126	0.59	<5	<5	<10	239	2662	5	82	14	15	167
66527D	365044	2	7.19	21	457	2	12	4.09	<4	35	174	120	5.02	0.32	24	2.04	3829	13	93	223	126	0.58	<5	6	<10	228	2580	2	80	13	14	160
66528	365045	2	5.51	7	713	2	5	1.97	<4	20	161	78	3.52	0.18	18	1.65	1256	11	76	599	55	0.23	<5	<5	<10	171	2394	5	87	17	13	70

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66529	365046	2	5.66	8	756	2	8	1.84	<4	19	158	78	3.50	0.01	18	1.72	1200	11	74	613	48	0.24	<5	5	<10	158	2501	3	90	12	14	69
66530	365047	1	5.17	3	424	<2	6	1.19	<4	18	152	54	3.42	<0.01	14	1.68	1030	10	73	578	38	0.20	<5	<5	<10	130	2378	3	85	10	14	56
66531	365048	1	4.92	5	354	2	6	1.08	<4	22	151	47	3.74	0.01	14	1.51	618	12	86	531	33	0.15	<5	6	<10	143	2879	2	92	<10	12	14
66532	365049	1	4.91	5	329	<2	9	1.50	<4	19	153	40	3.76	0.08	14	1.71	935	12	71	593	23	0.15	<5	7	<10	146	2745	<2	78	10	15	34
66533	365050	1	3.42	17	442	<2	9	1.86	<4	14	54	207	3.92	<0.01	5	1.25	705	22	58	649	8	0.08	5	<5	<10	229	2740	<2	102	19	15	34
66534	365051	1	5.10	2	436	2	4	1.27	<4	21	159	48	3.74	<0.01	14	1.49	695	12	76	601	35	0.17	<5	<5	<10	145	2974	<2	86	10	14	48
66535	365052	2	5.19	4	321	2	10	1.45	<4	21	154	58	3.98	<0.01	13	1.59	785	12	77	590	92	0.15	<5	6	<10	147	2831	<2	87	10	13	170
66536	365053	1	4.94	5	330	<2	9	1.23	<4	20	158	45	3.65	<0.01	16	1.61	634	13	77	607	34	0.12	<5	<5	10	132	2958	3	86	11	12	16
66537	365054	1	4.99	9	330	<2	7	1.43	<4	20	169	42	3.82	<0.01	16	1.60	972	14	78	565	40	0.16	<5	<5	<10	139	2894	2	85	12	14	43
66538D	365054	1	5.53	8	339	2	2	1.56	<4	20	170	44	3.96	0.16	21	1.62	995	15	75	561	41	0.19	<5	<5	<10	154	3008	5	87	11	14	46
66539	365055	2	4.74	19	449	2	5	1.00	<4	14	93	38	2.78	0.12	17	1.18	674	10	53	495	106	0.46	<5	<5	<10	144	1939	3	60	<10	11	125
66540	365056	2	4.12	12	357	<2	5	0.89	<4	18	143	37	3.59	0.11	21	1.50	790	11	74	560	46	0.50	<5	5	<10	114	2268	<2	79	10	13	94
66541	365057	1	6.77	20	576	2	3	1.13	<4	13	74	25	2.83	0.47	26	1.86	805	14	46	492	70	0.43	<5	<5	<10	148	2310	5	51	13	9	89
66542	365058	2	5.31	15	455	<2	6	1.19	<4	10	40	15	1.52	0.05	20	1.33	627	10	34	609	81	0.28	<5	5	<10	108	2059	3	44	11	7	104
66543	365059	1	6.89	20	533	<2	2	1.61	<4	11	35	28	1.04	0.28	14	0.93	420	12	34	823	29	0.15	<5	<5	10	130	2208	3	38	19	7	2
66544	365060	1	4.76	10	410	<2	8	2.59	<4	16	65	53	4.18	0.39	9	1.51	820	12	60	716	8	0.06	<5	<5	10	270	3294	<2	119	<10	16	32
66545	365061	1	7.03	12	533	2	4	2.17	<4	10	43	18	1.35	0.19	14	1.04	536	13	35	804	32	0.14	<5	6	<10	116	2284	2	40	12	8	41
66546	365062	1	7.84	23	572	<2	1	1.83	<4	17	30	16	1.52	0.40	22	1.21	609	12	42	891	32	0.21	<5	6	10	112	2838	2	45	11	8	52
66547	365063	1	5.59	22	446	2	5	1.69	<4	10	40	16	1.64	0.12	19	1.16	731	11	32	605	47	0.33	<5	<5	<10	118	1979	4	40	22	7	387
66548	365064	1	5.53	8	511	2	4	1.16	<4	7	51	12	1.59	0.13	24	1.49	626	11	29	612	35	0.15	<5	6	<10	145	2068	<2	36	16	8	70

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66549D	365064	1	5.48	6	504	2	3	1.13	<4	7	45	11	1.56	0.06	23	1.46	614	11	29	601	43	0.15	<5	7	<10	143	2031	<2	35	11	7	72
66550	365065	1	5.23	20	491	<2	1	1.44	<4	6	38	9	1.82	0.04	22	1.47	609	11	25	610	45	0.40	<5	<5	<10	117	1973	5	32	13	7	76
66551	365066	1	5.40	18	524	<2	3	1.43	<4	7	31	7	1.86	0.02	22	1.50	628	10	26	684	38	0.43	<5	<5	<10	120	2093	4	34	10	7	74
66552	365067	1	5.26	24	629	<2	7	1.13	<4	6	32	9	1.57	<0.01	19	1.16	553	11	26	661	87	0.31	<5	<5	<10	122	2147	2	35	11	7	135
66553	365068	1	5.85	14	512	2	4	1.48	<4	6	28	6	1.70	0.13	19	1.62	681	11	26	678	43	0.27	<5	<5	<10	152	1908	4	34	10	7	71
66554	365069	1	5.04	14	295	<2	6	1.22	<4	5	23	8	1.62	0.10	19	1.97	1119	9	24	614	98	0.21	<5	7	<10	131	1594	7	30	12	7	137
66555	365070	121	4.40	17	347	<2	7	2.58	7	15	40	97	4.98	0.03	2	1.33	875	14	41	596	17444	0.11	99	8	<10	243	2774	5	128	19	17	294
66556	365071	2	5.15	17	384	<2	6	1.10	<4	5	33	9	1.53	0.04	14	1.61	1002	10	24	633	45	0.24	<5	<5	<10	164	1370	4	32	<10	6	57
66557	365072	1	5.45	17	388	<2	2	0.75	<4	6	30	11	1.43	<0.01	11	1.33	697	11	23	586	41	0.25	<5	5	<10	142	1454	7	31	<10	6	66
66558	365073	1	5.08	13	387	<2	8	1.13	<4	5	30	11	1.23	<0.01	13	1.21	581	11	24	567	29	0.23	<5	<5	<10	156	1345	5	30	<10	6	7
66559	365074	1	5.25	13	409	<2	5	1.12	<4	6	27	8	1.22	0.03	14	1.13	558	9	25	575	35	0.17	<5	<5	<10	175	1680	6	33	<10	6	25
66560R	365074	1	5.26	11	448	<2	8	1.03	<4	6	32	9	1.26	0.08	15	1.12	545	10	25	578	34	0.15	<5	7	<10	170	1762	3	33	<10	6	70
66561	365075	1	5.39	17	497	<2	9	0.67	<4	9	23	26	1.37	<0.01	13	0.79	342	7	20	581	36	0.28	<5	<5	<10	151	1872	2	36	11	6	31
66562	365076	1	5.48	8	493	<2	5	0.67	<4	6	21	28	1.11	<0.01	10	0.89	373	8	23	631	109	0.15	<5	<5	<10	139	1893	3	36	<10	6	76
66563	365077	<1	4.98	12	298	<2	3	0.88	<4	5	28	15	1.14	<0.01	5	0.88	469	8	23	498	56	0.19	<5	5	<10	152	1543	2	28	<10	5	49
66564	365078	<1	4.45	8	210	<2	5	0.77	<4	4	27	13	1.05	0.04	4	0.85	470	8	21	472	37	0.16	<5	<5	<10	133	1350	2	25	<10	5	28
66565	365079	3	4.11	8	245	<2	2	0.69	<4	3	38	137	0.99	<0.01	5	0.70	380	9	23	405	234	0.16	<5	<5	<10	123	1159	<2	23	12	5	309
66566	365080	<1	3.54	7	361	<2	8	2.22	<4	15	59	48	3.78	<0.01	5	1.38	745	11	54	658	10	0.06	<5	<5	<10	234	2930	2	109	11	15	58
66567	365081	1	4.36	17	282	<2	7	0.49	<4	4	28	67	1.09	<0.01	6	0.66	361	9	21	427	123	0.24	<5	<5	<10	113	1307	3	24	<10	5	208
66568	365082	1	5.22	13	361	<2	<1	0.53	<4	5	28	24	1.02	<0.01	9	0.68	348	9	23	489	57	0.19	<5	<5	<10	126	1512	4	28	17	6	83

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/26/2015 1:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66569	365083	<1	4.79	19	288	<2	2	0.62	<4	5	33	18	0.98	<0.01	6	0.71	348	8	22	492	36	0.21	<5	<5	<10	128	1289	<2	27	<10	6	9
66570	365084	<1	4.60	16	315	<2	4	0.85	<4	4	26	8	1.01	<0.01	7	0.86	518	9	20	458	22	0.20	<5	6	<10	144	1309	3	26	<10	5	<1
66571D	365084	<1	3.92	13	301	<2	7	0.79	<4	4	25	7	0.96	<0.01	6	0.81	495	8	20	438	20	0.19	<5	<5	<10	139	1270	2	25	11	5	<1
66572	365085	<1	3.70	15	239	<2	2	0.70	<4	5	21	18	0.98	<0.01	5	0.81	514	7	19	444	48	0.16	<5	<5	<10	129	1211	<2	25	<10	5	66
66573	365086	1	5.07	15	268	<2	7	0.91	<4	6	26	22	1.21	<0.01	7	0.98	650	8	23	513	51	0.20	5	<5	<10	156	1343	<2	29	<10	6	68
66574	365087	1	4.96	18	333	<2	5	0.67	<4	9	23	14	1.01	<0.01	7	0.87	500	8	27	486	82	0.16	8	<5	<10	133	1501	3	28	<10	5	122
66575	365088	2	4.56	29	286	<2	9	0.57	<4	13	27	23	1.47	<0.01	6	0.79	454	8	30	469	132	0.43	5	<5	<10	124	1419	2	28	16	5	400
66576	365089	1	4.87	17	339	<2	3	0.68	<4	9	36	14	1.24	<0.01	7	0.94	465	10	28	528	82	0.18	<5	<5	<10	137	1591	<2	32	13	6	218
66577	365090	3	4.34	47	248	2	9	0.95	6	13	34	2175	4.95	<0.01	19	0.96	1090	25	41	752	87	1.48	<5	<5	<10	152	1170	<2	59	28	9	560
66578	365091	1	4.92	18	311	2	3	0.55	10	6	26	34	1.19	<0.01	8	0.82	521	8	23	484	122	0.30	<5	<5	<10	105	1546	3	28	85	6	3647
66579	365092	3	5.14	35	321	2	7	0.76	<4	9	37	126	1.89	<0.01	8	0.67	489	10	28	501	126	0.58	<5	5	<10	99	1722	2	32	14	6	172
66580	365093	2	4.61	32	376	<2	3	0.47	<4	7	33	21	1.28	<0.01	8	0.87	530	8	26	514	191	0.22	5	<5	<10	121	1779	2	31	16	6	382
66581	365094	1	5.04	21	440	<2	4	0.38	<4	8	30	15	1.52	<0.01	11	0.67	359	8	21	525	138	0.37	<5	<5	<10	96	1980	<2	35	12	6	354
66582D	365094	1	5.57	28	491	<2	1	0.45	<4	8	33	16	1.64	<0.01	14	0.73	390	9	29	564	148	0.39	<5	<5	<10	103	2187	<2	38	18	7	375
66583	365095	1	4.84	26	475	<2	3	0.61	<4	7	38	19	1.81	<0.01	12	0.98	624	9	27	603	465	0.22	8	<5	<10	157	2049	3	37	22	7	667
66584	365096	1	4.70	31	455	<2	7	0.55	<4	8	35	19	1.70	<0.01	14	0.99	621	8	27	589	554	0.23	7	<5	<10	172	2066	3	36	27	6	977
66585	365097	1	6.59	38	643	<2	6	0.68	<4	9	36	24	2.22	<0.01	21	1.21	738	10	30	691	170	0.42	9	<5	<10	182	2514	2	43	19	8	281
66586	365098	9	1.87	32	364	<2	2	0.02	<4	6	33	223	1.39	0.16	7	0.57	217	8	21	364	9497	0.30	10	<5	<10	40	1438	<2	25	25	5	1078
66587	365099	4	6.07	57	588	<2	6	0.60	<4	15	41	24	2.39	<0.01	21	1.50	1018	11	39	528	781	0.77	8	<5	<10	101	2030	7	36	25	7	574
66588	365100	<1	1.02	8	255	<2	8	1.60	<4	13	46	35	2.91	0.13	<1	1.10	594	7	43	500	20	0.05	<5	<5	<10	172	2293	2	84	<10	11	20

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66589	365101	2	5.29	35	622	<2	12	0.16	<4	9	36	7	1.42	<0.01	16	0.77	261	11	30	502	505	0.45	<5	<5	10	58	1906	<2	34	15	6	263
66590	365102	7	5.33	58	470	<2	2	0.20	<4	8	28	111	2.16	<0.01	15	0.76	290	9	29	529	138	0.93	<5	<5	10	56	2003	3	34	22	6	550
66591	365103	2	5.49	68	448	2	3	0.57	<4	9	55	57	2.07	<0.01	16	1.18	670	12	32	512	242	0.54	5	<5	<10	93	1976	3	39	15	7	190
66592	365104	1	5.11	14	264	<2	4	0.62	<4	8	26	4	1.11	<0.01	7	0.85	338	10	27	532	18	0.20	<5	7	<10	155	1879	2	29	<10	6	<1
66593D	365104	1	5.39	18	262	<2	3	0.61	<4	8	28	5	1.12	0.08	6	0.86	340	11	27	535	16	0.18	<5	6	<10	152	1926	2	28	<10	6	<1
66594	365105	<1	4.25	14	234	<2	<1	0.51	<4	6	24	4	1.01	<0.01	6	0.81	307	8	23	483	18	0.19	<5	<5	<10	138	1641	2	28	12	5	<1
66595	365106	1	4.10	12	258	2	3	0.39	<4	6	28	9	0.78	<0.01	2	0.64	222	9	24	437	20	0.12	<5	<5	<10	157	1467	2	23	10	5	<1
66596	365107	1	5.98	20	290	<2	6	0.67	<4	6	30	3	1.38	<0.01	9	0.84	358	10	25	530	10	0.33	<5	<5	<10	166	1750	2	32	<10	6	<1
66597	365108	1	6.52	23	314	<2	7	0.65	<4	7	39	4	1.48	<0.01	10	0.96	393	11	26	569	17	0.32	<5	6	<10	174	1842	<2	34	12	6	<1
66598	365109	1	6.34	15	316	<2	8	1.01	<4	7	33	8	1.28	0.04	10	1.02	449	12	27	549	106	0.22	<5	<5	<10	176	1792	3	34	<10	6	<1
66599	365110	2	5.00	21	533	<2	7	2.24	<4	17	65	238	4.53	0.17	8	1.46	818	24	62	749	16	0.09	<5	<5	10	265	3077	4	117	27	17	45
66600	365111	1	6.44	15	346	<2	2	0.79	<4	6	31	46	1.18	0.05	11	0.96	431	11	20	558	38	0.18	<5	6	<10	174	1744	<2	32	<10	6	<1
66601	365112	2	6.93	24	433	2	7	0.86	<4	11	29	107	1.08	<0.01	16	0.94	488	10	24	702	228	0.15	<5	<5	<10	183	1654	<2	30	14	7	141
66602	365113	2	6.33	14	327	<2	9	0.78	<4	7	35	96	1.36	<0.01	11	0.92	464	11	14	527	93	0.32	<5	<5	<10	154	1639	4	31	11	6	13
66603	365114	1	6.44	13	371	<2	8	0.79	<4	5	27	12	1.08	<0.01	11	0.82	375	10	14	562	50	0.26	<5	6	10	155	1744	4	32	11	6	23
66604D	365114	1	5.77	16	350	<2	7	0.73	<4	6	27	11	1.04	0.12	9	0.78	360	9	18	535	51	0.24	<5	<5	<10	146	1676	2	31	<10	6	24
66605	365115	1	6.25	18	300	<2	6	0.98	<4	7	29	29	1.32	0.04	12	0.99	578	10	14	577	54	0.29	<5	6	<10	154	1702	3	32	<10	6	40
66606	365116	1	6.19	18	533	<2	4	0.71	<4	6	30	9	1.29	<0.01	15	0.83	517	9	23	479	50	0.30	<5	<5	<10	145	1901	3	36	15	7	134
66607	365117	<1	5.21	22	400	<2	7	0.74	<4	7	36	12	1.80	<0.01	14	0.82	608	9	11	489	54	0.45	<5	<5	<10	146	1730	5	32	10	6	66
66608	365118	1	5.16	27	390	<2	4	0.86	<4	8	28	24	1.92	<0.01	12	0.94	885	8	23	527	69	0.35	<5	7	<10	152	1862	4	32	10	7	174

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66609	365119	1	5.10	24	518	<2	3	0.52	<4	9	38	28	1.65	<0.01	14	0.83	551	11	62	523	55	0.36	<5	<5	11	114	1982	<2	42	<10	7	81
66610	365120	1	3.27	7	372	<2	7	2.22	<4	15	62	48	3.82	0.05	3	1.41	766	12	57	662	11	0.06	<5	<5	10	228	2992	2	111	14	15	31
66611	365121	8	4.23	33	395	<2	7	0.53	11	9	37	185	1.96	<0.01	8	0.66	262	11	58	395	1875	0.60	6	5	<10	70	1719	<2	39	99	6	4279
66612	365122	3	4.60	26	365	<2	6	0.18	4	6	37	55	1.29	<0.01	10	0.63	218	11	55	455	913	0.29	5	<5	10	74	1705	5	37	35	6	1145
66613	365123	3	4.41	33	404	<2	7	0.51	<4	7	32	10	1.78	<0.01	10	0.84	556	10	47	477	486	0.46	6	<5	<10	97	1641	<2	35	34	6	1014
66614	365124	1	4.81	42	398	<2	9	0.57	<4	8	37	15	1.81	<0.01	13	0.86	557	10	53	461	76	0.67	<5	<5	<10	89	1777	4	41	13	7	151
66615D	365124	2	5.41	44	420	<2	7	0.62	<4	10	40	17	1.90	<0.01	15	0.90	574	11	56	476	75	0.66	<5	<5	<10	93	1854	4	42	11	7	149
66616	365125	2	6.12	36	355	<2	5	1.22	<4	10	41	14	2.53	<0.01	17	1.43	1021	12	60	501	47	0.66	<5	<5	<10	123	1963	<2	52	<10	8	55
66617	365126	1	5.21	29	313	2	7	1.00	<4	10	34	11	2.21	<0.01	15	1.27	948	9	50	475	42	0.57	5	<5	<10	110	1820	5	47	<10	7	39
66618	365127	1	5.12	22	337	<2	8	0.87	<4	8	43	12	1.54	<0.01	14	1.11	562	11	58	460	48	0.33	<5	<5	<10	121	1618	2	43	13	7	98
66619	365128	1	5.69	24	281	<2	4	0.94	<4	8	43	10	1.85	<0.01	20	1.74	749	12	56	512	62	0.40	<5	<5	<10	118	1737	4	44	10	8	92
66620	365129	1	5.16	15	325	<2	4	1.25	<4	7	44	5	1.88	<0.01	21	2.18	1012	12	58	499	141	0.31	<5	<5	<10	147	1704	5	43	12	7	276
66621	365130	124	5.02	15	387	<2	7	2.78	8	16	43	101	5.31	<0.01	2	1.46	952	16	45	650	17559	0.10	111	5	12	253	2952	7	137	18	18	325
66622	365131	2	5.33	18	525	<2	6	1.18	<4	10	38	8	1.68	<0.01	17	1.69	856	11	60	507	253	0.41	<5	<5	<10	153	1729	4	43	<10	7	124
66623	365132	3	5.25	21	561	<2	7	1.01	10	6	43	38	1.73	<0.01	16	1.49	843	12	53	450	621	0.46	<5	<5	<10	106	1655	4	38	93	7	3788
66624	365133	2	4.88	22	464	<2	6	0.92	<4	5	40	7	1.83	<0.01	16	1.34	674	11	52	398	440	0.58	<5	5	<10	118	1568	4	35	20	6	646
66625	365134	2	4.73	15	444	<2	5	0.82	<4	4	40	8	1.63	<0.01	16	1.18	556	13	66	381	488	0.44	<5	<5	<10	102	1605	4	37	18	6	526
66626R	365134	2	4.97	16	444	<2	6	0.86	<4	5	33	8	1.63	<0.01	17	1.19	559	11	51	396	512	0.53	<5	<5	<10	104	1617	2	34	20	6	532
66627	365135	7	5.46	37	469	<2	4	0.61	13	7	45	51	2.09	<0.01	17	1.02	556	12	53	452	2028	0.63	8	<5	<10	83	1895	<2	43	95	8	4116
66628	365136	3	5.48	38	432	<2	5	0.53	5	9	41	81	2.04	<0.01	15	0.96	575	13	54	493	1045	0.53	5	<5	11	89	1934	2	44	44	7	1625

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/26/2015 1:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66629	365137	13	4.75	55	313	<2	5	0.04	17	8	38	242	1.85	<0.01	9	0.56	159	11	50	389	5899	0.65	17	<5	10	48	1687	3	38	135	8	5515
66630	365138	10	3.88	48	240	<2	5	0.01	10	7	47	93	1.89	<0.01	4	0.47	<100	12	56	316	2989	0.53	10	<5	11	43	1462	2	37	67	7	3059
66631	365139	2	4.36	64	321	2	11	0.16	5	8	51	47	1.54	<0.01	7	0.60	271	13	56	307	489	0.48	10	<5	<10	58	1413	6	37	47	7	1614
66632	365140	1	4.39	8	421	<2	9	2.50	<4	16	68	52	4.22	<0.01	6	1.55	840	14	54	738	24	0.07	<5	6	<10	253	3308	6	122	14	16	56
66633	365141	1	4.67	70	594	<2	7	<0.01	<4	8	36	16	2.23	<0.01	7	0.49	<100	11	46	374	91	1.02	6	5	<10	43	1502	<2	39	12	6	155
66634	365142	1	4.52	50	830	<2	8	<0.01	<4	9	35	9	2.05	<0.01	7	0.50	<100	12	47	365	87	0.93	<5	<5	<10	44	1409	2	40	17	6	311
66635	365143	1	4.62	58	432	2	4	0.10	<4	9	37	9	1.83	<0.01	6	0.62	135	11	47	400	199	0.82	7	<5	<10	45	1461	<2	37	18	6	234
66636	365144	2	5.03	34	421	2	2	0.05	5	9	31	12	1.22	<0.01	6	0.58	162	10	44	477	218	0.54	<5	<5	<10	47	1653	2	38	36	6	1646
66637D	365144	2	4.68	32	410	<2	5	0.03	5	10	34	11	1.25	<0.01	5	0.56	160	11	54	475	216	0.44	<5	<5	<10	45	1622	2	40	39	6	1591
66638	365145	2	4.34	35	376	<2	5	0.27	<4	7	25	7	1.62	<0.01	4	0.69	222	9	40	479	391	0.66	7	5	<10	61	1534	<2	33	28	5	787
66639	365146	2	5.43	41	429	<2	8	0.30	<4	8	30	8	1.82	<0.01	6	0.73	227	11	49	533	492	0.86	5	<5	10	66	1698	<2	38	26	6	677
66640	365147	2	5.05	50	433	<2	7	0.05	5	9	39	17	2.37	<0.01	7	0.57	148	14	62	523	275	0.98	<5	<5	10	53	1817	3	41	39	6	1230
66641	365148	2	5.14	29	469	2	7	0.48	<4	8	31	6	1.72	<0.01	8	1.04	496	12	44	506	147	0.80	5	<5	<10	79	1722	4	38	15	6	162
66642	365149	2	5.31	46	411	2	5	0.87	<4	7	29	6	1.94	<0.01	10	1.00	543	11	39	531	367	0.89	6	5	<10	90	1772	4	36	20	6	465
66643	365150	3	4.40	52	253	<2	9	0.95	6	13	34	2294	5.09	<0.01	17	0.97	1124	27	33	773	84	1.62	<5	7	<10	151	1157	3	59	26	9	567
66644	365151	1	4.98	35	350	<2	6	0.38	<4	8	26	11	1.91	<0.01	9	0.71	306	10	40	513	155	0.89	<5	<5	<10	66	1788	2	35	11	6	114
66645	365152	2	5.08	30	336	<2	5	1.30	<4	7	33	6	1.86	<0.01	11	1.21	828	12	56	526	458	0.68	5	<5	<10	104	1786	4	40	11	6	261
66646	365153	2	5.26	28	292	<2	5	1.46	5	7	30	34	1.68	<0.01	13	1.29	941	11	45	505	382	0.55	5	5	<10	139	1741	2	37	44	6	1674
66647	365154	1	4.77	22	227	<2	2	0.93	<4	5	25	21	1.52	<0.01	13	1.10	749	9	33	486	364	0.60	<5	<5	<10	123	1640	4	31	22	6	538
66648D	365154	2	4.63	28	226	<2	10	0.93	<4	5	24	21	1.58	<0.01	13	1.10	735	10	34	493	367	0.65	<5	<5	<10	122	1630	2	31	18	6	546

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 1:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66649	365155	5	3.95	40	198	<2	7	0.36	15	6	26	77	2.09	<0.01	8	0.64	457	10	45	440	1691	0.68	6	<5	<10	108	1518	<2	30	131	6	6367
66650	365156	2	3.50	20	141	<2	4	1.25	4	5	26	16	1.62	<0.01	5	1.29	1297	10	45	470	308	0.52	<5	<5	<10	118	1493	<2	33	32	6	1231
66651	365157	3	4.67	15	166	<2	3	1.20	<4	9	47	72	1.81	<0.01	7	1.28	1268	16	86	535	779	0.39	<5	<5	<10	153	1524	4	46	24	6	857
66652	365158	2	4.89	18	168	<2	6	1.20	<4	7	28	45	1.72	<0.01	9	1.30	1296	9	37	548	284	0.47	<5	6	<10	156	1532	2	35	21	6	494
66653	365159	1	5.14	17	289	<2	4	1.08	<4	7	30	43	1.51	<0.01	11	1.04	874	11	46	566	62	0.37	<5	6	<10	139	1702	<2	38	11	6	112
66654	365160	<1	4.06	6	390	<2	8	2.36	<4	15	62	51	3.99	<0.01	6	1.45	783	13	48	696	13	0.06	<5	5	<10	245	3090	7	114	<10	16	31
66655	365161	5	4.65	23	290	<2	6	1.10	7	7	30	36	1.92	<0.01	10	1.08	677	11	40	540	2491	0.76	6	5	<10	148	1498	3	34	57	6	2308
66656	365162	5	5.04	18	308	<2	8	1.16	<4	5	42	59	1.64	<0.01	12	1.11	696	14	70	536	315	0.35	<5	7	<10	136	1599	5	43	31	6	560
66657	365163	2	5.16	11	537	<2	1	1.28	4	7	30	152	1.50	<0.01	16	1.16	650	12	49	629	336	0.22	<5	<5	<10	144	1784	6	36	41	6	1040
66658	365164	58	3.60	16	1829	2	7	1.72	69	3	35	2690	3.49	<0.01	6	1.37	733	13	51	428	20649	0.78	72	9	<10	153	1000	4	29	588	8	28584
66659D	365164	62	3.49	20	1837	<2	4	1.73	69	3	31	2723	3.48	<0.01	6	1.36	734	12	46	425	20502	0.74	68	6	11	151	1007	9	28	593	8	28519
66660	365165	<1	3.82	8	381	<2	5	2.27	<4	15	61	53	3.88	<0.01	5	1.41	766	12	48	677	34	0.06	5	5	10	235	2976	8	111	<10	16	58
66661	365166	2	4.68	24	544	<2	4	1.19	<4	6	51	59	1.92	<0.01	14	1.18	541	18	88	517	707	0.63	6	<5	<10	132	1596	4	46	25	6	521
66662	365167	1	3.95	25	456	<2	3	1.04	<4	7	32	14	1.91	<0.01	13	1.16	521	11	45	477	233	0.77	7	<5	<10	123	1490	4	33	11	6	66
66663	365168	<1	4.07	18	565	<2	2	1.31	<4	6	34	9	1.59	<0.01	12	1.30	863	10	40	477	57	0.62	<5	<5	<10	160	1444	3	34	<10	6	48
66664	365169	2	4.09	26	441	<2	7	1.73	9	6	48	33	2.33	<0.01	8	1.48	1064	17	79	479	348	0.77	<5	<5	<10	172	1358	2	42	63	7	2465
66665	365170	1	3.60	16	452	<2	5	1.90	<4	15	54	213	3.97	<0.01	6	1.26	713	20	50	660	25	0.09	<5	<5	10	235	2741	2	102	17	15	62
66666	365171	2	4.47	27	486	<2	5	1.46	5	7	35	31	2.11	<0.01	15	1.35	831	11	46	490	681	0.65	5	<5	<10	109	1503	5	35	34	7	1211
66667	365172	1	4.36	15	709	<2	3	1.83	<4	5	29	70	1.48	<0.01	9	1.36	814	10	34	446	265	0.27	<5	5	<10	169	1436	5	31	23	6	512
66668	365173	<1	4.35	8	560	<2	6	1.56	<4	5	27	26	1.18	<0.01	11	1.33	770	9	34	325	51	0.07	<5	<5	<10	143	1470	2	27	<10	5	51

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/26/2015 1:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/05/2015
Date Completed: 03/18/2015
Job #: 201540795
Reference: TL15-002
Sample #: 227

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
66669	365174	<1	5.21	3	486	<2	5	1.66	<4	6	26	18	1.40	<0.01	16	1.80	841	10	34	369	28	0.12	5	5	<10	139	1698	3	29	11	6	30
66670D	365174	1	5.43	5	507	<2	8	1.73	<4	6	30	19	1.47	<0.01	17	1.85	878	11	40	384	26	0.12	<5	5	<10	142	1760	4	31	10	6	32
66671	365175	1	5.57	12	474	<2	5	1.99	<4	6	26	13	1.41	<0.01	12	1.74	830	9	36	374	12	0.20	<5	5	<10	128	1710	3	29	<10	6	12
66672	365176	<1	4.86	6	488	<2	5	2.59	<4	5	24	12	1.39	<0.01	9	2.09	1061	8	31	354	18	0.13	6	6	<10	126	1583	6	26	<10	6	32
66673	365177	<1	4.94	11	565	<2	4	1.37	<4	6	32	11	1.33	<0.01	14	1.47	721	12	44	352	18	0.22	<5	<5	<10	101	1684	3	31	<10	6	31
66674	365178	<1	4.99	12	534	<2	5	1.37	<4	6	33	12	1.29	<0.01	20	1.45	748	11	40	362	19	0.25	<5	<5	<10	112	1660	7	29	<10	6	43
66675	365179	1	4.43	11	461	<2	4	0.94	<4	5	21	20	1.28	<0.01	14	1.57	695	8	34	345	110	0.24	<5	<5	<10	100	1483	2	26	14	5	98
66676	365180	<1	3.38	6	366	<2	11	2.18	<4	15	58	48	3.76	<0.01	4	1.37	747	11	52	658	15	0.06	<5	<5	<10	228	2907	3	108	<10	15	27
66677	365181	<1	4.61	9	449	<2	5	1.01	<4	5	21	12	1.18	<0.01	8	1.33	573	7	37	344	89	0.22	<5	8	<10	94	1450	4	27	11	5	44

PROCEDURE CODES: ALP1, ALMA1, ALSu1, ALFA2, ALFA1, ALFA7, ALPbMA2, ALAgMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15389

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
69490	365182	0.015	
69491	365183	0.022	
69492	365184	0.057	
69493	365185	0.067	
69494	365186	0.108	
69495	365187	0.080	
69496	365188	0.159	
69497	365189	0.170	
69498	365190	4.886	
69499	365191	0.139	
69500	365191 Dup	0.055	
69501	365192	0.050	
69502	365193	0.060	
69503	365194	0.008	
69504	365195	0.006	
69505	365196	0.008	
69506	365197	0.016	
69507	365198	0.020	
69508	365199	0.018	
69509	365200	0.013	
69510	365201	0.013	
69511	365201 Dup	0.014	
69512	365202	0.011	
69513	365203	0.015	
69514	365204	0.012	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
69515	365205	0.014	
69516	365206	0.022	
69517	365207	0.042	
69518	365208	0.053	
69519	365209	0.019	
69520	365210	0.377	
69521	365211	0.042	
69522	365211 Dup	0.045	
69523	365212	0.017	
69524	365213	0.006	
69525	365214	0.012	
69526	365215	0.022	
69527	365216	0.027	
69528	365217	0.088	
69529	365218	0.195	
69530	365219	1.588	
69531	365220	<0.005	
69532	365221	0.139	
69533	365221 Dup	0.045	
69534	365222	0.082	
69535	365223	0.367	
69536	365224	0.063	
69537	365225	0.548	
69538	365226	0.435	
69539	365227	0.019	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
69540	365228	0.029	
69541	365229	0.050	
69542	365230	1.522	
69543	365231	0.070	
69544	365231 Dup	0.057	
69545	365232	0.014	
69546	365233	0.029	
69547	365234	0.017	
69548	365235	0.034	
69549	365236	0.011	
69550	365237	0.011	
69551	365238	0.030	
69552	365239	0.022	
69553	365240	<0.005	
69554	365241	0.023	
69555	365241 Rep	0.030	
69556	365242	0.020	
69557	365243	0.053	
69558	365244	0.029	
69559	365245	0.036	
69560	365246	0.027	
69561	365247	0.047	
69562	365248	0.027	
69563	365249	0.134	
69564	365250	4.819	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
69565	365251	0.044	
69566	365251 Dup	0.043	
69567	365252	0.190	
69568	365253	0.066	
69569	365254	1.179	
69570	365255	0.122	
69571	365256	0.073	
69572	365257	0.120	
69573	365258	0.097	
69574	365259	0.122	
69575	365260	1.376	
69576	365261	0.007	
69577	365261	Insufficient Sample	
69578	365262	0.213	
69579	365263	0.069	
69580	365264	0.201	
69581	365265	2.115	
69582	365266	2.157	
69583	365267	1.331	
69584	365268	1.060	
69585	365269	8.772	9.584
69586	365270	0.372	
69587	365271	0.547	
69588	365271 Dup	0.605	
69589	365272	>10.000	24.886

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
69590	365273	0.306	
69591	365274	0.038	
69592	365275	0.022	
69593	365276	0.016	
69594	365277	0.024	
69595	365278	0.014	
69596	365279	0.039	
69597	365280	0.008	
69598	365281	0.026	
69599	365281 Dup	0.028	
69600	365282	0.021	
69601	365283	0.006	
69602	365284	0.012	
69603	365285	0.015	
69604	365286	0.008	
69605	365287	0.021	
69606	365288	0.010	
69607	365289	0.194	
69608	365290	0.013	
69609	365291	0.008	
69610	365291 Dup	<0.005	
69611	365292	0.006	
69612	365293	0.084	
69613	365294	0.242	
69614	365295	0.525	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
69615	365296	0.114	
69616	365297	0.077	
69617	365298	0.054	
69618	365299	0.042	
69619	365300	<0.005	
69620	365301	0.082	
69621	365301 Rep	0.066	
69622	365302	0.114	
69623	365303	0.408	
69624	365304	0.361	
69625	365305	0.109	
69626	365306	0.087	
69627	365307	0.013	
69628	365308	0.011	
69629	365309	0.012	
69630	365310	1.484	
69631	365311	0.007	
69632	365311 Dup	0.005	
69633	365312	0.026	
69634	365313	0.181	
69635	365314	0.007	
69636	365315	0.008	
69637	365316	0.007	
69638	365317	0.006	
69639	365318	0.008	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
69640	365319	0.008	
69641	365320	0.006	
69642	365321	0.008	
69643	365321 Dup	0.010	
69644	365322	0.011	
69645	365323	0.009	
69646	365324	0.011	
69647	365325	0.010	
69648	365326	0.010	
69649	365327	0.012	
69650	365328	0.016	
69651	365329	0.005	
69652	365330	5.003	
69653	365331	0.014	
69654	365331 Dup	0.007	
69655	365332	0.012	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.795	1.729	0.121
AR01	1.701	1.729	0.121
AR01	1.511	1.729	0.121
AR01	1.579	1.729	0.121
AR01	1.722	1.729	0.121
AR01	1.745	1.729	0.121

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69490	365182	<1	5.62	3	430	<2	19	2.22	<4	10	25	8	2.38	0.08	16	0.96	569	1	7	599	18	0.12	<5	33	12	162	2594	<2	46	<10	8	261
69491	365183	<1	4.78	5	485	<2	28	2.05	<4	13	43	19	2.55	<0.01	17	0.99	640	<1	13	576	24	0.19	<5	19	<10	158	2614	<2	53	13	8	76
69492	365184	<1	5.22	5	419	<2	22	1.51	<4	22	158	43	3.33	<0.01	18	1.36	698	<1	53	526	33	0.20	<5	31	12	138	2608	<2	85	<10	14	99
69493	365185	<1	4.03	8	444	<2	11	1.60	<4	20	152	41	3.56	0.22	16	1.26	585	3	54	493	37	0.25	<5	23	10	143	2322	<2	83	<10	12	90
69494	365186	<1	3.70	10	507	2	9	1.75	<4	23	150	49	3.91	0.85	18	1.26	620	2	62	557	38	0.27	<5	8	10	159	2505	<2	89	<10	12	99
69495	365187	<1	5.06	36	647	<2	23	0.72	<4	10	53	33	1.39	0.14	13	0.68	193	8	15	252	105	0.36	6	39	12	118	1795	<2	37	<10	6	172
69496	365188	1	4.98	31	663	<2	5	0.55	<4	8	34	51	1.08	0.49	12	0.65	222	11	8	248	237	0.31	6	28	11	95	1723	<2	33	10	5	300
69497	365189	<1	4.42	18	407	<2	20	2.59	<4	23	169	68	4.07	0.15	20	1.76	1123	43	67	521	97	0.35	8	20	11	170	2763	<2	95	<10	13	225
69498	365190	129	3.69	8	372	<2	14	2.67	5	16	37	88	4.53	0.35	2	1.19	823	2	23	524	17987	0.12	92	20	12	271	2624	<2	124	<10	16	303
69499	365191	<1	5.57	9	448	2	18	1.79	<4	23	165	51	3.82	<0.01	20	1.37	827	3	60	533	71	0.26	<5	15	<10	156	2662	<2	97	<10	12	80
69500D	365191	<1	3.19	7	398	<2	17	1.45	<4	20	144	42	3.26	<0.01	15	1.24	770	1	54	470	30	0.25	<5	20	12	142	2729	<2	83	<10	11	71
69501	365192	<1	4.47	16	482	<2	21	1.50	<4	16	110	32	2.64	0.21	15	0.99	519	<1	39	406	20	0.31	<5	20	<10	206	1930	<2	59	<10	11	91
69502	365193	<1	4.25	39	629	<2	14	2.43	<4	20	121	55	3.38	0.42	12	1.14	547	1	52	422	15	0.66	<5	27	10	282	2188	<2	68	<10	13	75
69503	365194	<1	5.15	22	707	<2	31	0.93	<4	8	41	8	1.20	<0.01	17	0.64	157	2	12	327	10	0.29	<5	36	<10	208	1680	<2	34	<10	6	36
69504	365195	<1	4.81	20	594	<2	4	1.06	<4	6	32	5	1.03	<0.01	15	0.49	126	<1	7	299	12	0.31	5	22	<10	240	1504	4	27	<10	5	46
69505	365196	<1	5.14	22	546	<2	10	1.21	<4	7	39	4	1.11	0.33	14	0.53	158	2	6	449	13	0.32	<5	27	<10	261	1363	<2	25	<10	6	64
69506	365197	<1	5.20	27	665	<2	29	1.15	<4	12	43	16	1.16	0.68	12	0.34	154	3	20	415	20	0.25	<5	28	<10	305	1839	<2	47	<10	6	26
69507	365198	<1	4.85	26	595	<2	12	1.18	<4	11	37	11	1.00	0.67	13	0.36	171	1	18	343	73	0.26	5	28	11	316	1800	<2	46	<10	6	107
69508	365199	<1	5.13	34	599	<2	15	1.36	<4	11	37	12	1.12	0.47	12	0.39	187	2	20	314	47	0.31	<5	29	11	329	1762	<2	44	<10	6	96
69509	365200	<1	5.52	3	503	<2	15	3.89	<4	17	15	66	3.87	0.38	3	1.48	895	125	8	617	18	0.09	<5	23	10	471	2997	<2	137	<10	22	66

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:06 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69510	365201	<1	4.13	24	620	<2	8	1.20	<4	11	49	16	1.22	0.07	10	0.43	207	6	18	365	37	0.27	<5	16	<10	324	1797	<2	46	<10	7	68
69511D	365201	<1	5.24	25	678	<2	48	1.21	<4	12	46	13	1.20	0.11	13	0.43	186	1	20	381	39	0.34	<5	27	20	340	1892	6	46	<10	7	68
69512	365202	<1	3.31	22	639	<2	15	1.40	<4	13	34	16	1.16	0.23	13	0.39	202	<1	18	257	24	0.35	<5	28	11	357	1789	<2	36	<10	4	116
69513	365203	<1	1.06	16	441	<2	24	0.75	<4	11	26	21	0.78	<0.01	5	0.28	161	<1	13	292	62	0.20	5	29	12	246	1489	<2	29	<10	3	323
69514	365204	<1	6.31	19	785	<2	23	1.54	<4	15	42	11	1.31	0.16	17	0.48	209	1	18	366	49	0.34	<5	44	15	410	2212	<2	37	10	6	108
69515	365205	<1	5.37	22	673	<2	12	1.63	<4	15	44	5	1.29	<0.01	11	0.38	200	2	18	120	55	0.44	<5	34	12	343	1628	<2	32	<10	5	24
69516	365206	<1	5.61	29	646	<2	14	1.66	<4	17	35	5	1.69	0.52	12	0.40	228	<1	22	115	59	0.66	5	28	<10	343	1706	<2	33	<10	5	24
69517	365207	<1	6.23	36	740	<2	15	1.77	<4	22	56	14	1.78	<0.01	14	0.54	283	4	30	233	57	0.44	10	28	11	364	2189	<2	45	<10	7	55
69518	365208	<1	5.40	19	733	<2	22	2.06	<4	13	63	60	1.81	<0.01	20	0.78	485	1	23	356	307	0.23	6	27	11	345	2271	<2	48	11	8	1195
69519	365209	<1	4.47	26	613	<2	20	1.52	<4	14	48	14	1.32	0.74	13	0.49	266	2	22	226	48	0.27	<5	22	<10	321	2163	<2	43	12	6	346
69520	365210	<1	4.04	45	273	<2	14	1.02	4	13	31	2101	4.68	0.30	24	0.83	1029	13	20	668	77	1.53	6	23	11	177	1128	<2	57	14	9	556
69521	365211	<1	4.87	42	641	<2	25	1.15	<4	14	43	26	1.62	<0.01	13	0.46	233	1	23	381	75	0.51	<5	25	<10	276	2212	<2	44	<10	6	294
69522D	365211	<1	5.20	37	673	<2	14	1.18	<4	14	45	9	1.59	0.16	13	0.46	229	<1	22	391	79	0.47	<5	27	11	284	2278	<2	44	<10	7	299
69523	365212	<1	5.40	26	531	<2	17	2.07	<4	8	26	5	1.90	0.26	16	0.85	512	<1	6	487	48	0.40	7	33	<10	297	1908	<2	37	10	7	132
69524	365213	<1	4.55	2	336	<2	7	2.07	<4	9	30	6	1.85	0.30	12	0.90	399	<1	6	493	10	0.08	<5	26	12	332	1943	<2	36	<10	6	48
69525	365214	<1	5.13	2	422	<2	21	1.51	<4	7	51	7	1.93	0.21	12	0.95	443	4	6	544	9	0.08	<5	31	<10	285	1642	<2	37	<10	7	40
69526	365215	<1	5.35	3	361	<2	8	1.11	<4	10	30	10	2.03	<0.01	10	0.83	459	<1	6	499	8	0.08	6	27	<10	267	1980	5	39	<10	7	42
69527	365216	<1	5.77	8	468	<2	2	2.17	<4	9	37	11	2.01	0.37	10	0.74	499	<1	8	521	13	0.11	<5	37	10	295	2412	2	42	<10	7	51
69528	365217	<1	6.42	18	505	<2	<1	2.17	<4	8	36	31	1.96	<0.01	10	0.93	573	2	8	567	30	0.29	<5	33	10	252	1663	<2	40	<10	8	122
69529	365218	<1	9.61	44	601	<2	29	0.29	<4	11	83	11	1.66	1.03	8	0.38	122	14	11	576	45	0.27	7	57	12	170	1803	<2	48	<10	9	392

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:06 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69530	365219	1	5.01	19	446	<2	15	0.37	<4	9	40	133	1.98	0.20	3	0.38	198	<1	7	463	204	0.21	<5	37	11	164	1318	<2	38	<10	6	384
69531	365220	<1	3.90	6	503	<2	13	1.22	<4	8	20	38	1.07	0.29	10	0.77	391	<1	29	428	32	0.14	<5	26	<10	178	1687	<2	34	<10	5	88
69532	365221	<1	3.76	5	389	<2	7	0.62	<4	10	19	15	1.49	0.43	6	0.44	284	<1	7	409	22	0.09	6	21	<10	162	1536	<2	33	<10	5	127
69533D	365221	<1	3.75	2	373	<2	8	0.59	<4	7	20	14	1.44	0.35	5	0.42	267	<1	5	399	19	0.09	<5	19	10	159	1489	<2	32	<10	5	108
69534	365222	<1	5.77	8	457	<2	29	1.47	<4	9	32	18	1.37	0.04	8	0.63	341	114	6	513	72	0.18	5	25	12	181	2123	<2	40	<10	8	178
69535	365223	9	5.70	26	375	<2	3	2.20	7	11	36	126	2.14	0.15	15	0.96	585	126	9	566	1420	0.47	15	20	11	159	2371	<2	39	32	7	3450
69536	365224	<1	5.19	32	393	<2	30	1.39	<4	9	23	9	1.22	0.05	19	0.87	466	1	7	538	63	0.31	<5	23	39	94	2093	<2	31	<10	6	107
69537	365225	<1	4.88	48	353	<2	10	0.39	<4	8	30	35	1.24	<0.01	9	0.56	217	1	6	449	110	0.32	<5	23	<10	63	1796	<2	28	11	6	651
69538	365226	<1	4.88	58	335	<2	8	0.32	<4	8	30	91	1.36	0.41	7	0.52	188	1	7	435	203	0.37	<5	22	11	58	1742	<2	27	14	6	843
69539	365227	<1	5.33	14	398	<2	9	1.72	<4	7	29	26	1.17	0.51	15	1.08	592	<1	6	488	36	0.10	<5	31	13	101	2028	373	32	<10	6	72
69540	365228	<1	5.19	12	405	<2	39	1.84	<4	9	23	20	1.19	0.68	16	1.08	568	<1	6	534	30	0.15	5	29	21	100	2069	<2	31	<10	6	40
69541	365229	<1	6.08	21	490	<2	25	2.14	<4	8	33	15	1.32	0.29	17	1.26	808	2	7	548	23	0.16	<5	28	<10	115	2169	<2	33	<10	7	50
69542	365230	<1	2.89	15	475	<2	2	2.03	<4	15	51	195	3.72	0.41	7	1.14	688	10	36	568	10	0.10	5	23	12	268	2723	2	103	<10	14	67
69543	365231	<1	4.40	29	476	<2	6	1.54	<4	7	24	12	1.30	0.69	14	0.91	587	<1	5	439	47	0.27	<5	28	<10	118	1923	<2	30	<10	6	156
69544D	365231	<1	2.12	21	353	<2	6	1.09	<4	7	18	10	1.02	0.37	6	0.70	460	<1	4	339	40	0.21	<5	19	<10	91	1485	<2	24	<10	4	140
69545	365232	<1	4.57	23	553	<2	5	1.99	<4	8	25	22	1.24	0.52	18	1.06	575	<1	26	432	81	0.15	6	22	<10	157	1875	<2	36	<10	6	79
69546	365233	<1	4.96	15	450	<2	18	1.92	<4	5	24	11	1.41	0.68	15	1.17	505	3	26	472	153	0.33	<5	30	14	155	1719	<2	36	10	6	802
69547	365234	<1	4.88	16	476	<2	24	1.54	<4	7	23	7	1.25	0.08	12	0.98	404	9	37	456	58	0.31	5	29	<10	137	1768	<2	38	<10	6	113
69548	365235	<1	1.00	11	294	<2	5	0.61	<4	6	14	10	0.78	<0.01	4	0.54	222	1	24	313	42	0.22	<5	8	<10	92	1368	<2	26	<10	3	242
69549	365236	<1	3.01	11	361	<2	36	0.99	<4	8	15	8	0.82	<0.01	10	0.68	218	<1	28	398	19	0.16	<5	23	24	119	1723	<2	32	<10	4	41

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:06 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69550	365237	<1	5.59	16	431	<2	12	1.38	<4	8	21	6	0.98	0.51	14	0.94	297	<1	32	495	28	0.16	<5	33	<10	163	1999	<2	38	<10	6	47
69551	365238	<1	5.49	10	426	<2	19	1.50	<4	6	19	7	1.06	0.59	15	0.95	350	<1	26	478	17	0.16	<5	32	<10	178	2063	<2	38	<10	6	40
69552	365239	<1	5.57	5	513	<2	14	1.61	<4	7	22	9	1.34	0.66	16	1.04	505	2	31	494	31	0.21	<5	31	<10	183	2060	<2	40	<10	6	112
69553	365240	<1	4.86	<2	499	<2	32	3.81	<4	17	11	61	3.73	0.48	1	1.44	895	<1	7	604	10	0.07	<5	15	10	474	2775	<2	134	10	21	63
69554	365241	<1	4.41	11	507	<2	12	1.42	<4	6	22	7	1.30	0.63	14	0.85	505	1	31	457	25	0.22	<5	30	<10	172	1951	6	40	<10	6	86
69555R	365241	<1	5.09	11	521	<2	15	1.36	<4	6	26	6	1.34	0.54	15	0.87	504	2	36	484	24	0.24	<5	25	13	168	1938	2	40	<10	6	129
69556	365242	<1	4.91	13	467	<2	<1	1.24	<4	5	22	6	1.08	0.13	10	0.83	422	2	31	438	23	0.20	6	36	<10	159	1734	4	34	<10	6	92
69557	365243	<1	5.56	10	468	<2	18	1.42	<4	6	19	29	1.27	0.20	13	0.93	451	2	33	486	253	0.24	8	37	<10	184	1902	<2	39	<10	6	417
69558	365244	<1	4.08	16	435	<2	9	1.22	<4	5	20	10	1.07	0.28	9	0.80	403	2	28	401	63	0.20	<5	44	<10	166	1614	<2	33	<10	5	177
69559	365245	<1	5.59	7	606	<2	10	1.51	<4	8	23	35	1.23	0.50	16	0.87	436	<1	33	473	36	0.16	<5	39	11	209	1917	2	40	<10	6	101
69560	365246	<1	3.74	23	564	<2	6	1.02	<4	13	25	24	1.11	0.15	14	0.64	361	1	38	355	58	0.25	<5	27	11	188	1754	<2	37	<10	5	177
69561	365247	<1	4.10	<2	459	<2	20	3.54	<4	15	10	60	3.53	0.31	<1	1.34	831	<1	7	555	11	0.07	<5	22	<10	452	2502	<2	126	11	19	76
69562	365248	<1	1.45	15	506	<2	7	1.50	<4	11	19	64	1.42	<0.01	11	0.67	459	<1	32	324	43	0.23	<5	12	<10	211	1651	3	41	<10	4	96
69563	365249	<1	3.95	14	543	<2	18	1.01	<4	8	23	13	1.45	0.39	14	0.69	388	<1	33	401	237	0.29	<5	18	<10	177	1692	<2	35	<10	5	115
69564	365250	127	3.36	10	376	<2	15	2.67	5	16	35	89	4.53	0.50	2	1.15	822	2	20	515	18218	0.11	91	32	14	273	2581	<2	124	<10	15	311
69565	365251	<1	4.26	4	511	<2	16	1.18	<4	5	21	10	1.29	0.02	11	0.63	398	2	31	396	128	0.14	<5	32	11	197	1711	<2	36	<10	5	89
69566D	365251	<1	4.42	8	526	<2	13	1.18	<4	6	21	8	1.28	0.79	11	0.63	403	<1	30	412	23	0.14	<5	30	10	197	1735	<2	36	<10	5	47
69567	365252	<1	4.52	15	530	<2	24	0.83	<4	6	19	24	1.14	0.21	11	0.53	318	<1	29	409	31	0.26	<5	23	<10	181	1737	2	34	<10	5	33
69568	365253	<1	4.60	9	418	<2	17	1.31	<4	7	18	9	1.24	<0.01	9	0.73	559	<1	27	405	23	0.20	<5	27	<10	196	1669	<2	35	<10	5	45
69569	365254	<1	4.70	11	370	<2	17	1.06	<4	7	24	17	2.19	0.03	14	0.92	1049	<1	28	461	21	0.31	<5	24	<10	188	2025	<2	43	<10	7	124

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/26/2015 2:06 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69570	365255	<1	5.18	12	518	<2	15	1.85	<4	7	24	14	2.16	<0.01	13	1.03	940	<1	27	461	41	0.34	<5	30	<10	209	1999	<2	44	<10	6	146
69571	365256	<1	4.85	16	469	<2	18	1.58	<4	7	27	11	1.71	0.23	14	0.89	759	<1	28	458	27	0.25	<5	32	14	180	2097	<2	45	<10	6	58
69572	365257	<1	4.16	18	520	<2	<1	1.35	<4	6	25	20	1.51	0.10	13	0.84	723	2	30	433	33	0.40	6	26	<10	139	1939	<2	43	<10	6	81
69573	365258	<1	2.80	14	577	<2	7	1.40	<4	7	21	55	1.59	0.06	13	0.72	571	1	29	381	19	0.22	<5	29	10	125	1950	3	37	<10	5	54
69574	365259	<1	4.86	18	584	<2	21	1.32	<4	6	20	38	1.37	0.10	12	0.82	499	<1	22	442	18	0.22	<5	34	21	113	1977	<2	35	<10	6	57
69575	365260	3	4.21	82	435	<2	5	0.41	16	19	26	503	2.90	<0.01	7	0.52	225	2	34	362	1329	0.91	275	29	<10	70	1551	3	30	28	6	3487
69576	365261	<1	4.18	7	457	<2	19	3.49	<4	16	10	61	3.48	0.28	<1	1.34	828	<1	7	551	24	0.08	<5	12	12	439	2552	<2	124	<10	19	81
69577D	365261																IS															
69578	365262	<1	8.94	59	689	<2	89	0.96	<4	24	33	85	2.01	0.71	23	0.81	466	4	45	601	133	0.65	18	51	29	117	2253	2	50	<10	8	269
69579	365263	<1	4.61	24	521	<2	9	1.09	<4	8	22	10	1.29	0.10	13	0.75	650	<1	18	479	46	0.39	<5	25	14	106	2078	<2	38	<10	5	203
69580	365264	<1	5.09	26	380	<2	19	1.32	<4	8	43	13	1.57	<0.01	13	0.92	1007	4	52	412	20	0.25	6	23	12	105	2034	<2	49	<10	8	65
69581	365265	<1	4.65	27	357	<2	9	1.09	<4	11	41	16	1.52	<0.01	13	0.86	968	3	46	420	53	0.34	<5	30	10	110	1890	<2	44	11	7	79
69582	365266	<1	4.53	32	332	<2	12	1.24	<4	11	44	17	1.55	<0.01	12	0.89	1130	3	49	470	37	0.35	<5	29	14	115	1795	7	42	<10	7	96
69583	365267	<1	4.53	39	448	<2	14	1.24	<4	11	34	56	1.62	<0.01	13	0.87	1097	4	43	471	87	0.41	6	38	13	126	1888	<2	42	<10	7	243
69584	365268	<1	4.47	42	404	<2	22	0.74	<4	14	46	59	1.63	<0.01	14	0.75	769	4	57	413	248	0.41	8	23	13	96	1772	2	42	13	7	1136
69585	365269	27	3.45	63	354	<2	22	0.35	15	17	46	231	2.22	<0.01	9	0.52	383	5	53	330	3395	0.69	29	28	33	66	1442	<2	37	51	6	7046
69586	365270	<1	3.41	39	243	<2	12	0.89	<4	13	28	1975	4.33	<0.01	20	0.77	957	12	18	619	82	1.39	<5	19	10	162	1020	<2	53	12	8	518
69587	365271	<1	3.66	38	412	<2	11	0.33	<4	13	42	101	1.37	<0.01	9	0.49	319	4	54	329	243	0.35	6	29	<10	70	1545	<2	44	11	6	756
69588D	365271	<1	3.21	42	406	<2	4	0.27	<4	13	41	39	1.24	<0.01	7	0.47	291	3	52	316	242	0.31	5	26	<10	64	1517	<2	43	11	6	737
69589	365272	25	3.09	33	386	<2	8	0.09	6	9	28	431	1.72	<0.01	7	0.40	169	3	37	296	1610	0.53	18	24	<10	57	1403	<2	33	23	5	2605

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69590	365273	<1	2.23	18	402	<2	8	0.89	<4	7	35	37	1.62	<0.01	5	0.59	704	2	44	337	93	0.30	<5	20	<10	98	1597	<2	42	<10	5	143
69591	365274	<1	2.22	9	145	<2	20	2.43	<4	5	42	14	1.70	0.06	2	1.33	1368	4	50	278	19	0.12	<5	24	<10	119	1103	<2	30	14	8	64
69592	365275	<1	3.34	10	225	<2	7	1.26	<4	6	52	8	0.97	<0.01	6	0.86	808	7	61	352	20	0.04	<5	31	11	113	1117	7	33	<10	7	41
69593	365276	<1	4.86	4	301	<2	6	1.23	<4	6	31	5	0.94	0.02	11	0.82	932	2	40	330	14	0.11	<5	27	<10	158	1505	7	37	<10	5	47
69594	365277	<1	2.98	4	256	<2	11	0.85	<4	5	27	8	1.00	0.39	7	0.75	599	<1	34	339	15	0.07	<5	36	<10	120	1414	<2	34	<10	5	43
69595	365278	<1	3.84	10	469	2	3	1.14	<4	6	38	9	0.99	<0.01	14	0.78	730	3	38	282	49	0.05	<5	26	<10	150	1681	<2	39	<10	5	62
69596	365279	<1	3.90	14	295	<2	11	1.30	<4	5	30	7	1.03	0.25	14	0.88	608	<1	35	323	28	0.21	6	28	<10	135	1544	<2	34	<10	5	38
69597	365280	<1	3.37	<2	412	<2	14	3.27	<4	14	10	53	3.26	<0.01	<1	1.23	771	<1	7	517	9	0.06	<5	<5	<10	416	2270	<2	117	<10	18	51
69598	365281	<1	4.93	21	372	<2	17	1.35	<4	6	29	14	1.15	0.17	16	0.97	618	2	31	381	33	0.21	5	35	<10	177	1875	<2	41	11	6	67
69599D	365281	<1	4.33	12	345	<2	12	1.18	<4	5	31	12	1.02	0.21	15	0.85	564	2	32	362	30	0.21	<5	22	10	161	1776	6	37	<10	5	61
69600	365282	<1	4.98	15	333	<2	55	0.98	<4	11	26	19	2.56	0.17	14	0.71	395	2	32	446	19	0.92	<5	34	10	149	1976	<2	43	<10	6	46
69601	365283	<1	5.29	4	364	2	21	1.34	<4	9	33	11	1.39	0.12	14	0.81	474	3	34	469	18	0.20	<5	21	<10	157	1883	<2	45	<10	6	45
69602	365284	<1	4.62	8	264	<2	20	1.15	<4	12	32	10	1.62	0.23	12	0.69	478	<1	32	430	19	0.32	7	24	11	161	1873	<2	42	<10	6	48
69603	365285	<1	5.89	16	339	<2	10	1.02	<4	9	25	11	1.68	<0.01	15	0.73	560	1	27	456	16	0.49	<5	35	13	151	2287	<2	48	<10	6	121
69604	365286	<1	2.19	9	188	<2	18	0.55	<4	7	18	27	1.13	<0.01	3	0.50	309	<1	20	290	12	0.37	<5	23	<10	105	1645	<2	34	<10	5	67
69605	365287	<1	5.13	21	273	<2	13	2.41	<4	15	24	12	2.05	<0.01	9	1.21	982	<1	30	399	12	0.46	<5	26	10	182	1989	<2	40	<10	7	107
69606	365288	<1	3.57	11	261	<2	14	2.40	<4	7	24	12	2.02	<0.01	4	1.15	932	<1	27	374	16	0.18	<5	30	<10	187	1839	5	39	<10	6	51
69607	365289	<1	4.01	12	308	<2	20	2.33	<4	5	23	13	1.48	<0.01	11	1.16	674	<1	20	395	12	0.17	7	26	12	184	2043	<2	41	<10	5	54
69608	365290	<1	3.70	46	248	<2	10	0.99	4	13	30	2012	4.50	<0.01	22	0.82	996	14	19	629	74	1.46	6	23	10	171	1090	<2	55	11	9	529
69609	365291	<1	6.15	17	375	<2	17	3.40	<4	6	23	8	1.71	0.29	12	1.75	878	<1	26	463	12	0.13	<5	33	12	172	2080	<2	45	<10	6	45

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69610D	365291	<1	4.79	21	368	<2	28	3.53	<4	5	25	8	1.77	<0.01	14	1.71	924	3	28	456	11	0.12	<5	33	11	179	2104	9	47	<10	6	44
69611	365292	<1	5.04	27	484	<2	18	2.74	<4	6	21	5	1.46	0.30	16	1.51	987	<1	25	444	19	0.18	8	40	12	141	2186	<2	45	<10	6	49
69612	365293	12	3.37	32	365	<2	<1	0.38	<4	6	18	15	1.48	<0.01	8	0.60	322	1	26	341	41	0.56	10	25	10	70	1551	<2	32	<10	5	68
69613	365294	3	3.17	29	346	<2	7	0.01	<4	4	25	26	1.05	0.22	9	0.38	104	2	27	309	64	0.36	<5	23	<10	59	1467	<2	32	<10	4	116
69614	365295	<1	>10.00	43	550	2	51	0.39	<4	9	47	48	2.21	0.03	28	0.74	190	7	48	557	111	0.69	8	44	23	101	2238	<2	53	10	9	324
69615	365296	<1	2.75	25	175	<2	3	0.51	<4	5	20	16	1.03	<0.01	6	0.64	463	<1	25	303	69	0.23	<5	28	15	60	1238	<2	28	<10	4	107
69616	365297	<1	2.86	14	143	<2	15	0.39	<4	4	20	20	0.97	0.24	5	0.62	490	<1	5	284	45	0.22	<5	16	<10	52	1276	<2	21	<10	5	238
69617	365298	<1	2.04	15	136	<2	2	0.15	<4	3	22	13	0.88	0.50	<1	0.51	391	<1	5	301	30	0.18	<5	26	10	44	1287	<2	22	<10	4	57
69618	365299	<1	4.86	26	221	<2	14	0.35	<4	3	26	10	0.95	<0.01	11	0.69	410	<1	3	364	27	0.20	6	22	12	61	1566	<2	27	11	5	45
69619	365300	<1	4.85	4	438	<2	23	3.54	<4	15	11	59	3.54	0.08	<1	1.39	838	<1	6	580	13	0.07	<5	16	12	449	2566	<2	127	<10	21	55
69620	365301	<1	4.89	20	244	<2	12	0.07	<4	5	23	13	1.05	<0.01	8	0.47	121	<1	3	354	19	0.24	<5	33	11	61	1560	<2	29	<10	6	51
69621R	365301	<1	3.60	18	248	<2	<1	<0.01	<4	4	28	12	0.99	0.49	9	0.38	104	2	3	315	22	0.25	<5	30	<10	50	1510	<2	27	10	5	62
69622	365302	2	5.02	18	261	<2	12	0.09	<4	4	20	27	0.78	<0.01	8	0.58	120	<1	5	360	27	0.20	<5	31	29	52	1358	<2	26	<10	6	219
69623	365303	6	4.63	56	250	<2	8	0.09	<4	5	26	46	1.60	<0.01	9	0.55	112	2	6	380	48	0.59	5	26	35	51	1382	<2	25	<10	5	289
69624	365304	6	5.04	37	242	<2	15	0.15	<4	4	24	17	1.18	<0.01	9	0.51	157	1	4	357	47	0.38	<5	21	<10	54	1528	<2	26	<10	6	184
69625	365305	<1	3.68	35	191	<2	22	0.43	<4	5	20	13	1.12	<0.01	8	0.62	387	<1	4	326	34	0.25	<5	23	<10	58	1420	<2	23	<10	5	92
69626	365306	<1	5.03	29	222	<2	<1	0.74	<4	4	26	13	1.36	<0.01	12	0.79	543	<1	4	378	35	0.28	<5	29	12	73	1630	<2	26	10	6	92
69627	365307	<1	5.62	16	207	<2	15	2.26	<4	6	23	8	1.70	<0.01	16	1.36	976	<1	6	398	19	0.10	<5	33	12	96	1610	<2	27	<10	7	45
69628	365308	<1	4.87	13	190	2	18	4.13	<4	5	25	7	1.97	<0.01	10	2.02	1391	1	5	377	17	0.12	6	24	14	121	1557	12	26	<10	7	56
69629	365309	<1	4.19	10	111	2	13	4.55	<4	5	22	8	2.20	0.29	10	2.29	1576	3	6	386	13	0.15	<5	27	16	125	1299	9	24	<10	7	49

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69630	365310	<1	2.78	15	416	<2	23	1.86	<4	14	48	179	3.46	0.14	6	1.10	632	8	33	550	11	0.09	5	17	<10	253	2466	<2	95	<10	15	57
69631	365311	<1	3.63	4	203	<2	11	2.01	<4	6	27	8	1.23	<0.01	10	1.01	756	1	5	371	15	0.07	7	39	11	113	1525	2	27	<10	6	42
69632D	365311	<1	4.33	9	220	<2	17	2.21	<4	6	28	6	1.26	0.10	14	1.08	812	<1	6	383	17	0.08	5	22	12	119	1603	<2	28	<10	6	46
69633	365312	<1	5.15	10	253	<2	8	2.50	<4	18	122	37	3.06	<0.01	19	1.18	672	<1	44	585	13	0.17	<5	28	10	152	3027	<2	80	<10	13	63
69634	365313	<1	5.62	3	307	<2	28	2.36	<4	23	146	46	3.78	0.11	21	1.37	600	3	54	559	17	0.17	<5	19	14	169	3013	6	93	<10	15	67
69635	365314	<1	9.17	12	473	2	23	3.65	<4	10	34	12	2.17	0.80	26	1.16	420	3	10	821	17	0.13	<5	42	18	309	2600	4	52	<10	10	42
69636	365315	<1	5.82	19	455	<2	7	1.98	<4	8	22	7	1.79	<0.01	15	0.77	381	<1	6	601	12	0.26	<5	37	<10	210	2227	5	38	<10	7	44
69637	365316	<1	4.33	8	384	<2	24	2.30	<4	6	24	10	1.49	<0.01	11	0.82	586	<1	6	566	15	0.13	<5	33	12	215	1860	2	34	<10	7	47
69638	365317	<1	5.47	8	403	<2	6	2.32	<4	7	20	11	2.00	0.14	17	0.87	361	<1	5	606	13	0.15	<5	27	<10	223	2079	<2	38	<10	7	39
69639	365318	<1	4.95	10	394	<2	18	2.51	<4	10	26	14	1.40	0.03	14	1.03	404	<1	7	572	17	0.17	<5	39	15	233	1703	<2	35	<10	7	73
69640	365319	<1	5.05	23	477	<2	26	1.40	<4	7	29	3	0.92	0.01	15	0.51	202	<1	6	609	7	0.20	<5	26	11	203	2070	6	38	<10	5	47
69641	365320	<1	4.09	2	394	<2	<1	3.23	<4	14	11	54	3.20	0.01	2	1.24	739	<1	6	541	10	0.06	<5	21	<10	417	2234	<2	116	<10	19	50
69642	365321	<1	4.77	24	409	<2	15	1.45	<4	6	17	6	1.35	0.13	16	0.49	233	<1	4	585	13	0.51	<5	23	<10	222	1858	<2	37	<10	6	28
69643D	365321	<1	4.58	27	410	<2	16	1.42	<4	7	17	5	1.28	0.17	15	0.46	225	<1	4	593	10	0.51	<5	24	<10	221	1831	<2	36	<10	6	32
69644	365322	<1	7.15	19	608	<2	24	1.61	<4	8	25	7	1.63	0.36	23	0.79	407	1	4	704	10	0.43	<5	34	14	226	2192	<2	44	<10	8	27
69645	365323	<1	4.72	20	466	<2	3	1.01	<4	7	19	8	1.20	0.06	14	0.61	296	<1	4	555	4	0.37	<5	32	<10	174	1598	<2	34	<10	6	20
69646	365324	<1	5.07	18	568	<2	15	1.06	<4	8	18	14	1.52	<0.01	13	0.71	377	<1	4	596	11	0.58	<5	29	12	179	1610	<2	38	<10	6	26
69647	365325	<1	5.69	24	547	<2	7	1.29	<4	8	22	23	1.54	<0.01	15	0.86	516	<1	6	559	10	0.60	<5	25	12	189	1613	<2	37	<10	7	23
69648	365326	<1	3.83	21	419	<2	14	1.03	<4	7	18	19	1.26	<0.01	9	0.73	418	<1	5	537	8	0.48	6	28	<10	163	1283	<2	31	<10	6	20
69649	365327	<1	6.78	24	632	<2	14	1.03	<4	9	21	13	1.73	0.14	19	0.79	379	1	6	650	12	0.72	<5	38	13	181	1916	<2	41	<10	8	29

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/10/2015
Date Completed: 03/23/2015
Job #: 201540829
Reference: 15-006
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
69650	365328	<1	4.40	29	588	<2	4	0.34	<4	12	45	6	2.47	<0.01	15	0.50	191	<1	17	493	12	1.04	<5	37	11	113	2009	<2	46	<10	8	35
69651	365329	<1	4.79	23	545	<2	20	2.04	<4	15	106	24	2.98	0.13	16	1.09	610	9	104	532	22	0.71	<5	24	17	188	1851	9	80	<10	10	81
69652	365330	<1	5.71	19	658	<2	14	1.90	<4	9	36	3	2.01	0.12	19	1.07	528	3	51	610	21	0.53	<5	29	14	187	2069	5	50	<10	7	6
69653	365331	<1	5.71	21	658	<2	16	1.91	<4	10	36	3	2.01	0.12	20	1.07	548	4	51	611	21	0.54	<5	30	14	188	2072	5	51	<10	7	47
69654D	365331	<1	4.18	22	570	<2	<1	1.60	<4	8	25	2	1.80	<0.01	16	0.93	486	<1	31	522	22	0.52	<5	27	11	165	1834	<2	40	<10	6	39
69655	365332	<1	4.43	19	704	<2	9	1.89	<4	8	24	16	1.68	0.04	14	0.98	562	1	33	559	46	0.37	<5	31	11	180	1837	<2	43	<10	6	113

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15390B

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540725
Reference: TL15-004
Sample #: 10

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
60825	366951	0.081	
60826	366952	0.025	
60827	366953	4.807	
60828	366954	0.044	
60829	366955	<0.005	
60830	366956	>10.000	231.642
60831	366957	0.009	
60832	366958	0.191	
60833	366959	0.089	
60834	366960	0.197	
60835	366960 Dup	0.188	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540725
Reference: TL15-004
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, dennis@treasurymetals.com

Date Received: 03/02/2015
Date Completed: 03/09/2015
Job #: 201540725
Reference: TL15-004
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60825	366951	<1	5.78	60	532	<2	17	1.59	<4	13	27	14	2.24	<0.01	16	1.32	845	<1	20	587	60	0.90	<5	34	<10	92	2056	<2	38	<10	8	126
60826	366952	<1	8.17	53	633	2	28	2.13	<4	10	30	2	2.30	0.53	21	1.46	946	<1	21	686	27	0.95	9	19	<10	110	2294	7	43	10	9	71
60827	366953	126	4.84	30	360	<2	19	2.84	5	16	38	91	4.73	0.20	6	1.29	875	<1	33	560	18238	0.13	95	12	10	290	2740	3	125	15	18	307
60828	366954	<1	5.96	56	519	<2	21	1.31	<4	8	27	4	1.69	0.05	17	1.06	638	<1	14	607	210	0.65	<5	12	<10	82	2184	<2	37	<10	7	59
60829	366955	<1	3.53	19	370	<2	4	2.42	<4	14	57	44	3.66	0.01	9	1.32	742	<1	46	614	10	0.10	<5	11	14	279	2916	7	107	<10	16	50
60830	366956	26	4.83	110	357	<2	11	2.28	4	16	131	114	3.85	0.09	9	1.64	1182	<1	50	450	713	1.70	11	<5	<10	95	2250	<2	76	21	13	1190
60831	366957	<1	4.31	24	407	<2	21	2.67	<4	16	64	50	3.98	0.15	12	1.43	814	2	42	650	24	0.13	<5	9	10	299	3209	<2	116	<10	17	81
60832	366958	<1	5.55	58	398	<2	20	1.91	<4	13	70	22	2.20	<0.01	13	1.39	829	<1	33	543	49	0.61	<5	18	<10	91	2343	7	60	10	10	106
60833	366959	<1	5.32	56	447	<2	27	1.98	<4	11	61	19	2.34	<0.01	15	1.50	871	<1	31	568	19	0.65	<5	32	<10	108	2102	5	45	<10	10	119
60834	366960	<1	5.39	41	301	2	17	2.15	<4	21	151	43	3.35	<0.01	18	1.83	1030	<1	59	505	52	0.77	<5	16	<10	120	2659	<2	82	<10	16	74
60835D	366960	<1	5.05	41	283	<2	6	2.06	<4	20	150	44	3.26	0.01	17	1.78	995	<1	61	498	48	0.78	<5	19	<10	116	2536	<2	80	11	16	69

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/23/2015 5:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80047	366155	0.041	
80048	366156	0.026	
80049	366157	0.063	
80050	366158	0.041	
80051	366159	0.057	
80052	366160	<0.005	
80053	366161	0.012	
80054	366162	0.014	
80055	366163	0.065	
80056	366164	0.078	
80057	366164 Dup	0.078	
80058	366165	0.069	
80059	366166	0.048	
80060	366167	0.229	
80061	366168	0.137	
80062	366169	0.009	
80063	366170	4.785	
80064	366171	0.015	
80065	366172	0.040	
80066	366173	0.225	
80067	366174	0.174	
80068	366174 Dup	0.175	
80069	366175	0.240	
80070	366176	0.038	
80071	366177	0.049	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80072	366178	0.017	
80073	366179	0.014	
80074	366180	<0.005	
80075	366181	0.020	
80076	366182	0.021	
80077	366183	0.008	
80078	366184	0.026	
80079	366184 Dup	0.025	
80080	366185	0.013	
80081	366186	0.024	
80082	366187	0.023	
80083	366188	0.028	
80084	366189	0.019	
80085	366190	0.392	
80086	366191	0.006	
80087	366192	0.010	
80088	366193	<0.005	
80089	366194	0.007	
80090	366194 Dup	0.008	
80091	366195	0.010	
80092	366196	0.006	
80093	366197	0.045	
80094	366198	0.052	
80095	366199	0.129	
80096	366200	0.012	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80097	366201	0.019	
80098	366202	0.088	
80099	366203	0.025	
80100	366204	0.010	
80101	366204 Dup	0.009	
80102	366205	0.012	
80103	366206	0.012	
80104	366207	0.009	
80105	366208	0.013	
80106	366209	0.013	
80107	366210	1.418	
80108	366211	0.018	
80109	366212	0.011	
80110	366213	0.017	
80111	366214	0.010	
80112	366214 Rep	0.007	
80113	366215	0.011	
80114	366216	0.016	
80115	366217	0.016	
80116	366218	0.017	
80117	366219	0.018	
80118	366220	<0.005	
80119	366221	0.019	
80120	366222	0.017	
80121	366223	0.028	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80122	366224	0.009	
80123	366224 Dup	0.009	
80124	366225	0.006	
80125	366226	0.006	
80126	366227	<0.005	
80127	366228	<0.005	
80128	366229	<0.005	
80129	366230	4.893	
80130	366231	<0.005	
80131	366232	<0.005	
80132	366233	0.011	
80133	366234	0.037	
80134	366234 Dup	0.034	
80135	366235	0.236	
80136	366236	0.014	
80137	366237	0.026	
80138	366238	0.129	
80139	366239	0.233	
80140	366240	<0.005	
80141	366241	0.033	
80142	366242	<0.005	
80143	366243	<0.005	
80144	366244	0.005	
80145	366244 Dup	0.006	
80146	366245	0.006	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80147	366246	0.005	
80148	366247	0.010	
80149	366248	<0.005	
80150	366249	<0.005	
80151	366250	0.370	
80152	366251	0.008	
80153	366252	0.043	
80154	366253	1.659	
80155	366254	0.064	
80156	366254 Dup	0.050	
80157	366255	0.020	
80158	366256	0.020	
80159	366257	0.024	
80160	366258	0.881	
80161	366259	0.043	
80162	366260	<0.005	
80163	366261	0.021	
80164	366262	0.016	
80165	366263	0.009	
80166	366264	0.030	
80167	366264 Dup	0.019	
80168	366265	0.007	
80169	366266	<0.005	
80170	366267	0.009	
80171	366268	0.006	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80172	366269	0.009	
80173	366270	1.404	
80174	366271	0.006	
80175	366272	<0.005	
80176	366273	0.009	
80177	366274	<0.005	
80178	366274 Rep	<0.005	
80179	366275	0.006	
80180	366276	0.013	
80181	366277	0.011	
80182	366278	0.006	
80183	366279	0.065	
80184	366280	<0.005	
80185	366281	0.037	
80186	366282	0.539	
80187	366283	0.070	
80188	366284	0.102	
80189	366284 Dup	0.109	
80190	366285	0.028	
80191	366286	0.114	
80192	366287	0.073	
80193	366288	0.025	
80194	366289	<0.005	
80195	366290	3.746	
80196	366291	0.006	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80197	366292	<0.005	
80198	366293	<0.005	
80199	366294	0.007	
80200	366294 Dup	0.009	
80201	366295	0.021	
80202	366296	0.017	
80203	366297	0.022	
80204	366298	0.025	
80205	366299	0.007	
80206	366300	<0.005	
80207	366301	0.062	
80208	366302	0.387	
80209	366303	0.451	
80210	366304	0.115	
80211	366304 Dup	0.075	
80212	366305	0.011	
80213	366306	0.014	
80214	366307	0.010	
80215	366308	0.009	
80216	366309	0.054	
80217	366310	0.362	
80218	366311	0.081	
80219	366312	0.019	
80220	366313	0.035	
80221	366314	0.042	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80222	366314 Dup	0.048	
80223	366315	0.051	
80224	366316	0.167	
80225	366317	0.217	
80226	366318	0.030	
80227	366319	0.098	
80228	366320	<0.005	
80229	366321	0.362	
80230	366322	0.163	
80231	366323	0.062	
80232	366324	0.027	
80233	366324 Dup	0.026	
80234	366325	0.087	
80235	366326	0.147	
80236	366327	0.418	
80237	366328	0.064	
80238	366329	0.018	
80239	366330	1.532	
80240	366331	0.458	
80241	366332	0.512	
80242	366333	1.699	
80243	366334	4.592	
80244	366334 Rep	4.534	
80245	366335	0.384	
80246	366336	0.160	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80247	366337	2.776	
80248	366338	0.030	
80249	366339	0.025	
80250	366340	<0.005	
80251	366341	0.017	
80252	366342	0.014	
80253	366343	0.005	
80254	366344	0.008	
80255	366344 Dup	0.006	
80256	366345	0.032	
80257	366346	0.042	
80258	366347	0.109	
80259	366348	0.699	
80260	366349	0.469	
80261	366350	4.702	
80262	366351	0.136	
80263	366352	0.079	
80264	366353	0.401	
80265	366354	0.151	
80266	366354 Dup	0.177	
80267	366355	0.028	
80268	366356	0.055	
80269	366357	0.057	
80270	366358	0.019	
80271	366359	0.060	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80272	366360	<0.005	
80273	366361	0.219	
80274	366362	0.092	
80275	366363	0.296	
80276	366364	0.776	
80277	366364 Dup	0.785	
80278	366365	0.223	
80279	366366	0.144	
80280	366367	0.119	
80281	366368	0.124	
80282	366369	0.137	
80283	366370	0.394	
80284	366371	0.039	
80285	366372	<0.005	
80286	366373	<0.005	
80287	366374	<0.005	
80288	366374 Dup	<0.005	
80289	366375	<0.005	
80290	366376	0.012	
80291	366377	<0.005	
80292	366378	<0.005	
80293	366379	<0.005	
80294	366380	<0.005	
80295	366381	<0.005	
80296	366382	0.024	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80297	366383	<0.005	
80298	366384	<0.005	
80299	366384 Dup	0.006	
80300	366385	0.033	
80301	366386	0.033	
80302	366387	<0.005	
80303	366388	0.007	
80304	366389	0.011	
80305	366390	1.390	
80306	366391	0.040	
80307	366392	0.030	
80308	366393	0.033	
80309	366394	0.030	
80310	366394 Rep	0.025	
80311	366395	0.046	
80312	366396	0.080	
80313	366397	0.141	
80314	366398	0.359	
80315	366399	0.041	
80316	366400	<0.005	
80317	366401	0.075	
80318	366402	0.193	
80319	366403	0.047	
80320	366404	0.082	
80321	366404 Dup	0.072	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80322	366405	0.062	
80323	366406	0.043	
80324	366407	0.051	
80325	366408	0.030	
80326	366409	0.011	
80327	366410	4.545	
80328	366411	0.257	
80329	366412	1.137	
80330	366413	1.125	
80331	366414	0.025	
80332	366414 Dup	0.032	
80333	366415	0.078	
80334	366416	0.078	
80335	366417	0.084	
80336	366418	0.199	
80337	366419	0.544	
80338	366420	<0.005	
80339	366421	0.087	
80340	366422	0.060	
80341	366423	0.080	
80342	366424	0.076	
80343	366424 Dup	0.060	
80344	366425	0.141	
80345	366426	0.140	
80346	366427	0.040	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80347	366428	0.094	
80348	366429	0.262	
80349	366430	0.172	
80350	366431	0.063	
80351	366432	0.203	
80352	366433	0.090	
80353	366434	0.052	
80354	366434 Dup	0.040	
80355	366435	0.022	
80356	366436	0.328	
80357	366437	0.038	
80358	366438	0.051	
80359	366439	0.327	
80360	366440	<0.005	
80361	366441	0.038	
80362	366442	0.232	
80363	366443	0.039	
80364	366444	0.643	
80365	366444 Dup	0.709	
80366	366445	0.015	
80367	366446	0.015	
80368	366447	0.043	
80369	366448	0.307	
80370	366449	0.319	
80371	366450	1.526	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80372	366451	0.273	
80373	366452	0.386	
80374	366453	0.183	
80375	366454	0.663	
80376	366454 Rep	0.714	
80377	366455	0.223	
80378	366456	0.060	
80379	366457	0.047	
80380	366458	1.208	
80381	366459	0.095	
80382	366460	<0.005	
80383	366461	1.484	
80384	366462	0.031	
80385	366463	0.025	
80386	366464	0.031	
80387	366464 Dup	0.031	
80388	366465	0.030	
80389	366466	0.032	
80390	366467	0.097	
80391	366468	0.156	
80392	366469	0.148	
80393	366470	4.906	
80394	366471	0.107	
80395	366472	0.062	
80396	366473	0.057	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80397	366474	0.118	
80398	366474 Dup	0.412	
80399	366475	0.048	
80400	366476	0.015	
80401	366477	0.015	
80402	366478	0.013	
80403	366479	0.133	
80404	366480	0.007	
80405	366481	0.024	
80406	366482	0.016	
80407	366483	0.014	
80408	366484	0.020	
80409	366484 Dup	0.036	
80410	366485	0.069	
80411	366486	0.041	
80412	366487	0.062	
80413	366488	0.012	
80414	366489	0.026	
80415	366490	0.335	
80416	366491	0.016	
80417	366492	0.020	
80418	366493	0.017	
80419	366494	0.036	
80420	366494 Dup	0.054	
80421	366495	0.070	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
80422	366496	0.091	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.498	1.729	0.121
AR01	1.557	1.729	0.121
AR01	1.597	1.729	0.121
AR01	1.608	1.729	0.121
AR01	1.511	1.729	0.121
AR01	1.945	1.729	0.121
AR01	1.675	1.729	0.121
AR01	1.624	1.729	0.121
AR01	1.599	1.729	0.121
AR01	1.625	1.729	0.121
AR01	1.652	1.729	0.121
AR01	1.787	1.729	0.121
AR01	1.589	1.729	0.121
AR01	1.674	1.729	0.121
AR01	1.773	1.729	0.121
KL01	0.379	0.394	0.011
AR01	1.530	1.729	0.121
AR01	1.817	1.729	0.121
AR01	1.706	1.729	0.121

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80047	366155	<1	5.70	17	398	<2	34	3.07	<4	15	76	43	2.76	0.29	9	1.55	805	<1	39	656	18	0.41	<5	15	<10	355	2673	<2	62	10	8	332
80048	366156	<1	6.73	14	434	2	3	3.08	<4	18	81	30	2.90	0.08	16	1.60	661	<1	46	702	10	0.47	<5	36	<10	401	2704	13	64	<10	9	141
80049	366157	<1	6.05	13	547	<2	19	2.77	5	14	38	41	2.49	0.16	10	1.05	457	8	19	616	31	0.34	<5	28	10	396	2625	<2	52	28	8	3075
80050	366158	<1	5.37	16	584	<2	6	1.95	<4	11	32	20	2.18	0.18	13	1.01	485	<1	14	620	17	0.23	<5	17	<10	397	2556	<2	47	<10	7	135
80051	366159	<1	5.47	13	401	<2	5	2.90	<4	17	82	46	2.73	0.09	11	1.53	590	3	45	652	8	0.35	<5	19	<10	439	2486	<2	60	<10	8	190
80052	366160	<1	6.08	6	483	<2	12	3.93	<4	18	13	58	3.94	<0.01	<1	1.54	925	<1	7	635	14	0.10	<5	23	<10	490	2848	<2	134	11	22	64
80053	366161	<1	4.76	14	535	<2	17	2.32	<4	12	32	14	2.06	0.17	7	0.81	418	<1	14	538	3	0.15	<5	17	10	387	2457	<2	46	<10	7	220
80054	366162	<1	5.51	9	600	<2	18	2.13	<4	12	28	18	2.14	<0.01	7	0.75	416	<1	11	577	4	0.14	<5	25	<10	446	2739	<2	47	<10	7	101
80055	366163	<1	4.90	12	490	<2	4	1.83	<4	12	23	33	2.05	0.16	5	0.72	488	<1	9	566	34	0.30	<5	25	10	421	2420	<2	43	<10	6	362
80056	366164	<1	5.22	13	446	2	7	2.31	<4	10	30	14	2.18	<0.01	8	0.85	751	2	11	534	49	0.35	<5	7	<10	350	2187	<2	41	<10	7	134
80057D	366164	<1	5.34	12	442	<2	11	2.31	<4	10	27	14	2.16	<0.01	8	0.87	749	1	9	540	41	0.36	<5	26	<10	348	2195	<2	41	<10	7	115
80058	366165	<1	5.23	18	497	2	17	2.44	<4	11	27	23	1.93	0.13	8	1.00	718	1	11	509	22	0.31	<5	15	<10	294	2125	<2	38	<10	7	102
80059	366166	<1	5.66	14	504	<2	16	2.52	<4	10	35	23	2.09	0.35	11	1.08	754	4	11	525	19	0.36	<5	25	11	299	2127	<2	38	<10	7	111
80060	366167	<1	6.23	26	556	<2	11	2.09	<4	12	35	44	2.22	0.19	7	1.05	801	4	13	561	53	0.74	<5	21	<10	261	2115	<2	48	<10	9	209
80061	366168	<1	6.80	25	559	<2	16	1.89	<4	10	26	8	1.81	0.20	15	1.22	678	2	8	385	62	0.48	<5	13	<10	244	1799	<2	30	<10	9	112
80062	366169	<1	4.94	16	353	2	3	2.00	<4	6	34	5	1.54	0.04	12	1.46	637	3	5	340	16	0.36	<5	23	<10	202	1281	<2	20	<10	7	62
80063	366170	137	5.00	21	387	<2	18	2.96	5	18	41	95	5.12	0.23	3	1.36	921	5	24	578	17234	0.15	100	7	10	300	2869	<2	132	<10	18	356
80064	366171	<1	5.71	18	531	2	18	1.40	<4	7	25	5	1.42	0.11	14	1.00	442	2	6	347	233	0.27	<5	23	10	199	1646	<2	26	<10	6	138
80065	366172	<1	4.86	28	428	<2	12	1.30	<4	5	26	15	1.31	0.05	12	0.97	519	2	5	297	76	0.23	<5	30	<10	169	1420	<2	21	<10	5	262
80066	366173	<1	4.90	30	318	<2	14	1.79	4	7	21	32	1.51	0.06	10	1.18	824	4	5	356	287	0.33	<5	22	14	208	1498	<2	21	10	5	843

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80067	366174	<1	5.00	26	338	2	16	1.32	<4	6	21	15	1.40	0.03	8	1.00	705	2	7	320	152	0.37	<5	25	11	167	1475	<2	22	<10	5	280
80068D	366174	<1	5.21	30	341	2	10	1.34	<4	6	21	15	1.41	0.10	9	1.02	708	1	5	323	150	0.37	<5	29	10	168	1485	<2	22	<10	6	274
80069	366175	<1	5.41	27	364	<2	17	1.82	<4	5	22	21	1.44	0.05	9	1.23	937	2	5	335	306	0.32	5	24	<10	178	1469	<2	22	11	6	431
80070	366176	<1	4.98	25	345	2	14	1.59	<4	5	18	5	1.26	0.10	9	1.12	804	<1	4	307	113	0.33	<5	22	<10	165	1452	<2	21	<10	5	147
80071	366177	26	5.92	27	357	2	18	2.16	<4	6	21	11	1.85	0.61	11	1.40	1089	1	5	342	123	0.58	<5	18	10	175	1603	<2	24	15	6	206
80072	366178	<1	6.86	23	395	2	19	1.52	<4	5	22	25	1.18	0.19	10	1.02	630	1	5	338	135	0.36	<5	30	<10	172	1612	<2	26	12	6	313
80073	366179	<1	5.57	26	439	2	12	1.08	<4	9	53	27	1.66	0.29	13	0.88	538	<1	17	334	92	0.51	<5	28	<10	166	1605	8	33	<10	8	281
80074	366180	<1	6.22	11	481	<2	6	3.84	<4	18	12	66	3.95	0.27	<1	1.60	938	<1	7	616	23	0.11	<5	18	<10	481	2920	<2	133	<10	24	69
80075	366181	<1	5.80	31	485	2	30	1.94	<4	13	66	26	2.46	0.26	12	1.20	550	1	25	415	57	0.66	<5	30	<10	250	2055	<2	57	<10	10	358
80076	366182	<1	5.54	17	534	<2	10	2.04	<4	10	51	19	2.07	0.15	12	1.07	524	3	18	375	23	0.35	<5	28	11	240	1861	<2	43	<10	8	63
80077	366183	<1	5.35	23	395	<2	5	1.61	<4	8	45	16	1.87	<0.01	7	0.86	468	1	16	356	37	0.37	<5	20	<10	200	1689	<2	40	<10	8	79
80078	366184	<1	5.76	18	427	<2	16	1.57	<4	20	116	52	3.19	<0.01	14	1.12	650	2	48	587	36	0.42	<5	28	<10	244	2522	<2	76	<10	11	125
80079D	366184	<1	5.60	21	408	<2	26	1.51	<4	19	111	49	3.07	0.07	13	1.10	632	3	47	563	32	0.43	<5	22	11	235	2459	<2	74	<10	11	112
80080	366185	<1	5.06	36	284	2	10	1.59	<4	22	138	54	3.67	0.09	12	1.13	743	4	54	505	40	0.98	<5	28	<10	249	2354	<2	75	<10	13	109
80081	366186	<1	5.25	35	293	<2	17	1.63	<4	21	138	52	3.57	0.08	10	1.11	719	4	52	510	45	1.08	<5	8	<10	266	2377	<2	76	<10	13	87
80082	366187	<1	4.69	26	272	<2	15	1.50	<4	24	132	41	3.56	0.11	12	1.12	726	3	49	456	43	0.80	5	23	<10	217	2477	<2	76	<10	12	105
80083	366188	<1	5.97	23	393	2	22	1.90	<4	22	142	56	3.66	0.26	17	1.36	893	4	56	537	87	0.40	<5	24	14	211	2948	<2	91	<10	16	150
80084	366189	<1	6.33	26	425	2	9	1.59	<4	11	39	22	1.24	0.17	7	0.46	344	7	9	406	68	0.33	<5	25	<10	237	1940	5	36	<10	8	141
80085	366190	<1	5.63	56	290	<2	22	1.13	4	15	36	2440	5.43	0.23	29	0.99	1184	18	22	742	89	1.99	6	25	10	197	1307	9	61	15	11	600
80086	366191	<1	6.52	15	512	2	13	1.67	<4	9	33	15	1.19	0.17	5	0.41	245	4	7	412	16	0.16	<5	30	<10	194	1935	<2	35	<10	7	36

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80087	366192	<1	5.92	17	487	<2	5	1.87	<4	8	28	14	1.58	0.36	7	0.49	427	2	6	373	23	0.32	<5	13	<10	204	1611	<2	32	<10	7	72
80088	366193	<1	5.86	16	497	<2	5	1.56	<4	8	22	4	0.49	0.31	3	0.31	212	<1	6	374	27	0.10	<5	36	<10	203	1751	<2	35	<10	6	39
80089	366194	<1	6.11	20	519	<2	3	2.06	<4	8	26	15	0.56	0.05	5	0.29	310	3	5	372	68	0.11	<5	36	12	248	1513	<2	34	12	6	162
80090D	366194	<1	5.83	12	516	2	12	2.03	<4	7	26	15	0.56	0.02	6	0.29	300	<1	6	370	67	0.10	<5	33	<10	243	1519	<2	33	<10	6	162
80091	366195	<1	5.26	20	406	<2	28	1.99	<4	7	21	10	0.50	0.06	4	0.29	203	<1	5	323	71	0.15	<5	43	<10	229	1303	<2	28	<10	5	106
80092	366196	<1	5.16	17	488	2	7	1.70	<4	8	21	6	0.64	<0.01	3	0.28	200	2	4	592	34	0.13	<5	37	<10	221	1658	<2	34	<10	6	63
80093	366197	<1	5.52	27	598	2	12	2.11	<4	7	31	16	1.21	<0.01	3	0.31	435	3	6	385	49	0.33	<5	27	<10	208	1603	<2	33	<10	6	74
80094	366198	<1	5.49	40	565	<2	12	1.09	<4	9	24	10	1.47	<0.01	4	0.34	265	1	8	379	30	0.38	<5	30	<10	178	1785	<2	32	<10	6	89
80095	366199	6	5.48	33	600	2	3	1.05	<4	8	24	10	1.59	0.26	6	0.41	236	<1	6	363	42	0.40	<5	23	29	172	1817	<2	32	10	6	189
80096	366200	<1	6.16	8	499	2	18	3.87	<4	17	12	58	3.90	0.26	<1	1.57	910	<1	7	617	14	0.10	<5	17	26	478	2852	<2	132	10	23	62
80097	366201	<1	6.09	31	640	2	14	1.51	<4	10	28	8	1.59	0.21	5	0.46	298	<1	6	414	21	0.33	<5	24	30	196	1918	<2	36	<10	7	47
80098	366202	<1	5.86	27	573	<2	18	1.86	<4	8	26	30	1.81	0.16	13	0.85	633	4	7	465	550	0.34	<5	24	34	242	1909	<2	34	10	7	306
80099	366203	<1	5.99	26	566	<2	2	1.94	<4	9	25	8	1.79	0.23	11	0.78	475	<1	8	452	34	0.39	<5	20	29	239	1888	<2	35	<10	7	29
80100	366204	<1	6.35	20	704	3	26	2.24	<4	8	24	46	1.76	0.06	18	1.02	630	5	7	441	152	0.19	<5	32	34	301	1929	<2	31	<10	7	499
80101D	366204	<1	5.47	12	647	2	13	2.02	<4	8	23	43	1.63	0.13	14	0.94	581	3	7	403	141	0.18	<5	20	34	278	1791	<2	29	<10	7	463
80102	366205	<1	6.28	19	521	2	<1	2.42	<4	9	29	26	1.83	<0.01	13	0.99	612	3	8	517	58	0.16	<5	25	31	278	2022	<2	34	10	6	377
80103	366206	<1	5.49	18	468	<2	11	2.35	<4	8	31	22	1.80	0.08	12	0.98	628	3	7	481	58	0.16	<5	24	31	271	1923	<2	33	<10	6	82
80104	366207	<1	5.65	13	542	3	10	2.19	<4	9	26	23	1.73	0.06	13	0.90	497	<1	8	518	41	0.18	<5	21	39	244	1764	<2	31	<10	6	65
80105	366208	<1	5.01	19	459	2	19	1.87	<4	9	26	17	1.69	<0.01	13	0.88	515	<1	8	484	42	0.28	<5	28	30	223	1665	<2	31	<10	6	62
80106	366209	<1	4.68	16	476	<2	10	2.18	<4	9	33	8	1.84	0.04	12	0.92	655	2	7	450	30	0.23	<5	25	25	230	1936	<2	32	<10	6	53

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80107	366210	<1	3.73	17	496	<2	15	2.13	<4	17	54	200	4.04	0.10	7	1.27	732	12	38	617	10	0.13	<5	9	29	280	2957	<2	104	14	16	62
80108	366211	<1	5.80	22	494	<2	16	2.10	<4	10	19	10	1.89	0.22	13	0.96	686	<1	7	512	33	0.46	<5	33	31	221	2153	<2	35	<10	7	60
80109	366212	<1	5.58	17	418	2	14	2.23	<4	10	22	8	1.82	0.01	11	1.01	708	2	8	466	16	0.20	<5	20	28	199	1989	<2	33	<10	7	36
80110	366213	<1	5.69	15	414	<2	7	2.19	<4	9	26	6	1.88	0.16	11	0.91	565	4	8	491	11	0.13	<5	35	34	214	2144	<2	35	12	7	52
80111	366214	<1	4.26	10	399	<2	10	1.97	<4	8	22	8	1.82	0.53	15	1.06	699	<1	7	444	9	0.13	<5	32	28	205	2001	<2	31	<10	6	44
80112R	366214	<1	4.38	10	395	<2	15	1.92	<4	7	22	9	1.78	0.63	19	1.05	680	<1	7	420	11	0.15	<5	20	30	201	1918	<2	30	10	6	50
80113	366215	<1	8.18	19	585	<2	20	2.24	<4	10	22	8	1.86	<0.01	48	0.99	589	2	8	507	11	0.32	<5	34	66	238	2485	<2	37	<10	7	32
80114	366216	<1	6.86	33	541	2	16	2.38	<4	10	24	7	1.86	0.06	28	0.92	670	3	7	474	17	0.31	<5	24	63	233	2278	<2	36	<10	7	42
80115	366217	<1	5.78	26	540	2	22	2.26	<4	9	27	8	1.70	0.38	23	0.90	653	4	8	458	22	0.27	<5	22	60	219	1971	<2	30	<10	6	51
80116	366218	<1	6.92	25	684	3	39	2.26	<4	9	33	6	1.80	0.12	28	0.85	625	4	7	403	28	0.46	<5	23	68	217	1954	<2	32	11	7	60
80117	366219	<1	5.71	23	674	2	28	1.66	<4	11	30	4	1.73	0.51	37	0.76	540	4	9	402	32	0.46	<5	17	60	176	2065	<2	31	<10	5	55
80118	366220	<1	5.00	11	580	2	5	3.70	<4	16	14	58	3.60	0.34	15	1.11	857	1	8	574	73	0.10	<5	12	54	445	2901	<2	124	11	15	51
80119	366221	<1	5.81	38	686	2	22	1.63	<4	7	35	8	1.41	0.22	39	0.76	545	5	44	308	25	0.34	<5	21	65	170	1657	<2	34	<10	5	48
80120	366222	<1	5.76	43	756	2	<1	1.65	<4	4	29	8	1.24	<0.01	39	0.74	527	6	36	270	49	0.39	<5	26	64	192	1470	<2	29	<10	4	55
80121	366223	<1	5.51	31	733	2	9	1.99	<4	10	26	22	1.57	0.08	40	0.80	651	5	32	426	42	0.49	<5	23	61	171	2111	<2	38	<10	5	102
80122	366224	<1	5.00	17	787	2	17	1.87	<4	12	26	12	1.55	0.18	25	0.64	478	5	33	497	31	0.20	<5	22	60	160	2178	<2	40	<10	5	91
80123D	366224	<1	5.45	15	802	<2	15	1.92	<4	12	26	13	1.55	0.11	26	0.67	486	3	36	505	39	0.20	<5	19	59	162	2180	<2	40	<10	5	87
80124	366225	<1	4.41	12	578	<2	<1	2.05	<4	8	27	12	1.60	0.04	26	0.71	535	3	34	446	27	0.15	<5	26	58	167	2291	<2	40	<10	5	59
80125	366226	<1	7.51	9	650	<2	14	2.56	<4	10	24	14	1.81	0.13	30	0.95	581	1	24	500	22	0.17	<5	19	57	193	2274	<2	40	<10	8	67
80126	366227	<1	7.83	14	642	2	19	2.56	<4	9	26	9	1.87	0.40	32	0.87	446	2	28	490	43	0.26	<5	29	66	222	1912	<2	40	15	8	119

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80127	366228	<1	7.82	13	692	10	20	2.76	<4	11	29	44	2.09	0.46	29	0.72	376	8	38	589	38	0.24	<5	33	62	242	1916	<2	37	11	8	40
80128	366229	<1	7.02	17	615	6	20	1.86	<4	7	40	24	1.53	0.38	27	0.68	289	6	36	348	16	0.17	<5	23	65	180	1553	<2	32	<10	8	14
80129	366230	129	5.58	23	508	2	<1	3.06	4	16	40	91	4.87	0.30	19	1.04	856	6	22	538	17201	0.15	87	8	60	291	2960	<2	127	<10	13	298
80130	366231	<1	5.88	12	492	3	15	2.10	<4	8	51	17	1.57	0.28	28	0.69	376	10	65	391	162	0.14	<5	32	64	167	1665	<2	44	<10	7	29
80131	366232	<1	5.72	16	631	2	22	2.35	<4	9	31	12	1.67	0.44	36	0.75	468	4	33	459	26	0.19	<5	16	60	194	1956	<2	40	<10	6	90
80132	366233	<1	5.79	15	737	2	22	2.61	<4	9	25	14	1.80	0.10	38	0.88	693	4	27	476	73	0.17	<5	21	58	176	2178	<2	39	13	6	87
80133	366234	<1	6.74	32	789	2	15	1.86	<4	13	23	22	1.77	0.07	28	0.76	508	4	31	463	936	0.59	<5	25	63	130	2221	<2	40	16	6	1429
80134D	366234	<1	6.66	31	807	<2	14	1.89	4	14	25	22	1.82	<0.01	32	0.75	513	3	33	476	948	0.65	<5	25	64	132	2252	<2	41	10	6	1491
80135	366235	<1	5.62	14	413	2	22	4.63	<4	8	32	18	1.69	0.06	21	0.82	782	4	35	405	130	0.34	<5	15	62	133	1800	4	37	<10	8	253
80136	366236	<1	5.26	16	674	<2	29	2.37	<4	8	33	13	1.63	0.13	25	0.71	535	5	39	443	26	0.19	<5	22	57	145	1986	<2	42	392	5	61
80137	366237	<1	5.95	23	792	<2	32	2.40	<4	8	26	10	1.69	0.18	28	0.77	563	5	28	453	24	0.27	<5	26	58	171	2121	<2	38	13	6	66
80138	366238	<1	7.40	25	850	<2	5	2.46	<4	9	33	10	1.87	0.47	40	0.84	656	8	40	466	36	0.40	<5	22	65	186	2261	<2	44	10	7	132
80139	366239	<1	7.11	25	831	2	10	2.41	<4	8	38	13	1.97	0.42	41	0.97	727	6	40	477	64	0.44	<5	31	64	223	2231	<2	46	<10	7	131
80140	366240	<1	5.45	12	629	2	18	4.01	<4	16	14	64	3.89	0.35	19	1.13	925	2	8	596	8	0.11	<5	22	60	477	3088	<2	134	11	16	52
80141	366241	<1	6.89	25	572	2	16	2.33	<4	19	152	27	2.58	0.41	35	0.92	660	8	75	399	27	0.74	<5	10	68	232	2373	<2	57	11	10	67
80142	366242	<1	6.15	11	565	2	15	1.87	<4	5	23	8	1.09	0.47	34	0.55	273	6	25	280	13	0.08	<5	25	64	366	1492	4	25	<10	6	50
80143	366243	<1	6.34	14	440	3	11	2.21	<4	5	27	7	1.02	0.23	23	0.51	253	5	32	281	11	0.09	<5	39	59	435	1274	<2	23	<10	5	38
80144	366244	<1	6.11	16	636	2	13	1.82	<4	4	24	5	0.93	0.20	26	0.57	224	2	19	259	23	0.17	<5	14	63	364	1304	<2	21	<10	5	99
80145D	366244	<1	5.42	19	615	2	27	1.72	<4	4	20	4	0.90	0.27	26	0.54	217	3	20	262	21	0.17	<5	26	63	351	1260	<2	21	<10	5	94
80146	366245	<1	5.45	18	663	2	16	1.80	<4	5	25	5	1.08	0.07	31	0.79	337	5	28	274	34	0.15	<5	19	64	323	1450	<2	24	<10	4	57

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80147	366246	<1	5.89	14	691	2	21	1.81	<4	5	21	4	1.08	<0.01	29	0.83	341	3	21	270	31	0.17	<5	18	59	326	1472	<2	23	<10	4	54
80148	366247	<1	4.60	18	555	2	16	1.50	<4	5	21	8	1.06	0.11	23	0.76	292	2	23	253	7	0.18	<5	16	60	244	1350	<2	23	<10	4	35
80149	366248	<1	4.81	13	654	2	<1	1.67	<4	6	24	11	1.16	0.23	29	1.03	356	2	19	268	26	0.11	<5	19	58	240	1449	<2	23	<10	4	56
80150	366249	<1	6.68	14	633	2	12	1.65	<4	5	18	3	1.01	0.39	28	0.89	265	2	17	251	19	0.13	<5	23	55	247	1444	<2	21	<10	6	39
80151	366250	<1	7.25	51	411	2	25	1.44	<4	15	35	2222	4.94	0.30	40	0.89	1073	17	21	679	79	1.89	<5	24	65	194	1443	<2	57	16	9	538
80152	366251	<1	6.87	15	680	2	17	1.98	<4	5	18	36	1.19	0.21	33	0.94	390	3	20	302	95	0.16	<5	25	62	255	1492	2	23	<10	6	88
80153	366252	<1	6.22	17	701	2	22	1.72	<4	5	27	16	1.13	0.48	32	0.99	392	4	31	264	88	0.16	<5	24	64	228	1451	<2	24	<10	5	116
80154	366253	<1	6.92	48	640	2	35	0.82	<4	6	27	15	1.17	0.35	38	0.72	240	6	34	226	88	0.48	<5	26	65	103	1415	<2	27	11	5	193
80155	366254	<1	5.08	21	597	2	12	1.44	<4	4	26	9	1.14	0.42	30	1.09	619	5	32	261	67	0.19	<5	30	59	120	1391	<2	25	<10	4	261
80156D	366254	<1	5.50	20	644	2	9	1.52	<4	5	35	11	1.23	0.34	37	1.17	666	7	47	273	66	0.18	<5	12	59	124	1461	<2	30	<10	5	295
80157	366255	<1	5.42	12	675	2	11	1.39	<4	5	26	5	1.05	0.12	38	0.93	543	3	26	266	66	0.16	<5	33	73	128	1504	<2	24	<10	4	111
80158	366256	<1	7.56	22	814	2	31	1.91	<4	5	29	13	1.15	0.49	37	0.96	601	7	33	313	62	0.22	7	24	101	202	1736	<2	29	<10	5	120
80159	366257	<1	5.52	22	584	2	20	1.45	<4	7	21	7	1.34	<0.01	24	0.82	561	2	22	260	46	0.38	<5	14	57	161	1411	3	26	<10	5	83
80160	366258	<1	4.68	13	510	2	19	1.41	<4	5	29	6	1.05	0.05	20	0.84	664	5	31	258	45	0.12	<5	27	56	175	1255	<2	26	<10	4	85
80161	366259	<1	6.28	14	693	2	9	1.61	<4	4	26	4	1.15	0.17	43	1.11	700	7	32	294	44	0.10	<5	35	81	204	1410	<2	26	<10	5	233
80162	366260	<1	6.73	9	591	<2	25	3.91	<4	17	13	58	3.72	0.39	15	1.28	879	2	7	572	4	0.10	<5	25	59	465	2966	<2	127	<10	18	44
80163	366261	<1	7.04	16	653	<2	14	1.94	<4	5	61	5	1.41	0.36	35	1.22	868	12	87	260	71	0.16	<5	31	58	209	1360	<2	41	<10	7	55
80164	366262	<1	6.32	20	494	2	8	1.70	<4	4	26	6	1.05	0.28	25	0.84	712	6	34	220	20	0.18	<5	16	54	202	1292	<2	23	<10	6	38
80165	366263	<1	6.23	22	583	<2	15	1.89	<4	6	38	13	1.43	0.40	26	1.00	856	5	47	257	45	0.32	<5	31	60	206	1434	<2	33	<10	6	75
80166	366264	<1	4.94	12	682	<2	10	1.32	<4	4	43	6	1.06	0.53	25	0.78	612	9	67	217	58	0.11	<5	16	59	181	1304	<2	33	<10	4	106

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80167D	366264	<1	5.78	15	709	2	33	1.36	<4	4	43	5	1.09	0.25	33	0.83	623	9	67	230	64	0.11	<5	30	64	188	1348	<2	34	<10	5	107
80168	366265	<1	5.48	15	736	2	9	1.30	<4	5	28	7	1.00	0.27	35	0.85	697	7	36	249	213	0.18	<5	27	57	189	1387	<2	25	<10	4	101
80169	366266	<1	4.50	11	700	2	3	1.19	<4	4	34	8	1.01	0.21	26	0.77	670	7	49	232	166	0.16	<5	16	57	179	1341	<2	28	<10	4	128
80170	366267	<1	4.96	12	693	2	12	1.37	<4	5	49	27	1.31	0.05	26	1.14	1024	13	80	261	79	0.15	<5	21	56	177	1335	<2	37	<10	4	106
80171	366268	<1	4.52	15	629	2	25	1.37	<4	7	58	9	1.17	0.04	23	0.88	820	15	102	251	87	0.12	<5	23	61	193	1288	<2	41	<10	4	295
80172	366269	<1	5.15	19	568	2	9	1.38	<4	4	19	6	1.02	0.12	22	0.66	569	4	24	237	56	0.22	<5	35	54	207	1227	<2	21	<10	4	80
80173	366270	<1	5.10	28	585	<2	13	2.21	<4	15	53	192	3.79	0.41	23	1.11	689	14	36	584	11	0.11	<5	23	55	275	3039	<2	99	11	12	56
80174	366271	<1	5.94	11	535	2	38	1.59	<4	4	50	8	1.10	0.18	22	0.83	774	13	80	223	153	0.09	<5	11	56	228	1161	<2	35	<10	6	92
80175	366272	<1	5.95	11	760	2	13	1.79	<4	5	24	9	1.05	0.33	29	0.83	750	5	30	261	332	0.13	<5	24	62	246	1411	<2	27	<10	6	353
80176	366273	<1	7.27	17	815	2	22	1.31	<4	8	59	9	0.96	0.40	29	0.66	321	13	98	379	100	0.15	<5	31	63	255	1900	<2	54	<10	6	67
80177	366274	<1	7.14	17	792	2	11	1.03	<4	8	56	5	0.76	0.37	38	0.60	192	13	95	338	15	0.10	<5	26	63	246	1978	<2	54	<10	5	10
80178R	366274	<1	7.68	19	794	2	12	1.04	<4	8	46	5	0.71	0.20	39	0.63	189	10	74	360	9	0.12	<5	26	62	243	1990	<2	49	<10	5	12
80179	366275	<1	6.15	21	662	2	10	0.92	<4	8	46	5	0.77	0.02	17	0.86	287	8	76	341	12	0.15	<5	51	30	248	1754	<2	47	<10	5	58
80180	366276	<1	>10.00	31	924	2	22	2.41	<4	13	32	15	1.22	0.44	29	0.88	353	5	41	1060	24	0.32	6	40	43	348	3117	<2	73	<10	12	74
80181	366277	<1	5.08	20	592	2	15	0.63	<4	6	22	10	0.65	0.21	12	0.49	150	2	29	386	99	0.16	<5	21	27	181	1769	<2	34	<10	5	143
80182	366278	<1	5.26	17	558	<2	8	1.28	<4	7	54	11	0.90	0.14	10	0.65	266	11	82	404	50	0.12	<5	27	32	231	1740	<2	51	<10	5	107
80183	366279	<1	4.99	25	634	<2	5	1.03	<4	9	29	52	1.63	0.16	13	0.75	505	3	40	468	267	0.17	<5	19	31	169	2131	<2	45	11	6	268
80184	366280	<1	5.09	11	508	<2	6	3.84	<4	17	11	60	3.91	0.20	1	1.44	916	<1	7	587	19	0.10	<5	25	28	476	2877	<2	133	<10	19	56
80185	366281	<1	4.24	17	619	<2	<1	2.03	<4	9	41	19	1.99	0.23	12	0.82	522	7	66	444	39	0.11	<5	20	35	183	2272	<2	53	<10	5	56
80186	366282	<1	5.05	24	548	2	25	2.08	<4	8	33	30	1.99	0.24	11	0.95	513	4	50	435	213	0.23	<5	29	33	168	2124	<2	46	10	6	368

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80187	366283	<1	5.15	12	572	<2	10	2.46	<4	10	25	12	1.94	0.25	13	0.95	596	1	33	444	36	0.13	<5	12	29	182	2084	<2	42	10	6	76
80188	366284	<1	5.16	27	497	<2	<1	1.75	<4	11	25	12	1.81	0.23	11	0.91	568	4	36	473	28	0.21	<5	26	31	137	2228	<2	44	<10	6	222
80189D	366284	<1	5.76	24	514	2	9	1.81	<4	9	28	12	1.86	0.11	12	0.96	583	4	41	498	30	0.22	<5	19	28	140	2292	<2	45	<10	7	229
80190	366285	<1	5.76	19	424	<2	17	2.87	<4	9	22	9	1.88	0.15	9	1.10	594	1	30	471	15	0.34	<5	22	33	154	2000	6	39	<10	7	53
80191	366286	<1	6.64	19	440	<2	3	2.89	<4	9	25	8	2.02	0.09	9	1.26	637	2	9	621	18	0.25	<5	24	27	153	2333	<2	37	<10	8	57
80192	366287	<1	6.54	26	450	<2	17	1.60	<4	11	25	14	1.95	0.04	13	1.10	587	2	8	521	20	0.31	<5	36	36	123	2353	<2	37	<10	8	58
80193	366288	<1	3.42	25	386	<2	<1	1.05	<4	9	21	5	0.99	0.59	7	0.80	413	1	7	472	30	0.19	<5	22	20	114	1755	<2	27	<10	5	68
80194	366289	<1	5.76	19	708	<2	15	1.41	<4	11	21	4	1.02	0.14	13	0.83	263	2	11	701	10	0.15	<5	26	28	181	2238	<2	36	<10	6	15
80195	366290	131	3.80	18	370	<2	5	2.67	5	16	36	86	4.64	0.27	<1	1.21	831	4	22	513	17526	0.14	86	12	34	272	2698	<2	121	<10	16	284
80196	366291	<1	4.88	14	552	<2	4	1.46	<4	9	21	8	1.25	0.27	9	0.83	302	2	8	661	195	0.17	<5	24	30	211	1930	2	34	<10	6	21
80197	366292	<1	4.73	19	587	<2	14	1.43	<4	10	18	7	1.07	0.37	9	0.84	297	1	12	626	8	0.15	<5	18	28	232	1813	<2	31	<10	5	16
80198	366293	<1	8.60	21	805	2	18	1.90	<4	11	34	6	1.28	0.96	22	0.97	360	6	12	762	9	0.15	<5	22	43	283	2405	<2	41	<10	7	28
80199	366294	<1	5.27	19	625	<2	49	1.49	<4	7	20	6	1.00	0.29	12	0.86	295	2	5	638	18	0.13	<5	28	30	167	2094	<2	36	<10	5	23
80200D	366294	<1	5.76	19	642	<2	8	1.53	<4	7	21	5	1.02	0.25	13	0.90	302	4	6	662	20	0.14	<5	30	31	170	2138	<2	36	<10	6	23
80201	366295	<1	5.17	20	617	<2	21	1.07	<4	9	18	7	0.95	0.27	12	0.87	351	<1	8	575	24	0.16	<5	25	31	118	2134	<2	31	<10	6	18
80202	366296	<1	5.47	22	667	<2	27	1.71	<4	8	13	27	1.03	0.19	9	0.96	376	<1	4	610	48	0.20	<5	22	41	124	2176	<2	33	<10	6	41
80203	366297	<1	5.72	23	734	<2	15	1.51	<4	7	16	6	0.96	0.18	10	1.07	401	<1	4	571	17	0.16	<5	35	27	117	2133	<2	32	<10	6	54
80204	366298	<1	6.32	26	781	2	15	1.39	<4	8	27	13	1.13	<0.01	13	1.04	426	2	3	603	150	0.20	<5	18	33	119	2243	<2	32	<10	6	89
80205	366299	<1	6.25	15	714	2	6	1.22	<4	6	38	14	1.11	0.09	13	0.89	395	3	4	570	52	0.07	<5	32	31	102	2240	<2	34	11	7	151
80206	366300	<1	6.17	11	503	<2	15	3.89	<4	17	11	63	3.93	0.14	<1	1.57	921	<1	7	601	13	0.10	<5	13	26	479	2901	<2	133	<10	23	53

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80207	366301	<1	5.33	26	524	<2	18	0.82	<4	7	38	24	1.46	0.08	8	0.71	388	5	5	542	80	0.26	<5	35	36	116	1941	<2	28	<10	6	207
80208	366302	<1	5.16	35	528	<2	22	0.60	<4	6	24	41	1.48	0.18	8	0.66	357	1	3	427	518	0.30	5	19	<10	104	1743	<2	25	15	7	1046
80209	366303	<1	5.51	21	269	<2	20	0.76	<4	5	26	46	1.39	0.28	11	0.86	545	3	4	483	105	0.11	<5	22	<10	115	1869	<2	30	<10	6	209
80210	366304	<1	6.41	16	395	2	10	1.37	<4	9	27	29	1.96	0.30	18	1.09	894	1	5	648	63	0.13	<5	34	<10	136	2300	<2	37	<10	7	190
80211D	366304	<1	6.08	15	387	<2	14	1.33	<4	9	31	30	1.98	0.18	17	1.06	874	<1	5	665	62	0.15	<5	29	11	134	2282	<2	37	12	7	193
80212	366305	<1	5.58	11	305	<2	19	0.93	<4	5	35	23	1.37	0.06	14	0.85	559	4	5	459	39	0.08	<5	25	13	129	1881	<2	28	<10	6	107
80213	366306	<1	3.96	14	270	<2	23	0.72	<4	5	26	19	1.10	<0.01	7	0.73	493	3	2	401	31	0.07	<5	34	<10	104	1786	<2	24	10	6	99
80214	366307	<1	4.89	15	384	<2	15	1.45	<4	6	24	12	1.59	0.16	9	0.97	853	2	4	533	32	0.11	<5	18	<10	135	1849	<2	29	<10	6	62
80215	366308	<1	5.60	10	309	<2	20	1.67	<4	5	21	6	1.69	0.05	10	1.16	958	1	3	474	18	0.08	<5	28	<10	147	1833	<2	29	<10	7	46
80216	366309	<1	8.66	27	425	2	19	2.05	<4	7	23	24	2.24	0.33	18	1.37	1187	4	5	620	37	0.32	<5	39	14	178	2157	<2	36	10	9	76
80217	366310	<1	4.77	45	254	<2	9	0.99	<4	14	32	2223	4.96	<0.01	22	0.90	1070	16	20	675	80	1.52	<5	12	<10	179	1158	<2	56	11	10	540
80218	366311	<1	6.00	28	362	<2	13	0.87	<4	7	21	74	2.11	0.02	10	0.68	480	1	5	530	1035	0.37	<5	27	<10	129	1905	<2	29	12	7	280
80219	366312	<1	5.52	17	265	<2	11	1.61	<4	6	19	25	1.59	0.19	6	0.85	731	<1	3	373	69	0.15	<5	24	<10	185	1535	<2	27	12	6	47
80220	366313	<1	6.20	23	430	<2	6	1.32	<4	5	17	22	1.38	0.19	12	0.87	726	<1	3	499	32	0.20	<5	36	11	148	2004	<2	32	10	7	40
80221	366314	<1	5.23	24	283	2	21	0.94	<4	4	18	14	1.40	0.20	7	0.73	474	<1	3	358	138	0.25	<5	20	<10	133	1581	<2	24	<10	6	369
80222D	366314	<1	5.71	32	303	<2	8	1.01	<4	5	24	16	1.46	0.08	9	0.75	495	<1	3	385	144	0.22	<5	20	10	139	1661	<2	25	10	6	404
80223	366315	<1	5.32	25	353	2	2	0.71	<4	4	19	8	1.28	0.10	7	0.65	358	<1	4	453	67	0.20	<5	25	<10	104	1664	<2	26	<10	6	275
80224	366316	<1	5.11	37	446	<2	16	0.61	<4	5	20	12	1.12	0.10	6	0.66	297	<1	3	437	26	0.31	<5	33	<10	94	1764	<2	27	<10	6	45
80225	366317	<1	5.31	41	509	2	17	1.09	<4	4	13	16	1.56	0.11	9	0.92	555	<1	2	447	30	0.56	<5	25	<10	117	1837	<2	27	<10	6	53
80226	366318	<1	4.86	40	356	<2	14	0.68	<4	6	20	8	1.02	0.16	7	0.66	439	1	6	379	43	0.27	<5	22	<10	111	1567	<2	25	<10	5	55

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80227	366319	<1	4.43	35	277	<2	9	1.07	<4	7	23	5	0.94	0.16	5	0.90	745	4	37	394	239	0.20	<5	18	<10	133	1267	<2	30	11	5	435
80228	366320	<1	5.55	13	439	<2	47	3.59	<4	16	10	59	3.69	0.28	<1	1.48	868	<1	6	566	15	0.09	<5	20	<10	456	2704	<2	125	10	23	47
80229	366321	<1	5.32	25	344	<2	19	0.64	<4	10	17	4	0.86	0.29	5	0.72	534	3	34	419	47	0.19	<5	25	18	133	1485	<2	34	<10	6	29
80230	366322	<1	5.52	34	346	2	22	0.99	<4	8	24	5	1.07	0.40	10	1.03	785	4	39	412	605	0.17	<5	20	14	168	1451	<2	38	<10	6	80
80231	366323	<1	5.32	29	341	2	16	1.16	<4	10	21	7	1.03	0.32	8	1.06	773	2	38	417	102	0.20	<5	26	<10	173	1322	2	36	<10	5	85
80232	366324	<1	5.67	23	279	<2	<1	1.06	<4	13	23	26	1.15	0.37	9	1.07	872	3	44	382	111	0.10	<5	17	<10	205	1346	7	38	<10	5	81
80233D	366324	<1	4.67	16	241	2	4	0.91	<4	14	20	23	1.03	0.58	7	0.97	777	1	38	348	101	0.09	<5	21	<10	185	1204	<2	34	<10	5	71
80234	366325	<1	4.74	19	188	<2	17	1.25	<4	11	33	19	1.32	0.42	8	1.23	1134	6	53	413	328	0.12	<5	21	<10	199	1024	<2	39	12	5	514
80235	366326	<1	4.42	19	166	<2	4	1.16	<4	10	24	16	1.18	0.28	6	1.19	1115	1	37	366	219	0.11	<5	19	<10	186	963	<2	31	14	5	512
80236	366327	<1	5.62	32	288	<2	25	0.69	<4	11	25	16	1.24	0.18	9	0.94	877	5	43	434	31	0.19	<5	28	<10	168	1305	<2	38	<10	5	71
80237	366328	<1	5.67	31	370	2	10	0.28	<4	10	28	12	1.33	0.07	6	0.55	337	3	41	481	42	0.40	5	27	<10	135	1516	<2	43	<10	6	25
80238	366329	<1	4.65	13	350	2	11	0.51	<4	5	34	19	1.18	<0.01	4	0.51	485	4	34	346	32	0.09	<5	24	<10	144	1278	<2	37	10	6	29
80239	366330	<1	3.95	25	474	<2	10	2.05	<4	16	53	197	3.92	0.02	6	1.22	714	12	38	592	13	0.12	<5	12	<10	278	2836	<2	102	15	15	59
80240	366331	<1	5.98	9	509	2	13	0.65	<4	7	33	22	1.69	0.04	11	0.73	628	<1	29	486	25	0.09	<5	22	10	147	1979	3	47	<10	7	50
80241	366332	<1	4.92	15	418	2	21	0.77	<4	10	35	19	1.81	0.33	10	0.72	714	<1	33	441	20	0.11	<5	33	<10	145	2084	<2	45	<10	7	47
80242	366333	<1	5.42	14	330	<2	20	0.76	<4	9	30	60	1.94	0.42	7	0.72	888	1	32	505	18	0.09	<5	24	12	151	2029	<2	44	<10	7	53
80243	366334	<1	5.19	17	284	<2	6	0.60	<4	7	27	43	1.89	0.29	8	0.79	1046	2	30	488	19	0.07	<5	17	10	148	1892	<2	42	<10	7	59
80244R	366334	<1	5.20	10	293	<2	14	0.60	<4	7	29	42	1.93	0.31	9	0.80	1020	3	37	505	23	0.08	<5	24	<10	149	1948	<2	44	<10	7	57
80245	366335	<1	>10.00	36	647	<2	28	1.14	<4	11	36	12	2.02	0.91	47	1.03	1043	10	47	579	55	0.61	9	47	19	190	3249	<2	49	10	8	102
80246	366336	<1	7.61	37	537	2	18	1.30	<4	8	21	25	1.87	0.24	26	0.73	782	3	24	425	67	1.08	<5	37	<10	167	1980	<2	37	<10	7	149

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80247	366337	<1	6.87	26	511	2	12	1.09	<4	9	23	40	1.41	0.35	26	0.73	639	5	28	428	899	0.81	9	29	11	142	2023	<2	37	<10	6	295
80248	366338	<1	7.19	25	531	<2	14	1.23	<4	8	32	15	1.19	0.35	25	0.65	507	7	49	442	38	0.36	<5	26	10	164	2061	<2	44	<10	6	69
80249	366339	<1	6.80	23	493	2	6	1.21	<4	7	26	8	1.17	0.32	26	0.61	460	5	27	443	29	0.48	<5	19	11	167	1928	<2	38	<10	6	45
80250	366340	<1	5.42	11	535	<2	9	3.57	<4	16	14	58	3.66	0.32	14	1.00	873	2	7	582	17	0.10	<5	<5	13	446	2919	<2	125	<10	15	53
80251	366341	<1	6.85	14	485	2	11	1.22	<4	10	26	21	1.60	0.09	27	0.60	503	5	30	459	23	0.24	<5	19	10	183	2096	<2	41	<10	6	79
80252	366342	<1	7.13	19	481	<2	18	1.16	<4	7	32	13	1.58	<0.01	27	0.59	592	8	41	478	27	0.33	<5	26	11	173	2070	<2	43	<10	6	82
80253	366343	<1	7.43	20	423	2	10	1.36	<4	7	23	8	1.39	<0.01	24	0.66	711	4	26	469	18	0.51	<5	30	13	173	2012	2	38	<10	6	58
80254	366344	<1	6.94	27	434	2	10	1.33	<4	7	29	10	1.41	0.01	24	0.62	545	6	37	397	20	0.54	<5	26	<10	162	1990	<2	40	<10	6	44
80255D	366344	<1	6.21	30	403	2	10	1.24	<4	7	27	9	1.35	0.06	19	0.59	524	7	37	388	23	0.51	<5	20	12	154	1920	<2	39	<10	5	44
80256	366345	<1	5.97	29	471	<2	18	0.91	<4	9	27	4	1.56	<0.01	24	0.58	545	3	31	445	34	0.99	<5	9	<10	133	2194	<2	41	<10	5	103
80257	366346	<1	8.23	31	504	2	13	1.02	<4	8	30	6	1.55	0.20	28	0.69	418	6	30	480	33	0.97	<5	32	13	143	2340	<2	43	<10	7	103
80258	366347	<1	9.07	26	451	2	14	1.03	<4	10	43	18	1.67	0.07	25	0.74	427	8	54	438	42	0.87	<5	27	11	123	2182	<2	50	<10	8	151
80259	366348	<1	7.81	31	374	2	15	0.72	<4	8	28	12	1.21	0.27	26	0.71	346	5	35	395	81	0.81	<5	48	11	92	1962	<2	42	<10	7	98
80260	366349	<1	8.28	35	380	2	15	0.90	<4	7	39	16	1.05	0.17	26	0.80	451	9	53	421	22	0.42	<5	36	10	95	2022	<2	48	<10	7	41
80261	366350	126	5.32	18	420	<2	24	2.69	4	16	37	84	4.53	0.52	15	0.92	807	6	21	505	16768	0.15	83	9	17	272	2771	<2	118	11	12	277
80262	366351	<1	6.98	35	342	2	26	0.86	<4	7	28	11	1.17	0.28	20	0.69	408	5	28	375	214	0.59	<5	24	11	91	1904	<2	38	<10	6	65
80263	366352	<1	5.95	33	310	2	14	1.21	<4	8	28	16	1.27	0.38	19	0.71	482	5	31	352	43	0.36	<5	24	10	95	1825	<2	36	<10	6	43
80264	366353	<1	7.23	42	330	2	25	0.83	<4	7	35	72	1.58	0.04	20	0.65	294	8	50	382	215	0.81	<5	24	12	84	1970	<2	42	14	7	573
80265	366354	<1	5.33	24	347	2	6	1.68	<4	7	38	13	1.82	0.22	22	0.81	756	8	50	416	22	0.33	<5	13	<10	119	2250	<2	45	<10	5	76
80266D	366354	<1	5.46	17	334	<2	7	1.68	<4	7	33	11	1.76	0.14	23	0.84	746	4	41	406	28	0.34	<5	11	12	118	2193	<2	42	<10	5	67

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80267	366355	<1	5.42	10	378	2	29	1.69	<4	8	34	13	1.79	0.08	19	0.78	581	7	43	404	17	0.17	<5	31	12	129	2209	<2	43	<10	5	53
80268	366356	<1	4.94	18	342	<2	9	1.55	<4	8	25	12	1.62	0.13	18	0.72	515	3	31	390	11	0.17	<5	9	10	123	2027	<2	37	<10	5	44
80269	366357	<1	8.00	27	371	2	7	1.86	<4	7	42	11	1.59	0.17	25	0.96	683	8	56	431	25	0.33	<5	27	<10	145	2183	8	46	<10	7	45
80270	366358	<1	7.86	16	295	2	10	1.75	<4	5	42	12	1.11	0.70	23	0.90	562	8	55	323	36	0.18	<5	28	10	146	1743	<2	39	<10	7	41
80271	366359	<1	7.84	21	338	2	12	1.90	<4	7	30	8	1.38	0.17	25	0.94	664	5	41	367	27	0.25	<5	23	15	138	1987	<2	37	<10	7	61
80272	366360	<1	5.62	12	538	<2	19	3.63	<4	16	13	58	3.68	0.24	14	1.04	878	<1	7	567	12	0.09	<5	14	11	451	2902	<2	126	<10	15	47
80273	366361	<1	6.78	31	297	2	15	1.97	<4	7	24	23	1.54	0.28	24	0.90	735	4	27	332	68	0.60	<5	25	13	116	1770	<2	31	<10	6	242
80274	366362	<1	6.24	30	306	2	15	1.32	<4	7	35	13	1.31	0.25	23	0.73	656	7	46	361	86	0.62	<5	24	13	98	1778	<2	36	<10	5	203
80275	366363	<1	7.48	36	302	2	7	0.96	<4	7	28	35	1.56	0.11	24	0.72	544	6	45	338	73	0.96	<5	24	10	92	1679	<2	35	<10	6	269
80276	366364	<1	8.04	50	325	2	26	0.46	<4	7	25	28	1.87	<0.01	23	0.57	194	3	33	341	113	1.21	<5	31	11	79	1739	<2	32	10	6	773
80277D	366364	<1	6.83	47	302	2	12	0.39	<4	8	23	27	1.76	0.08	20	0.52	179	5	33	329	112	1.19	<5	17	13	73	1660	<2	31	<10	6	745
80278	366365	<1	8.49	62	549	2	16	1.04	<4	13	53	52	3.01	<0.01	27	0.79	753	12	82	616	174	2.19	<5	22	12	106	3095	<2	66	13	5	930
80279	366366	<1	6.77	34	319	2	10	1.03	<4	6	31	24	1.31	0.14	20	0.71	564	6	42	349	47	0.64	<5	29	13	92	1730	2	34	<10	6	102
80280	366367	<1	5.73	28	314	2	23	0.80	<4	4	26	10	0.92	0.10	17	0.59	402	4	35	329	25	0.23	<5	43	11	81	1713	<2	34	<10	5	37
80281	366368	<1	5.76	39	253	<2	17	0.96	<4	6	49	9	1.34	0.13	9	0.90	584	10	83	326	37	0.34	<5	28	<10	89	1677	5	47	<10	6	42
80282	366369	<1	8.95	21	382	2	12	2.23	<4	8	39	17	1.71	0.46	17	1.29	680	7	60	446	77	0.21	<5	34	<10	141	2415	<2	48	10	8	113
80283	366370	<1	4.63	51	248	<2	29	0.97	<4	13	32	2195	4.87	0.17	23	0.89	1060	14	21	675	72	2.03	<5	15	<10	177	1129	<2	54	13	10	526
80284	366371	<1	5.99	15	301	<2	1	1.82	<4	6	28	7	1.38	0.32	6	1.12	607	4	41	380	4	0.13	<5	21	<10	118	1849	<2	37	<10	7	22
80285	366372	<1	5.95	13	285	<2	8	1.86	<4	6	23	5	1.36	0.06	7	1.05	541	3	34	367	4	0.10	<5	35	<10	130	1774	<2	34	<10	6	22
80286	366373	<1	6.67	13	368	<2	9	1.81	<4	6	27	4	1.29	0.02	11	0.96	415	3	37	391	13	0.09	<5	31	<10	155	1889	<2	37	<10	7	12

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80287	366374	<1	5.42	16	246	2	14	1.91	<4	5	33	4	1.34	0.07	6	1.05	457	3	42	340	9	0.09	<5	27	<10	132	1535	<2	33	<10	7	26
80288D	366374	<1	5.55	15	244	2	13	1.93	<4	5	36	5	1.34	<0.01	7	1.06	459	5	44	331	13	0.09	<5	14	<10	133	1505	<2	33	<10	7	25
80289	366375	<1	5.67	15	343	<2	8	1.72	<4	5	26	4	1.43	<0.01	8	1.29	572	4	37	341	13	0.08	<5	33	<10	103	1677	<2	33	<10	6	38
80290	366376	<1	5.92	7	270	<2	18	1.77	<4	7	20	5	1.58	<0.01	11	1.37	615	2	29	374	5	0.11	<5	15	<10	87	1751	<2	32	<10	7	41
80291	366377	<1	5.97	16	364	<2	10	1.53	<4	5	37	5	1.40	0.03	8	1.06	398	6	53	332	7	0.09	<5	30	<10	86	1763	<2	38	<10	6	46
80292	366378	<1	5.16	8	374	<2	10	1.89	<4	5	19	4	1.42	<0.01	6	1.08	377	<1	25	376	3	0.09	<5	30	<10	95	1780	<2	32	<10	6	27
80293	366379	<1	4.67	13	393	<2	16	1.86	<4	6	16	5	1.55	<0.01	3	1.22	399	<1	19	340	6	0.12	<5	12	<10	98	1781	<2	29	<10	6	20
80294	366380	<1	6.90	13	492	<2	15	3.97	<4	17	12	62	4.03	0.20	<1	1.61	941	<1	7	629	2	0.10	<5	17	<10	498	2954	<2	136	10	25	50
80295	366381	<1	6.29	14	436	<2	6	2.12	<4	12	32	10	1.72	0.12	10	1.25	424	2	40	397	8	0.12	<5	20	<10	116	1973	<2	42	<10	8	52
80296	366382	<1	6.06	29	366	2	18	1.76	<4	25	147	50	3.81	0.02	15	1.37	526	5	83	562	6	0.30	<5	32	10	103	3153	<2	100	12	16	53
80297	366383	<1	7.26	22	404	<2	7	1.63	<4	12	36	18	1.50	<0.01	14	1.14	381	4	45	653	5	0.22	<5	40	10	108	2663	<2	54	<10	9	45
80298	366384	<1	5.93	45	417	<2	12	1.60	<4	8	22	15	1.54	0.10	9	1.08	390	2	30	552	15	0.44	<5	25	<10	99	2087	<2	42	<10	8	26
80299D	366384	<1	6.47	37	438	<2	19	1.69	<4	9	22	16	1.59	<0.01	11	1.12	408	3	31	574	8	0.45	<5	16	<10	102	2154	<2	43	<10	8	27
80300	366385	<1	5.67	35	363	2	4	1.27	<4	8	21	47	1.06	0.07	9	0.88	324	2	7	543	5	0.25	<5	33	11	79	2107	<2	34	<10	7	30
80301	366386	<1	4.71	20	316	2	5	1.12	<4	6	19	45	0.95	<0.01	8	0.78	304	1	4	515	2	0.19	<5	30	<10	70	1827	2	32	<10	7	26
80302	366387	<1	6.23	16	437	<2	19	1.90	<4	8	25	23	1.70	<0.01	13	1.28	484	3	7	594	8	0.16	<5	32	10	101	2385	<2	37	11	8	33
80303	366388	<1	6.73	26	450	<2	21	2.28	<4	9	27	45	1.90	<0.01	12	1.54	564	4	6	645	14	0.27	<5	36	<10	114	2435	<2	41	<10	8	37
80304	366389	<1	5.34	25	346	2	46	2.00	<4	7	22	26	1.58	0.12	11	1.47	628	2	6	569	44	0.39	5	15	<10	101	2002	<2	34	<10	7	121
80305	366390	<1	3.71	25	461	<2	3	2.03	<4	16	53	196	3.89	0.27	6	1.23	708	10	37	589	8	0.13	<5	17	<10	272	2832	<2	100	15	15	59
80306	366391	<1	4.88	44	402	<2	11	0.93	<4	6	17	50	1.71	<0.01	4	0.86	469	<1	4	536	22	1.14	<5	24	<10	89	1848	<2	33	<10	7	80

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80307	366392	<1	6.86	39	618	<2	18	0.47	<4	9	30	43	1.56	0.10	6	0.70	300	4	5	669	94	0.65	<5	32	<10	78	2538	<2	42	11	8	714
80308	366393	<1	5.52	41	649	<2	17	1.40	<4	7	23	14	2.06	0.09	8	1.05	477	1	7	554	48	0.80	<5	20	10	92	2128	<2	33	<10	7	230
80309	366394	<1	5.90	39	587	<2	13	1.89	<4	8	24	14	2.34	0.17	10	1.30	628	3	6	529	15	0.91	<5	17	10	109	2082	<2	33	<10	7	56
80310R	366394	<1	6.23	39	622	2	12	1.85	<4	8	29	13	2.43	0.16	11	1.27	613	5	7	546	15	0.74	<5	34	<10	110	2180	<2	34	<10	7	52
80311	366395	<1	6.62	43	698	2	9	1.28	<4	11	24	23	1.97	<0.01	12	1.09	558	<1	8	608	33	0.78	<5	17	<10	97	2408	<2	37	<10	8	84
80312	366396	<1	6.05	38	438	<2	11	1.52	<4	23	166	46	3.64	<0.01	14	1.51	800	3	59	518	27	0.77	<5	23	<10	133	2983	<2	92	13	16	117
80313	366397	<1	5.75	36	509	2	6	1.55	<4	23	181	45	3.92	0.15	22	1.62	971	3	60	563	136	0.53	5	30	<10	124	3377	<2	97	13	16	167
80314	366398	<1	5.41	29	690	<2	11	1.48	5	11	46	33	2.44	<0.01	13	1.12	655	2	14	504	1235	0.58	<5	10	10	120	2208	<2	40	13	8	1796
80315	366399	<1	5.45	27	645	<2	18	2.12	<4	9	42	7	1.83	0.21	11	1.30	839	3	8	604	86	0.35	<5	12	<10	121	2090	<2	36	<10	7	267
80316	366400	<1	5.70	11	453	<2	8	3.63	<4	16	11	57	3.70	0.26	<1	1.46	875	<1	6	571	10	0.10	<5	18	<10	461	2705	<2	124	10	22	59
80317	366401	<1	5.49	21	531	2	18	2.30	<4	9	28	4	1.90	0.31	12	1.32	855	2	7	529	29	0.48	<5	20	<10	122	1968	<2	34	<10	7	142
80318	366402	<1	5.60	29	447	2	6	1.96	<4	8	33	6	1.78	0.20	8	0.93	771	1	6	537	134	0.45	<5	17	<10	109	1828	<2	33	<10	7	104
80319	366403	<1	5.48	33	465	<2	14	2.43	<4	9	36	5	2.11	0.22	10	1.31	1057	3	8	525	48	0.72	<5	22	<10	116	1841	<2	32	<10	7	113
80320	366404	<1	5.44	33	487	2	28	2.15	<4	10	54	5	2.18	0.10	9	1.34	1004	6	7	513	48	0.55	<5	12	<10	111	1911	<2	33	10	7	91
80321D	366404	<1	5.42	27	474	2	18	2.16	<4	9	57	6	2.24	0.04	11	1.34	1019	9	8	510	45	0.62	<5	14	<10	114	1938	<2	34	11	7	99
80322	366405	<1	5.24	32	583	2	11	2.11	<4	8	43	6	1.89	0.07	12	1.35	949	7	56	529	90	0.59	<5	36	13	119	1953	<2	47	<10	6	111
80323	366406	<1	5.16	26	550	2	9	1.93	<4	7	36	3	1.64	0.12	10	1.39	924	5	36	503	38	0.53	<5	18	<10	113	1855	<2	41	<10	7	85
80324	366407	<1	5.83	36	530	2	22	2.86	<4	9	54	6	2.12	0.04	12	1.78	1175	7	65	555	26	0.55	<5	17	13	138	1870	<2	50	10	8	88
80325	366408	<1	5.34	33	482	2	4	2.32	<4	10	87	11	2.31	0.24	15	1.51	912	16	113	538	23	0.51	<5	15	<10	123	2024	<2	67	17	8	63
80326	366409	<1	3.90	27	317	2	<1	2.71	<4	8	65	23	1.87	0.17	4	1.41	690	7	64	266	56	0.37	<5	15	<10	133	1341	<2	42	<10	7	70

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:51 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80327	366410	127	9.64	21	810	2	22	6.38	6	32	49	148	8.22	0.24	2	2.35	1689	3	28	1060	16935	0.25	83	9	13	718	5059	<2	243	13	33	346
80328	366411	<1	5.06	45	747	2	8	2.40	<4	21	157	82	2.61	0.14	16	1.40	692	10	84	499	1278	0.49	7	15	11	121	2563	<2	91	14	16	1119
80329	366412	<1	5.38	58	615	<2	25	2.44	24	19	147	153	3.98	0.21	19	1.43	642	11	103	494	1676	1.11	<5	22	13	117	2462	<2	83	49	14	6959
80330	366413	<1	4.85	69	598	<2	11	0.49	7	21	165	55	3.48	0.24	17	1.07	392	10	105	429	69	0.86	<5	19	10	67	2489	<2	107	17	11	1588
80331	366414	<1	5.22	23	302	2	10	0.90	<4	22	163	44	3.84	0.24	25	2.13	685	8	106	473	27	0.17	<5	13	<10	88	2642	6	95	13	11	398
80332D	366414	<1	5.19	20	298	<2	19	0.91	<4	21	164	46	3.85	0.24	24	2.10	680	7	112	481	22	0.19	<5	25	<10	88	2562	9	96	10	11	390
80333	366415	<1	5.05	22	293	2	15	0.49	<4	22	162	33	3.86	0.12	23	2.22	608	8	106	441	29	0.21	<5	20	11	77	2296	<2	105	<10	10	243
80334	366416	<1	3.88	22	280	<2	30	0.15	<4	19	122	27	3.27	0.14	17	2.28	569	3	65	420	48	0.25	<5	9	<10	54	1809	<2	72	<10	8	221
80335	366417	<1	3.06	22	91	<2	17	4.63	26	20	98	171	4.72	0.34	5	3.74	1978	6	71	327	1472	0.47	<5	10	<10	108	1422	<2	58	45	11	7827
80336	366418	<1	5.48	27	324	<2	<1	0.22	<4	21	177	60	4.12	0.36	19	2.31	650	11	131	513	106	0.22	<5	19	<10	64	2041	<2	118	17	10	852
80337	366419	<1	4.49	8	152	<2	22	2.15	<4	18	143	91	3.99	0.43	17	3.49	1400	7	97	422	475	0.18	<5	13	10	82	1791	6	82	102	12	372
80338	366420	<1	5.28	8	402	<2	5	3.49	<4	15	11	55	3.64	0.45	<1	1.42	842	<1	8	563	5	0.09	<5	9	<10	453	2596	<2	123	<10	22	42
80339	366421	<1	4.51	18	236	<2	13	0.92	<4	19	170	41	3.86	0.65	23	2.30	729	13	137	484	64	0.11	<5	12	<10	90	1923	<2	102	10	10	622
80340	366422	<1	4.22	18	300	<2	8	0.69	<4	21	170	39	3.90	0.65	29	2.06	700	9	109	484	22	0.18	<5	24	10	83	2221	<2	105	<10	10	65
80341	366423	<1	4.43	35	276	<2	7	0.63	<4	20	159	30	3.89	0.42	23	1.99	584	5	88	490	23	0.39	<5	18	<10	76	2166	<2	102	<10	9	72
80342	366424	<1	4.58	18	290	2	<1	1.09	<4	18	132	29	3.05	0.29	18	1.64	530	5	81	426	28	0.24	<5	11	<10	89	2091	<2	77	10	12	251
80343D	366424	<1	5.23	23	323	2	20	1.23	<4	18	144	31	3.28	0.10	21	1.72	568	8	91	460	32	0.23	<5	27	<10	97	2254	<2	84	11	13	267
80344	366425	<1	4.99	10	304	2	<1	0.51	<4	26	169	38	4.00	0.30	21	2.08	582	8	115	463	18	0.19	<5	20	<10	70	2510	<2	111	13	13	70
80345	366426	<1	6.06	15	319	<2	<1	0.72	<4	31	170	45	4.56	0.15	24	2.48	679	7	103	533	24	0.27	<5	17	11	82	2750	<2	115	12	15	95
80346	366427	<1	4.34	7	287	<2	25	0.93	<4	18	132	28	3.49	0.13	19	2.55	681	6	85	439	42	0.18	<5	17	11	88	2258	<2	73	<10	14	79

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80347	366428	<1	3.74	16	390	2	15	1.79	<4	11	91	72	1.86	0.24	30	1.27	689	14	48	429	137	0.16	<5	26	15	120	1821	<2	36	<10	7	177
80348	366429	<1	5.31	14	604	4	10	1.47	<4	7	66	66	1.55	0.22	32	1.04	417	5	36	430	120	0.10	<5	10	16	107	1574	<2	34	<10	7	448
80349	366430	<1	5.62	52	325	2	11	1.33	<4	15	38	2313	5.19	0.46	43	0.71	1122	21	22	645	81	1.76	7	24	15	207	1438	<2	59	16	7	558
80350	366431	<1	5.62	23	688	3	15	0.78	<4	13	100	36	2.23	0.33	38	0.92	391	15	72	459	53	0.21	<5	34	20	92	2168	<2	64	10	7	231
80351	366432	<1	4.86	29	578	2	10	1.24	<4	14	99	49	2.52	0.32	38	0.99	559	9	53	461	338	0.33	<5	16	14	106	2347	<2	60	<10	7	811
80352	366433	<1	3.65	25	581	2	7	2.07	<4	9	61	16	1.98	0.53	33	0.86	538	13	75	402	39	0.26	<5	12	18	146	2283	<2	55	<10	5	183
80353	366434	<1	4.13	30	487	2	12	1.89	<4	8	56	15	1.73	0.34	33	0.90	529	13	65	428	26	0.28	<5	21	17	129	2237	<2	51	<10	5	51
80354D	366434	<1	3.44	27	463	2	11	1.77	<4	9	54	16	1.66	0.38	27	0.83	506	14	65	419	28	0.25	<5	25	16	123	2150	<2	48	<10	4	50
80355	366435	<1	3.54	28	408	2	12	2.22	<4	9	50	29	1.70	0.52	37	0.85	671	8	49	459	44	0.31	<5	14	16	121	2240	<2	47	<10	5	61
80356	366436	<1	4.46	39	367	2	5	1.77	<4	8	40	43	1.90	0.29	27	1.04	598	7	40	467	145	0.45	<5	13	12	100	2135	<2	41	11	6	508
80357	366437	<1	6.05	35	484	2	26	2.69	<4	12	46	5	2.13	0.83	43	1.23	745	10	44	550	31	0.45	<5	27	19	124	2603	<2	49	<10	6	88
80358	366438	<1	4.02	22	450	2	17	2.03	<4	8	45	14	1.68	0.10	23	1.06	556	6	7	493	50	0.29	<5	26	12	109	2191	<2	33	<10	5	148
80359	366439	<1	3.98	37	446	<2	<1	1.29	<4	7	42	16	1.48	0.57	36	0.78	513	5	7	417	158	0.37	<5	17	16	102	2038	<2	31	11	5	101
80360	366440	<1	4.79	8	492	<2	8	3.63	<4	16	14	58	3.66	0.63	14	1.05	870	3	7	530	11	0.09	<5	8	14	462	2895	<2	124	11	15	48
80361	366441	<1	6.61	29	471	2	4	2.24	<4	9	52	10	1.86	0.68	52	1.37	706	8	6	439	60	0.24	<5	17	14	113	2459	<2	38	<10	8	73
80362	366442	<1	5.14	33	378	2	7	2.06	<4	9	51	41	1.98	0.46	42	1.20	671	10	9	413	63	0.31	<5	23	14	104	2225	<2	34	<10	6	220
80363	366443	<1	5.01	34	281	2	10	2.70	<4	10	52	20	2.25	0.37	35	1.58	964	7	9	472	95	0.34	<5	26	17	120	2156	<2	35	<10	6	81
80364	366444	<1	4.28	45	355	2	10	1.41	<4	8	52	38	2.04	0.70	33	0.88	543	8	8	413	940	0.51	<5	27	14	92	1918	<2	33	<10	5	896
80365D	366444	<1	4.41	41	354	<2	4	1.41	<4	8	50	37	1.99	0.50	34	0.87	539	8	8	418	921	0.48	<5	13	13	91	1901	<2	33	13	5	895
80366	366445	<1	3.56	25	327	2	13	1.36	<4	10	41	7	1.78	0.54	33	1.39	570	6	10	439	33	0.18	<5	12	13	90	2063	<2	34	<10	5	60

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80367	366446	<1	4.16	25	310	2	12	1.52	<4	8	48	7	1.87	0.37	34	1.53	609	8	9	478	26	0.14	<5	16	11	97	2107	<2	34	<10	5	52
80368	366447	<1	3.70	24	284	2	12	1.47	<4	12	90	16	2.56	0.18	37	1.50	605	6	25	501	25	0.22	<5	9	15	93	1932	<2	48	<10	5	56
80369	366448	<1	3.97	22	356	<2	24	0.99	<4	19	162	49	3.64	0.29	39	1.31	647	6	55	505	50	0.24	<5	18	14	82	2333	<2	83	<10	5	72
80370	366449	<1	4.07	46	334	2	21	0.72	<4	14	129	86	2.79	0.16	23	0.89	400	8	40	427	119	0.65	<5	18	11	74	1683	<2	69	<10	5	251
80371	366450	<1	4.82	25	498	<2	17	2.13	<4	16	56	194	3.83	0.36	28	1.00	688	14	35	560	10	0.10	<5	14	16	287	2960	<2	100	14	12	53
80372	366451	<1	5.98	60	354	<2	34	0.61	<4	14	144	68	2.51	0.43	32	0.82	267	8	42	422	309	0.53	5	19	23	83	1578	<2	72	14	8	821
80373	366452	<1	5.42	23	285	2	16	0.76	<4	19	156	45	3.82	0.55	53	2.12	657	6	54	489	87	0.18	<5	18	15	83	2214	<2	76	<10	8	98
80374	366453	<1	5.55	27	327	2	12	0.49	<4	22	169	37	4.17	0.49	57	2.20	616	8	66	564	68	0.23	<5	22	17	73	2378	<2	92	<10	9	81
80375	366454	<1	4.64	121	307	2	42	0.34	12	17	138	42	4.09	0.43	30	0.97	254	9	47	418	92	1.42	<5	<5	22	72	1462	<2	68	15	7	1894
80376R	366454	<1	6.41	147	351	2	12	0.47	13	21	138	43	4.75	0.27	38	1.10	271	8	53	456	98	1.91	<5	14	20	84	1610	<2	73	22	9	2040
80377	366455	<1	4.34	27	310	<2	8	0.47	<4	21	153	40	3.62	0.14	32	2.05	543	5	54	547	62	0.30	<5	17	10	66	1907	<2	82	<10	9	174
80378	366456	<1	5.03	21	279	2	15	0.76	<4	17	138	22	3.38	0.28	32	2.53	580	5	50	509	46	0.22	<5	20	13	69	1913	<2	76	<10	10	94
80379	366457	<1	5.84	19	369	2	<1	0.92	<4	15	111	22	3.21	0.37	24	2.09	465	7	40	577	42	0.20	<5	24	10	106	2150	<2	74	<10	9	116
80380	366458	<1	4.30	26	264	<2	8	1.11	<4	20	149	56	3.51	0.43	23	1.54	569	4	49	495	49	0.24	<5	<5	<10	102	2222	<2	80	<10	9	71
80381	366459	<1	4.83	23	252	2	5	1.30	<4	22	157	46	3.63	0.43	20	1.39	485	6	52	503	28	0.19	<5	11	<10	96	2745	<2	80	<10	9	42
80382	366460	<1	5.36	11	431	<2	6	3.61	<4	16	13	59	3.75	0.33	<1	1.40	873	<1	7	553	9	0.09	<5	7	<10	469	2758	<2	127	10	21	42
80383	366461	<1	4.87	10	252	2	5	1.43	<4	20	156	39	3.67	0.25	26	1.57	568	6	51	500	17	0.13	<5	11	<10	104	2689	<2	84	<10	10	37
80384	366462	<1	5.18	16	239	2	4	1.41	<4	21	150	44	3.76	0.12	25	1.51	504	2	54	518	21	0.12	<5	11	10	101	3052	<2	86	<10	10	31
80385	366463	<1	6.42	18	285	2	10	1.90	<4	25	184	49	4.36	0.02	28	1.77	666	6	66	563	23	0.16	<5	22	12	117	3469	<2	106	<10	13	34
80386	366464	<1	4.54	9	212	<2	3	2.05	<4	21	153	42	3.85	0.05	18	1.53	684	5	49	483	23	0.19	<5	19	<10	125	2699	<2	78	<10	11	56

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80387D	366464	<1	3.73	13	190	<2	9	1.89	<4	19	145	40	3.63	0.34	15	1.43	646	2	45	450	22	0.17	<5	13	<10	118	2530	<2	74	<10	10	50
80388	366465	<1	3.29	19	138	2	<1	1.33	<4	15	144	31	2.71	0.19	9	1.14	490	4	37	368	22	0.13	<5	<5	<10	94	2034	<2	56	<10	10	50
80389	366466	<1	4.64	17	181	2	20	1.58	<4	19	154	40	3.34	<0.01	13	1.40	577	6	44	508	24	0.11	<5	15	<10	106	2423	<2	65	<10	13	55
80390	366467	<1	6.82	14	363	2	6	1.39	<4	23	180	74	3.69	0.10	15	1.10	541	5	66	513	64	0.18	<5	9	<10	98	2933	<2	109	<10	16	224
80391	366468	<1	6.15	70	265	2	14	2.02	<4	29	124	75	3.70	0.26	17	1.59	975	6	44	456	56	0.42	<5	20	<10	99	2453	<2	67	<10	13	270
80392	366469	<1	6.53	63	455	<2	19	1.78	<4	10	45	31	2.02	0.61	20	1.39	909	4	10	492	310	0.33	<5	28	<10	88	2444	<2	37	<10	8	320
80393	366470	133	4.03	15	301	<2	14	2.49	4	15	35	84	4.49	0.07	<1	1.17	796	5	19	488	17181	0.11	80	5	<10	268	2573	<2	115	<10	17	263
80394	366471	<1	4.81	42	390	2	<1	1.70	<4	11	53	26	2.03	0.47	14	1.34	900	8	64	456	248	0.23	<5	19	<10	86	2062	<2	50	<10	7	210
80395	366472	<1	5.15	32	399	<2	8	2.02	<4	8	56	52	1.89	0.51	15	1.47	934	9	74	483	45	0.16	<5	10	<10	83	2170	<2	54	<10	7	78
80396	366473	<1	4.94	11	409	2	8	1.58	<4	8	56	122	2.08	0.46	15	1.09	765	9	71	465	60	0.12	<5	14	<10	75	2152	<2	53	10	7	70
80397	366474	<1	5.07	37	441	3	<1	1.40	<4	9	61	67	2.32	0.16	17	1.00	724	11	75	464	344	0.22	<5	15	11	74	2023	<2	52	<10	7	234
80398D	366474	<1	4.39	39	395	2	23	1.25	<4	8	59	63	2.18	0.23	12	0.94	673	10	78	439	319	0.21	<5	10	11	70	1874	2	50	10	6	224
80399	366475	<1	5.23	13	339	2	4	2.06	<4	8	43	31	1.73	<0.01	16	1.25	899	5	39	468	162	0.11	<5	27	<10	81	2129	<2	44	16	7	457
80400	366476	<1	4.66	19	344	<2	28	2.23	<4	9	42	8	1.69	0.11	17	1.39	976	6	45	479	25	0.10	<5	9	10	92	2172	<2	46	<10	6	76
80401	366477	<1	6.25	17	370	2	7	2.16	<4	10	58	11	2.08	<0.01	19	1.53	985	10	70	488	36	0.09	<5	16	<10	103	2271	<2	53	<10	8	87
80402	366478	<1	6.21	19	408	5	24	3.04	<4	8	44	20	2.02	0.04	19	1.85	1189	4	36	492	150	0.10	<5	17	13	113	2158	<2	43	49	8	163
80403	366479	<1	3.68	10	383	3	1	1.60	<4	6	62	19	1.83	0.40	10	1.15	647	7	57	345	29	0.08	<5	16	<10	86	1593	<2	39	37	6	142
80404	366480	<1	8.21	10	537	<2	20	4.42	<4	19	14	69	4.45	0.77	3	1.75	1029	1	8	680	7	0.10	<5	29	12	559	3139	<2	149	11	27	63
80405	366481	<1	6.04	28	630	2	19	2.29	<4	9	39	2	1.89	0.37	18	1.45	649	3	35	502	8	0.32	<5	32	<10	188	2210	<2	44	10	8	25
80406	366482	<1	5.19	28	518	<2	11	2.13	<4	9	47	3	1.89	0.47	16	1.14	396	7	51	483	7	0.20	<5	13	<10	177	2056	<2	48	<10	7	29

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/17/2015
Date Completed: 03/31/2015
Job #: 201540941
Reference: TL15-012
Sample #: 342

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80407	366483	<1	5.26	18	476	<2	10	2.05	<4	9	40	3	1.87	0.43	18	0.94	316	6	49	495	9	0.14	<5	18	<10	157	2120	<2	48	<10	7	36
80408	366484	<1	4.39	18	362	<2	12	1.72	<4	7	37	3	1.52	0.40	11	0.87	283	3	29	443	12	0.20	<5	15	<10	136	1798	<2	37	<10	7	38
80409D	366484	<1	4.32	22	366	<2	5	1.75	<4	8	38	4	1.54	0.26	11	0.86	289	3	30	459	9	0.19	<5	12	11	139	1827	<2	37	<10	6	41
80410	366485	<1	4.68	25	420	2	5	2.08	<4	8	36	11	1.65	0.29	16	0.89	354	4	33	487	30	0.27	<5	20	<10	138	2079	<2	41	<10	6	71
80411	366486	<1	4.62	26	416	2	11	1.98	<4	8	33	11	1.64	0.01	15	0.90	337	3	31	488	28	0.25	<5	14	<10	135	2043	<2	41	<10	6	85
80412	366487	<1	3.74	21	474	2	<1	1.83	<4	8	40	6	1.64	0.19	12	0.92	354	6	45	465	10	0.20	<5	22	<10	113	1965	<2	43	<10	6	61
80413	366488	<1	5.02	18	563	<2	8	2.74	<4	9	52	7	1.86	0.04	14	1.37	494	8	60	476	12	0.20	<5	13	<10	125	1944	<2	47	<10	7	32
80414	366489	<1	5.40	25	481	2	5	2.42	<4	9	34	11	1.70	0.05	15	1.22	462	3	31	481	23	0.23	<5	25	<10	125	2055	<2	41	10	7	30
80415	366490	<1	4.50	51	238	<2	5	0.99	<4	13	32	2191	4.92	0.22	27	0.87	1062	15	19	635	71	1.53	<5	11	<10	182	1160	<2	55	10	9	515
80416	366491	<1	4.52	20	466	2	4	2.25	<4	8	31	17	1.85	0.40	12	0.85	312	4	31	455	4	0.29	<5	23	<10	132	1837	<2	40	<10	6	35
80417	366492	<1	4.97	19	455	2	7	2.68	<4	8	40	8	1.85	0.62	11	0.78	329	5	39	473	8	0.28	<5	21	<10	147	1699	<2	43	11	7	46
80418	366493	<1	5.58	20	552	2	9	2.42	<4	10	31	10	1.84	0.44	10	0.96	361	2	23	484	13	0.24	<5	24	<10	142	2018	<2	41	<10	7	44
80419	366494	<1	4.94	21	410	2	11	2.45	<4	9	37	19	1.91	0.51	15	1.44	631	3	31	480	74	0.40	<5	10	<10	127	2033	<2	41	<10	7	109
80420D	366494	<1	5.22	20	409	2	2	2.45	<4	9	36	19	1.87	0.37	15	1.47	631	3	34	492	79	0.38	<5	14	<10	127	2040	<2	42	<10	7	111
80421	366495	<1	4.15	24	302	2	20	2.97	<4	8	39	33	1.95	0.37	30	1.37	648	3	31	458	37	0.22	<5	14	<10	92	1816	<2	36	<10	6	247
80422	366496	<1	4.70	11	323	2	<1	2.58	<4	22	157	49	3.84	0.26	18	1.39	898	7	82	434	27	0.24	<5	11	<10	184	3215	<2	89	<10	13	70

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15391

ABANDONED HOLE

TL15392

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73659	365333	0.010
73660	365334	0.027
73661	365335	0.021
73662	365336	<0.005
73663	365337	0.006
73664	365338	0.011
73665	365339	0.023
73666	365340	0.005
73667	365341	0.025
73668	365342	0.064
73669	365342 Dup	0.078
73670	365343	0.092
73671	365344	0.204
73672	365345	0.389
73673	365346	0.574
73674	365347	0.247
73675	365348	0.066
73676	365349	0.089
73677	365350	0.377
73678	365351	0.056
73679	365352	0.009
73680	365352 Dup	0.013
73681	365353	0.020
73682	365354	0.022
73683	365355	0.019

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73684	365356	0.009
73685	365357	0.026
73686	365358	0.015
73687	365359	0.010
73688	365360	<0.005
73689	365361	0.010
73690	365362	0.013
73691	365362 Dup	0.012
73692	365363	0.139
73693	365364	0.013
73694	365365	0.018
73695	365366	0.010
73696	365367	0.014
73697	365368	0.032
73698	365369	0.009
73699	365370	1.588
73700	365371	0.023
73701	365372	0.045
73702	365372 Dup	0.037
73703	365373	0.011
73704	365374	0.008
73705	365375	0.006
73706	365376	0.017
73707	365377	0.007
73708	365378	0.018

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73709	365379	0.017
73710	365380	0.009
73711	365381	0.014
73712	365382	0.011
73713	365382 Dup	0.014
73714	365383	0.016
73715	365384	0.032
73716	365385	0.024
73717	365386	0.013
73718	365387	0.029
73719	365388	0.024
73720	365389	0.055
73721	365390	5.169
73722	365391	0.173
73723	365392	1.451
73724	365392 Rep	1.480
73725	365393	0.119
73726	365394	0.440
73727	365395	0.082
73728	365396	0.042
73729	365397	0.043
73730	365398	0.024
73731	365399	0.048
73732	365400	0.006
73733	365401	0.099

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73734	365402	0.122
73735	365402 Dup	0.124
73736	365403	0.018
73737	365404	0.058
73738	365405	0.194
73739	365406	0.106
73740	365407	0.155
73741	365408	1.338
73742	365409	0.060
73743	365410	0.373
73744	365411	0.023
73745	365412	0.014
73746	365412 Dup	0.011
73747	365413	0.018
73748	365414	0.033
73749	365415	0.030
73750	365416	2.054
73751	365417	0.055
73752	365418	0.039
73753	365419	1.920
73754	365420	0.012
73755	365421	0.864
73756	365422	0.748
73757	365422 Dup	0.750
73758	365423	0.226

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73759	365424	0.027
73760	365425	0.126
73761	365426	0.061
73762	365427	0.212
73763	365428	0.059
73764	365429	0.146
73765	365430	1.334
73766	365431	0.234
73767	365432	0.018
73768	365432 Dup	0.021
73769	365433	0.025
73770	365434	0.034
73771	365435	0.038
73772	365436	0.009
73773	365437	0.014
73774	365438	<0.005
73775	365439	0.014
73776	365440	0.014
73777	365441	0.012
73778	365442	<0.005
73779	365442 Dup	0.006
73780	365443	<0.005
73781	365444	0.007
73782	365445	<0.005
73783	365446	0.007

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73784	365447	0.012
73785	365448	0.209
73786	365449	0.089
73787	365450	5.213
73788	365451	0.006
73789	365452	0.007
73790	365452 Rep	0.010
73791	365453	0.165
73792	365454	0.737
73793	365455	0.495
73794	365456	0.007
73795	365457	0.005
73796	365458	<0.005
73797	365459	<0.005
73798	365460	<0.005
73799	365461	0.010
73800	365462	0.022
73801	365462 Dup	0.019
73802	365463	0.007
73803	365464	0.005
73804	365465	0.006
73805	365466	<0.005
73806	365467	<0.005
73807	365468	<0.005
73808	365469	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73809	365470	0.373
73810	365471	0.007
73811	365472	0.010
73812	365472 Dup	0.019
73813	365473	0.012
73814	365474	0.015
73815	365475	0.015
73816	365476	0.018
73817	365477	0.012
73818	365478	0.012
73819	365479	0.010
73820	365480	<0.005
73821	365481	0.006
73822	365482	0.006
73823	365482 Dup	<0.005
73824	365483	0.007
73825	365484	<0.005
73826	365485	0.006
73827	365486	<0.005
73828	365487	0.035
73829	365488	<0.005
73830	365489	0.010
73831	365490	1.692
73832	365491	0.007
73833	365492	0.006

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73834	365492 Dup	<0.005
73835	365493	<0.005
73836	365494	0.022
73837	365495	0.007
73838	365496	0.015
73839	365497	<0.005
73840	365498	<0.005
73841	365499	0.068
73842	365500	0.017
73843	365501	0.213
73844	365502	0.077
73845	365502 Dup	0.088
73846	365503	0.091
73847	365504	0.038
73848	365505	0.028
73849	365506	0.021
73850	365507	0.040
73851	365508	0.156
73852	365509	0.038
73853	365510	5.359
73854	365511	0.010
73855	365512	0.009
73856	365512 Rep	0.006
73857	365513	0.011
73858	365514	0.112

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73859	365515	0.165
73860	365516	0.154
73861	365517	0.043
73862	365518	0.039
73863	365519	0.026
73864	365520	<0.005
73865	365521	0.013
73866	365522	0.022
73867	365522 Dup	0.022
73868	365523	0.007
73869	365524	0.054
73870	365525	0.795
73871	365526	0.481
73872	365527	0.819
73873	365528	0.241
73874	365529	0.243
73875	365530	0.308
73876	365531	0.162
73877	365532	0.157
73878	365532 Dup	0.176
73879	365533	0.526
73880	365534	3.855
73881	365535	0.411
73882	365536	0.286
73883	365537	0.702

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73884	365538	0.117
73885	365539	0.143
73886	365540	<0.005
73887	365541	0.165
73888	365542	0.094
73889	365542 Dup	0.092
73890	365543	0.055
73891	365544	0.861
73892	365545	1.714
73893	365546	0.151
73894	365547	0.089
73895	365548	0.235
73896	365549	1.270
73897	365550	1.338
73898	365551	0.025
73899	365552	0.012
73900	365552 Dup	0.014
73901	365553	0.016
73902	365554	0.010
73903	365555	0.052
73904	365556	0.070
73905	365557	0.155
73906	365558	0.052
73907	365559	0.095
73908	365560	0.007

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Au g/t (ppm)
73909	365561	0.054
73910	365562	0.120
73911	365562 Dup	0.131
73912	365563	0.117
73913	365564	0.139
73914	365565	0.119
74017	365566	0.070

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.628	1.729	0.121
AR01	1.809	1.729	0.121
AR01	1.763	1.729	0.121
AR01	1.676	1.729	0.121
AR01	1.739	1.729	0.121
AR01	1.596	1.729	0.121
AR01	1.791	1.729	0.121
AR01	1.658	1.729	0.121
AR01	1.727	1.729	0.121
KL01	0.398	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73659	365333	<1	5.89	9	556	<2	1	2.39	<4	11	20	13	2.14	<0.01	21	1.23	550	13	30	565	19	0.14	11	12	<10	302	2269	14	51	17	9	564
73660	365334	<1	5.97	2	494	<2	2	2.21	<4	11	25	6	2.18	0.05	19	1.03	448	13	40	604	15	0.12	<5	9	11	323	2320	4	54	10	8	217
73661	365335	<1	5.44	5	476	<2	5	2.00	<4	10	17	2	1.97	0.05	16	0.95	417	12	25	554	11	0.13	<5	17	<10	293	2160	6	48	15	8	82
73662	365336	<1	5.44	<2	485	<2	2	1.98	<4	10	19	6	1.96	0.20	17	1.00	464	11	30	582	18	0.12	6	13	<10	257	2300	10	50	13	8	281
73663	365337	<1	6.01	6	549	<2	1	2.15	<4	11	24	12	2.01	0.12	22	1.22	601	14	34	590	20	0.12	<5	9	30	220	2323	15	53	16	8	143
73664	365338	<1	5.69	5	488	<2	3	1.71	<4	10	28	32	2.07	0.34	26	1.14	620	13	38	577	30	0.18	8	15	33	187	2279	4	53	23	8	296
73665	365339	<1	5.43	8	489	<2	1	1.96	<4	8	29	39	1.97	0.15	20	1.10	648	13	33	549	14	0.14	9	12	<10	188	2053	9	49	18	8	119
73666	365340	<1	6.50	5	522	<2	1	4.06	<4	18	11	63	3.77	0.15	4	1.66	898	12	8	647	17	0.07	<5	11	31	491	2810	5	136	17	25	68
73667	365341	<1	5.44	12	465	<2	2	1.60	<4	13	52	21	2.37	0.28	22	1.01	534	14	39	538	20	0.32	10	15	33	147	2436	4	56	27	9	113
73668	365342	<1	4.87	4	224	<2	<1	1.27	<4	16	95	33	2.55	0.40	19	1.05	465	19	57	405	27	0.30	7	13	<10	94	1740	<2	61	13	10	66
73669D	365342	<1	5.39	4	285	<2	3	1.68	<4	25	139	48	3.72	0.07	22	1.51	678	23	81	592	36	0.48	5	5	<10	135	2513	4	89	12	15	96
73670	365343	<1	5.54	<2	325	<2	<1	1.53	<4	24	151	53	3.68	0.06	25	1.57	733	23	84	538	31	0.26	<5	15	<10	124	3010	3	97	10	16	94
73671	365344	<1	4.78	59	303	<2	2	2.07	4	20	132	64	3.36	0.04	18	1.56	1059	22	72	505	42	0.99	7	22	<10	99	2418	3	81	40	15	1238
73672	365345	3	3.29	85	293	<2	3	2.83	37	16	102	164	5.27	0.10	7	1.84	1409	31	63	362	374	2.98	8	<5	<10	102	1870	11	57	219	13	11094
73673	365346	2	3.51	82	293	<2	3	2.90	36	16	106	181	5.09	0.31	8	1.95	1533	29	61	386	271	2.88	13	20	12	105	1921	2	61	209	13	11162
73674	365347	<1	5.60	31	494	<2	2	1.15	5	19	120	69	3.63	0.31	20	1.46	551	27	79	446	147	0.88	11	17	13	96	2263	<2	89	30	13	1354
73675	365348	<1	5.73	8	466	<2	2	0.66	<4	24	131	38	3.32	0.24	20	1.43	456	18	76	522	40	0.43	7	10	<10	82	2541	<2	97	15	12	118
73676	365349	<1	6.21	3	447	2	1	1.55	<4	28	157	49	4.23	0.35	27	2.05	806	20	84	521	46	0.34	9	6	<10	143	3143	16	115	18	14	119
73677	365350	<1	5.09	42	306	<2	4	1.15	4	14	32	2282	4.94	0.08	30	0.99	1087	32	21	718	92	1.78	12	12	34	186	1199	7	61	24	11	575
73678	365351	<1	6.05	13	418	2	2	1.92	<4	24	146	86	4.18	0.14	26	1.98	709	18	79	586	43	0.22	9	13	<10	179	2985	<2	100	<10	13	89

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/26/2015 2:12 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73679	365352	<1	4.46	14	412	<2	2	0.74	<4	10	60	14	1.56	0.10	9	0.62	232	15	45	245	29	0.36	<5	16	<10	162	1399	3	43	25	7	51
73680D	365352	2	4.38	15	411	<2	3	0.71	<4	10	56	14	1.54	0.15	9	0.60	225	14	45	240	31	0.26	6	21	<10	163	1370	8	43	12	7	54
73681	365353	<1	5.63	27	521	<2	4	1.10	<4	20	64	21	1.96	<0.01	12	0.62	188	15	55	260	25	0.47	9	19	<10	251	1739	<2	52	17	8	114
73682	365354	<1	6.20	22	623	<2	3	1.51	<4	14	61	12	1.90	<0.01	19	0.87	309	17	60	357	50	0.46	<5	24	10	329	1896	10	59	16	9	90
73683	365355	<1	6.34	11	649	<2	1	2.01	<4	13	56	24	1.78	0.41	15	0.84	334	14	46	415	24	0.35	11	22	<10	341	1985	4	59	14	9	113
73684	365356	5	6.21	18	756	<2	2	1.33	<4	13	32	13	0.89	0.30	18	0.55	172	12	36	498	23	0.20	8	17	32	290	1924	7	54	<10	7	71
73685	365357	<1	6.07	30	735	<2	2	1.41	<4	14	33	14	1.11	0.33	16	0.57	208	13	40	509	36	0.37	5	31	11	321	1953	14	51	12	8	76
73686	365358	1	6.05	14	617	<2	2	1.73	<4	20	31	18	1.03	0.41	14	0.53	220	12	45	615	26	0.18	15	13	<10	355	1832	<2	47	14	8	173
73687	365359	<1	5.83	4	738	<2	1	1.36	<4	19	32	15	0.87	0.36	14	0.45	179	13	58	671	22	0.10	<5	22	15	308	1800	4	50	<10	7	108
73688	365360	<1	5.82	10	452	<2	<1	3.73	<4	15	10	54	3.48	0.20	2	1.50	817	12	7	625	17	0.07	5	14	<10	468	2526	3	128	16	24	49
73689	365361	<1	6.34	3	558	<2	1	2.76	<4	12	28	11	1.00	0.19	11	0.58	282	13	39	672	24	0.10	6	22	<10	438	1739	10	44	16	8	61
73690	365362	<1	6.52	6	636	<2	1	2.18	<4	9	29	7	2.05	0.17	20	1.01	505	15	40	535	24	0.14	<5	18	<10	383	2087	<2	48	<10	8	64
73691D	365362	<1	5.55	6	612	<2	3	2.02	<4	8	28	5	1.93	0.28	18	0.96	476	13	39	500	19	0.12	8	15	30	352	1980	10	45	<10	8	56
73692	365363	<1	9.42	30	754	2	<1	2.19	<4	12	29	11	2.49	0.84	33	1.07	586	21	36	635	28	0.40	<5	22	15	398	2684	8	55	28	11	71
73693	365364	<1	5.67	10	394	<2	1	2.40	<4	9	32	10	2.00	<0.01	16	0.94	605	14	50	490	17	0.17	<5	14	<10	295	1990	6	49	<10	8	42
73694	365365	<1	5.73	6	455	<2	3	2.23	<4	9	52	9	2.01	0.08	16	0.91	507	19	88	481	12	0.11	<5	18	<10	290	1989	6	59	12	8	42
73695	365366	<1	5.52	2	444	<2	3	2.16	<4	9	47	8	1.91	0.20	15	0.90	491	19	76	449	12	0.13	<5	16	<10	279	1902	<2	54	10	7	40
73696	365367	<1	5.86	5	484	<2	3	1.90	<4	10	58	11	2.02	0.19	18	0.82	387	23	109	474	19	0.12	15	20	<10	287	2013	2	67	19	7	61
73697	365368	<1	5.25	7	489	<2	<1	2.11	<4	9	28	10	1.85	0.31	16	0.89	435	14	47	454	20	0.17	6	16	28	282	1791	2	46	10	7	42
73698	365369	<1	5.87	5	650	<2	2	2.30	<4	10	36	22	1.83	0.13	20	0.97	471	15	49	476	32	0.14	6	20	31	295	1982	3	48	10	7	130

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:12 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73699	365370	<1	4.23	18	496	<2	<1	2.22	<4	16	52	203	3.87	0.08	11	1.31	710	27	38	619	22	0.13	6	12	<10	290	2728	5	108	19	17	58
73700	365371	<1	5.68	10	493	<2	2	2.71	<4	9	48	9	2.04	0.35	16	1.14	479	19	78	404	18	0.21	6	23	<10	304	2051	2	56	14	8	41
73701	365372	<1	5.72	5	471	<2	2	2.16	<4	9	33	10	1.88	0.19	17	0.86	486	15	50	486	25	0.12	<5	13	10	277	1974	7	49	16	8	59
73702D	365372	<1	6.12	7	489	<2	3	2.23	<4	8	38	11	1.97	0.29	18	0.88	502	18	60	508	27	0.12	6	7	<10	286	2030	10	53	10	8	61
73703	365373	<1	5.62	7	490	<2	3	2.19	<4	9	27	3	1.78	0.15	16	0.77	384	13	40	482	16	0.14	15	13	<10	279	1944	11	45	<10	7	44
73704	365374	<1	5.95	7	461	<2	5	2.35	<4	9	28	2	1.86	0.09	17	0.88	334	14	45	465	11	0.09	13	15	<10	317	2041	12	47	14	8	49
73705	365375	<1	5.62	5	469	<2	<1	2.58	<4	9	46	4	2.02	<0.01	15	0.86	377	19	84	524	12	0.10	13	22	<10	335	2145	5	57	10	8	55
73706	365376	8	4.87	4	512	<2	2	3.57	<4	10	39	34	2.34	0.08	12	1.29	546	13	71	496	14	0.13	9	23	23	332	2023	3	57	<10	8	68
73707	365377	<1	6.63	10	646	<2	3	2.38	<4	10	31	4	1.88	0.21	17	0.81	353	15	50	536	12	0.14	7	15	32	284	2139	8	51	<10	7	45
73708	365378	<1	6.54	8	550	<2	2	1.58	<4	8	32	15	1.76	0.12	14	0.57	319	15	54	538	15	0.16	8	24	<10	329	2277	2	52	<10	7	29
73709	365379	<1	6.89	4	482	<2	4	3.18	<4	9	34	13	2.01	0.07	14	0.72	475	16	55	564	23	0.18	<5	11	11	398	2166	2	54	12	8	46
73710	365380	<1	6.35	8	471	<2	<1	3.96	<4	16	12	60	3.67	0.13	2	1.58	863	13	8	642	12	0.08	7	17	<10	491	2618	8	135	19	25	53
73711	365381	<1	5.80	9	450	<2	2	2.51	<4	8	47	13	1.98	0.28	9	0.52	431	19	81	508	23	0.15	13	19	<10	299	2172	3	60	17	8	45
73712	365382	<1	5.78	5	517	<2	<1	1.87	<4	7	32	16	1.79	0.28	14	0.60	445	15	52	479	34	0.14	<5	17	<10	259	2103	4	49	<10	8	43
73713D	365382	<1	6.09	6	546	<2	1	1.96	<4	8	46	17	1.95	0.14	15	0.62	472	19	79	499	36	0.14	<5	11	<10	269	2209	<2	58	13	8	43
73714	365383	<1	5.76	11	452	<2	1	1.68	<4	8	46	21	1.70	0.19	15	0.82	522	18	66	464	47	0.12	<5	5	<10	230	1934	8	50	11	8	57
73715	365384	<1	6.29	8	546	<2	3	1.93	<4	10	43	13	2.12	0.11	18	0.94	613	18	65	494	37	0.22	5	18	12	215	2130	6	55	14	8	63
73716	365385	<1	5.58	7	449	<2	1	1.58	<4	9	30	7	1.80	0.17	14	0.68	420	13	43	497	43	0.22	<5	22	<10	230	2061	11	46	<10	8	85
73717	365386	<1	5.28	14	484	<2	1	1.59	<4	11	42	8	1.86	0.12	14	0.69	422	14	69	498	41	0.20	9	13	29	224	2067	4	53	<10	7	60
73718	365387	<1	6.07	9	541	<2	<1	1.32	<4	13	36	16	1.87	<0.01	19	0.75	417	15	60	525	46	0.18	<5	16	11	250	2107	10	51	14	8	78

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:12 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73719	365388	<1	5.00	11	486	<2	2	1.69	<4	9	30	18	1.63	0.24	11	0.72	367	13	48	492	39	0.20	<5	18	38	190	1755	<2	47	13	7	132
73720	365389	<1	5.34	28	475	<2	1	1.03	<4	8	43	15	1.35	0.05	13	0.70	310	17	69	650	35	0.36	5	25	32	158	1930	5	52	14	7	61
73721	365390	123	4.98	20	385	<2	4	2.90	5	16	37	90	4.73	<0.01	6	1.34	846	24	24	548	17333	0.15	132	<5	13	293	2719	3	132	16	19	308
73722	365391	3	6.25	39	425	2	2	0.63	<4	8	30	15	1.31	0.07	15	0.73	346	18	50	676	370	0.42	8	28	<10	98	2095	9	50	11	8	120
73723	365392	14	4.02	71	277	<2	1	0.03	4	9	65	48	1.96	0.06	8	0.41	121	22	106	424	1018	0.70	15	11	<10	50	1467	4	55	53	7	2193
73724R	365392	19	6.53	93	362	<2	2	0.17	6	12	60	58	2.47	0.84	16	0.50	131	27	86	499	1239	0.80	20	26	14	62	1708	11	54	62	9	2845
73725	365393	<1	5.19	51	371	<2	<1	0.80	<4	7	34	17	1.28	0.01	12	0.81	393	18	61	536	120	0.40	6	15	34	82	1736	10	45	21	7	171
73726	365394	2	4.74	51	382	<2	2	0.07	<4	8	36	37	1.65	0.07	8	0.46	<100	16	61	483	228	0.67	10	16	30	47	1738	2	44	19	6	404
73727	365395	<1	5.17	31	451	<2	1	0.31	<4	7	29	23	0.86	0.07	11	0.56	189	15	43	473	126	0.19	10	13	34	60	1835	4	40	12	6	92
73728	365396	<1	6.05	27	493	<2	2	1.57	<4	8	21	3	1.21	0.12	14	1.14	685	15	6	594	62	0.28	5	29	<10	104	2082	6	34	<10	7	48
73729	365397	<1	6.31	23	480	2	2	1.76	<4	10	20	7	1.21	0.09	18	1.20	646	13	8	513	148	0.24	12	17	10	114	2033	12	35	14	8	89
73730	365398	7	6.47	30	438	<2	2	2.00	<4	9	17	11	1.45	0.10	18	1.25	701	12	7	595	44	0.26	10	32	<10	138	2158	15	34	14	8	51
73731	365399	<1	6.02	21	270	<2	1	1.86	<4	7	37	11	1.42	<0.01	16	1.12	788	14	6	535	37	0.20	<5	24	<10	145	1908	<2	30	17	8	60
73732	365400	<1	6.43	7	475	<2	<1	3.94	<4	15	11	58	3.66	<0.01	3	1.59	877	12	7	636	14	0.08	10	9	12	487	2666	<2	133	<10	25	54
73733	365401	5	5.91	25	344	<2	2	1.41	<4	6	17	20	1.25	0.09	15	1.00	646	13	4	526	91	0.28	10	19	<10	143	1963	19	32	12	7	428
73734	365402	4	5.73	43	423	<2	<1	1.58	<4	17	16	44	1.52	0.12	15	1.23	788	12	13	495	359	0.36	10	20	<10	138	1809	<2	29	26	7	949
73735D	365402	6	5.71	35	456	2	1	1.64	<4	17	18	44	1.50	<0.01	16	1.26	781	11	13	510	377	0.35	5	20	26	137	1816	2	29	25	7	983
73736	365403	<1	6.10	20	449	<2	1	1.63	<4	12	16	16	1.10	<0.01	21	1.27	656	13	8	498	46	0.17	9	25	32	156	1939	<2	30	15	6	78
73737	365404	<1	6.12	17	511	<2	2	1.25	<4	12	15	14	0.93	0.09	20	0.96	422	11	8	462	25	0.19	<5	20	30	149	1852	<2	28	10	6	35
73738	365405	<1	6.26	21	330	<2	<1	1.78	<4	12	13	46	1.22	<0.01	19	1.25	866	11	10	503	41	0.30	13	26	<10	180	1741	9	30	17	7	93

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:12 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73739	365406	<1	5.96	16	337	<2	<1	1.70	<4	12	12	44	1.15	0.11	17	1.19	809	11	8	487	35	0.25	9	14	11	176	1699	10	29	10	6	90
73740	365407	1	5.53	17	414	<2	3	1.05	<4	7	19	52	0.95	0.06	17	0.81	558	12	5	489	60	0.24	5	17	10	155	1719	9	27	14	6	112
73741	365408	<1	6.40	15	511	<2	<1	1.45	<4	7	12	67	1.50	0.07	17	0.96	672	13	4	560	95	0.56	9	30	14	185	1758	10	32	16	7	205
73742	365409	<1	6.00	15	433	<2	4	1.08	<4	5	15	4	1.08	0.13	15	0.75	440	12	4	468	44	0.34	<5	21	<10	164	1702	3	33	<10	6	45
73743	365410	<1	5.34	55	288	<2	1	1.13	4	14	32	2251	4.92	0.30	31	0.96	1087	33	21	721	97	1.77	12	14	11	190	1222	3	60	34	11	587
73744	365411	<1	5.68	15	324	<2	<1	1.56	<4	6	17	56	1.42	0.16	11	0.75	516	11	5	445	47	0.29	12	18	<10	184	1373	7	28	17	7	81
73745	365412	<1	5.86	17	451	<2	2	1.21	<4	12	13	20	1.07	0.05	10	0.60	357	10	8	473	44	0.29	5	15	<10	166	1454	13	29	10	6	64
73746D	365412	<1	5.49	15	437	<2	<1	1.14	<4	11	12	18	1.04	0.20	9	0.57	338	9	7	459	43	0.32	10	19	<10	159	1447	7	28	12	6	43
73747	365413	2	5.73	13	434	<2	3	1.26	<4	7	12	9	1.44	<0.01	15	0.73	447	11	6	497	31	0.50	10	13	25	162	1704	4	32	<10	6	47
73748	365414	<1	5.67	20	436	<2	1	1.66	<4	6	13	20	1.56	0.06	17	0.98	787	11	5	473	29	0.31	9	28	28	180	1769	11	30	11	7	66
73749	365415	<1	6.05	11	453	<2	3	1.71	<4	9	11	16	1.51	0.25	17	0.95	774	11	6	494	34	0.18	<5	26	<10	185	1819	10	32	<10	7	58
73750	365416	12	5.24	17	432	<2	<1	1.25	<4	7	13	61	1.37	0.65	13	0.77	606	12	5	440	59	0.31	7	10	<10	161	1633	6	28	15	7	369
73751	365417	<1	5.65	27	503	<2	3	1.24	<4	8	15	25	1.33	0.09	16	0.80	544	11	4	494	35	0.31	6	21	32	147	1812	3	30	12	6	79
73752	365418	<1	6.23	24	475	<2	3	1.61	<4	7	17	11	1.37	0.15	17	0.98	717	13	4	485	33	0.29	<5	24	<10	158	1876	6	32	12	7	49
73753	365419	2	5.16	58	469	2	1	0.15	<4	7	18	270	2.05	<0.01	12	0.49	169	12	5	433	354	0.89	13	15	<10	67	1736	5	29	28	7	1074
73754	365420	<1	6.26	<2	465	<2	2	3.91	<4	16	11	58	3.59	0.05	2	1.54	844	12	7	637	21	0.07	5	10	<10	487	2576	<2	132	25	24	48
73755	365421	8	5.03	55	421	<2	3	0.50	<4	6	24	31	1.61	<0.01	14	0.66	383	14	5	425	876	0.53	20	22	12	87	1764	4	32	14	8	177
73756	365422	<1	5.31	37	406	<2	2	1.30	<4	7	25	19	1.77	0.06	15	0.98	945	13	7	450	85	0.36	7	24	10	111	1890	6	32	<10	7	162
73757D	365422	<1	5.84	33	434	2	2	1.42	<4	7	26	20	1.89	0.08	17	1.06	1018	14	6	476	77	0.40	11	17	<10	118	1981	7	34	<10	8	160
73758	365423	2	5.91	33	410	<2	<1	1.13	<4	10	24	27	1.64	0.04	16	0.83	672	15	7	469	452	0.32	13	16	<10	110	1916	12	34	15	7	598

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:12 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73759	365424	<1	5.55	14	383	2	2	1.34	<4	8	18	19	1.46	0.20	14	0.85	725	10	6	477	36	0.17	6	6	10	118	1843	9	32	11	7	47
73760	365425	<1	5.02	31	343	<2	<1	0.63	<4	6	22	8	1.06	0.14	12	0.64	447	12	6	411	23	0.26	7	23	<10	86	1823	6	30	<10	7	31
73761	365426	<1	5.31	28	356	<2	2	0.67	<4	6	26	8	1.07	<0.01	13	0.64	432	13	5	448	23	0.24	<5	16	<10	89	1857	6	31	11	7	32
73762	365427	<1	5.40	32	368	<2	3	0.74	<4	7	19	14	1.19	0.04	16	0.63	485	11	7	446	23	0.37	7	22	<10	96	1821	11	30	12	7	32
73763	365428	<1	6.17	23	364	<2	2	1.27	<4	9	22	17	1.72	<0.01	17	0.83	884	14	8	486	30	0.35	<5	17	<10	119	1963	4	35	<10	7	44
73764	365429	<1	5.79	33	356	<2	<1	1.32	<4	8	26	12	1.81	0.09	16	0.86	827	13	8	479	44	0.29	6	19	<10	131	1961	2	36	<10	7	78
73765	365430	<1	4.06	19	475	<2	<1	2.13	<4	15	51	198	3.76	0.13	10	1.26	692	26	37	600	37	0.12	10	<5	<10	280	2686	<2	104	24	17	53
73766	365431	<1	5.93	35	386	<2	3	1.27	<4	10	30	12	1.79	0.06	21	1.00	849	13	13	593	47	0.43	10	21	30	144	2135	11	41	<10	8	92
73767	365432	<1	6.23	16	333	<2	<1	1.23	<4	8	28	18	1.56	0.11	21	1.05	852	10	9	446	32	0.32	8	15	<10	148	1873	11	36	13	7	86
73768D	365432	<1	6.23	26	339	<2	1	1.24	<4	9	31	19	1.59	0.08	22	1.06	879	12	9	448	33	0.30	<5	21	<10	149	1911	11	36	<10	7	108
73769	365433	<1	5.62	23	371	<2	<1	1.20	<4	10	37	24	1.53	0.10	19	0.86	746	12	10	446	33	0.35	6	17	30	145	1997	10	40	13	7	83
73770	365434	<1	5.53	27	377	<2	1	1.34	<4	9	45	13	1.78	0.18	19	0.92	797	14	10	452	29	0.35	5	15	<10	147	2040	6	41	<10	8	85
73771	365435	6	6.22	21	429	<2	3	1.18	<4	9	33	14	1.76	0.07	19	0.80	506	13	10	503	29	0.66	<5	19	<10	138	2090	<2	40	<10	8	100
73772	365436	<1	>10.00	27	647	<2	4	1.59	<4	13	52	10	1.99	0.90	34	0.99	539	23	14	677	41	0.51	8	20	13	181	2490	<2	55	20	11	59
73773	365437	<1	7.14	19	377	2	2	2.20	<4	10	35	30	1.93	0.05	21	1.29	874	13	12	683	48	0.20	8	18	28	201	2070	4	42	12	9	63
73774	365438	<1	7.03	11	439	<2	1	1.32	<4	5	19	8	1.21	0.10	21	1.25	529	12	5	491	32	0.17	<5	23	<10	168	2230	12	45	<10	7	39
73775	365439	<1	7.17	15	450	<2	3	1.23	<4	6	19	11	1.37	<0.01	21	1.21	482	13	5	475	26	0.22	8	21	<10	153	1899	5	40	<10	7	80
73776	365440	<1	6.44	8	474	<2	2	3.88	<4	16	10	59	3.62	0.10	3	1.58	853	14	7	629	18	0.07	<5	23	<10	482	2609	5	132	21	24	50
73777	365441	<1	7.16	12	465	<2	2	1.21	<4	5	20	11	1.60	0.08	21	1.13	406	10	5	491	19	0.17	<5	19	28	164	1911	<2	43	<10	7	43
73778	365442	<1	6.91	13	558	<2	2	0.99	<4	6	20	2	1.13	0.13	20	0.85	276	12	5	492	18	0.17	12	31	11	152	1746	2	46	16	6	28

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:12 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73779D	365442	<1	6.85	16	567	<2	2	0.98	<4	6	21	2	1.12	0.18	20	0.85	273	13	5	492	18	0.15	12	37	<10	150	1753	3	47	12	6	64
73780	365443	<1	8.05	6	637	<2	2	1.10	<4	7	17	7	1.38	0.09	24	1.02	281	11	6	567	21	0.10	9	17	<10	192	2098	<2	48	11	7	106
73781	365444	<1	>10.00	8	753	<2	1	1.14	<4	9	21	10	1.40	0.26	31	0.90	234	15	7	622	21	0.12	<5	30	<10	252	2495	3	58	<10	8	49
73782	365445	<1	5.41	11	458	<2	1	1.39	<4	11	23	16	1.22	0.07	17	0.88	438	10	10	451	17	0.12	<5	24	<10	171	1719	5	37	12	7	97
73783	365446	<1	2.72	13	320	<2	<1	1.00	<4	9	22	12	1.00	<0.01	8	0.70	363	8	9	353	14	0.10	7	10	<10	132	1375	9	28	<10	5	127
73784	365447	<1	5.60	24	388	<2	3	2.59	<4	11	28	13	2.72	0.18	20	1.49	1091	13	10	412	29	0.73	10	22	<10	196	1701	3	31	<10	9	62
73785	365448	10	6.23	13	447	<2	3	0.74	<4	7	21	44	1.39	0.08	19	0.69	325	14	6	422	196	0.56	6	20	11	142	1918	15	33	19	7	478
73786	365449	4	6.94	19	441	<2	4	1.42	<4	11	19	90	2.26	0.10	22	0.89	344	13	10	468	104	0.72	10	25	<10	183	2274	11	41	25	8	490
73787	365450	126	5.14	18	397	<2	3	2.99	5	16	38	95	4.90	0.02	6	1.38	873	24	22	573	17738	0.16	137	<5	12	300	2809	8	136	25	20	332
73788	365451	<1	6.24	9	342	<2	2	1.94	<4	5	22	6	1.35	0.11	22	1.30	601	12	5	455	308	0.32	8	20	11	154	1998	4	38	12	8	53
73789	365452	<1	6.33	5	304	<2	4	2.42	<4	6	26	6	1.44	0.12	21	1.52	931	14	4	473	37	0.29	<5	31	<10	146	1861	12	36	11	7	70
73790R	365452	<1	7.83	15	332	<2	4	2.83	<4	7	27	8	1.59	0.25	25	1.65	1039	16	4	507	39	0.30	16	17	11	164	1949	16	39	13	8	152
73791	365453	6	5.35	22	274	<2	2	0.38	<4	7	23	22	1.05	<0.01	14	0.59	239	12	7	384	93	0.41	5	30	10	76	1665	5	35	20	6	607
73792	365454	49	4.71	23	234	<2	4	<0.01	<4	5	20	77	1.17	0.01	11	0.41	<100	12	5	306	295	0.50	43	14	<10	64	1250	8	23	20	6	511
73793	365455	50	5.83	15	337	<2	3	0.16	<4	7	21	42	1.56	0.22	14	0.48	122	12	5	341	566	0.65	38	18	<10	72	1554	2	27	23	7	908
73794	365456	<1	6.32	12	296	<2	2	1.97	<4	7	23	9	1.41	0.32	19	1.14	595	11	7	401	44	0.50	<5	17	<10	153	1606	8	29	14	8	84
73795	365457	<1	5.61	8	268	<2	3	2.09	<4	5	19	1	1.07	0.52	18	1.02	376	12	4	352	26	0.33	<5	12	11	156	1541	18	26	20	6	35
73796	365458	<1	4.82	73	217	<2	<1	3.16	<4	5	20	6	1.31	0.47	12	1.50	441	11	4	332	19	0.22	10	23	<10	176	1340	5	21	14	6	27
73797	365459	<1	5.14	12	286	<2	4	2.34	<4	4	19	2	1.16	0.42	20	1.31	269	10	4	356	17	0.30	<5	17	31	177	1492	6	24	16	6	41
73798	365460	<1	5.66	7	436	<2	2	3.65	<4	16	10	55	3.41	0.30	2	1.49	802	13	7	582	23	0.07	<5	7	10	454	2468	5	124	15	23	63

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:12 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73799	365461	<1	5.58	5	278	2	2	2.42	<4	9	45	14	1.93	0.36	23	1.48	394	14	16	404	23	0.21	<5	10	<10	201	1835	8	43	12	8	52
73800	365462	<1	5.54	21	359	<2	3	1.13	<4	15	78	24	1.92	0.17	19	0.89	264	16	56	531	21	0.24	8	16	<10	161	1942	2	69	14	9	39
73801D	365462	<1	6.17	12	413	<2	3	1.21	<4	16	83	25	2.00	0.13	21	0.93	267	17	57	568	24	0.25	<5	22	28	165	2058	<2	73	11	10	38
73802	365463	<1	6.12	23	390	<2	<1	1.29	<4	8	30	11	1.79	0.12	18	0.86	231	17	41	585	19	0.61	5	19	10	198	1669	<2	48	<10	8	34
73803	365464	<1	6.13	27	351	<2	2	2.26	<4	7	28	20	1.63	0.11	19	1.32	398	17	40	569	16	0.57	<5	14	<10	223	1468	3	45	11	8	24
73804	365465	<1	5.91	20	417	<2	<1	1.85	<4	7	32	5	1.02	0.14	22	1.11	289	17	48	566	14	0.23	<5	7	11	200	1843	8	49	<10	7	9
73805	365466	<1	0.62	14	206	<2	1	0.83	<4	4	11	3	0.55	<0.01	4	0.62	164	4	17	333	15	0.14	<5	<5	19	111	1122	8	25	<10	4	7
73806	365467	<1	5.78	15	434	<2	3	2.60	<4	8	23	12	1.09	0.29	23	1.31	422	16	29	576	16	0.16	6	21	10	227	1926	13	42	<10	6	16
73807	365468	<1	7.33	13	470	<2	3	3.09	<4	9	22	15	1.50	0.37	26	1.49	548	15	23	668	17	0.22	7	25	<10	274	2198	11	48	19	8	26
73808	365469	<1	5.55	15	437	<2	2	2.51	<4	10	28	11	1.51	0.52	25	1.16	400	15	30	554	16	0.11	<5	21	<10	254	1971	3	47	12	7	26
73809	365470	<1	5.39	48	302	<2	2	1.22	4	16	34	2256	5.14	0.51	30	1.00	1142	34	22	731	96	1.97	5	15	<10	198	1168	6	63	27	10	620
73810	365471	3	5.79	24	545	<2	2	2.37	<4	10	27	52	1.39	0.68	27	1.14	393	16	29	525	26	0.21	5	17	11	292	2131	5	49	<10	6	39
73811	365472	<1	6.94	45	500	<2	2	2.20	<4	11	31	9	3.11	0.22	26	1.13	432	21	40	635	24	0.95	10	8	<10	287	2106	5	50	16	9	57
73812D	365472	<1	5.59	41	439	<2	3	1.95	<4	10	27	8	2.88	0.13	21	1.01	385	18	37	576	22	0.85	9	30	<10	260	1850	9	45	15	8	57
73813	365473	<1	6.18	16	481	<2	3	1.77	<4	9	20	9	2.04	0.18	22	0.87	374	15	23	602	20	0.29	5	12	14	265	1883	<2	43	<10	8	47
73814	365474	<1	5.49	13	476	<2	1	1.23	<4	9	31	15	2.08	0.09	20	0.62	291	16	43	576	17	0.14	10	20	<10	241	1858	10	47	15	7	41
73815	365475	1	6.57	13	589	<2	4	2.19	<4	9	29	7	2.26	0.11	26	0.98	450	18	42	631	23	0.33	<5	30	35	314	2101	5	49	14	8	49
73816	365476	<1	6.25	19	507	<2	1	2.28	<4	17	26	14	2.72	0.09	23	1.00	613	19	39	602	22	0.49	<5	15	11	310	1692	10	45	<10	8	41
73817	365477	<1	7.75	25	583	<2	<1	1.85	<4	12	24	7	2.69	0.33	27	0.91	497	19	33	694	27	1.07	13	33	<10	361	1679	15	49	16	9	67
73818	365478	<1	6.58	31	474	<2	2	1.31	<4	10	25	7	1.99	0.22	18	0.54	317	15	42	625	22	0.89	13	31	<10	295	1344	9	48	<10	8	57

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73819	365479	<1	6.44	32	552	<2	4	1.57	<4	9	20	9	2.02	0.13	21	0.69	462	13	30	590	23	0.76	14	15	<10	293	1651	<2	44	16	8	51
73820	365480	<1	5.96	5	479	<2	1	3.89	<4	16	11	57	3.67	0.32	2	1.57	871	13	8	620	15	0.09	5	16	<10	481	2591	<2	133	14	23	53
73821	365481	<1	5.96	18	486	<2	2	1.86	<4	7	17	8	2.11	0.57	24	0.76	530	13	22	590	15	0.39	15	12	11	308	1930	8	46	13	8	46
73822	365482	<1	5.97	15	460	<2	<1	1.49	<4	8	19	6	1.91	0.55	24	0.64	496	13	25	600	19	0.42	5	14	<10	275	2012	4	44	<10	7	58
73823D	365482	<1	6.22	26	465	<2	<1	1.51	<4	9	20	7	1.91	0.38	24	0.64	495	13	28	618	22	0.43	16	21	<10	279	2059	3	46	10	7	56
73824	365483	<1	5.98	21	518	<2	2	1.68	<4	12	19	5	2.61	0.23	23	0.71	632	14	27	625	20	0.82	9	14	30	305	1950	6	45	13	7	37
73825	365484	<1	6.76	15	522	<2	3	1.57	<4	10	19	17	2.34	0.09	25	0.65	441	14	26	647	24	0.70	<5	24	<10	298	2057	2	47	10	8	36
73826	365485	<1	6.63	23	619	<2	<1	1.76	<4	12	17	6	2.07	<0.01	23	0.83	413	13	25	640	31	0.90	5	<5	11	283	2022	6	44	<10	8	69
73827	365486	15	6.63	23	593	<2	3	2.03	<4	12	31	16	2.13	0.22	25	0.95	475	16	33	599	43	0.73	7	21	<10	272	2019	6	49	<10	8	119
73828	365487	<1	6.51	25	599	<2	4	1.82	<4	12	19	6	1.98	0.03	24	0.83	415	14	30	616	22	0.87	<5	22	11	278	1982	6	45	10	8	70
73829	365488	<1	6.32	9	627	<2	5	2.32	<4	10	21	5	1.84	0.20	23	0.95	411	15	24	610	20	0.43	13	12	36	239	1883	6	44	<10	7	49
73830	365489	<1	6.60	12	584	<2	4	2.62	<4	9	26	5	2.17	0.05	28	1.16	506	16	28	616	21	0.48	<5	17	34	249	2017	<2	48	<10	7	66
73831	365490	<1	4.92	19	519	<2	<1	2.33	<4	16	55	203	3.98	0.21	12	1.36	730	29	39	636	24	0.14	<5	<5	<10	298	2716	<2	110	24	17	69
73832	365491	<1	6.35	16	695	<2	1	2.30	<4	13	62	10	2.44	0.50	26	1.09	472	16	43	603	23	0.52	<5	15	35	255	2331	2	67	<10	9	64
73833	365492	<1	6.40	14	534	<2	1	2.29	<4	10	24	4	1.99	0.38	23	0.97	379	16	30	600	18	0.37	<5	21	12	245	2046	8	48	13	7	52
73834D	365492	<1	5.98	14	526	<2	3	2.19	<4	9	22	3	1.89	0.44	22	0.95	356	13	30	586	18	0.34	7	13	34	229	1982	4	45	<10	7	41
73835	365493	<1	8.31	15	623	<2	4	2.60	<4	11	25	4	2.19	0.62	30	1.19	380	17	34	698	20	0.50	<5	23	<10	272	1949	3	52	14	8	50
73836	365494	<1	5.65	20	330	<2	1	4.46	<4	12	49	13	3.25	0.27	19	2.20	948	15	39	564	22	0.77	15	18	10	285	1932	11	47	10	9	59
73837	365495	<1	6.71	14	552	<2	2	2.19	<4	9	26	8	1.82	0.19	24	1.14	497	16	37	607	18	0.30	5	11	12	239	2108	7	48	11	8	42
73838	365496	<1	4.68	6	408	<2	<1	2.05	<4	9	21	5	1.70	<0.01	15	1.04	483	11	32	552	22	0.29	6	<5	<10	190	1823	<2	42	<10	7	43

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73839	365497	<1	9.14	18	778	<2	2	2.74	<4	12	36	4	2.31	0.95	32	1.19	697	26	54	745	21	0.36	8	30	<10	254	2292	9	61	26	9	64
73840	365498	<1	5.11	13	601	2	2	1.89	<4	8	41	4	1.56	0.09	21	1.18	485	14	32	485	21	0.25	<5	18	11	216	1533	9	39	<10	9	42
73841	365499	<1	5.16	13	557	2	<1	1.44	<4	13	94	29	2.35	0.06	22	1.42	756	18	63	417	60	0.27	<5	8	<10	188	1660	<2	60	11	10	82
73842	365500	<1	5.86	4	489	<2	3	3.93	<4	16	11	53	3.58	0.15	2	1.51	840	14	8	642	20	0.08	7	17	34	478	2498	6	131	17	22	47
73843	365501	<1	5.66	16	411	<2	2	1.62	<4	22	171	43	3.44	0.18	22	1.50	1068	22	92	538	72	0.62	10	7	<10	193	2124	<2	95	<10	12	144
73844	365502	<1	5.63	25	532	2	2	1.56	<4	20	139	36	3.38	0.36	23	1.41	788	19	84	447	46	0.77	12	9	<10	185	1968	6	91	11	11	82
73845D	365502	<1	6.25	25	590	<2	2	1.69	<4	22	144	37	3.54	0.22	25	1.52	821	23	88	469	45	0.82	10	19	33	189	2064	3	94	17	12	84
73846	365503	<1	6.33	36	626	<2	2	1.71	<4	23	154	45	3.67	0.27	23	1.30	753	24	94	542	65	0.90	<5	24	13	165	2528	6	111	24	13	150
73847	365504	<1	6.10	48	648	2	2	2.38	<4	17	96	35	2.96	0.23	19	1.31	635	19	63	576	58	1.16	12	9	11	171	2293	2	78	12	12	92
73848	365505	<1	6.18	56	612	2	2	2.14	<4	14	63	19	2.19	0.15	19	1.25	583	16	47	559	56	0.62	<5	18	30	146	2210	4	57	12	9	69
73849	365506	<1	6.42	46	619	<2	2	1.99	<4	12	55	15	2.05	0.18	20	1.21	575	18	48	573	55	0.60	16	7	<10	148	2262	<2	56	13	9	69
73850	365507	<1	6.77	36	694	<2	2	1.98	<4	13	56	17	2.19	<0.01	18	1.18	480	17	45	582	46	0.65	<5	9	<10	153	2221	2	57	21	9	67
73851	365508	<1	6.32	40	816	<2	2	0.80	<4	14	55	30	2.22	<0.01	13	0.72	253	18	41	538	95	1.02	10	5	<10	146	1958	3	56	14	9	129
73852	365509	<1	5.80	28	840	<2	<1	2.27	<4	15	80	39	2.52	0.08	17	1.19	599	17	47	565	51	0.56	<5	15	12	187	2049	3	68	14	11	154
73853	365510	117	5.45	18	416	<2	<1	3.11	5	18	40	96	5.02	<0.01	7	1.41	902	23	25	582	17003	0.18	133	19	10	308	2799	4	139	17	19	336
73854	365511	<1	6.10	15	702	<2	<1	2.51	<4	9	25	3	1.97	0.03	21	1.17	416	15	23	582	155	0.33	5	16	11	170	1975	<2	44	<10	7	73
73855	365512	<1	4.52	4	461	<2	1	1.51	<4	6	17	2	1.15	0.45	15	0.62	248	10	17	358	18	0.17	7	12	<10	106	1231	5	27	10	4	49
73856R	365512	<1	5.60	8	670	<2	<1	2.15	<4	9	25	2	1.76	0.03	17	1.00	372	14	24	551	28	0.27	9	23	<10	159	1854	8	41	11	7	77
73857	365513	<1	6.53	19	605	2	2	2.81	<4	11	40	16	2.05	<0.01	17	1.23	619	16	36	613	41	0.25	9	<5	<10	217	2215	7	52	13	9	97
73858	365514	<1	4.82	64	701	<2	2	0.94	<4	14	76	35	2.16	<0.01	11	0.81	323	18	60	412	71	1.73	13	5	<10	112	1829	<2	62	20	10	277

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73859	365515	<1	4.69	46	1162	<2	1	0.33	<4	8	25	20	1.82	<0.01	9	0.57	141	16	38	493	42	1.59	9	15	<10	90	1620	<2	41	34	7	886
73860	365516	<1	5.38	47	691	<2	1	0.69	<4	10	53	31	1.78	<0.01	11	0.72	213	25	101	510	109	1.08	12	17	<10	106	1755	6	61	31	7	416
73861	365517	<1	5.91	31	483	<2	2	1.84	<4	8	24	39	1.62	<0.01	16	1.18	452	14	30	549	47	0.44	9	18	<10	139	1978	3	43	21	7	94
73862	365518	<1	6.10	44	440	<2	3	2.29	<4	10	24	19	1.99	<0.01	16	1.33	499	14	27	558	30	0.72	5	16	<10	148	2038	<2	41	27	8	60
73863	365519	<1	5.99	25	479	<2	<1	1.89	<4	10	25	9	1.75	<0.01	17	1.10	402	15	35	554	27	0.54	<5	18	15	147	2063	5	43	<10	7	62
73864	365520	<1	6.53	7	519	<2	3	4.10	<4	17	11	58	3.72	<0.01	3	1.63	877	12	8	680	19	0.09	<5	14	29	498	2633	7	136	19	25	52
73865	365521	<1	6.30	18	461	<2	3	2.33	<4	10	27	9	1.93	<0.01	15	1.25	451	14	31	584	26	0.37	12	30	12	165	2184	<2	46	11	8	66
73866	365522	<1	6.25	38	435	2	3	2.07	<4	9	24	12	1.92	<0.01	15	1.38	559	14	32	580	22	0.87	7	9	<10	126	2056	<2	44	19	8	43
73867D	365522	<1	6.35	40	445	<2	<1	2.12	<4	10	24	13	1.99	<0.01	15	1.41	580	14	32	597	19	0.84	6	13	<10	128	2118	6	45	17	8	45
73868	365523	<1	5.73	13	368	<2	<1	2.08	<4	9	41	12	1.63	<0.01	13	1.33	576	16	45	542	38	0.37	<5	18	<10	111	1918	7	49	27	8	59
73869	365524	<1	4.98	39	140	2	3	4.77	<4	24	142	106	4.30	<0.01	6	2.78	1488	19	91	532	36	1.57	13	13	13	161	2163	16	85	857	21	206
73870	365525	<1	5.76	73	516	<2	3	0.46	<4	17	88	49	2.63	<0.01	7	0.54	187	18	60	515	34	2.14	5	27	<10	73	2191	<2	79	37	13	366
73871	365526	<1	6.91	94	603	<2	3	0.45	4	24	102	41	3.75	<0.01	10	0.53	186	24	77	534	39	2.72	<5	20	<10	77	2497	5	89	44	15	943
73872	365527	2	4.28	46	403	<2	1	0.18	<4	8	42	119	1.81	<0.01	7	0.46	<100	14	11	435	425	1.47	5	14	34	55	1477	<2	31	42	7	1165
73873	365528	<1	5.08	50	454	<2	2	0.80	<4	16	95	38	2.67	<0.01	11	1.08	452	18	35	489	56	1.21	<5	14	<10	71	1924	5	64	19	12	99
73874	365529	<1	5.77	46	500	<2	2	0.97	<4	9	43	13	1.66	<0.01	12	0.95	464	16	11	515	53	0.80	<5	17	<10	81	1857	<2	38	27	8	252
73875	365530	2	5.24	56	287	<2	5	1.14	4	14	33	2313	5.04	<0.01	31	0.98	1116	30	20	737	92	3.03	9	21	10	192	1123	3	61	31	11	592
73876	365531	<1	5.79	43	475	2	3	1.33	<4	8	40	27	1.77	<0.01	12	1.15	595	17	10	500	36	1.04	6	20	<10	85	1791	4	38	22	8	42
73877	365532	<1	6.02	62	489	2	2	1.23	<4	9	46	8	1.82	<0.01	12	1.14	574	18	9	513	46	0.92	13	18	<10	86	1917	2	39	25	8	117
73878D	365532	<1	6.98	69	566	<2	2	1.46	<4	11	42	8	1.98	<0.01	16	1.28	617	17	10	587	49	1.19	8	7	38	93	2075	16	42	25	8	130

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73879	365533	<1	5.49	58	459	2	<1	0.74	4	9	52	43	2.08	<0.01	12	0.82	397	20	10	506	62	1.53	10	26	<10	70	1891	4	38	47	8	1418
73880	365534	<1	5.23	93	411	<2	3	0.61	5	14	96	128	2.86	<0.01	10	0.77	371	26	29	511	195	2.01	15	10	<10	63	1958	14	54	53	10	1818
73881	365535	<1	5.34	38	367	<2	<1	1.07	<4	7	36	55	1.73	<0.01	12	0.92	475	15	9	498	101	1.16	12	17	<10	77	1788	<2	37	24	8	302
73882	365536	<1	4.67	43	414	<2	2	0.32	<4	10	41	26	1.60	<0.01	9	0.60	256	15	10	477	98	0.92	<5	16	<10	50	1836	6	36	27	7	129
73883	365537	<1	6.11	49	554	<2	2	1.16	<4	9	32	42	1.75	<0.01	16	1.01	538	16	10	544	347	1.04	12	20	38	78	2060	6	39	44	8	377
73884	365538	<1	5.50	32	552	2	4	1.88	<4	9	31	18	1.66	<0.01	14	1.25	769	13	8	522	50	0.57	<5	18	<10	90	2008	18	37	19	7	125
73885	365539	<1	6.14	23	642	2	<1	2.52	<4	8	31	23	1.79	<0.01	16	1.56	1052	13	8	543	33	0.61	<5	20	30	101	2086	12	38	15	7	69
73886	365540	<1	5.96	4	489	<2	2	3.86	<4	15	11	58	3.55	<0.01	2	1.56	853	7	8	634	16	0.09	12	9	31	466	2542	2	130	17	23	44
73887	365541	<1	5.87	27	569	<2	1	1.71	<4	9	38	20	1.76	<0.01	16	1.15	727	18	9	519	54	0.63	<5	14	13	103	2036	2	40	20	8	117
73888	365542	<1	5.79	45	603	<2	<1	1.13	<4	10	39	19	1.64	<0.01	15	0.89	471	17	10	530	45	0.73	7	25	<10	85	2073	<2	39	26	8	341
73889D	365542	<1	5.48	39	618	<2	2	1.13	<4	10	38	18	1.60	<0.01	15	0.88	455	15	9	523	45	0.76	8	19	30	81	2073	10	38	29	7	350
73890	365543	<1	5.37	42	588	<2	<1	1.74	<4	9	30	10	1.68	<0.01	15	1.18	577	14	10	513	39	0.81	11	28	29	96	2025	<2	38	21	7	149
73891	365544	<1	4.75	120	408	<2	2	1.28	<4	16	85	48	3.00	<0.01	15	1.07	495	19	36	487	88	2.69	5	12	36	86	1986	<2	56	20	11	110
73892	365545	<1	6.69	130	517	<2	<1	1.33	<4	23	144	66	3.97	<0.01	20	1.49	660	30	52	589	54	2.27	<5	7	12	91	2627	7	87	17	16	159
73893	365546	<1	5.81	97	472	<2	<1	0.92	<4	27	157	66	3.65	<0.01	17	1.45	626	23	68	604	31	1.46	10	18	10	78	2781	3	103	23	17	76
73894	365547	<1	5.17	47	377	<2	2	1.34	<4	19	135	37	3.29	<0.01	19	1.94	858	21	45	520	44	0.85	11	18	<10	88	2369	4	80	14	14	88
73895	365548	<1	5.37	42	299	<2	2	1.06	<4	22	132	53	3.54	<0.01	22	1.90	613	18	55	494	103	0.86	5	24	37	83	2456	8	82	22	14	194
73896	365549	<1	5.44	82	392	<2	<1	0.47	<4	10	51	169	2.40	<0.01	16	0.73	256	16	19	497	612	1.63	12	42	<10	60	2006	5	45	30	9	754
73897	365550	<1	4.18	18	521	<2	<1	2.25	<4	17	52	202	3.91	<0.01	11	1.33	708	26	38	616	33	0.16	<5	24	35	286	2658	5	108	27	16	66
73898	365551	<1	6.20	32	569	2	3	2.12	<4	10	45	14	1.87	<0.01	19	1.41	654	16	14	536	38	0.66	13	33	<10	107	2161	7	46	20	9	57

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/26/2015 2:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540872
Reference: 15-007
Sample #: 234

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73899	365552	<1	6.23	21	712	2	1	2.59	<4	10	28	10	1.87	<0.01	17	1.59	783	15	10	534	22	0.40	5	30	<10	130	2065	<2	40	15	8	60
73900D	365552	<1	6.16	21	703	2	2	2.57	<4	10	29	10	1.85	<0.01	18	1.57	777	12	9	525	27	0.38	5	21	<10	129	2024	3	39	25	8	63
73901	365553	<1	5.84	18	685	<2	<1	2.60	<4	9	30	33	1.77	<0.01	18	1.54	772	11	9	522	28	0.39	5	20	29	139	1994	14	39	14	7	57
73902	365554	<1	5.71	13	618	<2	1	2.39	<4	9	26	6	1.73	0.05	14	1.40	573	13	8	502	22	0.33	<5	19	<10	148	2037	9	38	20	7	53
73903	365555	<1	6.45	21	701	2	2	2.37	6	9	33	44	1.97	0.38	17	1.49	641	16	10	542	31	0.51	8	<5	<10	157	2045	2	43	59	9	1821
73904	365556	<1	6.65	26	556	2	2	1.78	<4	29	145	105	3.74	<0.01	24	1.67	612	24	66	573	39	0.62	<5	8	10	140	2929	6	104	38	17	733
73905	365557	<1	5.35	29	372	<2	2	2.73	<4	22	136	70	3.92	<0.01	22	2.52	1261	17	54	551	41	0.90	10	17	28	117	2411	11	98	17	14	570
73906	365558	<1	4.90	<2	226	<2	4	1.65	<4	22	144	40	3.59	<0.01	25	1.65	632	15	53	519	18	0.23	8	14	28	113	2631	<2	87	14	11	57
73907	365559	<1	5.20	8	225	<2	2	2.02	4	22	152	47	3.91	<0.01	26	1.88	780	18	58	508	30	0.42	6	10	33	133	2242	<2	87	29	12	1061
73908	365560	<1	6.29	5	479	<2	2	3.97	<4	16	12	59	3.72	<0.01	2	1.60	878	13	9	652	18	0.09	<5	23	<10	492	2629	<2	135	19	25	62
73909	365561	<1	6.21	10	364	<2	2	1.87	<4	17	105	42	3.15	<0.01	29	1.57	740	18	38	499	49	0.19	14	25	<10	187	2390	3	68	16	11	138
73910	365562	<1	4.78	22	489	<2	1	1.15	<4	13	83	37	2.50	<0.01	20	1.11	579	19	31	436	105	0.53	10	18	14	164	1494	4	50	25	8	471
73911D	365562	<1	5.34	17	517	<2	1	1.20	<4	13	81	36	2.51	<0.01	21	1.15	589	17	30	427	106	0.61	13	10	<10	170	1513	5	51	19	8	469
73912	365563	<1	5.58	22	447	<2	2	1.32	<4	13	76	22	2.52	<0.01	27	1.33	607	14	32	473	81	0.39	15	13	<10	137	1726	4	56	16	8	108
73913	365564	<1	5.60	25	332	<2	3	1.69	<4	21	140	32	3.58	<0.01	25	1.85	642	16	56	534	52	0.53	5	9	35	111	1833	4	87	12	10	161
73914	365565	<1	5.04	9	340	<2	2	1.31	<4	19	119	35	3.31	<0.01	26	1.82	539	17	50	522	38	0.36	17	5	32	96	1892	<2	77	<10	9	64
74017	365566	<1	8.70	18	460	2	3	1.81	<4	25	162	44	4.36	0.33	40	2.34	678	26	66	645	49	0.48	6	17	13	131	2453	11	101	19	12	88

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15393

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Au g/t (ppm)
73915	365567	0.008
73916	365568	0.012
73917	365569	0.015
73918	365570	4.961
73919	365571	0.093
73920	365572	1.033
73921	365573	0.146
73922	365574	0.069
73923	365575	0.052
73924	365576	0.106
73925	365576 Dup	0.089
73926	365577	0.093
73927	365578	0.046
73928	365579	0.011
73929	365580	<0.005
73930	365581	0.009
73931	365582	0.009
73932	365583	0.014
73933	365584	0.078
73934	365585	2.513
73935	365586	1.180
73936	365586 Dup	1.325
73937	365587	0.314
73938	365588	0.419
73939	365589	0.036

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Au g/t (ppm)
73940	365590	0.473
73941	365591	0.009
73942	365592	0.876
73943	365593	0.289
73944	365594	0.367
73945	365595	0.026
73946	365596	0.068
73947	365596 Dup	0.065
73948	365597	0.054
73949	365598	0.284
73950	365599	0.301
73951	365600	<0.005
73952	365601	0.051
73953	365602	0.021
73954	365603	0.038
73955	365604	0.021
73956	365605	0.918
73957	365606	0.330
73958	365606 Dup	0.418
73959	365607	0.348
73960	365608	0.231
73961	365609	0.409
73962	365610	1.634
73963	365611	0.057
73964	365612	0.024

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Au g/t (ppm)
73965	365613	0.009
73966	365614	0.666
73967	365615	0.037
73968	365616	0.050
73969	365616 Dup	0.049
73970	365617	0.686
73971	365618	0.112
73972	365619	0.065
73973	365620	<0.005
73974	365621	0.280
73975	365622	0.093
73976	365623	0.049
73977	365624	0.709
73978	365625	0.102
73979	365626	0.054
73980	365626 Rep	0.058
73981	365627	0.029
73982	365628	0.025
73983	365629	0.017
73984	365630	4.994
73985	365631	0.030
73986	365632	0.083
73987	365633	0.021
73988	365634	0.007
73989	365635	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Au g/t (ppm)
73990	365636	0.008
73991	365636 Dup	0.010
73992	365637	0.007
73993	365638	0.013
73994	365639	<0.005
73995	365640	<0.005
73996	365641	<0.005
73997	365642	0.008
73998	365643	0.015
73999	365644	<0.005
74000	365645	<0.005
74001	365646	<0.005
74002	365646 Dup	0.017
74003	365647	0.012
74004	365648	0.006
74005	365649	<0.005
74006	365650	0.394
74007	365651	0.008
74008	365652	<0.005
74009	365653	0.006
74010	365654	<0.005
74011	365655	<0.005
74012	365656	<0.005
74013	365656 Dup	<0.005
74014	365657	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Au g/t (ppm)
74015	365658	<0.005
74016	365659	0.007

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, March 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.780	1.729	0.121
KL01	0.403	0.394	0.011
AR01	1.902	1.729	0.121
AR01	1.699	1.729	0.121

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Andrew Oleski
Lab Manager - Thunder Bay

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73915	365567	<1	5.60	20	426	2	<1	1.60	<4	6	24	5	1.41	0.04	13	0.66	480	<1	11	513	12	0.06	<5	24	10	153	1563	<2	27	<10	6	52
73916	365568	<1	4.89	29	432	2	24	1.59	<4	12	86	42	2.55	0.07	18	1.07	888	3	34	677	78	0.24	6	21	<10	149	1862	<2	53	<10	9	164
73917	365569	<1	4.73	22	433	2	10	1.05	<4	20	126	58	3.41	0.10	21	1.34	837	1	54	688	179	0.37	<5	8	<10	127	1880	<2	79	12	10	383
73918	365570	128	4.54	27	392	<2	11	2.91	5	16	39	93	4.92	0.15	5	1.29	890	4	23	673	18254	0.10	99	18	38	285	2797	<2	133	<10	17	319
73919	365571	<1	4.17	12	335	<2	17	1.34	<4	22	159	48	3.61	0.15	25	1.48	1045	2	60	743	37	0.19	<5	10	10	131	2635	<2	93	<10	11	85
73920	365572	<1	5.25	19	425	2	9	1.21	<4	19	131	35	3.10	0.14	25	1.43	844	2	51	455	28	0.21	<5	29	12	124	2495	<2	82	<10	11	74
73921	365573	<1	5.39	16	387	2	19	2.19	<4	15	92	28	2.68	0.23	24	1.39	999	1	33	738	29	0.21	<5	17	<10	135	2434	5	62	10	10	70
73922	365574	<1	>10.00	19	858	3	19	3.00	<4	45	244	116	6.32	<0.01	57	2.54	1808	6	104	1242	70	0.69	6	28	11	213	5478	<2	164	<10	23	147
73923	365575	<1	0.50	12	<1	<2	9	0.05	<4	1	8	4	0.26	0.32	1	0.31	<100	<1	4	240	3	0.03	<5	22	<10	39	417	<2	7	<10	5	7
73924	365576	<1	5.42	18	517	<2	24	1.39	<4	8	24	6	1.42	0.17	18	0.79	481	<1	10	568	34	0.21	<5	22	<10	112	1803	2	33	10	6	40
73925D	365576	<1	5.89	24	541	<2	27	1.46	<4	7	25	6	1.45	0.09	20	0.82	499	<1	9	649	31	0.21	<5	28	<10	115	1876	11	34	<10	7	45
73926	365577	<1	5.40	19	517	2	8	1.70	<4	17	97	39	2.80	0.07	32	1.37	886	<1	40	622	48	0.26	<5	27	37	127	2601	<2	70	<10	10	57
73927	365578	<1	5.55	20	501	<2	5	1.36	<4	7	30	7	1.44	0.11	18	0.81	483	<1	10	490	29	0.20	<5	34	<10	111	1796	<2	33	<10	7	41
73928	365579	<1	5.70	16	582	2	13	1.87	<4	7	21	5	1.53	0.11	18	0.98	667	<1	7	477	22	0.12	<5	35	10	120	1866	8	31	10	6	55
73929	365580	<1	5.72	14	452	<2	15	3.71	<4	15	12	60	3.69	0.15	2	1.45	886	<1	8	770	15	0.06	<5	6	11	456	2682	<2	129	10	21	54
73930	365581	<1	5.36	26	740	2	18	1.59	<4	7	23	6	1.45	0.35	20	1.08	752	<1	7	694	60	0.10	<5	37	<10	114	1935	<2	29	11	6	89
73931	365582	<1	5.91	26	616	<2	11	1.75	<4	7	30	6	1.55	0.48	20	1.10	697	<1	8	692	75	0.09	<5	28	10	121	1876	<2	30	<10	7	132
73932	365583	<1	6.36	22	626	2	23	2.17	<4	8	25	32	1.62	0.38	24	1.21	798	<1	8	348	223	0.08	<5	38	34	136	2006	<2	33	12	6	383
73933	365584	<1	5.61	37	422	2	20	2.19	<4	10	51	97	2.13	0.32	24	1.29	924	<1	18	590	245	0.23	<5	33	<10	118	2126	<2	45	15	8	456
73934	365585	2	5.04	27	395	<2	<1	0.88	<4	7	25	67	1.72	0.41	19	0.83	454	<1	7	488	1129	0.23	8	23	<10	76	1757	<2	31	20	6	1208

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:20 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73935	365586	6	4.98	32	434	<2	11	0.89	6	8	27	85	1.72	0.34	20	0.83	442	<1	6	573	1497	0.25	19	22	34	73	1757	<2	31	27	6	2175
73936D	365586	8	5.13	27	448	<2	24	0.91	6	8	25	88	1.74	0.44	21	0.83	455	1	7	618	1533	0.22	14	27	41	74	1782	2	31	28	6	2189
73937	365587	<1	6.15	33	450	2	31	0.61	<4	7	23	32	1.42	0.12	21	0.76	366	2	6	601	338	0.26	<5	28	13	80	1913	<2	34	<10	7	407
73938	365588	<1	5.82	36	448	2	24	1.36	<4	10	71	63	1.94	0.20	32	1.31	608	2	23	703	67	0.33	<5	31	10	92	2147	<2	41	12	7	283
73939	365589	<1	4.70	26	408	<2	14	1.32	<4	7	31	9	1.51	0.67	20	1.16	750	<1	7	659	36	0.20	<5	30	<10	100	1839	<2	30	<10	6	74
73940	365590	<1	7.20	70	317	<2	21	1.33	4	17	41	2495	5.80	0.70	35	1.12	1279	21	27	1050	96	1.58	5	43	15	213	1281	<2	69	17	12	679
73941	365591	<1	6.02	20	348	2	<1	2.08	<4	8	25	102	1.84	1.02	26	1.26	964	2	6	788	43	0.12	<5	15	<10	108	2121	<2	36	<10	7	117
73942	365592	<1	6.01	21	563	2	19	2.00	<4	7	23	20	1.63	0.70	25	1.28	887	<1	6	600	65	0.10	7	32	35	103	2156	3	33	11	6	206
73943	365593	<1	6.38	28	564	<2	13	1.60	<4	6	31	15	1.64	0.65	25	1.13	852	4	6	746	81	0.16	8	30	<10	97	2056	<2	34	13	7	172
73944	365594	<1	4.87	20	440	<2	3	1.95	<4	8	29	20	1.38	0.31	23	0.89	736	1	7	615	105	0.13	<5	21	33	75	1915	<2	31	<10	6	86
73945	365595	<1	5.07	22	455	<2	6	1.61	<4	7	38	22	1.59	0.42	24	1.04	757	5	6	615	70	0.08	<5	31	<10	88	1980	<2	33	<10	6	70
73946	365596	<1	5.59	24	586	2	19	2.37	<4	9	28	25	1.92	0.21	28	1.14	908	2	7	727	316	0.15	<5	28	<10	133	2579	<2	43	13	5	433
73947D	365596	<1	5.47	24	603	2	5	2.42	<4	9	27	26	1.92	0.27	27	1.16	902	2	8	521	312	0.16	<5	19	36	131	2552	<2	44	12	5	444
73948	365597	<1	5.66	40	534	<2	7	1.66	<4	7	36	13	1.72	0.46	20	1.01	661	5	6	712	85	0.23	<5	31	10	103	2040	<2	35	11	6	95
73949	365598	1	5.16	39	456	<2	13	0.82	<4	7	33	80	1.47	0.24	15	0.82	414	2	7	652	413	0.27	<5	33	38	62	1843	<2	32	12	6	641
73950	365599	<1	5.00	43	419	<2	16	0.63	<4	7	35	47	1.43	0.26	16	0.71	347	2	5	604	155	0.30	6	27	<10	60	1777	<2	31	<10	6	352
73951	365600	<1	5.47	20	448	<2	19	3.57	<4	15	11	56	3.55	0.02	1	1.44	838	<1	7	879	16	0.06	<5	15	34	439	2571	<2	124	<10	21	57
73952	365601	6	6.08	29	431	<2	4	2.05	<4	7	26	15	1.68	0.19	24	1.27	747	3	5	795	35	0.12	<5	27	35	96	2044	<2	37	10	7	84
73953	365602	<1	5.45	23	341	<2	14	2.00	<4	6	42	9	1.61	0.13	20	1.22	773	3	7	634	27	0.08	<5	16	<10	86	1801	<2	30	<10	7	116
73954	365603	<1	3.95	21	324	<2	2	1.76	<4	6	27	8	1.62	<0.01	19	1.08	803	<1	5	598	29	0.08	<5	19	10	81	1805	<2	29	<10	6	72

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:20 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73955	365604	<1	5.18	26	390	<2	11	1.79	<4	8	27	9	1.64	0.38	23	1.12	737	3	7	735	25	0.08	5	25	12	88	1965	4	33	<10	6	67
73956	365605	<1	5.92	46	440	<2	15	0.18	<4	7	35	18	1.47	0.31	12	0.51	136	5	6	641	107	0.36	<5	29	10	54	1857	<2	34	<10	7	247
73957	365606	<1	6.55	45	446	<2	<1	0.15	<4	7	35	16	1.52	0.72	14	0.47	113	4	7	604	94	0.39	6	41	<10	57	1749	<2	35	13	7	295
73958D	365606	<1	5.50	46	428	<2	17	0.08	<4	7	30	14	1.37	0.25	11	0.45	104	2	6	678	87	0.36	<5	32	<10	51	1833	<2	32	10	7	273
73959	365607	<1	5.17	50	435	<2	15	0.15	<4	8	32	31	1.54	0.28	15	0.46	138	4	7	565	230	0.37	<5	22	<10	52	1849	5	34	14	6	962
73960	365608	<1	4.33	43	378	2	52	0.78	<4	13	72	127	2.14	0.51	25	0.80	374	5	31	613	122	0.21	<5	22	<10	92	2008	<2	52	<10	7	318
73961	365609	<1	4.00	25	238	2	23	4.37	<4	32	155	157	4.73	0.40	29	2.28	1214	2	68	1026	35	0.22	<5	17	31	200	4484	<2	120	<10	12	204
73962	365610	<1	4.72	27	483	<2	5	2.30	<4	16	59	208	4.12	0.26	11	1.32	769	12	41	781	17	0.12	<5	22	13	290	2945	<2	111	12	16	135
73963	365611	<1	5.52	27	197	<2	6	4.22	<4	27	101	42	4.05	0.18	33	2.53	1015	1	56	852	18	0.10	<5	19	10	187	3403	<2	106	<10	12	107
73964	365612	<1	5.96	18	284	2	8	2.94	<4	19	80	32	3.13	0.18	27	1.79	832	1	44	643	32	0.11	<5	35	11	159	2506	3	70	17	10	285
73965	365613	<1	6.50	19	266	2	5	2.18	<4	10	48	15	2.04	0.19	29	1.25	454	2	15	530	15	0.07	<5	31	<10	141	2108	<2	42	<10	8	66
73966	365614	<1	6.16	22	288	2	15	1.54	<4	20	147	39	3.50	0.20	50	1.51	533	5	49	458	21	0.08	<5	16	<10	123	3077	<2	87	13	13	79
73967	365615	<1	4.90	23	272	2	18	1.74	<4	22	164	38	3.57	0.41	50	1.55	751	4	56	681	30	0.13	<5	13	34	102	2922	<2	96	13	12	61
73968	365616	1	4.39	27	199	<2	12	1.04	<4	16	143	111	3.25	0.44	30	1.14	532	3	45	520	87	0.30	<5	17	37	83	1688	<2	75	<10	11	288
73969D	365616	<1	4.40	17	199	<2	23	1.05	<4	17	144	113	3.26	0.41	30	1.15	532	3	44	725	88	0.28	<5	6	37	82	1683	<2	75	13	11	298
73970	365617	<1	4.45	145	288	2	15	1.16	<4	24	164	58	3.99	0.25	50	1.67	923	2	64	696	58	0.17	<5	10	<10	96	2858	<2	104	<10	12	121
73971	365618	<1	4.18	377	233	<2	5	0.96	<4	20	156	59	3.49	0.59	33	1.64	702	4	55	471	33	0.14	<5	20	<10	91	2025	<2	87	<10	10	96
73972	365619	<1	4.28	304	276	<2	8	0.94	<4	24	175	87	4.10	0.22	37	1.89	740	4	70	657	40	0.15	<5	8	<10	85	2241	4	105	<10	10	124
73973	365620	<1	4.78	16	434	<2	17	3.61	<4	15	13	62	3.67	0.07	1	1.37	871	<1	8	824	16	0.06	<5	17	<10	452	2619	<2	129	<10	19	51
73974	365621	<1	4.45	90	238	<2	12	1.23	<4	23	165	113	4.04	<0.01	35	2.08	698	5	66	760	38	0.16	<5	17	33	93	2167	<2	92	12	9	441

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:20 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73975	365622	<1	5.63	109	265	<2	5	1.09	<4	22	160	52	3.72	0.13	33	2.06	668	3	59	617	44	0.10	5	21	34	83	2464	<2	90	<10	12	77
73976	365623	<1	6.15	80	242	2	18	1.49	<4	22	165	55	3.91	0.28	32	1.98	625	4	62	813	46	0.06	6	16	12	100	2972	<2	93	<10	12	92
73977	365624	<1	5.71	195	260	<2	22	1.01	<4	21	166	73	3.72	0.41	29	1.78	607	5	58	584	116	0.10	5	18	11	86	2423	<2	86	<10	11	226
73978	365625	<1	5.54	372	233	<2	18	0.96	4	21	151	68	3.77	0.26	31	1.65	634	4	57	625	95	0.16	<5	23	13	93	2208	<2	85	20	12	1187
73979	365626	<1	4.55	267	208	<2	14	0.79	<4	19	139	63	3.51	0.14	27	1.54	588	2	55	654	83	0.15	<5	13	10	85	1977	<2	81	13	11	617
73980R	365626	<1	3.85	250	204	<2	17	0.82	4	18	142	62	3.59	0.26	27	1.47	613	3	54	678	109	0.14	<5	10	11	86	2038	<2	81	17	10	1011
73981	365627	<1	4.93	87	227	2	11	1.17	<4	21	140	39	3.65	0.69	28	1.84	521	5	58	620	20	0.08	5	27	36	88	2716	<2	89	<10	10	65
73982	365628	<1	5.66	66	294	<2	25	0.96	<4	28	174	55	4.41	0.77	34	2.07	560	3	73	714	20	0.11	6	7	<10	90	3502	<2	119	<10	11	52
73983	365629	<1	4.65	51	226	2	16	1.15	<4	23	163	46	3.73	0.63	33	1.80	540	3	63	780	21	0.11	<5	21	10	104	2835	<2	94	12	11	58
73984	365630	125	4.51	26	360	<2	16	2.85	5	16	41	92	4.85	0.69	4	1.28	885	4	24	838	18725	0.10	102	18	13	286	2743	<2	131	<10	17	321
73985	365631	<1	4.44	50	227	<2	24	0.95	<4	24	169	53	4.07	0.63	42	2.06	675	2	64	734	230	0.14	7	16	14	96	2961	11	105	12	11	76
73986	365632	<1	4.15	62	219	<2	28	0.60	<4	23	159	55	3.58	0.69	33	1.46	458	1	64	664	66	0.19	<5	13	<10	79	2692	<2	99	11	9	76
73987	365633	<1	4.54	28	241	<2	15	1.07	47	26	157	156	4.29	0.41	35	1.72	469	2	66	743	65	0.59	<5	28	13	94	3021	<2	102	102	10	38
73988	365634	<1	4.17	19	191	2	<1	1.92	<4	15	107	28	2.95	0.42	35	1.57	455	3	43	543	27	0.05	8	22	11	136	2433	<2	65	<10	9	103
73989	365635	<1	5.10	11	333	<2	5	2.21	<4	11	69	24	2.19	0.22	27	1.51	435	2	24	642	17	0.04	<5	38	38	107	1884	<2	50	<10	7	58
73990	365636	<1	4.48	17	303	<2	8	2.17	<4	10	58	24	1.88	0.07	25	1.29	380	1	16	650	8	0.04	<5	19	<10	104	1701	3	45	<10	6	60
73991D	365636	<1	4.64	15	283	<2	14	2.07	<4	9	57	24	1.80	0.08	23	1.30	363	<1	16	434	10	0.04	6	29	12	101	1630	<2	43	<10	6	53
73992	365637	<1	4.53	14	181	<2	16	1.96	<4	6	29	9	1.38	0.07	21	1.21	282	1	8	519	9	0.03	<5	17	<10	102	1267	2	24	<10	5	39
73993	365638	5	4.32	20	99	<2	4	1.90	<4	5	23	20	1.56	0.63	20	1.41	430	1	6	334	6	0.04	<5	21	<10	107	1023	<2	21	<10	5	37
73994	365639	<1	5.27	15	223	<2	6	2.02	<4	5	27	9	1.43	0.81	24	1.52	263	<1	6	438	7	0.03	<5	34	<10	124	1125	<2	23	<10	5	52

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:20 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73995	365640	<1	5.85	18	467	<2	15	3.79	<4	15	11	60	3.72	0.64	2	1.53	880	<1	9	758	8	0.05	<5	15	34	458	2646	<2	130	11	22	60
73996	365641	<1	4.32	16	404	<2	22	1.96	<4	5	19	4	1.48	0.93	31	1.56	244	<1	5	381	4	0.04	<5	19	34	116	1352	<2	26	<10	5	54
73997	365642	<1	4.64	16	479	<2	18	1.71	<4	5	23	5	1.70	0.78	27	1.29	359	1	6	621	5	0.03	<5	20	35	110	1517	<2	27	<10	5	36
73998	365643	<1	4.03	13	380	<2	20	1.88	<4	13	70	41	2.61	0.43	37	1.34	431	<1	23	524	4	0.05	<5	11	33	163	2215	<2	53	<10	7	59
73999	365644	<1	4.83	15	465	<2	2	1.71	<4	6	23	6	1.42	0.49	26	1.10	260	1	7	247	7	0.03	<5	25	34	168	1565	<2	27	<10	5	120
74000	365645	<1	5.00	13	554	<2	9	1.85	<4	7	22	3	1.58	0.40	29	1.17	350	<1	6	582	7	0.03	<5	32	37	176	1678	<2	27	<10	6	70
74001	365646	<1	3.13	18	406	<2	6	1.22	<4	4	14	6	1.12	<0.01	19	0.79	272	<1	5	320	4	0.02	<5	17	25	141	1311	<2	21	<10	4	25
74002D	365646	<1	6.01	18	569	<2	16	1.76	<4	6	19	8	1.46	0.23	31	1.05	357	<1	4	374	12	0.03	<5	32	40	183	1742	<2	26	<10	6	41
74003	365647	<1	5.55	18	466	<2	11	1.02	<4	6	17	15	2.21	0.09	35	0.80	564	<1	5	489	10	0.05	<5	32	40	138	1592	4	26	<10	7	56
74004	365648	<1	5.28	12	426	<2	16	1.49	<4	5	19	3	1.86	0.11	34	1.00	538	<1	6	613	5	0.03	<5	17	36	169	1653	<2	29	<10	7	34
74005	365649	<1	5.87	18	489	<2	3	2.04	<4	8	20	14	1.98	0.69	34	1.28	525	<1	7	519	6	0.04	6	25	36	188	1637	<2	28	<10	7	45
74006	365650	<1	8.47	73	428	2	35	1.69	5	18	45	2728	6.67	1.53	46	1.23	1418	24	28	1048	109	1.89	6	28	56	243	1491	<2	80	19	12	771
74007	365651	<1	4.33	14	487	<2	20	1.13	<4	5	15	6	1.45	0.50	28	0.67	352	<1	3	527	5	0.03	<5	24	32	159	1469	<2	25	<10	5	29
74008	365652	<1	5.20	17	481	<2	23	1.45	<4	5	19	4	1.91	0.72	36	0.82	555	<1	6	232	5	0.04	6	15	36	176	1602	<2	25	<10	6	35
74009	365653	<1	4.72	14	392	<2	11	1.28	<4	6	19	15	1.58	0.54	33	0.84	410	1	5	379	4	0.03	<5	31	31	150	1565	<2	26	<10	6	31
74010	365654	<1	4.75	13	462	<2	13	1.48	<4	5	17	3	1.23	0.63	29	0.86	233	<1	5	488	5	0.03	<5	28	35	149	1588	<2	26	<10	5	28
74011	365655	<1	4.64	15	340	<2	6	1.47	<4	5	22	4	1.33	0.59	28	0.85	332	<1	6	534	5	0.03	<5	25	33	152	1535	<2	28	<10	5	28
74012	365656	<1	4.81	14	390	<2	8	1.40	<4	5	20	13	1.85	0.45	30	0.85	545	1	4	690	13	0.05	<5	31	34	166	1560	<2	24	<10	6	47
74013D	365656	<1	4.91	11	397	<2	11	1.42	<4	5	21	13	1.88	0.37	31	0.85	553	<1	5	547	4	0.05	5	19	33	169	1581	<2	25	<10	6	46
74014	365657	<1	5.06	17	341	<2	17	1.43	<4	5	19	3	1.51	0.23	30	0.85	362	<1	4	482	6	0.03	<5	21	39	163	1553	<2	25	<10	6	21

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:20 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/11/2015
Date Completed: 03/23/2015
Job #: 201540873
Reference: 15-008
Sample #: 93

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74015	365658	<1	5.08	19	400	<2	9	1.61	<4	5	26	3	1.47	0.18	31	0.80	304	4	35	378	8	0.03	<5	19	34	175	1523	<2	33	<10	5	18
74016	365659	<1	4.19	12	414	<2	12	2.42	<4	6	28	8	1.78	0.08	34	1.12	508	1	27	492	5	0.05	<5	30	31	186	1564	<2	33	<10	5	31

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15394

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540879
Reference: TL15-009
Sample #: 91

Acc #	Client ID	Au g/t (ppm)
74185	365660	0.009
74186	365661	0.040
74187	365662	0.082
74188	365663	0.129
74189	365664	0.330
74190	365665	0.142
74191	365666	0.096
74192	365667	0.014
74193	365668	0.045
74194	365669	0.014
74195	365669 Dup	0.015
74196	365670	1.314
74197	365671	0.033
74198	365672	0.024
74199	365673	0.061
74200	365674	0.120
74201	365675	0.229
74202	365676	0.273
74203	365677	0.108
74204	365678	0.341
74205	365679	0.066
74206	365679 Dup	0.068
74207	365680	0.005
74208	365681	0.745
74209	365682	0.040

APPLIED SCOPES: ALP1, ALMA1, ALFA2, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540879
Reference: TL15-009
Sample #: 91

Acc #	Client ID	Au g/t (ppm)
74210	365683	0.027
74211	365684	0.165
74212	365685	0.356
74213	365686	0.294
74214	365687	0.409
74215	365688	0.658
74216	365689	0.082
74217	365689 Dup	0.062
74218	365690	3.594
74219	365691	0.044
74220	365692	0.153
74221	365693	0.134
74222	365694	0.429
74223	365695	0.150
74224	365696	0.025
74225	365697	0.059
74226	365698	1.302
74227	365699	0.154
74228	365699 Dup	0.160
74229	365700	0.010
74230	365701	0.027
74231	365702	0.115
74232	365703	0.041
74233	365704	0.015
74234	365705	0.055

APPLIED SCOPES: ALP1, ALMA1, ALFA2, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540879
Reference: TL15-009
Sample #: 91

Acc #	Client ID	Au g/t (ppm)
74235	365706	0.086
74236	365707	0.136
74237	365708	0.048
74238	365709	0.098
74239	365709 Dup	0.107
74240	365710	0.371
74241	365711	1.255
74242	365712	0.094
74243	365713	0.187
74244	365714	0.076
74245	365715	0.052
74246	365716	0.146
74247	365717	0.034
74248	365718	0.122
74249	365719	2.423
74250	365719 Rep	1.994
74251	365720	0.005
74252	365721	0.183
74253	365722	0.050
74254	365723	0.124
74255	365724	0.065
74256	365725	0.015
74257	365726	0.016
74258	365727	0.015
74259	365728	0.031

APPLIED SCOPES: ALP1, ALMA1, ALFA2, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540879
Reference: TL15-009
Sample #: 91

Acc #	Client ID	Au g/t (ppm)
74260	365729	0.039
74261	365729 Dup	0.040
74262	365730	1.324
74263	365731	0.122
74264	365732	0.038
74265	365733	0.017
74266	365734	0.013
74267	365735	0.015
74268	365736	0.063
74269	365737	0.056
74270	365738	0.030
74271	365739	0.031
74272	365739 Dup	0.028
74273	365740	<0.005
74274	365741	0.010
74275	365742	0.012
74276	365743	0.010
74277	365744	<0.005
74278	365745	<0.005
74279	365746	<0.005
74280	365747	<0.005
74281	365748	0.813
74282	365749	0.023
74283	365749 Dup	0.031
74284	365750	4.762

APPLIED SCOPES: ALP1, ALMA1, ALFA2, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540879
Reference: TL15-009
Sample #: 91

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.651	1.729	0.121
AR01	1.517	1.729	0.121
AR01	1.636	1.729	0.121
AR01	1.643	1.729	0.121
AR01	1.464	1.729	0.121
AR01	1.115	1.729	0.121
AR01	1.846	1.729	0.121

APPLIED SCOPES: ALP1, ALMA1, ALFA2, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540879
Reference: TL15-009
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74185	365660	<1	6.47	19	468	<2	<1	3.84	<4	16	13	62	3.79	0.18	2	1.57	906	<1	10	604	18	0.06	<5	12	<10	462	2781	<2	137	<10	24	68
74186	365661	<1	5.57	20	384	2	10	1.69	<4	14	93	38	2.88	0.19	23	1.33	720	<1	33	455	49	0.11	5	13	<10	183	2282	<2	63	<10	10	152
74187	365662	<1	5.13	35	474	2	<1	1.20	<4	12	66	37	2.33	0.26	17	1.12	595	<1	28	392	85	0.39	<5	21	<10	166	1514	<2	50	12	8	422
74188	365663	<1	5.66	26	432	2	26	1.27	<4	14	85	24	2.70	0.09	23	1.35	617	<1	35	475	72	0.18	<5	11	16	129	1790	<2	61	<10	8	116
74189	365664	<1	6.39	23	588	2	12	1.88	<4	7	28	25	1.76	<0.01	24	0.91	924	<1	9	401	163	0.15	6	18	13	189	1732	<2	32	10	8	313
74190	365665	<1	6.12	23	507	<2	7	1.61	<4	9	57	26	2.01	0.09	25	1.00	875	<1	22	428	130	0.20	<5	26	10	162	2003	<2	47	<10	10	360
74191	365666	<1	9.94	38	727	2	5	2.19	<4	16	80	45	2.73	0.79	38	1.20	1024	<1	31	556	271	0.39	14	42	17	204	2483	2	64	22	13	666
74192	365667	<1	5.36	24	430	2	<1	1.62	<4	5	26	9	1.39	0.01	16	0.81	584	<1	10	368	45	0.11	7	13	<10	151	1498	<2	29	<10	7	73
74193	365668	<1	6.01	22	464	2	12	1.37	<4	6	28	8	1.39	0.03	21	0.83	632	<1	10	379	125	0.16	7	30	<10	154	1597	<2	30	<10	7	214
74194	365669	<1	4.81	28	347	2	9	1.39	<4	6	37	12	1.11	0.11	11	0.63	451	<1	8	245	92	0.13	<5	19	<10	138	1191	<2	19	<10	6	103
74195D	365669	<1	4.44	21	320	<2	2	1.30	<4	5	39	11	1.07	0.21	10	0.61	427	<1	9	229	90	0.11	9	22	<10	132	1123	<2	17	11	6	101
74196	365670	<1	3.47	30	445	<2	3	1.93	<4	13	47	178	3.56	0.38	7	1.16	651	7	35	544	15	0.09	<5	16	13	255	2483	<2	98	12	15	57
74197	365671	<1	6.12	22	511	2	8	1.75	<4	6	33	19	1.55	0.01	19	0.91	669	<1	10	395	54	0.13	5	7	<10	148	1619	<2	31	<10	7	66
74198	365672	<1	6.00	25	457	2	2	1.88	<4	6	23	13	1.48	<0.01	16	0.89	526	<1	8	378	26	0.09	10	30	<10	142	1511	<2	27	<10	7	42
74199	365673	<1	5.81	20	513	2	<1	1.71	<4	12	63	16	2.05	0.11	17	0.96	629	<1	26	408	43	0.22	<5	9	13	137	1907	<2	50	<10	10	120
74200	365674	<1	6.59	20	575	2	3	2.17	<4	23	145	38	3.41	0.10	29	1.65	1054	<1	60	527	61	0.39	<5	12	10	152	2856	<2	100	10	17	103
74201	365675	<1	5.57	35	327	2	21	1.63	<4	21	148	31	3.54	0.14	24	1.58	944	<1	56	545	53	0.42	7	10	<10	121	2391	<2	89	13	14	183
74202	365676	<1	5.26	43	217	2	1	2.80	<4	18	133	38	4.08	0.34	19	2.19	1763	<1	56	507	61	0.53	13	23	12	139	2054	<2	88	<10	17	196
74203	365677	<1	5.29	26	303	2	5	1.94	<4	19	133	44	3.39	0.26	22	1.79	1251	<1	55	511	76	0.24	5	12	11	133	2465	<2	85	<10	15	125
74204	365678	<1	5.53	50	378	2	7	1.06	<4	20	146	64	3.32	0.28	27	1.29	807	<1	53	503	101	0.64	5	31	12	102	2433	<2	89	10	14	249

PROCEDURE CODES: ALP1, ALMA1, ALFA2, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:26 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540879
Reference: TL15-009
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74205	365679	<1	5.57	28	334	<2	6	1.55	<4	22	161	49	3.68	<0.01	26	1.53	831	<1	56	501	44	0.17	9	30	14	125	2785	<2	85	10	15	136
74206D	365679	6	5.28	17	321	2	5	1.53	<4	22	161	48	3.64	<0.01	24	1.51	814	<1	57	497	44	0.17	<5	20	<10	124	2720	<2	83	11	14	132
74207	365680	<1	5.67	22	444	<2	<1	3.56	<4	15	13	56	3.56	<0.01	<1	1.48	841	<1	8	561	12	0.05	6	<5	15	439	2569	<2	127	12	23	49
74208	365681	<1	6.18	20	382	2	9	1.48	<4	22	148	48	3.79	<0.01	28	1.60	830	<1	61	523	31	0.18	10	22	14	130	2977	<2	98	11	14	89
74209	365682	<1	6.16	31	670	2	5	1.65	<4	9	31	11	1.71	<0.01	19	1.12	607	<1	12	404	43	0.24	<5	32	<10	120	1912	<2	37	11	8	114
74210	365683	1	6.29	27	795	2	6	1.82	<4	6	24	6	1.52	<0.01	22	1.33	777	<1	6	407	43	0.13	5	26	<10	111	1881	<2	32	11	7	66
74211	365684	<1	5.79	25	726	2	12	1.24	<4	7	25	14	1.41	0.03	19	0.96	574	<1	6	388	57	0.19	<5	30	11	76	1784	<2	31	<10	7	124
74212	365685	<1	5.87	38	679	2	3	0.93	<4	9	28	40	1.61	<0.01	21	0.86	477	<1	11	394	171	0.31	<5	18	<10	72	1843	<2	36	10	8	246
74213	365686	<1	6.29	43	696	2	5	1.34	<4	9	29	55	1.84	0.05	22	1.12	732	<1	12	410	189	0.42	<5	20	<10	81	1840	<2	36	12	8	361
74214	365687	<1	6.15	38	565	2	3	1.86	4	11	69	86	2.42	0.09	21	1.32	964	1	21	493	474	0.31	5	13	<10	85	2180	<2	57	26	11	1345
74215	365688	2	5.64	41	474	2	<1	1.23	7	8	36	107	1.69	0.11	19	1.03	623	<1	9	480	704	0.27	<5	39	<10	80	1842	<2	36	45	7	2475
74216	365689	<1	3.06	40	429	<2	<1	0.97	<4	6	42	8	1.24	<0.01	11	0.73	450	2	6	345	65	0.29	<5	5	<10	75	1325	<2	22	<10	6	176
74217D	365689	<1	3.99	45	486	<2	5	1.13	<4	7	36	8	1.32	0.09	13	0.80	494	1	7	376	65	0.19	<5	14	<10	83	1463	<2	24	<10	6	190
74218	365690	131	5.52	30	421	<2	5	3.03	5	16	39	93	5.03	0.30	5	1.37	908	<1	23	581	16563	0.10	104	18	11	297	2837	<2	138	11	19	328
74219	365691	1	3.50	35	558	<2	<1	1.01	<4	4	48	13	1.10	0.05	12	0.71	444	2	6	275	129	0.15	<5	11	<10	79	1229	<2	20	<10	6	28
74220	365692	<1	6.24	34	608	2	<1	1.51	<4	8	33	18	1.68	0.07	21	1.09	701	<1	8	538	57	0.18	<5	13	<10	123	2006	<2	35	10	7	135
74221	365693	<1	6.07	36	587	2	<1	1.03	<4	8	27	33	1.41	0.13	19	0.84	473	<1	6	522	93	0.17	<5	21	10	104	2031	<2	35	<10	7	188
74222	365694	5	5.64	35	522	2	4	1.39	<4	7	31	114	1.65	0.16	19	0.99	605	<1	6	511	269	0.12	8	17	<10	95	1929	<2	32	14	7	324
74223	365695	<1	5.85	21	581	<2	17	0.77	<4	9	27	44	1.49	0.10	20	0.79	401	<1	7	502	75	0.14	5	20	<10	74	1936	<2	34	14	7	228
74224	365696	<1	5.37	25	457	2	10	1.13	<4	6	35	46	1.39	0.09	20	0.92	480	<1	5	457	98	0.10	<5	25	<10	96	1711	<2	29	12	7	119

PROCEDURE CODES: ALP1, ALMA1, ALFA2, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:26 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540879
Reference: TL15-009
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74225	365697	<1	5.02	35	485	2	18	0.78	<4	6	28	10	1.25	0.23	15	0.78	458	<1	4	450	67	0.35	10	20	<10	78	1692	<2	30	<10	7	53
74226	365698	10	4.24	52	398	<2	4	0.36	13	6	37	233	2.30	<0.01	11	0.53	224	<1	7	394	3738	0.48	18	16	<10	66	1457	<2	28	65	6	4238
74227	365699	<1	5.80	29	515	2	<1	1.29	<4	6	33	45	1.42	<0.01	18	0.92	596	<1	6	508	240	0.19	<5	19	<10	101	1897	<2	34	13	7	545
74228D	365699	<1	6.43	37	549	2	<1	1.41	<4	7	35	43	1.49	<0.01	20	1.00	638	<1	7	543	190	0.22	5	41	<10	106	2021	<2	35	11	7	501
74229	365700	<1	6.08	19	472	2	<1	3.74	<4	15	11	58	3.64	0.15	1	1.52	866	<1	7	590	18	0.05	<5	19	<10	457	2644	<2	131	<10	24	57
74230	365701	<1	4.95	26	444	<2	10	1.44	<4	6	36	14	1.50	0.22	19	0.93	518	<1	6	471	29	0.09	<5	15	<10	105	1721	<2	30	<10	7	47
74231	365702	<1	6.37	23	438	2	7	2.08	<4	7	23	5	1.65	0.12	23	1.23	631	<1	5	563	26	0.16	7	<5	10	116	2159	<2	36	<10	8	62
74232	365703	<1	6.22	31	439	<2	7	2.15	<4	9	35	3	1.96	0.27	18	1.08	462	<1	11	540	12	0.07	7	21	11	120	2048	<2	35	<10	7	58
74233	365704	<1	5.80	32	405	<2	2	1.96	<4	8	29	2	1.70	0.16	18	1.01	468	<1	6	520	8	0.07	<5	32	10	117	1944	<2	34	12	7	101
74234	365705	<1	4.99	33	499	2	<1	1.45	<4	6	33	14	1.44	0.19	18	0.97	526	<1	5	458	55	0.16	5	27	<10	102	1644	<2	27	10	7	211
74235	365706	<1	4.75	43	497	2	16	1.41	<4	6	42	15	1.60	<0.01	17	0.96	538	2	6	433	93	0.16	<5	12	<10	103	1620	<2	26	<10	6	165
74236	365707	<1	5.44	38	452	2	10	1.15	<4	7	26	36	1.56	0.06	23	1.01	460	<1	6	481	275	0.38	11	23	<10	89	1807	<2	30	<10	7	210
74237	365708	<1	5.66	27	386	2	<1	2.21	<4	19	88	35	2.99	0.21	26	1.74	956	<1	40	740	48	0.15	10	16	14	136	3601	<2	81	12	13	147
74238	365709	<1	6.08	25	192	<2	24	2.86	<4	40	164	42	6.15	0.22	25	3.17	1206	<1	110	1380	642	0.67	6	12	<10	138	4308	<2	162	21	20	1067
74239D	365709	<1	5.87	26	181	<2	11	2.81	<4	40	163	41	6.06	0.30	24	3.12	1185	<1	110	1375	628	0.52	7	22	13	136	4215	<2	158	22	20	1043
74240	365710	<1	4.96	62	271	<2	14	1.07	<4	13	33	2102	4.91	0.05	24	0.95	1069	13	21	713	87	1.57	7	16	<10	180	1145	<2	61	16	10	568
74241	365711	<1	6.10	45	291	<2	10	3.48	<4	30	119	85	4.93	0.04	26	2.40	1221	<1	66	881	326	0.41	5	14	10	143	4647	<2	109	24	16	766
74242	365712	<1	6.39	39	376	<2	15	3.18	<4	21	80	51	3.10	0.10	24	1.78	862	<1	43	564	75	0.20	7	26	<10	148	3191	<2	83	12	13	134
74243	365713	<1	5.86	36	365	2	9	2.11	<4	9	44	13	1.87	0.14	19	1.18	462	<1	16	407	41	0.22	<5	14	<10	127	1872	<2	37	<10	8	145
74244	365714	<1	6.02	31	387	2	37	2.18	<4	15	65	32	2.24	0.06	24	1.28	622	<1	28	503	64	0.20	6	12	<10	128	2791	<2	63	<10	11	138

PROCEDURE CODES: ALP1, ALMA1, ALFA2, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:26 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540879
Reference: TL15-009
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74245	365715	<1	7.25	25	396	2	14	2.31	<4	19	70	24	2.64	0.37	29	1.22	622	<1	34	586	39	0.14	7	9	<10	149	2827	<2	68	11	11	116
74246	365716	<1	5.89	26	284	2	14	2.01	<4	10	35	14	1.79	0.10	25	1.21	585	<1	16	482	42	0.15	<5	17	<10	134	2136	<2	38	<10	8	182
74247	365717	<1	5.41	23	385	2	<1	2.19	<4	17	112	26	2.57	0.06	25	1.64	638	<1	45	620	40	0.11	8	14	<10	213	2456	<2	61	<10	11	80
74248	365718	<1	6.35	23	305	<2	8	1.95	<4	19	122	44	3.23	0.15	38	1.64	747	<1	46	606	52	0.12	5	9	12	142	2746	<2	88	13	15	168
74249	365719	<1	6.04	22	236	<2	7	1.93	<4	22	135	48	4.08	0.34	41	1.98	1105	<1	51	549	29	0.16	5	5	<10	160	3613	<2	91	<10	16	86
74250R	365719	<1	5.41	27	215	2	13	1.83	<4	21	127	45	3.83	0.18	37	1.87	1027	<1	77	512	27	0.14	9	6	<10	152	3262	<2	92	12	15	74
74251	365720	<1	6.31	18	481	<2	22	3.83	<4	16	10	59	3.73	0.03	2	1.55	884	<1	8	598	4	0.05	<5	16	<10	466	2706	<2	134	<10	24	54
74252	365721	<1	5.82	31	248	<2	10	1.75	<4	21	163	43	3.62	<0.01	35	1.80	792	3	94	504	20	0.13	<5	12	<10	132	2918	<2	93	10	16	83
74253	365722	<1	5.07	24	177	2	<1	1.91	<4	22	155	45	3.33	<0.01	31	1.56	760	4	113	460	27	0.23	6	7	<10	125	2748	<2	104	11	17	97
74254	365723	<1	5.10	42	241	<2	15	0.85	<4	13	100	32	2.58	<0.01	35	1.10	418	5	89	478	44	0.24	<5	18	10	85	2279	<2	76	<10	12	49
74255	365724	<1	5.61	35	355	2	4	1.20	<4	12	67	40	2.42	<0.01	39	1.55	706	2	71	497	73	0.27	5	22	<10	116	2324	<2	65	<10	11	90
74256	365725	<1	5.58	35	411	<2	15	1.77	<4	8	42	6	2.00	0.09	27	1.82	771	3	66	549	25	0.14	9	25	<10	145	2158	<2	54	<10	7	42
74257	365726	<1	5.34	26	367	<2	<1	1.79	<4	7	46	5	1.95	<0.01	25	1.72	743	3	74	545	22	0.14	5	17	<10	140	2093	<2	54	11	7	38
74258	365727	<1	5.70	29	415	<2	3	1.73	<4	9	37	12	1.96	0.08	26	1.66	627	3	63	548	29	0.15	<5	17	15	136	2183	<2	52	12	7	66
74259	365728	<1	5.29	23	251	<2	4	2.68	<4	21	135	128	3.98	<0.01	37	2.27	861	3	100	483	18	0.21	6	14	<10	89	2513	<2	92	<10	17	201
74260	365729	<1	4.94	22	123	2	16	1.64	<4	17	140	32	3.57	<0.01	43	2.25	818	<1	70	475	22	0.11	5	5	13	98	2188	<2	79	11	15	158
74261D	365729	<1	4.80	19	121	2	7	1.61	<4	17	144	31	3.60	0.09	43	2.25	829	<1	83	489	25	0.10	5	16	<10	98	2240	<2	83	11	15	158
74262	365730	<1	4.51	32	498	<2	<1	2.20	<4	14	54	199	3.96	<0.01	10	1.30	723	5	39	608	10	0.09	<5	<5	10	282	2774	<2	109	15	16	66
74263	365731	<1	5.44	40	314	2	14	0.76	<4	28	155	118	3.34	0.01	19	1.36	424	3	114	559	23	0.36	10	21	<10	102	2364	<2	109	<10	19	51
74264	365732	<1	5.15	27	224	<2	<1	1.22	<4	22	175	55	3.86	0.01	28	1.95	624	4	117	545	27	0.17	<5	13	<10	119	2545	<2	103	<10	16	77

PROCEDURE CODES: ALP1, ALMA1, ALFA2, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:26 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540879
Reference: TL15-009
Sample #: 91

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74265	365733	<1	6.00	21	247	2	9	1.46	<4	22	177	59	3.95	<0.01	31	2.04	725	<1	89	581	31	0.15	<5	17	11	131	2935	<2	101	12	17	63
74266	365734	<1	6.70	118	276	2	10	1.15	<4	26	185	56	4.19	<0.01	32	2.04	616	3	116	571	26	0.15	5	23	10	112	2945	<2	122	<10	16	85
74267	365735	<1	5.70	54	218	2	13	1.51	<4	23	170	49	3.82	0.04	29	2.12	661	<1	87	537	26	0.07	5	23	11	115	2891	<2	101	10	14	70
74268	365736	<1	5.63	62	187	2	14	1.14	<4	23	148	49	3.72	0.13	33	2.28	579	<1	88	498	26	0.06	<5	20	13	86	2406	<2	99	10	13	101
74269	365737	<1	5.94	56	222	2	9	0.98	<4	24	175	52	3.90	0.02	37	2.36	555	2	106	516	28	0.09	5	26	12	78	2499	<2	111	<10	14	89
74270	365738	<1	6.26	60	222	<2	5	0.99	<4	23	166	49	4.22	0.03	46	2.43	576	2	114	523	24	0.06	5	23	11	84	2985	<2	116	<10	15	103
74271	365739	<1	6.24	35	228	<2	<1	0.95	<4	23	161	40	3.94	<0.01	42	2.40	465	<1	92	563	19	0.06	6	28	10	89	2583	2	115	<10	16	61
74272D	365739	<1	5.98	30	222	2	<1	0.92	<4	22	155	39	3.85	<0.01	41	2.35	452	<1	84	555	16	0.05	<5	29	11	87	2488	<2	110	10	16	63
74273	365740	<1	6.82	21	502	<2	7	3.99	<4	15	14	62	3.91	<0.01	3	1.64	909	<1	10	627	11	0.05	<5	21	10	485	2775	<2	141	<10	26	51
74274	365741	<1	6.29	15	251	2	6	0.89	<4	19	131	40	3.37	<0.01	38	2.45	482	1	81	518	21	0.06	7	11	<10	87	1891	<2	90	<10	14	55
74275	365742	<1	5.14	20	256	2	12	0.81	<4	13	89	26	2.53	0.18	36	2.14	469	<1	61	455	25	0.09	5	18	12	84	1882	<2	63	11	12	66
74276	365743	<1	5.55	12	127	2	6	3.93	<4	7	53	3	1.22	<0.01	14	1.28	296	3	58	272	4	0.05	<5	27	10	61	1359	<2	38	<10	8	12
74277	365744	<1	5.66	12	144	2	9	1.24	<4	6	50	2	1.72	<0.01	24	1.73	405	3	72	287	8	0.02	<5	34	<10	152	1390	<2	40	<10	8	22
74278	365745	<1	5.84	11	194	<2	16	1.56	<4	6	29	13	1.97	<0.01	26	1.57	540	<1	44	332	11	0.08	8	14	<10	162	1361	<2	34	<10	7	32
74279	365746	<1	5.25	18	176	2	12	1.51	<4	6	27	35	2.26	0.05	24	1.75	863	<1	41	295	11	0.11	7	20	15	152	1283	<2	32	<10	9	28
74280	365747	<1	4.62	14	195	2	4	1.09	<4	5	21	3	1.23	<0.01	18	1.29	328	<1	31	288	9	0.03	5	24	<10	140	1255	<2	28	<10	6	15
74281	365748	5	2.69	21	46	2	<1	0.73	<4	2	37	3	0.68	<0.01	2	0.59	160	3	50	228	23	0.03	6	21	<10	104	652	<2	21	<10	6	4
74282	365749	2	3.50	12	123	2	10	0.44	<4	2	29	11	0.73	<0.01	6	0.55	138	<1	38	247	8	0.03	<5	24	11	91	886	<2	23	<10	7	11
74283D	365749	3	3.02	17	111	2	<1	0.39	<4	2	24	11	0.68	<0.01	4	0.52	130	<1	31	234	10	0.03	<5	8	<10	85	842	<2	21	<10	7	29
74284	365750	131	4.38	30	356	<2	6	2.68	4	14	35	84	4.57	<0.01	4	1.24	813	<1	23	518	16784	0.08	95	16	10	270	2577	<2	126	<10	18	298

PROCEDURE CODES: ALP1, ALMA1, ALFA2, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:26 AM

TL15395

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
74285	365751	0.033
74286	365752	0.061
74287	365753	0.021
74288	365754	0.018
74289	365755	0.007
74290	365756	0.013
74291	365757	<0.005
74292	365758	<0.005
74293	365759	<0.005
74294	365760	<0.005
74295	365760	Insufficient Sample
74296	365761	<0.005
74297	365762	<0.005
74298	365763	<0.005
74299	365764	<0.005
74300	365765	<0.005
74301	365766	<0.005
74302	365767	<0.005
74303	365768	<0.005
74304	365769	0.005
74305	365770	0.388
74306	365770	Insufficient Sample
74307	365771	<0.005
74308	365772	0.435
74309	365773	2.248

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
74310	365774	3.671
74311	365775	0.274
74312	365776	0.121
74313	365777	0.299
74314	365778	0.437
74315	365779	4.168
74316	365780	0.009
74317	365780	Insufficient Sample
74318	365781	0.158
74319	365782	0.060
74320	365783	0.055
74321	365784	1.182
74322	365785	0.150
74323	365786	0.233
74324	365787	0.054
74325	365788	0.402
74326	365789	0.007
74327	365790	1.465
74328	365790	Insufficient Sample
74329	365791	0.026
74330	365792	0.110
74331	365793	0.095
74332	365794	0.217
74333	365795	0.149
74334	365796	0.024

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
74335	365797	0.013
74336	365798	0.007
74337	365799	0.011
74338	365800	<0.005
74339	365800	Insufficient Sample
74340	365801	0.034
74341	365802	0.033
74342	365803	0.033
74343	365804	0.022
74344	365805	0.023
74345	365806	0.050
74346	365807	0.062
74347	365808	0.020
74348	365809	0.093
74349	365810	4.473
74350	365810	Insufficient Sample
74351	365811	0.025
74352	365812	0.031
74353	365813	0.126
74354	365814	0.170
74355	365815	0.202
74356	365816	0.215
74357	365817	0.039
74358	365818	0.150
74359	365819	0.113

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
74360	365820	<0.005
74361	365820	Insufficient Sample
74362	365821	0.022
74363	365822	0.017
74364	365823	0.136
74365	365824	0.058
74366	365825	0.022
74367	365826	0.079
74368	365827	0.034
74369	365828	0.079
74370	365829	<0.005
74371	365830	0.390
74372	365830	Insufficient Sample
74373	365831	0.008
74374	365832	0.008
74375	365833	0.018
74376	365834	0.053
74377	365835	0.129
74378	365836	0.127
74379	365837	0.072
74380	365838	0.618
74381	365839	0.147
74382	365840	0.008
74383	365840	Insufficient Sample
74384	365841	0.085

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
74385	365842	0.023
74386	365843	0.088
74387	365844	0.554
74388	365845	0.090
74389	365846	0.102
74390	365847	0.087
74391	365848	0.052
74392	365849	0.082
74393	365850	1.474
74394	365850	Insufficient Sample
74395	365851	0.066
74396	365852	0.094
74397	365853	0.026
74398	365854	0.037
74399	365855	0.024
74400	365856	0.714
74401	365857	0.014
74402	365858	0.058
74403	365859	0.055
74404	365860	<0.005
74405	365860	Insufficient Sample
74406	365861	0.054
74407	365862	0.034
74408	365863	0.254
74409	365864	0.286

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
74410	365865	0.204
74411	365866	0.219
74412	365867	0.162
74413	365868	0.024
74414	365869	0.054
74415	365870	4.902
74416	365870	Insufficient Sample
74417	365871	0.069
74418	365872	0.021
74419	365873	0.012
74420	365874	0.173
74421	365875	0.128
74422	365876	0.054
74423	365877	0.585
74424	365878	0.032
74425	365879	0.058
74426	365880	<0.005
74427	365880	Insufficient Sample
74428	365881	0.042
74429	365882	0.120
74430	365883	0.054
74431	365884	<0.005
74432	365885	0.017
74433	365886	0.016
74434	365887	0.022

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
74435	365888	0.025
74436	365889	0.039
74437	365890	0.345
74438	365890	Insufficient Sample
74439	365891	0.020
74440	365892	0.044
74441	365893	0.059
74442	365894	0.009
74443	365895	0.023
74444	365896	0.043
74445	365897	0.006
74446	365898	<0.005
74447	365899	<0.005
74448	365900	<0.005
74449	365900	Insufficient Sample
74450	365901	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, March 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL01	0.388	0.394	0.011
AR01	1.571	1.729	0.121
AR01	1.733	1.729	0.121
AR01	1.600	1.729	0.121
AR01	1.456	1.729	0.121
AR01	1.677	1.729	0.121

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
No Signature

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74285	365751	<1	6.87	40	537	2	33	1.31	<4	27	174	55	4.43	0.95	32	1.71	626	2	76	707	21	0.25	<5	11	46	286	3205	<2	112	<10	14	90
74286	365752	<1	5.13	29	300	2	3	1.52	<4	25	171	51	3.72	0.90	25	1.36	544	5	61	779	18	0.15	<5	17	10	298	3024	<2	87	<10	12	67
74287	365753	<1	5.34	39	329	2	12	1.61	<4	25	182	51	4.04	0.68	30	1.54	683	2	61	709	20	0.17	<5	13	35	288	3279	<2	94	<10	14	76
74288	365754	<1	4.82	17	346	2	15	1.82	<4	22	161	42	3.77	0.61	28	1.49	679	2	64	745	48	0.24	<5	29	<10	301	2411	<2	105	<10	12	93
74289	365755	<1	4.72	30	365	2	12	1.57	<4	22	144	39	3.54	0.88	27	1.33	490	3	60	766	21	0.24	<5	31	36	279	2377	<2	89	<10	10	61
74290	365756	<1	3.65	44	326	2	12	1.57	<4	24	148	43	3.88	0.55	28	1.34	585	<1	65	558	18	0.15	<5	13	32	282	3089	<2	98	<10	10	66
74291	365757	<1	4.30	15	237	2	18	2.21	<4	21	154	41	3.67	0.60	32	1.42	665	2	54	665	20	0.11	<5	25	13	271	3018	<2	88	<10	12	71
74292	365758	<1	4.28	15	407	<2	1	1.97	<4	11	63	25	2.47	0.49	36	1.30	525	3	22	669	68	0.12	<5	17	33	207	2318	<2	53	12	8	164
74293	365759	<1	4.37	18	400	<2	2	1.88	<4	6	25	6	1.65	0.26	29	1.19	403	1	6	567	35	0.06	<5	17	36	240	2211	<2	38	<10	6	78
74294	365760	<1	5.24	17	478	<2	8	3.78	<4	16	11	59	3.73	0.03	3	1.43	890	<1	7	834	10	0.06	<5	36	34	460	2733	<2	131	<10	20	57
74295D	365760																IS															
74296	365761	<1	2.37	18	282	<2	12	1.20	<4	4	37	3	1.04	<0.01	16	0.85	254	7	4	557	17	0.04	<5	20	38	128	1311	<2	20	<10	5	31
74297	365762	<1	5.83	17	597	<2	6	2.12	<4	7	32	12	1.93	0.57	31	1.98	591	2	7	795	173	0.06	<5	35	33	203	2266	6	39	110	7	507
74298	365763	<1	5.22	15	432	<2	12	0.75	<4	6	18	8	1.86	0.41	33	1.65	433	<1	6	880	19	0.06	<5	24	37	133	2239	2	38	<10	7	86
74299	365764	<1	5.45	17	448	<2	13	0.92	<4	6	19	5	1.61	0.65	26	1.45	368	<1	7	853	<1	0.06	<5	27	31	129	2311	2	38	<10	7	16
74300	365765	<1	4.82	20	379	<2	7	0.75	<4	8	24	9	1.72	0.66	28	1.56	389	1	9	761	2	0.06	<5	21	34	118	2450	<2	45	<10	6	20
74301	365766	<1	4.98	26	374	<2	<1	0.84	<4	8	34	10	1.69	0.71	27	1.49	377	<1	11	852	3	0.06	<5	18	30	127	2442	2	45	<10	7	17
74302	365767	<1	4.88	21	322	<2	11	3.02	<4	6	22	10	0.99	0.56	16	1.01	279	<1	5	783	1	0.07	<5	29	32	77	2134	<2	35	<10	6	5
74303	365768	<1	5.26	20	448	<2	9	1.47	<4	6	36	15	1.16	0.55	12	0.89	255	4	8	461	3	0.10	<5	34	31	75	2091	3	33	<10	7	20
74304	365769	<1	5.83	22	411	<2	21	1.43	<4	9	53	14	1.03	0.33	9	0.52	163	5	13	405	10	0.11	<5	25	34	81	1733	<2	34	<10	6	8

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74305	365770	<1	3.84	63	283	<2	23	1.05	4	13	33	2138	4.79	0.24	27	0.82	1062	16	21	596	80	1.36	<5	24	39	172	1147	<2	57	15	7	550
74306D	365770																IS															
74307	365771	<1	5.57	25	404	<2	18	2.24	<4	6	32	42	0.88	0.11	12	0.65	241	3	7	491	1	0.10	<5	28	35	88	1476	<2	23	<10	6	12
74308	365772	<1	5.05	40	650	<2	13	0.28	<4	6	32	85	1.08	0.06	14	0.62	162	5	9	321	444	0.14	<5	33	34	100	1441	<2	25	13	5	644
74309	365773	<1	5.70	60	453	<2	16	0.22	<4	5	27	52	1.27	0.37	15	0.58	206	2	8	534	387	0.25	<5	34	35	80	1442	<2	25	11	6	410
74310	365774	8	5.33	63	334	<2	17	0.07	<4	9	29	145	1.75	0.62	11	0.42	<100	2	11	780	243	0.43	6	34	35	57	1659	<2	43	14	7	404
74311	365775	<1	5.43	72	362	<2	9	0.39	<4	11	35	59	2.28	0.45	25	0.69	345	2	14	792	135	0.40	<5	13	36	77	2058	<2	48	<10	7	272
74312	365776	<1	4.86	60	365	<2	10	1.11	<4	12	40	30	2.09	0.57	27	0.78	492	3	14	745	81	0.27	5	<5	32	98	2397	<2	48	10	6	124
74313	365777	<1	6.68	54	472	<2	13	1.65	<4	13	30	38	2.42	0.82	35	1.04	692	1	15	829	72	0.29	<5	24	43	132	2887	3	55	12	7	145
74314	365778	<1	4.60	54	361	<2	8	0.57	<4	11	24	46	1.75	0.74	25	0.60	315	<1	12	788	64	0.37	<5	25	34	75	2387	<2	49	<10	6	240
74315	365779	<1	6.06	56	390	<2	21	0.75	<4	12	26	20	1.86	<0.01	26	0.72	372	<1	13	790	59	0.41	<5	38	35	64	2469	<2	50	<10	8	186
74316	365780	<1	5.92	19	455	<2	15	3.62	<4	15	11	56	3.59	0.10	2	1.51	853	<1	8	526	6	0.06	<5	27	33	440	2665	<2	125	10	23	63
74317D	365780																IS															
74318	365781	<1	6.22	72	419	2	14	1.92	<4	18	104	39	3.10	0.19	40	1.32	1120	1	40	960	90	0.35	5	33	32	116	2756	<2	77	12	12	313
74319	365782	<1	4.77	49	497	<2	9	1.57	<4	10	57	25	1.84	0.29	26	1.08	714	2	22	680	94	0.18	<5	36	35	165	1809	5	42	<10	8	257
74320	365783	<1	6.67	47	632	2	19	1.27	<4	7	36	24	1.59	0.90	29	1.24	840	2	9	456	220	0.10	6	30	38	193	1869	<2	30	<10	6	293
74321	365784	8	5.40	52	451	<2	11	0.82	<4	8	30	35	1.91	0.36	23	0.87	605	1	10	737	444	0.30	<5	18	38	91	2197	<2	41	11	6	215
74322	365785	<1	4.25	28	349	<2	1	1.19	<4	9	30	20	1.72	0.54	27	1.07	882	<1	10	641	69	0.15	<5	26	33	93	2000	4	35	<10	6	120
74323	365786	<1	4.80	30	386	<2	9	1.27	<4	8	27	30	1.91	0.31	28	1.13	932	1	11	532	131	0.18	<5	28	36	102	2081	<2	37	12	6	175
74324	365787	<1	4.85	30	427	<2	18	1.78	<4	7	27	12	1.58	0.59	32	1.15	722	<1	9	332	40	0.09	<5	34	40	131	1704	<2	29	<10	5	76

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74325	365788	<1	4.74	40	512	<2	13	1.46	<4	8	23	39	1.77	0.70	31	1.10	790	<1	10	635	189	0.22	<5	33	34	129	2011	<2	35	13	6	712
74326	365789	<1	4.82	20	526	<2	14	1.22	<4	5	21	4	0.98	0.56	29	0.76	375	<1	8	529	25	0.08	<5	38	33	158	1585	<2	25	<10	5	59
74327	365790	<1	3.85	28	469	<2	4	2.02	<4	14	51	189	3.70	<0.01	9	1.22	684	12	36	876	17	0.10	<5	21	29	263	2611	<2	99	<10	15	61
74328D	365790																IS															
74329	365791	<1	5.85	20	475	<2	18	1.69	<4	6	23	9	1.29	0.02	24	0.74	414	<1	8	576	32	0.11	7	27	31	189	1581	3	27	<10	6	38
74330	365792	<1	5.31	22	402	<2	13	1.54	<4	5	21	20	1.49	0.13	23	0.77	396	<1	7	569	81	0.14	<5	36	35	204	1491	<2	24	<10	6	146
74331	365793	<1	4.59	28	408	<2	<1	1.45	<4	4	25	19	1.46	0.40	15	0.76	404	<1	8	303	56	0.19	<5	10	34	199	1392	<2	22	<10	6	88
74332	365794	<1	5.21	24	490	<2	16	1.32	<4	6	36	5	1.51	0.54	22	0.75	516	5	50	468	30	0.13	<5	21	36	184	1541	<2	38	<10	6	90
74333	365795	<1	5.27	21	499	<2	13	1.39	<4	6	39	4	1.57	0.50	23	0.77	549	3	45	635	31	0.17	<5	29	31	187	1580	<2	38	<10	6	79
74334	365796	<1	4.81	21	470	<2	6	1.26	<4	7	40	8	1.49	0.61	21	0.73	539	4	49	449	31	0.16	<5	26	30	128	1622	<2	40	<10	6	18
74335	365797	<1	4.31	22	498	<2	<1	1.53	<4	7	38	20	1.65	0.87	18	0.73	710	5	57	470	28	0.14	<5	13	26	178	1589	<2	41	<10	6	46
74336	365798	<1	4.35	14	560	<2	5	1.73	<4	6	65	16	1.82	0.88	25	0.82	774	12	109	502	38	0.08	<5	34	38	198	1641	<2	56	10	6	241
74337	365799	<1	4.93	18	549	<2	14	1.89	<4	6	38	10	1.59	0.62	25	0.83	860	5	52	336	64	0.10	<5	28	36	176	1663	<2	42	<10	6	176
74338	365800	<1	3.89	15	474	<2	10	3.72	<4	15	11	61	3.73	0.57	2	1.30	900	<1	9	982	6	0.06	<5	14	36	456	2714	<2	132	<10	17	60
74339D	365800																IS															
74340	365801	<1	5.81	31	582	<2	3	1.40	<4	6	44	10	1.56	<0.01	29	0.90	598	6	62	558	42	0.14	<5	28	30	172	1604	<2	41	<10	6	88
74341	365802	<1	6.96	19	630	2	4	1.45	<4	6	42	12	1.51	0.11	29	0.84	570	5	60	620	89	0.13	<5	27	30	181	1807	<2	43	<10	6	85
74342	365803	<1	6.42	21	547	<2	14	1.83	<4	6	41	15	1.69	0.30	25	0.97	825	5	60	555	59	0.12	<5	22	33	184	1707	<2	42	<10	7	155
74343	365804	<1	6.52	23	584	2	3	1.95	<4	7	45	11	1.64	0.47	32	0.97	847	8	69	389	100	0.14	<5	11	32	191	1741	3	45	<10	6	158
74344	365805	<1	9.13	32	790	2	31	2.14	<4	9	53	12	1.85	1.23	37	1.01	841	9	73	745	60	0.17	5	37	47	205	1977	<2	51	11	7	173

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74345	365806	<1	4.96	27	463	<2	<1	1.57	<4	6	45	10	1.44	0.69	21	0.79	526	6	57	541	77	0.20	<5	24	29	185	1461	<2	39	10	6	185
74346	365807	<1	3.92	23	455	<2	<1	1.42	<4	6	46	10	1.34	0.53	20	0.67	416	7	70	477	44	0.15	<5	24	29	182	1433	<2	43	<10	5	76
74347	365808	<1	3.31	25	370	<2	8	0.99	<4	5	29	14	1.04	0.71	14	0.59	327	3	39	287	45	0.11	<5	9	35	154	1146	<2	29	<10	5	92
74348	365809	<1	4.36	29	594	<2	7	0.89	<4	8	40	51	1.73	0.58	22	0.62	436	5	54	537	271	0.31	<5	24	35	182	1611	<2	41	13	5	425
74349	365810	122	3.80	18	369	<2	28	2.69	5	15	37	88	4.62	0.70	4	1.21	841	4	24	757	18928	0.11	91	14	40	268	2618	<2	124	11	15	312
74350R	365810																IS															
74351	365811	1	5.26	25	557	<2	7	1.11	<4	6	40	13	1.46	0.04	18	0.76	426	3	47	431	321	0.10	8	32	29	208	1614	<2	42	<10	6	115
74352	365812	<1	5.43	26	344	<2	13	1.05	<4	7	34	18	1.48	0.12	16	0.76	402	2	43	568	94	0.18	<5	39	32	184	1630	<2	39	<10	6	18
74353	365813	<1	5.57	22	512	<2	16	1.01	<4	7	38	100	1.95	0.16	22	0.82	505	2	46	541	22	0.32	<5	35	32	236	1615	<2	41	11	6	44
74354	365814	<1	5.49	40	473	<2	6	0.78	<4	8	39	30	1.76	0.25	20	0.64	330	3	47	599	58	0.38	<5	27	36	186	1608	<2	38	<10	6	74
74355	365815	<1	5.41	43	489	<2	11	0.75	<4	8	42	33	1.65	0.48	19	0.60	297	6	55	573	59	0.35	<5	20	31	182	1584	<2	40	<10	6	42
74356	365816	<1	3.19	26	407	<2	4	0.96	<4	5	33	32	1.36	0.30	13	0.72	466	2	38	517	228	0.15	<5	25	28	169	1231	<2	30	<10	5	308
74357	365817	<1	4.36	20	464	2	<1	3.07	<4	7	31	14	1.65	0.82	12	0.97	948	3	42	351	159	0.15	<5	28	34	238	1389	<2	35	58	5	164
74358	365818	<1	4.81	24	443	<2	4	1.70	<4	6	34	15	1.29	0.74	16	0.74	579	3	40	334	148	0.10	<5	13	32	238	1434	<2	31	<10	5	277
74359	365819	<1	4.52	11	425	<2	17	1.57	<4	6	32	11	1.50	0.73	17	0.69	497	3	43	375	124	0.08	<5	19	32	256	1447	<2	33	<10	5	208
74360	365820	<1	5.03	18	479	<2	18	3.80	<4	16	12	59	3.75	0.60	3	1.43	892	<1	8	1096	13	0.06	<5	16	32	463	2680	<2	132	<10	20	63
74361D	365820																IS															
74362	365821	<1	5.26	24	381	<2	18	1.33	<4	6	36	9	1.17	0.33	16	0.56	340	3	49	539	45	0.04	5	26	32	265	1668	<2	40	<10	6	54
74363	365822	<1	4.21	19	387	<2	13	1.32	<4	5	32	5	1.20	0.21	12	0.66	423	3	44	478	9	0.05	<5	19	30	179	1383	5	32	<10	5	18
74364	365823	<1	5.71	20	445	<2	18	2.19	<4	8	41	8	1.48	0.11	12	0.64	442	6	55	613	7	0.09	<5	17	28	141	1640	<2	37	<10	6	9

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74365	365824	<1	5.64	23	565	2	16	1.37	<4	8	33	9	1.58	0.14	13	0.72	426	3	41	438	36	0.14	<5	29	30	218	1663	<2	36	<10	6	17
74366	365825	<1	5.80	16	461	<2	7	0.85	<4	6	31	18	1.41	0.22	16	0.73	356	2	37	530	40	0.07	<5	34	30	214	1611	<2	35	<10	6	36
74367	365826	<1	5.72	25	457	<2	5	1.39	<4	5	29	20	1.36	0.40	18	0.71	354	2	34	602	26	0.10	<5	27	35	204	1584	<2	33	<10	6	17
74368	365827	<1	7.35	36	564	2	5	1.18	<4	8	39	13	1.66	0.73	29	0.89	521	2	14	649	252	0.31	<5	27	39	200	1692	<2	34	10	7	299
74369	365828	<1	4.97	41	547	<2	6	1.27	6	16	96	133	3.14	0.64	30	0.91	747	1	41	579	633	0.39	<5	25	39	131	2298	<2	68	28	10	2167
74370	365829	<1	4.53	22	459	<2	14	1.49	<4	5	25	7	1.26	0.78	18	0.78	659	<1	8	504	40	0.08	<5	23	29	131	1544	<2	28	<10	5	103
74371	365830	<1	4.14	58	275	<2	18	1.05	4	14	31	2181	4.88	0.64	27	0.87	1069	15	20	806	79	1.35	7	15	35	176	1116	<2	58	14	8	570
74372D	365830																IS															
74373	365831	<1	5.14	23	488	<2	12	1.44	<4	6	26	41	1.33	0.69	16	0.82	731	<1	8	569	41	0.11	<5	22	34	128	1444	<2	27	<10	6	91
74374	365832	<1	4.35	21	449	<2	4	1.53	<4	6	28	3	1.41	0.50	17	0.83	797	3	8	464	56	0.13	<5	19	33	122	1479	<2	27	<10	5	96
74375	365833	<1	5.64	20	444	<2	10	1.98	<4	8	69	29	2.06	0.08	22	1.14	1056	3	25	559	47	0.13	<5	10	33	142	1625	<2	45	<10	10	80
74376	365834	<1	5.87	16	458	2	8	2.00	<4	23	146	78	4.16	0.15	28	1.68	1000	<1	75	589	41	0.32	<5	25	34	122	2610	<2	91	<10	18	189
74377	365835	<1	5.17	17	243	<2	10	2.32	<4	19	140	41	3.58	0.04	20	1.82	1726	2	52	878	30	0.25	<5	19	34	135	2397	<2	74	<10	17	161
74378	365836	<1	5.39	24	478	2	17	1.40	<4	25	167	51	3.91	0.24	29	1.55	1100	2	68	848	65	0.35	<5	13	38	121	2994	<2	107	<10	13	271
74379	365837	<1	4.77	20	356	2	17	1.54	<4	23	154	56	3.82	0.31	23	1.68	1242	1	59	645	29	0.26	<5	22	37	125	2760	<2	88	<10	13	118
74380	365838	<1	4.83	67	433	2	21	1.33	<4	22	151	60	3.37	0.71	23	1.08	722	2	55	778	80	0.55	<5	11	40	98	2361	<2	84	12	13	215
74381	365839	<1	5.46	43	558	<2	14	1.15	<4	11	47	82	1.92	0.05	23	0.99	508	<1	23	588	85	0.43	<5	24	28	94	1993	<2	46	10	9	212
74382	365840	<1	5.98	15	472	<2	14	3.73	<4	14	11	62	3.71	0.14	2	1.53	885	<1	9	758	6	0.07	<5	20	31	452	2712	<2	130	12	23	94
74383D	365840																IS															
74384	365841	<1	5.61	31	637	2	15	2.01	<4	8	20	34	1.60	0.24	18	1.29	719	<1	7	479	13	0.27	5	29	37	104	1814	<2	31	<10	7	52

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74385	365842	<1	5.28	23	522	<2	9	2.24	<4	7	19	11	1.62	0.12	16	1.29	741	<1	7	526	27	0.25	<5	17	31	113	1861	<2	31	<10	6	78
74386	365843	<1	5.77	27	508	<2	11	2.24	<4	11	62	75	2.31	0.10	22	1.41	872	<1	22	664	180	0.34	<5	23	37	132	2411	<2	48	10	9	114
74387	365844	<1	4.87	36	492	2	19	1.20	<4	16	127	109	2.78	0.04	23	1.05	684	2	54	594	78	0.40	<5	22	36	81	2538	<2	82	13	13	185
74388	365845	<1	5.42	29	675	2	7	1.71	<4	7	20	14	1.67	<0.01	22	1.18	812	<1	8	650	69	0.28	<5	9	33	95	1953	<2	34	<10	7	101
74389	365846	<1	4.85	34	647	2	7	1.68	<4	6	20	12	1.60	0.10	20	1.16	808	<1	7	830	59	0.26	<5	26	32	92	1869	<2	32	12	6	67
74390	365847	<1	5.39	30	584	<2	<1	1.77	<4	7	15	7	1.54	<0.01	19	1.10	753	<1	6	717	49	0.25	<5	17	35	95	1961	<2	32	<10	6	55
74391	365848	<1	5.03	23	512	<2	15	1.56	<4	6	24	34	1.43	<0.01	22	1.06	697	<1	7	726	100	0.17	5	24	32	83	1861	<2	31	<10	6	185
74392	365849	<1	4.82	23	496	<2	2	1.61	<4	7	16	24	1.48	0.14	23	1.07	755	1	5	571	327	0.20	<5	26	34	90	1843	<2	30	11	6	321
74393	365850	<1	3.77	30	472	<2	14	2.07	<4	14	51	197	3.75	0.22	9	1.21	697	12	37	764	16	0.10	<5	15	32	263	2682	<2	101	12	14	67
74394D	365850																IS															
74395	365851	<1	5.06	26	454	<2	7	2.58	<4	7	16	17	1.93	0.20	17	1.59	1312	<1	6	703	24	0.20	<5	25	34	99	1889	<2	33	10	7	69
74396	365852	<1	5.31	29	509	<2	11	1.82	<4	9	19	29	1.77	0.15	21	1.14	793	<1	7	772	85	0.25	5	15	38	98	1907	<2	33	<10	6	104
74397	365853	<1	9.23	28	761	2	17	2.56	<4	10	24	38	1.95	0.90	32	1.55	958	2	9	997	32	0.26	<5	43	42	135	2663	9	43	11	8	88
74398	365854	<1	5.71	13	490	<2	13	1.57	<4	7	16	15	1.41	0.10	18	0.98	614	<1	5	665	29	0.08	6	24	33	104	1934	<2	33	<10	6	45
74399	365855	<1	6.06	17	496	<2	12	1.68	<4	7	19	24	1.57	0.07	17	1.02	708	<1	5	782	44	0.11	<5	33	33	112	1908	<2	34	<10	7	62
74400	365856	<1	6.58	14	656	2	13	1.72	<4	9	16	35	1.72	<0.01	29	1.09	717	<1	6	646	55	0.12	<5	23	33	128	2241	<2	38	<10	6	131
74401	365857	4	2.08	18	216	<2	21	0.76	4	3	43	51	1.09	<0.01	8	0.60	334	4	5	517	1304	0.08	6	21	52	69	829	10	13	19	5	1400
74402	365858	<1	5.60	30	532	<2	22	1.30	<4	8	29	34	1.64	0.14	26	0.97	587	<1	10	953	196	0.29	<5	32	35	118	1991	<2	34	<10	6	263
74403	365859	<1	4.54	27	390	<2	17	1.92	<4	6	24	19	1.55	0.20	25	1.26	946	<1	6	748	59	0.20	<5	25	34	107	1694	<2	28	10	7	312
74404	365860	<1	5.31	15	465	<2	31	3.68	<4	15	11	59	3.64	0.27	2	1.46	882	<1	8	975	12	0.06	<5	28	36	446	2665	<2	127	13	20	60

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-03/30/2015 11:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74405D	365860																IS														
74406	365861	<1	5.88	32	259	<2	16	3.56	<4	33	194	59	4.35	0.29	25	2.74	1228	3	119	1462	27	0.34	<5	19	37	226	5501	15	117	12	17	253
74407	365862	<1	5.67	37	470	2	23	1.78	<4	8	29	8	1.62	0.41	27	1.17	533	2	34	900	17	0.15	<5	25	37	140	2194	3	47	<10	7	45
74408	365863	<1	4.83	86	270	<2	2	2.74	<4	28	129	100	4.13	0.37	44	2.05	1387	5	113	1342	253	0.64	<5	16	38	135	4819	<2	123	11	13	569
74409	365864	<1	6.61	63	186	<2	32	2.49	<4	37	189	59	6.12	0.07	45	2.92	1301	5	149	1713	179	0.96	<5	24	39	143	2554	4	168	10	16	253
74410	365865	<1	6.29	80	127	<2	9	2.32	<4	46	173	96	6.61	0.31	47	3.79	1596	<1	134	1590	181	0.91	<5	12	34	129	4264	7	160	<10	19	364
74411	365866	<1	6.22	73	125	<2	15	2.25	<4	42	176	97	6.49	0.28	47	3.81	1564	3	138	1603	209	0.83	5	19	36	125	4412	<2	159	15	18	388
74412	365867	<1	6.26	64	128	<2	20	2.83	<4	46	187	201	6.94	0.17	42	3.73	1582	6	148	1711	165	0.59	8	7	34	145	7553	<2	178	11	19	430
74413	365868	<1	4.65	25	290	<2	6	1.95	<4	16	117	37	3.12	0.08	34	1.59	711	6	88	806	44	0.16	5	27	40	117	2401	<2	88	<10	10	83
74414	365869	<1	4.75	31	278	2	14	3.19	<4	29	163	46	4.07	0.08	34	1.88	1050	4	107	1018	26	0.16	<5	27	36	151	4197	<2	120	12	14	83
74415	365870	120	3.62	26	337	<2	23	2.57	4	14	37	82	4.41	0.06	3	1.19	807	3	24	722	18126	0.10	87	12	34	253	2553	<2	119	<10	15	280
74416R	365870																IS														
74417	365871	<1	5.84	38	186	<2	30	5.39	<4	49	182	75	4.83	0.20	27	2.76	1660	3	127	1752	299	0.20	<5	5	32	182	8325	13	178	11	21	149
74418	365872	<1	5.03	33	265	<2	14	3.73	<4	22	93	35	2.83	0.07	20	1.90	1181	4	71	997	48	0.11	<5	28	33	150	4433	<2	86	<10	12	138
74419	365873	<1	5.11	20	238	<2	6	1.68	<4	6	21	10	1.42	0.30	21	1.06	550	2	32	527	26	0.06	<5	20	32	105	1719	4	30	<10	5	66
74420	365874	<1	5.57	25	324	2	16	1.76	<4	16	58	35	2.64	0.15	31	1.34	675	2	55	638	33	0.14	7	19	37	115	2713	<2	85	10	8	276
74421	365875	<1	5.48	22	277	2	11	1.77	<4	24	150	43	3.63	0.06	37	1.75	694	4	91	727	20	0.10	<5	25	35	122	3138	<2	109	<10	13	80
74422	365876	<1	5.93	23	303	2	16	0.95	<4	23	167	45	3.11	<0.01	37	1.25	511	7	114	684	24	0.13	<5	25	33	75	2939	<2	118	<10	15	62
74423	365877	7	5.91	76	277	2	26	1.26	6	23	143	173	4.33	<0.01	32	1.37	707	4	90	736	292	0.53	25	27	37	79	2584	<2	107	25	15	1732
74424	365878	<1	5.12	22	310	2	19	1.83	<4	20	148	69	3.73	0.04	32	1.87	937	4	86	822	52	0.20	<5	13	35	94	2284	3	100	12	13	151

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74425	365879	<1	5.47	20	248	<2	18	1.55	<4	21	152	50	3.76	0.16	34	2.14	670	4	82	824	18	0.07	<5	26	39	105	2199	<2	96	<10	11	101
74426	365880	<1	6.38	20	471	<2	21	3.78	<4	15	14	61	3.75	<0.01	2	1.59	891	<1	10	825	13	0.06	5	27	37	458	2717	6	131	11	24	61
74427D	365880																IS															
74428	365881	<1	6.08	18	234	<2	24	1.91	<4	20	166	41	3.77	<0.01	31	2.09	893	9	108	644	35	0.08	<5	29	36	108	2085	<2	101	10	14	155
74429	365882	4	4.92	17	248	<2	18	3.24	19	21	155	186	4.99	0.02	27	2.72	1628	4	94	667	2314	0.34	12	19	41	88	2138	10	104	66	12	6795
74430	365883	<1	5.09	27	330	<2	18	1.27	<4	25	166	58	3.88	<0.01	31	1.82	623	3	92	706	133	0.11	<5	20	38	92	2954	<2	117	12	10	214
74431	365884	<1	4.48	21	207	<2	10	1.47	<4	21	163	46	3.56	0.08	28	1.66	586	7	98	776	35	0.07	<5	16	34	104	2791	<2	94	10	11	85
74432	365885	<1	4.55	20	230	2	13	1.69	<4	23	165	52	3.80	<0.01	30	1.78	734	6	99	867	32	0.07	<5	28	35	119	3014	<2	103	<10	11	57
74433	365886	<1	5.33	11	215	2	<1	1.81	<4	23	168	49	3.98	0.06	33	1.92	769	4	95	857	28	0.08	<5	25	33	120	2914	<2	103	<10	13	62
74434	365887	<1	5.32	16	361	<2	24	0.61	<4	25	179	92	4.15	0.04	34	1.72	593	8	120	792	78	0.11	<5	28	38	84	2967	<2	131	12	10	78
74435	365888	<1	5.28	15	196	<2	9	1.44	<4	22	163	50	3.89	0.09	32	2.08	621	3	82	610	30	0.10	<5	22	36	115	2690	<2	97	<10	12	85
74436	365889	<1	5.37	19	239	2	30	1.05	<4	24	159	47	4.07	0.04	30	1.85	591	2	90	622	23	0.09	<5	24	37	113	3202	<2	114	<10	11	44
74437	365890	3	5.47	59	295	<2	24	1.13	4	14	36	2286	5.15	0.13	29	1.00	1134	16	24	922	82	1.43	<5	23	38	184	1233	<2	62	14	10	589
74438D	365890																IS															
74439	365891	<1	6.26	20	229	2	18	1.12	<4	25	166	74	4.38	0.04	39	2.27	639	3	90	816	33	0.11	<5	23	37	120	2945	<2	115	<10	15	66
74440	365892	<1	6.04	17	226	<2	12	1.11	<4	26	164	50	4.52	0.09	45	2.48	566	4	99	814	34	0.09	<5	12	40	96	3138	4	119	10	14	67
74441	365893	<1	5.54	22	204	<2	20	1.27	<4	19	143	40	3.57	0.05	38	2.44	440	3	80	802	30	0.08	<5	21	43	85	1852	<2	89	10	12	97
74442	365894	2	4.64	32	255	<2	7	1.01	<4	15	103	40	2.65	<0.01	26	1.71	374	3	42	803	22	0.07	<5	18	37	66	1333	<2	56	<10	10	60
74443	365895	<1	5.62	17	212	<2	18	1.26	<4	21	151	43	3.61	0.04	39	2.15	592	2	53	715	25	0.07	<5	27	39	75	2465	<2	85	<10	11	75
74444	365896	<1	5.24	23	249	<2	13	1.12	<4	21	141	43	3.46	<0.01	41	1.83	561	2	57	843	20	0.09	<5	18	39	76	2800	3	90	<10	12	86

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, March 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/13/2015
Date Completed: 03/27/2015
Job #: 201540880
Reference: TL15-010
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
74445	365897	<1	4.59	18	158	<2	3	1.81	<4	9	64	22	2.20	<0.01	27	1.54	497	2	23	637	15	0.06	<5	16	36	86	1697	<2	41	<10	9	51
74446	365898	<1	5.71	15	182	<2	12	2.27	<4	5	22	7	1.70	<0.01	28	1.74	528	<1	8	507	11	0.04	<5	26	32	131	1342	<2	25	<10	6	60
74447	365899	<1	5.39	12	158	<2	13	1.80	<4	5	18	3	1.36	<0.01	25	1.50	307	2	6	640	4	0.04	<5	31	36	106	1210	<2	22	<10	6	147
74448	365900	<1	5.96	16	456	<2	21	3.70	<4	15	10	59	3.65	<0.01	1	1.54	862	<1	8	853	9	0.06	<5	26	32	451	2605	5	127	13	23	111
74449D	365900																IS															
74450	365901	<1	5.42	15	94	<2	18	1.82	<4	8	23	9	1.69	0.12	25	1.62	442	1	6	686	9	0.04	<5	32	35	115	1055	<2	22	<10	6	90

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-03/30/2015 11:28 AM

TL15396

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81184	365902	0.109	
81185	365903	0.005	
81186	365904	0.007	
81187	365905	0.025	
81188	365906	0.022	
81189	365907	0.050	
81190	365908	0.009	
81191	365909	0.007	
81192	365910	1.502	
81193	365911	0.025	
81194	365911 Dup	0.026	
81195	365912	0.050	
81196	365913	0.051	
81197	365914	0.032	
81198	365915	0.011	
81199	365916	0.013	
81200	365917	0.039	
81201	365918	0.224	
81202	365919	0.624	
81203	365920	<0.005	
81204	365921	0.060	
81205	365921 Dup	0.081	
81206	365922	0.055	
81207	365923	0.037	
81208	365924	0.043	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81209	365925	0.044	
81210	365926	0.016	
81211	365927	0.062	
81212	365928	0.163	
81213	365929	0.087	
81214	365930	4.974	
81215	365931	0.028	
81216	365931 Dup	0.027	
81217	365932	0.056	
81218	365933	0.035	
81219	365934	0.072	
81220	365935	0.334	
81221	365936	0.417	
81222	365937	0.144	
81223	365938	0.258	
81224	365939	0.195	
81225	365940	<0.005	
81226	365941	0.080	
81227	365941 Dup	0.090	
81228	365942	0.184	
81229	365943	0.314	
81230	365944	>10.000	13.566
81231	365945	6.450	7.294
81232	365946	5.229	
81233	365947	1.170	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81234	365948	0.019	
81235	365949	0.016	
81236	365950	0.385	
81237	365951	0.020	
81238	365951 Dup	0.020	
81239	365952	0.023	
81240	365953	0.167	
81241	365954	0.016	
81242	365955	0.035	
81243	365956	0.018	
81244	365957	0.008	
81245	365958	0.011	
81246	365959	0.013	
81247	365960	<0.005	
81248	365961	0.023	
81249	365961 Rep	0.020	
81250	365962	0.025	
81251	365963	0.015	
81252	365964	0.011	
81253	365965	0.010	
81254	365966	0.008	
81255	365967	0.009	
81256	365968	0.006	
81257	365969	0.042	
81258	365970	1.458	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81259	365971	0.053	
81260	365971 Dup	0.052	
81261	365972	0.020	
81262	365973	0.024	
81263	365974	0.022	
81264	365975	0.013	
81265	365976	0.058	
81266	365977	0.019	
81267	365978	0.010	
81268	365979	0.176	
81269	365980	<0.005	
81270	365981	0.008	
81271	365981 Dup	0.008	
81272	365982	<0.005	
81273	365983	0.006	
81274	365984	0.006	
81275	365985	<0.005	
81276	365986	<0.005	
81277	365987	<0.005	
81278	365988	<0.005	
81279	365989	<0.005	
81280	365990	5.002	
81281	365991	<0.005	
81282	365991 Dup	0.007	
81283	365992	0.052	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81284	365993	0.233	
81285	365994	<0.005	
81286	365995	<0.005	
81287	365996	0.005	
81288	365997	<0.005	
81289	365998	<0.005	
81290	365999	0.007	
81291	366000	<0.005	
81292	366501	0.011	
81293	366501 Dup	0.014	
81294	366502	<0.005	
81295	366503	<0.005	
81296	366504	<0.005	
81297	366505	0.005	
81298	366506	<0.005	
81299	366507	<0.005	
81300	366508	0.010	
81301	366509	0.023	
81302	366510	1.534	
81303	366511	0.025	
81304	366511 Dup	0.017	
81305	366512	0.018	
81306	366513	0.027	
81307	366514	0.017	
81308	366515	0.084	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81309	366516	0.028	
81310	366517	0.024	
81311	366518	0.052	
81312	366519	0.115	
81313	366520	<0.005	
81314	366521	0.040	
81315	366521 Rep	0.052	
81316	366522	0.211	
81317	366523	0.187	
81318	366524	0.155	
81319	366525	0.367	
81320	366526	0.246	
81321	366527	0.044	
81322	366528	0.086	
81323	366529	0.164	
81324	366530	5.296	
81325	366531	0.062	
81326	366531 Dup	0.057	
81327	366532	0.105	
81328	366533	0.125	
81329	366534	0.055	
81330	366535	0.025	
81331	366536	0.061	
81332	366537	0.024	
81333	366538	0.008	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81334	366539	0.008	
81335	366540	<0.005	
81336	366541	0.318	
81337	366541 Dup	0.245	
81338	366542	0.122	
81339	366543	0.191	
81340	366544	0.098	
81341	366545	0.083	
81342	366546	0.103	
81343	366547	0.211	
81344	366548	0.317	
81345	366549	0.365	
81346	366550	5.070	
81347	366551	1.407	
81348	366551 Dup	1.637	
81349	366552	0.709	
81350	366553	0.488	
81351	366554	1.616	
81352	366555	0.470	
81353	366556	0.160	
81354	366557	0.076	
81355	366558	0.131	
81356	366559	0.259	
81357	366560	<0.005	
81358	366561	0.265	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81359	366561 Dup	0.283	
81360	366562	0.055	
81361	366563	0.198	
81362	366564	0.156	
81363	366565	0.038	
81364	366566	0.044	
81365	366567	0.129	
81366	366568	0.098	
81367	366569	0.093	
81368	366570	0.377	
81369	366571	1.364	
81370	366571 Dup	0.988	
81371	366572	0.114	
81372	366573	0.103	
81373	366574	1.375	
81374	366575	0.228	
81375	366576	0.406	
81376	366577	0.046	
81377	366578	0.058	
81378	366579	0.055	
81379	366580	0.232	
81380	366581	0.016	
81381	366581 Rep	0.032	
81382	366582	0.015	
81383	366583	0.042	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81384	366584	0.086	
81385	366585	0.048	
81386	366586	0.061	
81387	366587	0.160	
81388	366588	0.265	
81389	366589	0.052	
81390	366590	1.475	
81391	366591	0.058	
81392	366591 Dup	0.062	
81393	366592	0.139	
81394	366593	0.225	
81395	366594	0.150	
81396	366595	0.178	
81397	366596	0.205	
81398	366597	0.021	
81399	366598	0.066	
81400	366599	0.029	
81401	366600	<0.005	
81402	366601	0.022	
81403	366601 Dup	0.023	
81404	366602	0.027	
81405	366603	0.015	
81406	366604	0.009	
81407	366605	0.014	
81408	366606	0.020	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81409	366607	0.095	
81410	366608	0.053	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.701	1.729	0.121
AR01	1.654	1.729	0.121
AR01	1.898	1.729	0.121
AR01	1.908	1.729	0.121
AR01	1.598	1.729	0.121
AR01	1.771	1.729	0.121
AR01	1.809	1.729	0.121
KL01	0.368	0.394	0.011
AR01	1.441	1.729	0.121
AR01	1.690	1.729	0.121
AR01	1.648	1.729	0.121
GS37	3.088	3.220	0.210
G306	46.992	48.530	2.290

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81184	365902	<1	5.57	12	329	<2	32	1.44	<4	8	20	8	1.88	0.10	16	0.93	502	4	27	492	<1	0.13	<5	9	<10	232	2018	<2	44	<10	8	46
81185	365903	<1	6.35	41	476	2	15	2.17	<4	7	21	12	2.03	0.25	14	0.72	459	5	28	556	3	0.27	<5	25	<10	325	1783	<2	39	<10	8	52
81186	365904	<1	6.48	6	593	<2	22	1.74	<4	8	22	9	1.87	0.30	18	0.80	462	4	31	521	<1	0.18	7	19	13	218	2219	<2	45	<10	7	50
81187	365905	<1	6.16	18	523	<2	19	0.94	<4	10	28	8	1.91	0.33	15	0.67	464	6	44	489	<1	0.18	8	21	<10	184	2217	<2	48	<10	8	45
81188	365906	<1	6.28	11	549	<2	17	1.06	<4	8	23	10	1.98	0.31	15	0.70	492	4	36	513	<1	0.16	<5	23	13	198	2332	<2	48	<10	8	48
81189	365907	<1	6.15	14	580	<2	4	1.19	<4	8	26	14	1.86	0.41	14	0.65	484	5	37	484	<1	0.28	5	16	26	205	1943	<2	45	<10	8	49
81190	365908	<1	6.38	17	668	<2	30	1.15	<4	13	22	10	1.42	0.33	17	0.65	298	5	40	586	<1	0.16	<5	23	10	197	2219	<2	49	<10	8	35
81191	365909	<1	6.50	23	600	<2	25	1.53	<4	15	19	14	1.01	0.28	18	0.71	219	4	45	735	<1	0.15	<5	32	15	203	1974	<2	47	<10	7	59
81192	365910	<1	4.46	24	486	<2	23	2.20	<4	14	56	201	4.02	0.24	13	1.28	738	14	40	633	<1	0.12	11	<5	14	296	2868	<2	109	12	16	69
81193	365911	<1	6.78	39	752	<2	26	1.62	<4	20	18	19	1.30	0.19	20	0.91	394	3	46	758	<1	0.32	7	19	14	212	2323	<2	48	<10	7	156
81194D	365911	<1	7.21	38	780	<2	11	1.67	<4	20	21	19	1.33	0.06	25	0.94	404	6	50	779	<1	0.30	5	18	<10	217	2402	<2	50	<10	8	167
81195	365912	<1	6.70	18	770	<2	15	1.97	<4	18	22	16	1.32	0.17	20	1.10	490	5	53	792	<1	0.26	10	25	14	209	2338	<2	49	<10	8	78
81196	365913	<1	6.99	39	695	2	23	2.17	<4	12	26	12	1.42	0.20	25	1.22	677	5	43	653	14	0.36	10	21	<10	233	2193	<2	46	<10	8	96
81197	365914	<1	6.67	32	471	2	17	1.69	<4	7	22	7	1.36	0.56	19	1.05	663	6	36	563	3	0.33	<5	23	12	159	2207	<2	41	<10	7	52
81198	365915	<1	6.83	31	433	<2	25	1.94	<4	8	21	8	1.56	0.52	17	1.04	626	5	32	522	5	0.34	<5	13	12	150	2204	<2	42	<10	7	62
81199	365916	<1	5.90	23	349	<2	20	1.68	<4	6	37	14	1.58	0.41	20	1.14	735	7	8	522	32	0.25	5	25	10	141	1833	<2	28	<10	7	142
81200	365917	<1	6.38	27	405	<2	68	1.34	<4	15	32	24	1.65	0.50	27	1.18	828	6	14	588	6	0.24	<5	33	26	132	2061	<2	34	<10	7	158
81201	365918	<1	6.35	25	406	<2	16	0.87	<4	21	26	20	1.07	0.37	28	0.90	504	4	17	559	<1	0.13	5	16	11	119	2106	<2	33	<10	6	59
81202	365919	<1	6.24	31	277	<2	12	1.29	<4	17	31	36	1.35	0.39	21	1.07	734	9	18	620	29	0.29	<5	23	<10	154	1858	<2	34	<10	7	77
81203	365920	<1	5.89	17	464	<2	14	3.89	<4	16	14	60	3.84	0.38	4	1.48	926	3	7	617	<1	0.09	7	8	14	491	2811	<2	135	13	22	63

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81204	365921	<1	7.27	27	433	<2	19	1.00	<4	19	32	34	1.23	0.14	25	0.74	428	7	21	761	25	0.19	8	26	12	152	2305	<2	37	<10	7	70
81205D	365921	<1	6.61	28	403	<2	25	0.91	<4	18	28	31	1.14	0.15	24	0.70	407	5	19	710	21	0.19	<5	24	<10	143	2183	<2	35	<10	7	68
81206	365922	<1	6.68	20	332	<2	22	1.28	<4	15	23	62	1.43	0.08	22	0.90	652	4	18	663	39	0.18	<5	9	15	169	2140	<2	34	<10	8	208
81207	365923	<1	6.40	20	385	<2	5	1.18	<4	11	22	30	1.27	0.13	16	0.80	585	6	13	633	22	0.16	7	24	10	172	2125	<2	33	<10	7	87
81208	365924	<1	6.73	19	363	<2	8	1.34	<4	10	24	14	1.24	0.34	19	0.90	687	4	11	549	3	0.15	6	16	11	180	1991	<2	31	<10	7	63
81209	365925	<1	6.68	11	449	<2	12	1.25	<4	10	40	32	1.35	0.38	18	0.84	602	8	10	517	21	0.09	<5	17	12	176	1989	<2	32	<10	7	110
81210	365926	<1	6.62	14	455	<2	27	1.17	<4	11	35	54	1.36	0.47	18	0.84	595	7	10	571	23	0.10	<5	17	13	167	2109	<2	33	<10	7	293
81211	365927	<1	6.57	15	431	<2	17	1.33	<4	6	26	36	1.23	0.52	19	0.98	736	7	7	591	115	0.18	<5	31	11	174	2016	<2	31	<10	7	254
81212	365928	<1	7.05	18	499	<2	25	1.26	<4	6	19	18	1.31	0.29	18	0.79	621	2	6	525	15	0.19	<5	33	<10	179	2043	<2	33	<10	7	68
81213	365929	<1	6.38	15	429	<2	15	1.54	<4	6	20	29	1.52	0.33	19	0.80	591	5	6	532	19	0.14	<5	10	<10	192	1844	<2	32	14	6	74
81214	365930	124	4.88	19	357	<2	19	2.84	5	16	39	88	4.85	0.34	7	1.29	883	5	24	548	16551	0.13	66	<5	13	292	2779	<2	130	<10	18	319
81215	365931	<1	5.81	14	456	<2	11	1.14	<4	5	28	26	1.28	0.28	14	0.69	421	5	6	452	153	0.20	<5	8	10	168	1708	<2	30	<10	7	55
81216D	365931	<1	5.59	15	446	<2	10	1.09	<4	6	29	24	1.23	0.29	15	0.66	408	5	6	468	23	0.19	<5	19	<10	163	1658	<2	29	<10	7	58
81217	365932	<1	5.82	13	270	<2	6	1.12	<4	10	28	23	1.20	0.16	12	0.64	519	4	12	492	20	0.10	6	20	<10	164	1588	<2	30	<10	6	88
81218	365933	<1	6.16	17	335	<2	15	1.24	<4	9	20	15	1.49	0.16	13	0.74	617	3	11	502	4	0.21	<5	25	11	183	1729	<2	33	<10	7	86
81219	365934	<1	5.43	18	304	<2	11	1.67	<4	6	25	10	2.13	0.19	14	0.96	916	3	8	500	1	0.14	6	9	10	190	1977	<2	33	<10	7	184
81220	365935	<1	9.49	33	552	2	22	2.16	<4	8	37	20	2.17	1.02	27	1.25	1152	7	8	639	37	0.30	7	29	14	226	2306	6	42	<10	10	125
81221	365936	<1	6.39	26	499	<2	2	0.98	<4	7	25	20	1.60	0.45	16	0.72	604	1	7	517	39	0.34	<5	20	11	133	2269	<2	38	<10	8	153
81222	365937	<1	7.18	22	511	<2	14	1.65	<4	7	30	12	2.00	0.38	18	0.99	905	3	9	589	<1	0.16	<5	18	10	153	2464	<2	41	<10	9	75
81223	365938	<1	5.64	38	443	<2	20	0.99	<4	6	23	15	1.67	0.48	14	0.77	612	5	7	551	30	0.47	<5	9	<10	122	2080	<2	35	<10	7	137

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81224	365939	<1	6.65	33	449	<2	12	1.21	<4	7	24	44	1.98	0.35	15	0.87	840	5	8	651	58	0.52	7	21	12	133	2293	<2	41	<10	8	249
81225	365940	<1	6.26	7	473	<2	31	3.94	<4	16	12	62	3.93	0.42	3	1.55	944	1	9	628	<1	0.09	8	10	10	497	2857	<2	137	<10	23	62
81226	365941	<1	6.78	19	542	<2	11	1.52	<4	6	27	22	1.64	0.39	15	0.99	904	5	7	633	36	0.19	6	21	17	136	2304	<2	42	<10	8	111
81227D	365941	<1	6.80	24	551	<2	8	1.52	<4	6	27	23	1.67	0.41	16	1.00	925	4	7	638	35	0.21	<5	26	10	135	2345	<2	42	<10	7	109
81228	365942	<1	5.25	31	365	<2	25	0.11	<4	7	28	11	1.18	0.17	13	0.57	179	4	9	459	3	0.33	<5	25	<10	71	1686	<2	34	<10	7	44
81229	365943	<1	5.53	49	333	<2	23	<0.01	<4	7	36	9	1.24	0.13	12	0.46	<100	8	9	406	8	0.37	<5	28	12	67	1578	<2	31	12	7	42
81230	365944	73	3.56	99	248	<2	14	0.02	20	16	30	968	2.06	<0.01	10	0.43	148	7	15	308	4337	0.71	87	7	<10	58	1212	<2	26	64	7	9648
81231	365945	46	4.30	77	351	<2	7	<0.01	7	19	29	371	1.83	<0.01	11	0.49	159	5	18	354	1215	0.54	50	14	10	56	1535	<2	29	18	7	2856
81232	365946	26	4.94	67	391	<2	22	0.06	<4	16	34	353	1.68	0.35	13	0.56	187	5	16	380	602	0.47	31	21	12	63	1667	<2	31	13	7	1605
81233	365947	<1	5.78	35	451	2	9	0.58	<4	9	35	36	1.55	0.45	16	0.78	592	5	10	436	122	0.47	12	15	13	109	2030	<2	35	<10	8	366
81234	365948	<1	6.41	23	416	<2	17	1.46	<4	8	37	15	1.93	0.40	15	0.91	970	5	10	458	<1	0.14	<5	25	<10	150	2185	<2	36	<10	8	67
81235	365949	<1	4.66	15	321	<2	22	1.19	<4	7	28	11	1.88	0.56	11	0.74	758	4	35	400	3	0.18	<5	6	<10	138	1920	<2	41	<10	6	66
81236	365950	<1	5.70	58	268	<2	27	1.14	4	14	36	2316	5.32	0.27	32	0.98	1182	19	22	754	61	1.92	<5	17	13	200	1274	<2	62	12	11	607
81237	365951	<1	6.16	21	417	<2	19	1.42	<4	11	31	56	2.15	0.40	18	0.79	749	6	38	476	5	0.27	<5	23	10	167	2120	<2	45	<10	8	98
81238D	365951	<1	6.18	17	421	<2	29	1.43	<4	11	32	21	2.09	0.18	15	0.77	730	4	33	465	<1	0.20	9	22	<10	167	2118	<2	44	<10	7	87
81239	365952	<1	5.95	16	423	<2	<1	1.70	<4	8	41	8	2.00	0.29	16	0.78	640	8	48	449	<1	0.13	<5	12	11	186	1906	<2	48	<10	8	83
81240	365953	<1	6.23	32	378	<2	30	1.71	<4	9	43	18	2.30	0.19	14	0.73	527	5	44	381	<1	0.40	<5	14	10	200	1946	<2	46	<10	8	67
81241	365954	<1	5.89	23	341	<2	35	2.68	<4	8	38	11	2.08	0.13	16	1.11	966	4	34	482	<1	0.41	<5	21	10	215	2131	<2	47	<10	8	77
81242	365955	<1	5.62	22	355	<2	9	2.32	<4	8	39	14	2.28	0.18	15	1.02	922	3	33	464	<1	0.33	5	6	12	209	2078	<2	45	<10	8	73
81243	365956	<1	5.79	19	326	<2	20	2.77	<4	8	37	11	2.14	0.21	11	1.20	919	5	34	491	<1	0.33	<5	17	10	218	2202	<2	46	<10	8	57

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81244	365957	<1	5.94	19	332	<2	26	2.66	<4	9	38	9	1.96	0.24	16	1.26	845	6	42	509	<1	0.31	<5	15	<10	206	2353	<2	48	<10	8	46
81245	365958	<1	5.73	35	404	<2	37	1.67	<4	9	43	10	1.78	0.39	20	1.01	571	6	47	501	<1	0.35	5	22	12	186	2050	<2	49	<10	8	55
81246	365959	<1	5.55	25	488	<2	10	1.31	<4	10	38	17	1.54	0.41	20	0.94	554	6	39	489	<1	0.15	<5	26	13	171	2163	<2	47	<10	7	85
81247	365960	<1	6.32	15	477	<2	19	3.97	<4	16	13	61	3.92	0.44	4	1.55	941	3	10	622	<1	0.08	<5	8	13	498	2828	<2	138	<10	24	65
81248	365961	<1	7.18	27	417	<2	10	1.11	<4	9	34	17	1.91	0.28	25	0.96	734	4	37	593	<1	0.34	5	20	12	169	2359	<2	53	<10	9	73
81249R	365961	<1	6.12	21	379	<2	24	0.96	<4	8	29	17	1.64	0.32	18	0.87	687	3	29	555	<1	0.18	<5	11	12	153	2156	<2	48	<10	8	66
81250	365962	<1	5.59	27	323	<2	13	1.36	<4	8	32	19	1.65	0.40	19	0.92	937	4	30	466	<1	0.20	9	22	<10	165	1882	<2	44	<10	7	107
81251	365963	1	5.48	25	399	<2	18	1.44	<4	8	33	42	1.17	0.38	20	0.90	994	5	43	453	<1	0.15	5	23	12	164	1993	<2	46	<10	5	56
81252	365964	<1	6.36	30	488	<2	12	1.21	<4	7	33	17	0.97	0.39	27	0.86	684	5	34	527	<1	0.15	7	22	11	153	2336	<2	48	<10	6	75
81253	365965	<1	5.49	24	443	<2	5	1.10	<4	10	34	10	0.76	0.48	27	0.82	535	5	44	466	<1	0.09	<5	16	10	146	2302	<2	50	<10	5	44
81254	365966	<1	6.05	29	458	<2	8	1.15	<4	11	28	9	0.75	0.35	27	0.87	548	7	31	476	<1	0.10	5	27	10	151	2338	<2	47	<10	6	53
81255	365967	<1	5.37	24	427	<2	32	1.50	<4	12	28	8	0.83	0.67	28	1.03	710	2	29	441	<1	0.11	<5	26	16	180	2329	<2	49	<10	5	42
81256	365968	<1	5.39	16	359	<2	6	1.79	<4	9	24	4	0.74	0.45	26	1.20	814	4	29	376	12	0.08	<5	19	17	173	1902	<2	38	<10	4	70
81257	365969	<1	4.70	18	308	<2	24	1.49	<4	5	30	8	0.83	0.47	24	1.13	685	7	43	345	16	0.15	7	<5	13	158	1816	<2	38	<10	4	96
81258	365970	<1	4.29	30	478	<2	37	2.20	<4	15	57	201	4.00	0.19	14	1.25	738	14	40	607	<1	0.12	<5	13	14	294	2788	<2	108	13	16	71
81259	365971	3	4.96	13	301	<2	26	1.21	<4	4	18	10	0.64	0.34	17	0.92	559	3	22	372	3	0.15	<5	22	<10	141	1646	<2	31	<10	5	46
81260D	365971	<1	5.75	22	333	<2	24	1.31	<4	4	24	10	0.68	0.25	22	0.99	582	4	29	394	8	0.15	<5	13	10	150	1769	2	35	<10	5	43
81261	365972	3	8.02	13	348	<2	33	1.56	<4	6	28	7	0.77	0.59	30	1.04	582	6	33	467	<1	0.16	<5	30	10	179	1775	<2	41	<10	6	48
81262	365973	<1	4.72	22	195	<2	8	2.06	<4	4	25	3	1.30	0.85	23	1.28	809	6	31	425	1	0.31	6	13	<10	190	1526	<2	35	<10	5	50
81263	365974	<1	4.45	31	290	<2	18	1.63	<4	11	38	25	2.51	0.80	26	1.13	870	4	38	346	6	0.42	<5	10	<10	186	2046	<2	46	<10	7	133

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81264	365975	<1	4.71	18	370	<2	10	2.06	<4	10	32	19	3.37	0.86	28	0.99	1093	4	34	353	5	0.31	6	6	12	203	2393	<2	48	<10	8	98
81265	365976	5	5.54	21	343	<2	19	1.32	<4	5	26	24	2.25	0.46	16	0.93	743	4	29	568	15	0.50	5	21	<10	128	1679	<2	34	<10	9	245
81266	365977	4	6.58	21	329	<2	20	1.19	<4	5	21	12	1.24	0.41	16	0.69	434	5	28	366	5	0.36	<5	22	<10	135	1823	<2	37	<10	7	95
81267	365978	<1	5.66	25	295	<2	5	1.14	<4	5	26	5	1.07	0.62	14	0.63	453	6	36	352	<1	0.29	<5	15	10	129	1666	<2	37	<10	6	27
81268	365979	46	6.43	31	362	<2	11	0.32	<4	5	25	18	1.03	0.32	17	0.56	294	7	38	377	116	0.27	<5	22	10	105	1838	<2	39	<10	6	256
81269	365980	<1	5.40	6	474	<2	5	3.90	<4	16	12	59	3.84	0.29	4	1.43	927	3	12	560	13	0.09	9	6	13	495	2815	<2	134	<10	20	63
81270	365981	<1	6.46	25	400	<2	4	1.76	<4	7	21	12	1.55	0.33	24	0.99	388	5	27	417	<1	0.38	<5	22	<10	198	2208	<2	49	<10	6	76
81271D	365981	<1	6.59	25	404	<2	24	1.75	<4	7	22	11	1.54	0.29	25	0.99	386	5	27	439	<1	0.38	<5	10	10	198	2215	<2	49	15	6	78
81272	365982	<1	6.73	27	424	<2	21	1.96	<4	9	24	9	1.63	0.19	30	1.15	229	5	39	454	<1	0.55	7	12	16	239	2508	<2	55	<10	5	60
81273	365983	<1	5.92	19	300	<2	14	2.00	<4	7	24	6	0.86	0.23	23	0.67	157	4	35	377	<1	0.31	7	17	11	227	1593	<2	36	<10	5	26
81274	365984	3	5.02	17	286	<2	17	1.97	<4	5	35	9	1.32	1.29	22	0.69	247	9	58	314	<1	0.40	<5	31	12	204	1600	<2	41	<10	6	43
81275	365985	13	4.78	20	322	<2	12	1.75	<4	4	53	6	1.33	1.23	24	0.81	313	14	92	289	<1	0.25	<5	5	11	210	1819	<2	54	<10	6	22
81276	365986	1	6.15	23	332	<2	8	1.93	<4	5	26	4	1.31	1.05	27	0.93	322	6	41	345	<1	0.32	<5	20	<10	220	1841	<2	39	<10	6	20
81277	365987	<1	3.18	10	250	<2	26	1.91	<4	5	26	9	1.17	1.54	16	1.00	303	6	43	258	<1	0.12	<5	15	13	185	1505	<2	33	<10	5	23
81278	365988	<1	4.15	14	325	<2	13	2.21	<4	6	27	5	1.55	1.15	25	1.02	268	7	44	271	<1	0.25	10	5	13	211	1740	<2	38	<10	6	29
81279	365989	2	3.65	17	333	<2	13	2.16	<4	5	32	8	1.31	1.19	26	1.03	264	10	52	287	<1	0.12	7	14	13	206	1793	<2	41	<10	5	35
81280	365990	41	3.23	20	370	<2	11	2.93	6	17	42	91	4.89	0.89	7	1.14	905	6	24	479	5601	0.12	72	<5	15	302	2798	<2	133	<10	15	334
81281	365991	<1	2.97	11	217	<2	10	1.88	<4	4	25	4	1.11	0.88	18	0.91	262	4	39	283	91	0.07	<5	11	<10	186	1698	<2	34	<10	5	20
81282D	365991	<1	3.59	14	247	<2	11	2.14	<4	5	31	4	1.24	0.66	23	0.98	280	8	50	302	<1	0.07	<5	<5	11	211	1665	<2	38	<10	5	27
81283	365992	<1	3.46	12	272	<2	17	2.39	<4	18	134	40	3.30	0.62	25	1.13	530	8	91	459	<1	0.15	<5	16	16	210	2444	<2	84	<10	10	58

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81284	365993	<1	2.94	12	273	<2	15	2.11	<4	21	148	36	3.29	0.70	27	1.02	541	6	80	446	<1	0.14	<5	6	12	193	2645	<2	90	<10	10	79
81285	365994	<1	4.30	19	401	<2	33	1.59	<4	8	39	11	1.30	0.57	23	0.72	281	5	42	526	<1	0.11	<5	8	21	199	2208	<2	53	<10	6	37
81286	365995	<1	5.58	19	350	<2	11	2.00	<4	7	38	7	1.36	0.39	25	1.00	381	8	62	511	<1	0.10	7	14	<10	209	2176	<2	53	<10	7	24
81287	365996	<1	3.48	21	252	<2	5	1.82	<4	6	39	7	1.44	0.34	15	0.90	411	10	70	472	<1	0.11	6	12	<10	196	1908	<2	50	<10	6	26
81288	365997	<1	6.27	39	410	<2	28	2.21	<4	7	38	7	1.67	0.59	27	0.91	452	8	63	528	<1	0.18	7	20	10	232	2407	<2	57	<10	7	30
81289	365998	<1	5.83	31	404	<2	18	2.23	<4	10	30	8	1.66	0.58	25	0.95	377	6	44	497	<1	0.20	<5	16	10	243	2212	<2	48	<10	7	28
81290	365999	<1	4.96	45	480	<2	16	1.97	<4	11	25	6	1.70	0.66	27	1.08	422	6	41	492	<1	0.38	8	31	13	256	2140	<2	48	<10	6	34
81291	366000	<1	3.90	10	456	<2	33	3.85	<4	16	12	61	3.85	0.55	4	1.37	927	2	9	506	<1	0.08	6	14	13	484	2775	<2	135	<10	18	69
81292	366501	<1	3.61	35	563	<2	9	1.25	<4	9	33	9	1.45	0.35	23	0.76	319	8	54	426	<1	0.32	<5	26	10	226	2140	<2	52	<10	5	45
81293D	366501	<1	3.32	34	520	<2	21	1.12	<4	9	24	7	1.30	0.92	17	0.70	283	6	39	412	<1	0.36	5	<5	<10	209	1988	<2	45	<10	5	41
81294	366502	<1	4.59	30	488	<2	8	2.07	<4	9	19	8	1.13	0.48	24	1.10	323	2	23	504	<1	0.26	<5	13	18	299	1880	<2	40	<10	5	17
81295	366503	1	4.22	34	433	<2	24	1.78	<4	9	33	5	1.42	0.40	20	1.07	292	6	54	493	<1	0.34	<5	14	14	273	1780	<2	46	<10	5	45
81296	366504	<1	3.38	30	512	<2	14	2.08	<4	11	26	6	1.50	0.43	24	1.05	409	6	43	494	<1	0.37	<5	20	12	290	1914	<2	45	<10	5	70
81297	366505	<1	4.70	26	457	<2	7	0.99	<4	9	20	11	1.92	0.25	22	0.62	347	4	36	515	<1	0.66	<5	18	<10	173	1859	<2	42	<10	6	44
81298	366506	4	5.96	25	515	<2	7	1.07	<4	9	23	11	1.80	0.46	26	0.67	358	6	36	572	<1	0.49	<5	12	10	189	2204	<2	49	<10	7	55
81299	366507	2	6.25	23	453	<2	19	1.46	<4	7	24	6	1.88	0.61	26	0.78	437	6	39	531	<1	0.44	6	17	<10	191	1985	<2	47	<10	7	41
81300	366508	2	6.03	21	502	<2	13	1.68	<4	9	23	9	1.88	0.61	26	0.93	418	5	39	538	2	0.41	<5	13	<10	198	2085	<2	47	<10	7	48
81301	366509	<1	5.19	28	371	<2	15	2.77	<4	21	143	46	3.84	0.58	28	1.42	806	7	80	483	15	0.71	<5	13	11	249	2652	<2	87	<10	15	129
81302	366510	<1	4.31	28	468	<2	12	2.20	<4	15	59	199	4.02	0.82	13	1.27	741	14	40	603	<1	0.11	8	19	14	294	2865	<2	107	<10	16	62
81303	366511	2	4.06	22	454	2	14	2.43	<4	20	119	40	3.73	0.90	20	1.24	674	6	81	452	<1	0.69	7	10	14	229	2383	<2	84	<10	11	73

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:53 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81304D	366511	2	4.22	24	494	2	11	2.61	<4	21	130	42	3.95	0.88	26	1.27	719	8	87	468	2	0.72	5	10	15	242	2532	<2	89	<10	11	95
81305	366512	3	4.07	22	474	2	44	2.37	<4	17	122	29	3.18	0.75	17	1.19	694	11	91	332	9	0.47	5	13	20	212	2080	<2	76	<10	11	90
81306	366513	<1	4.02	43	648	2	<1	2.54	<4	21	157	41	3.58	0.59	17	1.12	779	7	93	445	20	0.71	5	<5	14	209	2707	<2	102	<10	12	133
81307	366514	<1	3.66	22	632	2	9	2.12	<4	14	61	23	2.59	0.37	17	1.00	664	8	62	503	16	0.41	<5	7	<10	203	2224	<2	65	<10	7	79
81308	366515	<1	3.99	19	608	2	18	1.73	<4	28	172	61	4.25	0.30	28	1.11	863	7	70	508	14	0.44	<5	19	17	181	3386	<2	108	10	11	181
81309	366516	<1	4.41	21	502	2	16	2.48	<4	25	180	53	4.16	0.26	26	1.42	1094	8	67	573	15	0.46	5	13	13	200	3178	<2	92	<10	13	122
81310	366517	<1	5.84	17	464	2	26	2.65	<4	23	172	53	3.66	0.96	28	1.55	952	7	57	539	38	0.37	7	11	15	197	3039	<2	93	<10	16	253
81311	366518	<1	6.32	13	536	2	23	2.05	<4	26	175	49	4.43	0.88	28	1.58	947	8	69	540	5	0.26	5	<5	13	199	3271	<2	114	<10	17	115
81312	366519	<1	6.05	36	598	2	16	2.37	<4	24	170	66	4.21	0.75	27	1.56	1041	6	72	577	20	0.51	<5	11	10	218	3028	<2	105	<10	16	93
81313	366520	1	5.04	8	479	<2	24	3.88	<4	16	12	57	3.84	0.95	2	1.47	918	3	9	565	10	0.09	<5	7	<10	488	2709	<2	135	<10	21	62
81314	366521	<1	5.52	38	918	2	16	1.54	<4	18	107	85	3.27	0.23	26	1.07	915	5	40	493	48	0.81	6	15	<10	185	2863	<2	78	<10	9	198
81315R	366521	<1	4.54	49	937	2	27	1.48	<4	21	108	84	3.30	0.27	27	0.96	894	5	42	437	48	0.90	<5	5	<10	177	2837	<2	76	<10	8	202
81316	366522	<1	5.32	64	459	2	10	0.22	<4	12	79	75	2.28	0.51	12	0.49	143	6	26	473	670	0.61	8	11	<10	80	1874	<2	48	11	11	508
81317	366523	<1	6.57	115	592	2	16	0.13	<4	21	145	61	3.31	0.45	11	0.50	133	9	57	548	120	0.89	5	15	<10	83	2384	<2	92	<10	14	313
81318	366524	<1	7.49	120	681	2	31	1.55	<4	29	182	68	5.01	0.51	25	1.13	595	6	82	553	68	1.36	<5	19	14	160	3087	<2	122	<10	17	166
81319	366525	<1	5.81	157	523	2	9	0.75	<4	34	173	51	5.28	0.44	16	0.75	336	7	88	418	36	1.59	<5	<5	<10	114	3080	<2	125	<10	15	106
81320	366526	<1	6.60	153	709	2	15	1.02	<4	34	200	62	5.33	0.90	21	0.87	418	9	91	466	50	1.63	7	9	10	128	3606	<2	137	10	16	142
81321	366527	<1	2.03	40	427	2	12	1.48	<4	10	63	8	2.17	0.64	13	0.94	456	4	23	335	4	0.48	<5	6	<10	125	1866	<2	48	10	7	61
81322	366528	<1	3.83	66	592	2	8	1.11	<4	10	28	14	2.04	0.90	16	0.77	310	6	10	409	38	0.53	<5	15	<10	132	2044	<2	37	<10	5	99
81323	366529	<1	3.62	43	507	2	16	1.05	<4	9	31	11	1.86	0.76	13	0.68	362	6	10	410	234	0.42	7	<5	<10	121	1893	<2	35	<10	4	138

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:53 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81324	366530	34	2.16	20	367	<2	1	2.70	6	15	38	85	4.64	0.71	4	1.02	848	5	23	446	4499	0.14	64	11	12	278	2601	<2	124	<10	11	314
81325	366531	<1	3.75	20	531	2	11	1.72	<4	9	24	6	1.84	0.86	22	0.92	636	4	9	453	243	0.40	7	16	10	151	2196	<2	40	<10	5	97
81326D	366531	<1	5.43	32	549	2	19	1.77	<4	9	23	6	1.85	0.53	23	1.04	635	4	9	527	20	0.45	<5	28	<10	153	2227	<2	39	<10	6	98
81327	366532	<1	5.12	41	474	2	31	2.02	<4	24	158	67	3.36	0.47	29	1.21	815	6	59	474	13	0.38	<5	16	<10	165	3126	<2	103	<10	12	127
81328	366533	<1	5.32	57	404	2	18	1.65	<4	26	173	66	4.12	0.86	19	1.31	766	6	73	508	25	0.64	6	14	<10	116	3171	<2	104	<10	14	172
81329	366534	<1	6.14	38	498	2	18	1.19	<4	15	81	28	2.55	0.57	17	1.11	435	3	33	512	20	0.38	5	25	<10	97	2368	<2	60	11	10	234
81330	366535	<1	6.89	24	591	2	27	1.77	<4	9	29	12	2.19	0.48	25	1.55	555	5	10	575	12	0.12	<5	29	10	136	2263	<2	40	14	8	831
81331	366536	<1	6.49	45	551	2	16	2.40	<4	19	107	43	3.21	0.42	16	1.44	664	5	39	526	12	0.40	<5	14	<10	149	2445	<2	76	11	13	200
81332	366537	<1	5.51	30	471	<2	26	2.35	<4	10	57	16	2.40	0.58	18	1.20	504	7	19	505	5	0.20	7	15	<10	164	2230	<2	49	<10	8	66
81333	366538	<1	3.71	18	516	<2	25	2.36	<4	8	27	7	2.06	0.75	17	1.17	458	5	10	400	<1	0.13	6	12	<10	168	2061	<2	38	<10	6	55
81334	366539	<1	3.16	29	491	<2	4	2.41	<4	10	30	4	2.12	0.66	16	1.09	423	5	9	400	<1	0.27	<5	11	11	172	2178	<2	38	<10	5	50
81335	366540	<1	2.97	10	463	<2	<1	3.71	<4	15	12	55	3.70	0.83	2	1.26	886	1	8	458	<1	0.09	6	<5	<10	462	2635	<2	128	<10	15	62
81336	366541	<1	2.91	64	390	2	28	1.62	<4	21	114	81	3.91	0.52	19	1.36	659	8	50	399	3	0.53	5	13	<10	126	2163	<2	87	<10	6	73
81337D	366541	<1	3.11	69	395	2	16	1.62	<4	21	119	81	3.96	0.76	23	1.37	664	8	51	411	2	0.63	<5	<5	<10	122	2183	<2	88	<10	6	73
81338	366542	<1	3.50	31	341	2	23	0.92	<4	20	168	131	3.68	0.56	23	1.32	623	7	60	431	<1	0.31	<5	5	11	81	2349	<2	99	<10	7	145
81339	366543	<1	4.50	77	266	2	13	1.06	<4	21	152	48	3.34	0.66	15	1.10	531	7	58	444	<1	0.51	<5	12	<10	77	1895	<2	86	<10	8	212
81340	366544	<1	8.11	90	332	2	30	1.74	<4	26	185	53	4.55	1.26	32	1.92	891	10	66	579	<1	0.54	8	29	13	101	2480	<2	97	<10	13	110
81341	366545	<1	4.96	16	189	2	17	0.92	<4	20	154	33	3.57	0.25	21	1.92	829	5	57	460	3	0.21	<5	8	<10	66	2090	<2	96	<10	10	82
81342	366546	<1	8.40	21	290	2	39	1.49	<4	30	191	56	4.94	0.92	31	2.54	1064	6	81	617	6	0.40	8	20	14	88	2892	<2	116	<10	13	111
81343	366547	<1	4.96	66	193	2	5	1.25	5	18	145	96	3.39	0.38	13	1.56	548	5	56	496	20	0.29	<5	5	<10	68	1490	<2	79	14	10	1614

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:53 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81344	366548	<1	5.16	134	317	2	21	0.73	<4	21	188	52	3.62	0.57	15	0.98	349	9	70	499	46	0.57	<5	15	10	72	1723	<2	109	<10	10	307
81345	366549	<1	3.57	122	280	<2	22	0.44	<4	19	161	19	3.06	0.63	10	0.69	209	8	59	424	32	0.53	5	8	<10	59	1484	<2	89	<10	8	85
81346	366550	120	2.16	18	366	<2	20	2.80	6	16	40	89	4.85	0.87	4	1.10	876	7	24	447	16101	0.12	65	<5	10	287	2659	<2	129	<10	14	321
81347	366551	<1	2.95	61	355	2	6	0.84	<4	20	175	29	2.81	0.94	12	0.86	340	6	58	377	844	0.41	9	12	11	72	1637	<2	106	<10	6	319
81348D	366551	<1	2.37	58	421	2	11	0.88	<4	20	206	34	2.98	0.28	16	0.80	363	10	65	398	814	0.29	7	<5	<10	74	1793	<2	119	<10	5	368
81349	366552	<1	2.33	21	334	2	11	0.44	<4	20	159	47	3.80	0.27	18	1.44	531	6	63	393	198	0.28	<5	5	15	63	2038	<2	97	<10	5	218
81350	366553	<1	3.55	97	350	2	4	1.11	6	21	150	47	3.79	0.56	16	1.17	623	5	59	406	495	0.63	9	20	<10	83	1726	<2	89	15	7	1723
81351	366554	2	4.75	88	435	2	18	0.47	7	14	119	116	2.58	0.73	16	0.65	208	7	39	438	1192	0.77	6	26	<10	68	1798	<2	78	20	7	2431
81352	366555	<1	5.33	100	364	2	9	0.46	<4	17	152	31	3.08	0.65	16	0.92	344	5	49	499	152	0.83	5	14	<10	67	2003	<2	80	<10	11	278
81353	366556	<1	6.01	70	372	2	8	1.42	<4	20	158	37	3.62	0.59	20	1.92	952	5	55	555	22	0.44	8	8	10	93	2640	<2	89	10	14	115
81354	366557	<1	6.44	54	384	2	21	1.44	<4	13	88	35	2.64	0.49	20	1.68	761	4	34	528	9	0.22	<5	16	<10	102	2299	<2	63	<10	12	154
81355	366558	<1	6.75	63	515	2	30	1.56	<4	9	30	62	1.81	0.50	18	1.03	478	3	13	389	47	0.34	<5	17	<10	125	2179	<2	43	14	7	386
81356	366559	<1	4.14	66	393	2	15	1.00	<4	7	32	19	1.89	0.61	17	0.98	525	6	9	370	190	0.37	6	13	12	93	1963	<2	38	12	6	388
81357	366560	<1	3.32	15	479	<2	17	3.87	<4	18	11	60	3.87	0.65	2	1.35	928	2	9	471	<1	0.09	<5	11	11	482	2712	<2	136	<10	19	67
81358	366561	<1	2.69	82	382	<2	8	1.28	<4	8	28	60	2.25	0.90	17	1.10	782	4	10	331	304	0.41	<5	<5	10	80	1790	<2	35	11	5	766
81359D	366561	<1	2.88	77	362	<2	18	1.20	<4	8	28	58	2.14	1.00	17	1.09	744	4	10	356	291	0.52	9	6	<10	73	1686	<2	32	<10	5	741
81360	366562	<1	2.13	54	561	<2	<1	2.23	<4	7	32	10	1.66	0.44	23	1.28	962	4	10	371	70	0.29	6	<5	15	122	1882	<2	37	<10	5	93
81361	366563	<1	3.36	51	446	<2	20	1.45	<4	7	32	56	1.76	0.76	16	1.01	659	5	11	376	162	0.25	5	22	11	94	1861	<2	34	11	5	517
81362	366564	<1	4.14	59	462	<2	11	1.16	<4	7	33	15	1.57	0.96	17	0.91	552	5	9	395	28	0.36	<5	23	<10	76	1884	<2	36	<10	5	57
81363	366565	<1	6.93	51	807	2	26	2.63	<4	9	38	12	2.08	1.38	28	1.54	958	5	13	554	11	0.36	<5	12	11	122	2604	<2	47	<10	7	110

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:53 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81364	366566	<1	3.24	40	498	<2	11	1.67	<4	7	27	7	1.52	0.53	13	1.10	660	3	8	345	<1	0.13	5	23	10	87	1827	<2	34	10	6	69
81365	366567	<1	5.58	48	563	2	24	2.18	<4	9	37	49	2.06	0.72	20	1.42	771	7	11	456	6	0.24	10	21	<10	101	2199	<2	40	<10	7	81
81366	366568	<1	3.11	28	373	<2	9	1.26	<4	7	30	71	1.63	0.41	11	0.97	560	5	10	329	21	0.17	5	8	<10	79	1627	<2	30	<10	6	323
81367	366569	<1	3.91	42	411	<2	32	0.91	<4	8	32	91	1.58	0.75	12	0.80	408	4	9	325	195	0.13	<5	11	<10	73	1795	<2	35	15	6	1241
81368	366570	<1	2.71	56	258	<2	14	1.05	4	14	33	2125	4.92	0.77	27	0.79	1081	17	21	571	73	1.17	<5	<5	<10	182	1137	<2	58	<10	8	598
81369	366571	<1	2.44	40	502	<2	6	0.98	<4	13	58	114	2.03	0.65	13	0.70	448	4	23	327	63	0.23	7	9	<10	91	2288	<2	57	<10	6	114
81370D	366571	<1	3.03	50	583	2	12	1.14	<4	12	65	69	2.14	0.72	16	0.76	481	3	24	342	80	0.16	<5	5	10	98	2634	<2	63	<10	7	116
81371	366572	<1	3.35	66	496	<2	18	1.23	<4	7	26	26	1.76	0.79	15	0.89	617	3	10	357	88	0.26	<5	10	<10	85	1915	<2	36	12	5	293
81372	366573	<1	3.55	40	495	2	17	1.57	<4	6	26	50	1.58	0.75	16	1.04	643	4	8	376	137	0.32	<5	12	<10	91	1901	<2	36	12	5	423
81373	366574	<1	3.73	58	433	<2	26	0.23	8	6	33	542	1.58	0.86	13	0.50	166	7	9	388	179	0.26	7	7	10	56	1785	<2	34	22	5	2577
81374	366575	<1	5.86	70	467	2	10	0.36	<4	6	41	66	1.64	0.59	17	0.66	182	7	10	466	167	0.26	<5	20	<10	66	2025	<2	36	12	7	515
81375	366576	3	4.86	68	395	<2	11	0.44	<4	10	39	73	2.12	0.38	16	0.61	196	9	12	379	282	0.57	<5	<5	13	57	1653	<2	32	<10	7	563
81376	366577	<1	3.82	46	523	2	<1	2.36	<4	9	29	19	1.91	0.56	17	1.34	664	4	10	379	25	0.23	<5	11	13	104	2098	<2	38	<10	6	101
81377	366578	<1	4.36	46	509	<2	12	2.34	<4	7	27	19	2.08	0.65	16	1.38	765	4	10	415	13	0.41	6	<5	11	97	2058	<2	37	<10	7	112
81378	366579	<1	4.25	67	507	<2	22	2.49	<4	9	30	9	2.28	0.66	16	1.47	799	3	15	400	26	0.48	5	17	13	114	1790	<2	37	<10	7	90
81379	366580	<1	2.90	39	445	<2	17	2.37	<4	7	37	8	1.89	0.80	16	1.41	750	6	9	374	406	0.30	6	17	<10	119	2084	<2	38	<10	6	137
81380	366581	<1	3.00	29	465	2	5	2.34	<4	7	50	13	2.01	0.59	15	1.20	592	7	13	418	22	0.24	<5	5	14	130	2152	<2	43	<10	6	142
81381R	366581	<1	3.55	43	448	2	11	2.25	<4	8	44	32	2.02	0.80	17	1.19	580	4	14	401	27	0.38	<5	6	<10	127	2147	<2	45	15	6	642
81382	366582	<1	5.17	22	312	<2	16	2.42	<4	9	83	16	2.30	0.96	25	1.56	726	10	18	501	<1	0.25	<5	18	<10	140	2072	<2	48	<10	9	194
81383	366583	<1	4.60	19	388	2	7	2.16	<4	21	171	41	3.80	0.64	29	1.69	745	9	57	459	<1	0.27	5	<5	<10	142	2900	<2	87	<10	11	366

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:53 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81384	366584	<1	3.72	54	357	2	10	1.78	<4	22	156	28	3.92	0.54	30	1.92	886	6	62	443	<1	0.33	<5	<5	12	122	2600	<2	95	11	10	112
81385	366585	<1	2.35	19	219	2	14	1.78	<4	21	162	41	4.40	0.79	30	1.85	927	6	62	526	2	0.35	5	5	<10	109	2431	<2	89	<10	8	123
81386	366586	<1	2.79	13	279	2	9	1.20	<4	24	162	44	4.19	0.65	30	1.51	656	6	67	417	9	0.17	5	<5	<10	109	2860	<2	103	<10	6	89
81387	366587	<1	3.29	55	352	2	29	1.41	<4	22	158	54	3.80	0.51	27	1.40	724	6	60	426	49	0.39	10	10	11	108	2224	<2	95	<10	8	138
81388	366588	<1	3.55	11	343	2	21	1.37	<4	25	169	56	4.18	0.59	31	1.43	681	7	65	481	6	0.13	5	7	13	111	3256	<2	103	<10	8	103
81389	366589	<1	4.50	15	367	2	32	1.61	<4	23	171	50	4.33	0.57	32	1.67	752	5	68	540	15	0.17	<5	8	11	111	2892	<2	108	<10	8	327
81390	366590	<1	3.96	17	498	<2	33	2.17	<4	15	57	193	3.97	0.53	11	1.22	735	15	39	581	<1	0.11	5	<5	<10	286	2861	<2	106	10	14	74
81391	366591	<1	4.34	21	363	2	10	1.87	<4	20	138	37	3.83	0.13	28	1.79	738	4	55	509	9	0.21	7	24	11	101	2541	<2	87	<10	8	110
81392D	366591	<1	4.27	20	367	2	24	1.84	<4	19	142	36	3.81	0.31	29	1.76	736	6	56	508	8	0.20	<5	7	14	98	2530	<2	88	<10	8	121
81393	366592	<1	4.61	45	397	2	35	1.44	<4	19	157	33	3.66	0.23	21	1.53	680	8	56	527	45	0.32	7	13	10	95	2105	<2	89	<10	9	291
81394	366593	<1	4.29	42	396	2	21	1.23	<4	22	158	46	4.05	0.80	26	1.31	572	5	71	467	23	0.30	<5	<5	<10	98	2606	<2	103	10	9	179
81395	366594	<1	2.85	28	407	2	14	1.73	<4	25	171	68	4.05	0.57	31	1.28	718	7	67	429	6	0.22	<5	13	13	121	3067	<2	102	<10	11	93
81396	366595	<1	4.29	16	501	2	29	1.57	<4	26	182	64	4.23	0.88	33	1.37	709	6	74	454	46	0.12	<5	12	11	134	3008	<2	113	10	10	619
81397	366596	<1	2.30	13	321	2	<1	1.78	<4	23	155	53	3.79	0.54	28	1.36	767	4	60	416	39	0.11	5	<5	10	140	3008	<2	95	<10	9	133
81398	366597	<1	2.34	13	402	2	8	1.20	<4	25	161	62	4.21	0.36	32	1.35	646	3	67	451	15	0.08	<5	<5	<10	111	3395	<2	108	<10	7	149
81399	366598	<1	2.62	12	523	2	23	2.43	<4	19	93	61	3.47	0.28	24	1.17	607	4	47	408	7	0.15	<5	<5	<10	144	2378	<2	68	<10	7	190
81400	366599	<1	2.33	17	457	<2	<1	2.77	<4	7	35	14	1.98	0.36	15	1.20	687	2	9	362	16	0.15	6	7	<10	128	1915	<2	36	<10	5	249
81401	366600	<1	3.44	12	496	<2	11	3.89	<4	16	12	62	3.87	0.39	3	1.28	942	1	9	514	<1	0.07	<5	9	13	483	2794	<2	136	<10	16	78
81402	366601	<1	3.86	21	569	2	28	2.59	<4	8	28	5	1.76	0.34	18	1.20	571	3	9	445	<1	0.11	<5	10	<10	137	2098	<2	40	<10	6	57
81403D	366601	<1	4.65	17	547	2	18	2.47	<4	6	26	4	1.65	0.37	16	1.26	543	4	10	476	<1	0.12	<5	12	<10	128	2041	<2	36	<10	6	54

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:53 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/18/2015
Date Completed: 03/31/2015
Job #: 201540947
Reference: 15-013
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81404	366602	<1	4.83	24	748	2	21	2.34	<4	8	31	1	1.77	0.35	25	1.10	481	3	10	462	13	0.19	<5	13	<10	153	2104	<2	35	<10	6	67
81405	366603	<1	4.41	21	658	2	19	2.37	<4	9	28	3	1.87	0.18	27	1.08	458	4	9	479	<1	0.20	<5	11	<10	137	2181	<2	38	10	5	139
81406	366604	<1	4.78	17	681	2	37	3.01	<4	10	30	3	2.07	0.39	28	1.40	541	3	11	463	<1	0.14	<5	8	20	131	2349	<2	42	<10	6	84
81407	366605	<1	3.43	20	668	2	25	2.41	<4	9	29	5	1.74	0.62	25	1.08	430	4	10	400	<1	0.15	7	13	12	122	2242	<2	40	11	5	97
81408	366606	<1	3.55	18	734	2	20	2.55	<4	9	26	5	1.79	0.34	28	1.08	452	3	9	429	<1	0.14	<5	29	15	128	2349	<2	43	14	5	279
81409	366607	<1	2.90	29	605	2	21	2.48	<4	10	35	7	2.04	0.12	23	1.20	602	6	11	421	4	0.19	<5	15	11	112	2084	<2	38	11	5	122
81410	366608	<1	3.48	33	555	2	20	2.48	4	9	28	50	1.91	0.08	25	1.15	585	5	10	422	30	0.29	<5	15	12	113	2081	<2	38	21	5	1774

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:53 AM

TL15397

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81904	366609	<0.005	
81905	366610	1.536	
81906	366611	<0.005	
81907	366612	0.010	
81908	366613	0.009	
81909	366614	0.016	
81910	366615	0.063	
81911	366616	0.022	
81912	366617	0.008	
81913	366618	0.045	
81914	366618 Dup	0.047	
81915	366619	0.734	
81916	366620	<0.005	
81917	366621	0.160	
81918	366622	0.038	
81919	366623	0.017	
81920	366624	0.042	
81921	366625	0.026	
81922	366626	0.022	
81923	366627	0.140	
81924	366628	0.016	
81925	366628 Dup	0.017	
81926	366629	0.027	
81927	366630	0.393	
81928	366631	0.005	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81929	366632	0.012	
81930	366633	0.012	
81931	366634	0.008	
81932	366635	<0.005	
81933	366636	<0.005	
81934	366637	0.023	
81935	366638	<0.005	
81936	366638 Dup	0.006	
81937	366639	0.480	
81938	366640	<0.005	
81939	366641	<0.005	
81940	366642	<0.005	
81941	366643	<0.005	
81942	366644	<0.005	
81943	366645	<0.005	
81944	366646	0.008	
81945	366647	0.006	
81946	366648	0.008	
81947	366648 Dup	0.009	
81948	366649	<0.005	
81949	366650	1.583	
81950	366651	<0.005	
81951	366652	0.011	
81952	366653	0.403	
81953	366654	0.011	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81954	366655	0.009	
81955	366656	0.005	
81956	366657	0.028	
81957	366658	0.014	
81958	366658 Dup	0.018	
81959	366659	0.443	
81960	366660	<0.005	
81961	366661	0.237	
81962	366662	1.204	
81963	366663	0.530	
81964	366664	0.140	
81965	366665	0.040	
81966	366666	0.102	
81967	366667	1.230	
81968	366668	0.006	
81969	366668 Rep	0.006	
81970	366669	0.014	
81971	366670	5.184	
81972	366671	0.013	
81973	366672	0.011	
81974	366673	<0.005	
81975	366674	<0.005	
81976	366675	0.007	
81977	366676	<0.005	
81978	366677	<0.005	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
81979	366678	<0.005	
81980	366678 Dup	<0.005	
81981	366679	<0.005	
81982	366680	<0.005	
81983	366681	<0.005	
81984	366682	<0.005	
81985	366683	<0.005	
81986	366684	<0.005	
81987	366685	0.029	
81988	366686	0.025	
81989	366687	0.031	
81990	366688	0.014	
81991	366688 Dup	0.006	
81992	366689	0.028	
81993	366690	0.370	
81994	366691	0.018	
81995	366692	0.017	
81996	366693	0.010	
81997	366694	0.009	
81998	366695	0.081	
81999	366696	0.044	
82000	366697	0.047	
82001	366698	0.142	
82002	366698 Dup	0.139	
82003	366699	<0.005	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
82004	366700	0.090	
82005	366701	0.071	
82006	366702	0.030	
82007	366703	0.035	
82008	366704	<0.005	
82009	366705	0.453	
82010	366706	1.430	
82011	366707	0.102	
82012	366708	0.054	
82013	366708 Dup	0.085	
82014	366709	0.046	
82015	366710	1.363	
82016	366711	0.040	
82017	366712	0.012	
82018	366713	0.347	
82019	366714	0.532	
82020	366715	0.253	
82021	366716	0.013	
82022	366717	0.059	
82023	366718	0.042	
82024	366718 Dup	0.046	
82025	366719	0.005	
82026	366720	<0.005	
82027	366721	<0.005	
82028	366722	0.006	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
82029	366723	0.005	
82030	366724	<0.005	
82031	366725	0.071	
82032	366726	0.187	
82033	366727	0.009	
82034	366728	<0.005	
82035	366728 Rep	<0.005	
82036	366729	<0.005	
82037	366730	4.608	
82038	366731	0.006	
82039	366732	0.044	
82040	366733	6.526	7.556
82041	366734	3.586	
82042	366735	0.665	
82043	366736	0.658	
82044	366737	1.788	
82045	366738	0.408	
82046	366738 Dup	0.484	
82047	366739	0.431	
82048	366740	<0.005	
82049	366741	0.119	
82050	366742	0.292	
82051	366743	0.330	
82052	366744	0.052	
82053	366745	0.073	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
82054	366746	0.041	
82055	366747	4.322	
82056	366748	7.074	8.078
82057	366748 Dup	6.919	7.257
82058	366749	0.040	
82059	366750	0.420	
82060	366751	0.243	
82061	366752	0.045	
82062	366753	0.035	
82063	366754	0.033	
82064	366755	0.036	
82065	366756	0.075	
82066	366757	0.025	
82067	366758	0.018	
82068	366758 Dup	0.017	
82069	366759	0.121	
82070	366760	<0.005	
82071	366761	0.063	
82072	366762	0.108	
82073	366763	0.126	
82074	366764	0.138	
82075	366765	0.042	
82076	366766	0.090	
82077	366767	0.052	
82078	366768	0.038	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
82079	366768 Dup	0.044	
82080	366769	0.028	
82081	366770	1.356	
82082	366771	0.019	
82083	366772	0.030	
82084	366773	0.070	
82085	366774	0.295	
82086	366775	0.039	
82087	366776	0.022	
82088	366777	0.022	
82089	366778	0.047	
82090	366778 Dup	0.066	
82091	366779	0.067	
82092	366780	<0.005	
82093	366781	0.068	
82094	366782	0.011	
82095	366783	0.031	
82096	366784	0.054	
82097	366785	0.023	
82098	366786	0.006	
82099	366787	0.106	
82100	366788	0.020	
82101	366788 Rep	0.012	
82102	366789	0.020	
82103	366790	4.717	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
82104	366791	0.583	
82105	366792	0.011	
82106	366793	0.009	
82107	366794	0.072	
82108	366795	0.228	
82109	366796	0.149	
82110	366797	0.110	
82111	366798	0.421	
82112	366798 Dup	0.318	
82113	366799	0.643	
82114	366800	0.012	
82115	366801	0.159	
82116	366802	0.052	
82117	366803	0.216	
82118	366804	0.229	
82119	366805	0.047	
82120	366806	0.042	
82121	366807	0.139	
82122	366808	0.247	
82123	366808 Dup	0.233	
82124	366809	0.257	
82125	366810	0.413	
82126	366811	0.078	
82127	366812	0.007	
82128	366813	0.090	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
82129	366814	0.083	
82130	366815	0.021	
82131	366816	0.035	
82132	366817	0.021	
82133	366818	0.099	
82134	366818 Dup	0.057	
82135	366819	0.058	
82136	366820	0.005	
82137	366821	0.294	
82138	366822	0.055	
82139	366823	0.006	
82140	366824	<0.005	
82141	366825	0.007	
82142	366826	<0.005	
82143	366827	0.126	
82144	366828	0.444	
82145	366828 Dup	0.425	
82146	366829	0.060	
82147	366830	1.510	
82148	366831	0.007	
82149	366832	0.065	
82150	366833	0.870	
82151	366834	3.270	
82152	366835	0.065	
82153	366836	0.054	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
82154	366837	0.023	
82155	366838	0.069	
82156	366838 Dup	0.064	
82157	366839	1.608	
82158	366840	0.005	
82159	366841	0.054	
82160	366842	0.719	
82161	366843	0.018	
82162	366844	0.269	
82163	366845	0.127	
82164	366846	0.100	
82165	366847	0.015	
82166	366848	0.027	
82167	366848 Rep	0.060	
82168	366849	0.026	
82169	366850	5.183	
82170	366851	0.051	
82171	366852	0.039	
82172	366853	0.014	
82173	366854	0.056	
82174	366855	0.026	
82175	366856	0.061	
82176	366857	0.172	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.759	1.729	0.121
AR01	1.743	1.729	0.121
AR01	1.612	1.729	0.121
AR01	1.802	1.729	0.121
AR01	1.776	1.729	0.121
AR01	1.677	1.729	0.121
AR01	1.743	1.729	0.121
KL01	0.392	0.394	0.011
AR01	1.834	1.729	0.121
AR01	1.864	1.729	0.121
AR01	1.746	1.729	0.121
AR01	1.636	1.729	0.121

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81904	366609	<1	3.91	10	556	<2	33	2.17	<4	8	49	10	1.95	0.65	30	0.89	372	7	16	352	<1	0.07	9	14	43	237	1965	<2	40	<10	5	114
81905	366610	<1	5.21	25	608	<2	23	2.65	<4	19	65	220	4.47	0.68	16	1.51	841	16	47	736	<1	0.13	7	18	47	312	3144	<2	121	15	17	99
81906	366611	<1	4.42	18	346	<2	13	2.20	<4	8	50	14	1.96	0.80	27	0.97	393	7	11	530	<1	0.09	7	35	42	238	1858	<2	34	<10	7	117
81907	366612	<1	4.94	19	604	<2	17	2.59	<4	12	45	14	2.39	0.70	30	1.04	529	8	12	415	<1	0.09	<5	36	43	253	2215	<2	44	<10	6	242
81908	366613	<1	6.17	26	587	<2	30	1.48	<4	10	37	15	2.05	0.61	31	0.68	320	7	12	459	<1	0.27	12	28	44	197	2077	<2	41	<10	7	109
81909	366614	<1	4.49	24	634	<2	23	2.46	<4	13	47	20	2.84	0.72	41	1.02	604	8	15	418	5	0.23	10	9	41	239	2339	<2	47	<10	6	109
81910	366615	3	5.12	37	554	<2	32	2.22	<4	9	37	9	2.46	0.78	40	1.20	1161	7	11	496	22	0.21	<5	31	42	180	2281	<2	40	10	6	188
81911	366616	<1	5.09	36	453	<2	10	2.38	<4	9	45	5	2.36	0.51	31	1.25	1481	8	10	509	<1	0.22	8	28	41	165	2181	<2	37	<10	7	123
81912	366617	<1	4.86	26	521	<2	29	2.99	<4	10	41	3	2.25	0.43	25	1.32	1001	7	10	492	<1	0.16	6	20	43	207	2100	<2	37	<10	6	107
81913	366618	<1	4.73	33	556	<2	32	1.53	<4	10	89	14	1.95	0.34	25	0.88	615	7	20	477	14	0.31	6	24	40	168	2077	<2	44	<10	6	142
81914D	366618	<1	4.76	38	582	<2	15	1.55	<4	9	32	13	1.91	0.28	25	0.80	564	5	11	496	9	0.27	6	16	42	171	2142	<2	37	<10	5	125
81915	366619	50	5.18	68	546	<2	27	0.44	<4	8	28	27	2.05	0.17	18	0.55	220	4	13	495	401	0.59	9	11	43	103	1961	<2	37	13	5	790
81916	366620	<1	5.99	7	541	<2	8	4.16	<4	17	12	60	4.00	0.92	4	1.67	975	3	9	649	<1	0.10	<5	<5	38	481	2899	<2	140	<10	23	81
81917	366621	<1	6.61	42	636	<2	21	1.64	<4	10	43	6	2.11	0.72	39	1.14	668	9	10	512	77	0.34	<5	17	39	170	2276	<2	40	<10	7	141
81918	366622	<1	6.00	17	556	<2	32	2.66	<4	9	50	5	2.19	0.93	27	1.43	645	8	11	540	18	0.16	<5	33	49	223	2232	<2	36	<10	7	145
81919	366623	<1	6.10	22	665	<2	23	2.74	<4	10	30	7	2.11	1.11	25	1.26	577	3	9	486	9	0.26	12	18	46	215	2268	<2	38	<10	7	96
81920	366624	<1	6.05	36	646	<2	15	2.72	<4	9	30	23	2.24	0.96	21	1.13	725	6	10	502	22	0.47	<5	33	37	201	2142	<2	37	<10	7	146
81921	366625	<1	4.68	36	602	<2	27	2.01	<4	10	74	18	2.30	0.82	24	0.98	800	15	11	446	41	0.32	5	17	43	161	2079	<2	37	<10	6	121
81922	366626	<1	4.32	39	608	<2	14	1.96	<4	9	37	16	1.91	0.60	21	0.92	708	6	9	441	50	0.41	<5	17	45	161	1949	<2	33	<10	5	171
81923	366627	<1	4.91	31	562	<2	20	1.98	<4	8	30	18	2.01	0.49	21	0.90	620	6	10	488	55	0.40	<5	44	38	168	2164	<2	38	<10	5	299

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81924	366628	<1	3.18	19	428	<2	9	2.04	<4	7	32	6	1.64	0.12	14	0.81	398	6	8	432	<1	0.16	<5	25	31	169	1871	<2	31	<10	5	56
81925D	366628	<1	4.77	29	513	<2	19	2.50	<4	8	35	7	1.91	0.41	21	0.90	444	6	10	492	<1	0.20	<5	10	47	204	1965	<2	36	11	5	74
81926	366629	<1	5.17	31	731	<2	21	2.50	<4	9	35	16	2.09	0.17	30	0.96	488	6	11	551	11	0.24	<5	30	50	272	2175	<2	41	<10	6	127
81927	366630	2	4.34	61	348	<2	30	1.27	4	15	39	2217	5.29	0.18	30	0.94	1194	19	26	760	86	1.60	<5	19	47	189	1254	<2	63	14	8	670
81928	366631	<1	5.79	25	917	<2	24	2.82	<4	9	27	88	2.18	0.96	26	1.03	410	4	9	527	<1	0.16	<5	28	46	296	2215	<2	40	<10	6	84
81929	366632	<1	7.23	20	575	<2	24	2.15	<4	9	37	8	2.03	0.94	24	0.92	365	6	11	483	<1	0.46	7	24	49	292	2034	<2	39	<10	7	99
81930	366633	<1	6.41	23	500	<2	23	2.16	<4	8	35	10	2.05	0.97	21	0.97	381	7	11	444	<1	0.31	<5	28	41	268	1900	<2	38	<10	7	88
81931	366634	<1	6.10	20	477	2	31	2.29	<4	9	42	10	2.20	1.03	20	1.17	447	6	12	432	<1	0.46	9	10	41	235	1830	<2	37	16	7	89
81932	366635	<1	4.91	13	541	<2	24	2.41	<4	12	34	14	2.33	1.00	21	1.05	419	6	13	428	<1	0.13	<5	20	42	241	2154	3	43	<10	6	75
81933	366636	<1	4.29	15	569	<2	24	2.66	<4	15	50	23	2.70	0.75	19	1.13	496	6	18	457	5	0.20	6	25	39	310	2185	<2	50	<10	6	83
81934	366637	<1	4.07	459	556	<2	17	1.53	<4	20	152	30	3.24	0.81	20	1.27	486	7	55	482	<1	0.34	9	6	51	192	1697	<2	59	<10	9	121
81935	366638	<1	5.02	159	490	2	25	1.56	<4	26	164	48	3.95	0.44	25	1.50	536	8	63	557	<1	0.27	<5	24	49	255	2779	<2	90	<10	11	90
81936D	366638	<1	4.40	139	469	2	24	1.49	<4	25	164	47	3.80	0.47	24	1.40	517	8	61	545	<1	0.24	6	16	44	247	2697	<2	87	11	10	84
81937	366639	<1	4.22	82	427	2	35	1.36	<4	24	182	42	4.05	0.43	28	1.46	553	7	64	516	<1	0.15	<5	13	41	242	3135	<2	93	20	10	90
81938	366640	<1	5.03	9	532	<2	23	4.02	<4	16	16	54	3.84	0.45	6	1.49	939	2	12	625	<1	0.09	7	22	46	466	2740	<2	135	12	19	72
81939	366641	<1	5.11	17	507	<2	20	2.09	<4	9	35	9	1.97	0.31	19	0.84	324	6	11	463	<1	0.08	<5	21	38	278	2084	<2	40	<10	6	62
81940	366642	<1	6.39	16	536	<2	18	2.44	<4	9	23	8	1.86	1.14	19	0.87	294	4	10	470	<1	0.07	<5	38	41	318	2145	<2	37	<10	7	68
81941	366643	<1	6.96	11	552	<2	7	2.72	<4	10	23	7	2.05	1.01	21	0.90	326	3	11	489	<1	0.07	<5	29	39	349	2327	<2	39	<10	7	70
81942	366644	<1	7.06	10	588	<2	25	2.64	<4	10	38	13	2.12	1.06	22	0.85	313	9	11	484	<1	0.07	5	32	42	355	2280	<2	39	<10	7	78
81943	366645	<1	7.12	12	557	<2	29	2.71	<4	10	46	10	2.25	0.87	22	0.88	316	10	11	484	<1	0.10	8	25	36	341	2197	<2	38	10	7	81

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81944	366646	<1	8.79	20	686	<2	20	3.56	<4	13	42	13	2.59	1.50	30	0.96	383	9	15	589	<1	0.11	5	50	54	415	2645	<2	46	13	8	98
81945	366647	<1	6.23	14	534	<2	22	2.72	<4	10	30	10	2.02	0.60	19	0.81	308	6	10	471	<1	0.10	7	17	39	347	2036	<2	36	<10	7	67
81946	366648	<1	5.69	20	675	<2	8	3.10	<4	9	29	17	1.85	0.82	19	0.71	275	6	10	467	<1	0.11	<5	14	45	345	2073	<2	35	<10	6	62
81947D	366648	<1	5.79	12	652	<2	24	3.00	<4	9	25	15	1.78	0.70	18	0.71	263	5	10	456	<1	0.11	9	27	41	340	1985	<2	34	12	7	60
81948	366649	<1	6.07	12	557	<2	30	2.80	<4	8	27	11	2.01	0.39	22	0.80	339	4	11	494	<1	0.11	5	31	39	345	2177	<2	37	<10	6	79
81949	366650	<1	4.28	24	543	<2	36	2.34	<4	17	58	197	4.05	0.51	13	1.37	756	13	44	681	<1	0.12	6	22	51	285	2918	<2	110	12	16	84
81950	366651	<1	5.38	19	529	<2	30	2.68	<4	10	40	9	2.05	0.37	20	0.84	352	6	9	439	<1	0.09	<5	35	41	329	1969	<2	36	<10	6	69
81951	366652	<1	6.16	15	586	<2	33	2.87	<4	10	23	5	2.04	0.18	22	1.00	382	4	9	492	<1	0.14	<5	32	47	292	2059	<2	38	<10	6	50
81952	366653	<1	6.90	15	538	<2	25	2.36	<4	9	23	35	1.82	0.49	23	1.04	341	4	11	484	142	0.13	<5	38	50	238	1973	<2	36	<10	7	465
81953	366654	<1	6.21	10	517	<2	2	2.38	<4	9	29	4	1.94	0.80	26	1.00	359	4	11	454	<1	0.08	<5	17	38	235	2193	<2	39	<10	6	41
81954	366655	<1	6.05	14	518	<2	26	2.70	<4	9	33	10	1.96	0.81	36	1.16	421	6	10	447	<1	0.10	6	22	40	227	2127	<2	36	10	7	47
81955	366656	<1	6.34	12	410	<2	25	3.08	<4	9	30	3	2.01	1.21	36	1.52	462	5	11	456	<1	0.11	7	22	45	206	2208	<2	37	<10	7	57
81956	366657	<1	5.15	25	472	<2	21	2.67	<4	11	46	10	2.12	0.89	23	1.30	409	8	12	415	<1	0.20	<5	21	43	175	2109	<2	36	<10	6	41
81957	366658	<1	4.42	17	500	<2	17	3.21	<4	8	29	5	1.74	0.72	22	1.44	469	4	10	446	37	0.12	<5	26	39	163	2301	<2	39	<10	5	74
81958D	366658	<1	5.28	19	490	<2	34	3.14	<4	8	24	6	1.67	0.80	19	1.50	455	4	9	473	30	0.12	<5	27	38	159	2222	<2	37	<10	6	70
81959	366659	1	3.96	64	399	<2	24	2.01	<4	9	77	10	2.14	0.43	18	1.02	383	7	10	344	548	0.31	6	25	44	113	1745	<2	27	10	5	1067
81960	366660	<1	4.29	8	511	<2	20	3.95	<4	17	13	60	3.80	0.36	4	1.44	931	1	8	622	<1	0.09	<5	9	42	461	2738	<2	134	<10	18	86
81961	366661	<1	5.29	43	420	<2	23	2.62	<4	10	26	8	2.05	0.30	19	1.24	479	5	10	427	220	0.25	8	28	45	146	2001	<2	34	<10	6	284
81962	366662	4	4.39	106	350	<2	25	1.78	25	10	25	22	2.51	0.30	17	1.03	430	5	10	402	2289	0.69	9	14	43	131	1625	<2	30	54	6	8084
81963	366663	<1	4.50	49	393	<2	17	2.08	<4	8	38	7	2.04	0.21	17	1.08	509	7	11	441	411	0.47	<5	5	39	151	1813	<2	33	<10	5	321

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81964	366664	<1	5.05	15	423	<2	19	2.82	<4	9	31	8	2.06	0.54	24	1.22	443	6	9	435	27	0.11	5	23	40	196	2108	<2	38	<10	6	109
81965	366665	<1	4.73	17	484	<2	8	2.46	<4	8	29	8	1.95	0.57	19	0.91	311	3	11	427	16	0.09	<5	24	43	218	2047	<2	37	<10	5	450
81966	366666	<1	5.73	20	489	<2	38	2.47	<4	10	32	10	2.10	0.64	19	1.01	339	6	11	508	46	0.10	<5	21	42	219	2106	<2	38	10	6	569
81967	366667	<1	5.25	19	463	<2	25	2.57	<4	8	29	5	1.96	0.54	20	0.83	312	4	9	428	<1	0.18	5	30	43	307	1999	<2	39	<10	6	354
81968	366668	<1	4.90	13	348	<2	22	2.21	<4	7	25	3	1.67	0.64	17	0.77	250	2	8	423	<1	0.10	9	15	40	316	1815	<2	34	<10	6	62
81969R	366668	<1	5.32	12	362	<2	29	2.25	<4	7	24	3	1.75	0.53	16	0.82	262	2	8	468	<1	0.10	<5	24	41	317	1917	<2	35	<10	6	61
81970	366669	<1	5.88	7	373	<2	21	1.86	<4	7	29	4	1.72	0.09	19	1.03	256	5	10	484	<1	0.09	10	22	43	294	1716	<2	35	<10	7	62
81971	366670	123	5.26	30	446	<2	31	3.23	6	18	41	94	5.26	0.17	8	1.50	970	5	27	648	16491	0.15	83	10	42	301	2918	<2	142	<10	19	408
81972	366671	<1	6.46	15	405	<2	30	2.47	<4	11	20	4	1.81	0.12	19	1.17	325	2	12	505	<1	0.12	9	11	41	301	1776	<2	36	<10	7	63
81973	366672	<1	7.13	11	498	<2	24	2.35	<4	10	42	6	2.12	0.26	23	1.18	342	8	12	525	<1	0.11	8	42	38	303	1996	<2	39	<10	7	90
81974	366673	<1	7.00	14	566	<2	18	2.27	<4	9	31	6	2.09	0.22	25	1.30	358	6	12	579	<1	0.10	<5	32	39	315	2072	<2	40	<10	7	90
81975	366674	<1	6.99	12	511	<2	15	2.12	<4	10	30	1	2.15	0.03	24	1.07	317	6	11	508	<1	0.06	9	27	34	308	2104	<2	39	<10	7	97
81976	366675	<1	8.35	11	559	<2	11	2.74	<4	10	19	14	2.15	0.29	38	1.28	386	4	30	547	<1	0.11	7	30	49	433	2094	<2	48	<10	8	102
81977	366676	<1	6.18	18	468	<2	30	2.36	<4	8	21	<1	1.90	0.04	23	0.92	290	6	36	514	<1	0.06	9	17	38	342	2131	<2	43	<10	7	66
81978	366677	<1	5.86	16	518	<2	25	2.01	<4	9	32	1	1.82	0.05	21	0.91	252	6	60	454	<1	0.06	<5	22	38	331	1846	<2	49	<10	7	54
81979	366678	<1	6.13	15	543	<2	33	2.22	<4	8	18	2	1.79	<0.01	25	1.01	231	3	34	479	<1	0.08	<5	29	33	348	1773	<2	42	<10	7	61
81980D	366678	<1	6.54	12	573	<2	23	2.32	<4	9	19	2	1.86	<0.01	25	1.05	239	1	35	499	<1	0.08	7	34	48	363	1844	<2	44	<10	7	60
81981	366679	<1	6.34	10	551	<2	21	2.14	<4	9	25	5	1.84	<0.01	20	1.01	238	4	41	475	<1	0.07	7	32	38	278	2047	<2	46	10	7	61
81982	366680	<1	6.51	9	533	<2	28	4.12	<4	17	11	59	3.92	0.27	5	1.71	950	<1	10	676	<1	0.09	7	11	40	477	2842	<2	138	<10	24	75
81983	366681	<1	6.55	17	623	<2	17	2.37	<4	8	31	7	1.93	0.21	20	1.10	318	6	52	524	<1	0.07	<5	18	36	326	2172	<2	52	<10	7	39

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81984	366682	<1	6.39	10	555	<2	13	2.36	<4	11	60	<1	2.01	0.19	21	1.12	253	<1	43	523	<1	0.08	<5	21	39	289	2320	<2	58	<10	10	28
81985	366683	<1	6.75	16	753	<2	19	2.30	<4	8	25	2	2.02	0.35	21	1.32	258	6	45	502	<1	0.09	8	26	43	283	2221	<2	47	<10	7	34
81986	366684	<1	6.64	10	626	<2	29	2.16	<4	16	78	27	2.78	0.12	23	1.33	562	5	74	586	<1	0.09	5	36	43	229	2620	<2	72	<10	10	57
81987	366685	<1	6.80	52	408	2	32	1.56	<4	26	178	42	4.19	0.18	28	1.82	674	7	109	653	<1	0.16	<5	32	41	191	3534	<2	120	<10	14	97
81988	366686	<1	6.52	48	410	2	33	1.57	<4	27	189	46	4.32	0.15	28	1.78	660	9	126	660	<1	0.16	8	17	45	197	3638	<2	128	<10	14	100
81989	366687	<1	6.42	41	368	2	19	1.83	<4	23	152	41	3.54	0.13	22	1.69	484	6	88	568	<1	0.12	6	43	45	212	3125	<2	100	10	13	80
81990	366688	<1	6.88	177	508	2	46	1.69	<4	29	168	57	3.68	0.10	21	1.60	480	4	92	552	<1	0.30	7	28	43	211	3065	<2	116	<10	13	95
81991D	366688	<1	6.98	129	527	2	21	1.71	<4	28	174	61	3.83	0.28	21	1.63	495	4	93	558	<1	0.34	11	24	48	215	3164	<2	119	<10	13	103
81992	366689	<1	5.81	69	449	2	31	1.30	<4	23	150	38	3.60	0.05	21	1.52	497	4	62	576	<1	0.22	8	13	37	208	2942	<2	89	<10	12	94
81993	366690	<1	5.29	66	331	<2	20	1.22	4	15	38	2249	5.23	0.13	36	1.06	1182	19	26	794	63	1.59	6	18	46	187	1250	<2	62	<10	10	662
81994	366691	<1	7.00	56	510	2	2	1.25	<4	30	176	76	4.73	0.15	26	1.94	560	6	88	649	<1	0.17	6	21	46	231	3643	<2	122	<10	13	64
81995	366692	<1	6.48	30	482	2	13	1.51	<4	28	171	44	4.39	0.15	22	1.81	598	5	75	625	<1	0.13	6	24	39	229	3376	<2	107	<10	14	76
81996	366693	<1	6.85	39	495	2	25	1.65	<4	27	177	50	4.42	0.24	21	1.83	599	7	75	680	<1	0.11	5	23	40	223	3521	<2	111	<10	14	71
81997	366694	<1	6.41	24	412	2	22	1.55	<4	24	163	43	4.14	0.34	24	1.82	592	6	65	611	<1	0.10	<5	11	40	217	3221	<2	94	<10	13	58
81998	366695	<1	6.20	43	537	2	19	1.36	<4	18	114	24	3.40	0.36	23	1.81	427	5	53	554	6	0.14	7	25	41	263	2382	<2	77	<10	14	95
81999	366696	<1	6.27	23	439	2	33	2.12	<4	26	170	43	3.47	0.18	24	1.82	646	8	64	666	1	0.11	<5	25	44	331	3181	<2	89	<10	16	109
82000	366697	<1	6.70	22	664	2	32	1.53	<4	25	196	36	3.62	0.15	20	1.33	543	5	67	551	12	0.23	<5	14	41	270	3209	<2	120	10	14	107
82001	366698	<1	5.80	14	421	2	32	1.66	<4	24	196	58	4.21	0.05	20	1.41	564	8	61	586	2	0.24	<5	20	49	274	3208	<2	88	<10	15	97
82002D	366698	<1	5.87	12	421	2	12	1.68	<4	24	198	59	4.25	<0.01	21	1.42	569	7	63	592	5	0.20	<5	18	40	277	3214	<2	88	<10	15	93
82003	366699	<1	6.07	6	581	2	21	1.64	<4	34	161	99	4.46	0.02	20	1.44	621	6	84	600	<1	0.28	<5	10	45	271	3728	<2	98	<10	16	84

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
82004	366700	<1	6.29	18	517	<2	28	4.02	<4	18	13	59	3.84	0.11	4	1.67	932	2	10	662	10	0.10	<5	11	40	468	2825	<2	135	<10	24	68
82005	366701	<1	6.30	19	528	2	25	2.35	<4	28	195	47	4.32	0.06	24	1.71	734	6	67	692	<1	0.22	5	12	44	322	3538	<2	99	<10	16	108
82006	366702	<1	6.27	38	447	2	22	1.90	<4	25	175	44	3.89	0.27	25	1.53	637	4	58	603	<1	0.14	8	23	43	304	3256	<2	90	<10	15	102
82007	366703	<1	6.91	23	469	2	22	2.23	<4	29	176	49	4.21	0.26	26	1.78	709	4	70	624	<1	0.18	9	16	45	341	3412	<2	101	<10	17	92
82008	366704	<1	6.49	10	563	2	18	1.54	<4	21	141	36	3.53	0.41	25	1.67	524	9	57	601	4	0.19	9	16	42	322	2305	<2	81	<10	14	70
82009	366705	<1	6.30	14	577	2	37	1.71	<4	14	114	29	3.14	0.13	27	1.83	403	13	41	569	<1	0.18	10	17	50	312	1729	<2	55	<10	14	61
82010	366706	<1	6.03	22	536	2	23	1.72	<4	16	111	41	3.29	0.34	23	1.82	415	12	47	559	4	0.24	<5	12	38	337	1785	<2	58	<10	13	58
82011	366707	<1	6.22	18	712	3	38	1.16	<4	9	63	13	2.34	0.24	25	1.71	310	12	24	505	8	0.07	6	23	49	309	1758	<2	37	<10	11	51
82012	366708	<1	6.23	15	744	2	31	0.96	<4	10	70	15	1.80	0.17	23	1.47	275	9	26	487	7	0.06	12	18	43	266	1661	<2	38	<10	12	45
82013D	366708	<1	5.99	19	739	2	18	0.96	<4	10	73	17	1.82	0.10	21	1.43	277	8	25	521	7	0.06	12	28	48	265	1664	<2	38	<10	12	63
82014	366709	<1	6.30	9	519	2	38	1.18	<4	19	111	36	3.10	0.14	21	1.58	426	4	50	698	<1	0.21	5	24	46	297	2388	<2	69	<10	13	67
82015	366710	<1	4.83	31	572	<2	21	2.43	<4	18	59	206	4.21	<0.01	14	1.44	788	14	45	690	<1	0.13	13	24	34	294	2973	<2	114	15	17	84
82016	366711	<1	5.78	16	342	2	65	1.53	<4	24	156	46	3.88	0.05	29	1.65	573	6	61	622	<1	0.15	10	32	51	292	3074	<2	85	<10	14	87
82017	366712	<1	5.83	109	400	2	26	1.37	<4	29	171	52	4.48	<0.01	30	1.79	609	7	76	597	<1	0.17	<5	15	44	282	3474	<2	108	10	15	40
82018	366713	<1	6.79	51	510	2	23	1.35	<4	29	170	49	4.51	0.31	35	1.89	618	5	83	647	<1	0.21	7	22	41	258	3509	<2	119	12	15	72
82019	366714	<1	6.31	15	468	2	30	1.20	<4	25	165	72	3.79	0.32	25	1.50	478	7	66	656	204	0.24	<5	26	48	214	2218	<2	93	14	13	663
82020	366715	<1	6.33	17	388	2	35	1.43	<4	26	172	46	3.94	0.42	34	1.54	548	7	74	590	<1	0.31	5	19	42	254	2795	<2	99	<10	14	87
82021	366716	<1	5.67	15	240	2	12	1.82	<4	23	156	49	3.59	0.22	32	1.55	580	6	61	545	<1	0.15	<5	7	44	269	3040	<2	84	<10	13	71
82022	366717	<1	5.19	23	200	2	47	1.73	<4	23	174	48	3.52	0.29	24	1.38	514	7	57	532	3	0.23	<5	11	41	275	2430	<2	78	<10	14	86
82023	366718	<1	6.26	12	253	2	32	1.98	<4	25	157	40	3.80	0.17	28	1.77	571	3	62	669	<1	0.25	<5	28	39	272	3047	<2	93	10	13	88

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
82024D	366718	<1	5.78	14	237	2	11	1.89	<4	25	154	39	3.70	0.15	27	1.73	557	7	61	643	<1	0.24	<5	14	38	262	2954	<2	91	<10	13	96
82025	366719	<1	6.70	16	533	<2	16	2.46	<4	9	51	6	1.93	0.06	25	1.37	376	4	14	775	<1	0.12	7	29	47	274	2200	<2	47	10	9	126
82026	366720	<1	6.23	10	509	<2	15	3.97	<4	16	11	56	3.76	0.08	5	1.65	913	<1	10	665	<1	0.09	5	11	41	459	2739	<2	134	<10	24	71
82027	366721	<1	6.18	10	546	<2	51	2.70	<4	7	24	4	1.78	0.08	21	1.51	414	3	7	781	<1	0.09	<5	17	38	251	2294	<2	41	<10	8	45
82028	366722	<1	6.03	14	551	<2	16	1.90	<4	6	22	11	1.29	0.02	25	1.16	246	2	9	717	<1	0.10	<5	37	43	218	2041	<2	39	<10	7	46
82029	366723	<1	5.97	14	508	<2	35	2.34	<4	6	18	10	1.50	<0.01	20	1.44	275	3	31	725	<1	0.11	8	18	39	178	1975	<2	42	<10	8	42
82030	366724	<1	6.50	15	468	<2	28	2.15	<4	6	22	10	1.54	0.23	25	1.61	375	6	38	736	<1	0.09	7	27	39	162	2259	<2	46	<10	8	36
82031	366725	<1	6.61	18	425	<2	29	2.55	<4	7	36	7	1.76	0.22	25	2.05	668	8	64	748	<1	0.09	7	22	42	167	2355	<2	54	<10	8	37
82032	366726	<1	6.76	15	430	<2	25	2.53	<4	7	25	7	1.66	0.34	27	2.01	655	4	39	742	<1	0.08	7	42	37	169	2350	<2	47	<10	8	38
82033	366727	<1	6.82	16	334	<2	22	2.62	<4	7	41	5	1.58	0.21	26	1.85	666	11	66	752	<1	0.09	5	37	42	161	2205	<2	54	<10	8	35
82034	366728	<1	6.59	16	334	<2	24	2.61	<4	7	37	5	1.54	0.37	30	1.84	668	8	59	730	<1	0.08	6	32	44	160	2278	<2	52	<10	8	30
82035R	366728	<1	6.34	6	316	<2	23	2.52	<4	6	45	6	1.47	0.19	26	1.78	636	10	64	708	<1	0.09	5	27	45	150	2030	<2	51	<10	8	38
82036	366729	<1	5.89	16	404	<2	14	2.05	<4	7	40	14	1.59	0.41	23	1.51	429	9	64	643	<1	0.13	<5	29	40	184	2042	<2	52	<10	7	235
82037	366730	123	5.00	26	426	<2	24	3.08	7	18	39	94	4.93	0.39	7	1.44	918	7	27	616	16457	0.16	67	9	42	287	2824	<2	133	13	18	642
82038	366731	<1	6.56	18	589	<2	22	2.03	<4	13	62	21	2.07	0.49	20	1.16	381	5	60	439	325	0.21	6	21	39	185	2158	<2	61	<10	8	183
82039	366732	<1	6.02	19	683	<2	18	0.95	<4	8	68	21	1.23	0.38	15	0.72	235	16	112	354	32	0.07	<5	17	42	121	1633	<2	60	13	7	216
82040	366733	<1	4.93	24	454	<2	6	0.08	<4	5	46	106	0.96	0.40	11	0.47	<100	10	73	293	314	0.23	10	29	45	52	1277	<2	42	12	6	632
82041	366734	<1	5.65	84	443	<2	27	0.06	<4	8	29	70	1.52	0.22	11	0.48	<100	5	43	373	332	0.62	16	25	44	55	1234	<2	36	<10	6	641
82042	366735	<1	5.70	45	444	<2	1	0.09	<4	8	29	42	1.42	0.30	12	0.49	<100	6	39	621	92	0.59	6	27	41	52	1272	<2	54	<10	7	265
82043	366736	<1	6.61	53	472	2	12	0.33	<4	10	35	110	2.03	0.09	18	0.64	195	6	51	724	188	0.77	<5	37	40	62	1734	<2	61	<10	8	339

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
82044	366737	<1	7.74	74	531	<2	55	0.28	<4	13	44	102	2.42	0.44	18	0.53	107	8	60	718	622	1.03	13	23	51	55	2199	<2	67	10	8	646
82045	366738	<1	6.16	75	406	<2	32	1.48	<4	11	30	22	2.16	0.21	25	1.25	887	4	40	705	72	0.61	9	23	47	92	2359	<2	57	11	8	162
82046D	366738	<1	6.30	70	423	<2	22	1.51	<4	13	31	22	2.19	0.12	24	1.29	912	3	43	717	68	0.55	7	30	50	93	2449	<2	59	<10	8	178
82047	366739	<1	6.21	91	511	<2	31	1.05	<4	11	40	21	2.34	0.02	19	0.94	557	8	51	578	69	0.64	<5	17	48	72	2403	<2	56	<10	8	355
82048	366740	<1	6.34	16	520	<2	35	4.02	<4	17	12	57	3.87	0.37	5	1.68	941	2	11	674	<1	0.11	5	19	35	463	2797	<2	136	10	24	83
82049	366741	<1	7.38	77	489	<2	33	2.41	<4	13	33	16	2.21	0.40	20	1.48	1102	6	46	594	97	0.39	8	28	47	101	2426	<2	55	13	9	1035
82050	366742	<1	6.98	64	456	<2	15	1.91	<4	11	26	21	1.95	0.34	18	1.21	850	3	37	665	37	0.46	5	31	37	98	2568	<2	54	<10	8	130
82051	366743	<1	7.48	63	390	2	23	1.80	<4	14	44	25	2.40	0.43	21	1.13	739	5	48	796	19	0.64	<5	20	45	99	3092	<2	68	10	8	682
82052	366744	<1	6.67	37	358	<2	22	2.82	<4	12	36	11	2.10	0.50	20	1.48	1010	6	46	761	11	0.28	6	21	41	111	2868	<2	65	<10	8	85
82053	366745	<1	6.35	45	365	<2	14	3.43	<4	12	37	10	2.32	0.43	16	1.49	1024	7	53	723	8	0.22	<5	20	38	125	2831	<2	62	<10	8	73
82054	366746	<1	6.56	51	405	<2	14	3.51	<4	13	42	12	2.39	0.42	17	1.55	1028	6	57	777	7	0.16	6	33	48	128	2913	<2	66	<10	8	69
82055	366747	<1	6.23	69	365	<2	15	1.64	<4	12	28	18	2.20	0.35	22	1.08	923	3	43	709	26	0.55	<5	16	41	102	2650	<2	58	10	8	193
82056	366748	<1	5.64	56	449	<2	26	0.95	<4	9	26	24	1.79	0.21	19	0.80	443	4	37	495	513	0.54	<5	19	44	96	1963	<2	42	<10	7	555
82057D	366748	<1	5.77	54	454	<2	43	0.97	<4	10	25	25	1.85	0.09	18	0.81	438	7	39	515	526	0.56	5	12	40	98	1944	<2	42	12	7	590
82058	366749	<1	5.89	32	470	<2	5	1.59	<4	6	42	20	1.40	0.06	18	1.03	473	9	65	404	51	0.10	<5	39	42	154	1625	<2	41	<10	6	150
82059	366750	<1	4.81	63	319	<2	17	1.19	4	15	34	2219	5.12	0.21	33	1.00	1162	20	24	762	79	1.73	<5	33	41	182	1218	<2	61	15	10	654
82060	366751	<1	6.48	23	515	<2	17	1.70	9	8	27	62	1.93	0.39	20	0.90	527	4	43	405	528	0.25	7	21	45	168	1615	<2	36	17	6	2616
82061	366752	<1	6.67	25	478	<2	28	1.85	<4	8	28	27	1.61	0.48	18	0.85	494	5	44	449	45	0.15	6	31	42	182	1750	<2	37	<10	7	151
82062	366753	<1	5.77	14	458	<2	20	1.52	<4	6	41	14	1.41	0.47	19	0.78	406	7	62	392	31	0.09	<5	33	41	169	1625	<2	40	<10	6	80
82063	366754	<1	5.94	22	465	<2	14	1.76	<4	6	41	18	1.56	0.39	21	0.91	507	9	70	376	117	0.11	5	30	37	182	1510	<2	42	12	6	123

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
82064	366755	<1	5.89	22	523	<2	30	1.52	<4	7	40	14	1.59	0.50	25	0.87	487	8	11	406	<1	0.12	10	28	44	166	1922	<2	28	<10	6	91
82065	366756	<1	6.66	28	562	<2	24	1.66	<4	7	40	15	1.45	0.50	17	0.77	419	6	10	393	8	0.14	9	33	47	186	1594	<2	27	<10	6	104
82066	366757	<1	5.98	24	503	<2	26	1.61	<4	7	31	11	1.52	0.32	15	0.76	482	4	9	392	3	0.13	<5	32	39	183	1582	<2	26	<10	6	83
82067	366758	<1	6.53	12	583	<2	10	1.54	<4	7	46	10	1.60	0.18	17	0.74	469	9	9	410	<1	0.11	<5	19	36	193	1727	<2	28	<10	6	72
82068D	366758	<1	5.99	12	558	<2	28	1.46	<4	6	41	10	1.53	0.14	16	0.71	452	7	8	393	<1	0.11	<5	35	41	185	1652	<2	27	<10	6	64
82069	366759	<1	5.94	21	515	<2	27	1.96	<4	6	30	15	1.57	0.12	17	0.84	566	6	8	381	38	0.26	<5	24	40	199	1573	<2	27	<10	6	111
82070	366760	<1	6.37	12	518	<2	32	4.03	<4	17	11	54	3.79	0.09	4	1.65	926	<1	9	664	<1	0.10	<5	25	35	466	2769	<2	135	12	24	72
82071	366761	<1	5.99	34	569	<2	22	1.86	<4	7	30	13	1.58	0.09	17	0.85	690	5	10	417	61	0.29	8	26	38	197	1549	<2	26	<10	7	463
82072	366762	<1	6.25	32	639	<2	46	1.37	<4	7	41	6	1.68	0.48	22	0.81	521	8	11	457	32	0.33	<5	36	38	171	1723	<2	28	<10	7	218
82073	366763	<1	6.25	30	621	<2	24	1.70	7	7	37	21	1.47	0.43	22	0.86	631	6	11	466	136	0.21	<5	14	39	177	1767	<2	28	18	7	1852
82074	366764	<1	5.62	25	629	<2	26	1.33	<4	6	35	40	1.37	0.35	21	0.81	555	5	9	385	365	0.19	5	27	36	176	1546	<2	26	14	6	653
82075	366765	<1	6.20	19	600	<2	9	2.27	<4	7	41	14	1.89	0.44	21	1.08	876	5	13	434	21	0.19	<5	27	36	200	1701	<2	31	<10	7	110
82076	366766	<1	3.88	23	495	<2	14	1.12	<4	6	34	10	1.39	0.18	14	0.72	478	5	12	350	18	0.24	5	11	33	133	1350	<2	26	<10	5	65
82077	366767	<1	5.03	21	547	<2	31	1.46	<4	7	39	13	1.41	0.17	16	0.69	475	4	14	400	<1	0.18	<5	29	35	155	1576	<2	31	<10	6	26
82078	366768	<1	4.60	21	491	<2	12	1.22	<4	7	41	6	1.56	<0.01	14	0.71	495	6	12	409	<1	0.18	<5	18	31	153	1563	<2	29	<10	6	46
82079D	366768	<1	5.39	20	541	<2	16	1.35	<4	8	46	8	1.70	<0.01	18	0.77	538	6	14	449	<1	0.19	5	17	37	165	1628	<2	32	<10	6	48
82080	366769	<1	4.32	17	469	<2	15	0.92	<4	5	30	6	1.29	<0.01	14	0.65	442	3	10	370	<1	0.13	8	20	32	138	1476	<2	27	<10	6	28
82081	366770	<1	3.26	24	468	<2	20	2.02	<4	14	49	175	3.61	<0.01	9	1.23	674	12	39	596	2	0.12	7	8	31	252	2537	<2	98	10	14	74
82082	366771	<1	3.72	24	478	<2	26	1.17	<4	7	30	11	1.46	<0.01	13	0.69	463	3	11	354	<1	0.18	<5	20	31	131	1377	<2	27	<10	5	25
82083	366772	<1	3.75	19	550	<2	13	1.95	<4	6	30	13	1.65	<0.01	15	0.79	644	2	11	349	<1	0.17	<5	18	30	132	1394	<2	26	<10	6	23

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
82084	366773	<1	5.36	26	545	<2	27	1.64	<4	6	32	12	1.70	0.12	21	0.94	690	4	11	485	3	0.22	<5	25	33	177	1744	<2	33	<10	6	135
82085	366774	<1	6.09	28	738	<2	9	3.32	<4	5	34	19	1.75	0.16	23	1.13	951	5	10	431	94	0.21	<5	39	33	220	1674	<2	29	<10	6	499
82086	366775	<1	4.62	28	513	<2	22	1.24	<4	6	48	15	1.39	0.19	19	0.81	627	6	10	383	11	0.23	11	8	36	139	1539	6	27	<10	5	98
82087	366776	<1	4.97	19	487	<2	24	1.34	<4	5	37	8	1.34	0.27	17	0.70	499	7	8	381	<1	0.16	<5	18	36	154	1512	<2	27	<10	6	43
82088	366777	<1	4.99	17	483	<2	10	1.76	<4	7	31	3	1.49	0.30	14	0.76	669	4	11	361	<1	0.15	7	20	32	143	1428	<2	25	<10	6	51
82089	366778	<1	5.60	23	571	<2	22	1.54	<4	6	31	7	1.54	0.03	17	0.79	701	5	10	390	<1	0.19	<5	16	43	137	1588	<2	27	<10	6	131
82090D	366778	<1	7.16	22	683	<2	35	1.85	<4	7	34	9	1.75	0.37	23	0.94	808	5	11	447	<1	0.19	<5	26	46	155	1912	<2	30	<10	7	168
82091	366779	<1	1.81	13	326	<2	5	1.04	<4	4	16	8	1.01	<0.01	4	0.57	481	<1	6	259	3	0.10	<5	7	24	95	994	<2	18	<10	4	97
82092	366780	<1	2.70	8	323	<2	6	2.71	<4	11	6	37	2.69	<0.01	<1	1.18	658	<1	7	465	<1	0.07	<5	14	22	329	1922	<2	95	<10	17	47
82093	366781	<1	2.11	9	372	<2	10	1.21	<4	4	23	5	1.17	<0.01	5	0.65	620	2	9	318	23	0.09	<5	<5	28	112	1211	<2	23	<10	5	83
82094	366782	<1	1.57	18	288	<2	14	1.11	<4	4	22	2	1.05	<0.01	4	0.59	366	2	7	272	<1	0.07	<5	<5	24	104	1086	<2	20	<10	4	26
82095	366783	<1	0.70	15	240	<2	11	0.90	<4	4	22	6	0.90	<0.01	<1	0.49	366	3	7	229	11	0.08	<5	<5	20	85	892	<2	16	<10	4	61
82096	366784	<1	4.18	11	497	<2	19	1.78	<4	4	24	13	1.41	0.05	12	0.87	928	3	9	342	57	0.18	<5	22	31	136	1363	<2	24	<10	6	170
82097	366785	<1	4.34	18	431	<2	28	1.48	<4	4	23	3	1.24	0.59	13	0.75	527	2	10	359	11	0.13	<5	27	36	135	1519	<2	26	<10	6	77
82098	366786	<1	5.87	22	475	<2	20	1.76	<4	6	22	3	1.41	0.22	20	1.03	652	4	9	403	<1	0.11	<5	15	43	151	1682	<2	27	<10	7	53
82099	366787	<1	6.81	22	673	2	24	1.80	<4	20	141	43	3.13	0.25	35	1.36	931	6	54	577	16	0.53	<5	12	43	128	2869	<2	87	<10	14	117
82100	366788	<1	5.83	30	522	<2	10	1.72	<4	9	38	4	1.75	0.47	21	0.95	830	5	41	406	15	0.40	5	38	42	148	1722	<2	40	<10	7	70
82101R	366788	<1	6.50	26	568	2	24	1.81	<4	9	49	5	1.91	0.08	28	1.03	889	8	63	429	15	0.40	<5	27	40	156	1871	<2	50	<10	7	83
82102	366789	<1	6.03	23	545	<2	26	1.81	<4	8	40	6	1.54	0.04	21	1.01	728	7	52	418	9	0.18	<5	17	36	148	1736	<2	43	<10	7	189
82103	366790	>100	5.40	19	449	<2	33	3.21	6	18	41	94	5.23	<0.01	8	1.48	955	7	27	621	>5000	0.16	78	16	44	298	2939	<2	141	13	19	401

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
82104	366791	<1	5.16	22	464	<2	20	1.36	<4	7	49	4	1.44	0.24	13	0.79	604	9	75	355	216	0.16	5	15	35	120	1474	<2	44	<10	6	103
82105	366792	<1	6.34	16	556	<2	18	1.53	<4	10	43	10	1.64	0.12	16	0.83	604	7	67	434	33	0.16	<5	24	40	130	1650	<2	44	10	6	301
82106	366793	<1	3.28	18	277	<2	<1	1.10	<4	6	77	18	1.47	<0.01	10	0.77	609	9	78	257	21	0.09	<5	19	42	92	998	<2	46	<10	8	90
82107	366794	<1	5.77	15	361	<2	15	1.72	<4	23	166	46	3.98	0.31	22	1.82	1205	11	124	544	228	0.30	7	21	41	129	2336	<2	102	10	15	419
82108	366795	<1	6.35	15	577	2	19	0.44	<4	32	193	69	4.67	0.08	37	1.85	975	10	136	574	15	0.40	<5	19	41	76	3472	<2	144	10	14	180
82109	366796	<1	5.78	16	458	2	22	1.83	<4	24	170	58	3.74	0.13	22	1.56	1140	11	130	521	30	0.28	5	23	43	134	2375	<2	110	14	16	184
82110	366797	<1	4.97	21	345	<2	20	1.85	<4	21	135	24	3.13	0.05	19	1.56	1156	6	76	481	<1	0.23	<5	24	40	110	2038	<2	78	<10	13	101
82111	366798	<1	5.74	19	407	<2	25	1.59	<4	25	172	54	3.81	0.03	31	1.81	1083	9	108	565	20	0.18	<5	14	49	108	2909	<2	104	<10	15	141
82112D	366798	<1	4.93	18	399	<2	8	1.51	<4	24	173	53	3.77	0.10	29	1.69	1070	8	112	547	21	0.18	<5	27	41	104	2839	<2	104	<10	13	140
82113	366799	<1	5.18	73	517	<2	21	0.98	<4	23	167	97	3.28	<0.01	20	1.07	771	10	115	483	162	0.65	10	20	43	80	2376	<2	110	<10	14	100
82114	366800	<1	6.02	16	510	<2	73	3.96	<4	17	14	60	3.82	0.19	3	1.65	931	<1	11	647	<1	0.10	<5	13	33	460	2792	<2	135	10	24	67
82115	366801	<1	5.86	37	520	2	23	1.87	<4	20	160	85	3.56	<0.01	19	1.32	975	15	135	475	386	0.43	9	11	41	115	2514	<2	110	<10	15	417
82116	366802	<1	5.58	28	619	<2	22	1.64	<4	6	35	96	1.70	0.14	23	1.22	638	6	55	413	132	0.38	<5	11	42	102	1764	<2	44	<10	7	198
82117	366803	<1	6.05	39	491	<2	23	1.61	<4	19	137	85	3.17	0.14	20	1.52	829	9	98	545	116	0.26	<5	22	40	107	2334	<2	91	<10	12	172
82118	366804	<1	4.75	43	304	<2	30	1.46	<4	18	132	56	3.27	0.14	25	1.55	719	9	99	574	22	0.38	<5	16	42	69	1934	<2	75	<10	13	178
82119	366805	<1	4.46	24	545	<2	4	1.68	<4	8	44	22	1.61	<0.01	21	1.09	606	5	46	470	19	0.17	5	8	31	102	1869	<2	47	<10	7	68
82120	366806	<1	5.66	21	595	<2	21	2.01	<4	8	36	21	1.67	0.09	24	1.15	650	8	56	503	9	0.19	5	18	33	113	1993	<2	48	<10	7	93
82121	366807	<1	6.16	32	688	<2	28	1.83	<4	8	31	67	1.68	0.18	20	1.12	632	7	52	541	72	0.30	<5	18	39	108	2100	<2	47	11	7	258
82122	366808	<1	5.58	28	549	<2	11	1.30	<4	8	32	82	1.63	<0.01	18	1.04	546	7	51	513	268	0.39	6	28	40	84	1991	<2	46	<10	7	269
82123D	366808	<1	6.02	43	578	2	25	1.36	<4	8	33	86	1.68	<0.01	19	1.07	571	6	53	519	297	0.40	5	26	38	87	2086	<2	47	<10	7	281

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
82124	366809	<1	5.54	39	575	<2	36	1.33	<4	8	41	22	1.72	0.04	20	1.05	590	10	72	512	51	0.39	<5	5	38	80	1987	<2	51	<10	6	165
82125	366810	<1	4.43	59	314	<2	50	1.13	4	14	33	2151	4.96	<0.01	31	0.97	1127	18	26	720	67	1.60	<5	10	33	175	1183	<2	59	<10	9	614
82126	366811	<1	6.15	21	576	2	18	2.28	<4	18	33	43	2.15	0.27	26	1.28	878	6	57	558	2	0.26	<5	22	34	103	2128	<2	48	<10	7	107
82127	366812	<1	6.09	23	537	<2	16	2.25	<4	7	36	10	1.87	0.25	19	1.19	787	6	55	558	<1	0.10	8	23	35	103	2128	<2	48	<10	7	100
82128	366813	<1	5.28	26	569	<2	23	1.85	<4	6	44	10	1.65	0.26	24	1.23	733	8	70	494	<1	0.26	<5	21	36	90	1840	<2	48	<10	6	218
82129	366814	<1	6.07	23	510	<2	18	2.62	<4	8	36	10	1.88	0.40	27	1.46	1050	7	56	507	1	0.27	<5	30	41	114	1973	<2	45	<10	7	89
82130	366815	<1	7.21	20	601	<2	16	2.24	<4	8	35	5	1.95	0.32	32	1.30	846	8	64	580	<1	0.19	9	27	39	122	2428	4	56	<10	7	73
82131	366816	<1	3.27	26	329	<2	27	0.94	<4	5	71	9	1.19	0.05	18	0.73	404	14	104	365	<1	0.17	5	29	41	74	1230	<2	46	<10	6	92
82132	366817	<1	5.91	17	582	<2	21	2.01	<4	8	31	6	1.78	0.20	26	1.15	762	6	54	608	<1	0.19	<5	15	41	128	2116	<2	48	<10	7	69
82133	366818	<1	6.16	15	512	<2	10	2.06	<4	9	29	13	1.89	0.23	27	1.19	842	6	50	583	97	0.16	<5	15	41	136	2061	<2	47	<10	7	235
82134D	366818	<1	5.62	16	487	<2	29	1.96	<4	7	26	13	1.81	0.28	27	1.14	810	5	46	559	93	0.12	<5	33	35	131	1959	<2	44	<10	6	225
82135	366819	<1	5.40	17	465	<2	30	1.60	<4	8	20	31	1.44	0.15	21	1.04	717	5	31	491	62	0.20	<5	36	56	109	1730	<2	35	<10	6	260
82136	366820	<1	5.51	5	492	<2	44	3.82	<4	17	10	56	3.64	0.31	4	1.56	891	<1	10	617	<1	0.10	<5	<5	37	444	2657	<2	129	11	22	75
82137	366821	<1	4.20	27	385	<2	30	2.32	<4	13	52	34	2.21	0.22	25	1.44	881	6	50	613	163	0.32	<5	6	38	131	2602	<2	55	<10	9	275
82138	366822	<1	6.21	27	386	<2	21	3.41	<4	39	149	42	4.51	0.42	36	2.21	1163	4	107	1093	<1	0.34	<5	17	37	141	6394	<2	141	<10	17	270
82139	366823	<1	5.20	21	409	<2	25	3.90	<4	11	47	16	2.50	0.23	25	2.05	1131	5	54	496	<1	0.22	6	26	37	132	2080	<2	52	18	9	131
82140	366824	<1	5.32	27	396	<2	25	2.07	<4	8	27	16	1.58	0.42	24	1.30	665	5	48	495	<1	0.11	<5	8	37	115	1916	<2	43	<10	6	55
82141	366825	<1	6.20	42	350	<2	20	2.54	<4	16	56	39	2.66	0.28	32	1.68	847	5	66	700	<1	0.20	5	26	43	130	3137	<2	69	<10	9	68
82142	366826	<1	5.78	45	343	<2	26	2.45	<4	15	61	24	2.55	0.21	34	1.61	814	8	76	656	<1	0.21	<5	16	49	125	2993	<2	70	<10	9	60
82143	366827	<1	6.49	66	235	<2	37	2.69	<4	52	182	99	5.54	0.18	47	2.78	1155	7	147	1294	3	0.51	7	17	39	130	6949	<2	182	<10	19	188

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
82144	366828	<1	5.05	145	308	<2	24	1.87	4	41	208	104	6.42	0.36	36	2.09	912	10	171	1328	115	1.11	<5	7	35	147	2110	<2	146	<10	13	506
82145D	366828	<1	4.85	137	297	<2	19	1.79	4	38	203	100	6.28	0.41	34	2.02	885	9	164	1284	111	1.33	6	9	38	144	1941	<2	141	<10	13	493
82146	366829	<1	5.06	70	260	<2	23	2.22	<4	30	157	62	4.61	0.39	46	2.27	975	9	128	987	62	0.46	5	12	39	120	3262	<2	126	11	13	188
82147	366830	<1	3.84	24	511	<2	28	2.21	<4	15	54	190	3.92	0.24	11	1.33	735	12	43	651	<1	0.13	10	5	37	268	2748	<2	106	<10	15	84
82148	366831	<1	5.35	31	336	<2	38	2.18	<4	10	34	8	1.91	0.15	36	1.34	503	7	51	540	<1	0.21	<5	13	34	132	1769	<2	48	<10	7	91
82149	366832	<1	0.99	43	84	<2	11	1.78	<4	28	122	64	4.94	<0.01	28	2.66	931	3	95	844	92	0.95	<5	<5	14	93	2436	<2	104	<10	11	365
82150	366833	<1	5.53	52	251	<2	21	2.37	4	34	129	47	4.87	0.30	42	2.51	952	7	104	927	1153	0.40	<5	24	38	123	4073	<2	123	10	13	1077
82151	366834	<1	6.14	27	325	<2	22	3.90	<4	46	183	54	5.60	0.35	43	2.66	1460	6	134	1138	28	0.25	6	19	41	157	7019	6	165	11	21	259
82152	366835	<1	6.98	21	404	2	32	2.47	<4	22	126	40	3.43	0.26	37	1.74	914	7	94	574	55	0.14	7	19	41	145	3472	<2	111	<10	13	163
82153	366836	41	6.16	15	318	2	31	1.80	<4	26	177	49	3.99	0.30	39	1.93	745	6	102	611	<1	0.13	9	25	35	123	3243	<2	109	<10	13	100
82154	366837	<1	5.73	20	342	2	28	1.52	<4	27	164	53	3.70	0.29	41	1.69	693	8	114	582	<1	0.12	<5	<5	42	107	3253	<2	119	<10	14	89
82155	366838	<1	5.07	34	279	2	25	1.98	<4	23	163	49	3.22	0.24	34	1.53	840	9	117	582	107	0.24	7	10	38	87	2733	<2	108	<10	14	316
82156D	366838	<1	5.19	39	279	2	32	2.02	<4	25	163	51	3.24	0.28	34	1.55	851	8	115	584	111	0.24	8	7	53	87	2714	<2	109	<10	15	649
82157	366839	29	3.60	210	236	<2	24	0.41	159	15	108	235	5.93	0.19	17	0.65	230	14	96	410	16710	2.48	161	15	44	50	1578	<2	73	239	11	39252
82158	366840	<1	5.64	17	490	<2	25	3.81	<4	17	12	60	3.71	0.30	4	1.55	878	<1	10	617	241	0.13	<5	5	39	446	2629	<2	131	11	22	566
82159	366841	<1	5.37	18	352	2	28	1.68	<4	19	151	116	3.38	0.15	30	1.67	748	9	98	845	290	0.26	5	8	35	96	1956	<2	104	<10	12	447
82160	366842	<1	5.66	57	300	2	52	1.48	<4	27	190	57	4.19	0.13	32	2.04	654	13	142	646	21	0.14	<5	23	51	111	3253	<2	118	<10	11	96
82161	366843	<1	5.21	34	247	<2	19	1.33	<4	24	173	49	3.61	0.09	29	2.02	605	10	111	572	9	0.15	6	16	41	95	2560	<2	97	<10	11	98
82162	366844	<1	6.51	213	324	<2	24	1.48	<4	27	185	42	4.38	0.29	37	2.41	931	9	127	608	<1	0.15	<5	10	36	102	3247	<2	135	<10	15	74
82163	366845	<1	6.22	26	340	2	14	1.26	10	26	156	143	4.26	0.25	33	2.05	801	6	101	678	397	0.25	5	8	46	87	2406	<2	111	22	14	2728

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 10:04 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/20/2015
Date Completed: 03/31/2015
Job #: 201540961
Reference: 15-014
Sample #: 249

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
82164	366846	<1	5.12	29	305	<2	13	1.11	12	23	145	113	3.83	0.44	31	1.81	692	5	97	643	439	0.17	<5	13	38	80	2174	<2	103	27	12	3181
82165	366847	<1	6.04	11	344	<2	21	1.60	<4	23	159	81	3.73	0.39	30	2.12	900	5	88	588	83	0.13	5	25	39	93	2129	<2	111	<10	14	162
82166	366848	<1	5.42	23	314	<2	33	1.54	<4	28	164	51	4.42	0.38	36	2.24	822	6	106	594	27	0.11	7	21	39	110	3348	<2	121	<10	14	61
82167R	366848	<1	5.44	32	330	<2	38	1.48	<4	27	170	54	4.39	0.31	32	2.17	800	7	113	608	32	0.11	6	25	37	111	3402	<2	127	<10	14	81
82168	366849	<1	5.26	18	342	<2	24	0.99	<4	25	152	66	3.45	<0.01	28	1.76	556	4	96	535	37	0.10	6	19	37	89	2971	<2	120	12	12	440
82169	366850	126	4.92	25	422	<2	19	3.05	8	18	41	96	5.00	0.18	6	1.43	915	6	27	604	16963	0.16	70	8	38	287	2831	<2	137	12	19	743
82170	366851	<1	6.27	16	378	2	35	1.28	<4	26	154	52	3.83	0.10	33	1.96	584	7	98	614	290	0.08	<5	13	40	108	3541	<2	119	10	13	131
82171	366852	<1	5.16	12	282	2	14	1.18	<4	21	135	38	3.34	0.12	28	1.85	515	8	99	499	<1	0.07	9	11	34	97	2749	<2	97	10	10	111
82172	366853	<1	6.06	13	270	<2	22	1.53	<4	21	147	34	3.54	0.07	35	2.17	514	10	52	542	2	0.07	<5	12	39	106	2166	<2	72	<10	11	92
82173	366854	<1	5.38	19	311	2	31	0.54	<4	30	167	49	4.69	0.27	41	2.84	583	8	83	598	<1	0.06	7	13	47	63	3188	<2	128	<10	12	104
82174	366855	<1	5.23	14	255	<2	36	1.06	<4	18	134	41	3.40	0.36	34	2.39	431	8	50	503	<1	0.07	<5	25	34	69	1837	<2	75	<10	10	99
82175	366856	<1	5.13	19	208	2	24	1.30	<4	21	136	41	3.42	0.23	33	2.10	591	7	53	512	<1	0.07	<5	23	40	71	2350	<2	74	<10	10	96
82176	366857	<1	4.67	16	214	<2	23	1.12	<4	19	150	51	3.35	0.14	28	1.74	498	5	51	515	<1	0.11	<5	11	37	68	2144	<2	74	<10	10	184

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15398

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Au g/t (ppm)
85497	366858	0.012
85498	366859	<0.005
85499	366860	<0.005
85500	366861	<0.005
85501	366862	0.006
85502	366863	<0.005
85503	366864	<0.005
85504	366865	<0.005
85505	366866	<0.005
85506	366867	<0.005
85507	366867 Dup	<0.005
85508	366868	<0.005
85509	366869	<0.005
85510	366870	0.229
85511	366871	0.006
85512	366872	0.035
85513	366873	0.261
85514	366874	0.031
85515	366875	0.279
85516	366876	0.101
85517	366877	0.414
85518	366877 Dup	0.405
85519	366878	0.108
85520	366879	0.126
85521	366880	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Au g/t (ppm)
85522	366881	0.048
85523	366882	0.034
85524	366883	0.015
85525	366884	0.018
85526	366885	0.009
85527	366886	0.009
85528	366887	0.009
85529	366887 Dup	0.006
85530	366888	0.007
85531	366889	<0.005
85532	366890	1.465
85533	366891	0.017
85534	366892	0.008
85535	366893	0.024
85536	366894	0.007
85537	366895	0.009
85538	366896	0.012
85539	366897	0.044
85540	366897 Dup	0.005
85541	366898	0.011
85542	366899	0.009
85543	366900	0.007
85544	366901	0.076
85545	366902	0.048
85546	366903	0.037

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Au g/t (ppm)
85547	366904	0.022
85548	366905	0.009
85549	366906	0.019
85550	366907	0.035
85551	366907 Dup	0.035
85552	366908	0.067
85553	366909	0.026
85554	366910	5.035
85555	366911	1.950
85556	366912	0.165
85557	366913	0.129
85558	366914	0.026
85559	366915	0.047
85560	366916	0.012
85561	366917	0.266
85562	366917 Rep	0.338
85563	366918	0.032
85564	366919	0.117
85565	366920	<0.005
85566	366921	0.043
85567	366922	0.050
85568	366923	0.220
85569	366924	0.098
85570	366925	0.023
85571	366926	0.030

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Au g/t (ppm)
85572	366927	0.131
85573	366927 Dup	0.172
85574	366928	0.097
85575	366929	0.041
85576	366930	0.415
85577	366931	0.015
85578	366932	0.019
85579	366933	0.007
85580	366934	0.163
85581	366935	<0.005
85582	366936	<0.005
85583	366937	<0.005
85584	366937 Dup	<0.005
85585	366938	<0.005
85586	366939	<0.005
85587	366940	<0.005
85588	366941	<0.005
85589	366942	<0.005
85590	366943	0.173
85591	366944	0.010
85592	366945	<0.005
85593	366946	<0.005
85594	366947	<0.005
85595	366947 Dup	<0.005
85596	366948	1.776

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Au g/t (ppm)
85597	366949	0.041
85598	366950	1.324
85599	1356401	0.187
85600	1356402	1.424
85601	1356403	0.576
85602	1356404	0.380
85603	1356405	2.038
85604	1356406	2.060
85605	1356407	1.076
85606	1356407 Dup	1.336
85607	1356408	0.072
85608	1356409	0.127
85609	1356410	4.532
85610	1356411	0.040
85611	1356412	0.280
85612	1356413	0.599
85613	1356414	0.292
85614	1356415	0.023
85615	1356416	0.019
85616	1356417	0.029
85617	1356417 Dup	0.027
85618	1356418	0.106
85619	1356419	0.025
85620	1356420	<0.005
85621	1356421	0.090

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Au g/t (ppm)
85622	1356422	0.045
85623	1356423	0.020
85624	1356424	0.058
85625	1356425	0.038
85626	1356426	0.042
85627	1356427	0.061
85628	1356427 Rep	0.065
85629	1356428	0.084
85630	1356429	0.667
85631	1356430	0.384
85632	1356431	0.091
85633	1356432	0.234
85634	1356433	0.087
85635	1356434	0.063
85636	1356435	0.064
85637	1356436	0.020
85638	1356437	0.016
85639	1356437 Dup	0.015
85640	1356438	0.024
85641	1356439	0.031
85642	1356440	<0.005
85643	1356441	0.021
85644	1356442	0.024
85645	1356443	0.014
85646	1356444	0.037

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Au g/t (ppm)
85647	1356445	0.055
85648	1356446	0.069
85649	1356447	0.033
85650	1356447 Dup	0.027
85651	1356448	0.017
85652	1356449	0.009
85653	1356450	1.035
85654	1356451	0.069
85655	1356452	0.029
85656	1356453	0.035
85657	1356454	0.009
85658	1356455	0.008
85659	1356456	0.010
85660	1356457	0.055
85661	1356457 Dup	0.046
85662	1356458	0.033
85663	1356459	0.197
85664	1356460	<0.005
85665	1356461	0.884
85666	1356462	0.131
85667	1356463	1.567
85668	1356464	0.232
85669	1356465	0.253
85670	1356466	0.221
85671	1356467	0.219

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Au g/t (ppm)
85672	1356467 Dup	0.402
85673	1356468	0.167
85674	1356469	0.205
85675	1356470	4.383
85676	1356471	0.238
85677	1356472	0.145
85678	1356473	0.067
85679	1356474	0.027
85680	1356475	0.108
85681	1356476	0.294
85682	1356477	0.097
85683	1356477 Dup	0.087
85684	1356478	0.026
85685	1356479	0.019
85686	1356480	<0.005
85687	1356481	0.092
85688	1356482	0.025
85689	1356483	0.020
85690	1356484	0.061
85691	1356485	0.033
85692	1356486	0.016
85693	1356487	0.011
85694	1356487 Rep	0.012
85695	1356488	0.678
85696	1356489	0.203

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Au g/t (ppm)
85697	1356490	0.348
85698	1356491	0.168
85699	1356492	0.845
85700	1356493	0.048
85701	1356494	0.023
85702	1356495	0.058
85703	1356496	0.095
85704	1356497	0.036
85705	1356497 Dup	0.041
85706	1356498	0.077
85707	1356499	0.037
85708	1356500	<0.005
85709	1336701	0.105
85710	1336702	0.025
85711	1336703	0.516
85712	1336704	0.317
85713	1336705	0.167
85714	1336706	0.153
85715	1336707	0.073
85716	1336707 Dup	0.045
85717	1336708	0.080
85718	1336709	1.061
85719	1336710	0.374
85720	1336711	0.029
85721	1336712	0.052

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Au g/t (ppm)
85722	1336713	0.017
85723	1336714	0.009

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, March 31, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR01	1.645	1.729	0.121
AR01	1.455	1.729	0.121
AR01	1.623	1.729	0.121
AR01	1.916	1.729	0.121
AR01	1.596	1.729	0.121
AR01	1.733	1.729	0.121
AR01	1.422	1.729	0.121
AR01	1.686	1.729	0.121

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85497	366858	<1	2.54	<2	545	<2	3	2.78	<4	12	25	19	2.12	0.80	14	0.76	457	8	41	371	7	0.11	<5	<5	27	290	1926	6	53	11	4	60
85498	366859	<1	2.22	2	511	<2	4	2.61	<4	9	30	14	1.93	0.91	11	0.56	295	9	51	318	11	0.05	<5	<5	28	339	1842	<2	53	<10	4	41
85499	366860																															
85500	366861	<1	2.81	<2	630	<2	3	2.58	<4	10	35	11	1.96	1.09	11	0.57	278	10	52	283	8	0.04	5	<5	28	373	2052	<2	53	10	4	44
85501	366862	<1	2.63	<2	775	2	2	2.85	<4	9	28	9	1.88	1.11	11	0.55	286	8	38	288	13	0.04	<5	<5	33	409	2033	<2	48	11	4	52
85502	366863	<1	2.01	<2	930	<2	<1	2.28	<4	9	35	7	1.87	1.44	12	0.53	261	9	56	267	7	0.02	<5	<5	27	421	2006	<2	54	10	3	51
85503	366864	<1	2.27	<2	913	<2	2	2.36	<4	9	31	5	1.86	0.74	13	0.58	297	9	50	302	4	0.03	5	<5	29	352	2039	<2	51	<10	3	43
85504	366865	<1	2.66	<2	715	<2	4	2.17	<4	8	35	7	1.79	0.73	12	0.57	277	9	54	334	8	0.05	<5	<5	25	352	1884	2	50	15	3	43
85505	366866	<1	2.78	<2	759	<2	5	2.24	<4	9	38	5	1.86	0.60	13	0.57	286	9	46	360	8	0.06	<5	<5	30	361	1978	2	52	<10	3	44
85506	366867	<1	3.16	<2	774	<2	3	2.18	<4	8	53	6	1.83	0.34	14	0.58	264	11	65	396	7	0.05	<5	<5	31	315	1850	4	51	12	4	42
85507D	366867	<1	3.64	<2	754	<2	3	2.11	<4	8	49	3	1.76	0.37	13	0.60	255	11	56	393	4	0.05	<5	<5	31	304	1810	4	49	<10	4	42
85508	366868	<1	4.17	5	714	<2	2	2.42	<4	10	42	5	1.96	0.40	12	0.64	298	12	63	434	5	0.03	<5	<5	28	334	2104	<2	55	17	4	42
85509	366869	<1	5.37	<2	753	<2	4	2.84	<4	11	36	5	2.03	1.55	14	0.83	345	10	58	426	5	0.03	<5	<5	29	369	2158	<2	56	<10	5	38
85510	366870	<1	5.75	53	346	2	2	1.32	8	17	39	2703	5.69	0.96	23	1.03	1248	27	27	816	89	1.53	<5	<5	31	198	1265	3	73	49	10	710
85511	366871	<1	6.14	<2	686	2	5	3.21	<4	10	48	13	2.25	1.38	15	0.96	398	15	83	462	4	0.04	<5	<5	30	314	2175	4	66	<10	6	42
85512	366872	<1	5.55	4	553	<2	5	2.85	<4	10	45	12	2.02	1.09	14	0.97	383	13	71	430	21	0.05	5	<5	29	244	1975	<2	59	20	6	55
85513	366873	<1	6.02	12	472	<2	2	2.92	<4	10	34	20	1.76	1.15	17	1.10	345	8	42	407	44	0.17	<5	<5	32	197	1862	<2	48	20	6	107
85514	366874	<1	6.43	8	497	2	4	3.88	<4	12	30	10	2.28	0.85	17	1.64	546	10	39	501	24	0.15	<5	<5	32	202	2329	8	57	23	6	85
85515	366875	<1	5.46	8	499	<2	2	3.15	<4	8	34	19	1.85	1.25	13	1.36	407	11	51	459	65	0.23	<5	<5	31	163	1991	4	54	<10	6	218
85516	366876	<1	4.02	17	516	2	1	2.97	<4	10	36	22	1.92	0.75	14	1.34	550	11	48	438	132	0.21	<5	<5	29	153	2035	<2	52	20	5	112

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85517	366877	1	5.81	29	475	<2	5	2.47	<4	9	30	30	2.16	0.47	14	1.20	504	9	37	470	96	0.29	<5	<5	33	149	1920	<2	43	29	6	509
85518D	366877	<1	5.81	29	480	2	5	2.47	4	9	30	30	2.16	0.47	15	1.21	507	10	38	475	98	0.31	<5	<5	33	151	1934	<2	48	29	6	510
85519	366878	<1	6.24	20	508	<2	4	2.44	<4	10	37	9	1.95	0.51	23	1.12	447	11	51	497	29	0.24	7	<5	31	158	2117	<2	54	20	6	44
85520	366879	<1	4.59	12	387	<2	5	2.56	<4	9	35	15	1.78	0.15	11	1.25	429	11	55	437	156	0.19	<5	<5	27	153	1780	3	49	18	5	287
85521	366880	<1	5.25	<2	558	<2	2	4.16	4	17	12	64	3.86	0.69	<1	1.50	930	8	10	606	9	0.03	<5	<5	26	465	2613	2	144	19	21	62
85522	366881	<1	5.22	8	361	<2	3	2.62	<4	8	33	8	1.77	0.51	11	1.14	401	7	34	457	27	0.15	<5	<5	29	175	1850	<2	45	28	6	117
85523	366882	<1	5.48	3	379	<2	2	2.69	<4	11	28	5	2.03	0.46	13	0.97	319	8	40	447	10	0.09	<5	<5	27	208	1907	<2	49	20	6	38
85524	366883	<1	3.27	2	400	<2	2	2.44	<4	8	47	5	1.99	0.86	9	0.72	276	13	78	324	14	0.04	<5	<5	27	259	1910	3	60	11	4	37
85525	366884	<1	2.52	<2	382	<2	2	2.38	<4	9	33	5	1.70	1.00	9	0.57	256	8	50	288	8	0.03	<5	<5	26	278	1842	<2	50	<10	4	27
85526	366885	<1	2.29	<2	294	<2	2	2.01	<4	8	55	5	1.77	0.74	8	0.61	235	14	97	292	9	0.03	<5	<5	25	314	1566	4	61	24	4	29
85527	366886	<1	1.98	<2	346	<2	3	2.37	<4	9	28	3	1.72	0.53	11	0.60	258	6	10	307	5	0.03	<5	<5	28	332	1750	<2	40	<10	4	32
85528	366887	<1	1.01	<2	384	<2	3	2.15	<4	8	26	3	1.71	0.80	10	0.53	258	6	8	310	10	0.04	<5	<5	25	360	1793	<2	39	12	3	57
85529D	366887	<1	1.68	<2	397	<2	2	2.17	<4	7	27	6	1.72	0.43	11	0.55	260	6	14	355	5	0.04	<5	<5	30	362	1823	<2	40	<10	3	58
85530	366888	<1	2.03	<2	441	<2	1	2.09	<4	9	24	6	1.69	0.32	13	0.69	284	6	12	380	7	0.04	<5	<5	28	322	1711	2	39	<10	3	53
85531	366889	<1	3.62	<2	495	<2	2	2.34	<4	10	20	10	1.84	0.13	17	0.99	338	8	12	445	14	0.04	<5	<5	31	315	1866	<2	43	12	4	70
85532	366890	<1	4.07	16	577	<2	4	2.33	<4	16	57	218	4.03	0.08	6	1.25	743	20	43	650	11	0.08	<5	<5	27	277	2759	6	116	41	15	67
85533	366891	<1	4.10	<2	508	<2	2	2.24	<4	10	20	8	1.88	0.74	15	1.03	314	6	13	383	10	0.04	<5	<5	31	336	1862	<2	43	<10	5	71
85534	366892	<1	4.34	<2	507	<2	2	2.58	<4	10	22	8	2.04	0.78	14	1.05	349	6	12	392	12	0.03	<5	<5	31	339	1734	2	43	<10	5	64
85535	366893	<1	3.62	2	503	<2	5	2.43	<4	10	19	9	1.94	0.90	15	0.96	294	7	14	349	7	0.06	<5	<5	29	361	1659	<2	42	<10	5	54
85536	366894	<1	1.57	2	558	<2	3	2.05	<4	9	19	14	1.78	0.91	11	0.68	273	6	14	318	2	0.03	<5	<5	29	280	1881	4	41	12	4	47

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85537	366895	<1	3.06	<2	505	2	2	2.39	<4	10	23	8	1.92	0.96	12	0.81	274	6	11	343	12	0.03	<5	<5	28	306	1913	5	42	<10	5	33
85538	366896	<1	2.30	<2	475	<2	4	2.55	<4	8	24	8	2.01	0.76	9	0.86	278	7	12	317	7	0.05	6	<5	31	347	1474	<2	41	<10	4	17
85539	366897	<1	4.27	4	530	<2	4	3.08	<4	8	26	17	2.07	0.83	8	1.16	291	8	12	429	6	0.04	6	<5	30	368	1495	<2	40	<10	5	14
85540D	366897	<1	2.86	<2	489	<2	2	2.82	<4	7	23	16	1.94	0.63	8	1.01	272	8	11	370	5	0.04	5	<5	28	347	1391	<2	38	<10	4	16
85541	366898	<1	3.89	<2	466	2	1	2.57	<4	10	33	97	1.91	0.33	11	1.17	287	14	16	448	7	0.05	<5	<5	28	314	1632	3	44	10	6	28
85542	366899	<1	4.18	3	396	2	2	0.93	4	26	173	52	4.21	0.11	15	1.36	708	15	70	580	25	0.13	<5	<5	29	176	3170	7	113	20	10	215
85543	366900	<1	4.10	<2	576	<2	2	4.15	4	18	12	64	3.85	<0.01	<1	1.40	935	9	10	614	7	0.03	<5	<5	28	464	2643	2	147	28	18	59
85544	366901	<1	4.46	4	273	2	2	1.34	<4	22	163	42	3.32	0.15	10	1.30	644	13	57	487	24	0.11	5	<5	27	188	2601	3	89	25	10	77
85545	366902	<1	5.72	29	391	2	2	1.51	5	28	168	49	4.43	0.66	16	1.77	567	14	83	589	22	0.09	<5	<5	30	188	3285	2	118	25	12	64
85546	366903	<1	4.80	22	364	2	3	1.63	4	26	168	51	3.94	0.54	13	1.42	608	12	71	593	18	0.04	<5	<5	31	219	3195	3	107	16	11	86
85547	366904	<1	5.52	33	377	2	2	1.61	4	26	161	58	3.93	0.68	13	1.56	542	12	67	575	21	0.06	<5	<5	28	214	3001	5	98	11	12	78
85548	366905	<1	4.51	16	398	2	2	1.47	4	23	149	43	3.88	0.86	13	1.48	560	12	64	497	19	0.06	<5	<5	31	221	2802	2	98	<10	11	66
85549	366906	<1	4.78	17	446	2	4	1.61	4	25	174	51	4.07	0.76	13	1.54	552	16	111	595	22	0.06	<5	<5	31	228	3153	<2	119	20	11	68
85550	366907	<1	4.58	28	469	2	2	1.18	4	29	174	51	4.45	0.91	15	1.62	505	18	118	637	20	0.06	<5	<5	33	198	3224	5	130	<10	11	46
85551D	366907	<1	2.45	21	379	2	2	0.92	<4	24	147	44	3.72	0.63	10	1.35	430	14	97	531	18	0.06	<5	<5	27	169	2774	7	110	<10	9	38
85552	366908	<1	1.53	7	356	2	2	1.23	<4	23	153	46	3.48	0.80	9	1.11	497	12	89	445	20	0.07	<5	<5	27	184	2604	<2	96	15	8	63
85553	366909	<1	3.02	20	385	2	2	1.42	<4	26	158	51	3.96	0.56	12	1.37	534	13	95	563	24	0.08	<5	<5	35	191	3046	<2	110	16	9	52
85554	366910	131	3.06	8	434	<2	3	2.94	9	16	40	95	4.83	0.24	<1	1.17	878	13	25	553	17431	0.09	106	<5	32	268	2578	2	140	23	14	350
85555	366911	<1	3.70	96	483	2	2	1.24	4	28	178	48	4.40	0.43	12	1.46	525	17	116	524	333	0.11	6	<5	28	191	3210	3	137	61	9	60
85556	366912	<1	3.56	9	389	2	6	1.64	<4	21	153	42	3.43	0.36	10	1.24	568	12	84	524	69	0.14	6	<5	29	239	2661	6	95	10	11	91

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85557	366913	<1	3.90	89	379	2	2	1.70	<4	24	160	45	3.55	0.54	8	1.23	552	12	88	507	29	0.13	<5	<5	30	239	2792	<2	94	17	12	89
85558	366914	<1	3.82	8	416	2	1	2.19	4	25	168	43	3.73	0.72	10	1.39	635	14	96	562	18	0.05	<5	<5	28	274	2900	4	103	11	13	80
85559	366915	<1	3.55	5	454	2	3	1.37	4	25	162	43	3.73	0.53	10	1.26	532	12	89	527	19	0.05	<5	<5	32	231	2955	3	103	11	11	77
85560	366916	<1	3.45	35	483	2	3	1.63	4	26	173	46	4.37	0.67	14	1.46	701	14	103	597	22	0.10	<5	<5	30	294	3227	6	118	10	11	91
85561	366917	<1	2.22	93	527	2	2	1.11	<4	26	168	41	3.83	0.87	10	1.18	545	14	107	522	22	0.13	<5	<5	29	253	2874	<2	120	29	9	82
85562R	366917	<1	2.81	90	500	2	3	1.16	4	27	179	43	4.23	0.53	13	1.29	600	18	129	614	28	0.18	<5	<5	30	270	2915	2	127	26	10	95
85563	366918	<1	2.72	29	453	2	2	1.49	4	26	171	45	4.06	0.91	13	1.34	580	14	105	503	25	0.09	<5	6	33	273	3072	5	112	17	10	123
85564	366919	<1	4.28	15	622	3	4	1.32	<4	14	88	27	2.67	0.80	11	1.52	381	12	64	473	32	0.05	<5	<5	32	293	1927	8	64	14	10	67
85565	366920	<1	4.72	<2	570	<2	3	4.25	4	18	12	66	3.96	0.65	<1	1.50	957	9	11	584	77	0.03	<5	<5	27	465	2693	4	147	17	20	65
85566	366921	<1	3.83	6	411	2	5	1.38	<4	16	114	29	2.49	0.45	10	1.46	387	12	81	661	17	0.03	<5	<5	29	246	1808	3	70	21	10	56
85567	366922	<1	3.17	<2	384	2	2	1.34	<4	22	137	39	2.67	0.36	10	1.34	410	10	78	469	19	0.08	<5	<5	28	239	2384	4	83	<10	9	62
85568	366923	<1	3.67	<2	457	2	3	1.65	4	26	168	53	3.97	0.49	16	1.37	574	14	100	520	25	0.11	5	5	32	305	3147	5	112	18	10	92
85569	366924	<1	3.10	32	408	2	3	1.55	4	28	163	52	4.34	0.73	15	1.42	642	13	98	590	21	0.12	<5	<5	30	280	3308	4	122	12	11	62
85570	366925	<1	2.74	65	372	2	2	1.41	4	25	156	44	4.08	0.92	12	1.46	562	14	97	513	17	0.21	<5	<5	28	233	2700	7	113	18	9	78
85571	366926	<1	3.39	78	370	2	3	1.52	4	25	156	44	4.15	0.56	15	1.51	581	13	91	536	21	0.17	<5	<5	30	256	2868	6	115	11	9	69
85572	366927	<1	2.48	<2	384	2	3	1.35	<4	24	162	50	3.83	0.62	14	1.29	536	13	88	515	24	0.26	5	10	30	227	2520	<2	104	19	8	79
85573D	366927	<1	2.79	<2	366	2	2	1.32	<4	25	157	49	3.76	0.63	14	1.28	523	13	87	511	28	0.25	<5	<5	30	225	2492	5	101	18	8	72
85574	366928	<1	4.35	14	412	2	4	1.00	<4	22	149	52	3.31	0.29	13	1.14	392	12	86	530	53	0.54	<5	<5	30	181	1479	<2	103	<10	9	98
85575	366929	<1	4.00	<2	301	2	2	1.16	4	27	164	56	4.01	0.61	16	1.43	677	13	97	525	35	0.29	<5	<5	28	198	2595	2	114	26	11	97
85576	366930	<1	4.44	51	283	<2	<1	1.12	8	16	35	2309	5.10	0.44	17	0.94	1139	25	26	753	86	1.35	<5	5	30	173	1127	<2	65	40	9	664

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85577	366931	<1	5.42	<2	279	2	1	2.07	4	27	163	52	4.13	0.31	17	1.78	820	13	96	617	21	0.22	<5	<5	31	247	3032	2	119	20	13	76
85578	366932	<1	3.84	<2	290	2	3	1.39	4	28	166	58	4.25	0.60	14	1.41	511	14	104	531	22	0.45	<5	<5	31	219	2619	7	119	13	10	88
85579	366933	<1	5.54	<2	292	2	2	2.53	5	26	178	48	4.39	0.54	18	1.88	893	16	89	602	20	0.22	6	<5	33	278	3120	3	111	24	13	85
85580	366934	<1	4.87	<2	346	2	4	2.11	<4	23	180	48	3.57	0.74	12	1.30	551	15	89	537	23	0.33	7	5	33	269	2115	10	97	11	12	85
85581	366935	<1	4.20	<2	606	2	3	1.08	<4	9	63	10	1.81	0.94	10	0.52	222	10	55	341	16	0.12	<5	7	33	235	1720	<2	48	13	4	51
85582	366936	<1	2.67	<2	473	<2	2	1.99	<4	6	55	15	1.57	0.78	6	0.75	283	10	50	479	11	0.06	<5	<5	29	252	1558	<2	48	16	5	40
85583	366937	<1	4.04	<2	621	<2	2	2.69	<4	8	55	17	1.94	0.47	16	1.16	417	11	48	647	8	0.05	5	<5	35	269	2169	2	56	10	6	38
85584D	366937	<1	3.99	<2	571	<2	3	2.53	<4	9	51	16	1.85	0.57	15	1.17	396	11	45	666	6	0.05	<5	<5	31	260	2102	3	53	<10	6	34
85585	366938	<1	4.86	<2	506	<2	2	2.44	<4	8	25	12	1.62	0.11	10	1.10	300	7	27	686	3	0.05	<5	<5	29	235	1939	<2	45	14	6	30
85586	366939	<1	4.48	<2	516	<2	3	1.51	<4	8	43	14	1.33	0.12	11	1.11	289	11	57	670	4	0.04	<5	8	29	145	1974	4	54	13	5	19
85587	366940	<1	5.24	<2	574	<2	3	4.29	4	17	12	66	3.98	0.97	<1	1.52	949	8	11	614	9	0.03	<5	<5	28	475	2670	<2	148	26	21	62
85588	366941	<1	5.03	<2	386	<2	5	2.44	<4	8	32	8	1.72	0.54	13	1.64	569	9	36	679	5	0.04	<5	<5	29	144	1993	<2	49	11	6	29
85589	366942	<1	5.48	<2	321	<2	4	2.65	<4	6	28	9	1.74	0.36	13	1.67	615	7	28	651	7	0.03	<5	<5	28	142	2128	2	45	17	6	30
85590	366943	<1	5.73	<2	362	<2	3	2.61	<4	8	61	13	1.98	0.43	16	1.88	632	17	90	708	7	0.04	<5	<5	32	149	2144	5	66	18	6	27
85591	366944	<1	4.19	<2	355	<2	3	2.16	<4	7	32	8	1.53	0.72	13	1.55	502	8	35	630	9	0.03	<5	5	29	142	2028	4	49	<10	6	26
85592	366945	<1	4.00	<2	544	<2	3	2.25	<4	9	36	11	1.46	0.29	7	0.91	267	7	34	306	12	0.06	<5	<5	26	214	1541	4	43	<10	5	43
85593	366946	<1	4.50	<2	531	2	7	2.43	<4	9	54	12	1.67	0.52	8	0.96	290	11	64	339	13	0.06	<5	<5	31	220	1617	2	52	<10	5	47
85594	366947	<1	3.42	<2	416	<2	3	1.11	<4	8	84	12	1.15	0.70	5	0.71	235	13	78	260	18	0.05	<5	<5	32	122	1213	2	44	32	5	49
85595D	366947	<1	2.26	<2	356	<2	1	0.93	<4	7	61	11	0.95	0.46	3	0.62	205	10	50	229	16	0.05	<5	<5	27	109	1076	4	34	12	4	45
85596	366948	2	3.69	4	683	<2	5	1.21	<4	6	49	13	0.95	0.43	9	0.70	515	16	64	308	110	0.04	<5	<5	27	107	1439	<2	41	24	4	378

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85597	366949	2	4.14	2	624	<2	3	1.25	<4	6	56	9	0.93	0.35	9	0.90	477	12	67	311	66	0.04	<5	<5	26	105	1351	<2	42	23	4	142
85598	366950	<1	3.65	10	483	<2	4	2.11	4	14	50	215	3.76	0.03	7	1.12	658	18	40	597	9	0.07	<5	<5	29	265	2502	3	104	39	13	62
85599	1356401	1	4.81	22	560	<2	2	0.45	<4	7	39	17	0.94	0.75	6	0.67	286	9	53	332	81	0.13	<5	<5	29	68	1415	<2	40	18	5	132
85600	1356402	5	4.59	51	394	<2	2	0.02	<4	8	42	59	1.37	0.59	4	0.46	<100	12	59	368	267	0.32	19	<5	31	47	1160	<2	41	41	5	492
85601	1356403	2	5.54	29	418	<2	2	0.13	<4	9	35	91	1.47	0.40	5	0.42	<100	8	50	642	143	0.38	11	<5	32	49	1209	4	59	44	6	380
85602	1356404	<1	5.51	35	490	<2	4	0.21	<4	11	44	54	1.54	0.33	6	0.50	156	9	56	642	106	0.35	<5	<5	30	49	1709	<2	66	27	6	240
85603	1356405	1	5.04	51	370	2	3	1.21	<4	12	40	46	2.12	0.34	10	0.89	592	9	44	635	78	0.43	<5	<5	25	73	2262	2	61	28	6	121
85604	1356406	<1	4.34	47	387	<2	2	1.14	<4	12	51	42	2.20	0.49	9	0.85	618	11	68	611	95	0.47	<5	<5	30	70	2237	<2	67	21	6	115
85605	1356407	<1	4.37	94	447	<2	3	0.45	<4	13	41	30	2.78	0.70	6	0.57	263	12	59	603	146	0.86	5	<5	34	57	2211	2	65	36	6	378
85606D	1356407	<1	3.75	100	401	2	2	0.43	<4	12	33	29	2.71	0.85	6	0.54	241	9	44	552	130	0.88	5	<5	35	57	2030	<2	57	39	5	362
85607	1356408	<1	3.01	62	355	<2	4	0.31	5	10	34	21	2.20	0.67	6	0.45	177	8	42	557	167	0.70	5	<5	32	59	2236	<2	61	62	5	1113
85608	1356409	<1	2.87	35	357	<2	3	2.39	<4	12	39	21	2.21	0.63	10	1.09	1007	9	48	580	40	0.34	<5	<5	27	91	2309	<2	60	15	5	85
85609	1356410	208	3.50	6	412	<2	2	2.88	9	17	38	96	4.76	0.31	1	1.17	849	13	27	543	18002	0.10	106	<5	33	268	2512	3	134	20	14	336
85610	1356411	<1	4.54	30	318	<2	5	2.43	<4	13	32	27	2.20	0.14	10	1.09	789	7	35	648	47	0.31	<5	<5	24	101	2445	<2	56	26	6	59
85611	1356412	<1	5.64	50	446	<2	3	1.47	<4	14	44	20	2.23	0.72	10	0.83	608	10	55	751	23	0.42	6	<5	28	97	2895	<2	71	29	7	117
85612	1356413	<1	5.96	48	590	2	2	2.21	<4	11	47	24	2.10	0.81	10	1.13	886	11	50	626	246	0.29	9	<5	31	128	2194	2	59	16	7	265
85613	1356414	<1	6.22	19	661	2	3	2.12	<4	8	48	13	2.02	0.95	13	1.25	787	11	57	416	125	0.26	6	<5	32	166	1683	4	46	23	6	188
85614	1356415	<1	5.76	4	600	2	4	1.72	<4	7	38	8	1.76	0.72	13	0.98	563	10	50	353	34	0.12	<5	<5	31	168	1647	<2	42	<10	5	68
85615	1356416	<1	3.98	9	554	2	3	1.85	<4	7	34	23	1.41	0.86	11	0.85	546	7	37	290	97	0.10	6	<5	31	163	1571	<2	38	13	4	340
85616	1356417	<1	3.74	4	523	2	5	1.57	<4	7	28	30	1.44	0.89	16	0.73	429	6	35	266	87	0.08	<5	<5	30	184	1645	<2	39	21	4	186

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85617D	1356417	<1	3.22	2	512	2	5	1.49	<4	7	27	27	1.38	0.80	12	0.69	425	7	30	248	90	0.08	<5	<5	28	173	1585	<2	37	15	4	193
85618	1356418	<1	1.79	3	472	<2	3	1.32	4	8	39	48	1.49	1.16	12	0.61	459	7	45	236	291	0.09	<5	<5	30	170	1503	<2	41	35	3	585
85619	1356419	<1	2.15	<2	438	<2	3	1.62	<4	5	24	11	1.43	1.00	10	0.64	432	5	25	240	35	0.06	<5	<5	27	171	1358	2	32	<10	3	56
85620	1356420	<1	2.19	<2	500	<2	2	3.92	4	16	12	65	3.73	0.97	<1	1.19	860	8	9	538	14	0.02	<5	<5	27	455	2432	<2	137	17	14	53
85621	1356421	<1	3.90	5	472	<2	3	2.02	<4	6	24	12	1.44	0.56	10	0.74	647	5	26	295	18	0.06	<5	<5	30	177	1334	3	31	14	4	69
85622	1356422	5	4.11	<2	486	<2	4	1.34	<4	5	25	25	1.10	0.43	8	0.49	354	5	11	309	125	0.07	<5	<5	26	164	1290	3	26	16	4	262
85623	1356423	<1	3.80	4	554	<2	4	1.56	<4	7	29	13	1.40	0.85	8	0.56	477	5	9	259	25	0.04	<5	<5	28	167	1473	<2	28	22	4	94
85624	1356424	<1	2.44	10	387	<2	<1	1.14	<4	5	22	9	1.24	0.77	4	0.56	410	3	9	255	16	0.07	<5	<5	20	145	1146	<2	23	10	4	74
85625	1356425	<1	4.60	16	562	<2	5	2.00	<4	9	35	23	1.63	0.86	9	0.80	989	7	17	298	232	0.17	<5	<5	28	200	1398	<2	28	13	5	159
85626	1356426	<1	4.17	18	574	<2	2	1.99	<4	10	32	13	1.64	0.90	9	0.79	763	6	13	288	228	0.19	<5	<5	28	195	1384	5	27	20	5	209
85627	1356427	<1	2.81	17	623	<2	3	1.57	<4	10	28	31	1.53	0.77	8	0.60	646	6	13	262	167	0.21	<5	<5	26	166	1337	<2	28	34	4	560
85628R	1356427	<1	2.03	12	634	<2	4	1.59	4	11	36	36	1.59	0.82	9	0.56	647	7	14	232	163	0.21	<5	<5	28	168	1366	<2	29	26	3	610
85629	1356428	2	4.86	10	699	<2	3	1.53	7	6	35	17	1.41	0.28	9	0.63	547	7	10	359	899	0.15	5	<5	27	163	1335	<2	27	51	4	963
85630	1356429	21	4.68	16	616	<2	3	1.49	20	7	38	76	1.96	0.78	10	0.68	689	7	11	345	2097	0.28	7	<5	26	164	1390	<2	31	155	5	3814
85631	1356430	<1	4.68	41	276	<2	2	1.10	7	15	33	2411	5.09	0.61	19	0.92	1098	26	23	754	97	1.28	<5	6	28	176	1113	4	64	33	9	638
85632	1356431	<1	4.62	10	627	2	3	1.84	<4	7	41	22	1.83	0.86	13	0.74	768	8	17	327	56	0.11	5	<5	27	192	1587	<2	36	17	4	80
85633	1356432	<1	4.40	22	718	<2	4	1.19	<4	10	41	10	1.62	0.88	10	0.44	446	7	14	301	50	0.25	<5	<5	29	195	1564	<2	34	15	4	86
85634	1356433	<1	2.94	21	575	<2	2	1.32	<4	9	43	20	1.76	0.88	9	0.47	517	8	19	289	49	0.23	<5	<5	26	179	1516	<2	36	12	3	76
85635	1356434	<1	3.35	15	592	<2	2	1.86	<4	8	41	14	1.69	0.76	12	0.56	551	8	14	306	48	0.20	<5	<5	30	209	1426	<2	35	<10	4	73
85636	1356435	<1	3.40	9	538	<2	2	1.68	<4	7	42	11	1.56	0.70	10	0.52	480	6	12	315	24	0.13	<5	<5	27	189	1428	<2	33	20	3	56

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85637	1356436	<1	5.35	3	610	<2	4	1.91	<4	8	40	9	1.63	0.46	12	0.66	495	7	15	393	24	0.09	<5	<5	31	192	1544	<2	35	18	4	54
85638	1356437	<1	3.47	11	636	<2	5	2.16	<4	9	39	12	1.77	0.42	11	0.71	644	9	16	355	43	0.13	5	<5	29	198	1577	3	35	13	4	95
85639D	1356437	<1	4.42	10	595	<2	2	2.16	<4	8	38	14	1.77	0.34	16	0.71	613	9	18	379	40	0.12	<5	<5	26	205	1514	3	34	<10	4	85
85640	1356438	<1	4.29	6	479	2	3	1.68	<4	8	27	11	1.64	0.30	12	0.65	552	6	17	357	34	0.18	<5	<5	24	182	1572	6	31	10	3	87
85641	1356439	<1	5.95	12	630	2	4	1.87	<4	8	34	12	1.88	0.86	11	0.79	641	8	14	380	29	0.24	6	<5	30	170	1536	<2	32	<10	5	74
85642	1356440	<1	6.20	<2	534	<2	2	4.45	4	17	11	77	4.19	0.83	7	1.57	926	9	11	633	7	0.03	<5	<5	28	514	2686	<2	146	25	22	58
85643	1356441	<1	5.63	2	578	<2	2	1.86	<4	6	35	11	1.55	0.67	11	0.76	715	7	9	372	22	0.08	7	<5	28	154	1441	2	30	12	5	59
85644	1356442	<1	5.15	9	551	<2	4	1.50	<4	7	35	38	1.44	0.43	11	0.77	801	7	8	339	141	0.11	<5	<5	28	130	1432	<2	28	20	5	246
85645	1356443	<1	4.59	11	576	<2	3	1.35	<4	7	33	22	1.44	0.66	11	0.64	617	7	12	325	35	0.13	<5	<5	26	124	1475	5	29	17	4	69
85646	1356444	<1	4.19	5	531	<2	3	1.14	<4	7	31	11	1.39	0.88	11	0.57	581	7	8	310	60	0.15	<5	<5	28	129	1424	<2	28	22	4	157
85647	1356445	1	3.16	8	765	2	5	1.88	4	8	37	104	1.65	0.86	14	0.69	841	7	13	316	130	0.14	<5	<5	30	159	1646	4	34	29	4	613
85648	1356446	1	3.97	<2	887	<2	5	1.93	4	7	37	101	1.62	0.89	15	0.72	804	7	12	345	112	0.11	<5	<5	31	167	1614	<2	34	39	4	619
85649	1356447	<1	5.37	5	577	<2	5	1.89	<4	7	36	10	1.40	0.53	12	0.63	749	7	10	382	49	0.12	<5	<5	29	152	1638	<2	33	<10	5	101
85650D	1356447	<1	4.19	2	557	<2	3	1.77	<4	7	35	9	1.36	0.56	11	0.57	727	6	9	357	42	0.12	<5	<5	29	146	1582	<2	32	10	4	99
85651	1356448	<1	5.86	9	546	<2	3	2.05	<4	6	30	7	1.54	0.23	12	0.70	714	6	11	383	36	0.14	<5	<5	27	161	1400	<2	29	11	5	48
85652	1356449	<1	4.47	5	475	<2	4	1.73	<4	6	31	6	1.58	<0.01	9	0.64	567	7	10	366	19	0.12	<5	<5	27	141	1365	5	28	18	4	41
85653	1356450	<1	4.15	20	542	<2	3	2.36	4	17	56	236	4.19	0.61	6	1.28	740	19	44	674	12	0.08	<5	<5	27	288	2737	5	113	28	15	71
85654	1356451	<1	5.08	15	485	2	4	1.49	<4	7	34	10	1.71	0.49	10	0.67	535	7	12	345	46	0.23	5	<5	27	148	1533	<2	32	21	5	187
85655	1356452	<1	5.83	12	567	2	6	2.43	<4	13	95	13	2.45	0.62	13	1.05	1027	11	33	495	49	0.25	7	<5	27	162	2059	<2	59	<10	9	102
85656	1356453	<1	5.36	19	508	<2	2	1.84	<4	11	58	12	2.18	0.61	13	0.93	731	9	25	398	35	0.33	<5	<5	29	151	1643	<2	45	17	7	72

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85657	1356454	<1	4.07	5	499	<2	6	1.74	<4	7	36	10	1.64	0.78	12	0.76	606	7	48	292	37	0.15	<5	<5	28	148	1497	<2	43	17	4	93
85658	1356455	<1	3.75	7	512	<2	4	2.21	<4	6	31	5	1.56	0.90	9	0.82	753	7	39	301	34	0.08	<5	<5	23	149	1318	5	37	22	4	73
85659	1356456	<1	3.76	12	558	2	2	1.75	<4	7	36	8	1.54	0.67	10	0.68	745	8	46	299	41	0.14	<5	<5	31	139	1412	<2	40	10	4	86
85660	1356457	<1	4.25	22	499	2	5	1.48	<4	20	99	37	2.89	0.66	13	0.95	926	11	75	409	60	0.42	<5	<5	31	119	1603	<2	67	21	8	166
85661D	1356457	<1	4.98	23	519	2	3	1.52	<4	20	104	39	2.94	0.56	14	0.98	942	12	77	426	60	0.43	<5	<5	31	123	1634	<2	68	21	9	155
85662	1356458	<1	5.00	4	443	2	2	1.78	4	24	160	54	3.90	<0.01	17	1.60	1296	17	57	436	67	0.38	<5	<5	32	128	2029	5	84	23	12	169
85663	1356459	<1	5.50	10	456	2	4	1.59	4	22	159	61	3.93	0.32	18	1.50	1135	15	60	545	69	0.36	<5	<5	30	111	2485	<2	92	19	13	158
85664	1356460	<1	3.69	<2	455	<2	3	3.63	4	15	10	66	3.51	0.35	<1	1.23	809	7	10	565	5	0.02	<5	<5	26	427	2330	<2	127	16	16	54
85665	1356461	3	7.24	6	632	2	10	2.26	5	26	171	96	4.27	0.76	20	1.51	1375	17	72	639	358	0.30	<5	<5	31	145	2954	<2	111	28	15	266
85666	1356462	1	5.59	23	539	2	5	2.32	9	25	163	136	4.19	0.62	12	1.40	1177	15	63	560	438	0.49	<5	5	30	120	2540	4	100	78	13	1583
85667	1356463	<1	4.57	26	457	2	1	1.55	4	23	155	63	3.60	0.42	10	1.25	1039	13	66	551	153	0.41	<5	<5	26	105	2202	4	92	33	13	428
85668	1356464	<1	4.80	15	475	2	3	1.29	4	25	155	59	3.89	0.60	12	1.28	902	14	67	536	150	0.38	<5	<5	26	96	2255	<2	95	28	13	217
85669	1356465	<1	4.28	16	342	<2	3	1.05	4	23	157	104	3.46	0.50	12	1.12	1037	13	68	497	104	0.29	<5	<5	28	80	2278	2	93	12	13	112
85670	1356466	<1	3.62	19	313	2	4	1.27	4	22	156	89	3.47	0.75	12	1.17	1026	12	62	480	104	0.35	<5	<5	26	90	2181	<2	88	19	12	111
85671	1356467	<1	3.89	<2	333	2	5	1.36	<4	22	150	81	3.23	0.34	20	1.23	997	12	53	502	61	0.17	<5	<5	28	97	2386	2	80	17	12	116
85672D	1356467	<1	4.09	4	345	2	3	1.40	<4	23	147	80	3.29	0.34	15	1.24	1017	13	56	507	59	0.19	<5	<5	27	101	2422	<2	82	22	11	115
85673	1356468	<1	4.09	2	372	2	3	1.27	<4	22	148	88	3.61	0.27	14	1.33	962	13	59	511	55	0.29	<5	<5	26	101	2414	4	93	21	12	125
85674	1356469	<1	3.79	6	320	2	2	1.56	<4	21	142	54	3.21	0.05	11	1.25	1008	11	56	480	32	0.26	<5	<5	24	100	2360	2	88	27	12	108
85675	1356470	142	2.21	8	334	<2	2	2.46	8	14	32	88	4.22	<0.01	<1	1.01	741	12	22	482	18215	0.08	98	<5	27	241	2223	<2	117	26	12	290
85676	1356471	<1	4.38	<2	353	2	<1	1.27	<4	21	140	55	3.33	0.05	15	1.33	991	13	55	504	27	0.17	<5	<5	28	92	2441	4	84	20	12	95

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:13 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85677	1356472	<1	5.59	<2	469	2	4	1.91	<4	23	135	66	3.59	0.88	17	1.62	1124	14	60	570	29	0.15	<5	<5	29	106	2507	5	86	20	13	100
85678	1356473	<1	5.80	12	627	2	5	2.07	<4	9	30	17	1.70	0.64	12	1.09	707	8	10	538	16	0.17	<5	<5	30	106	1875	<2	38	<10	6	60
85679	1356474	<1	5.27	5	496	<2	4	1.91	<4	7	38	18	1.77	0.58	14	1.04	743	8	8	526	21	0.11	5	<5	27	104	1772	<2	36	<10	6	46
85680	1356475	2	4.31	14	508	<2	3	1.19	<4	8	31	65	1.61	0.78	9	0.80	480	7	8	470	326	0.23	<5	<5	24	79	1680	<2	33	23	5	382
85681	1356476	<1	3.83	8	492	<2	4	1.81	<4	8	36	18	1.69	0.53	9	1.03	664	7	10	474	27	0.18	5	<5	27	84	1756	<2	34	<10	5	67
85682	1356477	<1	3.97	7	561	<2	6	1.59	<4	7	30	21	1.79	0.49	10	0.89	585	6	8	492	129	0.19	<5	<5	26	90	1816	<2	34	12	5	122
85683D	1356477	<1	4.19	11	558	2	5	1.60	<4	9	29	23	1.82	0.42	11	0.90	585	7	11	499	121	0.19	<5	<5	26	93	1827	2	34	16	5	120
85684	1356478	<1	4.08	<2	537	<2	2	1.64	<4	8	30	8	1.58	0.17	11	0.94	547	7	9	495	24	0.10	<5	<5	25	86	1792	<2	34	21	5	107
85685	1356479	<1	5.63	3	592	2	4	2.21	<4	7	35	9	1.75	0.40	15	1.17	647	9	8	559	15	0.11	<5	<5	28	105	1904	<2	37	<10	5	61
85686	1356480	<1	5.08	<2	529	<2	4	4.29	4	17	11	72	4.00	0.54	2	1.42	905	9	10	647	12	0.03	5	<5	31	494	2613	8	144	<10	19	55
85687	1356481	<1	4.53	5	533	<2	2	1.86	<4	8	26	14	1.71	0.31	12	1.04	766	7	9	478	64	0.23	<5	<5	27	105	1719	3	33	27	5	409
85688	1356482	<1	5.34	<2	530	<2	2	1.57	<4	8	36	24	1.74	0.22	14	0.90	705	9	9	555	32	0.12	<5	<5	29	112	1852	2	36	22	5	153
85689	1356483	<1	4.36	8	509	<2	3	1.66	<4	8	31	14	1.66	0.41	12	0.94	711	7	8	501	36	0.14	<5	<5	27	123	1732	<2	35	12	5	78
85690	1356484	<1	4.36	6	461	<2	3	1.06	<4	8	35	18	1.57	0.80	11	0.75	485	8	8	424	51	0.17	<5	<5	30	105	1608	<2	32	15	5	156
85691	1356485	<1	4.04	3	421	2	4	1.52	<4	10	48	33	1.73	0.59	15	0.94	564	8	15	468	42	0.12	5	<5	25	114	1864	4	43	16	5	177
85692	1356486	<1	4.45	<2	457	<2	3	1.44	<4	10	49	30	1.75	0.49	16	0.94	562	8	14	478	33	0.10	7	6	25	112	1906	<2	44	31	5	286
85693	1356487	<1	4.83	5	202	2	<1	4.08	6	58	196	61	6.58	0.59	27	2.72	1808	19	138	1517	14	0.19	<5	5	28	146	8972	2	199	21	18	172
85694R	1356487	<1	4.26	20	176	<2	2	3.27	5	50	176	69	5.42	0.53	34	2.30	1317	15	114	1332	20	0.23	5	<5	29	150	7046	<2	178	21	15	140
85695	1356488	<1	7.18	3	467	2	8	3.03	<4	12	48	66	2.24	0.47	24	1.62	932	11	15	643	11	0.11	<5	<5	32	153	2244	4	46	28	7	335
85696	1356489	<1	6.77	<2	418	<2	5	2.83	<4	11	39	52	2.06	0.41	22	1.51	856	11	13	567	12	0.11	<5	<5	32	146	2079	4	42	10	6	82

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85697	1356490	<1	6.05	53	323	2	3	1.28	8	16	37	2918	5.69	0.37	26	1.00	1187	26	25	829	88	1.60	6	<5	32	201	1232	<2	69	54	10	680
85698	1356491	<1	6.41	73	251	2	3	3.47	6	53	210	123	5.97	0.49	45	2.27	1417	20	159	1303	194	0.39	<5	<5	32	172	6730	7	185	45	19	393
85699	1356492	<1	5.10	160	254	<2	6	1.13	4	23	163	103	3.78	0.14	24	1.22	513	17	117	775	198	0.81	9	<5	29	86	1928	<2	109	32	12	334
85700	1356493	<1	5.25	93	327	2	2	1.31	4	25	161	72	3.83	0.26	30	1.54	921	16	106	603	70	0.26	<5	<5	29	103	2199	7	105	40	11	96
85701	1356494	<1	4.35	36	247	<2	2	1.12	<4	23	149	53	3.40	0.23	24	1.53	578	15	99	542	28	0.15	<5	5	26	91	2504	3	93	15	10	88
85702	1356495	<1	4.62	24	274	2	1	1.64	<4	19	144	61	3.49	0.13	26	1.63	723	18	110	533	34	0.16	<5	<5	29	120	1938	<2	92	16	10	142
85703	1356496	<1	4.23	16	333	2	2	1.64	<4	21	174	50	3.22	0.22	24	1.57	602	15	90	627	29	0.19	<5	<5	23	145	2220	2	89	23	11	147
85704	1356497	<1	5.16	17	440	2	3	0.42	4	26	173	69	3.60	0.09	30	1.19	444	14	95	568	17	0.26	<5	<5	25	74	2841	3	106	23	13	204
85705D	1356497	<1	5.06	12	442	<2	2	0.43	<4	25	173	71	3.57	0.04	31	1.16	439	14	94	577	15	0.22	<5	<5	28	74	2845	<2	105	28	13	203
85706	1356498	<1	4.43	14	269	2	3	2.11	<4	19	113	46	3.00	<0.01	23	1.45	723	13	75	520	13	0.18	<5	<5	22	148	2374	<2	80	23	10	188
85707	1356499	<1	4.75	9	242	2	2	2.40	<4	21	136	47	3.14	0.07	24	1.41	703	12	75	485	15	0.14	<5	<5	24	151	2520	<2	87	<10	13	76
85708	1356500	<1	5.30	<2	465	<2	4	4.03	4	17	10	74	3.84	0.16	1	1.38	840	8	10	610	8	0.03	<5	<5	26	477	2459	6	134	18	18	52
85709	1336701	<1	5.40	7	349	2	5	1.77	4	23	155	52	3.51	0.29	29	1.58	664	15	96	587	20	0.13	5	<5	25	159	2655	<2	103	14	11	76
85710	1336702	<1	4.74	8	312	2	3	1.84	<4	20	125	44	2.68	0.22	25	1.33	645	13	87	525	14	0.14	<5	<5	26	105	2452	3	94	<10	11	85
85711	1336703	3	4.42	74	221	2	3	0.85	13	18	124	144	3.14	0.09	15	0.80	349	13	81	570	737	0.88	20	<5	26	63	1659	<2	84	131	10	2843
85712	1336704	<1	5.31	273	283	2	5	1.41	4	23	163	128	3.91	0.20	21	1.83	981	17	108	524	64	0.16	<5	<5	28	98	2079	3	109	30	12	143
85713	1336705	<1	4.37	431	340	2	1	0.47	4	30	164	56	4.14	0.08	25	1.71	603	16	123	565	23	0.10	<5	<5	25	75	3210	7	141	17	10	29
85714	1336706	<1	4.06	461	385	2	2	0.46	4	30	168	49	4.05	0.16	24	1.65	594	17	122	550	21	0.10	<5	<5	27	74	3192	<2	144	19	9	29
85715	1336707	<1	4.23	89	283	2	2	0.98	<4	24	149	58	3.73	0.09	21	1.61	604	15	102	555	33	0.06	<5	<5	23	86	2823	<2	114	13	10	37
85716D	1336707	<1	4.14	102	313	2	2	1.12	<4	27	164	64	4.05	0.28	24	1.70	670	15	109	601	34	0.07	<5	<5	30	94	3129	4	124	13	10	41

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/24/2015
Date Completed: 03/31/2015
Job #: 201540989
Reference: TL15-015
Sample #: 207

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85717	1336708	<1	4.77	<2	291	2	5	1.16	6	23	155	144	4.06	<0.01	22	1.77	773	17	108	540	90	0.17	5	<5	26	87	2363	3	120	43	10	855
85718	1336709	<1	4.46	26	319	2	2	0.69	4	25	152	66	4.14	<0.01	19	1.63	505	17	113	649	32	0.12	<5	<5	31	74	2928	3	124	14	10	56
85719	1336710	<1	4.29	46	271	<2	2	1.03	7	14	32	2465	4.95	0.18	20	0.86	1043	23	27	713	80	1.41	6	<5	28	172	1059	<2	61	42	8	617
85720	1336711	<1	4.29	64	276	<2	2	0.93	4	25	154	85	4.17	0.07	22	1.79	642	18	115	567	24	0.06	<5	<5	27	84	3033	4	122	15	10	37
85721	1336712	<1	4.75	193	305	2	4	1.20	4	30	162	76	4.20	0.25	22	1.79	614	16	113	564	34	0.07	<5	<5	29	89	3101	<2	124	17	11	40
85722	1336713	<1	4.88	4	275	2	5	1.25	4	26	161	80	4.14	0.19	22	1.78	629	18	119	572	40	0.06	<5	<5	27	84	2963	5	120	28	11	141
85723	1336714	<1	4.89	<2	197	2	3	1.49	<4	20	154	59	3.39	0.26	19	1.86	545	16	85	546	29	0.08	<5	<5	27	81	1859	3	84	13	11	89

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15399

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
85724	1336715	0.028
85725	1336716	0.014
85726	1336717	0.042
85727	1336718	0.020
85728	1336719	0.124
85729	1336720	<0.005
85730	1336721	0.094
85731	1336722	0.030
85732	1336723	0.039
85733	1336724	0.038
85734	1336724 Dup	0.056
85735	1336725	0.006
85736	1336726	<0.005
85737	1336727	0.010
85738	1336728	0.006
85739	1336729	0.020
85740	1336730	1.390
85741	1336731	0.016
85742	1336732	0.008
85743	1336733	<0.005
85744	1336734	<0.005
85745	1336734 Dup	<0.005
85746	1336735	<0.005
85747	1336736	<0.005
85748	1336737	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
85749	1336738	<0.005
85750	1336739	0.010
85751	1336740	<0.005
85752	1336741	<0.005
85753	1336742	0.005
85754	1336743	<0.005
85755	1336744	0.006
85756	1336744 Dup	0.008
85757	1336745	0.007
85758	1336746	0.008
85759	1336747	<0.005
85760	1336748	0.006
85761	1336749	0.228
85762	1336750	4.570
85763	1336751	5.621
85764	1336752	0.233
85765	1336753	0.161
85766	1336754	0.023
85767	1336754 Dup	0.018
85768	1336755	0.090
85769	1336756	0.086
85770	1336757	0.012
85771	1336758	0.014
85772	1336759	0.077
85773	1336760	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
85774	1336761	0.033
85775	1336762	0.015
85776	1336763	0.039
85777	1336764	0.014
85778	1336764 Dup	0.013
85779	1336765	0.010
85780	1336766	0.013
85781	1336767	0.019
85782	1336768	0.012
85783	1336769	0.017
85784	1336770	0.006
85785	1336771	0.024
85786	1336772	0.022
85787	1336773	0.044
85788	1336774	0.040
85789	1336774 Rep	0.081
85790	1336775	0.183
85791	1336776	0.468
85792	1336777	0.050
85793	1336778	0.032
85794	1336779	0.051
85795	1336780	<0.005
85796	1336781	0.133
85797	1336782	0.114
85798	1336783	0.059

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
85799	1336784	0.097
85800	1336784 Dup	0.085
85801	1336785	0.040
85802	1336786	0.036
85803	1336787	0.119
85804	1336788	0.180
85805	1336789	0.038
85806	1336790	1.471
85807	1336791	0.048
85808	1336792	0.135
85809	1336793	0.051
85810	1336794	0.014
85811	1336794 Dup	0.015
85812	1336795	0.136
85813	1336796	0.045
85814	1336797	0.062
85815	1336798	0.034
85816	1336799	0.042
85817	1336800	<0.005
85818	1336551	0.358
85819	1336552	0.177
85820	1336553	0.181
85821	1336554	0.536
85822	1336554 Dup	0.689
85823	1336555	0.129

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
85824	1336556	0.139
85825	1336557	0.064
85826	1336558	0.046
85827	1336559	0.039
85828	1336560	<0.005
85829	1336561	0.360
85830	1336562	0.639
85831	1336563	0.552
85832	1336564	0.308
85833	1336564 Dup	0.241
85834	1336565	0.120
85835	1336566	0.130
85836	1336567	0.096
85837	1336568	0.046
85838	1336569	0.037
85839	1336570	0.364
85840	1336571	0.071
85841	1336572	0.080
85842	1336573	0.183
85843	1336574	0.201
85844	1336574 Dup	0.188
85845	1336575	0.071
85846	1336576	0.612
85847	1336577	0.038
85848	1336578	0.071

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
85849	1336579	0.024
85850	1336580	<0.005
85851	1336581	0.055
85852	1336582	0.022
85853	1336583	0.051
85854	1336584	0.098
85855	1336584 Rep	0.078
85856	1336585	0.123
85857	1336586	0.146
85858	1336587	0.679
85859	1336588	0.938
85860	1336589	0.262
85861	1336590	1.513
85862	1336591	0.074
85863	1336592	0.048
85864	1336593	0.022
85865	1336594	0.102
85866	1336594 Dup	0.086
85867	1336595	0.767
85868	1336596	0.176
85869	1336597	0.735
85870	1336598	0.102
85871	1336599	0.213
85872	1336600	Insufficient Sample
85873	1336501	0.364

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Au g/t (ppm)
85874	1336502	0.668
85875	1336503	0.785
85876	1336504	0.017
85877	1336504 Dup	0.045
85878	1336505	0.081
85879	1336506	0.208
85880	1336507	0.042
85881	1336508	0.500
85882	1336509	0.078
85883	1336510	4.953
85884	1336511	0.657
85885	1336512	0.079
85886	1336513	0.465
85887	1336514	0.044
85888	1336514 Dup	0.071
85889	1336515	0.032

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.739	1.575	0.088
AR02	1.520	1.575	0.088
AR02	1.458	1.575	0.088
AR02	1.416	1.575	0.088
AR02	1.541	1.575	0.088
KL01	0.376	0.394	0.011
AR02	1.520	1.575	0.088
AR02	1.648	1.575	0.088
AR02	1.430	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85724	1336715	<1	3.68	39	340	<2	<1	0.75	4	19	121	43	3.01	<0.01	18	1.09	386	2	79	421	5	0.18	<5	<5	26	203	2333	<2	80	19	9	45
85725	1336716	<1	5.54	33	411	2	<1	1.18	5	22	156	45	3.82	0.03	30	1.33	535	<1	85	512	14	0.18	6	<5	31	263	3145	<2	98	<10	13	64
85726	1336717	<1	5.12	22	370	2	<1	1.06	5	22	154	43	3.47	0.10	26	1.20	436	<1	82	507	16	0.14	<5	<5	31	238	2999	<2	92	19	12	67
85727	1336718	<1	5.56	45	352	2	<1	1.18	5	21	146	39	3.47	<0.01	30	1.41	469	<1	81	478	11	0.14	8	<5	31	227	2915	<2	92	26	12	61
85728	1336719	<1	5.56	16	332	2	<1	1.22	4	21	145	43	3.43	<0.01	25	1.45	523	<1	78	485	18	0.34	<5	<5	34	209	2383	<2	90	<10	12	69
85729	1336720	<1	5.45	<2	435	<2	<1	3.57	5	14	12	59	3.53	<0.01	<1	1.46	835	<1	11	574	5	0.09	<5	<5	28	448	2598	<2	124	21	22	51
85730	1336721	<1	6.10	12	315	2	<1	1.68	5	24	160	52	3.92	<0.01	27	1.56	561	<1	85	635	25	0.33	<5	<5	33	229	2963	<2	99	<10	13	84
85731	1336722	<1	5.61	14	269	2	<1	1.55	5	22	146	43	3.55	<0.01	27	1.49	572	<1	85	499	10	0.30	<5	<5	27	219	2733	<2	97	<10	13	63
85732	1336723	<1	5.90	68	239	2	<1	1.40	5	26	149	43	3.65	<0.01	30	1.45	578	<1	82	515	15	0.21	<5	9	34	217	3135	<2	101	14	15	49
85733	1336724	<1	4.90	77	165	2	<1	1.46	4	22	149	38	3.28	0.11	22	1.32	573	1	90	474	15	0.29	<5	<5	29	206	2794	<2	90	15	13	68
85734D	1336724	<1	5.64	109	190	2	<1	1.62	4	27	162	42	3.53	<0.01	24	1.41	616	3	98	517	15	0.30	<5	<5	29	221	2997	<2	97	18	14	75
85735	1336725	<1	7.14	25	238	2	4	2.36	4	22	162	41	3.40	0.23	29	1.50	636	2	88	551	15	0.35	12	16	35	268	2342	<2	92	29	15	65
85736	1336726	<1	4.96	17	175	2	<1	1.94	4	18	131	36	2.82	<0.01	15	1.34	564	<1	67	455	13	0.30	5	<5	34	224	2183	<2	76	13	13	47
85737	1336727	<1	4.92	96	232	3	<1	1.36	4	17	143	26	2.94	<0.01	27	1.42	611	<1	74	461	15	0.28	6	<5	36	211	2368	<2	77	11	14	38
85738	1336728	<1	2.28	4	78	<2	7	4.68	5	36	124	134	5.52	0.46	77	3.28	1102	<1	57	268	13	0.18	<5	6	<10	90	2353	<2	230	<10	9	81
85739	1336729	<1	>10.00	168	689	3	2	1.83	7	30	157	68	5.03	0.10	37	2.17	774	6	128	933	33	1.40	<5	23	28	277	2797	<2	116	17	21	194
85740	1336730	<1	4.51	24	485	2	<1	2.12	5	14	53	192	3.81	0.02	11	1.25	694	8	40	579	3	0.13	8	<5	33	279	2700	<2	102	39	16	60
85741	1336731	<1	5.23	10	327	2	<1	1.21	<4	12	83	27	2.20	<0.01	22	0.88	341	2	68	391	4	0.26	<5	<5	28	254	1807	<2	57	15	9	68
85742	1336732	<1	6.09	11	545	2	<1	0.83	<4	8	41	11	1.42	<0.01	22	0.59	212	<1	51	368	4	0.21	5	<5	30	214	1643	<2	42	13	6	52
85743	1336733	<1	5.82	14	614	<2	<1	1.08	<4	9	29	14	1.22	<0.01	25	0.99	246	<1	42	703	1	0.09	5	17	30	203	2104	<2	51	13	7	60

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85744	1336734	<1	5.79	3	457	2	<1	2.04	<4	7	25	11	1.39	0.03	27	1.26	330	<1	38	712	<1	0.10	<5	9	30	191	2204	<2	48	<10	7	19
85745D	1336734	1	6.12	12	463	2	<1	2.09	<4	8	26	10	1.41	<0.01	27	1.31	336	<1	39	720	3	0.10	8	8	30	193	2248	<2	49	14	7	21
85746	1336735	<1	5.69	10	296	<2	<1	2.13	<4	5	23	14	1.60	<0.01	27	1.47	383	<1	37	632	<1	0.11	<5	12	31	151	2062	<2	43	15	7	20
85747	1336736	<1	5.77	10	319	2	3	2.23	<4	6	24	11	1.63	<0.01	27	1.47	442	2	35	647	5	0.11	<5	11	27	148	2174	<2	42	16	7	25
85748	1336737	<1	6.20	11	351	2	<1	2.00	<4	6	22	8	1.50	<0.01	25	1.26	259	<1	41	637	<1	0.11	<5	<5	31	147	2207	<2	43	10	7	26
85749	1336738	<1	6.39	10	423	2	<1	2.06	<4	7	26	13	1.50	0.08	27	1.29	338	<1	42	706	<1	0.12	<5	25	39	158	2107	<2	42	<10	7	30
85750	1336739	<1	6.34	12	588	2	<1	1.36	<4	14	76	37	2.11	0.09	32	0.99	347	<1	61	435	13	0.28	5	<5	33	152	2267	<2	64	15	10	58
85751	1336740	<1	4.30	4	354	<2	<1	3.01	4	12	8	52	2.98	<0.01	<1	1.25	702	<1	10	482	2	0.06	<5	<5	25	385	2165	<2	105	<10	19	34
85752	1336741	<1	5.93	14	577	2	<1	1.31	<4	4	27	12	1.00	<0.01	24	0.83	285	<1	34	340	5	0.08	<5	11	29	160	1557	<2	34	<10	6	25
85753	1336742	<1	6.00	11	570	2	<1	1.20	<4	6	31	14	1.01	0.02	22	0.73	280	<1	40	353	9	0.09	<5	16	31	142	1576	<2	35	<10	6	31
85754	1336743	<1	5.21	12	428	2	<1	1.18	<4	5	31	11	0.94	<0.01	13	0.65	337	<1	40	318	26	0.07	<5	<5	27	124	1416	<2	33	13	6	85
85755	1336744	<1	5.79	13	489	<2	<1	1.46	<4	6	32	12	1.03	<0.01	15	0.82	439	3	39	341	34	0.07	<5	8	34	130	1554	<2	35	22	6	89
85756D	1336744	<1	5.63	7	484	2	<1	1.44	<4	5	32	12	1.02	<0.01	15	0.81	438	2	39	332	30	0.08	<5	<5	33	129	1511	<2	35	11	6	94
85757	1336745	1	8.98	9	785	2	<1	1.79	<4	7	35	21	1.29	0.44	37	1.12	548	1	46	438	23	0.11	6	34	38	152	1992	<2	43	53	7	61
85758	1336746	<1	3.92	2	446	<2	<1	1.08	<4	4	20	18	0.90	<0.01	13	0.74	383	<1	35	312	18	0.07	<5	<5	29	104	1285	<2	29	13	5	35
85759	1336747	<1	6.25	8	645	2	<1	2.27	<4	5	27	12	1.32	0.08	24	1.25	694	<1	43	359	64	0.09	<5	17	35	160	1462	<2	31	21	6	145
85760	1336748	<1	6.10	10	531	<2	<1	2.20	<4	5	26	13	1.23	0.03	24	1.15	642	<1	35	346	34	0.09	<5	18	33	142	1534	<2	31	15	6	96
85761	1336749	<1	5.32	42	384	2	2	0.82	<4	8	25	21	1.83	<0.01	17	0.73	420	3	39	511	165	0.53	<5	9	34	76	1628	<2	43	19	7	253
85762	1336750	207	4.67	14	358	2	<1	2.71	10	15	35	89	4.56	0.09	7	1.24	820	<1	28	517	17639	0.13	88	<5	32	273	2588	<2	123	26	17	306
85763	1336751	3	5.39	42	328	<2	<1	0.55	4	8	33	71	1.72	<0.01	22	0.62	335	<1	55	593	357	0.47	<5	7	32	67	1708	<2	53	35	8	680

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85764	1336752	4	5.85	43	314	2	<1	1.76	<4	11	26	52	1.94	<0.01	25	1.03	695	<1	45	626	482	0.44	10	<5	29	83	2376	<2	52	25	7	350
85765	1336753	<1	5.27	47	323	<2	<1	1.50	<4	11	25	23	2.04	0.02	21	0.90	623	<1	47	591	34	0.59	5	13	27	89	2433	<2	50	14	7	205
85766	1336754	<1	5.58	14	379	2	<1	3.09	<4	11	30	14	2.07	<0.01	20	1.05	577	<1	47	600	11	0.14	7	17	36	142	2735	<2	51	<10	7	49
85767D	1336754	<1	5.80	23	384	2	<1	3.16	<4	10	31	15	2.10	<0.01	16	1.07	583	<1	48	605	6	0.14	<5	<5	35	145	2752	<2	51	22	7	44
85768	1336755	<1	5.71	22	343	<2	<1	2.80	<4	10	25	30	2.09	<0.01	20	0.86	566	<1	52	588	6	0.18	<5	10	32	156	2586	<2	51	<10	7	37
85769	1336756	<1	6.27	6	406	2	<1	2.32	<4	11	28	24	1.92	<0.01	15	0.82	539	<1	55	563	5	0.17	<5	17	33	155	2327	<2	48	<10	7	53
85770	1336757	<1	5.91	8	423	2	<1	1.49	<4	5	27	18	1.12	<0.01	12	0.62	378	<1	52	362	18	0.11	6	20	30	130	1534	<2	34	<10	6	44
85771	1336758	<1	5.66	7	399	<2	<1	1.30	<4	6	29	5	1.34	<0.01	15	0.65	344	2	51	369	12	0.13	<5	9	26	131	1577	<2	37	16	6	41
85772	1336759	<1	5.45	10	478	2	<1	1.28	<4	6	27	7	1.39	<0.01	15	0.71	348	<1	42	364	12	0.11	<5	6	28	130	1564	<2	35	19	6	44
85773	1336760	<1	6.28	9	469	2	<1	3.78	4	16	10	62	3.65	0.05	4	1.51	874	<1	16	586	10	0.08	5	23	32	471	2698	<2	129	25	23	55
85774	1336761	<1	5.72	10	515	<2	<1	1.22	<4	6	26	10	1.45	<0.01	16	0.70	354	<1	47	352	7	0.10	<5	20	32	131	1596	<2	34	11	6	34
85775	1336762	<1	5.78	<2	497	<2	<1	1.38	<4	5	43	13	1.49	<0.01	23	0.85	432	4	75	348	18	0.08	<5	15	34	148	1582	<2	41	15	6	127
85776	1336763	<1	4.66	9	492	<2	<1	1.01	<4	6	27	11	1.30	<0.01	18	0.58	265	<1	44	308	7	0.10	5	5	25	129	1445	<2	33	11	5	36
85777	1336764	<1	5.67	8	483	2	1	1.22	<4	5	23	9	1.24	<0.01	14	0.65	281	<1	40	337	6	0.07	<5	<5	34	153	1513	<2	31	<10	6	33
85778D	1336764	<1	5.64	16	485	2	<1	1.22	<4	5	23	8	1.25	<0.01	16	0.65	283	<1	41	345	8	0.07	6	9	30	154	1496	<2	31	13	6	38
85779	1336765	<1	5.87	8	452	2	1	1.64	<4	5	21	15	1.31	<0.01	15	0.71	396	<1	45	332	7	0.09	<5	14	31	157	1503	<2	30	<10	6	44
85780	1336766	<1	6.01	9	456	<2	<1	1.69	<4	5	28	13	1.39	<0.01	15	0.73	418	3	57	339	9	0.09	<5	9	30	163	1522	<2	35	13	6	78
85781	1336767	<1	5.66	9	414	<2	3	1.52	<4	6	29	12	1.40	0.13	14	0.69	410	<1	50	381	7	0.11	<5	<5	31	175	1602	<2	36	19	6	54
85782	1336768	<1	6.32	14	473	<2	<1	1.45	<4	6	27	11	1.34	0.09	16	0.71	380	<1	54	357	3	0.09	<5	<5	31	176	1607	<2	35	<10	6	61
85783	1336769	<1	5.33	5	477	2	<1	1.30	<4	5	22	10	1.36	<0.01	13	0.68	438	<1	43	344	7	0.08	<5	9	25	165	1565	<2	32	18	5	46

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85784	1336770	<1	6.15	7	458	<2	<1	3.70	4	15	11	61	3.59	<0.01	4	1.48	855	<1	13	579	4	0.09	<5	<5	26	462	2658	<2	127	24	23	55
85785	1336771	<1	4.72	10	376	2	<1	1.23	<4	4	27	14	1.22	<0.01	12	0.71	503	<1	38	311	10	0.06	<5	10	27	145	1357	<2	30	22	6	54
85786	1336772	<1	5.30	14	467	2	<1	1.24	<4	5	28	10	1.36	<0.01	11	0.61	528	<1	44	350	9	0.13	<5	<5	28	163	1520	<2	34	<10	6	43
85787	1336773	<1	5.85	16	514	2	1	1.19	<4	7	25	11	1.35	<0.01	13	0.60	543	<1	47	338	21	0.23	<5	6	26	164	1542	<2	34	<10	6	97
85788	1336774	<1	5.74	17	466	2	<1	1.36	<4	6	24	13	1.36	<0.01	12	0.62	496	<1	41	338	8	0.18	<5	28	32	176	1542	<2	32	<10	6	39
85789R	1336774	<1	5.21	14	445	<2	2	1.21	<4	4	30	11	1.31	0.07	11	0.57	442	<1	49	331	8	0.16	<5	21	28	162	1476	<2	33	23	6	35
85790	1336775	<1	4.38	17	408	<2	<1	0.99	<4	5	21	26	1.27	<0.01	8	0.50	408	<1	40	331	15	0.19	<5	10	21	155	1386	<2	31	12	5	104
85791	1336776	2	5.18	17	431	2	<1	1.26	<4	6	26	54	1.41	<0.01	12	0.58	549	<1	41	348	225	0.24	<5	13	26	183	1559	<2	33	14	6	301
85792	1336777	<1	5.13	14	404	<2	<1	1.63	<4	9	24	22	1.34	<0.01	12	0.65	628	<1	42	352	37	0.12	<5	<5	28	182	1569	<2	32	10	6	68
85793	1336778	<1	5.89	11	466	2	<1	1.83	<4	7	31	17	1.55	<0.01	14	0.71	603	2	51	388	9	0.07	6	20	30	197	1778	<2	39	21	6	65
85794	1336779	<1	5.94	15	585	2	<1	1.67	<4	6	29	22	1.43	<0.01	15	0.66	556	<1	51	381	21	0.08	5	<5	25	193	1737	<2	39	19	6	60
85795	1336780	<1	5.50	3	423	<2	<1	3.50	4	15	9	61	3.40	<0.01	2	1.41	805	<1	15	532	<1	0.09	<5	<5	27	439	2483	<2	120	22	22	78
85796	1336781	<1	6.10	18	549	2	<1	1.62	<4	7	32	21	1.70	<0.01	14	0.67	642	<1	18	367	13	0.11	<5	11	32	189	1694	<2	31	<10	7	51
85797	1336782	<1	5.60	13	609	2	2	1.26	<4	6	33	11	1.44	<0.01	19	0.66	615	<1	16	354	45	0.11	5	<5	33	164	1595	<2	27	<10	6	58
85798	1336783	<1	5.39	14	521	2	<1	1.51	<4	5	22	16	1.41	<0.01	14	0.66	588	<1	17	344	28	0.16	<5	7	28	157	1541	<2	26	<10	6	86
85799	1336784	4	4.98	25	638	<2	<1	2.40	4	7	21	16	1.91	<0.01	9	0.92	890	<1	20	334	1245	0.54	<5	20	27	177	1299	<2	25	12	6	697
85800D	1336784	4	5.12	32	645	<2	2	2.43	5	6	20	16	1.97	<0.01	10	0.92	893	<1	18	337	1293	0.63	5	<5	27	179	1296	<2	25	27	6	704
85801	1336785	<1	5.14	26	541	<2	<1	3.12	<4	5	22	15	1.39	<0.01	12	0.97	1025	<1	16	328	92	0.33	5	17	28	153	1342	<2	21	<10	6	143
85802	1336786	<1	5.33	13	525	<2	<1	3.42	<4	5	17	14	1.42	<0.01	15	1.03	1221	<1	17	344	65	0.36	<5	<5	27	158	1371	<2	20	16	7	119
85803	1336787	2	5.52	19	485	2	<1	1.53	<4	6	21	34	1.40	<0.01	13	0.72	640	<1	16	348	333	0.25	<5	8	30	124	1482	<2	24	24	6	443

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85804	1336788	<1	5.96	21	484	2	<1	1.18	<4	6	18	16	1.42	<0.01	21	0.67	578	<1	17	340	65	0.54	6	19	26	120	1542	<2	26	23	6	147
85805	1336789	<1	5.60	19	444	2	<1	1.64	<4	5	20	10	1.39	<0.01	13	0.72	660	<1	15	372	10	0.11	6	20	28	128	1615	<2	27	10	6	49
85806	1336790	<1	3.88	22	455	<2	<1	2.00	5	15	48	190	3.61	<0.01	9	1.17	665	8	41	555	8	0.10	5	<5	31	265	2555	<2	96	32	15	107
85807	1336791	<1	5.26	11	385	<2	<1	2.05	<4	6	24	25	1.63	<0.01	14	0.80	946	<1	37	338	21	0.20	<5	12	33	150	1419	<2	30	22	7	52
85808	1336792	<1	5.34	19	390	2	2	1.56	<4	5	24	10	1.29	<0.01	11	0.71	656	<1	37	337	13	0.17	6	7	29	134	1440	<2	30	<10	6	49
85809	1336793	<1	5.56	16	459	2	<1	1.89	<4	5	25	10	1.49	<0.01	15	0.88	851	<1	37	337	25	0.20	<5	5	31	140	1467	<2	30	<10	6	50
85810	1336794	<1	5.82	12	614	<2	<1	0.81	<4	3	29	7	0.83	<0.01	14	0.54	323	<1	41	312	34	0.18	<5	27	29	121	1498	<2	34	<10	6	21
85811D	1336794	1	5.25	18	578	2	<1	0.72	<4	4	28	10	0.78	<0.01	11	0.51	297	<1	48	298	36	0.16	<5	10	32	114	1425	<2	33	12	5	24
85812	1336795	<1	5.66	27	535	2	<1	0.88	<4	4	22	49	1.18	<0.01	16	0.58	403	<1	40	342	53	0.44	8	7	28	117	1444	<2	32	<10	6	284
85813	1336796	2	5.78	20	506	2	<1	1.17	4	5	22	50	1.10	<0.01	14	0.60	474	<1	42	343	235	0.26	<5	<5	28	122	1476	<2	31	23	6	634
85814	1336797	<1	5.32	37	441	2	1	1.31	<4	7	37	13	1.58	<0.01	15	0.69	575	<1	40	348	104	0.41	5	11	27	133	1503	<2	38	25	7	360
85815	1336798	<1	7.97	38	561	2	1	1.99	<4	6	33	11	1.72	<0.01	21	0.74	635	<1	52	426	70	0.50	7	20	41	173	1392	<2	39	28	7	143
85816	1336799	<1	5.93	35	485	2	<1	1.54	<4	6	29	17	1.68	<0.01	13	0.63	596	<1	46	371	87	0.51	5	16	28	137	1511	<2	36	<10	6	238
85817	1336800	<1	5.92	13	447	2	<1	3.61	5	15	10	57	3.49	<0.01	3	1.45	830	<1	14	562	6	0.08	<5	<5	29	452	2612	<2	123	27	23	49
85818	1336551	<1	3.73	19	272	2	<1	1.13	4	17	132	50	2.90	<0.01	17	1.20	747	<1	72	403	28	0.18	<5	<5	25	107	1864	<2	69	14	12	63
85819	1336552	<1	4.53	40	235	2	<1	1.14	4	19	148	49	3.19	<0.01	23	1.56	898	<1	72	461	30	0.25	<5	<5	32	106	2045	<2	77	<10	11	69
85820	1336553	<1	5.16	54	383	<2	<1	0.93	4	19	142	42	3.20	<0.01	24	1.33	812	<1	82	548	35	0.40	8	<5	39	98	1771	<2	84	14	14	102
85821	1336554	<1	5.40	31	466	2	1	1.25	4	18	110	55	2.84	<0.01	26	1.36	878	<1	80	530	54	0.38	<5	11	32	94	2192	<2	76	<10	12	264
85822D	1336554	<1	5.46	36	466	2	<1	1.27	4	19	110	54	2.86	<0.01	27	1.36	883	1	80	535	60	0.42	6	<5	35	93	2239	<2	77	11	12	269
85823	1336555	1	5.48	35	591	2	3	2.47	<4	13	43	127	2.14	<0.01	18	1.30	1049	<1	66	722	82	0.30	7	16	27	122	1895	<2	51	<10	7	82

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85824	1336556	<1	5.88	30	616	2	4	1.85	<4	10	41	63	1.82	<0.01	23	1.01	773	1	60	747	59	0.40	6	<5	33	105	2021	<2	52	19	7	109
85825	1336557	<1	5.80	28	634	<2	<1	1.74	<4	9	36	17	1.64	<0.01	20	0.89	694	<1	54	766	47	0.41	<5	<5	23	109	1914	<2	49	21	7	106
85826	1336558	3	7.35	29	804	2	<1	1.77	9	16	98	79	2.46	<0.01	28	0.97	739	<1	75	691	501	0.43	8	<5	28	110	2644	<2	89	35	12	969
85827	1336559	<1	4.12	26	316	<2	<1	1.49	5	15	122	81	2.51	<0.01	21	1.01	662	4	73	464	40	0.27	<5	10	27	83	1741	<2	70	29	12	476
85828	1336560	<1	5.78	5	440	<2	<1	3.64	5	15	10	61	3.54	<0.01	2	1.46	830	<1	12	546	5	0.08	<5	19	24	457	2543	<2	125	<10	23	48
85829	1336561	<1	5.19	37	394	2	<1	1.09	5	20	139	121	3.31	<0.01	27	1.26	714	<1	84	508	280	0.57	<5	<5	31	97	2186	<2	83	16	13	213
85830	1336562	<1	5.16	6	296	<2	<1	1.00	5	20	145	86	3.43	<0.01	31	1.52	1210	<1	88	499	50	0.26	5	<5	35	120	2595	<2	91	<10	15	133
85831	1336563	<1	5.56	11	310	2	3	1.38	4	21	148	87	3.53	<0.01	26	1.51	1019	<1	89	511	35	0.21	5	<5	27	103	2519	<2	92	17	14	80
85832	1336564	<1	5.23	9	282	2	<1	1.44	4	20	149	68	3.23	<0.01	25	1.39	903	<1	75	483	43	0.21	6	14	33	107	2489	<2	85	24	14	75
85833D	1336564	<1	4.94	11	272	2	<1	1.39	4	21	148	67	3.21	<0.01	24	1.36	882	<1	77	472	41	0.20	6	<5	34	105	2432	<2	84	25	13	75
85834	1336565	<1	5.44	10	300	2	3	1.84	5	21	154	62	3.49	<0.01	27	1.55	992	1	81	518	29	0.26	<5	9	34	102	2644	<2	88	13	15	94
85835	1336566	<1	4.93	7	280	2	<1	1.73	4	19	151	56	3.30	<0.01	25	1.47	956	3	84	495	29	0.23	9	7	35	96	2563	<2	86	24	14	96
85836	1336567	<1	5.49	12	393	2	<1	1.13	4	22	159	100	3.31	<0.01	30	1.28	814	5	114	492	57	0.39	10	<5	30	80	2765	<2	107	18	15	121
85837	1336568	<1	5.46	15	350	2	<1	2.10	5	21	138	46	3.16	<0.01	26	1.64	1219	<1	78	485	30	0.26	<5	10	31	101	2752	<2	85	18	15	93
85838	1336569	<1	5.82	15	576	2	<1	1.70	<4	6	28	12	1.58	<0.01	21	1.00	773	2	56	484	35	0.21	7	<5	27	104	1870	<2	44	13	7	255
85839	1336570	<1	3.90	44	227	<2	4	0.89	8	13	28	1933	4.38	<0.01	27	0.82	957	11	24	592	64	1.67	<5	<5	23	162	994	<2	51	21	9	499
85840	1336571	<1	5.93	8	569	2	<1	1.79	<4	7	23	51	1.69	<0.01	25	1.10	721	<1	39	492	14	0.26	<5	8	32	99	1948	<2	39	<10	6	54
85841	1336572	<1	4.73	24	551	2	<1	1.82	<4	7	30	17	1.70	<0.01	20	1.22	942	<1	48	455	256	0.37	<5	<5	23	91	1766	<2	40	16	6	318
85842	1336573	2	5.46	34	518	2	<1	1.53	5	7	24	32	1.68	<0.01	26	0.90	609	<1	40	434	854	0.48	<5	9	28	72	1745	<2	37	28	6	768
85843	1336574	2	5.29	32	645	2	2	1.60	<4	6	28	44	1.71	<0.01	22	1.07	730	<1	14	426	201	0.44	<5	<5	31	88	1771	<2	29	15	6	302

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85844D	1336574	1	5.57	34	675	2	<1	1.66	<4	7	28	45	1.74	<0.01	24	1.10	752	<1	13	438	191	0.45	<5	<5	32	90	1823	<2	30	11	7	304
85845	1336575	<1	5.71	33	473	2	<1	1.73	4	6	31	18	1.89	<0.01	25	1.14	781	<1	13	471	140	0.43	6	<5	35	85	1787	<2	31	27	7	719
85846	1336576	2	5.33	32	540	2	<1	1.25	4	8	25	16	1.87	<0.01	24	0.94	605	4	14	442	369	0.54	<5	23	31	82	1841	<2	32	30	6	382
85847	1336577	4	5.51	6	483	2	<1	2.38	12	6	25	85	2.27	<0.01	16	1.36	1113	<1	13	461	1185	0.24	7	<5	32	118	1710	<2	28	74	6	2700
85848	1336578	1	5.74	16	468	2	<1	2.60	4	7	25	35	1.94	<0.01	23	1.62	1403	<1	11	474	512	0.19	<5	15	30	128	1849	<2	29	18	7	516
85849	1336579	<1	5.48	17	462	2	<1	1.80	<4	7	25	44	1.48	<0.01	21	1.09	832	<1	16	476	73	0.26	5	<5	30	111	1831	<2	30	<10	6	91
85850	1336580	<1	5.96	11	454	2	<1	3.66	5	15	9	64	3.56	<0.01	3	1.48	850	<1	14	567	4	0.08	6	<5	26	458	2652	<2	125	23	23	48
85851	1336581	<1	5.60	18	465	2	<1	1.88	<4	6	27	24	1.62	<0.01	23	1.12	825	<1	12	503	71	0.19	<5	17	26	120	1858	<2	32	12	6	230
85852	1336582	<1	5.12	8	461	2	4	1.94	4	7	24	34	1.60	<0.01	21	1.22	852	<1	14	449	209	0.10	<5	10	28	119	1761	<2	29	30	6	464
85853	1336583	<1	6.20	15	359	2	<1	2.31	4	15	64	32	2.49	<0.01	33	1.67	930	<1	32	562	39	0.18	6	9	30	122	2531	<2	56	25	10	265
85854	1336584	<1	4.53	20	100	2	<1	4.28	8	36	113	58	5.71	0.01	25	3.70	2333	<1	80	1307	12	0.38	<5	<5	30	110	4715	30	139	714	20	130
85855R	1336584	<1	4.53	15	98	2	<1	4.20	8	36	114	60	5.69	<0.01	26	3.65	2304	<1	84	1306	12	0.42	8	<5	34	110	4764	14	139	774	20	130
85856	1336585	<1	5.77	13	106	<2	<1	4.07	8	51	180	65	5.76	<0.01	28	3.19	2203	<1	118	1267	14	0.32	5	7	27	145	7993	<2	177	12	23	172
85857	1336586	<1	5.69	22	109	<2	<1	3.89	8	50	179	67	5.61	0.08	29	3.09	2098	<1	119	1235	13	0.34	7	<5	29	141	7828	<2	172	<10	21	134
85858	1336587	<1	6.18	55	142	2	2	3.61	8	54	185	141	5.80	<0.01	29	2.83	1865	<1	127	1315	105	0.48	6	<5	29	131	6086	6	172	20	22	186
85859	1336588	3	5.40	581	194	2	3	2.05	8	37	162	119	5.56	0.06	34	2.03	1239	<1	99	941	174	0.66	8	<5	32	117	2847	<2	123	15	14	484
85860	1336589	<1	5.02	76	328	2	<1	1.07	<4	18	139	37	2.60	<0.01	26	0.99	460	1	52	452	29	0.36	5	<5	34	83	2075	<2	78	<10	11	71
85861	1336590	<1	4.20	31	468	<2	<1	2.06	5	14	52	196	3.72	0.01	13	1.21	677	9	41	560	7	0.12	<5	<5	32	272	2705	<2	100	28	15	93
85862	1336591	<1	4.78	15	280	2	<1	1.54	4	19	133	61	3.33	<0.01	31	1.57	848	1	53	484	18	0.11	<5	<5	29	113	2443	<2	72	15	11	118
85863	1336592	<1	5.35	26	338	2	<1	1.68	<4	11	62	54	2.10	<0.01	30	1.42	682	<1	27	421	35	0.11	<5	9	33	118	1950	<2	42	17	8	93

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85864	1336593	<1	5.39	18	345	2	<1	1.84	<4	10	50	23	2.01	<0.01	30	1.33	570	<1	24	468	9	0.12	<5	<5	24	117	2025	<2	40	28	8	64
85865	1336594	<1	5.95	17	363	2	2	1.58	<4	8	28	25	1.68	<0.01	30	1.00	476	<1	15	520	10	0.13	<5	6	33	107	2146	<2	37	14	7	40
85866D	1336594	<1	4.19	16	277	<2	<1	1.23	<4	8	21	20	1.40	<0.01	22	0.82	390	<1	13	447	6	0.14	<5	<5	22	90	1721	<2	30	21	6	29
85867	1336595	<1	5.47	30	327	<2	<1	1.96	6	20	133	65	3.07	<0.01	29	1.47	844	1	54	523	63	0.29	7	<5	31	115	2688	<2	73	13	13	607
85868	1336596	<1	5.31	9	266	2	2	1.30	5	23	147	52	3.76	<0.01	39	1.68	835	<1	66	537	18	0.10	<5	8	33	105	2971	<2	87	14	13	91
85869	1336597	<1	6.24	13	364	2	3	1.00	5	25	148	73	3.63	<0.01	36	1.71	773	<1	76	533	37	0.12	8	<5	27	103	3100	<2	104	26	13	111
85870	1336598	<1	5.92	12	340	2	<1	1.47	5	21	144	48	3.41	<0.01	40	1.76	657	<1	64	499	21	0.17	<5	<5	24	112	2840	<2	89	<10	14	80
85871	1336599	<1	3.95	10	199	2	<1	1.30	4	17	119	61	2.84	<0.01	30	1.33	670	<1	52	436	27	0.13	7	<5	29	88	2157	<2	71	23	12	82
85872	1336600																IS															
85873	1336501	1	4.91	42	229	2	1	1.42	4	18	143	113	2.82	0.13	24	1.22	751	2	54	469	137	0.27	10	<5	31	90	1509	<2	74	<10	13	209
85874	1336502	3	3.46	78	207	<2	<1	0.10	4	14	134	69	2.51	<0.01	11	0.41	<100	3	50	458	165	0.68	8	12	31	49	1227	<2	59	19	9	283
85875	1336503	<1	5.60	78	351	2	<1	0.95	5	21	149	52	3.70	<0.01	31	1.54	603	2	63	399	27	0.23	<5	<5	28	102	2358	<2	91	14	12	67
85876	1336504	<1	6.40	106	480	2	<1	1.33	5	27	191	53	3.98	0.11	31	2.09	693	<1	89	667	20	0.13	7	<5	31	206	3335	<2	110	19	14	50
85877D	1336504	<1	6.20	96	465	2	<1	1.28	5	26	186	53	3.84	0.16	30	2.07	666	<1	89	663	16	0.13	<5	12	33	204	3182	<2	108	<10	14	49
85878	1336505	<1	6.16	27	285	2	<1	1.03	5	26	161	56	4.00	<0.01	31	1.93	675	<1	74	549	23	0.11	7	8	31	108	3297	<2	99	23	13	47
85879	1336506	<1	5.49	17	290	2	3	0.92	5	27	157	62	4.08	0.07	31	1.87	659	<1	75	550	23	0.13	5	<5	31	97	3251	<2	101	16	12	42
85880	1336507	<1	5.11	39	331	2	<1	1.21	5	25	160	87	3.72	<0.01	29	1.73	752	2	75	512	73	0.15	5	6	31	101	2706	<2	101	21	11	108
85881	1336508	<1	5.63	15	205	2	<1	1.37	6	24	149	80	4.36	0.18	37	2.27	1202	<1	71	482	48	0.11	6	<5	29	95	2851	<2	93	24	14	104
85882	1336509	1	5.76	3	327	2	<1	1.29	6	21	152	138	3.43	0.06	30	1.49	793	<1	66	582	163	0.18	<5	6	28	88	1956	<2	106	20	11	310
85883	1336510	148	4.64	6	366	<2	2	2.77	9	16	37	91	4.65	<0.01	5	1.24	833	<1	26	517	17904	0.13	84	6	32	279	2650	<2	126	20	17	298

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/25/2015
Date Completed: 04/01/2015
Job #: 201540990
Reference: 15-016
Sample #: 151

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
85884	1336511	1	6.42	9	368	2	2	1.57	5	23	146	102	3.81	<0.01	35	1.94	1209	<1	71	484	293	0.20	7	<5	30	82	2244	<2	106	16	15	109
85885	1336512	4	5.93	16	442	2	1	0.64	<4	20	157	88	2.35	0.05	26	1.01	471	<1	62	452	229	0.16	<5	7	28	63	1884	<2	110	15	11	179
85886	1336513	3	5.13	9	283	2	<1	1.36	13	23	172	122	3.63	0.28	31	1.47	838	<1	69	508	786	0.17	13	<5	33	85	2053	<2	95	46	11	2571
85887	1336514	<1	5.28	7	223	2	1	1.45	5	22	150	48	3.55	0.04	33	1.96	729	<1	61	476	41	0.08	5	9	33	78	2722	<2	87	27	12	135
85888D	1336514	<1	6.24	9	235	2	<1	1.54	5	21	156	48	3.69	0.05	34	2.13	747	<1	65	497	28	0.09	<5	7	31	83	2864	<2	89	22	13	105
85889	1336515	<1	5.14	8	216	2	1	1.07	5	22	132	50	3.37	0.20	27	1.79	643	<1	61	466	28	0.07	5	<5	29	68	2858	<2	81	17	13	56

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15400

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86102	367001	<0.005	
86103	367002	0.090	
86104	367003	0.021	
86105	367004	<0.005	
86106	367005	<0.005	
86107	367006	<0.005	
86108	367007	0.064	
86109	367008	<0.005	
86110	367009	0.008	
86111	367010	0.330	
86112	367010	Insufficient Sample	
86113	367011	<0.005	
86114	367012	<0.005	
86115	367013	0.010	
86116	367014	0.005	
86117	367015	<0.005	
86118	367016	0.006	
86119	367017	<0.005	
86120	367018	0.008	
86121	367019	0.208	
86122	367020	<0.005	
86123	367020	Insufficient Sample	
86124	367021	1.209	
86125	367022	0.333	
86126	367023	0.500	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86127	367024	>10.000	22.492
86128	367025	0.162	
86129	367026	0.148	
86130	367027	0.061	
86131	367028	0.012	
86132	367029	0.054	
86133	367030	1.375	
86134	367030	Insufficient Sample	
86135	367031	0.005	
86136	367032	<0.005	
86137	367033	<0.005	
86138	367034	0.006	
86139	367035	0.017	
86140	367036	<0.005	
86141	367037	<0.005	
86142	367038	<0.005	
86143	367039	0.019	
86144	367040	<0.005	
86145	367040	Insufficient Sample	
86146	367041	0.122	
86147	367042	0.955	
86148	367043	0.006	
86149	367044	<0.005	
86150	367045	0.041	
86151	367046	0.006	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86152	367047	0.009	
86153	367048	0.014	
86154	367049	0.021	
86155	367050	4.741	
86156	367050	Insufficient Sample	
86157	367051	0.241	
86158	367052	0.020	
86159	367053	0.005	
86160	367054	0.052	
86161	367055	0.099	
86162	367056	0.151	
86163	367057	0.030	
86164	367058	0.048	
86165	367059	0.017	
86166	367060	0.008	
86167	367060	Insufficient Sample	
86168	367061	0.009	
86169	367062	0.005	
86170	367063	<0.005	
86171	367064	0.007	
86172	367065	0.005	
86173	367066	<0.005	
86174	367067	0.012	
86175	367068	0.041	
86176	367069	0.008	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86177	367070	0.399	
86178	367070	Insufficient Sample	
86179	367071	<0.005	
86180	367072	<0.005	
86181	367073	<0.005	
86182	367074	0.008	
86183	367075	<0.005	
86184	367076	0.011	
86185	367077	0.013	
86186	367078	<0.005	
86187	367079	0.006	
86188	367080	<0.005	
86189	367080	Insufficient Sample	
86190	367081	<0.005	
86191	367082	0.005	
86192	367083	0.008	
86193	367084	<0.005	
86194	367085	<0.005	
86195	367086	<0.005	
86196	367087	0.005	
86197	367088	0.255	
86198	367089	0.034	
86199	367090	1.487	
86200	367090	Insufficient Sample	
86201	367091	0.188	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86202	367092	0.108	
86203	367093	0.022	
86204	367094	0.030	
86205	367095	0.168	
86206	367096	0.029	
86207	367097	0.029	
86208	367098	0.024	
86209	367099	0.020	
86210	367100	<0.005	
86211	367100	Insufficient Sample	
86212	367101	0.014	
86213	367102	0.030	
86214	367103	0.036	
86215	367104	0.009	
86216	367105	<0.005	
86217	367106	0.006	
86218	367107	0.014	
86219	367108	0.104	
86220	367109	0.112	
86221	367110	4.858	
86222	367110	Insufficient Sample	
86223	367111	0.182	
86224	367112	0.013	
86225	367113	0.006	
86226	367114	0.007	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86227	367115	<0.005	
86228	367116	0.006	
86229	367117	0.012	
86230	367118	0.017	
86231	367119	0.074	
86232	367120	<0.005	
86233	367120	Insufficient Sample	
86234	367121	0.006	
86235	367122	<0.005	
86236	367123	<0.005	
86237	367124	0.014	
86238	367125	0.077	
86239	367126	0.025	
86240	367127	0.019	
86241	367128	0.007	
86242	367129	0.007	
86243	367130	0.413	
86244	367130	Insufficient Sample	
86245	367131	<0.005	
86246	367132	<0.005	
86247	367133	0.007	
86248	367134	0.005	
86249	367135	0.007	
86250	367136	0.016	
86251	367137	0.097	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86252	367138	0.179	
86253	367139	0.034	
86254	367140	<0.005	
86255	367140	Insufficient Sample	
86256	367141	0.071	
86257	367142	0.191	
86258	367143	0.059	
86259	367144	0.020	
86260	367145	0.012	
86261	367146	0.009	
86262	367147	0.026	
86263	367148	0.027	
86264	367149	0.014	
86265	367150	4.539	
86266	367150	Insufficient Sample	
86267	367151	0.013	
86268	367152	0.012	
86269	367153	0.017	
86270	367154	0.214	
86271	367155	0.051	
86272	367156	0.349	
86273	367157	0.135	
86274	367158	0.013	
86275	367159	0.007	
86276	367160	<0.005	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86277	367160	Insufficient Sample	
86278	367161	0.005	
86279	367162	0.008	
86280	367163	0.006	
86281	367164	<0.005	
86282	367165	<0.005	
86283	367166	<0.005	
86284	367167	0.011	
86285	367168	0.010	
86286	367169	0.009	
86287	367170	0.427	
86288	367170	Insufficient Sample	
86289	367171	0.005	
86290	367172	<0.005	
86291	367173	0.040	
86292	367174	0.160	
86293	367175	0.074	
86294	367176	0.107	
86295	367177	0.064	
86296	367178	0.219	
86297	367179	0.023	
86298	367180	<0.005	
86299	367180	Insufficient Sample	
86300	367181	0.084	
86301	367182	0.041	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86302	367183	0.020	
86303	367184	0.028	
86304	367185	0.048	
86305	367186	0.051	
86306	367187	0.032	
86307	367188	0.264	
86308	367189	0.275	
86309	367190	1.397	
86310	367190	Insufficient Sample	
86311	367191	0.111	
86312	367192	0.087	
86313	367193	0.006	
86314	367194	0.022	
86315	367195	0.016	
86316	367196	0.036	
86317	367197	0.038	
86318	367198	0.384	
86319	367199	0.021	
86320	367200	<0.005	
86321	367200	Insufficient Sample	
86322	367201	0.041	
86323	367202	0.063	
86324	367203	0.011	
86325	367204	0.293	
86326	367205	0.012	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86327	367206	<0.005	
86328	367207	<0.005	
86329	367208	<0.005	
86330	367209	<0.005	
86331	367210	4.573	
86332	367210	Insufficient Sample	
86333	367211	0.010	
86334	367212	<0.005	
86335	367213	<0.005	
86336	367214	<0.005	
86337	367215	<0.005	
86338	367216	<0.005	
86339	367217	<0.005	
86340	367218	<0.005	
86341	367219	<0.005	
86342	367220	<0.005	
86343	367220	Insufficient Sample	
86344	367221	0.010	
86345	367222	<0.005	
86346	367223	<0.005	
86347	367224	<0.005	
86348	367225	<0.005	
86349	367226	<0.005	
86350	367227	<0.005	
86351	367228	<0.005	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
86352	367229	0.020	
86353	367230	0.365	
86354	367230	Insufficient Sample	
86355	367231	0.014	
86356	367232	0.009	
86357	367233	0.014	
86358	367234	0.067	
86359	367235	0.047	
86360	367236	0.052	
86361	367237	0.053	
86362	367238	0.050	
86363	367239	<0.005	
86364	367240	<0.005	
86365	367240	Insufficient Sample	
86366	367241	<0.005	
86367	367242	<0.005	
86368	367243	0.069	
86369	367244	<0.005	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL01	0.383	0.394	0.011
AR02	1.560	1.575	0.088
AR02	1.579	1.575	0.088
AR02	1.578	1.575	0.088
AR02	1.625	1.575	0.088
AR02	1.497	1.575	0.088
AR02	1.715	1.575	0.088
AR02	1.459	1.575	0.088
AR02	1.630	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86102	367001	<1	4.29	6	366	<2	<1	1.93	<4	8	9	7	1.42	<0.01	18	0.86	229	2	37	342	9	0.07	<5	<5	17	201	1470	<2	34	11	5	23
86103	367002	<1	9.79	8	806	2	72	3.51	<4	12	29	16	2.41	0.96	43	1.37	359	12	69	552	14	0.12	10	25	44	349	2141	<2	55	10	8	67
86104	367003	<1	5.67	<2	817	<2	26	2.23	<4	16	69	65	2.60	0.14	26	1.08	312	8	64	461	9	0.08	7	7	29	241	2389	<2	65	22	10	43
86105	367004	<1	4.56	8	548	<2	25	2.41	<4	9	31	26	1.78	0.12	23	1.03	284	7	64	374	4	0.08	6	23	26	233	1650	<2	45	<10	6	33
86106	367005	<1	5.35	7	508	<2	2	2.87	<4	10	14	18	1.91	0.23	28	1.11	323	7	43	404	10	0.16	6	12	31	244	1805	<2	38	15	6	46
86107	367006	<1	5.09	<2	471	<2	22	2.86	<4	10	12	17	1.90	0.21	28	1.12	330	6	36	407	4	0.14	<5	19	24	246	1838	<2	37	24	6	45
86108	367007	<1	4.97	7	512	<2	9	2.73	<4	10	17	14	1.74	0.13	26	1.01	319	7	42	411	9	0.09	<5	13	19	254	1948	<2	38	<10	5	41
86109	367008	<1	5.08	6	429	2	22	3.60	<4	9	12	13	1.94	0.18	27	1.41	448	<1	44	388	6	0.15	8	22	24	249	1891	<2	36	15	6	73
86110	367009	<1	5.17	4	454	<2	43	2.71	<4	9	12	9	1.89	0.23	35	1.22	400	5	43	383	<1	0.11	7	18	28	215	1906	<2	37	14	5	15
86111	367010	<1	4.54	46	315	<2	54	1.16	5	15	25	2133	4.78	0.12	30	0.88	1045	23	32	634	81	1.38	14	20	31	181	1114	<2	55	15	8	562
86112D	367010																IS															
86113	367011	<1	5.51	<2	586	<2	42	2.34	<4	8	15	51	1.62	0.06	24	0.88	302	5	42	420	2	0.11	6	10	23	171	1944	<2	39	16	6	17
86114	367012	<1	5.92	<2	456	<2	24	4.01	<4	10	13	13	1.90	0.24	29	1.47	436	<1	38	410	8	0.14	<5	12	30	278	1896	<2	36	40	6	43
86115	367013	<1	4.97	4	407	2	40	3.93	<4	10	23	20	1.93	0.38	25	1.49	456	4	32	376	9	0.14	<5	14	32	239	1735	<2	34	20	6	55
86116	367014	<1	5.75	6	451	2	7	3.90	<4	12	19	18	2.01	0.33	27	1.47	363	4	47	445	10	0.18	<5	15	29	245	1980	<2	40	21	6	42
86117	367015	<1	5.24	3	380	<2	37	3.81	<4	8	25	9	1.56	0.39	27	1.49	321	5	49	374	14	0.10	5	23	30	206	1676	<2	35	11	6	35
86118	367016	<1	5.68	<2	403	<2	8	3.65	<4	9	15	8	1.70	0.27	26	1.55	332	2	41	412	14	0.17	6	23	25	207	1917	<2	39	20	6	24
86119	367017	<1	5.71	10	439	<2	<1	2.72	<4	9	14	8	1.62	0.40	27	1.28	355	3	40	418	19	0.18	<5	16	26	187	2043	<2	40	28	6	26
86120	367018	<1	6.01	3	549	<2	26	2.22	<4	9	14	11	1.67	0.39	32	1.24	338	4	40	421	14	0.13	7	24	34	142	2091	<2	39	21	6	27
86121	367019	<1	5.89	11	422	<2	29	2.23	<4	10	17	11	1.71	0.25	29	1.16	326	5	46	410	61	0.18	6	18	28	132	2053	<2	42	25	6	96

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86122	367020	<1	6.03	6	513	<2	40	3.89	<4	19	3	68	3.69	0.20	<1	1.48	871	11	21	592	3	0.09	6	18	28	473	2627	<2	129	35	22	52
86123D	367020																IS															
86124	367021	1	5.06	41	341	<2	24	1.33	<4	9	20	49	2.00	0.31	24	0.84	275	6	52	401	349	0.55	10	13	26	97	1805	<2	44	38	6	914
86125	367022	<1	5.07	24	340	<2	26	2.21	<4	8	15	26	1.53	0.23	27	1.15	384	2	41	410	66	0.24	6	9	25	120	1830	<2	40	<10	6	213
86126	367023	1	4.30	47	343	<2	39	1.47	<4	8	17	37	1.48	0.25	20	0.85	220	2	33	374	548	0.30	7	17	26	112	1590	<2	36	39	5	386
86127	367024	5	5.42	42	337	<2	17	2.07	<4	8	23	38	1.54	<0.01	20	1.11	301	5	48	399	284	0.29	<5	8	25	121	1595	<2	37	31	6	331
86128	367025	<1	5.57	19	384	<2	47	2.19	<4	9	13	25	1.57	0.32	20	1.00	309	3	40	417	223	0.25	<5	19	29	144	1876	<2	37	<10	6	145
86129	367026	<1	5.28	22	393	<2	32	2.13	<4	9	13	14	1.53	0.29	20	0.98	296	3	35	413	201	0.27	<5	19	28	130	1926	<2	37	20	6	163
86130	367027	<1	5.55	17	365	<2	28	2.31	<4	9	24	16	1.53	0.34	22	1.05	285	3	35	408	50	0.18	9	36	25	184	1769	<2	38	20	6	70
86131	367028	<1	5.83	4	478	<2	7	2.39	<4	10	14	10	1.64	0.22	19	0.90	242	3	34	415	22	0.12	<5	14	29	217	1912	<2	38	<10	7	24
86132	367029	<1	5.57	9	500	<2	46	2.34	<4	10	19	22	1.65	0.36	22	0.96	270	5	48	392	35	0.12	<5	28	22	287	1789	<2	41	14	6	82
86133	367030	<1	4.16	22	530	<2	<1	2.17	<4	16	45	198	3.70	0.44	10	1.21	678	18	47	580	15	0.12	5	<5	30	278	2622	<2	99	50	15	60
86134D	367030																IS															
86135	367031	<1	5.94	9	397	<2	34	2.47	<4	10	15	16	2.00	0.40	30	0.93	229	6	41	440	15	0.21	6	16	25	279	1812	<2	41	<10	7	56
86136	367032	<1	6.15	5	512	<2	60	2.01	<4	11	21	11	1.92	0.17	28	0.89	214	5	51	454	8	0.09	<5	27	28	337	1887	<2	44	26	7	50
86137	367033	<1	6.10	4	498	<2	52	2.22	<4	11	12	10	1.82	0.12	25	0.83	234	5	38	443	4	0.07	<5	13	26	348	1927	<2	39	18	6	35
86138	367034	<1	2.82	2	436	<2	16	1.62	<4	8	6	15	1.48	<0.01	16	0.67	177	2	12	338	7	0.06	6	18	27	241	1660	<2	28	<10	4	34
86139	367035	<1	2.92	6	430	<2	30	1.51	<4	7	5	14	1.26	<0.01	12	0.65	169	<1	16	343	16	0.04	8	<5	28	246	1586	<2	28	<10	4	33
86140	367036	<1	5.60	<2	495	<2	54	2.24	<4	9	8	6	1.63	0.35	21	0.95	214	3	12	425	8	0.07	<5	27	26	319	1861	<2	34	14	6	36
86141	367037	<1	5.59	2	454	<2	41	2.43	<4	9	9	13	1.64	0.16	24	1.06	241	3	15	430	6	0.08	6	34	27	321	1949	<2	32	25	6	37

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86142	367038	<1	5.74	4	495	<2	41	2.39	<4	10	8	8	1.70	0.31	23	1.05	261	3	11	443	11	0.07	<5	<5	25	300	2003	<2	34	22	6	32
86143	367039	<1	4.49	4	461	<2	10	1.95	<4	9	20	32	1.61	0.05	16	0.85	221	6	55	378	27	0.06	<5	15	24	269	1762	<2	41	<10	5	45
86144	367040	<1	5.74	4	533	<2	35	3.89	<4	19	3	59	3.68	0.30	2	1.46	872	11	11	576	7	0.08	9	10	20	476	2669	<2	129	26	21	59
86145D	367040																IS															
86146	367041	<1	5.74	<2	508	<2	33	2.31	<4	12	18	114	1.82	0.37	20	0.89	243	6	43	427	156	0.08	<5	13	29	297	2047	<2	41	13	7	309
86147	367042	8	5.93	5	465	<2	19	2.39	8	11	10	1668	2.08	0.38	18	0.99	257	6	28	435	413	0.19	6	18	20	330	2080	<2	38	29	6	1426
86148	367043	<1	5.96	9	480	<2	46	1.79	<4	9	9	53	1.62	0.23	16	0.76	209	2	31	444	28	0.06	<5	26	21	251	2108	<2	39	19	6	68
86149	367044	<1	6.75	3	535	<2	21	1.87	<4	13	42	18	2.09	0.02	16	0.91	319	7	51	455	20	0.13	<5	32	27	256	2460	<2	59	18	8	81
86150	367045	<1	4.96	27	471	2	31	1.92	<4	24	148	45	3.93	0.10	27	1.45	683	14	85	523	45	0.18	10	<5	30	255	3050	<2	96	<10	11	104
86151	367046	<1	4.88	14	399	2	51	1.54	<4	22	134	42	3.37	0.08	19	1.32	462	13	82	498	26	0.12	8	11	26	239	2812	<2	87	39	9	69
86152	367047	<1	5.01	13	431	<2	32	1.44	<4	26	150	46	3.73	0.28	21	1.43	497	14	86	578	13	0.14	<5	15	29	244	3087	<2	101	21	9	55
86153	367048	<1	5.11	20	470	2	10	1.24	<4	27	149	48	3.75	0.34	22	1.39	486	13	87	510	16	0.18	6	10	27	221	3026	<2	100	18	10	66
86154	367049	<1	5.05	5	607	<2	60	1.14	<4	21	119	38	3.08	0.32	20	1.15	390	11	84	464	33	0.22	<5	21	<10	216	2620	<2	82	26	9	68
86155	367050	163	4.59	11	383	<2	31	2.86	6	17	32	98	4.72	0.27	4	1.24	847	15	39	531	16131	0.15	91	14	<10	291	2645	10	126	23	17	313
86156D	367050																IS															
86157	367051	<1	3.89	27	381	<2	<1	1.09	<4	22	112	58	3.07	<0.01	10	1.13	416	10	81	405	33	0.28	<5	15	<10	224	2210	<2	69	10	12	70
86158	367052	<1	5.24	3	516	2	31	1.14	<4	23	143	48	3.51	0.44	24	1.37	445	14	86	491	20	0.17	5	19	<10	257	2903	<2	89	18	11	71
86159	367053	<1	6.02	23	433	2	9	1.45	<4	24	155	52	3.68	0.31	26	1.51	523	14	89	569	23	0.18	9	39	<10	276	2989	<2	90	10	13	68
86160	367054	<1	5.02	15	349	2	50	2.02	<4	24	155	52	3.34	0.31	23	1.39	545	14	75	574	30	0.18	7	18	<10	309	2897	<2	81	14	13	87
86161	367055	<1	5.73	6	412	2	12	1.43	<4	24	146	51	3.45	0.17	23	1.39	509	12	83	519	33	0.14	5	16	<10	259	2988	<2	90	13	14	76

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86162	367056	<1	4.24	39	338	2	29	1.61	<4	22	137	46	3.41	0.15	20	1.29	569	12	74	458	16	0.17	5	14	<10	230	2757	<2	81	15	11	59
86163	367057	<1	3.37	5	344	<2	66	0.86	<4	22	132	46	3.28	<0.01	15	1.06	426	9	71	429	16	0.18	<5	5	<10	193	2672	<2	83	14	8	51
86164	367058	<1	4.50	22	465	2	55	1.15	<4	26	146	59	3.61	0.22	19	1.21	465	14	92	513	55	0.34	<5	<5	10	252	2821	<2	93	19	9	108
86165	367059	<1	5.01	29	571	2	<1	1.31	<4	27	153	54	3.56	0.17	20	1.33	530	12	86	474	21	0.17	<5	22	<10	259	3120	8	103	13	11	55
86166	367060	<1	5.07	3	450	<2	42	3.56	<4	17	5	60	3.50	0.31	2	1.36	827	9	18	536	16	0.09	<5	14	<10	450	2555	<2	121	22	20	48
86167R	367060																IS															
86168	367061	<1	5.60	51	615	2	20	0.31	<4	34	145	55	4.67	0.07	23	1.71	365	18	108	511	17	0.25	7	7	<10	188	3411	<2	130	31	11	179
86169	367062	<1	5.92	23	517	2	42	1.24	<4	28	141	50	4.04	0.03	21	1.75	455	15	93	573	13	0.23	6	<5	<10	269	3244	<2	108	13	13	57
86170	367063	<1	5.54	24	545	<2	21	0.85	<4	28	143	48	4.24	0.05	22	1.72	425	14	100	543	16	0.18	7	15	<10	250	3210	<2	116	19	11	25
86171	367064	<1	6.16	50	532	2	16	1.14	<4	28	138	46	3.91	0.03	21	1.57	389	14	90	565	16	0.27	<5	20	<10	267	3252	<2	110	17	11	36
86172	367065	<1	5.07	12	335	<2	41	2.00	<4	19	124	39	2.80	0.10	18	1.52	604	11	66	476	18	0.14	<5	16	<10	284	2554	<2	72	30	13	67
86173	367066	<1	5.08	18	310	2	10	1.89	<4	20	125	39	2.73	0.14	19	1.44	579	10	71	471	16	0.13	<5	7	<10	287	2577	<2	71	29	13	55
86174	367067	<1	4.18	3	257	<2	59	1.18	<4	16	115	28	2.80	0.06	19	1.46	454	13	71	423	13	0.16	6	21	10	191	2045	<2	68	55	10	51
86175	367068	<1	>10.00	7	1127	3	46	1.52	<4	41	215	69	5.79	0.85	46	2.05	541	24	138	735	21	0.87	<5	34	17	350	4136	<2	162	56	17	112
86176	367069	<1	5.86	<2	493	<2	23	2.07	<4	17	94	29	2.71	0.17	19	1.27	435	11	67	507	16	0.17	6	17	<10	285	2276	3	70	16	11	60
86177	367070	<1	4.59	44	265	2	21	1.04	5	14	25	2052	4.62	0.21	24	0.87	1009	23	31	664	71	1.90	8	7	11	183	1072	<2	54	32	10	547
86178D	367070																IS															
86179	367071	<1	5.78	5	502	<2	21	1.38	<4	7	18	54	1.36	0.12	11	0.53	223	3	39	382	8	0.13	<5	19	<10	228	1564	<2	32	26	7	54
86180	367072	<1	5.58	<2	455	<2	49	1.59	<4	7	17	8	1.42	0.07	10	0.62	220	2	32	354	7	0.08	<5	25	<10	222	1579	<2	30	19	6	40
86181	367073	<1	5.99	2	434	2	11	1.96	<4	8	34	12	1.76	0.17	18	0.86	270	7	23	365	7	0.09	<5	27	<10	229	1645	<2	30	25	8	40

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86182	367074	<1	6.26	6	578	<2	33	2.69	<4	8	24	41	1.78	0.19	18	1.33	580	4	22	667	35	0.11	<5	26	<10	257	2025	<2	38	29	8	52
86183	367075	<1	6.40	9	555	2	27	3.88	<4	9	27	33	2.11	0.26	12	1.82	836	5	20	733	21	0.13	5	15	<10	280	2266	<2	37	<10	8	38
86184	367076	<1	5.69	<2	375	<2	31	1.98	<4	8	22	32	1.68	0.05	21	1.10	533	6	21	676	11	0.12	<5	28	<10	207	2091	<2	38	15	8	38
86185	367077	<1	5.83	<2	422	2	38	2.04	<4	9	20	27	1.82	0.08	23	1.01	368	6	23	679	9	0.14	8	12	<10	209	2095	<2	37	31	8	32
86186	367078	<1	6.76	6	518	2	11	2.63	<4	10	23	13	1.94	0.15	24	1.18	369	7	20	762	4	0.10	<5	31	<10	234	2198	<2	40	22	8	40
86187	367079	<1	6.06	5	433	2	42	2.58	<4	9	26	13	1.86	0.25	23	1.25	540	5	19	666	8	0.11	5	25	<10	207	1998	<2	38	17	8	35
86188	367080	<1	6.05	<2	461	<2	65	3.72	<4	16	4	62	3.59	0.32	3	1.49	851	11	16	576	7	0.08	<5	10	<10	464	2605	<2	124	38	23	58
86189D	367080																IS															
86190	367081	<1	5.91	<2	432	<2	19	2.53	<4	12	26	26	2.13	0.52	21	1.17	627	8	25	612	8	0.13	6	25	<10	206	2038	<2	41	25	9	62
86191	367082	<1	6.20	5	450	<2	33	1.64	<4	9	24	14	1.76	0.28	20	0.67	367	5	21	547	10	0.11	5	21	<10	184	2224	<2	36	<10	7	40
86192	367083	<1	6.23	5	378	<2	29	2.11	<4	11	25	16	1.99	<0.01	14	0.65	505	7	21	538	4	0.14	10	28	<10	176	2238	<2	37	12	8	54
86193	367084	<1	5.68	3	361	<2	44	1.57	<4	9	27	13	1.79	0.08	11	0.56	476	3	21	397	5	0.10	<5	27	<10	163	1904	<2	31	25	7	49
86194	367085	1	5.24	4	311	<2	43	1.36	<4	8	34	17	1.34	0.03	11	0.60	303	4	18	317	16	0.11	6	14	<10	142	1604	<2	28	<10	7	35
86195	367086	<1	5.23	6	354	2	16	1.31	<4	8	30	14	1.27	0.18	10	0.58	289	2	17	323	12	0.09	6	19	<10	136	1595	<2	28	19	7	35
86196	367087	<1	3.94	<2	303	<2	17	0.87	<4	6	19	13	1.07	<0.01	4	0.47	225	<1	17	329	7	0.10	<5	5	<10	105	1547	<2	27	<10	6	25
86197	367088	<1	5.36	5	355	<2	18	2.82	<4	8	29	22	2.11	0.21	10	1.25	908	8	16	371	22	0.21	6	24	<10	161	1648	<2	28	57	7	86
86198	367089	<1	6.16	3	481	2	8	2.48	<4	9	30	24	2.05	0.13	12	1.10	603	8	21	376	35	0.23	5	25	<10	147	1731	<2	31	15	7	139
86199	367090	<1	3.90	22	461	<2	25	2.05	<4	16	42	192	3.63	0.25	10	1.16	667	17	49	558	12	0.12	7	<5	<10	269	2516	<2	97	30	15	63
86200D	367090																IS															
86201	367091	2	5.64	44	475	2	25	1.52	<4	11	37	89	1.85	0.19	10	0.73	416	6	25	411	439	0.45	<5	22	13	104	1697	<2	36	32	8	955

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86202	367092	<1	5.42	24	411	<2	22	1.35	<4	7	24	16	1.46	0.30	15	0.77	331	4	20	340	38	0.34	<5	10	<10	99	1434	<2	26	11	7	107
86203	367093	<1	3.74	20	325	<2	16	1.57	<4	7	20	7	1.42	<0.01	6	0.92	415	1	14	296	45	0.31	<5	14	<10	94	1267	<2	21	11	6	36
86204	367094	<1	5.73	36	368	2	32	2.80	<4	8	30	13	2.18	0.03	18	1.60	893	7	21	386	35	0.65	<5	14	<10	117	1525	<2	26	14	8	54
86205	367095	2	5.53	36	506	2	11	0.38	<4	10	27	16	1.47	0.07	9	0.47	162	4	21	471	78	0.66	<5	12	<10	71	1888	<2	33	13	7	258
86206	367096	<1	3.44	3	433	<2	<1	0.99	<4	6	12	14	1.00	<0.01	3	0.56	303	<1	13	289	29	0.12	<5	<5	<10	88	1215	<2	19	12	5	93
86207	367097	<1	4.22	5	450	<2	18	1.40	<4	7	22	31	1.20	<0.01	4	0.63	407	2	15	297	33	0.09	<5	24	<10	109	1237	<2	21	<10	5	55
86208	367098	1	5.06	6	410	<2	52	1.31	<4	6	33	32	1.16	0.18	8	0.46	248	4	22	286	42	0.13	<5	16	<10	127	1295	<2	21	10	6	55
86209	367099	1	5.76	7	464	<2	34	1.12	<4	7	21	19	1.28	0.21	19	0.61	345	3	19	358	68	0.17	<5	30	<10	131	1492	<2	24	20	6	269
86210	367100	<1	>10.00	2	798	2	26	6.20	<4	27	12	103	5.69	<0.01	18	2.27	1331	23	26	917	9	0.13	7	24	<10	749	4105	<2	198	37	37	85
86211D	367100																IS															
86212	367101	<1	7.87	4	555	3	38	2.64	<4	10	27	21	1.99	0.26	22	1.10	602	9	20	394	41	0.14	<5	42	13	230	1948	<2	40	<10	9	68
86213	367102	<1	6.51	<2	519	2	45	1.76	<4	6	23	15	1.39	0.14	18	0.73	403	4	19	374	31	0.12	6	43	<10	169	1579	<2	26	16	7	51
86214	367103	<1	5.87	<2	487	2	<1	1.82	<4	7	24	21	1.37	0.22	12	0.64	390	4	22	361	31	0.12	5	10	<10	170	1393	<2	25	48	7	217
86215	367104	<1	4.01	<2	415	<2	24	1.51	<4	7	20	16	1.33	<0.01	5	0.68	260	1	18	301	10	0.09	<5	12	<10	152	1265	<2	21	22	5	70
86216	367105	<1	5.86	<2	464	<2	41	1.49	<4	7	23	12	1.39	0.10	19	0.76	284	3	20	338	12	0.08	6	20	<10	181	1473	<2	24	16	6	42
86217	367106	<1	6.89	17	485	<2	46	2.42	<4	9	24	13	1.82	0.08	25	1.13	872	9	69	529	14	0.09	<5	27	<10	121	2186	<2	48	12	7	52
86218	367107	<1	5.89	4	378	<2	43	2.16	<4	9	14	13	1.48	<0.01	24	1.07	618	5	46	483	14	0.10	7	28	<10	91	1860	<2	38	27	7	33
86219	367108	2	5.76	17	368	<2	40	1.27	<4	10	15	103	1.53	0.09	25	0.93	528	5	45	472	59	0.34	6	32	<10	84	1854	<2	38	38	7	91
86220	367109	1	6.32	15	410	2	18	1.89	<4	11	17	95	1.69	0.27	25	1.10	704	5	49	425	139	0.39	6	17	<10	104	1850	<2	38	26	8	239
86221	367110	134	6.79	19	477	2	34	3.41	7	20	38	113	5.51	0.84	12	1.48	1023	19	43	631	17401	0.18	111	15	<10	337	3296	<2	145	27	21	363

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86222D	367110																IS														
86223	367111	2	5.80	6	466	<2	4	1.63	<4	13	48	108	2.00	0.04	25	1.13	739	8	64	424	195	0.21	<5	14	<10	107	1960	<2	52	34	9	243
86224	367112	<1	6.67	<2	620	2	44	2.49	<4	12	62	16	1.95	0.18	24	1.28	711	11	85	536	26	0.12	5	15	<10	164	2039	<2	52	14	8	47
86225	367113	<1	6.53	2	676	2	12	2.47	<4	10	48	12	1.82	0.19	22	1.26	684	5	59	517	25	0.15	<5	25	<10	168	1990	<2	44	<10	8	46
86226	367114	<1	6.41	5	512	<2	43	2.36	<4	10	29	16	1.78	0.22	24	1.02	701	6	54	410	35	0.16	5	27	<10	162	1951	<2	42	12	7	58
86227	367115	<1	5.88	<2	501	<2	58	1.84	<4	9	13	12	1.38	0.12	19	0.78	557	5	41	397	27	0.12	<5	12	<10	125	1781	<2	34	35	7	52
86228	367116	<1	6.62	5	623	2	<1	2.06	<4	9	18	15	1.56	0.05	24	0.91	668	6	44	356	80	0.16	<5	17	<10	138	1945	<2	39	16	7	144
86229	367117	<1	6.37	9	596	2	41	1.53	<4	9	23	11	1.58	0.03	23	0.73	442	7	60	424	72	0.16	<5	21	<10	113	1906	<2	43	16	7	80
86230	367118	<1	6.29	16	587	<2	51	1.35	<4	8	23	12	1.49	<0.01	28	0.92	506	13	60	395	34	0.27	<5	19	<10	96	1901	<2	42	29	7	87
86231	367119	<1	5.40	10	570	2	33	1.01	<4	9	24	18	1.42	<0.01	24	0.80	450	5	43	361	21	0.37	9	15	<10	81	1566	<2	37	23	8	58
86232	367120	<1	6.71	<2	490	2	37	3.86	<4	16	5	62	3.71	<0.01	3	1.51	881	12	17	604	19	0.10	5	29	<10	481	2705	<2	129	23	24	88
86233R	367120																IS														
86234	367121	<1	5.59	3	465	<2	21	2.02	<4	7	16	12	1.37	0.02	10	0.74	319	4	44	362	11	0.10	<5	29	<10	203	1404	<2	31	<10	6	42
86235	367122	<1	5.95	<2	436	<2	50	2.32	<4	8	15	17	1.33	0.07	10	0.82	338	3	49	387	28	0.12	<5	30	<10	223	1478	<2	31	23	6	54
86236	367123	<1	6.17	<2	470	2	28	2.18	<4	7	12	14	1.28	0.03	12	0.85	361	2	49	403	18	0.09	<5	18	<10	213	1496	<2	30	18	6	38
86237	367124	<1	5.95	3	484	<2	65	1.61	<4	6	15	18	1.19	<0.01	12	0.80	326	3	51	350	29	0.08	6	17	<10	201	1521	<2	32	10	6	46
86238	367125	2	5.61	4	399	2	36	1.95	<4	7	16	38	1.30	<0.01	18	1.01	495	3	50	346	722	0.08	8	5	<10	207	1405	<2	30	21	6	94
86239	367126	3	7.76	8	480	2	61	2.61	<4	7	14	53	1.68	0.28	26	1.28	647	4	44	404	987	0.11	5	28	<10	252	1628	<2	33	12	7	237
86240	367127	<1	6.07	5	506	2	43	2.41	<4	7	14	42	1.38	<0.01	13	1.15	609	3	42	350	89	0.09	<5	27	<10	215	1475	<2	29	22	6	151
86241	367128	<1	5.87	<2	500	<2	30	1.91	<4	5	21	13	1.26	0.24	14	0.96	447	7	57	332	23	0.07	7	16	11	181	1421	<2	33	27	6	36

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86242	367129	<1	6.16	4	541	<2	20	1.95	<4	7	12	14	1.21	<0.01	16	0.95	458	2	38	347	24	0.08	6	30	<10	184	1493	<2	28	19	7	44
86243	367130	<1	5.32	41	287	<2	68	1.13	5	15	28	2277	5.00	<0.01	27	0.92	1097	24	40	698	80	2.13	6	12	10	193	1162	<2	57	40	10	580
86244D	367130																IS															
86245	367131	<1	5.94	3	487	2	17	2.31	<4	8	19	37	1.67	<0.01	12	1.09	561	3	41	400	15	0.11	6	12	<10	192	1543	<2	34	10	7	54
86246	367132	<1	5.46	5	487	<2	19	3.02	<4	9	25	15	1.66	0.25	5	1.34	734	4	51	389	14	0.10	6	17	<10	204	1592	<2	38	32	7	64
86247	367133	<1	5.86	<2	563	<2	<1	2.70	<4	8	20	19	1.68	0.21	12	1.24	678	3	44	367	22	0.11	<5	16	<10	207	1593	<2	36	20	7	60
86248	367134	<1	6.16	3	518	2	50	2.02	<4	8	18	11	1.47	0.05	17	0.87	366	4	41	395	10	0.10	<5	21	<10	194	1574	<2	35	20	7	51
86249	367135	<1	6.33	4	507	<2	8	1.80	<4	8	15	10	1.46	<0.01	19	0.84	430	2	38	396	14	0.10	6	15	<10	190	1605	<2	32	25	7	39
86250	367136	<1	6.30	6	470	2	15	1.68	<4	7	15	14	1.38	0.02	20	0.77	418	2	42	362	16	0.12	10	17	<10	199	1581	<2	31	19	7	40
86251	367137	1	5.66	11	504	<2	54	0.70	<4	8	14	32	1.11	0.12	21	0.45	204	2	42	359	98	0.32	7	23	<10	157	1476	<2	31	37	6	141
86252	367138	<1	8.99	14	609	2	67	2.04	<4	10	22	39	1.79	0.57	34	0.89	538	8	51	516	106	0.29	6	31	12	224	1882	<2	40	21	8	352
86253	367139	<1	5.85	4	597	<2	37	1.13	<4	9	22	21	1.32	<0.01	19	0.68	361	3	49	352	19	0.18	5	27	<10	147	1540	<2	33	23	7	35
86254	367140	<1	6.48	2	493	2	13	3.90	<4	18	5	73	3.77	0.12	4	1.51	895	13	27	612	4	0.09	9	<5	12	491	2730	<2	131	39	24	52
86255D	367140																IS															
86256	367141	<1	6.15	<2	540	2	10	2.02	<4	8	16	15	1.78	<0.01	19	0.86	529	5	40	383	20	0.15	<5	19	<10	227	1681	2	34	21	7	69
86257	367142	<1	5.52	4	475	<2	43	2.05	<4	12	18	34	2.03	<0.01	13	0.83	589	6	45	403	55	0.26	<5	<5	<10	193	1599	<2	32	15	7	294
86258	367143	<1	6.40	7	514	2	<1	1.95	<4	10	18	15	1.59	0.07	20	0.79	520	3	46	399	27	0.13	7	25	<10	197	1740	<2	36	40	7	61
86259	367144	<1	6.33	<2	516	<2	<1	1.81	<4	8	22	21	1.58	<0.01	20	0.78	539	3	47	391	106	0.11	<5	28	<10	185	1779	<2	38	21	7	167
86260	367145	<1	6.08	<2	560	<2	23	1.74	<4	7	14	18	1.33	0.03	19	0.76	503	2	43	362	30	0.12	<5	23	11	171	1565	<2	31	24	7	181
86261	367146	<1	5.87	3	516	<2	22	1.72	<4	6	14	10	1.29	0.03	19	0.75	488	1	29	372	26	0.11	7	23	<10	167	1550	<2	30	14	7	124

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86262	367147	<1	6.15	<2	515	2	19	1.95	<4	7	15	10	1.40	<0.01	20	0.89	522	3	40	349	23	0.14	<5	22	<10	186	1578	<2	30	25	7	79
86263	367148	<1	6.55	13	552	2	30	1.93	<4	12	29	23	1.70	<0.01	23	0.89	576	3	40	407	117	0.27	6	19	<10	178	1778	<2	39	<10	8	184
86264	367149	<1	6.28	3	420	<2	6	2.15	<4	7	17	25	1.50	<0.01	18	0.97	791	3	39	465	129	0.12	8	24	<10	186	1661	<2	33	21	8	210
86265	367150	127	5.31	9	400	<2	58	3.01	6	18	32	103	4.98	0.07	5	1.31	894	16	41	567	16502	0.15	98	<5	22	307	2828	<2	132	19	19	322
86266D	367150																IS															
86267	367151	3	8.03	8	563	2	32	2.49	<4	10	22	35	1.88	0.34	25	1.07	895	6	43	448	393	0.17	6	28	<10	223	2056	<2	40	34	8	139
86268	367152	<1	6.00	<2	418	<2	17	1.81	<4	6	23	15	1.37	0.03	16	0.77	495	4	50	390	77	0.10	<5	13	<10	179	1561	<2	37	<10	7	257
86269	367153	<1	5.90	<2	445	2	16	2.16	<4	10	36	20	1.78	<0.01	19	0.90	628	5	51	356	24	0.16	<5	15	<10	186	1697	<2	40	18	8	77
86270	367154	<1	6.25	9	420	3	15	2.32	<4	21	127	35	3.06	0.12	25	1.66	1180	12	84	507	26	0.35	<5	10	<10	126	2510	<2	85	14	16	38
86271	367155	<1	6.59	25	424	2	2	1.04	<4	25	140	51	3.35	0.09	27	1.53	722	13	93	533	23	0.38	<5	11	<10	90	2700	<2	103	29	17	42
86272	367156	<1	6.41	11	432	2	59	0.98	<4	24	156	57	3.71	0.05	31	1.44	864	15	109	560	31	0.47	<5	<5	<10	101	2508	<2	106	22	17	117
86273	367157	<1	6.58	8	529	3	5	1.42	<4	25	160	66	3.81	0.04	37	1.71	1157	18	104	548	61	0.31	<5	6	<10	160	2933	<2	106	<10	16	136
86274	367158	<1	6.25	3	531	<2	41	2.34	<4	8	31	17	1.71	<0.01	17	0.92	443	8	60	355	17	0.10	<5	27	<10	211	1548	<2	38	20	7	57
86275	367159	<1	6.05	<2	492	2	86	1.91	<4	6	23	13	1.45	<0.01	16	0.86	329	4	46	362	10	0.10	6	25	15	203	1515	<2	33	36	6	41
86276	367160	<1	6.63	<2	504	<2	42	3.97	<4	18	4	63	3.82	0.15	4	1.55	923	11	19	592	16	0.09	<5	28	<10	495	2868	<2	133	39	24	50
86277D	367160																IS															
86278	367161	<1	4.46	5	350	2	2	1.68	<4	7	28	17	1.27	<0.01	6	0.70	332	4	64	328	4	0.06	<5	20	<10	193	1399	<2	36	35	6	36
86279	367162	<1	6.18	4	415	2	58	1.94	<4	6	25	14	1.38	<0.01	14	0.76	372	5	55	360	16	0.07	<5	17	<10	208	1564	<2	34	13	6	45
86280	367163	<1	5.84	<2	321	<2	8	1.79	<4	8	34	16	1.38	0.03	9	0.71	342	7	70	362	13	0.08	5	8	<10	206	1495	<2	39	16	6	40
86281	367164	<1	6.17	<2	357	<2	<1	2.19	<4	6	31	12	1.46	<0.01	10	0.82	410	6	68	372	9	0.08	5	16	<10	214	1513	<2	38	16	7	37

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86282	367165	<1	6.26	7	378	<2	22	2.70	<4	8	19	11	1.52	0.18	13	1.01	474	3	42	391	10	0.12	<5	20	11	234	1619	<2	33	31	7	46
86283	367166	<1	6.11	2	445	<2	52	2.56	<4	7	22	8	1.37	0.11	12	1.01	382	5	45	354	12	0.08	<5	17	<10	218	1609	<2	32	27	6	35
86284	367167	<1	6.09	5	471	<2	19	2.09	<4	7	25	9	1.40	0.07	16	0.88	351	5	48	378	16	0.10	8	19	<10	203	1608	<2	33	10	7	36
86285	367168	<1	5.95	7	470	<2	20	2.11	<4	7	25	11	1.35	0.04	10	0.85	409	3	44	363	15	0.09	5	20	<10	200	1501	<2	32	<10	7	36
86286	367169	<1	5.35	<2	502	3	25	1.72	<4	6	27	16	1.17	<0.01	16	0.73	298	8	46	296	46	0.10	6	13	<10	185	1308	<2	29	10	6	60
86287	367170	<1	5.23	45	284	<2	51	1.12	5	16	26	2225	4.88	<0.01	26	0.91	1071	25	32	679	85	2.08	6	<5	<10	192	1139	<2	57	27	10	564
86288D	367170																IS															
86289	367171	1	9.63	7	726	3	39	2.17	<4	10	37	102	1.78	0.51	30	0.94	398	19	62	365	54	0.18	7	47	13	239	1802	<2	41	47	8	92
86290	367172	<1	4.66	<2	392	2	35	1.41	<4	6	19	11	1.26	<0.01	10	0.72	264	4	39	313	10	0.07	8	18	<10	163	1340	<2	28	16	6	35
86291	367173	<1	7.12	7	538	<2	31	2.31	<4	10	23	19	1.84	0.04	28	1.14	842	7	66	591	22	0.10	<5	32	<10	120	2268	<2	51	28	8	81
86292	367174	1	6.15	15	479	2	38	1.78	<4	10	29	16	1.76	0.02	27	1.12	719	10	74	516	177	0.25	<5	19	10	89	2000	<2	48	16	7	150
86293	367175	<1	9.54	13	609	2	29	2.53	<4	11	24	25	2.08	0.60	38	1.37	950	9	66	658	44	0.19	6	32	13	116	2559	2	55	51	9	202
86294	367176	<1	6.62	10	493	2	28	2.24	<4	10	15	18	1.67	0.19	26	1.12	720	6	53	548	21	0.18	6	33	<10	113	2186	<2	42	21	7	173
86295	367177	<1	6.65	13	415	<2	28	2.19	<4	8	19	21	1.79	0.05	27	1.27	726	7	57	615	40	0.21	7	32	<10	120	2155	<2	44	13	8	79
86296	367178	2	5.43	22	400	<2	41	0.96	<4	9	17	74	1.54	<0.01	22	0.80	362	4	56	483	183	0.56	<5	6	<10	69	1825	<2	39	<10	7	605
86297	367179	<1	6.43	10	430	<2	77	2.08	<4	8	22	28	1.62	<0.01	26	1.22	571	7	59	514	33	0.17	5	23	<10	96	2028	<2	45	<10	7	76
86298	367180	<1	5.95	<2	454	<2	32	3.67	<4	17	3	63	3.53	0.14	2	1.44	845	10	20	579	14	0.09	<5	17	<10	462	2593	<2	123	<10	23	46
86299R	367180																IS															
86300	367181	<1	5.91	27	428	2	7	1.50	<4	8	15	42	1.42	0.22	24	0.99	509	6	64	508	47	0.35	<5	21	<10	83	1926	<2	40	17	7	326
86301	367182	<1	6.42	21	508	<2	32	2.12	<4	9	28	42	1.68	0.05	25	1.24	711	9	89	575	79	0.18	<5	24	<10	118	2084	<2	49	<10	7	120

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86302	367183	<1	6.01	9	443	<2	65	1.68	<4	9	20	23	1.59	0.17	25	1.12	673	7	72	516	50	0.24	<5	22	<10	113	2064	<2	44	13	7	175
86303	367184	<1	5.57	13	419	<2	13	1.57	<4	8	21	31	1.55	0.11	24	1.03	714	5	66	471	46	0.23	<5	23	<10	116	1872	<2	40	21	7	127
86304	367185	<1	6.34	17	456	<2	42	1.59	<4	10	20	36	1.93	<0.01	30	1.16	720	10	71	503	82	0.37	<5	19	<10	130	1964	<2	44	25	8	191
86305	367186	<1	6.02	23	442	<2	<1	1.53	<4	11	19	38	1.85	<0.01	28	1.11	688	8	72	497	76	0.36	<5	9	<10	125	1923	<2	41	14	7	198
86306	367187	<1	5.37	7	290	2	10	2.74	<4	17	97	74	2.89	0.01	27	1.77	987	14	112	493	72	0.15	<5	11	<10	142	2361	<2	73	38	12	317
86307	367188	<1	6.44	7	252	2	59	3.17	<4	33	107	90	5.28	<0.01	35	2.42	1021	22	125	814	36	0.30	8	6	<10	154	4808	<2	129	31	17	257
86308	367189	<1	6.44	4	234	<2	23	4.68	4	44	128	91	5.80	0.13	31	2.70	1327	24	139	1073	14	0.23	<5	19	<10	194	6999	<2	160	10	19	136
86309	367190	<1	4.31	12	483	<2	3	2.21	<4	17	48	222	3.91	<0.01	8	1.24	715	21	78	603	8	0.12	<5	<5	<10	287	2781	<2	105	36	16	58
86310D	367190																IS															
86311	367191	<1	6.65	4	198	2	27	3.09	<4	34	95	81	4.79	<0.01	37	2.16	975	18	118	710	25	0.22	<5	<5	<10	183	4475	<2	126	31	15	109
86312	367192	<1	6.88	6	214	2	24	3.53	<4	36	100	82	4.42	0.17	33	2.27	981	17	131	611	12	0.20	5	10	<10	188	3986	<2	135	24	14	95
86313	367193	<1	6.03	6	236	2	27	3.13	<4	23	53	64	3.04	0.26	27	1.79	761	10	91	472	12	0.16	5	<5	<10	154	2744	<2	77	28	11	62
86314	367194	<1	5.31	8	254	2	41	1.34	<4	24	126	65	3.40	0.12	36	1.44	530	13	116	463	15	0.19	<5	<5	<10	107	2902	<2	88	23	13	60
86315	367195	<1	6.30	5	217	2	59	2.17	<4	24	147	70	3.84	0.13	39	1.73	674	17	121	545	33	0.24	9	23	<10	142	2778	<2	95	27	14	74
86316	367196	<1	5.32	28	204	2	39	1.04	<4	18	136	55	2.94	<0.01	31	1.12	367	15	110	516	54	0.37	<5	13	<10	93	1810	<2	80	36	12	79
86317	367197	3	5.69	4	240	<2	50	1.34	<4	21	130	148	3.37	0.10	35	1.55	716	14	105	514	320	0.38	7	19	<10	87	1884	<2	83	49	13	936
86318	367198	<1	6.35	2	291	2	22	1.24	<4	24	168	89	3.91	<0.01	40	1.86	815	21	145	519	80	0.30	10	24	<10	91	2446	<2	115	19	14	125
86319	367199	<1	5.68	49	236	2	17	1.46	<4	25	173	81	3.76	<0.01	33	2.02	648	20	126	557	27	0.18	7	15	<10	98	2635	<2	97	19	13	76
86320	367200	<1	6.44	7	478	<2	42	3.83	<4	18	7	73	3.71	<0.01	1	1.51	874	9	31	598	4	0.09	<5	16	<10	482	2672	<2	128	43	24	45
86321D	367200																IS															

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86322	367201	<1	5.12	192	250	2	50	1.08	<4	23	148	55	3.52	<0.01	27	1.86	567	16	97	488	17	0.22	6	7	<10	84	2492	<2	91	10	11	46
86323	367202	<1	5.89	103	239	<2	47	1.26	<4	26	164	53	3.92	<0.01	31	1.97	528	22	127	531	25	0.12	5	15	<10	93	3142	<2	110	29	12	38
86324	367203	<1	3.79	149	164	2	9	1.18	<4	20	130	44	3.30	<0.01	25	1.64	471	15	100	445	23	0.11	5	9	<10	84	2479	<2	83	25	11	28
86325	367204	<1	5.26	1155	257	2	45	0.55	4	22	166	107	3.72	<0.01	25	1.26	388	20	154	524	111	0.47	7	19	<10	71	1881	<2	113	46	11	815
86326	367205	<1	4.07	306	151	<2	<1	0.91	<4	24	131	48	3.65	<0.01	37	1.50	452	12	96	401	<1	3.93	8	10	15	86	2246	<2	95	15	11	39
86327	367206	<1	>10.00	250	692	2	35	2.81	<4	29	144	60	5.00	0.09	61	2.62	800	27	108	653	24	0.30	7	24	<10	203	3234	<2	105	32	12	62
86328	367207	<1	6.08	12	495	<2	36	1.95	<4	7	11	10	1.51	<0.01	26	1.27	376	1	20	314	2	0.06	<5	20	<10	166	1521	<2	23	<10	7	29
86329	367208	<1	5.79	<2	477	<2	16	1.91	<4	7	18	10	1.59	0.03	27	1.14	386	<1	22	325	9	0.05	9	28	<10	149	1570	<2	27	45	7	96
86330	367209	<1	5.97	2	376	<2	21	1.60	<4	7	12	19	1.56	0.04	26	0.93	368	<1	24	325	7	0.05	<5	17	<10	148	1548	<2	25	13	7	28
86331	367210	189	4.98	3	381	<2	60	2.86	6	17	31	97	4.77	<0.01	3	1.26	849	15	40	533	16820	0.14	92	17	<10	294	2648	<2	126	23	18	302
86332D	367210																IS															
86333	367211	<1	4.83	3	267	<2	4	1.27	<4	5	10	9	1.62	<0.01	24	0.84	455	3	17	309	7	0.04	<5	19	<10	135	1323	<2	20	21	7	22
86334	367212	<1	4.11	<2	302	<2	24	1.55	<4	5	8	7	1.35	<0.01	20	0.92	342	<1	18	267	2	0.04	<5	9	<10	146	1323	<2	20	26	6	17
86335	367213	<1	5.96	<2	420	<2	52	1.76	<4	6	9	9	1.40	0.07	28	1.00	290	<1	21	315	4	0.04	<5	36	<10	168	1538	<2	24	12	6	34
86336	367214	<1	5.79	<2	474	<2	55	1.59	<4	7	7	9	2.01	0.13	28	1.00	489	4	15	324	10	0.08	<5	15	<10	169	1457	<2	22	<10	7	45
86337	367215	<1	5.82	3	482	<2	14	1.65	<4	7	11	10	1.90	0.14	28	1.08	527	3	17	324	2	0.06	<5	30	<10	177	1533	<2	23	13	7	32
86338	367216	<1	5.75	6	504	<2	50	1.70	<4	7	21	7	1.79	0.11	28	1.10	476	6	18	327	3	0.05	5	26	<10	157	1567	<2	26	19	7	33
86339	367217	<1	5.01	<2	419	<2	<1	1.44	<4	7	13	8	1.99	<0.01	27	0.96	582	4	17	286	5	0.04	<5	21	<10	143	1341	<2	21	<10	7	31
86340	367218	<1	5.73	3	499	2	15	2.03	<4	7	19	9	1.60	<0.01	26	1.17	363	3	15	299	5	0.05	<5	18	<10	169	1438	<2	23	<10	6	32
86341	367219	<1	5.80	<2	466	<2	33	2.12	<4	7	14	11	1.51	0.11	25	1.14	352	3	20	329	10	0.06	<5	27	<10	171	1482	<2	23	30	6	28

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86342	367220	<1	6.80	4	503	<2	55	4.01	<4	18	4	65	3.85	<0.01	3	1.56	915	11	16	605	13	0.10	5	11	<10	505	2795	<2	134	33	25	58
86343D	367220																IS															
86344	367221	<1	5.11	23	520	<2	<1	2.38	<4	10	45	53	1.59	0.25	28	1.64	332	2	21	311	<1	3.56	5	21	10	171	1425	<2	26	20	6	51
86345	367222	<1	>10.00	<2	828	2	75	3.82	<4	16	50	79	3.07	0.11	59	2.56	534	8	29	645	16	0.09	5	30	<10	288	2647	<2	48	10	9	77
86346	367223	<1	6.11	2	397	<2	18	1.92	<4	7	21	13	1.47	0.27	29	1.26	251	5	21	337	11	0.05	<5	27	<10	170	1522	<2	26	24	7	32
86347	367224	<1	5.89	2	309	<2	35	2.43	<4	7	22	10	1.65	<0.01	29	1.45	324	4	20	319	6	0.07	<5	20	<10	150	1487	<2	25	22	7	38
86348	367225	<1	6.17	<2	223	<2	37	2.55	<4	8	19	8	1.55	0.08	27	1.64	341	4	21	330	8	0.06	<5	15	<10	130	1410	<2	24	14	7	41
86349	367226	<1	5.78	<2	114	<2	7	1.68	<4	8	40	21	1.67	0.05	28	1.42	413	8	28	395	6	0.06	<5	5	<10	102	1455	<2	31	15	8	36
86350	367227	<1	5.92	<2	139	<2	33	2.13	<4	7	25	15	1.56	0.08	27	1.45	352	4	21	329	10	0.07	<5	24	11	118	1328	<2	24	23	7	42
86351	367228	<1	5.95	<2	175	<2	37	2.05	<4	7	25	16	1.64	0.20	24	1.40	332	3	24	323	10	0.06	<5	8	<10	113	1496	<2	29	23	7	32
86352	367229	<1	6.17	2	328	<2	37	1.47	<4	27	157	56	3.87	0.06	37	1.70	478	17	77	557	15	0.09	6	19	<10	103	3291	<2	100	34	13	52
86353	367230	<1	4.89	39	265	<2	11	1.05	4	14	26	2099	4.73	<0.01	25	0.88	1033	23	34	649	76	2.01	<5	15	<10	182	1121	<2	55	32	10	549
86354D	367230																IS															
86355	367231	<1	5.77	9	263	2	3	1.62	<4	25	144	90	3.83	0.01	35	1.70	531	17	71	510	21	0.12	<5	27	<10	137	2962	<2	86	30	13	49
86356	367232	<1	6.15	23	226	2	38	1.53	<4	27	151	56	3.98	0.09	37	1.91	536	17	75	539	22	0.12	<5	5	<10	135	3291	<2	95	<10	12	38
86357	367233	<1	5.47	<2	181	2	30	1.76	<4	21	124	38	3.31	0.17	30	1.67	574	14	62	568	22	0.11	5	8	16	119	2583	<2	73	36	11	61
86358	367234	<1	5.85	39	223	2	32	0.96	<4	27	147	56	4.09	0.12	35	1.84	560	17	85	595	25	0.28	8	24	<10	84	2889	<2	99	21	13	66
86359	367235	<1	5.90	64	271	<2	36	1.04	<4	27	161	51	3.88	<0.01	36	2.10	568	17	80	585	20	0.11	6	17	<10	88	3211	<2	95	30	12	54
86360	367236	<1	5.98	80	244	<2	19	1.11	<4	26	149	48	3.89	0.11	36	1.96	531	18	76	593	20	0.18	7	15	<10	98	3159	<2	103	21	13	36
86361	367237	<1	4.72	72	160	2	22	0.96	<4	20	118	42	3.25	<0.01	24	1.64	428	13	63	462	19	0.13	<5	8	<10	90	2247	<2	74	23	10	33

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/26/2015
Date Completed: 04/01/2015
Job #: 201540999
Reference: 15-017
Sample #: 244

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
86362	367238	<1	4.87	230	142	2	40	0.75	<4	25	151	57	3.64	0.26	40	1.66	439	15	81	334	20	0.23	<5	15	<10	86	2255	<2	91	<10	11	29
86363	367239	<1	5.95	12	383	<2	11	2.32	<4	10	27	22	2.11	0.15	30	1.56	630	6	46	353	11	0.09	<5	18	<10	134	1624	4	36	31	8	51
86364	367240	<1	6.16	<2	467	<2	59	3.73	<4	17	3	62	3.57	0.21	<1	1.46	848	9	21	576	6	0.09	<5	15	<10	470	2580	<2	124	34	23	48
86365R	367240																IS															
86366	367241	<1	6.25	4	366	<2	25	2.47	<4	8	27	27	1.62	0.07	30	1.40	361	4	59	347	9	0.07	<5	24	<10	151	1686	<2	39	21	7	109
86367	367242	<1	6.53	8	520	2	47	2.23	<4	9	33	23	1.66	<0.01	32	1.38	295	6	67	344	12	0.06	5	33	<10	137	1725	<2	39	30	8	51
86368	367243	<1	5.49	<2	294	<2	19	1.51	<4	21	83	67	3.05	0.05	32	1.40	422	14	104	457	16	0.15	<5	10	<10	143	2302	<2	67	20	13	58
86369	367244	<1	6.54	40	281	2	32	1.40	<4	28	158	57	4.18	0.10	37	1.66	530	18	109	574	24	0.16	<5	19	<10	177	3263	<2	109	21	14	80

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15401

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Au g/t (ppm)
106168	367245	<0.005
106169	367246	<0.005
106170	367247	<0.005
106171	367248	<0.005
106172	367249	<0.005
106173	367250	1.531
106174	367251	<0.005
106175	367252	<0.005
106176	367253	<0.005
106177	367254	<0.005
106178	367254 Dup	<0.005
106179	367255	<0.005
106180	367256	<0.005
106181	367257	<0.005
106182	367258	<0.005
106183	367259	<0.005
106184	367260	<0.005
106185	367261	<0.005
106186	367262	0.013
106187	367263	<0.005
106188	367264	<0.005
106189	367264 Dup	<0.005
106190	367265	<0.005
106191	367266	<0.005
106192	367267	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Au g/t (ppm)
106193	367268	<0.005
106194	367269	<0.005
106195	367270	4.918
106196	367271	0.006
106197	367272	<0.005
106198	367273	<0.005
106199	367274	<0.005
106200	367274 Dup	<0.005
106201	367275	<0.005
106202	367276	<0.005
106203	367277	<0.005
106204	367278	<0.005
106205	367279	<0.005
106206	367280	<0.005
106207	367281	<0.005
106208	367282	<0.005
106209	367283	<0.005
106210	367284	<0.005
106211	367284 Dup	<0.005
106212	367285	<0.005
106213	367286	<0.005
106214	367287	<0.005
106215	367288	<0.005
106216	367289	<0.005
106217	367290	0.391

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Au g/t (ppm)
106218	367291	<0.005
106219	367292	<0.005
106220	367293	<0.005
106221	367294	<0.005
106222	367294 Dup	<0.005
106223	367295	<0.005
106224	367296	<0.005
106225	367297	<0.005
106226	367298	<0.005
106227	367299	<0.005
106228	367300	<0.005
106229	367301	<0.005
106230	367302	<0.005
106231	367303	<0.005
106232	367304	<0.005
106233	367304 Rep	<0.005
106234	367305	<0.005
106235	367306	<0.005
106236	367307	<0.005
106237	367308	0.009
106238	367309	<0.005
106239	367310	1.400
106240	367311	<0.005
106241	367312	<0.005
106242	367313	0.006

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Au g/t (ppm)
106243	367314	<0.005
106244	367314 Dup	<0.005
106245	367315	<0.005
106246	367316	<0.005
106247	367317	<0.005
106248	367318	<0.005
106249	367319	<0.005
106250	367320	<0.005
106251	367321	<0.005
106252	367322	<0.005
106253	367323	<0.005
106254	367324	<0.005
106255	367324 Dup	<0.005
106256	367325	<0.005
106257	367326	<0.005
106258	367327	<0.005
106259	367328	<0.005
106260	367329	0.007
106261	367330	5.139
106262	367331	0.008
106263	367332	0.006
106264	367333	<0.005
106265	367334	<0.005
106266	367334 Dup	<0.005
106267	367335	0.010

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Au g/t (ppm)
106268	367336	<0.005
106269	367337	<0.005
106270	367338	<0.005
106271	367339	<0.005
106272	367340	0.010
106273	367341	<0.005
106274	367342	<0.005
106275	367343	<0.005
106276	367344	<0.005
106277	367344 Dup	<0.005
106278	367345	<0.005
106279	367346	<0.005
106280	367347	<0.005
106281	367348	<0.005
106282	367349	<0.005
106283	367350	0.351
106284	367351	<0.005
106285	367352	<0.005
106286	367353	<0.005
106287	367354	<0.005
106288	367354 Dup	<0.005
106289	367355	<0.005
106290	367356	<0.005
106291	367357	<0.005
106292	367358	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Au g/t (ppm)
106293	367359	<0.005
106294	367360	<0.005
106295	367361	<0.005
106296	367362	<0.005
106297	367363	<0.005
106298	367364	0.005
106299	367364 Rep	<0.005
106300	367365	<0.005
106301	367366	<0.005
106302	367367	<0.005
106303	367368	<0.005
106304	367369	<0.005
106305	367370	1.491
106306	367371	<0.005
106307	367372	0.005
106308	367373	<0.005
106309	367374	<0.005
106310	367374 Dup	<0.005
106311	367375	<0.005
106312	367376	<0.005
106313	367377	<0.005
106314	367378	<0.005
106315	367379	<0.005
106316	367380	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.600	1.575	0.088
AR02	1.664	1.575	0.088
AR02	1.640	1.575	0.088
AR02	1.546	1.575	0.088
AR02	1.545	1.575	0.088
KL01	0.394	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106168	367245	<1	3.51	<2	222	2	39	2.49	9	12	52	11	12.72	0.10	18	1.22	732	<1	23	436	13	0.07	8	9	38	320	1471	<2	42	<10	8	49
106169	367246	<1	2.86	<2	168	2	21	2.53	10	8	47	7	14.01	0.25	14	1.10	662	<1	15	402	9	0.05	6	<5	40	252	1120	11	30	<10	7	46
106170	367247	<1	3.63	<2	113	2	20	2.88	8	12	65	130	10.74	0.18	15	1.28	739	<1	20	407	18	0.52	<5	<5	37	953	1517	<2	54	<10	8	54
106171	367248	<1	3.28	<2	590	2	<1	1.69	<4	22	101	6	4.27	0.11	40	1.22	508	<1	42	401	14	0.04	<5	<5	31	328	2814	<2	69	<10	6	58
106172	367249	<1	4.80	4	328	2	18	3.45	<4	16	90	57	2.89	0.16	22	1.14	618	<1	31	372	4	0.09	<5	<5	37	227	2166	<2	63	<10	9	47
106173	367250	<1	3.64	16	495	<2	10	2.12	<4	16	38	200	3.81	0.03	10	1.22	686	5	37	613	10	0.09	5	14	31	276	2806	<2	104	11	16	59
106174	367251	<1	3.14	3	404	<2	10	1.49	<4	13	76	24	2.63	0.18	24	0.96	368	<1	25	312	6	0.03	<5	18	39	172	1751	<2	46	<10	5	49
106175	367252	<1	4.15	2	397	2	21	1.56	4	27	97	52	6.43	0.20	35	1.57	850	<1	51	478	12	0.16	<5	<5	41	221	3558	<2	109	<10	12	71
106176	367253	<1	3.62	<2	189	2	34	2.04	10	15	62	21	14.82	0.02	14	1.32	645	<1	24	509	12	0.16	7	<5	43	736	1882	<2	54	<10	9	58
106177	367254	<1	2.60	<2	248	2	27	1.99	11	16	70	22	14.96	0.13	22	1.34	702	<1	31	494	8	0.12	<5	<5	37	163	1848	<2	59	<10	9	57
106178D	367254	<1	2.30	<2	247	2	35	1.96	11	15	66	22	14.80	0.10	21	1.29	693	<1	29	494	13	0.11	<5	6	38	153	1866	5	58	<10	9	55
106179	367255	<1	2.73	<2	300	<2	22	1.76	4	16	107	16	6.38	0.09	25	1.27	451	<1	42	363	11	0.08	<5	<5	37	292	1707	<2	50	<10	7	46
106180	367256	<1	3.38	<2	297	2	14	2.30	6	19	121	19	9.26	0.02	22	1.52	666	<1	44	399	10	0.13	<5	<5	38	320	1952	<2	58	<10	8	53
106181	367257	<1	3.10	<2	276	2	19	1.91	7	23	157	35	9.67	0.13	22	1.80	724	<1	63	375	9	0.09	<5	<5	36	266	2139	<2	75	<10	8	62
106182	367258	<1	3.86	2	229	2	19	2.16	7	27	162	107	9.64	0.09	19	1.75	849	<1	53	329	6	0.18	6	18	38	280	3102	<2	95	<10	10	77
106183	367259	<1	4.33	<2	313	2	30	1.75	6	30	172	43	8.94	0.15	24	1.74	931	<1	57	461	12	0.09	<5	<5	37	234	3672	<2	121	<10	12	80
106184	367260	<1	4.62	<2	494	<2	13	3.73	<4	18	<1	61	3.75	0.17	4	1.46	873	<1	8	604	9	0.06	<5	8	37	455	2728	<2	132	10	20	54
106185	367261	<1	3.99	3	287	2	26	1.79	4	30	165	48	5.87	0.06	30	1.70	880	<1	56	425	3	0.07	<5	12	38	199	3686	<2	122	<10	11	78
106186	367262	<1	4.16	<2	309	2	19	1.76	4	32	160	40	6.43	0.09	32	1.73	861	<1	57	459	8	0.07	5	8	39	200	3780	<2	126	<10	12	83
106187	367263	<1	3.56	4	264	<2	29	1.61	<4	27	145	26	5.05	0.10	25	1.53	856	<1	54	414	6	0.06	<5	<5	34	189	3380	<2	107	<10	10	67

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106188	367264	<1	3.31	2	266	2	14	1.20	<4	24	129	10	5.27	0.13	30	1.50	624	<1	55	396	7	0.04	<5	<5	36	187	2806	<2	85	<10	8	60
106189D	367264	<1	3.03	<2	252	<2	24	1.14	<4	22	121	8	4.97	0.20	29	1.37	581	<1	52	390	7	0.04	<5	5	37	181	2739	<2	81	<10	8	55
106190	367265	<1	3.06	<2	366	2	20	1.52	5	31	126	40	7.81	0.04	36	1.70	871	<1	62	480	4	0.07	5	<5	35	185	3611	<2	125	<10	11	78
106191	367266	<1	3.22	2	352	2	26	1.73	5	31	119	44	8.00	0.02	34	1.67	950	<1	63	484	6	0.10	<5	<5	38	182	3634	<2	124	<10	11	78
106192	367267	<1	4.29	<2	336	3	42	1.71	10	25	115	40	14.59	0.09	33	1.92	1002	<1	50	555	16	0.28	<5	8	40	183	2960	3	100	12	12	88
106193	367268	<1	3.55	4	224	<2	19	2.23	<4	17	165	28	4.96	0.10	21	1.52	545	<1	56	324	9	0.10	7	<5	33	249	1775	<2	50	<10	6	70
106194	367269	<1	3.60	4	233	2	24	1.68	<4	20	173	29	4.70	0.32	22	1.62	482	<1	60	331	8	0.09	5	6	30	234	1867	<2	54	<10	6	64
106195	367270	153	4.38	13	397	<2	19	2.89	6	17	25	92	4.78	0.44	4	1.31	858	<1	24	559	17358	0.10	98	<5	39	282	2741	<2	130	<10	18	321
106196	367271	<1	2.54	<2	191	2	38	1.97	13	17	68	25	17.92	0.24	18	1.54	842	<1	25	558	86	0.15	<5	5	49	151	2176	5	66	<10	13	63
106197	367272	<1	3.57	<2	414	3	17	2.24	7	32	131	14	10.30	0.30	38	1.55	1095	<1	51	658	15	0.09	<5	<5	39	256	4700	<2	126	<10	14	95
106198	367273	<1	3.68	<2	353	3	60	2.08	13	30	89	40	16.99	0.16	28	1.69	1047	<1	43	618	16	0.20	<5	12	40	198	4114	<2	126	<10	15	91
106199	367274	<1	2.48	<2	273	3	38	2.05	14	20	65	22	18.03	0.26	22	1.45	795	<1	30	598	18	0.17	5	<5	43	169	2596	3	78	<10	13	69
106200D	367274	<1	2.49	<2	263	3	35	2.03	13	19	65	22	17.78	0.26	21	1.42	769	<1	29	589	16	0.18	9	<5	43	167	2511	<2	75	<10	13	68
106201	367275	<1	2.39	<2	310	2	16	2.11	8	18	63	30	11.76	0.14	27	1.24	788	<1	31	462	13	0.18	5	5	42	228	2811	4	79	<10	13	68
106202	367276	<1	2.79	<2	339	2	1	1.53	5	18	82	33	7.63	0.10	29	1.21	658	<1	30	407	13	0.17	<5	<5	38	270	2700	<2	70	<10	10	69
106203	367277	<1	2.59	<2	283	<2	14	1.17	4	16	86	27	5.79	0.04	30	1.24	535	<1	33	361	5	0.12	<5	<5	32	222	2169	<2	56	<10	7	57
106204	367278	<1	2.87	<2	272	3	23	2.10	12	20	70	29	16.30	0.08	31	1.57	904	<1	32	562	14	0.17	<5	<5	43	186	2679	4	78	<10	12	74
106205	367279	<1	4.00	<2	290	3	16	2.07	10	20	73	31	14.04	0.26	27	1.44	810	<1	28	569	9	0.16	6	6	36	267	2913	<2	80	<10	13	83
106206	367280	<1	5.20	8	505	<2	11	3.91	<4	16	<1	61	3.89	0.34	3	1.51	896	<1	8	619	8	0.06	<5	7	30	470	2748	<2	135	12	22	53
106207	367281	<1	4.11	<2	283	2	31	1.68	6	18	68	35	9.69	0.29	26	1.31	730	<1	28	468	10	0.12	6	<5	48	270	2713	<2	74	<10	10	101

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106208	367282	<1	3.93	<2	307	2	19	1.55	6	20	76	36	8.35	0.40	31	1.28	703	<1	31	455	5	0.14	5	8	37	281	2895	4	79	<10	10	68
106209	367283	<1	3.23	<2	355	2	16	1.34	5	20	83	40	7.31	0.41	38	1.21	639	<1	33	429	11	0.18	<5	<5	40	269	3037	<2	89	<10	11	64
106210	367284	<1	3.48	<2	262	<2	16	1.59	4	19	76	32	5.81	0.18	26	1.01	560	<1	27	406	3	0.20	<5	<5	38	314	2726	<2	75	<10	9	70
106211D	367284	<1	3.32	<2	269	<2	4	1.63	4	19	77	33	5.89	0.11	27	1.01	570	<1	27	413	3	0.21	<5	<5	37	320	2761	<2	77	<10	8	73
106212	367285	<1	3.36	<2	274	3	22	1.94	11	20	50	40	14.77	0.13	27	1.29	978	<1	26	555	12	0.20	7	<5	38	214	3070	13	84	15	12	84
106213	367286	<1	3.29	<2	314	2	20	2.01	9	23	64	35	12.61	0.03	30	1.29	1099	<1	30	537	11	0.23	<5	<5	37	227	3714	<2	100	<10	12	86
106214	367287	<1	3.03	<2	338	2	23	1.63	6	16	74	30	9.05	0.02	35	1.22	607	<1	27	444	12	0.18	<5	<5	41	230	2343	<2	60	<10	9	71
106215	367288	<1	2.56	<2	242	2	38	2.05	9	17	79	33	12.72	0.07	23	1.28	773	<1	28	550	13	0.21	6	<5	36	186	2400	6	66	<10	11	67
106216	367289	<1	3.47	<2	327	2	32	1.20	8	24	64	36	11.11	0.14	39	1.40	842	<1	32	494	16	0.17	8	13	39	219	3296	4	94	<10	11	83
106217	367290	<1	5.25	49	318	2	23	1.18	5	15	22	2349	5.22	0.05	28	0.99	1123	12	22	755	81	1.62	6	9	36	189	1262	<2	63	<10	11	610
106218	367291	<1	4.01	<2	289	2	34	1.53	9	18	59	56	13.44	0.26	27	1.39	878	<1	28	525	12	0.20	<5	<5	41	241	2771	<2	75	<10	13	76
106219	367292	<1	4.51	2	433	2	17	1.57	4	23	95	39	6.50	0.37	33	1.36	821	<1	37	480	4	0.17	5	<5	40	311	3960	<2	105	<10	13	81
106220	367293	<1	3.26	<2	346	<2	20	1.33	<4	25	83	53	4.73	0.43	23	1.12	768	<1	36	429	6	0.21	<5	<5	35	268	4282	<2	113	<10	11	161
106221	367294	<1	2.78	<2	256	<2	8	1.44	<4	20	79	37	3.62	0.28	19	0.90	613	<1	28	374	11	0.15	<5	8	32	315	3332	<2	84	<10	8	78
106222D	367294	<1	2.82	5	239	<2	5	1.36	<4	19	76	34	3.42	0.14	17	0.88	579	<1	26	361	9	0.15	<5	6	37	304	3152	<2	80	<10	8	70
106223	367295	<1	2.80	2	244	<2	24	1.02	<4	12	53	16	4.33	0.16	18	0.85	410	<1	17	327	10	0.12	<5	8	36	307	1972	<2	50	<10	5	55
106224	367296	<1	3.42	3	320	<2	22	1.09	<4	16	69	27	3.98	0.13	21	0.98	460	<1	25	361	8	0.11	5	11	35	287	2337	<2	61	11	8	78
106225	367297	<1	2.94	3	235	<2	17	1.32	<4	24	92	45	4.79	<0.01	23	1.11	774	<1	35	424	12	0.20	<5	<5	32	223	3835	<2	101	<10	12	86
106226	367298	<1	3.37	<2	288	<2	13	1.28	<4	25	89	42	5.20	0.07	24	1.16	848	<1	36	464	6	0.23	<5	<5	37	214	4098	<2	106	<10	13	62
106227	367299	<1	3.36	<2	354	<2	23	1.12	<4	27	92	47	5.21	<0.01	28	1.15	757	<1	39	471	11	0.18	5	<5	37	205	4375	<2	114	<10	12	96

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106228	367300	<1	5.06	5	498	<2	55	3.79	<4	17	<1	60	3.75	0.24	4	1.47	879	<1	8	609	11	0.06	5	20	35	462	2769	<2	134	11	22	54
106229	367301	<1	4.20	4	374	2	25	1.76	4	25	93	38	6.31	0.38	25	1.28	815	<1	37	485	13	0.10	5	11	39	224	4024	<2	106	<10	14	92
106230	367302	<1	4.70	5	312	2	21	1.90	6	23	92	31	9.30	0.31	27	1.44	807	<1	37	495	9	0.14	5	9	37	232	3595	<2	95	<10	15	89
106231	367303	<1	3.88	<2	390	2	12	2.03	5	23	90	37	7.81	0.43	27	1.29	795	<1	36	493	9	0.18	<5	<5	35	207	3605	<2	97	<10	14	85
106232	367304	<1	3.74	<2	447	2	15	2.46	5	23	90	39	6.85	0.37	25	1.26	857	<1	37	458	8	0.10	<5	<5	37	239	3493	<2	97	<10	14	81
106233R	367304	<1	3.63	<2	467	2	17	2.24	4	23	90	41	6.93	0.26	27	1.26	837	<1	36	453	11	0.11	8	<5	37	239	3495	<2	97	<10	13	82
106234	367305	<1	3.81	<2	341	2	21	2.33	7	22	72	37	10.66	0.04	22	1.30	777	<1	32	495	12	0.15	<5	<5	41	221	3095	<2	88	<10	14	88
106235	367306	<1	3.71	<2	303	2	27	2.35	8	23	85	38	11.94	0.09	22	1.31	788	<1	32	502	14	0.16	<5	<5	36	210	3112	<2	86	<10	15	92
106236	367307	<1	4.29	<2	398	2	7	2.78	6	22	78	29	8.83	0.22	25	1.19	774	<1	31	485	12	0.12	5	<5	41	315	3271	<2	87	<10	14	82
106237	367308	<1	2.81	<2	215	2	37	2.85	10	17	60	31	13.32	0.08	19	1.36	845	<1	26	471	6	0.15	<5	9	41	324	1797	3	55	<10	12	64
106238	367309	<1	3.80	<2	359	3	26	2.31	7	18	52	33	9.71	0.08	29	1.40	815	<1	31	502	11	0.09	9	<5	12	335	2088	2	62	<10	12	62
106239	367310	<1	3.42	19	455	<2	18	2.06	<4	15	38	197	3.86	0.09	8	1.21	694	4	37	610	12	0.09	<5	12	<10	273	2733	<2	104	12	16	61
106240	367311	<1	4.15	59	346	2	7	1.78	4	24	49	37	6.11	<0.01	33	1.26	903	<1	37	527	14	0.18	<5	7	13	280	2470	<2	77	<10	12	64
106241	367312	<1	3.79	3	349	2	27	2.22	5	18	41	32	7.44	0.04	29	1.15	887	<1	29	502	14	0.17	6	<5	12	293	2207	<2	62	<10	11	63
106242	367313	<1	3.69	<2	302	2	35	2.20	5	16	39	23	7.48	0.18	29	1.17	671	<1	27	514	13	0.11	<5	<5	11	389	2162	<2	57	<10	10	64
106243	367314	<1	4.38	4	455	3	28	1.66	<4	12	33	14	5.19	0.04	30	1.03	467	<1	19	539	17	0.05	6	<5	10	472	2014	<2	46	<10	9	59
106244D	367314	<1	4.52	<2	457	2	24	1.67	<4	13	32	14	5.11	<0.01	31	1.05	457	<1	18	548	11	0.06	<5	13	12	479	2065	<2	46	<10	9	57
106245	367315	<1	4.48	4	415	2	10	1.74	<4	10	21	13	3.20	<0.01	20	0.85	367	<1	15	436	10	0.09	5	5	<10	423	1806	<2	39	<10	8	44
106246	367316	<1	4.82	<2	469	2	31	1.82	4	15	39	30	6.39	<0.01	26	1.36	691	<1	25	463	9	0.15	7	<5	<10	330	2065	<2	54	<10	12	61
106247	367317	<1	5.88	<2	888	2	25	2.51	<4	16	35	23	5.15	0.18	32	1.06	516	<1	25	508	18	0.08	<5	10	11	627	2627	<2	62	<10	11	61

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106248	367318	<1	4.63	3	438	3	16	3.17	6	18	41	15	8.70	0.21	26	1.43	708	<1	26	660	14	0.12	<5	<5	10	400	2253	<2	59	<10	14	79
106249	367319	<1	5.38	4	910	2	31	2.14	<4	16	41	23	5.17	0.25	33	1.16	496	<1	24	460	8	0.15	5	<5	15	422	2277	<2	64	<10	11	75
106250	367320	<1	5.62	3	446	2	11	3.67	<4	16	<1	59	3.60	0.14	3	1.44	830	<1	9	590	9	0.06	<5	20	12	455	2579	<2	127	<10	23	52
106251	367321	<1	3.46	12	399	2	7	2.99	4	13	28	22	6.12	<0.01	24	1.15	715	<1	20	424	8	0.10	<5	5	10	337	1709	<2	44	<10	11	51
106252	367322	<1	5.44	18	627	2	26	1.91	<4	20	59	32	3.60	0.01	36	1.10	558	<1	49	467	8	0.13	<5	7	<10	372	3017	<2	82	12	12	68
106253	367323	<1	4.66	2	531	2	14	1.75	<4	19	67	37	3.45	0.06	29	1.03	571	<1	64	465	18	0.18	7	10	<10	310	2238	<2	89	<10	9	75
106254	367324	<1	5.07	2	553	2	12	1.40	<4	16	62	31	2.75	0.05	28	0.97	423	<1	66	417	12	0.12	<5	6	<10	303	2098	<2	76	<10	10	59
106255D	367324	<1	4.52	9	568	2	30	1.38	<4	16	63	32	2.84	0.08	29	0.94	440	<1	71	429	16	0.13	<5	14	12	303	2158	<2	79	<10	9	62
106256	367325	<1	2.17	11	535	2	32	2.05	<4	20	83	43	3.50	0.03	28	0.90	588	<1	77	477	17	0.18	<5	<5	11	304	1885	<2	92	<10	6	75
106257	367326	<1	3.20	7	546	2	7	1.99	<4	20	87	42	3.50	<0.01	29	0.98	565	<1	77	491	23	0.19	<5	13	10	300	2164	<2	97	<10	8	78
106258	367327	<1	4.65	2	396	3	25	2.31	<4	21	81	41	3.79	0.05	37	1.07	556	<1	62	419	23	0.18	<5	10	11	350	2805	<2	80	<10	9	93
106259	367328	<1	3.78	<2	376	4	11	3.09	<4	12	22	20	2.60	0.20	34	0.78	630	<1	35	744	26	0.07	9	12	11	433	2842	2	58	<10	8	94
106260	367329	<1	2.58	6	373	2	14	1.95	<4	12	27	12	1.94	0.26	31	0.57	356	<1	47	429	20	0.05	<5	10	12	346	2586	<2	57	<10	5	52
106261	367330	138	4.60	13	368	<2	11	2.88	7	17	24	94	4.80	0.16	4	1.30	865	<1	24	567	17230	0.10	101	10	13	288	2752	4	132	<10	19	320
106262	367331	<1	2.73	3	393	2	32	1.75	<4	11	17	10	1.77	0.11	30	0.49	296	<1	34	396	17	0.04	<5	19	<10	377	2501	<2	49	<10	5	54
106263	367332	<1	2.78	7	409	2	22	1.57	<4	11	15	9	1.83	0.17	26	0.51	290	<1	31	391	16	0.06	<5	13	<10	370	2572	<2	49	<10	5	52
106264	367333	<1	5.56	31	598	2	20	1.26	<4	11	18	13	1.78	0.06	29	0.55	260	<1	36	460	21	0.08	5	18	<10	383	2583	<2	51	<10	7	50
106265	367334	<1	5.52	6	751	3	21	2.04	<4	16	33	32	2.59	<0.01	31	0.69	422	<1	49	564	23	0.11	<5	11	20	406	2931	<2	59	19	9	96
106266D	367334	<1	5.27	2	743	3	16	2.01	<4	16	35	31	2.55	0.02	30	0.67	421	<1	47	553	22	0.12	<5	21	10	402	3003	<2	58	17	9	92
106267	367335	<1	5.11	68	533	3	26	2.36	<4	14	31	31	2.90	<0.01	21	0.70	578	2	47	469	19	0.15	<5	14	<10	348	2333	2	43	<10	10	65

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106268	367336	<1	5.19	134	782	2	18	1.90	<4	17	46	25	2.60	<0.01	36	0.73	400	<1	46	513	16	0.10	<5	11	13	312	2995	<2	69	<10	9	68
106269	367337	<1	3.00	7	554	2	19	1.37	<4	10	12	12	1.78	<0.01	29	0.44	267	<1	31	404	11	0.07	<5	7	<10	272	2386	<2	46	<10	4	57
106270	367338	<1	3.69	5	611	2	14	1.73	<4	10	16	12	1.70	0.16	29	0.55	259	<1	37	449	7	0.07	<5	11	<10	234	2206	<2	48	<10	6	45
106271	367339	<1	5.25	5	690	2	18	1.83	<4	11	22	10	1.83	0.08	33	0.65	298	<1	42	475	4	0.05	<5	18	12	268	2516	<2	52	<10	7	45
106272	367340	<1	6.72	8	498	2	15	4.11	<4	17	<1	67	3.94	0.12	3	1.59	927	<1	9	656	11	0.06	8	17	10	503	2854	<2	141	<10	26	60
106273	367341	<1	3.08	3	293	2	15	1.57	<4	7	36	8	1.22	<0.01	19	0.53	212	<1	55	275	4	0.04	<5	16	<10	188	1380	<2	38	<10	8	27
106274	367342	<1	6.22	7	663	4	19	2.97	<4	13	42	16	2.23	0.04	30	0.71	358	<1	48	463	10	0.07	<5	26	13	407	2626	<2	57	10	9	44
106275	367343	<1	5.69	36	495	3	4	1.84	<4	10	11	12	1.57	0.02	25	0.70	197	<1	34	487	9	0.06	<5	16	<10	351	1605	<2	49	<10	7	15
106276	367344	<1	6.13	30	499	3	14	1.90	<4	8	11	9	1.21	0.02	23	0.75	178	<1	37	482	14	0.05	<5	15	<10	363	1065	<2	45	<10	7	10
106277D	367344	<1	5.63	27	490	3	12	1.85	<4	9	10	9	1.19	<0.01	22	0.72	176	<1	37	481	10	0.05	<5	11	<10	358	1036	<2	44	<10	7	7
106278	367345	<1	5.50	183	558	3	1	1.21	<4	10	24	16	1.92	<0.01	25	0.60	197	<1	56	528	9	0.09	<5	18	13	295	1610	<2	59	<10	8	12
106279	367346	<1	5.71	155	587	3	26	1.18	<4	10	17	15	1.91	<0.01	24	0.57	183	<1	42	532	11	0.10	<5	13	<10	298	1649	<2	56	<10	8	12
106280	367347	<1	4.64	149	547	2	10	1.18	<4	10	18	14	1.81	<0.01	20	0.60	199	<1	41	476	13	0.08	<5	16	<10	279	1802	<2	51	<10	8	9
106281	367348	<1	4.11	80	520	2	18	1.21	<4	8	6	10	1.56	<0.01	18	0.60	175	<1	30	477	13	0.07	<5	6	<10	282	1059	<2	35	<10	7	8
106282	367349	<1	5.09	225	744	2	18	1.55	<4	7	6	9	1.48	<0.01	24	0.76	181	<1	25	482	11	0.09	6	16	<10	310	821	6	40	<10	7	16
106283	367350	<1	4.42	54	258	2	23	0.99	5	14	16	2174	4.63	<0.01	23	0.88	1024	9	21	700	79	1.40	<5	9	<10	179	1159	<2	58	12	10	546
106284	367351	<1	5.86	190	1011	2	23	2.02	<4	8	8	51	1.62	<0.01	28	0.87	303	<1	25	491	12	0.08	<5	12	<10	321	1018	4	45	<10	7	28
106285	367352	<1	6.06	120	1544	3	17	1.53	<4	8	15	12	1.40	<0.01	30	0.72	245	<1	32	498	14	0.06	<5	25	11	323	862	<2	46	<10	8	34
106286	367353	<1	6.52	29	1518	4	11	1.65	<4	9	9	12	2.13	0.06	30	0.75	240	<1	28	531	18	0.13	6	23	10	394	1088	<2	48	<10	7	63
106287	367354	<1	5.67	89	1097	3	18	1.43	<4	19	81	34	2.66	<0.01	24	0.70	371	<1	63	539	20	0.15	<5	22	<10	273	2501	<2	69	<10	12	28

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106288D	367354	<1	5.76	89	1049	3	11	1.37	<4	18	77	35	2.61	<0.01	24	0.69	349	<1	60	508	14	0.17	<5	<5	<10	272	2488	<2	66	<10	13	23
106289	367355	<1	4.58	129	785	2	13	2.32	<4	22	132	40	3.42	0.02	36	1.17	531	<1	57	527	17	0.09	<5	<5	<10	234	3057	<2	89	<10	14	69
106290	367356	<1	4.64	239	648	3	17	1.27	<4	21	99	58	3.24	0.05	28	1.03	452	<1	46	481	19	0.15	<5	8	15	219	2567	<2	73	<10	12	74
106291	367357	<1	5.53	47	526	3	17	1.83	<4	23	117	36	3.78	<0.01	30	1.08	563	<1	58	551	22	0.19	<5	<5	10	265	2819	<2	96	<10	17	90
106292	367358	<1	5.22	291	602	3	27	1.43	<4	24	151	43	3.77	<0.01	32	1.14	513	<1	61	545	21	0.12	<5	12	<10	263	3343	<2	105	<10	16	66
106293	367359	<1	5.04	40	590	3	23	1.78	<4	26	142	44	4.00	<0.01	34	1.25	466	<1	65	552	24	0.05	<5	<5	11	294	3549	<2	110	<10	14	44
106294	367360	<1	4.48	6	475	<2	21	3.72	<4	17	<1	64	3.69	0.02	3	1.33	864	<1	8	620	7	0.06	<5	7	<10	464	2739	<2	132	10	20	56
106295	367361	<1	3.80	33	598	3	15	2.08	<4	25	130	44	3.70	<0.01	31	1.25	524	<1	62	546	18	0.05	<5	10	10	324	3240	<2	98	<10	13	44
106296	367362	<1	3.52	37	638	2	5	1.58	<4	27	126	63	4.16	<0.01	27	1.31	544	<1	76	537	22	0.05	<5	12	<10	256	3300	<2	106	<10	15	27
106297	367363	<1	3.84	30	607	2	15	2.24	<4	23	128	47	3.84	<0.01	26	1.42	566	<1	58	566	17	0.05	6	17	12	250	3146	<2	87	<10	14	43
106298	367364	<1	4.53	68	686	2	19	2.05	<4	24	147	59	3.52	<0.01	21	1.24	487	<1	61	577	22	0.06	<5	15	11	261	3152	<2	83	<10	15	29
106299R	367364	<1	4.68	62	679	2	11	2.22	<4	24	146	53	3.64	<0.01	22	1.33	498	<1	62	562	20	0.05	<5	8	12	267	3132	<2	86	<10	16	35
106300	367365	<1	4.08	38	703	2	27	1.62	<4	18	124	40	2.95	0.03	17	1.05	379	<1	46	492	22	0.04	<5	12	10	238	2684	<2	70	<10	15	18
106301	367366	<1	3.91	35	683	2	17	1.58	<4	18	113	38	2.92	0.10	16	1.07	383	<1	45	491	18	0.04	5	18	11	236	2666	<2	70	<10	14	16
106302	367367	<1	3.60	51	628	2	21	1.97	<4	20	115	42	2.86	0.06	15	1.15	406	<1	47	506	21	0.05	<5	7	10	265	2683	<2	70	<10	13	24
106303	367368	<1	3.63	28	721	2	15	2.20	<4	19	128	52	3.12	0.14	13	1.24	437	<1	52	536	17	0.05	7	9	21	263	2949	<2	74	<10	14	21
106304	367369	<1	4.10	24	940	3	23	1.50	<4	24	125	50	3.48	0.10	16	1.18	411	<1	64	577	17	0.04	<5	9	<10	209	3191	<2	103	<10	15	16
106305	367370	<1	3.48	19	462	<2	21	2.04	<4	15	39	196	3.75	0.07	9	1.19	678	4	37	597	9	0.09	8	<5	10	273	2762	<2	104	10	16	56
106306	367371	<1	3.29	25	594	2	11	1.96	<4	21	111	48	3.24	0.11	15	1.27	397	<1	55	566	13	0.04	<5	<5	12	227	2993	<2	78	<10	15	16
106307	367372	<1	3.57	19	494	2	24	2.44	<4	20	111	47	3.07	0.08	12	1.21	433	<1	50	550	19	0.06	<5	8	<10	233	2916	<2	73	<10	15	16

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:35 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/20/2015
Job #: 201541307
Reference: 15-098
Sample #: 136

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106308	367373	<1	5.45	100	1532	3	23	1.39	<4	21	78	38	2.38	<0.01	13	0.84	277	<1	79	676	33	0.05	<5	17	17	259	3164	<2	101	<10	17	9
106309	367374	<1	4.54	53	956	2	28	1.66	<4	21	107	36	3.23	<0.01	17	1.13	395	<1	61	569	24	0.05	<5	15	10	242	2871	<2	92	<10	15	31
106310D	367374	<1	4.29	47	917	2	11	1.60	<4	21	106	35	3.17	<0.01	15	1.12	390	<1	58	567	19	0.04	5	9	11	235	2817	<2	90	10	15	28
106311	367375	<1	4.36	10	866	3	9	1.55	<4	23	132	52	3.55	<0.01	20	1.08	470	<1	55	553	23	0.05	<5	14	12	315	3121	<2	89	<10	14	63
106312	367376	<1	4.28	15	843	3	13	1.80	<4	23	136	43	3.56	0.32	21	1.16	522	<1	55	543	23	0.04	<5	12	<10	329	3015	<2	88	<10	14	62
106313	367377	<1	4.24	4	757	2	8	1.36	<4	19	123	41	3.26	0.28	19	1.02	450	<1	44	471	17	0.04	<5	8	<10	287	2708	<2	70	<10	14	59
106314	367378	<1	3.74	4	739	2	15	1.59	<4	23	142	43	3.50	0.39	20	1.07	474	<1	51	519	20	0.04	<5	15	11	322	3003	<2	80	<10	13	67
106315	367379	<1	5.72	5	907	3	38	1.98	<4	26	162	60	3.94	0.73	23	1.20	559	<1	61	972	21	0.05	6	18	13	377	3218	<2	97	10	16	73
106316	367380	<1	4.23	3	459	<2	18	3.64	<4	17	<1	62	3.59	0.43	2	1.37	856	<1	8	572	10	0.06	<5	19	10	453	2664	<2	129	<10	20	52

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

TL15402

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
109923	367381	<0.005
109924	367382	<0.005
109925	367383	<0.005
109926	367384	<0.005
109927	367385	<0.005
109928	367386	<0.005
109929	367387	<0.005
109930	367388	<0.005
109931	367389	<0.005
109932	367390	1.494
109933	367390	Insufficient Sample
109934	367391	0.015
109935	367392	<0.005
109936	367393	<0.005
109937	367394	<0.005
109938	367395	<0.005
109939	367396	<0.005
109940	367397	<0.005
109941	367398	<0.005
109942	367399	<0.005
109943	367400	<0.005
109944	367400	Insufficient Sample
109945	367401	<0.005
109946	367402	<0.005
109947	367403	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
109948	367404	<0.005
109949	367405	<0.005
109950	367406	<0.005
109951	367407	<0.005
109952	367408	<0.005
109953	367409	<0.005
109954	367410	0.425
109955	367410	Insufficient Sample
109956	367411	<0.005
109957	367412	<0.005
109958	367413	<0.005
109959	367414	0.008
109960	367415	<0.005
109961	367416	<0.005
109962	367417	<0.005
109963	367418	<0.005
109964	367419	<0.005
109965	367420	0.006
109966	367420	Insufficient Sample
109967	367421	<0.005
109968	367422	<0.005
109969	367423	<0.005
109970	367424	<0.005
109971	367425	<0.005
109972	367426	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
109973	367427	<0.005
109974	367428	<0.005
109975	367429	<0.005
109976	367430	1.997
109977	367430	Insufficient Sample
109978	367431	<0.005
109979	367432	<0.005
109980	367433	<0.005
109981	367434	<0.005
109982	367435	<0.005
109983	367436	<0.005
109984	367437	<0.005
109985	367438	<0.005
109986	367439	<0.005
109987	367440	0.246
109988	367440	Insufficient Sample
109989	367441	<0.005
109990	367442	<0.005
109991	367443	<0.005
109992	367444	<0.005
109993	367445	<0.005
109994	367446	<0.005
109995	367447	<0.005
109996	367448	<0.005
109997	367449	0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
109998	367450	4.608
109999	367450	Insufficient Sample
110000	367451	<0.005
110001	367452	<0.005
110002	367453	<0.005
110003	367454	<0.005
110004	367455	<0.005
110005	367456	<0.005
110006	367457	<0.005
110007	367458	<0.005
110008	367459	<0.005
110009	367460	0.010
110010	367460	Insufficient Sample
110011	367461	<0.005
110012	367462	<0.005
110013	367463	0.005
110014	367464	<0.005
110015	367465	<0.005
110016	367466	<0.005
110017	367467	<0.005
110018	367468	<0.005
110019	367469	<0.005
110020	367470	0.367
110021	367470	Insufficient Sample
110022	367471	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
110023	367472	0.005
110024	367473	<0.005
110025	367474	0.007
110026	367475	<0.005
110027	367476	<0.005
110028	367477	<0.005
110029	367478	<0.005
110030	367479	<0.005
110031	367480	0.007
110032	367480	Insufficient Sample
110033	367481	0.008
110034	367482	<0.005
110035	367483	<0.005
110036	367484	<0.005
110037	367485	<0.005
110038	367486	<0.005
110039	367487	0.006
110040	367488	0.006
110041	367489	0.006
110042	367490	1.402
110043	367490	Insufficient Sample
110044	367491	0.006
110045	367492	0.008
110046	367493	0.009
110047	367494	0.009

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
110048	367495	0.014
110049	367496	0.005
110050	367497	0.007
110051	367498	0.012
110052	367499	0.006
110053	367500	0.006
110054	367500	Insufficient Sample
110055	367501	0.005
110056	367502	0.010
110057	367503	0.006
110058	367504	0.010
110059	367505	0.010
110060	367506	0.009
110061	367507	0.009
110062	367508	0.007
110063	367509	0.009
110064	367510	4.646
110065	367510	Insufficient Sample
110066	367511	0.010
110067	367512	0.007
110068	367513	0.006
110069	367514	0.014
110070	367515	<0.005
110071	367516	<0.005
110072	367517	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
110073	367518	0.020
110074	367519	<0.005
110075	367520	<0.005
110076	367520	Insufficient Sample
110077	367521	<0.005
110078	367522	<0.005
110079	367523	<0.005
110080	367524	<0.005
110081	367525	0.012
110082	367526	<0.005
110083	367527	<0.005
110084	367528	<0.005
110085	367529	<0.005
110086	367530	0.388
110087	367530	Insufficient Sample
110088	367531	0.005
110089	367532	<0.005
110090	367533	<0.005
110091	367534	<0.005
110092	367535	<0.005
110093	367536	<0.005
110094	367537	<0.005
110095	367538	<0.005
110096	367539	<0.005
110097	367540	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
110098	367540	Insufficient Sample
110099	367541	<0.005
110100	367542	0.008
110101	367543	0.008
110102	367544	<0.005
110103	367545	0.007
110104	367546	<0.005
110105	367547	0.005
110106	367548	<0.005
110107	367549	<0.005
110108	367550	1.362
110109	367550	Insufficient Sample
110110	367551	0.011
110111	367552	0.014
110112	367553	0.007
110113	367554	0.007
110114	367555	0.006
110115	367556	0.005
110116	367557	0.007
110117	367558	0.005
110118	367559	0.007
110119	367560	0.008
110120	367560	Insufficient Sample
110121	367561	0.008
110122	367562	0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Au g/t (ppm)
110123	367563	<0.005
110124	367564	0.005
110125	367565	0.011
110126	367566	0.006
110127	367567	<0.005
110128	367568	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.493	1.575	0.088
AR02	1.647	1.575	0.088
AR02	1.605	1.575	0.088
AR02	1.550	1.575	0.088
AR02	1.615	1.575	0.088
AR02	1.438	1.575	0.088
AR02	1.548	1.575	0.088
KL01	0.374	0.394	0.011
AR02	1.526	1.575	0.088
AR02	1.379	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
109923	367381	<1	2.86	10	337	2	2	1.31	4	22	70	41	5.37	0.09	26	1.09	654	<1	62	451	22	0.49	<5	<5	<10	203	2756	<2	89	<10	8	66
109924	367382	<1	4.20	7	196	2	2	2.01	10	21	82	33	10.34	<0.01	16	1.31	1100	<1	71	519	14	0.48	<5	<5	<10	239	2868	6	100	17	11	82
109925	367383	<1	3.99	9	252	2	3	2.22	8	29	113	96	9.13	<0.01	24	1.36	1174	<1	90	574	17	0.56	6	<5	<10	233	3601	5	128	15	12	87
109926	367384	<1	2.59	11	349	2	<1	1.47	5	28	122	60	5.61	<0.01	30	1.03	898	14	111	529	11	0.47	<5	<5	<10	213	3778	<2	132	<10	9	85
109927	367385	<1	3.53	9	329	2	<1	1.70	5	29	121	54	5.94	0.03	29	1.17	983	3	110	565	9	0.48	<5	<5	<10	213	3826	<2	135	18	10	79
109928	367386	<1	3.77	7	305	<2	<1	1.80	5	26	108	53	5.47	0.19	27	1.11	1016	<1	79	518	12	0.53	<5	<5	<10	220	3715	<2	119	14	10	73
109929	367387	<1	3.81	4	279	2	2	1.95	6	22	95	56	6.36	0.27	28	1.13	966	<1	83	541	9	0.50	<5	<5	<10	203	3022	4	106	16	9	75
109930	367388	<1	2.83	8	223	<2	3	0.78	4	14	84	19	4.84	0.33	13	0.91	624	6	94	390	7	0.52	<5	<5	<10	126	1903	<2	75	<10	9	47
109931	367389	<1	4.28	6	254	<2	4	2.14	10	16	100	28	11.21	0.36	13	1.06	1144	<1	73	507	12	0.56	<5	<5	<10	220	2737	<2	95	18	11	73
109932	367390	285	3.51	19	398	<2	3	2.87	8	14	32	107	4.65	0.31	3	1.12	867	<1	23	557	16872	0.51	118	<5	11	271	2673	<2	131	25	14	312
109933D	367390																IS															
109934	367391	<1	3.53	6	589	2	<1	1.29	7	16	71	39	7.80	0.15	28	1.08	740	<1	66	510	60	0.53	<5	<5	<10	269	2590	<2	81	12	8	65
109935	367392	<1	3.63	6	485	2	<1	1.39	6	16	62	34	7.34	<0.01	27	1.11	676	<1	60	471	24	0.50	<5	<5	<10	237	2381	<2	79	11	9	66
109936	367393	<1	2.65	3	580	<2	2	1.24	4	10	44	11	4.46	<0.01	20	0.77	440	<1	43	342	8	0.43	<5	<5	<10	278	1679	<2	47	16	5	52
109937	367394	<1	2.90	4	431	<2	<1	1.35	4	19	78	39	5.02	<0.01	26	1.05	706	<1	63	434	10	0.45	<5	<5	<10	253	2806	<2	90	<10	7	68
109938	367395	<1	3.94	3	398	2	2	2.16	7	18	81	39	7.70	<0.01	19	1.24	969	<1	60	494	15	0.48	<5	<5	<10	291	2723	<2	86	10	10	78
109939	367396	<1	2.48	6	359	<2	<1	1.64	5	24	93	47	5.57	<0.01	24	1.04	794	<1	71	465	10	0.47	<5	<5	<10	242	3206	<2	108	12	7	77
109940	367397	<1	3.53	6	291	2	2	1.77	6	20	85	60	7.21	0.39	24	1.17	918	<1	63	483	11	0.47	<5	<5	<10	223	3079	<2	103	<10	9	72
109941	367398	<1	3.87	6	220	<2	1	1.90	4	18	99	39	5.05	0.35	18	0.95	887	2	92	486	7	0.50	<5	5	<10	206	2807	<2	98	<10	11	62
109942	367399	<1	4.37	9	289	2	1	2.23	6	23	91	52	6.83	0.15	21	1.14	1041	<1	71	548	8	0.50	<5	<5	<10	247	3291	2	106	15	12	69

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 8:40 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
109943	367400	<1	4.10	8	497	<2	2	3.86	<4	15	5	69	3.53	0.28	<1	1.24	873	<1	9	625	19	0.45	<5	<5	<10	441	2601	5	133	18	17	52
109944D	367400																IS															
109945	367401	<1	4.19	5	323	2	2	1.74	7	17	68	80	8.32	0.21	16	1.09	801	<1	62	507	9	0.59	<5	<5	<10	210	2647	<2	86	16	10	68
109946	367402	<1	2.35	8	455	<2	1	1.84	6	11	64	19	6.95	<0.01	15	0.78	579	<1	46	405	14	0.48	<5	<5	<10	331	1952	<2	57	<10	6	52
109947	367403	<1	3.47	9	319	2	1	1.72	10	20	92	35	11.34	0.25	14	1.19	950	<1	64	576	7	0.46	<5	<5	<10	266	2974	<2	95	20	11	84
109948	367404	<1	3.47	8	333	2	<1	1.72	5	26	108	67	6.46	<0.01	21	1.23	962	<1	78	584	18	0.43	<5	<5	<10	221	3603	<2	114	<10	10	80
109949	367405	<1	2.29	4	497	2	<1	1.86	6	22	100	51	6.58	0.40	44	0.95	963	4	80	502	16	1.11	<5	<5	18	239	3310	<2	102	12	7	75
109950	367406	<1	3.20	6	286	2	3	1.62	5	23	92	50	6.29	<0.01	19	1.21	914	<1	73	499	9	0.49	<5	<5	<10	216	3088	3	95	10	9	68
109951	367407	<1	2.41	5	368	<2	2	1.28	4	23	91	43	5.56	<0.01	20	0.97	839	<1	77	450	13	0.44	<5	<5	10	193	3317	<2	108	<10	8	74
109952	367408	<1	3.64	8	329	2	2	1.24	5	18	76	35	5.85	<0.01	20	1.11	699	<1	70	475	6	0.48	6	<5	<10	187	2816	<2	92	12	9	60
109953	367409	<1	3.25	8	365	2	2	1.15	5	18	69	30	5.48	0.17	25	1.08	738	<1	61	442	12	0.50	<5	<5	<10	180	2765	<2	84	<10	8	48
109954	367410	<1	4.59	48	313	<2	2	1.13	7	15	27	2740	5.02	<0.01	24	0.84	1134	13	23	741	77	1.97	6	<5	<10	179	1194	<2	63	56	8	594
109955D	367410																IS															
109956	367411	<1	3.28	6	369	2	2	1.65	7	11	54	30	7.66	0.14	13	1.04	710	<1	44	401	13	0.54	8	<5	<10	210	1885	<2	58	<10	8	58
109957	367412	<1	2.63	7	352	2	1	1.23	7	10	41	18	8.12	0.03	10	0.94	555	<1	40	408	9	0.47	<5	<5	10	305	1599	<2	48	10	6	48
109958	367413	<1	2.20	3	235	<2	3	1.01	6	9	54	10	6.63	0.08	9	0.72	491	<1	43	340	8	0.47	<5	<5	<10	397	1569	<2	50	11	5	41
109959	367414	<1	4.40	7	379	<2	2	1.65	4	12	74	20	5.16	<0.01	11	0.95	605	<1	65	392	9	0.47	<5	<5	<10	429	2024	<2	67	22	7	45
109960	367415	<1	2.69	6	334	<2	<1	1.53	<4	17	92	35	3.73	<0.01	16	0.87	657	<1	62	387	6	0.50	<5	<5	<10	260	2657	<2	79	10	7	69
109961	367416	<1	2.56	9	318	<2	<1	1.71	4	23	127	51	4.33	<0.01	22	0.89	800	2	89	464	13	0.49	<5	<5	<10	304	3339	<2	102	18	7	78
109962	367417	<1	2.71	6	366	<2	<1	1.82	4	22	120	48	4.54	<0.01	19	0.94	783	2	95	476	9	0.49	<5	<5	<10	310	3220	<2	104	13	7	78

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 8:40 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
109963	367418	<1	4.10	11	347	2	4	2.02	8	14	84	33	9.73	0.40	15	1.12	757	1	77	475	12	0.54	<5	<5	<10	281	2187	<2	77	15	8	62
109964	367419	<1	4.36	8	325	2	<1	2.08	9	25	104	54	9.40	<0.01	24	1.31	1035	<1	84	647	9	0.56	<5	<5	<10	203	3581	5	119	16	12	69
109965	367420	<1	4.85	6	531	<2	<1	4.13	4	17	6	75	3.81	0.34	2	1.40	927	<1	10	639	13	0.46	<5	<5	<10	461	2687	2	139	11	18	55
109966D	367420																IS															
109967	367421	<1	3.95	6	274	2	4	1.73	10	21	88	44	11.62	0.41	18	1.16	963	<1	69	605	16	0.57	<5	<5	<10	190	3126	<2	104	16	12	66
109968	367422	<1	3.88	8	345	2	3	2.14	7	23	108	47	8.64	0.23	22	1.20	960	4	107	576	16	0.57	5	<5	<10	209	3148	<2	117	10	11	67
109969	367423	<1	4.08	5	422	2	2	2.29	10	22	97	47	10.86	0.19	23	1.07	1063	2	85	610	13	0.62	<5	<5	<10	231	3226	<2	108	12	11	84
109970	367424	<1	3.26	10	345	2	1	1.88	12	13	61	22	12.70	0.27	21	1.00	756	<1	59	553	9	0.57	<5	<5	<10	211	1950	<2	70	16	9	65
109971	367425	<1	4.31	2	416	3	<1	1.75	9	11	71	26	10.44	0.12	31	1.14	688	1	69	511	11	0.49	<5	<5	<10	234	2270	<2	71	14	9	67
109972	367426	<1	4.27	6	422	2	5	1.73	9	12	63	25	10.54	<0.01	32	1.12	688	<1	56	486	15	0.49	<5	<5	<10	231	2196	3	68	<10	8	66
109973	367427	<1	3.65	4	265	2	2	2.14	10	14	70	44	11.40	<0.01	25	1.17	713	<1	57	504	12	0.61	<5	<5	<10	298	2126	<2	72	14	9	61
109974	367428	<1	4.02	8	391	2	2	1.18	8	17	78	32	9.07	<0.01	36	1.36	826	<1	62	557	7	0.55	<5	<5	<10	243	2566	7	80	10	10	64
109975	367429	<1	2.87	6	419	2	1	1.25	5	12	67	27	5.51	0.12	28	0.91	499	<1	41	373	10	0.48	<5	<5	<10	333	1678	<2	53	<10	5	42
109976	367430	<1	4.56	24	560	<2	<1	2.40	4	16	52	246	4.10	0.18	10	1.29	762	8	43	674	17	0.50	6	6	<10	286	2969	<2	114	26	16	64
109977D	367430																IS															
109978	367431	<1	3.30	9	227	3	6	1.67	17	12	62	19	17.80	0.37	23	1.36	876	<1	49	593	26	0.59	5	<5	<10	222	1723	<2	65	13	10	70
109979	367432	<1	2.24	7	343	<2	2	1.69	7	9	76	8	8.49	0.26	11	0.71	486	<1	59	411	13	0.49	<5	<5	<10	372	1312	<2	46	19	5	36
109980	367433	<1	2.93	9	261	<2	3	1.95	5	10	75	29	5.44	0.23	18	0.90	502	<1	49	423	14	0.55	<5	<5	<10	698	1550	<2	50	13	5	45
109981	367434	<1	1.46	5	452	<2	2	1.32	<4	14	93	4	3.57	0.26	23	0.70	440	<1	53	299	5	0.45	<5	<5	<10	257	1956	<2	65	<10	4	49
109982	367435	<1	2.08	5	451	<2	3	1.57	<4	20	103	20	3.45	0.11	26	0.86	527	<1	57	390	4	0.44	<5	<5	<10	201	2602	<2	81	16	5	64

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-04/28/2015 8:40 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
109983	367436	<1	2.53	7	394	<2	1	1.54	<4	12	82	18	2.68	<0.01	24	0.95	387	<1	53	288	11	0.44	<5	<5	<10	180	1761	<2	57	<10	5	50
109984	367437	<1	6.35	10	503	2	3	2.10	6	28	126	59	7.08	0.14	41	1.78	1008	<1	88	580	19	0.58	<5	<5	<10	268	3968	18	134	11	13	86
109985	367438	<1	3.21	9	164	2	5	2.28	14	11	70	33	14.32	0.36	12	1.23	633	<1	51	560	23	0.56	6	<5	<10	644	1753	4	69	12	9	67
109986	367439	<1	3.27	9	257	2	2	2.25	14	13	91	26	14.55	0.18	23	1.41	793	<1	61	539	19	0.55	<5	<5	<10	162	1950	5	75	13	10	63
109987	367440	<1	5.18	4	532	<2	5	4.25	<4	16	5	76	3.79	0.17	1	1.45	939	<1	9	649	15	0.46	<5	<5	<10	469	2710	22	142	15	20	56
109988R	367440																IS															
109989	367441	<1	3.55	2	350	2	<1	1.65	7	16	136	31	8.13	<0.01	33	1.66	518	<1	67	380	12	0.48	<5	<5	<10	310	1875	3	65	19	7	60
109990	367442	<1	3.33	6	317	2	4	2.08	10	16	114	25	11.40	<0.01	20	1.42	697	<1	54	461	20	0.53	<5	<5	<10	290	2041	<2	73	<10	9	61
109991	367443	<1	2.35	7	318	2	3	1.61	13	21	139	44	13.78	0.22	24	1.64	820	<1	73	524	13	0.54	<5	<5	<10	221	2569	2	101	11	10	74
109992	367444	<1	3.28	7	199	2	<1	2.25	8	19	182	53	8.76	0.38	11	1.55	834	<1	69	433	16	0.52	<5	<5	<10	242	2337	8	91	<10	9	65
109993	367445	<1	3.00	8	144	2	<1	2.96	8	22	138	1	9.57	0.45	15	1.56	949	<1	65	596	13	0.47	<5	<5	<10	224	2613	<2	110	13	9	80
109994	367446	<1	3.59	7	155	2	1	3.21	9	24	151	<1	10.00	0.17	21	1.69	1033	<1	76	689	14	0.49	<5	<5	10	235	2841	<2	121	<10	10	86
109995	367447	<1	3.33	5	286	2	1	2.31	8	29	215	54	9.16	0.34	21	1.66	1125	3	62	490	7	0.53	<5	<5	<10	193	3613	<2	129	11	11	90
109996	367448	<1	2.92	4	284	<2	2	1.73	5	28	198	52	6.07	0.29	23	1.53	874	<1	61	442	7	0.47	<5	<5	<10	178	3508	2	125	23	9	81
109997	367449	<1	4.31	3	253	2	2	2.03	6	28	167	57	6.95	0.75	27	1.65	927	<1	59	497	15	0.49	<5	<5	<10	202	3576	10	127	11	11	81
109998	367450	227	4.29	22	451	<2	4	3.20	8	16	37	121	5.09	0.27	5	1.23	941	1	25	623	16901	0.57	130	<5	<10	295	2887	5	143	26	15	331
109999D	367450																IS															
110000	367451	<1	3.96	3	250	<2	2	2.28	5	26	200	61	5.81	0.47	19	1.42	1044	1	57	455	228	0.52	<5	<5	<10	207	3204	2	112	15	10	77
110001	367452	<1	4.50	7	338	2	<1	1.87	5	33	183	63	6.09	0.45	28	1.79	1034	<1	72	515	19	0.49	<5	<5	<10	195	3927	<2	135	23	11	91
110002	367453	<1	4.85	5	293	2	2	1.70	7	24	148	79	8.58	0.31	24	2.00	883	<1	62	502	14	0.57	<5	<5	<10	164	3187	3	109	16	11	76

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 8:40 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110003	367454	<1	4.23	7	516	2	<1	1.82	7	35	179	55	8.55	0.39	39	1.95	1144	<1	78	575	11	0.49	<5	<5	<10	245	4216	12	150	18	13	90
110004	367455	<1	3.53	6	134	2	<1	3.07	10	17	164	50	11.16	0.40	15	1.54	878	7	48	705	18	0.57	<5	<5	<10	260	2503	<2	86	10	13	64
110005	367456	<1	5.16	7	459	2	4	2.46	5	23	228	31	5.82	0.98	33	1.66	783	<1	91	388	14	0.62	<5	<5	<10	317	2377	2	67	12	6	76
110006	367457	<1	2.88	8	256	2	2	2.16	12	15	139	34	12.06	0.40	21	1.43	897	2	38	466	12	0.54	<5	<5	<10	202	2483	8	77	17	11	66
110007	367458	<1	3.09	7	336	2	<1	1.81	8	31	147	74	8.81	0.60	33	1.46	1006	<1	55	533	13	0.61	<5	<5	12	200	4771	<2	147	<10	12	106
110008	367459	<1	2.61	10	335	2	<1	1.99	13	22	119	49	13.27	0.49	28	1.33	968	2	42	616	19	0.59	<5	<5	<10	180	3591	<2	112	13	12	86
110009	367460	<1	3.00	8	493	<2	<1	3.76	<4	16	5	73	3.59	0.33	1	1.23	868	<1	9	607	18	0.45	<5	<5	<10	432	2557	2	130	14	15	51
110010D	367460																IS															
110011	367461	<1	2.02	8	109	2	4	2.25	14	10	108	28	14.28	0.14	8	1.13	692	2	26	498	16	0.61	<5	<5	<10	148	1535	<2	52	17	11	50
110012	367462	<1	2.27	13	417	3	3	2.11	13	21	97	50	13.44	0.27	36	1.33	1031	<1	40	485	19	0.65	6	<5	<10	221	3663	8	102	<10	11	84
110013	367463	<1	3.10	7	328	2	2	1.51	12	15	104	40	13.24	0.08	33	1.43	839	2	35	542	18	0.55	<5	<5	<10	176	2681	<2	80	16	14	75
110014	367464	<1	3.33	6	309	2	1	1.62	10	16	124	37	11.50	0.17	30	1.34	775	4	36	507	18	0.52	<5	<5	<10	238	2576	<2	78	13	10	73
110015	367465	<1	1.30	6	77	2	7	2.72	15	8	99	14	15.88	<0.01	5	0.99	728	5	21	586	23	0.53	<5	<5	<10	155	1464	<2	49	39	13	54
110016	367466	<1	1.71	4	94	2	3	3.39	13	8	69	12	14.10	0.07	7	1.06	757	<1	18	538	17	0.55	6	<5	<10	173	1468	6	49	634	14	49
110017	367467	<1	2.57	4	320	2	4	2.71	13	15	87	50	14.64	0.24	20	1.24	877	<1	30	633	19	0.60	8	<5	<10	255	2633	<2	80	344	12	76
110018	367468	<1	2.41	6	291	<2	2	1.23	5	16	95	38	5.57	0.23	23	0.98	559	<1	30	392	10	0.53	<5	<5	12	256	2498	<2	70	18	6	64
110019	367469	<1	2.04	7	348	2	3	1.38	12	22	94	43	13.02	0.28	30	1.29	877	<1	39	590	17	0.63	<5	<5	<10	218	3345	10	106	13	11	83
110020	367470	<1	4.01	48	295	2	1	1.05	7	14	27	2596	4.84	0.14	22	0.82	1094	11	22	713	81	1.83	<5	<5	<10	169	1136	<2	61	31	8	581
110021D	367470																IS															
110022	367471	<1	2.26	5	319	<2	<1	1.40	6	17	84	44	7.50	0.17	30	1.04	712	<1	31	459	17	0.57	<5	<5	<10	265	2968	<2	88	<10	8	68

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 8:41 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110023	367472	<1	1.81	8	331	2	<1	1.19	6	18	96	44	7.15	0.24	30	1.02	657	<1	34	452	13	0.56	<5	<5	<10	252	2962	<2	89	12	8	67
110024	367473	<1	2.30	6	237	<2	1	1.27	4	15	92	51	4.06	0.16	20	0.82	489	<1	29	374	5	0.53	<5	<5	<10	290	2599	<2	77	<10	6	57
110025	367474	<1	3.11	10	246	<2	5	1.57	8	14	68	47	9.46	0.01	28	1.12	757	<1	24	478	15	0.53	6	<5	<10	216	2603	<2	73	12	11	68
110026	367475	<1	2.98	8	281	2	2	1.54	12	15	74	34	12.13	<0.01	29	1.19	799	<1	29	532	19	0.59	<5	<5	<10	209	2626	<2	78	16	11	71
110027	367476	<1	3.30	10	376	2	3	1.93	11	16	109	39	11.40	0.19	29	1.32	769	<1	33	563	14	0.56	<5	<5	<10	211	2478	<2	72	14	11	79
110028	367477	<1	2.87	9	328	2	<1	1.76	9	17	89	46	10.26	0.07	29	1.15	746	<1	33	512	13	0.58	<5	<5	<10	212	2794	<2	85	10	10	79
110029	367478	<1	2.71	7	205	2	1	1.38	10	14	77	32	10.92	0.26	19	1.10	738	<1	25	470	20	0.59	<5	<5	<10	210	2427	<2	69	17	9	74
110030	367479	<1	2.62	6	325	<2	<1	1.10	5	22	99	45	5.45	0.18	26	1.08	770	<1	35	427	5	0.61	<5	<5	<10	252	3461	<2	95	<10	9	81
110031	367480	<1	3.40	10	477	<2	<1	3.73	<4	14	3	71	3.41	0.18	<1	1.25	846	<1	8	581	4	0.44	<5	<5	<10	423	2467	3	127	17	16	50
110032D	367480																IS															
110033	367481	<1	2.55	7	262	<2	1	1.31	4	23	97	49	4.46	0.21	23	0.90	740	<1	36	416	15	0.55	<5	<5	<10	250	3882	<2	106	<10	8	93
110034	367482	<1	1.67	4	234	<2	1	0.88	<4	17	93	46	3.00	<0.01	13	0.65	443	<1	23	337	4	0.51	<5	<5	<10	244	2465	<2	63	11	5	57
110035	367483	<1	3.82	7	252	<2	1	1.37	6	12	90	33	6.88	0.27	20	0.94	560	2	24	468	13	0.59	<5	<5	<10	296	2069	<2	57	<10	7	68
110036	367484	<1	2.74	10	340	<2	2	1.47	4	18	109	48	3.82	0.14	18	0.80	631	1	30	400	9	0.55	<5	<5	<10	287	2763	<2	77	11	6	83
110037	367485	<1	5.05	5	258	<2	<1	1.62	5	26	141	88	6.22	0.28	18	1.32	955	3	43	522	14	0.58	<5	<5	<10	224	4181	<2	113	<10	15	101
110038	367486	<1	4.89	7	231	<2	1	1.51	5	26	137	63	6.02	0.27	18	1.29	885	2	44	517	10	0.56	<5	<5	10	212	4169	7	114	18	15	91
110039	367487	<1	4.70	5	342	2	2	1.56	5	26	135	69	5.57	0.16	27	1.29	951	3	44	514	11	0.53	<5	<5	10	209	4239	<2	121	11	13	109
110040	367488	<1	3.91	6	335	<2	2	1.37	5	27	126	64	5.86	0.30	25	1.22	844	1	47	517	14	0.54	<5	<5	<10	190	4387	<2	125	10	11	104
110041	367489	<1	2.87	10	360	2	<1	1.65	7	24	121	69	8.23	0.06	22	1.21	819	<1	40	529	15	0.60	<5	<5	<10	199	3865	<2	110	16	12	101
110042	367490	<1	3.88	21	530	<2	2	2.29	<4	14	49	247	3.90	<0.01	8	1.21	732	7	40	651	10	0.51	<5	<5	<10	274	2776	2	110	23	15	62

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 8:41 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110043D	367490																IS														
110044	367491	<1	3.06	5	326	2	1	2.13	11	21	113	74	11.11	0.41	21	1.26	904	1	39	573	11	0.68	<5	<5	<10	192	3399	<2	101	<10	12	96
110045	367492	<1	3.03	5	392	2	<1	1.79	7	22	116	46	8.21	0.36	26	1.17	772	1	38	515	17	0.60	<5	<5	<10	223	3609	<2	101	19	11	94
110046	367493	<1	3.42	8	341	2	4	3.08	11	19	117	50	11.40	0.37	18	1.09	934	3	35	537	20	0.62	<5	<5	<10	243	3299	<2	95	22	12	99
110047	367494	<1	2.94	10	260	2	3	2.47	8	12	101	27	8.94	0.44	15	0.89	726	3	24	430	15	0.57	<5	<5	<10	215	2110	<2	60	12	11	60
110048	367495	<1	3.40	6	372	3	2	1.93	11	15	92	39	12.01	0.54	27	1.33	858	2	35	559	18	0.59	6	<5	<10	381	1970	<2	72	14	11	71
110049	367496	<1	3.96	13	360	2	4	2.16	9	16	84	42	10.34	0.36	29	1.45	1039	<1	35	584	20	0.56	<5	<5	<10	277	2118	5	70	12	11	71
110050	367497	<1	4.81	48	434	2	1	2.09	5	20	75	43	6.24	0.07	35	1.24	998	2	39	532	15	0.51	<5	<5	<10	289	2485	<2	81	11	11	72
110051	367498	<1	4.95	4	369	2	3	2.19	7	17	82	48	7.85	0.16	34	1.19	815	4	34	548	16	0.53	5	<5	<10	310	2480	<2	74	16	11	69
110052	367499	<1	4.62	10	458	2	5	2.04	6	14	65	29	6.82	0.04	36	1.07	528	<1	27	602	13	0.50	5	<5	<10	393	2246	<2	57	13	9	69
110053	367500	<1	3.82	8	501	<2	3	3.95	<4	15	4	76	3.56	0.07	1	1.32	881	<1	8	623	10	0.45	<5	<5	<10	444	2582	<2	133	15	17	51
110054R	367500																IS														
110055	367501	<1	3.75	7	449	2	2	2.61	6	10	70	21	6.31	0.47	27	1.20	643	2	20	519	11	0.48	<5	<5	<10	520	1868	<2	47	10	8	60
110056	367502	<1	4.48	43	450	2	<1	1.60	<4	11	48	22	3.39	<0.01	24	0.77	365	<1	19	432	11	0.49	<5	<5	<10	396	2022	<2	46	16	7	56
110057	367503	<1	4.50	11	724	2	2	1.86	5	12	62	42	5.77	0.16	33	1.13	568	2	24	502	16	0.52	5	<5	<10	334	1958	<2	51	12	9	68
110058	367504	<1	4.25	9	715	2	3	1.79	4	15	76	46	4.78	0.16	32	0.96	499	4	30	434	20	0.54	5	<5	<10	364	2352	<2	64	14	9	72
110059	367505	<1	4.03	3	595	2	3	2.64	4	9	46	28	4.59	0.49	36	1.11	534	<1	17	440	14	0.51	<5	<5	<10	386	1816	<2	41	15	7	53
110060	367506	<1	3.16	8	581	2	2	2.39	<4	9	41	24	3.88	<0.01	32	0.88	477	<1	15	378	10	0.50	<5	<5	<10	366	1670	<2	38	<10	7	48
110061	367507	<1	2.94	8	451	2	3	1.80	5	15	82	32	5.51	0.02	30	1.00	717	<1	33	466	17	0.53	<5	<5	<10	329	2536	<2	70	10	8	62
110062	367508	<1	3.10	7	455	2	<1	1.75	<4	18	100	41	3.55	<0.01	35	0.98	686	<1	39	432	9	0.50	<5	<5	<10	370	2750	<2	83	16	8	58

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 8:41 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110063	367509	<1	3.85	7	493	<2	2	1.74	<4	14	78	30	2.71	0.28	37	0.99	492	2	30	417	11	0.49	5	<5	<10	427	2279	7	64	14	7	58
110064	367510	250	3.46	19	402	<2	1	2.84	8	15	31	112	4.59	0.48	4	1.12	848	<1	24	560	17336	0.52	115	<5	13	269	2623	<2	129	21	14	301
110065D	367510																IS															
110066	367511	<1	3.44	9	559	<2	2	1.24	<4	15	59	38	2.84	0.10	39	0.87	476	<1	28	419	153	0.54	<5	<5	<10	316	2422	<2	67	13	7	68
110067	367512	<1	4.62	7	666	2	3	2.08	4	21	117	50	3.97	<0.01	45	1.36	681	<1	51	520	36	0.46	<5	<5	<10	314	2835	13	97	18	12	87
110068	367513	<1	2.54	7	478	<2	<1	2.01	<4	10	31	16	1.83	<0.01	25	0.54	361	<1	15	334	16	0.46	<5	<5	<10	279	2320	<2	45	16	4	44
110069	367514	<1	3.17	4	370	<2	2	2.57	<4	10	35	16	2.07	0.25	25	0.60	361	<1	49	394	15	0.41	<5	<5	<10	397	2532	<2	58	<10	5	50
110070	367515	<1	2.72	11	273	2	2	2.71	<4	12	39	18	2.04	0.40	29	0.61	378	<1	39	341	14	0.43	<5	<5	<10	440	2512	<2	53	17	5	54
110071	367516	<1	3.75	8	390	2	3	2.50	<4	12	51	24	2.16	0.42	39	0.61	366	<1	58	438	13	0.45	<5	<5	<10	448	2466	<2	61	19	6	45
110072	367517	<1	4.61	6	322	2	5	1.84	<4	13	50	22	2.14	0.29	29	0.57	351	1	55	462	20	0.49	<5	<5	<10	458	2715	7	65	16	6	40
110073	367518	<1	2.55	5	358	2	<1	2.17	<4	13	53	23	2.06	0.14	30	0.51	374	<1	59	415	15	0.48	<5	<5	<10	418	2377	<2	61	23	5	55
110074	367519	<1	3.90	4	452	2	1	2.08	<4	8	37	11	1.96	0.23	51	0.68	337	<1	43	406	14	0.50	<5	<5	<10	386	2030	<2	47	14	5	133
110075	367520	<1	3.37	6	522	<2	1	4.06	4	16	5	76	3.63	0.38	6	1.28	902	<1	9	621	14	0.49	<5	<5	<10	460	2671	3	136	19	15	54
110076D	367520																IS															
110077	367521	<1	3.52	7	413	<2	1	2.29	<4	9	34	15	1.90	0.21	39	0.61	324	<1	33	439	11	0.50	<5	<5	<10	389	2252	<2	49	<10	5	144
110078	367522	<1	3.47	4	281	<2	4	2.78	<4	10	29	17	2.24	0.19	30	0.63	430	<1	34	441	13	0.53	<5	<5	<10	393	2332	<2	49	12	5	62
110079	367523	<1	4.51	6	335	<2	3	1.50	<4	8	49	12	1.33	0.05	23	0.55	230	<1	42	347	12	0.50	<5	<5	<10	326	1829	<2	43	<10	6	38
110080	367524	<1	5.32	9	406	<2	<1	1.66	<4	10	38	14	1.87	0.06	34	0.64	285	<1	38	451	17	0.43	<5	<5	<10	356	2428	<2	55	21	6	51
110081	367525	<1	2.99	6	451	2	1	1.40	<4	11	31	14	1.85	0.17	25	0.49	267	<1	46	359	12	0.43	<5	<5	10	361	2532	<2	54	<10	4	51
110082	367526	<1	3.76	7	456	2	2	1.50	<4	11	30	11	1.74	0.31	25	0.51	272	<1	43	367	16	0.45	<5	<5	<10	376	2547	<2	54	11	5	47

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 8:41 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110083	367527	<1	4.40	5	436	2	<1	1.53	<4	12	30	15	1.73	0.38	24	0.47	280	<1	42	408	16	0.49	<5	<5	<10	393	2598	<2	54	<10	5	48
110084	367528	<1	1.69	3	507	2	1	1.49	<4	10	24	11	1.72	0.08	25	0.38	302	7	33	336	16	0.48	<5	<5	<10	356	2384	<2	50	<10	4	64
110085	367529	<1	0.91	7	418	<2	<1	1.52	<4	10	34	16	1.79	0.03	26	0.36	278	<1	48	312	10	0.48	<5	<5	<10	309	2307	<2	52	14	3	46
110086	367530	<1	4.47	58	317	2	2	1.16	7	13	28	2893	5.01	0.13	28	0.82	1126	12	23	728	85	1.97	<5	<5	<10	181	1184	<2	63	32	8	594
110087D	367530																IS															
110088	367531	<1	1.95	7	466	2	1	1.51	<4	12	27	31	1.86	0.05	28	0.41	295	<1	37	494	14	0.51	<5	<5	<10	355	2380	<2	51	10	3	57
110089	367532	<1	3.84	9	348	2	2	2.11	<4	10	37	20	1.91	0.20	30	0.53	364	<1	39	468	13	0.51	<5	5	<10	363	2322	<2	52	12	5	51
110090	367533	<1	3.96	20	379	2	2	2.31	<4	11	32	23	2.23	0.19	25	0.56	420	<1	43	467	13	0.53	<5	<5	<10	362	2179	<2	50	12	6	66
110091	367534	<1	2.83	8	526	2	1	2.03	<4	13	43	21	2.08	0.18	20	0.54	381	<1	51	437	13	0.39	<5	<5	<10	348	2310	<2	53	14	6	53
110092	367535	<1	4.98	10	751	2	1	3.43	<4	13	40	17	2.21	0.11	29	0.65	471	<1	43	471	14	0.43	5	<5	11	478	2780	<2	59	12	6	49
110093	367536	<1	4.05	6	768	2	4	2.68	<4	14	45	23	2.48	0.09	25	0.61	371	<1	50	469	17	0.45	<5	<5	<10	404	2797	<2	65	10	7	63
110094	367537	<1	4.47	6	824	3	2	2.17	<4	15	73	35	3.06	0.04	29	0.71	409	<1	59	450	14	0.54	<5	<5	11	325	2849	<2	72	18	8	78
110095	367538	<1	4.07	6	981	4	3	2.44	<4	15	56	44	3.29	0.23	20	0.58	493	<1	57	550	18	0.60	<5	<5	13	310	2907	2	70	21	8	71
110096	367539	<1	3.38	4	936	3	2	1.90	<4	12	31	18	1.94	0.16	24	0.58	356	<1	48	430	21	0.51	<5	<5	11	341	2684	<2	59	28	5	52
110097	367540	<1	3.40	6	493	<2	2	3.89	<4	15	3	72	3.50	0.52	2	1.28	866	<1	7	593	9	0.46	<5	<5	<10	437	2507	7	131	17	16	50
110098D	367540																IS															
110099	367541	<1	3.27	6	929	2	<1	2.06	<4	10	26	14	1.67	0.13	28	0.68	344	<1	44	460	16	0.49	<5	<5	<10	331	2308	<2	50	14	5	51
110100	367542	<1	3.79	4	1706	3	1	1.70	<4	9	20	9	1.44	0.04	24	0.59	332	<1	42	484	16	0.49	<5	<5	11	305	2342	<2	51	20	4	31
110101	367543	<1	2.69	13	1042	2	<1	1.32	<4	23	127	71	3.59	<0.01	29	0.74	495	<1	93	512	15	0.57	<5	<5	<10	174	2786	<2	91	12	9	56
110102	367544	<1	3.67	68	1085	2	2	1.50	<4	24	147	47	3.37	0.15	31	0.78	575	<1	100	606	16	0.54	<5	<5	<10	222	3329	<2	107	18	12	17

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 8:41 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110103	367545	<1	4.88	109	1035	2	3	1.35	<4	23	122	70	3.55	0.62	30	0.89	441	<1	87	582	22	0.53	5	<5	<10	216	2973	<2	94	12	11	22
110104	367546	<1	5.23	133	983	2	2	1.40	<4	25	122	70	3.66	0.51	33	0.93	456	2	102	585	25	0.49	<5	<5	<10	217	2883	<2	96	18	12	25
110105	367547	<1	4.07	90	580	2	<1	3.21	5	27	193	80	5.07	0.32	32	1.49	805	3	78	677	22	0.45	<5	<5	<10	234	3468	<2	114	10	15	83
110106	367548	<1	4.65	92	705	2	4	1.51	<4	26	185	56	3.25	0.29	28	0.87	482	2	62	554	22	0.51	<5	<5	<10	248	3164	<2	92	20	12	88
110107	367549	<1	4.69	34	650	2	1	0.99	<4	18	134	53	2.95	0.40	25	0.81	457	3	47	556	25	0.59	<5	<5	<10	212	2524	<2	70	18	11	77
110108	367550	<1	3.38	17	509	<2	3	2.22	4	14	50	246	3.83	0.19	9	1.18	718	9	41	628	15	0.47	5	<5	<10	266	2730	<2	107	21	14	60
110109D	367550																IS															
110110	367551	<1	2.15	40	673	2	1	2.09	<4	19	165	63	3.35	0.23	28	0.98	575	2	51	493	23	0.51	<5	<5	<10	230	2797	<2	81	<10	9	65
110111	367552	<1	3.06	167	698	3	3	1.77	4	27	177	60	3.68	0.11	35	0.95	556	<1	76	546	25	0.53	<5	<5	<10	271	3388	<2	97	<10	9	67
110112	367553	<1	3.52	1216	923	3	3	1.23	<4	22	191	71	3.50	0.29	28	0.96	480	4	63	688	20	0.54	<5	<5	<10	229	3291	4	88	16	10	70
110113	367554	<1	3.49	107	573	2	<1	1.27	<4	21	144	63	3.39	0.16	30	0.99	373	2	54	647	17	0.53	<5	<5	<10	228	2719	3	73	13	11	62
110114	367555	<1	3.13	246	609	2	1	2.20	4	24	142	62	3.73	<0.01	26	1.14	564	<1	67	544	21	0.50	<5	<5	<10	277	3021	<2	90	17	11	56
110115	367556	<1	3.83	22	555	2	2	2.89	<4	23	159	45	3.48	0.26	25	1.43	594	2	61	543	27	0.46	<5	<5	<10	289	2883	2	84	<10	11	65
110116	367557	<1	2.60	7	622	2	1	2.05	<4	23	151	65	3.57	0.21	23	1.20	570	<1	87	561	24	0.48	<5	<5	<10	251	2894	<2	90	28	10	45
110117	367558	<1	2.53	6	836	2	2	2.07	<4	23	143	64	3.44	0.09	20	1.03	486	<1	88	479	24	0.47	<5	<5	<10	234	3024	<2	95	12	10	56
110118	367559	<1	2.23	3	1070	2	1	1.83	4	25	166	70	3.93	0.33	21	1.15	455	1	100	597	23	0.47	<5	<5	<10	227	3252	<2	104	18	11	49
110119	367560	<1	2.73	<2	483	<2	1	3.82	<4	15	6	73	3.57	<0.01	<1	1.28	875	<1	10	590	9	0.42	<5	<5	<10	428	2510	3	132	15	16	52
110120R	367560																IS															
110121	367561	<1	2.58	4	741	2	3	1.77	<4	25	162	63	3.41	0.05	16	1.06	463	2	93	550	32	0.51	<5	<5	<10	219	2660	<2	86	13	11	35
110122	367562	<1	3.18	8	747	2	2	2.12	<4	23	137	70	3.47	<0.01	15	1.14	510	<1	87	522	27	0.52	<5	<5	<10	237	3081	<2	92	<10	11	26

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 8:41 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/15/2015
Date Completed: 04/28/2015
Job #: 201541349
Reference: 15-099
Sample #: 188

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110123	367563	<1	2.43	7	618	<2	2	1.93	<4	19	144	61	2.89	0.03	13	0.95	366	2	86	531	23	0.55	<5	<5	<10	220	2867	<2	83	14	10	18
110124	367564	<1	3.26	4	651	<2	<1	2.06	<4	18	142	48	2.60	<0.01	14	0.95	365	3	97	560	17	0.54	<5	<5	<10	210	2892	<2	83	15	12	18
110125	367565	<1	2.38	5	807	2	<1	2.37	<4	19	155	46	2.71	<0.01	10	0.94	368	4	96	476	18	0.53	<5	<5	<10	210	2771	5	85	<10	9	27
110126	367566	<1	3.24	9	779	2	3	2.48	<4	18	155	46	2.69	<0.01	10	0.99	367	3	95	509	20	0.53	<5	<5	<10	217	2756	<2	86	17	11	30
110127	367567	<1	2.76	9	812	2	<1	2.38	<4	19	147	51	2.77	0.36	14	0.98	397	2	84	446	28	0.56	<5	<5	<10	237	2778	<2	86	14	9	28
110128	367568	<1	3.09	33	659	2	2	3.30	<4	19	150	48	2.92	0.08	12	1.13	525	3	85	434	27	0.58	<5	<5	<10	317	2659	<2	85	14	10	36

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 05/08/2015
Date Completed: 05/13/2015
Job #: 201541705
Reference: 201540947
Sample #: 19

Acc #	Client ID	Au g/t (ppm)
140538	366521	0.040
140539	366522	0.139
140540	366523	0.206
140541	366524	0.084
140542	366525	0.254
140543	366526	0.263
140544	366527	0.049
140545	366528	0.090
140546	366529	0.165
140547	366530	<0.005
140548	366530	Insufficient Sample
140549	366531	0.035
140550	366532	0.085
140551	366533	0.160
140552	366534	0.061
140553	366535	0.027
140554	366536	0.101
140555	366537	0.018
140556	366538	<0.005
140557	366539	0.007

APPLIED SCOPES: ALM1, ALFA2

Validated By:
Shawn Rask
Laboratory Assistant Manager

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 05/08/2015
Date Completed: 05/13/2015
Job #: 201541705
Reference: 201540947
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALM1, ALFA2

Validated By:



Shawn Rask
Laboratory Assistant Manager

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 05/08/2015
Date Completed: 05/13/2015
Job #: 201541707
Reference: 201540989
Sample #: 19

Acc #	Client ID	Au g/t (ppm)
140578	366861	<0.005
140579	366862	<0.005
140580	366863	<0.005
140581	366864	<0.005
140582	366865	<0.005
140583	366866	<0.005
140584	366867	<0.005
140585	366868	<0.005
140586	366869	<0.005
140587	366870	<0.005
140588	366870	Insufficient Sample
140589	366871	0.006
140590	366872	0.035
140591	366873	0.235
140592	366874	0.021
140593	366875	0.099
140594	366876	0.107
140595	366877	0.309
140596	366878	0.126
140597	366879	0.107

APPLIED SCOPES: ALM1, ALFA2

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 05/08/2015
Date Completed: 05/13/2015
Job #: 201541707
Reference: 201540989
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.595	1.575	0.088
AR02	1.486	1.575	0.088

APPLIED SCOPES: ALM1, ALFA2

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 05/08/2015
Date Completed: 05/13/2015
Job #: 201541708
Reference: 201541224
Sample #: 19

Acc #	Client ID	Au g/t (ppm)
140598	368701	0.026
140599	368702	0.100
140600	368703	0.097
140601	368704	0.022
140602	368705	0.166
140603	368706	0.055
140604	368707	0.284
140605	368708	0.154
140606	368709	0.174
140607	368710	No Sample Received
140608	368710	No Sample Received
140609	368711	0.077
140610	368712	0.075
140611	368713	0.094
140612	368714	0.236
140613	368715	0.066
140614	368716	0.037
140615	368717	0.030
140616	368718	0.080
140617	368719	0.076

APPLIED SCOPES: ALM1, ALFA2

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 05/08/2015
Date Completed: 05/13/2015
Job #: 201541708
Reference: 201541224
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.468	1.575	0.088

APPLIED SCOPES: ALM1, ALFA2

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 05/04/2015
Date Completed: 05/08/2015
Job #: 201541589
Reference:
Sample #: 19

Acc #	Client ID	Au g/t (ppm)
131890	368171	0.074
131891	368172	0.027
131892	368173	0.040
131893	368174	0.110
131894	368175	2.582
131895	368176	1.610
131896	368177	0.342
131897	368178	0.063
131898	368179	0.165
131899	368180	0.272
131900	368180	Insufficient Sample
131901	368181	0.033
131902	368182	0.055
131903	368183	0.080
131904	368184	2.133
131905	368185	0.109
131906	368186	0.069
131907	368187	0.153
131908	368188	0.053
131909	368189	0.754

APPLIED SCOPES: ALFA1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 15, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 05/04/2015
Date Completed: 05/08/2015
Job #: 201541589
Reference:
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.507	1.575	0.088

APPLIED SCOPES: ALFA1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACTLABS QA/QC

CERTIFICATES

Quality Analysis ... *Innovative Technologies*

Date Submitted: 13-Mar-15
Invoice No.: A15-01649
Invoice Date: 24-Mar-15
Your Reference:

Treasury Metals Inc.
Exchange Tower, 130 King Street East
Suite 3680
Toronto Ontario
Canada

ATTN: Paul Dunbar

CERTIFICATE OF ANALYSIS

134 Pulp samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-50-Tbay Au - Fire Assay AA(QOP Fire Assay Tbay)
Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1A3-50-Tbay Au - Fire Assay Gravimetric (QOP Fire Assay Tbay)
Code 1A3-Tbay Au - Fire Assay Gravimetric (QOP Fire Assay Tbay)

REPORT **A15-01649**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

Footnote: Sample 202332 is INS for further analyses.

CERTIFIED BY:

Elitsa Hrischeva, Ph.D.
Quality Control

SCC Accredited LAB
LAB Accrédité CCN

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Analyte Symbol	Au	Au	Au
Unit Symbol	ppb	g/tonne	g/tonne
Lower Limit	5	0.03	0.02
Method Code	FA-AA	FA-GRA	FA-GRA
201811	467		
201817	169		
201882	1390		
201887	> 5000	14.5	13.4
201891	3350		
201905	573		
201907	768		
201914	2930		
201928	44		
201938	284		
201962	10		
201988	315		
364565	2280		
364566	2420		
364589	1990		
364598	549		
364614	> 5000	21.4	24.1
364659	1310		
364688	231		
202373	859		
202191	1260		
202204	352		
202218	89		
202228	244		
202236	1260		
202245	22		
202252	32		
202293	> 5000	23.8	19.3
202295	1180		
202332	> 5000		
202338	1960		
202348	1800		
202349	3310		
202401	> 5000	5.18	5.40
202402	1030		
202427	106		
202436	114		
363006	487		
363035	2030		
363066	48		
363078	47		
363134	378		
363153	1000		
363164	141		
363173	1530		
363185	783		
363193	24		
363988	492		
364021	674		

Analyte Symbol	Au	Au	Au
Unit Symbol	ppb	g/tonne	g/tonne
Lower Limit	5	0.03	0.02
Method Code	FA-AA	FA-GRA	FA-GRA
363203	10		
363251	123		
363258	1220		
363284	772		
363329	302		
363362	717		
363364	2720		
363368	88		
363376	1170		
363418	24		
363425	1080		
363441	18		
363522	103		
363539	2260		
363552	1390		
363565	112		
363588	104		
363653	1410		
363659	1170		
363694	85		
363711	259		
363722	1680		
363727	1140		
363741	> 5000	10.5	18.2
363742	103		
363756	177		
363783	2290		
363819	1510		
363827	475		
363866	21		
363872	27		
363908	1710		
363925	174		
363932	418		
364045	> 5000	5.99	8.11
364046	3320		
364047	556		
364089	1440		
364091	> 5000	4.38	4.79
364092	196		
364096	3240		
364118	1920		
364121	58		
364122	1530		
364143	3180		
364144	100		
364152	1050		
364153	1910		
364154	2510		
364155	288		

Analyte Symbol	Au	Au	Au
Unit Symbol	ppb	g/tonne	g/tonne
Lower Limit	5	0.03	0.02
Method Code	FA-AA	FA-GRA	FA-GRA
364157	710		
364158	127		
364161	34		
364163	1250		
364189	1750		
364191	48		
364192	123		
364214	137		
364258	131		
364272	174		
364287	1630		
364288	258		
364292	> 5000	8.89	5.41
364293	302		
364304	2460		
364306	678		
364308	1980		
364309	1830		
364311	551		
364356	1070		
364399	1490		
364401	74		
364416	1130		
364417	132		
364427	2890		
364428	179		
364478	1270		
364479	141		
364493	277		
364494	1130		
364495	717		
364503	1310		
364504	33		
364537	768		
364538	190		

QC

Analyte Symbol	Au	Au	Au
Unit Symbol	ppb	g/tonne	g/tonne
Lower Limit	5	0.03	0.02
Method Code	FA-AA	FA-GRA	FA-GRA
OxD108 Meas	407		
OxD108 Cert	414.000		
OxD108 Meas	421		
OxD108 Cert	414.000		
OxD108 Meas	427		
OxD108 Cert	414.000		
OxD108 Meas	401		
OxD108 Cert	414.000		
OxD108 Meas	430		
OxD108 Cert	414.000		
OxD108 Meas	426		
OxD108 Cert	414.000		
OxD108 Meas	426		
OxD108 Cert	414.000		
OxD108 Meas	415		
OxD108 Cert	414.000		
OxD108 Meas	423		
OxD108 Cert	414.000		
OxD108 Meas	428		
OxD108 Cert	414.000		
SE68 Meas	596		
SE68 Cert	599		
SE68 Meas	597		
SE68 Cert	599		
SE68 Meas	608		
SE68 Cert	599		
SE68 Meas	619		
SE68 Cert	599		
SE68 Meas	598		
SE68 Cert	599		
SE68 Meas	619		
SE68 Cert	599		
SE68 Meas	599		
SE68 Cert	599		
SE68 Meas	626		
SE68 Cert	599		
SE68 Meas	622		
SE68 Cert	599		
TB-GS-5A Meas		5.15	5.13
TB-GS-5A Cert		5.032	5.032
OREAS 61E Meas		4.50	4.50
OREAS 61E Cert		4.43	4.43
201928 Orig	53		
201928 Dup	39		
201938 Orig	286		
201938 Dup	324		
202373 Orig	1060		
202373 Dup	920		
202191 Orig	852		

Analyte Symbol	Au	Au	Au
Unit Symbol	ppb	g/tonne	g/tonne
Lower Limit	5	0.03	0.02
Method Code	FA-AA	FA-GRA	FA-GRA
202191 Dup	1050		
363173 Orig	1520		
363173 Dup	1540		
363185 Orig	998		
363185 Dup	950		
363258 Orig	969		
363258 Dup	919		
363362 Orig	735		
363362 Dup	941		
363376 Orig	1230		
363376 Dup	1270		
363376 Orig	1070		
363565 Orig	158		
363565 Dup	177		
363653 Orig	1670		
363653 Dup	1630		
363827 Dup	629		
363872 Orig	28		
363872 Dup	25		
364096 Orig	2950		
364096 Dup	3520		
364157 Orig	611		
364157 Dup	809		
364157 Orig	848		
364157 Dup	798		
364161 Orig	35		
364161 Dup	33		
364306 Orig	691		
364306 Dup	664		
364428 Orig	175		
364428 Dup	182		
364503 Orig	952		
364503 Dup	998		
364503 Orig	1310		
364503 Dup	1320		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		

Analyte Symbol	Au	Au	Au
Unit Symbol	ppb	g/tonne	g/tonne
Lower Limit	5	0.03	0.02
Method Code	FA-AA	FA-GRA	FA-GRA
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank	< 5		
Method Blank		< 0.03	
Method Blank			< 0.02

2015 INFILL SAMPLING PROGRAM

ACCURASSAY CERTIFICATES

Order Number	Hole Number
15-018	TL12278
15-019	TL12279
15-020	TL12280
15-021	TL12281
15-022	TL13314
15-023	TL13325
15-024	TL14341
15-025	TL14344
15-026	TL14348
15-027	TL14349
15-028	TL14350
15-029	TL14356
15-030	TL14360
15-031	TL14361
15-032	TL14362
15-033	TL14378B
15-034	TL161-14RE
15-035	TL15381B
15-036	TL15382
15-037	TL15383
15-038	TL15385B
15-039	TL15387
15-040	TL10114
15-041	TL10115
15-043	TL10116
15-044	TL11210
15-045	TL0844
15-046	TL0845
15-047	TL0847
15-048	TL0852
15-049	TL0855
15-050	TL11167
15-051	TL11168
15-052	TL11184
15-053	TL11192
15-054	TL11196
15-055	TL11197
15-056	TL11200
15-057	TL11206A
15-058	TL11213
15-059	TL12283
15-061	TL12284
15-062	TL12285
15-063	TL12286

Order Number	Hole Number
15-064	TL12294
15-065	TL12295
15-066	TL13326
15-067	TL0838
15-068	TL0839
15-069	TL0850
15-070	TL0853
15-071	TL1099
	TL10114
15-072	TL10116
15-073	TL10113-13RE
15-074	TL10118
15-075	TL11119
15-076	TL11122
15-077	TL11126
15-078	TL11127
15-079	TL11128
15-080	TL11212
15-081	TL11134
15-082	TL11139
15-083	TL11140
15-084	TL11142
15-085	TL11143
15-086	TL11216
15-087	TL11218
15-088	TL11151
15-089	TL11156
15-090	TL11161
15-091	TL11174
15-092	TL11179
15-093	TL11162
15-094	TL11180
15-095	TL13331
15-096	TL11228
15-097	TL11216
15-100	TL13-303
15-101	TL11-220
15-102	TL:226-12RE
15-103	TL13-305
15-104	TL148-12RE
15-105	TL11-215
15-106	TL13-301
15-107	TL12-291
15-108	TL11-185A

Order Number	Hole Number
15-109	TL13-296
15-110	TL12-290
15-111	TL14-358
15-112	TL11-186A
15-113	TL11-193
15-114	TL13-333
15-115	TL11-198
15-116	TL15-386
15-117	TL11-130

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541254
Reference: 15-067
Sample #: 23

Acc #	Client ID	Au g/t (ppm)
104244	368848	<0.005
104245	368849	<0.005
104246	368850	4.833
104247	368851	<0.005
104248	368852	<0.005
104249	368853	0.007
104250	368854	0.582
104251	368855	0.030
104252	368856	0.189
104253	368857	0.857
104254	368857 Dup	0.864
104255	368858	0.532
104256	368859	0.016
104257	368860	0.268
104258	368861	0.018
104259	368862	0.006
104260	368863	0.006
104261	368864	<0.005
104262	368865	0.062
104263	368866	0.009
104264	368867	0.027
104265	368867 Dup	0.019
104266	368868	0.252
104267	368869	0.023
104268	368870	0.264

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541254
Reference: 15-067
Sample #: 23

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.546	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541254
Reference: 15-067
Sample #: 23

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104244	368848	<1	6.48	<2	574	<2	8	2.87	<4	9	10	10	1.86	0.13	12	0.98	550	<1	9	506	7	0.19	<5	8	<10	170	1735	<2	36	<10	7	59
104245	368849	<1	5.21	4	591	<2	25	2.28	<4	10	5	16	2.02	0.33	19	1.31	873	<1	12	499	65	0.33	<5	6	<10	150	1952	<2	37	12	7	288
104246	368850	134	4.90	10	385	<2	10	2.95	6	16	22	99	5.03	0.01	6	1.24	910	4	25	583	17475	0.11	76	<5	14	296	2833	<2	135	17	17	330
104247	368851	<1	6.04	<2	610	<2	15	1.82	<4	8	10	13	1.57	0.19	18	1.10	619	<1	9	466	171	0.19	6	15	<10	142	1862	<2	33	89	8	109
104248	368852	<1	6.10	19	622	<2	27	1.25	<4	8	13	15	1.57	0.36	21	0.86	563	<1	9	461	57	0.33	6	18	11	123	1946	<2	35	21	8	106
104249	368853	<1	6.17	24	624	<2	17	1.21	<4	9	2	17	1.81	0.27	25	1.13	924	<1	9	499	63	0.48	7	23	<10	106	2038	<2	35	13	7	115
104250	368854	<1	5.98	20	612	<2	9	1.36	<4	8	3	18	1.91	0.29	23	1.14	862	<1	9	468	62	0.45	7	12	12	107	1896	<2	34	29	8	230
104251	368855	2	4.18	8	498	<2	7	1.18	<4	6	13	12	1.38	0.22	16	1.04	674	<1	7	308	40	0.18	<5	12	<10	106	1343	<2	21	10	7	70
104252	368856	6	7.29	6	635	<2	16	3.67	<4	8	2	21	2.32	0.29	26	2.29	1341	<1	11	376	47	0.20	8	13	<10	195	1727	<2	26	33	8	170
104253	368857	54	6.33	6	891	<2	19	1.86	<4	6	3	11	1.32	0.14	23	1.34	590	<1	7	339	209	0.17	<5	13	<10	190	1673	<2	25	19	6	363
104254D	368857	54	6.09	9	891	<2	26	1.82	<4	7	3	10	1.30	0.13	23	1.30	579	<1	7	331	211	0.15	8	15	10	188	1669	<2	25	16	6	371
104255	368858	14	6.06	7	887	<2	16	3.57	<4	7	2	16	1.92	0.36	24	1.75	1027	<1	10	365	36	0.19	5	21	<10	255	1846	<2	26	13	7	258
104256	368859	<1	4.99	25	381	<2	20	0.86	<4	22	121	135	3.35	<0.01	22	1.42	684	<1	60	523	22	0.33	<5	19	<10	143	2684	<2	98	15	9	108
104257	368860	<1	5.30	3	453	<2	16	3.73	<4	15	<1	65	3.78	0.20	4	1.36	897	<1	9	581	<1	0.06	7	6	<10	463	2735	<2	133	16	20	50
104258	368861	<1	5.07	8	525	2	17	0.68	<4	13	46	22	1.56	0.15	19	1.20	421	<1	32	415	13	0.20	<5	10	<10	128	1800	<2	60	<10	7	60
104259	368862	<1	4.70	4	392	<2	11	0.58	<4	7	12	9	1.32	0.22	20	1.63	472	<1	11	308	25	0.13	<5	17	<10	97	1265	<2	24	10	7	71
104260	368863	<1	5.49	4	416	<2	25	0.95	<4	5	11	13	1.27	0.02	18	1.45	500	<1	9	265	11	0.13	<5	23	<10	145	1153	3	20	16	6	53
104261	368864	<1	5.54	6	329	<2	30	1.39	<4	4	8	7	1.11	0.05	16	1.34	415	<1	5	255	13	0.07	<5	15	12	223	1130	<2	17	11	5	43
104262	368865	<1	5.64	2	401	<2	25	1.36	<4	4	2	6	1.04	0.20	13	1.11	346	<1	5	249	6	0.09	7	17	<10	204	1214	<2	17	14	5	56
104263	368866	<1	5.30	2	374	<2	16	1.30	<4	4	<1	5	0.96	0.23	13	1.04	326	<1	3	248	6	0.09	<5	32	13	199	1160	<2	16	<10	5	50

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541254
Reference: 15-067
Sample #: 23

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104264	368867	<1	4.57	3	460	<2	14	1.30	<4	6	8	6	1.10	0.36	16	1.27	499	<1	9	257	9	0.09	<5	9	<10	171	1260	<2	21	<10	5	74
104265D	368867	<1	4.75	6	451	<2	15	1.28	<4	5	7	6	1.08	0.27	16	1.29	488	<1	9	253	9	0.09	8	18	<10	170	1228	<2	21	<10	5	72
104266	368868	<1	5.48	7	458	<2	23	1.08	<4	7	15	18	0.89	0.22	21	1.29	479	<1	11	293	62	0.10	6	14	<10	138	1336	<2	26	17	6	260
104267	368869	<1	5.67	12	437	<2	18	1.74	<4	10	7	8	1.22	0.13	19	1.36	479	<1	14	227	51	0.13	10	15	<10	143	1606	<2	27	19	6	421
104268	368870	<1	4.73	48	260	<2	25	1.02	4	13	14	2270	4.83	0.03	24	0.87	1070	15	21	688	61	1.45	6	22	13	180	1146	<2	58	23	9	568

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541256
Reference: 15-068
Sample #: 14

Acc #	Client ID	Au g/t (ppm)
104269	368871	0.015
104270	368872	0.062
104271	368873	0.012
104272	368874	0.012
104273	368875	0.009
104274	368876	0.010
104275	368877	0.013
104276	368878	0.007
104277	368879	0.009
104278	368880	4.951
104279	368880	Insufficient Sample
104280	368881	0.022
104281	368882	0.079
104282	368883	0.020
104283	368884	0.034

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541256
Reference: 15-068
Sample #: 14

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541256
Reference: 15-068
Sample #: 14

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104269	368871	<1	4.16	2	389	<2	5	2.38	<4	11	9	17	2.19	0.57	10	0.80	678	<1	11	486	<1	0.23	<5	14	37	419	2539	<2	45	<10	6	85
104270	368872	<1	3.31	7	448	<2	10	2.04	<4	10	7	9	1.88	0.66	10	0.71	726	<1	10	472	4	0.18	<5	<5	37	414	2309	<2	43	<10	5	71
104271	368873	<1	2.88	4	431	<2	18	2.25	<4	11	21	13	2.03	0.75	11	0.75	602	<1	15	430	<1	0.22	5	14	36	416	2128	<2	45	<10	5	55
104272	368874	<1	3.45	4	453	<2	6	2.37	<4	11	11	13	2.13	0.64	11	0.75	583	<1	15	440	<1	0.22	6	14	35	415	2351	<2	45	<10	5	124
104273	368875	<1	5.81	<2	467	<2	13	2.26	<4	10	16	12	2.02	0.11	12	0.78	538	<1	13	542	<1	0.15	<5	7	35	416	2594	<2	47	<10	7	61
104274	368876	<1	4.30	2	522	<2	21	2.40	<4	11	11	16	2.10	0.34	11	0.70	528	<1	14	524	<1	0.17	6	12	36	460	2699	<2	48	15	6	56
104275	368877	<1	5.18	<2	558	<2	16	2.48	<4	11	11	15	2.23	0.51	13	0.78	568	<1	13	549	<1	0.21	<5	16	31	531	2800	<2	49	<10	7	58
104276	368878	<1	4.55	2	524	<2	33	2.37	<4	11	6	12	2.15	0.54	10	0.72	542	<1	12	515	<1	0.27	<5	7	33	469	2722	<2	48	<10	6	51
104277	368879	<1	4.46	3	532	<2	20	2.35	<4	11	10	23	2.15	0.61	10	0.76	585	<1	14	494	<1	0.35	5	6	35	414	2445	<2	47	14	6	64
104278	368880	<1	4.17	<2	503	<2	14	3.90	<4	16	<1	66	3.84	0.46	5	1.32	907	<1	9	548	<1	0.06	5	11	35	475	2765	<2	134	15	18	56
104279D	368880																IS															
104280	368881	<1	3.91	2	495	<2	23	2.15	<4	10	10	39	2.08	0.34	10	0.73	586	<1	11	514	2	0.32	<5	7	37	357	2314	<2	49	<10	6	76
104281	368882	<1	2.68	7	384	<2	7	1.69	<4	10	4	33	1.86	<0.01	8	0.64	513	<1	11	436	1	0.41	<5	18	32	263	1857	<2	39	12	5	525
104282	368883	<1	2.49	6	373	<2	9	1.74	<4	8	5	13	1.63	<0.01	7	0.58	487	<1	10	435	<1	0.19	<5	5	29	219	2057	<2	38	<10	5	62
104283	368884	<1	1.43	6	340	<2	<1	1.61	<4	8	<1	23	1.63	<0.01	8	0.51	543	<1	11	418	13	0.28	5	10	32	178	2043	<2	37	14	4	444

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:25 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/13/2015
Job #: 201541133
Reference: TL15-045
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
96424	368344	0.019
96425	368345	0.053
96426	368346	0.029
96427	368347	0.062
96428	368348	0.008
96429	368349	0.014
96430	368350	1.433
96431	368351	0.027
96432	368352	0.030
96433	368353	0.018
96434	368353 Dup	0.026
96435	368354	0.021
96436	368355	0.026
96437	368356	0.065
96438	368357	0.016
96439	368358	0.088
96440	368359	0.011
96441	368360	<0.005
96442	368361	0.012
96443	368362	0.033
96444	368363	0.067
96445	368363 Dup	0.051
96446	368364	0.056
96447	368365	0.015
96448	368366	0.065

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/13/2015
Job #: 201541133
Reference: TL15-045
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
96449	368367	0.103
96450	368368	0.076

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/13/2015
Job #: 201541133
Reference: TL15-045
Sample #: 25

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.551	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/13/2015
Job #: 201541133
Reference: TL15-045
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96424	368344	<1	6.82	12	629	<2	20	2.18	<4	5	9	10	1.30	1.05	24	1.46	729	<1	6	359	26	0.19	<5	28	32	136	1822	8	27	14	6	125
96425	368345	<1	6.95	25	654	<2	18	1.93	<4	6	10	11	1.32	1.09	23	1.32	646	<1	6	354	28	0.15	<5	18	36	119	1840	3	27	15	6	43
96426	368346	<1	3.54	6	458	<2	12	1.35	<4	5	6	9	1.05	2.04	13	1.05	519	<1	4	265	25	0.12	6	23	29	92	1417	7	21	14	4	32
96427	368347	<1	5.64	<2	385	<2	33	6.92	<4	4	5	77	2.31	1.39	10	4.08	2310	<1	6	323	139	0.17	13	24	36	173	1513	9	20	20	8	235
96428	368348	<1	5.47	10	705	<2	18	2.52	<4	6	9	22	1.40	1.48	22	1.82	1034	<1	5	323	28	0.16	<5	14	36	138	1634	7	23	17	6	55
96429	368349	<1	6.39	21	549	<2	22	1.57	<4	5	14	55	1.47	0.17	26	1.49	689	<1	5	315	197	0.29	<5	14	36	128	1569	6	23	27	6	574
96430	368350	<1	4.70	22	484	<2	53	2.11	<4	14	37	198	3.75	<0.01	12	1.25	682	5	37	585	14	0.10	7	11	32	266	2753	6	103	29	16	58
96431	368351	<1	6.49	20	639	<2	29	1.93	<4	6	14	75	1.51	0.15	26	1.61	805	<1	7	333	97	0.24	<5	20	32	152	1673	8	27	17	7	171
96432	368352	<1	5.63	14	553	<2	37	2.65	<4	6	11	22	1.55	0.86	18	1.85	1148	5	6	330	35	0.29	<5	14	39	138	1618	12	24	19	6	72
96433	368353	<1	6.11	4	638	<2	2	2.22	<4	6	8	9	1.48	0.58	20	1.73	945	<1	6	334	20	0.20	<5	25	36	138	1730	9	25	10	6	50
96434D	368353	<1	5.49	19	606	<2	19	2.07	<4	5	7	8	1.41	0.88	18	1.65	901	<1	5	327	18	0.18	<5	25	35	131	1648	8	24	18	6	46
96435	368354	<1	6.34	4	689	<2	36	1.59	<4	7	4	12	1.34	0.53	24	1.29	538	<1	6	348	22	0.20	7	29	37	149	1848	2	26	15	6	68
96436	368355	<1	1.33	<2	268	<2	7	0.85	<4	4	<1	31	0.98	0.10	7	0.99	462	<1	3	191	281	0.12	<5	11	20	102	1030	3	15	22	3	517
96437	368356	<1	3.51	3	557	<2	3	1.60	<4	4	6	17	1.42	0.42	12	1.40	781	<1	4	243	223	0.27	<5	13	26	137	1246	6	19	31	5	721
96438	368357	6	3.66	9	576	<2	20	1.16	<4	5	2	9	1.01	0.58	17	1.26	624	<1	5	252	21	0.14	<5	5	29	124	1353	2	20	10	5	93
96439	368358	<1	4.54	11	537	<2	27	1.67	<4	6	14	12	1.44	0.90	19	1.36	734	<1	5	349	21	0.21	6	21	30	146	1562	3	22	15	7	58
96440	368359	<1	4.19	<2	513	<2	26	1.41	<4	5	11	32	1.20	0.91	18	1.28	649	<1	4	299	16	0.14	<5	14	32	129	1509	3	21	15	5	51
96441	368360	<1	4.71	4	431	<2	19	3.38	<4	14	<1	56	3.35	0.76	4	1.32	784	<1	7	514	11	0.06	5	8	30	411	2436	10	118	25	19	42
96442	368361	<1	4.27	9	446	<2	7	1.87	<4	6	13	36	1.21	0.55	11	1.38	894	1	10	276	91	0.09	<5	19	26	125	1288	4	20	<10	5	121
96443	368362	<1	5.64	<2	680	<2	120	2.15	<4	6	19	32	1.44	1.31	20	1.70	1031	1	7	330	95	0.09	<5	20	35	147	1683	5	26	28	6	296

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/20/2015 12:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/13/2015
Job #: 201541133
Reference: TL15-045
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96444	368363	<1	4.64	<2	637	<2	30	1.71	<4	6	9	32	1.24	1.47	18	1.31	726	<1	6	287	33	0.06	<5	17	31	133	1659	6	24	18	5	52
96445D	368363	<1	4.25	7	644	<2	18	1.72	<4	5	9	32	1.26	1.47	19	1.26	732	<1	6	280	39	0.07	<5	18	37	135	1650	5	24	21	5	55
96446	368364	<1	4.42	6	649	<2	8	1.33	<4	5	2	18	1.23	1.13	21	1.29	540	<1	5	305	24	0.06	<5	13	31	120	1732	6	24	19	5	90
96447	368365	<1	4.40	6	666	<2	40	1.33	<4	6	10	12	1.38	1.07	22	1.20	509	<1	5	298	27	0.06	6	10	29	126	1761	3	25	12	4	47
96448	368366	<1	2.65	9	468	<2	19	0.90	<4	4	5	9	1.03	0.36	13	0.95	387	<1	4	243	21	0.04	<5	11	28	98	1302	5	19	11	4	32
96449	368367	<1	3.07	<2	530	<2	18	1.20	<4	4	8	48	1.17	0.54	17	1.07	520	<1	4	265	27	0.07	<5	13	29	121	1403	4	21	14	4	41
96450	368368	<1	3.49	2	592	<2	<1	1.29	<4	5	9	20	1.20	0.83	20	1.08	582	<1	5	273	30	0.12	<5	7	30	123	1564	4	22	14	4	75

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/20/2015 12:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/13/2015
Job #: 201541155
Reference: TL15-046
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
97087	368369	0.031
97088	368370	5.159
97089	368371	0.034
97090	368372	0.024
97091	368373	0.019
97092	368374	0.013
97093	368375	0.030
97094	368376	0.032
97095	368377	0.033
97096	368378	0.081
97097	368378 Dup	0.095
97098	368379	0.022
97099	368380	<0.005
97100	368381	0.014
97101	368382	<0.005
97102	368383	0.018
97103	368384	0.027
97104	368385	0.011
97105	368386	0.013
97106	368387	0.034
97107	368388	0.018
97108	368388 Dup	0.018
97109	368389	0.033
97110	368390	0.387
97111	368391	0.012

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/13/2015
Job #: 201541155
Reference: TL15-046
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
97112	368392	0.006
97113	368393	0.055

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/13/2015
Job #: 201541155
Reference: TL15-046
Sample #: 25

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.509	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/13/2015
Job #: 201541155
Reference: TL15-046
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97087	368369	<1	3.91	11	522	<2	3	1.35	<4	7	9	7	1.48	0.21	14	1.46	609	<1	33	331	26	0.26	<5	<5	<10	110	1649	<2	34	23	5	170
97088	368370	124	3.59	20	360	2	3	2.71	8	15	24	103	4.79	<0.01	<1	1.18	884	<1	26	552	16544	0.07	104	<5	10	272	2763	<2	128	32	16	302
97089	368371	1	4.82	10	588	<2	1	1.09	<4	7	7	4	1.15	<0.01	14	1.25	439	<1	32	364	43	0.14	<5	<5	<10	105	1796	<2	33	12	5	33
97090	368372	<1	4.23	6	546	<2	5	1.05	<4	5	6	4	1.28	<0.01	14	1.35	487	<1	32	352	17	0.13	<5	<5	<10	102	1787	<2	32	18	5	62
97091	368373	<1	3.63	8	511	<2	3	2.88	<4	5	11	18	1.33	<0.01	8	2.09	971	<1	37	308	56	0.06	<5	<5	<10	137	1569	<2	31	10	5	96
97092	368374	<1	4.28	3	536	<2	<1	1.67	<4	6	6	22	1.46	0.39	13	1.86	790	<1	35	322	33	0.20	<5	<5	<10	129	1632	<2	32	15	5	138
97093	368375	<1	4.85	14	489	<2	4	2.73	<4	6	7	8	1.56	0.84	12	2.78	1259	<1	32	331	78	0.21	<5	<5	<10	169	1632	<2	31	28	5	315
97094	368376	<1	3.69	9	351	<2	3	1.72	<4	5	7	17	1.50	0.42	9	1.86	872	<1	33	324	119	0.20	<5	<5	<10	134	1458	3	30	41	5	648
97095	368377	2	4.56	14	402	<2	1	1.50	4	7	9	8	2.09	0.65	20	2.52	1058	<1	31	410	302	0.49	<5	6	<10	111	1549	<2	29	42	5	996
97096	368378	2	4.62	3	582	<2	2	0.47	<4	6	8	8	1.52	0.44	18	1.52	598	<1	33	356	281	0.14	7	<5	<10	82	1796	<2	33	14	5	145
97097D	368378	1	4.60	4	556	<2	<1	0.43	<4	5	7	7	1.45	0.40	18	1.49	571	<1	32	346	271	0.12	<5	<5	<10	80	1735	<2	32	26	5	131
97098	368379	1	5.26	5	557	<2	2	1.17	<4	6	16	10	1.77	0.21	18	1.71	680	<1	41	360	134	0.23	<5	<5	11	121	1780	<2	35	24	5	107
97099	368380	<1	3.94	3	<1	<2	3	3.46	<4	<1	<1	51	3.00	0.61	<1	1.20	509	<1	3	499	4	0.05	<5	<5	<10	131	310	<2	5	10	5	5
97100	368381	1	5.43	6	758	<2	1	1.29	<4	8	6	18	1.74	0.91	16	1.30	525	<1	35	376	31	0.13	5	<5	<10	131	1983	<2	37	12	5	48
97101	368382	<1	3.64	5	410	<2	4	2.17	<4	7	69	33	1.50	0.20	11	1.66	714	<1	68	777	30	0.07	<5	<5	<10	146	1450	<2	37	16	7	77
97102	368383	<1	5.55	8	568	<2	<1	1.43	<4	6	19	8	1.46	<0.01	19	1.20	550	<1	56	397	29	0.14	5	<5	<10	127	1970	<2	41	19	5	53
97103	368384	<1	4.14	5	410	<2	3	1.43	<4	6	14	20	1.55	<0.01	12	1.16	595	<1	50	320	52	0.12	<5	<5	<10	115	1711	<2	36	14	5	75
97104	368385	<1	4.83	5	552	<2	1	1.37	<4	7	14	10	1.63	0.35	17	1.31	575	<1	45	372	24	0.07	6	<5	<10	123	1951	<2	37	11	5	46
97105	368386	<1	3.58	9	490	<2	3	1.31	<4	5	13	10	1.62	<0.01	14	1.23	580	<1	44	345	22	0.08	5	<5	<10	117	1846	<2	36	18	5	46
97106	368387	<1	4.39	8	621	<2	2	1.33	<4	6	11	9	1.50	0.04	15	1.24	544	<1	38	357	15	0.10	<5	<5	<10	113	1921	<2	36	11	5	41

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:55 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/13/2015
Job #: 201541155
Reference: TL15-046
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97107	368388	<1	3.16	6	591	<2	2	1.11	<4	5	5	14	1.32	0.07	14	1.11	558	<1	30	340	27	0.13	<5	<5	<10	100	1806	<2	32	20	4	37
97108D	368388	<1	4.17	9	633	<2	2	1.21	<4	6	8	15	1.37	0.12	17	1.18	584	<1	38	368	24	0.13	<5	<5	<10	107	1909	<2	35	18	4	39
97109	368389	3	3.93	7	406	<2	4	3.55	9	6	10	135	1.89	0.29	5	2.50	1743	<1	33	368	798	0.14	<5	<5	10	138	1425	11	30	87	5	2423
97110	368390	3	4.04	53	262	2	<1	0.97	6	13	18	2521	5.04	<0.01	19	0.88	1130	6	23	714	103	1.46	<5	<5	11	175	1179	<2	58	36	8	554
97111	368391	1	3.91	3	541	<2	2	1.66	<4	6	10	60	1.45	0.14	11	1.18	686	<1	38	322	143	0.09	<5	<5	<10	112	1708	<2	33	24	5	254
97112	368392	<1	5.19	9	690	<2	2	1.98	<4	5	9	40	1.41	0.38	16	1.35	692	<1	36	365	25	0.08	<5	<5	<10	127	1803	<2	35	25	5	52
97113	368393	<1	3.34	8	579	2	2	1.36	<4	7	8	21	1.23	0.11	17	1.12	568	<1	36	339	19	0.10	<5	<5	<10	121	1769	<2	33	11	4	38

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/10/2015
Job #: 201541156
Reference: TL15-047
Sample #: 23

Acc #	Client ID	Au g/t (ppm)
97114	368394	0.015
97115	368395	0.027
97116	368396	0.011
97117	368397	0.049
97118	368398	0.016
97119	368399	0.088
97120	368400	<0.005
97121	368401	0.022
97122	368402	0.015
97123	368403	0.011
97124	368403 Dup	0.017
97125	368404	0.127
97126	368405	0.067
97127	368406	0.092
97128	368407	0.124
97129	368408	<0.005
97130	368409	0.034
97131	368410	1.379
97132	368411	0.077
97133	368412	0.031
97134	368413	0.014
97135	368413 Dup	0.012
97136	368414	0.009
97137	368415	0.021
97138	368416	0.015

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/10/2015
Job #: 201541156
Reference: TL15-047
Sample #: 23

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.537	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/10/2015
Job #: 201541156
Reference: TL15-047
Sample #: 23

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97114	368394	<1	5.75	15	571	<2	<1	1.77	<4	6	20	20	1.38	0.77	27	1.31	591	<1	8	339	33	0.16	<5	28	33	140	1746	5	25	17	5	112
97115	368395	<1	5.27	13	556	<2	13	1.70	<4	5	17	28	1.45	0.59	20	1.35	624	<1	6	303	157	0.18	<5	19	37	117	1577	2	23	25	5	245
97116	368396	<1	5.01	17	519	<2	<1	1.43	<4	6	15	19	1.35	0.30	26	1.29	589	<1	6	309	15	0.15	<5	14	40	111	1668	5	24	18	5	45
97117	368397	13	6.19	8	706	<2	36	1.68	<4	6	13	15	1.28	0.98	28	1.26	558	<1	6	330	12	0.21	<5	22	36	126	1801	2	26	11	6	57
97118	368398	<1	6.01	14	661	<2	20	1.82	<4	6	16	14	1.49	1.07	25	1.48	628	<1	6	335	15	0.20	<5	32	33	124	1847	5	26	19	6	54
97119	368399	2	4.58	6	637	<2	35	1.93	<4	7	17	65	1.52	1.51	19	1.32	718	<1	6	276	159	0.24	5	15	35	130	1628	7	24	23	5	413
97120	368400	<1	5.54	<2	522	<2	27	3.95	<4	16	<1	64	3.84	1.25	7	1.46	899	<1	8	573	11	0.05	<5	8	36	472	2830	<2	135	18	20	54
97121	368401	<1	2.92	4	442	<2	10	1.16	<4	5	13	48	1.26	0.55	18	1.02	520	<1	5	243	58	0.11	<5	14	28	107	1432	11	23	16	4	229
97122	368402	<1	3.60	13	505	<2	13	1.44	<4	5	19	9	1.35	1.35	20	1.18	638	<1	4	262	84	0.16	<5	23	33	120	1588	7	23	23	4	296
97123	368403	<1	3.99	<2	671	<2	5	1.45	<4	5	22	12	1.30	1.17	22	1.12	616	<1	5	269	32	0.15	5	20	35	132	1602	8	24	10	5	60
97124D	368403	<1	5.07	15	728	<2	35	1.60	<4	6	23	14	1.41	1.36	25	1.22	662	<1	5	309	29	0.15	6	20	43	140	1743	11	25	10	5	64
97125	368404	<1	5.39	14	568	<2	1	2.77	<4	7	18	108	1.80	1.32	24	1.46	913	2	8	323	122	0.31	<5	18	40	154	1779	12	24	32	6	444
97126	368405	<1	5.25	18	555	<2	16	1.32	<4	6	23	66	1.51	0.72	33	1.41	642	<1	6	338	220	0.22	<5	12	33	148	1721	5	24	17	5	172
97127	368406	<1	5.35	20	602	<2	47	1.01	<4	5	18	97	1.35	0.80	30	1.25	532	<1	6	297	216	0.19	<5	17	37	127	1682	<2	23	18	5	217
97128	368407	<1	6.05	18	939	<2	32	1.71	<4	7	17	215	1.72	0.14	29	1.59	826	<1	6	355	1311	0.30	6	24	41	150	1806	4	26	49	5	1249
97129	368408	<1	5.09	8	474	<2	6	1.33	<4	5	4	12	0.99	1.00	21	1.20	441	<1	4	279	34	0.07	<5	22	31	141	1507	4	22	15	5	58
97130	368409	<1	4.98	11	508	<2	39	1.51	<4	5	9	6	1.24	0.72	23	1.28	485	<1	5	281	12	0.11	<5	14	30	146	1481	3	22	<10	5	29
97131	368410	<1	4.02	22	466	<2	26	2.03	<4	13	35	193	3.69	0.98	11	1.19	655	5	36	555	17	0.08	<5	6	34	259	2578	3	101	30	15	55
97132	368411	<1	5.37	7	486	<2	32	1.60	<4	7	15	18	1.41	1.28	26	1.26	472	<1	5	303	7	0.15	<5	36	33	139	1754	9	25	11	5	42
97133	368412	<1	5.56	4	533	<2	34	1.46	<4	6	17	5	1.46	1.25	28	1.29	495	<1	6	308	<1	0.12	<5	35	36	163	1885	6	26	17	5	24

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/20/2015 12:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/10/2015
Job #: 201541156
Reference: TL15-047
Sample #: 23

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97134	368413	<1	7.16	20	472	<2	44	1.54	<4	6	19	3	1.46	0.84	28	1.51	558	<1	7	344	2	0.12	5	18	33	148	1743	3	25	<10	7	24
97135D	368413	<1	5.72	14	535	<2	42	1.66	<4	5	24	3	1.57	1.24	31	1.46	617	<1	6	338	9	0.13	<5	30	42	157	1918	7	27	23	5	29
97136	368414	<1	4.86	13	455	<2	43	1.41	<4	6	12	7	1.39	0.63	24	1.15	543	<1	6	308	5	0.15	<5	13	35	116	1698	10	24	<10	5	29
97137	368415	<1	4.49	<2	484	<2	35	1.46	<4	7	13	5	1.36	0.92	23	1.09	511	<1	6	312	11	0.18	<5	15	41	114	1726	6	25	13	4	30
97138	368416	<1	5.74	<2	523	<2	61	2.07	<4	5	14	8	1.33	0.67	21	1.43	711	<1	8	318	20	0.13	<5	17	45	132	1744	2	25	11	5	245

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/20/2015 12:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541257
Reference: 15-069
Sample #: 49

Acc #	Client ID	Au g/t (ppm)
104284	368885	0.025
104285	368886	No Sample Received
104286	368887	0.018
104287	368888	0.016
104288	368889	0.008
104289	368890	1.445
104290	368891	0.006
104291	368892	0.006
104292	368893	0.013
104293	368894	0.013
104294	368894 Dup	0.016
104295	368895	0.020
104296	368896	<0.005
104297	368897	0.016
104298	368898	0.029
104299	368899	0.026
104300	368900	0.008
104301	368901	0.011
104302	368902	0.020
104303	368903	0.019
104304	368904	0.013
104305	368904 Dup	0.011
104306	368905	0.015
104307	368906	No Sample Received
104308	368907	0.021

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

AL905-0735-04/20/2015 10:56 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541257
Reference: 15-069
Sample #: 49

Acc #	Client ID	Au g/t (ppm)
104309	368908	0.017
104310	368909	0.025
104311	368910	5.089
104312	368911	0.059
104313	368912	0.082
104314	368913	0.043
104315	368914	0.011
104316	368914 Dup	0.008
104317	368915	0.031
104318	368916	0.011
104319	368917	0.014
104320	368918	0.008
104321	368919	0.007
104322	368920	<0.005
104323	368921	0.015
104324	368922	0.052
104325	368923	0.034
104326	368924	0.021
104327	368924 Dup	0.017
104328	368925	0.258
104329	368926	No Sample Received
104330	368927	0.696
104331	368928	0.134
104332	368929	0.042
104333	368930	0.396

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541257
Reference: 15-069
Sample #: 49

Acc #	Client ID	Au g/t (ppm)
104334	368931	0.021
104335	368932	0.019
104336	368933	0.017

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541257
Reference: 15-069
Sample #: 49

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.545	1.575	0.088
AR02	1.660	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541257
Reference: 15-069
Sample #: 49

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104284	368885	<1	4.86	22	423	2	24	1.06	<4	8	<1	7	1.39	0.66	13	0.68	329	<1	6	359	17	0.42	<5	13	<10	171	1810	<2	30	<10	5	77
104285	368886																NS															
104286	368887	<1	5.11	20	380	<2	19	1.48	<4	6	2	5	1.26	0.29	13	0.88	510	<1	6	362	27	0.26	<5	21	11	172	1614	<2	26	12	6	46
104287	368888	<1	4.95	19	359	2	12	1.86	<4	7	6	6	1.59	0.22	12	0.99	661	<1	6	363	9	0.29	<5	17	<10	182	1699	<2	27	<10	6	38
104288	368889	<1	3.90	13	343	<2	23	1.60	<4	5	5	9	1.22	0.14	11	0.83	549	<1	5	320	4	0.18	6	11	<10	174	1696	<2	27	<10	4	56
104289	368890	<1	3.70	18	448	2	13	2.03	<4	14	34	194	3.72	0.17	10	1.14	692	10	37	559	<1	0.09	8	6	10	270	2647	<2	100	25	14	61
104290	368891	<1	3.96	4	301	<2	34	1.58	<4	5	5	9	1.11	0.64	11	0.86	502	<1	6	336	<1	0.11	9	15	<10	169	1697	<2	28	<10	5	42
104291	368892	<1	4.78	11	346	<2	18	1.77	<4	6	5	4	1.08	0.43	13	0.95	614	<1	6	380	2	0.15	5	19	<10	181	1801	<2	28	<10	5	34
104292	368893	<1	5.28	20	389	2	7	2.04	<4	6	4	6	1.51	0.60	15	1.13	895	<1	5	357	2	0.24	<5	15	12	169	1710	<2	27	11	6	34
104293	368894	<1	4.23	19	358	<2	7	1.59	<4	6	5	6	1.42	0.49	13	0.96	720	<1	6	340	2	0.29	6	12	<10	145	1623	<2	26	<10	5	25
104294D	368894	<1	4.00	20	371	<2	10	1.64	<4	6	6	6	1.44	0.33	13	0.96	746	<1	6	328	<1	0.30	<5	18	<10	148	1648	<2	27	<10	5	32
104295	368895	<1	3.92	20	338	<2	25	1.87	<4	5	3	6	1.52	0.61	12	1.05	783	<1	5	287	<1	0.37	7	<5	<10	146	1599	<2	26	<10	5	39
104296	368896	<1	3.83	14	356	<2	14	1.70	<4	6	<1	5	1.14	0.51	12	0.92	665	<1	6	309	3	0.18	<5	19	<10	165	1681	<2	27	<10	5	32
104297	368897	<1	4.30	17	379	<2	7	1.84	<4	5	10	6	1.36	0.51	14	1.08	849	<1	5	308	<1	0.30	<5	10	10	135	1655	<2	27	16	5	70
104298	368898	<1	2.67	23	380	<2	12	1.95	<4	6	10	5	1.25	0.86	11	0.94	906	<1	6	234	2	0.26	8	6	<10	135	1491	<2	24	<10	5	123
104299	368899	<1	3.22	26	378	<2	11	1.43	<4	10	4	7	1.14	0.71	12	0.89	718	<1	13	296	<1	0.22	<5	13	<10	123	1548	<2	26	21	4	357
104300	368900	<1	3.47	2	453	<2	24	3.73	<4	16	<1	60	3.73	0.61	4	1.23	894	<1	9	513	<1	0.05	<5	12	10	461	2687	<2	131	<10	17	58
104301	368901	<1	4.08	15	338	<2	15	1.45	<4	7	5	5	1.05	0.51	13	0.84	476	<1	8	327	<1	0.23	5	18	<10	135	1641	<2	28	<10	5	28
104302	368902	<1	3.93	21	302	<2	8	1.57	<4	6	<1	8	1.15	0.46	14	0.86	513	<1	7	351	<1	0.30	<5	18	<10	132	1614	<2	26	<10	5	64
104303	368903	<1	5.12	25	243	<2	19	1.44	<4	9	8	3	1.12	0.31	14	0.91	498	<1	12	403	2	0.32	5	8	<10	128	1615	<2	26	<10	5	120

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541257
Reference: 15-069
Sample #: 49

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104304	368904	<1	4.53	16	285	<2	14	1.18	<4	6	6	2	0.92	0.15	14	0.78	421	<1	7	350	<1	0.20	<5	6	<10	122	1678	<2	27	<10	5	75
104305D	368904	<1	4.83	16	276	<2	16	1.13	<4	6	2	2	0.89	0.36	13	0.80	408	<1	7	336	<1	0.19	5	19	<10	118	1638	<2	26	<10	5	75
104306	368905	<1	4.51	12	221	<2	12	1.36	<4	5	6	4	1.03	0.88	11	0.95	520	<1	3	305	<1	0.23	6	15	<10	117	1576	<2	25	<10	6	26
104307	368906																NS															
104308	368907	<1	5.39	21	279	<2	27	1.40	<4	5	14	9	1.11	0.77	13	0.91	432	<1	4	334	<1	0.24	<5	23	<10	122	1735	<2	26	15	6	24
104309	368908	<1	4.79	22	311	<2	19	1.32	<4	11	4	9	1.14	0.66	17	0.99	528	<1	12	355	9	0.27	5	15	<10	144	1849	<2	29	<10	5	138
104310	368909	<1	4.05	14	725	<2	23	1.21	<4	7	5	8	1.32	0.76	16	1.11	681	<1	5	396	15	0.15	<5	12	<10	135	1850	<2	30	14	6	107
104311	368910	125	4.25	16	378	<2	22	2.88	6	16	21	95	4.82	0.73	7	1.22	884	3	24	516	16238	0.10	69	7	13	290	2763	<2	130	19	16	321
104312	368911	<1	3.35	12	671	<2	15	1.02	<4	7	8	22	1.47	0.40	13	0.79	588	<1	8	385	747	0.22	<5	<5	<10	110	1765	6	31	38	5	942
104313	368912	<1	3.94	12	562	<2	13	0.34	<4	6	17	117	2.24	0.36	15	0.63	318	<1	7	419	329	0.46	<5	13	10	79	1720	<2	27	43	6	1157
104314	368913	<1	2.62	6	521	<2	28	1.27	<4	6	27	16	1.29	0.91	12	0.92	729	<1	6	427	926	0.13	11	13	<10	118	1395	<2	23	18	5	646
104315	368914	<1	3.99	18	650	2	13	1.58	<4	6	14	12	1.30	0.64	15	0.96	649	<1	6	572	122	0.09	7	6	<10	136	1970	<2	32	<10	5	364
104316D	368914	<1	3.96	24	662	2	13	1.59	<4	6	11	12	1.32	0.46	15	0.96	655	<1	7	585	107	0.11	<5	17	<10	137	2006	<2	33	24	5	365
104317	368915	<1	4.76	10	1043	2	32	1.59	12	10	5	58	2.58	<0.01	19	0.94	646	<1	11	612	265	0.50	<5	14	<10	137	2341	<2	39	84	6	3176
104318	368916	<1	4.09	9	640	<2	11	1.96	<4	8	9	22	1.77	0.76	14	0.93	624	<1	9	544	19	0.17	8	15	<10	125	2224	<2	36	13	6	173
104319	368917	<1	5.11	8	562	<2	14	2.12	<4	9	3	12	1.97	0.74	14	1.00	625	<1	8	579	<1	0.27	6	24	<10	126	2194	<2	35	<10	7	54
104320	368918	<1	5.44	7	539	<2	20	2.13	<4	8	4	9	1.94	0.64	15	0.99	583	<1	8	634	<1	0.38	<5	17	13	136	2292	<2	37	<10	7	46
104321	368919	<1	4.12	11	509	<2	12	2.03	<4	9	12	9	1.97	1.02	15	0.88	595	<1	9	543	6	0.28	<5	15	<10	148	2198	<2	36	16	6	67
104322	368920	<1	4.08	<2	464	<2	21	3.87	<4	16	<1	63	3.86	0.92	4	1.33	914	<1	9	513	<1	0.05	<5	<5	11	480	2744	<2	135	16	19	58
104323	368921	<1	3.95	32	519	<2	8	1.80	<4	8	4	6	2.19	0.88	18	0.94	809	<1	7	498	6	0.41	8	9	<10	136	2242	<2	35	<10	6	74

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541257
Reference: 15-069
Sample #: 49

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104324	368922	<1	3.76	32	539	<2	19	1.63	<4	8	5	8	2.14	0.81	17	0.98	819	<1	7	522	9	0.54	<5	8	<10	128	2254	<2	36	<10	6	67
104325	368923	<1	3.43	16	533	<2	22	1.89	<4	8	11	12	1.87	0.92	18	0.88	700	<1	33	536	7	0.28	6	6	<10	146	2266	<2	45	<10	5	58
104326	368924	<1	3.78	14	554	2	6	1.65	<4	6	8	7	1.17	0.73	20	0.98	599	<1	33	554	23	0.14	<5	17	<10	135	2235	<2	44	<10	5	58
104327D	368924	<1	3.43	12	509	2	26	1.51	<4	5	6	6	1.07	0.61	17	0.95	560	<1	28	528	20	0.12	<5	17	<10	125	2077	<2	40	<10	5	56
104328	368925	<1	3.28	30	453	<2	19	0.93	<4	7	13	13	1.18	0.20	21	0.71	488	6	35	454	42	0.29	<5	12	<10	84	1879	<2	39	<10	4	146
104329	368926																NS															
104330	368927	<1	5.41	46	380	2	27	0.02	<4	6	11	15	1.10	0.22	10	0.45	<100	4	42	475	177	0.34	7	22	<10	53	1704	<2	37	23	7	707
104331	368928	<1	4.80	31	377	2	7	1.10	<4	7	6	10	1.09	<0.01	20	1.06	564	<1	27	465	44	0.31	5	14	<10	79	1880	<2	37	<10	6	170
104332	368929	<1	4.95	18	320	<2	19	1.30	<4	6	18	6	0.79	0.76	17	1.19	538	2	34	437	13	0.14	5	19	22	90	1780	<2	37	<10	6	37
104333	368930	<1	4.21	53	271	<2	19	1.09	5	14	17	2374	5.20	0.83	26	0.86	1136	16	22	649	61	1.55	5	10	11	189	1177	<2	61	31	9	604
104334	368931	<1	4.39	13	468	<2	14	1.00	<4	9	3	8	0.87	0.78	29	1.08	517	<1	25	488	40	0.11	<5	28	<10	112	2278	2	41	14	5	50
104335	368932	<1	4.34	9	604	2	16	0.50	<4	10	15	14	1.14	0.32	30	1.07	496	<1	29	444	3	0.12	6	13	23	93	2054	<2	50	<10	5	95
104336	368933	<1	3.70	16	583	<2	19	0.84	<4	12	17	15	1.22	0.48	24	0.85	416	<1	31	409	<1	0.18	<5	6	10	111	2058	<2	52	10	6	48

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/10/2015
Job #: 201541157
Reference: TL15-048
Sample #: 35

Acc #	Client ID	Au g/t (ppm)
97139	368417	0.035
97140	368418	0.370
97141	368419	0.088
97142	368420	<0.005
97143	368421	0.046
97144	368422	0.748
97145	368423	0.379
97146	368424	0.880
97147	368425	0.173
97148	368426	0.113
97149	368426 Dup	0.102
97150	368427	0.817
97151	368428	2.577
97152	368429	0.186
97153	368430	4.823
97154	368431	0.216
97155	368432	0.156
97156	368433	0.241
97157	368434	0.041
97158	368435	0.006
97159	368436	0.010
97160	368436 Dup	0.010
97161	368437	<0.005
97162	368438	0.008
97163	368439	0.006

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/10/2015
Job #: 201541157
Reference: TL15-048
Sample #: 35

Acc #	Client ID	Au g/t (ppm)
97164	368440	<0.005
97165	368441	0.009
97166	368442	0.161
97167	368443	0.120
97168	368444	0.010
97169	368445	0.008
97170	368446	0.006
97171	368446 Dup	0.009
97172	368447	0.022
97173	368448	0.032
97174	368449	0.744
97175	368450	0.421
97176	368451	0.136

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/10/2015
Job #: 201541157
Reference: TL15-048
Sample #: 35

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.530	1.575	0.088
AR02	1.557	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/10/2015
Job #: 201541157
Reference: TL15-048
Sample #: 35

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97139	368417	<1	7.42	10	523	<2	<1	1.27	<4	12	22	14	1.41	0.58	14	0.79	612	<1	35	534	27	0.10	<5	<5	37	241	1997	<2	49	<10	6	42
97140	368418	<1	6.89	13	464	<2	<1	1.23	<4	7	29	21	1.51	0.58	11	0.68	627	2	44	519	32	0.06	<5	<5	41	244	1963	8	46	10	6	70
97141	368419	<1	7.03	3	472	<2	<1	1.29	<4	6	24	26	1.57	0.43	12	0.66	630	1	39	477	29	0.05	<5	<5	43	272	1952	6	43	<10	6	49
97142	368420	<1	6.20	6	546	<2	<1	4.35	4	18	7	65	3.91	0.92	3	1.45	945	<1	10	614	2	0.02	<5	<5	39	489	2796	6	142	13	21	59
97143	368421	<1	6.82	16	529	<2	<1	1.07	<4	7	22	26	1.69	0.53	14	0.65	627	<1	42	489	20	0.06	<5	9	39	226	2054	<2	45	12	6	70
97144	368422	<1	5.84	8	397	<2	<1	0.85	<4	5	28	37	1.58	<0.01	10	0.59	658	<1	36	463	140	0.05	<5	7	36	205	1795	3	39	<10	5	60
97145	368423	<1	6.32	11	330	<2	<1	1.01	4	12	26	52	3.84	0.85	16	1.08	1578	5	42	491	17	0.10	<5	<5	40	202	2148	3	46	<10	8	101
97146	368424	<1	7.23	12	420	<2	<1	1.16	<4	8	26	15	2.03	0.87	17	0.90	909	2	36	462	11	0.09	<5	5	44	211	1884	<2	42	<10	7	44
97147	368425	<1	6.31	10	364	<2	<1	0.75	<4	5	35	16	1.58	0.54	18	0.80	573	3	55	469	18	0.11	<5	<5	38	155	1517	3	47	<10	6	39
97148	368426	<1	6.20	6	343	<2	<1	0.75	<4	7	27	19	1.63	0.53	18	0.85	648	1	42	465	15	0.11	5	<5	38	156	1551	3	43	<10	6	48
97149D	368426	<1	5.85	9	332	<2	<1	0.75	<4	6	28	18	1.60	0.88	17	0.81	631	1	41	459	18	0.12	<5	<5	36	154	1518	3	42	11	6	45
97150	368427	<1	5.50	9	447	<2	<1	0.88	<4	8	38	76	1.65	0.68	17	0.96	747	4	52	441	130	0.13	<5	<5	37	140	1622	4	48	18	5	703
97151	368428	<1	5.66	14	676	<2	<1	1.41	<4	10	42	46	1.96	0.80	16	1.10	978	3	49	454	111	0.23	<5	<5	37	150	2089	4	51	16	6	123
97152	368429	<1	5.93	11	580	<2	<1	1.19	<4	11	51	35	2.22	0.26	18	1.08	873	4	59	474	11	0.11	<5	<5	37	159	2226	2	55	<10	7	65
97153	368430	130	4.29	19	395	<2	<1	2.89	8	16	33	91	4.60	0.31	3	1.17	833	5	23	520	16948	0.07	95	<5	41	272	2552	9	127	19	16	308
97154	368431	<1	5.67	7	452	<2	<1	1.28	<4	9	33	29	1.93	0.21	12	0.79	637	<1	35	453	15	0.06	<5	<5	37	153	2132	<2	46	<10	7	45
97155	368432	<1	6.70	10	498	<2	<1	1.41	<4	10	37	19	2.05	0.62	14	0.70	473	2	48	484	6	0.05	<5	6	39	172	2249	5	51	10	7	36
97156	368433	<1	7.20	14	458	<2	<1	1.70	<4	10	31	24	2.04	0.72	21	1.01	552	2	39	483	2	0.12	6	<5	44	120	2264	<2	49	11	7	14
97157	368434	<1	6.31	7	441	<2	<1	1.27	<4	9	33	31	2.14	0.53	18	0.94	659	1	37	437	9	0.08	<5	5	41	176	2263	7	48	10	6	48
97158	368435	<1	5.21	26	385	<2	<1	1.90	<4	7	16	9	1.37	0.34	8	1.04	488	<1	34	403	7	0.33	<5	<5	30	168	1678	3	38	<10	5	36

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/06/2015
Date Completed: 04/10/2015
Job #: 201541157
Reference: TL15-048
Sample #: 35

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97159	368436	<1	1.10	12	293	<2	<1	0.94	<4	7	21	3	0.82	0.10	<1	0.82	423	<1	49	387	9	0.18	<5	<5	13	121	1523	3	38	<10	3	47
97160D	368436	<1	2.08	15	333	<2	<1	1.13	<4	9	25	4	0.85	<0.01	2	0.83	423	<1	55	399	14	0.18	<5	<5	17	138	1565	<2	41	<10	3	50
97161	368437	<1	5.35	16	460	<2	<1	1.50	<4	6	21	7	0.99	<0.01	9	0.85	422	<1	39	394	14	0.15	<5	<5	32	164	1608	7	38	<10	5	31
97162	368438	<1	5.21	15	458	<2	<1	1.68	<4	7	21	8	1.40	0.63	11	0.73	343	<1	38	392	15	0.12	<5	7	39	153	1668	5	39	<10	5	32
97163	368439	<1	6.09	12	464	<2	<1	1.93	<4	6	21	7	1.58	0.60	12	0.86	399	<1	38	411	8	0.16	<5	<5	38	159	1756	2	40	<10	6	54
97164	368440	<1	6.18	6	535	<2	<1	4.32	4	16	7	68	3.91	0.45	2	1.47	938	<1	19	612	4	0.02	<5	<5	38	492	2763	7	142	12	22	56
97165	368441	<1	6.69	13	530	<2	<1	2.26	<4	7	24	10	1.69	0.66	12	1.03	481	2	46	429	15	0.09	<5	5	46	166	1931	3	43	11	6	49
97166	368442	<1	6.57	25	541	<2	<1	2.36	<4	7	32	30	2.04	0.55	12	1.41	840	3	52	428	181	0.35	<5	8	40	144	1878	6	44	14	7	244
97167	368443	<1	7.10	31	552	2	<1	2.02	<4	10	61	20	2.00	0.46	18	1.24	618	4	67	471	29	0.35	<5	<5	43	136	2239	4	60	<10	8	37
97168	368444	<1	2.86	13	244	<2	<1	1.30	<4	3	51	6	0.88	0.34	8	0.89	398	5	66	261	11	0.03	<5	5	43	88	907	9	30	<10	5	23
97169	368445	<1	5.39	12	413	<2	<1	2.59	<4	5	64	10	1.56	0.36	15	1.39	695	6	70	366	24	0.04	<5	9	42	118	1401	4	41	<10	7	65
97170	368446	<1	5.23	4	506	<2	<1	2.02	<4	6	50	10	1.38	0.64	15	1.10	531	3	58	343	24	0.04	<5	5	42	106	1493	4	38	11	6	57
97171D	368446	<1	5.33	11	494	<2	<1	2.02	<4	7	47	10	1.38	0.85	16	1.10	529	3	58	345	17	0.05	<5	<5	40	106	1483	<2	38	16	6	55
97172	368447	<1	6.32	13	849	<2	<1	2.48	<4	9	26	20	2.02	0.70	17	1.28	724	2	45	399	59	0.13	<5	<5	41	141	1881	7	41	16	6	148
97173	368448	<1	6.29	31	711	2	<1	1.99	<4	9	20	14	1.86	0.60	17	1.14	637	1	40	555	20	0.26	<5	<5	41	156	2096	2	46	<10	6	56
97174	368449	<1	5.63	37	654	<2	<1	2.17	<4	9	20	16	2.10	0.35	15	1.16	838	<1	39	562	27	0.58	<5	5	41	149	2064	8	46	<10	6	85
97175	368450	<1	5.99	53	356	<2	<1	1.32	8	16	34	2526	5.46	0.53	26	0.98	1224	20	35	760	90	1.55	<5	<5	47	195	1257	2	68	30	10	661
97176	368451	<1	7.34	40	652	<2	<1	2.77	<4	16	653	31	3.51	0.65	24	1.56	1004	4	50	624	48	0.37	<5	<5	48	137	2733	<2	72	11	11	216

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 22, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/22/2015
Job #: 201541251
Reference: 15-070
Sample #: 64

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
104103	368934	0.232	
104104	368935	0.032	
104105	368936	0.015	
104106	368937	0.014	
104107	368938	0.633	
104108	368939	0.278	
104109	368940	<0.005	
104110	368941	0.058	
104111	368942	0.014	
104112	368943	0.021	
104113	368943 Dup	0.019	
104114	368944	0.033	
104115	368945	0.015	
104116	368946	0.012	
104117	368947	0.045	
104118	368948	0.026	
104119	368949	0.012	
104120	368950	1.412	
104121	368951	0.011	
104122	368952	0.047	
104123	368953	0.266	
104124	368953 Dup	0.266	
104125	368954	0.094	
104126	368955	0.047	
104127	368956	0.106	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

AL905-0735-04/22/2015 10:38 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 22, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/22/2015
Job #: 201541251
Reference: 15-070
Sample #: 64

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
104128	368957	0.111	
104129	368958	0.092	
104130	368959	0.022	
104131	368960	<0.005	
104132	368961	0.016	
104133	368962	1.129	
104134	368963	0.734	
104135	368963 Dup	0.583	
104136	368964	0.332	
104137	368965	>10.000	10.714
104138	368966	>10.000	23.223
104139	368967	3.478	
104140	368968	0.227	
104141	368969	0.047	
104142	368970	4.912	
104143	368971	0.222	
104144	368972	0.102	
104145	368973	0.085	
104146	368973 Dup	0.050	
104147	368974	0.045	
104148	368975	0.060	
104149	368976	0.174	
104150	368977	0.154	
104151	368978	0.357	
104152	368979	0.064	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 22, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/22/2015
Job #: 201541251
Reference: 15-070
Sample #: 64

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
104153	368980	<0.005	
104154	368981	0.211	
104155	368982	0.126	
104156	368983	0.305	
104157	368983 Dup	0.244	
104158	368984	1.994	
104159	368985	0.760	
104160	368986	0.369	
104161	368987	0.364	
104162	368988	0.341	
104163	368989	0.027	
104164	368990	0.382	
104165	368991	0.017	
104166	368992	0.030	
104167	368993	0.015	
104168	368993 Rep	0.012	
104169	368994	0.027	
104170	368995	0.101	
104171	368996	0.132	
104172	368997	0.558	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 22, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/22/2015
Job #: 201541251
Reference: 15-070
Sample #: 64

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.542	1.575	0.088
AR02	1.551	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/22/2015
Job #: 201541251
Reference: 15-070
Sample #: 64

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104103	368934	<1	4.49	5	405	2	23	0.98	<4	21	108	37	3.19	<0.01	23	1.01	445	5	52	486	2	0.11	<5	11	<10	153	2827	<2	90	<10	8	64
104104	368935	<1	4.45	6	313	2	26	1.64	<4	23	132	45	3.66	<0.01	22	1.27	627	3	57	546	6	0.10	<5	12	<10	174	3137	<2	90	<10	10	69
104105	368936	<1	1.81	5	93	<2	2	0.88	<4	11	62	12	1.33	0.02	6	0.72	324	1	18	175	1	0.08	<5	<5	<10	91	984	<2	27	<10	9	24
104106	368937	<1	0.77	4	25	<2	4	0.28	<4	2	57	6	0.68	0.04	2	0.39	131	2	8	113	<1	0.04	<5	8	<10	68	482	<2	13	<10	6	15
104107	368938	<1	5.41	33	661	<2	9	1.13	<4	11	39	52	2.34	0.06	19	0.80	445	<1	19	386	664	0.41	6	18	<10	165	2002	<2	48	29	8	998
104108	368939	<1	4.48	8	468	<2	12	1.20	<4	7	17	25	1.38	0.13	11	0.66	301	<1	11	328	62	0.15	<5	12	<10	163	1471	<2	33	<10	7	141
104109	368940	<1	5.97	3	459	<2	30	3.78	<4	17	<1	62	3.73	0.14	4	1.43	886	<1	9	591	<1	0.06	5	16	23	468	2722	<2	132	20	22	55
104110	368941	<1	6.33	9	799	<2	29	1.68	<4	10	14	21	1.37	0.15	12	0.58	263	<1	14	413	8	0.21	<5	11	11	238	1684	<2	38	<10	7	80
104111	368942	<1	6.17	21	827	<2	23	1.39	<4	9	14	14	1.23	0.09	12	0.54	215	<1	12	445	<1	0.20	5	19	<10	243	1671	<2	38	<10	7	59
104112	368943	<1	6.21	33	838	<2	9	1.30	<4	10	13	12	1.16	0.12	13	0.52	191	<1	14	421	<1	0.30	<5	15	<10	218	1688	<2	40	<10	7	65
104113D	368943	<1	6.24	40	829	<2	13	1.28	<4	9	12	11	1.15	0.04	13	0.53	191	<1	14	423	<1	0.33	5	14	<10	216	1698	<2	40	11	7	67
104114	368944	<1	5.84	39	816	<2	20	1.40	<4	8	8	17	1.29	0.11	13	0.54	221	<1	11	436	<1	0.32	<5	12	14	208	1712	<2	35	<10	7	107
104115	368945	<1	5.89	26	572	<2	17	1.96	<4	8	13	18	1.30	0.33	19	0.82	411	<1	12	487	22	0.19	5	20	<10	175	2021	<2	41	16	7	59
104116	368946	<1	5.88	25	519	<2	20	1.87	<4	9	13	18	1.30	0.09	21	0.85	435	<1	12	490	20	0.22	<5	15	<10	163	2134	<2	42	<10	7	57
104117	368947	<1	6.28	32	496	<2	16	1.19	<4	8	1	17	1.42	0.19	19	0.94	458	<1	8	657	31	0.35	5	23	<10	104	2345	<2	40	12	7	99
104118	368948	<1	6.33	29	492	<2	20	1.31	<4	8	8	12	1.35	0.09	18	0.98	481	<1	10	598	6	0.28	<5	20	<10	97	2292	<2	41	13	7	56
104119	368949	<1	5.82	21	402	<2	6	1.55	<4	10	13	16	1.46	0.23	17	0.99	506	<1	14	486	<1	0.20	6	25	11	95	2239	<2	49	13	7	34
104120	368950	<1	4.81	20	493	<2	29	2.22	<4	16	37	210	4.01	0.26	11	1.27	736	9	40	619	<1	0.09	7	5	<10	289	2804	<2	109	15	16	64
104121	368951	<1	5.89	<2	468	<2	12	1.91	<4	10	15	18	1.56	0.14	17	1.06	615	<1	13	462	8	0.10	<5	20	<10	107	2191	<2	48	12	7	38
104122	368952	<1	6.55	16	508	2	15	2.25	<4	11	14	32	2.03	<0.01	22	1.38	936	<1	14	574	28	0.19	5	10	<10	132	2642	<2	51	10	7	143

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:19 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/22/2015
Job #: 201541251
Reference: 15-070
Sample #: 64

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104123	368953	<1	6.34	65	440	<2	32	2.06	6	14	2	143	2.70	0.09	20	1.32	716	<1	12	635	224	0.54	5	7	<10	123	2329	<2	37	47	7	1558
104124D	368953	<1	6.28	61	433	<2	9	2.01	6	15	1	140	2.71	0.20	19	1.31	704	<1	13	627	226	0.62	<5	17	<10	122	2292	<2	37	48	7	1540
104125	368954	<1	5.98	27	478	<2	27	1.47	<4	8	4	19	1.37	0.08	17	1.09	519	<1	9	519	74	0.25	5	24	<10	108	2039	<2	34	20	7	237
104126	368955	<1	6.23	32	577	2	13	1.00	<4	8	<1	6	1.14	0.07	17	0.87	447	<1	8	503	16	0.32	<5	9	10	116	2029	<2	31	12	6	55
104127	368956	<1	5.55	37	534	2	23	2.28	<4	19	94	38	2.74	0.17	18	1.28	1024	5	42	500	54	0.38	6	15	<10	158	2525	<2	67	10	12	245
104128	368957	<1	6.06	10	485	<2	47	1.89	<4	12	43	28	3.19	0.48	18	0.98	1292	<1	24	403	26	0.28	<5	7	16	169	2069	<2	48	12	10	119
104129	368958	<1	6.56	10	647	2	12	1.99	<4	7	9	15	2.84	0.23	16	0.89	1133	<1	8	379	10	0.22	<5	12	12	170	1683	<2	30	11	11	77
104130	368959	<1	6.19	9	591	<2	19	1.63	<4	5	4	8	1.77	0.26	12	0.72	760	<1	7	357	4	0.09	<5	21	<10	147	1621	<2	26	<10	8	84
104131	368960	<1	6.01	5	472	<2	14	3.92	<4	17	<1	65	3.88	0.24	4	1.46	912	<1	9	602	<1	0.05	7	14	<10	484	2767	<2	136	16	22	56
104132	368961	<1	6.46	2	506	<2	21	1.45	<4	7	3	7	1.30	0.33	14	0.76	626	<1	7	359	53	0.09	<5	9	<10	173	1463	<2	29	<10	7	84
104133	368962	<1	4.78	15	424	2	21	0.55	<4	18	115	28	3.18	0.14	26	1.67	1182	<1	46	470	153	0.24	6	12	10	113	1813	<2	73	18	10	340
104134	368963	<1	4.60	45	267	<2	6	0.56	<4	21	138	56	3.23	0.24	25	1.80	1052	3	50	506	123	0.45	7	15	<10	104	1329	<2	76	14	11	212
104135D	368963	<1	5.43	47	281	<2	16	0.60	<4	21	142	58	3.33	0.07	27	1.90	1058	3	51	530	130	0.52	<5	<5	<10	109	1333	<2	78	<10	12	214
104136	368964	<1	4.53	45	263	2	17	0.61	<4	18	115	60	3.09	0.37	24	1.75	1156	<1	47	591	123	0.42	<5	8	<10	104	1192	<2	71	11	12	157
104137	368965	<1	5.76	52	340	<2	24	0.58	<4	20	114	49	3.34	<0.01	21	2.09	1033	2	54	500	103	0.42	<5	17	<10	105	1283	<2	81	<10	12	186
104138	368966	<1	5.79	45	367	<2	11	0.67	<4	20	124	76	3.69	0.21	22	2.14	1083	<1	60	563	109	0.48	<5	<5	<10	116	1452	<2	88	<10	12	130
104139	368967	<1	5.44	26	309	<2	24	0.45	<4	5	17	14	1.25	0.32	18	1.15	511	1	7	466	442	0.25	7	15	12	116	1020	<2	30	19	6	398
104140	368968	<1	5.38	21	263	<2	8	0.75	<4	5	17	19	1.30	0.42	28	1.82	926	1	9	453	310	0.14	6	15	<10	112	1047	<2	28	21	6	401
104141	368969	<1	6.45	14	319	<2	12	0.89	<4	5	11	4	1.24	0.22	26	2.00	1090	<1	6	497	83	0.13	<5	20	<10	106	1293	<2	31	16	7	172
104142	368970	138	5.28	8	362	<2	23	2.86	6	16	20	95	4.75	0.20	6	1.29	867	3	24	553	18891	0.11	77	<5	11	290	2703	<2	129	14	19	311

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-04/26/2015 8:19 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/22/2015
Job #: 201541251
Reference: 15-070
Sample #: 64

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104143	368971	<1	4.70	19	306	<2	9	0.46	<4	5	11	5	1.02	0.44	17	1.08	605	<1	6	444	525	0.14	7	15	<10	98	1205	<2	31	19	6	643
104144	368972	<1	4.43	11	211	<2	19	0.49	<4	4	15	1	1.14	0.34	43	1.93	854	<1	5	460	93	0.11	<5	18	12	100	925	<2	27	<10	5	130
104145	368973	<1	5.77	14	200	<2	35	0.77	<4	6	7	1	1.40	0.31	50	2.71	1339	<1	6	486	151	0.13	10	18	17	128	921	<2	28	14	6	151
104146D	368973	<1	5.70	14	213	<2	9	0.82	<4	5	9	1	1.47	0.32	51	2.75	1404	<1	6	503	162	0.12	5	11	<10	132	958	<2	29	12	6	156
104147	368974	<1	4.78	10	233	<2	10	0.27	<4	7	12	1	1.22	0.10	45	2.06	1136	<1	7	465	87	0.07	6	22	<10	103	1109	<2	28	17	5	257
104148	368975	<1	6.00	24	183	<2	13	0.22	<4	7	10	1	1.33	0.11	53	2.31	1180	<1	7	471	27	0.10	6	11	<10	105	1001	<2	27	12	6	73
104149	368976	<1	4.99	21	254	<2	5	0.22	<4	8	13	11	1.72	0.23	31	1.67	1064	<1	8	465	20	0.22	5	16	<10	103	1118	<2	31	<10	6	91
104150	368977	<1	4.38	15	280	<2	6	0.70	<4	9	19	11	1.51	0.27	18	1.35	870	<1	11	429	108	0.19	<5	5	10	101	1175	<2	37	17	6	591
104151	368978	<1	4.81	33	229	2	16	0.84	9	16	9	9	1.22	0.31	14	1.12	636	<1	13	452	1211	0.18	5	18	<10	124	1028	<2	27	92	6	4072
104152	368979	<1	5.62	20	265	<2	15	0.36	<4	7	17	8	1.56	0.11	18	1.54	957	<1	7	458	276	0.18	<5	12	<10	114	1133	<2	31	26	6	792
104153	368980	<1	6.48	<2	451	<2	24	3.75	<4	16	<1	60	3.72	0.23	4	1.52	891	<1	8	603	<1	0.06	7	7	13	466	2672	<2	130	13	24	63
104154	368981	<1	5.47	23	184	<2	27	0.41	5	7	11	11	1.90	0.13	21	1.68	892	<1	6	432	1679	0.25	<5	17	22	123	956	<2	31	58	6	2202
104155	368982	<1	5.21	15	289	<2	18	0.22	<4	5	11	19	1.62	0.46	15	1.10	641	<1	7	438	115	0.29	<5	16	<10	105	1022	<2	33	13	5	151
104156	368983	<1	5.23	19	297	<2	27	0.31	<4	6	12	64	1.61	0.23	14	1.06	603	<1	6	399	260	0.27	6	11	<10	106	1226	<2	32	13	6	351
104157D	368983	<1	5.45	23	309	<2	10	0.34	<4	6	13	67	1.67	0.15	15	1.07	632	<1	7	419	280	0.27	<5	26	<10	110	1277	<2	33	<10	6	364
104158	368984	<1	5.58	22	416	<2	12	0.73	<4	7	13	61	1.76	0.09	18	1.12	743	<1	8	440	259	0.34	<5	11	12	120	1519	<2	32	16	6	481
104159	368985	<1	4.90	20	670	2	15	1.43	8	4	11	50	1.53	0.17	14	1.06	740	1	4	332	384	0.27	<5	15	<10	126	1398	<2	25	65	6	2484
104160	368986	<1	5.01	20	786	<2	25	1.19	<4	4	12	66	1.52	0.07	16	0.98	711	<1	5	371	358	0.31	7	13	11	124	1561	<2	27	23	6	613
104161	368987	<1	5.21	17	827	<2	7	0.90	<4	5	1	58	1.32	0.11	16	0.85	509	<1	5	405	297	0.31	5	19	10	118	1671	<2	27	20	6	728
104162	368988	<1	2.29	12	307	<2	10	0.54	<4	5	<1	9	1.37	<0.01	14	1.05	948	<1	4	328	23	0.15	6	9	<10	104	1486	<2	22	11	4	103

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:19 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/22/2015
Job #: 201541251
Reference: 15-070
Sample #: 64

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104163	368989	<1	4.38	9	458	<2	17	0.87	<4	5	13	12	1.51	0.19	18	1.01	756	<1	10	547	30	0.19	<5	17	<10	140	1805	<2	30	10	5	78
104164	368990	<1	4.55	47	263	2	14	1.02	4	14	15	2263	5.07	0.19	26	0.85	1105	15	22	687	62	1.59	<5	<5	12	181	1167	<2	59	26	9	567
104165	368991	<1	5.39	11	418	<2	16	1.14	<4	5	11	48	1.61	0.27	19	0.82	559	<1	5	227	36	0.09	7	16	<10	162	1827	<2	32	18	5	77
104166	368992	<1	6.31	8	346	<2	21	1.47	<4	6	8	19	1.57	0.17	16	0.88	622	<1	5	422	51	0.12	<5	21	<10	178	1844	<2	31	10	7	69
104167	368993	<1	6.08	11	408	<2	15	1.02	<4	7	15	18	1.76	0.20	18	0.94	603	<1	6	375	16	0.14	<5	15	<10	157	1994	<2	33	18	6	57
104168R	368993	<1	5.29	12	384	<2	7	1.03	<4	6	5	16	1.67	0.62	17	0.88	607	<1	4	382	15	0.20	<5	14	<10	157	1927	<2	31	14	5	61
104169	368994	<1	4.93	9	324	<2	11	1.13	<4	9	6	18	2.07	0.17	18	0.99	747	<1	8	412	10	0.16	<5	15	10	168	2038	<2	32	11	5	64
104170	368995	<1	4.76	12	320	<2	12	1.00	<4	7	7	13	1.95	0.10	18	0.95	796	<1	6	426	17	0.17	<5	16	<10	159	1920	<2	31	11	5	62
104171	368996	<1	5.06	35	298	<2	29	0.88	<4	7	15	14	1.52	0.17	14	0.80	594	<1	6	382	87	0.34	6	18	<10	142	1477	<2	26	16	6	244
104172	368997	<1	3.33	14	217	2	12	1.07	<4	17	94	56	3.04	0.32	18	1.19	1139	1	41	437	106	0.21	6	6	<10	144	1816	<2	64	<10	8	124

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:19 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541212
Reference: TL15-049
Sample #: 20

Acc #	Client ID	Au g/t (ppm)
101731	368452	0.091
101732	368453	0.194
101733	368454	0.355
101734	368455	0.017
101735	368456	0.069
101736	368457	0.736
101737	368458	0.176
101738	368459	0.115
101739	368460	<0.005
101740	368461	0.390
101741	368461 Dup	0.360
101742	368462	0.101
101743	368463	0.051
101744	368464	0.628
101745	368465	0.116
101746	368466	0.054
101747	368467	0.127
101748	368468	0.844
101749	368469	0.030
101750	368470	1.386
101751	368471	0.026
101752	368471 Dup	0.032

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541212
Reference: TL15-049
Sample #: 20

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541212
Reference: TL15-049
Sample #: 20

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101731	368452	<1	>10.00	28	696	<2	<1	1.19	<4	15	37	34	2.71	1.27	27	1.12	876	5	15	585	27	0.36	11	32	14	262	2669	3	65	25	10	136
101732	368453	<1	6.45	22	528	2	<1	1.52	<4	12	39	32	2.50	1.46	17	1.07	957	2	14	509	32	0.18	9	22	12	234	2504	9	52	13	9	84
101733	368454	<1	>10.00	24	728	2	<1	2.45	<4	14	62	20	3.12	1.55	23	1.26	884	8	17	661	19	0.18	<5	50	19	264	2972	8	59	29	12	69
101734	368455	<1	9.92	18	754	<2	<1	2.09	<4	11	59	20	3.01	1.62	24	1.22	746	6	17	610	23	0.12	<5	51	18	217	3026	3	62	22	11	61
101735	368456	<1	8.96	16	666	<2	<1	2.28	<4	12	60	44	3.53	1.85	26	1.61	1264	5	17	596	51	0.18	8	33	17	226	2941	<2	58	42	11	234
101736	368457	<1	8.13	16	422	4	<1	2.67	<4	13	46	35	3.32	1.55	28	2.61	2105	1	17	534	45	0.13	11	38	17	213	2596	8	52	149	11	134
101737	368458	<1	8.61	29	532	<2	<1	1.30	<4	12	40	18	1.74	1.32	21	1.12	889	4	17	567	40	0.15	11	44	40	173	2552	8	50	24	9	87
101738	368459	<1	6.68	39	455	<2	<1	2.07	<4	11	45	30	2.42	1.63	20	1.46	1494	5	17	489	41	0.24	<5	48	20	195	2380	7	49	25	8	115
101739	368460	<1	7.27	11	732	<2	<1	5.48	<4	22	<1	87	5.05	1.07	9	1.84	1193	<1	14	761	15	0.08	10	34	13	660	3781	10	194	18	27	74
101740	368461	<1	8.62	47	711	<2	<1	1.54	<4	12	47	53	2.41	1.25	23	1.26	936	5	18	569	94	0.32	10	26	20	179	2680	6	56	21	10	124
101741D	368461	<1	9.11	48	711	2	<1	1.54	<4	11	43	50	2.41	1.30	24	1.26	933	5	14	592	92	0.35	8	34	18	181	2649	7	55	16	10	114
101742	368462	<1	8.29	48	815	2	<1	1.25	<4	12	37	27	1.49	0.95	22	0.99	551	3	15	641	91	0.29	6	30	10	184	2772	2	58	16	8	88
101743	368463	<1	>10.00	38	628	2	<1	1.52	<4	18	33	10	1.90	0.89	25	1.60	811	3	17	658	59	0.28	14	53	24	206	2963	6	60	17	10	93
101744	368464	<1	>10.00	32	631	2	<1	1.77	<4	10	46	6	1.84	1.22	27	1.49	816	7	13	609	66	0.20	14	53	21	215	3098	6	60	21	11	77
101745	368465	<1	>10.00	20	572	<2	<1	2.68	<4	5	51	16	2.03	0.92	23	1.47	953	4	7	419	30	0.11	8	64	27	220	2184	4	42	25	10	59
101746	368466	<1	>10.00	18	579	2	<1	2.65	<4	7	66	17	2.21	1.51	23	1.41	1019	7	9	426	32	0.10	12	61	17	218	2233	8	45	29	9	65
101747	368467	<1	>10.00	30	572	2	<1	3.14	<4	7	32	22	2.10	1.90	24	1.58	1217	3	8	524	25	0.12	8	47	21	246	2399	5	45	25	10	59
101748	368468	<1	9.99	19	635	2	<1	2.57	<4	10	45	34	2.69	2.00	24	1.08	831	2	15	528	25	0.12	5	44	20	235	2635	7	57	22	10	72
101749	368469	<1	7.15	11	531	<2	<1	1.67	<4	7	25	16	1.80	1.04	14	0.69	451	<1	9	391	35	0.06	<5	29	15	186	1997	3	36	23	7	34
101750	368470	<1	7.07	27	704	<2	<1	3.05	4	20	48	282	5.07	1.07	16	1.64	917	10	50	791	16	0.10	10	26	<10	378	3738	<2	141	38	23	79

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/20/2015 4:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541212
Reference: TL15-049
Sample #: 20

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101751	368471	<1	3.39	15	493	<2	<1	1.99	<4	6	19	15	1.48	1.01	8	0.40	309	<1	7	293	24	0.06	<5	32	15	189	1582	3	34	23	6	26
101752D	368471	<1	4.80	11	471	<2	<1	1.94	<4	5	20	10	1.38	0.76	6	0.40	284	<1	6	346	17	0.05	5	25	<10	186	1467	<2	31	<10	6	18

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541252
Reference: 15-071
Sample #: 45

Acc #	Client ID	Au g/t (ppm)
104173	368998	<0.005
104174	368999	<0.005
104175	369000	<0.005
104176	303001	0.029
104177	303002	0.017
104178	303003	0.009
104179	303004	0.038
104180	303005	0.115
104181	303006	0.115
104182	303007	0.074
104183	303007 Dup	0.042
104184	303008	0.035
104185	303009	0.006
104186	303010	1.352
104187	303011	0.110
104188	303012	0.027
104189	303013	0.021
104190	303014	<0.005
104191	303015	0.005
104192	303016	0.148
104193	303017	0.481
104194	303017 Dup	0.529
104195	303018	0.082
104196	303019	<0.005
104197	303020	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541252
Reference: 15-071
Sample #: 45

Acc #	Client ID	Au g/t (ppm)
104198	303021	<0.005
104199	303022	<0.005
104200	303023	0.012
104201	303024	0.042
104202	303025	0.016
104203	303026	0.015
104204	303027	0.017
104205	303027 Dup	0.006
104206	303028	0.129
104207	303029	0.042
104208	303030	4.759
104209	303031	0.011
104210	303032	<0.005
104211	303033	<0.005
104212	303034	0.181
104213	303035	<0.005
104214	303036	<0.005
104215	303037	0.007
104216	303037 Dup	<0.005
104217	303038	0.013
104218	303039	<0.005
104219	303040	<0.005
104220	303041	0.065
104221	303042	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541252
Reference: 15-071
Sample #: 45

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.592	1.575	0.088
KL01	0.386	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541252
Reference: 15-071
Sample #: 45

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104173	368998	<1	5.22	19	570	<2	10	1.75	<4	7	11	9	1.54	0.29	19	0.93	389	<1	10	308	<1	0.20	<5	9	<10	217	1629	<2	33	<10	7	36
104174	368999	<1	4.99	9	405	<2	5	1.31	<4	4	9	4	1.09	0.22	17	0.80	321	<1	6	246	<1	0.09	<5	17	<10	188	1267	<2	22	14	6	57
104175	369000	<1	6.15	2	478	<2	15	3.97	<4	17	<1	67	3.94	0.34	4	1.46	908	<1	9	622	<1	0.06	<5	7	<10	495	2719	<2	139	16	22	54
104176	303001	<1	4.37	2	414	<2	16	0.88	<4	18	112	42	3.30	0.17	27	1.48	633	2	50	449	13	0.14	<5	<5	<10	126	2410	<2	80	17	10	132
104177	303002	<1	4.54	6	314	<2	16	1.56	<4	21	198	47	3.29	0.19	24	1.92	990	4	125	842	23	0.11	<5	10	<10	123	2140	<2	82	19	15	145
104178	303003	<1	4.40	11	407	<2	26	1.65	<4	10	122	21	1.72	0.13	17	1.29	748	3	102	984	33	0.10	<5	20	<10	174	1307	<2	39	15	9	138
104179	303004	<1	4.59	19	465	<2	32	0.95	<4	7	31	13	1.54	0.08	15	0.98	624	2	57	275	65	0.29	<5	10	<10	140	1192	<2	40	14	5	264
104180	303005	<1	4.50	6	341	<2	15	1.89	<4	9	38	72	1.84	0.09	20	1.15	1083	1	54	287	2	0.21	6	14	11	152	1262	<2	43	10	6	71
104181	303006	<1	5.71	12	347	<2	25	1.92	<4	9	33	73	1.84	0.40	20	1.33	886	1	55	292	<1	0.16	<5	26	14	152	1258	<2	41	<10	7	75
104182	303007	<1	6.17	9	446	<2	19	1.61	<4	13	62	91	2.46	0.35	24	1.36	1638	3	71	366	<1	0.16	7	23	<10	149	1824	<2	62	11	10	101
104183D	303007	<1	5.99	7	440	2	13	1.56	<4	14	61	90	2.43	0.43	23	1.34	1628	2	68	354	<1	0.15	<5	11	<10	147	1784	<2	61	16	10	100
104184	303008	<1	5.79	4	399	<2	8	1.39	<4	5	15	26	1.35	0.54	13	0.99	1132	2	51	257	12	0.17	7	14	10	130	1247	<2	32	<10	6	68
104185	303009	<1	4.49	6	376	<2	19	1.25	<4	4	9	6	1.07	0.50	12	0.84	727	2	40	295	2	0.15	5	17	11	129	1105	<2	26	<10	5	47
104186	303010	<1	4.17	15	472	<2	20	2.12	<4	15	35	204	3.85	0.33	11	1.20	717	8	39	583	<1	0.10	5	6	<10	280	2743	<2	104	20	15	62
104187	303011	<1	5.37	14	417	<2	12	0.51	<4	5	12	49	1.10	0.32	12	0.58	315	1	48	242	<1	0.20	5	12	<10	110	1187	<2	31	15	5	496
104188	303012	<1	5.47	12	399	<2	22	0.97	<4	4	13	34	1.07	0.24	11	0.72	452	2	52	242	4	0.15	6	18	<10	127	1106	<2	30	<10	5	168
104189	303013	<1	5.77	15	417	<2	15	0.82	<4	4	11	19	1.04	0.18	12	0.66	466	1	47	247	<1	0.17	6	10	<10	135	1141	<2	29	10	5	117
104190	303014	<1	5.25	16	401	<2	13	1.02	<4	4	8	7	1.06	0.39	11	0.73	572	<1	43	232	5	0.16	<5	17	<10	138	1068	<2	27	<10	5	54
104191	303015	<1	5.51	11	495	<2	24	1.19	<4	4	15	9	1.11	0.24	15	0.75	361	3	52	196	<1	0.13	5	15	11	164	1117	<2	30	<10	5	74
104192	303016	<1	3.80	<2	461	<2	9	1.30	<4	18	106	34	2.97	0.22	27	1.15	618	5	93	420	<1	0.13	6	7	<10	146	2285	<2	84	<10	7	66

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541252
Reference: 15-071
Sample #: 45

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104193	303017	<1	5.47	59	421	<2	17	0.91	8	15	73	161	3.36	0.31	23	0.91	514	5	86	414	497	0.44	7	7	10	122	1776	<2	69	65	9	2702
104194D	303017	<1	5.49	57	405	<2	25	0.89	8	14	69	161	3.29	0.36	23	0.89	489	5	82	398	494	0.57	<5	12	11	120	1742	<2	67	63	9	2691
104195	303018	<1	4.96	9	451	<2	21	1.47	<4	11	60	18	2.06	0.64	22	0.97	819	3	67	332	17	0.14	7	20	<10	140	1825	<2	56	<10	8	108
104196	303019	<1	3.26	13	471	2	16	1.90	<4	5	13	4	1.49	0.21	19	0.92	1139	1	46	212	<1	0.12	<5	15	11	166	1383	<2	32	<10	4	36
104197	303020	<1	4.99	<2	446	<2	3	3.73	<4	17	<1	62	3.77	0.17	3	1.40	896	<1	7	550	<1	0.05	<5	6	<10	462	2701	<2	132	12	21	54
104198	303021	<1	3.86	15	444	<2	17	1.35	<4	4	13	4	1.22	0.47	17	0.80	847	1	46	225	<1	0.11	6	12	10	179	1279	<2	31	<10	5	27
104199	303022	<1	5.41	6	470	<2	21	1.12	<4	5	8	2	1.12	0.36	14	0.70	267	<1	44	253	<1	0.12	5	24	<10	204	1276	<2	31	<10	6	15
104200	303023	<1	4.51	23	212	<2	20	0.97	<4	7	8	9	1.08	0.40	14	0.84	653	<1	42	316	6	0.22	<5	9	10	86	1670	<2	35	<10	5	64
104201	303024	<1	5.02	48	222	<2	10	0.95	<4	8	4	18	1.42	0.36	15	0.81	508	<1	38	338	4	0.30	5	23	<10	90	1656	<2	34	13	6	53
104202	303025	<1	5.25	14	270	<2	8	1.41	<4	7	9	10	1.08	0.35	13	0.92	450	<1	38	356	<1	0.13	<5	16	11	122	1683	<2	35	14	5	41
104203	303026	<1	5.15	14	269	<2	6	1.48	<4	7	7	9	1.05	0.42	13	0.94	454	<1	34	348	<1	0.13	7	18	<10	126	1677	<2	33	10	5	25
104204	303027	<1	2.53	5	163	<2	8	0.97	<4	4	<1	5	0.87	<0.01	3	0.58	322	<1	18	243	<1	0.08	<5	<5	<10	82	1245	<2	22	<10	3	28
104205D	303027	<1	3.12	7	167	<2	9	0.97	<4	4	2	3	0.65	0.18	6	0.53	239	<1	14	189	<1	0.04	<5	6	<10	64	900	<2	17	<10	3	14
104206	303028	<1	5.66	14	326	<2	16	1.50	<4	7	11	6	1.22	0.28	11	0.94	440	<1	31	337	10	0.13	5	19	<10	130	1666	<2	33	18	6	135
104207	303029	<1	5.40	11	293	<2	18	1.95	<4	7	7	17	1.38	0.20	14	1.15	803	<1	28	344	14	0.16	<5	12	<10	138	1724	<2	32	13	6	155
104208	303030	135	5.27	13	381	<2	31	2.98	6	16	22	98	4.94	0.34	6	1.32	911	3	25	563	16937	0.10	80	14	14	298	2817	<2	135	23	18	330
104209	303031	<1	4.58	5	261	<2	15	2.46	<4	7	6	9	1.61	0.26	14	1.36	1097	<1	26	330	229	0.08	<5	12	11	145	1672	<2	33	15	6	45
104210	303032	<1	4.64	3	248	<2	6	1.88	<4	6	5	10	1.35	0.53	12	0.98	670	<1	24	324	13	0.07	7	<5	<10	140	1684	<2	31	20	6	35
104211	303033	<1	5.48	<2	294	<2	11	1.69	<4	6	5	6	1.47	0.43	13	0.89	555	<1	25	362	5	0.08	9	21	<10	137	1815	<2	34	14	6	29
104212	303034	<1	5.09	<2	285	2	18	1.47	<4	6	2	150	1.26	0.30	13	0.83	565	<1	25	365	46	0.07	6	15	<10	136	1743	<2	32	<10	6	55

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541252
Reference: 15-071
Sample #: 45

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104213	303035	<1	5.67	2	299	2	22	1.94	<4	5	9	7	1.49	0.31	13	1.03	639	<1	7	366	<1	0.06	<5	18	<10	142	1788	<2	28	<10	6	32
104214	303036	<1	0.35	<2	148	<2	4	1.01	<4	3	<1	5	1.06	<0.01	2	0.55	319	<1	3	235	<1	0.05	<5	7	<10	96	1174	<2	18	<10	3	55
104215	303037	<1	2.21	2	241	<2	8	1.27	<4	5	1	3	1.28	<0.01	6	0.60	318	<1	6	286	<1	0.06	<5	<5	<10	116	1543	<2	23	<10	4	30
104216D	303037	<1	5.13	3	325	<2	17	1.77	<4	6	6	3	1.47	0.29	12	0.79	373	<1	6	372	<1	0.07	<5	18	11	148	1822	<2	28	13	5	28
104217	303038	<1	4.09	<2	362	2	18	2.00	<4	4	<1	3	1.48	0.42	13	0.92	458	<1	6	334	<1	0.06	5	20	<10	132	1817	<2	28	15	5	27
104218	303039	<1	4.98	2	310	<2	14	1.81	<4	5	4	4	1.48	0.35	14	1.05	497	<1	8	368	2	0.05	5	10	<10	121	1836	<2	28	15	6	37
104219	303040	<1	5.39	<2	471	<2	18	3.95	<4	16	<1	67	3.94	0.44	4	1.42	942	<1	8	591	<1	0.05	7	22	10	490	2931	<2	137	14	21	54
104220	303041	<1	4.76	14	262	2	20	2.48	<4	6	<1	18	1.85	0.64	12	1.30	892	<1	4	367	53	0.23	6	9	10	119	1711	<2	27	<10	6	118
104221	303042	<1	5.50	4	285	2	17	1.97	<4	4	<1	2	1.52	0.29	16	1.30	643	<1	4	368	<1	0.07	5	24	<10	112	1863	<2	28	<10	6	31

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541263
Reference: 15-073
Sample #: 31

Acc #	Client ID	Au g/t (ppm)
104434	303061	0.015
104435	303062	0.044
104436	303063	0.525
104437	303064	0.246
104438	303065	0.083
104439	303066	0.068
104440	303067	0.041
104441	303068	0.071
104442	303069	0.200
104443	303070	1.363
104444	303070	Insufficient Sample
104445	303071	0.017
104446	303072	0.029
104447	303073	0.019
104448	303074	0.024
104449	303075	0.057
104450	303076	0.208
104451	303077	0.006
104452	303078	<0.005
104453	303079	0.011
104454	303080	<0.005
104455	303080	Insufficient Sample
104456	303081	0.006
104457	303082	<0.005
104458	303083	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

AL905-0735-04/20/2015 11:09 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541263
Reference: 15-073
Sample #: 31

Acc #	Client ID	Au g/t (ppm)
104459	303084	<0.005
104460	303085	0.010
104461	303086	0.011
104462	303087	<0.005
104463	303088	<0.005
104464	303089	0.009
104465	303090	5.071
104466	303090	Insufficient Sample
104467	303091	0.050

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541263
Reference: 15-073
Sample #: 31

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.478	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541263
Reference: 15-073
Sample #: 31

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104434	303061	<1	2.29	7	666	<2	19	2.16	<4	8	14	16	1.73	<0.01	10	0.62	521	<1	36	383	36	0.14	<5	14	40	163	1712	<2	39	15	4	211
104435	303062	<1	3.88	7	863	<2	16	1.17	<4	6	32	9	1.06	0.44	18	0.83	445	3	58	267	44	0.09	6	12	40	149	1571	<2	38	<10	5	80
104436	303063	1	4.75	21	1042	<2	21	0.68	<4	6	16	6	0.96	0.10	20	0.74	313	<1	32	297	170	0.19	<5	12	35	147	1665	<2	30	22	5	268
104437	303064	<1	4.05	51	834	<2	15	1.50	<4	8	30	9	2.22	0.61	15	1.03	802	<1	40	285	108	0.66	<5	5	38	241	1542	<2	35	25	6	485
104438	303065	<1	3.22	12	833	<2	33	1.82	<4	10	33	11	2.14	0.64	24	1.66	680	<1	56	333	87	0.19	<5	13	37	280	2175	<2	49	16	5	216
104439	303066	<1	3.10	8	791	<2	11	1.76	<4	10	20	8	2.01	0.56	23	1.65	649	<1	35	323	77	0.22	6	10	33	272	2073	<2	42	<10	5	212
104440	303067	<1	3.39	12	893	<2	21	1.59	<4	8	21	12	1.50	0.61	16	0.81	582	<1	35	230	30	0.18	7	9	40	255	1562	<2	32	18	5	149
104441	303068	<1	3.37	<2	746	<2	7	1.95	<4	6	14	13	1.73	0.63	18	0.88	853	<1	30	270	<1	0.11	<5	7	36	222	1713	<2	33	12	5	172
104442	303069	<1	3.35	17	668	<2	13	1.54	<4	6	16	18	1.65	0.38	19	0.74	644	<1	37	267	<1	0.13	<5	12	38	203	1660	<2	35	16	4	423
104443	303070	<1	3.37	21	497	<2	19	2.10	<4	15	34	201	3.77	0.25	12	1.11	689	9	38	554	<1	0.09	<5	<5	43	270	2738	<2	101	19	13	64
104444D	303070																IS															
104445	303071	<1	5.06	13	483	<2	13	0.85	<4	6	20	13	1.30	0.17	19	0.61	309	1	48	339	<1	0.13	<5	19	39	153	1729	<2	38	<10	5	91
104446	303072	<1	4.61	25	417	<2	27	1.00	<4	8	25	17	1.69	0.21	19	0.54	357	1	48	386	1	0.30	<5	16	35	169	1714	<2	40	10	5	82
104447	303073	<1	3.98	17	434	<2	10	0.95	<4	8	24	15	1.82	0.42	18	0.53	381	<1	44	346	<1	0.30	<5	<5	34	157	1831	<2	44	11	5	89
104448	303074	<1	3.24	<2	404	<2	23	1.91	<4	16	94	38	2.90	0.29	18	1.05	742	2	72	437	2	0.30	8	6	39	209	2321	<2	75	<10	9	130
104449	303075	<1	3.58	13	417	<2	2	1.85	<4	19	120	54	3.24	0.35	20	1.15	633	6	98	449	9	0.34	6	<5	33	212	2108	<2	88	<10	11	102
104450	303076	<1	3.90	<2	438	2	13	1.41	<4	22	151	65	4.11	0.48	29	1.38	824	5	92	465	25	0.42	5	5	37	226	2608	<2	110	12	11	128
104451	303077	<1	3.24	4	515	2	11	1.34	<4	5	33	6	1.29	0.66	20	0.71	270	4	61	215	<1	0.07	<5	11	40	245	1371	<2	40	10	4	41
104452	303078	<1	2.26	4	448	<2	11	1.61	<4	4	22	6	1.22	0.74	18	0.84	308	<1	42	230	<1	0.05	<5	6	33	250	1255	<2	32	13	4	44
104453	303079	<1	3.12	2	275	<2	13	2.86	<4	10	70	9	2.06	0.45	14	1.56	599	2	61	439	<1	0.09	<5	<5	37	270	1788	<2	49	10	9	69

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:30 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541263
Reference: 15-073
Sample #: 31

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104454	303080	<1	3.20	5	491	<2	19	3.82	<4	16	<1	62	3.78	0.59	5	1.20	897	<1	9	532	<1	0.05	<5	<5	37	463	2720	<2	132	19	16	55
104455D	303080																IS															
104456	303081	<1	3.31	3	521	2	23	1.60	<4	11	41	14	1.47	0.51	15	0.80	312	2	62	318	2	0.10	<5	5	39	267	1549	<2	44	15	6	76
104457	303082	<1	3.70	5	413	<2	1	1.40	<4	5	15	8	1.02	0.25	15	0.76	301	<1	39	226	<1	0.04	<5	10	35	266	1138	<2	26	11	4	30
104458	303083	<1	3.98	6	363	<2	27	1.89	<4	7	15	5	1.39	0.25	13	0.93	610	<1	29	357	<1	0.12	5	15	36	123	1739	<2	37	13	5	22
104459	303084	<1	3.52	10	393	2	20	1.97	<4	11	12	19	1.61	0.21	14	0.99	578	<1	29	334	<1	0.17	<5	22	39	119	1905	<2	40	13	5	42
104460	303085	<1	4.56	18	496	<2	10	1.78	<4	9	6	33	1.12	0.18	15	1.10	508	1	29	522	1	0.23	<5	14	35	116	2279	<2	47	<10	5	32
104461	303086	<1	3.95	19	508	<2	17	1.75	<4	9	2	35	1.14	0.26	15	1.03	495	<1	25	510	3	0.26	<5	14	37	116	2266	<2	46	15	5	30
104462	303087	<1	3.80	13	480	2	18	2.03	<4	10	4	32	1.30	0.35	15	1.09	541	<1	28	537	4	0.16	<5	19	37	123	2377	<2	48	17	5	52
104463	303088	<1	3.27	11	446	<2	17	1.60	<4	6	14	24	1.13	0.30	18	1.08	451	<1	32	504	<1	0.12	<5	9	36	116	2346	<2	47	<10	4	36
104464	303089	<1	3.15	17	483	<2	5	1.66	<4	6	6	24	1.25	0.22	17	1.02	398	<1	23	491	<1	0.28	10	13	39	115	2254	<2	43	<10	4	25
104465	303090	125	2.73	14	404	<2	25	2.83	6	16	21	95	4.83	<0.01	7	1.04	866	4	24	501	16527	0.11	73	8	38	278	2755	<2	131	<10	13	311
104466D	303090																IS															
104467	303091	<1	3.37	29	520	<2	8	1.79	<4	8	10	29	1.81	0.41	13	1.01	462	<1	32	502	176	0.55	<5	7	42	124	2144	<2	45	<10	5	55

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541129
Reference: TL15-040
Sample #: 27

Acc #	Client ID	Au g/t (ppm)
96302	368231	0.049
96303	368232	0.394
96304	368233	0.493
96305	368234	0.061
96306	368235	0.152
96307	368236	0.017
96308	368237	0.043
96309	368238	0.932
96310	368239	0.533
96311	368240	<0.005
96312	368240	Insufficient Sample
96313	368241	0.151
96314	368242	0.319
96315	368243	0.080
96316	368244	0.142
96317	368245	0.054
96318	368246	0.034
96319	368247	0.195
96320	368248	0.072
96321	368249	0.035
96322	368250	5.025
96323	368250	Insufficient Sample
96324	368251	0.116
96325	368252	0.178
96326	368253	0.057

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541129
Reference: TL15-040
Sample #: 27

Acc #	Client ID	Au g/t (ppm)
96327	368254	0.062
96328	368255	0.320
96329	368256	0.031
96330	368257	0.035

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541129
Reference: TL15-040
Sample #: 27

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541129
Reference: TL15-040
Sample #: 27

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96302	368231	<1	4.83	12	289	3	<1	1.07	4	26	150	42	4.20	0.82	24	1.67	573	8	78	542	36	0.16	<5	<5	13	103	2407	<2	105	13	9	88
96303	368232	<1	5.39	9	295	<2	<1	1.28	<4	26	143	50	3.91	0.87	24	1.63	636	7	76	599	31	0.16	<5	<5	<10	106	2704	14	100	<10	11	54
96304	368233	<1	6.16	10	266	<2	<1	1.90	4	24	156	54	3.84	1.00	26	1.57	688	7	65	580	30	0.11	<5	<5	12	125	2538	4	85	10	12	62
96305	368234	<1	4.48	12	207	<2	<1	1.69	<4	21	149	47	3.44	0.78	21	1.41	593	5	59	537	27	0.09	<5	<5	12	113	2632	4	81	<10	10	67
96306	368235	<1	5.84	9	265	2	<1	2.03	<4	20	133	42	3.66	0.35	24	1.52	579	3	58	518	25	0.06	<5	<5	40	137	2835	4	79	14	10	68
96307	368236	<1	5.48	7	251	2	<1	2.17	<4	23	145	43	3.61	0.24	22	1.50	585	5	62	499	26	0.08	<5	<5	12	143	2871	10	84	<10	11	72
96308	368237	<1	5.08	14	255	<2	<1	1.82	<4	21	131	44	3.40	0.36	15	1.36	607	4	61	524	38	0.16	<5	<5	10	114	2293	7	75	15	12	94
96309	368238	<1	4.65	19	336	<2	<1	0.55	<4	16	133	79	3.68	0.45	9	0.91	395	19	72	375	77	0.17	<5	<5	39	63	1714	3	81	11	9	108
96310	368239	<1	4.53	14	177	2	<1	1.53	4	22	150	61	3.91	0.83	14	1.28	687	7	69	466	111	0.15	<5	<5	10	99	1882	3	84	14	9	138
96311	368240	<1	5.87	2	499	<2	<1	3.96	<4	16	7	63	3.62	1.09	2	1.35	857	<1	18	587	7	0.02	<5	<5	37	458	2558	7	129	14	20	51
96312D	368240																IS															
96313	368241	<1	4.79	13	245	<2	<1	0.83	<4	23	156	48	3.27	0.53	15	1.11	545	4	70	493	68	0.14	<5	<5	<10	79	2129	2	98	15	9	131
96314	368242	<1	5.50	96	207	2	<1	0.79	6	22	145	58	3.37	0.16	13	0.96	479	7	72	521	494	0.90	<5	<5	14	82	1769	7	89	26	11	826
96315	368243	<1	4.92	43	258	<2	<1	1.22	<4	24	144	60	3.57	0.49	12	1.13	573	4	69	463	73	0.29	<5	<5	36	81	2133	2	90	10	10	164
96316	368244	<1	6.11	15	354	2	<1	1.71	<4	32	168	56	4.10	0.67	22	1.46	718	4	85	564	27	0.17	<5	<5	43	89	3283	5	113	11	16	76
96317	368245	<1	6.06	23	380	<2	<1	1.93	<4	17	81	47	2.59	0.82	19	1.27	763	4	42	522	50	0.13	<5	<5	40	94	2490	5	70	<10	9	96
96318	368246	<1	6.13	14	380	2	2	1.96	<4	16	84	49	2.63	0.65	18	1.26	747	4	42	531	49	0.12	<5	6	42	94	2508	8	70	12	9	89
96319	368247	<1	5.50	66	368	<2	<1	1.33	<4	11	27	33	2.22	0.83	17	0.95	651	1	23	482	52	0.24	<5	<5	40	68	2052	3	40	12	6	154
96320	368248	<1	5.05	34	428	<2	<1	2.22	<4	9	20	26	1.79	1.15	18	1.21	1001	<1	19	479	45	0.26	<5	<5	34	80	2092	2	41	<10	6	90
96321	368249	<1	5.25	26	406	2	<1	2.12	<4	8	17	27	1.60	1.00	18	1.15	818	<1	15	469	56	0.11	<5	<5	42	79	1788	3	35	16	6	64

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 5:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541129
Reference: TL15-040
Sample #: 27

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96322	368250	133	4.26	23	350	<2	<1	2.91	8	15	35	97	4.76	0.77	5	1.12	855	6	33	538	17135	0.07	96	7	18	284	2622	5	130	14	16	319
96323D	368250																IS															
96324	368251	<1	4.99	26	361	<2	<1	1.64	<4	7	17	19	1.55	0.57	18	1.03	718	<1	17	484	149	0.31	<5	5	<10	81	1796	7	37	14	6	43
96325	368252	<1	4.68	24	377	<2	<1	2.02	<4	9	16	25	1.81	0.39	16	1.08	684	2	21	427	27	0.46	<5	<5	<10	90	1635	3	34	16	7	41
96326	368253	<1	5.20	28	498	<2	<1	2.15	<4	8	18	9	1.51	0.26	15	1.17	540	<1	19	472	22	0.27	<5	<5	35	92	1833	<2	36	14	6	45
96327	368254	<1	5.85	19	473	<2	<1	2.77	<4	9	22	11	1.75	0.17	18	1.51	822	1	19	489	32	0.33	5	<5	13	117	1835	9	39	14	7	80
96328	368255	<1	5.51	47	527	<2	<1	2.29	<4	8	20	13	2.04	0.52	17	1.27	622	<1	15	437	110	0.41	<5	<5	44	161	1617	9	34	14	6	184
96329	368256	<1	5.27	12	638	<2	<1	2.37	<4	8	17	4	1.87	0.37	15	1.22	464	<1	17	485	20	0.32	<5	<5	38	216	1793	<2	37	<10	6	43
96330	368257	<1	3.58	14	493	<2	<1	1.90	<4	10	13	8	1.56	0.24	11	1.14	412	<1	21	502	38	0.29	<5	<5	26	163	1785	5	35	11	5	74

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 5:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/13/2015
Job #: 201541130
Reference: TL15-041
Sample #: 18

Acc #	Client ID	Au g/t (ppm)
96331	368258	0.014
96332	368259	<0.005
96333	368260	<0.005
96334	368261	0.046
96335	368262	0.012
96336	368263	<0.005
96337	368264	0.012
96338	368265	0.021
96339	368266	0.087
96340	368267	0.018
96341	368267 Dup	0.018
96342	368268	0.309
96343	368269	0.039
96344	368270	0.394
96345	368271	0.036
96346	368272	0.383
96347	368273	0.036
96348	368274	0.022
96349	368275	0.013

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/13/2015
Job #: 201541130
Reference: TL15-041
Sample #: 18

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.679	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/13/2015
Job #: 201541130
Reference: TL15-041
Sample #: 18

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96331	368258	<1	5.19	19	244	<2	<1	1.42	<4	6	24	7	1.69	0.55	13	1.19	888	<1	15	358	9	0.09	<5	<5	37	85	1723	7	30	<10	5	32
96332	368259	<1	5.14	6	263	<2	<1	1.82	<4	5	23	5	1.69	0.36	13	1.21	968	<1	15	382	8	0.10	<5	<5	40	93	1717	6	29	13	5	31
96333	368260	<1	5.26	9	478	<2	<1	3.86	<4	15	6	60	3.54	0.57	1	1.30	842	<1	16	571	7	0.02	<5	<5	36	448	2489	2	128	14	19	50
96334	368261	<1	5.07	16	272	<2	<1	1.71	<4	7	26	8	1.51	0.15	10	1.05	888	<1	15	386	4	0.12	<5	<5	37	88	1669	10	30	10	5	22
96335	368262	<1	4.84	4	245	<2	<1	3.35	<4	4	25	8	1.59	0.31	13	1.37	1163	<1	15	357	4	0.05	<5	5	36	104	1519	11	28	11	5	17
96336	368263	<1	4.44	13	383	<2	<1	2.06	<4	5	19	7	1.44	0.42	8	1.10	935	<1	13	356	10	0.13	<5	<5	37	118	1610	11	28	<10	5	25
96337	368264	<1	4.92	17	532	<2	<1	1.46	<4	6	26	14	1.51	<0.01	10	0.80	434	<1	13	438	18	0.23	<5	<5	36	131	1842	4	34	<10	5	22
96338	368265	<1	5.64	19	517	<2	<1	1.50	<4	7	19	22	1.64	0.05	13	0.95	428	<1	14	560	22	0.32	<5	<5	33	139	2200	<2	39	<10	6	22
96339	368266	<1	5.34	23	503	<2	<1	1.46	<4	6	20	22	1.54	0.19	11	0.95	430	<1	12	555	19	0.29	<5	<5	32	137	2152	5	38	<10	6	23
96340	368267	<1	5.98	27	505	<2	<1	1.50	<4	7	17	13	1.49	0.27	12	1.01	421	<1	15	569	9	0.33	<5	<5	40	139	2225	13	38	12	6	17
96341D	368267	<1	6.10	27	526	<2	<1	1.55	<4	7	20	13	1.53	0.28	12	1.04	438	<1	15	594	14	0.34	<5	<5	34	140	2308	4	40	<10	6	19
96342	368268	<1	5.33	30	525	<2	<1	2.03	<4	7	27	30	1.70	0.76	10	1.21	671	1	14	547	26	0.21	<5	<5	40	147	2074	2	38	12	6	44
96343	368269	<1	5.63	24	457	<2	1	2.02	<4	9	28	11	1.82	0.79	8	1.14	618	13	15	502	25	0.51	<5	8	38	138	1880	<2	35	10	6	82
96344	368270	<1	4.25	50	280	<2	<1	1.01	6	13	27	2229	4.63	0.08	21	0.82	1014	14	29	647	72	1.41	<5	<5	35	170	1068	4	57	21	8	551
96345	368271	<1	4.25	23	550	<2	<1	1.91	<4	7	20	23	1.67	0.63	10	1.09	694	<1	15	521	20	0.39	<5	<5	39	103	1960	<2	36	11	5	64
96346	368272	14	4.23	23	477	2	<1	2.16	9	6	20	673	3.43	0.50	10	1.34	979	3	15	487	2172	0.32	17	<5	39	96	1714	<2	34	49	6	2224
96347	368273	<1	6.04	28	586	<2	<1	2.45	<4	7	21	13	2.05	0.60	15	1.51	1014	3	17	582	274	0.47	<5	<5	40	103	2011	7	39	10	6	152
96348	368274	<1	2.65	28	339	<2	<1	1.68	<4	7	15	9	1.61	0.32	11	1.13	703	<1	13	441	48	0.33	<5	<5	33	75	1577	3	29	24	5	937
96349	368275	<1	3.25	12	446	<2	<1	2.08	<4	6	19	17	1.88	0.37	11	1.13	720	<1	10	490	107	0.16	<5	<5	31	111	1844	5	34	<10	4	147

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 12:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541131
Reference: TL15-043
Sample #: 17

Acc #	Client ID	Au g/t (ppm)
96350	368276	0.100
96351	368277	0.024
96352	368278	0.105
96353	368279	0.046
96354	368280	<0.005
96355	368281	0.021
96356	368282	0.031
96357	368283	0.042
96358	368284	<0.005
96359	368285	<0.005
96360	368285 Dup	<0.005
96361	368286	<0.005
96362	368287	<0.005
96363	368288	0.017
96364	368289	<0.005
96365	368290	1.413
96366	368291	0.008
96367	368292	0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541131
Reference: TL15-043
Sample #: 17

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.473	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541131
Reference: TL15-043
Sample #: 17

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96350	368276	<1	2.43	9	210	<2	<1	1.40	<4	6	18	9	1.37	0.48	3	0.84	515	<1	16	374	14	0.09	<5	<5	17	112	1565	<2	27	<10	4	32
96351	368277	<1	6.19	7	301	<2	<1	2.16	<4	8	24	11	1.49	1.00	14	1.14	677	<1	18	394	15	0.10	<5	<5	39	146	1757	10	30	<10	5	32
96352	368278	1	6.58	29	328	<2	<1	1.73	<4	11	27	37	1.58	0.59	16	1.10	613	<1	19	398	159	0.24	6	<5	39	135	1770	5	31	<10	6	223
96353	368279	<1	5.66	10	263	<2	<1	1.65	<4	8	20	16	1.29	0.21	14	1.18	688	<1	19	366	38	0.08	<5	5	36	132	1645	3	28	12	5	100
96354	368280	<1	6.53	9	543	<2	<1	4.33	4	17	7	66	3.91	0.65	3	1.46	928	2	19	627	10	0.02	<5	7	37	494	2770	9	140	<10	22	55
96355	368281	<1	5.56	12	238	<2	<1	1.79	<4	7	24	9	1.48	0.48	13	1.43	759	<1	19	381	15	0.05	<5	<5	37	147	1680	5	29	12	6	37
96356	368282	<1	7.56	6	309	2	<1	2.18	<4	8	22	10	1.41	0.57	15	1.52	761	<1	8	423	24	0.07	<5	6	43	196	1889	<2	32	12	6	44
96357	368283	<1	6.73	6	320	<2	<1	2.24	<4	6	21	10	1.55	0.69	14	1.33	619	<1	7	413	19	0.06	<5	<5	41	196	1860	4	31	<10	6	53
96358	368284	<1	6.07	5	306	<2	<1	1.54	<4	7	21	4	1.48	0.80	14	1.21	525	<1	7	395	12	0.05	<5	<5	42	134	1807	8	30	16	5	41
96359	368285	<1	5.85	7	270	<2	<1	2.68	<4	8	23	6	1.62	0.25	17	1.82	1178	1	9	374	30	0.05	<5	7	37	148	1622	8	28	12	6	67
96360D	368285	<1	5.79	9	292	<2	<1	2.81	<4	9	25	7	1.70	0.52	19	1.80	1225	2	10	386	33	0.06	<5	<5	41	155	1703	8	30	14	5	71
96361	368286	1	5.60	10	283	2	<1	1.48	<4	7	19	5	1.20	0.95	14	1.15	554	<1	6	377	23	0.05	<5	<5	38	103	1672	3	27	12	5	55
96362	368287	<1	5.77	9	310	<2	<1	1.38	<4	6	21	5	1.47	0.66	13	1.20	536	<1	5	399	13	0.06	<5	<5	44	96	1731	<2	29	<10	5	33
96363	368288	2	5.45	9	234	<2	<1	1.69	<4	5	20	5	1.76	0.64	14	1.80	1101	2	6	383	11	0.09	<5	<5	45	99	1564	8	28	<10	5	54
96364	368289	<1	5.56	5	287	<2	<1	1.05	<4	4	22	7	1.55	0.97	12	1.50	672	<1	6	397	13	0.05	<5	<5	45	95	1738	4	30	<10	5	44
96365	368290	<1	4.64	20	564	<2	<1	2.42	4	16	53	218	4.05	1.05	10	1.18	740	14	40	623	14	0.07	<5	<5	41	293	2808	<2	111	17	14	64
96366	368291	1	5.77	6	319	<2	<1	1.44	<4	5	27	12	1.49	0.77	13	1.25	581	<1	7	406	11	0.10	<5	<5	43	101	1757	5	30	10	5	33
96367	368292	<1	6.27	15	310	<2	<1	1.39	<4	7	119	10	1.51	0.86	11	1.35	628	<1	8	427	11	0.13	<5	<5	41	101	1780	<2	30	<10	6	31

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 22, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/22/2015
Job #: 201541262
Reference: 15-072
Sample #: 18

Acc #	Client ID	Au g/t (ppm)	Au Grav ppm
104415	303043	0.146	
104416	303044	0.039	
104417	303045	0.070	
104418	303046	0.066	
104419	303047	0.022	
104420	303048	0.779	
104421	303049	>10.000	12.124
104422	303050	0.347	
104423	303051	1.838	
104424	303052	0.014	
104425	303052 Dup	0.012	
104426	303053	0.015	
104427	303054	0.123	
104428	303055	0.012	
104429	303056	0.014	
104430	303057	0.057	
104431	303058	0.087	
104432	303059	0.014	
104433	303060	<0.005	

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 22, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/22/2015
Job #: 201541262
Reference: 15-072
Sample #: 18

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/22/2015
Job #: 201541262
Reference: 15-072
Sample #: 18

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104415	303043	<1	3.83	18	587	<2	16	1.08	<4	5	6	17	1.05	0.30	14	0.85	467	<1	21	197	42	0.23	5	16	12	103	1193	<2	22	31	4	998
104416	303044	<1	4.40	9	466	<2	13	1.20	<4	4	5	6	1.00	0.77	17	1.18	633	<1	17	226	10	0.18	<5	7	<10	109	1247	<2	21	<10	4	106
104417	303045	<1	3.21	13	400	<2	7	0.48	4	5	3	4	1.13	0.32	14	1.07	524	<1	23	201	29	0.20	8	15	10	77	1097	<2	21	35	3	1538
104418	303046	<1	4.72	18	505	<2	18	0.71	<4	5	5	5	1.33	0.41	21	1.27	626	<1	21	235	36	0.26	5	21	<10	92	1319	<2	24	32	4	1329
104419	303047	<1	3.58	7	484	<2	17	0.87	<4	4	3	9	0.85	<0.01	14	0.97	503	<1	17	199	29	0.15	<5	10	<10	117	1096	<2	19	11	4	183
104420	303048	<1	4.49	9	598	<2	21	0.44	<4	4	3	13	1.10	0.67	22	1.11	569	<1	19	207	29	0.26	<5	22	<10	73	1224	<2	22	17	4	689
104421	303049	<1	4.31	16	437	<2	6	0.07	<4	4	4	42	1.12	0.17	14	0.65	186	<1	29	215	152	0.37	<5	18	<10	53	1006	<2	22	17	5	433
104422	303050	<1	4.46	47	271	<2	15	1.06	4	14	17	2366	5.02	0.64	26	0.85	1101	14	23	661	61	1.40	<5	13	<10	186	1170	<2	60	24	9	582
104423	303051	<1	4.65	12	531	<2	9	0.06	<4	4	3	69	1.01	0.44	14	0.62	174	<1	22	230	150	0.29	<5	16	<10	55	1132	<2	22	27	5	831
104424	303052	<1	4.00	5	497	<2	39	0.91	<4	4	9	14	1.05	0.86	16	0.97	703	<1	23	198	36	0.11	6	21	10	139	1244	<2	24	<10	4	201
104425D	303052	<1	3.84	3	488	<2	11	0.92	<4	4	7	12	1.02	0.89	16	0.97	716	<1	20	191	40	0.11	<5	19	<10	140	1238	<2	23	17	4	181
104426	303053	<1	2.77	3	452	<2	9	1.14	<4	4	3	4	1.06	0.99	17	0.95	742	<1	17	195	13	0.15	<5	9	<10	154	1220	<2	21	<10	4	46
104427	303054	<1	3.60	8	481	<2	10	1.19	<4	5	6	6	1.11	0.29	17	0.99	713	<1	21	212	19	0.17	<5	9	<10	153	1253	<2	22	11	4	68
104428	303055	<1	3.65	4	559	<2	21	1.38	<4	5	9	7	1.09	0.27	16	0.93	751	<1	17	212	23	0.20	9	16	36	146	1247	<2	21	12	4	153
104429	303056	<1	2.61	6	613	<2	24	1.81	<4	4	7	2	1.05	0.42	17	1.10	907	<1	22	195	44	0.13	7	<5	35	164	1215	<2	21	17	3	187
104430	303057	<1	3.92	20	564	<2	36	1.41	<4	6	12	4	1.41	0.40	19	1.23	991	<1	24	227	169	0.27	<5	13	42	134	1225	<2	22	14	4	227
104431	303058	<1	5.11	14	576	<2	16	1.26	<4	4	1	2	1.04	0.42	19	1.09	782	<1	19	213	5	0.15	<5	8	40	142	1254	<2	21	12	5	148
104432	303059	<1	3.20	4	593	<2	19	1.30	<4	4	8	2	1.06	0.42	19	1.04	698	<1	20	228	10	0.13	5	15	34	156	1229	<2	21	10	4	71
104433	303060	<1	3.68	<2	492	<2	24	3.79	<4	16	<1	64	3.77	0.31	4	1.29	899	<1	9	521	<1	0.05	5	<5	38	462	2710	<2	132	17	18	54

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALFA7

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:25 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541264
Reference: 15-074
Sample #: 15

Acc #	Client ID	Au g/t (ppm)
104468	303092	0.040
104469	303093	0.020
104470	303094	0.072
104471	303095	0.031
104472	303096	0.029
104473	303097	0.026
104474	303098	0.024
104475	303099	0.051
104476	303100	<0.005
104477	303101	<0.005
104478	303101 Dup	0.006
104479	303102	0.006
104480	303103	0.007
104481	303104	0.010
104482	303105	0.011
104483	303106	0.009

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541264
Reference: 15-074
Sample #: 15

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL01	0.381	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541264
Reference: 15-074
Sample #: 15

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104468	303092	<1	5.08	28	590	<2	23	2.18	<4	7	8	18	1.61	0.67	14	0.92	699	<1	6	540	11	0.23	8	17	<10	140	1960	<2	35	<10	7	43
104469	303093	<1	5.04	12	534	<2	26	2.27	<4	6	2	33	1.36	0.68	11	0.72	545	<1	5	581	18	0.21	5	19	10	148	1642	<2	32	<10	7	38
104470	303094	<1	4.49	16	550	<2	13	2.46	<4	7	7	14	1.57	0.73	10	0.67	570	<1	7	580	2	0.21	8	9	<10	150	1672	<2	32	13	6	31
104471	303095	<1	5.28	24	514	<2	24	1.73	<4	8	9	11	1.58	0.59	16	0.78	571	<1	6	618	34	0.30	6	15	12	142	2027	<2	34	<10	6	144
104472	303096	<1	5.27	20	536	2	18	0.62	<4	6	7	18	1.06	0.42	14	0.62	330	<1	5	521	37	0.22	<5	15	<10	98	2146	<2	34	13	6	118
104473	303097	<1	5.20	25	513	<2	9	0.98	<4	6	3	10	1.20	0.47	16	0.73	513	<1	5	525	31	0.29	<5	9	10	121	2043	<2	32	20	6	96
104474	303098	<1	7.09	4	644	2	18	0.92	<4	7	7	60	1.36	0.40	17	0.67	407	<1	6	604	112	0.12	<5	14	10	134	2372	<2	38	26	7	270
104475	303099	<1	4.95	11	520	<2	9	1.29	<4	9	7	30	1.51	0.49	17	0.75	594	<1	7	474	104	0.27	6	16	<10	136	2013	<2	33	<10	6	99
104476	303100	<1	4.72	5	454	<2	7	3.74	<4	16	<1	65	3.75	0.35	4	1.34	894	<1	8	553	<1	0.05	<5	11	<10	464	2730	<2	131	21	20	53
104477	303101	<1	5.66	4	472	<2	19	1.83	<4	5	3	11	1.42	0.37	16	0.90	637	<1	4	513	7	0.08	5	9	<10	158	1977	<2	34	<10	7	40
104478D	303101	<1	5.46	<2	477	<2	26	1.79	<4	6	4	11	1.40	0.42	16	0.89	639	<1	5	518	9	0.08	6	13	<10	152	1969	<2	33	10	6	40
104479	303102	<1	4.98	7	519	<2	9	1.75	<4	5	8	12	1.38	0.69	14	0.86	640	<1	4	491	7	0.10	7	11	11	163	1718	<2	29	<10	6	51
104480	303103	<1	5.40	7	493	<2	12	2.47	<4	6	5	11	1.52	0.68	12	0.86	531	<1	5	455	<1	0.14	5	12	<10	174	1728	<2	29	<10	6	44
104481	303104	<1	4.80	14	493	2	21	2.06	<4	7	22	20	1.51	0.58	13	0.95	587	<1	15	465	28	0.29	6	15	<10	157	1717	<2	31	14	6	63
104482	303105	<1	4.83	17	523	<2	6	1.27	<4	6	2	7	1.28	0.72	15	0.78	575	<1	5	424	31	0.32	6	17	<10	144	1764	<2	30	17	6	58
104483	303106	<1	4.99	21	583	<2	15	1.20	<4	8	<1	10	1.27	0.62	16	0.71	510	<1	4	449	26	0.35	9	12	11	140	1831	<2	31	17	6	66

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, April 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/18/2015
Job #: 201541265
Reference: 15-075
Sample #: 11

Acc #	Client ID	Au g/t (ppm)
104484	303107	0.006
104485	303108	0.013
104486	303109	0.043
104487	303110	0.205
104488	303111	0.015
104489	303112	0.086
104490	303113	0.008
104491	303114	0.009
104492	303115	0.006
104493	303116	0.009
104494	303116 Dup	0.008
104495	303117	0.016

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, April 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/18/2015
Job #: 201541265
Reference: 15-075
Sample #: 11

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.357	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/18/2015
Job #: 201541265
Reference: 15-075
Sample #: 11

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104484	303107	<1	6.36	10	650	<2	<1	1.94	<4	8	19	22	1.77	0.29	19	1.00	628	<1	63	629	45	2.62	7	15	19	160	2208	<2	54	26	7	67
104485	303108	<1	5.77	33	659	2	<1	1.80	<4	7	19	14	1.65	0.26	17	0.94	633	<1	63	595	41	2.30	6	14	18	149	2190	<2	52	31	7	86
104486	303109	<1	5.81	38	628	2	<1	1.77	<4	7	31	27	1.65	0.42	19	1.01	800	<1	82	559	45	2.42	6	24	16	141	2176	<2	57	54	7	101
104487	303110	<1	5.16	63	270	<2	<1	1.07	4	14	14	2160	4.95	0.34	28	0.88	1073	3	23	691	77	3.08	9	19	18	184	1192	<2	61	58	10	581
104488	303111	<1	5.17	25	497	<2	<1	1.51	<4	7	37	45	1.55	0.11	15	0.86	662	<1	93	521	34	2.43	7	18	<10	134	1879	<2	56	26	7	56
104489	303112	<1	5.54	27	550	<2	<1	2.43	<4	8	16	23	1.93	0.27	18	1.11	1004	<1	53	616	32	2.57	<5	16	21	174	2071	<2	47	13	7	75
104490	303113	<1	5.82	21	603	<2	<1	1.99	<4	5	26	9	1.48	0.32	18	0.94	536	<1	78	637	13	2.30	8	33	15	159	2001	<2	55	19	7	29
104491	303114	<1	6.00	16	559	2	<1	2.57	<4	6	<1	7	1.34	0.32	14	1.01	397	<1	25	596	14	2.51	5	17	16	186	1813	<2	35	18	7	30
104492	303115	<1	5.90	5	496	<2	<1	2.35	<4	6	8	6	1.33	0.29	13	0.89	338	<1	6	600	12	2.58	<5	21	12	185	1797	<2	33	23	7	37
104493	303116	<1	5.94	23	577	<2	<1	2.23	<4	6	4	6	1.42	0.34	16	1.07	617	<1	4	586	26	2.45	6	31	15	188	1805	<2	34	39	6	53
104494D	303116	<1	5.13	15	550	<2	<1	2.10	<4	6	3	6	1.36	0.24	15	0.98	595	<1	4	553	23	2.20	<5	20	15	180	1746	<2	32	23	6	51
104495	303117	<1	5.46	25	482	<2	<1	3.20	<4	15	168	27	2.35	0.03	16	2.25	996	<1	80	901	39	2.32	9	19	18	153	2735	<2	55	26	12	202

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541266
Reference: 15-076
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
104496	303118	0.015
104497	303119	0.055
104498	303120	0.022
104499	303121	0.044
104500	303122	0.030
104501	303123	0.035
104502	303124	0.016
104503	303125	0.016
104504	303126	0.017
104505	303127	0.011
104506	303127 Dup	0.012
104507	303128	0.029
104508	303129	0.186
104509	303130	1.467
104510	303131	0.032
104511	303132	0.043
104512	303133	0.041
104513	303134	0.017
104514	303135	0.634
104515	303136	0.044
104516	303137	0.068
104517	303137 Dup	0.051
104518	303138	0.024
104519	303139	0.019
104520	303140	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541266
Reference: 15-076
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
104521	303141	0.009
104522	303142	0.012

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541266
Reference: 15-076
Sample #: 25

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.419	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541266
Reference: 15-076
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104496	303118	<1	4.86	11	611	2	11	3.17	<4	11	3	12	2.25	0.07	14	0.76	520	<1	9	500	11	0.40	<5	13	<10	308	2038	<2	39	<10	6	62
104497	303119	<1	4.48	30	571	<2	18	1.39	<4	18	7	17	2.11	0.07	17	0.59	538	<1	19	457	25	0.50	<5	<5	<10	183	2238	<2	38	<10	6	110
104498	303120	<1	3.75	<2	442	<2	21	3.64	<4	15	<1	62	3.67	0.11	3	1.21	877	<1	8	556	<1	0.06	<5	<5	<10	456	2676	<2	129	13	17	50
104499	303121	<1	4.97	18	531	<2	16	1.74	<4	8	8	10	1.24	0.11	17	0.94	537	<1	8	622	22	0.27	<5	12	<10	178	2147	<2	41	13	6	51
104500	303122	<1	5.16	16	481	2	18	1.60	<4	8	11	9	1.11	0.40	16	0.81	366	<1	8	578	7	0.29	<5	10	<10	194	2276	<2	39	<10	6	25
104501	303123	<1	4.04	13	430	<2	9	1.97	<4	6	10	18	1.24	0.53	13	0.79	438	<1	7	543	1	0.25	<5	11	10	190	1873	<2	35	<10	6	33
104502	303124	<1	4.64	23	419	<2	26	2.42	<4	6	5	7	1.31	0.35	12	0.84	502	<1	6	596	11	0.27	<5	18	<10	161	1773	<2	35	10	6	37
104503	303125	<1	5.23	14	456	<2	8	2.24	<4	8	4	10	1.23	0.31	15	0.84	434	<1	7	629	4	0.21	<5	11	<10	149	2040	<2	37	<10	6	26
104504	303126	<1	6.01	21	456	<2	16	2.20	<4	8	2	10	1.24	0.14	15	0.88	417	<1	7	665	<1	0.25	<5	18	<10	151	2052	<2	37	<10	7	40
104505	303127	<1	4.84	16	463	<2	13	2.00	<4	8	2	7	1.22	0.12	15	0.95	568	<1	8	639	3	0.22	<5	16	<10	143	2155	<2	35	<10	6	30
104506D	303127	<1	5.20	18	462	<2	17	2.00	<4	8	<1	7	1.20	0.15	15	0.98	565	<1	8	635	6	0.21	<5	17	<10	143	2160	<2	35	<10	7	27
104507	303128	<1	5.39	28	440	<2	17	1.66	<4	8	<1	11	1.23	0.21	16	0.91	565	<1	7	675	23	0.26	<5	20	<10	135	2223	<2	35	<10	7	37
104508	303129	<1	5.12	27	489	<2	14	1.07	<4	8	<1	16	1.06	0.29	13	0.66	305	<1	7	631	108	0.25	7	17	11	117	2265	<2	37	11	6	348
104509	303130	<1	3.97	16	472	<2	28	2.11	<4	15	36	204	3.86	0.29	11	1.18	711	9	38	589	<1	0.10	9	5	<10	278	2772	<2	105	17	15	63
104510	303131	<1	4.25	28	483	<2	15	1.20	<4	7	<1	16	1.26	0.30	15	0.68	353	<1	6	567	50	0.34	8	8	<10	126	2252	<2	38	13	6	169
104511	303132	<1	5.24	34	478	<2	22	1.05	<4	9	2	24	1.22	0.48	15	0.70	314	<1	6	621	65	0.41	10	12	<10	117	2179	<2	35	<10	7	77
104512	303133	<1	5.50	36	503	2	20	1.50	<4	9	<1	33	1.49	0.68	16	0.84	449	<1	8	588	87	0.45	<5	12	15	134	2137	<2	35	10	7	139
104513	303134	<1	6.02	13	620	2	30	2.23	<4	9	<1	17	1.86	0.62	15	0.89	550	<1	7	669	5	0.39	<5	22	<10	168	2313	<2	39	15	7	53
104514	303135	<1	4.38	21	514	<2	12	1.34	<4	7	<1	17	1.49	0.44	16	0.75	500	<1	7	536	80	0.45	<5	<5	<10	135	2083	<2	35	12	6	359
104515	303136	<1	5.24	19	541	<2	19	1.70	<4	6	10	14	1.45	0.48	18	0.90	745	<1	33	583	32	0.28	5	18	<10	143	2197	<2	45	<10	7	78

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:26 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541266
Reference: 15-076
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104516	303137	<1	4.62	15	553	<2	6	1.79	<4	8	9	33	1.64	0.38	17	0.75	652	<1	37	596	49	0.22	6	13	<10	152	2217	<2	47	<10	6	237
104517D	303137	<1	5.22	14	561	<2	24	1.83	<4	8	13	35	1.68	0.36	18	0.80	663	2	46	627	50	0.22	<5	13	<10	153	2262	<2	49	17	6	250
104518	303138	<1	4.99	14	576	<2	26	2.11	<4	7	15	31	1.82	0.30	17	0.79	672	2	45	584	31	0.21	<5	13	10	155	2080	<2	47	10	6	98
104519	303139	<1	4.67	14	614	<2	8	1.74	<4	7	10	19	1.36	0.16	18	0.73	535	2	38	629	23	0.20	<5	14	<10	159	2269	<2	47	<10	5	50
104520	303140	<1	5.45	<2	442	<2	24	3.79	<4	16	<1	65	3.76	0.20	3	1.43	887	<1	8	564	<1	0.05	<5	6	<10	473	2694	<2	132	22	22	91
104521	303141	<1	5.49	9	557	<2	11	2.17	<4	6	7	15	1.39	0.55	14	1.05	584	<1	29	565	33	0.16	5	10	<10	168	1773	<2	39	19	8	111
104522	303142	<1	2.65	<2	438	2	18	2.26	<4	8	43	38	1.74	<0.01	18	0.96	798	1	57	678	56	0.11	5	9	33	177	2128	4	45	16	5	105

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:26 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541258
Reference: 15-077
Sample #: 13

Acc #	Client ID	Au g/t (ppm)
104337	303143	0.078
104338	303144	0.015
104339	303145	0.034
104340	303146	0.030
104341	303147	0.066
104342	303148	0.094
104343	303149	0.017
104344	303150	4.991
104345	303151	0.027
104346	303152	0.199
104347	303152 Dup	0.194
104348	303153	0.076
104349	303154	0.078
104350	303155	0.151

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541258
Reference: 15-077
Sample #: 13

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.641	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541258
Reference: 15-077
Sample #: 13

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104337	303143	<1	6.49	20	571	<2	13	1.47	<4	9	<1	65	1.17	0.29	18	0.84	467	<1	29	662	52	0.24	<5	25	<10	154	2283	<2	42	17	7	474
104338	303144	<1	5.70	21	615	2	8	1.55	<4	8	4	10	1.45	0.73	19	0.85	517	<1	28	645	15	0.36	<5	15	10	156	2336	<2	43	15	7	43
104339	303145	<1	5.29	18	628	<2	12	1.59	<4	12	10	39	1.47	0.72	17	0.84	502	<1	35	611	4	0.28	<5	14	<10	164	2153	<2	46	<10	7	45
104340	303146	<1	5.08	19	535	<2	18	1.58	<4	10	11	36	1.36	0.53	18	0.79	478	<1	30	573	8	0.28	<5	18	<10	160	2047	<2	43	11	7	42
104341	303147	<1	6.17	13	524	2	12	1.46	<4	19	2	64	1.29	0.71	17	0.77	450	<1	32	672	26	0.23	5	13	<10	163	2117	<2	41	12	7	288
104342	303148	<1	4.66	11	471	<2	25	2.21	<4	7	5	63	1.34	1.37	13	0.83	607	<1	25	583	207	0.20	9	11	<10	175	1860	<2	38	19	6	483
104343	303149	<1	5.07	10	577	<2	24	2.12	<4	8	25	12	1.56	0.48	16	1.02	543	<1	34	645	8	0.23	<5	7	13	185	2127	<2	43	<10	7	46
104344	303150	126	4.22	10	363	<2	16	2.79	6	16	20	93	4.76	0.09	7	1.15	855	5	24	513	16463	0.11	74	10	12	282	2717	<2	128	15	16	314
104345	303151	<1	5.41	19	490	<2	14	1.73	<4	10	2	21	1.46	0.38	18	0.99	875	<1	27	454	185	0.33	6	20	<10	181	1883	<2	37	13	6	204
104346	303152	<1	4.51	10	437	2	25	1.26	<4	10	4	62	1.50	0.01	19	0.99	895	<1	24	466	38	0.33	<5	15	<10	183	1917	<2	38	<10	5	84
104347D	303152	<1	4.02	12	430	<2	13	1.24	<4	10	4	64	1.51	0.49	18	1.02	884	<1	25	425	34	0.38	5	11	<10	182	1905	<2	38	11	6	80
104348	303153	<1	5.86	11	364	<2	19	0.81	<4	7	4	18	1.71	0.46	16	1.07	819	<1	22	541	7	0.43	6	<5	<10	175	1744	<2	40	<10	7	104
104349	303154	<1	5.67	20	359	2	15	0.97	<4	6	13	16	1.67	0.44	17	0.99	890	<1	27	469	19	0.35	<5	18	<10	167	1821	<2	44	11	7	99
104350	303155	<1	5.25	16	320	<2	19	0.95	<4	5	7	6	1.32	0.67	14	0.81	732	<1	23	487	30	0.33	<5	12	<10	147	1713	<2	39	<10	6	108

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By:  Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541259
Reference: 15-078
Sample #: 11

Acc #	Client ID	Au g/t (ppm)
104351	303156	0.008
104352	303157	<0.005
104353	303158	<0.005
104354	303159	<0.005
104355	303160	0.020
104356	303161	0.026
104357	303162	0.024
104358	303163	0.007
104359	303164	0.009
104360	303165	0.006
104361	303165 Dup	<0.005
104362	303166	0.029

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541259
Reference: 15-078
Sample #: 11

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.625	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541259
Reference: 15-078
Sample #: 11

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104351	303156	<1	4.20	4	473	<2	<1	2.25	<4	14	66	38	2.66	0.44	12	1.10	790	<1	46	477	21	0.12	<5	<5	<10	200	2230	3	70	<10	9	109
104352	303157	<1	4.31	9	547	<2	<1	1.95	<4	13	23	18	1.69	0.37	9	0.69	401	<1	56	512	46	0.05	<5	<5	<10	200	1834	2	48	<10	6	60
104353	303158	<1	6.18	11	1641	<2	<1	2.55	<4	10	10	5	1.98	0.44	11	0.75	359	<1	36	598	10	0.05	<5	6	<10	265	2224	<2	52	<10	7	61
104354	303159	<1	6.34	7	919	<2	2	2.28	<4	9	2	9	1.95	0.38	11	0.80	364	<1	24	577	12	0.09	<5	<5	<10	249	2113	5	47	<10	6	58
104355	303160	<1	5.80	2	553	<2	5	4.38	4	16	<1	64	3.86	0.66	<1	1.32	899	<1	9	585	10	0.02	<5	<5	<10	518	2643	12	143	12	20	56
104356	303161	<1	5.97	19	634	2	<1	2.21	<4	17	86	40	3.07	0.43	15	1.13	618	<1	58	554	16	0.26	<5	<5	<10	227	2544	9	87	<10	10	111
104357	303162	<1	5.82	27	654	2	<1	2.02	<4	10	40	35	2.49	0.48	12	0.94	577	<1	50	564	21	0.41	<5	<5	<10	220	2268	<2	69	<10	8	95
104358	303163	<1	6.90	15	622	2	<1	2.56	<4	7	12	11	1.92	0.47	11	1.07	472	<1	35	567	16	0.20	<5	6	<10	217	2098	<2	54	<10	7	67
104359	303164	<1	7.07	12	714	2	<1	2.95	<4	8	17	20	2.10	0.37	11	1.11	508	<1	45	553	31	0.04	<5	7	<10	239	2106	7	58	<10	7	86
104360	303165	<1	6.08	17	712	<2	2	2.94	<4	8	6	11	1.85	0.67	8	1.03	429	<1	23	499	18	0.08	<5	<5	<10	242	1936	6	47	<10	6	58
104361D	303165	<1	6.86	18	782	2	<1	3.19	<4	8	7	12	2.00	0.60	10	1.09	459	<1	25	529	24	0.11	<5	<5	<10	258	2052	6	50	<10	7	64
104362	303166	<1	7.15	19	768	2	2	3.16	<4	9	24	13	2.11	0.74	11	1.12	487	<1	11	551	25	0.08	<5	<5	<10	258	2155	<2	47	<10	7	65

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:19 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541260
Reference: 15-079
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
104363	303167	0.072
104364	303168	0.041
104365	303169	0.019
104366	303170	<0.005
104367	303171	0.014
104368	303172	0.019
104369	303173	1.900
104370	303174	0.064
104371	303175	0.047
104372	303176	0.112
104373	303176 Dup	0.108

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541260
Reference: 15-079
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.497	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541260
Reference: 15-079
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104363	303167	<1	6.31	24	666	2	<1	1.78	<4	10	12	17	2.28	0.19	12	0.91	424	<1	11	532	43	0.89	<5	<5	<10	278	2001	3	45	14	7	154
104364	303168	<1	6.04	17	715	<2	<1	2.81	<4	7	18	13	1.95	0.27	8	0.74	307	<1	10	495	12	0.25	<5	<5	<10	234	1944	<2	44	<10	6	43
104365	303169	<1	6.02	16	606	<2	<1	2.52	<4	7	19	11	1.93	0.51	9	0.79	319	<1	10	499	15	0.20	<5	5	<10	222	1827	<2	43	<10	7	54
104366	303170	<1	4.94	52	365	<2	2	1.26	7	13	19	2367	5.15	0.32	19	0.88	1106	14	23	695	87	1.49	<5	6	37	195	1144	5	66	16	9	601
104367	303171	<1	5.82	20	717	<2	<1	2.69	<4	8	16	36	1.97	0.22	9	0.84	357	<1	10	514	22	0.18	<5	<5	37	211	1892	2	44	<10	6	66
104368	303172	<1	5.66	19	761	<2	<1	2.59	<4	7	22	13	1.75	0.32	9	0.92	417	<1	9	479	19	0.17	<5	5	36	221	1919	3	41	<10	6	59
104369	303173	<1	6.21	73	769	2	<1	1.48	<4	19	91	52	3.04	0.29	15	0.80	397	2	41	552	78	0.97	<5	5	38	132	2570	4	76	11	10	347
104370	303174	<1	5.76	18	646	2	<1	2.36	4	25	154	58	3.99	0.37	13	1.22	731	4	65	537	48	0.29	<5	<5	36	132	3018	4	107	10	13	97
104371	303175	<1	5.69	22	589	2	1	2.27	4	23	150	63	3.49	0.22	12	1.16	667	4	63	483	52	0.23	<5	<5	40	130	2840	<2	106	13	13	168
104372	303176	<1	4.78	47	607	2	<1	2.32	<4	18	103	53	2.68	0.21	9	1.10	657	2	48	464	38	0.31	<5	<5	35	133	2254	5	72	12	11	265
104373D	303176	<1	4.47	37	591	2	<1	2.27	<4	18	99	51	2.63	0.16	8	1.07	646	<1	46	458	38	0.32	<5	<5	37	130	2206	3	70	<10	10	259

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541432
Reference: 15-117
Sample #: 6

Acc #	Client ID	Au g/t (ppm)
117243	303827	0.007
117244	303828	0.025
117245	303829	0.036
117246	303830	1.408
117247	303831	0.037
117248	303832	0.071

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541432
Reference: 15-117
Sample #: 6

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL01	0.388	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541432
Reference: 15-117
Sample #: 6

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117243	303827	<1	3.20	22	474	<2	<1	1.90	<4	17	73	29	2.70	0.20	25	1.15	652	<1	37	534	37	0.14	<5	15	12	220	2552	<2	67	<10	6	73
117244	303828	<1	3.40	16	364	<2	6	1.41	<4	24	128	45	3.78	0.08	21	1.49	1077	<1	59	502	16	0.33	<5	27	10	191	3046	<2	91	11	11	58
117245	303829	<1	3.79	12	455	2	15	0.95	<4	26	136	52	3.71	0.05	23	1.43	755	<1	67	511	29	0.27	<5	21	10	177	3097	<2	109	17	11	54
117246	303830	<1	2.76	22	459	<2	13	2.02	<4	16	42	201	3.85	<0.01	7	1.21	703	1	37	607	10	0.10	<5	14	<10	272	2848	<2	105	41	17	63
117247	303831	<1	3.54	16	329	<2	9	1.05	<4	24	130	54	3.72	0.10	24	1.61	899	<1	62	489	18	0.27	<5	25	14	175	2776	<2	99	18	12	46
117248	303832	<1	3.49	18	454	2	18	2.04	<4	24	133	42	3.77	<0.01	20	1.48	848	<1	58	506	24	0.24	<5	23	<10	224	2915	<2	92	21	13	93

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541280
Reference: 15-081
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
104889	303215	0.071
104890	303216	0.007
104891	303217	0.015
104892	303218	0.034
104893	303219	0.008
104894	303220	<0.005
104895	303221	0.014
104896	303222	0.153
104897	303223	0.101
104898	303224	0.089
104899	303224 Dup	0.118

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541280
Reference: 15-081
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541280
Reference: 15-081
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104889	303215	<1	6.15	15	598	<2	2	2.49	<4	10	7	15	2.34	0.48	11	0.83	726	<1	8	579	27	0.17	<5	<5	33	263	2370	<2	49	<10	7	76
104890	303216	<1	5.34	5	559	<2	<1	2.81	<4	9	11	5	2.14	0.41	10	0.74	553	<1	7	535	13	0.08	<5	<5	33	255	2377	<2	46	<10	6	59
104891	303217	<1	5.24	8	574	<2	<1	2.69	<4	13	12	22	2.16	0.30	10	0.85	824	<1	13	566	33	0.10	<5	<5	29	249	2412	<2	48	<10	6	82
104892	303218	<1	6.30	15	615	<2	2	3.07	<4	10	8	14	2.37	0.31	12	1.09	1105	<1	11	561	45	0.13	<5	7	36	268	2320	11	48	<10	7	83
104893	303219	<1	4.86	8	546	<2	<1	2.32	<4	8	17	8	2.08	0.14	10	0.92	833	<1	7	498	14	0.08	<5	<5	32	196	2037	3	45	<10	6	72
104894	303220	<1	5.12	5	525	<2	5	4.06	<4	14	<1	62	3.63	0.21	<1	1.27	833	<1	8	546	8	0.02	<5	<5	30	484	2484	4	134	<10	19	52
104895	303221	<1	4.54	9	585	<2	<1	1.51	<4	20	79	47	3.00	0.11	10	0.83	473	<1	44	515	27	0.09	<5	<5	34	169	2780	2	80	12	8	77
104896	303222	<1	5.16	5	571	2	<1	1.45	4	29	156	60	4.58	0.22	18	1.35	664	4	78	518	38	0.07	<5	<5	36	154	3282	7	123	<10	9	100
104897	303223	<1	5.95	8	557	2	1	1.63	4	33	167	83	4.93	0.21	16	1.43	723	6	81	567	32	0.10	<5	<5	36	151	3488	10	130	<10	9	75
104898	303224	<1	4.42	9	469	<2	<1	1.44	4	24	139	60	3.87	0.27	12	1.20	520	2	70	562	20	0.04	<5	<5	36	131	3366	5	111	<10	8	33
104899D	303224	<1	3.94	7	479	<2	<1	1.44	<4	26	145	62	3.90	0.27	11	1.16	528	2	72	573	23	0.04	<5	<5	36	131	3372	2	113	<10	8	33

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541281
Reference: 15-082
Sample #: 11

Acc #	Client ID	Au g/t (ppm)
104900	303225	0.025
104901	303226	0.019
104902	303227	0.137
104903	303228	0.034
104904	303229	0.021
104905	303230	0.409
104906	303231	0.040
104907	303232	0.209
104908	303233	0.601
104909	303234	1.592
104910	303234 Dup	1.571
104911	303235	0.391

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541281
Reference: 15-082
Sample #: 11

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541281
Reference: 15-082
Sample #: 11

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104900	303225	<1	5.84	22	530	<2	<1	1.57	<4	5	2	13	1.61	0.27	11	0.90	846	<1	6	508	32	0.38	<5	<5	31	186	1898	<2	39	<10	6	119
104901	303226	<1	5.77	25	508	<2	<1	1.52	<4	5	8	12	1.64	0.43	12	0.89	1112	<1	6	483	30	0.41	<5	<5	35	181	1826	<2	38	<10	6	115
104902	303227	<1	5.61	27	430	<2	<1	1.27	<4	5	5	19	1.76	0.40	11	0.83	840	<1	6	485	42	0.41	<5	<5	36	169	1890	2	36	<10	6	105
104903	303228	<1	4.54	20	391	<2	2	1.13	<4	4	10	3	1.39	0.23	7	0.84	839	<1	6	440	26	0.21	<5	<5	34	138	1861	7	37	<10	5	63
104904	303229	<1	5.23	20	401	<2	<1	1.10	<4	4	12	6	1.62	0.17	10	0.91	1085	<1	7	441	24	0.17	<5	<5	36	142	2066	<2	40	<10	6	78
104905	303230	<1	4.31	53	346	<2	3	1.17	7	13	19	2181	4.81	0.26	16	0.84	1074	15	22	655	73	1.39	<5	6	40	184	1110	5	63	12	9	578
104906	303231	<1	6.04	28	456	<2	<1	1.30	<4	7	5	35	1.89	0.39	14	0.97	1200	<1	8	507	45	0.29	<5	7	34	164	2213	3	44	<10	5	93
104907	303232	<1	6.21	30	485	<2	4	1.67	<4	6	3	40	1.84	0.32	13	1.00	1142	<1	7	493	75	0.42	<5	5	35	159	1867	3	35	<10	6	149
104908	303233	8	5.16	32	593	<2	<1	0.46	<4	4	18	29	1.25	0.42	9	0.59	349	<1	5	349	244	0.34	<5	<5	39	79	1559	<2	28	<10	5	358
104909	303234	25	3.97	23	531	<2	<1	1.71	<4	2	4	14	1.01	0.27	8	1.11	1146	<1	4	290	368	0.20	14	<5	31	101	1262	4	22	<10	4	475
104910D	303234	27	4.83	26	583	<2	<1	1.91	<4	2	5	15	1.08	0.35	10	1.19	1229	<1	3	314	390	0.21	12	9	34	109	1351	<2	23	12	5	491
104911	303235	10	5.96	22	674	<2	<1	2.24	<4	3	2	190	1.09	0.27	12	1.27	1347	<1	5	358	227	0.20	6	<5	33	130	1602	9	27	13	5	437

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541282
Reference: 15-083
Sample #: 11

Acc #	Client ID	Au g/t (ppm)
104912	303236	0.018
104913	303237	0.042
104914	303238	0.308
104915	303239	1.684
104916	303240	<0.005
104917	303241	0.097
104918	303242	0.035
104919	303243	0.028
104920	303244	0.020
104921	303245	0.020
104922	303245 Dup	0.020
104923	303246	0.020

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541282
Reference: 15-083
Sample #: 11

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541282
Reference: 15-083
Sample #: 11

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104912	303236	<1	5.99	13	642	<2	2	2.31	<4	6	3	21	1.69	0.28	10	0.89	528	<1	6	614	41	<5	6	39	170	1959	6	40	<10	6	46
104913	303237	<1	5.70	10	626	<2	<1	2.11	<4	6	<1	19	1.63	0.52	10	0.92	641	<1	6	594	36	<5	<5	33	167	2010	3	38	<10	6	65
104914	303238	<1	4.24	18	520	<2	<1	0.32	<4	6	2	14	1.05	0.15	4	0.43	132	<1	6	459	34	<5	<5	37	87	1701	4	30	<10	5	31
104915	303239	<1	6.01	34	676	<2	<1	1.28	<4	7	4	73	1.80	0.16	11	0.74	482	<1	7	569	178	<5	<5	36	150	2120	<2	40	<10	6	396
104916	303240	<1	6.14	6	586	<2	1	4.37	4	15	<1	67	3.82	0.47	<1	1.37	891	<1	9	587	9	<5	<5	33	511	2653	8	142	<10	21	59
104917	303241	<1	6.27	28	640	<2	<1	2.32	<4	8	1	22	2.00	0.50	9	0.85	708	<1	6	593	34	<5	<5	<10	177	2019	2	41	<10	7	92
104918	303242	<1	7.84	22	695	2	<1	2.78	<4	7	6	14	2.16	0.56	14	1.00	733	<1	8	698	17	<5	<5	<10	210	2422	4	49	10	7	65
104919	303243	<1	6.70	19	683	<2	1	2.62	<4	12	81	39	2.03	0.51	13	1.47	729	<1	40	797	27	<5	<5	<10	191	2623	5	54	<10	9	90
104920	303244	<1	6.68	18	533	<2	<1	2.41	<4	4	11	6	1.57	0.55	13	1.19	871	<1	6	532	37	<5	<5	<10	208	1726	<2	36	<10	6	65
104921	303245	<1	6.99	22	644	<2	<1	1.86	<4	6	11	15	1.65	0.48	10	0.78	402	<1	6	512	19	<5	<5	<10	198	1773	<2	37	<10	6	53
104922D	303245	<1	7.02	18	657	<2	<1	1.91	<4	5	10	15	1.65	0.67	10	0.78	403	<1	5	514	19	<5	<5	<10	201	1801	8	37	<10	6	53
104923	303246	<1	7.12	16	674	<2	<1	1.84	<4	6	6	13	1.61	0.69	10	0.78	394	<1	5	510	23	<5	<5	<10	198	1824	5	38	<10	6	50

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541283
Reference: 15-084
Sample #: 12

Acc #	Client ID	Au g/t (ppm)
104924	303247	0.039
104925	303248	0.013
104926	303249	0.010
104927	303250	1.565
104928	303251	0.009
104929	303252	0.014
104930	303253	0.021
104931	303254	0.056
104932	303255	0.033
104933	303256	0.025
104934	303256 Dup	0.014
104935	303257	0.014
104936	303258	0.008

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541283
Reference: 15-084
Sample #: 12

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.551	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541283
Reference: 15-084
Sample #: 12

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104924	303247	<1	6.44	5	625	<2	<1	2.08	<4	9	<1	12	1.90	0.28	12	0.61	348	<1	7	480	10	0.06	<5	<5	36	290	1917	<2	38	<10	6	43
104925	303248	<1	6.16	8	636	<2	<1	3.21	<4	7	7	13	2.04	0.41	10	0.71	338	<1	7	468	17	0.06	<5	6	32	300	1979	<2	41	<10	6	49
104926	303249	<1	6.85	9	872	<2	2	2.69	<4	8	3	9	1.94	0.25	13	0.83	375	<1	8	509	12	0.06	5	5	37	308	2241	<2	45	<10	6	61
104927	303250	<1	5.00	19	623	<2	<1	2.60	4	15	40	229	4.17	0.17	11	1.18	727	10	40	607	8	0.07	<5	6	37	325	2768	8	117	14	15	64
104928	303251	<1	7.41	5	735	<2	<1	3.36	<4	8	12	11	2.21	0.55	14	0.88	503	<1	8	526	21	0.06	<5	<5	37	326	2326	4	47	<10	7	58
104929	303252	<1	6.81	25	683	<2	5	2.19	<4	9	5	15	1.99	0.53	11	0.79	526	<1	9	507	26	0.31	<5	8	37	234	2204	<2	41	<10	7	63
104930	303253	<1	6.75	17	706	<2	<1	2.50	<4	8	6	28	2.03	0.35	13	1.01	822	<1	6	492	60	0.23	<5	6	39	194	2222	7	43	<10	7	74
104931	303254	<1	6.33	29	555	<2	<1	2.07	<4	6	5	29	1.65	0.46	11	0.86	624	<1	7	556	48	0.29	<5	<5	37	171	2078	<2	41	<10	7	75
104932	303255	<1	6.35	16	567	<2	<1	2.23	<4	7	1	16	1.19	0.46	10	0.75	400	<1	7	682	19	0.26	<5	9	42	170	2118	8	40	<10	6	48
104933	303256	<1	6.63	27	578	<2	<1	2.46	<4	13	6	19	1.67	0.33	12	1.00	496	<1	8	680	20	0.25	<5	5	34	180	2184	<2	42	13	6	356
104934D	303256	<1	6.19	26	559	<2	<1	2.38	<4	12	4	18	1.60	0.38	12	0.95	483	<1	8	665	20	0.28	<5	<5	35	176	2117	<2	41	14	6	353
104935	303257	<1	6.41	23	574	<2	<1	2.12	<4	6	<1	12	1.40	0.37	12	0.81	429	<1	6	669	20	0.38	<5	<5	38	164	2239	<2	42	<10	6	39
104936	303258	<1	6.46	15	516	<2	<1	2.93	<4	4	2	15	1.28	0.60	8	0.86	450	<1	9	711	19	0.21	<5	<5	34	167	1841	<2	39	<10	7	28

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:24 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541285
Reference: 15-085
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
104937	303259	0.022
104938	303260	<0.005
104939	303261	0.018
104940	303262	0.023
104941	303263	<0.005
104942	303264	0.026
104943	303265	0.014
104944	303266	0.010
104945	303267	0.013
104946	303268	0.036
104947	303268 Dup	0.036

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541285
Reference: 15-085
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541285
Reference: 15-085
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104937	303259	<1	5.29	20	619	<2	3	2.06	<4	6	3	19	1.44	0.21	11	0.84	496	<1	7	605	34	0.25	<5	<5	32	164	2085	4	41	<10	5	48
104938	303260	<1	4.28	4	546	<2	<1	4.06	<4	15	<1	64	3.66	0.28	<1	1.14	850	<1	9	554	9	0.02	<5	6	31	483	2528	6	136	<10	17	54
104939	303261	<1	4.69	22	546	<2	<1	2.19	<4	7	<1	18	1.38	0.12	10	0.79	511	<1	6	778	31	0.19	<5	5	31	188	1969	3	41	<10	6	64
104940	303262	<1	5.89	17	517	<2	<1	2.42	<4	6	9	13	1.44	0.30	11	1.03	566	<1	7	700	30	0.21	<5	<5	33	192	1944	3	41	<10	7	39
104941	303263	<1	4.91	13	596	<2	<1	1.94	<4	3	21	8	1.10	0.30	9	0.77	378	<1	5	521	18	0.08	<5	6	34	168	1637	<2	33	<10	6	26
104942	303264	<1	5.97	18	635	<2	<1	2.24	<4	7	5	54	1.38	0.32	9	0.86	428	<1	8	642	12	0.17	<5	7	37	176	1889	2	39	<10	7	33
104943	303265	<1	6.73	15	653	<2	1	2.01	<4	6	1	18	1.30	0.18	13	0.91	453	<1	6	690	21	0.20	<5	<5	34	179	2080	<2	39	<10	7	26
104944	303266	<1	7.27	19	733	<2	<1	2.05	<4	6	10	17	1.37	0.42	15	0.95	477	<1	7	674	19	0.17	<5	<5	37	183	2242	7	41	<10	7	29
104945	303267	<1	5.73	14	736	<2	<1	1.85	<4	6	4	11	1.65	0.25	11	0.79	418	<1	7	582	25	0.23	<5	<5	29	172	1930	4	38	<10	6	35
104946	303268	<1	5.42	8	664	<2	3	3.23	<4	14	89	46	3.02	0.62	12	1.45	738	1	41	774	21	0.12	<5	7	33	183	2443	4	52	<10	8	90
104947D	303268	<1	6.52	11	714	<2	3	3.47	<4	14	94	48	3.20	0.53	13	1.58	786	2	44	815	24	0.10	<5	<5	35	189	2623	11	56	<10	9	95

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 22, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/22/2015
Job #: 201541288
Reference: 15-088
Sample #: 12

Acc #	Client ID	Au g/t (ppm)
104983	303302	0.024
104984	303303	0.040
104985	303304	0.015
104986	303305	0.015
104987	303306	0.024
104988	303307	0.082
104989	303308	0.044
104990	303309	0.040
104991	303310	1.525
104992	303311	0.684
104993	303311 Dup	0.768
104994	303312	0.282
104995	303313	0.027

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 22, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/22/2015
Job #: 201541288
Reference: 15-088
Sample #: 12

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.550	1.575	0.088
AR02	1.495	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/22/2015
Job #: 201541288
Reference: 15-088
Sample #: 12

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104983	303302	<1	6.06	10	590	<2	<1	2.73	<4	8	18	21	2.25	0.58	11	0.96	988	<1	48	576	30	0.11	<5	<5	<10	261	2362	2	62	<10	7	107
104984	303303	<1	4.89	10	456	<2	<1	2.64	<4	13	13	43	2.31	0.31	8	0.91	973	<1	39	574	34	0.25	<5	<5	<10	233	2233	<2	56	14	7	349
104985	303304	<1	4.65	4	461	2	19	1.98	<4	10	26	12	2.08	0.95	17	0.71	674	<1	38	597	13	0.16	<5	17	<10	190	2593	<2	54	<10	8	82
104986	303305	<1	8.98	13	1052	2	3	4.15	5	20	80	40	5.47	0.66	28	1.37	1409	8	77	1091	30	0.25	<5	<5	<10	362	4974	11	129	11	8	254
104987	303306	<1	5.34	8	452	<2	1	1.58	<4	9	34	25	2.90	0.21	11	0.91	640	<1	37	551	13	0.11	<5	<5	<10	159	2575	2	66	<10	8	165
104988	303307	<1	4.68	9	367	2	<1	2.38	4	23	160	46	4.23	0.35	14	1.26	883	13	103	525	30	0.15	<5	6	<10	190	3020	13	106	16	11	250
104989	303308	<1	5.29	8	415	2	1	1.97	4	26	177	47	3.98	0.56	15	1.31	702	6	96	574	25	0.10	<5	<5	<10	170	3282	3	122	<10	10	156
104990	303309	<1	5.02	5	380	<2	<1	1.61	<4	24	179	37	3.47	0.24	14	1.21	496	5	95	544	20	0.04	<5	<5	<10	148	3099	5	108	<10	11	66
104991	303310	<1	4.06	21	560	<2	<1	2.41	<4	15	40	202	3.94	0.18	4	1.14	725	9	38	582	9	0.07	<5	<5	<10	300	2679	<2	115	13	15	65
104992	303311	<1	4.69	9	410	2	<1	1.68	4	26	157	63	4.28	0.33	16	1.40	695	3	96	566	24	0.14	<5	<5	<10	143	3299	11	121	<10	10	87
104993D	303311	<1	4.32	12	419	2	4	1.71	4	26	160	66	4.36	0.40	16	1.32	700	4	100	570	23	0.17	<5	<5	<10	144	3387	3	124	<10	9	89
104994	303312	<1	6.47	26	645	2	2	1.74	5	17	94	94	3.24	0.37	16	1.36	739	2	67	463	120	0.40	<5	<5	<10	140	2410	12	85	14	10	774
104995	303313	<1	5.01	27	523	<2	<1	1.40	<4	10	24	8	1.06	0.19	10	1.04	406	<1	38	399	18	0.22	<5	6	<10	107	1856	2	48	<10	6	28

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 5:07 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541279
Reference: 15-089
Sample #: 14

Acc #	Client ID	Au g/t (ppm)
104874	303314	0.106
104875	303315	0.028
104876	303316	0.018
104877	303317	0.013
104878	303318	0.018
104879	303319	0.014
104880	303320	<0.005
104881	303321	0.052
104882	303322	0.053
104883	303323	0.007
104884	303323 Dup	0.008
104885	303324	0.006
104886	303325	0.010
104887	303326	0.007
104888	303327	0.047

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541279
Reference: 15-089
Sample #: 14

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.645	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541279
Reference: 15-089
Sample #: 14

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104874	303314	<1	4.48	29	546	<2	<1	1.64	<4	6	28	22	1.46	0.28	7	0.89	438	<1	9	614	49	0.31	<5	<5	<10	148	2038	5	42	<10	6	126
104875	303315	<1	5.59	19	649	<2	<1	1.82	<4	8	12	13	1.09	0.06	6	0.73	357	<1	8	654	38	0.18	<5	<5	<10	153	2051	<2	43	<10	6	60
104876	303316	<1	5.23	23	568	<2	<1	2.10	<4	5	8	13	1.19	0.17	7	0.82	414	<1	7	650	32	0.16	<5	5	<10	180	1929	6	41	<10	6	51
104877	303317	<1	6.44	13	653	<2	<1	2.26	<4	4	15	11	1.27	0.41	11	0.86	389	<1	6	763	21	0.11	<5	<5	<10	202	2091	2	43	<10	7	136
104878	303318	<1	5.92	21	725	<2	<1	1.97	<4	5	25	13	1.55	0.66	10	0.78	422	<1	8	728	20	0.15	<5	8	<10	193	2280	3	47	<10	7	44
104879	303319	<1	6.03	10	805	<2	<1	2.61	<4	5	17	19	1.45	0.34	8	0.72	394	<1	6	862	16	0.05	<5	5	<10	192	2161	9	46	<10	7	35
104880	303320	<1	4.94	7	519	<2	<1	4.09	<4	15	<1	62	3.65	0.49	<1	1.24	862	<1	8	558	8	0.02	<5	<5	<10	486	2537	13	138	<10	19	55
104881	303321	<1	5.92	20	761	<2	<1	1.48	<4	6	7	12	1.25	0.39	10	0.78	403	<1	6	651	47	0.19	<5	<5	<10	170	2203	5	42	10	7	224
104882	303322	<1	5.85	21	859	<2	<1	1.97	<4	5	7	12	1.53	0.41	11	0.87	584	<1	7	588	32	0.20	<5	6	<10	194	1948	<2	37	<10	7	42
104883	303323	<1	5.50	6	634	<2	<1	2.28	<4	6	4	14	1.54	0.30	9	0.79	512	<1	5	589	14	0.13	<5	5	<10	171	1851	3	38	<10	6	32
104884D	303323	<1	6.12	13	658	<2	3	2.40	<4	6	7	15	1.61	0.19	9	0.87	533	<1	7	632	17	0.11	<5	<5	<10	174	1947	11	39	<10	7	33
104885	303324	<1	5.64	11	727	<2	<1	2.08	<4	5	9	11	1.75	0.21	8	0.86	499	<1	7	604	10	0.14	<5	<5	<10	179	2115	<2	41	<10	6	40
104886	303325	<1	5.82	8	618	<2	<1	2.39	<4	6	6	11	1.96	0.19	6	0.78	416	<1	8	548	7	0.07	<5	<5	<10	182	1925	<2	40	<10	7	49
104887	303326	<1	5.66	5	617	<2	<1	2.32	<4	5	8	10	1.89	0.27	6	0.75	400	<1	8	547	13	0.06	<5	<5	<10	181	1888	<2	38	<10	7	48
104888	303327	<1	6.28	7	810	<2	<1	2.42	<4	7	16	13	2.24	0.30	12	0.90	525	<1	9	680	23	0.10	<5	<5	<10	214	2321	6	47	<10	7	43

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:20 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541289
Reference: 15-090
Sample #: 13

Acc #	Client ID	Au g/t (ppm)
104996	303328	0.005
104997	303329	0.010
104998	303330	4.740
104999	303331	0.012
105000	303332	0.012
105001	303333	0.010
105002	303334	0.022
105003	303335	0.019
105004	303336	0.034
105005	303337	0.038
105006	303337 Dup	0.063
105007	303338	0.011
105008	303339	0.012
105009	303340	No Sample Received

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541289
Reference: 15-090
Sample #: 13

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.626	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541289
Reference: 15-090
Sample #: 13

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104996	303328	<1	5.95	26	551	<2	<1	2.28	<4	7	21	8	1.49	0.72	10	0.90	493	<1	10	744	18	0.17	<5	<5	<10	173	2218	2	43	<10	6	29
104997	303329	<1	7.53	18	715	<2	2	2.28	<4	9	19	17	1.47	0.55	12	1.00	497	<1	10	777	35	0.13	<5	<5	<10	171	2503	2	46	<10	7	52
104998	303330	133	5.36	20	473	<2	6	3.47	9	16	25	102	5.24	0.40	1	1.26	942	5	27	562	17099	0.07	105	<5	<10	329	2804	18	151	11	18	355
104999	303331	<1	6.65	17	655	2	2	2.04	<4	8	41	22	1.50	0.66	11	0.91	494	1	9	732	64	0.12	<5	7	<10	167	2227	9	42	<10	7	39
105000	303332	<1	7.52	6	766	<2	<1	2.17	<4	8	41	22	1.88	0.41	13	0.95	530	3	9	797	35	0.08	<5	7	<10	168	2507	<2	48	<10	8	53
105001	303333	<1	6.56	16	735	<2	<1	2.40	<4	7	32	18	1.74	0.58	10	1.01	632	<1	10	784	38	0.11	<5	5	<10	181	2230	2	46	<10	7	47
105002	303334	<1	6.57	8	612	<2	<1	2.63	<4	6	35	45	1.63	0.49	9	0.85	471	<1	9	713	31	0.06	<5	<5	<10	183	1923	8	43	<10	7	52
105003	303335	<1	6.78	19	685	<2	<1	1.79	<4	9	43	33	1.96	0.48	14	0.86	548	2	9	681	37	0.17	<5	6	<10	167	2349	6	46	<10	7	76
105004	303336	<1	6.40	12	640	<2	<1	1.73	<4	6	40	52	1.75	0.39	13	0.86	764	2	8	739	83	0.12	5	<5	<10	166	2352	7	45	<10	7	246
105005	303337	<1	6.29	12	620	2	2	2.33	<4	7	64	45	1.89	0.38	14	1.20	899	2	23	718	95	0.11	<5	<5	<10	182	2401	8	49	12	7	260
105006D	303337	<1	6.15	11	606	2	<1	2.28	<4	8	64	45	1.87	0.46	14	1.18	884	1	23	702	89	0.10	<5	<5	<10	181	2352	5	48	11	7	255
105007	303338	<1	5.25	4	542	<2	<1	1.91	<4	5	14	14	1.40	0.37	7	0.73	444	<1	5	465	27	0.09	<5	7	<10	169	1592	<2	34	<10	5	53
105008	303339	<1	7.04	10	790	2	5	2.09	<4	8	8	41	1.69	0.68	13	0.87	544	<1	6	323	54	0.16	<5	6	<10	232	2098	5	43	<10	5	109
105009	303340																NS															

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 21, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/21/2015
Job #: 201541308
Reference: 15-093
Sample #: 20

Acc #	Client ID	Au g/t (ppm)
106317	303365	0.074
106318	303366	0.081
106319	303367	0.032
106320	303368	0.019
106321	303369	0.016
106322	303370	1.535
106323	303371	0.009
106324	303372	0.008
106325	303373	0.006
106326	303374	0.011
106327	303374 Dup	0.009
106328	303375	0.008
106329	303376	0.018
106330	303377	0.014
106331	303378	0.010
106332	303379	0.006
106333	303380	<0.005
106334	303381	0.007
106335	303382	0.045
106336	303383	0.010
106337	303384	0.018
106338	303384 Dup	0.040

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 21, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/21/2015
Job #: 201541308
Reference: 15-093
Sample #: 20

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.468	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/21/2015
Job #: 201541308
Reference: 15-093
Sample #: 20

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106317	303365	<1	3.80	12	447	<2	6	1.45	<4	16	61	33	2.51	<0.01	12	0.85	497	<1	36	435	<1	0.47	<5	<5	<10	241	2014	<2	62	<10	9	71
106318	303366	<1	3.81	11	487	<2	9	1.49	<4	17	74	38	2.72	<0.01	13	0.87	546	<1	40	474	<1	0.52	<5	5	12	248	2092	4	64	<10	9	84
106319	303367	<1	4.56	9	425	2	6	1.79	<4	15	63	35	2.38	<0.01	13	0.79	520	<1	32	450	9	0.48	<5	<5	<10	265	2128	3	58	<10	9	73
106320	303368	<1	4.42	15	325	<2	8	2.11	<4	10	25	16	2.06	<0.01	10	0.73	546	<1	16	407	<1	0.52	<5	<5	<10	258	1933	<2	41	<10	6	57
106321	303369	<1	5.39	14	414	<2	5	3.42	<4	22	62	57	3.81	0.13	19	0.90	975	<1	45	653	<1	0.50	<5	5	<10	344	3550	<2	80	<10	9	95
106322	303370	<1	3.72	21	477	<2	9	2.12	<4	14	39	233	3.88	<0.01	7	1.12	693	4	38	641	<1	0.45	6	<5	<10	276	2699	12	104	14	14	58
106323	303371	<1	4.86	12	380	<2	5	2.00	<4	10	23	28	2.00	0.29	14	0.60	479	<1	17	462	14	0.45	5	<5	<10	271	2239	3	42	<10	6	77
106324	303372	<1	5.19	10	427	<2	3	2.45	<4	11	4	18	2.11	0.13	15	0.64	394	<1	8	612	9	0.59	<5	<5	<10	272	2215	<2	44	<10	6	64
106325	303373	<1	5.23	12	473	<2	3	2.16	<4	9	6	18	2.05	0.22	15	0.64	340	<1	8	622	<1	0.53	5	<5	<10	293	2174	<2	45	<10	6	58
106326	303374	<1	5.43	12	409	<2	7	2.35	<4	10	5	8	2.22	0.25	15	0.71	384	<1	12	600	<1	0.58	8	<5	<10	319	2192	4	43	<10	7	67
106327D	303374	<1	4.97	15	391	<2	3	2.23	<4	9	4	6	2.15	0.17	14	0.65	372	<1	7	591	<1	0.57	<5	6	<10	309	2131	<2	42	<10	6	67
106328	303375	<1	5.36	7	475	<2	8	2.05	<4	10	6	10	2.24	0.16	20	0.76	451	<1	8	607	3	0.53	<5	<5	<10	296	2326	<2	45	<10	7	79
106329	303376	<1	5.06	15	427	<2	8	2.51	<4	9	9	27	2.37	0.18	15	0.98	697	<1	8	617	62	0.60	<5	<5	<10	288	1974	<2	44	11	7	219
106330	303377	<1	4.60	14	526	<2	1	2.24	<4	10	6	20	2.13	0.03	16	0.71	451	<1	8	621	10	0.51	<5	<5	<10	293	2104	7	44	<10	6	64
106331	303378	<1	5.22	14	503	<2	5	2.17	<4	10	5	18	2.12	0.02	17	0.68	377	<1	8	641	25	0.50	5	<5	<10	307	2221	8	44	<10	6	82
106332	303379	<1	4.85	7	468	<2	7	2.06	<4	9	5	14	2.04	0.26	15	0.70	374	<1	8	616	11	0.49	<5	<5	<10	285	2101	<2	41	<10	6	76
106333	303380	<1	4.62	8	474	<2	12	3.78	<4	15	<1	74	3.71	0.21	1	1.00	823	<1	9	659	<1	0.41	7	<5	<10	478	2634	7	125	<10	16	51
106334	303381	<1	5.11	10	513	<2	5	1.98	<4	11	1	15	2.13	0.13	18	0.86	408	<1	9	637	17	0.48	<5	6	<10	257	2384	<2	43	<10	6	74
106335	303382	<1	4.05	12	374	<2	3	4.96	20	13	<1	80	3.56	0.15	11	2.19	1916	<1	10	573	1523	0.91	6	5	<10	296	1883	5	42	77	9	5852
106336	303383	<1	4.74	9	463	<2	5	2.03	<4	10	<1	7	2.17	0.29	18	0.86	652	<1	8	689	27	0.55	<5	<5	<10	239	2388	<2	41	<10	6	148

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/21/2015
Job #: 201541308
Reference: 15-093
Sample #: 20

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106337	303384	<1	5.27	9	493	<2	8	2.09	<4	10	2	9	2.10	0.18	15	0.72	532	<1	9	630	489	0.50	7	<5	<10	263	2383	2	44	<10	6	105
106338D	303384	<1	4.40	6	477	<2	3	2.03	<4	10	7	8	2.05	0.06	15	0.51	516	<1	7	590	482	0.22	<5	<5	<10	237	2156	<2	41	<10	3	104

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALZnMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541213
Reference: TL15-050
Sample #: 21

Acc #	Client ID	Au g/t (ppm)
101753	368472	0.013
101754	368473	0.017
101755	368474	0.008
101756	368475	0.012
101757	368476	0.020
101758	368477	0.024
101759	368478	0.018
101760	368479	0.019
101761	368480	<0.005
101762	368481	0.329
101763	368481 Dup	0.375
101764	368482	0.253
101765	368483	0.038
101766	368484	0.639
101767	368485	0.095
101768	368486	0.106
101769	368487	0.080
101770	368488	0.032
101771	368489	0.023
101772	368490	4.869
101773	368491	0.052
101774	368491 Dup	0.055
101775	368492	0.035

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541213
Reference: TL15-050
Sample #: 21

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.455	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541213
Reference: TL15-050
Sample #: 21

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101753	368472	<1	2.46	19	356	<2	<1	1.70	<4	8	13	18	1.58	<0.01	4	0.60	396	<1	11	373	23	0.18	<5	18	15	202	1629	2	37	<10	7	57
101754	368473	<1	2.79	13	357	<2	<1	1.83	<4	9	37	14	1.79	<0.01	8	0.79	535	<1	17	394	16	0.15	<5	11	<10	216	1744	6	43	10	7	55
101755	368474	<1	3.30	14	350	<2	<1	1.75	<4	12	45	25	2.11	0.20	9	0.69	445	<1	24	418	26	0.23	<5	23	<10	226	2008	<2	51	13	8	68
101756	368475	<1	2.94	13	460	<2	<1	1.75	<4	11	34	16	2.02	0.63	10	0.85	646	<1	19	399	19	0.18	<5	19	<10	240	1947	3	49	<10	8	46
101757	368476	<1	2.57	13	390	<2	<1	1.33	<4	18	111	39	3.01	0.66	19	1.09	601	<1	47	436	37	0.24	<5	16	11	206	2350	<2	78	<10	11	81
101758	368477	<1	3.32	11	352	<2	<1	1.26	<4	20	119	44	3.41	0.35	22	1.25	1016	<1	53	499	39	0.23	9	19	12	193	2447	2	84	26	14	90
101759	368478	<1	3.19	19	327	<2	<1	1.88	<4	12	58	21	2.41	0.40	13	0.93	773	<1	25	422	26	0.23	<5	16	12	196	2078	9	55	17	9	97
101760	368479	<1	2.81	21	422	<2	<1	2.15	<4	7	18	5	1.60	0.24	4	0.70	710	<1	7	371	17	0.17	<5	20	<10	190	1587	7	33	<10	6	43
101761	368480	<1	2.12	3	421	<2	<1	3.39	<4	15	<1	58	3.28	0.16	<1	1.17	780	<1	8	518	11	0.05	12	20	<10	425	2260	6	125	25	16	49
101762	368481	<1	2.99	18	513	<2	<1	1.67	<4	7	16	11	1.72	<0.01	9	0.83	926	<1	7	418	222	0.20	<5	18	<10	182	1790	4	38	24	6	175
101763D	368481	<1	2.33	19	478	<2	<1	1.47	<4	8	13	9	1.55	0.09	8	0.76	879	<1	8	394	216	0.18	<5	8	<10	163	1658	<2	32	15	6	167
101764	368482	<1	2.51	24	582	<2	<1	1.68	<4	8	11	14	1.60	<0.01	10	0.78	885	<1	7	414	41	0.23	<5	26	<10	147	1719	7	35	<10	6	60
101765	368483	<1	4.66	30	543	<2	<1	1.82	<4	9	15	9	1.75	0.25	10	0.83	660	<1	9	442	23	0.24	<5	25	<10	234	1856	5	39	15	8	40
101766	368484	<1	4.56	35	575	<2	<1	1.67	<4	8	16	40	1.79	0.02	13	0.99	696	<1	9	449	127	0.28	<5	29	<10	165	1878	<2	37	20	8	195
101767	368485	<1	5.79	34	524	<2	<1	2.32	<4	9	24	16	2.05	0.60	15	1.23	673	<1	9	522	157	0.27	<5	24	<10	185	2136	2	42	30	8	465
101768	368486	<1	4.18	42	454	<2	<1	2.06	<4	8	20	18	1.94	0.58	11	1.13	610	<1	9	460	189	0.27	7	16	<10	168	1920	5	38	28	7	474
101769	368487	<1	3.94	21	491	<2	<1	1.65	<4	8	19	18	1.78	0.25	16	0.89	498	<1	12	377	49	0.29	<5	31	<10	173	1903	9	38	33	7	434
101770	368488	<1	3.84	17	482	<2	<1	2.10	<4	6	14	24	1.55	0.59	9	0.61	559	<1	9	269	54	0.22	10	24	<10	234	1500	8	30	19	6	215
101771	368489	<1	2.93	82	307	<2	<1	1.78	<4	14	67	26	2.52	0.43	17	1.03	455	<1	32	379	49	0.13	6	16	<10	195	1906	4	57	<10	10	70
101772	368490	137	0.71	19	273	<2	<1	2.14	6	12	13	76	3.74	<0.01	<1	0.95	661	<1	19	418	17274	0.08	75	8	11	231	2084	3	110	24	13	250

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/27/2015 10:39 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541213
Reference: TL15-050
Sample #: 21

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101773	368491	<1	8.65	15	559	<2	<1	2.27	4	32	199	69	5.51	1.45	41	1.80	864	5	84	707	60	0.23	6	23	16	309	4216	7	141	30	17	127
101774D	368491	<1	8.56	21	562	2	<1	2.29	4	32	203	71	5.54	1.45	41	1.80	867	6	86	704	58	0.25	8	43	21	311	4151	7	143	23	17	127
101775	368492	<1	8.61	18	576	2	<1	2.50	<4	26	183	59	4.69	1.13	41	1.79	788	8	69	689	42	0.18	7	24	23	316	3741	7	118	24	16	120

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/27/2015 10:39 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, April 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/18/2015
Job #: 201541214
Reference: TL15-051
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
101776	368493	0.078
101777	368494	0.060
101778	368495	0.067
101779	368496	0.012
101780	368497	0.034
101781	368498	0.080
101782	368499	0.114
101783	368500	<0.005
101784	368501	0.061
101785	368502	0.111
101786	368502 Dup	0.095
101787	368503	0.077
101788	368504	0.430
101789	368505	0.103
101790	368506	0.115
101791	368507	0.049
101792	368508	0.036
101793	368509	0.069
101794	368510	0.359
101795	368511	0.061
101796	368512	0.085
101797	368512 Dup	0.109
101798	368513	0.039
101799	368514	0.113
101800	368515	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, April 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/18/2015
Job #: 201541214
Reference: TL15-051
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
101801	368516	0.031
101802	368517	0.092

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, April 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/18/2015
Job #: 201541214
Reference: TL15-051
Sample #: 25

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.650	1.575	0.088
AR02	1.535	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/18/2015
Job #: 201541214
Reference: TL15-051
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101776	368493	<1	8.96	37	610	2	<1	1.16	<4	15	13	20	2.21	1.15	20	1.11	447	2	15	576	63	0.43	7	33	20	244	1826	3	58	25	9	524
101777	368494	<1	>10.00	45	809	2	<1	1.92	<4	17	29	50	2.98	1.40	28	1.68	983	5	20	656	148	0.52	12	47	24	331	1816	<2	61	36	11	233
101778	368495	<1	>10.00	41	716	<2	<1	1.33	<4	15	28	22	3.16	1.44	27	1.54	779	3	17	642	110	0.52	<5	56	21	290	1919	11	59	28	10	302
101779	368496	<1	8.86	29	713	<2	<1	1.46	<4	15	21	10	2.70	1.67	24	1.54	852	1	18	544	31	0.18	6	28	19	280	2045	<2	56	14	8	87
101780	368497	<1	>10.00	32	675	<2	<1	1.44	<4	14	47	10	2.65	1.42	27	1.70	825	6	21	602	43	0.36	<5	38	23	276	2015	2	51	37	10	92
101781	368498	<1	9.16	31	795	2	<1	2.43	<4	15	11	27	3.06	1.63	35	2.17	1296	<1	17	547	118	0.28	16	30	19	340	2568	5	61	31	9	301
101782	368499	<1	6.99	25	898	<2	<1	2.49	<4	13	17	17	2.81	1.72	29	1.59	1264	2	14	496	95	0.48	10	37	24	287	2498	11	57	27	8	297
101783	368500	<1	8.30	14	797	<2	<1	6.05	4	23	1	95	5.50	2.15	11	2.00	1303	<1	13	806	14	0.07	10	19	22	714	3950	2	209	28	29	90
101784	368501	<1	7.19	30	779	<2	<1	1.66	<4	13	14	17	2.24	1.57	25	1.26	1176	<1	12	503	149	0.36	6	49	17	260	2311	5	53	23	7	244
101785	368502	<1	7.31	38	829	<2	<1	1.80	5	11	8	15	2.51	1.77	31	1.76	1433	<1	13	519	695	0.43	7	27	23	283	2313	7	53	48	7	858
101786D	368502	<1	8.02	39	875	2	<1	1.89	5	12	9	16	2.59	1.57	33	1.81	1484	<1	12	555	714	0.45	10	33	19	294	2417	7	54	48	8	885
101787	368503	<1	8.04	25	919	2	<1	2.27	<4	8	8	21	1.70	1.15	29	1.24	797	<1	8	464	62	0.27	<5	34	18	205	2351	10	38	14	7	122
101788	368504	<1	7.93	38	795	2	<1	2.60	<4	12	44	35	2.10	1.24	31	1.46	1125	2	23	517	60	0.26	6	34	12	171	2593	10	56	23	9	150
101789	368505	<1	8.73	40	861	<2	<1	2.52	<4	11	29	13	2.10	1.48	25	1.53	1277	<1	16	588	101	0.27	5	53	16	188	2399	6	46	26	12	277
101790	368506	<1	>10.00	53	947	2	<1	2.91	<4	11	34	14	2.18	1.92	35	1.61	1286	3	14	615	102	0.29	6	44	24	207	2559	13	48	41	13	421
101791	368507	<1	>10.00	37	925	2	<1	2.66	<4	11	22	23	1.79	1.79	33	1.31	804	<1	11	471	56	0.14	<5	75	20	186	2560	8	42	20	9	179
101792	368508	<1	>10.00	18	1052	2	<1	3.18	<4	9	17	13	1.97	1.98	31	1.51	768	<1	8	466	20	0.14	8	40	14	194	2567	7	41	37	8	57
101793	368509	<1	9.41	33	1456	2	<1	3.21	<4	10	23	36	1.95	2.07	29	1.84	1136	<1	8	440	60	0.25	8	53	18	188	2404	7	39	26	8	114
101794	368510	<1	7.47	72	417	<2	<1	1.65	8	18	28	3212	6.58	1.89	39	1.16	1430	17	27	930	115	1.57	6	36	20	256	1541	6	87	53	13	799
101795	368511	<1	7.72	24	962	2	<1	3.06	<4	16	115	164	3.22	1.89	33	2.08	1251	5	39	769	84	0.31	10	33	18	190	2457	4	65	32	14	255

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/20/2015 4:29 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/18/2015
Job #: 201541214
Reference: TL15-051
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101796	368512	<1	7.36	33	590	2	<1	2.03	<4	27	194	97	4.61	1.46	37	2.15	1226	4	70	699	55	0.35	8	57	17	155	3185	7	118	21	13	175
101797D	368512	<1	7.86	36	594	<2	<1	2.05	<4	27	193	93	4.61	1.86	38	2.17	1233	5	69	711	43	0.35	11	15	15	156	3275	2	119	12	14	175
101798	368513	<1	8.25	17	534	<2	<1	2.03	<4	29	188	96	4.60	1.43	39	2.02	1316	4	73	735	64	0.31	10	39	17	169	3405	2	122	21	15	150
101799	368514	<1	7.47	38	588	<2	<1	2.76	8	28	186	110	5.22	1.10	40	2.40	1812	5	75	734	151	0.55	9	30	14	177	3271	2	127	37	14	806
101800	368515	<1	6.26	16	650	<2	<1	2.17	<4	7	15	68	1.72	1.44	28	1.51	915	<1	8	516	53	0.24	5	28	22	158	1896	10	33	22	7	101
101801	368516	<1	9.32	20	848	<2	<1	2.40	<4	8	16	15	1.74	1.35	34	1.94	1068	<1	9	434	37	0.23	9	35	20	165	2285	12	37	22	8	63
101802	368517	<1	9.95	32	824	<2	<1	2.13	<4	8	18	28	1.87	1.36	34	1.93	1079	<1	8	466	97	0.26	5	33	21	159	2232	<2	35	27	9	166

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541278
Reference: 15-091
Sample #: 11

Acc #	Client ID	Au g/t (ppm)
104862	303340	<0.005
104863	303341	0.074
104864	303342	0.021
104865	303343	0.008
104866	303344	0.015
104867	303345	0.766
104868	303346	0.700
104869	303347	<0.005
104870	303348	0.015
104871	303349	0.034
104872	303349 Dup	0.040
104873	303350	0.200
105199	303351	0.052

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541278
Reference: 15-091
Sample #: 11

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541278
Reference: 15-091
Sample #: 11

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104862	303340	<1	5.99	8	586	<2	3	4.42	<4	16	<1	64	3.86	0.16	<1	1.43	912	<1	9	588	12	0.02	<5	5	34	507	2656	21	145	<10	21	59
104863	303341	<1	5.46	28	853	<2	<1	2.86	<4	8	13	30	2.08	0.21	7	1.49	1284	4	43	502	125	0.31	<5	<5	35	108	1877	2	53	10	6	272
104864	303342	<1	5.50	21	1411	<2	2	2.62	<4	7	26	23	1.84	0.24	9	1.41	903	4	66	514	31	0.25	<5	<5	35	119	2066	<2	62	10	6	84
104865	303343	<1	5.63	10	980	<2	<1	2.76	<4	7	19	13	1.76	0.49	11	1.48	961	<1	47	513	32	0.10	<5	6	37	116	2132	2	54	10	6	97
104866	303344	<1	5.06	11	713	<2	1	2.51	<4	7	19	19	1.80	0.26	8	1.37	890	<1	49	490	27	0.10	<5	6	33	113	1976	5	53	13	6	76
104867	303345	<1	3.93	35	691	<2	<1	2.14	5	7	21	117	2.21	0.48	8	1.18	808	10	50	450	148	0.22	<5	<5	38	102	1793	15	51	20	5	858
104868	303346	<1	4.70	36	612	<2	2	2.19	4	8	16	106	2.30	0.33	7	1.27	789	4	38	440	125	0.45	6	<5	35	99	1685	<2	45	14	6	555
104869	303347	<1	5.03	13	746	<2	3	2.19	<4	8	30	17	1.94	0.10	11	1.41	808	4	70	490	25	0.05	<5	<5	39	109	2157	2	61	12	6	96
104870	303348	<1	5.36	31	720	<2	<1	2.37	<4	10	8	14	1.82	0.22	10	1.28	798	<1	28	488	23	0.21	<5	<5	38	109	2079	7	47	<10	6	87
104871	303349	<1	5.90	24	631	<2	<1	3.51	<4	7	17	13	1.81	0.34	11	1.71	1313	1	9	490	22	0.16	<5	<5	36	117	1799	4	41	93	6	241
104872D	303349	<1	6.01	30	662	<2	<1	3.60	<4	7	24	14	1.91	0.43	11	1.77	1376	3	9	502	25	0.16	<5	8	36	119	1882	<2	42	97	7	256
104873	303350	<1	5.11	53	364	<2	5	1.27	7	13	16	2525	5.20	0.34	21	0.84	1093	14	22	692	74	1.29	<5	5	36	199	1133	<2	65	19	8	593
105199	303351	<1	5.05	21	617	<2	<1	3.83	<4	5	17	120	2.13	0.39	8	2.01	1239	<1	8	468	30	0.13	<5	<5	33	112	1696	10	40	12	7	204

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:18 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/26/2015
Job #: 201541309
Reference: 15-092
Sample #: 13

Acc #	Client ID	Au g/t (ppm)
106339	303352	0.101
106340	303353	0.008
106341	303354	0.019
106342	303355	0.049
106343	303356	0.120
106344	303357	0.050
106345	303358	0.014
106346	303359	0.035
106347	303360	<0.005
106348	303361	0.026
106349	303361 Dup	0.022
106350	303362	0.075
106351	303363	0.038
106352	303364	0.009

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/26/2015
Job #: 201541309
Reference: 15-092
Sample #: 13

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.546	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/26/2015
Job #: 201541309
Reference: 15-092
Sample #: 13

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106339	303352	<1	5.39	9	507	<2	7	1.49	<4	10	2	46	2.15	<0.01	15	0.62	437	<1	7	615	425	0.71	<5	<5	<10	301	2185	2	43	<10	6	129
106340	303353	<1	4.91	13	441	<2	2	1.19	<4	9	<1	13	2.08	<0.01	17	0.58	399	<1	8	635	11	0.47	<5	<5	<10	243	2564	<2	44	<10	5	72
106341	303354	<1	4.89	19	444	<2	4	1.33	<4	11	<1	22	2.33	0.12	17	0.59	476	<1	9	637	31	0.87	<5	<5	<10	260	2422	2	44	<10	6	99
106342	303355	<1	5.29	18	438	<2	7	1.37	<4	9	2	102	2.25	0.14	18	0.65	508	<1	9	621	307	0.86	<5	<5	<10	255	2212	3	41	12	6	527
106343	303356	<1	4.24	12	410	<2	5	2.87	16	10	3	148	2.53	0.14	13	0.94	900	<1	8	557	1898	1.05	5	<5	<10	294	2001	2	36	63	7	4504
106344	303357	<1	5.21	19	435	<2	7	2.11	10	10	<1	119	2.11	0.15	17	0.78	646	<1	7	632	486	0.80	5	5	<10	280	2157	2	39	42	7	2743
106345	303358	<1	4.78	17	397	<2	5	2.21	<4	8	2	10	2.04	<0.01	17	0.91	696	<1	7	720	143	0.70	6	5	<10	302	2096	<2	37	<10	6	144
106346	303359	<1	4.68	16	445	<2	3	1.57	<4	9	4	97	2.00	0.26	16	0.65	507	<1	8	818	41	0.80	5	<5	<10	252	2140	5	39	<10	6	72
106347	303360	<1	4.36	4	438	<2	17	3.53	<4	19	<1	65	3.45	0.93	2	1.18	811	<1	12	573	27	0.06	<5	12	<10	444	2616	<2	124	<10	20	56
106348	303361	<1	5.01	21	423	<2	6	2.00	<4	11	10	8	2.23	0.25	17	0.90	782	<1	7	626	23	0.72	<5	<5	<10	256	2277	<2	42	<10	6	60
106349D	303361	<1	5.40	24	438	<2	2	2.07	<4	9	10	8	2.30	0.24	18	0.90	798	<1	8	642	21	0.73	5	<5	<10	263	2327	6	44	<10	6	58
106350	303362	<1	5.14	22	447	<2	2	2.46	<4	11	2	20	2.52	0.25	19	0.68	767	<1	9	723	34	0.95	5	<5	<10	274	2422	<2	39	<10	7	110
106351	303363	<1	5.74	24	618	<2	7	1.54	<4	11	14	20	2.29	0.04	18	0.75	670	<1	10	660	23	0.74	<5	<5	<10	232	2546	<2	47	<10	6	77
106352	303364	<1	5.08	25	518	<2	4	1.61	<4	10	9	9	2.20	0.20	15	0.57	559	<1	9	698	7	0.80	<5	<5	<10	232	2480	<2	45	<10	7	58

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/28/2015
Job #: 201541312
Reference: 15-094
Sample #: 15

Acc #	Client ID	Au g/t (ppm)
106391	303385	0.044
106392	303386	0.040
106393	303387	0.018
106394	303388	0.059
106395	303389	0.139
106396	303390	3.552
106397	303391	1.194
106398	303392	0.627
106399	303393	0.304
106400	303394	4.277
106401	303394 Dup	4.184
106402	303395	0.522
106403	303396	0.745
106404	303397	0.089
106405	303398	0.309
106406	303399	0.243

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/28/2015
Job #: 201541312
Reference: 15-094
Sample #: 15

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.626	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/28/2015
Job #: 201541312
Reference: 15-094
Sample #: 15

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106391	303385	<1	2.16	28	404	<2	9	0.99	<4	8	3	24	1.62	<0.01	13	0.56	865	<1	25	455	12	0.37	<5	9	<10	171	1859	<2	41	<10	4	51
106392	303386	<1	4.02	27	407	<2	37	1.05	<4	8	11	25	1.58	<0.01	13	0.63	804	<1	42	522	12	0.30	<5	20	14	184	1871	2	46	<10	5	52
106393	303387	<1	3.67	22	386	<2	8	1.24	<4	6	10	14	1.47	0.05	13	0.73	994	<1	29	479	7	0.28	<5	25	<10	172	1725	<2	36	<10	5	42
106394	303388	<1	3.77	23	379	<2	23	1.16	<4	6	8	10	1.39	<0.01	14	0.78	944	<1	29	461	11	0.28	6	11	<10	156	1739	<2	35	<10	5	49
106395	303389	1	4.09	34	416	<2	19	0.87	<4	6	5	9	1.28	<0.01	15	0.64	745	<1	30	416	48	0.36	<5	16	<10	146	1808	3	36	<10	5	76
106396	303390	137	4.65	13	386	2	10	2.94	7	16	24	97	4.87	<0.01	5	1.28	882	<1	24	563	16684	0.11	102	<5	14	296	2807	<2	134	11	18	323
106397	303391	5	5.65	34	434	<2	18	0.56	<4	7	3	16	1.63	<0.01	17	0.59	390	<1	6	451	362	0.50	6	22	<10	140	1986	<2	33	<10	7	151
106398	303392	1	5.88	34	448	<2	4	0.46	<4	7	13	14	1.64	<0.01	18	0.60	436	<1	6	466	72	0.42	<5	23	<10	113	2101	<2	33	<10	7	43
106399	303393	1	5.52	25	363	<2	9	0.94	<4	7	5	11	1.60	<0.01	17	0.89	997	<1	5	472	48	0.28	<5	12	<10	127	1950	<2	31	<10	7	90
106400	303394	12	4.76	18	314	<2	18	1.02	<4	6	12	14	1.43	0.02	17	0.92	1029	<1	5	476	673	0.23	16	26	<10	129	1881	<2	30	11	6	886
106401D	303394	13	5.00	25	324	<2	26	1.05	<4	6	9	14	1.42	<0.01	17	0.93	1038	<1	4	481	674	0.24	13	16	10	132	1905	2	30	13	6	871
106402	303395	3	4.67	25	338	<2	6	0.77	<4	6	13	18	1.22	<0.01	14	0.71	712	<1	5	427	105	0.25	5	20	<10	114	1717	<2	27	<10	6	230
106403	303396	1	3.42	16	302	<2	21	0.84	<4	4	23	16	1.25	<0.01	11	0.65	674	<1	4	333	58	0.18	<5	18	<10	99	1430	<2	22	<10	5	151
106404	303397	<1	4.07	24	292	2	14	1.28	<4	6	11	33	1.47	0.04	16	0.85	810	<1	5	460	73	0.32	<5	16	<10	120	1923	<2	30	<10	5	200
106405	303398	<1	4.56	28	354	2	5	1.36	<4	7	3	18	1.78	<0.01	20	0.86	702	<1	5	555	78	0.49	<5	24	<10	127	2357	<2	38	11	4	179
106406	303399	<1	4.80	30	426	2	23	1.06	<4	6	15	20	1.47	<0.01	18	0.86	723	<1	6	443	60	0.38	<5	18	<10	113	1957	<2	30	<10	6	140

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 16, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/16/2015
Job #: 201541215
Reference: TL15-052
Sample #: 33

Acc #	Client ID	Au g/t (ppm)
101803	368518	0.012
101804	368519	0.007
101805	368520	<0.005
101806	368521	<0.005
101807	368522	<0.005
101808	368523	<0.005
101809	368524	<0.005
101810	368525	<0.005
101811	368526	0.010
101812	368527	0.005
101813	368527 Dup	0.006
101814	368528	<0.005
101815	368529	<0.005
101816	368530	1.413
101817	368531	0.233
101818	368532	0.203
101819	368533	0.034
101820	368534	0.019
101821	368535	0.023
101822	368536	0.016
101823	368537	0.030
101824	368537 Dup	0.035
101825	368538	0.035
101826	368539	0.039
101827	368540	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 16, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/16/2015
Job #: 201541215
Reference: TL15-052
Sample #: 33

Acc #	Client ID	Au g/t (ppm)
101828	368541	0.048
101829	368542	0.080
101830	368543	0.098
101831	368544	0.083
101832	368545	0.144
101833	368546	0.113
101834	368547	0.106
101835	368547 Dup	0.108
101836	368548	5.773
101837	368549	0.302
101838	368550	4.876

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 16, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/16/2015
Job #: 201541215
Reference: TL15-052
Sample #: 33

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.544	1.575	0.088
AR02	1.488	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/16/2015
Job #: 201541215
Reference: TL15-052
Sample #: 33

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101803	368518	<1	4.96	14	426	<2	<1	2.00	<4	10	19	11	2.02	<0.01	13	0.75	456	<1	12	446	19	2.97	6	21	<10	323	2202	<2	44	34	9	118
101804	368519	<1	5.10	12	475	<2	<1	2.28	<4	11	20	4	2.06	0.12	15	0.78	448	<1	11	461	8	3.02	8	26	<10	358	2411	<2	44	22	9	67
101805	368520	<1	5.89	10	475	<2	<1	3.96	<4	16	<1	57	3.75	0.12	4	1.49	892	<1	7	596	17	2.92	7	19	11	481	2677	<2	131	31	23	61
101806	368521	<1	5.13	19	502	<2	<1	2.35	<4	11	20	7	2.07	0.09	15	0.79	476	<1	12	478	12	2.85	5	5	11	376	2432	<2	46	<10	9	64
101807	368522	<1	3.88	12	410	<2	<1	2.12	<4	10	25	13	2.09	0.21	12	0.64	420	<1	12	448	14	2.95	6	12	<10	371	2471	<2	45	33	7	64
101808	368523	<1	5.06	22	434	<2	<1	2.28	<4	10	24	14	2.16	0.22	14	0.74	419	<1	13	467	19	3.30	7	20	<10	392	2500	<2	45	23	9	65
101809	368524	<1	5.61	16	487	2	<1	2.29	<4	10	24	16	2.15	0.28	15	0.76	402	<1	12	477	14	3.23	6	23	<10	400	2356	<2	44	20	9	64
101810	368525	<1	5.46	21	549	<2	<1	2.22	<4	11	17	17	2.23	0.23	17	0.77	468	<1	12	533	14	3.08	9	19	<10	429	2718	<2	50	19	9	72
101811	368526	<1	5.10	14	506	<2	<1	2.06	<4	11	18	18	2.12	0.17	15	0.71	427	<1	12	484	11	3.23	<5	26	12	417	2582	<2	46	18	8	69
101812	368527	<1	4.96	5	461	<2	<1	2.14	<4	10	17	13	2.09	0.27	13	0.73	417	<1	12	455	14	2.89	5	25	15	406	2439	<2	44	22	9	59
101813D	368527	<1	5.34	26	475	<2	<1	2.22	<4	10	17	13	2.15	0.27	14	0.77	429	<1	13	474	11	2.74	<5	19	18	417	2507	<2	46	27	9	65
101814	368528	<1	5.76	15	502	<2	<1	2.30	<4	12	17	5	2.10	0.14	17	0.81	348	<1	14	484	11	2.94	7	18	<10	432	2570	<2	48	31	10	53
101815	368529	<1	5.50	15	464	<2	<1	2.42	<4	9	16	5	1.99	0.14	15	0.81	360	<1	11	486	14	3.07	8	21	15	420	2512	<2	47	31	9	47
101816	368530	<1	4.38	30	502	<2	<1	2.32	<4	15	36	202	4.00	0.17	12	1.31	736	<1	39	612	10	3.04	8	10	13	297	2837	<2	108	52	17	73
101817	368531	<1	5.12	29	253	2	<1	1.89	9	21	132	114	3.89	0.14	24	1.73	1334	<1	56	532	400	3.25	8	14	20	138	2236	<2	80	138	15	2978
101818	368532	<1	5.15	25	324	<2	<1	1.59	<4	14	77	122	2.67	0.23	24	1.56	1097	<1	29	467	413	3.21	9	23	<10	129	1858	<2	54	42	11	838
101819	368533	<1	5.49	24	416	2	<1	1.68	<4	9	39	12	2.03	0.06	23	1.42	998	<1	11	551	72	3.21	<5	18	16	133	1829	<2	37	36	7	162
101820	368534	<1	5.35	24	360	2	<1	1.91	<4	7	16	5	2.00	0.24	21	1.60	1189	<1	8	487	39	3.48	<5	25	13	128	1697	<2	31	32	7	65
101821	368535	<1	6.08	33	449	2	<1	1.80	<4	8	29	4	1.96	0.19	23	1.45	954	<1	8	521	37	3.56	5	10	11	118	1873	<2	34	24	7	116
101822	368536	<1	6.34	29	448	2	<1	1.78	<4	8	18	6	1.66	<0.01	22	1.38	1000	<1	7	481	32	3.40	5	23	10	109	1858	<2	33	29	8	97

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/16/2015
Job #: 201541215
Reference: TL15-052
Sample #: 33

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101823	368537	<1	3.51	16	513	2	<1	1.66	<4	7	22	27	1.58	0.05	18	0.94	830	<1	7	505	81	3.45	10	8	<10	108	1952	<2	34	32	4	243
101824D	368537	<1	4.86	18	460	2	<1	1.58	<4	7	14	25	1.45	0.28	15	1.10	762	<1	10	473	74	3.00	<5	14	<10	103	1796	<2	32	26	6	218
101825	368538	<1	5.32	20	440	<2	<1	1.47	<4	6	31	40	1.45	0.29	15	1.00	687	<1	7	501	122	3.27	<5	16	<10	116	1708	<2	31	26	6	205
101826	368539	1	5.91	24	454	<2	<1	0.77	<4	7	13	27	1.18	0.56	16	0.89	308	<1	7	526	266	3.13	5	22	13	98	1816	<2	33	45	7	588
101827	368540	<1	6.09	15	482	<2	<1	3.99	<4	16	<1	61	3.80	<0.01	5	1.52	907	<1	9	610	12	3.19	5	23	10	487	2740	<2	134	35	24	64
101828	368541	<1	6.02	33	532	<2	<1	0.92	<4	7	8	10	1.41	<0.01	14	0.85	387	<1	6	527	120	3.36	5	22	<10	95	1886	<2	33	20	8	264
101829	368542	<1	5.63	29	769	<2	<1	2.30	<4	8	9	16	1.48	0.24	19	1.43	856	<1	6	492	52	3.24	6	16	13	129	1857	<2	31	31	7	131
101830	368543	<1	5.78	40	486	<2	<1	1.60	<4	8	23	57	1.30	0.07	20	1.00	583	<1	7	494	145	3.23	7	22	13	102	1875	<2	32	32	7	311
101831	368544	<1	6.20	38	445	<2	<1	1.20	<4	8	15	25	1.24	<0.01	20	1.01	495	<1	7	513	102	3.56	<5	20	14	106	1949	<2	33	29	7	131
101832	368545	<1	5.86	28	445	<2	<1	1.66	<4	8	14	19	1.74	0.12	21	1.28	853	<1	8	493	46	3.36	8	20	13	124	1911	<2	32	30	7	85
101833	368546	<1	5.64	32	469	<2	<1	1.57	<4	8	19	20	1.82	0.06	21	1.23	864	<1	8	512	56	3.21	<5	21	<10	122	1981	<2	34	20	7	75
101834	368547	<1	5.03	34	407	<2	<1	1.85	<4	7	11	13	1.62	0.09	20	1.41	973	<1	7	455	82	3.45	5	11	10	123	1704	3	29	38	6	106
101835D	368547	<1	5.16	26	419	<2	<1	1.90	<4	7	16	13	1.69	0.09	20	1.45	1001	<1	7	463	81	3.26	8	22	12	125	1742	<2	30	<10	7	109
101836	368548	<1	5.17	39	522	<2	<1	1.20	<4	7	11	14	1.35	0.39	20	1.12	656	<1	8	406	43	3.16	6	30	<10	115	1704	<2	28	22	6	82
101837	368549	<1	5.01	35	560	<2	<1	0.80	<4	6	25	24	1.16	0.31	18	0.98	423	<1	7	326	37	2.97	7	25	13	102	1587	<2	23	17	6	37
101838	368550	145	4.37	25	369	<2	<1	2.88	5	16	19	89	4.76	0.21	6	1.28	863	<1	23	533	17641	2.86	98	<5	19	286	2668	<2	129	29	18	328

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541378
Reference: 15-108
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
112906	303607	0.006
112907	303608	0.013
112908	303609	0.016
112909	303610	5.158
112910	303611	0.029
112911	303612	0.074
112912	303613	0.017
112913	303614	0.006
112914	303615	0.009
112915	303616	0.017
112916	303616 Dup	0.018

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541378
Reference: 15-108
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.476	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, May 4, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541378
Reference: 15-108
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112906	303607	<1	4.85	7	458	<2	3	1.49	<4	5	36	14	1.81	<0.01	8	0.54	404	1	8	446	15	0.10	<5	<5	<10	244	2011	3	36	24	6	43
112907	303608	<1	7.14	5	459	<2	5	2.41	<4	7	12	9	2.29	<0.01	10	0.67	507	<1	9	546	12	0.13	<5	<5	<10	395	2466	2	44	<10	7	54
112908	303609	<1	7.17	3	555	<2	3	2.25	<4	7	34	13	2.41	<0.01	15	0.94	557	2	9	560	10	0.14	<5	<5	10	347	2450	<2	45	<10	7	77
112909	303610	123	3.27	17	337	<2	<1	2.52	7	12	24	86	4.44	0.38	<1	1.14	784	<1	23	483	16066	0.09	92	<5	<10	259	2442	7	124	<10	15	281
112910	303611	<1	6.52	10	591	<2	2	1.74	<4	8	15	13	2.00	<0.01	13	0.95	546	<1	8	512	21	0.34	<5	<5	<10	248	2317	3	42	<10	6	81
112911	303612	<1	7.03	10	680	<2	<1	1.82	<4	8	23	22	1.96	0.04	12	0.81	503	<1	8	571	103	0.52	<5	<5	<10	234	2301	8	44	<10	7	302
112912	303613	<1	6.95	18	611	<2	1	2.04	<4	9	46	16	1.44	<0.01	14	0.79	434	4	12	848	25	0.19	<5	<5	<10	196	2341	9	45	<10	6	144
112913	303614	<1	6.95	17	623	<2	<1	2.64	<4	8	20	9	1.26	0.05	9	0.82	490	<1	9	754	17	0.28	<5	<5	<10	208	2158	6	41	<10	6	30
112914	303615	<1	6.79	16	570	<2	<1	2.41	<4	8	32	10	1.44	0.21	11	1.04	586	2	10	749	7	0.24	<5	<5	10	176	2274	<2	41	<10	7	23
112915	303616	<1	6.01	13	594	<2	2	2.07	<4	11	24	19	1.39	0.15	10	1.06	535	<1	12	663	21	0.18	<5	<5	<10	147	2191	6	40	<10	6	34
112916D	303616	<1	6.41	19	614	<2	<1	2.15	<4	10	27	20	1.47	<0.01	11	1.08	551	3	13	687	15	0.19	<5	<5	<10	151	2254	4	40	<10	6	31

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/04/2015 11:19 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541427
Reference: 15-112
Sample #: 11

Acc #	Client ID	Au g/t (ppm)
117123	303717	0.017
117124	303718	0.026
117125	303719	0.008
117126	303720	<0.005
117127	303721	0.026
117128	303722	0.043
117129	303723	0.030
117130	303724	0.065
117131	303725	0.201
117132	303726	0.149
117133	303726 Dup	0.174
117134	303727	0.233

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541427
Reference: 15-112
Sample #: 11

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541427
Reference: 15-112
Sample #: 11

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117123	303717	<1	4.89	22	516	<2	19	1.26	<4	8	10	14	1.42	<0.01	16	1.02	579	<1	7	667	21	0.29	<5	20	<10	176	2030	<2	34	19	8	38
117124	303718	<1	4.10	22	471	<2	10	1.23	<4	9	27	24	1.40	<0.01	18	1.04	510	<1	15	647	33	0.26	<5	13	<10	172	2097	<2	38	<10	7	45
117125	303719	<1	4.23	25	554	<2	18	1.30	<4	6	5	7	1.30	<0.01	12	0.90	515	<1	4	502	16	0.34	<5	29	10	165	1846	<2	31	18	6	42
117126	303720	<1	3.78	10	440	<2	7	3.60	<4	16	<1	62	3.62	<0.01	<1	1.35	845	<1	8	588	4	0.06	<5	24	16	455	2633	<2	129	14	21	53
117127	303721	<1	4.28	18	467	<2	28	1.34	<4	6	5	15	1.37	<0.01	9	0.83	466	<1	5	476	21	0.38	<5	21	<10	176	1711	<2	31	16	6	42
117128	303722	1	3.99	34	358	<2	9	1.94	<4	7	5	14	1.96	<0.01	12	1.23	1213	<1	7	526	36	0.58	<5	23	<10	208	1786	<2	31	<10	7	150
117129	303723	<1	4.43	18	415	<2	10	0.78	<4	6	3	12	1.20	<0.01	10	0.87	647	<1	4	449	45	0.39	<5	15	11	179	1602	<2	29	<10	6	136
117130	303724	1	3.55	19	373	<2	12	0.75	<4	7	4	18	1.21	<0.01	9	0.90	707	<1	4	516	25	0.34	<5	28	12	165	1604	<2	34	20	5	65
117131	303725	1	3.58	16	311	<2	19	0.83	<4	6	6	13	1.57	<0.01	13	0.98	959	<1	6	562	16	0.26	<5	19	<10	158	1709	<2	35	10	6	68
117132	303726	1	4.33	19	335	<2	9	0.87	<4	6	7	13	1.62	<0.01	14	1.05	949	<1	6	580	14	0.25	<5	28	<10	163	1799	<2	37	16	6	75
117133D	303726	1	4.18	13	324	<2	9	0.85	<4	6	7	13	1.60	<0.01	13	1.05	947	<1	6	575	16	0.25	<5	31	<10	160	1746	<2	36	19	6	72
117134	303727	<1	3.93	24	327	<2	21	0.81	<4	7	9	11	1.62	<0.01	11	0.91	945	<1	8	555	12	0.27	<5	31	<10	145	1773	<2	35	<10	6	52

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541216
Reference: TL15-053
Sample #: 21

Acc #	Client ID	Au g/t (ppm)
101839	368551	0.020
101840	368552	0.070
101841	368553	0.037
101842	368554	0.032
101843	368555	0.109
101844	368556	0.249
101845	368557	0.068
101846	368558	0.019
101847	368559	0.013
101848	368560	0.007
101849	368560	Insufficient Sample
101850	368561	0.016
101851	368562	0.029
101852	368563	0.018
101853	368564	0.015
101854	368565	0.018
101855	368566	0.025
101856	368567	0.072
101857	368568	0.041
101858	368569	0.055
101859	368570	0.374
101860	368570	Insufficient Sample
101861	368571	0.021

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541216
Reference: TL15-053
Sample #: 21

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541216
Reference: TL15-053
Sample #: 21

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101839	368551	<1	>10.00	26	1066	2	<1	3.95	<4	7	30	68	1.93	1.84	33	2.55	1338	1	7	438	170	0.18	6	50	18	189	2141	9	35	36	9	165
101840	368552	<1	8.46	18	996	<2	<1	5.13	<4	7	20	70	2.27	1.93	23	3.35	1887	1	7	408	231	0.14	6	37	16	155	1888	10	31	40	9	466
101841	368553	<1	7.86	25	731	<2	<1	2.98	<4	8	17	24	1.93	2.01	29	2.40	1384	<1	5	390	137	0.24	11	25	24	134	2109	6	32	41	7	538
101842	368554	<1	>10.00	26	891	<2	<1	3.26	<4	7	17	39	1.79	1.00	33	2.45	1232	1	7	451	465	0.22	7	55	11	141	2243	4	34	33	9	328
101843	368555	<1	7.11	24	835	2	<1	2.67	<4	8	14	37	1.77	1.44	32	2.01	1053	<1	7	392	57	0.22	6	22	19	139	2327	6	35	20	7	106
101844	368556	<1	6.67	22	804	<2	<1	2.01	<4	8	42	174	1.66	1.81	29	1.56	805	<1	7	352	123	0.27	<5	24	17	121	2227	15	34	35	6	333
101845	368557	<1	6.42	17	728	<2	<1	2.38	<4	7	13	44	1.66	1.85	35	1.74	987	<1	8	372	78	0.22	<5	37	19	139	2231	8	35	25	6	140
101846	368558	<1	7.94	19	747	<2	<1	2.05	<4	6	7	14	1.69	1.28	34	2.06	954	<1	7	403	41	0.21	<5	35	18	122	2269	12	35	19	7	125
101847	368559	<1	7.94	8	968	<2	<1	1.76	5	9	20	36	1.84	1.16	36	1.75	853	<1	8	460	91	0.13	7	21	21	131	2301	5	37	63	7	1295
101848	368560	<1	7.36	14	716	<2	<1	5.23	4	21	<1	86	4.86	1.40	9	1.80	1154	<1	11	795	15	0.08	8	30	19	634	3571	8	185	26	26	85
101849D	368560																IS															
101850	368561	<1	7.66	25	641	<2	<1	2.47	<4	7	14	15	1.77	1.64	22	1.75	918	<1	6	404	51	0.22	<5	37	11	151	2022	5	34	36	8	147
101851	368562	<1	>10.00	26	723	2	<1	2.24	<4	9	16	20	1.78	1.81	31	1.66	688	<1	8	435	24	0.17	<5	36	17	160	2287	11	36	27	9	97
101852	368563	<1	>10.00	30	746	2	<1	1.88	<4	8	12	21	1.67	1.53	38	1.55	631	<1	9	456	46	0.17	6	39	18	154	2438	9	37	23	9	56
101853	368564	<1	>10.00	31	872	<2	<1	2.43	<4	9	20	9	1.69	1.53	36	1.56	741	<1	9	456	30	0.20	10	50	16	159	2425	5	38	33	9	70
101854	368565	<1	>10.00	16	760	<2	<1	2.61	<4	8	31	26	2.04	0.85	33	1.86	912	3	8	489	7	0.18	9	37	19	146	2430	7	38	<10	10	55
101855	368566	<1	7.87	25	712	<2	<1	2.31	<4	7	28	25	1.96	2.21	30	1.61	884	1	8	406	9	0.15	11	35	21	133	2306	12	36	30	7	53
101856	368567	<1	8.49	20	844	<2	<1	2.12	<4	8	23	36	1.87	2.01	36	1.51	727	<1	8	435	7	0.19	7	34	21	145	2446	5	38	16	7	45
101857	368568	<1	8.73	11	732	2	<1	2.31	<4	7	21	30	1.93	1.89	38	1.70	738	<1	8	425	20	0.21	8	57	25	166	2365	7	36	31	8	45
101858	368569	<1	9.22	28	833	<2	<1	2.28	<4	9	18	118	1.82	1.10	32	1.60	601	3	7	472	12	0.18	<5	49	31	143	2539	3	39	20	8	54

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/20/2015 4:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541216
Reference: TL15-053
Sample #: 21

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101859	368570	<1	8.49	71	476	<2	<1	1.76	9	18	33	3436	6.98	1.17	43	1.22	1511	19	32	1008	115	1.71	10	45	18	269	1668	2	93	50	14	835
101860D	368570																IS															
101861	368571	<1	>10.00	22	964	<2	<1	2.62	<4	10	26	104	2.19	1.09	37	2.03	668	4	9	518	15	0.18	<5	45	15	154	2645	4	42	29	10	61

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541428
Reference: 15-113
Sample #: 31

Acc #	Client ID	Au g/t (ppm)
117135	303728	0.073
117136	303729	0.099
117137	303730	5.040
117138	303731	0.035
117139	303732	0.012
117140	303733	0.014
117141	303734	0.009
117142	303735	0.010
117143	303736	0.012
117144	303737	0.010
117145	303737 Dup	0.010
117146	303738	0.013
117147	303739	0.035
117148	303740	<0.005
117149	303741	0.019
117150	303742	0.016
117151	303743	0.010
117152	303744	<0.005
117153	303745	0.009
117154	303746	0.008
117155	303747	0.010
117156	303747 Dup	0.011
117157	303748	0.011
117158	303749	0.007
117159	303750	0.418

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541428
Reference: 15-113
Sample #: 31

Acc #	Client ID	Au g/t (ppm)
117160	303751	0.015
117161	303752	0.090
117162	303753	0.652
117163	303754	0.076
117164	303755	<0.005
117165	303756	<0.005
117166	303757	0.016
117167	303757 Dup	0.013
117168	303758	0.036

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541428
Reference: 15-113
Sample #: 31

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.508	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, May 4, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541428
Reference: 15-113
Sample #: 31

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117135	303728	<1	3.93	15	461	<2	10	1.85	<4	9	12	14	1.85	<0.01	15	0.92	739	<1	26	479	34	0.27	<5	33	<10	215	2081	<2	43	<10	7	62
117136	303729	<1	4.21	27	458	<2	11	1.42	<4	9	14	16	1.88	<0.01	18	0.87	642	<1	28	487	25	0.39	<5	21	<10	210	2179	<2	42	14	7	73
117137	303730	123	3.75	21	365	<2	9	2.81	5	15	27	94	4.84	<0.01	3	1.26	869	<1	22	564	16148	0.14	72	18	14	287	2774	<2	131	30	18	320
117138	303731	<1	5.01	20	464	<2	10	1.66	<4	9	13	52	1.92	<0.01	15	0.95	653	<1	27	463	455	0.43	<5	13	<10	210	2049	<2	42	26	8	625
117139	303732	<1	4.76	15	477	<2	9	1.85	<4	9	19	17	1.76	<0.01	13	0.85	514	<1	37	505	46	0.21	<5	23	<10	190	2035	<2	44	16	7	86
117140	303733	<1	4.91	17	553	<2	9	2.07	<4	13	12	9	2.08	<0.01	18	0.99	567	<1	30	552	46	0.43	<5	11	<10	209	2410	<2	49	37	7	102
117141	303734	9	4.04	9	464	<2	10	2.35	<4	9	17	15	1.81	<0.01	13	0.86	448	<1	33	495	24	0.19	<5	26	<10	162	1919	<2	43	31	7	64
117142	303735	<1	3.89	19	483	<2	19	2.07	<4	7	18	11	1.75	<0.01	12	0.83	438	<1	42	504	19	0.21	<5	31	15	154	2039	<2	46	<10	7	54
117143	303736	<1	3.32	25	465	<2	11	2.19	<4	9	12	15	1.85	0.11	12	0.97	695	<1	27	452	49	0.46	<5	16	<10	168	1848	<2	40	12	6	191
117144	303737	<1	4.84	23	464	<2	17	2.20	<4	8	11	7	1.66	<0.01	11	1.10	711	<1	28	466	32	0.31	<5	28	<10	169	1902	<2	39	28	8	74
117145D	303737	<1	4.90	23	481	<2	17	2.22	<4	7	18	8	1.69	<0.01	12	1.12	724	<1	41	481	35	0.26	<5	25	<10	172	1950	<2	44	<10	8	74
117146	303738	<1	4.66	29	580	<2	7	2.50	<4	9	16	17	1.79	<0.01	10	1.21	940	<1	34	485	67	0.39	<5	20	<10	166	2022	2	42	35	8	101
117147	303739	<1	4.71	37	666	<2	8	0.83	<4	11	11	7	1.68	<0.01	13	0.82	462	<1	30	474	203	0.71	<5	31	<10	98	2092	<2	40	22	8	156
117148	303740	<1	4.09	11	468	<2	12	3.77	<4	17	<1	61	3.80	<0.01	<1	1.41	890	<1	8	612	11	0.06	<5	12	12	468	2788	<2	135	35	21	56
117149	303741	<1	4.40	29	548	<2	4	1.40	<4	7	12	5	1.64	<0.01	10	0.77	434	<1	30	470	46	0.70	<5	25	<10	126	1862	<2	40	21	7	74
117150	303742	<1	4.42	23	538	<2	<1	2.00	<4	9	15	120	1.69	<0.01	10	0.99	533	<1	51	481	13	0.43	<5	27	21	145	1980	2	41	17	7	90
117151	303743	<1	4.35	23	541	<2	17	1.88	<4	9	14	8	1.68	<0.01	10	0.94	452	<1	33	489	14	0.34	<5	26	<10	142	1987	<2	42	27	7	59
117152	303744	<1	4.95	27	559	<2	15	1.45	<4	9	15	6	1.61	0.08	10	0.78	370	<1	32	510	19	0.44	<5	28	<10	140	2121	<2	43	21	8	62
117153	303745	<1	4.57	27	552	<2	8	1.23	<4	10	12	8	1.56	<0.01	11	0.80	372	<1	29	462	26	0.50	<5	17	12	155	2059	<2	41	16	7	76
117154	303746	<1	4.95	24	585	<2	10	1.41	<4	9	17	10	1.53	<0.01	11	0.79	370	<1	36	559	28	0.43	<5	27	<10	167	2104	<2	45	11	8	68

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/04/2015 11:24 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, May 4, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541428
Reference: 15-113
Sample #: 31

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117155	303747	<1	4.92	26	553	<2	11	0.89	<4	9	11	12	1.64	<0.01	10	0.61	264	<1	31	500	32	0.70	<5	26	<10	157	2110	<2	43	19	8	92
117156D	303747	<1	5.74	32	605	<2	1	0.98	<4	10	18	13	1.63	<0.01	11	0.66	283	<1	42	540	35	0.67	<5	30	<10	165	2279	<2	49	26	8	106
117157	303748	<1	4.94	32	629	<2	6	1.83	<4	8	19	15	1.78	<0.01	9	0.75	399	<1	40	476	17	0.66	<5	35	10	200	1851	<2	43	29	8	73
117158	303749	<1	4.51	21	553	<2	9	1.60	<4	6	21	3	1.70	<0.01	11	0.86	457	<1	40	338	5	0.32	<5	29	10	185	1538	<2	35	10	7	35
117159	303750	<1	4.04	58	260	<2	9	1.01	4	14	24	2271	5.03	<0.01	23	0.92	1093	6	22	710	72	1.78	<5	16	12	185	1220	<2	61	43	11	584
117160	303751	<1	3.79	27	475	<2	9	1.11	<4	6	20	30	2.39	<0.01	11	0.68	486	<1	33	320	13	0.72	<5	22	<10	177	1382	<2	29	10	8	47
117161	303752	5	4.88	25	655	<2	15	1.21	<4	10	25	19	2.09	<0.01	19	0.87	437	<1	37	365	29	0.44	<5	28	<10	194	1862	<2	41	15	9	90
117162	303753	16	4.52	27	656	<2	<1	0.99	<4	13	20	42	1.26	<0.01	18	0.81	288	<1	38	450	45	0.28	<5	33	<10	174	2178	<2	61	15	9	134
117163	303754	2	4.22	18	601	<2	11	2.04	<4	8	20	38	1.95	<0.01	15	1.44	584	<1	37	329	110	0.37	<5	26	10	250	1748	<2	38	39	7	579
117164	303755	<1	3.13	13	279	<2	8	0.67	<4	9	28	26	1.55	<0.01	11	0.68	232	<1	44	356	21	0.37	<5	15	<10	154	1278	<2	34	11	7	26
117165	303756	<1	2.29	10	307	<2	<1	0.61	<4	9	22	10	0.91	<0.01	7	0.44	186	<1	36	377	7	0.15	<5	23	<10	130	1575	<2	38	20	4	10
117166	303757	<1	3.68	18	457	<2	16	1.51	<4	13	16	9	2.45	<0.01	15	0.94	516	<1	42	601	10	0.54	<5	17	10	259	2371	<2	57	19	6	29
117167D	303757	<1	3.99	17	442	<2	7	1.49	<4	13	11	7	2.37	<0.01	14	0.95	497	<1	29	585	7	0.64	<5	19	<10	257	2304	<2	52	<10	7	27
117168	303758	<1	4.59	18	505	<2	4	2.15	<4	10	10	13	2.14	<0.01	11	0.96	524	<1	28	566	17	0.33	<5	20	<10	245	2199	<2	49	27	8	157

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/04/2015 11:24 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 16, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/16/2015
Job #: 201541217
Reference: TL15-054
Sample #: 30

Acc #	Client ID	Au g/t (ppm)
101862	368572	0.021
101863	368573	0.011
101864	368574	0.041
101865	368575	0.014
101866	368576	0.103
101867	368577	0.066
101868	368578	0.036
101869	368579	0.031
101870	368580	<0.005
101871	368581	0.022
101872	368581 Dup	0.023
101873	368582	0.012
101874	368583	0.562
101875	368584	0.103
101876	368585	0.030
101877	368586	0.040
101878	368587	0.018
101879	368588	0.140
101880	368589	0.016
101881	368590	1.500
101882	368591	0.034
101883	368591 Dup	0.029
101884	368592	0.116
101885	368593	0.032
101886	368594	0.017

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 16, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/16/2015
Job #: 201541217
Reference: TL15-054
Sample #: 30

Acc #	Client ID	Au g/t (ppm)
101887	368595	0.023
101888	368596	0.034
101889	368597	0.025
101890	368598	0.028
101891	368599	0.031
101892	368600	<0.005
101893	368601	<0.005
101894	368601 Dup	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 16, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/16/2015
Job #: 201541217
Reference: TL15-054
Sample #: 30

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/16/2015
Job #: 201541217
Reference: TL15-054
Sample #: 30

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101862	368572	1	3.98	10	349	<2	<1	1.88	<4	6	16	37	1.36	<0.01	17	1.64	918	<1	6	284	205	3.13	5	13	<10	123	1348	<2	20	19	6	108
101863	368573	<1	5.09	18	547	2	<1	2.28	<4	6	20	38	1.46	0.43	23	1.68	985	<1	7	313	161	2.87	8	21	14	134	1518	<2	23	26	6	169
101864	368574	<1	5.20	10	581	<2	<1	1.79	<4	7	2	15	1.30	0.06	17	1.35	669	<1	6	328	27	3.12	<5	23	11	131	1584	2	23	17	6	62
101865	368575	<1	4.10	11	548	<2	<1	1.98	<4	7	13	42	1.47	<0.01	19	1.51	953	<1	10	312	31	3.23	8	21	<10	119	1648	<2	23	22	5	79
101866	368576	<1	4.37	11	524	2	<1	1.84	<4	7	5	43	1.32	0.21	20	1.47	835	<1	7	306	58	3.47	5	22	<10	121	1627	<2	23	25	5	148
101867	368577	<1	4.42	9	550	<2	<1	1.86	<4	7	15	49	1.49	0.11	23	1.42	810	<1	6	313	34	3.24	8	16	13	126	1667	<2	23	25	5	85
101868	368578	2	5.04	17	840	<2	<1	3.04	<4	6	16	72	1.81	<0.01	16	1.88	1153	<1	6	308	353	2.98	8	6	<10	133	1433	<2	22	40	6	575
101869	368579	<1	4.98	14	591	<2	<1	2.06	<4	5	3	22	1.22	0.09	21	1.58	939	<1	6	313	63	3.36	6	18	<10	116	1580	6	22	16	6	103
101870	368580	<1	4.98	5	462	<2	<1	3.82	<4	16	<1	57	3.68	0.05	4	1.41	883	<1	8	563	18	2.98	8	7	11	466	2638	<2	129	24	20	58
101871	368581	<1	5.18	28	547	<2	<1	1.83	<4	6	12	13	1.33	<0.01	22	1.75	855	<1	5	314	56	3.32	7	22	15	107	1589	<2	23	27	6	50
101872D	368581	<1	5.13	26	550	<2	<1	1.84	<4	6	12	15	1.34	<0.01	23	1.73	859	<1	6	307	55	3.26	7	18	14	107	1598	<2	23	24	6	50
101873	368582	<1	4.22	24	503	<2	1	1.64	<4	7	15	12	1.41	<0.01	23	1.62	887	<1	6	297	25	3.33	5	20	<10	107	1558	<2	22	19	5	48
101874	368583	2	4.32	14	520	<2	<1	1.57	<4	6	14	122	1.43	<0.01	21	1.65	776	<1	6	314	178	3.33	<5	16	<10	98	1558	<2	22	24	5	450
101875	368584	<1	0.81	14	370	<2	<1	0.70	<4	4	10	32	1.05	<0.01	16	0.97	542	<1	4	236	72	3.02	5	10	<10	69	1294	<2	17	<10	3	58
101876	368585	<1	4.45	10	493	2	<1	1.67	<4	6	9	16	1.31	<0.01	23	1.33	795	<1	5	306	37	3.36	<5	30	<10	105	1642	<2	24	17	5	47
101877	368586	<1	6.23	20	554	<2	<1	1.81	<4	7	16	21	1.51	0.30	26	1.59	856	<1	6	343	50	3.40	5	30	<10	116	1815	<2	26	21	6	50
101878	368587	<1	5.50	24	473	<2	<1	1.40	<4	7	13	12	1.45	0.20	19	1.66	756	<1	6	308	31	3.23	<5	20	14	95	1671	<2	24	31	6	109
101879	368588	<1	5.86	17	540	<2	<1	2.21	<4	7	10	55	1.62	0.23	26	1.84	815	<1	4	323	138	3.15	9	19	10	115	1661	<2	24	48	7	532
101880	368589	<1	5.35	26	497	<2	<1	1.87	<4	7	15	12	1.53	0.06	24	1.42	691	<1	6	323	28	3.09	10	19	<10	131	1655	<2	24	<10	6	70
101881	368590	<1	4.39	25	503	<2	<1	2.32	<4	16	37	205	4.02	0.08	12	1.32	746	<1	39	622	17	3.01	8	17	14	295	2895	<2	109	50	17	69

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:30 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/16/2015
Job #: 201541217
Reference: TL15-054
Sample #: 30

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101882	368591	<1	5.58	19	482	<2	<1	1.54	<4	6	3	17	1.36	0.06	22	1.16	432	<1	5	330	14	3.13	5	8	12	119	1804	<2	26	10	5	47
101883D	368591	<1	5.58	18	480	<2	<1	1.54	<4	5	3	17	1.35	0.06	22	1.16	432	<1	5	330	14	3.15	<5	7	12	119	1776	<2	26	10	5	47
101884	368592	<1	5.84	21	485	<2	<1	1.69	<4	6	4	18	1.43	<0.01	21	1.16	513	<1	7	342	36	3.19	6	35	<10	117	1813	<2	25	<10	6	106
101885	368593	<1	5.28	20	532	<2	<1	1.68	<4	6	5	11	1.36	0.11	24	1.18	601	<1	6	322	218	3.40	10	16	12	114	1728	<2	24	19	6	266
101886	368594	<1	4.49	19	487	<2	<1	1.61	<4	6	14	27	1.24	0.15	26	1.09	572	<1	5	301	123	3.28	<5	7	10	109	1584	<2	22	16	5	188
101887	368595	<1	5.25	22	569	<2	<1	1.73	<4	6	6	16	1.40	<0.01	23	1.17	580	<1	5	342	11	3.38	5	17	10	107	1796	<2	25	<10	5	41
101888	368596	<1	4.77	14	445	<2	<1	1.72	<4	6	8	55	1.45	<0.01	24	1.15	563	<1	6	330	11	3.36	<5	30	12	113	1774	<2	25	17	5	42
101889	368597	<1	5.62	20	469	<2	<1	1.68	<4	6	6	34	1.41	0.19	19	1.35	536	<1	6	342	5	3.09	6	12	<10	104	1637	<2	24	15	6	134
101890	368598	<1	6.65	20	559	<2	<1	1.47	<4	7	<1	76	1.51	0.44	23	1.37	482	<1	7	335	6	3.12	8	30	<10	109	1773	<2	26	23	7	43
101891	368599	<1	5.70	3	534	<2	<1	1.65	<4	7	5	38	1.49	0.27	25	1.38	508	<1	6	326	14	3.05	7	25	14	128	1746	<2	25	14	6	61
101892	368600	<1	6.07	10	483	<2	<1	4.04	<4	16	<1	63	3.83	0.15	5	1.55	914	<1	9	600	14	2.98	5	13	14	487	2717	<2	133	33	23	60
101893	368601	<1	4.98	17	516	<2	<1	1.55	<4	6	9	4	1.40	0.17	18	1.25	377	<1	5	329	8	3.03	<5	17	11	127	1710	<2	27	20	6	36
101894D	368601	<1	5.87	18	563	<2	<1	1.64	<4	6	11	3	1.43	0.04	21	1.32	388	<1	6	351	12	3.13	7	11	<10	129	1807	<2	27	22	6	37

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:30 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541218
Reference: TL15-055
Sample #: 17

Acc #	Client ID	Au g/t (ppm)
101895	368602	0.081
101896	368603	0.145
101897	368604	0.147
101898	368605	0.045
101899	368606	0.056
101900	368607	0.053
101901	368608	0.020
101902	368609	0.435
101903	368610	4.928
101904	368611	0.020
101905	368611 Dup	0.026
101906	368612	0.056
101907	368613	0.119
101908	368614	0.170
101909	368615	0.059
101910	368616	0.047
101911	368617	0.074
101912	368618	0.026

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541218
Reference: TL15-055
Sample #: 17

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.591	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541218
Reference: TL15-055
Sample #: 17

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101895	368602	<1	>10.00	38	760	<2	<1	2.58	<4	9	28	29	2.16	1.72	32	1.80	1225	2	9	682	224	0.24	9	36	17	169	2627	4	50	29	10	440
101896	368603	<1	9.99	35	846	<2	<1	2.05	<4	8	13	64	1.64	1.62	29	1.39	822	<1	9	493	209	0.23	9	40	21	154	2321	14	39	32	9	517
101897	368604	<1	9.22	38	937	<2	<1	2.04	<4	9	22	35	1.61	1.87	28	1.39	807	2	9	431	38	0.23	8	30	18	165	2339	7	38	29	8	74
101898	368605	<1	8.58	41	942	<2	<1	1.94	<4	9	27	24	1.60	1.77	29	1.40	739	2	8	421	59	0.26	7	42	14	162	2329	6	37	21	8	153
101899	368606	<1	7.83	37	947	<2	<1	1.85	<4	10	26	24	1.58	2.02	28	1.35	710	4	10	416	55	0.25	<5	39	21	158	2323	7	37	23	7	135
101900	368607	<1	9.27	26	1031	<2	<1	2.42	<4	8	19	22	1.78	1.67	30	1.38	735	3	8	446	30	0.26	8	61	21	194	2429	4	39	19	8	74
101901	368608	<1	9.17	21	970	2	<1	3.16	<4	9	44	49	2.06	1.92	33	1.76	958	5	9	412	109	0.09	10	41	14	244	2402	<2	39	16	8	111
101902	368609	<1	7.56	20	913	2	<1	4.86	<4	5	33	31	1.86	1.80	22	2.20	1293	3	7	329	32	0.09	5	28	25	221	2280	<2	33	20	8	92
101903	368610	125	7.67	37	616	<2	<1	4.27	10	19	36	137	6.55	1.21	13	1.66	1180	4	32	751	16765	0.15	139	16	21	407	3800	<2	193	31	23	444
101904	368611	<1	8.65	19	944	2	<1	3.28	<4	9	20	31	1.97	0.80	32	1.87	1125	<1	10	468	333	0.15	6	42	24	174	2360	<2	40	20	8	76
101905D	368611	<1	9.94	19	946	<2	<1	3.35	<4	8	24	29	1.95	1.31	31	2.06	1138	3	7	455	46	0.14	7	46	17	171	2337	10	37	16	9	74
101906	368612	<1	9.38	18	852	<2	<1	2.95	<4	8	19	19	1.91	1.53	35	1.90	972	2	8	449	23	0.18	7	32	25	162	2504	11	39	26	8	75
101907	368613	<1	9.76	26	877	2	<1	2.86	<4	8	20	23	2.03	1.41	34	1.90	962	2	10	450	14	0.17	<5	46	36	168	2544	6	40	24	8	64
101908	368614	<1	8.29	17	895	<2	<1	2.75	<4	8	25	21	1.97	2.01	37	1.72	904	1	9	420	18	0.17	6	54	18	164	2614	7	41	24	7	65
101909	368615	<1	8.80	22	903	2	<1	2.81	<4	8	36	40	1.91	1.72	38	1.66	905	4	9	434	146	0.15	<5	32	17	156	2462	4	37	33	8	206
101910	368616	<1	9.02	25	945	2	<1	2.90	<4	9	36	21	2.00	1.95	36	1.66	917	5	9	454	21	0.15	8	41	20	164	2597	10	41	31	7	55
101911	368617	<1	>10.00	15	878	<2	<1	3.15	<4	8	31	38	2.08	1.48	36	2.33	1175	4	9	480	60	0.19	<5	59	17	162	2511	8	39	21	9	73
101912	368618	<1	>10.00	19	834	<2	<1	2.40	<4	8	16	32	2.00	1.54	39	2.02	877	<1	9	465	68	0.15	7	36	22	156	2503	10	39	30	9	150

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:44 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541430
Reference: 15-115
Sample #: 12

Acc #	Client ID	Au g/t (ppm)
117192	303780	<0.005
117193	303781	0.034
117194	303782	0.013
117195	303783	0.015
117196	303784	0.017
117197	303785	0.007
117198	303786	0.008
117199	303787	0.019
117200	303788	0.018
117201	303789	0.079
117202	303789 Dup	0.078
117203	303790	5.237
117204	303791	0.053

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541430
Reference: 15-115
Sample #: 12

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541430
Reference: 15-115
Sample #: 12

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117192	303780	<1	4.16	13	445	<2	35	3.73	<4	17	<1	61	3.71	<0.01	<1	1.44	870	<1	8	606	<1	0.05	<5	8	11	462	2701	<2	133	22	22	55
117193	303781	<1	4.26	28	535	<2	12	2.20	<4	10	21	50	1.78	<0.01	10	1.39	953	<1	13	507	109	0.34	<5	22	<10	103	2118	<2	43	38	8	210
117194	303782	<1	4.38	29	647	2	13	2.25	<4	9	18	21	1.61	<0.01	10	1.37	1002	<1	10	518	35	0.21	<5	29	<10	103	2119	<2	40	29	8	84
117195	303783	<1	3.18	16	476	<2	5	1.48	<4	8	19	27	1.41	<0.01	8	1.01	602	<1	8	398	34	0.12	<5	20	<10	81	1805	<2	32	33	7	142
117196	303784	<1	4.16	21	948	2	19	1.99	<4	9	12	31	1.60	<0.01	10	1.35	831	<1	10	502	23	0.14	<5	33	<10	106	2025	4	37	34	7	104
117197	303785	<1	3.31	11	1079	<2	17	2.44	<4	8	15	37	1.52	<0.01	7	1.47	860	<1	9	477	55	0.15	<5	19	<10	128	1855	<2	35	29	7	106
117198	303786	<1	3.81	17	1139	<2	12	2.32	<4	8	15	36	1.49	<0.01	9	1.44	821	<1	9	492	58	0.16	<5	29	11	122	1818	3	36	27	7	146
117199	303787	3	3.57	16	708	<2	8	2.52	<4	11	14	34	1.94	<0.01	9	1.59	1032	<1	10	497	1265	0.27	<5	31	12	122	1991	<2	37	31	7	474
117200	303788	<1	3.44	21	626	<2	13	2.54	<4	10	12	15	1.87	0.07	9	1.52	1008	<1	11	494	62	0.34	<5	26	10	117	2012	<2	37	19	7	74
117201	303789	<1	3.58	30	511	<2	6	1.86	<4	8	13	23	1.76	0.03	9	1.33	819	<1	7	448	30	0.61	<5	27	11	97	1774	<2	34	29	7	204
117202D	303789	<1	3.57	34	516	<2	11	1.89	<4	8	13	24	1.79	<0.01	9	1.31	822	<1	9	447	30	0.59	<5	22	14	99	1800	<2	35	25	7	210
117203	303790	72	1.79	37	407	<2	18	1.22	19	16	24	52	3.23	<0.01	5	0.87	503	<1	21	556	568	0.20	61	32	244	230	2153	<2	92	193	14	1846
117204	303791	<1	4.33	40	585	<2	14	2.17	<4	9	11	37	1.96	<0.01	10	1.59	782	<1	10	522	44	0.51	<5	29	<10	115	1914	<2	38	51	7	721

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/30/2015 10:08 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541219
Reference: TL15-056
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
101913	368619	0.176
101914	368620	<0.005
101915	368621	0.166
101916	368622	0.119
101917	368623	0.090
101918	368624	0.039
101919	368625	0.019
101920	368626	0.022
101921	368627	0.018
101922	368628	0.006
101923	368628 Dup	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541219
Reference: TL15-056
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/07/2015
Date Completed: 04/17/2015
Job #: 201541219
Reference: TL15-056
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101913	368619	<1	4.80	28	505	<2	<1	1.96	<4	7	25	36	1.88	0.63	21	1.37	925	<1	11	446	44	0.24	8	26	16	139	2013	4	38	23	7	126
101914	368620	<1	5.25	12	592	<2	<1	4.60	<4	17	<1	77	4.29	0.86	4	1.59	1015	<1	9	606	9	0.07	<5	34	15	556	3149	<2	158	34	24	63
101915	368621	<1	4.58	31	721	<2	<1	1.68	<4	7	14	24	1.45	0.87	25	1.05	637	<1	7	332	70	0.17	5	43	14	151	2100	<2	33	21	6	91
101916	368622	<1	4.14	23	609	<2	<1	1.72	<4	6	18	36	1.46	0.78	16	0.97	642	<1	8	306	25	0.17	7	22	12	147	1798	4	29	23	5	45
101917	368623	<1	4.97	28	788	2	<1	1.73	<4	7	21	27	1.56	0.97	27	1.19	777	<1	6	344	18	0.18	<5	23	15	172	1990	8	31	18	6	46
101918	368624	<1	6.53	18	696	<2	<1	1.86	<4	6	13	24	1.42	0.74	24	1.21	651	<1	6	374	19	0.14	8	30	14	182	2013	4	32	31	7	50
101919	368625	<1	5.02	20	1018	<2	<1	2.29	<4	7	18	22	1.50	0.85	19	1.28	772	<1	7	372	56	0.15	5	27	11	208	1747	4	30	17	6	102
101920	368626	<1	5.31	24	858	2	<1	2.19	<4	6	22	22	1.45	0.37	21	1.31	765	<1	5	351	71	0.19	<5	20	<10	206	1708	10	30	45	6	262
101921	368627	<1	3.75	17	507	<2	<1	2.12	<4	5	18	36	1.28	0.46	6	1.38	793	<1	6	341	53	0.06	5	23	<10	169	1242	<2	22	21	6	78
101922	368628	<1	3.79	13	853	<2	<1	2.11	<4	7	4	28	1.61	<0.01	15	1.77	998	<1	7	458	56	0.08	7	20	15	178	2213	9	35	20	4	156
101923D	368628	<1	5.63	12	911	<2	<1	2.34	<4	7	5	29	1.65	0.19	21	1.82	1029	<1	6	446	59	0.06	6	38	<10	192	2356	<2	37	27	6	158

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541221
Reference: TL15-057
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
101926	368629	0.038
101927	368630	0.345
101928	368631	0.046
101929	368632	0.061
101930	368633	0.021
101931	368634	0.027
101932	368635	0.080
101933	368636	0.081
101934	368637	0.009
101935	368638	0.009
101936	368638 Dup	0.011
101937	368639	0.019
101938	368640	<0.005
101939	368641	0.014
101940	368642	0.015
101941	368643	0.311
101942	368644	0.075
101943	368645	0.035
101944	368646	0.047
101945	368647	0.035
101946	368648	0.066
101947	368648 Dup	0.063
101948	368649	0.093
101949	368650	1.438
101950	368651	0.242

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541221
Reference: TL15-057
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
101951	368652	1.575
101952	368653	3.370

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541221
Reference: TL15-057
Sample #: 25

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.648	1.575	0.088
KL01	0.378	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541221
Reference: TL15-057
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101926	368629	<1	3.95	19	331	<2	<1	1.29	<4	20	110	32	3.05	<0.01	23	1.14	562	<1	52	459	34	3.12	<5	14	<10	184	2493	<2	81	36	9	81
101927	368630	<1	5.15	56	301	<2	<1	1.22	4	15	20	2235	5.14	0.11	30	0.97	1133	3	23	732	77	3.80	9	16	11	199	1249	<2	63	50	10	604
101928	368631	<1	5.11	27	370	<2	<1	1.67	<4	21	121	59	3.54	<0.01	22	1.28	747	<1	53	514	41	3.29	<5	15	12	185	2453	<2	81	19	11	107
101929	368632	<1	5.72	15	490	2	<1	1.44	<4	25	147	59	4.08	0.17	28	1.31	704	<1	68	560	48	3.19	7	24	<10	202	2804	<2	102	15	12	113
101930	368633	<1	5.03	18	472	2	<1	1.18	<4	13	68	26	2.34	0.10	23	1.44	408	<1	34	430	33	3.00	7	20	17	163	1924	<2	52	17	11	65
101931	368634	<1	6.42	12	399	2	<1	1.82	<4	24	133	58	4.04	0.06	29	1.47	713	<1	63	593	38	3.07	9	9	15	212	3213	<2	98	25	15	120
101932	368635	<1	5.45	17	290	2	<1	1.72	<4	24	122	47	3.58	0.12	24	1.40	599	<1	51	504	34	3.18	8	6	16	216	2799	<2	81	13	13	94
101933	368636	<1	5.89	18	302	<2	<1	2.45	<4	22	109	34	3.48	0.07	24	1.87	574	<1	69	607	26	3.10	6	18	10	299	2763	<2	82	26	12	86
101934	368637	<1	5.17	12	351	<2	<1	3.08	<4	17	99	23	2.74	0.13	20	1.91	546	<1	60	623	17	3.04	5	19	<10	480	2726	<2	73	19	9	60
101935	368638	<1	4.88	6	326	<2	<1	4.15	<4	20	190	21	3.03	0.26	15	2.34	633	<1	100	1079	18	3.06	9	20	<10	647	2786	13	74	24	12	68
101936D	368638	<1	5.34	12	337	<2	<1	4.28	<4	20	196	22	3.11	0.21	15	2.48	651	<1	102	1112	18	3.20	9	18	16	664	2848	<2	76	28	12	72
101937	368639	<1	5.56	28	425	<2	<1	4.29	<4	21	207	25	3.21	0.17	18	2.72	711	<1	111	1232	24	3.28	5	14	17	487	2964	7	80	26	13	77
101938	368640	<1	4.82	18	464	<2	<1	3.87	<4	16	<1	59	3.71	0.18	4	1.42	889	<1	9	600	13	3.05	5	8	<10	471	2633	<2	130	31	20	61
101939	368641	<1	5.14	14	422	<2	<1	3.01	<4	17	87	20	2.60	0.14	20	1.90	562	<1	56	614	22	3.00	<5	15	<10	347	2562	<2	68	40	8	71
101940	368642	<1	5.38	16	354	<2	<1	3.87	<4	8	2	9	1.75	0.35	5	1.86	970	<1	13	367	40	2.90	5	19	13	238	1767	<2	27	30	6	64
101941	368643	<1	5.41	9	426	<2	<1	2.50	<4	10	10	22	1.70	0.02	15	1.34	811	<1	14	416	80	3.01	<5	26	14	190	1818	<2	33	25	7	189
101942	368644	1	5.12	14	390	<2	<1	2.49	<4	9	10	36	2.16	0.14	16	1.49	969	<1	15	384	345	2.94	<5	16	13	174	1676	<2	31	59	7	1040
101943	368645	<1	5.69	35	492	<2	<1	1.35	<4	10	10	27	1.84	0.07	20	1.19	790	<1	20	398	94	3.10	<5	19	14	152	1818	<2	35	20	7	206
101944	368646	<1	4.99	24	475	<2	<1	1.33	<4	10	9	31	1.84	0.07	20	1.12	803	<1	20	398	94	3.15	6	14	<10	153	1790	<2	34	22	6	202
101945	368647	<1	2.68	26	442	<2	<1	1.45	<4	9	13	44	2.00	0.04	17	0.88	954	<1	16	369	85	3.11	6	7	<10	162	1740	<2	33	29	4	225

PROCEDURE CODES: ALP1, ALFA2, ALSu1, ALMA1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:30 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541221
Reference: TL15-057
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101946	368648	<1	4.09	28	371	<2	<1	1.23	<4	8	26	12	1.62	0.15	16	0.92	784	<1	15	372	143	3.16	<5	19	15	150	1524	<2	36	16	5	308
101947D	368648	<1	5.02	33	374	<2	<1	1.29	<4	8	24	11	1.62	0.23	17	0.99	780	<1	15	390	147	3.02	5	19	<10	155	1526	<2	36	28	6	312
101948	368649	<1	5.48	27	429	<2	<1	0.95	<4	8	13	18	1.72	0.13	16	0.89	602	<1	14	358	383	3.39	7	18	10	140	1427	<2	34	53	6	1092
101949	368650	<1	3.91	18	489	<2	<1	2.21	<4	15	35	197	3.89	0.07	11	1.24	724	<1	39	607	17	3.16	7	12	17	283	2741	<2	105	47	15	78
101950	368651	<1	4.37	46	346	<2	<1	0.64	6	13	64	33	2.35	<0.01	15	0.99	745	<1	29	383	255	3.07	7	23	<10	114	1232	<2	51	64	7	1665
101951	368652	<1	4.79	37	341	<2	<1	0.54	<4	14	75	25	2.55	<0.01	17	1.18	794	<1	37	399	384	3.29	<5	21	10	113	1361	<2	62	29	8	317
101952	368653	<1	4.47	26	260	<2	<1	0.57	<4	18	97	40	3.16	0.20	26	1.97	1207	<1	52	481	144	3.28	5	16	<10	107	1383	<2	77	26	10	147

PROCEDURE CODES: ALP1, ALFA2, ALSu1, ALMA1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:31 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541132
Reference: TL15-044
Sample #: 51

Acc #	Client ID	Au g/t (ppm)
96368	368293	0.082
96369	368294	0.098
96370	368295	0.139
96371	368296	0.008
96372	368297	0.013
96373	368298	0.017
96374	368299	0.034
96375	368300	<0.005
96376	368301	0.069
96377	368302	0.008
96378	368302 Dup	0.009
96379	368303	0.042
96380	368304	0.045
96381	368305	0.016
96382	368306	0.015
96383	368307	0.017
96384	368308	0.008
96385	368309	0.014
96386	368310	4.539
96387	368311	0.056
96388	368312	0.128
96389	368312 Dup	0.126
96390	368313	0.006
96391	368314	<0.005
96392	368315	0.012

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541132
Reference: TL15-044
Sample #: 51

Acc #	Client ID	Au g/t (ppm)
96393	368316	0.021
96394	368317	<0.005
96395	368318	0.006
96396	368319	<0.005
96397	368320	<0.005
96398	368321	<0.005
96399	368322	<0.005
96400	368322 Dup	<0.005
96401	368323	0.006
96402	368324	0.058
96403	368325	0.097
96404	368326	0.108
96405	368327	0.136
96406	368328	0.019
96407	368329	0.023
96408	368330	0.367
96409	368331	0.032
96410	368332	0.630
96411	368332 Dup	0.681
96412	368333	0.604
96413	368334	5.616
96414	368335	0.069
96415	368336	0.200
96416	368337	0.445
96417	368338	0.190

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541132
Reference: TL15-044
Sample #: 51

Acc #	Client ID	Au g/t (ppm)
96418	368339	0.019
96419	368340	<0.005
96420	368341	0.324
96421	368342	0.100
96422	368342 Dup	0.100
96423	368343	0.068

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541132
Reference: TL15-044
Sample #: 51

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.606	1.575	0.088
AR02	1.527	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541132
Reference: TL15-044
Sample #: 51

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96368	368293	<1	3.79	28	544	<2	11	1.91	<4	6	6	10	1.41	<0.01	10	0.81	670	<1	33	362	36	0.23	<5	11	25	124	1491	4	35	<10	6	68
96369	368294	<1	3.99	7	502	<2	16	1.33	<4	10	19	23	1.54	0.04	14	0.70	482	<1	42	413	17	0.10	<5	9	26	125	1981	6	49	15	6	49
96370	368295	<1	3.99	<2	355	<2	5	1.58	<4	4	12	8	1.11	0.05	12	1.30	453	<1	37	232	36	0.07	<5	21	25	182	1162	8	26	14	5	63
96371	368296	<1	4.99	8	443	<2	20	1.56	<4	4	12	5	1.03	0.62	14	1.22	450	<1	41	234	29	0.10	<5	19	29	177	1183	13	26	<10	5	54
96372	368297	<1	3.96	11	461	<2	27	1.35	<4	4	9	8	1.05	0.60	10	0.94	412	<1	36	219	31	0.13	<5	17	26	159	1081	7	24	<10	5	53
96373	368298	<1	3.71	7	409	<2	14	1.14	<4	3	5	17	0.90	0.32	10	0.89	440	<1	33	201	25	0.08	<5	20	23	125	998	4	23	19	4	55
96374	368299	<1	3.62	6	468	<2	37	0.68	<4	3	11	9	0.88	0.50	7	0.69	290	<1	44	193	30	0.16	<5	13	27	95	1038	<2	26	13	4	88
96375	368300	<1	3.56	2	382	<2	45	3.08	<4	12	<1	49	3.09	0.55	2	1.19	718	<1	7	487	23	0.04	<5	10	23	381	2228	4	109	17	17	40
96376	368301	<1	2.45	11	319	<2	7	0.78	<4	3	5	13	0.77	0.38	3	0.81	347	<1	35	168	80	0.13	<5	13	25	82	758	2	20	10	4	113
96377	368302	<1	6.27	10	580	<2	<1	1.63	<4	3	11	10	1.05	0.67	15	0.99	642	<1	39	248	42	0.08	5	27	35	156	1202	5	28	14	6	88
96378D	368302	<1	7.32	13	665	<2	21	1.87	<4	4	21	12	1.19	1.55	18	1.10	729	4	51	278	42	0.08	<5	24	42	172	1375	7	33	<10	6	97
96379	368303	<1	6.96	14	643	<2	12	1.39	<4	4	17	9	1.12	1.07	17	0.98	582	2	50	261	19	0.15	<5	25	37	114	1296	10	31	19	6	55
96380	368304	<1	6.57	19	602	<2	37	0.94	<4	4	27	5	1.10	1.14	16	0.94	457	5	72	244	17	0.20	5	28	41	78	1242	6	37	14	6	39
96381	368305	<1	6.27	9	622	<2	28	1.24	<4	4	17	5	1.06	1.04	17	1.12	711	2	45	245	31	0.15	<5	29	38	95	1283	6	29	<10	5	104
96382	368306	<1	6.34	17	665	<2	5	1.26	<4	3	29	5	1.15	1.28	18	1.11	726	6	69	264	25	0.12	<5	18	35	97	1355	6	37	<10	5	61
96383	368307	<1	6.13	15	592	<2	<1	1.77	<4	4	29	5	1.28	1.01	17	1.50	923	5	70	262	26	0.14	<5	25	37	115	1255	8	37	21	6	86
96384	368308	<1	6.74	<2	690	<2	39	1.95	<4	4	10	6	1.08	1.01	15	1.14	754	2	40	265	16	0.07	7	13	40	160	1345	3	29	<10	5	25
96385	368309	<1	6.25	15	676	<2	29	1.79	<4	4	13	5	1.12	0.92	20	1.17	795	2	44	286	24	0.11	<5	31	37	164	1349	5	30	13	5	63
96386	368310	131	6.14	23	427	<2	36	3.05	5	15	24	97	5.06	0.87	9	1.36	886	1	24	584	17719	0.11	105	<5	43	292	2924	4	138	19	19	314
96387	368311	<1	6.30	29	597	<2	15	1.03	<4	4	11	8	1.17	0.55	18	0.94	562	<1	42	261	86	0.24	<5	30	35	105	1232	5	28	39	5	822

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541132
Reference: TL15-044
Sample #: 51

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96388	368312	1	7.38	12	694	<2	16	1.51	<4	4	11	16	1.24	0.99	17	1.15	633	<1	37	263	337	0.31	<5	21	33	130	1290	5	28	24	6	542
96389D	368312	<1	6.57	16	660	<2	24	1.43	<4	4	13	18	1.18	0.84	16	1.07	617	<1	39	257	327	0.26	<5	21	37	125	1247	6	28	28	5	515
96390	368313	<1	6.56	7	639	<2	24	1.96	<4	4	13	9	1.15	1.04	18	1.11	708	1	47	271	63	0.13	<5	22	35	209	1252	3	31	18	5	82
96391	368314	<1	5.81	15	642	<2	<1	1.70	<4	4	8	4	1.01	1.09	15	0.84	708	<1	33	262	39	0.09	<5	15	36	212	1123	5	26	19	5	31
96392	368315	<1	5.65	8	511	<2	27	1.75	<4	4	7	7	1.06	1.19	15	0.91	836	<1	34	256	54	0.11	<5	16	34	229	1110	8	27	11	5	75
96393	368316	<1	6.25	<2	649	<2	15	1.30	<4	4	6	9	1.07	1.13	17	0.90	726	<1	35	247	51	0.12	<5	11	39	177	1234	6	26	<10	5	69
96394	368317	<1	6.76	3	321	<2	47	1.76	<4	6	16	4	1.65	1.10	20	1.74	656	2	46	403	19	0.07	<5	31	40	111	1844	<2	40	10	6	52
96395	368318	<1	6.35	7	307	<2	12	1.96	<4	6	20	5	1.72	0.96	17	1.85	792	4	58	406	19	0.07	<5	23	37	114	1844	5	43	17	6	61
96396	368319	<1	6.39	11	325	<2	45	1.71	<4	7	12	3	1.62	1.01	16	1.67	578	<1	39	398	11	0.08	<5	24	42	104	1864	3	39	11	6	36
96397	368320	<1	0.89	<2	45	<2	6	0.08	<4	<1	<1	3	0.15	0.73	4	0.31	<100	<1	3	<100	4	0.02	<5	18	40	36	355	7	5	<10	6	<1
96398	368321	<1	6.55	11	324	<2	17	1.67	<4	5	15	4	1.47	0.70	16	1.51	475	2	45	407	12	0.06	<5	32	40	102	1803	4	40	20	6	27
96399	368322	<1	7.13	12	370	<2	55	2.36	<4	5	26	7	1.63	0.48	16	1.46	926	2	71	439	12	0.13	<5	19	39	117	1982	9	49	10	7	26
96400D	368322	<1	7.27	8	374	<2	23	2.41	<4	5	35	7	1.72	1.02	16	1.49	948	2	92	432	9	0.11	<5	24	34	118	1992	9	56	<10	7	26
96401	368323	<1	7.93	23	378	<2	46	2.70	<4	6	28	11	1.86	1.09	19	1.62	994	<1	72	426	32	0.27	6	22	38	127	1930	9	50	13	7	60
96402	368324	<1	6.59	45	518	<2	26	2.54	<4	16	131	44	3.40	1.37	17	1.56	709	9	103	512	65	0.77	5	18	38	119	2833	6	89	20	14	113
96403	368325	<1	6.84	21	530	2	31	2.05	<4	24	150	50	3.96	1.26	20	1.44	631	4	89	530	37	0.63	<5	11	37	124	3307	8	111	19	16	84
96404	368326	<1	4.31	17	432	<2	<1	1.61	<4	22	128	45	3.44	0.93	14	1.18	537	<1	56	450	31	0.48	<5	18	37	105	2732	2	89	18	13	72
96405	368327	<1	6.46	56	644	<2	27	2.04	<4	15	63	211	2.71	1.28	18	1.13	643	1	30	564	30	0.76	<5	20	44	140	2568	6	60	12	10	82
96406	368328	<1	6.97	38	613	<2	41	1.96	<4	8	12	27	2.02	1.12	15	0.90	437	<1	8	615	15	0.33	<5	24	38	163	2237	7	41	<10	7	59
96407	368329	<1	5.83	20	609	<2	37	1.93	<4	7	6	6	2.12	0.92	14	0.57	416	<1	7	552	11	0.27	<5	18	35	165	1977	5	39	14	6	34

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541132
Reference: TL15-044
Sample #: 51

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96408	368330	<1	0.64	443	>5000	<2	26	0.94	<4	7	5	32	2.93	0.51	12	0.28	<100	10	12	112	17	0.43	33	7	38	136	1412	4	18	113	10	21
96409	368331	<1	6.58	30	729	<2	20	1.83	<4	7	11	35	2.17	1.03	15	0.64	383	<1	7	575	19	0.30	<5	26	40	173	2072	6	39	14	7	29
96410	368332	<1	6.55	33	468	<2	37	1.61	<4	6	7	21	1.94	0.90	16	0.79	461	2	7	602	26	0.41	<5	16	36	162	2058	5	38	16	8	121
96411D	368332	<1	6.92	41	467	<2	30	1.65	<4	7	10	20	1.96	0.75	16	0.81	469	2	6	619	28	0.36	5	21	37	165	2082	<2	39	<10	8	122
96412	368333	<1	7.64	24	670	<2	38	1.18	<4	23	130	101	3.44	1.34	27	1.17	766	2	59	581	48	0.47	6	17	45	136	3545	8	114	13	14	130
96413	368334	3	6.74	18	526	<2	36	2.02	<4	18	108	67	3.76	1.55	24	1.45	1294	3	77	545	44	0.42	7	11	34	145	3159	5	95	15	14	133
96414	368335	<1	4.33	11	435	<2	37	1.32	<4	6	<1	5	1.97	0.67	15	0.99	739	<1	21	461	13	0.20	<5	8	30	99	2017	3	38	13	6	24
96415	368336	<1	6.50	43	558	<2	16	1.64	<4	17	86	204	3.32	1.14	22	1.32	1006	2	59	514	103	0.54	<5	22	34	107	2955	8	89	23	11	342
96416	368337	<1	6.45	46	548	<2	21	1.12	<4	7	5	66	1.88	1.43	18	0.85	423	<1	31	514	113	0.58	<5	16	42	99	2219	5	45	13	7	300
96417	368338	<1	6.07	30	561	<2	14	1.66	<4	7	5	12	1.82	1.15	17	0.99	562	<1	31	529	47	0.41	<5	22	33	115	2271	6	45	<10	6	42
96418	368339	<1	6.74	43	602	<2	41	1.49	<4	7	7	8	1.95	1.41	17	1.10	575	<1	32	562	22	0.56	<5	32	43	112	2272	7	45	24	7	43
96419	368340	<1	6.82	16	536	<2	24	4.07	<4	16	<1	67	3.93	0.93	7	1.54	914	<1	8	620	11	0.05	<5	25	37	482	2924	8	139	21	23	51
96420	368341	<1	6.03	46	518	<2	27	1.93	<4	12	4	17	3.18	0.97	17	1.28	1010	<1	30	515	35	0.81	<5	13	40	112	2103	7	42	22	7	113
96421	368342	<1	5.08	80	457	<2	8	2.51	<4	14	8	23	3.10	0.45	14	1.54	1224	<1	34	447	97	0.88	<5	17	36	107	1781	<2	40	14	9	145
96422D	368342	<1	6.07	81	522	<2	20	2.88	<4	16	14	25	3.52	0.77	17	1.69	1363	<1	43	504	110	1.03	<5	21	41	120	1947	8	46	17	9	168
96423	368343	<1	6.70	39	600	<2	33	2.29	<4	12	11	10	2.47	0.35	20	1.48	1105	<1	37	573	36	0.54	6	21	40	114	2261	7	47	13	8	49

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541261
Reference: 15-080
Sample #: 38

Acc #	Client ID	Au g/t (ppm)
104374	303177	0.094
104375	303178	0.046
104376	303179	0.145
104377	303180	1.834
104378	303181	0.146
104379	303182	0.036
104380	303183	0.034
104381	303184	0.026
104382	303185	0.008
104383	303186	0.039
104384	303186 Dup	0.015
104385	303187	0.035
104386	303188	0.071
104387	303189	0.018
104388	303190	1.451
104389	303191	0.015
104390	303192	<0.005
104391	303193	0.014
104392	303194	0.006
104393	303195	0.009
104394	303196	0.009
104395	303196 Dup	0.011
104396	303197	0.020
104397	303198	0.009
104398	303199	0.098

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541261
Reference: 15-080
Sample #: 38

Acc #	Client ID	Au g/t (ppm)
104399	303200	0.006
104400	303201	0.020
104401	303202	0.009
104402	303203	0.018
104403	303204	0.188
104404	303205	0.287
104405	303206	0.272
104406	303206 Dup	0.244
104407	303207	0.041
104408	303208	0.034
104409	303209	0.076
104410	303210	0.024
104411	303211	0.076
104412	303212	0.012
104413	303213	0.024
104414	303214	0.027

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541261
Reference: 15-080
Sample #: 38

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.582	1.575	0.088
AR02	1.472	1.575	0.088
AR02	1.553	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541261
Reference: 15-080
Sample #: 38

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104374	303177	<1	6.24	23	500	<2	<1	1.76	<4	5	18	18	1.62	0.49	12	1.12	1081	<1	8	318	78	0.17	<5	5	<10	207	1468	4	29	<10	6	124
104375	303178	<1	5.88	17	544	<2	<1	1.62	<4	4	9	10	1.50	0.57	9	1.10	1048	<1	6	303	68	0.35	<5	<5	<10	192	1414	10	26	<10	5	129
104376	303179	<1	5.96	22	359	2	<1	2.05	6	6	19	50	2.08	0.52	10	1.30	1266	<1	7	314	360	0.38	<5	<5	<10	206	1340	7	27	20	6	1028
104377	303180	<1	5.95	2	558	<2	<1	4.44	4	15	<1	65	3.94	0.72	<1	1.35	922	<1	9	590	15	0.02	<5	<5	<10	524	2688	5	146	10	21	59
104378	303181	<1	5.93	18	408	<2	<1	0.82	<4	4	10	16	1.05	0.31	6	0.78	387	<1	8	329	114	0.20	<5	<5	<10	147	1433	<2	26	<10	6	241
104379	303182	<1	5.46	12	306	<2	<1	1.45	<4	4	17	39	1.27	0.39	6	0.94	525	<1	6	301	37	0.12	<5	<5	<10	174	1377	5	26	12	5	380
104380	303183	<1	6.10	30	341	<2	<1	1.17	<4	3	9	36	1.23	0.43	9	0.89	420	<1	7	314	61	0.25	<5	6	<10	174	1460	4	28	<10	6	160
104381	303184	<1	5.90	24	347	<2	<1	0.76	<4	5	18	11	1.19	0.49	8	0.63	256	<1	6	279	52	0.30	<5	<5	<10	162	1401	2	25	<10	5	66
104382	303185	<1	5.75	17	397	2	<1	1.21	<4	4	23	12	1.48	0.31	7	0.81	500	<1	6	307	57	0.29	<5	5	<10	214	1374	6	26	<10	5	163
104383	303186	<1	6.61	20	439	2	<1	1.38	<4	5	30	18	1.51	0.51	9	0.92	553	<1	6	342	71	0.32	<5	5	<10	220	1457	<2	29	<10	6	163
104384D	303186	<1	5.88	23	418	<2	2	1.29	<4	5	25	18	1.45	0.44	8	0.85	535	<1	7	322	68	0.29	<5	<5	<10	210	1395	9	28	<10	5	160
104385	303187	<1	6.54	19	594	<2	<1	0.32	<4	7	17	30	1.61	0.38	6	0.53	210	<1	11	351	79	0.56	<5	8	<10	111	1497	<2	31	<10	6	190
104386	303188	<1	5.61	29	444	<2	<1	1.64	4	18	122	53	3.29	0.32	15	1.24	721	4	46	426	156	0.56	<5	<5	<10	207	2263	10	78	14	11	617
104387	303189	<1	5.88	12	478	2	<1	2.88	<4	15	103	47	3.08	0.30	12	1.26	862	2	39	392	44	0.31	<5	<5	<10	281	2268	11	76	10	11	76
104388	303190	<1	4.28	19	556	<2	<1	2.41	4	14	38	221	4.01	0.40	6	1.10	715	9	39	584	7	0.06	<5	<5	<10	307	2650	9	114	12	14	66
104389	303191	<1	5.93	5	299	<2	<1	1.52	<4	4	11	6	1.67	0.46	10	1.38	682	<1	6	392	17	0.05	<5	<5	<10	111	1744	<2	32	<10	5	64
104390	303192	<1	7.34	6	351	2	5	1.62	<4	5	11	5	1.71	0.35	13	1.61	703	<1	7	426	29	0.04	<5	10	<10	120	1863	10	34	<10	7	61
104391	303193	<1	6.72	9	357	<2	<1	1.60	<4	4	17	6	1.79	0.81	13	1.61	668	<1	6	405	17	0.04	<5	<5	<10	114	1818	11	33	<10	6	55
104392	303194	<1	6.90	4	381	2	<1	2.22	<4	5	9	6	1.64	0.59	13	1.55	814	<1	6	402	19	0.07	<5	<5	<10	136	1824	15	34	<10	6	69
104393	303195	<1	7.63	10	407	2	<1	2.81	<4	5	13	11	1.83	0.61	11	1.40	1060	<1	6	420	27	0.05	<5	<5	<10	147	1949	2	38	13	6	51

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541261
Reference: 15-080
Sample #: 38

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104394	303196	<1	5.21	15	317	<2	<1	3.08	<4	4	18	8	1.79	0.02	6	1.32	1153	<1	7	355	12	0.10	<5	<5	<10	133	1488	3	32	<10	6	30
104395D	303196	<1	5.97	9	323	<2	2	3.16	<4	4	18	8	1.82	0.79	6	1.40	1179	<1	6	375	20	0.10	<5	<5	<10	135	1520	4	32	<10	6	28
104396	303197	<1	5.58	26	368	2	<1	2.75	<4	6	28	9	2.13	0.51	10	1.23	871	<1	10	388	16	0.24	<5	<5	<10	124	1702	6	40	<10	7	34
104397	303198	<1	5.81	44	531	2	<1	3.00	<4	14	64	31	2.67	0.47	7	1.41	689	2	31	456	21	0.40	<5	6	<10	126	1870	11	60	<10	10	62
104398	303199	<1	6.00	57	761	2	<1	1.28	<4	7	<1	76	1.83	0.44	10	0.88	399	<1	24	542	156	0.63	<5	<5	<10	96	1884	<2	44	11	6	275
104399	303200	<1	5.97	<2	538	<2	3	4.32	<4	16	<1	64	3.83	0.45	<1	1.32	884	<1	9	588	9	0.03	<5	5	<10	512	2596	16	142	<10	20	59
104400	303201	<1	6.66	38	689	2	<1	2.02	<4	6	3	15	1.70	0.32	9	1.04	736	<1	29	612	38	0.44	<5	6	<10	141	2308	<2	52	<10	7	76
104401	303202	<1	5.56	30	539	<2	<1	2.30	<4	6	6	9	1.94	0.32	8	0.96	758	<1	36	590	20	0.32	<5	<5	<10	163	2349	<2	56	<10	6	50
104402	303203	<1	6.55	26	459	<2	<1	3.00	<4	6	7	6	2.11	0.33	8	1.26	756	<1	29	603	19	0.27	<5	5	<10	194	2277	<2	49	<10	7	39
104403	303204	<1	6.00	24	481	<2	1	2.78	<4	5	1	11	1.91	0.36	6	1.27	710	<1	20	569	18	0.31	<5	9	<10	180	2137	5	44	<10	7	49
104404	303205	<1	5.62	27	498	<2	10	1.91	<4	6	<1	17	1.78	0.34	8	1.11	613	<1	17	545	10	0.32	<5	<5	<10	144	2122	11	43	<10	7	35
104405	303206	<1	5.91	30	504	<2	<1	1.91	<4	6	6	15	1.91	0.20	9	1.11	614	<1	17	546	12	0.41	<5	<5	<10	148	2152	5	44	<10	7	36
104406D	303206	<1	6.15	33	528	<2	<1	1.99	<4	6	7	17	1.95	0.44	10	1.12	627	<1	18	565	16	0.35	<5	<5	<10	154	2208	<2	45	<10	7	37
104407	303207	<1	6.37	18	542	<2	1	2.50	<4	5	5	8	1.77	0.46	10	1.28	682	<1	22	576	9	0.26	<5	<5	<10	166	2266	<2	48	<10	7	42
104408	303208	<1	5.80	33	545	<2	<1	2.28	<4	6	2	11	1.86	0.52	9	1.13	787	<1	19	568	24	0.37	<5	9	<10	141	2275	5	46	<10	6	46
104409	303209	<1	5.61	36	491	<2	<1	2.46	<4	5	4	38	2.18	0.43	9	1.29	819	<1	17	537	36	0.47	<5	8	<10	154	2021	<2	42	<10	7	69
104410	303210	130	4.79	17	431	<2	3	3.19	8	16	22	96	4.91	0.24	1	1.17	872	2	23	532	17231	0.07	97	<5	<10	307	2603	6	140	<10	17	327
104411	303211	<1	5.90	36	511	<2	4	2.99	<4	7	3	20	2.35	0.38	9	1.40	759	<1	21	559	157	0.57	<5	6	<10	172	2095	5	46	<10	7	47
104412	303212	<1	5.65	27	509	<2	2	1.82	<4	16	86	63	3.46	0.32	12	1.23	904	<1	49	506	31	0.55	<5	7	<10	145	2717	<2	86	<10	12	95
104413	303213	<1	5.75	40	532	<2	<1	1.50	<4	13	<1	19	2.14	0.24	9	0.95	566	<1	25	558	30	0.91	<5	<5	<10	112	2013	2	42	<10	7	59

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/10/2015
Date Completed: 04/20/2015
Job #: 201541261
Reference: 15-080
Sample #: 38

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104414	303214	<1	6.37	37	580	2	<1	2.48	<4	12	2	17	2.38	0.12	11	1.30	775	<1	23	619	22	0.83	<5	<5	<10	117	2126	10	46	<10	7	76

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, April 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/18/2015
Job #: 201541222
Reference: TL15-058
Sample #: 21

Acc #	Client ID	Au g/t (ppm)
101953	368654	0.020
101954	368655	0.101
101955	368656	0.128
101956	368657	0.082
101957	368658	0.103
101958	368659	0.015
101959	368660	<0.005
101960	368661	0.016
101961	368662	0.031
101962	368663	0.053
101963	368663 Dup	0.047
101964	368664	0.073
101965	368665	1.348
101966	368666	0.042
101967	368667	<0.005
101968	368668	0.014
101969	368669	0.009
101970	368670	4.879
101971	368671	0.026
101972	368672	0.055
101973	368673	0.069
101974	368673 Dup	0.071
101975	368674	0.099

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, April 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/18/2015
Job #: 201541222
Reference: TL15-058
Sample #: 21

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.538	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/18/2015
Job #: 201541222
Reference: TL15-058
Sample #: 21

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101953	368654	<1	>10.00	19	1277	2	<1	3.86	<4	14	44	23	2.72	1.57	30	1.45	955	<1	15	694	72	0.34	8	45	14	222	2698	3	54	33	12	173
101954	368655	<1	>10.00	31	1423	2	<1	1.98	<4	11	42	24	2.25	1.45	36	1.48	923	3	10	710	510	0.37	6	31	20	179	3101	<2	56	37	12	455
101955	368656	2	>10.00	47	1798	2	<1	1.27	<4	13	34	31	2.17	1.10	39	1.24	599	3	13	682	196	0.36	7	47	13	166	3107	7	56	30	12	434
101956	368657	<1	>10.00	35	1903	2	<1	3.02	<4	11	60	22	2.50	1.88	31	1.78	1264	4	15	593	106	0.35	5	40	21	279	2807	4	54	27	11	301
101957	368658	<1	7.11	31	833	<2	<1	1.43	<4	8	58	46	1.45	1.92	23	0.96	532	1	14	388	54	0.19	9	46	13	232	2178	13	36	19	7	203
101958	368659	<1	4.70	19	599	<2	<1	2.01	<4	10	61	14	2.28	2.26	19	0.97	697	<1	14	350	29	0.27	9	25	22	278	2122	6	43	20	6	85
101959	368660	<1	6.89	18	735	<2	<1	5.46	4	22	<1	87	5.04	2.36	9	1.83	1192	<1	10	749	16	0.07	6	21	20	653	3692	6	193	38	26	78
101960	368661	<1	7.32	18	562	2	<1	2.73	<4	13	64	19	2.67	2.06	23	1.49	758	<1	26	459	35	0.26	7	45	18	347	2181	9	54	38	9	115
101961	368662	<1	7.95	15	533	2	<1	2.59	<4	24	148	53	3.99	1.25	31	1.63	883	2	54	615	46	0.37	<5	26	17	335	3296	7	99	21	13	131
101962	368663	<1	6.96	20	692	2	<1	2.14	4	33	192	69	5.67	1.17	38	2.11	1228	5	88	722	77	0.72	6	15	15	269	3232	4	146	30	14	185
101963D	368663	<1	6.33	32	724	2	<1	2.17	4	34	203	72	5.89	0.83	39	2.08	1268	6	93	756	77	0.68	9	24	25	276	3339	2	153	28	12	194
101964	368664	<1	>10.00	28	567	2	<1	2.49	5	32	219	115	5.87	1.28	39	2.67	1182	7	88	806	86	0.63	8	50	21	274	3147	18	145	29	18	179
101965	368665	<1	>10.00	33	733	2	<1	2.30	<4	16	83	35	2.89	1.45	31	2.17	706	9	33	493	61	0.21	5	44	20	294	2240	<2	65	30	12	94
101966	368666	<1	>10.00	25	686	2	<1	2.19	<4	12	67	29	2.53	1.91	29	2.04	648	2	27	454	49	0.18	8	37	17	280	2081	2	58	30	11	78
101967	368667	<1	>10.00	12	941	2	<1	2.02	<4	5	40	7	1.55	2.03	35	1.83	564	2	7	330	59	0.08	7	33	10	302	1806	4	30	29	9	110
101968	368668	<1	9.62	15	706	<2	<1	2.12	<4	6	32	8	1.51	2.18	29	1.74	539	<1	6	312	152	0.10	<5	55	15	294	1630	5	26	23	8	273
101969	368669	<1	8.15	16	615	<2	<1	2.31	<4	7	26	15	1.53	2.17	22	1.47	668	<1	6	299	50	0.10	10	41	13	304	1640	6	26	21	7	128
101970	368670	124	7.92	36	610	<2	<1	4.30	10	20	37	137	6.61	2.04	13	1.71	1176	3	32	732	16484	0.13	130	11	20	413	3832	9	193	35	24	448
101971	368671	2	7.83	16	672	2	<1	2.13	<4	6	24	19	1.45	2.09	22	1.28	550	1	6	312	490	0.10	10	38	17	313	1728	3	29	33	7	307
101972	368672	<1	9.47	19	772	<2	<1	2.26	<4	5	34	16	1.37	1.55	26	1.43	523	<1	5	336	161	0.16	<5	46	15	301	1681	12	26	36	8	352

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 7:48 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/18/2015
Job #: 201541222
Reference: TL15-058
Sample #: 21

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101973	368673	<1	9.44	24	647	<2	<1	1.69	<4	6	37	6	1.40	1.34	32	1.58	564	<1	3	327	67	0.17	9	25	18	227	1730	8	26	21	7	98
101974D	368673	<1	9.43	26	656	2	<1	1.70	<4	6	32	6	1.41	1.05	33	1.60	575	1	5	358	68	0.18	5	42	20	226	1738	10	27	20	7	93
101975	368674	<1	8.03	11	563	2	<1	2.04	<4	6	32	4	1.38	0.81	37	1.97	647	2	6	331	58	0.11	5	20	16	106	1617	15	25	24	7	88

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541375
Reference: 15-105
Sample #: 36

Acc #	Client ID	Au g/t (ppm)
112822	303529	0.013
112823	303530	1.556
112824	303531	0.187
112825	303532	0.011
112826	303533	0.007
112827	303534	0.008
112828	303535	0.228
112829	303536	0.129
112830	303537	0.210
112831	303538	0.111
112832	303538 Dup	0.088
112833	303539	0.034
112834	303540	<0.005
112835	303541	0.735
112836	303542	0.035
112837	303543	0.080
112838	303544	0.111
112839	303545	0.269
112840	303546	0.222
112841	303547	0.160
112842	303548	0.059
112843	303548 Dup	0.051
112844	303549	0.021
112845	303550	4.927
112846	303551	0.021

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541375
Reference: 15-105
Sample #: 36

Acc #	Client ID	Au g/t (ppm)
112847	303552	1.158
112848	303553	0.010
112849	303554	0.008
112850	303555	<0.005
112851	303556	0.006
112852	303557	<0.005
112853	303558	<0.005
112854	303558 Dup	<0.005
112855	303559	0.005
112856	303560	0.008
112857	303561	0.010
112858	303562	0.006
112859	303563	0.006
112860	303564	0.031

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541375
Reference: 15-105
Sample #: 36

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.492	1.575	0.088
AR02	1.574	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, May 4, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541375
Reference: 15-105
Sample #: 36

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112822	303529	<1	0.87	13	636	<2	1	1.65	<4	5	19	5	1.07	0.17	9	0.98	1235	<1	4	204	57	0.07	<5	<5	<10	173	1112	4	20	<10	3	90
112823	303530	<1	1.07	21	570	2	2	2.41	4	16	43	211	3.86	0.46	6	0.92	701	8	39	518	10	0.07	<5	<5	<10	306	2628	8	116	12	10	67
112824	303531	<1	0.31	14	595	2	4	1.43	<4	5	29	8	1.00	0.76	13	0.71	966	<1	5	167	77	0.08	<5	<5	<10	184	1174	<2	21	<10	3	234
112825	303532	<1	0.37	27	594	<2	1	0.92	<4	6	34	6	1.28	0.65	15	0.74	1002	<1	6	173	52	0.09	<5	<5	<10	133	1208	9	24	<10	3	131
112826	303533	<1	<0.01	14	591	<2	3	0.71	<4	5	16	2	1.01	0.57	11	0.68	1000	<1	5	136	19	0.07	<5	<5	<10	126	1082	<2	19	<10	3	60
112827	303534	<1	<0.01	11	499	<2	3	1.28	<4	5	12	5	0.97	0.75	4	0.58	873	<1	22	126	44	0.11	<5	<5	<10	173	973	7	24	<10	3	43
112828	303535	<1	<0.01	16	579	2	2	0.74	<4	25	141	96	3.33	0.67	13	0.78	1077	3	113	286	95	0.30	<5	<5	<10	125	2096	3	119	<10	6	102
112829	303536	<1	<0.01	6	512	2	2	1.19	4	24	122	37	3.62	0.97	13	0.99	565	<1	81	300	42	0.09	<5	<5	<10	147	2822	4	117	<10	5	46
112830	303537	<1	0.66	18	512	<2	4	1.57	<4	23	143	46	3.33	0.37	11	1.11	954	<1	59	393	37	0.14	<5	<5	<10	143	2315	3	92	<10	7	98
112831	303538	<1	1.14	11	528	<2	3	1.64	<4	11	55	14	2.05	0.09	8	0.81	643	<1	17	366	43	0.09	<5	<5	<10	155	1806	10	46	<10	4	82
112832D	303538	<1	1.84	15	549	<2	3	1.70	<4	12	59	14	2.14	<0.01	8	0.88	664	<1	17	393	43	0.08	<5	<5	<10	162	1821	8	46	<10	5	85
112833	303539	<1	1.68	23	611	2	3	1.37	<4	9	31	10	1.75	0.18	9	0.70	636	<1	9	365	54	0.12	<5	<5	<10	128	1810	8	41	<10	4	106
112834	303540	<1	2.45	11	590	<2	3	4.59	4	19	1	63	3.95	1.16	<1	1.27	938	<1	10	480	7	0.03	<5	<5	<10	530	2658	6	158	10	18	65
112835	303541	<1	2.25	19	570	2	2	1.62	<4	10	25	5	2.03	1.42	10	0.89	728	<1	10	305	31	0.17	<5	<5	<10	136	1879	9	43	<10	5	83
112836	303542	<1	2.08	18	600	<2	2	1.60	<4	11	25	8	2.03	1.44	12	0.86	524	<1	9	307	16	0.16	<5	<5	<10	125	2046	3	44	<10	5	57
112837	303543	<1	1.62	16	705	2	3	2.25	<4	11	42	8	2.19	1.21	15	0.93	605	<1	10	318	22	0.10	<5	<5	<10	136	2205	2	49	<10	5	69
112838	303544	<1	1.05	24	695	<2	3	1.71	<4	10	41	9	2.17	1.13	22	1.12	732	<1	10	308	43	0.28	<5	<5	<10	118	2022	<2	44	<10	5	91
112839	303545	<1	1.36	25	599	<2	4	1.49	<4	10	32	17	2.05	1.40	12	0.75	528	<1	10	290	38	0.11	<5	<5	<10	104	2097	5	46	<10	5	195
112840	303546	<1	1.66	27	591	<2	6	1.56	<4	11	27	17	1.94	1.32	10	0.75	500	<1	9	312	36	0.16	<5	<5	<10	103	2016	<2	45	<10	5	174
112841	303547	<1	0.53	22	686	<2	2	2.48	<4	11	46	18	2.00	1.08	14	0.84	807	<1	12	271	38	0.14	<5	<5	<10	118	2019	5	48	<10	5	113

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/04/2015 11:14 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, May 4, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541375
Reference: 15-105
Sample #: 36

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112842	303548	<1	1.39	43	605	2	3	1.74	<4	11	37	16	2.01	1.04	11	0.63	607	<1	12	342	30	0.23	<5	7	<10	124	2097	14	46	<10	4	94
112843D	303548	<1	2.78	48	627	2	3	1.77	<4	11	39	17	2.06	0.51	11	0.69	629	<1	13	451	28	0.24	<5	<5	<10	126	2173	5	47	<10	5	97
112844	303549	<1	3.33	16	561	<2	4	1.34	<4	11	31	8	1.81	0.46	13	0.65	420	<1	9	474	11	0.20	<5	<5	<10	131	2212	3	46	<10	5	68
112845	303550	124	<0.01	29	409	2	3	2.86	8	16	25	82	4.39	<0.01	<1	0.76	815	<1	25	455	16059	0.08	90	<5	<10	272	2404	6	137	12	9	335
112846	303551	<1	1.93	12	483	<2	3	2.49	<4	10	26	8	2.00	0.77	6	0.87	518	<1	10	349	77	0.29	<5	7	<10	164	1983	8	45	<10	5	59
112847	303552	<1	3.24	28	585	2	3	2.44	<4	9	23	15	1.98	0.32	17	0.85	633	2	8	282	107	0.25	<5	<5	<10	159	1964	3	43	<10	6	158
112848	303553	<1	0.77	18	632	2	<1	2.50	<4	8	23	4	1.88	0.83	17	0.67	506	<1	8	252	26	0.34	<5	<5	<10	176	1807	<2	44	<10	4	49
112849	303554	<1	3.23	13	701	<2	<1	2.81	<4	10	24	6	1.39	1.11	6	0.83	389	<1	11	424	16	0.08	<5	9	<10	211	1759	6	42	<10	6	40
112850	303555	<1	2.52	13	595	<2	3	2.08	<4	8	39	7	0.98	1.27	8	0.72	293	<1	9	516	30	0.03	<5	6	<10	173	1790	5	40	10	5	46
112851	303556	<1	0.85	17	579	<2	5	1.98	<4	8	19	5	1.15	1.08	4	0.63	274	<1	7	360	15	0.05	<5	<5	<10	153	1535	7	38	<10	4	24
112852	303557	<1	0.90	14	1026	<2	1	1.39	<4	8	19	3	0.94	1.34	9	0.63	357	<1	7	316	22	0.04	<5	<5	<10	160	1821	11	37	<10	4	30
112853	303558	<1	0.87	14	905	2	4	1.79	<4	9	28	11	1.32	1.34	11	0.80	516	<1	8	382	29	0.07	<5	<5	<10	139	2069	3	42	<10	4	50
112854D	303558	<1	0.98	10	896	<2	3	1.75	<4	9	32	11	1.34	0.77	11	0.76	513	<1	8	440	29	0.07	<5	<5	<10	137	2082	4	41	<10	4	50
112855	303559	<1	0.09	14	835	2	3	2.16	<4	6	30	8	1.30	0.57	7	0.62	447	<1	7	418	20	0.05	<5	<5	<10	146	1779	2	39	<10	4	44
112856	303560	<1	1.08	9	547	<2	2	4.21	4	17	2	61	3.64	0.39	<1	1.02	886	<1	8	516	8	0.03	<5	<5	<10	483	2505	3	149	<10	14	62
112857	303561	<1	1.21	7	798	<2	2	1.38	<4	7	22	10	1.35	<0.01	11	0.66	418	<1	6	508	15	0.11	<5	<5	<10	141	1714	3	37	<10	4	46
112858	303562	<1	2.31	7	866	2	3	2.34	<4	10	26	19	1.70	1.02	12	1.00	697	<1	8	450	36	0.07	<5	<5	<10	151	2214	5	46	<10	5	125
112859	303563	<1	1.92	13	342	<2	5	1.36	<4	5	66	7	1.14	1.15	4	0.90	522	<1	8	395	18	0.02	<5	<5	<10	87	1142	5	22	<10	6	47
112860	303564	1	1.60	11	689	2	2	1.78	<4	9	25	17	1.62	1.14	8	0.92	850	<1	8	374	341	0.11	<5	<5	<10	104	1896	7	37	<10	5	208

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/04/2015 11:14 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541286
Reference: 15-086
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
104948	303269	0.066
104949	303270	5.012
104950	303271	0.023
104951	303272	0.028
104952	303273	0.008
104953	303274	0.009
104954	303275	0.019
104955	303276	0.015
104956	303277	0.043
104957	303278	0.032
104958	303278 Dup	0.029
104959	303279	0.009
104960	303280	0.005
104961	303281	0.005
104962	303282	0.007
104963	303283	0.006
104964	303284	0.010
104965	303285	0.008
104966	303286	0.019
104967	303287	0.007
104968	303288	0.024
104969	303288 Dup	0.026
104970	303289	0.749
104971	303290	0.388
104972	303291	0.017

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541286
Reference: 15-086
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
104973	303292	0.015
104974	303293	0.007

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541286
Reference: 15-086
Sample #: 25

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.528	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541286
Reference: 15-086
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104948	303269	<1	5.92	19	478	<2	<1	2.00	<4	10	13	56	2.15	0.36	8	0.99	647	<1	13	546	26	0.12	<5	6	39	140	2186	4	46	<10	7	81
104949	303270	128	4.85	18	469	<2	6	3.31	8	16	22	100	5.03	0.14	2	1.19	873	5	24	531	16787	0.07	100	5	42	318	2666	5	142	<10	17	329
104950	303271	<1	5.84	8	344	<2	3	1.97	<4	8	8	13	2.01	0.32	10	1.08	660	<1	11	542	46	0.09	<5	<5	34	169	2028	<2	43	<10	7	52
104951	303272	<1	6.11	9	435	<2	<1	1.74	<4	10	11	14	1.57	0.27	10	0.98	608	<1	11	511	38	0.06	<5	<5	33	146	2125	<2	43	11	6	440
104952	303273	<1	5.88	13	404	<2	8	1.53	<4	7	10	15	1.41	0.31	8	0.87	567	<1	10	468	30	0.07	<5	<5	40	138	2003	6	40	<10	6	58
104953	303274	<1	5.48	6	386	<2	<1	1.54	<4	6	9	11	1.51	0.35	8	0.93	596	<1	8	435	26	0.06	<5	5	29	135	1884	<2	38	<10	6	50
104954	303275	<1	6.59	6	411	<2	3	1.64	<4	7	4	12	1.82	0.17	12	1.19	735	<1	9	469	26	0.10	<5	5	38	153	2190	4	42	<10	6	79
104955	303276	<1	6.10	7	364	<2	<1	1.85	<4	6	6	6	1.78	0.35	10	1.29	774	<1	9	454	21	0.10	<5	6	39	146	2088	6	40	<10	6	63
104956	303277	<1	5.74	21	416	<2	<1	1.22	<4	6	<1	6	1.06	0.31	8	0.83	391	<1	8	351	23	0.22	<5	6	37	111	1599	8	29	<10	5	185
104957	303278	<1	5.35	13	360	<2	3	2.00	<4	7	<1	7	1.26	0.32	7	1.04	569	<1	7	351	27	0.14	<5	<5	32	146	1659	11	30	<10	5	54
104958D	303278	<1	4.97	21	371	<2	<1	2.02	<4	8	<1	7	1.29	0.17	7	1.02	592	<1	8	356	27	0.14	<5	<5	35	146	1677	2	31	<10	5	57
104959	303279	<1	5.12	5	379	<2	<1	2.04	<4	5	<1	5	1.24	0.16	4	1.01	484	<1	6	345	21	0.06	<5	<5	35	181	1606	3	29	<10	5	31
104960	303280	<1	6.05	7	587	<2	4	4.44	4	15	<1	62	3.82	0.19	<1	1.42	907	<1	8	583	8	0.02	<5	<5	35	509	2650	9	144	11	22	58
104961	303281	<1	5.59	8	381	<2	<1	1.77	<4	5	4	7	1.29	0.32	6	0.85	369	<1	28	365	9	0.04	<5	<5	38	143	1667	6	38	<10	5	25
104962	303282	<1	5.96	6	405	<2	<1	2.23	<4	5	13	7	1.38	0.24	9	1.10	550	<1	42	387	13	0.03	<5	<5	34	145	1802	12	43	<10	5	31
104963	303283	<1	5.35	7	318	<2	5	2.12	<4	6	8	8	1.20	0.25	7	1.12	697	<1	29	354	19	0.04	<5	<5	33	129	1613	3	36	<10	5	36
104964	303284	<1	5.71	5	362	<2	<1	2.07	<4	4	12	7	1.42	0.15	8	1.13	621	<1	40	379	13	0.03	<5	<5	36	148	1825	5	43	<10	5	31
104965	303285	<1	5.05	5	367	<2	3	2.26	<4	5	9	7	1.45	0.05	6	1.15	655	<1	34	377	16	0.04	<5	6	36	164	1779	<2	41	<10	5	32
104966	303286	<1	5.19	8	391	<2	<1	2.22	<4	6	9	9	1.47	0.15	6	1.13	643	<1	35	386	21	0.04	<5	5	30	166	1792	<2	41	<10	5	30
104967	303287	<1	5.07	4	382	<2	<1	2.12	<4	5	16	12	1.29	0.03	5	0.99	573	<1	39	331	27	0.04	<5	6	39	144	1670	8	41	<10	5	44

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 6:38 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541286
Reference: 15-086
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104968	303288	<1	4.54	4	319	<2	<1	1.72	<4	5	15	13	1.43	0.19	5	1.17	704	<1	43	368	37	0.04	<5	<5	33	107	1657	2	42	<10	5	86
104969D	303288	<1	5.01	6	318	<2	<1	1.77	<4	6	14	14	1.46	0.11	5	1.19	703	<1	43	365	46	0.04	<5	<5	34	112	1666	4	42	<10	5	85
104970	303289	<1	4.84	7	329	<2	<1	1.36	<4	4	6	5	1.32	<0.01	5	1.20	632	<1	35	368	17	0.04	<5	5	35	93	1572	2	37	<10	5	49
104971	303290	<1	3.71	50	329	<2	<1	1.11	7	12	15	2080	4.64	0.12	14	0.82	1048	13	21	631	75	1.45	<5	10	34	175	1064	7	61	14	8	575
104972	303291	<1	4.62	13	304	<2	7	1.59	<4	4	11	22	1.51	0.15	5	1.47	769	<1	31	364	27	0.06	<5	8	34	102	1497	5	37	<10	6	54
104973	303292	<1	5.05	12	316	<2	<1	1.11	<4	5	6	10	1.47	0.26	6	1.37	598	<1	26	368	15	0.08	<5	<5	33	80	1687	<2	37	<10	5	80
104974	303293	<1	5.47	9	306	<2	2	2.77	<4	4	15	5	1.81	0.11	6	1.50	826	<1	41	392	10	0.09	<5	<5	38	101	1690	3	42	<10	6	33

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 22, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/22/2015
Job #: 201541310
Reference: 15-097
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
106353	303454	0.232
106354	303455	0.059
106355	303456	0.156
106356	303457	0.067
106357	303458	0.186
106358	303459	0.675
106359	303460	<0.005
106360	303461	0.027
106361	303462	0.136
106362	303463	0.362
106363	303463 Dup	0.538

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 22, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/22/2015
Job #: 201541310
Reference: 15-097
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/22/2015
Job #: 201541310
Reference: 15-097
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106353	303454	<1	4.30	21	348	2	24	0.62	<4	23	145	69	3.93	0.37	33	2.17	594	<1	94	523	171	0.38	<5	<5	<10	75	1812	8	115	<10	10	391
106354	303455	<1	4.69	12	336	2	25	0.78	<4	25	143	59	3.78	0.43	33	2.02	612	<1	83	539	59	0.21	<5	10	<10	85	2258	<2	99	<10	12	276
106355	303456	<1	4.33	8	342	2	19	0.99	<4	25	129	69	3.84	0.45	33	1.92	612	<1	85	532	51	0.17	<5	<5	<10	95	2606	<2	106	<10	10	92
106356	303457	<1	4.22	11	278	2	20	1.48	<4	22	124	61	3.85	0.43	26	1.78	598	<1	77	461	65	0.28	<5	6	<10	111	2169	<2	88	<10	10	235
106357	303458	<1	3.33	5	320	2	15	0.86	<4	24	130	43	3.86	0.60	30	1.81	596	<1	89	480	57	0.20	<5	9	<10	85	2469	<2	107	<10	9	117
106358	303459	1	4.41	13	344	2	14	0.52	<4	22	115	54	3.54	0.40	28	1.71	557	<1	77	484	206	0.24	<5	8	<10	70	1802	10	94	<10	10	305
106359	303460	<1	4.75	2	452	<2	18	3.65	<4	19	2	65	3.60	0.20	3	1.40	854	<1	14	586	25	0.06	5	13	<10	455	2607	2	129	<10	21	59
106360	303461	<1	3.67	5	483	2	9	1.32	<4	7	33	18	1.31	0.27	15	1.26	340	<1	29	442	47	0.07	<5	12	12	95	1246	<2	33	<10	7	43
106361	303462	<1	4.29	10	490	2	20	1.16	<4	13	71	31	2.44	0.12	22	1.70	435	<1	62	509	35	0.13	6	6	10	90	1859	<2	61	<10	8	55
106362	303463	<1	4.10	24	332	2	22	1.28	<4	20	118	47	3.26	0.20	24	1.89	684	<1	64	575	60	0.34	<5	12	10	82	2252	<2	81	<10	10	135
106363D	303463	<1	4.22	23	329	2	31	1.28	<4	20	122	46	3.28	0.11	24	1.88	688	<1	68	563	52	0.32	<5	13	<10	82	2254	13	82	<10	11	135

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541287
Reference: 15-087
Sample #: 8

Acc #	Client ID	Au g/t (ppm)
104975	303294	<0.005
104976	303295	<0.005
104977	303296	<0.005
104978	303297	0.079
104979	303298	0.090
104980	303299	0.019
104981	303300	<0.005
104982	303301	0.154
105010	303301 Dup	0.148

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jason Moore, VP Operations, Assayer

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541287
Reference: 15-087
Sample #: 8

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.526	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/13/2015
Date Completed: 04/20/2015
Job #: 201541287
Reference: 15-087
Sample #: 8

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104975	303294	<1	5.33	8	343	<2	<1	2.08	<4	5	30	10	1.66	0.69	8	0.98	520	<1	7	349	37	0.06	<5	<5	<10	164	1680	7	31	<10	5	33
104976	303295	<1	6.70	4	373	<2	<1	2.03	<4	5	19	5	1.72	0.76	11	1.32	503	<1	6	394	7	0.05	<5	<5	11	147	1884	2	35	<10	6	36
104977	303296	<1	5.60	6	350	<2	7	1.58	<4	5	28	6	1.60	0.83	10	1.27	442	<1	6	379	7	0.04	<5	5	<10	135	1741	<2	32	<10	5	37
104978	303297	<1	5.53	14	560	2	<1	2.08	4	27	177	77	4.27	0.56	13	1.36	746	5	62	541	48	0.19	<5	<5	<10	172	3124	10	110	<10	12	124
104979	303298	<1	6.38	40	716	2	3	2.43	<4	13	63	143	3.04	0.59	10	1.02	669	3	25	573	45	0.32	<5	<5	<10	183	2362	4	58	<10	9	147
104980	303299	<1	6.19	19	552	<2	2	2.47	<4	8	22	38	2.19	0.18	7	0.90	563	<1	13	605	15	0.20	<5	6	<10	187	2095	2	48	<10	7	53
104981	303300	<1	6.26	5	553	<2	2	4.42	<4	16	<1	69	3.93	0.69	<1	1.33	902	<1	9	592	9	0.02	<5	<5	<10	528	2665	6	145	10	20	56
104982	303301	<1	6.48	19	433	2	4	2.15	<4	25	150	101	4.29	0.51	15	1.36	1122	5	67	572	28	0.31	<5	5	<10	175	2993	7	104	<10	16	78
105010D	303301	<1	6.33	19	418	2	5	2.06	4	24	146	99	4.13	0.53	14	1.33	1073	4	66	552	30	0.30	<5	<5	<10	168	2895	15	101	<10	15	80

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:18 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541371
Reference: 15-101
Sample #: 9

Acc #	Client ID	Au g/t (ppm)
112759	303472	0.129
112762	303473	0.020
112763	303474	0.045
112764	303475	0.019
112765	303476	0.031
112766	303477	0.058
112767	303478	0.038
112768	303479	0.024
112769	303480	<0.005
112770	303480	Insufficient Sample

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541371
Reference: 15-101
Sample #: 9

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541371
Reference: 15-101
Sample #: 9

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112759	303472	<1	4.47	17	492	2	3	2.31	<4	9	8	74	2.09	0.32	9	0.88	589	<1	9	579	58	0.20	<5	<5	<10	147	1614	3	37	<10	6	68
112762	303473	<1	5.14	26	544	<2	4	2.54	<4	10	9	26	2.06	0.40	12	0.98	587	<1	9	593	15	0.14	<5	5	<10	164	1903	12	43	<10	7	30
112763	303474	<1	5.01	24	500	<2	4	3.16	<4	10	11	11	2.44	0.30	9	1.28	641	<1	9	589	14	0.26	<5	<5	<10	156	1802	3	41	<10	7	36
112764	303475	<1	2.59	27	586	2	5	2.99	<4	10	17	13	2.15	0.44	11	1.14	819	<1	9	556	23	0.19	<5	<5	<10	141	1979	2	41	<10	5	49
112765	303476	<1	4.61	42	601	2	3	2.42	<4	9	15	10	1.96	0.23	11	1.10	737	<1	9	509	18	0.33	<5	<5	<10	127	1833	8	38	<10	6	57
112766	303477	<1	4.32	45	545	<2	2	1.87	<4	9	8	8	2.31	0.19	12	1.04	746	<1	8	493	11	0.67	<5	<5	<10	123	1796	3	36	<10	6	47
112767	303478	<1	3.88	33	704	<2	2	1.96	<4	8	14	10	2.00	0.23	13	1.17	692	<1	7	478	39	0.35	<5	<5	<10	138	1829	7	37	<10	5	87
112768	303479	<1	4.18	30	586	<2	4	1.42	<4	8	13	10	1.36	0.11	11	1.12	468	<1	8	346	16	0.23	<5	<5	<10	127	1640	11	29	<10	5	44
112769	303480	<1	2.19	4	427	<2	<1	3.38	<4	17	<1	63	3.47	<0.01	<1	1.08	827	<1	11	513	10	0.05	<5	15	<10	421	2464	<2	124	<10	14	54
112770D	303480																IS															

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/26/2015
Job #: 201541311
Reference: 15-096
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
106364	303429	0.018
106365	303430	1.475
106366	303431	0.178
106367	303432	0.010
106368	303433	<0.005
106369	303434	<0.005
106370	303435	0.007
106371	303436	0.024
106372	303437	0.011
106373	303438	<0.005
106374	303438 Dup	<0.005
106375	303439	0.008
106376	303440	<0.005
106377	303441	0.013
106378	303442	0.040
106379	303443	0.019
106380	303444	<0.005
106381	303445	0.008
106382	303446	0.006
106383	303447	<0.005
106384	303448	0.007
106385	303448 Dup	0.005
106386	303449	0.015
106387	303450	0.371
106388	303451	0.019

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/26/2015
Job #: 201541311
Reference: 15-096
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
106389	303452	0.007
106390	303453	0.017

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/26/2015
Job #: 201541311
Reference: 15-096
Sample #: 25

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL01	0.377	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/26/2015
Job #: 201541311
Reference: 15-096
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106364	303429	<1	4.46	16	227	<2	12	1.67	<4	6	22	37	1.34	0.03	12	1.11	541	<1	7	344	44	0.10	<5	11	10	92	1571	<2	24	<10	6	86
106365	303430	<1	4.16	20	481	2	12	2.16	<4	16	40	204	3.84	0.37	10	1.24	706	6	38	612	13	0.10	8	13	10	280	2799	<2	106	<10	17	64
106366	303431	3	5.88	14	309	2	23	1.50	<4	6	23	111	1.44	0.45	14	1.06	553	<1	7	385	140	0.17	<5	14	<10	103	1749	<2	27	10	7	361
106367	303432	<1	5.55	4	338	2	7	2.06	<4	7	28	11	1.60	0.39	12	1.06	584	<1	7	394	24	0.07	<5	28	<10	135	1793	<2	28	<10	6	48
106368	303433	<1	5.85	7	350	<2	10	1.96	<4	6	26	6	1.60	0.36	13	1.07	631	<1	6	403	18	0.06	<5	18	13	142	1816	<2	29	<10	7	33
106369	303434	<1	5.02	8	344	2	10	1.95	<4	6	24	7	1.51	0.44	9	0.87	499	<1	7	379	16	0.05	5	25	10	134	1734	<2	28	<10	6	38
106370	303435	<1	4.64	<2	331	2	23	1.88	<4	5	27	10	1.43	0.45	9	0.76	393	<1	7	358	23	0.05	<5	11	14	132	1667	<2	27	<10	6	46
106371	303436	3	4.71	7	265	<2	10	1.28	<4	7	16	16	1.65	0.07	13	1.10	567	<1	9	366	22	0.07	<5	20	<10	84	1657	<2	28	<10	6	69
106372	303437	1	5.45	5	241	<2	30	1.60	<4	6	20	6	1.68	0.12	12	1.18	586	<1	7	381	15	0.05	5	18	<10	85	1754	<2	29	<10	7	45
106373	303438	<1	5.42	8	283	2	12	2.57	<4	6	22	10	2.02	0.14	13	1.54	934	<1	6	393	18	0.07	<5	9	<10	97	1750	<2	29	<10	7	47
106374D	303438	<1	5.31	11	286	<2	16	2.60	<4	7	24	10	2.06	0.11	12	1.56	952	<1	6	398	19	0.08	<5	21	10	97	1768	<2	29	<10	7	44
106375	303439	<1	4.79	8	344	2	1	3.18	<4	6	25	10	2.08	0.23	9	1.53	683	<1	6	381	17	0.09	5	13	<10	117	1598	6	27	<10	7	33
106376	303440	<1	4.24	6	445	<2	28	3.63	<4	16	<1	60	3.54	0.15	2	1.37	847	<1	8	557	8	0.06	<5	9	<10	448	2583	<2	127	<10	20	54
106377	303441	<1	3.95	5	372	2	18	3.18	<4	13	59	28	2.92	0.16	9	1.58	781	<1	24	432	19	0.18	6	12	11	111	1883	<2	48	<10	9	52
106378	303442	<1	4.18	19	316	2	14	1.40	<4	24	127	63	3.38	0.07	15	1.12	443	<1	55	521	21	0.36	<5	11	13	87	2696	<2	85	<10	13	101
106379	303443	<1	4.67	32	432	2	20	1.81	<4	12	38	53	1.79	0.05	11	0.96	387	<1	14	531	23	0.22	<5	9	<10	108	2108	<2	39	<10	7	62
106380	303444	<1	4.45	19	437	2	17	1.55	<4	11	12	13	1.09	<0.01	13	0.89	331	<1	9	578	8	0.16	<5	18	<10	98	2180	<2	38	<10	6	14
106381	303445	<1	4.36	25	432	<2	18	1.64	<4	11	4	26	1.21	<0.01	12	0.91	376	<1	8	559	15	0.24	<5	12	<10	97	2029	<2	36	<10	6	28
106382	303446	<1	4.20	26	441	<2	24	1.64	<4	11	2	22	1.29	<0.01	13	0.91	385	<1	10	562	8	0.28	<5	8	<10	98	2047	2	36	<10	6	25
106383	303447	<1	4.46	9	496	2	11	1.94	<4	10	4	15	1.22	0.03	10	0.91	296	<1	9	582	11	0.08	<5	17	<10	118	2201	<2	39	<10	6	21

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:20 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/26/2015
Job #: 201541311
Reference: 15-096
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106384	303448	<1	5.19	24	492	2	11	2.10	<4	9	11	37	1.31	0.04	14	1.14	422	<1	9	594	17	0.17	<5	17	10	128	2271	<2	40	<10	7	33
106385D	303448	<1	6.19	31	507	<2	24	2.19	<4	9	13	37	1.35	0.12	15	1.22	434	<1	9	624	15	0.16	<5	15	<10	131	2344	<2	41	<10	7	36
106386	303449	<1	6.64	32	385	2	11	2.43	<4	9	11	28	1.60	0.31	24	1.17	552	<1	8	631	3	0.42	<5	23	<10	68	2477	<2	41	<10	8	7
106387	303450	<1	5.31	52	269	2	24	1.10	5	15	19	2350	4.99	0.19	27	0.94	1098	10	21	740	77	1.51	10	10	<10	188	1221	<2	61	11	11	584
106388	303451	<1	5.92	51	442	2	22	1.82	<4	11	18	42	2.02	0.12	13	1.05	843	<1	9	597	19	0.60	<5	14	10	143	2245	<2	41	<10	8	43
106389	303452	<1	5.47	36	486	<2	22	1.81	<4	7	19	12	1.77	0.08	10	0.75	602	<1	9	580	16	0.52	7	19	<10	152	2056	<2	38	<10	7	21
106390	303453	<1	5.49	41	491	2	16	1.49	<4	10	17	22	1.56	<0.01	12	0.87	539	<1	10	572	23	0.51	<5	26	<10	142	2272	<2	43	<10	8	39

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:20 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/06/2015
Job #: 201541033
Reference: TL15-018
Sample #: 73

Acc #	Client ID	Au g/t (ppm)
89546	367601	0.029
89547	367602	0.031
89548	367603	0.017
89549	367604	0.112
89550	367605	0.010
89551	367606	0.008
89552	367607	0.014
89553	367608	0.062
89554	367609	0.519
89555	367610	0.385
89556	367610	Insufficient Sample
89557	367611	0.367
89558	367612	0.657
89559	367613	1.407
89560	367614	0.358
89561	367615	0.065
89562	367616	0.006
89563	367617	0.011
89564	367618	0.024
89565	367619	0.016
89566	367620	<0.005
89567	367620	Insufficient Sample
89568	367621	0.008
89569	367622	0.007
89570	367623	0.009

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/06/2015
Job #: 201541033
Reference: TL15-018
Sample #: 73

Acc #	Client ID	Au g/t (ppm)
89571	367624	0.025
89572	367625	0.011
89573	367626	0.016
89574	367627	0.034
89575	367628	0.021
89576	367629	0.017
89577	367630	1.428
89578	367630	Insufficient Sample
89579	367631	0.016
89580	367632	0.044
89581	367633	0.238
89582	367634	0.326
89583	367635	1.176
89584	367636	0.631
89585	367637	0.130
89586	367638	2.809
89587	367639	0.150
89588	367640	<0.005
89589	367640	Insufficient Sample
89590	367641	0.239
89591	367642	0.084
89592	367643	0.058
89593	367644	0.120
89594	367645	1.836
89595	367646	0.883

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/06/2015
Job #: 201541033
Reference: TL15-018
Sample #: 73

Acc #	Client ID	Au g/t (ppm)
89596	367647	0.019
89597	367648	0.017
89598	367649	0.019
89599	367650	4.986
89600	367650	Insufficient Sample
89601	367651	0.019
89602	367652	0.092
89603	367653	0.641
89604	367654	0.208
89605	367655	0.020
89606	367656	0.020
89607	367657	0.057
89608	367658	0.158
89609	367659	0.137
89610	367660	<0.005
89611	367660	Insufficient Sample
89612	367661	0.052
89613	367662	0.015
89614	367663	0.032
89615	367664	0.141
89616	367665	0.102
89617	367666	0.072
89618	367667	0.012
89619	367668	0.011
89620	367669	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/06/2015
Job #: 201541033
Reference: TL15-018
Sample #: 73

Acc #	Client ID	Au g/t (ppm)
89621	367670	0.354
89622	367670	Insufficient Sample
89623	367671	0.009
89624	367672	0.007
89625	367673	0.007

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/06/2015
Job #: 201541033
Reference: TL15-018
Sample #: 73

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.698	1.575	0.088
AR02	1.722	1.575	0.088
AR02	1.714	1.575	0.088
AR02	1.523	1.575	0.088
AR02	1.660	1.575	0.088
AR02	1.491	1.575	0.088
AR02	1.140	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/06/2015
Job #: 201541033
Reference: TL15-018
Sample #: 73

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89546	367601	1	3.06	7	385	<2	3	0.77	<4	7	22	58	0.99	0.13	10	0.71	525	<1	33	493	78	0.25	<5	<5	<10	147	1437	<2	36	10	5	114
89547	367602	7	2.29	7	430	<2	12	0.83	<4	9	20	50	1.50	<0.01	11	0.48	488	<1	59	360	254	0.27	<5	<5	<10	177	1844	<2	52	24	2	211
89548	367603	<1	5.14	8	350	2	6	0.81	<4	6	25	48	1.48	<0.01	9	0.58	743	<1	61	443	86	0.25	<5	5	<10	208	1491	<2	50	12	4	106
89549	367604	<1	2.99	5	336	2	3	0.29	<4	6	25	43	1.68	0.15	6	0.45	641	<1	57	375	38	0.26	<5	<5	<10	146	1386	<2	45	14	4	59
89550	367605	<1	2.75	10	328	<2	2	0.29	<4	6	35	26	1.41	<0.01	6	0.51	678	<1	57	401	33	0.23	<5	<5	<10	151	1508	<2	49	11	4	57
89551	367606	<1	1.74	8	313	<2	3	0.29	<4	5	29	28	1.43	0.01	6	0.50	755	<1	55	342	33	0.22	<5	<5	<10	154	1498	<2	47	<10	3	69
89552	367607	<1	2.38	8	286	<2	2	0.33	<4	7	31	13	1.57	<0.01	28	0.68	801	<1	62	414	28	0.23	<5	<5	<10	138	1702	<2	52	<10	4	70
89553	367608	<1	2.80	9	221	<2	5	0.60	<4	6	10	52	1.53	<0.01	6	0.80	921	<1	34	407	44	0.26	<5	6	<10	142	1403	<2	37	<10	4	92
89554	367609	2	3.78	15	334	<2	4	1.06	<4	9	27	112	1.93	<0.01	9	0.88	938	<1	48	418	509	0.37	<5	6	<10	159	1605	<2	45	16	5	472
89555	367610	<1	2.67	40	187	<2	3	0.69	5	12	9	1937	3.92	<0.01	12	0.69	877	7	19	582	68	1.24	<5	7	<10	143	919	<2	49	13	7	480
89556D	367610																IS															
89557	367611	<1	4.31	9	391	<2	3	1.16	<4	9	30	64	2.20	<0.01	9	1.10	997	<1	49	495	51	0.32	<5	<5	<10	143	1894	<2	51	<10	6	97
89558	367612	<1	4.74	17	504	<2	3	1.14	<4	9	34	24	2.04	0.14	11	1.08	961	<1	53	466	23	0.34	<5	9	<10	140	2153	<2	54	<10	6	71
89559	367613	<1	3.31	17	546	<2	4	1.15	<4	11	22	69	2.18	0.25	10	0.95	891	<1	42	396	83	0.43	<5	8	<10	124	1937	<2	45	14	5	234
89560	367614	<1	3.15	9	377	<2	4	1.37	<4	11	19	30	2.28	0.31	7	0.93	885	<1	39	405	16	0.28	<5	<5	<10	144	1907	<2	43	<10	5	80
89561	367615	<1	3.91	3	422	<2	4	1.30	<4	10	31	28	2.76	0.11	12	0.98	726	<1	52	452	14	0.27	5	7	<10	140	2105	<2	53	11	6	90
89562	367616	<1	4.15	17	338	<2	4	1.58	<4	7	15	9	1.43	0.01	8	0.88	411	<1	36	373	10	0.45	<5	6	<10	172	1644	<2	39	<10	4	28
89563	367617	<1	4.66	18	419	<2	3	1.60	<4	6	16	16	1.55	<0.01	8	0.84	434	<1	36	400	41	0.49	<5	7	<10	190	1764	<2	40	<10	5	90
89564	367618	<1	4.71	20	371	<2	4	1.79	<4	7	19	10	1.78	0.11	8	0.83	435	<1	31	413	18	0.43	<5	7	<10	165	1702	<2	38	<10	5	56
89565	367619	<1	4.27	16	339	<2	5	1.60	<4	7	19	8	1.69	0.21	6	0.74	409	<1	40	404	5	0.36	<5	5	<10	140	1640	<2	39	<10	5	35

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 11:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/06/2015
Job #: 201541033
Reference: TL15-018
Sample #: 73

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89566	367620	<1	3.63	5	462	<2	3	3.69	<4	15	<1	60	3.66	0.22	<1	1.27	883	<1	10	616	9	0.19	<5	8	<10	436	2564	<2	134	10	17	58
89567D	367620																IS															
89568	367621	<1	5.94	11	352	<2	4	1.80	<4	6	24	6	1.59	<0.01	9	0.89	430	<1	39	507	11	0.33	<5	10	<10	153	1997	<2	43	<10	6	34
89569	367622	<1	4.87	18	443	<2	2	1.87	<4	5	17	5	1.55	0.12	5	0.96	467	<1	35	419	13	0.40	<5	5	<10	151	1748	<2	40	<10	5	38
89570	367623	<1	3.38	11	474	<2	6	1.97	<4	6	31	10	1.78	<0.01	<1	1.10	530	<1	57	454	24	0.22	<5	<5	<10	147	1787	<2	47	<10	4	66
89571	367624	<1	3.65	25	394	<2	4	1.36	<4	8	35	6	1.71	<0.01	6	1.16	533	<1	37	452	87	0.46	<5	<5	<10	122	1827	<2	43	14	5	98
89572	367625	<1	4.03	17	425	2	2	1.42	<4	5	45	7	1.42	0.53	18	1.21	608	4	66	382	18	0.32	<5	8	<10	74	1840	<2	49	10	5	32
89573	367626	<1	3.93	13	392	2	2	1.42	<4	6	22	6	1.29	0.52	15	1.28	603	<1	30	400	13	0.29	<5	<5	<10	66	1794	<2	39	11	5	26
89574	367627	<1	4.50	21	393	2	2	1.86	<4	7	18	7	1.67	0.25	13	1.40	735	<1	33	403	23	0.38	<5	11	<10	84	1732	<2	38	16	5	38
89575	367628	<1	4.27	25	412	2	<1	1.84	<4	5	20	11	1.64	0.18	11	1.35	828	<1	37	390	36	0.40	<5	8	<10	97	1640	<2	39	<10	5	61
89576	367629	<1	6.44	10	942	2	4	2.49	<4	7	28	26	1.77	<0.01	17	1.48	872	<1	47	633	73	0.33	<5	6	<10	120	1829	<2	44	12	7	122
89577	367630	<1	3.34	24	490	<2	3	2.12	<4	16	38	220	4.01	0.07	4	1.21	738	8	42	652	41	0.24	<5	<5	<10	269	2744	<2	112	14	14	67
89578D	367630																IS															
89579	367631	<1	4.45	11	1664	2	4	2.82	<4	8	58	39	2.15	0.44	12	1.51	1014	<1	43	490	69	0.35	<5	5	<10	132	1820	<2	51	15	7	144
89580	367632	<1	4.48	24	570	<2	3	1.93	<4	10	46	19	2.12	0.19	6	1.00	716	<1	45	590	32	0.46	<5	9	<10	146	2087	<2	63	10	7	52
89581	367633	<1	4.53	28	536	<2	5	1.76	<4	8	12	10	1.83	0.06	8	1.07	758	<1	36	603	26	0.51	<5	6	<10	134	2103	<2	48	<10	5	50
89582	367634	<1	5.01	25	412	<2	5	1.69	<4	14	63	50	2.57	0.25	14	1.66	1223	<1	26	600	40	0.48	<5	8	<10	116	2127	<2	60	41	8	62
89583	367635	<1	4.54	25	362	2	3	1.44	<4	21	163	77	3.44	0.37	15	1.84	1491	2	61	532	58	0.52	<5	<5	<10	95	2263	<2	93	10	11	132
89584	367636	<1	3.74	31	373	<2	4	1.28	<4	12	81	38	3.02	0.30	16	1.63	1349	<1	29	575	91	0.54	<5	<5	<10	95	2155	<2	63	13	8	153
89585	367637	<1	4.13	49	479	2	3	1.33	<4	7	15	30	2.23	<0.01	28	1.25	1028	<1	9	535	49	0.72	<5	7	<10	103	1912	<2	39	12	6	156

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 11:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/06/2015
Job #: 201541033
Reference: TL15-018
Sample #: 73

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89586	367638	<1	3.20	26	472	<2	3	1.30	<4	6	25	35	1.34	<0.01	10	1.00	661	<1	8	318	50	0.39	<5	<5	<10	125	1622	<2	29	<10	4	122
89587	367639	2	3.88	28	606	<2	4	1.52	4	7	30	29	1.69	<0.01	9	1.08	657	<1	8	347	669	0.48	<5	5	<10	123	1665	<2	30	31	5	1178
89588	367640	<1	4.46	8	477	<2	3	3.86	<4	16	<1	65	3.81	0.18	<1	1.42	921	<1	10	627	17	0.20	<5	11	<10	448	2617	<2	140	13	19	63
89589D	367640																IS															
89590	367641	<1	4.16	21	635	<2	2	1.59	<4	10	27	75	1.93	0.08	13	1.14	743	<1	10	523	37	0.41	<5	5	<10	142	1952	<2	36	<10	5	110
89591	367642	<1	4.22	32	540	<2	3	1.43	<4	9	10	15	2.14	0.05	12	1.24	806	<1	8	600	37	0.53	<5	<5	<10	114	2065	<2	40	14	5	111
89592	367643	<1	3.62	40	462	<2	4	1.59	<4	7	9	11	1.71	<0.01	12	1.11	745	<1	9	556	41	0.54	<5	<5	<10	92	1817	<2	36	<10	5	52
89593	367644	<1	3.21	25	503	<2	2	1.38	<4	7	18	16	1.77	<0.01	11	1.27	960	<1	10	536	33	0.41	<5	<5	<10	110	1923	<2	38	<10	5	80
89594	367645	<1	4.28	21	530	<2	3	1.43	<4	7	27	12	1.54	0.25	7	1.12	688	<1	9	351	9	0.34	<5	7	<10	109	1798	<2	30	<10	5	38
89595	367646	1	3.54	17	497	<2	3	1.34	<4	6	14	11	1.47	<0.01	6	1.06	652	<1	7	340	14	0.32	<5	<5	<10	101	1688	<2	29	<10	4	37
89596	367647	<1	4.25	25	523	2	4	2.14	<4	9	16	6	1.94	0.52	8	1.15	477	<1	11	538	24	0.37	<5	8	<10	95	2085	<2	42	17	6	61
89597	367648	<1	3.22	18	462	<2	1	2.02	<4	9	11	2	1.93	<0.01	7	1.12	414	<1	10	497	20	0.29	6	5	<10	84	2051	<2	40	<10	5	53
89598	367649	<1	4.30	21	493	<2	3	2.49	<4	9	13	3	1.89	0.05	9	1.30	578	<1	11	525	23	0.35	<5	<5	<10	97	2108	<2	42	<10	6	50
89599	367650	144	3.26	18	346	<2	3	2.67	8	16	19	94	4.69	0.17	<1	1.19	852	<1	24	562	16696	0.23	103	7	11	258	2515	<2	130	16	15	319
89600D	367650																IS															
89601	367651	<1	4.36	13	498	<2	3	2.42	<4	9	18	7	1.85	0.12	7	1.20	555	<1	11	550	129	0.28	<5	10	<10	97	2121	<2	42	12	6	49
89602	367652	<1	4.08	29	466	<2	1	1.84	<4	9	7	17	1.56	0.06	8	1.01	626	<1	13	546	47	0.44	<5	9	10	90	1995	<2	41	<10	5	105
89603	367653	<1	3.99	23	455	<2	4	0.74	<4	8	9	15	1.30	<0.01	7	0.67	325	<1	11	499	43	0.34	<5	7	<10	71	1869	<2	38	21	5	301
89604	367654	<1	4.30	21	471	<2	3	0.96	<4	8	15	14	1.35	<0.01	5	0.72	330	<1	11	519	32	0.31	<5	<5	<10	72	1840	<2	37	13	6	233
89605	367655	<1	1.86	12	393	2	2	1.44	<4	9	5	7	1.35	<0.01	3	0.81	365	<1	8	429	22	0.26	<5	8	<10	81	1673	<2	32	10	4	52

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 11:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/06/2015
Job #: 201541033
Reference: TL15-018
Sample #: 73

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89606	367656	<1	4.58	16	571	2	3	2.36	<4	9	24	4	1.80	0.36	10	1.09	437	<1	11	530	16	0.33	<5	<5	<10	148	2049	<2	41	<10	6	47
89607	367657	<1	4.49	22	495	2	3	2.29	<4	9	19	11	1.89	0.01	12	1.14	501	<1	11	548	23	0.39	<5	<5	<10	157	2193	<2	47	12	6	43
89608	367658	<1	3.77	30	345	2	4	1.75	<4	10	17	9	1.63	0.49	8	1.06	519	<1	11	490	16	0.41	<5	<5	<10	107	1968	<2	41	11	5	53
89609	367659	<1	4.36	20	366	2	1	2.44	<4	9	13	5	1.83	0.01	9	1.27	589	<1	10	532	15	0.43	<5	8	<10	134	2061	<2	42	<10	6	38
89610	367660	<1	4.25	10	491	<2	4	4.01	<4	18	<1	65	3.95	0.46	<1	1.44	951	<1	10	643	13	0.19	<5	6	<10	463	2703	<2	144	<10	19	63
89611R	367660																IS															
89612	367661	<1	3.21	18	299	<2	3	2.13	<4	10	11	7	1.76	0.34	<1	1.03	409	<1	12	503	11	0.33	<5	<5	<10	119	1890	<2	40	<10	5	60
89613	367662	<1	2.83	14	310	<2	3	2.55	<4	11	15	9	1.97	0.07	4	1.15	374	<1	12	531	15	0.33	<5	6	<10	134	2003	<2	42	<10	5	44
89614	367663	<1	2.76	20	334	<2	3	1.91	<4	8	13	18	1.76	0.15	12	1.10	448	<1	11	479	37	0.31	<5	6	<10	145	1891	<2	40	<10	5	66
89615	367664	2	2.03	34	399	2	3	1.96	<4	9	14	21	2.00	0.30	11	1.05	441	<1	11	444	74	0.52	<5	<5	<10	149	1789	<2	43	<10	5	116
89616	367665	<1	3.23	33	310	2	2	2.29	<4	9	7	13	1.60	0.23	9	1.28	385	<1	9	492	126	0.36	<5	11	<10	163	1806	<2	40	10	5	99
89617	367666	<1	2.89	35	332	2	4	2.19	<4	10	8	15	1.62	0.36	10	1.18	376	<1	11	468	112	0.44	<5	<5	<10	162	1883	<2	42	12	5	190
89618	367667	<1	3.27	18	228	<2	2	2.84	<4	10	7	16	2.03	0.21	11	1.39	481	<1	11	520	10	0.35	<5	6	<10	162	2017	<2	43	<10	6	45
89619	367668	<1	1.49	14	216	<2	2	1.92	<4	8	11	5	1.78	<0.01	11	1.11	417	<1	10	447	11	0.36	<5	6	<10	149	1808	<2	38	<10	5	117
89620	367669	<1	2.15	14	281	<2	4	2.93	<4	9	9	15	1.85	0.32	9	1.63	826	<1	10	477	28	0.32	<5	9	<10	172	1790	<2	38	<10	5	63
89621	367670	<1	3.12	49	234	<2	1	0.92	7	13	15	2262	4.79	0.37	16	0.80	1063	12	23	691	91	1.56	<5	8	<10	163	1063	<2	60	22	7	585
89622D	367670																IS															
89623	367671	<1	3.00	10	256	<2	5	2.02	<4	7	3	8	1.67	0.05	9	0.94	286	<1	9	480	13	0.29	<5	<5	<10	138	1840	<2	37	<10	5	39
89624	367672	<1	3.54	15	299	<2	4	2.18	<4	10	9	3	1.82	0.11	12	0.96	295	<1	11	485	10	0.26	<5	<5	<10	136	1956	<2	40	<10	5	42
89625	367673	<1	3.99	14	369	<2	4	2.51	<4	9	13	3	1.96	0.21	13	0.99	308	<1	11	504	11	0.24	<5	<5	<10	150	2101	<2	42	<10	5	43

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 11:52 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/02/2015
Job #: 201541034
Reference: TL15-019
Sample #: 35

Acc #	Client ID	Au g/t (ppm)
89626	367674	0.055
89627	367675	0.062
89628	367676	0.056
89629	367677	0.017
89630	367678	0.038
89631	367679	0.022
89632	367680	<0.005
89633	367681	0.030
89634	367682	0.041
89635	367683	0.033
89636	367683 Dup	0.048
89637	367684	0.022
89638	367685	0.018
89639	367686	0.020
89640	367687	0.017
89641	367688	0.028
89642	367689	0.066
89643	367690	1.516
89644	367691	0.026
89645	367692	0.026
89646	367693	0.047
89647	367693 Dup	0.035
89648	367694	0.031
89649	367695	0.061
89650	367696	0.019

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/02/2015
Job #: 201541034
Reference: TL15-019
Sample #: 35

Acc #	Client ID	Au g/t (ppm)
89651	367697	0.027
89652	367698	0.020
89653	367699	0.017
89654	367700	<0.005
89655	367701	0.019
89656	367702	0.022
89657	367703	0.025
89658	367703 Dup	0.028
89659	367704	0.062
89660	367705	0.044
89661	367706	0.053
89662	367707	0.037
89663	367708	0.010

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 2, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/02/2015
Job #: 201541034
Reference: TL15-019
Sample #: 35

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL01	0.399	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/02/2015
Job #: 201541034
Reference: TL15-019
Sample #: 35

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89626	367674	<1	2.37	28	337	<2	3	1.27	<4	6	5	13	1.57	<0.01	7	0.78	544	<1	15	419	23	0.60	<5	<5	<10	82	1629	<2	32	<10	4	54
89627	367675	<1	5.49	34	518	<2	7	1.85	<4	7	16	16	2.02	0.50	14	0.97	633	<1	33	566	31	0.59	<5	<5	<10	112	2087	<2	45	<10	6	26
89628	367676	<1	5.22	23	471	<2	10	2.39	<4	8	14	17	2.13	0.45	12	0.87	601	<1	30	596	16	0.42	<5	<5	<10	132	1977	2	42	<10	6	76
89629	367677	<1	4.37	12	467	<2	8	2.05	<4	8	14	10	1.82	<0.01	11	0.77	455	<1	25	542	6	0.16	<5	<5	<10	117	1932	<2	39	<10	6	29
89630	367678	<1	6.00	22	602	<2	8	2.57	<4	10	18	11	2.28	<0.01	14	1.39	821	<1	37	617	17	0.37	<5	<5	<10	120	2291	<2	50	<10	7	69
89631	367679	<1	5.47	23	567	<2	9	1.75	<4	7	17	9	2.10	0.10	14	0.92	663	<1	31	529	12	0.46	<5	<5	<10	107	2068	<2	44	<10	6	55
89632	367680	<1	4.54	4	403	<2	11	3.36	<4	14	4	63	3.28	0.26	<1	1.00	714	<1	9	536	6	0.02	<5	<5	<10	416	2375	<2	115	<10	17	46
89633	367681	<1	4.79	21	446	<2	10	1.77	<4	7	15	10	1.62	0.12	9	0.92	640	<1	25	460	7	0.40	<5	<5	<10	105	1777	<2	37	<10	5	40
89634	367682	<1	5.58	42	499	<2	3	2.43	<4	8	17	9	2.29	0.16	15	1.36	973	<1	26	598	30	0.64	<5	<5	<10	122	2169	6	44	<10	6	87
89635	367683	<1	3.38	24	454	<2	10	2.57	4	5	29	66	2.23	0.21	6	1.56	1180	<1	28	385	399	0.50	<5	<5	30	110	1376	<2	32	17	5	906
89636D	367683	<1	3.13	21	442	<2	11	2.46	4	5	24	65	2.18	0.31	5	1.50	1157	<1	33	374	390	0.48	<5	<5	30	106	1355	7	32	17	5	889
89637	367684	<1	4.48	18	589	<2	8	1.40	<4	5	14	10	1.24	0.54	12	1.11	512	<1	28	327	19	0.25	<5	<5	29	111	1618	<2	31	<10	5	53
89638	367685	<1	4.84	4	571	<2	13	1.73	<4	9	33	26	1.58	0.57	15	0.98	535	<1	37	370	8	0.14	<5	<5	25	135	1839	<2	41	<10	5	63
89639	367686	<1	4.95	7	595	<2	15	1.77	<4	6	26	25	1.56	0.62	16	1.01	541	<1	38	356	4	0.13	<5	<5	27	142	1847	<2	40	<10	5	58
89640	367687	<1	4.05	9	530	<2	9	1.94	<4	5	35	19	1.46	0.32	14	1.11	552	<1	33	675	2	0.15	<5	<5	32	122	1383	5	33	<10	7	72
89641	367688	<1	5.28	7	644	<2	14	2.05	<4	8	26	21	1.54	0.19	12	1.21	432	<1	34	362	8	0.24	<5	5	34	118	1737	<2	38	<10	5	44
89642	367689	<1	4.35	31	630	<2	5	1.95	<4	10	59	39	1.90	0.06	11	1.16	475	<1	51	392	12	0.42	<5	<5	28	104	1897	7	54	10	7	45
89643	367690	<1	3.03	21	506	<2	14	2.12	4	13	44	224	3.90	0.40	6	1.14	683	8	38	595	5	0.07	<5	<5	24	267	2717	<2	108	11	14	61
89644	367691	<1	5.33	19	646	<2	9	1.78	<4	6	19	11	1.47	0.16	13	1.02	380	<1	29	356	3	0.29	<5	<5	33	112	1736	<2	35	<10	5	40
89645	367692	<1	4.97	11	623	<2	10	2.00	<4	6	14	26	1.34	0.24	12	0.93	430	<1	25	343	24	0.20	<5	<5	28	113	1670	<2	30	<10	5	125

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 4:21 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/29/2015
Date Completed: 04/02/2015
Job #: 201541034
Reference: TL15-019
Sample #: 35

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
89646	367693	<1	5.01	9	592	<2	9	1.69	<4	6	21	33	1.36	0.42	16	1.12	557	<1	33	349	64	0.25	<5	<5	25	112	1618	<2	34	<10	5	63
89647D	367693	<1	4.85	7	588	<2	5	1.66	<4	6	23	32	1.34	0.49	16	1.08	548	<1	37	342	62	0.24	<5	<5	28	111	1599	8	34	<10	5	61
89648	367694	<1	4.49	11	520	<2	8	1.68	<4	6	17	23	1.39	0.36	12	1.08	457	<1	30	339	14	0.28	<5	<5	28	101	1672	2	32	<10	5	46
89649	367695	<1	4.26	14	534	<2	9	2.38	<4	6	33	27	1.61	0.49	9	1.31	726	3	62	358	56	0.18	<5	<5	26	112	1609	9	43	<10	5	192
89650	367696	<1	4.53	9	614	<2	6	1.84	<4	5	33	27	1.54	0.48	17	1.61	762	4	58	338	64	0.20	<5	<5	27	123	1591	<2	41	<10	5	182
89651	367697	<1	4.32	8	559	<2	9	2.41	<4	6	30	34	1.57	0.45	11	1.54	838	3	53	322	206	0.17	<5	<5	25	115	1513	<2	40	11	5	515
89652	367698	<1	5.16	10	593	<2	7	2.31	<4	6	25	16	1.38	0.22	14	1.31	628	1	43	348	50	0.20	<5	<5	31	106	1668	<2	38	<10	5	54
89653	367699	<1	5.19	8	615	<2	11	2.22	<4	6	28	53	1.56	0.30	14	1.37	512	2	48	367	29	0.19	<5	<5	27	108	1759	<2	40	10	5	66
89654	367700	<1	4.83	<2	516	<2	11	3.97	4	16	3	70	3.81	0.36	<1	1.17	856	<1	9	610	7	0.02	<5	<5	27	466	2728	<2	134	11	19	55
89655	367701	<1	4.82	5	591	<2	13	1.88	<4	6	28	51	1.41	0.14	12	1.24	495	3	55	349	29	0.14	<5	<5	23	91	1761	<2	42	<10	5	209
89656	367702	<1	4.91	12	598	<2	5	1.80	<4	7	29	7	1.43	0.39	13	1.22	421	3	59	352	12	0.16	<5	<5	29	101	1764	3	43	<10	4	50
89657	367703	<1	4.66	16	601	<2	8	1.66	<4	6	26	9	1.45	0.51	13	1.30	578	3	56	349	28	0.25	<5	<5	24	105	1760	<2	42	12	4	117
89658D	367703	<1	3.78	15	555	<2	8	1.51	<4	6	25	8	1.38	0.49	10	1.35	573	3	54	330	23	0.24	<5	<5	21	98	1653	<2	40	<10	4	113
89659	367704	<1	4.62	19	626	<2	9	2.28	<4	5	23	16	1.51	0.60	13	1.22	705	<1	38	302	47	0.33	<5	<5	36	118	1523	<2	33	11	5	315
89660	367705	<1	4.32	24	508	2	5	1.93	<4	9	32	20	1.78	0.39	9	1.20	437	2	59	512	28	0.31	<5	<5	23	82	2067	<2	55	11	5	67
89661	367706	<1	4.81	25	531	2	10	2.02	<4	9	24	18	1.78	0.45	11	1.14	432	<1	44	518	34	0.34	5	<5	30	86	2109	5	51	<10	6	63
89662	367707	<1	5.77	30	712	2	6	2.84	<4	11	35	30	2.20	0.27	10	1.42	514	3	69	587	39	0.36	<5	<5	28	117	2203	<2	56	<10	6	111
89663	367708	<1	5.01	7	505	2	7	2.56	<4	9	24	7	1.94	0.33	9	1.42	440	<1	41	523	19	0.11	<5	<5	27	98	2196	7	51	<10	6	63

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 4:21 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541042
Reference: TL15-20
Sample #: 75

Acc #	Client ID	Au g/t (ppm)
90221	367709	0.022
90222	367710	4.697
90223	367711	0.135
90224	367712	0.018
90225	367713	0.040
90226	367714	0.048
90227	367715	0.086
90228	367716	0.112
90229	367717	0.042
90230	367718	0.185
90231	367718 Dup	0.222
90232	367719	0.119
90233	367720	<0.005
90234	367721	0.136
90235	367722	0.066
90236	367723	0.363
90237	367724	0.974
90238	367725	0.269
90239	367726	0.406
90240	367727	0.279
90241	367728	0.144
90242	367728 Dup	0.132
90243	367729	0.051
90244	367730	0.392
90245	367731	0.339

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541042
Reference: TL15-20
Sample #: 75

Acc #	Client ID	Au g/t (ppm)
90246	367732	0.084
90247	367733	0.089
90248	367734	0.039
90249	367735	0.021
90250	367736	0.036
90251	367737	0.174
90252	367738	0.041
90253	367738 Dup	0.039
90254	367739	0.126
90255	367740	0.005
90256	367741	0.038
90257	367742	0.011
90258	367743	0.007
90259	367744	0.005
90260	367745	<0.005
90261	367746	<0.005
90262	367747	0.007
90263	367748	<0.005
90264	367748 Dup	<0.005
90265	367749	0.011
90266	367750	1.432
90267	367751	0.023
90268	367752	0.006
90269	367753	0.023
90270	367754	0.128

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541042
Reference: TL15-20
Sample #: 75

Acc #	Client ID	Au g/t (ppm)
90271	367755	0.010
90272	367756	0.025
90273	367757	0.144
90274	367758	0.043
90275	367758 Dup	0.047
90276	367759	0.350
90277	367760	0.010
90278	367761	1.397
90279	367762	0.213
90280	367763	0.304
90281	367764	0.068
90282	367765	0.028
90283	367766	0.034
90284	367767	0.062
90285	367768	0.030
90286	367768 Rep	0.026
90287	367769	0.027
90288	367770	5.055
90289	367771	0.024
90290	367772	0.039
90291	367773	0.403
90292	367774	0.081
90293	367775	0.040
90294	367776	0.056
90295	367777	0.074

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541042
Reference: TL15-20
Sample #: 75

Acc #	Client ID	Au g/t (ppm)
90296	367778	0.033
90297	367778 Dup	0.031
90298	367779	0.023
90299	367780	<0.005
90300	367781	0.149
90301	367782	0.199
90302	367783	0.040

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541042
Reference: TL15-20
Sample #: 75

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL01	0.372	0.394	0.011
AR02	1.527	1.575	0.088
AR02	1.691	1.575	0.088
AR02	1.452	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541042
Reference: TL15-20
Sample #: 75

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90221	367709	<1	4.36	7	812	2	9	1.05	<4	5	27	62	1.68	0.16	8	0.86	505	3	8	578	301	0.12	<5	<5	30	80	1956	<2	35	21	6	723
90222	367710	153	3.22	16	403	<2	9	2.85	8	15	31	99	4.88	<0.01	<1	1.14	857	<1	24	544	17761	0.08	100	<5	28	265	2690	2	135	12	15	330
90223	367711	<1	3.78	7	790	<2	10	1.57	<4	5	35	65	1.81	0.18	6	1.12	791	2	7	539	549	0.13	<5	<5	25	90	1816	<2	32	16	5	558
90224	367712	<1	5.17	9	767	<2	11	1.62	<4	6	27	16	1.72	0.09	10	1.05	664	<1	8	669	19	0.11	<5	<5	25	96	2270	<2	40	<10	6	49
90225	367713	<1	5.35	22	660	<2	9	2.21	<4	7	34	17	2.05	0.09	9	1.22	855	2	8	691	23	0.28	<5	<5	25	114	2334	<2	38	<10	6	71
90226	367714	<1	4.17	20	780	<2	10	1.48	<4	4	27	11	1.42	0.15	4	0.91	718	<1	5	541	38	0.25	<5	<5	27	100	1796	<2	31	<10	5	58
90227	367715	<1	4.49	23	660	<2	11	1.55	<4	5	29	34	1.76	0.06	6	1.00	835	2	6	544	58	0.35	<5	5	27	87	1923	3	32	10	5	98
90228	367716	<1	4.59	28	615	<2	8	0.96	<4	5	30	40	1.53	0.09	12	0.91	605	2	7	532	62	0.40	<5	<5	26	89	1986	3	33	14	5	406
90229	367717	<1	4.23	24	452	<2	9	1.03	<4	12	35	20	1.36	0.15	8	0.87	611	3	15	556	16	0.28	<5	<5	25	111	1826	<2	32	<10	5	51
90230	367718	<1	4.70	22	423	<2	6	0.92	<4	11	25	20	1.82	0.07	5	0.78	763	<1	12	454	16	0.53	<5	<5	26	142	1699	<2	32	<10	5	49
90231D	367718	<1	4.70	17	415	<2	5	0.92	<4	10	27	20	1.81	<0.01	4	0.89	794	2	13	455	18	0.49	<5	<5	25	140	1675	<2	32	<10	5	50
90232	367719	<1	5.16	16	417	<2	4	0.54	<4	8	17	25	1.52	0.03	7	0.84	648	<1	8	459	24	0.38	<5	<5	26	132	1731	<2	32	<10	4	88
90233	367720	<1	4.03	5	488	<2	9	3.71	<4	15	3	65	3.57	0.41	<1	1.10	817	<1	10	585	3	0.02	<5	<5	26	438	2590	<2	127	11	17	55
90234	367721	<1	4.59	18	383	<2	11	0.45	<4	9	20	21	1.54	0.31	4	0.76	743	<1	10	478	25	0.43	<5	<5	25	132	1526	<2	31	<10	4	80
90235	367722	<1	3.68	15	362	<2	12	0.36	<4	6	22	28	1.50	0.21	3	0.80	672	<1	6	448	35	0.38	<5	<5	18	134	1557	<2	31	<10	4	131
90236	367723	<1	4.36	32	349	<2	11	0.95	<4	8	27	12	1.38	0.38	3	0.75	700	2	8	424	67	0.49	<5	<5	27	198	1264	<2	28	13	4	325
90237	367724	<1	5.02	33	494	<2	11	1.05	<4	7	25	7	1.40	0.29	7	0.90	729	2	9	437	78	0.46	<5	<5	24	163	1585	<2	31	12	4	360
90238	367725	<1	3.42	36	526	<2	4	0.68	<4	10	25	32	1.26	0.11	5	0.68	463	1	7	365	139	0.51	<5	<5	27	129	1449	<2	27	<10	4	134
90239	367726	<1	3.38	28	453	<2	7	0.79	<4	9	26	30	1.15	0.10	5	0.72	536	1	7	353	111	0.40	<5	<5	27	139	1323	<2	26	10	4	214
90240	367727	<1	4.39	27	386	<2	8	1.10	<4	11	24	34	2.23	0.19	7	0.78	786	<1	9	382	27	0.89	<5	<5	27	172	1503	3	29	<10	6	78

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541042
Reference: TL15-20
Sample #: 75

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90241	367728	<1	4.65	21	414	<2	13	1.06	<4	7	19	19	1.78	0.03	7	0.75	610	<1	8	475	11	0.36	<5	<5	26	178	1587	<2	35	<10	5	69
90242D	367728	<1	3.54	19	367	<2	10	0.90	<4	6	16	13	1.63	0.22	4	0.66	560	<1	7	432	10	0.35	<5	<5	25	163	1467	<2	32	<10	4	64
90243	367729	<1	4.45	3	369	<2	6	0.77	<4	5	30	15	1.66	0.46	5	0.74	705	<1	7	490	18	0.10	<5	<5	24	174	1427	<2	35	<10	5	50
90244	367730	<1	3.72	50	280	<2	12	0.98	7	12	24	2408	4.80	0.14	19	0.83	1023	12	21	671	74	1.85	<5	<5	25	165	1059	3	59	16	8	560
90245	367731	<1	4.38	3	322	<2	11	0.80	<4	6	22	78	1.76	0.27	3	0.74	907	<1	7	545	42	0.11	<5	<5	27	182	1240	<2	30	<10	6	63
90246	367732	<1	4.20	5	347	<2	9	0.64	<4	5	37	22	1.61	0.22	5	0.64	565	<1	6	415	14	0.07	<5	<5	26	156	1335	<2	31	<10	5	41
90247	367733	<1	4.61	18	444	<2	10	0.91	<4	8	22	24	1.71	0.22	8	0.76	675	<1	10	464	31	0.34	<5	<5	25	169	1727	<2	38	<10	5	79
90248	367734	<1	4.45	23	487	<2	8	1.18	<4	9	31	20	1.93	0.43	10	0.86	717	<1	13	422	13	0.40	<5	<5	23	164	1965	<2	39	<10	6	59
90249	367735	<1	4.98	24	513	<2	8	1.20	<4	13	35	13	1.91	0.25	11	0.93	700	1	17	431	12	0.37	<5	<5	25	185	2016	<2	41	<10	6	57
90250	367736	<1	4.96	9	428	<2	10	1.21	<4	10	35	30	2.37	0.27	13	1.03	748	<1	13	429	13	0.23	<5	<5	27	142	2053	<2	39	<10	6	62
90251	367737	<1	5.04	37	481	<2	11	1.13	<4	18	50	35	2.36	0.24	16	1.24	1026	<1	24	454	36	0.52	<5	<5	31	136	2039	<2	44	<10	7	94
90252	367738	<1	5.28	24	529	<2	10	0.72	<4	11	27	23	1.50	0.20	10	0.81	523	<1	13	413	43	0.38	<5	<5	28	135	1975	<2	41	<10	6	122
90253D	367738	<1	5.38	20	531	<2	8	0.72	<4	11	27	24	1.51	0.21	10	0.81	521	<1	12	417	44	0.40	<5	<5	26	137	1981	3	41	<10	6	123
90254	367739	<1	5.25	11	573	<2	12	0.37	<4	9	29	8	0.90	0.15	17	0.69	272	<1	11	365	233	0.15	<5	<5	29	121	2033	<2	45	<10	5	108
90255	367740	<1	4.81	4	496	<2	14	3.80	4	17	3	68	3.67	0.14	<1	1.14	813	<1	8	586	6	0.02	<5	<5	27	453	2616	<2	129	<10	18	53
90256	367741	<1	5.43	16	577	<2	10	0.80	<4	12	26	20	1.23	0.10	11	0.73	374	<1	14	485	33	0.27	<5	<5	30	138	1863	<2	38	<10	5	73
90257	367742	<1	3.66	11	408	<2	8	1.19	<4	7	25	13	1.29	<0.01	5	0.69	335	<1	9	355	10	0.12	<5	<5	23	116	1492	<2	28	<10	4	50
90258	367743	<1	4.95	7	479	<2	10	1.50	<4	6	29	10	1.50	<0.01	9	0.82	406	<1	9	387	6	0.06	<5	<5	32	125	1714	<2	30	<10	5	38
90259	367744	<1	5.22	4	406	<2	9	1.77	<4	6	30	13	1.67	0.16	6	0.84	421	<1	9	395	6	0.06	<5	<5	28	142	1804	<2	34	<10	5	33
90260	367745	<1	5.27	9	415	<2	11	1.76	<4	6	26	8	1.56	0.40	5	0.77	383	<1	8	396	3	0.04	<5	<5	29	150	1777	<2	32	<10	5	35

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541042
Reference: TL15-20
Sample #: 75

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90261	367746	<1	5.43	3	398	<2	14	1.82	<4	6	25	9	1.60	0.34	5	0.86	408	<1	7	398	3	0.04	<5	<5	28	156	1748	<2	32	<10	5	37
90262	367747	<1	5.75	4	485	<2	9	1.75	<4	7	28	8	1.70	<0.01	7	0.87	421	<1	9	430	11	0.04	<5	<5	30	166	1945	<2	37	<10	6	36
90263	367748	<1	5.72	5	470	<2	11	1.88	<4	6	29	9	1.61	<0.01	8	0.97	410	<1	10	402	16	0.05	<5	<5	29	149	1777	<2	32	<10	5	37
90264D	367748	<1	5.64	6	466	<2	7	1.86	<4	5	31	8	1.64	<0.01	8	0.96	411	<1	9	394	14	0.04	<5	<5	28	149	1776	<2	32	<10	5	36
90265	367749	<1	5.41	3	499	2	9	2.18	<4	6	32	7	1.66	0.09	11	1.31	582	<1	7	375	13	0.05	<5	<5	29	131	1810	5	32	10	5	65
90266	367750	<1	3.64	15	534	<2	12	2.25	4	14	46	237	4.09	<0.01	7	1.18	703	8	38	615	6	0.07	<5	<5	27	282	2820	4	112	15	14	60
90267	367751	<1	5.29	6	443	5	11	2.54	<4	4	35	10	1.77	0.32	16	1.49	734	<1	7	526	3	0.05	<5	8	52	117	1603	<2	29	1164	6	79
90268	367752	<1	5.22	11	478	<2	8	2.15	<4	4	21	5	1.53	0.55	9	1.26	620	<1	4	388	26	0.17	<5	<5	28	139	1618	<2	30	17	5	50
90269	367753	<1	5.03	15	718	<2	9	2.27	<4	11	77	18	2.14	0.16	14	1.37	642	<1	22	436	7	0.41	<5	<5	30	146	1987	<2	50	<10	8	38
90270	367754	<1	3.52	35	346	<2	7	1.42	<4	16	122	58	2.75	0.12	10	0.94	470	<1	39	415	67	0.88	<5	<5	27	132	2038	<2	61	<10	10	164
90271	367755	<1	4.28	6	329	<2	11	1.94	<4	9	36	29	1.76	0.45	9	0.98	421	<1	17	327	5	0.07	<5	<5	26	189	1662	<2	40	<10	7	76
90272	367756	<1	2.44	6	261	<2	7	2.26	<4	18	49	80	3.01	<0.01	10	0.85	552	<1	41	425	10	0.25	<5	<5	27	174	2583	<2	62	<10	7	151
90273	367757	<1	5.62	11	357	2	14	2.53	4	25	144	61	4.02	0.22	13	1.64	774	<1	61	556	19	0.15	<5	<5	29	165	2888	5	90	<10	13	82
90274	367758	<1	6.92	12	728	2	13	2.86	<4	18	79	120	3.71	0.09	15	1.28	831	<1	47	691	23	0.46	<5	6	29	180	2677	5	82	<10	10	92
90275D	367758	<1	6.75	12	710	2	14	2.80	<4	18	77	121	3.63	<0.01	14	1.28	822	<1	47	674	23	0.45	<5	<5	26	178	2612	3	80	13	10	88
90276	367759	<1	5.86	31	453	<2	13	1.78	<4	20	111	107	3.45	<0.01	17	1.23	917	<1	48	561	17	0.61	<5	<5	31	121	2774	<2	84	<10	10	59
90277	367760	<1	4.90	4	472	<2	10	3.77	4	15	4	68	3.62	0.30	<1	1.21	790	<1	9	579	3	0.02	<5	<5	27	450	2511	12	126	<10	19	51
90278	367761	<1	4.66	49	415	<2	12	1.05	<4	18	115	202	3.56	0.05	16	1.26	1016	<1	45	505	121	0.80	<5	<5	30	87	2501	<2	78	10	10	208
90279	367762	<1	4.21	72	506	<2	9	0.51	<4	7	65	15	2.28	0.17	10	0.72	362	13	126	516	74	0.90	<5	<5	28	59	1823	<2	70	<10	5	180
90280	367763	<1	5.50	39	561	<2	8	1.41	<4	7	23	22	2.04	0.27	18	1.11	692	<1	38	573	124	0.59	<5	<5	33	87	2124	<2	47	<10	5	102

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541042
Reference: TL15-20
Sample #: 75

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90281	367764	<1	5.97	24	596	<2	11	1.98	<4	9	13	14	2.32	0.59	11	1.05	729	<1	25	599	13	0.62	<5	7	33	104	2226	<2	46	<10	6	52
90282	367765	<1	6.03	27	716	<2	12	2.22	<4	11	11	23	2.44	0.34	11	1.21	722	<1	26	618	104	0.73	<5	<5	27	110	2204	7	46	<10	6	97
90283	367766	<1	6.14	27	722	<2	6	2.26	<4	14	37	22	2.50	0.52	13	1.22	749	5	74	608	63	0.52	<5	<5	30	112	2224	<2	61	<10	6	85
90284	367767	<1	2.43	26	458	<2	6	1.41	<4	6	15	11	1.85	<0.01	7	0.67	564	<1	34	453	14	0.51	<5	<5	27	97	1691	<2	38	<10	4	42
90285	367768	<1	5.25	23	548	<2	9	1.98	<4	7	26	24	2.07	<0.01	9	0.84	538	<1	44	542	18	0.32	<5	<5	26	149	1912	<2	49	<10	6	31
90286R	367768	<1	5.25	23	552	<2	12	2.02	<4	8	36	25	2.20	<0.01	9	0.86	561	4	67	550	18	0.32	<5	<5	26	151	1962	<2	56	<10	6	33
90287	367769	<1	5.69	20	567	<2	13	2.16	<4	9	15	4	2.03	<0.01	8	0.86	405	<1	31	601	4	0.35	<5	<5	27	151	1930	<2	47	<10	6	33
90288	367770	160	4.48	16	435	<2	12	3.10	9	16	32	108	5.18	<0.01	2	1.27	882	<1	25	575	18055	0.09	107	<5	36	288	2807	11	141	11	16	329
90289	367771	<1	5.39	9	619	<2	11	2.24	<4	7	22	7	2.06	<0.01	11	0.98	425	<1	44	611	10	0.19	<5	<5	30	149	2168	<2	51	<10	6	39
90290	367772	<1	5.20	27	589	<2	10	2.23	<4	9	27	18	2.39	0.26	11	1.37	1008	2	54	586	13	0.54	<5	<5	26	137	2215	3	53	<10	6	43
90291	367773	<1	5.16	22	529	<2	6	1.75	<4	9	21	15	2.33	0.26	17	1.70	1002	<1	41	568	16	0.40	<5	<5	29	109	2084	<2	48	<10	6	58
90292	367774	<1	5.27	18	681	<2	9	2.28	<4	6	26	30	1.52	0.14	13	1.32	549	<1	42	353	14	0.37	<5	<5	28	124	1723	<2	37	11	5	307
90293	367775	<1	5.60	9	602	<2	10	1.81	<4	6	24	16	1.48	0.28	16	1.38	554	<1	44	370	11	0.17	<5	<5	31	124	1768	<2	39	<10	5	56
90294	367776	<1	0.58	8	269	<2	9	0.91	<4	7	38	70	1.84	<0.01	3	1.10	536	<1	44	262	49	0.22	<5	<5	21	66	1172	<2	36	<10	4	183
90295	367777	<1	4.42	9	497	<2	7	1.95	4	14	61	162	2.89	0.04	13	1.74	857	<1	54	508	200	0.40	<5	<5	31	99	1886	<2	58	11	8	461
90296	367778	<1	2.81	16	513	<2	8	1.26	<4	6	10	12	1.36	<0.01	7	1.01	437	<1	24	460	36	0.32	<5	<5	25	73	1640	<2	36	<10	5	64
90297D	367778	<1	5.85	20	718	<2	10	1.85	<4	8	21	15	1.76	0.26	13	1.51	581	<1	39	576	32	0.31	<5	<5	28	96	2020	<2	49	<10	6	69
90298	367779	<1	5.41	10	594	<2	10	1.69	<4	8	32	11	1.99	0.26	14	1.80	515	<1	48	562	22	0.20	<5	<5	27	94	2015	3	53	<10	6	72
90299	367780	<1	5.29	4	502	<2	13	3.94	<4	15	3	66	3.74	0.41	<1	1.32	836	<1	8	596	5	0.02	<5	<5	28	460	2626	<2	132	<10	20	53
90300	367781	<1	5.15	17	486	<2	12	2.07	<4	7	27	36	2.06	<0.01	17	2.11	790	<1	49	548	389	0.34	<5	<5	32	92	1721	<2	50	<10	6	91

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 3:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541042
Reference: TL15-20
Sample #: 75

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90301	367782	<1	5.24	26	414	<2	10	1.73	4	7	21	72	1.97	0.31	20	2.05	678	3	36	531	306	0.53	<5	<5	29	80	1559	9	44	12	6	511
90302	367783	<1	5.22	17	351	<2	10	2.17	<4	11	34	57	2.24	0.20	19	2.05	783	<1	40	532	99	0.27	<5	<5	29	94	1684	8	49	11	6	92

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541043
Reference: TL15-021
Sample #: 28

Acc #	Client ID	Au g/t (ppm)
90303	367784	0.018
90304	367785	0.037
90305	367786	0.043
90306	367787	0.041
90307	367788	0.502
90308	367789	0.044
90309	367790	0.372
90310	367791	0.019
90311	367792	0.083
90312	367793	0.148
90313	367793 Dup	0.159
90314	367794	0.220
90315	367795	0.116
90316	367796	0.028
90317	367797	0.049
90318	367798	0.027
90319	367799	0.032
90320	367800	<0.005
90321	367801	0.043
90322	367802	0.012
90323	367803	0.007
90324	367803 Dup	0.006
90325	367804	0.006
90326	367805	0.012
90327	367806	0.012

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541043
Reference: TL15-021
Sample #: 28

Acc #	Client ID	Au g/t (ppm)
90328	367807	<0.005
90329	367808	0.007
90330	367809	0.013
90331	367810	1.467
90332	367811	0.093

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541043
Reference: TL15-021
Sample #: 28

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.601	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541043
Reference: TL15-021
Sample #: 28

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90303	367784	<1	5.91	9	626	2	7	2.98	<4	8	23	18	1.96	0.28	17	1.06	742	<1	32	727	28	0.21	<5	<5	29	176	2037	<2	46	34	7	144
90304	367785	<1	5.19	18	779	<2	10	2.50	<4	7	26	12	1.67	0.24	10	1.02	737	<1	28	468	33	0.42	<5	<5	29	136	1946	<2	42	<10	6	111
90305	367786	<1	5.71	20	859	<2	8	2.61	<4	8	33	12	1.79	0.23	11	1.02	753	<1	42	499	43	0.43	<5	<5	28	141	2039	<2	48	<10	6	117
90306	367787	<1	6.03	21	993	<2	12	2.25	<4	9	31	13	1.80	<0.01	13	1.00	731	<1	41	515	49	0.65	<5	<5	32	119	2115	4	48	<10	6	146
90307	367788	<1	6.11	41	844	<2	9	0.91	<4	7	24	21	1.85	0.59	11	0.74	382	<1	31	510	119	1.11	<5	<5	32	104	2032	<2	43	10	6	123
90308	367789	<1	2.42	17	531	<2	8	1.17	<4	6	17	13	1.31	<0.01	8	0.70	584	<1	35	394	43	0.40	<5	<5	23	71	1696	<2	38	<10	4	106
90309	367790	<1	4.20	45	305	<2	10	1.02	7	13	25	2575	4.96	0.03	21	0.85	1035	12	21	691	72	1.68	<5	6	28	170	1120	<2	60	14	8	565
90310	367791	<1	5.93	20	754	<2	6	2.71	<4	8	29	45	1.91	0.49	16	1.29	802	<1	35	526	50	0.21	<5	<5	30	134	2210	2	47	12	6	98
90311	367792	<1	4.47	16	732	<2	7	2.02	<4	7	42	32	1.70	0.25	7	1.03	634	3	56	452	39	0.18	<5	<5	24	108	1966	<2	48	<10	5	124
90312	367793	<1	4.99	30	751	<2	8	1.28	<4	8	24	55	1.59	0.12	10	0.88	581	<1	31	458	119	0.52	<5	<5	29	89	2001	<2	42	10	6	277
90313D	367793	<1	5.22	28	756	<2	13	1.32	<4	8	23	55	1.62	0.18	11	0.89	590	<1	30	477	124	0.54	<5	<5	29	91	2019	<2	42	<10	6	268
90314	367794	<1	4.78	32	688	<2	10	0.94	<4	7	37	42	1.66	0.11	15	0.79	426	3	56	462	544	0.60	<5	<5	28	78	2011	4	51	14	6	631
90315	367795	<1	5.13	35	748	<2	6	1.48	<4	10	44	48	2.05	0.07	12	1.03	693	5	76	587	203	0.73	<5	<5	24	99	2262	<2	58	13	6	454
90316	367796	<1	5.23	26	760	<2	13	1.59	<4	8	58	16	1.91	0.16	12	1.09	725	9	109	534	94	0.48	5	<5	27	101	2174	3	70	13	6	224
90317	367797	<1	5.59	15	733	<2	11	2.32	<4	9	41	10	1.93	0.25	13	1.21	736	4	69	514	25	0.34	<5	<5	29	126	2199	<2	58	<10	6	76
90318	367798	<1	5.40	21	784	<2	8	2.12	<4	10	47	8	1.92	0.22	11	1.12	728	4	68	545	48	0.45	<5	<5	29	141	2229	<2	58	15	6	97
90319	367799	<1	2.72	21	574	<2	6	1.21	<4	6	47	8	1.53	0.10	3	0.74	448	6	84	406	38	0.35	<5	<5	21	107	1617	<2	54	<10	5	71
90320	367800	<1	4.51	<2	497	<2	12	3.70	<4	14	3	65	3.57	0.26	<1	1.03	800	<1	9	589	1	0.02	<5	<5	27	442	2570	<2	125	<10	17	53
90321	367801	<1	4.52	36	653	<2	7	0.72	<4	10	65	14	1.89	<0.01	11	0.58	320	10	105	508	75	0.72	5	<5	26	116	2018	<2	68	10	6	147
90322	367802	<1	5.31	11	525	<2	8	1.47	<4	5	39	13	1.38	0.43	13	0.81	399	3	60	309	32	0.25	<5	<5	29	169	1458	<2	44	<10	5	64

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/08/2015 4:22 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/30/2015
Date Completed: 04/06/2015
Job #: 201541043
Reference: TL15-021
Sample #: 28

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90323	367803	<1	5.22	4	448	<2	8	1.19	<4	4	32	7	1.13	0.32	11	0.72	331	2	55	250	7	0.16	<5	<5	27	152	1163	<2	35	<10	4	44
90324D	367803	<1	5.44	8	464	<2	7	1.23	<4	4	31	7	1.15	0.42	12	0.72	334	3	55	248	9	0.17	<5	<5	32	155	1189	<2	35	<10	4	45
90325	367804	<1	4.66	6	466	2	10	1.64	<4	3	41	12	1.27	0.19	11	0.96	590	6	74	372	127	0.04	<5	<5	29	175	1229	5	40	11	5	331
90326	367805	<1	2.09	5	373	<2	6	0.38	<4	3	46	10	0.88	<0.01	3	0.50	243	8	89	197	143	0.04	<5	<5	21	97	957	<2	40	<10	3	214
90327	367806	<1	5.08	6	560	<2	15	0.75	<4	4	31	10	0.93	0.33	10	0.69	407	2	46	250	178	0.07	<5	<5	29	142	1201	<2	31	<10	5	269
90328	367807	<1	4.94	5	541	<2	10	1.21	<4	4	25	6	1.06	0.30	8	0.81	404	<1	36	256	11	0.04	<5	<5	29	183	1215	<2	29	<10	4	48
90329	367808	<1	5.03	<2	539	<2	9	1.50	<4	4	27	6	1.22	0.20	10	0.97	606	1	42	263	11	0.06	6	<5	30	169	1139	<2	29	<10	4	40
90330	367809	<1	4.09	4	505	<2	9	1.46	<4	3	23	4	1.06	0.19	5	1.01	612	<1	39	245	3	0.12	<5	<5	28	146	1059	<2	27	<10	4	35
90331	367810	<1	3.35	21	531	<2	12	2.17	<4	14	45	228	3.98	0.51	6	1.16	691	9	37	601	3	0.07	<5	<5	30	272	2725	2	110	10	14	60
90332	367811	<1	5.12	28	551	<2	11	0.56	<4	4	25	15	1.29	0.33	9	0.74	546	<1	37	274	18	0.54	<5	<5	27	92	1061	<2	28	<10	4	81

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541223
Reference: TL15-059
Sample #: 27

Acc #	Client ID	Au g/t (ppm)
101976	368675	0.071
101977	368676	0.010
101978	368677	0.023
101979	368678	0.021
101980	368679	0.043
101981	368680	<0.005
101982	368681	2.523
101983	368682	0.046
101984	368683	0.057
101985	368684	0.025
101986	368684 Dup	0.027
101987	368685	0.014
101988	368686	0.014
101989	368687	0.048
101990	368688	0.047
101991	368689	0.028
101992	368690	0.368
101993	368691	0.046
101994	368692	0.039
101995	368693	0.042
101996	368694	0.027
101997	368694 Dup	0.024
101998	368695	0.026
101999	368696	0.093
102000	368697	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541223
Reference: TL15-059
Sample #: 27

Acc #	Client ID	Au g/t (ppm)
102001	368698	0.079
102002	368699	0.013
102003	368700	<0.005
102004	368701	0.025

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541223
Reference: TL15-059
Sample #: 27

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.714	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541223
Reference: TL15-059
Sample #: 27

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101976	368675	<1	5.09	27	692	<2	<1	1.47	<4	7	22	21	1.38	0.03	25	1.42	677	<1	6	301	133	3.22	8	15	<10	132	1840	<2	27	25	5	75
101977	368676	<1	4.53	14	591	2	<1	1.84	<4	6	18	18	1.33	0.10	24	1.54	889	<1	6	314	57	3.18	8	28	12	136	1652	<2	23	16	5	69
101978	368677	<1	5.18	18	575	<2	<1	1.50	<4	7	17	45	1.37	<0.01	24	1.55	786	<1	6	340	119	3.55	6	17	15	134	1777	<2	25	33	5	234
101979	368678	<1	4.70	20	653	<2	<1	1.74	<4	7	19	19	1.45	0.20	25	1.35	735	<1	5	320	32	3.33	<5	15	<10	150	1747	<2	25	23	5	65
101980	368679	<1	4.35	13	531	<2	<1	1.92	<4	7	20	28	1.46	0.37	24	1.54	967	<1	5	322	30	3.33	6	19	10	134	1696	<2	24	25	5	72
101981	368680	<1	<0.01	6	252	<2	<1	2.24	<4	11	<1	44	2.45	<0.01	<1	0.81	616	<1	5	383	7	2.63	9	13	<10	295	1876	<2	85	22	9	54
101982	368681	5	5.65	29	601	<2	<1	1.97	<4	7	18	1138	2.16	0.06	33	1.83	1062	<1	6	341	73	3.15	6	26	10	133	1668	<2	24	39	6	582
101983	368682	<1	5.66	34	869	2	<1	2.16	<4	6	18	72	1.51	0.04	29	1.79	979	<1	7	333	127	3.23	7	29	<10	164	1672	<2	23	34	6	373
101984	368683	<1	5.37	13	700	2	<1	1.99	<4	7	21	33	1.43	0.02	22	1.68	919	<1	6	337	52	3.02	6	18	11	128	1681	<2	24	25	6	93
101985	368684	<1	5.10	16	579	2	<1	1.82	<4	6	21	43	1.37	0.07	23	1.53	852	<1	6	319	29	3.18	<5	26	14	122	1705	<2	24	25	6	74
101986D	368684	<1	4.57	8	562	<2	<1	1.77	<4	7	19	41	1.35	0.12	22	1.47	834	<1	6	317	37	3.29	6	16	13	119	1675	<2	23	23	5	73
101987	368685	<1	5.15	12	558	<2	<1	1.83	<4	7	31	22	1.47	0.08	22	1.58	814	<1	7	324	22	3.18	8	27	<10	117	1717	<2	24	<10	6	50
101988	368686	<1	5.05	12	557	<2	<1	1.88	<4	7	25	19	1.39	0.07	22	1.57	813	<1	5	310	19	3.33	5	25	11	117	1693	<2	24	<10	6	52
101989	368687	<1	5.01	15	534	<2	<1	2.07	<4	6	22	12	1.39	0.06	25	1.69	958	<1	6	327	29	3.27	<5	21	<10	118	1650	<2	23	27	6	47
101990	368688	<1	0.70	20	321	<2	<1	0.98	<4	4	8	22	0.89	<0.01	12	0.92	550	<1	3	222	23	2.95	5	17	<10	68	1200	<2	15	13	3	84
101991	368689	<1	1.04	19	284	<2	<1	1.25	<4	4	7	10	1.00	<0.01	14	1.08	730	<1	5	235	29	3.04	5	19	11	73	1227	<2	17	26	4	56
101992	368690	<1	4.23	62	286	2	<1	1.15	4	15	16	2174	5.01	0.10	28	0.89	1123	3	23	691	83	3.68	6	5	18	188	1143	2	60	40	8	612
101993	368691	<1	4.26	22	523	<2	<1	1.65	<4	7	13	48	1.44	0.11	23	1.32	852	<1	5	325	49	3.55	8	20	11	104	1663	<2	24	<10	5	61
101994	368692	<1	4.36	29	500	<2	<1	1.51	<4	5	11	15	1.29	<0.01	18	1.40	729	<1	5	304	27	3.21	<5	25	10	97	1551	3	23	22	5	109
101995	368693	<1	4.70	24	515	<2	<1	1.26	<4	6	4	24	1.24	<0.01	21	1.36	646	<1	5	314	30	3.24	5	22	10	95	1555	<2	22	14	5	69

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:27 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541223
Reference: TL15-059
Sample #: 27

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101996	368694	<1	4.61	9	564	<2	<1	1.55	<4	7	13	24	1.38	0.12	25	1.23	613	<1	6	331	49	3.02	<5	24	12	117	1717	<2	25	40	5	118
101997D	368694	<1	5.54	19	611	<2	<1	1.68	<4	7	15	24	1.46	0.94	28	1.34	648	<1	6	355	53	3.27	<5	28	10	124	1848	<2	26	11	5	126
101998	368695	<1	5.19	17	448	<2	<1	1.83	<4	6	3	11	1.42	0.86	23	1.40	534	<1	5	318	24	3.40	<5	6	<10	118	1730	<2	24	18	5	51
101999	368696	<1	4.81	14	510	<2	<1	1.60	<4	6	12	12	1.28	0.12	24	1.14	566	<1	7	326	22	3.15	6	20	10	109	1710	<2	24	11	5	45
102000	368697	<1	4.89	14	476	<2	<1	1.15	<4	6	15	8	1.18	0.18	19	1.03	471	<1	7	320	22	3.10	<5	5	10	97	1671	<2	24	13	5	40
102001	368698	<1	5.29	23	603	<2	<1	1.46	<4	7	19	25	1.46	0.05	24	1.11	528	<1	6	359	17	3.25	7	16	<10	108	1829	<2	26	22	6	65
102002	368699	<1	5.47	3	575	<2	<1	1.26	<4	6	14	12	1.31	0.05	26	1.06	400	<1	5	341	10	3.23	<5	23	<10	107	1777	<2	25	14	5	56
102003	368700	<1	5.36	15	485	<2	<1	3.95	<4	17	<1	61	3.78	0.11	5	1.44	906	<1	8	587	9	3.40	6	8	15	479	2722	<2	132	31	21	59
102004	368701	<1	5.14	27	594	<2	<1	1.90	<4	7	17	31	1.70	0.03	27	1.19	569	<1	7	285	8	3.28	<5	20	20	136	1900	<2	28	22	5	65

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:27 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541224
Reference: TL15-061
Sample #: 29

Acc #	Client ID	Au g/t (ppm)
102005	368702	0.133
102006	368703	0.086
102007	368704	0.021
102008	368705	0.078
102009	368706	0.058
102010	368707	0.346
102011	368708	0.147
102012	368709	0.131
102013	368710	0.305
102014	368711	0.082
102015	368711 Dup	0.085
102016	368712	0.067
102017	368713	0.138
102018	368714	0.189
102019	368715	0.102
102020	368716	0.032
102021	368717	0.033
102022	368718	0.089
102023	368719	0.068
102024	368720	0.009
102025	368721	0.150
102026	368721 Dup	0.165
102027	368722	0.114
102028	368723	0.042
102029	368724	0.040

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541224
Reference: TL15-061
Sample #: 29

Acc #	Client ID	Au g/t (ppm)
102030	368725	0.096
102031	368726	0.057
102032	368727	0.042
102033	368728	0.071
102034	368729	0.028
102035	368730	4.804

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541224
Reference: TL15-061
Sample #: 29

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.550	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541224
Reference: TL15-061
Sample #: 29

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102005	368702	<1	3.20	29	514	<2	<1	1.57	<4	8	10	7	2.13	0.29	11	1.14	853	<1	7	490	49	0.29	<5	27	<10	106	1928	3	35	18	6	115
102006	368703	<1	4.01	32	527	<2	<1	1.21	<4	7	17	18	1.67	0.53	17	0.89	651	<1	8	428	53	0.26	6	17	<10	99	1771	3	33	27	7	222
102007	368704	<1	2.55	21	440	<2	<1	1.34	<4	6	18	50	1.57	0.61	17	0.95	766	<1	5	389	67	0.14	<5	23	14	108	1844	7	35	16	6	95
102008	368705	<1	4.73	28	528	<2	<1	2.10	<4	8	34	19	1.77	0.73	21	1.34	1048	<1	11	460	195	0.19	9	30	15	139	2072	7	40	34	7	495
102009	368706	9	2.63	29	373	<2	<1	1.49	<4	6	30	17	1.49	0.48	7	1.14	876	<1	8	409	185	0.21	<5	14	<10	106	1603	7	32	25	6	188
102010	368707	1	4.03	24	526	<2	<1	0.99	<4	6	19	28	1.20	0.43	12	0.95	533	<1	7	316	294	0.21	5	40	<10	101	1534	9	26	37	6	869
102011	368708	<1	5.27	33	651	<2	<1	1.44	<4	7	20	38	1.28	0.41	16	1.03	631	<1	6	341	34	0.16	<5	26	<10	126	1805	3	29	22	6	104
102012	368709	<1	4.33	22	612	<2	<1	1.46	<4	6	29	24	1.31	<0.01	14	1.07	648	<1	5	342	21	0.17	<5	24	13	120	1731	5	28	20	6	40
102013	368710	<1	2.72	13	484	<2	<1	2.07	<4	14	34	211	3.76	<0.01	7	1.15	669	<1	37	585	9	0.09	8	31	13	283	2655	6	110	34	15	59
102014	368711	<1	5.55	39	704	<2	<1	1.53	<4	7	23	44	1.41	0.37	16	1.15	545	<1	7	364	177	0.20	<5	14	10	136	1973	5	31	21	7	235
102015D	368711	<1	4.67	39	625	<2	<1	1.33	<4	6	19	36	1.22	0.45	13	1.03	485	<1	6	318	159	0.17	<5	23	<10	122	1710	9	27	20	6	220
102016	368712	<1	4.77	21	691	<2	<1	1.63	<4	6	40	15	1.37	0.53	14	1.10	593	<1	7	345	24	0.16	5	27	<10	133	1767	5	28	<10	6	72
102017	368713	<1	4.56	24	622	<2	<1	1.93	<4	6	18	25	1.24	0.59	14	1.13	697	<1	5	300	48	0.15	5	21	10	142	1634	<2	26	<10	6	114
102018	368714	<1	4.12	26	755	<2	<1	1.67	<4	6	18	40	1.31	0.83	16	0.97	629	<1	5	292	41	0.15	5	27	10	149	1742	<2	28	19	5	147
102019	368715	<1	3.60	14	758	<2	<1	1.47	<4	5	39	25	1.34	0.48	15	0.97	636	<1	6	294	167	0.14	8	28	14	153	1656	9	28	<10	5	74
102020	368716	<1	3.81	11	924	<2	<1	2.50	<4	8	54	46	1.78	0.51	20	1.56	826	<1	15	360	50	0.12	7	32	10	159	1699	11	32	20	8	79
102021	368717	<1	2.82	11	957	<2	<1	2.42	<4	4	27	16	1.39	<0.01	11	1.38	646	<1	6	306	23	0.08	<5	24	<10	130	1543	8	25	<10	5	40
102022	368718	<1	3.21	19	640	<2	<1	2.12	<4	5	29	11	1.26	<0.01	13	1.29	699	<1	6	288	12	0.14	8	20	<10	117	1450	4	24	21	5	27
102023	368719	<1	3.27	17	539	<2	<1	1.75	<4	5	16	12	1.24	<0.01	23	1.23	630	<1	4	340	14	0.14	5	25	<10	131	1560	5	25	<10	5	39
102024	368720	<1	2.93	13	440	<2	<1	3.39	<4	14	<1	56	3.25	<0.01	<1	1.25	780	<1	8	503	8	0.05	<5	19	12	423	2329	4	123	22	18	43

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/27/2015 10:38 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541224
Reference: TL15-061
Sample #: 29

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102025	368721	<1	3.12	10	489	<2	<1	1.50	<4	5	12	25	1.25	<0.01	17	1.00	479	<1	6	313	11	0.12	<5	18	<10	148	1594	8	29	14	6	39
102026D	368721	<1	3.73	15	536	<2	<1	1.56	<4	7	15	26	1.26	<0.01	20	1.06	499	<1	5	320	7	0.13	<5	25	10	147	1626	4	26	20	5	47
102027	368722	<1	3.83	14	567	<2	<1	1.60	<4	6	15	18	1.25	<0.01	17	1.18	587	<1	6	305	35	0.13	<5	33	<10	128	1645	16	26	19	6	257
102028	368723	<1	2.96	13	490	<2	<1	1.55	<4	6	15	18	1.39	0.26	12	1.06	438	<1	6	301	19	0.09	<5	19	<10	128	1622	4	26	17	5	50
102029	368724	<1	3.59	12	516	<2	<1	1.42	<4	6	18	18	1.30	0.40	14	1.20	570	<1	5	298	15	0.11	5	25	11	108	1674	4	26	<10	6	29
102030	368725	<1	3.06	5	517	<2	<1	1.41	<4	5	19	71	1.41	0.30	15	1.30	602	<1	6	288	89	0.10	<5	17	<10	119	1590	4	25	23	5	227
102031	368726	<1	3.05	13	533	<2	<1	1.50	<4	6	16	78	1.37	0.23	16	1.22	594	<1	5	262	58	0.12	5	15	<10	121	1628	3	24	<10	5	123
102032	368727	<1	2.45	7	514	<2	<1	1.25	<4	5	21	14	1.35	<0.01	12	1.15	486	<1	5	282	8	0.08	<5	13	13	106	1538	2	25	16	5	31
102033	368728	<1	2.59	12	543	<2	<1	1.10	<4	5	30	14	1.37	<0.01	13	1.29	660	<1	5	291	10	0.10	<5	25	10	104	1475	9	26	11	4	38
102034	368729	<1	2.07	15	433	<2	<1	0.70	<4	4	20	6	1.41	0.13	13	1.57	696	<1	7	259	169	0.17	<5	18	<10	80	1153	3	22	21	4	445
102035	368730	131	1.49	14	309	<2	<1	2.37	6	13	15	85	4.10	<0.01	<1	1.01	711	<1	20	454	17700	0.09	87	11	<10	253	2203	<2	120	25	14	272

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

-0735-04/27/2015 10:38 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, April 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/18/2015
Job #: 201541225
Reference: TL15-062
Sample #: 26

Acc #	Client ID	Au g/t (ppm)
102036	368731	0.049
102037	368732	0.056
102038	368733	0.054
102039	368734	0.043
102040	368735	0.097
102041	368736	0.067
102042	368737	0.023
102043	368738	0.029
102044	368739	0.027
102045	368740	<0.005
102046	368740	Insufficient Sample
102047	368741	0.034
102048	368742	0.016
102049	368743	0.016
102050	368744	0.184
102051	368745	0.025
102052	368746	0.013
102053	368747	0.036
102054	368748	0.156
102055	368749	0.042
102056	368750	0.444
102057	368750	Insufficient Sample
102058	368751	0.284
102059	368752	0.201
102060	368753	0.394

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, April 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/18/2015
Job #: 201541225
Reference: TL15-062
Sample #: 26

Acc #	Client ID	Au g/t (ppm)
102061	368754	0.449
102062	368755	0.076
102063	368756	0.152

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Saturday, April 18, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/18/2015
Job #: 201541225
Reference: TL15-062
Sample #: 26

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.463	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/18/2015
Job #: 201541225
Reference: TL15-062
Sample #: 26

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102036	368731	<1	6.00	14	263	2	<1	1.66	<4	25	145	43	3.90	0.09	24	1.57	702	<1	61	555	39	2.72	5	5	19	247	2851	<2	94	22	13	72
102037	368732	<1	5.14	16	292	<2	<1	1.41	<4	23	132	47	3.75	0.21	20	1.29	565	<1	63	497	49	2.73	<5	15	18	244	2127	<2	80	25	12	101
102038	368733	<1	5.87	15	376	2	<1	1.23	<4	22	134	46	3.62	0.29	25	1.29	556	<1	60	516	44	2.62	6	13	16	218	2464	<2	89	27	13	94
102039	368734	<1	6.30	5	362	2	<1	1.79	<4	27	140	60	4.38	0.28	30	1.59	819	<1	73	582	80	2.60	8	9	21	242	3139	<2	108	24	15	175
102040	368735	<1	5.90	34	317	<2	<1	2.63	<4	18	118	41	3.29	0.46	21	1.57	819	<1	45	450	29	2.65	5	20	13	222	2466	<2	73	23	14	152
102041	368736	<1	6.54	16	396	2	<1	2.23	<4	16	93	25	2.84	0.31	24	1.50	656	<1	37	398	23	2.66	5	13	19	213	2205	<2	64	21	13	78
102042	368737	<1	6.58	6	343	2	<1	2.04	<4	22	151	42	3.74	0.17	30	1.56	731	<1	61	548	22	2.45	9	22	25	227	3050	<2	96	31	17	76
102043	368738	<1	5.88	21	367	2	<1	3.00	<4	23	186	45	3.42	0.22	20	1.83	688	<1	86	799	19	2.50	<5	22	12	295	2720	<2	86	22	17	127
102044	368739	<1	6.34	17	388	2	<1	2.05	<4	22	121	41	3.29	0.20	26	1.41	663	<1	53	494	20	2.65	9	30	19	227	2913	2	88	36	15	66
102045	368740	<1	6.38	22	463	<2	<1	3.83	<4	17	<1	57	3.70	0.12	4	1.46	869	<1	9	592	9	2.58	7	12	19	465	2679	<2	132	29	23	54
102046D	368740																IS															
102047	368741	<1	5.19	17	276	<2	<1	1.22	<4	25	163	57	3.92	0.15	31	1.47	611	<1	58	548	17	2.64	5	5	19	191	3143	<2	85	21	16	81
102048	368742	<1	5.39	14	270	<2	<1	1.38	<4	20	155	44	3.55	0.38	28	1.58	573	<1	54	500	23	2.37	8	12	23	202	2753	<2	79	29	15	80
102049	368743	<1	5.54	10	370	<2	<1	1.74	<4	19	132	44	3.30	0.60	27	1.28	570	<1	44	472	21	2.30	9	17	16	212	2554	<2	71	22	11	75
102050	368744	<1	6.19	22	492	2	<1	1.67	<4	19	141	32	3.37	0.29	29	1.60	745	<1	55	540	26	2.50	9	7	23	182	2438	<2	79	14	14	119
102051	368745	<1	6.49	15	443	<2	<1	0.95	<4	6	29	12	1.29	0.31	17	0.70	217	<1	7	289	17	2.49	5	26	18	185	1406	<2	24	22	7	60
102052	368746	<1	6.48	19	452	<2	<1	0.95	<4	6	26	12	1.28	0.20	17	0.68	216	<1	7	274	19	2.42	<5	24	20	188	1378	<2	24	<10	6	63
102053	368747	<1	6.01	15	364	<2	<1	2.08	<4	19	133	43	3.49	0.46	25	1.81	851	<1	54	506	40	2.27	6	21	13	182	2307	<2	79	32	14	147
102054	368748	<1	6.40	14	308	2	<1	1.55	<4	24	160	39	4.08	0.36	32	1.97	996	<1	64	568	52	2.60	6	10	19	169	2582	<2	93	26	15	144
102055	368749	<1	5.48	25	331	<2	<1	1.36	<4	22	158	51	3.68	0.50	28	1.64	783	<1	58	545	47	2.64	<5	14	15	139	2498	<2	82	21	14	85

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:32 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/18/2015
Job #: 201541225
Reference: TL15-062
Sample #: 26

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102056	368750	<1	5.11	61	258	2	<1	1.03	4	14	13	2130	4.80	0.29	27	0.87	1048	4	20	673	75	2.89	7	21	10	182	1218	<2	60	40	11	571
102057D	368750																IS															
102058	368751	<1	5.26	6	387	<2	<1	1.14	<4	20	125	50	3.44	0.29	22	1.42	888	<1	55	456	51	2.63	7	22	20	124	1784	<2	67	23	15	118
102059	368752	<1	5.90	24	511	<2	<1	1.57	<4	18	110	41	3.29	0.43	28	1.87	997	<1	47	489	47	2.55	5	15	16	140	1968	<2	70	37	11	229
102060	368753	<1	6.10	28	374	2	<1	0.87	<4	18	113	37	3.41	0.43	26	1.78	725	<1	52	482	35	2.11	6	9	16	123	1792	<2	76	33	11	130
102061	368754	<1	5.07	21	312	2	<1	1.07	<4	21	132	44	3.36	0.42	20	1.39	733	<1	52	509	37	2.34	8	27	18	128	1534	<2	65	39	12	504
102062	368755	<1	6.41	10	316	<2	<1	1.08	<4	23	166	56	3.90	0.38	30	1.83	1036	<1	64	521	44	2.16	7	15	21	145	2743	<2	100	41	14	119
102063	368756	<1	6.95	10	418	2	<1	0.89	<4	24	158	51	4.11	0.42	35	1.78	932	<1	67	547	41	2.32	7	14	22	128	3004	<2	106	39	13	139

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:32 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541226
Reference: TL15-063
Sample #: 11

Acc #	Client ID	Au g/t (ppm)
102064	368757	0.008
102065	368758	0.008
102066	368759	0.050
102067	368760	<0.005
102068	368761	0.014
102069	368762	0.010
102070	368763	0.011
102071	368764	0.012
102072	368765	0.025
102073	368766	0.027
102074	368766 Dup	0.026
102075	368767	0.335

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541226
Reference: TL15-063
Sample #: 11

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541226
Reference: TL15-063
Sample #: 11

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102064	368757	<1	5.17	11	478	<2	<1	2.63	<4	11	3	12	1.45	0.09	18	1.35	684	<1	10	633	20	3.24	7	15	15	143	2313	<2	37	40	6	46
102065	368758	<1	4.30	16	500	<2	<1	2.01	<4	7	8	10	1.44	<0.01	18	1.09	727	<1	8	498	27	3.27	<5	21	12	149	1801	<2	31	19	5	64
102066	368759	<1	4.56	13	504	2	<1	1.55	<4	16	68	30	2.44	<0.01	23	1.11	860	<1	34	443	37	3.14	8	20	13	154	2330	<2	60	28	8	88
102067	368760	<1	4.46	12	459	<2	<1	3.76	<4	16	<1	57	3.67	0.08	4	1.33	879	<1	7	549	12	3.04	<5	<5	17	464	2599	<2	128	30	19	58
102068	368761	<1	4.22	20	369	<2	<1	3.79	<4	12	36	22	2.46	0.07	15	1.74	1428	<1	24	404	48	3.14	6	18	13	237	2138	<2	44	29	7	122
102069	368762	<1	4.89	18	336	<2	<1	3.77	<4	8	7	10	1.93	0.63	9	1.70	1403	<1	13	368	61	3.34	5	27	11	231	1967	<2	31	14	6	135
102070	368763	<1	5.01	18	345	2	<1	2.99	<4	11	12	18	2.03	0.10	22	1.35	1158	<1	15	421	119	3.16	6	20	18	223	2333	<2	38	29	5	171
102071	368764	<1	4.94	20	735	2	<1	2.04	<4	13	18	21	2.02	<0.01	22	1.23	1009	<1	21	239	103	3.06	8	18	15	196	2173	<2	38	129	5	245
102072	368765	<1	5.30	23	492	<2	<1	0.94	<4	8	7	21	1.57	<0.01	21	0.94	618	<1	13	380	75	3.11	<5	29	10	147	1678	<2	31	30	6	164
102073	368766	<1	5.88	13	527	<2	<1	0.89	<4	8	7	26	1.66	<0.01	23	1.02	588	<1	14	394	86	3.43	<5	15	12	149	1761	<2	31	18	6	137
102074D	368766	<1	5.29	21	504	<2	<1	0.83	<4	8	5	25	1.61	<0.01	21	0.97	562	<1	13	380	89	3.13	7	16	15	143	1707	<2	30	31	6	129
102075	368767	<1	4.68	45	360	<2	<1	1.44	<4	14	61	31	2.52	<0.01	21	1.35	1152	<1	32	430	110	3.22	5	9	11	151	1679	<2	53	11	7	151

PROCEDURE CODES: ALP1, ALFA2, ALSu1, ALMA1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541380
Reference: 15-110
Sample #: 29

Acc #	Client ID	Au g/t (ppm)
112929	303628	0.243
112930	303629	0.174
112931	303630	0.364
112932	303631	0.183
112933	303632	0.098
112934	303633	0.137
112935	303634	0.026
112936	303635	0.020
112937	303636	0.027
112938	303637	0.034
112939	303637 Dup	0.079
112940	303638	0.038
112941	303639	0.024
112942	303640	0.006
112943	303641	0.052
112944	303642	0.280
112945	303643	0.040
112946	303644	0.044
112947	303645	0.188
112948	303646	0.256
112949	303647	0.064
112950	303647 Dup	0.070
112951	303648	0.013
112952	303649	0.009
112953	303650	1.520

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541380
Reference: 15-110
Sample #: 29

Acc #	Client ID	Au g/t (ppm)
112954	303651	0.032
112955	303652	0.017
112956	303653	0.031
112957	303654	0.021
112958	303655	0.010
112959	303656	0.016

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541380
Reference: 15-110
Sample #: 29

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.562	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541380
Reference: 15-110
Sample #: 29

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112929	303628	<1	1.40	50	402	2	3	0.98	4	28	149	62	3.68	0.94	13	1.06	443	1	80	421	101	0.45	<5	<5	<10	89	2844	<2	118	14	9	490
112930	303629	<1	1.02	41	485	2	<1	1.98	<4	23	141	47	3.35	1.27	12	1.25	649	<1	85	393	36	0.24	<5	<5	<10	116	2720	<2	107	<10	10	75
112931	303630	<1	0.42	68	324	2	<1	1.19	8	15	23	2185	4.98	1.24	16	0.69	1133	14	23	560	93	1.32	<5	<5	<10	190	1089	<2	69	16	6	680
112932	303631	<1	0.26	52	527	2	2	1.51	4	23	126	58	3.03	1.16	9	0.99	487	8	78	340	87	0.36	<5	<5	<10	97	2267	4	103	20	8	657
112933	303632	<1	<0.01	13	331	2	3	1.46	4	27	149	70	3.93	0.80	15	1.12	610	2	95	417	37	0.19	<5	<5	<10	118	2684	6	113	<10	7	211
112934	303633	<1	<0.01	32	279	2	<1	1.30	<4	21	117	52	3.14	0.76	12	0.88	481	<1	67	355	29	0.24	<5	6	<10	110	2266	8	87	<10	6	270
112935	303634	<1	0.15	9	440	2	3	2.08	<4	19	102	36	2.81	0.29	12	0.91	554	<1	57	410	20	0.14	<5	<5	<10	137	2460	3	85	<10	7	77
112936	303635	<1	0.48	19	519	<2	2	2.61	<4	8	17	10	1.71	0.22	6	0.78	519	<1	22	391	16	0.15	<5	<5	<10	131	1884	6	48	<10	4	68
112937	303636	<1	1.13	17	556	<2	2	2.85	<4	10	14	9	1.74	0.06	6	0.79	515	<1	27	439	10	0.12	<5	<5	<10	136	1955	6	49	<10	4	55
112938	303637	<1	1.10	16	628	<2	3	2.77	<4	10	16	10	1.88	0.81	8	0.97	617	<1	33	346	20	0.21	<5	<5	<10	118	1936	4	52	<10	5	61
112939D	303637	<1	1.09	18	610	2	1	2.64	<4	10	22	12	1.85	0.45	8	0.89	602	<1	44	303	20	0.17	<5	<5	<10	116	1885	4	54	<10	4	59
112940	303638	<1	0.29	22	732	2	2	2.92	<4	10	15	7	1.86	1.20	9	1.15	756	<1	30	326	24	0.20	<5	5	<10	121	1838	2	51	26	5	82
112941	303639	<1	0.74	24	674	2	4	2.30	<4	8	15	15	1.62	1.25	10	0.98	584	<1	30	320	33	0.19	<5	<5	<10	99	1869	8	50	11	5	75
112942	303640	<1	1.07	5	548	<2	2	4.35	<4	17	1	61	3.75	1.09	<1	1.15	894	<1	9	449	12	0.02	<5	<5	<10	495	2528	5	151	<10	16	62
112943	303641	<1	0.23	19	594	2	4	1.97	<4	8	13	22	1.47	1.18	8	0.85	560	<1	27	311	52	0.26	<5	<5	<10	88	1746	3	45	<10	4	92
112944	303642	<1	1.34	37	474	2	4	1.57	<4	9	11	89	1.53	1.06	7	0.81	577	<1	26	324	241	0.36	<5	<5	<10	77	1615	<2	42	14	5	575
112945	303643	<1	0.25	23	639	2	2	2.64	<4	9	15	7	1.67	0.96	9	1.03	795	<1	29	316	32	0.19	<5	<5	<10	102	1823	3	48	<10	4	90
112946	303644	<1	0.21	25	596	2	2	1.95	<4	9	12	5	1.49	0.79	10	0.93	619	<1	23	371	29	0.17	<5	<5	<10	127	1929	8	46	10	4	78
112947	303645	<1	0.64	29	620	2	3	1.96	<4	9	19	9	1.48	0.32	11	0.76	637	<1	32	395	30	0.21	<5	<5	<10	96	1894	8	50	<10	4	76
112948	303646	<1	1.42	33	560	2	4	1.81	<4	9	15	7	1.40	0.11	10	0.77	594	<1	30	437	24	0.22	<5	<5	<10	92	1793	<2	46	10	4	71

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 12:44 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541380
Reference: 15-110
Sample #: 29

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112949	303647	<1	1.27	25	572	2	4	2.56	<4	7	14	8	1.63	<0.01	8	0.93	623	<1	33	412	28	0.13	<5	<5	<10	96	1741	8	47	<10	5	75
112950D	303647	<1	0.69	17	582	2	3	2.64	<4	8	14	8	1.64	0.33	8	0.96	636	<1	33	365	26	0.11	<5	<5	<10	96	1780	5	48	<10	4	75
112951	303648	<1	1.12	10	598	2	3	3.23	<4	11	16	6	1.98	0.66	11	1.00	567	<1	32	379	20	0.09	<5	<5	<10	118	2099	3	55	<10	5	81
112952	303649	<1	0.92	22	661	2	2	3.08	<4	10	14	3	1.79	1.11	8	0.81	494	<1	26	397	20	0.10	<5	<5	<10	125	2094	4	51	<10	4	86
112953	303650	<1	0.73	31	596	2	2	2.53	4	17	46	209	4.03	0.94	6	0.98	740	9	42	520	9	0.07	<5	<5	<10	305	2715	<2	123	10	11	71
112954	303651	<1	0.88	23	600	2	3	2.63	<4	9	17	4	1.67	1.20	9	0.78	517	<1	34	335	25	0.18	<5	<5	<10	122	1939	10	53	<10	4	74
112955	303652	<1	1.77	29	628	2	4	2.99	<4	10	20	4	2.07	0.93	11	0.96	571	<1	34	401	27	0.23	<5	11	<10	131	2120	4	56	<10	5	66
112956	303653	<1	1.38	26	705	2	1	2.15	<4	10	15	16	1.67	1.14	10	0.76	463	<1	28	343	50	0.30	<5	5	<10	136	1818	5	46	14	4	138
112957	303654	<1	0.91	27	585	2	3	2.59	<4	12	16	6	2.08	0.29	14	0.86	518	<1	37	358	20	0.25	<5	<5	<10	124	2095	4	54	<10	4	53
112958	303655	<1	0.82	24	565	2	3	2.58	<4	13	11	6	2.07	0.99	12	0.87	513	<1	27	337	25	0.42	<5	<5	<10	122	2038	2	50	<10	4	53
112959	303656	<1	0.62	18	644	2	2	2.70	<4	11	17	3	1.99	0.62	13	0.86	411	<1	26	319	13	0.24	<5	<5	<10	147	2100	<2	53	<10	4	66

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 12:44 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541377
Reference: 15-107
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
112879	303582	0.008
112880	303583	0.029
112881	303584	0.027
112882	303585	0.046
112883	303586	0.079
112884	303587	0.034
112885	303588	0.024
112886	303589	0.173
112887	303590	1.515
112888	303591	0.031
112889	303591 Dup	0.016
112890	303592	0.033
112891	303593	0.177
112892	303594	0.027
112893	303595	0.013
112894	303596	0.049
112895	303597	0.073
112896	303598	0.034
112897	303599	0.068
112898	303600	0.005
112899	303601	0.036
112900	303601 Dup	0.048
112901	303602	0.037
112902	303603	0.024
112903	303604	0.035

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541377
Reference: 15-107
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
112904	303605	0.015
112905	303606	0.022

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541377
Reference: 15-107
Sample #: 25

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.465	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541377
Reference: 15-107
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112879	303582	<1	4.06	14	387	2	2	5.07	<4	7	28	30	2.88	0.79	37	2.90	1515	<1	30	619	9	0.14	<5	<5	<10	119	1467	2	49	<10	8	96
112880	303583	<1	3.92	14	739	2	<1	4.58	<4	10	15	30	3.08	0.38	16	2.58	1457	1	32	604	25	0.18	<5	<5	<10	175	1589	2	49	<10	8	123
112881	303584	<1	3.94	19	661	2	3	2.23	<4	10	24	15	1.80	0.43	14	0.88	439	<1	37	507	27	0.19	<5	<5	<10	193	1570	4	51	13	5	57
112882	303585	<1	2.94	18	603	2	4	2.64	<4	9	24	28	1.82	0.30	16	0.95	677	<1	33	505	65	0.24	<5	<5	<10	195	1874	6	50	<10	5	141
112883	303586	<1	3.38	28	622	2	2	2.48	<4	9	21	32	1.82	0.81	15	1.07	635	<1	39	471	93	0.25	<5	<5	<10	194	1900	4	52	11	6	230
112884	303587	<1	3.79	27	586	2	4	3.12	<4	9	22	18	1.82	1.25	16	1.20	666	<1	32	478	45	0.24	<5	<5	<10	219	1756	<2	49	<10	6	111
112885	303588	<1	3.97	17	568	2	4	3.01	<4	11	21	8	1.92	1.10	14	1.04	558	<1	35	496	23	0.15	<5	<5	<10	197	2057	5	53	<10	6	68
112886	303589	<1	3.87	16	551	<2	2	2.78	<4	9	23	8	1.77	1.00	13	1.03	593	<1	39	489	16	0.10	<5	<5	<10	183	2048	11	54	<10	6	49
112887	303590	<1	3.09	28	542	<2	4	2.39	4	16	40	215	3.93	1.20	6	1.16	685	6	39	597	12	0.08	<5	<5	<10	301	2563	<2	115	<10	15	67
112888	303591	<1	3.75	13	607	4	3	3.55	<4	11	16	33	2.38	1.09	19	1.24	752	<1	33	505	73	0.13	<5	<5	<10	242	2135	2	57	<10	6	328
112889D	303591	<1	3.40	7	608	3	3	3.51	<4	11	16	32	2.35	1.24	19	1.20	752	<1	33	521	76	0.13	<5	<5	<10	238	2120	9	57	11	5	332
112890	303592	<1	3.92	19	558	<2	4	2.86	<4	11	9	11	1.98	0.61	14	1.09	556	<1	30	494	35	0.10	<5	<5	<10	223	2000	3	50	<10	6	87
112891	303593	<1	3.14	16	473	2	3	2.09	<4	23	130	75	3.36	0.45	17	1.03	650	3	78	525	34	0.20	<5	<5	<10	189	2527	5	95	11	10	165
112892	303594	<1	3.60	21	340	2	2	1.96	4	26	142	57	4.19	0.47	25	1.20	751	2	86	543	27	0.19	<5	<5	<10	195	3081	4	115	<10	11	62
112893	303595	<1	3.17	12	327	2	2	1.83	4	27	142	61	4.29	0.52	23	1.18	730	3	91	555	20	0.20	<5	<5	<10	173	3063	<2	122	<10	10	70
112894	303596	<1	<0.01	15	190	<2	2	0.45	<4	18	73	31	2.55	<0.01	9	0.63	395	<1	53	343	27	0.21	<5	<5	<10	89	1982	<2	74	<10	4	102
112895	303597	<1	1.72	34	346	2	3	1.82	<4	19	130	73	3.13	1.22	17	1.05	669	<1	73	442	24	0.36	<5	<5	<10	156	2387	8	88	<10	10	77
112896	303598	<1	3.31	22	584	2	4	2.02	4	26	168	51	4.13	0.70	28	1.30	700	3	105	548	29	0.37	<5	<5	<10	199	3165	6	139	12	11	163
112897	303599	<1	2.97	27	523	2	2	2.02	4	25	144	55	3.75	0.71	18	1.30	701	2	91	532	37	0.31	<5	<5	<10	172	2889	6	108	10	12	124
112898	303600	<1	4.05	14	573	<2	2	4.58	4	17	2	65	3.94	0.97	<1	1.35	911	<1	10	594	7	0.03	<5	<5	<10	527	2644	11	152	<10	20	62

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 12:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541377
Reference: 15-107
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112899	303601	<1	2.66	17	724	2	2	1.76	4	25	138	51	3.93	0.99	22	1.26	627	2	82	493	28	0.30	<5	<5	<10	184	3054	4	112	<10	11	118
112900D	303601	<1	3.44	19	757	2	3	1.82	4	26	149	58	4.11	0.78	24	1.32	652	3	97	541	26	0.29	<5	<5	<10	191	3176	6	118	<10	11	118
112901	303602	<1	3.66	26	842	2	3	2.30	<4	23	137	40	3.34	0.82	23	1.21	646	1	81	503	25	0.30	<5	<5	<10	209	2776	8	107	<10	11	151
112902	303603	<1	3.74	21	489	2	3	2.32	4	21	143	45	3.77	0.53	21	1.25	708	4	106	565	15	0.13	<5	<5	<10	179	2697	<2	109	<10	13	120
112903	303604	<1	3.06	19	500	2	3	2.33	4	23	140	52	3.73	0.49	19	1.15	752	2	92	567	29	0.23	<5	<5	<10	200	2670	6	111	<10	11	134
112904	303605	<1	3.96	16	330	2	2	2.20	4	22	139	45	3.34	0.64	21	1.27	647	2	85	496	20	0.19	<5	<5	<10	172	2595	7	96	<10	12	128
112905	303606	<1	3.29	16	327	2	3	1.85	<4	21	107	36	3.03	0.59	18	1.00	593	<1	69	459	21	0.27	<5	<5	<10	166	2395	5	85	<10	9	120

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 12:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541227
Reference: TL15-064
Sample #: 19

Acc #	Client ID	Au g/t (ppm)
102076	368768	0.015
102077	368769	0.005
102078	368770	1.396
102079	368771	0.029
102080	368772	0.008
102081	368773	0.008
102082	368774	0.038
102083	368775	0.008
102084	368776	0.035
102085	368777	0.021
102086	368777 Dup	0.024
102087	368778	0.047
102088	368779	0.057
102089	368780	<0.005
102090	368781	0.010
102091	368782	<0.005
102092	368783	<0.005
102093	368784	<0.005
102094	368785	0.005
102095	368786	0.010

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541227
Reference: TL15-064
Sample #: 19

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.661	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541227
Reference: TL15-064
Sample #: 19

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102076	368768	<1	6.45	13	247	2	<1	1.25	<4	6	14	3	1.17	0.38	15	1.05	452	<1	5	389	13	2.30	9	35	16	109	1819	<2	29	21	7	28
102077	368769	<1	6.30	7	207	2	<1	1.44	<4	5	10	3	1.51	0.51	17	1.51	631	<1	5	373	15	2.19	<5	25	26	103	1718	<2	28	34	7	45
102078	368770	<1	4.56	26	475	<2	<1	2.15	<4	15	34	195	3.87	0.35	11	1.24	703	<1	38	594	11	2.35	7	9	18	281	2845	<2	107	36	18	63
102079	368771	<1	5.98	18	214	2	<1	1.55	<4	5	2	3	1.52	0.44	16	1.50	734	<1	4	377	10	2.58	6	25	20	104	1681	<2	27	19	7	38
102080	368772	<1	5.94	25	233	<2	<1	1.44	<4	5	8	4	1.36	0.30	14	1.23	507	<1	4	378	13	2.46	7	21	21	120	1742	<2	28	16	6	28
102081	368773	<1	5.19	15	235	2	<1	1.31	<4	4	10	4	1.42	0.46	15	1.15	539	<1	5	363	14	2.56	5	24	13	106	1763	<2	28	22	5	34
102082	368774	1	5.86	21	230	<2	<1	1.46	<4	6	10	6	1.61	0.33	17	1.33	709	<1	5	400	23	2.63	8	25	34	98	1801	<2	29	17	6	54
102083	368775	<1	5.58	23	231	2	<1	1.43	<4	5	7	4	1.60	0.22	16	1.28	773	<1	4	390	17	2.61	6	21	17	95	1831	<2	29	19	6	50
102084	368776	<1	6.56	25	219	2	<1	1.44	<4	6	11	5	1.82	0.40	17	1.47	833	<1	6	399	15	2.48	<5	21	15	97	1799	<2	30	17	7	47
102085	368777	<1	7.20	15	243	2	<1	1.65	<4	5	11	5	1.65	0.21	17	1.36	944	<1	6	422	15	2.38	11	13	24	105	1847	<2	32	32	7	29
102086D	368777	<1	6.96	26	238	2	<1	1.60	<4	5	11	5	1.62	0.35	16	1.34	922	<1	6	412	21	2.47	5	26	20	103	1836	<2	31	<10	7	27
102087	368778	<1	7.26	31	255	2	<1	1.56	<4	6	11	8	1.44	0.29	17	1.28	900	<1	5	405	13	2.61	6	26	24	103	1845	<2	30	27	7	30
102088	368779	<1	6.16	24	211	2	<1	1.52	<4	6	14	8	1.53	0.26	14	1.23	832	<1	5	369	12	2.20	6	16	22	90	1715	<2	27	24	7	31
102089	368780	<1	6.43	14	459	<2	<1	3.86	<4	17	<1	58	3.71	0.41	4	1.48	870	<1	7	587	10	2.46	11	8	20	471	2673	<2	133	34	24	58
102090	368781	<1	6.71	25	234	2	<1	2.44	<4	5	14	7	1.61	0.57	14	1.59	1278	<1	6	380	17	2.55	5	30	21	101	1644	<2	27	24	7	20
102091	368782	<1	6.05	12	172	<2	<1	2.04	<4	4	12	7	1.49	0.44	16	1.30	1106	<1	4	596	14	2.50	5	18	18	95	1666	<2	27	18	9	28
102092	368783	<1	5.08	10	143	<2	<1	1.37	<4	6	26	10	1.37	0.45	13	1.13	786	<1	9	502	14	2.58	6	14	13	80	1505	3	29	31	8	19
102093	368784	<1	6.04	25	202	<2	<1	1.76	<4	5	11	5	1.59	0.44	16	1.25	871	<1	5	379	22	2.62	8	14	13	104	1681	<2	29	26	6	19
102094	368785	<1	6.50	32	170	2	<1	3.25	<4	6	12	9	1.94	0.36	12	1.83	1447	<1	6	359	24	2.50	9	25	21	117	1579	<2	25	34	7	29
102095	368786	<1	5.70	32	130	<2	<1	3.56	<4	6	410	15	2.43	0.67	10	1.98	1747	<1	9	360	19	2.40	6	23	18	113	1515	2	24	21	7	33

PROCEDURE CODES: ALP1, ALFA2, ALSu1, ALMA1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:31 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541228
Reference: TL15-065
Sample #: 41

Acc #	Client ID	Au g/t (ppm)
102096	368787	0.065
102097	368788	0.069
102098	368789	0.260
102099	368790	4.938
102100	368791	0.030
102101	368792	0.074
102102	368793	0.749
102103	368794	0.976
102104	368795	0.398
102105	368796	1.221
102106	368796 Dup	0.927
102107	368797	0.526
102108	368798	0.616
102109	368799	0.539
102110	368800	<0.005
102111	368801	0.479
102112	368802	0.468
102113	368803	0.109
102114	368804	0.064
102115	368805	0.101
102116	368806	0.057
102117	368806 Dup	0.057
102118	368807	0.238
102119	368808	0.257
102120	368809	0.032

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541228
Reference: TL15-065
Sample #: 41

Acc #	Client ID	Au g/t (ppm)
102121	368810	0.373
102122	368811	0.033
102123	368812	0.042
102124	368813	0.019
102125	368814	0.031
102126	368815	0.022
102127	368816	0.009
102128	368816 Dup	0.029
102129	368817	0.014
102130	368818	0.006
102131	368819	0.007
102132	368820	0.008
102133	368821	0.012
102134	368822	0.043
102135	368823	0.018
102136	368824	0.023
102137	368825	0.038
102138	368826	0.048
102139	368826 Dup	0.042
102140	368827	0.176

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 17, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541228
Reference: TL15-065
Sample #: 41

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.475	1.575	0.088
AR02	1.552	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541228
Reference: TL15-065
Sample #: 41

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102096	368787	<1	5.47	27	478	<2	<1	0.48	<4	23	132	39	3.52	0.30	24	1.87	483	<1	54	484	30	2.47	6	16	16	89	2717	<2	96	36	14	211
102097	368788	<1	5.58	26	433	2	<1	0.68	<4	23	94	40	3.64	0.40	22	2.02	570	<1	57	552	46	2.70	7	18	22	92	2273	<2	76	22	13	248
102098	368789	1	5.50	43	464	2	<1	0.78	<4	7	33	36	1.38	0.44	13	0.96	262	<1	18	469	146	2.75	10	24	18	87	1236	<2	28	32	9	282
102099	368790	1707	5.12	35	364	<2	<1	2.83	5	15	19	88	4.72	0.37	6	1.28	847	<1	22	544	>5000	2.29	95	9	21	283	2781	<2	130	43	19	320
102100	368791	2	5.74	21	426	2	<1	1.01	<4	10	49	22	1.81	0.31	18	1.41	414	<1	24	514	317	2.49	8	20	17	94	1659	<2	46	19	11	83
102101	368792	<1	5.14	42	323	2	<1	1.35	<4	16	89	34	2.92	0.67	19	1.77	548	<1	44	475	32	2.34	7	12	21	89	2100	<2	66	22	12	77
102102	368793	<1	6.39	64	316	2	<1	1.45	<4	22	137	43	3.58	0.49	21	1.70	680	<1	58	574	57	2.68	11	23	20	91	2481	<2	90	37	14	237
102103	368794	5	6.09	61	296	2	<1	1.07	<4	24	138	55	3.52	0.33	21	1.61	638	<1	57	558	194	2.70	9	22	24	85	2190	<2	89	28	13	327
102104	368795	<1	5.13	58	212	<2	<1	0.45	<4	20	111	29	3.27	0.37	19	1.76	536	<1	52	526	48	2.69	10	19	27	62	1879	<2	77	26	10	120
102105	368796	<1	2.49	55	110	<2	<1	0.14	<4	8	53	18	1.58	0.17	7	0.60	165	<1	24	253	32	1.36	<5	5	10	31	725	<2	36	12	5	59
102106D	368796	<1	2.08	65	91	<2	<1	<0.01	<4	12	63	23	2.05	<0.01	3	0.75	218	<1	31	323	43	2.09	6	23	13	39	937	<2	47	18	5	79
102107	368797	<1	4.54	91	225	2	<1	0.13	<4	21	107	47	3.52	0.26	23	1.68	426	<1	57	515	52	2.79	9	11	16	57	1574	<2	87	35	9	189
102108	368798	<1	5.85	65	251	2	<1	0.40	<4	23	129	45	3.79	0.05	32	2.34	671	<1	63	579	33	2.76	10	7	25	65	2005	<2	101	32	14	77
102109	368799	<1	6.03	42	251	2	<1	0.62	<4	22	126	37	3.71	0.31	29	2.25	615	<1	59	576	34	2.72	7	23	22	63	2183	<2	97	32	14	74
102110	368800	<1	5.76	11	471	<2	<1	3.86	<4	17	<1	59	3.81	0.28	4	1.43	896	<1	9	609	8	2.45	5	11	20	472	2743	<2	136	25	21	58
102111	368801	<1	5.77	86	306	2	<1	0.82	<4	22	119	40	3.55	0.31	19	1.47	485	<1	60	500	69	2.68	5	22	22	75	1886	<2	95	37	10	266
102112	368802	<1	5.72	83	276	2	<1	0.54	<4	26	118	59	4.38	0.41	21	1.82	527	<1	74	511	163	2.78	9	28	10	62	1950	<2	93	42	10	408
102113	368803	<1	4.87	29	556	2	<1	2.70	<4	8	17	17	1.80	0.52	14	1.40	794	<1	11	485	67	2.48	6	23	12	152	1647	<2	37	20	7	97
102114	368804	<1	6.24	19	497	2	<1	3.20	<4	10	10	10	1.76	0.20	17	1.89	1145	<1	11	515	40	2.57	7	25	12	148	1873	<2	37	22	9	90
102115	368805	<1	5.73	40	507	2	<1	1.77	<4	10	2	9	1.59	0.25	18	1.11	586	<1	9	494	35	2.52	6	22	20	116	1856	<2	37	42	8	41

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/27/2015 10:36 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541228
Reference: TL15-065
Sample #: 41

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102116	368806	<1	5.55	49	514	<2	<1	1.68	<4	10	4	8	1.60	0.36	17	1.08	562	<1	9	483	36	2.25	9	25	18	113	1891	<2	37	36	7	40
102117D	368806	<1	5.90	45	539	2	<1	1.76	<4	10	5	8	1.65	0.37	20	1.07	579	<1	9	493	41	2.42	7	24	18	118	1939	<2	38	31	7	44
102118	368807	<1	5.86	40	505	2	<1	2.05	<4	8	6	10	1.59	0.26	19	1.30	751	<1	8	454	43	2.60	7	17	20	122	1729	<2	35	34	8	100
102119	368808	<1	5.45	62	358	2	<1	3.61	<4	9	6	29	2.43	0.19	13	2.05	1105	<1	11	443	257	2.40	9	23	17	147	1666	4	33	59	8	790
102120	368809	<1	6.03	29	481	<2	<1	2.30	<4	8	8	7	1.53	0.30	20	1.32	628	<1	8	488	36	2.59	<5	32	17	136	1848	<2	37	52	7	258
102121	368810	<1	5.14	60	269	<2	2	1.08	4	14	14	2179	4.89	0.18	28	0.89	1075	2	21	703	79	2.69	10	19	23	183	1208	<2	61	58	10	588
102122	368811	<1	6.64	33	415	2	<1	3.27	<4	9	6	38	2.04	0.46	19	1.68	843	<1	8	505	63	2.48	6	21	13	154	1811	<2	37	38	8	196
102123	368812	<1	5.75	22	417	2	<1	3.46	<4	8	13	24	1.99	0.48	19	1.72	889	<1	8	492	73	2.41	7	23	20	151	1752	<2	36	42	7	125
102124	368813	<1	5.60	31	613	2	<1	2.47	<4	9	7	7	1.80	0.44	20	1.31	614	<1	11	503	28	2.46	8	19	29	142	1873	3	38	31	7	36
102125	368814	<1	5.57	32	557	2	<1	3.25	<4	10	9	10	2.07	0.46	17	1.62	834	<1	10	511	29	2.48	9	12	23	163	1803	<2	38	32	7	40
102126	368815	<1	6.60	25	507	2	<1	2.53	<4	10	6	5	1.98	0.33	20	1.16	429	<1	11	552	18	2.47	<5	21	22	155	2086	<2	41	22	8	27
102127	368816	<1	7.16	17	538	2	<1	2.57	<4	11	18	5	2.15	0.76	25	1.19	519	<1	11	567	46	2.66	<5	19	19	161	2200	<2	43	43	7	101
102128D	368816	<1	5.76	33	475	2	<1	2.21	<4	11	15	5	1.93	0.27	20	1.12	471	<1	9	498	43	2.42	6	22	17	144	2016	<2	38	30	7	88
102129	368817	<1	5.82	14	443	2	<1	2.19	<4	9	9	9	2.17	0.40	20	1.31	639	<1	9	492	37	2.45	<5	15	18	135	1820	<2	38	42	7	146
102130	368818	<1	5.89	22	360	<2	<1	2.54	<4	7	20	8	1.55	0.46	22	1.40	622	<1	8	432	30	2.48	7	31	18	169	1748	<2	36	79	8	44
102131	368819	<1	6.61	11	411	2	<1	3.29	<4	14	52	34	2.30	0.30	21	1.72	920	<1	23	498	27	2.56	7	17	19	183	2248	<2	54	28	11	45
102132	368820	<1	6.18	19	467	<2	<1	3.90	<4	16	<1	58	3.74	0.68	4	1.44	879	<1	8	583	9	2.50	7	17	20	474	2692	<2	134	37	23	56
102133	368821	<1	6.51	3	471	2	<1	3.29	<4	24	134	61	3.02	0.39	21	1.51	795	<1	62	564	33	2.66	6	25	15	196	2821	<2	93	42	17	68
102134	368822	<1	6.30	9	366	2	<1	4.23	<4	9	25	53	2.89	0.65	17	2.20	1417	<1	15	486	69	2.81	6	23	19	212	1984	6	43	42	11	406
102135	368823	<1	5.86	25	402	2	<1	2.82	<4	8	8	64	1.92	0.35	21	1.41	594	<1	11	484	18	2.58	8	24	20	177	1871	<2	37	27	7	34

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/27/2015 10:36 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/08/2015
Date Completed: 04/17/2015
Job #: 201541228
Reference: TL15-065
Sample #: 41

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102136	368824	<1	6.66	36	425	2	<1	3.02	<4	9	9	4	1.94	0.29	25	1.63	738	<1	9	537	18	2.65	7	25	18	175	1991	<2	39	13	9	37
102137	368825	<1	5.94	14	400	2	<1	2.14	<4	8	11	5	1.56	0.30	25	1.20	588	<1	9	504	13	2.69	5	17	12	154	1966	<2	39	29	7	46
102138	368826	<1	5.83	24	396	2	<1	1.86	<4	8	12	4	1.45	0.16	24	1.14	522	<1	10	504	16	2.29	7	20	15	148	2012	<2	39	21	7	43
102139D	368826	<1	5.49	40	395	2	<1	1.85	<4	9	12	4	1.43	0.30	23	1.10	522	<1	9	510	14	2.38	9	21	11	149	2023	<2	40	40	6	40
102140	368827	<1	5.61	30	349	2	<1	1.98	<4	10	5	5	1.68	0.22	24	1.15	606	<1	9	501	12	2.56	6	20	18	153	1962	<2	38	22	7	54

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/27/2015 10:36 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541379
Reference: 15-109
Sample #: 11

Acc #	Client ID	Au g/t (ppm)
112917	303617	0.021
112918	303618	0.097
112919	303619	0.083
112920	303620	0.005
112921	303621	0.083
112922	303622	0.023
112923	303623	0.061
112924	303624	0.053
112925	303625	0.160
112926	303626	0.098
112927	303626 Dup	0.126
112928	303627	0.019

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541379
Reference: 15-109
Sample #: 11

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541379
Reference: 15-109
Sample #: 11

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112917	303617	<1	6.28	3	722	2	3	1.61	<4	6	55	9	2.01	0.07	15	1.49	719	4	21	421	65	0.17	<5	<5	10	215	1499	<2	35	<10	9	61
112918	303618	<1	5.42	12	461	<2	5	1.46	<4	17	136	61	3.59	<0.01	17	1.45	894	<1	57	555	67	0.64	<5	<5	<10	172	2157	8	91	<10	9	151
112919	303619	<1	6.40	22	565	2	3	1.73	<4	18	145	51	3.75	<0.01	17	1.42	923	<1	55	559	44	0.93	<5	<5	<10	161	2644	4	95	<10	13	95
112920	303620	<1	6.60	6	524	<2	3	4.12	<4	14	4	67	3.98	0.12	1	1.53	929	<1	10	613	6	0.03	<5	<5	<10	500	2793	<2	145	<10	22	51
112921	303621	8	8.31	34	756	2	1	2.11	5	26	159	95	5.14	<0.01	19	1.39	961	<1	84	711	1822	1.89	15	<5	<10	191	3480	11	138	<10	16	266
112922	303622	<1	6.55	19	644	<2	3	2.36	<4	11	38	38	2.62	0.05	14	1.28	752	<1	24	617	54	0.74	<5	<5	<10	169	2422	4	55	<10	8	70
112923	303623	<1	6.24	32	587	<2	2	1.96	<4	15	74	46	2.94	0.13	13	1.14	596	<1	39	568	39	1.03	<5	<5	<10	145	2510	<2	70	<10	10	77
112924	303624	<1	5.68	51	599	<2	1	2.71	<4	24	189	80	4.05	0.03	13	1.42	898	<1	64	587	52	1.42	<5	5	<10	148	2854	5	98	<10	15	117
112925	303625	<1	6.91	102	807	2	5	1.66	4	21	175	88	4.33	<0.01	14	0.99	590	1	77	653	88	3.13	<5	<5	10	168	2845	2	119	<10	15	312
112926	303626	<1	6.84	99	765	2	4	1.68	4	20	166	84	4.14	0.10	14	1.03	633	<1	78	638	93	2.69	<5	<5	11	169	2775	12	116	11	14	320
112927D	303626	<1	7.37	101	817	2	4	1.78	4	20	185	89	4.35	<0.01	15	1.07	674	3	79	670	99	2.69	<5	<5	<10	178	2917	5	123	<10	15	335
112928	303627	<1	6.03	28	823	<2	3	2.46	<4	10	45	17	2.31	0.02	12	1.19	663	<1	24	548	43	1.00	<5	<5	<10	190	2119	5	57	<10	8	104

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 12:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541376
Reference: 15-106
Sample #: 17

Acc #	Client ID	Au g/t (ppm)
112861	303565	0.313
112862	303566	0.410
112863	303567	0.080
112864	303568	0.063
112865	303569	0.071
112866	303570	0.374
112867	303571	0.032
112868	303572	0.010
112869	303573	0.009
112870	303574	0.008
112871	303574 Dup	0.009
112872	303575	0.008
112873	303576	0.047
112874	303577	7.151
112875	303578	0.083
112876	303579	0.099
112877	303580	<0.005
112878	303581	0.162

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541376
Reference: 15-106
Sample #: 17

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.579	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541376
Reference: 15-106
Sample #: 17

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112861	303565	<1	3.02	37	415	2	5	1.60	9	23	121	33	3.82	0.65	16	1.27	632	<1	55	508	12	0.39	<5	<5	<10	105	2331	2	91	27	9	1547
112862	303566	<1	2.94	54	394	2	3	1.59	10	23	150	33	3.81	0.17	14	1.32	623	3	54	490	18	0.42	<5	<5	<10	100	2252	5	89	33	10	2076
112863	303567	<1	5.29	14	360	3	3	1.91	5	27	150	48	4.60	0.39	27	1.66	646	3	70	561	11	0.16	<5	<5	<10	142	2857	<2	116	<10	10	122
112864	303568	<1	4.69	23	410	3	2	2.19	5	35	133	43	4.48	0.43	19	1.49	713	2	68	537	20	0.28	<5	<5	<10	138	2120	<2	105	<10	10	100
112865	303569	<1	5.13	13	519	3	2	1.75	4	31	158	78	4.50	0.61	27	1.43	621	2	74	573	21	0.19	<5	<5	<10	136	3010	6	130	10	10	168
112866	303570	<1	4.54	74	322	2	<1	1.21	8	15	22	2512	5.15	0.21	22	0.89	1081	12	22	730	78	1.60	5	8	<10	200	1100	2	67	19	10	647
112867	303571	<1	3.99	12	418	2	5	2.14	<4	16	65	36	2.71	0.30	17	1.13	444	<1	31	536	8	0.10	<5	<5	<10	130	2284	10	66	<10	8	69
112868	303572	<1	5.00	18	491	2	5	2.68	<4	11	18	7	1.96	0.20	14	0.99	342	<1	11	555	5	0.10	<5	<5	<10	155	2001	6	47	<10	6	60
112869	303573	<1	4.64	17	580	2	2	2.62	<4	10	15	10	1.83	0.15	14	0.98	335	<1	10	531	8	0.11	<5	7	<10	150	1801	7	44	<10	6	55
112870	303574	<1	4.32	12	649	2	3	2.30	<4	8	15	6	1.75	0.33	16	0.87	311	<1	9	525	7	0.08	<5	<5	<10	157	1873	9	43	<10	6	49
112871D	303574	<1	4.49	19	651	2	2	2.30	<4	10	15	6	1.76	0.37	16	0.88	313	<1	10	531	7	0.08	<5	6	<10	158	1897	3	44	<10	6	50
112872	303575	<1	4.07	18	567	2	3	2.17	<4	9	13	7	1.68	<0.01	15	0.89	348	<1	11	497	7	0.09	<5	<5	<10	175	1826	5	41	<10	5	54
112873	303576	<1	4.34	32	682	2	5	2.81	<4	11	18	11	2.02	0.37	15	1.12	512	<1	12	540	14	0.22	<5	<5	<10	171	1949	5	44	17	6	463
112874	303577	<1	5.03	29	717	2	3	2.72	<4	10	17	12	1.99	0.04	15	1.14	546	<1	11	557	15	0.30	<5	5	<10	161	2132	9	45	<10	6	128
112875	303578	<1	5.86	37	721	2	6	2.54	<4	10	23	62	2.09	<0.01	17	1.26	580	<1	11	548	19	0.31	<5	<5	<10	153	2047	3	45	<10	7	169
112876	303579	<1	5.21	33	680	2	2	2.58	<4	11	24	49	2.02	0.28	23	1.32	595	<1	10	558	16	0.30	<5	<5	<10	151	2197	6	46	10	6	138
112877	303580	<1	4.84	8	540	<2	2	4.38	4	17	<1	68	3.84	0.39	<1	1.31	862	<1	9	600	7	0.03	<5	<5	<10	521	2528	<2	145	<10	19	59
112878	303581	<1	5.68	50	697	2	4	2.35	<4	11	22	98	1.96	0.48	20	1.13	432	<1	10	534	38	0.26	<5	<5	10	139	2076	<2	46	10	7	186

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541370
Reference: 15-100
Sample #: 8

Acc #	Client ID	Au g/t (ppm)
112752	303464	0.034
112753	303465	0.015
112754	303466	0.013
112755	303467	0.069
112756	303468	0.013
112757	303469	0.034
112758	303470	1.491
112760	303471	0.055
112761	303471 Dup	0.048

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541370
Reference: 15-100
Sample #: 8

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541370
Reference: 15-100
Sample #: 8

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112752	303464	<1	5.04	27	788	2	3	1.99	<4	16	71	17	2.28	0.25	14	0.89	496	<1	31	570	20	0.47	<5	<5	<10	246	2196	6	77	<10	10	71
112753	303465	<1	4.99	17	687	2	3	2.43	<4	11	11	7	1.88	0.25	15	1.10	679	<1	9	610	18	0.34	<5	<5	<10	279	1855	9	45	<10	6	53
112754	303466	<1	5.02	14	678	2	5	2.53	<4	10	7	5	1.86	0.51	15	1.14	715	<1	8	600	24	0.33	<5	<5	<10	284	1794	9	44	<10	7	51
112755	303467	<1	3.78	17	618	2	<1	1.90	<4	11	39	11	2.10	0.34	12	1.19	604	<1	23	487	29	0.27	<5	<5	<10	247	1461	<2	46	<10	9	59
112756	303468	<1	4.06	10	682	2	7	1.42	<4	9	40	12	1.80	0.27	13	1.31	635	<1	22	405	51	0.08	<5	<5	<10	209	1315	7	39	<10	9	77
112757	303469	<1	3.57	21	572	2	4	1.54	<4	16	92	33	2.47	<0.01	11	1.12	808	<1	40	461	53	0.37	<5	<5	<10	184	1876	<2	70	<10	10	85
112758	303470	<1	2.13	24	495	<2	4	2.13	<4	15	37	195	3.58	0.13	3	1.04	642	5	36	567	13	0.08	<5	<5	<10	272	2398	<2	107	11	13	63
112760	303471	<1	3.36	33	328	2	4	2.33	<4	19	122	36	3.41	0.17	12	1.20	940	1	46	403	46	0.53	<5	<5	<10	195	2012	<2	75	<10	11	97
112761D	303471	<1	3.65	31	358	2	2	2.53	4	20	133	39	3.65	0.12	14	1.22	1006	3	50	426	40	0.60	<5	<5	<10	210	2149	6	80	<10	11	103

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 12:41 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541373
Reference: 15-103
Sample #: 8

Acc #	Client ID	Au g/t (ppm)
112783	303492	0.019
112784	303493	0.010
112785	303494	0.010
112786	303495	0.009
112787	303496	0.029
112788	303497	0.047
112789	303498	0.056
112790	303499	0.017
112791	303499	Insufficient Sample

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541373
Reference: 15-103
Sample #: 8

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541373
Reference: 15-103
Sample #: 8

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112783	303492	<1	2.86	32	459	<2	3	2.31	<4	8	25	8	1.89	0.30	16	1.34	803	<1	47	504	23	0.26	<5	<5	<10	98	2003	9	56	<10	6	69
112784	303493	<1	2.90	25	481	2	4	2.76	<4	9	20	5	1.83	0.44	14	1.20	662	<1	43	488	12	0.17	<5	5	<10	99	2054	6	54	<10	5	64
112785	303494	<1	2.20	39	466	2	1	2.74	<4	9	21	4	1.79	0.42	10	1.09	661	<1	45	454	15	0.21	<5	<5	<10	93	1883	3	52	<10	5	55
112786	303495	<1	2.06	25	478	2	4	2.79	<4	11	19	4	1.76	0.44	11	1.03	502	<1	41	465	10	0.15	<5	<5	<10	97	1939	6	51	11	5	56
112787	303496	<1	2.90	20	484	2	4	2.85	<4	9	18	7	1.79	0.38	12	1.15	611	<1	34	456	12	0.22	<5	<5	<10	106	1842	<2	49	<10	5	48
112788	303497	<1	3.22	28	511	2	3	2.94	<4	10	37	24	2.04	0.43	13	1.28	823	3	78	501	16	0.20	<5	5	<10	115	2002	11	64	<10	5	84
112789	303498	<1	2.45	35	364	<2	2	2.62	<4	8	17	7	1.75	0.55	13	1.18	676	<1	32	440	12	0.30	<5	<5	<10	109	1673	9	47	10	5	112
112790	303499	<1	4.12	17	501	<2	6	4.12	4	18	2	70	3.64	0.35	<1	1.26	831	<1	13	590	16	0.02	<5	<5	<10	486	2409	9	139	<10	19	61
112791D	303499																IS															

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 12:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/07/2015
Job #: 201541045
Reference: TL15-022
Sample #: 32

Acc #	Client ID	Au g/t (ppm)
90336	367812	0.010
90337	367813	0.018
90338	367814	0.009
90339	367815	0.008
90340	367816	<0.005
90341	367817	<0.005
90342	367818	<0.005
90343	367819	0.181
90344	367820	<0.005
90345	367821	0.081
90346	367821 Dup	0.071
90347	367822	0.017
90348	367823	<0.005
90349	367824	<0.005
90350	367825	<0.005
90351	367826	<0.005
90352	367827	<0.005
90353	367828	<0.005
90354	367829	<0.005
90355	367830	5.084
90356	367831	<0.005
90357	367831 Dup	<0.005
90358	367832	<0.005
90359	367833	<0.005
90360	367834	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/07/2015
Job #: 201541045
Reference: TL15-022
Sample #: 32

Acc #	Client ID	Au g/t (ppm)
90361	367835	<0.005
90362	367836	<0.005
90363	367837	<0.005
90364	367838	0.030
90365	367839	0.079
90366	367840	<0.005
90367	367841	0.022
90368	367841 Dup	0.027
90369	367842	0.136
90370	367843	0.205

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/07/2015
Job #: 201541045
Reference: TL15-022
Sample #: 32

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL01	0.398	0.394	0.011
AR02	1.518	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/07/2015
Job #: 201541045
Reference: TL15-022
Sample #: 32

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90336	367812	<1	4.88	11	271	<2	4	1.87	<4	8	32	13	1.44	0.74	9	1.05	655	4	49	369	23	0.05	<5	<5	<10	148	1757	<2	40	<10	5	38
90337	367813	<1	5.97	13	269	<2	5	2.34	<4	9	31	16	1.72	0.41	8	1.38	806	2	38	386	18	0.09	<5	<5	<10	145	1929	2	43	<10	6	31
90338	367814	<1	5.10	5	303	<2	4	2.14	<4	8	39	9	1.82	0.60	10	1.10	626	6	70	359	13	0.03	<5	<5	<10	148	1936	<2	47	<10	5	34
90339	367815	<1	6.57	7	370	<2	4	2.06	<4	8	52	11	1.71	0.37	13	1.23	746	7	77	410	15	0.04	<5	<5	<10	134	2177	<2	55	<10	6	31
90340	367816	<1	7.43	4	355	<2	4	2.21	<4	5	27	4	1.73	0.57	13	1.35	650	3	41	399	17	0.05	<5	5	<10	140	2109	10	43	11	6	30
90341	367817	<1	7.92	6	346	<2	4	2.15	<4	6	30	7	1.59	0.86	13	1.33	539	3	37	434	18	0.07	<5	<5	<10	145	2166	<2	42	11	6	27
90342	367818	<1	7.73	12	350	2	5	2.25	<4	6	21	7	1.55	0.49	13	1.39	653	2	33	418	18	0.06	<5	<5	<10	140	2109	<2	40	<10	6	30
90343	367819	1	6.47	8	281	<2	4	1.79	<4	6	54	17	1.94	0.88	11	1.26	691	14	105	423	21	0.05	<5	<5	<10	113	1919	3	58	<10	6	215
90344	367820	<1	6.93	3	505	<2	5	4.23	4	16	7	67	3.98	0.64	2	1.56	986	3	9	599	3	0.02	<5	<5	<10	476	2921	9	140	<10	21	55
90345	367821	2	5.37	12	189	<2	4	1.71	<4	4	40	16	1.82	0.84	10	1.39	768	8	66	322	26	0.05	<5	<5	<10	105	1426	4	40	12	6	137
90346D	367821	2	5.59	12	191	<2	3	1.70	<4	4	43	17	1.83	0.77	11	1.40	760	9	72	328	25	0.06	<5	<5	<10	103	1423	<2	42	12	6	136
90347	367822	2	5.97	9	154	<2	6	2.04	<4	6	22	26	2.12	0.79	12	2.38	1238	7	34	395	15	0.07	<5	<5	<10	102	1503	<2	32	11	7	105
90348	367823	<1	6.13	3	288	<2	6	1.65	<4	8	31	7	1.96	0.77	16	1.74	835	9	59	417	14	0.06	<5	<5	<10	114	2072	<2	47	14	5	63
90349	367824	<1	7.53	10	368	<2	4	1.40	<4	5	45	6	1.80	1.10	18	1.65	721	11	79	412	14	0.05	<5	<5	10	108	2246	<2	54	<10	5	43
90350	367825	<1	5.23	9	217	<2	6	0.87	<4	5	26	4	1.48	0.48	11	1.74	586	5	50	354	12	0.03	<5	<5	<10	80	1799	<2	40	<10	5	36
90351	367826	<1	5.32	5	215	<2	6	1.01	<4	6	21	4	1.51	0.35	12	1.83	637	3	36	352	8	0.03	<5	<5	<10	86	1818	8	36	16	5	40
90352	367827	<1	5.39	6	246	<2	3	1.23	<4	8	20	8	1.67	0.49	10	1.88	751	3	34	360	9	0.05	<5	<5	<10	89	1781	<2	35	<10	5	57
90353	367828	<1	4.52	8	206	2	5	1.23	<4	6	16	4	1.55	1.18	10	1.62	563	2	31	332	6	0.03	<5	<5	<10	89	1757	<2	35	<10	5	26
90354	367829	<1	5.88	8	275	<2	4	1.19	<4	6	19	4	1.43	0.77	9	1.48	445	3	39	362	9	0.03	<5	<5	<10	86	1823	4	39	<10	5	21
90355	367830	150	5.87	23	401	<2	6	3.12	8	15	33	105	5.12	0.71	4	1.36	942	9	26	542	17312	0.07	106	<5	<10	292	2933	3	136	10	17	311

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 5:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/07/2015
Job #: 201541045
Reference: TL15-022
Sample #: 32

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90356	367831	<1	6.28	7	290	<2	2	1.42	<4	6	28	5	1.67	0.63	11	1.50	497	6	54	378	96	0.04	<5	<5	<10	93	1945	<2	44	<10	5	30
90357D	367831	<1	7.40	8	334	<2	5	1.67	<4	6	23	4	1.79	0.62	13	1.66	557	5	40	425	8	0.05	<5	<5	<10	103	2141	4	43	<10	6	34
90358	367832	<1	6.04	6	302	<2	5	1.60	<4	7	27	4	1.81	0.63	12	1.52	578	4	48	401	4	0.05	<5	<5	<10	100	2041	3	44	<10	5	37
90359	367833	<1	5.47	7	278	<2	4	1.73	<4	6	29	4	1.81	0.43	13	1.52	668	6	52	410	10	0.06	5	<5	<10	101	1944	<2	44	<10	5	40
90360	367834	<1	4.99	6	284	<2	4	1.44	<4	6	25	3	1.58	0.53	16	1.18	594	4	41	383	5	0.04	<5	<5	<10	95	2027	7	42	<10	4	39
90361	367835	<1	5.81	11	303	<2	5	2.43	<4	5	38	8	2.02	0.98	18	1.62	1013	9	62	373	5	0.10	<5	<5	<10	127	1907	<2	46	<10	5	23
90362	367836	<1	6.52	7	325	<2	3	1.94	<4	5	44	5	1.94	0.93	24	1.64	848	11	78	404	12	0.05	<5	<5	<10	142	2088	<2	52	<10	5	20
90363	367837	<1	7.23	9	417	<2	5	2.17	<4	5	34	7	1.99	0.84	21	1.57	791	8	64	420	14	0.05	<5	<5	<10	147	2187	7	50	<10	6	43
90364	367838	<1	4.31	10	334	<2	3	1.62	<4	4	63	19	1.69	0.81	5	0.88	429	11	92	321	15	0.05	<5	<5	<10	129	1384	2	44	<10	6	30
90365	367839	<1	7.45	25	501	<2	4	2.11	<4	6	20	12	2.02	0.73	15	1.26	612	3	34	583	28	0.22	<5	<5	<10	182	2493	7	48	10	7	44
90366	367840	<1	6.82	6	502	<2	4	4.21	4	17	6	74	3.88	0.71	3	1.54	957	2	9	586	4	0.02	<5	<5	<10	475	2910	<2	136	10	21	50
90367	367841	<1	7.16	16	512	<2	5	2.12	<4	5	19	7	1.83	0.79	14	1.21	675	3	33	569	8	0.19	<5	<5	<10	172	2469	2	47	<10	6	34
90368D	367841	<1	6.46	23	526	<2	6	2.20	<4	7	18	7	1.94	1.07	13	1.15	711	3	32	591	11	0.22	<5	<5	<10	178	2551	<2	48	<10	6	37
90369	367842	<1	6.57	20	567	<2	5	2.39	<4	6	33	9	2.03	0.90	14	1.25	764	6	58	607	12	0.14	<5	<5	<10	198	2641	<2	57	11	5	49
90370	367843	<1	6.15	27	502	<2	5	1.91	<4	7	31	12	2.12	0.84	15	1.13	653	6	57	570	15	0.24	<5	<5	<10	183	2515	<2	54	<10	5	46

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541046
Reference: TL15-023
Sample #: 31

Acc #	Client ID	Au g/t (ppm)
90371	367844	0.050
90372	367845	0.031
90373	367846	0.025
90374	367847	0.042
90375	367848	0.012
90376	367849	0.015
90377	367850	0.242
90378	367851	0.070
90379	367852	0.033
90380	367853	0.008
90381	367853 Dup	<0.005
90382	367854	0.011
90383	367855	0.033
90384	367856	0.009
90385	367857	0.015
90386	367858	0.007
90387	367859	0.018
90388	367860	<0.005
90389	367861	0.054
90390	367862	0.021
90391	367863	0.052
90392	367863 Dup	0.055
90393	367864	0.033
90394	367865	0.010
90395	367866	0.010

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

AL905-0735-04/08/2015 3:27 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541046
Reference: TL15-023
Sample #: 31

Acc #	Client ID	Au g/t (ppm)
90396	367867	0.018
90397	367868	0.008
90398	367869	<0.005
90399	367870	1.395
90400	367871	<0.005
90401	367872	0.188
90402	367873	0.011
90403	367873 Dup	0.007
90404	367874	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541046
Reference: TL15-023
Sample #: 31

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.652	1.575	0.088
AR02	1.859	1.575	0.088
AR02	1.539	1.575	0.088
AR02	1.508	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541046
Reference: TL15-023
Sample #: 31

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90371	367844	<1	>10.00	17	501	<2	2	2.44	<4	6	31	18	1.33	2.31	31	1.04	652	9	50	399	22	0.17	5	<5	28	155	1672	<2	41	<10	5	42
90372	367845	<1	8.34	19	562	<2	3	2.13	<4	8	22	19	1.72	0.10	17	1.01	515	<1	58	502	23	0.11	<5	<5	31	155	1989	<2	50	10	6	58
90373	367846	<1	6.81	12	495	<2	9	1.75	<4	7	43	22	1.69	<0.01	12	0.88	464	4	112	454	17	0.09	<5	<5	33	132	1798	<2	60	<10	6	51
90374	367847	<1	6.17	19	407	<2	4	1.69	<4	7	25	13	1.66	<0.01	13	0.84	498	<1	58	447	11	0.13	<5	<5	30	132	1874	<2	48	<10	6	36
90375	367848	<1	6.43	8	413	<2	4	1.82	<4	6	16	10	1.53	<0.01	12	0.86	533	<1	52	418	8	0.06	<5	<5	31	133	1773	<2	43	<10	5	29
90376	367849	<1	6.72	17	411	<2	8	1.98	<4	6	12	9	1.63	<0.01	13	0.97	560	<1	45	415	11	0.14	<5	<5	31	135	1805	<2	42	<10	5	30
90377	367850	<1	5.71	59	322	<2	4	1.18	7	15	20	2700	5.24	<0.01	25	0.89	1099	8	24	739	88	1.85	<5	<5	<10	191	1106	<2	63	12	9	607
90378	367851	<1	5.86	15	312	<2	4	1.62	<4	5	20	59	1.50	<0.01	10	0.89	520	<1	58	387	47	0.17	<5	<5	<10	126	1668	4	43	<10	5	159
90379	367852	<1	6.28	19	329	<2	<1	1.80	<4	6	4	14	1.50	<0.01	10	1.01	649	<1	28	380	16	0.27	<5	<5	<10	135	1663	<2	35	<10	5	47
90380	367853	<1	6.51	8	335	<2	<1	2.34	<4	6	16	10	1.56	0.09	11	1.22	778	<1	48	399	15	0.10	<5	<5	<10	148	1757	2	42	<10	6	46
90381D	367853	<1	5.25	10	336	<2	3	2.27	<4	6	31	10	1.63	0.02	10	1.10	786	1	75	389	14	0.09	<5	<5	<10	142	1763	<2	49	<10	5	47
90382	367854	<1	7.07	6	380	<2	13	1.59	<4	7	32	19	1.64	0.17	12	1.02	582	<1	74	433	27	0.13	<5	<5	<10	122	1893	<2	53	<10	6	36
90383	367855	<1	6.04	14	320	<2	2	1.99	<4	6	34	18	1.79	0.48	12	1.22	774	3	82	401	194	0.13	<5	<5	<10	131	1747	<2	53	12	6	104
90384	367856	<1	6.48	13	333	<2	5	1.92	<4	7	31	32	1.63	<0.01	12	1.12	448	<1	81	413	23	0.09	<5	<5	<10	158	1799	<2	52	<10	6	28
90385	367857	<1	5.84	8	339	<2	4	1.74	<4	6	24	57	1.62	0.59	11	1.05	433	<1	56	391	23	0.10	<5	<5	<10	149	1803	<2	46	<10	5	24
90386	367858	<1	6.94	6	347	<2	5	1.48	<4	5	29	9	1.54	0.12	14	1.29	535	<1	68	406	13	0.05	<5	<5	<10	122	1870	2	50	<10	6	37
90387	367859	<1	6.34	13	271	<2	<1	1.40	<4	5	24	11	1.52	0.26	12	1.41	586	<1	60	395	20	0.12	<5	<5	<10	106	1681	<2	45	<10	6	58
90388	367860	<1	6.59	5	550	<2	2	4.38	4	18	<1	78	4.05	<0.01	1	1.46	925	<1	9	641	7	0.02	<5	<5	<10	511	2768	5	146	<10	21	55
90389	367861	<1	7.35	12	259	2	2	2.22	<4	9	24	8	1.54	0.63	15	1.88	934	<1	63	424	32	0.11	<5	<5	<10	129	1652	4	47	<10	6	63
90390	367862	<1	6.73	5	222	2	2	1.91	<4	8	22	9	1.78	0.29	12	2.07	1014	<1	64	379	24	0.07	5	<5	<10	119	1595	<2	44	<10	6	74

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:34 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541046
Reference: TL15-023
Sample #: 31

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90391	367863	<1	6.57	4	224	2	9	1.17	<4	6	11	7	1.72	0.13	13	2.00	845	<1	39	398	23	0.07	<5	<5	<10	91	1663	5	38	<10	6	78
90392D	367863	<1	6.74	8	233	2	1	1.20	<4	6	13	7	1.76	0.20	14	2.03	862	<1	41	405	26	0.08	<5	<5	<10	93	1692	<2	39	<10	6	80
90393	367864	<1	5.81	11	253	<2	2	0.99	<4	5	23	8	1.48	<0.01	8	1.43	637	<1	65	371	22	0.15	<5	<5	<10	84	1479	4	45	<10	5	68
90394	367865	<1	6.13	7	246	<2	4	1.36	<4	5	20	6	1.69	0.03	10	1.68	764	<1	58	380	21	0.06	5	<5	<10	92	1628	<2	44	<10	5	47
90395	367866	<1	6.01	8	255	2	4	1.36	<4	6	27	6	1.71	<0.01	10	1.63	746	<1	69	377	18	0.06	<5	<5	<10	91	1636	<2	47	13	5	45
90396	367867	<1	5.84	7	265	<2	8	0.76	<4	6	12	6	1.54	<0.01	10	1.57	565	<1	41	374	17	0.09	<5	<5	<10	78	1627	3	39	<10	5	35
90397	367868	<1	5.36	12	262	<2	<1	0.92	<4	5	15	8	1.46	0.19	9	1.36	536	<1	49	387	9	0.08	<5	<5	<10	82	1628	<2	41	<10	5	29
90398	367869	<1	5.63	9	240	<2	10	1.34	<4	5	10	3	1.50	<0.01	10	1.54	606	<1	38	372	9	0.09	<5	<5	<10	89	1626	<2	38	<10	5	25
90399	367870	<1	3.93	22	493	<2	<1	2.09	<4	14	36	219	3.65	0.03	6	1.07	647	1	40	561	2	0.06	7	5	<10	264	2478	<2	101	<10	14	55
90400	367871	<1	5.62	11	276	<2	3	1.59	<4	4	20	6	1.43	0.42	9	1.22	761	<1	54	386	8	0.10	<5	<5	<10	84	1650	<2	44	<10	5	21
90401	367872	<1	5.24	22	274	<2	<1	0.97	<4	4	22	15	1.13	0.06	8	0.77	472	<1	58	345	4	0.21	<5	<5	<10	66	1482	<2	42	<10	5	12
90402	367873	<1	6.34	15	223	2	<1	2.04	<4	6	16	16	1.81	<0.01	13	1.36	956	<1	48	404	10	0.22	<5	<5	<10	83	1778	3	45	<10	6	29
90403D	367873	<1	5.84	14	225	2	3	1.96	<4	6	24	16	1.86	<0.01	12	0.97	983	<1	60	354	10	0.21	<5	<5	<10	81	1828	<2	50	<10	4	30
90404	367874	<1	6.29	17	235	2	7	1.52	<4	12	69	9	1.76	<0.01	13	1.20	912	<1	62	406	9	0.19	<5	<5	<10	79	2281	<2	67	10	8	25

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:34 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541253
Reference: 15-066
Sample #: 20

Acc #	Client ID	Au g/t (ppm)
104222	368828	0.242
104223	368829	0.195
104224	368830	1.422
104225	368831	0.070
104226	368832	0.096
104227	368833	0.007
104228	368834	<0.005
104229	368835	<0.005
104230	368836	<0.005
104231	368837	0.007
104232	368837 Dup	0.005
104233	368838	<0.005
104234	368839	<0.005
104235	368840	<0.005
104236	368841	<0.005
104237	368842	0.010
104238	368843	0.005
104239	368844	0.012
104240	368845	<0.005
104241	368846	<0.005
104242	368847	<0.005
104243	368847 Dup	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jason Moore, VP Operations, Assayer

Certified By:
Jason Moore, VP Operations, Assayer

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 20, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541253
Reference: 15-066
Sample #: 20

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.608	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:



Jason Moore, VP Operations, Assayer

Certified By:



Jason Moore, VP Operations, Assayer

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541253
Reference: 15-066
Sample #: 20

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104222	368828	<1	4.86	6	281	2	18	1.93	<4	5	4	7	1.67	0.46	16	1.22	636	<1	5	340	1	0.10	6	11	<10	98	1962	<2	30	10	5	41
104223	368829	<1	5.30	12	233	2	9	1.62	<4	5	<1	5	1.42	0.40	14	1.20	670	<1	5	361	<1	0.15	<5	15	<10	87	1762	<2	27	<10	6	29
104224	368830	<1	4.02	17	463	<2	27	2.09	<4	15	35	205	3.84	0.42	11	1.18	707	10	38	587	<1	0.09	7	11	10	277	2793	<2	104	20	15	57
104225	368831	52	5.18	35	216	2	20	1.33	<4	5	4	14	1.62	0.29	15	0.98	806	<1	6	388	72	0.41	<5	19	<10	89	1728	<2	28	<10	6	135
104226	368832	<1	5.05	16	294	<2	13	1.88	<4	6	<1	7	1.56	0.39	15	1.15	930	<1	4	378	16	0.16	<5	15	<10	102	1814	<2	29	12	5	44
104227	368833	<1	4.54	7	185	<2	12	1.78	<4	6	<1	4	1.54	0.28	16	1.16	880	<1	5	366	<1	0.09	<5	<5	<10	93	1794	<2	27	<10	5	24
104228	368834	<1	5.43	11	193	<2	18	1.63	<4	6	6	5	1.63	0.15	18	1.26	826	<1	6	390	<1	0.13	<5	12	11	95	1818	<2	31	<10	6	26
104229	368835	<1	4.05	8	181	<2	3	2.00	<4	5	3	3	1.50	<0.01	13	1.29	1026	<1	5	340	<1	0.22	<5	11	<10	100	1600	<2	27	<10	5	19
104230	368836	<1	4.05	4	191	<2	15	2.53	<4	6	3	5	1.65	0.19	13	1.42	1174	<1	6	370	<1	0.10	<5	19	12	111	1758	<2	28	13	5	23
104231	368837	<1	2.96	16	191	2	16	3.16	<4	5	3	4	1.83	<0.01	9	1.46	1460	<1	4	333	<1	0.20	7	13	<10	114	1560	<2	25	<10	5	19
104232D	368837	<1	4.42	13	192	<2	13	3.21	<4	5	2	4	1.85	0.02	10	1.66	1455	<1	5	346	1	0.23	6	9	<10	117	1537	<2	25	11	6	22
104233	368838	<1	4.83	5	449	2	22	2.50	<4	8	4	<1	1.77	0.33	18	0.95	301	<1	9	496	<1	0.08	8	13	<10	178	1979	<2	39	<10	6	45
104234	368839	<1	4.65	<2	528	<2	18	2.68	<4	9	2	<1	1.84	0.23	18	0.94	300	<1	8	490	<1	0.05	<5	18	<10	182	1918	<2	38	<10	6	48
104235	368840	<1	5.04	2	428	<2	29	3.59	<4	16	<1	62	3.60	0.27	2	1.34	854	<1	10	580	<1	0.06	6	<5	11	447	2591	<2	127	10	20	51
104236	368841	<1	5.93	2	496	<2	14	2.71	<4	10	9	4	1.93	0.19	17	0.92	301	<1	9	522	<1	0.08	<5	22	<10	178	2006	<2	40	16	7	48
104237	368842	<1	5.94	<2	421	<2	20	2.77	<4	9	4	3	1.92	0.26	19	1.08	354	<1	10	515	<1	0.12	<5	12	<10	163	1990	<2	38	10	7	40
104238	368843	<1	4.92	<2	477	<2	13	2.62	<4	8	1	2	1.73	0.41	19	1.06	371	<1	9	486	<1	0.07	<5	17	10	159	1992	<2	37	<10	6	37
104239	368844	<1	5.77	3	411	<2	7	2.71	<4	10	1	2	1.97	0.31	21	1.11	364	<1	9	524	<1	0.08	<5	15	<10	143	2073	<2	39	12	7	49
104240	368845	<1	6.01	3	460	2	26	2.58	<4	8	2	2	1.78	0.15	20	1.08	348	<1	10	534	<1	0.07	6	6	11	141	2108	<2	39	<10	7	59
104241	368846	<1	5.93	4	450	<2	6	2.55	<4	9	2	3	1.90	0.24	20	1.07	348	<1	10	518	<1	0.09	<5	15	<10	139	2092	<2	38	<10	7	57

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/23/2015 11:27 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 23, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/09/2015
Date Completed: 04/20/2015
Job #: 201541253
Reference: 15-066
Sample #: 20

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104242	368847	<1	5.68	6	435	<2	18	2.57	<4	8	1	1	1.77	0.18	19	1.10	338	<1	9	524	<1	0.07	5	11	<10	133	2067	<2	38	<10	7	48
104243D	368847	<1	6.04	<2	442	<2	28	2.64	<4	8	2	1	1.79	0.27	20	1.13	345	<1	8	522	<1	0.07	<5	20	<10	134	2140	<2	38	<10	7	45

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/28/2015
Job #: 201541313
Reference: 15-095
Sample #: 29

Acc #	Client ID	Au g/t (ppm)
106407	303400	<0.005
106408	303401	<0.005
106409	303402	0.010
106410	303403	0.025
106411	303404	0.065
106412	303405	0.025
106413	303406	0.044
106414	303407	0.065
106415	303408	0.071
106416	303409	0.065
106417	303409 Dup	0.070
106418	303410	0.288
106419	303411	0.066
106420	303412	0.110
106421	303413	0.007
106422	303414	0.021
106423	303415	0.011
106424	303416	0.014
106425	303417	<0.005
106426	303418	0.034
106427	303419	0.121
106428	303419 Dup	0.116
106429	303420	0.005
106430	303421	0.036
106431	303422	0.020

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/28/2015
Job #: 201541313
Reference: 15-095
Sample #: 29

Acc #	Client ID	Au g/t (ppm)
106432	303423	0.027
106433	303424	0.081
106434	303425	0.055
106435	303426	0.052
106436	303427	0.033
106437	303428	0.016

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/28/2015
Job #: 201541313
Reference: 15-095
Sample #: 29

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.476	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/28/2015
Job #: 201541313
Reference: 15-095
Sample #: 29

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106407	303400	<1	4.39	<2	451	<2	16	3.67	<4	17	<1	61	3.61	0.17	2	1.37	857	<1	8	574	11	0.06	6	<5	<10	459	2632	<2	131	<10	20	53
106408	303401	<1	4.62	9	498	2	2	2.54	<4	9	3	8	2.01	0.10	17	1.07	540	<1	7	563	24	0.27	6	20	10	187	1767	<2	37	<10	7	56
106409	303402	<1	5.01	26	561	<2	31	1.97	<4	10	8	10	1.94	0.11	20	1.07	642	<1	8	576	45	0.47	5	16	11	177	1929	<2	37	<10	7	94
106410	303403	<1	4.66	30	560	<2	14	1.63	<4	16	62	21	2.58	0.03	23	1.07	625	<1	29	545	28	0.61	<5	20	12	176	2213	<2	67	<10	8	93
106411	303404	<1	5.54	18	489	2	27	0.76	<4	27	142	46	4.59	<0.01	24	1.39	621	<1	75	520	34	1.12	5	16	<10	159	2464	<2	117	<10	11	103
106412	303405	<1	4.85	14	451	2	22	1.78	<4	21	130	35	3.77	<0.01	18	1.24	770	<1	63	551	35	0.87	5	11	12	223	1845	<2	101	<10	11	85
106413	303406	<1	5.52	10	469	2	25	1.94	<4	23	130	36	3.85	0.02	21	1.42	880	<1	64	575	37	0.79	<5	14	<10	233	2027	<2	103	<10	12	100
106414	303407	<1	4.65	3	527	2	9	1.28	<4	24	133	47	4.03	0.45	23	1.41	988	<1	63	517	27	0.42	<5	<5	11	176	2162	<2	102	<10	11	98
106415	303408	<1	4.71	9	510	2	21	1.44	<4	22	123	41	3.42	0.39	22	1.29	848	<1	52	508	37	0.51	<5	7	10	186	2372	<2	89	<10	10	77
106416	303409	1	4.32	14	587	2	15	1.51	<4	14	69	26	2.26	0.63	18	1.13	894	<1	34	390	91	0.29	5	11	11	175	1882	<2	53	<10	12	178
106417D	303409	<1	4.38	10	587	3	20	1.52	<4	13	68	26	2.26	0.50	18	1.12	873	<1	33	384	90	0.34	6	5	14	177	1869	<2	52	<10	12	184
106418	303410	<1	4.22	45	258	2	20	1.01	5	15	17	2191	4.70	0.37	24	0.85	1038	9	19	669	80	1.43	<5	<5	10	176	1144	<2	58	11	10	561
106419	303411	<1	4.58	17	510	2	26	1.86	<4	22	108	66	3.19	0.25	16	1.25	910	<1	48	448	66	0.70	5	6	11	183	2533	<2	79	<10	13	101
106420	303412	<1	4.91	40	560	2	28	1.23	<4	21	108	52	3.23	0.23	19	1.06	597	<1	53	498	91	0.99	7	15	12	142	2541	<2	80	10	14	177
106421	303413	<1	3.63	17	529	<2	6	1.68	<4	9	3	10	1.64	0.14	13	0.83	259	<1	7	524	7	0.38	<5	12	<10	173	1740	<2	34	<10	6	43
106422	303414	<1	3.35	19	496	<2	15	1.71	<4	8	2	5	1.71	0.20	14	0.68	265	<1	7	528	11	0.31	<5	16	<10	165	1675	<2	35	<10	5	43
106423	303415	<1	4.08	23	558	<2	16	1.95	<4	9	<1	3	1.95	0.03	16	0.85	325	<1	8	542	14	0.42	<5	13	10	164	1780	<2	35	<10	6	51
106424	303416	<1	3.89	38	471	<2	21	1.81	<4	9	14	4	1.77	<0.01	11	0.95	363	<1	9	525	17	0.49	<5	16	<10	146	1581	<2	34	<10	6	72
106425	303417	<1	4.79	31	558	<2	21	1.93	<4	8	1	4	1.78	0.07	15	1.04	404	<1	8	564	16	0.48	<5	13	13	163	1894	<2	36	<10	7	40
106426	303418	<1	4.18	43	765	2	16	1.94	<4	11	17	13	2.21	0.46	16	1.07	604	<1	13	543	38	0.80	<5	13	<10	163	2061	<2	42	<10	7	207

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 3:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/14/2015
Date Completed: 04/28/2015
Job #: 201541313
Reference: 15-095
Sample #: 29

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106427	303419	<1	4.67	86	662	2	19	1.62	<4	20	91	48	3.01	0.55	13	0.90	524	<1	42	507	36	1.06	5	18	<10	143	2460	2	77	<10	11	124
106428D	303419	<1	4.56	90	658	2	3	1.64	<4	20	95	48	3.03	0.56	13	0.90	528	<1	44	509	35	1.11	6	7	<10	143	2464	<2	78	<10	11	125
106429	303420	<1	4.61	7	461	<2	19	3.69	<4	16	<1	61	3.61	0.47	2	1.39	856	<1	9	574	10	0.08	6	13	<10	458	2630	<2	130	12	21	54
106430	303421	<1	4.12	43	483	2	14	2.49	<4	13	34	17	2.37	0.52	14	1.27	581	<1	24	508	26	0.65	5	<5	<10	153	2096	<2	50	<10	9	40
106431	303422	<1	4.25	21	584	2	27	2.76	<4	9	5	2	1.90	0.43	16	1.36	567	<1	8	526	18	0.48	<5	25	<10	156	1994	<2	36	<10	6	52
106432	303423	<1	3.98	29	495	2	28	2.03	<4	9	4	3	1.78	0.39	16	1.16	481	<1	7	508	28	0.51	6	10	<10	129	1917	<2	34	<10	6	56
106433	303424	<1	4.10	34	528	2	16	2.02	<4	16	50	31	2.19	0.29	17	1.07	520	<1	31	524	18	0.63	<5	9	<10	146	2360	<2	61	<10	8	71
106434	303425	<1	3.84	41	387	2	17	1.68	<4	10	5	13	1.69	0.16	14	0.88	373	<1	8	503	11	0.44	<5	13	<10	134	2027	<2	36	<10	6	52
106435	303426	<1	4.36	41	391	2	15	1.73	<4	9	4	11	1.69	<0.01	15	0.92	378	<1	8	525	5	0.44	<5	26	<10	137	2029	<2	35	<10	6	52
106436	303427	<1	4.22	49	407	2	23	1.58	<4	9	16	9	1.52	0.14	14	0.95	404	<1	7	509	10	0.37	<5	20	<10	112	1974	<2	33	<10	6	52
106437	303428	<1	4.61	38	368	2	14	2.16	<4	10	4	6	1.86	0.06	16	1.24	472	<1	8	536	9	0.45	6	20	10	110	1988	<2	35	<10	6	37

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 3:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 05/01/2015
Job #: 201541429
Reference: 15-114
Sample #: 21

Acc #	Client ID	Au g/t (ppm)
117169	303759	0.021
117170	303760	0.009
117171	303761	0.033
117172	303762	0.013
117173	303763	0.024
117174	303764	0.016
117175	303765	0.020
117176	303766	0.020
117177	303767	0.013
117178	303768	0.023
117179	303768 Dup	0.015
117180	303769	0.045
117181	303770	1.589
117182	303771	0.030
117183	303772	0.114
117184	303773	0.151
117185	303774	0.037
117186	303775	0.088
117187	303776	0.051
117188	303777	0.019
117189	303778	0.017
117190	303778 Dup	0.017
117191	303779	0.037

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 05/01/2015
Job #: 201541429
Reference: 15-114
Sample #: 21

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.543	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 05/01/2015
Job #: 201541429
Reference: 15-114
Sample #: 21

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117169	303759	<1	6.14	44	635	<2	<1	2.16	<4	21	138	24	3.64	0.20	22	1.09	568	<1	54	558	<1	0.80	<5	8	<10	231	2892	<2	101	<10	15	47
117170	303760	<1	5.21	24	533	<2	<1	4.20	<4	18	2	75	4.15	<0.01	3	1.47	982	<1	8	633	<1	0.06	<5	14	11	512	2968	<2	147	<10	22	61
117171	303761	<1	5.13	42	662	<2	<1	2.23	<4	23	148	23	3.79	0.43	23	1.03	591	<1	57	531	3	0.86	<5	9	12	235	2979	<2	106	<10	13	53
117172	303762	1	5.60	<2	754	2	<1	1.91	<4	17	93	20	3.37	0.35	25	1.00	595	<1	42	578	<1	0.52	<5	6	10	218	2894	<2	89	<10	10	85
117173	303763	<1	4.54	26	660	<2	<1	2.13	<4	10	11	4	2.23	0.52	20	1.01	578	<1	8	555	10	0.70	8	5	<10	188	2168	<2	41	<10	6	75
117174	303764	<1	4.56	27	694	<2	<1	2.52	<4	9	10	5	2.14	0.42	21	1.08	622	<1	8	542	6	0.63	<5	14	<10	189	1899	<2	39	<10	6	48
117175	303765	<1	3.79	14	713	<2	<1	2.47	<4	9	13	5	2.11	0.58	21	1.13	756	<1	7	523	<1	0.58	<5	16	13	186	1890	<2	39	<10	5	45
117176	303766	<1	3.40	31	602	<2	<1	2.20	<4	7	28	11	2.11	0.31	16	1.01	727	1	8	496	<1	0.49	<5	8	10	196	1747	<2	35	<10	6	34
117177	303767	<1	3.70	15	599	<2	<1	1.83	<4	9	6	7	1.76	0.48	17	0.87	521	<1	8	542	<1	0.43	<5	15	<10	198	2038	<2	38	<10	5	59
117178	303768	<1	3.44	14	613	<2	<1	1.88	<4	11	18	7	2.16	0.36	19	0.90	591	<1	13	556	2	0.47	<5	13	13	205	2234	<2	46	<10	5	45
117179D	303768	<1	3.37	31	595	<2	<1	1.81	<4	11	20	7	2.11	0.24	18	0.89	578	<1	12	572	<1	0.46	<5	<5	11	199	2196	<2	45	<10	5	49
117180	303769	1	2.98	13	411	<2	<1	1.89	<4	20	143	61	3.46	<0.01	20	1.15	795	<1	59	526	16	0.55	<5	6	11	204	2701	<2	97	<10	9	85
117181	303770	<1	3.78	24	499	<2	<1	2.19	<4	16	44	207	3.95	0.26	9	1.23	725	7	39	600	<1	0.11	<5	7	12	281	2760	<2	108	11	15	63
117182	303771	<1	4.24	5	509	<2	<1	1.22	<4	26	161	57	4.54	0.48	27	1.47	1074	<1	71	517	19	0.35	<5	9	12	170	3525	<2	123	<10	9	108
117183	303772	<1	4.09	8	632	<2	<1	1.27	<4	24	149	67	3.94	0.37	24	1.21	970	<1	62	517	51	0.57	<5	18	13	182	2663	<2	108	<10	8	140
117184	303773	<1	3.96	32	680	2	<1	1.83	<4	24	155	60	3.97	0.46	23	1.20	1131	<1	63	496	36	0.70	5	6	<10	208	2966	<2	102	<10	11	106
117185	303774	<1	3.87	3	556	2	<1	1.84	<4	13	78	18	2.33	0.73	18	1.09	807	1	33	390	15	0.24	<5	7	<10	152	1986	<2	52	<10	10	60
117186	303775	<1	4.28	38	598	2	<1	1.74	<4	23	139	42	3.55	0.62	19	1.09	739	<1	59	479	8	0.74	<5	13	13	142	2976	<2	92	<10	12	60
117187	303776	<1	4.03	33	779	<2	<1	1.88	<4	28	97	53	3.53	0.50	18	0.95	543	<1	48	392	6	1.06	<5	<5	14	165	2499	<2	84	<10	9	53
117188	303777	<1	3.97	31	547	<2	<1	1.82	<4	11	6	11	2.06	0.36	14	0.81	312	<1	8	549	<1	0.60	<5	14	12	181	1762	<2	40	<10	6	50

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/01/2015 8:53 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, May 1, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 05/01/2015
Job #: 201541429
Reference: 15-114
Sample #: 21

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117189	303778	<1	3.75	34	528	<2	<1	2.31	<4	10	22	15	2.32	0.42	15	1.04	499	<1	14	572	<1	0.70	<5	12	12	184	1854	<2	46	<10	7	70
117190D	303778	<1	4.31	39	524	<2	<1	2.32	<4	10	24	14	2.32	0.18	15	1.08	498	<1	13	583	<1	0.67	<5	11	10	185	1838	<2	46	<10	7	69
117191	303779	<1	5.44	67	780	<2	<1	1.78	<4	12	27	13	2.20	0.06	18	1.07	511	<1	17	589	16	0.86	<5	14	13	170	2236	<2	48	<10	8	91

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541047
Reference: TL15-024
Sample #: 16

Acc #	Client ID	Au g/t (ppm)
90405	367875	0.015
90406	367876	0.014
90407	367877	0.030
90408	367878	0.054
90409	367879	0.116
90410	367880	<0.005
90411	367881	0.266
90412	367882	0.507
90413	367883	0.534
90414	367884	0.609
90415	367884 Dup	0.644
90416	367885	0.088
90417	367886	0.126
90418	367887	0.738
90419	367888	0.028
90420	367889	0.056
90421	367890	4.933

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541047
Reference: TL15-024
Sample #: 16

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.657	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541047
Reference: TL15-024
Sample #: 16

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90405	367875	<1	6.97	12	673	2	3	2.67	<4	7	31	16	1.87	0.34	16	1.47	725	<1	9	450	28	0.16	<5	<5	<10	158	1807	3	35	12	7	66
90406	367876	<1	4.12	9	362	<2	5	2.91	<4	4	14	19	1.60	0.21	8	1.61	945	<1	6	726	16	0.12	<5	<5	<10	116	1226	<2	26	<10	9	68
90407	367877	<1	5.70	23	544	<2	5	3.38	<4	10	154	46	2.93	0.40	13	1.54	944	<1	31	417	31	0.40	<5	<5	<10	138	2264	5	67	10	10	98
90408	367878	<1	6.27	21	541	2	3	2.52	<4	9	38	12	2.40	0.25	12	1.22	702	<1	17	603	14	0.33	<5	<5	<10	158	2171	<2	49	<10	8	36
90409	367879	<1	7.05	23	529	<2	4	2.38	<4	7	9	16	2.00	0.26	13	1.12	712	<1	8	615	28	0.35	5	<5	<10	155	2045	<2	42	11	6	75
90410	367880	<1	6.49	9	550	<2	8	4.34	4	17	<1	73	4.00	0.39	2	1.40	913	<1	9	648	215	0.02	<5	<5	<10	506	2736	6	145	10	21	56
90411	367881	<1	4.30	37	356	<2	6	1.87	<4	9	27	50	2.10	0.14	11	1.17	806	<1	17	656	35	0.70	<5	<5	<10	131	1908	<2	46	<10	6	50
90412	367882	<1	0.38	6	14	<2	<1	<0.01	<4	<1	<1	2	0.05	0.09	<1	0.21	<100	<1	2	<100	<1	<0.01	<5	<5	<10	32	207	<2	2	<10	4	<1
90413	367883	<1	>10.00	29	734	3	9	2.66	7	45	316	148	8.08	0.70	48	3.04	2452	4	123	1145	80	0.60	6	<5	<10	196	4640	2	179	<10	19	135
90414	367884	<1	6.57	29	488	<2	2	1.42	<4	16	108	105	3.11	0.41	21	1.54	1177	<1	39	457	152	0.54	<5	<5	<10	107	1883	3	61	<10	9	253
90415D	367884	<1	5.91	26	478	2	7	1.35	<4	17	105	99	2.96	0.49	18	1.51	1162	<1	40	442	145	0.50	<5	<5	<10	102	1842	<2	60	<10	9	250
90416	367885	<1	5.78	25	582	2	3	1.97	<4	6	22	92	1.49	0.32	15	1.37	978	<1	11	347	49	0.34	<5	5	<10	125	1581	<2	30	<10	6	96
90417	367886	<1	6.88	25	638	<2	3	2.26	<4	7	24	106	1.59	0.42	18	1.45	1041	<1	12	361	52	0.33	<5	<5	<10	138	1736	<2	33	<10	6	96
90418	367887	<1	5.95	28	629	<2	1	1.70	<4	7	19	28	1.41	0.46	13	1.08	652	<1	9	326	46	0.35	<5	<5	<10	115	1619	2	27	<10	5	58
90419	367888	<1	6.34	16	595	<2	6	1.79	<4	6	21	13	1.47	0.19	9	0.94	464	<1	53	357	8	0.14	<5	<5	<10	126	1639	<2	41	<10	5	30
90420	367889	<1	6.38	24	666	<2	3	1.84	<4	6	28	20	1.51	0.18	14	1.06	617	<1	65	353	21	0.29	5	<5	<10	136	1662	<2	43	<10	5	29
90421	367890	150	0.13	11	192	<2	<1	1.44	5	8	6	56	2.68	<0.01	<1	0.70	486	<1	15	314	18011	0.05	56	<5	<10	158	1493	<2	77	<10	10	182

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/10/2015 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/07/2015
Job #: 201541048
Reference: TL15-025
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
90422	367891	0.069
90423	367892	0.019
90424	367893	0.164
90425	367894	0.213
90426	367895	0.047
90427	367896	0.016
90428	367897	0.023
90429	367898	0.046
90430	367899	0.007
90431	367900	<0.005
90432	367900	Insufficient Sample

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/07/2015
Job #: 201541048
Reference: TL15-025
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/07/2015
Job #: 201541048
Reference: TL15-025
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90422	367891	<1	5.18	19	690	<2	3	1.74	<4	6	21	21	1.33	<0.01	14	1.33	957	<1	47	315	333	0.22	<5	<5	<10	140	1515	<2	36	<10	5	234
90423	367892	<1	6.50	17	720	<2	3	1.58	<4	7	22	26	1.41	<0.01	19	1.19	654	<1	55	365	59	0.19	<5	<5	<10	142	1776	<2	42	10	5	148
90424	367893	<1	6.49	10	739	<2	2	1.60	<4	7	23	21	1.56	<0.01	24	1.31	643	<1	55	384	82	0.19	<5	<5	<10	165	1843	5	43	<10	5	57
90425	367894	<1	5.07	13	661	<2	5	1.57	<4	8	21	36	1.58	<0.01	15	1.36	652	<1	57	390	25	0.15	<5	<5	<10	143	1804	<2	43	10	5	48
90426	367895	<1	6.56	10	758	<2	4	1.67	<4	6	27	20	1.49	<0.01	19	1.32	646	<1	65	349	17	0.13	<5	<5	<10	145	1702	<2	45	<10	5	34
90427	367896	<1	6.64	9	764	<2	3	2.34	<4	7	21	35	1.45	<0.01	16	1.51	1005	<1	48	362	102	0.14	<5	<5	<10	149	1615	2	40	11	6	399
90428	367897	<1	6.34	13	589	<2	3	1.81	<4	6	13	16	1.37	<0.01	19	1.50	787	<1	33	342	17	0.27	<5	5	<10	138	1582	3	34	<10	5	47
90429	367898	<1	6.00	9	645	<2	2	2.22	<4	7	12	53	1.39	<0.01	13	1.53	876	<1	36	330	144	0.18	<5	<5	<10	149	1476	<2	33	<10	5	78
90430	367899	<1	4.26	7	647	<2	3	1.88	<4	6	36	16	1.39	0.14	13	1.18	832	1	79	279	27	0.14	<5	<5	<10	158	1398	<2	45	<10	4	48
90431	367900	<1	6.80	9	541	<2	5	4.27	4	16	<1	75	3.94	<0.01	2	1.46	896	<1	10	639	9	0.02	<5	<5	<10	502	2688	<2	141	<10	22	62
90432D	367900																IS															

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:26 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541049
Reference: TL15-026
Sample #: 20

Acc #	Client ID	Au g/t (ppm)
90433	367901	0.035
90434	367902	0.028
90435	367903	0.048
90436	367904	0.053
90437	367905	0.081
90438	367906	0.071
90439	367907	0.019
90440	367908	<0.005
90441	367909	0.020
90442	367910	0.370
90443	367910	Insufficient Sample
90444	367911	0.115
90445	367912	0.009
90446	367913	<0.005
90447	367914	0.026
90448	367915	0.042
90449	367916	0.029
90450	367917	0.059
90451	367918	0.053
90452	367919	0.019
90453	367920	0.008
90454	367920	Insufficient Sample

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541049
Reference: TL15-026
Sample #: 20

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541049
Reference: TL15-026
Sample #: 20

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90433	367901	<1	7.66	6	548	<2	4	2.16	<4	8	16	50	1.73	0.16	20	1.57	751	<1	13	374	257	0.23	<5	<5	<10	144	1831	<2	30	10	6	508
90434	367902	<1	7.77	13	560	<2	4	1.97	<4	6	28	68	1.82	0.14	22	1.55	730	<1	9	388	15	0.23	<5	<5	<10	143	1876	<2	30	<10	6	46
90435	367903	<1	6.57	9	536	<2	6	1.65	<4	8	11	38	1.52	<0.01	16	1.34	576	<1	8	349	14	0.21	<5	<5	<10	116	1769	4	28	<10	5	36
90436	367904	<1	7.51	10	698	<2	6	2.35	<4	8	18	68	1.72	0.17	22	1.58	803	<1	8	382	49	0.27	<5	<5	<10	135	1863	<2	30	<10	6	202
90437	367905	<1	7.04	11	719	<2	13	1.94	<4	7	13	40	1.58	0.14	23	1.28	650	<1	7	363	20	0.25	<5	<5	<10	137	1803	<2	29	<10	5	49
90438	367906	<1	6.84	13	720	<2	6	1.83	<4	6	18	39	1.61	<0.01	23	1.24	629	<1	9	369	23	0.25	<5	<5	<10	133	1809	<2	29	<10	5	40
90439	367907	<1	7.21	12	665	<2	5	2.01	<4	7	13	70	1.84	<0.01	22	1.46	734	<1	8	441	43	0.24	7	<5	<10	157	1853	<2	29	<10	5	162
90440	367908	<1	6.82	10	742	<2	<1	2.17	<4	9	80	22	1.89	<0.01	22	1.60	548	<1	34	713	17	0.18	<5	<5	<10	168	1940	<2	38	<10	7	53
90441	367909	<1	7.01	8	712	<2	5	1.34	<4	7	13	11	1.65	<0.01	22	1.28	460	<1	7	366	49	0.18	<5	<5	<10	135	1755	<2	28	<10	6	127
90442	367910	<1	6.11	57	342	<2	5	1.23	7	15	22	2855	5.46	0.19	26	0.91	1146	7	24	779	90	2.43	8	<5	<10	197	1146	<2	66	17	9	607
90443D	367910																IS															
90444	367911	<1	6.46	23	548	<2	<1	1.25	5	8	17	18	2.33	<0.01	23	1.84	836	<1	8	354	722	0.89	<5	<5	<10	108	1582	2	26	20	5	1129
90445	367912	<1	6.76	20	628	<2	4	2.47	<4	6	17	12	1.79	0.46	17	2.13	1068	<1	8	357	211	0.32	<5	<5	<10	152	1633	4	27	11	6	329
90446	367913	<1	7.14	17	664	<2	3	2.28	<4	8	12	13	1.70	0.02	20	1.86	830	<1	8	358	24	0.36	6	<5	<10	166	1762	4	28	<10	6	48
90447	367914	<1	5.87	9	673	<2	2	1.63	<4	7	9	16	1.56	<0.01	23	1.72	657	<1	7	342	18	0.22	<5	<5	<10	159	1649	<2	26	<10	5	73
90448	367915	<1	6.82	13	617	<2	<1	1.50	<4	6	14	6	1.43	<0.01	23	1.61	568	<1	6	367	18	0.23	<5	<5	<10	117	1752	<2	28	<10	5	46
90449	367916	<1	5.82	13	459	<2	3	2.14	5	7	12	31	1.75	<0.01	17	2.05	879	<1	8	351	152	0.33	5	<5	<10	110	1508	4	28	15	6	947
90450	367917	<1	6.36	15	539	<2	3	1.09	<4	6	11	4	1.54	<0.01	19	1.80	618	<1	8	365	10	0.22	<5	<5	<10	99	1742	<2	29	<10	5	36
90451	367918	<1	5.87	13	544	<2	<1	0.81	<4	7	11	4	1.48	<0.01	18	1.81	592	<1	7	342	13	0.24	<5	<5	<10	85	1655	4	26	<10	5	30
90452	367919	<1	4.78	13	382	<2	2	2.66	<4	5	8	29	1.70	<0.01	11	2.33	1132	<1	7	293	132	0.19	<5	<5	<10	127	1252	5	22	12	6	397

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:25 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541049
Reference: TL15-026
Sample #: 20

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90453	367920	<1	6.45	4	517	<2	3	4.05	4	16	<1	70	3.78	0.05	<1	1.38	859	<1	10	615	9	0.02	<5	<5	<10	480	2612	<2	135	<10	21	49
90454D	367920																IS															

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:25 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541050
Reference: TL15-027
Sample #: 52

Acc #	Client ID	Au g/t (ppm)
90455	367921	0.104
90456	367922	0.028
90457	367923	0.023
90458	367924	0.056
90459	367925	0.209
90460	367926	0.142
90461	367927	0.015
90462	367928	0.016
90463	367929	0.013
90464	367930	1.370
90465	367930	Insufficient Sample
90466	367931	0.039
90467	367932	0.015
90468	367933	0.008
90469	367934	<0.005
90470	367935	0.005
90471	367936	0.021
90472	367937	0.013
90473	367938	0.010
90474	367939	0.005
90475	367940	<0.005
90476	367940	Insufficient Sample
90477	367941	0.009
90478	367942	0.030
90479	367943	0.320

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541050
Reference: TL15-027
Sample #: 52

Acc #	Client ID	Au g/t (ppm)
90480	367944	0.042
90481	367945	0.048
90482	367946	0.070
90483	367947	0.041
90484	367948	0.191
90485	367949	0.051
90486	367950	5.038
90487	367950	Insufficient Sample
90488	367951	0.032
90489	367952	0.064
90490	367953	0.043
90491	367954	0.161
90492	367955	0.019
90493	367956	0.056
90494	367957	0.020
90495	367958	0.150
90496	367959	0.050
90497	367960	<0.005
90498	367960	Insufficient Sample
90499	367961	0.036
90500	367962	0.024
90501	367963	0.147
90502	367964	0.042
90503	367965	0.019
90504	367966	0.026

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541050
Reference: TL15-027
Sample #: 52

Acc #	Client ID	Au g/t (ppm)
90505	367967	0.026
90506	367968	0.021
90507	367969	0.014
90508	367970	0.337
90509	367970	Insufficient Sample
90510	367971	0.012
90511	367972	0.013

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541050
Reference: TL15-027
Sample #: 52

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.515	1.575	0.088
AR02	1.486	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541050
Reference: TL15-027
Sample #: 52

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90455	367921	<1	6.46	27	278	<2	2	1.26	<4	8	32	14	2.19	0.24	17	1.58	877	<1	13	482	19	0.34	<5	<5	<10	138	1650	<2	42	<10	6	49
90456	367922	<1	6.90	29	353	2	2	1.26	<4	8	15	8	1.74	<0.01	17	1.17	552	<1	9	493	55	0.82	<5	<5	<10	160	1753	<2	34	<10	6	41
90457	367923	<1	6.52	16	364	<2	2	1.52	<4	6	27	7	1.27	0.12	13	1.13	564	<1	7	425	17	0.32	<5	<5	<10	139	1756	4	31	<10	6	24
90458	367924	<1	6.71	29	371	<2	<1	1.30	<4	8	12	9	1.29	0.13	13	1.05	650	<1	7	398	18	0.59	6	<5	<10	109	1737	<2	30	<10	6	31
90459	367925	3	6.25	32	340	<2	5	1.18	<4	7	27	20	1.36	<0.01	12	1.01	635	<1	8	386	362	0.53	<5	<5	<10	98	1618	<2	29	<10	5	235
90460	367926	<1	6.18	29	374	<2	6	1.14	<4	7	14	18	1.26	0.01	12	1.04	646	<1	7	409	194	0.51	<5	<5	<10	99	1630	<2	29	<10	5	198
90461	367927	<1	4.21	17	229	<2	<1	2.00	<4	6	8	6	1.34	<0.01	6	1.24	846	<1	7	417	16	0.41	<5	<5	<10	134	1529	<2	28	<10	4	32
90462	367928	<1	7.13	20	317	<2	3	1.98	<4	5	18	11	1.49	0.45	13	1.12	660	<1	7	414	16	0.39	<5	<5	<10	149	1721	<2	31	<10	6	29
90463	367929	<1	6.52	24	437	<2	6	2.02	<4	7	12	10	1.34	0.12	11	1.21	782	<1	8	393	14	0.45	5	<5	<10	141	1557	<2	28	<10	6	163
90464	367930	<1	4.29	17	522	<2	5	2.21	4	14	38	231	3.85	0.11	7	1.11	677	3	43	596	9	0.07	6	<5	<10	279	2595	<2	106	<10	14	58
90465D	367930																IS															
90466	367931	<1	6.20	44	566	<2	3	2.75	<4	8	8	9	1.72	<0.01	12	1.65	1349	<1	9	424	28	0.68	<5	<5	<10	132	1644	4	31	<10	6	285
90467	367932	<1	6.49	21	532	<2	2	1.50	<4	6	12	7	1.35	0.04	11	0.91	516	<1	8	423	19	0.51	<5	<5	<10	148	1661	<2	30	<10	5	56
90468	367933	<1	6.63	28	375	<2	8	2.36	<4	7	9	9	1.65	0.06	12	1.20	737	<1	7	415	15	0.46	6	<5	<10	171	1565	<2	31	<10	6	58
90469	367934	<1	4.62	12	373	<2	<1	1.16	<4	6	23	7	1.14	<0.01	7	0.60	302	<1	6	286	9	0.25	<5	<5	<10	115	1199	<2	22	<10	5	26
90470	367935	<1	6.03	7	423	<2	5	1.64	<4	5	7	8	1.38	<0.01	8	0.69	381	<1	6	401	3	0.16	<5	<5	<10	146	1563	<2	30	<10	5	35
90471	367936	<1	6.96	19	464	<2	<1	1.70	<4	6	15	12	1.68	<0.01	10	0.79	403	<1	7	421	8	0.34	5	<5	<10	180	1780	<2	32	<10	6	41
90472	367937	<1	6.91	7	501	<2	6	2.25	<4	6	14	10	1.99	0.16	11	0.97	490	<1	6	420	5	0.15	<5	<5	<10	205	1806	<2	31	<10	6	41
90473	367938	<1	7.15	11	493	<2	3	2.27	<4	5	6	8	1.77	0.34	12	0.98	490	<1	5	423	10	0.13	<5	<5	<10	196	1810	<2	32	<10	6	41
90474	367939	<1	6.94	8	659	<2	4	2.31	<4	6	36	9	1.87	0.22	11	0.92	456	<1	7	462	16	0.12	<5	<5	<10	209	1833	<2	30	<10	6	45

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/10/2015 4:12 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541050
Reference: TL15-027
Sample #: 52

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90475	367940	<1	7.38	7	558	<2	8	4.38	4	16	<1	77	4.04	0.34	2	1.46	905	<1	10	643	9	0.02	<5	8	<10	518	2716	7	143	13	22	49
90476D	367940																IS															
90477	367941	<1	7.14	11	536	<2	1	1.96	<4	6	19	11	1.67	0.50	12	1.01	448	<1	8	408	10	0.14	<5	<5	<10	181	1798	3	32	<10	6	36
90478	367942	<1	4.04	15	482	<2	<1	2.61	<4	5	10	20	1.54	0.07	9	2.19	1201	<1	6	277	385	0.28	<5	<5	<10	155	1322	<2	23	<10	5	325
90479	367943	<1	5.09	24	526	<2	4	1.17	<4	5	17	8	1.43	0.01	15	1.68	655	<1	7	299	173	0.43	<5	<5	<10	112	1469	<2	23	<10	5	144
90480	367944	<1	5.08	18	437	<2	7	2.50	<4	5	8	44	1.58	0.06	11	1.86	990	<1	6	270	134	0.39	<5	<5	<10	130	1377	<2	23	<10	5	242
90481	367945	<1	5.42	20	560	<2	5	1.12	<4	7	18	12	1.35	<0.01	10	1.45	577	<1	52	327	28	0.31	<5	<5	<10	108	1462	5	38	<10	5	87
90482	367946	<1	7.00	17	636	<2	6	1.33	<4	7	17	12	1.44	0.56	15	1.57	618	<1	51	360	34	0.31	<5	<5	<10	125	1615	3	39	<10	5	83
90483	367947	<1	5.73	21	603	<2	3	1.16	<4	6	5	14	1.41	0.45	13	1.60	605	<1	31	348	39	0.35	<5	<5	<10	103	1432	<2	31	<10	5	142
90484	367948	<1	6.44	21	620	<2	4	1.12	<4	6	9	13	1.53	0.21	15	1.77	553	<1	40	353	54	0.34	<5	<5	<10	104	1558	<2	35	<10	5	89
90485	367949	<1	5.79	16	594	<2	4	1.66	<4	5	17	50	1.47	<0.01	14	1.55	613	<1	47	323	110	0.32	<5	<5	<10	121	1454	<2	37	<10	5	189
90486	367950	156	5.23	19	404	<2	4	2.98	9	15	22	111	4.89	0.02	4	1.15	815	<1	23	544	18221	0.08	104	<5	<10	295	2544	<2	130	<10	16	312
90487D	367950																IS															
90488	367951	<1	6.25	12	1067	<2	8	2.28	<4	7	9	9	1.35	0.23	15	1.42	588	<1	36	332	47	0.24	<5	<5	<10	140	1527	<2	34	<10	5	47
90489	367952	<1	5.94	15	1392	<2	4	1.51	<4	6	7	13	1.35	0.29	16	1.38	598	<1	37	334	25	0.29	<5	<5	<10	119	1596	<2	34	<10	5	48
90490	367953	<1	6.28	15	591	<2	2	1.30	<4	7	5	26	1.39	0.37	18	1.47	539	<1	28	327	276	0.38	5	<5	<10	124	1546	<2	31	<10	5	292
90491	367954	<1	5.92	12	540	<2	<1	1.35	<4	7	14	34	1.44	0.45	17	1.33	539	<1	47	334	55	0.22	<5	<5	<10	124	1607	<2	37	<10	5	91
90492	367955	<1	5.79	9	541	<2	3	1.31	<4	6	12	15	1.36	0.25	19	1.29	525	<1	46	327	23	0.20	<5	<5	<10	122	1597	<2	37	<10	5	43
90493	367956	<1	5.67	12	571	<2	3	1.36	<4	7	20	12	1.33	0.31	20	1.17	472	<1	56	344	25	0.16	<5	<5	<10	119	1634	<2	40	<10	5	45
90494	367957	<1	5.27	13	539	<2	3	1.88	<4	5	8	16	1.25	<0.01	24	1.08	408	<1	35	325	6	0.25	<5	<5	<10	99	1435	<2	32	<10	5	22

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/10/2015 4:12 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541050
Reference: TL15-027
Sample #: 52

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90495	367958	<1	5.38	8	550	<2	4	1.39	<4	6	6	17	1.28	0.05	23	1.16	479	<1	29	328	7	0.19	<5	<5	<10	122	1562	<2	31	<10	5	36
90496	367959	<1	6.17	12	597	<2	<1	1.53	<4	5	6	14	1.35	0.14	21	1.13	386	<1	30	342	11	0.20	6	<5	<10	117	1650	<2	33	<10	5	45
90497	367960	<1	6.67	9	535	<2	<1	4.21	4	17	<1	74	3.89	0.25	1	1.42	885	<1	9	628	7	0.02	<5	<5	<10	496	2668	<2	140	<10	22	49
90498D	367960																IS															
90499	367961	<1	6.41	18	591	<2	<1	2.00	<4	6	5	17	1.26	0.17	27	1.11	388	<1	27	311	7	0.21	<5	<5	<10	117	1485	<2	30	<10	5	20
90500	367962	<1	6.61	9	667	<2	<1	1.71	<4	6	5	21	1.36	0.12	17	1.12	426	<1	28	355	7	0.26	<5	<5	<10	118	1692	<2	34	<10	5	32
90501	367963	<1	6.82	13	625	<2	11	1.55	<4	6	11	22	1.39	0.02	20	1.26	524	<1	36	371	14	0.22	<5	<5	<10	125	1757	3	36	<10	5	36
90502	367964	<1	6.26	10	610	<2	7	1.72	<4	7	11	11	1.46	0.13	20	1.48	576	<1	43	373	20	0.29	<5	<5	<10	148	1811	<2	38	<10	5	41
90503	367965	<1	7.49	17	607	<2	5	1.98	<4	7	16	22	1.54	0.18	18	1.51	535	<1	51	361	24	0.29	<5	<5	<10	140	1818	<2	40	<10	5	67
90504	367966	<1	7.59	13	628	<2	3	2.05	<4	6	9	22	1.52	0.39	18	1.56	556	<1	34	368	27	0.30	<5	<5	<10	143	1890	4	36	<10	5	74
90505	367967	<1	7.19	17	707	<2	1	1.54	<4	8	8	14	1.43	0.20	21	1.31	404	<1	30	381	15	0.34	5	<5	<10	121	1837	<2	35	<10	5	47
90506	367968	<1	5.48	10	607	<2	3	1.67	<4	6	6	16	1.27	0.17	14	1.29	442	<1	35	331	9	0.21	<5	<5	<10	116	1575	2	33	<10	5	27
90507	367969	<1	6.56	13	723	<2	3	1.71	<4	7	9	15	1.37	<0.01	16	1.45	439	<1	38	350	9	0.23	<5	<5	<10	135	1775	7	36	<10	5	32
90508	367970	<1	5.84	51	314	2	9	1.18	7	14	19	2854	5.13	<0.01	27	0.84	1038	6	22	681	78	2.02	<5	<5	<10	197	1080	<2	61	11	8	555
90509D	367970																IS															
90510	367971	<1	6.59	12	756	<2	2	1.99	<4	6	5	39	1.29	0.09	18	1.36	433	<1	26	327	19	0.14	5	5	<10	157	1698	<2	32	<10	5	44
90511	367972	<1	4.19	8	537	<2	<1	1.52	<4	6	5	13	1.39	<0.01	13	1.27	481	<1	30	287	26	0.20	<5	<5	<10	130	1506	2	30	<10	4	95

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541051
Reference: TL15-028
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
90512	367973	0.041
90513	367974	0.048
90514	367975	0.015
90515	367976	0.020
90516	367977	0.031
90517	367978	0.141
90518	367979	0.033
90519	367980	<0.005
90520	367981	0.030
90521	367982	0.019
90522	367982 Dup	0.019

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541051
Reference: TL15-028
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541051
Reference: TL15-028
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90512	367973	<1	6.52	16	607	<2	4	1.23	<4	7	9	16	1.37	0.30	16	1.16	482	<1	38	359	11	0.24	<5	<5	<10	124	1740	2	36	<10	5	37
90513	367974	<1	6.02	15	574	<2	<1	1.40	<4	8	7	21	1.39	0.34	16	1.32	541	<1	36	334	14	0.25	<5	<5	<10	119	1698	<2	35	<10	5	40
90514	367975	<1	6.36	16	601	<2	3	1.57	<4	7	10	13	1.43	0.28	24	1.39	552	<1	37	362	20	0.29	<5	<5	<10	140	1751	<2	36	<10	5	37
90515	367976	<1	5.93	17	643	<2	2	2.15	<4	9	12	23	1.54	0.24	15	1.51	673	<1	40	333	42	0.26	<5	<5	<10	128	1624	<2	37	<10	5	112
90516	367977	<1	6.39	13	607	<2	3	1.49	<4	8	9	19	1.45	<0.01	16	1.22	459	<1	38	357	280	0.23	5	<5	<10	120	1814	<2	38	<10	5	46
90517	367978	<1	5.50	14	569	<2	<1	1.55	<4	7	13	19	1.41	<0.01	15	1.31	488	<1	45	330	11	0.17	<5	<5	<10	115	1643	<2	37	<10	5	66
90518	367979	<1	5.65	12	555	2	<1	1.46	<4	7	8	12	1.32	0.10	13	1.12	409	<1	36	341	8	0.18	5	5	<10	116	1620	<2	34	<10	5	37
90519	367980	<1	6.38	6	526	<2	4	4.14	4	16	<1	71	3.82	0.24	<1	1.41	878	<1	10	625	11	0.02	<5	<5	<10	488	2641	3	139	<10	21	52
90520	367981	<1	6.27	13	621	<2	3	1.53	<4	7	9	16	1.36	0.15	17	1.15	401	<1	36	356	11	0.20	5	<5	<10	128	1687	2	36	<10	5	56
90521	367982	<1	6.91	13	670	<2	4	1.89	<4	8	11	28	1.37	0.18	16	1.17	437	<1	38	353	12	0.19	<5	<5	<10	127	1732	2	37	<10	5	38
90522D	367982	<1	6.64	11	662	2	4	1.86	<4	6	9	28	1.36	0.09	15	1.17	439	<1	38	351	7	0.19	<5	<5	<10	125	1713	<2	36	<10	5	39

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541052
Reference: TL15-029
Sample #: 30

Acc #	Client ID	Au g/t (ppm)
90523	367983	0.031
90524	367984	0.034
90525	367985	0.095
90526	367986	0.085
90527	367987	0.238
90528	367988	0.167
90529	367989	0.642
90530	367990	1.450
90531	367991	0.123
90532	367992	0.051
90533	367992 Dup	0.055
90534	367993	0.047
90535	367994	0.022
90536	367995	0.019
90537	367996	<0.005
90538	367997	<0.005
90539	367998	<0.005
90540	367999	0.010
90541	368000	<0.005
90542	368001	<0.005
90543	368002	<0.005
90544	368002 Dup	<0.005
90545	368003	<0.005
90546	368004	<0.005
90547	368005	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

AL905-0735-04/08/2015 10:01 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541052
Reference: TL15-029
Sample #: 30

Acc #	Client ID	Au g/t (ppm)
90548	368006	<0.005
90549	368007	<0.005
90550	368008	<0.005
90551	368009	0.464
90552	368010	5.033
90553	368011	0.020
90554	368012	<0.005
90555	368012 Dup	0.006

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, April 8, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541052
Reference: TL15-029
Sample #: 30

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.717	1.575	0.088
AR02	1.705	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541052
Reference: TL15-029
Sample #: 30

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90523	367983	<1	6.02	17	413	<2	4	1.74	<4	5	53	42	2.27	0.91	27	2.96	1143	17	106	321	94	0.19	<5	<5	<10	114	1672	<2	52	<10	6	201
90524	367984	<1	5.63	24	562	<2	4	1.26	<4	7	27	29	1.66	0.69	24	1.78	608	5	43	341	114	0.22	<5	<5	<10	73	1830	<2	37	21	5	402
90525	367985	<1	5.34	25	545	<2	6	1.08	<4	6	36	12	1.48	0.78	21	1.89	552	10	71	323	20	0.11	<5	<5	<10	75	1806	<2	44	10	4	95
90526	367986	<1	5.08	20	588	<2	6	0.84	<4	7	27	12	1.45	0.63	20	1.78	509	7	48	326	22	0.17	<5	<5	<10	72	1806	3	39	<10	4	84
90527	367987	<1	5.57	30	555	<2	4	0.77	<4	5	27	18	1.45	0.39	18	1.94	617	7	48	320	25	0.17	<5	<5	<10	92	1581	<2	38	<10	4	58
90528	367988	<1	7.49	28	583	<2	5	0.88	<4	6	34	27	1.57	0.33	15	2.02	553	9	63	353	40	0.20	5	<5	<10	114	1636	<2	44	15	5	55
90529	367989	<1	6.68	27	523	<2	5	1.03	<4	6	35	21	1.64	0.93	20	2.29	679	9	65	335	43	0.16	5	<5	<10	86	1778	3	43	15	5	91
90530	367990	<1	5.04	17	517	<2	2	2.38	4	16	52	224	4.26	0.88	8	1.35	798	16	43	607	7	0.07	5	<5	<10	288	3031	7	113	<10	15	62
90531	367991	<1	5.91	21	512	<2	5	1.17	<4	7	40	17	1.67	0.97	14	1.88	665	10	75	322	36	0.17	<5	<5	<10	109	1752	<2	45	15	5	73
90532	367992	<1	6.19	36	547	<2	5	1.68	<4	7	27	12	2.20	1.10	17	1.28	883	6	53	562	38	0.20	<5	<5	<10	126	2592	2	54	<10	6	69
90533D	367992	<1	6.50	33	557	2	4	1.71	<4	8	26	12	2.19	0.96	18	1.30	882	6	48	577	37	0.14	<5	<5	<10	126	2605	11	53	<10	6	69
90534	367993	<1	6.13	12	565	<2	4	1.84	<4	7	37	42	2.50	0.79	17	1.34	857	9	70	583	29	0.18	<5	5	<10	136	2458	2	58	<10	7	76
90535	367994	<1	7.10	7	536	2	5	1.38	<4	8	41	25	2.26	0.75	18	1.02	576	10	81	572	32	0.12	<5	<5	<10	142	2458	<2	60	12	7	80
90536	367995	<1	6.25	10	550	2	3	2.81	<4	7	23	22	2.56	0.92	15	1.24	978	6	42	594	24	0.10	<5	<5	<10	182	2619	<2	53	<10	6	50
90537	367996	<1	1.94	12	56	<2	<1	0.95	<4	3	79	12	1.16	0.55	3	0.76	463	16	132	187	7	0.04	<5	<5	<10	77	700	<2	47	<10	6	23
90538	367997	<1	4.49	15	332	<2	2	1.95	<4	5	40	7	1.80	0.65	12	1.30	826	9	73	364	6	0.11	<5	<5	<10	119	1782	<2	47	10	4	56
90539	367998	<1	7.35	12	348	<2	4	2.31	<4	7	32	5	1.89	0.94	14	1.83	765	6	58	401	6	0.06	<5	<5	<10	128	2062	<2	46	<10	6	61
90540	367999	<1	6.75	9	334	<2	5	2.28	<4	8	29	2	1.90	1.26	16	1.77	773	4	47	383	4	0.16	<5	<5	<10	136	2071	<2	43	<10	6	46
90541	368000	<1	6.31	9	488	<2	4	4.20	4	16	6	69	3.93	1.11	2	1.53	964	2	10	577	13	0.02	<5	<5	<10	472	2849	10	138	15	20	53
90542	368001	<1	7.17	9	362	<2	6	1.52	<4	7	31	6	1.77	0.84	19	1.63	676	5	54	406	6	0.08	<5	<5	<10	103	2070	<2	47	<10	6	28

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 5:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 03/31/2015
Date Completed: 04/08/2015
Job #: 201541052
Reference: TL15-029
Sample #: 30

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
90543	368002	<1	5.46	4	300	<2	4	1.55	<4	6	23	4	1.71	0.77	13	1.59	607	4	44	358	6	0.06	<5	<5	<10	97	1924	8	41	<10	5	25
90544D	368002	<1	4.50	6	287	<2	3	1.50	<4	6	22	4	1.65	0.59	12	1.43	586	1	40	352	6	0.06	<5	<5	<10	94	1862	4	39	10	4	23
90545	368003	<1	6.73	9	322	<2	6	1.61	<4	5	26	4	1.48	0.81	17	1.56	500	4	51	392	5	0.05	<5	<5	<10	107	1949	<2	43	<10	6	17
90546	368004	<1	5.76	9	293	<2	4	1.43	<4	5	26	4	1.52	0.90	11	1.53	464	5	52	364	6	0.04	<5	<5	<10	97	1880	<2	42	<10	5	24
90547	368005	<1	6.39	5	294	<2	6	1.63	<4	5	23	3	1.65	0.56	21	1.76	583	5	42	370	10	0.04	<5	<5	<10	94	1901	<2	39	<10	6	42
90548	368006	<1	6.18	12	317	<2	6	1.43	<4	6	26	3	1.70	0.76	20	1.69	563	5	49	381	6	0.04	<5	<5	<10	95	1998	<2	42	<10	5	38
90549	368007	<1	5.66	12	322	<2	3	1.08	<4	6	25	4	1.54	0.45	16	1.47	579	4	49	355	5	0.05	<5	<5	<10	71	1895	7	41	<10	5	42
90550	368008	<1	6.05	7	211	<2	3	1.91	<4	6	38	7	1.70	0.44	15	1.88	823	9	75	351	19	0.04	<5	<5	<10	106	1773	3	46	<10	6	53
90551	368009	<1	4.47	8	153	<2	5	2.62	<4	6	18	11	1.95	0.80	12	2.21	1252	4	30	338	22	0.06	<5	<5	<10	108	1660	<2	32	<10	5	51
90552	368010	139	4.13	22	348	<2	3	2.76	8	14	31	93	4.77	0.25	2	1.19	879	6	23	493	17500	0.07	99	<5	<10	265	2708	3	126	16	15	293
90553	368011	<1	5.73	3	237	<2	4	1.72	<4	5	19	7	1.59	0.46	16	1.61	732	4	37	368	55	0.06	<5	<5	<10	108	1717	<2	36	<10	5	34
90554	368012	<1	5.48	8	227	<2	5	1.36	<4	6	16	5	1.31	0.39	11	1.27	500	2	31	330	7	0.06	<5	<5	<10	99	1640	<2	32	<10	5	29
90555D	368012	<1	6.59	8	283	2	6	1.61	<4	6	20	5	1.50	0.62	14	1.35	567	4	37	370	11	0.06	<5	<5	<10	112	1855	<2	37	<10	5	33

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541426
Reference: 15-111
Sample #: 60

Acc #	Client ID	Au g/t (ppm)
117057	303657	0.038
117058	303658	0.030
117059	303659	0.136
117060	303660	<0.005
117061	303661	0.026
117062	303662	0.113
117063	303663	0.023
117064	303664	0.039
117065	303665	0.084
117066	303666	0.068
117067	303666 Dup	0.089
117068	303667	0.034
117069	303668	0.170
117070	303669	0.021
117071	303670	4.645
117072	303671	0.025
117073	303672	0.015
117074	303673	0.171
117075	303674	1.125
117076	303675	0.937
117077	303676	4.816
117078	303676 Dup	5.115
117079	303677	0.380
117080	303678	0.050
117081	303679	0.026

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541426
Reference: 15-111
Sample #: 60

Acc #	Client ID	Au g/t (ppm)
117082	303680	<0.005
117083	303681	0.031
117084	303682	0.019
117085	303683	0.079
117086	303684	0.029
117087	303685	0.025
117088	303686	0.141
117089	303686 Dup	0.162
117090	303687	0.040
117091	303688	0.017
117092	303689	0.016
117093	303690	0.194
117094	303691	0.007
117095	303692	0.016
117096	303693	0.051
117097	303694	0.064
117098	303695	0.042
117099	303696	0.024
117100	303696 Dup	0.022
117101	303697	0.045
117102	303698	0.029
117103	303699	0.103
117104	303700	<0.005
117105	303701	0.011
117106	303702	0.012

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541426
Reference: 15-111
Sample #: 60

Acc #	Client ID	Au g/t (ppm)
117107	303703	0.024
117108	303704	0.040
117109	303705	0.018
117110	303706	0.021
117111	303706 Dup	0.022
117112	303707	0.047
117113	303708	0.058
117114	303709	0.027
117115	303710	1.493
117116	303711	0.035
117117	303712	0.016
117118	303713	0.016
117119	303714	0.018
117120	303715	0.017
117121	303716	0.027
117122	303716 Rep	0.036

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541426
Reference: 15-111
Sample #: 60

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.494	1.575	0.088
AR02	1.680	1.575	0.088
AR02	1.723	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 5, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541426
Reference: 15-111
Sample #: 60

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117057	303657	<1	5.65	5	469	<2	<1	1.26	<4	8	12	12	1.81	0.10	13	0.71	673	<1	20	479	<1	0.12	<5	31	10	159	2168	<2	42	<10	7	52
117058	303658	<1	4.90	2	471	<2	<1	1.29	<4	8	19	8	1.70	0.08	15	0.69	775	<1	28	457	<1	0.08	<5	15	12	167	2218	<2	47	<10	6	53
117059	303659	<1	5.32	10	425	<2	<1	1.02	<4	8	15	26	1.73	0.26	15	0.73	856	<1	30	510	44	0.15	<5	10	10	162	2131	<2	45	14	6	187
117060	303660	<1	3.58	4	530	<2	<1	4.13	<4	17	1	66	4.11	0.24	3	1.28	974	<1	8	579	<1	0.05	<5	<5	13	503	2919	<2	146	11	18	64
117061	303661	<1	3.95	6	482	<2	<1	1.00	<4	9	17	18	1.41	0.68	17	0.63	786	<1	32	452	23	0.09	<5	16	<10	168	2282	<2	49	<10	6	64
117062	303662	2	4.44	9	617	<2	<1	1.13	<4	21	17	71	2.00	0.46	15	0.56	800	<1	50	516	86	0.23	<5	24	10	173	2118	<2	47	29	7	493
117063	303663	<1	3.24	16	414	<2	<1	1.47	<4	9	27	16	2.00	0.69	12	0.64	728	<1	37	371	18	0.18	<5	10	<10	178	1920	<2	44	<10	6	77
117064	303664	<1	3.39	7	464	<2	<1	1.28	<4	12	25	18	2.19	0.55	15	0.61	683	<1	38	382	18	0.14	<5	10	11	179	2095	<2	49	<10	6	131
117065	303665	<1	4.59	<2	415	<2	<1	1.63	<4	13	18	18	2.88	<0.01	16	0.82	1022	<1	39	430	30	0.14	<5	18	12	179	2137	<2	44	<10	6	168
117066	303666	<1	6.49	6	486	<2	<1	1.94	<4	13	22	19	3.01	0.40	21	0.85	1040	<1	41	501	23	0.16	<5	19	14	206	2262	<2	51	12	7	162
117067D	303666	<1	3.61	6	395	<2	1	1.45	<4	11	15	16	2.49	0.12	13	0.68	896	<1	35	404	24	0.14	<5	12	14	165	2045	<2	42	<10	6	131
117068	303667	<1	3.74	3	437	<2	<1	1.19	<4	13	14	13	2.02	0.13	14	0.65	887	<1	35	423	48	0.10	<5	16	13	159	2030	<2	42	11	5	260
117069	303668	2	5.82	7	464	<2	<1	1.42	<4	39	15	40	2.63	0.28	15	0.85	1388	<1	69	483	157	0.22	<5	8	10	181	2185	<2	45	20	8	1369
117070	303669	<1	4.97	8	412	<2	<1	1.10	<4	6	19	12	1.59	0.28	16	0.65	777	<1	30	457	26	0.30	<5	7	<10	164	1825	<2	42	<10	7	94
117071	303670	121	3.82	20	406	<2	<1	2.99	6	16	28	98	5.04	0.10	5	1.22	915	<1	24	544	16388	0.12	80	<5	17	296	2832	<2	136	<10	16	336
117072	303671	2	4.89	23	524	<2	<1	1.13	<4	6	16	12	1.70	0.61	15	0.66	826	<1	29	452	263	0.36	<5	8	10	164	2079	<2	48	<10	6	95
117073	303672	<1	5.08	21	490	<2	<1	1.08	<4	8	21	18	1.62	0.79	15	0.67	803	<1	36	403	40	0.34	<5	11	10	160	2259	<2	52	<10	6	75
117074	303673	<1	3.91	13	442	<2	<1	1.16	<4	7	18	15	1.99	0.77	15	0.71	993	<1	28	380	6	0.22	<5	14	11	145	2155	<2	46	<10	6	75
117075	303674	1	4.32	27	458	<2	<1	1.04	<4	8	20	25	1.83	0.61	14	0.72	961	<1	28	372	93	0.41	<5	19	<10	131	1910	<2	41	<10	7	274
117076	303675	<1	4.84	41	457	<2	<1	1.15	<4	7	26	24	1.87	0.25	16	0.78	1137	<1	28	409	71	0.47	<5	<5	10	132	2067	<2	44	<10	7	153

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/05/2015 2:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 5, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541426
Reference: 15-111
Sample #: 60

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117077	303676	6	5.47	43	512	<2	<1	0.87	4	9	22	124	2.62	0.21	15	0.69	830	<1	27	434	606	0.73	<5	11	10	115	1929	<2	40	24	8	1688
117078D	303676	5	5.11	45	512	<2	<1	0.86	4	9	25	126	2.57	<0.01	15	0.67	826	<1	31	423	597	0.64	<5	18	13	114	1931	<2	42	22	7	1741
117079	303677	<1	4.12	20	417	<2	<1	1.15	<4	8	23	21	1.57	0.02	12	0.69	1092	<1	27	418	51	0.31	5	7	10	134	1925	<2	42	<10	6	81
117080	303678	3	4.20	<2	449	<2	<1	0.97	<4	9	16	95	1.38	0.05	14	0.62	1007	<1	29	434	420	0.23	<5	22	13	133	1984	<2	41	16	6	1114
117081	303679	<1	5.69	11	423	<2	<1	1.25	<4	8	15	53	1.70	0.57	12	0.82	1057	<1	25	479	31	0.15	<5	17	11	141	1889	<2	40	<10	8	142
117082	303680	<1	6.52	24	531	<2	<1	4.26	<4	17	1	69	4.21	<0.01	1	1.69	1003	<1	10	670	<1	0.06	<5	6	<10	515	2982	<2	149	13	26	65
117083	303681	<1	3.21	4	588	<2	<1	1.66	<4	8	19	43	1.94	0.78	26	0.56	756	<1	8	377	27	0.20	<5	11	16	176	2080	<2	43	<10	5	112
117084	303682	<1	5.20	11	573	<2	<1	1.67	<4	9	23	37	2.24	0.77	18	0.93	1120	<1	10	436	11	0.27	<5	23	14	156	1913	<2	38	<10	7	134
117085	303683	<1	4.94	10	546	<2	<1	1.10	<4	9	26	20	1.87	0.99	13	0.65	778	<1	10	428	66	0.24	<5	14	13	154	1951	<2	41	13	7	431
117086	303684	<1	5.36	3	488	<2	<1	1.31	<4	12	35	43	2.00	0.78	16	0.70	927	<1	14	432	27	0.14	<5	13	13	169	2125	<2	46	<10	8	128
117087	303685	<1	3.83	14	388	<2	<1	1.88	<4	9	26	27	2.25	0.84	11	0.89	1222	<1	11	363	43	0.20	<5	21	11	177	1775	<2	40	<10	7	93
117088	303686	<1	4.37	<2	377	<2	<1	1.88	<4	9	25	30	2.40	0.53	11	0.96	1254	<1	11	418	44	0.17	<5	17	12	173	1789	<2	39	<10	7	107
117089D	303686	<1	3.68	13	379	<2	<1	1.86	<4	8	25	29	2.37	0.34	12	0.86	1242	<1	11	400	45	0.20	<5	13	<10	172	1775	<2	39	<10	6	106
117090	303687	<1	3.50	47	481	<2	<1	2.11	<4	9	20	8	1.87	0.11	19	1.38	829	<1	9	454	2	0.38	<5	12	13	104	2000	<2	37	<10	6	50
117091	303688	<1	3.32	48	383	<2	<1	2.64	<4	9	14	2	1.85	<0.01	30	1.47	829	<1	8	451	20	0.35	<5	15	<10	86	2074	<2	37	<10	6	45
117092	303689	<1	3.77	29	483	<2	<1	1.85	<4	8	14	11	1.87	<0.01	25	1.81	872	<1	9	462	5	0.22	<5	7	12	98	2112	<2	38	10	6	122
117093	303690	<1	4.82	55	309	<2	<1	1.19	4	15	24	2504	5.40	0.42	28	0.95	1182	14	24	746	70	1.87	<5	22	17	197	1217	<2	66	20	10	619
117094	303691	<1	5.91	34	558	<2	<1	1.70	<4	10	14	20	2.00	0.58	23	1.83	670	<1	10	515	<1	0.23	<5	12	15	98	2420	<2	43	10	7	102
117095	303692	<1	5.20	39	552	<2	<1	2.37	<4	10	11	8	2.18	0.69	18	1.99	784	<1	10	495	<1	0.34	<5	18	16	110	2413	<2	42	<10	7	49
117096	303693	<1	5.13	34	536	<2	<1	2.57	<4	10	16	18	1.95	0.60	19	1.76	975	<1	10	484	<1	0.33	<5	9	14	110	2335	<2	42	<10	7	46

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/05/2015 2:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 5, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541426
Reference: 15-111
Sample #: 60

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117097	303694	<1	3.62	34	500	<2	<1	2.17	<4	8	18	20	1.64	0.98	15	1.41	956	<1	8	406	17	0.31	5	21	12	98	2003	<2	38	14	6	334
117098	303695	<1	3.25	19	493	<2	<1	2.14	<4	8	18	4	1.84	0.83	17	1.49	970	<1	8	412	3	0.21	<5	5	11	97	2205	<2	40	10	6	72
117099	303696	<1	3.94	34	500	<2	<1	2.27	<4	9	21	4	1.96	0.77	19	1.57	919	<1	9	442	<1	0.28	<5	6	14	105	2157	<2	40	10	6	52
117100D	303696	<1	4.53	33	514	<2	<1	2.36	<4	10	21	4	2.03	0.51	20	1.64	952	<1	9	497	4	0.31	<5	15	14	108	2242	<2	41	<10	6	56
117101	303697	<1	4.02	28	448	<2	<1	2.02	<4	8	14	4	1.72	0.52	21	1.56	898	<1	8	472	<1	0.24	<5	12	12	102	2198	<2	40	<10	6	58
117102	303698	<1	3.81	19	483	<2	<1	1.74	<4	8	12	8	1.81	0.27	21	1.49	842	<1	9	467	14	0.15	<5	23	<10	96	2230	<2	40	<10	6	74
117103	303699	<1	3.63	31	454	2	<1	2.38	<4	9	13	75	2.03	0.05	15	1.60	932	<1	11	461	18	0.32	<5	7	<10	101	2035	<2	41	<10	6	94
117104	303700	<1	2.67	6	461	<2	<1	3.63	<4	15	<1	60	3.66	<0.01	1	1.12	872	<1	8	546	<1	0.05	<5	<5	11	447	2599	<2	130	<10	15	59
117105	303701	<1	3.80	24	474	<2	<1	1.84	<4	12	25	7	1.93	0.07	19	1.54	660	<1	15	465	<1	0.28	<5	13	11	106	2350	<2	47	<10	7	50
117106	303702	<1	4.39	17	511	<2	<1	2.19	<4	9	10	7	1.79	0.45	18	1.71	818	<1	11	466	<1	0.24	<5	29	<10	114	2263	<2	40	<10	6	58
117107	303703	<1	4.30	28	553	<2	<1	2.41	<4	9	16	9	1.71	0.49	15	1.74	1028	<1	8	458	5	0.25	<5	20	10	140	1867	<2	38	<10	7	47
117108	303704	<1	4.45	41	565	<2	<1	2.52	<4	9	17	4	2.10	0.72	23	1.67	936	<1	10	464	<1	0.48	<5	19	<10	124	2153	<2	40	<10	7	42
117109	303705	<1	3.87	38	597	<2	<1	2.42	<4	8	13	9	1.62	0.72	16	1.53	929	<1	8	427	3	0.27	<5	18	<10	118	1989	<2	39	<10	6	44
117110	303706	<1	4.33	41	652	<2	<1	2.66	<4	8	16	9	1.79	0.52	19	1.57	971	<1	9	464	5	0.33	<5	15	13	125	2122	<2	42	<10	6	44
117111D	303706	<1	3.44	29	598	<2	<1	2.43	<4	8	16	8	1.65	0.68	16	1.45	904	<1	9	431	5	0.29	<5	7	11	115	1978	<2	38	10	6	42
117112	303707	<1	3.43	58	613	<2	<1	2.13	<4	11	14	18	1.97	0.74	22	1.38	882	<1	9	441	7	0.40	<5	7	11	138	2009	<2	39	<10	6	83
117113	303708	<1	4.58	60	587	<2	<1	2.06	<4	10	17	34	2.26	0.56	19	1.45	869	<1	10	494	127	0.59	<5	<5	12	130	1938	<2	40	15	7	363
117114	303709	<1	4.48	51	541	2	<1	3.01	<4	7	19	25	2.00	<0.01	14	1.93	1189	<1	8	643	33	0.40	<5	17	13	126	1865	7	40	<10	7	143
117115	303710	<1	3.38	34	508	<2	<1	2.18	<4	15	42	211	3.98	<0.01	10	1.16	727	8	39	595	<1	0.10	<5	11	12	280	2789	<2	108	11	14	64
117116	303711	<1	3.20	37	595	<2	<1	3.00	<4	9	13	16	2.04	<0.01	12	1.55	1117	<1	9	475	91	0.40	<5	10	<10	123	1787	<2	37	<10	6	197

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-05/05/2015 2:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, May 5, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541426
Reference: 15-111
Sample #: 60

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117117	303712	<1	4.68	30	541	2	<1	2.81	<4	10	10	46	1.87	<0.01	15	1.78	1005	<1	9	513	2	0.22	<5	12	11	120	2097	<2	41	<10	7	165
117118	303713	<1	3.74	32	535	<2	<1	2.44	4	10	13	60	2.15	<0.01	17	2.06	1052	<1	9	473	<1	0.21	<5	8	14	118	2062	<2	39	18	6	1086
117119	303714	<1	3.68	15	387	<2	<1	2.97	8	8	16	332	2.25	<0.01	10	2.07	1065	<1	11	448	<1	0.19	<5	9	12	127	1547	<2	31	28	8	2008
117120	303715	<1	4.76	28	668	<2	<1	2.71	<4	12	32	61	2.31	<0.01	21	1.67	819	<1	15	511	3	0.30	<5	17	14	152	2340	<2	51	13	7	894
117121	303716	<1	3.70	16	369	<2	<1	1.99	<4	18	114	36	3.19	0.27	18	1.79	752	<1	45	472	2	0.25	<5	20	11	130	2263	<2	71	<10	11	176
117122R	303716	<1	2.70	20	386	<2	<1	1.95	<4	18	116	36	3.27	0.61	19	1.67	750	<1	47	458	5	0.32	<5	<5	11	129	2342	<2	74	<10	9	168

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541092
Reference: TL15-030
Sample #: 24

Acc #	Client ID	Au g/t (ppm)
93548	368013	0.019
93549	368014	0.015
93550	368015	0.014
93551	368016	0.012
93552	368017	0.008
93553	368018	0.013
93554	368019	0.008
93555	368020	<0.005
93556	368021	0.023
93557	368022	0.015
93558	368022 Dup	0.017
93559	368023	0.009
93560	368024	0.139
93561	368025	0.011
93562	368026	0.009
93563	368027	0.007
93564	368028	0.012
93565	368029	0.088
93566	368030	0.431
93567	368031	0.017
93568	368032	0.013
93569	368032 Dup	0.013
93570	368033	0.020
93571	368034	0.020
93572	368035	0.007

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541092
Reference: TL15-030
Sample #: 24

Acc #	Client ID	Au g/t (ppm)
93573	368036	0.008

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541092
Reference: TL15-030
Sample #: 24

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541092
Reference: TL15-030
Sample #: 24

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93548	368013	<1	7.69	18	496	2	<1	2.05	<4	8	38	10	1.63	0.26	21	1.28	858	1	83	451	40	0.27	<5	<5	33	138	1956	8	55	<10	6	83
93549	368014	<1	7.26	22	451	2	4	2.15	<4	7	28	11	1.50	<0.01	18	1.27	722	<1	74	435	22	0.28	<5	<5	31	164	1806	<2	51	<10	5	43
93550	368015	<1	6.45	19	514	<2	5	2.07	<4	6	39	6	1.44	<0.01	15	1.19	726	3	99	411	13	0.35	<5	<5	25	142	1679	5	56	<10	5	39
93551	368016	<1	6.02	19	453	<2	1	1.86	<4	6	28	8	1.31	<0.01	11	0.98	516	<1	75	411	19	0.28	5	<5	27	144	1607	<2	49	<10	5	44
93552	368017	<1	7.10	32	500	<2	5	2.07	<4	6	35	10	1.88	<0.01	14	1.06	558	2	88	429	13	0.43	6	<5	30	169	1737	2	55	<10	5	37
93553	368018	<1	6.79	21	528	<2	<1	1.34	<4	7	20	8	1.45	<0.01	18	0.82	370	<1	57	431	10	0.32	<5	<5	29	155	1834	4	46	<10	5	57
93554	368019	<1	5.51	14	403	<2	2	1.37	<4	8	9	9	0.97	<0.01	12	0.80	354	<1	43	383	16	0.22	<5	<5	29	151	1568	<2	38	11	4	437
93555	368020	<1	6.05	5	492	<2	3	3.62	<4	13	<1	61	3.27	<0.01	3	1.28	745	<1	9	528	11	0.02	<5	<5	28	423	2323	<2	118	<10	19	44
93556	368021	<1	7.33	22	585	<2	<1	1.21	<4	7	24	11	1.54	<0.01	15	0.81	366	<1	64	397	36	0.34	<5	<5	31	156	1940	3	50	<10	5	65
93557	368022	<1	6.09	10	453	<2	2	2.34	<4	7	11	9	1.90	<0.01	10	0.85	431	<1	39	400	11	0.11	<5	<5	27	162	1646	<2	39	<10	5	42
93558D	368022	<1	6.62	7	472	<2	5	2.46	<4	8	9	10	1.96	<0.01	12	0.88	441	<1	33	408	12	0.13	<5	<5	30	167	1714	<2	39	<10	5	43
93559	368023	<1	6.40	14	473	<2	4	2.09	<4	8	20	15	1.78	<0.01	12	0.81	396	<1	59	471	11	0.12	5	<5	27	166	1744	<2	47	<10	5	48
93560	368024	<1	7.40	9	561	<2	4	2.03	<4	7	27	10	1.84	<0.01	13	0.71	344	<1	65	477	8	0.06	<5	<5	31	174	1962	<2	51	<10	6	36
93561	368025	<1	7.08	12	519	<2	2	1.97	<4	7	14	9	1.77	<0.01	14	0.74	336	<1	43	452	7	0.11	<5	5	30	168	1842	<2	43	<10	6	38
93562	368026	<1	7.49	8	508	<2	4	1.91	<4	5	17	9	1.76	0.22	15	0.72	317	<1	53	436	8	0.12	<5	<5	28	169	1797	<2	45	<10	6	35
93563	368027	<1	6.11	11	491	<2	4	1.70	<4	4	12	7	1.44	<0.01	12	0.79	341	<1	41	397	8	0.17	<5	<5	28	149	1702	<2	39	<10	5	29
93564	368028	<1	5.29	21	458	<2	<1	2.10	<4	6	18	9	1.43	0.02	11	0.73	361	<1	38	383	10	0.19	<5	<5	26	98	1656	<2	38	<10	5	26
93565	368029	<1	4.99	27	440	<2	<1	1.43	<4	6	24	26	1.59	0.32	12	0.89	429	<1	59	354	17	0.45	5	<5	27	102	1564	6	42	<10	5	43
93566	368030	<1	4.50	52	322	<2	7	1.08	7	12	18	2485	4.79	<0.01	22	0.83	1008	6	22	672	85	1.65	<5	<5	31	171	1052	2	59	11	8	559
93567	368031	<1	6.68	20	507	2	2	2.07	<4	6	32	17	1.41	<0.01	13	1.21	548	<1	72	396	21	0.21	<5	<5	28	116	1764	<2	48	<10	5	37

PROCEDURE CODES: ALP1, ALFA2, ALSu1, ALMA1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:35 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541092
Reference: TL15-030
Sample #: 24

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93568	368032	<1	6.74	21	508	2	5	2.50	<4	6	17	11	1.50	<0.01	14	1.32	711	<1	44	435	38	0.27	<5	<5	29	115	1748	<2	41	11	5	605
93569D	368032	<1	6.79	20	511	2	7	2.54	<4	7	19	11	1.51	<0.01	15	1.32	712	<1	49	444	40	0.27	6	<5	29	117	1757	<2	42	13	5	606
93570	368033	<1	6.34	16	571	2	3	2.17	<4	5	20	5	1.44	<0.01	14	1.26	639	<1	44	411	14	0.24	<5	<5	32	105	1763	3	42	<10	5	41
93571	368034	<1	5.23	16	523	2	2	2.00	<4	6	37	32	1.53	<0.01	11	1.20	597	<1	75	498	59	0.17	<5	<5	30	100	1641	3	48	<10	5	104
93572	368035	<1	6.29	14	579	2	7	2.22	<4	5	31	9	1.65	<0.01	13	1.46	714	<1	75	411	28	0.22	<5	<5	29	106	1695	<2	49	<10	5	54
93573	368036	<1	6.02	13	458	<2	3	1.83	<4	7	10	9	1.74	<0.01	21	1.73	626	<1	37	367	13	0.24	<5	<5	28	106	1643	<2	37	<10	5	91

PROCEDURE CODES: ALP1, ALFA2, ALSu1, ALMA1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:35 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541091
Reference: TL15-031
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
93521	368037	0.015
93522	368038	<0.005
93523	368039	0.013
93524	368040	<0.005
93525	368041	0.100
93526	368042	0.032
93527	368043	0.031
93528	368044	0.073
93529	368045	0.104
93530	368046	0.030
93531	368046 Dup	0.026
93532	368047	0.047
93533	368048	0.031
93534	368049	0.125
93535	368050	1.527
93536	368051	0.134
93537	368052	0.042
93538	368053	0.018
93539	368054	0.031
93540	368055	0.052
93541	368056	0.049
93542	368056 Dup	0.048
93543	368057	0.018
93544	368058	0.027
93545	368059	0.404

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541091
Reference: TL15-031
Sample #: 25

Acc #	Client ID	Au g/t (ppm)
93546	368060	0.006
93547	368061	0.321

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541091
Reference: TL15-031
Sample #: 25

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.643	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541091
Reference: TL15-031
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93521	368037	<1	6.31	7	506	<2	<1	1.92	<4	7	34	12	1.83	<0.01	12	0.75	358	2	87	437	8	0.06	<5	<5	25	174	1751	<2	54	<10	5	33
93522	368038	<1	6.71	11	619	<2	3	1.62	<4	6	37	9	1.67	<0.01	19	0.78	324	2	92	436	11	0.08	<5	<5	31	175	1902	<2	58	<10	5	32
93523	368039	<1	7.23	15	622	<2	<1	2.05	<4	6	36	10	1.75	0.12	18	1.07	468	<1	78	409	10	0.34	<5	<5	34	173	1766	<2	52	<10	6	40
93524	368040	<1	7.38	4	581	<2	7	4.41	4	16	<1	75	4.00	0.59	3	1.44	883	<1	11	646	9	0.02	<5	<5	26	516	2715	3	140	10	22	48
93525	368041	<1	6.72	16	792	2	3	2.36	<4	8	53	16	2.02	<0.01	17	1.27	595	<1	84	453	15	0.30	<5	<5	32	169	1985	<2	61	<10	7	31
93526	368042	<1	7.85	22	942	2	11	3.26	<4	9	43	26	2.08	<0.01	22	1.74	831	<1	59	458	131	0.35	<5	<5	35	173	2021	3	56	<10	7	153
93527	368043	<1	6.45	21	815	2	4	2.67	<4	7	37	14	1.96	<0.01	19	1.50	802	<1	68	417	20	0.37	<5	5	35	141	1863	<2	53	<10	6	41
93528	368044	<1	6.10	18	647	<2	5	1.69	<4	6	30	27	1.82	<0.01	29	1.24	594	<1	62	397	22	0.24	<5	<5	30	121	1850	<2	47	<10	5	50
93529	368045	<1	6.96	15	648	<2	4	2.10	<4	7	26	9	2.19	<0.01	31	1.71	757	<1	53	421	37	0.19	<5	<5	32	178	1886	8	45	<10	6	89
93530	368046	<1	6.60	18	622	2	6	2.03	<4	6	18	7	2.07	<0.01	29	1.66	733	<1	39	413	27	0.18	<5	<5	29	172	1839	2	40	<10	5	64
93531D	368046	<1	6.67	5	611	2	2	1.99	<4	7	23	8	2.08	<0.01	28	1.71	735	<1	51	412	25	0.16	<5	<5	28	168	1845	<2	44	<10	6	67
93532	368047	<1	5.60	31	559	<2	<1	1.58	<4	8	34	11	2.04	<0.01	21	1.35	481	<1	61	415	112	0.47	<5	<5	28	140	1883	<2	50	<10	6	184
93533	368048	<1	5.83	19	687	2	6	1.80	<4	7	40	11	1.78	<0.01	21	1.25	566	1	87	431	44	0.40	<5	<5	29	141	1799	<2	54	<10	5	64
93534	368049	<1	7.80	32	750	2	4	2.46	<4	10	57	26	2.33	<0.01	23	1.12	778	4	97	557	78	0.77	<5	<5	53	187	2017	<2	65	12	7	165
93535	368050	<1	4.33	18	564	<2	7	2.32	4	15	38	239	3.98	0.10	8	1.14	685	3	40	610	12	0.07	5	<5	26	287	2647	<2	108	13	14	59
93536	368051	<1	5.64	12	599	<2	2	1.43	<4	6	21	20	1.32	0.37	12	0.97	475	<1	44	342	40	0.16	<5	<5	29	151	1646	<2	36	<10	5	49
93537	368052	<1	5.66	10	597	<2	2	1.51	<4	6	24	16	1.41	<0.01	12	1.01	400	<1	63	345	13	0.14	<5	<5	26	142	1667	6	42	<10	5	45
93538	368053	<1	6.34	12	640	<2	3	1.61	<4	7	42	15	1.51	<0.01	16	1.05	368	<1	89	355	7	0.12	<5	<5	27	156	1763	<2	51	<10	5	37
93539	368054	<1	5.65	9	603	<2	5	1.48	<4	6	38	15	1.52	<0.01	17	1.11	495	3	94	342	15	0.11	<5	<5	25	153	1620	<2	50	<10	5	40
93540	368055	<1	5.66	8	669	<2	2	1.32	<4	7	26	18	1.33	<0.01	14	0.99	467	<1	73	349	19	0.13	<5	<5	27	134	1684	<2	45	<10	4	33

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:34 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541091
Reference: TL15-031
Sample #: 25

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93541	368056	<1	7.18	11	755	<2	6	1.74	<4	9	19	29	1.61	<0.01	20	1.35	701	<1	47	382	370	0.19	<5	<5	33	150	1875	2	40	10	5	330
93542D	368056	<1	6.33	10	711	<2	<1	1.57	<4	8	24	29	1.57	<0.01	18	1.28	670	<1	60	371	368	0.17	<5	<5	31	139	1794	<2	42	11	5	329
93543	368057	<1	5.19	9	680	<2	6	2.27	<4	5	31	69	1.57	<0.01	14	1.46	998	<1	55	294	584	0.15	<5	<5	33	106	1393	3	37	<10	5	276
93544	368058	<1	6.25	18	688	<2	6	2.08	<4	6	24	16	1.42	<0.01	16	1.23	1142	<1	52	313	50	0.19	<5	<5	30	120	1599	<2	38	<10	5	64
93545	368059	<1	6.29	20	725	2	8	1.71	<4	7	47	19	1.45	<0.01	17	1.14	742	5	105	349	21	0.20	<5	<5	34	122	1686	2	55	<10	5	32
93546	368060	<1	6.70	5	559	<2	5	4.19	4	16	<1	75	3.83	0.23	2	1.42	867	<1	12	624	10	0.02	<5	<5	28	489	2626	5	138	<10	21	48
93547	368061	<1	5.52	12	631	<2	3	1.37	<4	6	25	21	1.42	0.25	16	1.00	514	<1	68	342	9	0.20	<5	<5	30	154	1682	<2	44	<10	4	42

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:34 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/09/2015
Job #: 201541093
Reference: TL15-032
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
93574	368062	0.043
93575	368063	0.032
93576	368064	0.031
93577	368065	0.050
93578	368066	0.018
93579	368067	0.065
93580	368068	0.089
93581	368069	1.078
93582	368070	5.232
93583	368071	0.161
93584	368071 Dup	0.181

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/09/2015
Job #: 201541093
Reference: TL15-032
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.570	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/09/2015
Job #: 201541093
Reference: TL15-032
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93574	368062	<1	5.93	20	2514	<2	3	0.79	<4	6	28	77	1.36	0.26	13	0.63	389	<1	6	363	108	0.35	<5	<5	<10	160	1640	<2	31	10	5	304
93575	368063	<1	6.09	14	972	<2	5	1.17	<4	6	21	94	1.58	0.14	12	0.72	530	<1	5	453	54	0.28	<5	<5	<10	167	1600	<2	30	<10	5	75
93576	368064	<1	6.45	14	572	<2	2	1.48	<4	8	26	31	1.57	0.14	13	0.90	788	<1	7	506	33	0.31	<5	<5	<10	182	1755	<2	34	<10	5	44
93577	368065	<1	6.47	17	527	<2	6	1.15	<4	8	21	30	1.36	0.08	16	0.83	709	<1	7	507	29	0.33	<5	<5	<10	189	1795	<2	34	<10	6	84
93578	368066	<1	6.19	17	544	<2	2	1.12	<4	7	25	24	1.34	<0.01	15	0.82	687	<1	7	499	30	0.31	<5	5	<10	180	1806	<2	34	<10	6	58
93579	368067	<1	5.99	10	451	<2	<1	1.07	<4	7	34	17	1.89	<0.01	14	0.74	652	<1	11	497	17	0.21	<5	<5	<10	165	1990	<2	41	<10	6	41
93580	368068	<1	6.85	18	451	<2	<1	1.26	<4	7	20	17	1.52	<0.01	13	0.81	672	<1	9	598	13	0.16	<5	<5	<10	175	1920	<2	42	<10	6	36
93581	368069	<1	6.39	33	414	<2	3	0.78	<4	8	33	77	2.06	<0.01	16	0.75	642	<1	10	549	75	0.47	<5	<5	<10	145	1739	<2	39	<10	6	150
93582	368070	148	5.25	20	420	<2	5	3.05	8	15	24	109	4.97	<0.01	4	1.18	845	<1	23	564	17149	0.10	104	<5	<10	297	2604	<2	135	11	17	314
93583	368071	<1	6.61	15	361	<2	9	0.78	<4	7	31	46	2.01	<0.01	19	0.96	899	<1	10	566	68	0.25	<5	<5	<10	153	1607	<2	38	<10	6	130
93584D	368071	<1	6.55	16	366	<2	7	0.78	<4	7	30	46	2.01	<0.01	19	0.96	912	<1	10	565	58	0.26	<5	<5	<10	153	1626	2	38	<10	7	133

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/10/2015 4:11 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541090
Reference: TL15-033
Sample #: 21

Acc #	Client ID	Au g/t (ppm)
93498	368072	0.045
93499	368073	0.352
93500	368074	0.069
93501	368075	0.125
93502	368076	0.164
93503	368077	0.011
93504	368078	0.006
93505	368079	0.020
93506	368080	<0.005
93507	368081	0.021
93508	368081 Dup	0.024
93509	368082	<0.005
93510	368083	<0.005
93511	368084	0.019
93512	368085	0.010
93513	368086	0.010
93514	368087	0.043
93515	368088	0.048
93516	368089	0.028
93517	368090	0.404
93518	368091	0.008
93519	368091 Dup	0.006
93520	368092	0.008

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541090
Reference: TL15-033
Sample #: 21

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.681	1.575	0.088
AR02	1.552	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALSu1, ALMA1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541090
Reference: TL15-033
Sample #: 21

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93498	368072	<1	6.67	25	749	2	3	1.98	<4	7	21	18	1.84	<0.01	22	1.40	823	<1	9	478	52	0.36	<5	5	<10	176	1917	<2	39	11	7	73
93499	368073	<1	6.10	41	778	2	7	2.10	<4	9	37	86	2.25	<0.01	22	1.61	1124	<1	14	478	369	0.73	<5	<5	<10	168	1854	4	44	10	8	358
93500	368074	<1	5.69	21	647	<2	5	1.46	<4	7	33	19	1.48	<0.01	19	1.19	734	<1	7	315	161	0.27	<5	<5	<10	180	1564	<2	26	<10	5	130
93501	368075	<1	6.06	12	623	<2	6	1.44	<4	7	22	26	1.49	<0.01	16	1.18	559	<1	9	342	55	0.12	<5	5	<10	167	1661	<2	27	<10	5	73
93502	368076	<1	6.39	9	656	<2	8	1.57	<4	6	35	19	1.61	<0.01	16	1.24	622	<1	7	347	26	0.08	<5	<5	<10	168	1687	<2	28	<10	5	61
93503	368077	<1	6.45	8	696	<2	<1	1.56	<4	6	26	18	1.55	<0.01	18	1.27	514	<1	7	377	25	0.09	<5	<5	<10	169	1751	<2	28	<10	5	64
93504	368078	<1	5.79	11	658	<2	<1	1.47	<4	7	24	17	1.46	<0.01	16	1.17	470	<1	7	335	33	0.12	<5	<5	<10	151	1626	<2	26	<10	5	56
93505	368079	<1	6.72	7	675	<2	5	1.41	<4	6	27	18	1.57	<0.01	18	1.18	552	<1	7	359	86	0.12	<5	<5	<10	148	1750	<2	28	<10	5	153
93506	368080	<1	6.27	8	498	<2	4	3.91	4	15	<1	68	3.65	<0.01	2	1.31	817	<1	7	582	18	0.02	<5	<5	<10	470	2469	<2	129	<10	20	49
93507	368081	<1	5.32	6	486	<2	<1	1.71	<4	6	19	33	1.47	0.10	14	1.09	691	<1	6	266	53	0.07	<5	<5	<10	161	1598	<2	26	<10	5	87
93508D	368081	<1	5.87	6	490	<2	3	1.74	<4	8	20	33	1.48	<0.01	14	1.19	703	<1	8	269	57	0.07	<5	<5	<10	164	1612	<2	26	<10	5	86
93509	368082	<1	5.29	4	559	<2	5	2.51	<4	5	21	33	1.57	<0.01	15	1.71	1373	<1	8	316	326	0.08	5	<5	<10	159	1426	<2	24	10	5	427
93510	368083	<1	5.83	5	730	<2	5	1.74	<4	7	26	21	1.45	<0.01	23	1.66	1148	<1	9	285	60	0.07	5	<5	<10	122	1616	<2	25	<10	5	101
93511	368084	<1	5.79	4	539	2	10	4.63	<4	7	16	84	2.01	<0.01	11	2.68	2216	<1	12	386	1035	0.09	<5	<5	<10	164	1451	2	26	17	5	638
93512	368085	<1	5.45	11	552	2	7	3.22	<4	5	8	23	1.28	<0.01	12	1.84	1030	<1	7	338	58	0.08	<5	<5	<10	144	1464	<2	24	<10	5	54
93513	368086	<1	6.01	9	568	<2	4	3.30	<4	7	10	19	1.34	<0.01	16	1.86	1003	<1	7	348	29	0.07	<5	<5	<10	146	1713	3	26	<10	5	37
93514	368087	<1	5.24	16	624	<2	3	1.51	<4	6	20	12	1.33	<0.01	15	1.11	438	<1	7	316	13	0.17	<5	<5	<10	153	1574	<2	25	<10	5	34
93515	368088	<1	5.23	11	548	<2	3	1.41	<4	6	22	18	1.42	<0.01	13	0.96	430	<1	7	315	12	0.11	<5	<5	<10	152	1524	<2	26	<10	4	29
93516	368089	<1	5.25	8	552	<2	1	1.49	<4	5	24	46	1.39	<0.01	17	1.13	624	<1	7	280	144	0.08	<5	<5	<10	135	1497	3	24	<10	5	297
93517	368090	<1	4.48	47	273	<2	5	0.98	7	13	15	2438	4.58	<0.01	21	0.78	967	7	20	649	69	1.48	<5	<5	<10	168	986	<2	56	10	8	527

PROCEDURE CODES: ALP1, ALFA2, ALSu1, ALMA1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:26 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541090
Reference: TL15-033
Sample #: 21

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93518	368091	<1	5.77	4	689	<2	3	1.19	<4	6	22	20	1.47	0.31	23	1.17	635	<1	9	333	47	0.07	<5	<5	<10	145	1782	<2	28	<10	4	91
93519D	368091	<1	5.53	7	708	<2	4	1.22	<4	7	23	19	1.52	0.54	23	1.13	652	<1	8	332	41	0.09	<5	<5	<10	148	1827	<2	29	<10	4	96
93520	368092	<1	6.21	9	635	<2	<1	1.01	<4	8	24	18	1.48	<0.01	20	1.14	481	<1	7	295	25	0.10	<5	<5	<10	145	1636	<2	26	<10	5	53

PROCEDURE CODES: ALP1, ALFA2, ALSu1, ALMA1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541087
Reference: TL15-035
Sample #: 6

Acc #	Client ID	Au g/t (ppm)
93426	368102	0.076
93427	368103	0.093
93428	368104	0.198
93429	368105	0.142
93430	368106	0.148
93431	368107	0.572
93432	368107 Dup	0.622

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:



Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541087
Reference: TL15-035
Sample #: 6

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541087
Reference: TL15-035
Sample #: 6

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93426	368102	<1	5.49	24	417	<2	6	0.97	<4	9	33	51	2.03	0.10	17	0.93	943	<1	58	489	20	0.20	<5	<5	28	138	1789	<2	54	<10	6	48
93427	368103	<1	6.17	19	388	2	1	1.06	<4	9	57	32	2.44	<0.01	16	0.98	971	4	110	466	33	0.20	<5	<5	28	143	1943	<2	68	<10	6	102
93428	368104	<1	6.54	43	455	<2	3	0.80	<4	11	53	46	2.52	0.25	17	0.83	814	<1	88	515	44	0.44	<5	<5	29	129	2131	<2	67	<10	7	227
93429	368105	<1	6.68	40	538	<2	5	0.82	<4	11	58	86	2.56	0.10	19	0.87	769	2	91	520	33	0.48	<5	<5	30	119	2309	<2	71	10	7	114
93430	368106	<1	6.67	44	543	<2	5	0.79	<4	11	57	78	2.59	0.06	20	0.84	727	1	101	527	39	0.57	<5	<5	31	116	2310	<2	70	<10	7	107
93431	368107	<1	6.84	49	497	<2	8	1.14	<4	8	39	26	2.27	0.03	17	0.88	570	3	89	600	102	0.87	5	<5	26	140	1950	<2	61	<10	6	233
93432D	368107	<1	6.80	57	509	<2	1	1.15	<4	9	39	26	2.25	<0.01	17	0.87	577	<1	86	596	99	0.84	<5	5	34	139	1983	<2	61	<10	6	232

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:35 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/06/2015
Job #: 201541088
Reference: TL15-036
Sample #: 49

Acc #	Client ID	Au g/t (ppm)
93434	368108	0.041
93435	368109	0.040
93436	368110	1.374
93437	368111	0.097
93438	368112	0.102
93439	368113	0.047
93440	368114	0.021
93441	368115	0.021
93442	368116	0.009
93443	368117	0.024
93444	368117 Dup	0.023
93445	368118	<0.005
93446	368119	0.007
93447	368120	<0.005
93448	368121	0.024
93449	368122	0.015
93450	368123	<0.005
93451	368124	0.039
93452	368125	<0.005
93453	368126	<0.005
93454	368127	0.006
93455	368127 Dup	0.005
93456	368128	0.011
93457	368129	0.051
93458	368130	4.860

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/06/2015
Job #: 201541088
Reference: TL15-036
Sample #: 49

Acc #	Client ID	Au g/t (ppm)
93459	368131	0.008
93460	368132	0.023
93461	368133	0.007
93462	368134	0.014
93463	368135	0.009
93464	368136	0.020
93465	368137	0.024
93466	368137 Dup	0.026
93467	368138	0.020
93468	368139	0.022
93469	368140	0.005
93470	368141	0.010
93471	368142	0.007
93472	368143	0.009
93473	368144	0.028
93474	368145	0.044
93475	368146	0.045
93476	368147	0.007
93477	368147 Dup	0.008
93478	368148	0.015
93479	368149	0.009
93480	368150	0.372
93481	368151	0.634
93482	368152	0.054
93483	368153	0.009

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/06/2015
Job #: 201541088
Reference: TL15-036
Sample #: 49

Acc #	Client ID	Au g/t (ppm)
93484	368154	0.028
93485	368155	0.012
93486	368156	0.013

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 6, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/06/2015
Job #: 201541088
Reference: TL15-036
Sample #: 49

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.670	1.575	0.088
AR02	1.508	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/06/2015
Job #: 201541088
Reference: TL15-036
Sample #: 49

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93434	368108	<1	4.98	21	228	<2	4	1.70	<4	4	15	12	1.43	<0.01	18	2.23	1299	<1	11	362	52	0.40	<5	<5	30	150	1054	<2	22	<10	5	200
93435	368109	<1	6.05	24	277	<2	1	1.10	<4	5	21	11	1.47	<0.01	13	1.45	793	<1	9	422	137	0.55	<5	<5	28	145	1136	<2	33	13	5	493
93436	368110	<1	4.94	19	602	<2	4	2.47	4	16	42	247	4.17	<0.01	10	1.20	723	3	42	637	81	0.07	<5	<5	31	300	2772	5	113	10	15	63
93437	368111	<1	6.19	23	343	<2	2	1.01	<4	6	19	30	1.46	<0.01	13	1.35	672	<1	7	446	347	0.42	<5	<5	32	139	1267	<2	35	15	5	651
93438	368112	<1	6.52	23	322	<2	2	0.93	<4	6	19	22	1.47	<0.01	18	1.35	645	<1	8	461	26	0.39	<5	<5	28	144	1507	<2	38	<10	6	55
93439	368113	<1	6.91	37	393	<2	5	1.06	<4	7	25	62	1.74	0.05	18	1.20	636	<1	12	466	46	0.65	<5	<5	30	186	1541	<2	40	<10	6	71
93440	368114	<1	6.74	22	395	<2	3	1.12	<4	6	13	4	1.38	<0.01	15	1.02	506	<1	9	480	20	0.69	<5	<5	28	183	1501	<2	34	<10	6	27
93441	368115	<1	5.95	18	374	<2	9	1.39	<4	6	11	5	1.49	<0.01	15	1.19	632	<1	9	414	24	0.50	<5	<5	32	179	1277	<2	30	<10	5	55
93442	368116	<1	6.07	15	271	<2	<1	1.96	<4	6	9	5	1.15	<0.01	12	1.40	826	<1	9	391	27	0.30	<5	<5	29	199	1041	3	31	<10	5	29
93443	368117	<1	6.00	26	222	<2	4	1.76	<4	6	12	36	1.83	0.09	18	1.63	938	<1	10	407	32	0.65	6	<5	26	196	1266	3	33	<10	5	65
93444D	368117	<1	5.77	22	219	<2	<1	1.74	<4	7	12	35	1.80	0.14	17	1.61	923	<1	10	395	28	0.66	<5	<5	26	191	1236	<2	33	<10	5	64
93445	368118	<1	6.39	13	231	<2	2	1.33	<4	4	1	6	0.79	0.35	11	1.05	567	<1	7	533	51	0.13	<5	<5	26	196	1250	<2	29	<10	5	37
93446	368119	<1	7.65	23	354	<2	<1	1.13	<4	5	9	22	0.92	0.18	21	1.18	587	<1	12	546	80	0.07	<5	8	23	220	1523	<2	34	<10	5	109
93447	368120	<1	6.44	5	558	<2	<1	4.24	4	16	<1	69	3.84	<0.01	1	1.43	877	<1	10	620	15	0.02	<5	<5	27	490	2662	<2	138	<10	21	50
93448	368121	<1	6.41	58	313	<2	5	1.03	<4	11	16	68	1.55	<0.01	15	1.01	531	<1	12	384	50	0.56	<5	<5	32	183	1296	<2	30	<10	5	35
93449	368122	<1	6.33	19	384	<2	<1	0.78	<4	6	11	7	1.06	<0.01	17	1.04	494	<1	9	415	37	0.31	<5	<5	31	160	1534	<2	31	<10	5	21
93450	368123	<1	6.27	10	334	<2	1	0.99	<4	6	9	2	0.82	<0.01	14	1.03	474	<1	6	401	27	0.15	<5	<5	33	162	1436	<2	30	<10	5	17
93451	368124	<1	5.86	18	293	<2	4	1.20	<4	6	9	6	0.86	<0.01	12	1.24	596	<1	8	378	62	0.14	<5	<5	29	160	1276	<2	29	<10	4	65
93452	368125	<1	6.17	11	286	<2	<1	0.84	<4	5	6	7	0.76	<0.01	18	1.39	555	<1	8	404	29	0.06	<5	<5	28	144	1437	<2	29	<10	4	44
93453	368126	<1	5.76	11	273	<2	<1	0.75	<4	6	9	3	0.73	<0.01	14	1.22	499	<1	7	390	24	0.05	<5	<5	26	139	1379	<2	27	<10	4	34

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/10/2015 4:15 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/06/2015
Job #: 201541088
Reference: TL15-036
Sample #: 49

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93454	368127	<1	6.10	15	281	<2	3	0.83	<4	6	7	4	0.78	<0.01	13	1.15	491	<1	8	392	15	0.13	<5	<5	31	143	1307	2	29	<10	5	17
93455D	368127	<1	6.15	16	284	<2	8	0.83	<4	4	6	4	0.78	<0.01	13	1.14	488	<1	8	390	20	0.13	<5	6	31	142	1311	<2	28	<10	5	21
93456	368128	<1	5.98	14	317	<2	6	1.08	<4	4	8	4	0.82	<0.01	11	1.19	559	<1	7	391	14	0.13	<5	<5	29	154	1172	<2	27	<10	4	30
93457	368129	<1	5.86	24	277	<2	2	0.89	<4	10	31	16	1.41	<0.01	13	1.56	682	<1	16	409	11	0.26	<5	<5	31	136	1244	<2	40	<10	5	42
93458	368130	152	4.97	19	461	<2	4	3.13	9	15	25	109	4.92	<0.01	3	1.23	857	<1	24	570	18128	0.09	105	<5	33	294	2685	<2	136	<10	16	332
93459	368131	<1	6.38	13	285	<2	6	0.77	<4	6	6	2	0.82	<0.01	11	1.35	534	<1	9	397	25	0.06	<5	<5	29	144	1218	<2	30	<10	5	30
93460	368132	<1	5.98	18	271	2	3	0.64	<4	6	8	6	1.30	<0.01	25	1.76	731	<1	12	379	16	0.28	<5	<5	30	134	963	<2	30	<10	5	46
93461	368133	<1	6.26	14	504	<2	4	1.95	<4	6	4	7	1.44	<0.01	11	0.98	599	<1	6	386	11	0.18	<5	<5	29	158	1631	<2	29	<10	5	50
93462	368134	<1	6.75	26	584	<2	4	2.01	<4	6	7	8	1.60	<0.01	13	1.03	677	<1	9	413	18	0.35	6	<5	34	162	1670	<2	31	<10	5	31
93463	368135	<1	6.58	24	549	<2	1	1.86	<4	8	7	5	1.40	<0.01	11	0.99	565	<1	10	406	30	0.42	<5	<5	28	175	1704	<2	31	<10	5	62
93464	368136	<1	7.07	19	543	<2	16	2.02	<4	10	4	13	1.68	<0.01	12	0.93	578	<1	9	423	26	0.27	<5	<5	28	167	1754	3	32	<10	5	164
93465	368137	<1	6.31	14	464	<2	3	1.84	<4	7	5	8	1.63	<0.01	10	0.71	383	<1	7	406	8	0.15	<5	<5	30	158	1705	<2	30	<10	5	32
93466D	368137	<1	4.90	11	362	<2	4	1.40	<4	5	<1	6	1.24	0.05	8	0.60	292	<1	6	322	5	0.16	<5	<5	29	126	1344	2	24	<10	5	21
93467	368138	<1	6.83	6	470	<2	<1	1.94	<4	7	3	8	1.69	0.26	13	0.71	344	<1	7	403	4	0.07	<5	<5	31	162	1701	<2	30	<10	5	32
93468	368139	<1	5.99	6	490	<2	2	1.53	<4	5	3	9	1.32	0.11	11	0.64	293	<1	7	379	6	0.06	<5	<5	25	150	1662	<2	29	<10	5	25
93469	368140	<1	5.86	4	520	<2	3	3.94	<4	15	<1	70	3.63	0.41	<1	1.34	819	<1	15	588	7	0.02	<5	<5	27	465	2517	<2	130	<10	20	45
93470	368141	<1	6.11	6	503	<2	4	1.93	<4	5	3	5	1.56	<0.01	11	0.70	328	<1	5	392	7	0.03	<5	<5	31	163	1697	<2	30	<10	5	32
93471	368142	<1	6.10	8	475	<2	2	2.26	<4	7	<1	6	1.68	<0.01	11	0.88	402	<1	22	396	5	0.08	<5	<5	31	173	1688	<2	35	<10	5	32
93472	368143	<1	5.74	6	470	<2	2	1.88	<4	6	<1	7	1.53	<0.01	10	0.76	326	<1	21	395	2	0.05	<5	<5	25	168	1661	<2	32	<10	5	28
93473	368144	<1	5.60	8	462	<2	3	1.81	<4	7	<1	9	1.63	<0.01	9	0.73	307	<1	22	378	8	0.10	<5	<5	28	153	1558	<2	32	<10	5	36

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/10/2015 4:15 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/06/2015
Job #: 201541088
Reference: TL15-036
Sample #: 49

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93474	368145	<1	6.42	9	527	<2	3	2.22	<4	6	<1	15	1.77	<0.01	12	0.89	385	<1	23	400	7	0.13	<5	<5	29	157	1766	<2	36	<10	5	38
93475	368146	<1	5.82	7	481	<2	<1	2.18	<4	6	2	18	1.68	<0.01	10	0.86	370	<1	27	372	11	0.08	<5	<5	27	154	1610	<2	35	<10	5	38
93476	368147	<1	5.31	11	493	<2	2	1.68	<4	5	<1	7	1.47	<0.01	9	0.78	309	<1	23	374	4	0.31	<5	<5	25	143	1572	<2	32	<10	5	33
93477D	368147	<1	5.78	13	514	<2	2	1.74	<4	6	1	7	1.54	<0.01	10	0.80	322	<1	22	384	3	0.32	<5	<5	29	148	1632	<2	33	<10	5	39
93478	368148	<1	6.74	8	550	<2	2	2.11	<4	8	11	13	1.65	0.05	12	0.91	338	<1	27	418	9	0.10	<5	<5	29	169	1897	<2	40	<10	6	43
93479	368149	<1	5.85	8	546	<2	<1	2.08	<4	6	3	7	1.38	<0.01	11	1.01	387	<1	23	375	11	0.08	<5	<5	28	138	1673	<2	34	<10	5	30
93480	368150	<1	5.73	54	360	<2	6	1.22	8	14	20	2694	5.19	0.15	26	0.89	1069	7	23	735	81	1.86	<5	<5	33	189	1123	<2	63	16	8	584
93481	368151	<1	6.17	26	533	<2	<1	1.95	<4	7	8	38	1.60	0.03	13	1.16	638	<1	26	396	141	0.60	<5	<5	32	115	1656	<2	36	<10	5	305
93482	368152	<1	7.02	30	542	2	5	3.10	<4	6	3	12	1.74	<0.01	13	1.68	1082	<1	26	432	52	0.62	<5	<5	29	146	1625	<2	37	<10	6	70
93483	368153	<1	6.35	16	419	<2	3	2.14	<4	6	5	9	1.36	<0.01	14	1.36	617	<1	27	394	18	0.19	<5	<5	33	108	1646	<2	35	<10	5	35
93484	368154	<1	6.58	27	463	2	6	2.42	<4	6	4	10	1.52	<0.01	15	1.47	770	<1	24	400	24	0.47	7	<5	31	143	1568	<2	33	<10	5	24
93485	368155	<1	6.51	18	457	2	<1	1.79	<4	7	3	8	1.36	<0.01	14	1.21	471	<1	23	406	16	0.30	<5	<5	28	104	1711	<2	34	<10	5	34
93486	368156	<1	6.34	10	463	2	3	2.20	<4	5	8	9	1.45	<0.01	13	1.43	609	<1	32	403	30	0.21	<5	<5	30	116	1709	<2	37	11	5	51

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/09/2015
Job #: 201541127
Reference: TL15-037
Sample #: 11

Acc #	Client ID	Au g/t (ppm)
96232	368157	<0.005
96233	368158	<0.005
96234	368159	<0.005
96235	368160	<0.005
96236	368161	<0.005
96237	368162	<0.005
96238	368163	0.010
96239	368164	<0.005
96240	368165	<0.005
96241	368166	0.007
96242	368166 Dup	0.006
96243	368167	0.006

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/09/2015
Job #: 201541127
Reference: TL15-037
Sample #: 11

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.611	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Karl Magbanua,
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 13, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/09/2015
Job #: 201541127
Reference: TL15-037
Sample #: 11

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96232	368157	<1	7.16	13	367	<2	<1	1.41	<4	8	16	6	0.93	0.81	15	0.83	371	<1	37	408	6	0.09	<5	<5	11	167	1754	<2	38	<10	5	24
96233	368158	<1	5.33	17	199	<2	<1	1.25	<4	8	14	6	0.96	0.91	9	0.74	317	<1	37	359	8	0.13	<5	<5	<10	144	1392	<2	32	<10	4	14
96234	368159	<1	5.15	16	270	<2	<1	1.51	<4	8	15	7	1.12	1.09	11	0.72	342	<1	32	347	<1	0.06	<5	8	11	146	1442	12	32	<10	4	17
96235	368160	<1	4.27	4	429	<2	<1	3.77	<4	15	6	63	3.60	1.14	2	1.16	844	<1	15	557	6	0.02	<5	<5	11	459	2494	<2	129	12	17	52
96236	368161	<1	6.29	11	335	<2	<1	1.51	<4	7	19	7	1.14	0.82	12	0.76	326	<1	43	389	5	0.03	<5	<5	11	159	1647	8	39	<10	5	22
96237	368162	<1	6.22	15	356	<2	<1	1.40	<4	6	19	6	1.20	0.73	15	0.73	324	<1	42	393	8	0.05	<5	<5	<10	160	1713	5	38	11	6	27
96238	368163	<1	6.16	14	379	<2	<1	1.87	<4	8	21	8	1.39	0.94	14	0.88	457	<1	45	366	12	0.05	<5	6	11	179	1603	8	37	13	6	28
96239	368164	<1	6.48	19	364	<2	<1	1.83	<4	6	23	9	1.48	0.76	14	0.83	436	2	48	418	3	0.10	<5	<5	10	177	1771	5	41	<10	6	26
96240	368165	<1	6.69	14	436	<2	<1	1.73	<4	6	21	7	1.54	0.87	13	0.77	380	<1	42	408	2	0.09	<5	<5	38	165	1832	3	39	<10	5	26
96241	368166	<1	6.37	22	404	<2	<1	1.67	<4	5	23	8	1.55	0.48	11	0.76	370	<1	47	400	7	0.12	<5	<5	39	162	1735	<2	40	<10	5	25
96242D	368166	<1	6.46	21	341	<2	<1	1.61	<4	6	18	10	1.53	0.93	12	0.75	377	<1	36	392	6	0.10	<5	<5	<10	168	1722	<2	36	<10	6	28
96243	368167	<1	6.26	17	396	<2	<1	1.64	<4	8	27	9	1.50	1.09	13	0.77	415	3	57	408	12	0.07	<5	<5	12	174	1781	2	43	14	6	33

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/13/2015 11:53 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541128
Reference: TL15-038
Sample #: 53

Acc #	Client ID	Au g/t (ppm)
96244	368168	0.046
96245	368169	0.079
96246	368170	1.382
96247	368171	0.076
96248	368172	0.021
96249	368173	0.063
96250	368174	0.057
96251	368175	2.332
96252	368176	2.172
96253	368177	0.295
96254	368177 Dup	0.320
96255	368178	0.066
96256	368179	0.113
96257	368180	0.018
96258	368181	0.041
96259	368182	0.044
96260	368183	0.027
96261	368184	1.351
96262	368185	0.082
96263	368186	0.071
96264	368187	0.146
96265	368187 Dup	0.152
96266	368188	0.062
96267	368189	0.551
96268	368190	4.948

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:



Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541128
Reference: TL15-038
Sample #: 53

Acc #	Client ID	Au g/t (ppm)
96269	368191	0.238
96270	368192	0.122
96271	368193	0.092
96272	368194	0.041
96273	368195	0.115
96274	368196	0.062
96275	368197	0.094
96276	368197 Dup	0.079
96277	368198	0.084
96278	368199	0.189
96279	368200	<0.005
96280	368201	0.039
96281	368202	0.026
96282	368203	0.175
96283	368204	0.022
96284	368205	0.011
96285	368206	0.009
96286	368207	<0.005
96287	368207 Dup	<0.005
96288	368208	<0.005
96289	368209	<0.005
96290	368210	0.371
96291	368211	0.005
96292	368212	<0.005
96293	368213	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541128
Reference: TL15-038
Sample #: 53

Acc #	Client ID	Au g/t (ppm)
96294	368214	<0.005
96295	368215	<0.005
96296	368216	<0.005
96297	368217	0.011
96298	368217 Dup	0.008
96299	368218	0.119
96300	368219	0.072
96301	368220	<0.005

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Friday, April 10, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541128
Reference: TL15-038
Sample #: 53

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.521	1.575	0.088
AR02	1.471	1.575	0.088
KL01	0.374	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541128
Reference: TL15-038
Sample #: 53

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96244	368168	<1	5.62	24	405	<2	45	1.37	<4	24	7	10	1.72	0.38	14	1.26	876	<1	59	444	120	0.35	<5	10	37	210	1453	5	39	21	5	155
96245	368169	<1	5.93	26	403	<2	23	1.96	<4	17	10	9	1.91	0.44	17	1.50	1092	<1	55	486	307	0.25	<5	21	35	246	1692	6	45	25	6	289
96246	368170	<1	4.48	28	486	<2	32	2.08	<4	15	37	187	3.72	0.77	11	1.24	686	7	38	581	19	0.09	<5	20	42	257	2793	7	102	24	16	65
96247	368171	<1	6.64	26	451	<2	11	1.18	<4	12	9	10	1.38	0.68	13	0.93	676	1	52	522	63	0.24	<5	28	36	198	1474	7	43	15	6	85
96248	368172	<1	4.26	<2	492	<2	42	0.86	<4	12	4	18	1.34	0.97	13	0.63	495	<1	36	509	60	0.08	5	28	38	188	1361	7	35	19	4	54
96249	368173	<1	4.83	2	425	<2	22	0.74	<4	7	10	16	1.61	0.97	15	1.06	735	<1	28	480	34	0.09	5	14	38	167	1460	9	39	<10	6	59
96250	368174	<1	5.98	13	339	<2	16	0.46	<4	6	8	16	1.43	0.87	19	1.10	816	<1	30	481	50	0.17	<5	19	36	142	1602	8	38	22	7	206
96251	368175	<1	4.63	17	171	<2	31	0.64	<4	6	10	51	2.41	0.49	17	1.62	1403	<1	40	435	54	0.18	5	12	31	152	1463	9	41	12	6	114
96252	368176	<1	5.53	20	364	<2	43	0.92	<4	8	12	29	2.46	0.61	22	1.45	1407	<1	31	464	62	0.21	<5	7	36	164	1790	8	46	<10	6	162
96253	368177	<1	6.29	24	427	<2	48	1.19	<4	9	20	29	1.87	0.46	16	0.88	763	<1	39	447	29	0.28	<5	27	40	181	1880	6	46	<10	7	61
96254D	368177	<1	5.79	23	398	<2	14	1.10	<4	8	20	29	1.78	0.47	14	0.82	729	<1	38	426	27	0.25	<5	27	36	173	1787	6	45	25	7	56
96255	368178	<1	5.71	17	456	<2	23	1.28	<4	7	22	10	1.76	0.45	16	0.86	573	<1	37	425	15	0.27	<5	24	37	165	1992	7	46	12	7	60
96256	368179	<1	6.51	24	508	<2	26	1.39	<4	9	16	12	2.21	0.62	17	0.92	634	<1	30	401	21	0.65	<5	13	39	150	1869	<2	41	12	8	61
96257	368180	<1	7.41	10	530	<2	22	4.17	<4	16	<1	65	4.00	0.70	6	1.64	938	<1	9	646	6	0.05	<5	15	38	491	2935	2	140	30	25	52
96258	368181	<1	5.89	18	473	<2	48	1.31	<4	7	9	10	1.42	0.66	16	0.92	522	<1	34	439	17	0.18	<5	24	36	137	1890	10	39	17	7	28
96259	368182	<1	5.90	7	929	<2	15	1.72	<4	6	29	17	1.70	0.75	13	1.10	695	3	67	512	25	0.18	<5	18	29	152	1893	2	50	14	7	64
96260	368183	<1	5.99	13	464	<2	13	2.59	<4	8	25	11	1.78	0.75	13	1.42	1192	1	57	439	17	0.23	<5	22	36	169	1923	<2	45	18	7	42
96261	368184	<1	5.33	12	440	<2	6	1.16	<4	7	12	10	1.62	0.58	17	1.08	799	<1	35	398	21	0.32	<5	18	32	158	1734	7	38	11	7	34
96262	368185	<1	4.27	23	267	<2	33	1.03	<4	5	7	14	1.45	0.40	11	0.79	662	<1	32	349	25	0.34	<5	8	33	111	1506	6	34	17	6	55
96263	368186	<1	3.99	21	246	<2	<1	1.05	<4	6	13	14	1.59	0.48	11	0.80	688	<1	42	365	25	0.38	<5	29	34	113	1504	6	37	13	6	55

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:01 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541128
Reference: TL15-038
Sample #: 53

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96264	368187	<1	5.69	19	419	<2	15	1.09	<4	6	8	10	1.37	0.58	17	0.85	629	<1	31	380	34	0.34	<5	20	39	126	1882	7	38	13	6	65
96265D	368187	<1	5.06	20	375	<2	28	0.96	<4	5	7	9	1.26	0.32	15	0.79	589	<1	30	365	32	0.29	7	28	29	117	1690	9	36	14	6	60
96266	368188	<1	2.93	10	273	<2	16	0.67	<4	4	<1	7	0.82	<0.01	10	0.55	368	<1	22	325	18	0.13	<5	12	25	106	1410	5	31	<10	4	34
96267	368189	<1	1.49	4	166	<2	24	0.62	<4	6	5	11	0.79	<0.01	5	0.56	708	<1	25	308	12	0.10	<5	16	20	91	1116	8	29	<10	4	32
96268	368190	131	3.64	24	353	<2	15	2.53	4	13	24	84	4.26	0.70	8	1.07	779	<1	23	471	17655	0.10	87	19	39	241	2430	9	115	18	14	299
96269	368191	<1	7.52	20	426	<2	43	1.96	<4	7	19	10	1.68	0.87	29	1.16	939	6	41	389	391	0.24	<5	28	58	133	1890	8	45	15	8	46
96270	368192	<1	3.35	15	190	<2	4	0.81	<4	9	5	10	0.81	<0.01	14	0.67	418	<1	30	275	18	0.14	<5	12	40	108	1124	4	28	28	5	57
96271	368193	<1	5.73	24	422	<2	51	1.47	<4	6	16	12	1.20	0.74	25	0.89	603	5	34	361	16	0.11	<5	29	57	127	1850	4	39	13	6	54
96272	368194	<1	5.07	8	290	<2	9	1.28	<4	4	6	7	1.19	0.56	11	0.85	476	<1	27	352	10	0.18	<5	7	27	112	1451	4	32	12	6	24
96273	368195	<1	3.50	30	201	<2	26	0.99	<4	5	9	12	1.10	0.01	8	0.77	492	<1	34	295	200	0.30	<5	14	31	72	1198	5	31	20	5	399
96274	368196	<1	2.16	11	197	<2	<1	1.36	<4	4	<1	6	0.90	<0.01	5	0.83	604	<1	23	251	30	0.18	<5	16	21	81	1026	6	24	<10	4	33
96275	368197	<1	3.54	24	338	<2	6	1.51	<4	5	6	6	1.02	<0.01	8	0.90	576	<1	28	286	31	0.18	<5	11	30	97	1235	3	27	<10	5	69
96276D	368197	<1	3.08	6	259	<2	31	1.06	<4	3	7	4	0.66	0.39	8	0.64	382	<1	21	183	19	0.11	<5	13	23	62	896	2	19	<10	3	48
96277	368198	<1	5.43	16	339	<2	<1	1.83	<4	5	8	16	1.31	0.46	13	1.07	628	<1	32	343	23	0.15	5	25	37	116	1625	8	33	17	6	46
96278	368199	<1	7.07	21	548	<2	10	1.10	<4	6	13	25	1.28	0.38	16	0.87	431	<1	43	396	44	0.23	<5	34	40	105	1819	3	39	12	7	83
96279	368200	<1	0.58	<2	36	<2	<1	0.04	<4	<1	<1	3	0.12	0.06	3	0.28	<100	<1	1	<100	5	0.02	<5	12	34	34	326	7	5	<10	6	1
96280	368201	<1	6.85	11	409	<2	26	1.99	<4	9	40	20	1.94	0.91	14	1.14	678	<1	44	444	32	0.12	6	23	35	136	2170	11	54	22	9	54
96281	368202	<1	5.96	2	350	<2	8	1.77	<4	6	13	8	1.33	0.62	14	1.07	513	<1	40	385	25	0.05	7	22	33	131	1826	2	39	14	6	31
96282	368203	<1	7.21	24	425	<2	78	1.26	<4	7	18	12	1.36	0.92	19	1.11	571	<1	41	398	38	0.17	<5	29	48	97	1916	6	41	12	7	48
96283	368204	<1	6.09	12	354	<2	6	1.88	<4	6	12	7	1.49	0.75	14	1.20	517	<1	37	374	20	0.11	5	25	33	114	1823	6	36	18	6	28

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:01 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Sunday, April 26, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/02/2015
Date Completed: 04/10/2015
Job #: 201541128
Reference: TL15-038
Sample #: 53

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
96284	368205	<1	2.19	11	227	<2	23	1.24	<4	4	5	4	0.94	0.27	4	0.74	309	<1	32	252	6	0.05	<5	12	26	102	1240	3	27	10	4	13
96285	368206	<1	2.23	5	197	<2	<1	1.27	<4	4	3	3	0.93	0.15	5	0.72	305	<1	26	257	6	0.06	<5	10	24	103	1228	3	26	<10	4	11
96286	368207	<1	2.70	6	236	<2	9	1.15	<4	4	10	4	1.11	0.08	5	0.73	308	<1	39	290	6	0.04	<5	15	24	96	1235	6	30	<10	4	17
96287D	368207	<1	3.03	11	293	<2	<1	1.35	<4	5	18	5	1.29	0.37	8	0.80	363	<1	52	319	6	0.04	<5	14	28	107	1476	4	37	<10	4	17
96288	368208	<1	5.86	8	293	<2	41	1.72	<4	5	16	5	1.68	0.84	18	1.59	594	<1	48	386	12	0.06	<5	16	48	106	1755	5	39	16	6	38
96289	368209	<1	6.77	7	332	<2	4	1.43	<4	5	14	5	1.45	0.52	18	1.48	471	<1	43	407	21	0.07	<5	30	36	103	1820	5	39	12	6	31
96290	368210	<1	0.30	430	>5000	<2	6	0.88	<4	7	3	31	2.82	0.33	10	0.28	<100	10	12	<100	17	0.41	34	<5	38	118	1354	15	17	111	10	19
96291	368211	<1	3.31	10	189	<2	9	1.18	<4	4	5	5	1.18	<0.01	7	1.13	484	<1	30	315	7	0.07	<5	16	29	68	1298	<2	28	<10	5	27
96292	368212	<1	3.28	6	215	<2	8	0.93	<4	4	3	2	1.20	0.39	7	0.98	328	<1	27	288	4	0.06	<5	15	29	57	1400	6	29	<10	5	24
96293	368213	<1	4.40	<2	226	<2	10	1.34	<4	4	8	2	1.25	0.26	10	1.02	490	<1	29	328	3	0.07	5	21	30	65	1513	4	31	<10	5	20
96294	368214	<1	4.92	5	233	<2	28	1.69	<4	5	4	3	1.41	0.84	13	1.09	682	<1	5	337	7	0.06	<5	6	32	74	1655	4	27	12	6	24
96295	368215	<1	4.48	7	257	<2	<1	1.92	<4	4	13	4	1.52	0.58	9	1.14	526	<1	6	321	10	0.15	<5	18	27	85	1462	2	24	12	5	20
96296	368216	<1	3.52	8	326	<2	14	1.80	<4	4	12	3	1.52	0.77	10	1.08	374	<1	6	315	14	0.08	<5	22	31	80	1587	3	26	20	5	31
96297	368217	<1	4.00	16	334	<2	8	1.56	<4	10	18	13	1.34	0.49	7	1.00	353	<1	13	350	22	0.14	<5	12	27	76	1566	7	31	18	6	160
96298D	368217	<1	3.80	12	327	<2	20	1.53	<4	11	19	13	1.34	0.43	7	0.97	349	<1	14	350	21	0.16	<5	12	27	77	1537	2	31	<10	6	158
96299	368218	<1	4.05	57	396	<2	29	0.84	<4	15	74	44	2.29	0.30	12	0.79	331	<1	31	463	70	0.67	<5	5	33	66	2173	5	59	18	9	257
96300	368219	<1	2.85	33	331	<2	<1	1.03	<4	16	94	51	2.44	0.29	14	0.98	472	<1	37	387	19	0.72	<5	5	32	63	2098	2	62	<10	10	38
96301	368220	<1	<0.01	<2	22	<2	3	<0.01	<4	<1	<1	3	0.14	0.09	<1	0.24	<100	<1	1	<100	1	0.02	<5	13	31	29	305	2	5	<10	5	<1

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/26/2015 8:01 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541431
Reference: 15-116
Sample #: 35

Acc #	Client ID	Au g/t (ppm)
117205	303792	0.022
117206	303793	0.044
117207	303794	0.016
117208	303795	0.026
117209	303796	0.039
117210	303797	0.032
117211	303798	0.015
117212	303799	0.038
117213	303800	<0.005
117214	303801	0.057
117215	303801 Dup	0.057
117216	303802	0.054
117217	303803	0.015
117218	303804	0.019
117219	303805	0.013
117220	303806	0.013
117221	303807	0.031
117222	303808	0.071
117223	303809	0.022
117224	303810	0.412
117225	303811	0.032
117226	303811 Dup	0.028
117227	303812	0.006
117228	303813	0.014
117229	303814	0.061

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541431
Reference: 15-116
Sample #: 35

Acc #	Client ID	Au g/t (ppm)
117230	303815	0.064
117231	303816	0.081
117232	303817	0.318
117233	303818	0.025
117234	303819	0.090
117235	303820	<0.005
117236	303821	0.039
117237	303821 Dup	0.038
117238	303822	0.026
117239	303823	0.031
117240	303824	0.065
117241	303825	0.040
117242	303826	0.041

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541431
Reference: 15-116
Sample #: 35

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.565	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541431
Reference: 15-116
Sample #: 35

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117205	303792	<1	3.32	18	459	<2	2	2.54	<4	10	19	22	2.15	<0.01	7	0.98	617	<1	34	564	9	0.45	<5	24	<10	435	2469	<2	52	<10	7	54
117206	303793	<1	3.20	12	571	<2	13	1.83	<4	12	20	24	2.16	<0.01	10	0.97	559	<1	30	507	3	0.87	<5	24	<10	396	2141	<2	51	22	6	76
117207	303794	<1	3.10	11	497	<2	12	2.16	<4	12	16	67	2.13	<0.01	7	0.91	538	<1	30	563	4	0.77	<5	13	10	471	2443	<2	53	14	7	136
117208	303795	<1	2.90	13	449	<2	9	2.31	<4	10	18	32	2.04	0.04	8	0.89	617	<1	34	591	7	0.63	<5	28	13	566	2468	<2	55	15	7	65
117209	303796	<1	3.06	12	452	<2	16	2.70	<4	13	13	49	2.37	0.15	8	1.05	882	<1	29	638	8	0.56	<5	21	<10	638	2964	<2	61	18	8	117
117210	303797	<1	3.95	9	542	<2	4	2.60	<4	12	16	28	2.45	<0.01	12	1.07	832	<1	30	629	5	0.63	<5	22	<10	472	2840	<2	63	17	8	91
117211	303798	<1	3.30	7	411	<2	<1	2.40	<4	12	16	37	2.25	0.05	7	0.98	670	<1	35	604	5	0.41	<5	15	11	440	2826	<2	60	32	8	80
117212	303799	<1	3.52	13	548	<2	14	2.76	<4	14	16	34	2.51	0.08	9	0.97	626	<1	34	678	3	0.55	<5	20	10	529	3214	<2	65	22	8	64
117213	303800	<1	3.72	9	469	<2	13	3.76	<4	17	1	62	3.77	0.22	<1	1.38	897	<1	8	606	5	0.06	<5	19	<10	466	2777	<2	134	24	20	57
117214	303801	<1	4.15	12	528	<2	5	2.39	<4	12	16	23	2.23	0.15	7	0.85	469	<1	35	632	6	0.43	<5	17	<10	603	2828	<2	59	23	8	61
117215D	303801	<1	3.26	17	513	<2	9	2.27	<4	12	17	22	2.16	0.11	7	0.77	449	<1	38	601	10	0.39	<5	27	<10	598	2790	<2	58	16	7	58
117216	303802	<1	3.25	15	342	<2	10	1.81	<4	10	21	12	1.93	<0.01	6	1.04	535	<1	37	497	5	0.38	<5	29	<10	436	2065	<2	49	25	7	66
117217	303803	<1	4.45	11	477	<2	6	2.22	<4	11	15	13	2.16	<0.01	7	1.13	658	<1	29	612	11	0.62	<5	29	<10	412	2363	<2	54	13	8	97
117218	303804	<1	4.09	11	482	<2	<1	2.36	<4	11	17	22	2.17	0.02	9	1.12	765	<1	29	588	10	0.50	<5	22	12	365	2302	<2	53	12	8	80
117219	303805	<1	3.28	7	458	<2	4	2.16	<4	11	22	28	2.08	<0.01	8	0.83	599	<1	37	552	7	0.29	<5	14	<10	352	2317	<2	55	12	6	67
117220	303806	<1	2.40	9	444	<2	13	2.16	<4	11	22	27	2.07	0.01	8	0.78	620	<1	34	532	8	0.29	<5	17	10	351	2324	<2	54	13	5	68
117221	303807	<1	3.17	7	298	<2	8	3.47	<4	16	96	23	2.70	0.11	11	1.60	1051	<1	73	633	13	0.38	<5	17	<10	485	2400	<2	69	<10	7	102
117222	303808	<1	3.14	12	458	<2	3	2.45	<4	12	29	83	2.21	0.22	10	1.01	939	<1	40	565	15	0.35	<5	27	<10	369	2432	<2	56	20	7	88
117223	303809	<1	3.60	10	472	<2	15	2.32	<4	11	22	34	2.15	0.26	8	0.85	606	<1	35	593	3	0.40	<5	22	<10	355	2434	<2	55	20	7	75
117224	303810	<1	3.56	55	252	<2	6	0.97	4	14	21	2249	4.88	<0.01	22	0.87	1073	7	21	705	72	1.73	<5	17	13	180	1170	<2	60	42	10	572

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/30/2015 10:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 30, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/20/2015
Date Completed: 04/30/2015
Job #: 201541431
Reference: 15-116
Sample #: 35

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
117225	303811	<1	3.71	12	538	<2	28	2.23	<4	12	22	44	2.11	0.14	9	0.81	518	<1	33	528	9	0.29	<5	30	10	359	2308	<2	52	16	7	88
117226D	303811	<1	3.69	10	533	<2	12	2.20	<4	11	23	29	2.07	0.04	9	0.80	508	<1	32	537	3	0.29	<5	22	<10	357	2315	<2	51	14	7	80
117227	303812	<1	4.10	8	572	<2	10	2.31	<4	13	40	16	2.21	0.02	9	0.77	428	<1	47	551	6	0.14	<5	15	<10	358	2645	<2	60	<10	8	62
117228	303813	<1	5.00	13	547	<2	16	2.84	<4	12	21	15	2.24	<0.01	9	0.87	595	<1	35	614	12	0.25	<5	24	10	391	2811	<2	57	15	8	68
117229	303814	<1	4.27	12	488	<2	13	2.01	<4	11	19	44	2.10	<0.01	7	0.79	606	<1	29	554	9	0.48	<5	27	<10	349	2191	<2	51	23	7	95
117230	303815	<1	4.81	18	551	<2	28	1.91	<4	8	13	14	1.64	<0.01	11	0.98	579	<1	29	440	34	0.30	<5	30	<10	306	1953	<2	40	29	7	264
117231	303816	<1	3.58	20	375	<2	<1	1.65	<4	5	19	13	1.34	<0.01	14	1.34	752	<1	23	285	44	0.21	<5	29	13	204	1344	<2	27	15	6	134
117232	303817	<1	4.01	22	340	<2	12	1.90	<4	7	11	20	1.41	0.07	10	1.11	546	<1	28	337	148	0.23	<5	19	10	206	1551	<2	30	24	5	280
117233	303818	<1	3.46	23	306	<2	5	1.86	<4	6	10	9	1.30	0.09	9	1.08	568	<1	28	316	24	0.21	<5	26	<10	197	1432	<2	29	<10	5	84
117234	303819	<1	4.29	33	370	<2	13	1.22	<4	6	17	58	1.25	<0.01	9	0.86	469	<1	26	287	132	0.38	<5	25	<10	166	1423	<2	28	34	6	348
117235	303820	<1	2.39	10	466	<2	22	3.67	<4	17	2	61	3.73	0.19	<1	1.30	892	<1	7	593	12	0.06	<5	13	<10	459	2737	<2	134	22	17	58
117236	303821	<1	3.72	25	313	<2	2	1.37	<4	5	10	45	1.20	0.06	11	0.96	597	<1	25	326	44	0.26	<5	17	<10	175	1475	<2	30	30	6	337
117237D	303821	<1	3.69	23	318	<2	10	1.34	<4	5	9	44	1.17	0.07	11	0.93	592	<1	25	324	48	0.25	<5	23	10	173	1460	<2	29	28	5	334
117238	303822	<1	4.09	26	322	<2	8	1.45	<4	7	16	35	1.27	0.02	12	0.97	601	<1	30	309	38	0.28	<5	23	<10	186	1484	<2	31	24	6	515
117239	303823	<1	3.84	34	333	<2	<1	1.47	<4	6	11	22	1.25	<0.01	10	0.95	591	<1	26	313	54	0.35	<5	31	<10	181	1395	<2	29	16	5	244
117240	303824	<1	4.48	32	376	<2	13	1.71	<4	6	7	6	1.46	<0.01	10	1.12	613	<1	26	282	24	0.52	<5	23	<10	187	1294	<2	28	<10	6	108
117241	303825	<1	4.06	35	505	<2	12	1.30	<4	7	35	14	1.57	<0.01	10	0.98	544	<1	10	330	64	0.41	<5	22	<10	192	1428	<2	29	19	7	163
117242	303826	<1	4.60	39	505	<2	13	1.33	<4	7	32	15	1.65	<0.01	12	1.00	560	<1	10	340	73	0.50	<5	21	13	197	1460	<2	28	21	7	168

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/30/2015 10:09 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541089
Reference: TL15-039
Sample #: 10

Acc #	Client ID	Au g/t (ppm)
93487	368221	0.016
93488	368222	<0.005
93489	368223	0.041
93490	368224	0.031
93491	368225	0.066
93492	368226	0.070
93493	368227	0.051
93494	368228	0.252
93495	368229	<0.005
93496	368230	1.380
93497	368230	Insufficient Sample

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541089
Reference: TL15-039
Sample #: 10

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541089
Reference: TL15-039
Sample #: 10

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93487	368221	<1	7.04	7	810	<2	<1	2.69	<4	9	29	31	1.72	0.34	19	1.68	916	<1	10	381	68	0.07	<5	5	<10	179	1613	<2	29	10	6	81
93488	368222	<1	7.80	8	643	2	6	3.23	<4	7	24	37	1.67	0.54	24	1.64	804	<1	7	369	61	0.08	<5	<5	<10	211	1655	2	26	<10	6	128
93489	368223	<1	7.55	11	801	<2	<1	2.72	<4	6	18	17	1.59	0.37	20	1.52	713	<1	6	386	47	0.14	<5	<5	<10	221	1478	<2	29	<10	6	50
93490	368224	<1	7.35	12	724	<2	6	2.13	<4	7	26	35	1.61	0.49	28	1.69	760	<1	8	370	106	0.19	<5	<5	<10	160	1709	2	28	<10	6	222
93491	368225	<1	7.46	10	725	<2	<1	1.80	<4	7	14	26	1.47	0.37	32	1.72	668	<1	7	378	69	0.26	5	<5	<10	140	1822	<2	29	<10	6	72
93492	368226	<1	7.27	11	726	<2	4	1.87	<4	8	20	28	1.49	0.24	31	1.72	670	<1	7	365	44	0.23	<5	<5	<10	140	1822	<2	29	<10	6	83
93493	368227	<1	6.75	15	654	<2	4	1.67	<4	6	21	29	1.55	0.39	31	1.69	668	<1	6	357	40	0.24	<5	<5	<10	129	1719	<2	27	<10	5	74
93494	368228	<1	5.55	12	595	<2	<1	1.33	<4	6	18	42	1.34	<0.01	22	1.35	564	<1	6	323	54	0.21	<5	<5	<10	116	1576	<2	25	<10	5	150
93495	368229	<1	4.80	4	552	<2	3	1.50	<4	6	17	29	1.36	0.13	18	1.38	601	<1	7	308	25	0.12	<5	<5	<10	121	1485	<2	24	<10	5	133
93496	368230	<1	5.30	26	571	<2	8	2.44	4	15	42	248	4.17	0.09	10	1.19	727	5	44	640	11	0.07	7	<5	<10	304	2785	<2	114	12	15	60
93497D	368230																IS															

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:23 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541374
Reference: 15-104
Sample #: 28

Acc #	Client ID	Au g/t (ppm)
112792	303501	0.091
112793	303502	0.012
112794	303503	0.010
112795	303504	0.056
112796	303505	0.027
112797	303506	0.020
112798	303507	0.029
112799	303508	0.053
112800	303509	0.027
112801	303510	0.377
112802	303510	Insufficient Sample
112803	303511	0.035
112804	303512	0.140
112805	303513	0.029
112806	303514	0.010
112807	303515	0.015
112808	303516	0.013
112809	303517	0.029
112810	303518	0.029
112811	303519	0.023
112812	303520	0.007
112813	303520	Insufficient Sample
112814	303521	0.060
112815	303522	0.059
112816	303523	0.054

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541374
Reference: 15-104
Sample #: 28

Acc #	Client ID	Au g/t (ppm)
112817	303524	0.036
112818	303525	0.031
112819	303526	0.023
112820	303527	0.030
112821	303528	0.022

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, April 27, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541374
Reference: 15-104
Sample #: 28

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
KL01	0.384	0.394	0.011

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Andrew Oleski
Lab Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541374
Reference: 15-104
Sample #: 28

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112792	303501	<1	6.91	18	564	2	3	2.10	<4	9	21	8	2.33	<0.01	19	1.04	466	<1	11	600	8	0.93	<5	<5	<10	224	2286	8	52	<10	7	52
112793	303502	<1	6.64	14	550	2	<1	2.48	<4	8	24	11	2.48	<0.01	19	1.24	622	<1	10	605	10	0.89	<5	<5	<10	223	2011	<2	43	<10	6	58
112794	303503	<1	6.50	20	578	<2	2	2.39	<4	11	39	15	2.40	0.37	17	1.16	594	<1	19	567	14	0.73	<5	<5	<10	224	2125	6	56	<10	7	55
112795	303504	<1	6.19	37	519	2	4	1.75	4	25	159	47	4.53	0.12	17	1.31	724	<1	67	558	34	1.98	<5	<5	<10	203	2608	10	105	<10	11	103
112796	303505	<1	6.37	22	610	2	3	1.61	<4	25	149	52	4.47	0.13	16	1.38	673	<1	69	507	24	2.43	<5	<5	<10	212	2263	10	108	11	10	95
112797	303506	<1	6.41	20	592	2	4	1.72	4	23	154	54	4.60	0.21	16	1.42	707	<1	72	533	33	2.32	5	<5	<10	225	2285	2	107	<10	10	98
112798	303507	<1	6.59	19	548	2	7	2.03	<4	23	125	52	4.17	0.12	15	1.28	729	<1	66	535	33	2.05	<5	<5	<10	240	1919	8	88	<10	11	72
112799	303508	<1	6.74	19	603	2	5	2.10	<4	18	129	58	3.79	0.04	19	1.49	1000	<1	52	558	64	1.05	<5	<5	<10	211	2547	6	87	<10	12	151
112800	303509	<1	5.63	21	638	2	5	1.64	<4	11	81	15	2.67	0.13	14	1.22	842	2	34	398	78	1.10	<5	<5	<10	186	1836	4	55	<10	11	107
112801	303510	<1	5.52	58	319	<2	5	1.16	7	13	25	2664	5.51	<0.01	24	0.97	1190	14	23	740	84	2.89	<5	<5	<10	197	1234	8	69	14	9	631
112802D	303510																IS															
112803	303511	<1	6.32	24	626	2	5	2.18	<4	21	125	38	3.89	<0.01	14	1.32	791	<1	54	507	26	2.09	<5	<5	<10	212	2623	2	91	<10	11	66
112804	303512	<1	6.37	46	627	2	1	1.48	<4	20	138	53	3.66	<0.01	14	1.05	629	<1	59	475	32	2.02	<5	<5	10	150	2691	2	94	<10	13	109
112805	303513	<1	6.47	31	746	<2	<1	1.94	<4	9	22	21	2.20	0.07	14	1.05	357	<1	14	566	14	1.18	<5	<5	<10	176	2078	3	45	<10	7	56
112806	303514	<1	6.82	21	776	<2	<1	1.72	<4	8	11	7	1.93	0.05	14	0.77	266	<1	8	610	7	0.82	<5	<5	<10	188	2089	10	43	<10	6	46
112807	303515	<1	6.73	21	686	<2	2	2.73	<4	7	20	6	2.17	0.08	13	0.89	365	<1	9	566	9	0.57	<5	<5	<10	240	1772	2	41	<10	6	40
112808	303516	<1	6.42	26	554	<2	1	2.52	<4	7	13	3	2.26	0.22	14	1.12	419	<1	10	616	6	0.53	<5	<5	<10	173	1935	<2	43	<10	6	58
112809	303517	<1	6.98	43	723	2	<1	2.09	<4	20	111	42	3.35	0.28	16	1.10	564	<1	50	592	15	1.19	<5	<5	<10	171	2807	<2	96	<10	12	73
112810	303518	<1	5.89	19	661	<2	3	2.66	<4	17	102	53	3.16	0.14	14	1.39	809	<1	42	532	34	0.53	<5	<5	<10	166	2461	16	77	<10	12	74
112811	303519	<1	7.30	21	923	2	3	2.84	<4	11	29	22	2.67	<0.01	16	1.65	877	<1	12	691	56	0.68	<5	5	<10	211	2437	6	50	<10	7	120

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 12:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/27/2015
Job #: 201541374
Reference: 15-104
Sample #: 28

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112812	303520	<1	6.74	3	539	<2	4	4.24	<4	15	2	76	4.10	0.03	1	1.58	962	<1	9	631	12	0.03	<5	5	<10	512	2873	6	149	<10	22	53
112813D	303520																IS															
112814	303521	<1	6.24	28	773	2	<1	2.69	<4	15	117	50	3.47	<0.01	12	1.38	707	<1	45	529	33	1.14	<5	<5	<10	182	2386	3	88	<10	12	88
112815	303522	<1	7.45	84	827	2	<1	0.67	<4	26	157	39	4.28	0.20	14	0.66	266	<1	63	605	26	3.08	<5	<5	10	131	3265	<2	105	14	13	82
112816	303523	<1	6.80	41	613	2	5	1.89	<4	15	63	41	2.58	0.12	14	1.16	539	<1	26	556	20	1.00	<5	<5	<10	159	2458	<2	60	11	8	107
112817	303524	<1	6.94	54	555	<2	6	1.95	<4	10	25	16	2.26	<0.01	14	1.15	475	<1	12	567	11	1.14	<5	<5	<10	160	2196	<2	43	<10	7	77
112818	303525	<1	6.13	32	471	<2	3	1.89	<4	8	18	14	2.06	<0.01	13	1.13	472	<1	9	555	15	0.99	<5	<5	<10	139	2119	7	40	<10	6	145
112819	303526	<1	5.36	31	423	<2	2	1.78	<4	8	19	12	1.96	<0.01	11	1.10	467	<1	8	529	20	0.89	<5	<5	<10	131	2022	3	38	<10	6	65
112820	303527	<1	6.10	38	435	<2	<1	2.13	<4	8	13	7	1.90	<0.01	12	1.22	509	<1	8	561	8	0.73	<5	<5	<10	130	2153	<2	40	<10	6	61
112821	303528	<1	7.02	25	421	<2	<1	2.02	<4	8	27	19	1.95	0.11	13	1.21	447	<1	11	611	10	0.60	<5	<5	<10	114	2296	<2	43	<10	6	36

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/28/2015 12:42 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541086
Reference: TL15-034
Sample #: 9

Acc #	Client ID	Au g/t (ppm)
93417	368093	0.014
93418	368094	0.026
93419	368095	0.119
93420	368096	0.020
93421	368097	0.060
93422	368098	0.048
93423	368099	0.263
93424	368100	<0.005
93425	368101	0.117
93433	368101 Dup	0.158

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:
Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:
Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:
Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 7, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541086
Reference: TL15-034
Sample #: 9

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.550	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Jesse Deschutter
Assistant Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, April 9, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/01/2015
Date Completed: 04/07/2015
Job #: 201541086
Reference: TL15-034
Sample #: 9

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
93417	368093	<1	6.68	11	626	2	4	1.96	<4	6	13	17	1.76	<0.01	18	1.12	495	<1	35	468	18	0.13	<5	<5	<10	199	1772	<2	46	<10	6	58
93418	368094	<1	5.88	18	711	<2	6	1.96	<4	6	18	12	1.75	<0.01	14	1.24	698	<1	48	384	36	0.50	<5	<5	<10	149	1645	<2	42	<10	6	117
93419	368095	<1	6.16	27	656	<2	4	1.90	<4	6	25	71	1.86	<0.01	17	1.18	672	<1	59	374	397	0.31	<5	<5	<10	135	1583	<2	45	14	6	662
93420	368096	<1	6.62	12	702	2	8	1.99	<4	8	31	17	1.79	<0.01	20	1.22	586	<1	51	383	27	0.15	<5	<5	<10	150	1884	<2	50	<10	7	53
93421	368097	<1	5.93	25	676	2	6	1.72	<4	9	38	32	2.07	<0.01	21	1.25	652	<1	56	410	139	0.44	<5	<5	<10	128	1822	<2	52	<10	7	151
93422	368098	<1	6.99	20	812	2	4	2.38	<4	12	43	28	2.14	<0.01	21	1.47	766	<1	72	459	55	0.29	<5	<5	<10	163	2024	<2	57	<10	7	85
93423	368099	<1	7.24	37	701	<2	<1	2.34	<4	8	15	57	2.25	<0.01	25	1.52	973	<1	42	582	107	0.39	<5	<5	<10	157	2111	<2	49	11	7	366
93424	368100	<1	6.66	8	516	<2	9	4.14	4	17	<1	73	3.85	<0.01	2	1.40	865	<1	9	614	12	0.02	<5	<5	<10	491	2632	<2	137	<10	21	51
93425	368101	<1	5.84	35	572	2	6	1.78	<4	8	6	13	1.92	<0.01	20	1.25	789	<1	31	540	15	0.57	<5	<5	<10	145	1915	2	43	<10	6	33
93433D	368101	<1	6.63	38	619	2	1	1.93	<4	9	8	14	2.08	<0.01	23	1.33	851	<1	34	583	17	0.64	<5	<5	<10	155	2059	<2	46	<10	7	39

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1

Certified By: Jason Moore, VP Operations, Assayer

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0735-04/09/2015 11:25 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541372
Reference: 15-102
Sample #: 11

Acc #	Client ID	Au g/t (ppm)
112771	303481	0.015
112772	303482	0.035
112773	303483	0.008
112774	303484	0.006
112775	303485	0.006
112776	303486	0.021
112777	303487	0.016
112778	303488	0.029
112779	303489	0.020
112780	303490	3.104
112781	303490	Insufficient Sample
112782	303491	0.059

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, April 28, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541372
Reference: 15-102
Sample #: 11

Control Standards

QC Type	QC Performance (ppm)	Mean (ppm)	Std Dev (ppm)
AR02	1.441	1.575	0.088

APPLIED SCOPES: ALP1, ALFA2, ALMA1, ALSu1

Validated By:

Andrew Oleski
Lab Manager - Thunder Bay

Certified By:

Andrew Oleski
Lab Manager - Thunder Bay

Authorized By:

Derek Demianiuk, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Monday, May 4, 2015

Final Certificate

Treasury Metals Inc
Exchange Tower 130 King St Suite 3680
Toronto, On, CAN
M5X 1B1
Ph#: (416) 599-4133
Fax#: (416) 599-4959
Email: paul@treasurymetals.com, marc@treasurymetals.com

Date Received: 04/16/2015
Date Completed: 04/28/2015
Job #: 201541372
Reference: 15-102
Sample #: 11

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112771	303481	<1	4.31	18	576	2	2	3.03	<4	11	28	35	2.64	<0.01	18	1.08	459	<1	18	566	13	0.46	<5	<5	<10	256	1978	5	54	<10	7	53
112772	303482	<1	5.11	39	626	2	6	2.67	4	22	117	52	3.78	<0.01	19	1.15	488	1	56	528	15	1.02	<5	<5	<10	277	2419	4	96	<10	13	44
112773	303483	<1	5.44	20	743	2	3	2.45	<4	9	41	6	2.26	<0.01	20	1.07	559	2	11	661	19	0.30	<5	<5	<10	273	2292	7	48	<10	7	68
112774	303484	<1	4.32	12	606	<2	3	2.05	<4	8	48	6	1.92	<0.01	12	0.93	442	1	9	509	15	0.15	<5	<5	<10	211	1593	<2	37	<10	7	57
112775	303485	<1	5.50	14	683	2	4	2.92	<4	10	36	8	2.39	<0.01	18	1.22	616	2	11	713	13	0.12	<5	<5	<10	255	1989	13	47	<10	7	78
112776	303486	<1	5.61	5	759	2	5	2.99	<4	10	32	7	2.45	<0.01	18	1.24	619	<1	11	714	10	0.11	<5	<5	<10	257	2145	2	49	<10	7	79
112777	303487	<1	4.79	12	718	2	4	4.70	<4	9	39	32	2.54	<0.01	13	1.71	1415	5	11	696	26	0.14	<5	5	<10	336	2184	7	46	<10	7	125
112778	303488	<1	4.30	17	734	2	4	4.84	<4	12	23	38	2.98	<0.01	14	1.85	1286	1	11	586	17	0.32	<5	<5	<10	319	2036	4	45	<10	6	89
112779	303489	<1	5.25	23	847	2	3	4.66	<4	11	50	42	2.77	<0.01	16	1.39	958	1	20	592	21	0.16	<5	5	<10	346	2251	7	59	<10	7	87
112780	303490	124	3.56	35	420	<2	4	3.12	9	16	24	101	4.86	<0.01	2	1.12	826	<1	23	552	15996	0.09	98	<5	<10	307	2526	9	140	<10	15	335
112781D	303490																IS															
112782	303491	<1	2.71	28	635	2	4	1.66	<4	19	145	56	3.38	0.04	13	0.97	812	<1	58	539	31	0.41	<5	<5	<10	135	2715	7	108	<10	10	103

PROCEDURE CODES: ALP1, ALFA2, ALMA1, ALSu1, ALAgMA2, ALPbMA2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

2015 CYANIDE BOTTLE ROLL PROGRAM

ACCURASSAY CERTIFICATES

Order Number	Hole Number
15-003CN	TL14377-15RE, TL14378B, TL15379, TL15381B, TL15382, TL15384, TL15385B
15-042CN	TL15392, TL15393, TL15394, TL15395
15-060CN	TL13298, TL13305, TL13313
15-118CN	TL0852-12RE
15-119CN	TL12260
15-120CN	TL12261
15-121CN	TL12267
15-122CN	TL13300
15-123CN	TL13299
15-124CN	TL12279
15-125CN	TL12269
15-126CN	TL12268
15-127CN	TL13298
15-128CN	TL13296
15-129CN	TL12286
15-130CN	TL12270
15-131CN	TL12281
15-132CN	TL12280
15-133CN	TL13297
15-134CN	TL13324
15-135CN	TL13325
15-136CN	TL13328
15-137CN	TL13327
15-138CN	TL13326
15-139CN	TL13330
15-140CN	TL13331
15-141CN	TL13332
15-142CN	TL225-12RE
15-143CN	TL242-12RE
15-144CN	TL12237
15-145CN	TL227-12RE
15-146CN	TL12238
15-147CN	TL226-12RE
15-148CN	TL0826-12RE
15-149CN	TL12256
15-150CN	TL13333
15-151CN	TL10106
15-152CN	TL13334
15-153CN	TL148-12RE

Order Number	Hole Number
15-154CN	TL12259
15-155CN	TL12285
15-156CN	TL12230
15-157CN	TL12274
15-158CN	TL12287
15-159CN	TL12258
15-160CN	TL12294
15-161CN	TL12257
15-162CN	TL13312
15-163CN	TL231-12RE
15-164CN	TL216-12RE
15-165CN	TL13316
15-166CN	TL238-12RE
15-167CN	TL219-12RE
15-168CN	TL13322
15-169CN	TL234-12RE
15-170CN	TL13318
15-171CN	TL13319
15-172CN	TL13323

ACCURASSAY LABORATORIES
Exceptional Service. Expert Analysis.

Treasury Metals Inc
Date Created: 15-03-18 09:41:43 AM
Job Number: 201540702
Date Received: 02/28/2015
Number of Samples: 69
Type of Sample: Reject's
Date Completed: 03/24/2015

Final Certificate

Project ID: TL15-003CN	CN- Solution	Residue	Sample	CN- Solution	Au Content	Au Content	Au Content	Calculated	Original (ALFA1)	CN- Exraction
Reading	(ALFA2)	Mass	Volume	Solution	Solid	Total		Head Grade	Head Grade	Percentage
Acc #	Client ID	mg/L	ppm (g/t)	g	ml	mg	mg	mg	ppm (g/t)	ppm (g/t)	%
59024	363172	0.399	0.022	916.08	1500	0.599	0.020	0.619	0.675	0.542	96.7%
59025	363173	1.211	0.177	797.09	1500	1.817	0.141	1.958	2.456	1.542	92.8%
59026	363174	0.580	0.126	1039.21	1500	0.869	0.131	1.001	0.963	0.359	86.9%
59029	363283	0.310	0.059	940.5	1500	0.465	0.056	0.520	0.553	0.307	89.3%
59030	363284	0.479	0.064	845.22	1500	0.718	0.054	0.772	0.913	1.210	93.0%
59031	363285	0.602	0.089	1196.4	1500	0.902	0.107	1.009	0.844	0.667	89.4%
59032	363362	0.518	0.076	709.19	1500	0.776	0.054	0.831	1.171	1.104	93.5%
59033	363363	0.257	0.030	1049.2	1500	0.386	0.031	0.417	0.397	0.241	92.5%
59034	363364	1.456	0.160	830.27	1500	2.184	0.133	2.317	2.790	3.411	94.3%
124252	363364 Dup	1.0307	0.228	878.63	1550	1.546	0.200	1.746	1.988	3.411	88.5%
59035	363538	0.359	0.056	894.95	1500	0.539	0.050	0.589	0.658	0.575	91.5%
59036	363539	1.207	0.078	790.39	1500	1.811	0.062	1.873	2.369	1.986	96.7%
59037	363549	0.636	0.068	833.58	1500	0.954	0.057	1.011	1.213	0.890	94.4%
59038	363551	0.435	0.070	900.14	1500	0.653	0.063	0.716	0.795	0.532	91.3%
59039	363552	0.685	0.459	849.25	1500	1.027	0.390	1.418	1.669	1.374	72.5%
59042	363718	0.348	0.089	874.8	1500	0.522	0.078	0.600	0.686	0.519	87.1%
59043	363719	0.188	0.145	918.21	1500	0.282	0.133	0.415	0.452	0.162	68.0%
59044	363721	0.339	0.106	1006.21	1500	0.508	0.106	0.615	0.611	0.428	82.7%
59045	363722	1.059	1.164	869.91	1500	1.589	1.012	2.601	2.990	1.500	61.1%
59046	363723	0.441	0.079	828.25	1500	0.661	0.066	0.727	0.878	0.525	91.0%
59047	363827	0.527	0.179	997.91	1500	0.791	0.178	0.970	0.972	0.638	81.6%
124253	363827 Dup	0.34	0.271	1002.28	1550	0.510	0.272	0.782	0.780	0.638	65.2%
59050	364117	0.420	0.099	817.58	1500	0.630	0.081	0.711	0.870	0.699	88.6%
59051	364118	1.089	0.278	830.94	1500	1.633	0.231	1.864	2.243	2.319	87.6%
59052	364119	0.375	0.094	924.67	1500	0.562	0.086	0.649	0.702	0.552	86.7%
59053	364121	0.076	0.016	771.13	1500	0.114	0.012	0.127	0.164	0.058	90.2%
59054	364122	1.002	0.176	872.59	1500	1.503	0.154	1.657	1.899	1.607	90.7%
59055	364123	0.718	0.123	1072.54	1500	1.077	0.132	1.209	1.127	0.722	89.1%
59056	364124	0.262	0.053	892.31	1500	0.393	0.047	0.440	0.493	0.402	89.3%
59057	364137	0.249	0.108	862.45	1500	0.374	0.094	0.468	0.542	0.555	80.0%
59058	364138	0.501	0.082	839.1	1500	0.752	0.069	0.821	0.978	0.795	91.6%
59059	364139	0.167	0.034	973.71	1500	0.251	0.034	0.284	0.292	0.189	88.2%
59060	364141	0.489	0.152	848.26	1500	0.733	0.129	0.862	1.017	0.903	85.0%
59061	364142	0.178	0.039	892.12	1500	0.267	0.035	0.302	0.339	0.169	88.4%
59062	364143	1.782	0.475	883.87	1500	2.673	0.420	3.093	3.499	4.705	86.4%
59063	364148	0.352	0.129	859.55	1500	0.528	0.111	0.639	0.743	0.521	82.6%
59064	364149	0.316	0.089	1132.06	1500	0.473	0.101	0.574	0.507	0.382	82.4%
59065	364151	0.133	0.034	797.6	1500	0.199	0.027	0.226	0.284	0.161	87.9%
59066	364152	0.699	0.108	953.05	1500	1.049	0.103	1.152	1.208	1.239	91.1%
124254	364152 Dup	0.3992	0.215	842.83	1550	0.599	0.181	0.780	0.925	1.239	76.8%
59067	364153	1.563	0.180	968.74	1500	2.345	0.174	2.519	2.600	2.473	93.1%
59068	364154	2.088	0.249	971.84	1500	3.132	0.242	3.374	3.471	2.95	92.8%
59069	364155	0.188	0.022	818.33	1500	0.282	0.018	0.300	0.367	0.367	94.0%
59070	364156	0.113	0.026	936.32	1500	0.170	0.025	0.194	0.208	0.158	87.2%
59071	364157	0.472	0.084	984.34	1500	0.708	0.082	0.791	0.803	1.568	89.6%
59072	364158	0.124	0.031	1029.67	1500	0.186	0.032	0.218	0.212	0.218	85.3%
59073	364159	0.334	0.103	1099.47	1500	0.501	0.114	0.615	0.559	0.684	81.5%
59074	364161	0.002	0.018	1015.91	1500	0.003	0.018	0.021	0.021	0.043	14.1%
59075	364162	0.484	0.140	780.68	1500	0.726	0.109	0.835	1.070	1.303	86.9%
59076	364163	0.002	0.023	742.69	1500	0.003	0.017	0.020	0.027	0.03	14.9%
59077	364302	0.352	0.284	1131.23	1500	0.528	0.321	0.849	0.751	0.652	62.2%
59078	364303	0.213	0.081	1366.82	1500	0.320	0.111	0.430	0.315	0.249	74.3%
59079	364304	1.864	0.406	1047.28	1500	2.796	0.425	3.221	3.075	2.624	86.8%
59081	364306	0.288	0.136	571.47	1500	0.432	0.078	0.510	0.892	0.504	84.7%
59082	364307	0.254	0.084	772.96	1500	0.381	0.065	0.446	0.577	0.747	85.4%
59083	364308	1.065	0.449	867.39	1500	1.598	0.389	1.987	2.290	1.938	80.4%

Certified By: Jason Moore VP Operations

ACCURASSAY LABORATORIES
Exceptional Service. Expert Analysis.

Treasury Metals Inc
Date Created: 15-03-18 09:41:43 AM
Job Number: 201540702
Date Received: 02/28/2015
Number of Samples: 69
Type of Sample: Reject's
Date Completed: 03/24/2015

Final Certificate

Project ID: TL15-003CN	CN- Solution Reading	Residue (ALFA2)	Sample Mass	CN- Solution Volume	Au Content Solution	Au Content Solid	Au Content Total	Calculated Head Grade	Original (ALFA1) Head Grade	CN- Exraction Percentage
Acc #	Client ID	mg/L	ppm (g/t)	g	ml	mg	mg	mg	ppm (g/t)	ppm (g/t)	%
59084	364309	1.282	0.294	965.86	1500	1.923	0.284	2.207	2.285	2.292	87.1%
59085	364311	0.304	0.095	1159.96	1500	0.456	0.110	0.566	0.488	0.51	80.6%
124255	364311 Dup	0.3226	0.097	1165.45	1550	0.484	0.113	0.597	0.512	0.51	81.1%
59087	364313	0.299	0.201	935.3	1500	0.449	0.188	0.636	0.680	0.789	70.5%
59088	364489	0.204	0.467	932.1	1500	0.306	0.435	0.741	0.795	0.658	41.3%
59089	364491	0.196	0.139	1566.33	1500	0.294	0.217	0.511	0.326	0.417	57.5%
59090	364492	0.125	0.026	1115.52	1500	0.188	0.029	0.217	0.194	0.174	86.5%
59091	364493	0.356	0.031	783.25	1500	0.534	0.024	0.558	0.712	1.001	95.7%
59092	364494	0.439	0.190	809.77	1500	0.659	0.154	0.813	1.003	1.085	81.0%
59093	364495	0.137	0.038	761.7	1500	0.206	0.029	0.235	0.308	0.627	87.6%
124256	364495 Dup	0.2815	0.145	1255.93	1550	0.422	0.182	0.604	0.481	0.627	69.9%
BLANK		0.001	0.001	1003.91	1500	0.002	0.001	0.003	0.002		59.9%
ARO1		1.074	0.275	1001.28	1500	1.611	0.275	1.886	1.884	1.729	85.4%

Certified By: Jason Moore VP Operations

ACCURASSAY LABORATORIES
Exceptional Service. Expert Analysis.

Treasury Metals Inc
Date Created: 15-04-26 06:27:32 PM
Job Number: 201541080
Date Received: 04/01/2015
Number of Samples: 97
Type of Sample: Reject's
Date Completed: 04/26/2015

Final Certificate

Project ID: 15-042CN	CN- Solution	Residue	Sample	CN- Solution	Au Content	Au Content	Au Content	Calculated	Original (ALFA1)	CN- Exraction
Reading	(ALFA2)	Mass	Volume	Solution	Solid	Total	Head Grade		Head Grade	Percentage
Acc #	Client ID	mg/L	ppm (g/t)	g	ml	mg	mg	mg	ppm (g/t)	ppm (g/t)	%
93209	365416	0.5095	0.144	765.26	1550	0.764	0.110	0.874	1.143	2.054	87.4%
93210	365417	0.0086	0.019	515.4	1550	0.013	0.010	0.023	0.044	0.055	56.8%
93211	365418	0.0029	0.015	918.41	1550	0.004	0.014	0.018	0.020	0.039	24.0%
93212	365419	0.8788	0.201	1035.86	1550	1.318	0.208	1.526	1.474	1.920	86.4%
93213				365420				Insufficient Sample			
93214	365421	0.4007	0.188	804.6	1550	0.601	0.151	0.752	0.935	0.864	79.9%
93215	365422	0.2733	0.059	862.15	1550	0.410	0.051	0.461	0.534	0.748	89.0%
93216	365423	0.1011	0.069	915.75	1550	0.152	0.063	0.215	0.235	0.226	70.6%
93217	365424	-0.0334	0.005	823.77	1550	-0.050	0.004	-0.046	<0.005	0.027	109.0%
93218	365425	-0.014	0.02	727.17	1550	-0.021	0.015	-0.006	<0.005	0.126	325.2%
93220	365427	0.0409	0.028	850.87	1550	0.061	0.024	0.085	0.100	0.212	72.0%
93221	365428	0.0157	0.009	871.67	1550	0.024	0.008	0.031	0.036	0.059	75.0%
93222	365429	0.0688	0.028	825.53	1550	0.103	0.023	0.126	0.153	0.146	81.7%
93223				365430				Insufficient Sample			
93224	365431	0.0829	0.035	1024.97	1550	0.124	0.036	0.160	0.156	0.234	77.6%
93225	365525	0.0575	0.071	312.89	1550	0.086	0.022	0.108	0.347	0.795	79.5%
93226	365527	0.4032	0.082	773.24	1550	0.605	0.063	0.668	0.864	0.819	90.5%
93227	365528	0.0548	0.043	1012.01	1550	0.082	0.044	0.126	0.124	0.241	65.4%
120433	365528 dup	0.0139	0.023	933.88	1550	0.021	0.021	0.042	0.045	49.3%	
93228	365529	0.1332	0.043	893.03	1550	0.200	0.038	0.238	0.267	0.243	83.9%
93229				365530				Insufficient Sample			
93231	365531	0.1658	0.04	1028	1550	0.249	0.041	0.290	0.282	0.162	85.8%
93232	365532	0.0398	0.03	967.2	1550	0.060	0.029	0.089	0.092	0.157	67.3%
93233	365533	0.3423	0.05	1017.45	1550	0.513	0.051	0.564	0.555	0.526	91.0%
93234	365534	2.476	0.451	889.18	1550	3.714	0.401	4.115	4.628	3.855	90.3%
93235	365535	0.255	0.092	959.06	1550	0.383	0.088	0.471	0.491	0.411	81.3%
93236	365536	0.1594	0.054	976.12	1550	0.239	0.053	0.292	0.299	0.286	81.9%
93237	365537	0.3687	0.105	825.22	1550	0.553	0.087	0.640	0.775	0.702	86.5%
93238	365538	0.0347	0.037	880.89	1550	0.052	0.033	0.085	0.096	0.117	61.5%
93239	365539	0.0425	0.031	844.95	1550	0.064	0.026	0.090	0.106	0.143	70.9%
93240				365540				Insufficient Sample			
93242	365541	0.0676	0.044	892.75	1550	0.101	0.039	0.141	0.158	0.165	72.1%
93243	365542	-0.0015	0.041	920.07	1550	-0.002	0.038	0.035	0.039	0.094	-6.3%
93244	365543	-0.0126	0.038	784.52	1550	-0.019	0.030	0.011	0.014	0.055	-173.2%
93245	365544	0.7695	0.183	826.34	1550	1.154	0.151	1.305	1.580	0.861	88.4%
93246	365545	1.0765	0.284	919.93	1550	1.615	0.261	1.876	2.039	1.714	86.1%
120434	365545 dup	0.7884	0.514	1028.68	1550	1.183	0.529	1.711	1.664	69.1%	
93247	365546	-0.0088	0.087	884.85	1550	-0.013	0.077	0.064	0.072	0.151	-20.7%
93248	365547	0.0012	0.037	948.77	1550	0.002	0.035	0.037	0.039	0.089	4.9%
93249	365548	0.1102	0.048	935.52	1550	0.165	0.045	0.210	0.225	0.235	78.6%
93250	365549	0.728	0.208	814.11	1550	1.092	0.169	1.261	1.549	1.270	86.6%
93251	365583	-0.0397	0.005	767.52	1550	-0.060	0.004	-0.056	<0.005	0.014	106.9%
93253	365584	-0.0233	0.014	822.87	1550	-0.035	0.012	-0.023	<0.005	0.078	149.2%
93254	365585	0.8298	0.142	508.77	1550	1.245	0.072	1.317	2.588	2.513	94.5%
93255	365587	0.1077	0.057	885.94	1550	0.162	0.050	0.212	0.239	0.314	76.2%
93256	365588	0.2164	0.071	1136.25	1550	0.325	0.081	0.405	0.357	0.419	80.1%
93257	365589	-0.0398	0.014	1106.24	1550	-0.060	0.015	-0.044	<0.005	0.036	135.0%
93258				365590				Insufficient Sample			
93259	365591	-0.0331	0.007	164.04	1550	-0.050	0.001	-0.049	<0.005	0.009	102.4%
93260	365592	0.0312	0.005	868.82	1550	0.047	0.004	0.051	0.059	0.876	91.5%
93261	365593	0.0558	0.034	791.57	1550	0.084	0.027	0.111	0.140	0.289	75.7%
93262	365594	0.1823	0.049	742.68	1550	0.273	0.036	0.310	0.417	0.367	88.3%
93264	365595	-0.0482	0.005	952.86	1550	-0.072	0.005	-0.068	<0.005	0.026	107.1%
120435	365595 dup	-0.036	0.013	1108.89	1550	-0.054	0.014	-0.040	<0.005	136.4%	
93265	365596	0.0037	0.017	906.75	1550	0.006	0.015	0.021	0.023	0.068	26.5%
93266	365597	-0.0192	0.028	843.91	1550	-0.029	0.024	-0.005	<0.005	0.054	557.0%

Certified By: Jason Moore VP Operations

ACCURASSAY LABORATORIES
Exceptional Service. Expert Analysis.

Treasury Metals Inc
Date Created: 15-04-26 06:27:32 PM
Job Number: 201541080
Date Received: 04/01/2015
Number of Samples: 97
Type of Sample: Reject's
Date Completed: 04/26/2015

Final Certificate

Project ID: 15-042CN		CN- Solution	Residue	Sample	CN- Solution	Au Content	Au Content	Au Content	Calculated	Original (ALFA1)	CN- Exraction
Reading		(ALFA2)	Mass	Volume	Solution	Solid	Total	Head Grade		Head Grade	Percentage
Acc #	Client ID	mg/L	ppm (g/t)	g	ml	mg	mg	mg	ppm (g/t)	ppm (g/t)	%
93267	365598	0.1313	0.059	861.02	1550	0.197	0.051	0.248	0.288	0.284	79.5%
93268	365599	0.1323	0.075	785.74	1550	0.198	0.059	0.257	0.328	0.301	77.1%
93269				365600				Insufficient Sample			
93270	365601	-0.0233	0.017	772.42	1550	-0.035	0.013	-0.022	<0.005	0.051	160.2%
93271	365602	-0.0317	0.005	802.62	1550	-0.048	0.004	-0.044	<0.005	0.021	109.2%
93272	365603	-0.0392	0.011	908.34	1550	-0.059	0.010	-0.049	<0.005	0.038	120.5%
93273	365604	-0.0131	0.019	713.8	1550	-0.020	0.014	-0.006	<0.005	0.021	322.8%
93275	365605	0.1203	0.082	995.93	1550	0.180	0.082	0.262	0.263	0.918	68.8%
93276	365607	0.1823	0.127	895.6	1550	0.273	0.114	0.387	0.432	0.348	70.6%
93277	365608	0.136	0.097	898.57	1550	0.204	0.087	0.291	0.324	0.231	70.1%
93278	365609	0.0924	0.041	935.53	1550	0.139	0.038	0.177	0.189	0.409	78.3%
93279	365674	0.052	0.039	838.51	1550	0.078	0.033	0.111	0.132	0.120	70.5%
93280	365675	0.1194	0.08	944.07	1550	0.179	0.076	0.255	0.270	0.229	70.3%
93281	365676	0.0799	0.093	914.7	1550	0.120	0.085	0.205	0.224	0.273	58.5%
93282	365677	0.0392	0.035	1098.69	1550	0.059	0.038	0.097	0.089	0.108	60.5%
93283	365678	0.2183	0.101	831.35	1550	0.327	0.084	0.411	0.495	0.341	79.6%
93284	365679	-0.002	0.035	1060.16	1550	-0.003	0.037	0.034	0.032	0.066	-8.8%
93286				365680				Insufficient Sample			
93287	365681	0.4376	0.159	1118.9	1550	0.656	0.178	0.834	0.746	0.745	78.7%
120436	365681 dup	0.3299	0.103	1178.56	1550	0.495	0.121	0.616		0.523	80.3%
93288	365682	-0.0362	0.017	1051.64	1550	-0.054	0.018	-0.036	<0.005	0.040	149.1%
93289	365683	-0.0276	0.015	859.49	1550	-0.041	0.013	-0.029	<0.005	0.027	145.2%
93290	365684	0.0592	0.033	944.12	1550	0.089	0.031	0.120	0.127	0.165	74.0%
93291	365685	0.1019	0.052	544.8	1550	0.153	0.028	0.181	0.333	0.356	84.4%
93292	365687	0.0637	0.05	803.23	1550	0.096	0.040	0.136	0.169	0.409	70.4%
93293	365688	0.606	0.228	857.88	1550	0.909	0.196	1.105	1.288	0.658	82.3%
93294	365772	1.5977	0.314	1087.49	1550	2.397	0.341	2.738	2.518	0.435	87.5%
93295	365773	0.5674	0.15	975.91	1550	0.851	0.146	0.997	1.022	2.248	85.3%
93297	365774	1.3743	0.273	1093.19	1550	2.061	0.298	2.360	2.159	3.671	87.4%
93298	365775	0.1742	0.136	1086.26	1550	0.261	0.148	0.409	0.377	0.274	63.9%
93299	365776	0.0828	0.067	1000.62	1550	0.124	0.067	0.191	0.191	0.121	64.9%
93300	365777	0.2424	0.089	1059.78	1550	0.364	0.094	0.458	0.432	0.299	79.4%
93301	365778	0.2767	0.121	1017.45	1550	0.415	0.123	0.538	0.529	0.437	77.1%
93302	365781	0.0368	0.058	939.2	1550	0.055	0.054	0.110	0.117	0.158	50.3%
93303	365782	0.0031	0.03	1078.24	1550	0.005	0.032	0.037	0.034	0.060	12.6%
120437	365782 dup	-0.0258	0.028	1141.08	1550	-0.039	0.032	-0.007		<0.005	573.4%
93304	365783	0.0058	0.021	1068.05	1550	0.009	0.022	0.031	0.029	0.055	27.9%
93305	365784	0.7245	0.154	918.78	1550	1.087	0.141	1.228	1.337	1.182	88.5%
93306	365786	0.1209	0.045	895.84	1550	0.181	0.040	0.222	0.247	0.233	81.8%
93308	365787	-0.056	0.006	795.18	1550	-0.084	0.005	-0.079	<0.005	0.054	106.0%
93309	365788	0.2091	0.073	839.18	1550	0.314	0.061	0.375	0.447	0.402	83.7%
95708	AR03	0.978	0.118	889.02	1550	1.467	0.105	1.572	1.768	1.729	93.3%

Certified By: Jason Moore VP Operations

ACCURASSAY LABORATORIES
Exceptional Service. Expert Analysis.

Treasury Metals Inc
Date Created: 15-05-01 09:01:38 PM
Job Number: 201541106
Date Received: 04/02/2015
Number of Samples: 60
Type of Sample: Reject's
Date Completed: 05/01/2015

Final Certificate

Project ID: 15-042CN	CN- Solution	Residue	Sample	CN- Solution	Au Content	Au Content	Au Content	Calculated	Original (ALFA1)	CN- Exraction
Reading	(ALFA2)	Mass	Volume	Solution	Solid	Total	Head Grade		Head Grade	Percentage
Acc #	Client ID	mg/L	ppm (g/t)	g	ml	mg	mg	mg	ppm (g/t)	ppm (g/t)	%
94536	202291	0.0723	0.026	910.76	1550	0.108	0.024	0.132	0.145	0.155	82.1%
94537	202292	0.2599	0.05	924.24	1550	0.390	0.046	0.436	0.472	0.350	89.4%
94538	202294	0.073	0.021	967.66	1550	0.110	0.020	0.130	0.134	0.227	84.3%
94539	202295	0.8077	0.121	797.61	1550	1.212	0.097	1.308	1.640	0.986	92.6%
94540	202296	0.0871	0.026	828.72	1550	0.131	0.022	0.152	0.184	0.132	85.8%
94541	202297	0.2623	0.036	963.56	1550	0.393	0.035	0.428	0.444	0.367	91.9%
94542	202298	0.2182	0.039	762.79	1550	0.327	0.030	0.357	0.468	0.295	91.7%
94543	202299	0.1187	0.049	791.99	1550	0.178	0.039	0.217	0.274	0.307	82.1%
94544				202300				Insufficient Sample			
94545	202301	0.1739	0.054	977.09	1550	0.261	0.053	0.314	0.321	0.319	83.2%
94547	202302	0.1383	0.06	1053.28	1550	0.207	0.063	0.271	0.257	0.270	76.6%
94548	202303	0.056	0.025	746.67	1550	0.084	0.019	0.103	0.137	0.101	81.8%
94549	202304	0.0384	0.01	781.98	1550	0.058	0.008	0.065	0.084	0.093	88.0%
94550	202306	0.1467	0.055	409.26	1550	0.220	0.023	0.243	0.593	0.624	90.7%
94551	202307	0.0874	0.03	882.54	1550	0.131	0.026	0.158	0.179	0.118	83.2%
94552	202315	0.0748	0.037	741.54	1550	0.112	0.027	0.140	0.188	0.108	80.4%
120438	202315dup	0.0634	0.034	1005.32	1550	0.095	0.034	0.129	0.129	0.108	73.6%
94553	202316	0.3746	0.097	901.6	1550	0.562	0.087	0.649	0.720	0.693	86.5%
94554	202317	0.1448	0.049	986.97	1550	0.217	0.048	0.266	0.269	0.395	81.8%
94555	202318	0.0468	0.032	867.82	1550	0.070	0.028	0.098	0.113	0.103	71.7%
94556	202319	0.5002	0.143	863.24	1550	0.750	0.123	0.874	1.012	1.181	85.9%
94558				202320				Insufficient Sample			
94559	202321	0.1631	0.055	798.34	1550	0.245	0.044	0.289	0.361	0.502	84.8%
94560	202322	0.1253	0.051	831.93	1550	0.188	0.042	0.230	0.277	0.263	81.6%
94561	202323	0.1077	0.04	857.12	1550	0.162	0.034	0.196	0.228	0.149	82.5%
94562	202324	0.2913	0.091	944.47	1550	0.437	0.086	0.523	0.554	0.370	83.6%
94563	202325	0.1019	0.076	568.3	1550	0.153	0.043	0.196	0.345	0.258	78.0%
94564	202327	0.2052	0.115	900.34	1550	0.308	0.104	0.411	0.457	0.427	74.8%
94565	202328	0.1994	0.093	862.11	1550	0.299	0.080	0.379	0.440	0.363	78.9%
94566	202329	0.2446	0.083	877.92	1550	0.367	0.073	0.440	0.501	0.595	83.4%
94567				202330				Insufficient Sample			
94569	202331	0.3962	0.126	909.24	1550	0.594	0.115	0.709	0.780	0.600	83.8%
94570	202333	0.1866	0.048	942.07	1550	0.280	0.045	0.325	0.345	0.361	86.1%
94571	202334	0.0912	0.025	939.52	1550	0.137	0.023	0.160	0.171	0.121	85.3%
94572	202335	0.0986	0.039	1012.72	1550	0.148	0.039	0.187	0.185	0.092	78.9%
120439	202335dup	0.0945	0.019	943.35	1550	0.142	0.018	0.160	0.169	0.092	88.8%
94573	202336	0.0613	0.029	972.12	1550	0.092	0.028	0.120	0.124	0.128	76.5%
94574	202337	0.0471	0.015	1017.92	1550	0.071	0.015	0.086	0.084	0.300	82.2%
94575	202338	2.0843	0.335	1082.95	1550	3.126	0.363	3.489	3.222	2.533	89.6%
94576	202339	0.0657	0.039	828.96	1550	0.099	0.032	0.131	0.158	0.113	75.3%
94577				202340				Insufficient Sample			
94578	202341	0.0454	0.031	779.61	1550	0.068	0.024	0.092	0.118	0.127	73.8%
94580	202342	0.0976	0.029	924.99	1550	0.146	0.027	0.173	0.187	0.139	84.5%
94581	202343	0.0402	0.018	709.89	1550	0.060	0.013	0.073	0.103	0.044	82.5%
94582	202344	0.0227	0.023	797.09	1550	0.034	0.018	0.052	0.066	0.031	65.0%
94583	202346	0.1084	0.049	487.77	1550	0.163	0.024	0.187	0.382	0.579	87.2%
94584	202347	0.1492	0.053	934.8	1550	0.224	0.050	0.273	0.292	0.179	81.9%
94585	202348	1.2613	0.346	840.82	1550	1.892	0.291	2.183	2.596	2.082	86.7%
94586	202349	1.9618	0.397	989.06	1550	2.943	0.393	3.335	3.372	2.717	88.2%
94587	202401	3.0792	0.806	752.52	1550	4.619	0.607	5.225	6.944	3.684	88.4%
94588	202402	1.1705	0.317	792.7	1550	1.756	0.251	2.007	2.532	1.555	87.5%
94589				202403				Insufficient Sample			
94590				202406				Insufficient Sample			
94591	202407	0.0792	0.027	712.11	1550	0.119	0.019	0.138	0.194	0.146	86.1%
120440	202407dup	0.0891	0.028	824.57	1550	0.134	0.023	0.157	0.190	0.146	85.3%
94592	202408	0.1961	0.063	818.26	1550	0.294	0.052	0.346	0.422	0.544	85.1%

Certified By: Jason Moore VP Operations

ACCURASSAY LABORATORIES
Exceptional Service. Expert Analysis.

Treasury Metals Inc
Date Created: 15-05-01 09:01:38 PM
Job Number: 201541106
Date Received: 04/02/2015
Number of Samples: 60
Type of Sample: Reject's
Date Completed: 05/01/2015

Final Certificate

Project ID: 15-042CN	CN- Solution	Residue	Sample	CN- Solution	Au Content	Au Content	Au Content	Calculated	Original (ALFA1)	CN- Exraction
Reading	(ALFA2)	Mass	Volume	Solution	Solid	Total	Head Grade		Head Grade	Percentage
Acc #	Client ID	mg/L	ppm (g/t)	g	ml	mg	mg	mg	ppm (g/t)	ppm (g/t)	%
94593	202409	0.3182	0.054	987.6	1550	0.477	0.053	0.531	0.537	0.321	89.9%
94594				202410				Insufficient Sample			
94595	202411	0.2285	0.071	828.3	1550	0.343	0.059	0.402	0.485	0.366	85.4%
94596	202412	0.2802	0.091	720.13	1550	0.420	0.066	0.486	0.675	0.496	86.5%
95710	AR03	0.5977	0.172	570.37	1550	0.897	0.098	0.995	1.744	1.729	90.1%

Certified By: Jason Moore VP Operations

2015 CYANIDE BOTTLE ROLL PROGRAM

ACTLABS CERTIFICATES

Order Number	Hole Number
15-003CN	TL14377-15RE, TL14378B, TL15379, TL15381B, TL15382, TL15384, TL15385B
15-042CN	TL15392, TL15393, TL15394, TL15395
15-060CN	TL13298, TL13305, TL13313
15-118CN	TL0852-12RE
15-119CN	TL12260
15-120CN	TL12261
15-121CN	TL12267
15-122CN	TL13300
15-123CN	TL13299
15-124CN	TL12279
15-125CN	TL12269
15-126CN	TL12268
15-127CN	TL13298
15-128CN	TL13296
15-129CN	TL12286
15-130CN	TL12270
15-131CN	TL12281
15-132CN	TL12280
15-133CN	TL13297
15-134CN	TL13324
15-135CN	TL13325
15-136CN	TL13328
15-137CN	TL13327
15-138CN	TL13326
15-139CN	TL13330
15-140CN	TL13331
15-141CN	TL13332
15-142CN	TL225-12RE
15-143CN	TL242-12RE
15-144CN	TL12237
15-145CN	TL227-12RE
15-146CN	TL12238
15-147CN	TL226-12RE
15-148CN	TL0826-12RE
15-149CN	TL12256
15-150CN	TL13333
15-151CN	TL10106
15-152CN	TL13334
15-153CN	TL148-12RE

Order Number	Hole Number
15-154CN	TL12259
15-155CN	TL12285
15-156CN	TL12230
15-157CN	TL12274
15-158CN	TL12287
15-159CN	TL12258
15-160CN	TL12294
15-161CN	TL12257
15-162CN	TL13312
15-163CN	TL231-12RE
15-164CN	TL216-12RE
15-165CN	TL13316
15-166CN	TL238-12RE
15-167CN	TL219-12RE
15-168CN	TL13322
15-169CN	TL234-12RE
15-170CN	TL13318
15-171CN	TL13319
15-172CN	TL13323

Quality Analysis ... **Actlabs** *Innovative Technologies*

Date Submitted: 22-Apr-15
Invoice No.: A15-02751 (i)
Invoice Date: 29-May-15
Your Reference: 15-042CN

Treasury Metals Inc.
Exchange Tower, 130 King Street East, Suite 3680
Toronto Ontario Canada

ATTN: Paul Dunbar

CERTIFICATE OF ANALYSIS

76 Pulp samples were submitted for analysis.

The following analytical package was requested: Code Metallurgy Metallurgy

REPORT **A15-02751 (i)**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY:

Emmanuel Eseme , Ph.D.
Quality Control

SCC Accredited LAB
LAB Accrédité CCN

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1 888 228 5227 FAX +1 905 648 9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Analyte Symbol	Au
Unit Symbol	ppm
Lower Limit	0.005
Method Code	FA-AA
363684	0.030
363685	0.013
363687	0.030
363688	0.038
363694	0.020
363695	0.075
363696	0.039
363697	0.011
363698	0.011
363699	0.009
363701	0.037
363702	0.027
363703	0.032
363704	0.011
363704 DUP	0.013
363711	0.059
363712	0.018
363713	0.017
363714	0.027
363715	0.022
Blank	< 0.005
363716	0.030
363717	0.029
363724	0.020
363725	0.015
363727	0.093
363734	0.035
363735	0.018
363735 DUP	0.014
363736	0.024
363737	0.010
363738	0.014
363739	0.025
363742	0.030
363743	0.024
363744	0.027
363745	0.016
364042	0.032
Blank	< 0.005
364043	0.032
364044	0.041
364047	0.070
364047 Dup	0.073
364048	0.059
364049	0.013
364051	0.018
364052	0.019
364814	0.087
STANDARD	1.10

Analyte Symbol	Au
Unit Symbol	ppm
Lower Limit	0.005
Method Code	FA-AA
364815	0.016
364914	0.014
364915	0.022
364916	0.036
364917	0.221
364918	0.190
364919	0.359
364921	0.104
Blank	< 0.005
364922	0.121
364923	0.067
364929	0.029
364929 DUP	0.035
364931	0.031
364932	0.014
364933	0.045
364934	0.028
364935	0.021
364936	0.027
364937	0.018
364938	0.072
364939	0.148
364941	0.478
364941 Dup	0.441
364942	0.072
364943	0.041
364944	0.018

QC

Analyte Symbol	Au
Unit Symbol	ppm
Lower Limit	0.005
Method Code	FA-AA
OxD108 Meas	0.416
OxD108 Cert	0.414
OxD108 Meas	0.419
OxD108 Cert	0.414
OxD108 Meas	0.419
OxD108 Cert	0.414
SE68 Meas	0.604
SE68 Cert	0.599
SE68 Meas	0.618
SE68 Cert	0.599
SE68 Meas	0.614
SE68 Cert	0.599
363699 Orig	0.009
363699 Dup	0.009
363715 Orig	0.021
363715 Dup	0.023
363736 Orig	0.024
363736 Dup	0.024
364049 Orig	0.015
364049 Dup	0.011
364918 Orig	0.192
364918 Dup	0.189
364933 Orig	0.046
364933 Dup	0.044
364941 Orig	0.493
364941 Dup	0.462
Method Blank	< 0.005
Method Blank	< 0.005
Method Blank	< 0.005
Method Blank	< 0.005
Method Blank	< 0.005

Actlabs ID	Client ID	Solution Analysis (ppm)	Leach Residue Assay (ppm)	Calculated head grade (ppm)	Extraction (%)
A15-02751-1	363684	0.164	0.03	0.194	84.51%
A15-02751-2	363685	0.094	0.013	0.107	87.79%
A15-02751-3	363687	0.430	0.03	0.458	93.45%
A15-02751-4	363688	0.354	0.038	0.392	90.31%
A15-02751-5	363694	0.035	0.02	0.055	63.95%
A15-02751-6	363695	0.396	0.075	0.471	84.07%
A15-02751-7	363696	0.733	0.039	0.772	94.95%
A15-02751-8	363697	0.026	0.011	0.037	70.35%
A15-02751-9	363698	0.015	0.011	0.026	58.11%
A15-02751-10	363699	0.001	0.009	0.010	6.29%
A15-02751-11	363701	0.200	0.037	0.237	84.36%
A15-02751-12	363702	0.283	0.027	0.313	91.36%
A15-02751-13	363703	0.200	0.032	0.232	86.21%
A15-02751-14	363704	0.021	0.011	0.031	64.99%
A15-02751-15	363704 DUP	0.012	0.013	0.025	48.09%
A15-02751-16	363711	0.259	0.059	0.316	81.34%
A15-02751-17	363712	0.122	0.018	0.142	87.36%
A15-02751-18	363713	0.077	0.017	0.094	81.88%
A15-02751-19	363714	0.134	0.027	0.160	83.16%
A15-02751-20	363715	0.081	0.022	0.103	78.66%
A15-02751-22	363716	0.057	0.03	0.088	65.78%
A15-02751-23	363717	0.126	0.029	0.129	77.58%
A15-02751-24	363724	0.080	0.02	0.100	79.94%
A15-02751-25	363725	0.081	0.015	0.097	84.49%
A15-02751-26	363727	1.321	0.093	1.414	93.42%
A15-02751-27	363734	0.475	0.035	0.509	93.13%
A15-02751-28	363735	0.227	0.018	0.247	92.71%
A15-02751-29	363735 DUP	0.267	0.014	0.280	95.01%
A15-02751-30	363736	0.202	0.024	0.225	89.34%
A15-02751-31	363737	0.017	0.01	0.027	62.47%
A15-02751-32	363738	0.053	0.014	0.067	79.11%
A15-02751-33	363739	0.169	0.025	0.193	87.08%
A15-02751-34	363742	0.061	0.03	0.091	66.96%
A15-02751-35	363743	0.066	0.024	0.090	73.34%
A15-02751-36	363744	0.125	0.027	0.154	82.47%
A15-02751-37	363745	0.115	0.016	0.132	87.86%
A15-02751-38	364042	0.244	0.032	0.276	88.41%
A15-02751-40	364043	0.088	0.032	0.120	73.40%
A15-02751-41	364044	0.288	0.041	0.330	87.57%
A15-02751-42	364047	0.510	0.07	0.577	87.87%
A15-02751-43	364047 Dup	0.482	0.073	0.559	86.95%
A15-02751-44	364048	0.529	0.059	0.585	89.92%
A15-02751-45	364049	0.152	0.013	0.165	92.12%
A15-02751-46	364051	0.213	0.018	0.229	92.15%
A15-02751-47	364052	0.157	0.019	0.176	89.20%
A15-02751-48	364814	0.311	0.087	0.398	78.12%
A15-02751-50	364815	0.055	0.016	0.071	77.41%
A15-02751-51	364914	0.058	0.014	0.072	80.47%
A15-02751-52	364915	0.028	0.022	0.050	55.61%
A15-02751-53	364916	0.079	0.036	0.115	68.82%

A15-02751-54	364917	0.732	0.221	0.953	76.81%
A15-02751-55	364918	0.947	0.19	1.139	83.31%
A15-02751-56	364919	3.192	0.359	3.566	89.93%
A15-02751-57	364921	0.241	0.104	0.345	69.85%
A15-02751-59	364922	0.831	0.121	0.952	87.29%
A15-02751-60	364923	0.251	0.067	0.319	78.97%
A15-02751-61	364929	0.363	0.029	0.391	92.59%
A15-02751-62	364929 DUP	0.344	0.035	0.379	90.76%
A15-02751-63	364931	0.203	0.031	0.233	86.70%
A15-02751-64	364932	0.101	0.014	0.213	93.44%
A15-02751-65	364933	0.273	0.045	0.318	85.84%
A15-02751-66	364934	0.117	0.028	0.145	80.70%
A15-02751-67	364935	0.050	0.021	0.071	70.31%
A15-02751-68	364936	0.144	0.027	0.171	84.22%
A15-02751-69	364937	0.039	0.018	0.057	68.53%
A15-02751-70	364938	0.328	0.072	0.399	81.95%
A15-02751-71	364939	0.584	0.148	0.733	79.82%
A15-02751-72	364941	2.166	0.478	2.671	82.10%
A15-02751-73	364941 Dup	2.201	0.441	2.661	83.43%
A15-02751-74	364942	0.242	0.072	0.315	77.18%
A15-02751-75	364943	0.186	0.041	0.227	81.94%
A15-02751-76	364944	0.022	0.018	0.040	55.28%

Standard		Calc Head	Cert value
A15-02751-49	STANDARD	5.033	5.032
Blanks			
A15-02751-21	Blank	<0.005	
A15-02751-39	Blank	<0.005	
A15-02751-58	Blank	<0.005	
Leach Duplicates			
A15-02751-14	363704	0.053	
A15-02751-15	363704 DUP	0.025	
A15-02751-28	363735	0.247	
A15-02751-29	363735 DUP	0.280	
A15-02751-42	364047	0.577	
A15-02751-43	364047 Dup	0.559	
A15-02751-61	364929	0.391	
A15-02751-62	364929 DUP	0.379	
A15-02751-72	364941	2.671	
A15-02751-73	364941 Dup	2.661	
Solution Duplicates			
A15-02751-15	363704 DUP	0.025	
A15-02751-15-2	363704 DUP-2	0.024	
A15-02751-30	363736	0.225	
A15-02751-30-2	363736-2	0.230	
A15-02751-45	364049	0.165	
A15-02751-45-2	364049-2	0.169	
A15-02751-60	364923	0.319	
A15-02751-60-2	364923-2	0.322	
A15-02751-75	364943	0.227	
A15-02751-75-2	364943-2	0.225	

Quality Analysis ... **Actlabs** *Innovative Technologies*

Date Submitted: 24-Apr-15
Invoice No.: A15-02901 (i)
Invoice Date: 29-May-15
Your Reference:

Treasury Metals Inc.
Exchange Tower, 130 King Street East
Suite 3680
Toronto Ontario
Canada

ATTN: Paul Dunbar

CERTIFICATE OF ANALYSIS

66 Pulp samples were submitted for analysis.

The following analytical package was requested: Code Metallurgy Metallurgy

REPORT **A15-02901 (i)**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY:

Emmanuel Eseme , Ph.D.
Quality Control

SCC Accredited LAB
LAB Accrédité CCN

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1 888 228 5227 FAX +1 905 648 9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Analyte Symbol	Au
Unit Symbol	ppm
Lower Limit	0.005
Method Code	FA-AA
201878	0.018
201879	0.040
Blank	< 0.005
201881	0.033
201882	0.058
201883	0.047
201884	0.008
201886	0.018
201888	0.050
201889	0.087
201891	0.154
201891 DUP	0.295
201892	0.016
201893	0.036
201894	0.021
201895	0.060
201896	0.024
201897	0.029
201898	0.008
201899	0.010
201901	0.018
Blank	< 0.005
Standard	0.808
201902	0.009
201903	0.031
201904	0.057
201909 DUP	0.013
201905	0.050
201908	0.015
201909	0.015
201911	0.007
201912	0.032
201913	0.011
201915	0.043
201916	0.025
201917	0.025
201918	0.020
201919	0.035
201921	0.054
201922	0.044
202179	0.070
202181 DUP	0.026
202181	0.026
202182	0.024
Blank	< 0.005
202183	0.017
202184	0.018
202186	0.039
202187	0.055

Analyte Symbol	Au
Unit Symbol	ppm
Lower Limit	0.005
Method Code	FA-AA
202188	0.011
202189	0.018
202191	0.029
202198	0.013
202199	0.010
202201	0.014
202202	0.010
202207 DUP	0.020
202203	0.035
202204	0.066
202206	0.061
202207	0.019
202208	0.058
202209	0.015
202211	0.014
Blank	< 0.005
202212	0.014

QC

Analyte Symbol	Au
Unit Symbol	ppm
Lower Limit	0.005
Method Code	FA-AA
OxD108 Meas	0.406
OxD108 Cert	0.414
OxD108 Meas	0.407
OxD108 Cert	0.414
SE68 Meas	0.591
SE68 Cert	0.599
SE68 Meas	0.604
SE68 Cert	0.599
201889 Orig	0.087
201889 Dup	0.086
201899 Orig	0.011
201899 Dup	0.010
201909 Orig	0.016
201909 Dup	0.014
202182 Orig	0.024
202182 Dup	0.024
202201 Orig	0.015
202201 Dup	0.014
202212 Orig	0.015
202212 Dup	0.014
Method Blank	< 0.005
Method Blank	< 0.005
Method Blank	< 0.005
Method Blank	< 0.005

Actlabs ID	Client ID	Solution Analysis (ppm)	Leach Residue Assay (ppm)	Calculated head grade (ppm)	% Extraction
A15-02901-1	201878	0.472	0.018	0.495	96.36%
A15-02901-2	201879	0.255	0.04	0.275	93.46%
A15-02901-4	201881	0.287	0.033	0.321	89.72%
A15-02901-5	201882	0.917	0.058	0.979	94.07%
A15-02901-6	201883	0.692	0.047	0.737	93.62%
A15-02901-7	201884	0.035	0.008	0.043	81.21%
A15-02901-8	201886	0.098	0.018	0.121	85.11%
A15-02901-9	201888	0.197	0.05	0.248	79.82%
A15-02901-10	201889	0.411	0.087	0.499	82.56%
A15-02901-11	201891	2.720	0.154	2.874	94.64%
A15-02901-12	201891 DUP	2.749	0.295	3.044	90.31%
A15-02901-13	201892	0.083	0.016	0.098	83.72%
A15-02901-14	201893	0.227	0.036	0.266	86.48%
A15-02901-15	201894	0.366	0.021	0.387	94.57%
A15-02901-16	201895	0.403	0.06	0.466	87.13%
A15-02901-17	201896	0.332	0.024	0.360	93.34%
A15-02901-18	201897	0.269	0.029	0.297	90.23%
A15-02901-19	201898	0.025	0.008	0.033	75.83%
A15-02901-20	201899	0.084	0.01	0.095	89.42%
A15-02901-21	201901	0.122	0.018	0.140	87.11%
A15-02901-24	201902	0.049	0.009	0.059	84.74%
A15-02901-25	201903	0.306	0.031	0.337	90.79%
A15-02901-26	201904	0.566	0.057	0.587	90.29%
A15-02901-27	201909 DUP	0.086	0.013	0.100	87.03%
A15-02901-28	201905	0.409	0.05	0.460	89.13%
A15-02901-29	201908	0.042	0.015	0.058	74.02%
A15-02901-30	201909	0.067	0.015	0.082	81.62%
A15-02901-31	201911	0.093	0.007	0.100	92.99%
A15-02901-32	201912	0.336	0.032	0.375	91.47%
A15-02901-33	201913	0.098	0.011	0.109	89.87%
A15-02901-34	201915	0.513	0.043	0.575	92.53%
A15-02901-35	201916	0.544	0.025	0.574	95.65%
A15-02901-36	201917	0.073	0.025	0.099	74.77%
A15-02901-37	201918	0.221	0.02	0.241	91.69%
A15-02901-38	201919	0.368	0.035	0.404	91.34%
A15-02901-39	201921	0.435	0.054	0.489	88.96%
A15-02901-40	201922	0.424	0.044	0.467	90.57%
A15-02901-41	202179	0.302	0.07	0.376	81.38%
A15-02901-42	202181 DUP	0.066	0.026	0.091	71.54%
A15-02901-43	202181	0.061	0.026	0.088	70.31%

A15-02901-44	202182	0.017	0.024	0.041	41.09%
A15-02901-46	202183	0.098	0.017	0.116	85.28%
A15-02901-47	202184	0.074	0.018	0.091	80.28%
A15-02901-48	202186	0.686	0.039	0.731	94.66%
A15-02901-49	202187	0.454	0.055	0.511	89.24%
A15-02901-50	202188	0.046	0.011	0.057	80.77%
A15-02901-51	202189	0.121	0.018	0.140	87.19%
A15-02901-52	202191	0.889	0.029	0.935	96.90%
A15-02901-53	202198	0.165	0.013	0.177	92.64%
A15-02901-54	202199	0.098	0.01	0.108	90.74%
A15-02901-55	202201	0.110	0.014	0.125	88.76%
A15-02901-56	202202	0.053	0.01	0.063	84.01%
A15-02901-57	202207 DUP	0.214	0.02	0.232	91.39%
A15-02901-58	202203	0.232	0.035	0.267	86.88%
A15-02901-59	202204	0.367	0.066	0.434	84.80%
A15-02901-60	202206	0.453	0.061	0.512	88.10%
A15-02901-61	202207	0.159	0.019	0.178	89.33%
A15-02901-62	202208	0.341	0.058	0.397	85.38%
A15-02901-63	202209	0.120	0.015	0.135	88.87%
A15-02901-64	202211	0.092	0.014	0.107	86.97%
A15-02901-66	202212	0.553	0.014	0.563	97.51%

Standard		Calc Head	Cert value
A15-02901-23	STANDARD	4.761	5.032
Blanks			
A15-02901-3	Blank	<0.005	
A15-02901-22	Blank	<0.005	
A15-02901-45	Blank	<0.005	
A15-02901-65	Blank	<0.005	
Leach Duplicates			
A15-02901-11	201891	2.874	
A15-02901-12	201891 DUP	3.044	
A15-02901-30	201909	0.082	
A15-02901-27	201909 DUP	0.100	
A15-02901-43	202181	0.088	
A15-02901-42	202181 DUP	0.091	
A15-02901-61	202207	0.178	
A15-02901-57	202207 DUP	0.232	
Solution Duplicates			
A15-02901-15	201894	0.387	
A15-02901-15-2	201894-2	0.385	
A15-02901-30	201909	0.082	
A15-02901-30-2	201909-2	0.078	
A15-02901-45	Blank	0.016	
A15-02901-45-2	Blank-2	0.015	
A15-02901-60	202206	0.4532	
A15-02901-60-2	202206-2	0.4596	

Quality Analysis ... **Actlabs** *Innovative Technologies*

Date Submitted: 24-Apr-15
Invoice No.: A15-02931 (i)
Invoice Date: 29-May-15
Your Reference:

Treasury Metals Inc.
Exchange Tower, 130 King Street East
Suite 3680
Toronto Ontario
Canada

ATTN: Paul Dunbar

CERTIFICATE OF ANALYSIS

80 Pulp samples were submitted for analysis.

The following analytical package was requested: Code Metallurgy Metallurgy

REPORT **A15-02931 (i)**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY:

Emmanuel Eseme , Ph.D.
Quality Control

SCC Accredited LAB
LAB Accrédité CCN

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1 888 228 5227 FAX +1 905 648 9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Analyte Symbol	Au
Unit Symbol	ppm
Lower Limit	0.005
Method Code	FA-AA
1368906	0.011
1368907	0.017
1368908	0.009
1368908 DUP	0.045
1368909	0.037
1368911	0.010
1368919	0.063
1368921	0.276
STANDARD	1.42
1368922	0.121
1368923	0.133
1368924	0.169
1368929	0.031
1368931	0.053
1368932	0.097
1368933	0.066
BLANK	< 0.005
1368934	0.078
1368934 DUP	0.073
1368935	0.043
1368936	0.150
1368937	0.087
1368939	0.046
1368013	0.638
1368014	0.117
1368015	0.110
1368016	0.044
1368017	0.038
1368018	0.059
1368019	0.119
1368021	0.103
1368022	0.070
1368023	0.018
1368023 DUP	0.018
1368024	0.040
1368025	0.009
BLANK	< 0.005
1368027	0.068
1368028	0.252
1368031	0.005
1368032	0.013
1328153	0.013
1328154	0.029
1328157	0.096
1328158	0.018
1328159	0.005
1328204	0.038
1328205	0.044
1368205 DUP	0.043

Analyte Symbol	Au
Unit Symbol	ppm
Lower Limit	0.005
Method Code	FA-AA
1328206	0.016
1328207	0.021
1328208	0.034
1328209	0.105
1328211	0.019
1328212	0.006
1328213	0.037
BLANK	< 0.005
1328236	0.026
STANDARD	1.05
1328237	0.041
1328238	0.060
1328239	0.017
1328241	0.054
1328259 DUP	0.034
1328257	0.023
1328258	0.041
1328259	0.041
1328262	0.089
1328263	0.054
1328264	0.010
1328265	0.028
1328267	0.023
1328268	< 0.005
1328269	< 0.005
1328271	0.022
1328272	< 0.005
BLANK	< 0.005
1328273	0.011
1328273 DUP	0.012
1328274	< 0.005

QC

Analyte Symbol	Au
Unit Symbol	ppm
Lower Limit	0.005
Method Code	FA-AA
OxD108 Meas	0.414
OxD108 Cert	0.414
OxD108 Meas	0.420
OxD108 Cert	0.414
OxD108 Meas	0.397
OxD108 Cert	0.414
SE68 Meas	0.591
SE68 Cert	0.599
SE68 Meas	0.607
SE68 Cert	0.599
SE68 Meas	0.590
SE68 Cert	0.599
1368922 Orig	0.102
1368922 Dup	0.140
1368935 Orig	0.042
1368935 Dup	0.044
1368019 Orig	0.117
1368019 Dup	0.121
1328158 Orig	0.015
1328158 Dup	0.020
1328212 Orig	0.005
1328212 Dup	0.007
1328257 Orig	0.023
1328257 Dup	0.024
1328274 Orig	< 0.005
1328274 Dup	< 0.005
Method Blank	< 0.005
Method Blank	< 0.005
Method Blank	< 0.005
Method Blank	< 0.005
Method Blank	< 0.005
Method Blank	< 0.005

Actlabs ID	Client ID	Solution Analysis (ppm)	Leach Residue Assay (ppm)	Calculated head grade (ppm)	% Extraction	Original Assay (ppm)	% Difference
A15-02931-1	1368906	0.147	0.011	0.165	93.34%	0.206	80%
A15-02931-2	1368907	0.189	0.017	0.207	91.80%	0.203	102%
A15-02931-3	1368908	0.385	0.009	0.394	97.72%	0.505	78%
A15-02931-4	1368908 DUP	0.366	0.045	0.407	88.95%	0.505	81%
A15-02931-5	1368909	0.156	0.037	0.192	80.69%	0.186	103%
A15-02931-6	1368911	0.032	0.01	0.042	76.19%	0.028	150%
A15-02931-7	1368919	0.353	0.063	0.414	84.79%	0.331	125%
A15-02931-8	1368921	1.947	0.276	2.219	87.56%	2.015	110%
A15-02931-10	1368922	0.455	0.121	0.578	79.08%	0.416	139%
A15-02931-11	1368923	0.366	0.133	0.491	72.92%	0.345	142%
A15-02931-12	1368924	0.234	0.169	0.407	58.46%	0.263	155%
A15-02931-13	1368929	0.126	0.031	0.157	80.22%	0.211	74%
A15-02931-14	1368931	0.563	0.053	0.624	91.51%	1.282	49%
A15-02931-15	1368932	0.216	0.097	0.314	69.12%	0.294	107%
A15-02931-16	1368933	0.345	0.066	0.410	83.91%	0.395	104%
A15-02931-18	1368934	0.243	0.078	0.324	75.91%	0.341	95%
A15-02931-19	1368934 DUP	0.265	0.073	0.335	78.23%	0.341	98%
A15-02931-20	1368935	0.166	0.043	0.209	79.43%	0.199	105%
A15-02931-21	1368936	0.256	0.15	0.406	63.09%	0.245	166%
A15-02931-22	1368937	0.483	0.087	0.571	84.75%	0.43	133%
A15-02931-23	1368939	0.403	0.046	0.450	89.79%	0.384	117%
A15-02931-24	1368013	3.001	0.638	3.639	82.47%	0.56	650%
A15-02931-25	1368014	0.462	0.117	0.579	79.78%	0.497	116%
A15-02931-26	1368015	0.256	0.11	0.370	70.30%	0.365	101%
A15-02931-27	1368016	0.183	0.044	0.228	80.72%	0.126	181%
A15-02931-28	1368017	0.170	0.038	0.208	81.69%	0.19	109%
A15-02931-29	1368018	0.223	0.059	0.285	79.27%	0.243	117%
A15-02931-30	1368019	0.253	0.119	0.377	68.42%	0.489	77%
A15-02931-31	1368021	0.171	0.103	0.275	62.48%	0.283	97%
A15-02931-32	1368022	0.286	0.07	0.355	80.27%	0.364	97%
A15-02931-33	1368023	0.101	0.018	0.119	84.94%	0.085	141%
A15-02931-34	1368023 DUP	0.101	0.018	0.118	84.74%	0.085	139%
A15-02931-35	1368024	0.159	0.04	0.199	79.88%	0.248	80%
A15-02931-36	1368025	0.217	0.009	0.230	96.09%	0.253	91%
A15-02931-38	1368027	0.232	0.068	0.300	77.30%	0.305	98%
A15-02931-39	1368028	0.619	0.252	0.873	71.12%	0.317	275%
A15-02931-40	1368031	0.132	0.005	0.137	96.35%	0.162	85%
A15-02931-41	1368032	0.016	0.013	0.029	55.33%	0.042	69%
A15-02931-42	1328153	0.043	0.013	0.057	77.08%	0.035	162%
A15-02931-43	1328154	0.180	0.029	0.209	86.11%	0.126	166%

A15-02931-44	1328157	1.024	0.096	1.118	91.41%	1.117	100%
A15-02931-45	1328158	0.126	0.018	0.144	87.47%	0.264	54%
A15-02931-46	1328159	0.066	0.005	0.071	93.00%	0.068	105%
A15-02931-47	1328204	0.077	0.038	0.116	67.18%	0.113	102%
A15-02931-48	1328205	0.086	0.044	0.131	66.44%	0.105	125%
A15-02931-49	1368205 DUP	0.105	0.043	0.149	71.10%	0.105	142%
A15-02931-50	1328206	0.183	0.016	0.199	91.94%	0.208	95%
A15-02931-51	1328207	0.102	0.021	0.124	83.02%	0.081	153%
A15-02931-52	1328208	0.252	0.034	0.291	88.31%	0.347	84%
A15-02931-53	1328209	1.831	0.105	1.936	94.58%	3.233	60%
A15-02931-54	1328211	0.141	0.019	0.161	88.19%	0.135	119%
A15-02931-55	1328212	0.031	0.006	0.037	83.65%	0.026	141%
A15-02931-56	1328213	0.256	0.037	0.292	87.31%	0.135	216%
A15-02931-58	1328236	0.211	0.026	0.238	89.07%	0.167	142%
A15-02931-60	1328237	0.864	0.041	0.913	95.51%	1.354	67%
A15-02931-61	1328238	1.018	0.06	1.083	94.46%	0.939	115%
A15-02931-62	1328239	0.054	0.017	0.071	76.09%	0.048	148%
A15-02931-63	1328241	0.299	0.054	0.352	84.65%	0.269	131%
A15-02931-64	1328259 DUP	0.221	0.034	0.255	86.65%	0.315	81%
A15-02931-65	1328257	0.120	0.023	0.143	83.94%	0.129	111%
A15-02931-66	1328258	0.173	0.041	0.214	80.82%	0.11	194%
A15-02931-67	1328259	0.227	0.041	0.278	85.26%	0.315	88%
A15-02931-68	1328262	1.075	0.089	1.161	92.34%	1.313	88%
A15-02931-69	1328263	0.347	0.054	0.401	86.54%	0.207	194%
A15-02931-70	1328264	0.067	0.01	0.077	87.00%	0.098	79%
A15-02931-71	1328265	0.163	0.028	0.191	85.37%	0.281	68%
A15-02931-72	1328267	0.130	0.023	0.154	85.07%	0.503	31%
A15-02931-73	1328268	0.026	< 0.005			0.02	
A15-02931-74	1328269	0.017	< 0.005			0.015	
A15-02931-75	1328271	0.188	0.022	0.211	89.59%	0.122	173%
A15-02931-76	1328272	0.018	< 0.005				
A15-02931-78	1328273	0.074	0.011	0.087	87.38%	0.082	106%
A15-02931-79	1328273 DUP	0.074	0.012	0.085	85.96%	0.082	104%
A15-02931-80	1328274	0.017	< 0.005				

Standard		Calc Head	Cert value
A15-02931-9	STANDARD	5.330	5.032
A15-02931-59	STANDARD	4.920	
Blanks			
A15-02931-17	Blank	<0.005	
A15-02931-37	Blank	<0.005	
A15-02931-57	Blank	<0.005	
A15-02931-77	Blank	<0.005	
Leach Duplicates			
A15-02931-3	1368908	0.394	
A15-02931-4	1368908 DUP	0.407	
A15-02931-18	1368934	0.324	
A15-02931-19	1368934 DUP	0.335	
A15-02931-33	1368023	0.119	
A15-02931-34	1368023 DUP	0.118	
A15-02931-48	1328205	0.131	
A15-02931-49	1368205 DUP	0.149	
A15-02931-67	1328259	0.278	
A15-02931-64	1328259 DUP	0.255	
A15-02931-78	1328273	0.087	
A15-02931-79	1328273 DUP	0.085	
Solution Duplicates			
A15-02931-15	1368932	0.314	
A15-02931-15-2	1368932-2	0.316	
A15-02931-30	1368019	0.377	
A15-02931-30-2	1368019-2	0.375	
A15-02931-45	1328158	0.144	
A15-02931-45-2	1328158-2	0.143	
A15-02931-60	1328237	0.913	
A15-02931-60-2	1328237-2	0.909	
A15-02931-75	1328271	0.211	
A15-02931-75-2	1328271-2	0.211	

2014 MMI SOIL SAMPLING PROGRAM

SGS CERTIFICATES

Certificate of Analysis

Work Order : VC141846

[Report File No.: 0000007551]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Jun 23, 2014

P.O. No.	:	Treasury Metals
Project No.	:	-
No. Of Samples	:	198
Date Submitted	:	Jun 10, 2014
Report Comprises	:	Pages 1 to 36 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC141846 Order: Treasury Metals

Report File No.: 0000007551

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MMIG-OS 1	0.525	9	>200	20	0.6	1040	2	20
MMIG-OS 2	0.509	12	>200	20	0.8	720	1	<10
MMIG-OS 3	0.811	5	160	<10	0.4	410	<1	30
MMIG-OS 4	0.769	4	23	<10	0.2	1410	<1	200
MMIG-OS 5	0.753	15	27	<10	0.3	1740	<1	470
MMIG-OS 6	0.777	14	41	<10	0.6	1510	<1	410
MMIG-OS 7	0.599	20	54	<10	0.5	2360	<1	610
MMIG-OS 8	0.780	33	11	<10	0.4	2330	<1	770
MMIG-OS 9	0.934	14	17	<10	0.4	3130	<1	730
MMIG-OS 10	0.770	15	17	<10	0.3	1750	<1	630
MMIG-OS 11	0.737	15	19	<10	0.3	1360	<1	540
MMIG-OS 12	0.889	10	26	<10	0.4	1420	<1	480
MMIG-OS 13	0.806	6	13	<10	<0.1	1060	<1	250
MMIG-OS 14	0.864	12	43	<10	0.3	1760	<1	450
MMIG-OS 15	0.909	7	19	<10	0.1	1160	<1	290
MMIG-OS 16	1.010	10	32	<10	0.3	1490	<1	530
MMIG-OS 17	0.801	15	21	<10	0.3	1600	<1	560
MMIG-OS 18	0.777	22	66	<10	0.5	3190	<1	860
MMIG-OS 19	0.736	44	12	<10	0.4	2180	<1	870
MMIG-OS 20	0.678	25	28	<10	0.2	1670	<1	480
MMIG-OS 21	0.814	28	10	<10	0.3	1320	<1	480
MMIG-OS 22	0.722	37	9	<10	<0.1	1450	<1	470
MMIG-OS 23	0.603	39	5	<10	<0.1	1800	<1	540
MMIG-OS 24	0.619	15	45	<10	0.6	1370	<1	470
MMIG-OS 25	0.900	<1	25	<10	<0.1	320	<1	10
MMIG-OS 26	0.531	25	24	<10	0.6	2200	<1	710
MMIG-OS 27	0.705	30	18	<10	0.5	2340	<1	780
MMIG-OS 28	0.540	8	64	<10	0.7	1560	<1	500
MMIG-OS 29	0.752	12	29	<10	0.7	2130	<1	660
MMIG-OS 30	0.627	14	18	<10	0.8	1930	<1	660
MMIG-OS 31	0.705	14	114	<10	0.2	1210	<1	240
MMIG-OS 32	0.715	23	166	<10	0.5	2900	<1	570
MMIG-OS 33	0.767	15	26	<10	0.5	1630	<1	440
MMIG-OS 34	0.717	19	71	<10	0.4	1530	<1	470
MMIG-OS 35	0.716	21	40	<10	0.3	1470	<1	490
MMIG-OS 36	0.809	18	20	<10	0.6	1750	<1	610
MMIG-OS 37	0.632	11	144	<10	0.6	2600	<1	560
MMIG-OS 38	0.538	20	39	<10	0.5	2400	<1	700
MMIG-OS 39	0.495	28	26	<10	0.5	2400	<1	740
MMIG-OS 40	0.578	15	131	<10	0.2	1240	<1	250

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MMIG-OS 41	0.669	21	91	<10	0.4	1230	<1	410
MMIG-OS 42	0.655	20	16	<10	0.7	2150	<1	770
MMIG-OS 43	0.667	20	24	<10	0.6	2000	<1	650
MMIG-OS 44	0.672	26	12	<10	0.5	1290	<1	470
MMIG-OS 45	0.588	13	8	<10	0.6	1160	<1	440
MMIG-OS 46	0.640	8	>200	30	0.1	1810	2	70
MMIG-OS 47	0.608	4	152	20	0.1	1020	1	40
MMIG-OS 48	0.675	3	40	<10	0.1	1390	<1	260
MMIG-OS 49	0.709	6	>200	30	<0.1	1620	2	90
MMIG-OS 50	0.818	2	28	<10	0.2	870	<1	340
MMIG-OS 51	0.716	4	33	<10	0.3	1370	<1	580
MMIG-OS 52	0.660	9	>200	30	0.1	1830	2	110
MMIG-OS 53	0.730	4	28	<10	0.1	1110	<1	450
MMIG-OS 54	0.759	5	32	<10	0.2	1620	<1	560
MMIG-OS 55	0.667	7	>200	30	0.2	1540	2	130
MMIG-OS 56	0.765	2	87	10	0.2	1120	<1	240
MMIG-OS 57	0.741	3	77	<10	0.7	2380	<1	720
MMIG-OS 58	0.617	9	103	<10	0.3	1010	<1	320
MMIG-OS 59	0.634	10	118	<10	0.2	3160	<1	880
MMIG-OS 60	0.767	9	61	<10	0.3	1940	<1	650
MMIG-OS 61	0.707	6	71	<10	0.4	1430	<1	420
MMIG-OS 62	0.785	6	52	<10	0.4	1580	<1	490
MMIG-OS 63	0.792	10	43	<10	0.8	1730	<1	570
MMIG-OS 64	0.777	8	89	<10	0.3	1180	<1	280
MMIG-OS 65	0.595	10	61	<10	0.5	1370	<1	420
MMIG-OS 66	0.622	15	32	<10	0.7	1910	<1	570
MMIG-OS 67	0.798	7	23	<10	0.4	1580	<1	380
MMIG-OS 68	0.794	5	25	<10	0.5	2020	<1	410
MMIG-OS 69	0.800	9	17	<10	0.8	2330	<1	510
MMIG-OS 70	0.649	40	155	20	2.7	220	<1	30
MMIG-OS 71	0.744	53	160	30	3.9	430	<1	40
MMIG-OS 72	0.699	11	65	20	0.5	1410	<1	180
MMIG-OS 73	0.760	5	43	<10	0.7	1360	<1	230
MMIG-OS 74	0.852	3	20	<10	0.2	780	<1	90
MMIG-OS 75	0.815	1	27	<10	0.1	410	<1	20
MMIG-OS 76	0.746	16	110	40	0.3	1820	1	150
MMIG-OS 77	0.708	11	58	20	0.6	3240	<1	150
MMIG-OS 78	0.740	25	9	<10	1.2	1910	<1	180
MMIG-OS 79	0.781	13	>200	140	3.0	2220	2	210
MMIG-OS 80	0.715	14	>200	110	4.5	1330	2	150

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC141846 Order: Treasury Metals

Report File No.: 0000007551

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MMIG-OS 81	0.715	21	162	60	9.5	730	1	100
MMIG-OS 82	0.559	4	54	10	0.7	1480	<1	150
MMIG-OS 83	0.587	2	48	10	0.6	1410	<1	140
MMIG-OS 84	0.589	7	71	<10	0.7	1210	<1	300
MMIG-OS 85	0.645	4	>200	30	0.2	1190	2	100
MMIG-OS 86	0.876	4	>200	20	0.1	890	1	60
MMIG-OS 87	0.983	2	>200	20	0.2	1360	1	60
MMIG-OS 88	1.072	5	114	20	<0.1	770	<1	210
MMIG-OS 89	1.140	7	62	10	0.2	680	<1	250
MMIG-OS 90	1.287	5	47	10	0.5	760	<1	220
MMIG-OS 91	0.928	12	66	<10	0.7	120	<1	20
MMIG-OS 92	1.027	10	93	<10	0.6	330	<1	20
MMIG-OS 93	1.205	6	86	<10	0.7	430	<1	20
MMIG-OS 94	0.995	7	134	<10	0.4	3420	<1	390
MMIG-OS 95	0.866	5	41	<10	0.5	1440	<1	310
MMIG-OS 96	0.920	7	21	<10	0.7	1480	<1	390
MMIG-OS 97	1.112	5	53	<10	0.7	1410	<1	360
MMIG-OS 98	0.911	6	21	<10	0.4	1290	<1	350
MMIG-OS 99	0.917	11	8	<10	0.5	1450	<1	430
MMIG-OS 100	0.706	8	62	<10	0.3	1950	<1	340
MMIG-OS 101	0.730	10	197	10	0.6	3610	<1	550
MMIG-OS 102	0.794	18	13	<10	0.5	1950	<1	580
MMIG-OS 103	0.819	7	62	<10	0.7	2170	<1	420
MMIG-OS 104	0.772	10	33	<10	0.4	2300	<1	550
MMIG-OS 105	0.804	25	13	<10	0.8	2360	<1	640
MMIG-OS 106	1.034	15	172	<10	<0.1	860	<1	70
MMIG-OS 107	1.163	11	128	<10	1.8	1190	<1	70
MMIG-OS 108	1.223	7	187	30	0.1	1950	1	70
MMIG-OS 109	1.036	7	182	10	<0.1	1180	<1	50
MMIG-OS 110	1.060	7	179	20	0.1	1550	<1	50
MMIG-OS 111	1.243	4	199	20	0.2	2210	<1	80
MMIG-OS 112	0.969	7	>200	10	<0.1	580	<1	40
MMIG-OS 113	1.018	4	>200	10	<0.1	520	<1	50
MMIG-OS 114	1.218	5	181	10	<0.1	1000	<1	70
MMIG-OS 115	1.045	23	120	10	<0.1	1490	<1	170
MMIG-OS 116	1.040	13	116	10	0.2	1570	<1	150
MMIG-OS 117	1.140	16	141	10	<0.1	1830	<1	170
MMIG-OS 118	0.913	17	190	10	<0.1	1290	<1	150
MMIG-OS 119	0.912	7	165	20	<0.1	1020	<1	110
MMIG-OS 120	0.880	2	136	20	0.2	930	<1	80

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MMIG-OS 121	0.675	14	>200	20	<0.1	2050	<1	100
MMIG-OS 122	0.841	4	186	10	<0.1	1490	<1	80
MMIG-OS 123	0.939	3	163	10	<0.1	1420	<1	80
MMIG-OS 124	0.899	5	29	<10	0.4	870	<1	310
MMIG-OS 125	0.850	<1	20	<10	<0.1	370	<1	10
MMIG-OS 126	1.320	5	16	<10	<0.1	1330	<1	360
MMIG-OS 127	1.139	6	15	<10	0.1	1390	<1	420
MMIG-OS 128	1.000	16	26	<10	0.2	1530	<1	520
MMIG-OS 129	1.167	12	15	<10	0.3	1460	<1	510
MMIG-OS 130	1.034	16	8	<10	0.2	1670	<1	560
MMIG-OS 131	1.146	16	8	<10	0.3	1660	<1	600
MMIG-OS 132	1.069	17	7	<10	0.2	1440	<1	500
MMIG-OS 133	0.884	15	19	<10	0.2	1420	<1	450
MMIG-OS 134	1.032	20	14	<10	0.2	1590	<1	470
MMIG-OS 135	0.990	21	11	<10	0.2	1560	<1	520
MMIG-OS 136	0.938	10	12	<10	0.2	1720	<1	590
MMIG-OS 137	1.010	15	12	<10	0.4	1660	<1	520
MMIG-OS 138	1.004	13	6	<10	0.3	1320	<1	490
MMIG-OS 139	0.881	12	>200	20	<0.1	1270	<1	90
MMIG-OS 140	1.006	7	>200	20	0.1	1160	<1	50
MMIG-OS 141	0.930	2	>200	20	0.1	1460	<1	60
MMIG-OS 142	0.764	<1	23	<10	<0.1	600	<1	<10
MMIG-OS 143	1.022	<1	22	<10	<0.1	410	<1	10
MMIG-OS 144	0.974	<1	20	<10	0.3	360	<1	10
MMIG-OS 145	0.832	<1	23	<10	<0.1	350	<1	10
MMIG-OS 146	0.756	22	19	<10	0.2	1620	<1	480
MMIG-OS 147	0.690	34	10	<10	0.3	1710	<1	530
MMIG-OS 148	0.609	41	8	<10	0.5	1400	<1	640
MMIG-OS 149	0.685	22	9	<10	0.2	1010	<1	440
MMIG-OS 150	0.689	17	8	<10	0.3	1440	<1	390
MMIG-OS 151	0.706	12	7	<10	0.3	1180	<1	320
MMIG-OS 152	0.788	22	9	<10	0.3	1070	<1	450
MMIG-OS 153	0.746	19	8	<10	0.3	1270	<1	440
MMIG-OS 154	0.792	12	7	<10	0.4	1290	<1	400
MMIG-OS 155	0.653	24	22	<10	0.2	1400	<1	550
MMIG-OS 156	0.737	15	18	<10	0.3	1000	<1	390
MMIG-OS 157	0.803	12	11	<10	0.5	1040	<1	350
MMIG-OS 158	0.862	12	54	<10	0.3	1800	<1	430
MMIG-OS 159	0.815	20	21	<10	0.4	2130	<1	540
MMIG-OS 160	0.742	12	25	10	0.2	2490	<1	420

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MMIG-OS 161	0.732	13	20	<10	0.3	2200	<1	440
MMIG-OS 162	0.699	14	59	<10	0.1	1430	<1	430
MMIG-OS 163	0.697	15	50	<10	0.1	1600	<1	490
MMIG-OS 164	0.758	15	15	<10	0.3	1980	<1	620
MMIG-OS 165	0.822	18	10	<10	1.7	1930	<1	480
MMIG-OS 166	0.659	20	7	<10	0.7	1610	<1	430
MMIG-OS 167	0.742	30	9	<10	0.5	1370	<1	520
MMIG-OS 168	0.807	16	10	<10	0.2	1240	<1	510
MMIG-OS 169	1.015	14	6	<10	0.1	1300	<1	480
MMIG-OS 170	0.880	20	9	<10	0.3	1370	<1	420
MMIG-OS 171	0.834	11	24	<10	0.1	1160	<1	570
MMIG-OS 172	0.870	11	11	<10	0.1	1000	<1	430
MMIG-OS 173	0.679	12	11	<10	0.3	1350	<1	420
MMIG-OS 174	0.589	10	31	<10	0.1	1630	<1	530
MMIG-OS 175	0.842	<1	28	<10	<0.1	380	<1	10
MMIG-OS 176	0.891	9	65	<10	0.2	1450	<1	530
MMIG-OS 177	0.719	10	13	<10	0.3	1450	<1	480
MMIG-OS 178	0.775	17	25	<10	0.2	1960	<1	630
MMIG-OS 179	0.675	21	18	<10	0.4	1640	<1	590
MMIG-OS 180	0.691	16	18	<10	0.4	1420	<1	520
MMIG-OS 181	0.747	4	44	<10	<0.1	960	<1	260
MMIG-OS 182	0.817	6	33	<10	<0.1	1610	<1	360
MMIG-OS 183	0.760	14	13	<10	0.3	4610	<1	680
MMIG-OS 184	0.677	12	34	<10	<0.1	1690	<1	470
MMIG-OS 185	0.650	13	14	<10	0.3	2100	<1	720
MMIG-OS 186	0.622	14	13	<10	0.3	1910	<1	740
MMIG-OS 187	0.565	13	29	<10	0.4	1590	<1	700
MMIG-OS 188	0.711	21	10	<10	0.4	1720	<1	820
MMIG-OS 189	0.700	18	6	<10	0.4	1600	<1	770
MMIG-OS 190	0.684	18	10	<10	0.2	990	<1	470
MMIG-OS 191	0.710	20	7	<10	0.2	1310	<1	460
MMIG-OS 192	0.688	16	8	<10	0.2	1530	<1	430
MMIG-OS 193	0.624	20	8	<10	0.2	1440	<1	430
MMIG-OS 194	0.704	20	10	<10	0.4	1500	<1	470
MMIG-OS 195	0.616	10	11	<10	0.4	1420	<1	470
MMIG-OS 196	0.604	7	46	<10	<0.1	1300	<1	320
MMIG-OS 197	0.631	8	16	<10	0.4	2010	<1	440
MMIG-OS 198	0.597	8	10	<10	0.5	1730	<1	420

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC141846 Order: Treasury Metals

Report File No.: 0000007551

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 1	6	117	43	100	16.4	490	6	3.1
MMIG-OS 2	10	106	78	<100	15.6	470	6	3.1
MMIG-OS 3	7	287	49	<100	20.0	520	17	7.3
MMIG-OS 4	2	305	108	<100	<0.5	340	33	18.2
MMIG-OS 5	4	117	37	<100	<0.5	870	31	15.6
MMIG-OS 6	4	256	33	<100	<0.5	860	34	17.7
MMIG-OS 7	3	528	28	100	<0.5	1270	66	43.1
MMIG-OS 8	1	40	39	<100	<0.5	1760	49	32.3
MMIG-OS 9	1	429	56	<100	<0.5	1200	147	86.4
MMIG-OS 10	<1	273	19	<100	<0.5	1120	67	41.1
MMIG-OS 11	1	185	26	<100	<0.5	800	36	20.2
MMIG-OS 12	1	246	21	<100	<0.5	750	41	25.4
MMIG-OS 13	1	172	24	<100	<0.5	350	21	12.7
MMIG-OS 14	3	714	62	<100	<0.5	810	97	55.1
MMIG-OS 15	1	191	10	<100	<0.5	330	21	12.6
MMIG-OS 16	3	449	71	<100	<0.5	1050	43	26.4
MMIG-OS 17	3	697	51	<100	<0.5	850	113	67.1
MMIG-OS 18	4	1890	23	100	<0.5	990	267	161
MMIG-OS 19	9	96	50	<100	<0.5	1750	65	40.2
MMIG-OS 20	14	215	161	<100	<0.5	940	18	9.6
MMIG-OS 21	30	193	99	<100	<0.5	950	14	6.3
MMIG-OS 22	18	180	106	<100	<0.5	950	16	7.3
MMIG-OS 23	11	88	220	<100	<0.5	1390	11	5.2
MMIG-OS 24	6	329	133	<100	<0.5	1320	97	59.9
MMIG-OS 25	<1	110	12	<100	2.9	120	12	4.8
MMIG-OS 26	3	212	16	<100	<0.5	2470	173	101
MMIG-OS 27	4	99	58	<100	<0.5	2230	91	53.4
MMIG-OS 28	5	679	18	<100	<0.5	1320	150	90.3
MMIG-OS 29	4	356	10	<100	<0.5	1950	149	89.7
MMIG-OS 30	4	162	11	<100	<0.5	1940	92	54.3
MMIG-OS 31	6	596	677	<100	0.9	480	42	22.1
MMIG-OS 32	7	1110	436	200	3.7	1570	138	84.3
MMIG-OS 33	3	321	18	<100	<0.5	1760	122	75.5
MMIG-OS 34	3	759	30	<100	<0.5	1320	123	74.6
MMIG-OS 35	3	824	22	<100	<0.5	1250	183	117
MMIG-OS 36	2	518	6	<100	<0.5	1630	198	119
MMIG-OS 37	4	695	40	200	6.8	1370	126	85.8
MMIG-OS 38	5	914	13	<100	<0.5	1750	287	183
MMIG-OS 39	4	685	8	<100	<0.5	2140	321	208
MMIG-OS 40	6	471	68	<100	1.1	280	52	27.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 41	7	581	82	100	<0.5	810	111	66.7
MMIG-OS 42	4	297	5	<100	<0.5	2500	231	144
MMIG-OS 43	4	708	139	<100	<0.5	2170	105	64.6
MMIG-OS 44	5	184	125	<100	<0.5	1710	26	15.2
MMIG-OS 45	4	94	58	<100	<0.5	1290	13	7.7
MMIG-OS 46	2	537	82	400	11.5	490	23	9.5
MMIG-OS 47	1	368	114	200	4.9	270	14	5.9
MMIG-OS 48	<1	417	76	<100	0.7	450	32	16.2
MMIG-OS 49	2	551	171	300	8.2	390	15	7.0
MMIG-OS 50	<1	504	147	<100	<0.5	600	69	33.6
MMIG-OS 51	1	516	33	<100	<0.5	1530	123	74.6
MMIG-OS 52	3	581	122	300	11.1	330	18	8.1
MMIG-OS 53	<1	448	27	<100	<0.5	1030	109	65.8
MMIG-OS 54	1	474	19	<100	<0.5	1430	148	94.6
MMIG-OS 55	2	390	111	300	9.3	300	12	5.7
MMIG-OS 56	<1	858	53	<100	1.4	360	42	20.0
MMIG-OS 57	<1	1680	24	<100	0.5	1270	187	112
MMIG-OS 58	3	506	32	<100	1.0	470	56	30.7
MMIG-OS 59	3	2000	54	100	<0.5	1360	234	138
MMIG-OS 60	3	1680	35	100	0.7	1300	273	173
MMIG-OS 61	2	819	39	<100	0.6	1080	78	46.3
MMIG-OS 62	2	955	36	<100	<0.5	1400	113	69.5
MMIG-OS 63	2	1120	26	<100	<0.5	1620	178	107
MMIG-OS 64	6	575	62	100	0.8	680	67	38.1
MMIG-OS 65	3	779	34	100	<0.5	1180	81	47.3
MMIG-OS 66	4	684	61	<100	<0.5	1830	77	46.1
MMIG-OS 67	2	249	5	<100	<0.5	640	38	18.0
MMIG-OS 68	2	124	21	<100	<0.5	1020	50	28.4
MMIG-OS 69	1	68	12	<100	<0.5	1590	53	31.5
MMIG-OS 70	8	291	27	<100	14.3	440	15	5.7
MMIG-OS 71	5	281	42	<100	17.5	500	11	4.5
MMIG-OS 72	2	386	84	<100	1.3	240	21	9.1
MMIG-OS 73	1	306	60	<100	0.5	300	19	8.5
MMIG-OS 74	<1	176	29	<100	0.5	130	10	4.5
MMIG-OS 75	1	101	10	<100	2.9	130	9	3.5
MMIG-OS 76	12	299	119	100	6.3	200	11	5.7
MMIG-OS 77	3	306	37	<100	7.5	280	12	5.3
MMIG-OS 78	<1	133	18	<100	0.9	230	10	4.7
MMIG-OS 79	12	308	168	200	48.5	300	14	6.7
MMIG-OS 80	13	390	103	200	35.5	400	13	5.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 81	8	543	143	100	39.2	590	16	6.2
MMIG-OS 82	2	418	39	<100	2.5	330	28	12.6
MMIG-OS 83	2	395	35	<100	2.3	330	28	12.3
MMIG-OS 84	2	253	23	<100	1.1	760	36	19.8
MMIG-OS 85	7	387	30	400	7.4	210	17	7.4
MMIG-OS 86	3	500	29	300	5.5	270	19	7.5
MMIG-OS 87	2	549	51	200	4.6	290	19	8.3
MMIG-OS 88	5	746	66	100	2.7	1390	24	10.3
MMIG-OS 89	5	552	65	<100	1.6	1230	15	6.4
MMIG-OS 90	4	407	64	<100	1.1	720	12	5.0
MMIG-OS 91	2	554	12	<100	13.5	630	27	10.6
MMIG-OS 92	1	518	10	<100	13.6	580	24	9.0
MMIG-OS 93	1	663	7	<100	13.6	660	25	9.2
MMIG-OS 94	5	1470	470	100	2.3	1090	126	68.1
MMIG-OS 95	2	477	29	<100	0.9	820	87	49.4
MMIG-OS 96	1	273	11	<100	<0.5	960	126	76.1
MMIG-OS 97	4	569	65	<100	<0.5	990	67	35.8
MMIG-OS 98	2	111	14	<100	<0.5	920	40	21.4
MMIG-OS 99	<1	30	12	<100	<0.5	1060	47	26.5
MMIG-OS 100	2	254	21	<100	0.9	580	26	14.2
MMIG-OS 101	2	567	61	300	13.9	1710	76	47.1
MMIG-OS 102	2	334	39	<100	<0.5	1830	122	77.7
MMIG-OS 103	2	476	23	<100	<0.5	940	49	29.4
MMIG-OS 104	3	453	36	<100	<0.5	1670	94	56.6
MMIG-OS 105	3	209	24	<100	<0.5	2230	149	87.8
MMIG-OS 106	4	257	25	200	6.3	200	14	6.0
MMIG-OS 107	3	395	28	<100	4.9	250	15	5.7
MMIG-OS 108	2	540	80	200	6.4	280	15	6.0
MMIG-OS 109	2	295	25	200	6.9	180	14	6.2
MMIG-OS 110	2	372	33	200	6.1	230	16	6.8
MMIG-OS 111	2	537	52	200	6.7	320	20	8.2
MMIG-OS 112	3	200	25	200	6.2	370	14	6.7
MMIG-OS 113	2	275	24	100	5.3	430	19	8.9
MMIG-OS 114	1	338	33	200	5.3	320	15	6.5
MMIG-OS 115	12	72	39	100	2.5	80	5	2.4
MMIG-OS 116	9	61	43	100	3.0	90	4	2.1
MMIG-OS 117	10	74	43	200	4.4	80	5	2.3
MMIG-OS 118	5	80	39	100	6.7	110	5	2.5
MMIG-OS 119	4	165	36	100	5.5	100	5	2.4
MMIG-OS 120	2	302	79	<100	4.1	100	5	2.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 121	8	113	81	200	6.5	110	6	3.3
MMIG-OS 122	4	138	63	200	3.1	60	5	2.4
MMIG-OS 123	4	171	59	100	2.5	70	5	2.0
MMIG-OS 124	4	247	76	<100	0.7	470	6	2.6
MMIG-OS 125	<1	126	12	<100	2.5	110	11	4.4
MMIG-OS 126	4	309	91	<100	<0.5	950	8	3.0
MMIG-OS 127	5	381	104	<100	<0.5	1600	12	4.2
MMIG-OS 128	15	93	33	<100	<0.5	940	12	5.5
MMIG-OS 129	7	8	33	<100	<0.5	970	9	5.0
MMIG-OS 130	1	55	28	<100	<0.5	870	17	8.5
MMIG-OS 131	1	48	22	<100	<0.5	960	19	9.7
MMIG-OS 132	1	7	56	<100	<0.5	1180	12	7.1
MMIG-OS 133	7	110	21	<100	<0.5	920	18	9.0
MMIG-OS 134	6	54	16	<100	<0.5	1240	19	9.9
MMIG-OS 135	5	12	25	<100	<0.5	1280	14	8.4
MMIG-OS 136	3	148	165	<100	<0.5	1830	18	9.2
MMIG-OS 137	3	20	161	<100	<0.5	1770	13	8.9
MMIG-OS 138	3	5	84	<100	<0.5	1270	9	5.7
MMIG-OS 139	4	191	80	200	6.5	160	8	3.5
MMIG-OS 140	2	278	53	200	5.8	170	10	4.2
MMIG-OS 141	<1	430	55	200	7.5	210	12	5.0
MMIG-OS 142	<1	128	13	<100	2.9	130	11	4.5
MMIG-OS 143	<1	112	11	<100	2.4	100	10	4.1
MMIG-OS 144	<1	107	8	<100	2.2	90	9	3.5
MMIG-OS 145	<1	94	10	<100	2.2	90	10	4.2
MMIG-OS 146	5	110	51	<100	<0.5	810	24	12.3
MMIG-OS 147	1	9	29	<100	<0.5	1040	17	10.6
MMIG-OS 148	2	6	31	<100	<0.5	1130	20	13.6
MMIG-OS 149	5	49	171	<100	<0.5	930	9	4.5
MMIG-OS 150	2	16	96	<100	<0.5	960	8	4.4
MMIG-OS 151	2	13	65	<100	<0.5	810	6	3.4
MMIG-OS 152	5	16	153	<100	<0.5	900	6	3.6
MMIG-OS 153	2	9	84	<100	<0.5	660	7	3.9
MMIG-OS 154	2	9	51	<100	<0.5	650	8	4.4
MMIG-OS 155	7	77	53	<100	<0.5	960	16	8.5
MMIG-OS 156	5	34	44	<100	<0.5	670	8	4.2
MMIG-OS 157	3	21	30	<100	<0.5	600	6	3.2
MMIG-OS 158	6	538	131	<100	<0.5	4060	30	19.7
MMIG-OS 159	4	455	112	<100	<0.5	3080	19	11.4
MMIG-OS 160	6	859	76	<100	0.8	4230	32	18.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 161	4	787	90	<100	<0.5	4420	31	17.1
MMIG-OS 162	22	592	99	<100	0.8	2080	41	25.0
MMIG-OS 163	15	290	94	<100	<0.5	2000	25	13.8
MMIG-OS 164	5	67	55	<100	<0.5	1050	17	9.9
MMIG-OS 165	2	28	46	<100	<0.5	490	17	9.9
MMIG-OS 166	<1	5	69	<100	<0.5	450	13	8.6
MMIG-OS 167	2	7	104	<100	<0.5	540	14	9.1
MMIG-OS 168	3	109	30	<100	<0.5	770	13	6.8
MMIG-OS 169	3	22	33	<100	<0.5	650	10	4.8
MMIG-OS 170	2	21	95	<100	<0.5	610	13	7.4
MMIG-OS 171	5	147	59	<100	<0.5	760	12	6.8
MMIG-OS 172	3	25	68	<100	<0.5	730	7	3.9
MMIG-OS 173	3	47	62	<100	<0.5	550	9	5.5
MMIG-OS 174	6	262	71	<100	<0.5	1010	20	11.2
MMIG-OS 175	<1	125	14	<100	2.7	120	12	4.9
MMIG-OS 176	7	407	92	100	<0.5	1010	24	14.4
MMIG-OS 177	4	34	82	<100	<0.5	850	14	8.7
MMIG-OS 178	6	27	35	<100	<0.5	620	12	7.6
MMIG-OS 179	4	5	21	<100	<0.5	890	16	11.2
MMIG-OS 180	4	11	29	<100	<0.5	840	13	8.0
MMIG-OS 181	13	240	37	<100	1.1	460	15	8.5
MMIG-OS 182	12	291	47	<100	<0.5	720	17	9.2
MMIG-OS 183	3	103	63	<100	<0.5	590	14	7.4
MMIG-OS 184	5	167	48	<100	<0.5	450	11	5.7
MMIG-OS 185	3	304	75	<100	<0.5	800	46	25.5
MMIG-OS 186	3	292	99	<100	<0.5	830	57	30.0
MMIG-OS 187	1	526	79	<100	<0.5	1060	98	61.8
MMIG-OS 188	1	164	50	<100	<0.5	1360	106	65.3
MMIG-OS 189	1	52	42	<100	<0.5	1270	50	31.4
MMIG-OS 190	2	41	59	<100	<0.5	570	8	4.0
MMIG-OS 191	<1	7	33	<100	<0.5	470	4	2.3
MMIG-OS 192	<1	<5	22	<100	<0.5	450	4	2.1
MMIG-OS 193	2	29	55	<100	<0.5	670	11	5.8
MMIG-OS 194	2	8	44	<100	<0.5	1020	14	8.8
MMIG-OS 195	3	33	50	<100	<0.5	770	15	9.0
MMIG-OS 196	12	520	128	<100	1.0	1410	31	15.7
MMIG-OS 197	3	200	98	<100	<0.5	410	14	7.0
MMIG-OS 198	2	87	88	<100	<0.5	410	10	4.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MMIG-OS 1	2.2	147	65	7	<1	<0.5	17.9	62
MMIG-OS 2	2.1	128	46	7	<1	<0.5	16.2	54
MMIG-OS 3	7.7	72	13	26	<1	<0.5	10.7	121
MMIG-OS 4	10.5	13	1	45	<1	<0.5	13.3	233
MMIG-OS 5	8.8	9	<1	42	<1	<0.5	20.6	104
MMIG-OS 6	10.4	15	<1	48	<1	<0.5	20.3	135
MMIG-OS 7	15.6	18	<1	76	<1	<0.5	36.3	249
MMIG-OS 8	8.6	4	<1	50	<1	<0.5	12.8	53
MMIG-OS 9	31.9	8	<1	172	<1	<0.5	9.4	364
MMIG-OS 10	14.8	6	<1	80	<1	<0.5	18.1	193
MMIG-OS 11	8.8	9	<1	44	<1	<0.5	16.8	103
MMIG-OS 12	9.4	9	<1	45	<1	<0.5	32.2	108
MMIG-OS 13	5.4	8	<1	25	<1	<0.5	16.1	78
MMIG-OS 14	24.7	17	<1	120	<1	<0.5	12.1	356
MMIG-OS 15	5.4	10	<1	25	<1	<0.5	17.3	80
MMIG-OS 16	10.0	12	<1	49	<1	<0.5	23.0	127
MMIG-OS 17	26.8	8	<1	143	<1	<0.5	37.4	408
MMIG-OS 18	71.4	19	<1	348	<1	<0.5	20.6	1310
MMIG-OS 19	10.7	4	<1	68	1	<0.5	9.3	30
MMIG-OS 20	5.4	23	<1	25	<1	<0.5	35.5	118
MMIG-OS 21	4.9	9	<1	23	<1	<0.5	27.0	56
MMIG-OS 22	5.4	10	<1	25	<1	<0.5	21.1	61
MMIG-OS 23	3.4	4	<1	16	<1	<0.5	19.3	22
MMIG-OS 24	24.7	15	<1	119	<1	<0.5	29.8	355
MMIG-OS 25	3.9	2	3	18	<1	<0.5	3.9	42
MMIG-OS 26	41.1	8	<1	215	<1	<0.5	19.9	450
MMIG-OS 27	21.5	6	<1	117	<1	<0.5	13.7	238
MMIG-OS 28	42.5	12	<1	200	<1	<0.5	29.9	708
MMIG-OS 29	36.9	9	<1	193	1	<0.5	26.8	503
MMIG-OS 30	21.6	6	<1	116	1	<0.5	19.7	236
MMIG-OS 31	14.1	43	5	57	<1	<0.5	36.6	287
MMIG-OS 32	41.5	83	15	179	<1	<0.5	43.0	790
MMIG-OS 33	32.1	9	<1	165	<1	<0.5	18.3	466
MMIG-OS 34	35.8	13	<1	165	<1	<0.5	23.4	601
MMIG-OS 35	46.0	10	<1	223	<1	<0.5	16.5	631
MMIG-OS 36	47.7	8	<1	253	1	<0.5	11.6	601
MMIG-OS 37	31.3	78	24	149	2	<0.5	52.1	426
MMIG-OS 38	65.9	8	<1	331	1	<0.5	27.4	769
MMIG-OS 39	71.2	7	<1	383	2	<0.5	20.8	780
MMIG-OS 40	15.0	38	5	63	<1	<0.5	17.7	213

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MMIG-OS 41	28.2	24	<1	128	<1	<0.5	21.2	445
MMIG-OS 42	52.2	5	<1	284	3	<0.5	23.1	509
MMIG-OS 43	24.3	11	<1	126	<1	<0.5	23.2	324
MMIG-OS 44	5.6	9	<1	31	<1	<0.5	13.8	33
MMIG-OS 45	2.8	4	<1	16	<1	<0.5	14.2	10
MMIG-OS 46	8.7	236	59	31	<1	<0.5	34.9	228
MMIG-OS 47	5.4	128	24	19	<1	<0.5	16.3	151
MMIG-OS 48	10.7	26	2	46	<1	<0.5	12.2	259
MMIG-OS 49	5.2	189	43	19	<1	<0.5	30.3	159
MMIG-OS 50	26.9	15	<1	119	<1	<0.5	9.0	594
MMIG-OS 51	33.6	10	<1	171	<1	<0.5	10.6	533
MMIG-OS 52	5.9	208	57	22	<1	<0.5	39.1	167
MMIG-OS 53	28.9	11	<1	147	<1	<0.5	11.0	465
MMIG-OS 54	37.6	9	<1	192	<1	<0.5	10.2	520
MMIG-OS 55	4.7	211	44	17	<1	<0.5	34.6	136
MMIG-OS 56	16.8	51	8	68	<1	<0.5	13.6	465
MMIG-OS 57	52.7	24	2	245	2	<0.5	12.3	812
MMIG-OS 58	16.8	25	4	74	<1	<0.5	13.2	269
MMIG-OS 59	63.6	21	1	292	1	<0.5	13.9	935
MMIG-OS 60	70.1	18	2	340	<1	<0.5	11.3	918
MMIG-OS 61	22.7	21	1	102	<1	<0.5	8.0	371
MMIG-OS 62	31.4	17	<1	142	<1	<0.5	7.1	489
MMIG-OS 63	48.4	16	<1	225	<1	<0.5	6.2	697
MMIG-OS 64	19.1	30	3	86	<1	<0.5	29.0	282
MMIG-OS 65	21.7	17	1	102	<1	<0.5	28.5	351
MMIG-OS 66	20.4	10	<1	101	<1	<0.5	24.1	338
MMIG-OS 67	11.7	13	<1	55	<1	<0.5	10.6	161
MMIG-OS 68	13.4	12	<1	67	<1	<0.5	10.8	206
MMIG-OS 69	13.3	6	<1	69	2	<0.5	9.3	178
MMIG-OS 70	6.9	55	10	24	1	<0.5	8.4	97
MMIG-OS 71	5.5	84	11	19	<1	<0.5	9.3	92
MMIG-OS 72	8.5	45	6	32	<1	<0.5	17.3	184
MMIG-OS 73	8.5	24	2	32	<1	<0.5	17.1	174
MMIG-OS 74	3.6	16	2	13	<1	<0.5	9.5	81
MMIG-OS 75	3.1	3	3	12	<1	<0.5	3.5	35
MMIG-OS 76	4.0	86	14	15	<1	<0.5	41.0	99
MMIG-OS 77	4.8	42	4	17	<1	<0.5	31.6	106
MMIG-OS 78	3.5	7	<1	14	<1	<0.5	12.3	63
MMIG-OS 79	5.6	270	53	20	<1	<0.5	34.9	144
MMIG-OS 80	5.7	190	36	20	1	<0.5	28.1	132

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MMIG-OS 81	7.4	87	16	25	<1	<0.5	22.2	157
MMIG-OS 82	10.9	48	7	41	<1	<0.5	15.9	154
MMIG-OS 83	11.5	46	7	44	<1	<0.5	17.7	155
MMIG-OS 84	10.5	26	3	46	<1	<0.5	21.8	142
MMIG-OS 85	6.5	204	49	23	<1	<0.5	34.2	161
MMIG-OS 86	7.9	166	32	27	<1	<0.5	28.6	199
MMIG-OS 87	8.5	115	23	29	<1	<0.5	23.2	195
MMIG-OS 88	10.2	84	8	38	<1	<0.5	18.3	359
MMIG-OS 89	7.8	36	3	28	<1	<0.5	16.8	239
MMIG-OS 90	5.8	29	3	22	<1	<0.5	14.5	167
MMIG-OS 91	14.6	13	3	51	<1	<0.5	7.5	236
MMIG-OS 92	12.0	26	4	41	<1	<0.5	6.7	226
MMIG-OS 93	14.1	24	4	48	<1	<0.5	4.2	292
MMIG-OS 94	41.4	91	5	174	<1	<0.5	17.1	803
MMIG-OS 95	25.4	22	2	117	<1	<0.5	9.0	315
MMIG-OS 96	31.5	9	<1	157	2	<0.5	7.3	305
MMIG-OS 97	20.3	18	3	91	<1	<0.5	25.9	256
MMIG-OS 98	11.6	10	1	56	<1	<0.5	16.6	138
MMIG-OS 99	11.3	4	<1	61	1	<0.5	9.5	105
MMIG-OS 100	6.8	20	2	31	<1	<0.5	31.8	69
MMIG-OS 101	17.8	144	48	86	<1	<0.5	54.9	233
MMIG-OS 102	26.7	7	<1	149	1	<0.5	10.6	318
MMIG-OS 103	12.9	14	<1	59	<1	<0.5	24.6	138
MMIG-OS 104	22.4	9	<1	110	<1	<0.5	18.6	227
MMIG-OS 105	34.3	5	<1	194	1	<0.5	11.9	363
MMIG-OS 106	5.4	105	23	19	<1	<0.5	23.2	109
MMIG-OS 107	6.5	59	11	23	<1	<0.5	17.3	155
MMIG-OS 108	6.8	118	21	23	<1	<0.5	19.1	166
MMIG-OS 109	5.5	96	26	19	<1	<0.5	29.2	135
MMIG-OS 110	6.5	88	19	23	<1	<0.5	25.3	162
MMIG-OS 111	8.0	109	21	29	<1	<0.5	25.7	216
MMIG-OS 112	4.7	140	26	17	<1	<0.5	28.3	81
MMIG-OS 113	6.8	93	16	25	<1	<0.5	23.9	106
MMIG-OS 114	5.9	98	19	21	<1	<0.5	19.8	144
MMIG-OS 115	1.6	86	23	6	<1	<0.5	42.6	26
MMIG-OS 116	1.4	83	28	5	<1	<0.5	45.6	24
MMIG-OS 117	1.4	99	31	5	<1	<0.5	52.1	26
MMIG-OS 118	1.6	99	37	6	<1	<0.5	53.4	33
MMIG-OS 119	1.8	86	26	6	<1	<0.5	36.6	33
MMIG-OS 120	1.8	68	17	6	<1	<0.5	31.5	35

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MMIG-OS 121	2.2	148	39	7	<1	<0.5	20.4	35
MMIG-OS 122	1.8	101	21	6	<1	<0.5	15.2	33
MMIG-OS 123	1.8	75	14	6	<1	<0.5	16.5	34
MMIG-OS 124	2.9	21	2	11	<1	<0.5	13.9	74
MMIG-OS 125	3.7	2	3	16	<1	<0.5	3.2	51
MMIG-OS 126	4.4	8	<1	16	<1	<0.5	18.3	93
MMIG-OS 127	6.2	6	<1	24	<1	<0.5	21.9	111
MMIG-OS 128	4.1	8	<1	19	<1	<0.5	22.0	55
MMIG-OS 129	1.9	3	<1	10	<1	<0.5	20.9	4
MMIG-OS 130	4.5	5	<1	22	<1	<0.5	14.0	39
MMIG-OS 131	4.9	5	<1	25	<1	<0.5	14.5	35
MMIG-OS 132	2.4	3	<1	14	<1	<0.5	13.9	4
MMIG-OS 133	5.4	11	<1	26	<1	<0.5	32.2	70
MMIG-OS 134	5.0	6	<1	26	<1	<0.5	24.4	57
MMIG-OS 135	3.1	4	<1	18	<1	<0.5	16.9	11
MMIG-OS 136	5.0	7	<1	25	<1	<0.5	21.3	65
MMIG-OS 137	2.3	6	<1	14	<1	<0.5	19.6	8
MMIG-OS 138	1.4	3	<1	10	<1	<0.5	18.4	1
MMIG-OS 139	2.6	132	38	10	<1	<0.5	38.9	55
MMIG-OS 140	3.6	131	37	13	<1	<0.5	34.0	85
MMIG-OS 141	4.6	133	41	16	<1	<0.5	36.0	125
MMIG-OS 142	3.7	3	4	15	<1	<0.5	3.1	58
MMIG-OS 143	3.3	2	4	14	<1	<0.5	3.1	45
MMIG-OS 144	3.2	2	3	13	<1	<0.5	2.9	45
MMIG-OS 145	3.5	2	3	15	<1	<0.5	3.7	38
MMIG-OS 146	6.3	9	<1	31	<1	<0.5	16.6	93
MMIG-OS 147	3.1	4	<1	19	<1	<0.5	10.5	9
MMIG-OS 148	3.1	2	<1	21	<1	<0.5	8.4	6
MMIG-OS 149	2.2	8	<1	12	<1	<0.5	20.4	17
MMIG-OS 150	1.6	4	<1	10	<1	<0.5	15.9	5
MMIG-OS 151	1.4	3	<1	8	<1	<0.5	10.8	4
MMIG-OS 152	1.3	5	<1	7	<1	<0.5	15.2	5
MMIG-OS 153	1.5	3	<1	9	<1	<0.5	11.7	3
MMIG-OS 154	1.6	2	<1	10	<1	<0.5	10.1	3
MMIG-OS 155	4.5	9	<1	23	<1	<0.5	28.6	53
MMIG-OS 156	2.0	9	<1	11	<1	<0.5	20.5	12
MMIG-OS 157	1.5	4	<1	8	<1	<0.5	17.1	4
MMIG-OS 158	8.2	74	1	35	<1	<0.5	4.9	187
MMIG-OS 159	6.8	21	<1	30	<1	<0.5	5.9	156
MMIG-OS 160	11.4	60	2	47	<1	<0.5	4.6	343

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MMIG-OS 161	10.7	52	<1	46	<1	<0.5	4.9	295
MMIG-OS 162	10.2	66	2	48	<1	<0.5	2.7	276
MMIG-OS 163	6.8	21	<1	33	<1	<0.5	2.7	135
MMIG-OS 164	4.3	8	<1	21	<1	<0.5	3.2	56
MMIG-OS 165	4.5	4	<1	24	<1	<0.5	10.4	32
MMIG-OS 166	2.3	2	<1	15	<1	<0.5	9.8	5
MMIG-OS 167	2.7	3	<1	17	<1	<0.5	10.4	7
MMIG-OS 168	3.8	10	<1	18	<1	<0.5	15.0	53
MMIG-OS 169	2.8	4	<1	14	<1	<0.5	11.5	20
MMIG-OS 170	2.7	3	<1	15	<1	<0.5	11.9	9
MMIG-OS 171	3.5	21	<1	16	<1	<0.5	16.2	53
MMIG-OS 172	1.7	9	<1	9	<1	<0.5	13.5	8
MMIG-OS 173	1.6	3	<1	10	<1	<0.5	13.6	4
MMIG-OS 174	5.9	19	<1	27	<1	<0.5	16.8	127
MMIG-OS 175	4.3	3	3	18	<1	<0.5	3.9	47
MMIG-OS 176	6.9	43	1	31	<1	<0.5	16.6	157
MMIG-OS 177	2.7	4	<1	16	<1	<0.5	13.1	11
MMIG-OS 178	2.8	7	<1	14	<1	<0.5	10.3	21
MMIG-OS 179	2.5	4	<1	16	<1	<0.5	11.2	7
MMIG-OS 180	2.3	3	<1	14	<1	<0.5	12.4	8
MMIG-OS 181	4.2	69	5	18	<1	<0.5	6.7	105
MMIG-OS 182	5.0	49	3	22	<1	<0.5	7.3	122
MMIG-OS 183	4.4	6	<1	21	<1	<0.5	9.4	48
MMIG-OS 184	3.5	34	1	15	<1	<0.5	9.9	90
MMIG-OS 185	13.0	9	<1	65	<1	<0.5	10.7	202
MMIG-OS 186	15.1	6	<1	79	<1	<0.5	10.6	192
MMIG-OS 187	21.5	10	<1	112	<1	<0.5	8.9	274
MMIG-OS 188	23.3	5	<1	135	<1	<0.5	6.4	275
MMIG-OS 189	10.4	3	<1	63	1	<0.5	6.4	121
MMIG-OS 190	2.1	6	<1	11	<1	<0.5	15.1	19
MMIG-OS 191	1.1	4	<1	6	<1	<0.5	10.2	2
MMIG-OS 192	1.0	4	<1	5	1	<0.5	10.3	2
MMIG-OS 193	2.7	5	<1	14	<1	<0.5	12.3	15
MMIG-OS 194	2.4	3	<1	15	1	<0.5	9.3	7
MMIG-OS 195	2.6	2	<1	16	1	<0.5	9.5	8
MMIG-OS 196	9.9	118	4	43	<1	<0.5	11.1	192
MMIG-OS 197	5.4	17	<1	24	<1	<0.5	8.2	98
MMIG-OS 198	4.0	5	<1	19	<1	<0.5	8.1	67

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC141846 Order: Treasury Metals

Report File No.: 0000007551

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MMIG-OS 1	21	12	1190	14	12.5	50	88	6.3
MMIG-OS 2	10	6	2620	8	8.0	50	83	5.4
MMIG-OS 3	<5	5	840	7	2.5	180	75	1.3
MMIG-OS 4	7	70	4820	<5	1.3	287	96	0.2
MMIG-OS 5	23	145	1550	<5	<0.5	170	252	<0.1
MMIG-OS 6	9	112	1370	<5	<0.5	216	267	0.1
MMIG-OS 7	15	159	1830	<5	<0.5	332	329	0.1
MMIG-OS 8	20	222	1440	<5	<0.5	119	241	<0.1
MMIG-OS 9	60	201	1720	<5	<0.5	549	569	<0.1
MMIG-OS 10	54	160	760	<5	<0.5	288	229	<0.1
MMIG-OS 11	19	130	1110	<5	<0.5	170	166	<0.1
MMIG-OS 12	12	124	1330	<5	<0.5	177	184	<0.1
MMIG-OS 13	19	67	1260	<5	<0.5	113	173	<0.1
MMIG-OS 14	42	122	3350	<5	<0.5	535	326	0.1
MMIG-OS 15	11	62	510	<5	0.6	121	88	0.1
MMIG-OS 16	25	121	4670	<5	<0.5	204	209	0.1
MMIG-OS 17	53	147	3280	<5	<0.5	584	334	0.1
MMIG-OS 18	49	183	2350	<5	0.8	1690	421	0.2
MMIG-OS 19	80	180	4650	<5	<0.5	99	405	<0.1
MMIG-OS 20	29	138	6340	<5	<0.5	149	298	<0.1
MMIG-OS 21	13	101	4670	<5	<0.5	100	348	0.1
MMIG-OS 22	95	99	4750	<5	<0.5	108	389	<0.1
MMIG-OS 23	159	118	7380	6	<0.5	52	574	<0.1
MMIG-OS 24	33	139	5660	<5	<0.5	531	203	0.2
MMIG-OS 25	<5	1	360	<5	<0.5	82	15	1.0
MMIG-OS 26	69	212	780	<5	<0.5	726	279	0.1
MMIG-OS 27	84	223	3250	<5	<0.5	374	319	<0.1
MMIG-OS 28	23	150	1250	<5	<0.5	966	201	0.1
MMIG-OS 29	71	209	730	<5	<0.5	721	227	0.1
MMIG-OS 30	73	206	720	<5	<0.5	373	188	<0.1
MMIG-OS 31	9	60	26200	<5	4.6	365	173	1.4
MMIG-OS 32	59	167	19500	<5	6.3	1020	381	0.8
MMIG-OS 33	61	150	1130	<5	<0.5	670	351	0.2
MMIG-OS 34	24	140	1620	<5	<0.5	857	189	0.2
MMIG-OS 35	46	159	1350	<5	<0.5	970	260	0.2
MMIG-OS 36	90	188	430	<5	<0.5	928	304	0.1
MMIG-OS 37	88	185	1800	<5	11.5	618	381	0.5
MMIG-OS 38	71	219	1120	<5	<0.5	1240	419	0.1
MMIG-OS 39	109	230	580	<5	<0.5	1270	443	<0.1
MMIG-OS 40	8	56	3030	<5	3.7	307	132	0.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MMIG-OS 41	18	121	3540	<5	<0.5	617	207	0.2
MMIG-OS 42	113	253	380	<5	<0.5	881	391	<0.1
MMIG-OS 43	36	179	9160	<5	<0.5	493	344	0.1
MMIG-OS 44	49	147	12700	<5	<0.5	82	417	0.1
MMIG-OS 45	70	120	6890	<5	<0.5	30	237	<0.1
MMIG-OS 46	74	26	5170	15	32.3	184	187	7.5
MMIG-OS 47	32	15	5980	6	18.6	127	99	3.3
MMIG-OS 48	11	51	2640	<5	5.2	294	110	0.4
MMIG-OS 49	59	28	10400	7	30.1	131	160	5.2
MMIG-OS 50	16	74	3810	<5	0.7	769	149	0.3
MMIG-OS 51	40	147	1470	<5	<0.5	745	417	0.1
MMIG-OS 52	78	34	4040	7	33.5	146	198	4.8
MMIG-OS 53	29	118	890	<5	<0.5	646	244	0.1
MMIG-OS 54	46	149	660	<5	<0.5	765	317	<0.1
MMIG-OS 55	61	29	6380	11	27.2	115	181	4.9
MMIG-OS 56	11	53	2140	<5	10.9	495	155	0.8
MMIG-OS 57	48	204	1790	<5	0.8	1120	468	0.3
MMIG-OS 58	8	69	3100	<5	1.7	376	179	0.3
MMIG-OS 59	44	209	2960	<5	<0.5	1320	510	0.2
MMIG-OS 60	58	171	3430	<5	0.9	1420	507	0.1
MMIG-OS 61	9	124	1930	<5	<0.5	506	260	0.1
MMIG-OS 62	16	154	1700	<5	<0.5	678	330	<0.1
MMIG-OS 63	31	173	1260	<5	<0.5	1010	392	<0.1
MMIG-OS 64	7	92	5840	<5	0.8	420	239	0.3
MMIG-OS 65	9	142	2020	<5	<0.5	474	237	0.1
MMIG-OS 66	32	205	3650	<5	<0.5	440	206	<0.1
MMIG-OS 67	33	153	200	<5	<0.5	225	256	<0.1
MMIG-OS 68	35	173	710	<5	<0.5	277	151	<0.1
MMIG-OS 69	50	219	420	<5	<0.5	256	135	<0.1
MMIG-OS 70	<5	3	1120	11	1.2	143	51	1.0
MMIG-OS 71	<5	3	1860	12	2.3	117	64	1.7
MMIG-OS 72	<5	33	6370	<5	6.0	232	73	1.2
MMIG-OS 73	<5	48	3320	<5	3.0	233	63	0.4
MMIG-OS 74	<5	20	1420	<5	2.1	96	32	0.4
MMIG-OS 75	<5	1	260	<5	<0.5	62	12	0.9
MMIG-OS 76	10	33	19000	7	5.4	99	106	3.1
MMIG-OS 77	<5	31	4430	<5	2.1	119	66	0.9
MMIG-OS 78	22	40	370	<5	<0.5	83	46	<0.1
MMIG-OS 79	27	32	7940	21	13.1	138	136	8.3
MMIG-OS 80	13	20	5140	21	8.8	134	104	5.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MMIG-OS 81	<5	14	4910	20	2.9	176	79	2.0
MMIG-OS 82	<5	39	1630	<5	6.3	230	69	0.8
MMIG-OS 83	<5	38	1640	<5	7.1	238	60	0.7
MMIG-OS 84	<5	95	440	<5	0.6	203	119	0.2
MMIG-OS 85	24	18	580	9	19.4	149	107	4.9
MMIG-OS 86	15	11	330	7	13.8	179	87	4.1
MMIG-OS 87	14	12	860	<5	10.9	200	87	2.7
MMIG-OS 88	7	31	5710	5	7.0	312	166	3.4
MMIG-OS 89	<5	41	5000	<5	3.3	239	148	1.3
MMIG-OS 90	<5	39	2250	<5	3.1	174	110	1.1
MMIG-OS 91	<5	1	270	10	<0.5	390	63	0.1
MMIG-OS 92	<5	2	170	7	0.7	318	57	0.4
MMIG-OS 93	<5	1	90	<5	0.7	384	43	0.4
MMIG-OS 94	15	150	24700	<5	3.2	1020	383	0.7
MMIG-OS 95	26	151	1510	<5	0.8	504	307	0.2
MMIG-OS 96	65	234	430	<5	<0.5	552	260	<0.1
MMIG-OS 97	15	142	3760	<5	0.7	408	202	0.2
MMIG-OS 98	28	155	990	<5	<0.5	219	128	0.1
MMIG-OS 99	68	216	570	<5	<0.5	182	115	<0.1
MMIG-OS 100	6	125	1700	<5	0.8	118	144	0.2
MMIG-OS 101	163	249	2560	<5	23.9	324	384	0.8
MMIG-OS 102	94	228	2040	<5	<0.5	495	304	<0.1
MMIG-OS 103	11	160	1940	<5	<0.5	233	175	<0.1
MMIG-OS 104	37	211	2580	<5	<0.5	403	237	<0.1
MMIG-OS 105	75	249	1520	<5	<0.5	582	257	<0.1
MMIG-OS 106	18	13	2050	10	8.0	112	65	2.0
MMIG-OS 107	11	12	660	7	4.8	151	56	1.3
MMIG-OS 108	28	17	1350	<5	10.9	160	109	3.5
MMIG-OS 109	22	13	490	7	9.4	128	70	1.9
MMIG-OS 110	22	14	350	7	9.1	157	68	2.0
MMIG-OS 111	29	22	690	6	12.2	191	87	2.0
MMIG-OS 112	19	9	370	7	10.7	89	88	2.3
MMIG-OS 113	16	9	260	6	7.1	131	77	1.2
MMIG-OS 114	21	14	500	6	9.3	136	75	1.9
MMIG-OS 115	9	23	6470	7	10.3	32	86	3.6
MMIG-OS 116	11	23	6290	8	12.8	26	78	3.4
MMIG-OS 117	17	26	6600	7	13.2	29	97	4.6
MMIG-OS 118	36	20	2530	<5	9.9	33	75	11.6
MMIG-OS 119	23	12	2340	<5	7.6	32	63	9.5
MMIG-OS 120	12	8	3300	8	5.3	36	48	6.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MMIG-OS 121	36	13	3020	5	12.5	38	96	15.6
MMIG-OS 122	16	8	2200	5	6.7	33	62	16.0
MMIG-OS 123	11	9	2040	5	4.7	33	51	9.8
MMIG-OS 124	<5	53	940	<5	0.6	84	117	0.3
MMIG-OS 125	<5	1	220	<5	<0.5	80	17	0.9
MMIG-OS 126	<5	67	540	<5	<0.5	113	125	0.2
MMIG-OS 127	<5	80	870	<5	<0.5	147	187	0.2
MMIG-OS 128	79	116	590	<5	<0.5	88	436	0.1
MMIG-OS 129	93	145	1250	<5	<0.5	15	170	<0.1
MMIG-OS 130	62	139	530	<5	<0.5	75	143	<0.1
MMIG-OS 131	62	143	490	<5	<0.5	78	149	<0.1
MMIG-OS 132	106	136	1300	<5	<0.5	20	151	<0.1
MMIG-OS 133	17	98	730	<5	<0.5	113	339	<0.1
MMIG-OS 134	23	103	550	<5	<0.5	96	373	<0.1
MMIG-OS 135	79	125	850	<5	<0.5	34	295	<0.1
MMIG-OS 136	34	150	4040	11	<0.5	101	220	0.1
MMIG-OS 137	70	147	4770	12	<0.5	24	246	<0.1
MMIG-OS 138	109	144	2620	16	<0.5	7	234	<0.1
MMIG-OS 139	33	18	10600	13	12.7	56	120	8.9
MMIG-OS 140	33	14	6890	15	13.8	79	96	9.3
MMIG-OS 141	57	21	1620	7	16.9	110	135	8.7
MMIG-OS 142	<5	1	230	<5	<0.5	77	19	1.0
MMIG-OS 143	<5	<1	220	<5	<0.5	70	15	0.7
MMIG-OS 144	<5	<1	170	<5	<0.5	68	11	0.7
MMIG-OS 145	<5	1	350	<5	<0.5	73	13	0.7
MMIG-OS 146	19	132	3140	<5	<0.5	133	353	0.2
MMIG-OS 147	43	176	1340	<5	<0.5	31	272	<0.1
MMIG-OS 148	101	233	1320	<5	<0.5	25	163	<0.1
MMIG-OS 149	11	111	5920	<5	<0.5	39	295	<0.1
MMIG-OS 150	32	126	3420	<5	<0.5	16	177	<0.1
MMIG-OS 151	57	131	3250	<5	<0.5	13	128	<0.1
MMIG-OS 152	10	129	8460	<5	<0.5	15	254	<0.1
MMIG-OS 153	43	130	2470	<5	<0.5	13	160	<0.1
MMIG-OS 154	83	149	2590	<5	<0.5	13	115	<0.1
MMIG-OS 155	39	154	1970	<5	<0.5	92	268	<0.1
MMIG-OS 156	60	131	3740	<5	<0.5	32	185	<0.1
MMIG-OS 157	97	141	2550	<5	<0.5	16	101	<0.1
MMIG-OS 158	15	109	9300	<5	0.5	238	300	<0.1
MMIG-OS 159	23	139	10900	<5	<0.5	203	141	<0.1
MMIG-OS 160	15	108	8850	6	1.5	380	164	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MMIG-OS 161	18	104	9250	7	0.6	345	180	<0.1
MMIG-OS 162	10	97	400	<5	0.8	292	621	0.2
MMIG-OS 163	16	112	670	<5	<0.5	168	546	0.1
MMIG-OS 164	41	151	420	<5	<0.5	90	243	<0.1
MMIG-OS 165	136	187	740	<5	<0.5	74	144	<0.1
MMIG-OS 166	158	206	940	<5	<0.5	20	107	<0.1
MMIG-OS 167	170	258	1920	12	<0.5	25	131	<0.1
MMIG-OS 168	14	151	490	<5	<0.5	86	170	<0.1
MMIG-OS 169	30	150	350	<5	<0.5	45	145	<0.1
MMIG-OS 170	95	181	3520	10	<0.5	28	142	<0.1
MMIG-OS 171	11	169	1870	<5	0.5	84	243	<0.1
MMIG-OS 172	16	145	2320	<5	<0.5	23	159	<0.1
MMIG-OS 173	100	173	5400	<5	<0.5	16	113	<0.1
MMIG-OS 174	30	158	4230	<5	0.6	161	377	0.1
MMIG-OS 175	<5	2	380	<5	<0.5	87	18	1.0
MMIG-OS 176	26	148	4330	<5	1.3	188	367	<0.1
MMIG-OS 177	83	162	5350	<5	<0.5	32	146	<0.1
MMIG-OS 178	33	155	800	<5	<0.5	46	162	<0.1
MMIG-OS 179	60	166	440	<5	<0.5	25	108	<0.1
MMIG-OS 180	76	155	1200	<5	<0.5	25	86	<0.1
MMIG-OS 181	14	56	1200	<5	2.6	109	203	1.3
MMIG-OS 182	12	84	1520	<5	2.7	136	286	0.7
MMIG-OS 183	52	182	1480	<5	<0.5	80	152	0.1
MMIG-OS 184	67	90	1030	<5	0.8	98	220	0.1
MMIG-OS 185	109	171	1180	<5	<0.5	289	262	<0.1
MMIG-OS 186	114	183	1470	<5	<0.5	304	272	<0.1
MMIG-OS 187	52	184	4020	<5	<0.5	410	279	<0.1
MMIG-OS 188	91	210	2920	<5	<0.5	413	529	<0.1
MMIG-OS 189	99	184	2020	<5	<0.5	181	324	<0.1
MMIG-OS 190	13	105	2600	<5	<0.5	37	192	<0.1
MMIG-OS 191	46	104	1290	<5	<0.5	10	118	<0.1
MMIG-OS 192	62	103	870	<5	<0.5	9	100	<0.1
MMIG-OS 193	27	131	3260	<5	<0.5	37	151	<0.1
MMIG-OS 194	56	175	2410	<5	<0.5	23	123	<0.1
MMIG-OS 195	101	192	3860	5	<0.5	26	107	<0.1
MMIG-OS 196	31	78	3100	18	4.5	254	326	0.7
MMIG-OS 197	52	123	3270	7	<0.5	136	114	0.6
MMIG-OS 198	66	120	2250	18	<0.5	99	117	0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 1	250	<1	13	<1	174	<1	48	9
MMIG-OS 2	190	<1	13	<1	125	<1	31	9
MMIG-OS 3	290	<1	40	<1	145	<1	22	33
MMIG-OS 4	20	<1	66	<1	53	<1	12	50
MMIG-OS 5	30	<1	35	<1	52	<1	11	37
MMIG-OS 6	30	<1	46	<1	50	<1	14	45
MMIG-OS 7	70	<1	73	<1	34	<1	25	69
MMIG-OS 8	20	<1	22	<1	28	<1	9	33
MMIG-OS 9	30	<1	110	<1	18	<1	17	128
MMIG-OS 10	30	<1	59	<1	24	<1	14	63
MMIG-OS 11	20	<1	35	<1	20	<1	11	38
MMIG-OS 12	30	<1	36	<1	25	<1	15	39
MMIG-OS 13	10	<1	24	<1	63	<1	8	24
MMIG-OS 14	70	<1	115	<1	88	<1	23	112
MMIG-OS 15	10	<1	26	<1	61	<1	8	25
MMIG-OS 16	40	<1	43	<1	22	<1	16	44
MMIG-OS 17	40	<1	124	<1	<5	<1	13	120
MMIG-OS 18	120	<1	376	<1	53	<1	38	338
MMIG-OS 19	40	<1	15	<1	26	<1	10	38
MMIG-OS 20	80	<1	35	<1	19	<1	10	27
MMIG-OS 21	20	<1	20	<1	37	<1	<5	22
MMIG-OS 22	20	<1	22	<1	39	<1	<5	23
MMIG-OS 23	40	<1	10	<1	37	<1	<5	14
MMIG-OS 24	60	<1	113	<1	35	<1	23	107
MMIG-OS 25	30	<1	17	<1	45	<1	8	19
MMIG-OS 26	50	<1	145	<1	29	<1	20	169
MMIG-OS 27	40	<1	73	<1	26	<1	16	88
MMIG-OS 28	80	<1	205	<1	26	<1	35	194
MMIG-OS 29	40	<1	148	<1	11	<1	19	156
MMIG-OS 30	30	<1	72	<1	16	<1	14	87
MMIG-OS 31	110	<1	87	<1	120	<1	64	68
MMIG-OS 32	140	<1	215	<1	169	<1	121	193
MMIG-OS 33	40	<1	137	<1	36	<1	18	139
MMIG-OS 34	90	<1	182	<1	50	<1	47	170
MMIG-OS 35	60	<1	200	<1	31	<1	29	204
MMIG-OS 36	30	<1	186	<1	20	<1	19	203
MMIG-OS 37	120	<1	128	<1	201	<1	112	136
MMIG-OS 38	100	<1	249	<1	28	<1	34	283
MMIG-OS 39	80	<1	249	<1	22	<1	25	303
MMIG-OS 40	250	<1	67	<1	124	<1	79	65

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 41	170	<1	135	<1	53	<1	68	129
MMIG-OS 42	50	<1	164	<1	11	<1	20	215
MMIG-OS 43	40	<1	104	<1	20	<1	21	106
MMIG-OS 44	40	<1	15	<1	25	<1	8	23
MMIG-OS 45	40	<1	5	<1	30	<1	<5	10
MMIG-OS 46	210	<1	49	<1	360	<1	129	37
MMIG-OS 47	110	<1	33	<1	182	<1	62	24
MMIG-OS 48	40	<1	68	<1	71	<1	18	51
MMIG-OS 49	150	<1	35	<1	228	<1	92	24
MMIG-OS 50	20	<1	171	<1	41	<1	19	133
MMIG-OS 51	40	<1	157	<1	41	<1	26	149
MMIG-OS 52	190	<1	38	<1	311	<1	116	27
MMIG-OS 53	30	<1	137	<1	46	<1	21	130
MMIG-OS 54	50	<1	156	<1	47	<1	24	165
MMIG-OS 55	140	<1	31	<1	264	<1	94	21
MMIG-OS 56	80	<1	117	<1	97	<1	47	84
MMIG-OS 57	70	<1	219	<1	94	<1	70	236
MMIG-OS 58	100	<1	83	<1	121	<1	56	75
MMIG-OS 59	150	<1	264	<1	117	<1	99	287
MMIG-OS 60	70	<1	306	<1	60	<1	58	309
MMIG-OS 61	80	<1	109	<1	84	<1	59	102
MMIG-OS 62	60	<1	147	<1	65	<1	44	141
MMIG-OS 63	40	<1	219	<1	44	<1	38	212
MMIG-OS 64	90	<1	92	<1	148	<1	42	85
MMIG-OS 65	70	<1	104	<1	67	<1	26	96
MMIG-OS 66	50	<1	94	<1	21	<1	18	89
MMIG-OS 67	30	<1	47	<1	77	<1	10	49
MMIG-OS 68	40	<1	58	<1	49	<1	18	57
MMIG-OS 69	30	<1	52	<1	33	<1	16	55
MMIG-OS 70	10200	<1	32	<1	78	1	27	29
MMIG-OS 71	7910	<1	27	<1	98	2	27	23
MMIG-OS 72	120	<1	55	<1	166	<1	24	41
MMIG-OS 73	60	<1	52	<1	112	<1	15	41
MMIG-OS 74	50	<1	23	<1	65	<1	8	17
MMIG-OS 75	30	<1	14	<1	56	<1	8	14
MMIG-OS 76	280	<1	25	<1	251	<1	30	17
MMIG-OS 77	150	<1	30	<1	222	<1	16	21
MMIG-OS 78	20	<1	19	<1	19	<1	6	16
MMIG-OS 79	5930	<1	32	<1	388	3	71	24
MMIG-OS 80	7810	<1	31	<1	259	3	52	24

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 81	10300	<1	40	<1	195	2	37	31
MMIG-OS 82	570	<1	50	<1	198	<1	26	47
MMIG-OS 83	410	<1	51	<1	193	<1	24	49
MMIG-OS 84	540	<1	43	<1	153	<1	36	43
MMIG-OS 85	160	<1	39	<1	161	1	61	28
MMIG-OS 86	100	<1	47	<1	147	<1	52	34
MMIG-OS 87	100	<1	50	<1	162	<1	48	37
MMIG-OS 88	420	<1	82	<1	96	1	34	50
MMIG-OS 89	140	<1	61	<1	91	<1	14	38
MMIG-OS 90	70	<1	43	<1	81	<1	11	29
MMIG-OS 91	300	<1	88	<1	84	<1	20	66
MMIG-OS 92	220	<1	74	<1	72	<1	22	55
MMIG-OS 93	120	<1	93	<1	63	<1	20	63
MMIG-OS 94	210	<1	216	<1	153	<1	131	193
MMIG-OS 95	50	<1	105	<1	67	<1	31	110
MMIG-OS 96	50	<1	105	<1	43	<1	23	130
MMIG-OS 97	40	<1	86	<1	106	<1	30	88
MMIG-OS 98	20	<1	45	<1	43	<1	15	48
MMIG-OS 99	20	<1	34	<1	45	<1	9	45
MMIG-OS 100	80	<1	24	<1	195	<1	24	28
MMIG-OS 101	90	<1	70	<1	363	<1	150	75
MMIG-OS 102	50	<1	98	<1	72	<1	14	112
MMIG-OS 103	90	<1	47	<1	117	<1	35	54
MMIG-OS 104	50	<1	80	<1	79	<1	20	95
MMIG-OS 105	40	<1	112	<1	65	<1	15	141
MMIG-OS 106	90	<1	28	<1	190	<1	50	22
MMIG-OS 107	90	<1	38	<1	172	<1	37	28
MMIG-OS 108	110	<1	41	<1	200	<1	61	29
MMIG-OS 109	110	<1	32	<1	194	<1	54	23
MMIG-OS 110	130	<1	40	<1	204	<1	58	28
MMIG-OS 111	150	<1	50	<1	226	<1	69	34
MMIG-OS 112	140	<1	22	<1	161	<1	56	19
MMIG-OS 113	150	<1	31	<1	166	<1	52	27
MMIG-OS 114	90	<1	35	<1	156	<1	55	25
MMIG-OS 115	130	<1	7	<1	193	<1	24	7
MMIG-OS 116	110	<1	6	<1	197	<1	26	6
MMIG-OS 117	120	<1	7	<1	225	<1	34	6
MMIG-OS 118	130	<1	8	<1	203	<1	49	7
MMIG-OS 119	110	<1	8	<1	179	<1	36	7
MMIG-OS 120	90	<1	9	<1	159	<1	26	7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 121	190	<1	10	<1	152	<1	49	8
MMIG-OS 122	70	<1	9	<1	103	<1	29	7
MMIG-OS 123	50	<1	8	<1	102	<1	24	6
MMIG-OS 124	20	<1	21	<1	39	<1	7	14
MMIG-OS 125	20	<1	18	<1	39	<1	7	17
MMIG-OS 126	20	<1	27	<1	39	<1	<5	20
MMIG-OS 127	20	<1	33	<1	37	<1	<5	28
MMIG-OS 128	60	<1	19	<1	15	<1	<5	19
MMIG-OS 129	70	<1	2	<1	7	<1	<5	6
MMIG-OS 130	30	<1	14	<1	11	<1	<5	18
MMIG-OS 131	30	<1	15	<1	8	<1	<5	20
MMIG-OS 132	30	<1	3	<1	7	<1	<5	8
MMIG-OS 133	30	<1	24	<1	35	<1	8	24
MMIG-OS 134	20	<1	20	<1	39	<1	8	21
MMIG-OS 135	30	<1	6	<1	55	<1	6	11
MMIG-OS 136	40	<1	21	<1	8	<1	5	22
MMIG-OS 137	40	<1	4	<1	8	<1	7	8
MMIG-OS 138	20	<1	<1	<1	6	<1	<5	4
MMIG-OS 139	170	<1	14	<1	176	<1	56	11
MMIG-OS 140	140	<1	21	<1	168	<1	59	15
MMIG-OS 141	100	<1	29	<1	230	<1	89	20
MMIG-OS 142	30	<1	18	<1	54	<1	10	17
MMIG-OS 143	20	<1	16	<1	45	<1	8	15
MMIG-OS 144	20	<1	15	<1	40	<1	6	14
MMIG-OS 145	30	<1	15	<1	44	<1	8	16
MMIG-OS 146	20	<1	29	<1	67	<1	11	27
MMIG-OS 147	20	<1	5	<1	54	<1	8	11
MMIG-OS 148	60	<1	3	<1	38	<1	<5	10
MMIG-OS 149	30	<1	8	<1	12	<1	6	10
MMIG-OS 150	40	<1	3	<1	30	<1	<5	6
MMIG-OS 151	60	<1	2	<1	28	<1	<5	5
MMIG-OS 152	30	<1	3	<1	28	<1	<5	5
MMIG-OS 153	30	<1	2	<1	48	<1	<5	5
MMIG-OS 154	30	<1	2	<1	38	<1	<5	5
MMIG-OS 155	50	<1	19	<1	14	<1	6	20
MMIG-OS 156	30	<1	6	<1	15	<1	<5	9
MMIG-OS 157	40	<1	3	<1	13	<1	<5	5
MMIG-OS 158	230	<1	57	<1	18	<1	28	41
MMIG-OS 159	50	<1	47	<1	16	<1	7	33
MMIG-OS 160	180	<1	95	<1	19	<1	18	59

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 161	140	<1	85	<1	11	<1	12	55
MMIG-OS 162	140	<1	74	<1	32	<1	33	50
MMIG-OS 163	130	<1	40	<1	22	<1	13	32
MMIG-OS 164	50	<1	19	<1	19	<1	6	18
MMIG-OS 165	60	<1	14	<1	8	<1	<5	18
MMIG-OS 166	70	<1	3	<1	<5	<1	<5	8
MMIG-OS 167	80	<1	4	<1	<5	<1	<5	9
MMIG-OS 168	30	<1	18	<1	21	<1	6	17
MMIG-OS 169	30	<1	8	<1	14	<1	<5	12
MMIG-OS 170	60	<1	4	<1	9	<1	<5	10
MMIG-OS 171	40	<1	19	<1	35	<1	10	17
MMIG-OS 172	30	<1	4	<1	17	<1	6	7
MMIG-OS 173	90	<1	2	<1	6	<1	<5	6
MMIG-OS 174	50	<1	38	<1	41	<1	11	29
MMIG-OS 175	30	<1	19	<1	48	<1	8	19
MMIG-OS 176	100	<1	46	<1	48	<1	21	34
MMIG-OS 177	70	<1	5	<1	8	<1	5	10
MMIG-OS 178	50	<1	9	<1	16	<1	7	11
MMIG-OS 179	50	<1	4	<1	13	<1	6	9
MMIG-OS 180	50	<1	4	<1	14	<1	6	9
MMIG-OS 181	60	<1	28	<1	24	<1	26	20
MMIG-OS 182	60	<1	35	<1	14	<1	19	24
MMIG-OS 183	40	<1	15	<1	<5	<1	7	19
MMIG-OS 184	60	<1	24	<1	23	<1	10	17
MMIG-OS 185	60	<1	63	<1	8	<1	6	60
MMIG-OS 186	70	<1	63	<1	7	<1	6	66
MMIG-OS 187	50	<1	86	<1	42	<1	21	90
MMIG-OS 188	50	<1	81	<1	40	<1	10	95
MMIG-OS 189	40	<1	36	<1	42	<1	6	43
MMIG-OS 190	10	<1	7	<1	55	<1	5	9
MMIG-OS 191	10	<1	1	<1	101	<1	<5	3
MMIG-OS 192	10	<1	1	<1	113	<1	<5	3
MMIG-OS 193	10	<1	7	<1	27	<1	6	10
MMIG-OS 194	40	<1	4	<1	17	<1	6	9
MMIG-OS 195	70	<1	4	<1	27	<1	<5	10
MMIG-OS 196	180	<1	61	<1	33	<1	61	48
MMIG-OS 197	20	<1	30	<1	5	<1	7	25
MMIG-OS 198	<10	<1	20	<1	<5	<1	<5	19

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 1	5	150	2	1	<10	21.0	6660	1.2
MMIG-OS 2	2	80	<1	1	<10	18.6	4190	0.7
MMIG-OS 3	<1	90	<1	3	<10	26.9	917	1.0
MMIG-OS 4	<1	870	<1	6	<10	38.9	207	<0.5
MMIG-OS 5	<1	1180	<1	5	<10	37.3	30	<0.5
MMIG-OS 6	<1	860	<1	6	<10	63.5	53	<0.5
MMIG-OS 7	<1	1340	<1	11	<10	73.3	15	<0.5
MMIG-OS 8	<1	1740	<1	7	<10	14.4	<3	<0.5
MMIG-OS 9	<1	1590	<1	24	<10	60.7	5	<0.5
MMIG-OS 10	<1	1720	<1	11	<10	66.9	15	<0.5
MMIG-OS 11	<1	1230	<1	6	<10	54.9	20	<0.5
MMIG-OS 12	<1	1280	<1	6	<10	75.1	27	<0.5
MMIG-OS 13	<1	690	<1	4	<10	40.0	43	<0.5
MMIG-OS 14	<1	1280	<1	16	<10	94.5	39	<0.5
MMIG-OS 15	<1	810	<1	3	<10	52.6	127	<0.5
MMIG-OS 16	<1	1470	<1	7	<10	79.8	30	<0.5
MMIG-OS 17	<1	1680	<1	19	<10	83.1	17	<0.5
MMIG-OS 18	<1	2590	<1	41	<10	158	68	<0.5
MMIG-OS 19	<1	1770	<1	10	<10	20.7	3	<0.5
MMIG-OS 20	<1	1150	<1	3	<10	28.0	35	<0.5
MMIG-OS 21	<1	980	<1	3	<10	18.0	10	<0.5
MMIG-OS 22	<1	920	<1	3	<10	17.2	11	<0.5
MMIG-OS 23	<1	1000	<1	2	<10	8.5	5	<0.5
MMIG-OS 24	<1	1230	<1	16	<10	65.2	43	<0.5
MMIG-OS 25	<1	30	<1	2	<10	5.2	16	<0.5
MMIG-OS 26	<1	1840	<1	29	<10	56.6	16	<0.5
MMIG-OS 27	<1	1900	<1	15	<10	33.9	5	<0.5
MMIG-OS 28	<1	1430	<1	26	<10	46.6	28	<0.5
MMIG-OS 29	<1	1930	<1	25	<10	49.9	19	<0.5
MMIG-OS 30	<1	1790	<1	15	<10	34.5	11	<0.5
MMIG-OS 31	<1	600	<1	8	<10	76.4	979	<0.5
MMIG-OS 32	<1	1820	<1	21	<10	105	1670	<0.5
MMIG-OS 33	<1	1480	<1	21	<10	53.4	32	<0.5
MMIG-OS 34	<1	1360	<1	21	<10	53.5	32	<0.5
MMIG-OS 35	<1	1540	<1	30	<10	65.6	27	<0.5
MMIG-OS 36	<1	1780	<1	33	<10	60.6	19	<0.5
MMIG-OS 37	2	1880	<1	20	<10	56.7	3560	1.0
MMIG-OS 38	<1	2430	<1	46	<10	39.8	14	<0.5
MMIG-OS 39	<1	2550	<1	53	<10	49.9	30	<0.5
MMIG-OS 40	<1	610	<1	9	<10	80.6	925	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 41	<1	1190	<1	18	<10	53.5	71	<0.5
MMIG-OS 42	<1	2350	<1	38	<10	42.3	<3	<0.5
MMIG-OS 43	<1	1580	<1	17	<10	78.2	19	<0.5
MMIG-OS 44	<1	1020	<1	4	<10	30.0	31	<0.5
MMIG-OS 45	<1	920	<1	2	<10	10.6	18	<0.5
MMIG-OS 46	4	240	3	4	<10	153	8040	1.3
MMIG-OS 47	2	180	2	3	<10	99.4	4310	0.6
MMIG-OS 48	<1	670	<1	6	<10	72.8	978	<0.5
MMIG-OS 49	4	250	3	3	<10	135	8130	1.0
MMIG-OS 50	<1	1020	<1	13	<10	63.5	161	<0.5
MMIG-OS 51	<1	1760	<1	21	<10	58.3	33	<0.5
MMIG-OS 52	4	290	3	3	<10	139	9000	1.3
MMIG-OS 53	<1	1430	<1	18	<10	53.6	98	<0.5
MMIG-OS 54	<1	1700	<1	25	<10	53.4	37	<0.5
MMIG-OS 55	3	370	2	2	<10	106	6790	1.0
MMIG-OS 56	<1	800	<1	8	<10	106	2530	<0.5
MMIG-OS 57	<1	2880	<1	28	<10	87.9	237	<0.5
MMIG-OS 58	<1	870	<1	10	<10	54.9	444	<0.5
MMIG-OS 59	<1	2730	<1	35	<10	62.3	102	<0.5
MMIG-OS 60	<1	1770	<1	45	<10	46.5	279	<0.5
MMIG-OS 61	<1	1280	<1	13	<10	49.0	117	<0.5
MMIG-OS 62	<1	1560	<1	19	<10	57.4	74	<0.5
MMIG-OS 63	<1	1750	<1	30	<10	79.7	46	<0.5
MMIG-OS 64	<1	820	<1	11	<10	54.8	261	<0.5
MMIG-OS 65	<1	1260	<1	13	<10	58.1	56	<0.5
MMIG-OS 66	<1	1880	<1	13	<10	63.5	25	<0.5
MMIG-OS 67	<1	1920	<1	7	<10	53.5	13	<0.5
MMIG-OS 68	<1	2090	<1	9	<10	56.0	27	<0.5
MMIG-OS 69	<1	2450	<1	9	<10	37.7	11	<0.5
MMIG-OS 70	<1	50	<1	3	<10	33.9	431	0.5
MMIG-OS 71	<1	80	<1	2	<10	31.9	760	0.6
MMIG-OS 72	<1	600	<1	4	<10	75.5	1520	<0.5
MMIG-OS 73	<1	820	<1	4	<10	67.0	716	<0.5
MMIG-OS 74	<1	340	<1	2	<10	36.6	503	<0.5
MMIG-OS 75	<1	30	<1	2	<10	7.5	46	<0.5
MMIG-OS 76	<1	370	<1	2	<10	49.9	1640	0.6
MMIG-OS 77	<1	460	<1	2	<10	43.2	659	<0.5
MMIG-OS 78	<1	390	<1	2	<10	17.1	151	<0.5
MMIG-OS 79	3	540	<1	2	<10	37.1	5140	0.6
MMIG-OS 80	2	370	<1	2	<10	40.0	3950	0.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC141846 Order: Treasury Metals

Report File No.: 0000007551

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 81	<1	250	<1	3	<10	42.1	1400	1.1
MMIG-OS 82	<1	690	<1	5	<10	54.5	1880	<0.5
MMIG-OS 83	<1	640	<1	5	<10	54.9	2130	<0.5
MMIG-OS 84	<1	1080	<1	6	<10	46.0	222	<0.5
MMIG-OS 85	3	220	1	3	<10	79.8	5260	0.8
MMIG-OS 86	2	130	<1	4	<10	77.9	3430	0.8
MMIG-OS 87	1	130	<1	4	<10	74.7	2730	0.7
MMIG-OS 88	1	290	<1	5	<10	49.4	1300	<0.5
MMIG-OS 89	<1	370	<1	3	<10	33.3	545	<0.5
MMIG-OS 90	<1	400	<1	2	<10	32.1	522	<0.5
MMIG-OS 91	<1	30	<1	6	<10	15.5	51	1.4
MMIG-OS 92	<1	40	<1	5	<10	25.2	178	1.8
MMIG-OS 93	<1	40	<1	5	<10	25.0	184	2.0
MMIG-OS 94	<1	2250	<1	20	<10	59.0	887	<0.5
MMIG-OS 95	<1	1810	<1	15	<10	38.6	242	<0.5
MMIG-OS 96	<1	2380	<1	20	<10	21.9	29	<0.5
MMIG-OS 97	<1	1700	<1	12	<10	40.4	224	<0.5
MMIG-OS 98	<1	1640	<1	7	<10	29.6	104	<0.5
MMIG-OS 99	<1	2130	<1	8	<10	8.8	21	<0.5
MMIG-OS 100	<1	1270	<1	4	<10	44.3	194	<0.5
MMIG-OS 101	4	2460	1	12	<10	85.0	7140	1.9
MMIG-OS 102	<1	2280	<1	19	<10	49.9	21	<0.5
MMIG-OS 103	<1	1670	<1	8	<10	39.0	52	<0.5
MMIG-OS 104	<1	2190	<1	15	<10	50.5	18	<0.5
MMIG-OS 105	<1	2560	<1	25	<10	42.3	4	<0.5
MMIG-OS 106	2	200	<1	3	<10	48.5	2320	0.7
MMIG-OS 107	<1	180	<1	3	<10	42.3	1290	0.8
MMIG-OS 108	1	180	<1	3	<10	72.9	2700	0.9
MMIG-OS 109	2	200	<1	2	<10	47.2	3100	0.8
MMIG-OS 110	1	230	<1	3	<10	59.3	2630	1.1
MMIG-OS 111	1	300	<1	4	<10	79.3	3240	1.3
MMIG-OS 112	2	120	<1	2	<10	49.5	3020	0.6
MMIG-OS 113	<1	110	<1	4	<10	51.9	1910	0.6
MMIG-OS 114	1	180	<1	3	<10	57.7	2440	0.7
MMIG-OS 115	1	370	<1	<1	<10	21.0	3810	<0.5
MMIG-OS 116	2	380	<1	<1	<10	19.6	4860	<0.5
MMIG-OS 117	2	440	<1	<1	<10	25.3	4480	<0.5
MMIG-OS 118	2	290	<1	<1	<10	17.1	3070	0.5
MMIG-OS 119	1	240	<1	<1	<10	23.5	2070	<0.5
MMIG-OS 120	<1	180	<1	<1	<10	32.4	1320	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 121	2	290	<1	1	<10	25.8	3620	<0.5
MMIG-OS 122	<1	220	<1	<1	<10	26.3	1650	<0.5
MMIG-OS 123	<1	220	<1	<1	<10	27.9	1110	<0.5
MMIG-OS 124	<1	510	<1	1	<10	13.3	168	<0.5
MMIG-OS 125	<1	20	<1	2	<10	3.0	11	<0.5
MMIG-OS 126	<1	700	<1	2	<10	14.9	25	<0.5
MMIG-OS 127	<1	760	<1	3	<10	17.7	5	<0.5
MMIG-OS 128	<1	750	<1	2	<10	22.2	<3	<0.5
MMIG-OS 129	<1	820	<1	1	<10	7.7	14	<0.5
MMIG-OS 130	<1	1850	<1	3	<10	9.7	<3	<0.5
MMIG-OS 131	<1	1870	<1	3	<10	11.0	<3	<0.5
MMIG-OS 132	<1	1630	<1	2	<10	5.3	<3	<0.5
MMIG-OS 133	<1	1120	<1	3	<10	47.5	29	<0.5
MMIG-OS 134	<1	1190	<1	3	<10	29.1	14	<0.5
MMIG-OS 135	<1	1320	<1	2	<10	12.4	4	<0.5
MMIG-OS 136	<1	1800	<1	3	<10	18.0	7	<0.5
MMIG-OS 137	<1	1510	<1	2	<10	11.3	33	<0.5
MMIG-OS 138	<1	1390	<1	1	<10	3.3	<3	<0.5
MMIG-OS 139	2	290	1	1	<10	56.0	3490	0.8
MMIG-OS 140	2	190	1	2	<10	72.7	3520	0.8
MMIG-OS 141	2	250	1	2	<10	107	4000	1.1
MMIG-OS 142	<1	30	<1	2	<10	5.9	57	<0.5
MMIG-OS 143	<1	20	<1	2	<10	3.6	14	<0.5
MMIG-OS 144	<1	20	<1	2	<10	3.2	17	<0.5
MMIG-OS 145	<1	20	<1	2	<10	3.3	28	<0.5
MMIG-OS 146	<1	1570	<1	4	<10	45.3	23	<0.5
MMIG-OS 147	<1	1970	<1	3	<10	14.8	4	<0.5
MMIG-OS 148	<1	2340	<1	3	<10	7.5	<3	<0.5
MMIG-OS 149	<1	980	<1	2	<10	15.2	17	<0.5
MMIG-OS 150	<1	1120	<1	1	<10	6.8	10	<0.5
MMIG-OS 151	<1	1050	<1	1	<10	6.7	<3	<0.5
MMIG-OS 152	<1	1130	<1	1	<10	9.9	7	<0.5
MMIG-OS 153	<1	1150	<1	1	<10	4.9	<3	<0.5
MMIG-OS 154	<1	1160	<1	1	<10	5.3	<3	<0.5
MMIG-OS 155	<1	1520	<1	3	<10	23.2	4	<0.5
MMIG-OS 156	<1	1170	<1	1	<10	20.8	6	<0.5
MMIG-OS 157	<1	1240	<1	1	<10	11.8	<3	<0.5
MMIG-OS 158	<1	1150	<1	5	<10	49.2	72	<0.5
MMIG-OS 159	<1	1470	<1	4	<10	35.7	6	<0.5
MMIG-OS 160	<1	1170	<1	6	<10	102	131	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 161	<1	1120	<1	6	<10	77.9	35	<0.5
MMIG-OS 162	<1	1000	<1	7	<10	82.4	161	0.5
MMIG-OS 163	<1	1170	<1	4	<10	52.1	28	<0.5
MMIG-OS 164	<1	1600	<1	3	<10	20.7	5	<0.5
MMIG-OS 165	<1	1920	<1	3	<10	11.5	9	<0.5
MMIG-OS 166	<1	1840	<1	2	<10	6.2	<3	<0.5
MMIG-OS 167	<1	2100	<1	2	<10	7.6	<3	<0.5
MMIG-OS 168	<1	1560	<1	2	<10	23.2	20	<0.5
MMIG-OS 169	<1	1720	<1	2	<10	6.8	11	<0.5
MMIG-OS 170	<1	1760	<1	2	<10	7.0	10	<0.5
MMIG-OS 171	<1	1510	<1	2	<10	57.1	44	<0.5
MMIG-OS 172	<1	1290	<1	1	<10	20.6	29	<0.5
MMIG-OS 173	<1	1520	<1	1	<10	10.8	6	<0.5
MMIG-OS 174	<1	1360	<1	4	<10	89.3	63	<0.5
MMIG-OS 175	<1	30	<1	2	<10	5.5	38	<0.5
MMIG-OS 176	<1	1240	<1	4	<10	97.6	69	<0.5
MMIG-OS 177	<1	1320	<1	2	<10	18.5	15	<0.5
MMIG-OS 178	<1	1510	<1	2	<10	17.9	17	<0.5
MMIG-OS 179	<1	1610	<1	2	<10	9.4	9	<0.5
MMIG-OS 180	<1	1430	<1	2	<10	9.6	9	<0.5
MMIG-OS 181	<1	570	<1	3	<10	37.7	561	<0.5
MMIG-OS 182	<1	840	<1	3	<10	39.9	527	<0.5
MMIG-OS 183	<1	1870	<1	2	<10	6.3	25	<0.5
MMIG-OS 184	<1	1040	<1	2	<10	42.1	106	<0.5
MMIG-OS 185	<1	1700	<1	8	<10	29.1	4	<0.5
MMIG-OS 186	<1	1780	<1	10	<10	25.1	12	<0.5
MMIG-OS 187	<1	2240	<1	15	<10	63.6	10	<0.5
MMIG-OS 188	<1	2290	<1	17	<10	35.5	8	<0.5
MMIG-OS 189	<1	2000	<1	8	<10	13.6	5	<0.5
MMIG-OS 190	<1	1610	<1	1	<10	11.2	20	<0.5
MMIG-OS 191	<1	1520	<1	<1	<10	3.5	5	<0.5
MMIG-OS 192	<1	1380	<1	<1	<10	3.4	<3	<0.5
MMIG-OS 193	<1	1480	<1	2	<10	8.7	15	<0.5
MMIG-OS 194	<1	1680	<1	2	<10	7.7	14	<0.5
MMIG-OS 195	<1	1750	<1	2	<10	8.3	4	<0.5
MMIG-OS 196	<1	770	<1	6	<10	52.4	451	<0.5
MMIG-OS 197	<1	1290	<1	3	<10	14.0	23	<0.5
MMIG-OS 198	<1	1250	<1	2	<10	5.6	6	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC141846 Order: Treasury Metals

Report File No.: 0000007551

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 1	8	2	28	3	750	116
MMIG-OS 2	7	1	27	2	590	84
MMIG-OS 3	11	<1	73	5	1100	35
MMIG-OS 4	9	<1	164	15	210	30
MMIG-OS 5	18	<1	137	11	230	19
MMIG-OS 6	37	<1	144	13	160	31
MMIG-OS 7	34	<1	297	36	290	46
MMIG-OS 8	41	<1	207	26	40	9
MMIG-OS 9	46	<1	767	65	70	21
MMIG-OS 10	43	<1	285	31	40	20
MMIG-OS 11	26	<1	150	15	120	21
MMIG-OS 12	33	<1	149	21	110	26
MMIG-OS 13	21	<1	101	10	40	18
MMIG-OS 14	83	<1	445	46	230	38
MMIG-OS 15	24	<1	103	10	80	33
MMIG-OS 16	51	<1	165	22	170	29
MMIG-OS 17	19	<1	577	52	290	30
MMIG-OS 18	35	<1	1700	137	140	73
MMIG-OS 19	5	<1	335	33	130	8
MMIG-OS 20	25	<1	94	8	340	18
MMIG-OS 21	12	<1	66	4	640	9
MMIG-OS 22	12	<1	68	5	180	9
MMIG-OS 23	9	<1	53	4	100	6
MMIG-OS 24	28	<1	452	49	390	42
MMIG-OS 25	5	1	51	3	<20	9
MMIG-OS 26	30	<1	897	77	130	26
MMIG-OS 27	19	<1	493	40	170	14
MMIG-OS 28	35	<1	728	75	430	38
MMIG-OS 29	31	<1	778	68	390	26
MMIG-OS 30	25	<1	451	40	560	18
MMIG-OS 31	21	<1	200	18	430	108
MMIG-OS 32	48	1	806	71	620	167
MMIG-OS 33	23	<1	662	58	210	27
MMIG-OS 34	30	<1	603	67	280	37
MMIG-OS 35	27	<1	827	105	180	27
MMIG-OS 36	33	<1	1050	90	120	21
MMIG-OS 37	35	1	581	79	490	146
MMIG-OS 38	37	<1	1280	161	330	25
MMIG-OS 39	35	<1	1500	171	230	20
MMIG-OS 40	20	<1	249	23	550	97

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC141846 Order: Treasury Metals

Report File No.: 0000007551

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 41	33	<1	502	57	430	63
MMIG-OS 42	28	<1	1210	111	200	14
MMIG-OS 43	30	<1	503	52	150	39
MMIG-OS 44	7	<1	132	12	40	27
MMIG-OS 45	3	1	68	7	30	15
MMIG-OS 46	24	4	83	7	350	364
MMIG-OS 47	12	2	55	5	140	229
MMIG-OS 48	12	1	153	12	60	77
MMIG-OS 49	12	3	62	6	330	363
MMIG-OS 50	15	<1	357	23	60	39
MMIG-OS 51	21	<1	676	58	200	26
MMIG-OS 52	12	3	77	7	440	385
MMIG-OS 53	21	<1	550	51	130	26
MMIG-OS 54	22	<1	744	75	110	21
MMIG-OS 55	12	3	52	4	270	288
MMIG-OS 56	11	2	205	15	50	164
MMIG-OS 57	33	<1	1130	101	120	51
MMIG-OS 58	18	<1	275	24	1670	71
MMIG-OS 59	72	<1	1350	124	2530	56
MMIG-OS 60	67	<1	1320	155	1090	40
MMIG-OS 61	34	<1	362	39	630	41
MMIG-OS 62	37	<1	536	59	1490	35
MMIG-OS 63	37	<1	859	87	1810	35
MMIG-OS 64	36	<1	319	30	900	52
MMIG-OS 65	36	<1	386	37	1200	36
MMIG-OS 66	32	<1	378	35	750	25
MMIG-OS 67	24	<1	187	12	390	13
MMIG-OS 68	25	<1	243	22	610	18
MMIG-OS 69	26	<1	253	24	1070	12
MMIG-OS 70	18	<1	57	4	1170	44
MMIG-OS 71	15	<1	43	3	1280	48
MMIG-OS 72	13	1	84	7	190	89
MMIG-OS 73	12	<1	78	6	100	58
MMIG-OS 74	6	<1	42	4	40	39
MMIG-OS 75	5	1	38	2	<20	11
MMIG-OS 76	9	6	51	4	1060	75
MMIG-OS 77	10	2	48	4	700	45
MMIG-OS 78	11	<1	45	3	40	12
MMIG-OS 79	15	3	79	6	2710	110
MMIG-OS 80	15	2	67	4	1620	96

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC141846 Order: Treasury Metals

Report File No.: 0000007551

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 81	16	2	72	4	1260	67
MMIG-OS 82	13	1	127	9	1050	53
MMIG-OS 83	14	1	116	8	880	52
MMIG-OS 84	17	<1	160	16	1570	42
MMIG-OS 85	12	3	69	6	340	151
MMIG-OS 86	14	3	73	5	230	130
MMIG-OS 87	10	2	77	6	170	129
MMIG-OS 88	27	<1	100	7	90	74
MMIG-OS 89	24	<1	73	5	50	38
MMIG-OS 90	24	<1	51	4	60	37
MMIG-OS 91	13	3	120	7	170	15
MMIG-OS 92	14	3	100	6	340	27
MMIG-OS 93	13	2	104	6	560	27
MMIG-OS 94	40	<1	798	56	390	68
MMIG-OS 95	23	<1	449	38	240	26
MMIG-OS 96	22	<1	718	57	160	12
MMIG-OS 97	30	<1	270	28	530	31
MMIG-OS 98	26	<1	174	16	250	20
MMIG-OS 99	21	<1	226	19	80	8
MMIG-OS 100	14	<1	108	11	1020	41
MMIG-OS 101	27	2	316	39	1020	261
MMIG-OS 102	19	<1	672	59	220	21
MMIG-OS 103	21	<1	202	25	850	34
MMIG-OS 104	25	<1	386	47	630	23
MMIG-OS 105	23	<1	783	64	240	14
MMIG-OS 106	10	2	54	4	270	96
MMIG-OS 107	8	1	59	4	190	75
MMIG-OS 108	9	2	59	4	390	151
MMIG-OS 109	9	2	62	4	210	104
MMIG-OS 110	10	1	72	5	220	122
MMIG-OS 111	11	2	87	6	210	167
MMIG-OS 112	14	2	60	5	350	116
MMIG-OS 113	14	1	90	6	140	99
MMIG-OS 114	11	2	67	5	190	124
MMIG-OS 115	5	1	22	2	1660	56
MMIG-OS 116	5	1	19	2	1300	67
MMIG-OS 117	5	1	20	2	1520	83
MMIG-OS 118	7	1	22	2	730	77
MMIG-OS 119	7	1	21	2	540	74
MMIG-OS 120	7	<1	18	2	330	75

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC141846 Order: Treasury Metals

Report File No.: 0000007551

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 121	5	2	28	3	2870	86
MMIG-OS 122	6	1	21	2	2310	67
MMIG-OS 123	6	<1	18	2	1020	64
MMIG-OS 124	25	<1	28	2	210	12
MMIG-OS 125	4	<1	48	3	<20	6
MMIG-OS 126	25	<1	34	2	260	8
MMIG-OS 127	29	<1	52	3	360	7
MMIG-OS 128	42	<1	59	4	270	6
MMIG-OS 129	29	<1	48	4	160	<5
MMIG-OS 130	29	<1	84	7	20	9
MMIG-OS 131	34	<1	91	7	20	10
MMIG-OS 132	27	<1	60	6	30	6
MMIG-OS 133	84	<1	84	7	130	23
MMIG-OS 134	46	<1	81	7	80	17
MMIG-OS 135	28	<1	70	7	80	8
MMIG-OS 136	35	1	90	7	50	20
MMIG-OS 137	23	1	67	8	50	16
MMIG-OS 138	15	<1	51	5	60	7
MMIG-OS 139	9	1	35	3	520	144
MMIG-OS 140	11	2	40	3	330	169
MMIG-OS 141	11	2	45	4	300	268
MMIG-OS 142	5	1	49	3	<20	10
MMIG-OS 143	4	1	46	3	<20	7
MMIG-OS 144	4	<1	40	2	<20	6
MMIG-OS 145	4	1	44	3	<20	6
MMIG-OS 146	63	<1	104	9	690	19
MMIG-OS 147	34	<1	82	8	800	8
MMIG-OS 148	14	<1	116	12	720	<5
MMIG-OS 149	23	<1	38	4	430	12
MMIG-OS 150	14	<1	40	4	420	8
MMIG-OS 151	10	<1	32	3	470	7
MMIG-OS 152	16	<1	30	3	840	7
MMIG-OS 153	13	<1	36	3	470	<5
MMIG-OS 154	10	<1	45	3	920	<5
MMIG-OS 155	65	<1	79	7	380	10
MMIG-OS 156	47	<1	45	4	480	11
MMIG-OS 157	30	<1	33	3	490	8
MMIG-OS 158	187	<1	170	18	1270	45
MMIG-OS 159	100	<1	113	9	570	16
MMIG-OS 160	285	<1	177	17	390	73

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC141846 Order: Treasury Metals

Report File No.: 0000007551

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MMIG-OS 161	482	<1	179	16	350	52
MMIG-OS 162	2070	<1	236	21	510	89
MMIG-OS 163	2120	<1	146	11	1130	34
MMIG-OS 164	574	<1	88	8	720	17
MMIG-OS 165	61	<1	79	8	320	8
MMIG-OS 166	59	<1	66	8	620	5
MMIG-OS 167	94	<1	81	8	1190	<5
MMIG-OS 168	107	<1	57	5	290	16
MMIG-OS 169	42	<1	42	4	350	8
MMIG-OS 170	39	<1	63	6	930	6
MMIG-OS 171	149	<1	53	6	610	24
MMIG-OS 172	34	<1	31	3	410	14
MMIG-OS 173	13	<1	42	5	690	7
MMIG-OS 174	50	<1	90	10	810	40
MMIG-OS 175	5	2	52	3	<20	10
MMIG-OS 176	62	<1	113	13	890	55
MMIG-OS 177	6	<1	70	8	890	9
MMIG-OS 178	86	<1	56	7	710	12
MMIG-OS 179	38	<1	89	10	590	8
MMIG-OS 180	28	<1	66	7	770	7
MMIG-OS 181	555	<1	78	7	320	61
MMIG-OS 182	567	<1	91	8	370	51
MMIG-OS 183	56	<1	80	6	540	14
MMIG-OS 184	183	<1	58	5	350	32
MMIG-OS 185	79	<1	246	19	380	25
MMIG-OS 186	59	<1	290	23	390	25
MMIG-OS 187	51	<1	453	49	780	28
MMIG-OS 188	18	<1	604	49	480	16
MMIG-OS 189	9	<1	250	25	130	10
MMIG-OS 190	15	<1	33	3	340	9
MMIG-OS 191	9	<1	21	2	340	<5
MMIG-OS 192	8	<1	20	2	360	<5
MMIG-OS 193	71	<1	45	4	210	12
MMIG-OS 194	55	<1	69	8	140	10
MMIG-OS 195	31	<1	77	8	410	6
MMIG-OS 196	972	1	147	13	530	63
MMIG-OS 197	67	<1	80	5	310	15
MMIG-OS 198	39	<1	62	4	140	8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142177

[Report File No.: 0000007937]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Jul 21, 2014

P.O. No.	:	Treasury Metals
Project No.	:	-
No. Of Samples	:	47
Date Submitted	:	Jul 07, 2014
Report Comprises	:	Pages 1 to 15 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MMI-OS201	0.559	29	105	20	0.3	1530	<1	220
MMI-OS202	0.452	22	147	40	0.2	1330	2	160
MMI-OS203	0.362	17	73	<10	<0.1	1440	<1	190
MMI-OS204	0.410	34	128	10	0.7	1420	<1	130
MMI-OS205	0.338	21	144	20	0.2	1980	1	100
MMI-OS206	0.390	7	138	30	0.2	3350	1	110
MMI-OS207	0.422	36	161	50	3.8	670	<1	40
MMI-OS208	0.380	15	>200	10	0.7	850	<1	<10
MMI-OS209	0.396	15	112	10	1.3	160	<1	30
MMI-OS210	0.457	15	>200	70	0.5	3280	2	80
MMI-OS211	0.395	11	113	<10	0.5	2210	<1	290
MMI-OS212	0.400	12	119	10	0.2	2440	<1	190
MMI-OS213	0.468	43	>200	20	<0.1	2040	1	90
MMI-OS214	0.483	14	>200	30	0.4	1600	2	90
MMI-OS215	0.519	7	>200	20	<0.1	1110	<1	40
MMI-OS216	0.390	18	85	10	0.1	1140	<1	170
MMI-OS217	0.287	17	172	20	0.1	1870	<1	200
MMI-OS218	0.454	19	>200	20	<0.1	3530	1	140
MMI-OS219	0.505	2	19	<10	0.3	1440	<1	280
MMI-OS220	0.443	22	17	<10	<0.1	1960	<1	610
MMI-OS221	0.504	22	114	<10	0.1	2000	<1	410
MMI-OS222	0.529	14	12	<10	0.5	1900	<1	560
MMI-OS223	0.623	21	44	<10	0.2	1970	<1	500
MMI-OS224	0.455	9	>200	40	0.2	1280	1	50
MMI-OS225	0.557	1	31	<10	<0.1	460	<1	20
MMI-OS226	0.478	9	196	20	0.6	2280	2	110
MMI-OS227	0.352	13	>200	10	0.2	1690	<1	150
MMI-OS228	0.342	4	122	10	0.3	2980	<1	210
MMI-OS229	0.436	4	121	<10	0.4	880	<1	40
MMI-OS230	0.426	4	72	<10	0.9	60	<1	20
MMI-OS231	0.424	9	33	<10	0.8	1980	<1	370
MMI-OS232	0.457	12	68	<10	0.5	2010	<1	440
MMI-OS233	0.353	53	92	<10	0.6	1690	<1	340
MMI-OS234	0.398	15	30	<10	0.5	2610	<1	570
MMI-OS235	0.466	12	39	<10	0.3	2350	<1	590
MMI-OS236	0.422	8	75	<10	0.5	1970	<1	450
MMI-OS237	0.476	14	36	<10	0.4	1770	<1	540
MMI-OS238	0.467	10	54	<10	0.3	1720	<1	450
MMI-OS239	0.409	6	124	<10	0.1	1360	<1	250
MMI-OS240	0.389	11	119	<10	0.4	1580	<1	390

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MMI-OS241	0.412	6	93	<10	0.3	1650	<1	290
MMI-OS242	0.433	7	54	<10	0.1	1440	<1	380
MMI-OS243	0.388	8	126	<10	0.2	1860	<1	300
MMI-OS244	0.404	8	118	10	0.2	1280	<1	210
MMI-OS245	0.416	12	96	<10	0.4	2490	<1	450
MMI-OS246	0.459	6	68	<10	0.4	2550	<1	460
MMI-OS247	0.417	21	69	<10	0.7	2330	<1	600

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMI-OS201	6	855	216	<100	3.9	930	40	17.6
MMI-OS202	20	901	74	100	5.8	780	33	15.3
MMI-OS203	4	29	14	<100	1.8	110	3	1.2
MMI-OS204	5	436	77	<100	4.8	240	23	9.2
MMI-OS205	4	649	43	100	6.1	260	24	10.5
MMI-OS206	8	548	100	100	4.4	300	26	12.0
MMI-OS207	6	189	157	100	26.0	280	12	5.4
MMI-OS208	10	32	22	<100	13.2	450	5	3.0
MMI-OS209	2	360	12	<100	15.2	770	21	7.7
MMI-OS210	4	748	344	300	14.2	560	32	14.5
MMI-OS211	7	710	26	<100	0.8	630	75	40.2
MMI-OS212	3	359	31	<100	3.2	210	23	11.3
MMI-OS213	10	161	65	300	13.0	250	12	6.0
MMI-OS214	5	109	46	300	10.6	270	7	3.8
MMI-OS215	3	135	29	300	8.8	260	11	5.5
MMI-OS216	11	34	14	<100	1.6	90	3	1.7
MMI-OS217	9	45	39	200	6.8	130	4	1.7
MMI-OS218	10	82	100	200	8.7	150	5	2.8
MMI-OS219	2	148	32	<100	0.8	340	4	1.3
MMI-OS220	30	94	41	<100	<0.5	1200	20	10.5
MMI-OS221	64	330	107	100	3.0	960	42	28.8
MMI-OS222	3	73	16	<100	<0.5	700	19	10.0
MMI-OS223	13	201	31	<100	<0.5	1090	38	20.0
MMI-OS224	4	202	46	300	17.7	350	16	8.1
MMI-OS225	<1	105	11	<100	2.9	120	11	4.2
MMI-OS226	2	301	121	100	11.1	780	21	10.3
MMI-OS227	9	312	126	<100	3.4	530	40	20.2
MMI-OS228	7	1460	115	<100	1.5	250	89	44.5
MMI-OS229	<1	358	27	<100	16.3	610	29	13.5
MMI-OS230	3	288	16	<100	19.6	660	14	7.2
MMI-OS231	3	216	18	<100	<0.5	490	48	24.1
MMI-OS232	5	510	60	100	<0.5	860	71	41.5
MMI-OS233	14	627	140	100	<0.5	1100	63	35.9
MMI-OS234	<1	691	23	<100	<0.5	1290	96	58.6
MMI-OS235	<1	365	37	100	<0.5	1680	80	50.2
MMI-OS236	3	328	246	100	<0.5	880	50	32.1
MMI-OS237	2	484	60	<100	<0.5	990	63	42.2
MMI-OS238	2	464	70	<100	<0.5	820	40	23.9
MMI-OS239	8	471	128	100	0.9	340	43	23.3
MMI-OS240	7	879	392	200	1.2	680	66	39.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMI-OS241	5	1180	108	<100	0.7	330	69	35.6
MMI-OS242	6	275	20	<100	<0.5	370	21	10.2
MMI-OS243	7	335	57	100	1.2	330	40	24.3
MMI-OS244	8	268	407	<100	1.0	600	17	9.8
MMI-OS245	6	1150	329	100	<0.5	620	75	54.5
MMI-OS246	4	352	19	<100	<0.5	640	52	34.7
MMI-OS247	10	197	28	<100	<0.5	1050	79	49.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MMI-OS201	15.8	111	7	59	<1	<0.5	39.2	397
MMI-OS202	11.8	124	16	45	<1	<0.5	16.1	186
MMI-OS203	1.0	30	8	3	<1	<0.5	37.3	15
MMI-OS204	8.2	57	16	30	<1	<0.5	20.7	188
MMI-OS205	9.1	103	21	33	<1	<0.5	21.4	276
MMI-OS206	10.0	118	17	36	<1	<0.5	33.7	264
MMI-OS207	4.8	51	9	17	<1	<0.5	18.6	89
MMI-OS208	1.2	75	25	4	<1	<0.5	18.1	16
MMI-OS209	10.2	52	6	33	<1	<0.5	11.7	145
MMI-OS210	12.1	269	34	43	<1	<0.5	25.1	275
MMI-OS211	24.4	33	3	102	<1	<0.5	23.4	365
MMI-OS212	7.9	57	8	30	<1	<0.5	40.9	103
MMI-OS213	3.7	181	50	13	<1	<0.5	46.5	70
MMI-OS214	2.3	198	85	9	1	<0.5	30.2	53
MMI-OS215	3.5	144	39	12	1	<0.5	34.2	63
MMI-OS216	1.2	38	16	4	<1	<0.5	30.6	14
MMI-OS217	1.1	87	40	4	<1	<0.5	70.7	20
MMI-OS218	1.9	173	61	6	<1	<0.5	32.8	28
MMI-OS219	2.1	16	1	7	<1	<0.5	16.0	43
MMI-OS220	5.8	6	<1	28	<1	<0.5	26.6	43
MMI-OS221	8.9	95	9	43	<1	<0.5	30.8	141
MMI-OS222	5.0	8	<1	25	<1	<0.5	20.0	49
MMI-OS223	9.9	17	<1	49	<1	<0.5	41.3	129
MMI-OS224	6.0	239	59	22	1	<0.5	29.5	95
MMI-OS225	3.8	6	3	16	<1	<0.5	4.0	43
MMI-OS226	6.2	176	16	24	<1	<0.5	21.6	130
MMI-OS227	9.1	87	11	38	<1	<0.5	20.5	108
MMI-OS228	31.5	65	8	122	<1	<0.5	18.6	575
MMI-OS229	11.0	41	12	41	<1	<0.5	13.4	164
MMI-OS230	7.6	15	4	25	<1	<0.5	8.2	127
MMI-OS231	15.6	12	<1	70	<1	<0.5	14.1	171
MMI-OS232	18.6	18	1	84	<1	<0.5	20.7	248
MMI-OS233	17.3	48	2	75	<1	<0.5	41.6	268
MMI-OS234	22.1	10	<1	112	<1	<0.5	31.4	272
MMI-OS235	15.8	14	<1	80	<1	<0.5	22.0	132
MMI-OS236	10.7	28	1	49	<1	<0.5	25.8	113
MMI-OS237	13.7	11	<1	68	<1	<0.5	33.0	140
MMI-OS238	10.4	17	2	50	<1	<0.5	24.3	136
MMI-OS239	11.3	84	4	48	<1	<0.5	36.2	132
MMI-OS240	17.2	61	5	75	<1	<0.5	39.3	286

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MMI-OS241	20.8	34	1	87	<1	<0.5	28.8	268
MMI-OS242	6.9	25	1	29	<1	<0.5	24.6	92
MMI-OS243	9.0	58	5	40	<1	<0.5	40.3	96
MMI-OS244	4.4	168	6	17	<1	<0.5	59.3	67
MMI-OS245	16.2	39	2	74	<1	<0.5	31.4	265
MMI-OS246	11.3	17	<1	53	<1	<0.5	18.9	121
MMI-OS247	18.3	13	<1	87	<1	<0.5	20.5	191

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MMI-OS201	7	49	17500	7	4.2	428	198	1.7
MMI-OS202	12	24	9660	9	8.8	251	288	4.8
MMI-OS203	<5	32	1480	<5	2.9	18	59	6.2
MMI-OS204	11	26	3490	<5	7.3	186	81	5.9
MMI-OS205	11	42	2310	<5	15.0	240	91	5.8
MMI-OS206	11	36	7420	<5	13.0	261	123	6.8
MMI-OS207	<5	5	4640	12	1.9	107	111	3.0
MMI-OS208	<5	6	450	<5	3.3	20	67	4.1
MMI-OS209	<5	2	390	12	0.9	228	66	0.7
MMI-OS210	24	37	8210	7	23.7	281	189	5.6
MMI-OS211	6	98	1450	<5	1.6	536	199	0.5
MMI-OS212	<5	51	3160	<5	9.8	152	116	2.0
MMI-OS213	58	32	5720	11	18.9	69	178	6.1
MMI-OS214	47	32	3410	12	30.4	47	124	6.0
MMI-OS215	26	14	400	10	15.2	64	102	3.8
MMI-OS216	<5	32	3000	7	7.5	21	62	3.2
MMI-OS217	26	39	3950	5	11.3	20	61	13.3
MMI-OS218	41	28	3930	6	16.4	29	93	19.8
MMI-OS219	<5	53	410	<5	0.8	53	77	1.1
MMI-OS220	90	153	780	6	<0.5	90	899	0.1
MMI-OS221	42	93	3530	8	3.5	193	736	3.2
MMI-OS222	26	142	380	<5	<0.5	91	180	0.1
MMI-OS223	17	115	1300	<5	<0.5	204	489	0.1
MMI-OS224	33	18	1870	15	18.5	118	131	8.5
MMI-OS225	<5	2	510	<5	<0.5	81	19	1.1
MMI-OS226	17	43	9290	6	12.0	127	191	2.2
MMI-OS227	6	59	8310	<5	8.4	161	261	2.2
MMI-OS228	9	60	7770	<5	10.0	773	161	2.4
MMI-OS229	<5	11	1380	10	3.4	232	36	0.9
MMI-OS230	<5	2	2140	8	<0.5	211	48	0.2
MMI-OS231	9	154	670	<5	<0.5	283	118	<0.1
MMI-OS232	15	166	2890	<5	0.6	380	266	0.2
MMI-OS233	12	105	6830	22	1.2	379	390	0.4
MMI-OS234	25	167	1300	<5	<0.5	415	377	<0.1
MMI-OS235	11	181	1210	<5	<0.5	246	281	0.2
MMI-OS236	9	131	8890	<5	0.7	194	362	0.2
MMI-OS237	17	152	2610	<5	<0.5	258	239	0.1
MMI-OS238	8	119	2870	<5	0.8	216	190	0.2
MMI-OS239	<5	56	9070	<5	3.4	212	250	1.2
MMI-OS240	18	109	14600	<5	2.5	393	315	0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MMI-OS241	5	78	6970	<5	1.1	435	220	0.4
MMI-OS242	<5	86	1380	<5	<0.5	137	226	0.1
MMI-OS243	10	64	5380	<5	1.8	159	189	0.4
MMI-OS244	5	51	18900	7	7.1	86	198	1.8
MMI-OS245	9	106	15700	<5	0.9	358	340	0.2
MMI-OS246	8	100	1320	<5	<0.5	194	166	<0.1
MMI-OS247	9	131	1660	<5	<0.5	319	232	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMI-OS201	330	<1	108	<1	161	<1	47	74
MMI-OS202	480	<1	57	<1	223	1	53	51
MMI-OS203	70	<1	4	<1	319	<1	9	4
MMI-OS204	100	<1	46	<1	225	<1	43	36
MMI-OS205	190	<1	63	<1	265	<1	50	41
MMI-OS206	260	<1	66	<1	271	<1	53	46
MMI-OS207	1470	<1	26	<1	191	<1	34	20
MMI-OS208	730	<1	4	<1	133	<1	17	4
MMI-OS209	470	<1	51	<1	106	<1	34	44
MMI-OS210	280	<1	72	<1	216	1	92	53
MMI-OS211	120	<1	116	<1	166	<1	73	109
MMI-OS212	160	<1	35	<1	341	<1	43	33
MMI-OS213	160	<1	17	<1	321	1	82	15
MMI-OS214	190	<1	12	<1	206	1	97	9
MMI-OS215	130	<1	16	<1	191	<1	64	14
MMI-OS216	80	<1	4	<1	222	<1	13	5
MMI-OS217	140	<1	5	<1	206	<1	43	4
MMI-OS218	250	<1	7	<1	195	<1	69	6
MMI-OS219	20	<1	12	<1	36	<1	<5	9
MMI-OS220	30	<1	17	<1	24	<1	7	24
MMI-OS221	130	<1	44	<1	103	<1	57	41
MMI-OS222	30	<1	18	<1	16	<1	9	22
MMI-OS223	50	<1	44	<1	43	<1	13	45
MMI-OS224	470	<1	26	<1	170	1	72	25
MMI-OS225	30	<1	17	<1	47	<1	12	18
MMI-OS226	220	<1	31	<1	164	<1	65	25
MMI-OS227	240	<1	35	<1	225	<1	77	36
MMI-OS228	210	<1	178	<1	176	<1	108	147
MMI-OS229	280	<1	51	<1	109	<1	33	45
MMI-OS230	220	<1	44	<1	95	<1	14	35
MMI-OS231	40	<1	56	<1	90	<1	15	63
MMI-OS232	70	<1	82	<1	79	<1	29	80
MMI-OS233	240	<1	86	<1	54	<1	53	77
MMI-OS234	40	<1	85	<1	14	<1	22	92
MMI-OS235	30	<1	49	<1	76	<1	31	63
MMI-OS236	60	<1	41	<1	90	<1	47	45
MMI-OS237	50	<1	53	<1	50	<1	24	59
MMI-OS238	30	<1	47	<1	73	<1	21	45
MMI-OS239	210	<1	46	<1	208	<1	62	47
MMI-OS240	110	<1	90	<1	128	<1	83	78

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMI-OS241	150	<1	95	<1	152	<1	56	93
MMI-OS242	70	<1	30	<1	185	<1	14	29
MMI-OS243	200	<1	34	<1	151	<1	61	38
MMI-OS244	140	<1	20	<1	148	<1	55	18
MMI-OS245	150	<1	82	<1	93	<1	68	73
MMI-OS246	130	<1	39	<1	95	<1	40	46
MMI-OS247	100	<1	64	<1	41	<1	36	77

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMI-OS201	<1	760	<1	7	<10	62.9	937	0.7
MMI-OS202	2	380	<1	6	<10	61.5	2440	0.6
MMI-OS203	<1	620	<1	<1	<10	9.1	761	<0.5
MMI-OS204	1	360	<1	4	<10	39.3	2150	0.7
MMI-OS205	2	470	<1	4	<10	76.4	4080	0.7
MMI-OS206	1	530	<1	5	<10	86.8	3390	<0.5
MMI-OS207	<1	70	<1	2	<10	33.4	524	0.7
MMI-OS208	<1	80	<1	<1	<10	11.0	1450	0.5
MMI-OS209	<1	30	<1	4	<10	25.0	253	1.1
MMI-OS210	2	390	1	6	<10	114	6650	1.5
MMI-OS211	<1	1390	<1	13	<10	40.7	402	<0.5
MMI-OS212	<1	550	<1	4	<10	67.5	2670	<0.5
MMI-OS213	3	300	1	2	<10	53.2	5320	0.9
MMI-OS214	8	330	2	1	<10	54.9	11400	0.9
MMI-OS215	3	190	<1	2	<10	56.1	4560	0.6
MMI-OS216	2	440	<1	<1	<10	11.3	2710	<0.5
MMI-OS217	3	450	<1	<1	<10	15.2	3840	<0.5
MMI-OS218	4	420	1	<1	<10	20.7	5640	0.6
MMI-OS219	<1	520	<1	<1	<10	10.7	187	<0.5
MMI-OS220	<1	950	<1	4	<10	14.2	<3	<0.5
MMI-OS221	<1	860	<1	6	<10	23.8	849	0.6
MMI-OS222	<1	1830	<1	3	<10	21.5	11	<0.5
MMI-OS223	<1	1260	<1	6	<10	52.2	46	<0.5
MMI-OS224	3	160	1	3	<10	42.5	6390	1.0
MMI-OS225	<1	30	<1	2	<10	5.4	113	<0.5
MMI-OS226	1	440	<1	3	<10	81.6	3010	1.1
MMI-OS227	<1	710	<1	6	<10	81.5	2610	0.6
MMI-OS228	<1	880	<1	16	<10	87.2	2350	<0.5
MMI-OS229	<1	150	<1	5	<10	19.8	1260	0.9
MMI-OS230	<1	30	<1	3	<10	5.2	31	0.7
MMI-OS231	<1	1730	<1	8	<10	35.4	6	<0.5
MMI-OS232	<1	1490	<1	11	<10	60.5	53	<0.5
MMI-OS233	<1	890	<1	10	<10	60.0	162	<0.5
MMI-OS234	<1	1510	<1	15	<10	83.1	7	<0.5
MMI-OS235	<1	1390	<1	12	<10	71.2	15	<0.5
MMI-OS236	<1	1090	<1	7	<10	56.0	77	<0.5
MMI-OS237	<1	1490	<1	10	<10	79.3	19	<0.5
MMI-OS238	<1	1110	<1	7	<10	97.5	95	<0.5
MMI-OS239	<1	530	<1	7	<10	80.1	737	<0.5
MMI-OS240	<1	980	<1	10	<10	102	473	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MMI-OS241	<1	710	<1	12	<10	83.5	181	<0.5
MMI-OS242	<1	980	<1	4	<10	40.4	12	<0.5
MMI-OS243	<1	770	<1	6	<10	64.0	379	<0.5
MMI-OS244	<1	540	<1	3	<10	88.8	1370	<0.5
MMI-OS245	<1	1330	<1	11	<10	77.4	60	<0.5
MMI-OS246	<1	1510	<1	8	<10	38.1	23	<0.5
MMI-OS247	<1	1830	<1	12	<10	36.8	<3	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MMI-OS201	22	2	189	12	200	59
MMI-OS202	20	2	151	11	770	96
MMI-OS203	3	<1	12	<1	750	19
MMI-OS204	12	<1	88	7	430	75
MMI-OS205	11	2	114	8	460	140
MMI-OS206	10	2	115	10	1440	129
MMI-OS207	14	2	54	4	460	47
MMI-OS208	5	2	27	2	820	26
MMI-OS209	18	2	77	5	110	32
MMI-OS210	21	4	141	11	560	211
MMI-OS211	29	<1	368	33	1110	56
MMI-OS212	12	1	101	9	950	118
MMI-OS213	11	2	55	5	1180	176
MMI-OS214	11	4	36	4	680	251
MMI-OS215	12	3	51	4	370	148
MMI-OS216	5	1	16	1	940	36
MMI-OS217	5	1	17	2	990	73
MMI-OS218	5	2	28	2	2110	103
MMI-OS219	15	<1	17	1	90	11
MMI-OS220	39	<1	104	8	330	6
MMI-OS221	711	1	240	25	2790	70
MMI-OS222	44	<1	88	8	50	15
MMI-OS223	185	<1	172	16	380	30
MMI-OS224	16	2	80	6	550	105
MMI-OS225	5	1	50	3	40	10
MMI-OS226	20	2	100	8	360	130
MMI-OS227	17	1	205	15	350	77
MMI-OS228	20	2	433	36	440	137
MMI-OS229	13	<1	157	9	70	25
MMI-OS230	6	<1	89	5	350	<5
MMI-OS231	17	<1	238	17	230	13
MMI-OS232	41	<1	349	34	320	41
MMI-OS233	57	9	329	29	1060	62
MMI-OS234	42	<1	445	45	50	27
MMI-OS235	59	<1	327	43	20	35
MMI-OS236	77	<1	214	29	90	51
MMI-OS237	40	<1	258	37	70	30
MMI-OS238	31	<1	178	19	170	48
MMI-OS239	28	<1	216	18	450	76
MMI-OS240	53	<1	316	34	250	116

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142177 Order: Treasury Metals

Report File No.: 0000007937

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MMI-OS241	56	<1	325	27	310	58
MMI-OS242	56	<1	106	7	200	15
MMI-OS243	39	<1	193	20	810	78
MMI-OS244	22	<1	75	8	620	109
MMI-OS245	44	<1	377	50	300	94
MMI-OS246	35	<1	234	30	440	36
MMI-OS247	37	<1	356	45	460	44

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142381

[Report File No.: 0000008292]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Aug 15, 2014

P.O. No.	:	Treasury Metals P1/5
Project No.	:	-
No. Of Samples	:	84
Date Submitted	:	Jul 25, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Certified By :

John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted

Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1001	0.445	18	127	<10	0.2	2630	<1	400
MG-1002	0.325	21	128	<10	0.1	1160	<1	300
MG-1003	0.445	13	95	<10	0.2	2200	<1	200
MG-1004	0.385	15	148	<10	0.1	1950	<1	190
MG-1005	0.360	19	153	<10	0.1	2200	<1	290
MG-1006	0.355	10	166	<10	0.2	1890	<1	140
MG-1007	0.400	8	169	<10	0.1	1630	<1	140
MG-1008	0.475	10	200	<10	0.1	2170	2	100
MG-1009	0.445	12	172	20	0.1	2000	1	150
MG-1010	0.350	13	172	<10	0.2	2600	<1	330
MG-1011	0.350	10	113	<10	0.2	2170	<1	300
MG-1012	0.350	13	>200	<10	0.2	2160	<1	130
MG-1013	0.355	6	155	<10	<0.1	1760	<1	180
MG-1014	0.385	12	133	<10	0.1	1430	<1	160
MG-1015	0.370	12	95	<10	<0.1	2050	<1	420
MG-1016	0.415	13	47	<10	0.3	2220	<1	690
MG-1017	0.370	10	90	<10	0.1	1320	<1	330
MG-1018	0.370	16	89	<10	0.1	1740	<1	400
MG-1019	0.370	9	100	<10	0.2	2140	<1	440
MG-1020	0.395	13	136	<10	0.2	1930	<1	270
MG-1021	0.365	14	178	<10	0.1	2610	<1	270
MG-1022	0.370	20	128	<10	0.3	2550	<1	340
MG-1023	0.365	16	139	<10	0.2	1720	<1	250
MG-1024	0.340	12	104	<10	0.3	2200	<1	370
MG-1025	0.335	18	112	<10	0.2	1840	<1	260
MG-1026	0.295	13	97	<10	0.1	2870	<1	500
MG-1027	0.340	8	133	<10	0.1	2060	<1	230
MG-1028	0.360	14	146	<10	0.3	1860	<1	240
MG-1029	0.335	22	136	<10	0.1	1510	<1	260
MG-1030	0.345	13	121	<10	0.1	1330	<1	280
MG-1031	0.405	15	106	<10	<0.1	1460	<1	310
MG-1032	0.330	16	93	<10	0.1	2560	<1	390
MG-1033	0.375	9	124	<10	0.1	2460	<1	370
MG-1034	0.350	14	124	<10	<0.1	1810	<1	300
MG-1035	0.370	12	104	<10	0.2	2750	<1	410
MG-1036	0.395	18	131	<10	0.1	1970	<1	250
MG-1037	0.360	15	160	<10	0.2	2300	<1	270
MG-1038	0.395	20	140	<10	0.2	1720	<1	190
MG-1039	0.420	6	>200	20	0.1	2000	2	90
MG-1040	0.400	14	187	20	0.2	1650	<1	80

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1041	0.450	2	115	<10	0.3	250	<1	<10
MG-1042	0.330	5	159	<10	0.2	1340	<1	70
MG-1043	0.390	12	109	<10	<0.1	1650	<1	270
MG-1044	0.435	7	159	20	0.1	1920	<1	130
MG-1045	0.350	7	157	<10	0.4	2570	<1	270
MG-1046	0.365	7	46	<10	0.2	1600	<1	540
MG-1047	0.365	15	18	<10	0.5	1150	<1	650
MG-1048	0.390	6	109	<10	0.4	3280	<1	500
MG-1049	0.390	19	54	<10	0.4	2040	<1	600
MG-1050	0.540	1	24	<10	0.4	370	<1	10
MG-1051	0.425	10	131	<10	0.5	3370	<1	420
MG-1052	0.470	19	22	<10	0.2	1620	<1	560
MG-1053	0.340	12	27	<10	0.3	2080	<1	640
MG-1054	0.360	15	84	<10	0.2	1730	<1	480
MG-1055	0.345	10	133	<10	0.2	3170	<1	320
MG-1056	0.345	18	26	<10	0.2	1800	<1	800
MG-1057	0.325	17	62	<10	0.1	1610	<1	570
MG-1058	0.400	18	141	<10	0.3	2550	<1	220
MG-1059	0.305	10	140	<10	<0.1	1400	<1	200
MG-1060	0.370	15	116	<10	0.3	1500	<1	260
MG-1061	0.400	16	159	<10	0.1	1810	<1	170
MG-1062	0.420	24	>200	10	0.2	2320	<1	40
MG-1063	0.410	18	177	10	<0.1	2630	<1	100
MG-1064	0.370	10	140	20	<0.1	2810	1	110
MG-1065	0.455	6	141	30	0.2	1280	2	100
MG-1066	0.340	9	175	<10	0.1	2070	<1	140
MG-1067	0.350	6	166	<10	0.1	1540	<1	120
MG-1068	0.590	3	82	10	0.2	1270	1	80
MG-1069	0.405	3	>200	20	<0.1	1360	2	70
MG-1070	0.430	19	188	10	0.2	1320	<1	60
MG-1071	0.505	4	39	<10	0.3	2110	<1	220
MG-1072	0.520	6	>200	20	0.1	2240	2	30
MG-1073	0.405	<1	159	<10	0.2	180	<1	<10
MG-1074	0.405	2	198	20	<0.1	960	<1	20
MG-1075	0.515	4	>200	10	0.2	2340	<1	80
MG-1076	0.470	2	110	30	<0.1	1960	1	70
MG-1077	0.415	7	>200	<10	0.2	1090	1	30
MG-1078	0.385	7	137	<10	<0.1	1640	<1	220
MG-1079	0.345	23	134	<10	<0.1	970	<1	210
MG-1080	0.345	4	159	<10	<0.1	970	<1	110

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1081	0.360	6	>200	10	0.1	1200	<1	80
MG-1082	0.445	3	134	10	0.3	1960	1	60
MG-1083	0.385	3	149	20	0.3	1690	<1	20
MG-1084	0.465	3	197	40	0.2	1710	2	80

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1001	12	228	32	<100	1.0	420	45	29.5
MG-1002	18	278	72	<100	1.1	240	28	13.3
MG-1003	3	401	27	<100	1.8	80	35	18.4
MG-1004	7	325	27	<100	2.9	150	35	20.1
MG-1005	13	252	43	<100	2.5	320	33	17.6
MG-1006	15	555	78	<100	2.6	520	43	20.5
MG-1007	26	619	133	<100	4.4	650	49	23.9
MG-1008	7	508	204	100	6.0	1170	38	18.9
MG-1009	15	521	175	100	4.7	390	19	8.5
MG-1010	12	167	66	100	3.0	430	23	13.9
MG-1011	11	244	16	<100	1.1	420	42	24.8
MG-1012	21	301	51	100	4.1	770	81	43.7
MG-1013	13	333	136	100	3.2	630	62	40.0
MG-1014	21	256	109	<100	1.2	510	67	35.5
MG-1015	18	101	26	<100	0.6	220	23	15.8
MG-1016	8	115	39	<100	<0.5	960	35	24.0
MG-1017	26	157	49	<100	<0.5	230	19	11.0
MG-1018	46	366	47	<100	0.6	570	59	41.4
MG-1019	15	252	50	<100	0.6	490	30	19.6
MG-1020	25	503	49	<100	<0.5	380	58	31.7
MG-1021	36	294	36	<100	2.0	560	38	24.2
MG-1022	11	323	48	100	1.1	600	50	31.7
MG-1023	15	299	42	<100	1.1	450	42	25.4
MG-1024	9	337	40	<100	0.8	590	38	25.1
MG-1025	10	378	38	<100	1.2	230	36	17.4
MG-1026	12	167	33	<100	<0.5	400	28	18.6
MG-1027	8	266	37	<100	1.3	420	45	26.9
MG-1028	6	478	45	100	1.6	600	59	30.3
MG-1029	3	496	35	200	2.9	780	80	49.7
MG-1030	9	565	35	<100	1.0	390	62	34.0
MG-1031	19	603	26	<100	<0.5	510	85	46.3
MG-1032	18	367	30	<100	0.5	470	66	41.8
MG-1033	11	317	37	<100	0.7	340	64	40.4
MG-1034	21	342	46	<100	1.2	680	94	64.6
MG-1035	11	199	30	<100	<0.5	380	30	19.6
MG-1036	9	350	56	<100	1.1	350	39	23.1
MG-1037	4	457	58	100	2.8	520	51	30.3
MG-1038	7	306	32	<100	2.2	250	29	14.7
MG-1039	4	450	93	200	9.3	250	27	13.0
MG-1040	7	251	83	100	21.2	210	16	7.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1041	3	374	11	<100	32.1	540	26	12.5
MG-1042	8	301	57	<100	14.7	300	21	8.7
MG-1043	26	346	25	<100	1.9	260	25	12.1
MG-1044	8	507	141	100	6.5	220	24	10.4
MG-1045	7	554	105	<100	2.0	690	67	38.5
MG-1046	20	194	131	<100	<0.5	660	29	17.7
MG-1047	22	26	105	<100	<0.5	920	14	8.0
MG-1048	12	184	59	<100	<0.5	270	20	13.6
MG-1049	16	375	97	<100	<0.5	1750	18	10.8
MG-1050	<1	122	18	<100	2.9	150	12	5.1
MG-1051	7	340	86	<100	<0.5	460	53	31.8
MG-1052	30	171	222	<100	<0.5	2080	15	9.1
MG-1053	38	224	200	<100	<0.5	960	21	13.4
MG-1054	26	134	75	<100	<0.5	340	12	6.1
MG-1055	29	270	51	<100	0.9	240	34	22.9
MG-1056	28	39	99	<100	<0.5	830	15	10.2
MG-1057	26	95	14	<100	<0.5	500	13	7.4
MG-1058	17	437	18	<100	1.1	740	82	47.7
MG-1059	44	276	37	<100	0.8	700	82	49.9
MG-1060	19	491	27	<100	<0.5	650	62	30.8
MG-1061	14	286	45	<100	6.0	150	19	10.1
MG-1062	10	272	94	100	8.0	120	20	9.8
MG-1063	13	100	201	<100	15.1	160	9	4.6
MG-1064	3	376	73	100	7.7	190	16	7.7
MG-1065	6	869	201	200	4.1	590	50	23.9
MG-1066	9	353	48	<100	4.3	170	30	14.7
MG-1067	10	235	128	<100	4.5	260	21	11.3
MG-1068	1	958	85	<100	11.2	860	52	25.0
MG-1069	11	531	195	100	13.0	370	37	17.5
MG-1070	12	356	91	<100	19.1	450	23	11.1
MG-1071	1	2210	126	<100	1.2	360	72	34.0
MG-1072	4	646	48	300	27.0	990	32	12.7
MG-1073	2	265	26	<100	17.7	390	13	6.5
MG-1074	4	108	50	200	15.0	220	9	4.2
MG-1075	1	241	119	<100	16.9	840	32	18.3
MG-1076	1	1100	89	100	10.5	330	36	14.2
MG-1077	6	343	103	100	10.2	220	24	12.5
MG-1078	13	487	25	<100	1.6	460	50	26.9
MG-1079	11	354	24	<100	2.0	250	43	23.1
MG-1080	24	609	165	<100	2.3	460	57	29.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1081	6	126	56	100	13.8	150	11	5.0
MG-1082	1	802	89	200	8.9	460	35	15.6
MG-1083	1	266	32	100	14.7	330	13	5.9
MG-1084	6	178	81	300	13.6	480	9	4.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1001	8.5	53	4	41	<1	<0.5	53.4	106
MG-1002	7.2	39	3	28	<1	<0.5	69.7	89
MG-1003	10.8	29	3	42	<1	<0.5	34.3	152
MG-1004	9.3	49	6	42	<1	<0.5	48.1	119
MG-1005	7.5	62	11	29	<1	<0.5	50.0	95
MG-1006	13.6	66	9	50	<1	<0.5	38.4	196
MG-1007	12.4	86	10	53	<1	<0.5	53.8	182
MG-1008	11.3	114	21	43	<1	<0.5	22.4	186
MG-1009	7.0	112	21	27	<1	<0.5	29.6	249
MG-1010	4.6	81	12	19	<1	<0.5	40.0	58
MG-1011	8.5	50	5	35	<1	<0.5	52.3	103
MG-1012	12.2	152	18	57	<1	<0.5	47.6	98
MG-1013	10.3	163	14	48	<1	<0.5	48.3	117
MG-1014	9.6	149	6	45	<1	<0.5	51.4	81
MG-1015	4.2	41	3	20	<1	<0.5	62.3	45
MG-1016	6.7	14	<1	34	<1	<0.5	34.0	76
MG-1017	4.6	34	1	19	<1	<0.5	59.1	56
MG-1018	11.6	53	3	57	<1	<0.5	65.7	151
MG-1019	5.9	34	2	28	<1	<0.5	35.5	80
MG-1020	12.0	68	2	48	<1	<0.5	35.6	163
MG-1021	7.6	95	10	35	<1	<0.5	61.2	98
MG-1022	10.1	83	5	41	<1	<0.5	62.9	113
MG-1023	9.3	63	5	43	<1	<0.5	40.3	108
MG-1024	9.3	32	3	40	<1	<0.5	40.6	121
MG-1025	10.1	35	3	39	<1	<0.5	28.2	122
MG-1026	5.5	36	2	23	<1	<0.5	23.7	87
MG-1027	9.0	69	6	40	<1	<0.5	44.3	90
MG-1028	11.9	96	6	53	<1	<0.5	45.1	151
MG-1029	14.7	157	12	70	<1	<0.5	49.2	185
MG-1030	13.7	63	2	60	<1	<0.5	51.1	194
MG-1031	16.8	47	1	75	<1	<0.5	40.7	216
MG-1032	11.2	48	2	51	<1	<0.5	51.8	139
MG-1033	10.5	56	4	50	<1	<0.5	56.0	139
MG-1034	14.2	100	5	60	<1	<0.5	63.6	126
MG-1035	6.4	43	3	26	<1	<0.5	55.8	80
MG-1036	9.0	65	3	37	<1	<0.5	52.3	104
MG-1037	11.0	94	11	45	<1	<0.5	73.3	137
MG-1038	7.5	43	6	28	<1	<0.5	30.9	101
MG-1039	8.4	173	38	30	<1	<0.5	25.2	179
MG-1040	5.7	108	22	20	<1	<0.5	54.5	120

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1041	9.2	27	6	36	<1	<0.5	13.3	149
MG-1042	8.0	50	10	31	<1	<0.5	28.0	144
MG-1043	7.3	40	4	27	<1	<0.5	63.3	84
MG-1044	7.8	108	19	27	<1	<0.5	42.2	173
MG-1045	17.9	75	8	72	<1	<0.5	31.2	288
MG-1046	7.0	22	1	31	<1	<0.5	56.9	114
MG-1047	3.1	12	<1	16	<1	<0.5	35.1	22
MG-1048	4.7	46	2	20	<1	<0.5	55.6	104
MG-1049	4.9	29	<1	20	<1	<0.5	48.3	110
MG-1050	4.0	3	5	16	<1	<0.5	3.5	47
MG-1051	10.2	51	2	46	<1	<0.5	15.5	179
MG-1052	4.0	24	<1	17	<1	<0.5	32.0	63
MG-1053	5.5	25	<1	23	<1	<0.5	47.2	85
MG-1054	3.7	15	1	14	<1	<0.5	68.5	53
MG-1055	7.0	52	4	30	<1	<0.5	59.2	124
MG-1056	3.2	13	<1	16	<1	<0.5	25.0	17
MG-1057	3.5	14	<1	16	<1	<0.5	32.7	47
MG-1058	14.5	77	4	67	<1	<0.5	33.0	185
MG-1059	11.2	108	3	53	<1	<0.5	59.3	97
MG-1060	14.5	45	1	60	<1	<0.5	44.0	184
MG-1061	5.4	59	12	22	<1	<0.5	41.8	82
MG-1062	5.0	96	20	18	<1	<0.5	20.2	77
MG-1063	3.2	76	8	9	<1	<0.5	58.1	42
MG-1064	5.5	82	17	19	<1	<0.5	29.3	146
MG-1065	15.1	269	18	56	<1	<0.5	23.8	302
MG-1066	8.3	62	12	31	<1	<0.5	39.3	109
MG-1067	5.6	83	12	22	<1	<0.5	36.1	74
MG-1068	18.6	120	10	71	<1	<0.5	11.2	413
MG-1069	10.6	133	24	39	<1	<0.5	18.5	235
MG-1070	6.9	47	8	26	<1	<0.5	32.3	137
MG-1071	30.3	49	<1	114	<1	<0.5	7.1	893
MG-1072	10.9	258	42	40	<1	<0.5	15.9	303
MG-1073	4.4	69	8	17	<1	<0.5	8.5	101
MG-1074	2.6	137	11	10	<1	<0.5	19.3	52
MG-1075	7.5	158	21	30	<1	<0.5	22.5	93
MG-1076	13.0	160	10	47	<1	<0.5	9.7	494
MG-1077	8.2	88	24	31	4	<0.5	14.8	136
MG-1078	13.4	55	4	51	<1	<0.5	28.9	158
MG-1079	9.7	58	3	43	<1	<0.5	22.0	118
MG-1080	13.2	96	8	54	<1	<0.5	52.0	169

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1081	2.9	147	34	10	<1	<0.5	29.8	50
MG-1082	13.1	164	22	46	<1	<0.5	14.7	337
MG-1083	4.9	62	10	17	<1	<0.5	7.7	121
MG-1084	3.2	306	31	12	<1	<0.5	25.0	86

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1001	13	98	1560	<5	1.2	142	306	0.2
MG-1002	<5	55	4410	<5	1.9	133	198	0.5
MG-1003	<5	50	2120	<5	3.8	218	109	0.8
MG-1004	<5	43	2440	<5	4.4	164	142	1.2
MG-1005	20	81	5440	<5	3.4	127	252	0.6
MG-1006	6	33	3830	<5	7.3	265	222	1.7
MG-1007	10	29	6750	<5	6.4	260	437	2.6
MG-1008	13	24	7690	5	20.4	236	291	3.8
MG-1009	11	31	3720	<5	10.2	208	199	5.3
MG-1010	19	73	5360	<5	4.2	74	288	0.5
MG-1011	7	72	1650	<5	1.2	150	284	0.2
MG-1012	23	52	3870	<5	5.6	189	634	1.6
MG-1013	22	62	6990	<5	5.3	170	624	0.9
MG-1014	6	53	4790	<5	1.9	147	747	0.8
MG-1015	6	101	3250	<5	0.5	66	338	0.1
MG-1016	11	102	1980	<5	<0.5	124	263	<0.1
MG-1017	6	43	7450	<5	<0.5	82	342	0.3
MG-1018	11	98	3330	<5	0.9	217	682	0.2
MG-1019	5	95	3520	<5	1.0	112	275	0.2
MG-1020	<5	68	4570	<5	1.1	223	455	0.3
MG-1021	19	75	4270	<5	2.7	135	447	0.9
MG-1022	9	104	3460	<5	1.4	162	482	0.2
MG-1023	6	70	2850	<5	1.4	161	304	0.6
MG-1024	8	93	2690	<5	1.2	177	181	0.1
MG-1025	<5	44	2440	<5	1.5	183	170	0.7
MG-1026	<5	139	1830	<5	<0.5	97	244	<0.1
MG-1027	7	174	2170	<5	1.4	152	210	0.3
MG-1028	8	77	2510	<5	2.5	211	374	0.7
MG-1029	23	81	1780	<5	4.1	261	495	0.6
MG-1030	<5	66	5300	<5	1.1	265	369	0.4
MG-1031	<5	73	2830	<5	<0.5	292	439	<0.1
MG-1032	9	108	2410	<5	<0.5	191	360	<0.1
MG-1033	9	119	3740	<5	0.5	193	318	0.2
MG-1034	9	86	4080	<5	0.9	216	605	0.2
MG-1035	<5	106	3090	<5	<0.5	98	247	<0.1
MG-1036	<5	54	4990	<5	1.8	155	252	0.4
MG-1037	17	76	2290	<5	3.6	201	227	0.5
MG-1038	<5	41	2970	<5	5.0	141	139	1.1
MG-1039	25	35	1970	<5	20.3	196	228	4.7
MG-1040	13	22	3460	8	7.6	123	173	3.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1041	<5	2	240	6	<0.5	247	42	0.4
MG-1042	<5	13	2500	6	2.6	171	98	1.9
MG-1043	<5	46	3640	<5	2.3	135	211	1.1
MG-1044	7	21	7650	<5	11.2	165	122	6.5
MG-1045	23	89	3450	<5	3.9	399	285	0.7
MG-1046	10	100	10100	<5	0.9	165	376	0.1
MG-1047	10	172	7060	<5	<0.5	50	376	<0.1
MG-1048	<5	142	3860	<5	0.7	95	333	<0.1
MG-1049	<5	144	4940	<5	1.8	127	299	0.2
MG-1050	<5	1	440	<5	<0.5	81	29	0.8
MG-1051	11	141	1240	<5	<0.5	212	315	<0.1
MG-1052	17	132	16100	6	1.0	99	729	<0.1
MG-1053	25	144	15400	<5	0.6	130	764	<0.1
MG-1054	<5	108	6570	<5	<0.5	66	230	0.4
MG-1055	7	91	12900	<5	1.1	139	396	0.4
MG-1056	6	147	7500	<5	<0.5	45	463	<0.1
MG-1057	<5	130	1500	<5	<0.5	67	264	<0.1
MG-1058	5	65	2040	<5	1.1	276	558	0.2
MG-1059	<5	63	4340	<5	0.7	181	597	0.4
MG-1060	<5	68	2220	<5	<0.5	272	301	0.2
MG-1061	5	30	3090	<5	4.4	109	164	3.1
MG-1062	7	10	4600	<5	6.4	87	187	6.1
MG-1063	5	12	6270	<5	2.7	49	244	7.3
MG-1064	8	26	6070	<5	9.6	131	122	5.4
MG-1065	10	31	7550	<5	12.4	361	261	4.9
MG-1066	8	29	4400	<5	5.7	146	239	3.2
MG-1067	9	34	4450	<5	6.7	102	218	2.8
MG-1068	<5	27	1780	8	8.0	457	139	1.7
MG-1069	16	19	1900	<5	8.1	257	289	6.0
MG-1070	<5	13	2300	<5	2.8	143	118	2.3
MG-1071	<5	84	2420	<5	3.5	935	216	0.5
MG-1072	25	12	790	5	21.2	244	160	4.8
MG-1073	<5	<1	40	<5	0.8	133	63	1.0
MG-1074	8	4	280	<5	6.4	52	158	5.3
MG-1075	14	31	4840	<5	13.0	138	328	2.5
MG-1076	<5	20	1250	<5	9.7	393	120	3.5
MG-1077	7	6	4810	6	6.3	179	108	5.7
MG-1078	<5	57	3850	<5	1.8	254	358	0.7
MG-1079	<5	34	2380	<5	0.9	186	392	0.5
MG-1080	7	51	8920	<5	6.2	260	366	1.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1081	17	20	3410	<5	14.2	59	157	5.0
MG-1082	9	19	1770	6	13.2	321	104	3.4
MG-1083	<5	4	710	9	3.7	110	104	2.1
MG-1084	15	17	2700	7	16.7	75	162	4.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1001	200	<1	33	<1	98	<1	69	37
MG-1002	220	<1	30	<1	162	<1	44	31
MG-1003	190	<1	46	<1	225	<1	45	45
MG-1004	320	<1	37	<1	197	<1	62	43
MG-1005	230	<1	28	<1	151	<1	94	30
MG-1006	250	<1	59	<1	260	<1	71	55
MG-1007	330	<1	57	<1	345	<1	76	59
MG-1008	270	<1	53	<1	405	<1	88	49
MG-1009	250	<1	51	<1	225	<1	59	37
MG-1010	360	<1	16	<1	169	<1	87	19
MG-1011	190	<1	31	<1	127	<1	67	34
MG-1012	310	<1	39	<1	197	<1	124	50
MG-1013	290	<1	37	<1	158	<1	127	42
MG-1014	330	<1	32	<1	114	<1	79	40
MG-1015	200	<1	13	<1	79	<1	44	17
MG-1016	60	<1	26	<1	28	<1	16	31
MG-1017	180	<1	18	<1	80	<1	20	20
MG-1018	240	<1	47	<1	81	<1	47	51
MG-1019	190	<1	26	<1	52	<1	31	26
MG-1020	260	<1	49	<1	87	<1	62	51
MG-1021	210	<1	29	<1	134	<1	78	32
MG-1022	200	<1	36	<1	121	<1	105	39
MG-1023	210	<1	34	<1	123	<1	80	39
MG-1024	200	<1	38	<1	86	<1	69	40
MG-1025	160	<1	42	<1	161	<1	57	46
MG-1026	230	<1	20	<1	85	<1	72	20
MG-1027	280	<1	30	<1	105	<1	133	39
MG-1028	270	<1	47	<1	143	<1	118	51
MG-1029	170	<1	57	<1	128	<1	147	61
MG-1030	210	<1	57	<1	142	<1	77	61
MG-1031	250	<1	65	<1	118	<1	73	74
MG-1032	190	<1	41	<1	79	<1	69	47
MG-1033	260	<1	40	<1	82	<1	82	44
MG-1034	280	<1	43	<1	147	<1	87	53
MG-1035	250	<1	23	<1	105	<1	56	23
MG-1036	260	<1	31	<1	136	<1	74	35
MG-1037	250	<1	40	<1	159	<1	134	46
MG-1038	250	<1	29	<1	158	<1	72	31
MG-1039	300	<1	46	<1	262	<1	121	38
MG-1040	270	<1	30	<1	400	<1	50	25

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1041	970	<1	51	<1	136	<1	21	43
MG-1042	300	<1	41	<1	174	<1	40	35
MG-1043	150	<1	28	<1	393	<1	40	28
MG-1044	220	<1	43	<1	193	<1	65	32
MG-1045	240	<1	87	<1	149	<1	154	79
MG-1046	100	<1	37	<1	11	<1	16	35
MG-1047	40	<1	9	<1	12	<1	8	14
MG-1048	340	<1	22	<1	53	<1	59	18
MG-1049	180	<1	28	<1	14	<1	19	23
MG-1050	30	<1	17	<1	45	<1	12	18
MG-1051	470	<1	45	<1	68	<1	79	43
MG-1052	40	<1	22	<1	32	<1	10	20
MG-1053	50	<1	28	<1	19	<1	9	24
MG-1054	80	<1	16	<1	68	<1	10	15
MG-1055	280	<1	32	<1	114	<1	48	29
MG-1056	60	<1	8	<1	17	<1	7	13
MG-1057	60	<1	14	<1	75	<1	7	15
MG-1058	230	<1	60	<1	129	<1	83	64
MG-1059	340	<1	37	<1	160	<1	68	48
MG-1060	190	<1	60	<1	108	<1	87	64
MG-1061	190	<1	23	<1	232	<1	43	25
MG-1062	280	<1	21	<1	193	<1	54	20
MG-1063	240	<1	11	<1	196	<1	28	11
MG-1064	170	<1	34	<1	284	<1	55	25
MG-1065	170	<1	87	<1	164	<1	82	74
MG-1066	880	<1	36	<1	300	<1	66	37
MG-1067	250	<1	21	<1	473	<1	53	22
MG-1068	190	<1	103	<1	169	<1	83	86
MG-1069	400	<1	65	<1	186	<1	65	48
MG-1070	330	<1	32	<1	369	<1	50	30
MG-1071	40	<1	215	<1	91	<1	38	152
MG-1072	240	<1	67	<1	167	<1	153	49
MG-1073	140	<1	32	<1	93	<1	29	24
MG-1074	220	<1	14	<1	323	<1	34	11
MG-1075	210	<1	28	<1	261	<1	97	30
MG-1076	150	<1	109	<1	138	<1	57	64
MG-1077	340	<1	42	<1	170	<1	61	37
MG-1078	250	<1	56	<1	241	<1	82	56
MG-1079	250	<1	38	<1	321	<1	54	42
MG-1080	350	<1	59	<1	336	<1	92	61

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1081	330	<1	13	<1	334	<1	72	12
MG-1082	130	<1	79	<1	267	<1	79	59
MG-1083	220	<1	27	<1	134	<1	33	22
MG-1084	200	<1	17	<1	177	<1	73	14

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1001	<1	1300	<1	7	10	43.5	198	<0.5
MG-1002	<1	750	<1	5	<10	48.2	335	<0.5
MG-1003	<1	570	<1	6	<10	50.0	760	<0.5
MG-1004	<1	490	<1	6	<10	70.5	935	<0.5
MG-1005	<1	1100	<1	5	<10	60.5	790	0.5
MG-1006	<1	520	<1	8	<10	93.8	1920	0.6
MG-1007	<1	470	<1	8	<10	85.8	1440	0.6
MG-1008	2	410	1	7	<10	124	4700	0.9
MG-1009	1	510	<1	4	<10	58.1	2550	0.8
MG-1010	<1	1460	<1	3	<10	65.9	911	0.6
MG-1011	<1	1110	<1	7	<10	44.1	258	<0.5
MG-1012	1	820	<1	11	<10	69.1	1430	0.6
MG-1013	1	870	<1	9	<10	76.6	1220	0.6
MG-1014	<1	820	<1	9	<10	67.7	349	<0.5
MG-1015	<1	1350	<1	3	<10	26.0	99	<0.5
MG-1016	<1	1680	<1	6	<10	40.8	<3	<0.5
MG-1017	<1	840	<1	3	<10	29.0	28	<0.5
MG-1018	<1	1310	<1	9	<10	45.7	133	<0.5
MG-1019	<1	1300	<1	4	<10	50.7	94	<0.5
MG-1020	<1	860	<1	9	<10	92.3	78	<0.5
MG-1021	<1	990	<1	6	<10	72.3	566	<0.5
MG-1022	<1	1200	<1	8	<10	70.3	285	<0.5
MG-1023	<1	900	<1	7	<10	68.3	272	<0.5
MG-1024	<1	1440	<1	6	<10	47.9	223	<0.5
MG-1025	<1	860	<1	6	<10	48.9	355	<0.5
MG-1026	<1	2030	<1	4	<10	31.8	11	<0.5
MG-1027	<1	1170	<1	6	<10	47.0	359	<0.5
MG-1028	<1	850	<1	9	<10	120	525	<0.5
MG-1029	1	830	<1	13	<10	89.6	1020	<0.5
MG-1030	<1	850	<1	11	<10	76.2	186	<0.5
MG-1031	<1	960	<1	14	<10	73.4	15	<0.5
MG-1032	<1	1440	<1	9	<10	47.5	59	<0.5
MG-1033	<1	1530	<1	9	<10	42.4	126	<0.5
MG-1034	<1	1140	<1	14	<10	77.7	225	<0.5
MG-1035	<1	1570	<1	5	<10	46.5	48	<0.5
MG-1036	<1	780	<1	6	<10	82.7	306	<0.5
MG-1037	<1	920	<1	8	<10	84.9	883	<0.5
MG-1038	<1	580	<1	5	<10	86.6	1010	<0.5
MG-1039	3	400	1	5	<10	98.2	4880	1.1
MG-1040	1	230	<1	3	<10	18.8	2190	1.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1041	<1	30	<1	5	<10	11.1	90	0.8
MG-1042	<1	290	<1	4	<10	18.6	752	0.7
MG-1043	<1	740	<1	5	<10	52.0	402	<0.5
MG-1044	1	430	<1	4	<10	64.9	2820	1.1
MG-1045	<1	1620	<1	11	<10	74.2	823	0.5
MG-1046	<1	1010	<1	5	<10	56.7	49	<0.5
MG-1047	<1	1010	<1	2	<10	22.7	<3	<0.5
MG-1048	<1	1980	<1	3	<10	70.3	41	<0.5
MG-1049	<1	1450	<1	3	<10	79.3	44	<0.5
MG-1050	<1	30	<1	2	<10	8.0	16	<0.5
MG-1051	<1	1810	<1	8	<10	91.7	33	<0.5
MG-1052	<1	1020	<1	3	<10	50.5	8	<0.5
MG-1053	<1	1270	<1	3	<10	47.0	4	<0.5
MG-1054	<1	1250	<1	2	<10	31.5	14	<0.5
MG-1055	<1	1240	<1	5	<10	64.9	212	<0.5
MG-1056	<1	1400	<1	3	<10	19.5	<3	<0.5
MG-1057	<1	1280	<1	2	<10	31.0	<3	<0.5
MG-1058	<1	980	<1	13	<10	128	183	<0.5
MG-1059	<1	860	<1	12	<10	71.6	93	<0.5
MG-1060	<1	950	<1	10	<10	91.6	84	<0.5
MG-1061	<1	480	<1	4	<10	54.1	1040	0.5
MG-1062	<1	230	<1	3	<10	44.0	1470	0.9
MG-1063	<1	350	<1	2	<10	15.9	685	<0.5
MG-1064	<1	400	<1	3	<10	60.4	2360	0.8
MG-1065	2	470	<1	9	<10	61.3	3000	0.8
MG-1066	<1	540	<1	5	<10	58.2	1460	0.5
MG-1067	<1	530	<1	3	<10	59.2	1420	0.7
MG-1068	1	450	<1	10	<10	40.4	2120	1.0
MG-1069	2	400	<1	7	<10	33.3	2240	1.2
MG-1070	<1	150	<1	4	<10	21.9	906	1.1
MG-1071	<1	1010	<1	15	<10	77.4	517	<0.5
MG-1072	3	160	1	6	<10	95.8	5270	1.9
MG-1073	<1	20	<1	2	<10	12.1	202	0.9
MG-1074	<1	60	<1	2	<10	31.5	990	<0.5
MG-1075	2	530	<1	5	<10	62.6	3130	1.4
MG-1076	1	350	<1	7	<10	84.0	2040	0.7
MG-1077	1	90	<1	4	<10	37.1	2160	0.9
MG-1078	<1	770	<1	8	<10	88.0	400	0.5
MG-1079	<1	630	<1	7	<10	64.5	255	<0.5
MG-1080	<1	400	<1	9	<10	138	1400	0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1081	2	300	<1	2	<10	28.4	3280	1.0
MG-1082	2	290	<1	7	<10	63.2	3150	1.2
MG-1083	<1	80	<1	3	<10	33.9	889	1.1
MG-1084	2	280	<1	2	<10	45.0	3960	1.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1001	29	<1	263	23	970	68
MG-1002	13	<1	121	10	770	64
MG-1003	13	<1	167	13	230	63
MG-1004	13	<1	202	15	370	86
MG-1005	16	<1	159	16	1050	110
MG-1006	26	<1	205	15	980	79
MG-1007	28	<1	232	16	800	95
MG-1008	34	3	191	12	460	174
MG-1009	13	1	97	6	790	102
MG-1010	15	<1	125	11	870	114
MG-1011	22	<1	221	19	1050	59
MG-1012	39	<1	406	33	1130	116
MG-1013	34	<1	324	29	390	123
MG-1014	27	<1	342	29	520	72
MG-1015	14	<1	137	12	1590	39
MG-1016	19	<1	155	19	260	37
MG-1017	14	<1	90	8	790	35
MG-1018	64	<1	324	34	1570	58
MG-1019	34	<1	146	16	1130	74
MG-1020	51	<1	306	23	1350	73
MG-1021	26	<1	212	17	2490	89
MG-1022	32	<1	286	23	910	96
MG-1023	23	<1	225	19	1060	88
MG-1024	23	<1	175	21	960	78
MG-1025	16	<1	160	14	1000	59
MG-1026	12	<1	159	15	1050	52
MG-1027	21	<1	216	22	990	74
MG-1028	23	<1	283	23	490	115
MG-1029	84	<1	442	36	120	127
MG-1030	33	<1	321	25	300	71
MG-1031	60	<1	432	34	530	51
MG-1032	73	<1	336	33	720	62
MG-1033	32	<1	345	32	810	62
MG-1034	56	<1	515	45	1070	55
MG-1035	18	<1	168	15	1290	58
MG-1036	18	<1	212	18	760	89
MG-1037	25	<1	267	25	660	119
MG-1038	16	<1	145	11	530	107
MG-1039	12	2	134	10	230	186
MG-1040	8	2	82	5	460	53

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1041	18	<1	163	7	80	11
MG-1042	14	1	102	6	910	36
MG-1043	15	<1	128	9	970	54
MG-1044	9	2	97	7	450	99
MG-1045	22	<1	363	31	370	99
MG-1046	12	<1	138	15	560	37
MG-1047	8	<1	70	7	80	18
MG-1048	16	<1	119	11	1010	68
MG-1049	37	<1	86	9	460	57
MG-1050	6	2	57	3	80	10
MG-1051	24	<1	316	24	920	54
MG-1052	58	<1	79	8	430	26
MG-1053	78	<1	107	13	510	26
MG-1054	23	<1	57	4	1530	27
MG-1055	37	<1	178	16	1550	69
MG-1056	26	<1	87	8	350	11
MG-1057	40	<1	67	5	470	16
MG-1058	96	<1	419	34	670	102
MG-1059	31	<1	445	36	1740	46
MG-1060	26	<1	274	23	770	69
MG-1061	9	<1	93	7	650	66
MG-1062	11	1	106	8	250	77
MG-1063	6	<1	45	4	1250	30
MG-1064	10	1	67	5	190	100
MG-1065	15	3	224	18	330	90
MG-1066	11	<1	146	11	390	79
MG-1067	11	<1	106	9	690	76
MG-1068	24	4	257	20	120	57
MG-1069	11	2	183	12	280	56
MG-1070	15	<1	113	7	220	40
MG-1071	13	2	364	21	50	56
MG-1072	24	5	137	9	130	194
MG-1073	10	<1	71	5	50	21
MG-1074	8	1	38	3	90	56
MG-1075	17	2	175	14	100	113
MG-1076	11	3	176	10	60	109
MG-1077	11	3	120	10	270	70
MG-1078	12	<1	261	21	360	79
MG-1079	19	<1	228	17	90	42
MG-1080	17	<1	262	23	600	108

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142381 Order: Treasury Metals P1/5

Report File No.: 0000008292

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1081	6	2	57	4	410	75
MG-1082	16	3	169	11	90	103
MG-1083	11	3	55	4	50	51
MG-1084	10	3	47	4	240	99

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142382

[Report File No.: 0000008303]

To: ADAM LARSEN
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Aug 18, 2014

P.O. No.	:	Treasury Metals P2/5
Project No.	:	-
No. Of Samples	:	84
Date Submitted	:	Jul 25, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Certified By : _____

Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted

Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1085	0.330	4	>200	10	0.1	940	1	120
MG-1086	0.470	3	165	20	0.3	2000	2	80
MG-1087	0.405	7	61	20	0.3	2050	1	220
MG-1088	0.340	<1	>200	<10	<0.1	800	<1	30
MG-1089	0.440	13	>200	30	0.1	2290	1	20
MG-1090	0.360	<1	182	<10	0.2	150	<1	<10
MG-1091	0.435	6	161	<10	0.2	4400	<1	160
MG-1092	0.410	5	115	<10	0.4	3380	<1	240
MG-1093	0.460	18	172	20	0.1	1770	1	150
MG-1094	0.390	12	175	<10	<0.1	930	<1	150
MG-1095	0.450	5	119	<10	0.3	1390	1	130
MG-1096	0.385	11	125	<10	<0.1	1280	<1	240
MG-1097	0.360	15	141	<10	0.1	1460	<1	190
MG-1098	0.345	11	154	<10	<0.1	1950	<1	190
MG-1099	0.360	21	155	<10	0.2	2220	<1	290
MG-1100	0.365	12	139	<10	0.2	2130	<1	280
MG-1101	0.365	12	147	<10	0.3	1720	<1	260
MG-1102	0.370	17	131	<10	0.2	2200	<1	330
MG-1103	0.330	10	145	<10	0.1	2470	<1	310
MG-1104	0.385	11	122	<10	<0.1	1310	<1	220
MG-1105	0.375	14	120	<10	0.2	2680	<1	260
MG-1106	0.385	12	94	<10	0.1	2350	<1	380
MG-1107	0.345	24	133	<10	0.2	1570	<1	230
MG-1108	0.375	21	183	<10	0.2	2780	<1	210
MG-1109	0.330	16	156	<10	0.1	2810	<1	240
MG-1110	0.335	12	181	<10	<0.1	880	<1	110
MG-1111	0.400	13	129	<10	0.2	2640	<1	260
MG-1112	0.405	14	156	<10	0.1	2520	<1	210
MG-1113	0.355	8	115	<10	0.4	3470	<1	390
MG-1114	0.390	5	198	<10	0.2	2320	1	80
MG-1115	0.470	13	>200	10	<0.1	690	1	20
MG-1116	0.475	<1	88	<10	0.2	2520	<1	50
MG-1117	0.355	30	32	<10	0.2	1990	<1	440
MG-1118	0.390	6	84	<10	0.4	2830	<1	420
MG-1119	0.360	4	>200	20	<0.1	620	<1	10
MG-1120	0.410	4	>200	<10	0.2	2730	<1	40
MG-1121	0.350	3	>200	<10	<0.1	1350	<1	130
MG-1122	0.490	30	17	<10	0.4	3720	<1	890
MG-1123	0.540	6	88	<10	<0.1	2380	<1	540
MG-1124	0.485	10	44	<10	0.2	2340	<1	710

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1125	0.535	8	66	<10	0.2	1520	<1	500
MG-1126	0.475	11	166	20	0.1	1690	1	290
MG-1127	0.405	6	139	10	0.2	1740	1	170
MG-1128	0.450	19	163	10	0.2	2550	1	160
MG-1129	0.375	20	171	<10	<0.1	1860	1	180
MG-1130	0.445	20	189	20	<0.1	1500	1	150
MG-1131	0.395	10	80	<10	0.2	1990	<1	360
MG-1132	0.345	23	160	<10	<0.1	1240	<1	170
MG-1133	0.410	19	18	<10	0.4	2080	<1	610
MG-1134	0.395	34	17	<10	0.6	1600	<1	470
MG-1135	0.365	11	98	<10	<0.1	2080	<1	400
MG-1136	0.360	7	115	<10	<0.1	1540	<1	330
MG-1137	0.335	11	114	<10	<0.1	1700	<1	320
MG-1138	0.385	28	92	<10	<0.1	2210	<1	400
MG-1139	0.375	24	104	<10	0.1	2370	<1	400
MG-1140	0.340	11	183	<10	<0.1	2470	<1	250
MG-1141	0.355	17	160	<10	<0.1	1640	<1	180
MG-1142	0.380	22	128	<10	0.2	2330	<1	360
MG-1143	0.340	10	116	<10	0.1	2020	<1	220
MG-1144	0.400	22	151	<10	<0.1	1350	<1	170
MG-1145	0.350	9	186	<10	<0.1	1850	<1	210
MG-1146	0.310	13	144	<10	<0.1	1680	<1	150
MG-1147	0.350	11	158	<10	<0.1	2210	<1	160
MG-1148	0.350	8	110	<10	<0.1	950	<1	280
MG-1149	0.355	10	111	<10	<0.1	2530	<1	390
MG-1150	0.610	1	23	<10	<0.1	360	<1	10
MG-1151	0.345	13	186	20	<0.1	1160	<1	150
MG-1152	0.350	9	160	<10	<0.1	1270	<1	160
MG-1153	0.375	14	150	<10	0.1	3170	<1	310
MG-1154	0.360	59	60	<10	0.1	3430	<1	980
MG-1155	0.375	12	184	<10	<0.1	1570	<1	410
MG-1156	0.565	12	64	<10	<0.1	2080	<1	610
MG-1157	0.400	13	88	<10	<0.1	1200	<1	440
MG-1158	0.370	11	100	<10	<0.1	850	<1	330
MG-1159	0.525	11	51	<10	<0.1	1430	<1	440
MG-1160	0.550	11	55	<10	<0.1	920	<1	230
MG-1161	0.385	13	131	<10	<0.1	1110	<1	230
MG-1162	0.415	12	116	<10	<0.1	1140	<1	280
MG-1163	0.375	16	184	<10	<0.1	1290	<1	180
MG-1164	0.410	18	85	<10	0.2	1650	<1	430

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142382 Order: Treasury Metals P2/5

Report File No.: 0000008303

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1165	0.410	18	115	<10	<0.1	900	<1	220
MG-1166	0.365	15	103	<10	<0.1	1130	<1	280
MG-1167	0.380	10	125	<10	0.1	1490	<1	270
MG-1168	0.350	16	64	<10	0.3	2170	<1	740

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1085	14	277	238	100	29.8	770	25	10.5
MG-1086	2	413	28	200	10.5	550	16	6.0
MG-1087	6	1260	137	100	1.9	820	39	12.8
MG-1088	22	15	73	<100	5.2	120	5	3.1
MG-1089	4	285	142	200	26.5	620	21	9.8
MG-1090	8	186	67	<100	6.9	540	38	22.2
MG-1091	3	380	63	<100	4.8	420	19	8.8
MG-1092	2	1890	72	<100	1.4	420	84	40.9
MG-1093	6	431	195	200	4.8	360	21	9.8
MG-1094	5	264	47	100	3.5	160	17	7.9
MG-1095	3	1090	35	<100	1.5	360	49	23.3
MG-1096	9	356	60	<100	1.4	360	30	15.2
MG-1097	5	397	43	<100	1.8	320	32	16.9
MG-1098	10	207	46	100	2.5	350	37	22.2
MG-1099	9	195	62	100	1.6	400	27	16.9
MG-1100	9	192	36	<100	1.4	350	29	18.2
MG-1101	12	224	62	100	1.5	410	28	17.0
MG-1102	17	235	32	100	1.2	470	36	22.1
MG-1103	28	204	51	<100	1.7	290	32	20.6
MG-1104	45	307	46	<100	0.5	440	60	35.5
MG-1105	17	226	91	<100	2.2	590	31	18.7
MG-1106	13	172	28	<100	0.5	410	28	17.9
MG-1107	26	285	59	<100	1.5	260	24	12.5
MG-1108	8	390	53	100	2.7	400	57	32.4
MG-1109	8	321	31	<100	1.5	350	41	24.7
MG-1110	29	493	31	<100	2.7	560	71	34.4
MG-1111	12	555	68	<100	1.2	640	71	42.3
MG-1112	7	407	50	<100	1.5	880	89	50.1
MG-1113	7	147	37	100	1.0	480	29	18.7
MG-1114	9	979	351	100	6.4	760	96	45.0
MG-1115	14	239	203	100	13.2	430	25	14.1
MG-1116	<1	473	46	<100	10.6	370	22	9.4
MG-1117	7	618	28	<100	<0.5	730	55	26.6
MG-1118	4	2150	23	100	<0.5	750	203	122
MG-1119	14	115	160	<100	27.2	380	13	7.1
MG-1120	15	122	95	<100	7.7	270	14	6.7
MG-1121	44	280	157	<100	2.0	510	46	28.1
MG-1122	6	386	22	<100	<0.5	2120	82	40.2
MG-1123	27	434	26	<100	0.6	520	36	22.4
MG-1124	13	403	18	<100	<0.5	1140	59	36.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1125	11	246	30	<100	0.8	680	30	19.2
MG-1126	27	241	225	100	5.6	3240	24	17.8
MG-1127	3	1630	221	200	3.3	560	70	30.1
MG-1128	4	745	51	100	3.5	230	45	22.6
MG-1129	7	366	62	<100	3.2	170	24	12.4
MG-1130	7	398	639	200	3.9	380	15	7.5
MG-1131	4	417	175	100	0.6	600	33	22.3
MG-1132	10	831	38	<100	2.1	750	110	59.4
MG-1133	19	62	303	<100	<0.5	2660	9	7.0
MG-1134	16	46	221	<100	<0.5	3370	8	4.2
MG-1135	12	165	50	<100	1.2	360	30	21.2
MG-1136	27	349	82	<100	1.1	390	44	31.2
MG-1137	24	444	67	<100	1.0	400	54	34.1
MG-1138	23	654	101	100	1.0	730	69	53.3
MG-1139	8	275	21	100	1.0	860	42	26.7
MG-1140	13	257	82	100	2.7	420	45	30.8
MG-1141	12	355	26	<100	2.0	330	50	26.4
MG-1142	6	209	15	100	1.8	490	32	20.8
MG-1143	2	510	27	<100	0.9	370	47	25.7
MG-1144	7	442	51	<100	2.0	300	45	25.7
MG-1145	11	142	50	100	2.6	290	25	14.7
MG-1146	9	804	94	<100	3.0	250	49	23.3
MG-1147	5	756	59	<100	3.4	230	53	25.3
MG-1148	18	150	18	<100	0.9	50	14	7.6
MG-1149	14	199	57	<100	0.6	320	37	26.3
MG-1150	<1	123	13	<100	2.5	110	10	4.4
MG-1151	17	112	56	<100	4.2	130	11	6.0
MG-1152	11	260	64	<100	3.6	220	23	12.0
MG-1153	7	160	36	<100	1.5	280	27	16.9
MG-1154	30	316	26	<100	<0.5	1280	86	60.6
MG-1155	225	485	52	<100	3.7	1420	132	124
MG-1156	73	439	26	<100	0.8	1900	38	24.5
MG-1157	6	134	15	<100	<0.5	150	13	6.9
MG-1158	23	137	25	<100	0.7	250	15	8.1
MG-1159	12	209	37	<100	0.5	230	15	9.7
MG-1160	9	336	33	<100	0.7	270	23	13.2
MG-1161	9	264	28	<100	1.8	240	24	13.0
MG-1162	20	183	53	<100	1.9	150	25	14.2
MG-1163	5	193	33	100	5.7	160	11	5.5
MG-1164	6	133	30	<100	<0.5	420	18	10.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142382 Order: Treasury Metals P2/5

Report File No.: 0000008303

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1165	13	647	58	<100	1.3	290	32	16.3
MG-1166	9	273	15	<100	0.8	180	23	12.0
MG-1167	10	442	48	<100	1.4	330	34	17.4
MG-1168	11	215	18	<100	<0.5	1240	71	49.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1085	8.0	127	18	32	<1	<0.5	29.4	122
MG-1086	6.5	122	20	23	<1	<0.5	19.9	255
MG-1087	26.3	115	8	83	<1	<0.5	16.8	677
MG-1088	0.6	49	19	3	<1	<0.5	16.8	7
MG-1089	7.0	117	28	26	<1	<0.5	26.8	138
MG-1090	8.0	41	8	34	<1	<0.5	9.7	73
MG-1091	6.6	43	7	24	<1	<0.5	19.1	124
MG-1092	30.1	21	3	124	<1	<0.5	16.8	800
MG-1093	7.1	162	24	26	<1	<0.5	42.0	162
MG-1094	5.0	76	14	20	<1	<0.5	33.8	90
MG-1095	18.0	107	10	68	<1	<0.5	24.8	432
MG-1096	7.8	95	6	33	<1	<0.5	80.3	110
MG-1097	8.6	70	7	36	<1	<0.5	66.1	133
MG-1098	6.6	87	10	31	<1	<0.5	72.7	60
MG-1099	5.9	68	8	25	<1	<0.5	66.0	87
MG-1100	6.4	48	6	27	<1	<0.5	41.4	81
MG-1101	6.7	52	6	30	<1	<0.5	43.3	82
MG-1102	7.5	61	6	32	<1	<0.5	48.6	89
MG-1103	6.2	67	8	28	<1	<0.5	61.2	78
MG-1104	10.9	82	3	48	<1	<0.5	53.4	117
MG-1105	6.7	51	3	29	<1	<0.5	47.8	76
MG-1106	6.0	37	3	25	<1	<0.5	43.0	68
MG-1107	5.6	56	4	25	<1	<0.5	44.9	83
MG-1108	12.5	79	12	55	<1	<0.5	46.4	146
MG-1109	9.9	49	6	43	<1	<0.5	28.9	118
MG-1110	14.1	88	11	60	<1	<0.5	51.5	136
MG-1111	14.3	86	4	70	<1	<0.5	54.2	150
MG-1112	16.1	106	6	72	<1	<0.5	37.1	147
MG-1113	5.9	53	3	27	<1	<0.5	30.1	62
MG-1114	26.3	150	15	107	<1	<0.5	14.7	332
MG-1115	6.3	119	31	26	<1	<0.5	20.0	103
MG-1116	8.1	60	10	30	<1	<0.5	7.4	238
MG-1117	15.0	11	1	72	<1	<0.5	28.7	152
MG-1118	54.5	29	4	258	<1	<0.5	15.8	897
MG-1119	3.0	134	10	13	1	<0.5	23.3	54
MG-1120	3.2	123	11	13	<1	<0.5	24.4	48
MG-1121	7.8	116	7	37	<1	<0.5	41.5	69
MG-1122	25.9	8	<1	128	<1	<0.5	7.5	305
MG-1123	9.0	96	5	42	<1	<0.5	8.5	196
MG-1124	13.3	17	2	65	<1	<0.5	7.6	171

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1125	8.1	26	4	37	<1	<0.5	10.1	128
MG-1126	4.9	283	24	22	<1	<0.5	19.7	107
MG-1127	23.9	161	17	87	<1	<0.5	54.8	495
MG-1128	15.3	86	13	59	<1	<0.5	41.5	211
MG-1129	7.1	77	13	27	<1	<0.5	45.5	105
MG-1130	4.8	111	23	18	<1	<0.5	49.7	116
MG-1131	7.7	32	2	35	<1	<0.5	60.7	97
MG-1132	22.9	82	8	104	<1	<0.5	34.8	229
MG-1133	1.6	7	<1	10	<1	<0.5	53.8	8
MG-1134	2.3	10	<1	12	<1	<0.5	46.1	13
MG-1135	5.9	42	4	27	<1	<0.5	28.8	61
MG-1136	7.8	45	4	36	<1	<0.5	42.5	83
MG-1137	10.1	49	4	45	<1	<0.5	33.7	117
MG-1138	13.4	29	2	66	<1	<0.5	21.8	204
MG-1139	9.0	41	4	41	<1	<0.5	65.9	94
MG-1140	7.4	110	13	35	<1	<0.5	47.4	92
MG-1141	11.1	45	6	49	<1	<0.5	51.2	141
MG-1142	7.2	48	7	31	<1	<0.5	33.3	89
MG-1143	11.2	49	2	50	<1	<0.5	49.1	137
MG-1144	11.1	56	6	51	<1	<0.5	41.5	140
MG-1145	4.7	73	12	21	<1	<0.5	52.7	50
MG-1146	15.3	82	11	62	<1	<0.5	35.0	244
MG-1147	17.2	80	10	61	<1	<0.5	17.0	219
MG-1148	3.7	38	5	15	<1	<0.5	81.7	39
MG-1149	6.0	78	3	29	<1	<0.5	60.5	72
MG-1150	3.7	2	3	16	<1	<0.5	3.3	49
MG-1151	2.5	119	11	11	<1	<0.5	53.1	42
MG-1152	6.3	71	13	25	<1	<0.5	42.5	83
MG-1153	5.3	59	6	23	<1	<0.5	46.5	59
MG-1154	17.5	13	<1	84	<1	<0.5	55.8	197
MG-1155	16.3	106	20	88	<1	<0.5	17.4	260
MG-1156	9.4	33	4	43	<1	<0.5	6.3	177
MG-1157	3.7	23	2	17	<1	<0.5	20.5	54
MG-1158	4.3	31	2	19	<1	<0.5	33.9	67
MG-1159	3.9	31	1	18	<1	<0.5	18.8	65
MG-1160	5.7	51	3	26	<1	<0.5	41.3	113
MG-1161	6.7	46	6	28	<1	<0.5	62.0	93
MG-1162	6.1	31	4	26	<1	<0.5	43.4	65
MG-1163	3.1	96	20	13	<1	<0.5	56.5	57
MG-1164	4.8	16	2	22	<1	<0.5	87.2	67

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142382 Order: Treasury Metals P2/5

Report File No.: 0000008303

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1165	8.9	66	5	38	<1	<0.5	55.1	124
MG-1166	6.1	27	2	27	<1	<0.5	59.8	87
MG-1167	9.3	76	6	38	<1	<0.5	23.7	142
MG-1168	15.5	11	1	78	<1	<0.5	40.0	214

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1085	11	17	8350	7	5.0	144	204	7.4
MG-1086	7	16	460	6	12.2	155	68	2.6
MG-1087	<5	23	9790	5	6.7	635	100	2.9
MG-1088	<5	10	2630	<5	2.1	10	68	2.3
MG-1089	18	6	3650	9	7.6	140	194	9.7
MG-1090	<5	1	970	<5	0.6	143	61	1.9
MG-1091	<5	23	1990	<5	4.8	134	105	1.9
MG-1092	<5	46	2350	<5	1.1	834	127	0.3
MG-1093	18	26	12300	5	14.2	163	126	8.0
MG-1094	9	24	4190	<5	7.9	102	128	3.5
MG-1095	6	27	780	<5	13.5	445	107	2.7
MG-1096	<5	59	6620	<5	3.1	145	281	1.5
MG-1097	8	52	3460	<5	5.7	171	176	2.4
MG-1098	20	82	3990	<5	2.8	98	269	1.1
MG-1099	15	107	3630	<5	2.0	106	244	0.7
MG-1100	7	71	3980	<5	1.3	116	185	0.4
MG-1101	8	56	5650	<5	3.3	116	169	0.9
MG-1102	11	90	3240	<5	1.6	127	253	0.4
MG-1103	13	76	6420	<5	1.6	110	243	0.6
MG-1104	<5	55	5980	<5	<0.5	182	484	0.5
MG-1105	<5	68	4090	<5	0.8	115	470	0.4
MG-1106	5	89	1720	<5	<0.5	100	186	0.3
MG-1107	<5	39	2910	<5	3.3	106	177	1.5
MG-1108	23	80	1830	<5	4.3	221	188	0.7
MG-1109	9	53	2140	<5	1.6	180	165	0.5
MG-1110	9	30	4320	<5	3.4	238	311	1.9
MG-1111	7	69	6370	<5	0.9	246	412	0.4
MG-1112	8	70	3520	<5	1.0	258	557	0.3
MG-1113	5	94	2640	<5	<0.5	96	272	0.1
MG-1114	12	31	9290	<5	9.6	528	511	1.7
MG-1115	10	10	4450	<5	7.4	134	347	6.2
MG-1116	<5	19	920	<5	5.4	203	93	1.7
MG-1117	11	151	3110	<5	<0.5	248	666	<0.1
MG-1118	6	155	2050	<5	<0.5	1170	648	<0.1
MG-1119	6	6	890	<5	2.3	65	368	9.8
MG-1120	8	19	2040	<5	3.5	61	241	4.8
MG-1121	6	43	7570	<5	3.9	129	365	2.5
MG-1122	45	202	370	<5	<0.5	511	700	<0.1
MG-1123	16	88	4920	<5	1.4	216	359	0.7
MG-1124	25	132	200	<5	<0.5	258	383	0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1125	29	83	660	<5	1.0	178	196	0.3
MG-1126	72	44	18300	32	10.0	119	566	2.5
MG-1127	13	45	8820	6	16.0	556	263	2.9
MG-1128	6	39	3580	<5	16.0	295	104	3.8
MG-1129	9	41	5150	<5	9.8	142	111	3.6
MG-1130	21	30	62300	7	12.3	119	141	6.6
MG-1131	7	96	7950	<5	1.1	134	175	0.2
MG-1132	9	43	1720	<5	3.7	404	424	0.8
MG-1133	45	103	16200	17	<0.5	19	492	0.5
MG-1134	12	46	7110	9	<0.5	34	309	1.0
MG-1135	7	84	4520	<5	1.0	93	227	0.3
MG-1136	<5	101	11000	<5	0.8	127	347	0.4
MG-1137	5	87	6850	<5	0.9	174	364	0.3
MG-1138	5	93	9510	<5	0.5	263	504	0.2
MG-1139	7	105	1960	<5	1.1	143	314	0.3
MG-1140	23	73	5960	<5	4.0	128	295	1.0
MG-1141	<5	43	2340	<5	2.1	202	169	1.4
MG-1142	13	78	1130	<5	2.1	122	212	0.4
MG-1143	<5	58	2420	<5	1.7	199	247	0.4
MG-1144	5	41	3560	<5	4.2	197	198	1.4
MG-1145	13	77	5870	<5	3.1	71	239	0.9
MG-1146	11	31	6310	<5	8.6	321	151	2.8
MG-1147	12	29	1970	<5	7.5	321	119	2.8
MG-1148	<5	33	4920	<5	1.6	61	180	1.2
MG-1149	6	81	6510	<5	0.6	105	297	0.3
MG-1150	<5	1	280	<5	<0.5	79	17	0.8
MG-1151	9	21	5040	<5	4.4	51	178	5.2
MG-1152	10	25	6990	<5	5.6	113	166	3.3
MG-1153	9	78	2470	<5	1.1	81	216	0.4
MG-1154	26	170	1030	<5	<0.5	283	1010	<0.1
MG-1155	31	49	3520	<5	5.1	326	1700	6.2
MG-1156	18	86	900	10	1.6	222	1050	0.7
MG-1157	<5	46	680	<5	<0.5	74	122	0.2
MG-1158	<5	50	2630	<5	0.6	84	182	0.6
MG-1159	11	77	4760	<5	<0.5	89	424	0.3
MG-1160	5	43	3530	<5	1.3	134	328	1.4
MG-1161	6	36	3290	<5	3.2	132	144	2.2
MG-1162	<5	45	4850	<5	1.8	104	172	1.0
MG-1163	15	29	1860	<5	10.1	58	110	4.8
MG-1164	<5	88	2620	<5	<0.5	93	209	0.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142382 Order: Treasury Metals P2/5

Report File No.: 0000008303

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1165	<5	37	6650	<5	3.0	180	306	1.5
MG-1166	<5	62	1250	<5	0.8	113	183	0.4
MG-1167	5	61	1960	<5	3.9	181	165	1.2
MG-1168	21	166	1850	<5	<0.5	298	339	0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1085	310	<1	33	<1	410	<1	54	33
MG-1086	160	<1	41	<1	154	<1	48	26
MG-1087	80	<1	154	<1	58	<1	42	100
MG-1088	580	<1	2	<1	117	<1	15	2
MG-1089	410	<1	34	<1	287	<1	62	28
MG-1090	500	<1	28	<1	42	<1	108	32
MG-1091	230	<1	32	<1	180	<1	44	26
MG-1092	160	<1	194	<1	168	<1	122	145
MG-1093	190	<1	41	<1	212	<1	68	30
MG-1094	170	<1	26	<1	176	<1	44	20
MG-1095	190	<1	113	<1	107	<1	87	82
MG-1096	310	<1	32	<1	146	<1	68	33
MG-1097	230	<1	39	<1	124	<1	69	37
MG-1098	320	<1	21	<1	189	<1	97	26
MG-1099	260	<1	23	<1	133	<1	77	23
MG-1100	270	<1	24	<1	128	<1	77	26
MG-1101	280	<1	25	<1	130	<1	77	26
MG-1102	240	<1	28	<1	114	<1	82	29
MG-1103	310	<1	23	<1	140	<1	77	25
MG-1104	380	<1	40	<1	105	<1	58	42
MG-1105	150	<1	24	<1	311	<1	53	27
MG-1106	170	<1	23	<1	88	<1	54	24
MG-1107	330	<1	25	<1	135	<1	53	25
MG-1108	280	<1	47	<1	196	<1	129	51
MG-1109	240	<1	37	<1	166	<1	79	42
MG-1110	290	<1	52	<1	194	<1	73	55
MG-1111	250	<1	50	<1	297	<1	127	61
MG-1112	210	<1	52	<1	287	<1	105	64
MG-1113	170	<1	18	<1	254	<1	62	22
MG-1114	260	<1	116	<1	244	<1	127	110
MG-1115	360	<1	31	<1	210	<1	63	26
MG-1116	120	<1	54	<1	176	<1	44	35
MG-1117	60	<1	51	<1	223	<1	16	60
MG-1118	100	<1	260	<1	131	<1	101	259
MG-1119	450	<1	14	<1	262	<1	36	13
MG-1120	310	<1	14	<1	344	<1	34	12
MG-1121	400	<1	26	<1	379	<1	70	31
MG-1122	50	<1	102	<1	17	<1	14	115
MG-1123	150	<1	58	<1	21	<1	34	43
MG-1124	90	<1	60	<1	10	<1	25	58

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1125	100	<1	38	<1	18	<1	24	35
MG-1126	420	<1	30	<1	88	<1	91	24
MG-1127	230	<1	142	<1	225	<1	107	102
MG-1128	300	<1	67	<1	313	<1	94	62
MG-1129	360	<1	31	<1	226	<1	63	30
MG-1130	140	<1	28	<1	125	<1	54	22
MG-1131	140	<1	31	<1	94	<1	59	31
MG-1132	450	<1	83	<1	149	<1	104	92
MG-1133	120	<1	3	<1	14	<1	9	6
MG-1134	350	<1	6	<1	10	2	6	9
MG-1135	240	<1	19	<1	115	<1	52	23
MG-1136	280	<1	26	<1	118	<1	63	29
MG-1137	300	<1	38	<1	132	<1	59	39
MG-1138	170	<1	60	<1	126	<1	39	56
MG-1139	150	<1	31	<1	102	<1	52	36
MG-1140	400	<1	28	<1	148	<1	97	28
MG-1141	270	<1	46	<1	179	<1	81	47
MG-1142	200	<1	27	<1	151	<1	61	28
MG-1143	250	<1	43	<1	218	<1	94	46
MG-1144	280	<1	44	<1	204	<1	75	47
MG-1145	210	<1	16	<1	265	<1	74	17
MG-1146	220	<1	78	<1	275	<1	81	68
MG-1147	330	<1	73	<1	275	<1	77	68
MG-1148	280	<1	13	<1	160	<1	24	14
MG-1149	240	<1	22	<1	111	<1	54	25
MG-1150	30	<1	17	<1	44	<1	10	18
MG-1151	490	<1	11	<1	127	<1	32	11
MG-1152	310	<1	26	<1	237	<1	51	27
MG-1153	160	<1	17	<1	178	<1	71	19
MG-1154	100	<1	65	<1	75	<1	25	68
MG-1155	370	<1	73	<1	74	<1	81	72
MG-1156	80	<1	54	<1	21	<1	25	44
MG-1157	110	<1	16	<1	62	<1	11	16
MG-1158	160	<1	19	<1	197	<1	17	18
MG-1159	50	<1	20	<1	81	<1	14	18
MG-1160	50	<1	31	<1	118	<1	26	27
MG-1161	200	<1	28	<1	176	<1	50	27
MG-1162	220	<1	22	<1	210	<1	43	24
MG-1163	300	<1	13	<1	208	<1	49	13
MG-1164	140	<1	20	<1	66	<1	21	20

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142382 Order: Treasury Metals P2/5

Report File No.: 0000008303

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1165	210	<1	39	<1	164	<1	40	39
MG-1166	140	<1	25	<1	139	<1	27	26
MG-1167	270	<1	42	<1	111	<1	52	38
MG-1168	130	<1	64	<1	22	<1	30	67

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1085	1	210	<1	5	<10	19.1	1550	0.9
MG-1086	2	220	<1	3	<10	44.0	4150	0.8
MG-1087	<1	600	<1	9	<10	76.8	1420	<0.5
MG-1088	<1	190	<1	<1	<10	<0.5	675	<0.5
MG-1089	5	100	<1	4	<10	36.6	2700	1.0
MG-1090	<1	10	<1	6	<10	19.7	249	<0.5
MG-1091	<1	440	<1	4	<10	66.9	1180	0.9
MG-1092	<1	740	<1	16	<10	66.4	265	<0.5
MG-1093	2	320	<1	4	<10	78.3	4160	0.6
MG-1094	<1	280	<1	3	<10	55.6	2250	<0.5
MG-1095	<1	330	<1	10	<10	154	3450	<0.5
MG-1096	<1	570	<1	5	<10	87.2	695	<0.5
MG-1097	<1	450	<1	6	<10	103	1390	<0.5
MG-1098	<1	740	<1	5	<10	76.2	774	<0.5
MG-1099	<1	1050	<1	4	<10	61.9	617	<0.5
MG-1100	<1	890	<1	5	<10	62.3	329	<0.5
MG-1101	<1	690	<1	5	<10	79.0	612	<0.5
MG-1102	<1	1130	<1	6	<10	49.7	422	<0.5
MG-1103	<1	1060	<1	5	<10	57.0	459	<0.5
MG-1104	<1	740	<1	9	<10	65.1	104	<0.5
MG-1105	<1	960	<1	5	<10	70.5	228	<0.5
MG-1106	<1	1250	<1	4	<10	37.7	138	<0.5
MG-1107	<1	650	<1	4	<10	77.2	754	<0.5
MG-1108	<1	890	<1	9	<10	74.0	1270	0.6
MG-1109	<1	850	<1	7	<10	65.2	456	<0.5
MG-1110	<1	360	<1	12	<10	105	980	<0.5
MG-1111	<1	940	<1	12	<10	106	250	<0.5
MG-1112	<1	880	<1	14	<10	94.1	338	<0.5
MG-1113	<1	1390	<1	4	<10	47.0	144	<0.5
MG-1114	<1	390	<1	17	<10	118	2860	1.1
MG-1115	1	110	<1	4	<10	22.7	3190	0.7
MG-1116	<1	420	<1	4	<10	37.3	1780	0.7
MG-1117	<1	1610	<1	10	<10	31.4	13	<0.5
MG-1118	<1	1690	<1	37	<10	64.0	41	<0.5
MG-1119	<1	110	<1	2	<10	22.7	514	0.6
MG-1120	<1	340	<1	2	<10	37.4	1030	0.7
MG-1121	<1	620	<1	7	<10	101	1090	<0.5
MG-1122	<1	1690	<1	16	<10	23.4	12	<0.5
MG-1123	<1	1150	<1	6	<10	44.3	257	<0.5
MG-1124	<1	1730	<1	10	<10	57.1	22	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1125	<1	990	<1	5	<10	36.5	222	<0.5
MG-1126	1	630	<1	4	<10	62.3	2350	1.1
MG-1127	1	420	<1	13	<10	144	4090	0.7
MG-1128	1	390	<1	9	<10	160	3830	0.5
MG-1129	<1	400	<1	4	<10	97.5	2530	<0.5
MG-1130	2	270	<1	3	<10	79.2	3390	1.0
MG-1131	<1	1100	<1	5	<10	50.2	193	<0.5
MG-1132	<1	440	<1	17	<10	126	1070	<0.5
MG-1133	<1	1190	<1	1	<10	18.5	40	<0.5
MG-1134	<1	620	<1	1	<10	21.7	16	<0.5
MG-1135	<1	1370	<1	4	<10	27.5	294	<0.5
MG-1136	<1	1310	<1	6	<10	37.3	230	<0.5
MG-1137	<1	1210	<1	8	<10	53.4	215	<0.5
MG-1138	<1	1080	<1	11	<10	45.5	148	0.5
MG-1139	<1	1030	<1	7	<10	57.5	241	<0.5
MG-1140	<1	890	<1	6	<10	71.1	1070	<0.5
MG-1141	<1	530	<1	8	<10	71.0	522	<0.5
MG-1142	<1	1120	<1	5	<10	49.0	622	<0.5
MG-1143	<1	680	<1	8	<10	129	354	<0.5
MG-1144	<1	500	<1	8	<10	106	1090	<0.5
MG-1145	<1	810	<1	3	<10	56.5	963	<0.5
MG-1146	<1	390	<1	8	<10	118	2200	0.5
MG-1147	<1	500	<1	9	<10	101	1860	1.0
MG-1148	<1	580	<1	2	<10	21.3	465	<0.5
MG-1149	<1	1150	<1	5	<10	41.8	164	<0.5
MG-1150	<1	30	<1	2	<10	5.4	28	<0.5
MG-1151	<1	400	<1	2	<10	30.1	1290	<0.5
MG-1152	<1	380	<1	4	<10	62.5	1670	0.6
MG-1153	<1	1110	<1	4	<10	42.9	344	<0.5
MG-1154	<1	2290	<1	13	<10	27.3	8	<0.5
MG-1155	1	1020	<1	17	<10	38.6	1500	0.7
MG-1156	<1	1520	<1	6	<10	59.3	279	<0.5
MG-1157	<1	900	<1	2	<10	18.2	59	<0.5
MG-1158	<1	760	<1	3	<10	17.8	161	<0.5
MG-1159	<1	1010	<1	3	<10	42.7	79	<0.5
MG-1160	<1	510	<1	4	<10	55.8	279	<0.5
MG-1161	<1	420	<1	4	<10	61.8	823	<0.5
MG-1162	<1	610	<1	4	<10	43.1	508	<0.5
MG-1163	1	380	<1	2	<10	58.9	2760	0.7
MG-1164	<1	1620	<1	3	<10	28.9	56	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1165	<1	440	<1	6	<10	79.4	716	<0.5
MG-1166	<1	650	<1	4	<10	47.0	132	<0.5
MG-1167	<1	630	<1	6	<10	74.5	765	<0.5
MG-1168	<1	2330	<1	11	<10	31.0	13	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142382 Order: Treasury Metals P2/5

Report File No.: 0000008303

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1085	13	1	120	8	1140	52
MG-1086	14	3	72	5	80	89
MG-1087	14	2	174	9	190	80
MG-1088	2	<1	28	2	1080	15
MG-1089	17	2	90	7	150	82
MG-1090	16	<1	218	18	130	34
MG-1091	8	<1	99	7	120	81
MG-1092	19	<1	416	31	90	62
MG-1093	14	1	97	8	290	140
MG-1094	7	<1	78	6	180	86
MG-1095	20	2	238	19	210	189
MG-1096	13	<1	164	12	640	77
MG-1097	13	<1	141	13	340	120
MG-1098	19	<1	174	20	740	105
MG-1099	12	<1	148	15	800	94
MG-1100	16	<1	153	15	920	85
MG-1101	17	<1	139	15	1200	108
MG-1102	20	<1	185	19	1380	83
MG-1103	21	<1	149	18	1830	90
MG-1104	26	<1	313	28	2110	44
MG-1105	28	<1	168	13	960	65
MG-1106	20	<1	131	16	2150	61
MG-1107	11	<1	114	11	1180	88
MG-1108	20	<1	298	30	730	121
MG-1109	19	<1	213	21	980	81
MG-1110	18	<1	344	23	1550	72
MG-1111	40	<1	343	37	920	99
MG-1112	55	<1	461	38	460	68
MG-1113	26	<1	149	16	1010	53
MG-1114	49	1	434	36	450	107
MG-1115	10	1	144	10	810	45
MG-1116	11	2	100	8	70	57
MG-1117	90	<1	264	19	70	10
MG-1118	107	<1	1170	100	70	35
MG-1119	11	<1	64	7	950	33
MG-1120	7	<1	70	5	1990	53
MG-1121	25	<1	230	20	2240	67
MG-1122	33	<1	491	29	40	12
MG-1123	255	<1	218	21	400	60
MG-1124	109	<1	316	35	510	37

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142382 Order: Treasury Metals P2/5

Report File No.: 0000008303

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1125	60	<1	177	17	360	46
MG-1126	304	1	138	17	1630	179
MG-1127	26	2	334	22	330	202
MG-1128	25	2	213	18	680	203
MG-1129	13	<1	108	9	580	135
MG-1130	12	1	68	6	550	142
MG-1131	24	<1	145	18	520	67
MG-1132	27	<1	553	43	550	93
MG-1133	10	2	49	6	240	18
MG-1134	20	1	46	4	240	28
MG-1135	14	<1	147	19	740	56
MG-1136	19	<1	235	24	1070	62
MG-1137	21	<1	278	26	1060	67
MG-1138	89	<1	374	39	640	56
MG-1139	39	<1	215	20	1000	74
MG-1140	31	<1	244	24	760	116
MG-1141	16	<1	252	20	660	77
MG-1142	18	<1	152	15	690	86
MG-1143	27	12	202	19	340	103
MG-1144	16	3	230	18	270	94
MG-1145	15	<1	133	12	1230	96
MG-1146	18	1	205	18	750	126
MG-1147	18	1	218	19	290	99
MG-1148	6	<1	67	5	1030	27
MG-1149	33	<1	181	21	1350	63
MG-1150	6	1	46	3	70	11
MG-1151	9	1	51	4	1630	46
MG-1152	12	<1	106	9	580	85
MG-1153	18	<1	141	14	1260	67
MG-1154	88	<1	444	48	1030	25
MG-1155	3270	3	1010	102	2130	126
MG-1156	927	<1	206	21	1200	60
MG-1157	28	<1	64	5	160	18
MG-1158	10	<1	82	6	1850	22
MG-1159	49	<1	78	8	700	29
MG-1160	25	<1	113	10	350	61
MG-1161	12	<1	111	9	560	83
MG-1162	11	<1	123	11	1220	52
MG-1163	9	1	51	4	300	120
MG-1164	14	<1	81	7	270	38

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142382 Order: Treasury Metals P2/5

Report File No.: 0000008303

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1165	15	<1	152	12	260	82
MG-1166	15	<1	111	9	480	54
MG-1167	16	<1	158	13	440	95
MG-1168	23	<1	322	44	440	44

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142383

[Report File No.: 0000008268]

To: ADAM LARSEN
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Aug 14, 2014

P.O. No.	:	Treasury Metals P3/5
Project No.	:	-
No. Of Samples	:	84
Date Submitted	:	Jul 25, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Certified By : _____

Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted

Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1169	0.355	25	112	<10	0.3	1950	<1	410
MG-1170	0.385	14	68	<10	0.5	2700	<1	600
MG-1171	0.405	7	183	10	<0.1	1850	1	110
MG-1172	0.350	6	>200	20	<0.1	2930	1	90
MG-1173	0.375	6	178	10	0.2	2400	1	110
MG-1174	0.355	8	171	<10	0.3	2710	<1	180
MG-1175	0.400	8	>200	20	0.1	1760	1	100
MG-1176	0.340	17	161	<10	<0.1	1130	<1	200
MG-1177	0.415	17	109	<10	0.3	1550	<1	250
MG-1178	0.440	15	97	<10	0.6	2020	<1	370
MG-1179	0.405	15	176	<10	0.1	1590	<1	200
MG-1180	0.370	11	155	<10	<0.1	1120	<1	190
MG-1181	0.435	8	104	<10	0.2	1360	<1	170
MG-1182	0.440	7	141	<10	0.6	2640	<1	260
MG-1183	0.365	9	122	10	0.2	1670	<1	150
MG-1184	0.450	10	150	<10	0.1	1730	<1	190
MG-1185	0.430	14	185	10	0.2	2080	<1	130
MG-1186	0.395	7	72	<10	0.4	1740	<1	370
MG-1187	0.410	7	>200	10	0.2	2050	<1	130
MG-1188	0.410	9	129	<10	<0.1	2090	<1	350
MG-1189	0.420	28	133	<10	0.1	1390	<1	310
MG-1190	0.340	8	115	<10	0.1	2550	<1	470
MG-1191	0.425	18	116	<10	0.5	2040	<1	420
MG-1192	0.470	12	149	<10	0.3	1360	<1	200
MG-1193	0.390	11	152	<10	0.2	1390	<1	190
MG-1194	0.355	16	148	<10	<0.1	1720	<1	280
MG-1195	0.360	12	155	10	0.1	1650	<1	190
MG-1196	0.450	18	>200	20	0.1	2040	<1	110
MG-1197	0.450	5	>200	20	0.2	1770	1	120
MG-1198	0.360	6	185	<10	<0.1	1630	<1	160
MG-1199	0.430	18	134	<10	<0.1	1420	<1	230
MG-1200	0.500	3	107	10	0.2	1730	<1	160
MG-1201	0.465	9	142	10	0.1	1360	<1	110
MG-1202	0.445	8	>200	10	0.1	1880	1	110
MG-1203	0.500	6	107	<10	0.3	1470	<1	270
MG-1204	0.415	14	192	10	<0.1	1370	<1	140
MG-1205	0.335	9	96	<10	0.3	3100	<1	400
MG-1206	0.480	8	117	<10	0.3	2440	<1	380
MG-1207	0.385	7	159	<10	<0.1	2480	<1	250
MG-1208	0.425	17	134	<10	0.2	1800	<1	350

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1209	0.405	10	114	<10	0.2	1960	<1	410
MG-1210	0.385	11	105	<10	<0.1	2390	<1	370
MG-2001	0.375	4	>200	100	<0.1	1650	1	90
MG-2002	0.480	6	60	10	0.1	1310	<1	260
MG-2003	0.585	5	27	<10	0.3	1400	<1	550
MG-2004	0.545	7	117	10	<0.1	620	1	140
MG-2005	0.520	5	>200	20	<0.1	1080	2	20
MG-2006	0.340	20	>200	20	<0.1	1040	<1	20
MG-2007	0.465	1	>200	20	<0.1	330	<1	<10
MG-2008	0.460	<1	>200	40	0.2	990	2	10
MG-2009	0.530	<1	110	<10	<0.1	760	<1	<10
MG-2010	0.385	<1	>200	20	<0.1	270	<1	<10
MG-2011	0.460	<1	>200	<10	<0.1	560	<1	<10
MG-2012	0.410	3	>200	50	<0.1	1300	3	20
MG-2013	0.420	2	>200	10	<0.1	1670	<1	60
MG-2014	0.460	<1	>200	<10	<0.1	180	<1	<10
MG-2015	0.430	<1	>200	20	<0.1	850	1	100
MG-2016	0.420	<1	>200	20	<0.1	660	<1	<10
MG-2017	0.465	<1	125	10	<0.1	700	<1	10
MG-2018	0.395	1	114	<10	<0.1	190	<1	<10
MG-2019	0.445	1	72	<10	<0.1	740	<1	<10
MG-2020	0.600	<1	145	<10	<0.1	850	<1	30
MG-2021	0.490	<1	>200	10	<0.1	690	<1	30
MG-2022	0.470	<1	>200	<10	<0.1	280	<1	<10
MG-2023	0.470	<1	>200	10	<0.1	380	<1	<10
MG-2024	0.750	<1	149	10	0.5	1880	<1	30
MG-2025	0.555	2	>200	20	<0.1	3350	1	110
MG-2026	0.525	9	7	20	0.6	780	<1	460
MG-2027	0.605	9	7	<10	0.3	1260	<1	470
MG-2028	0.655	7	4	20	0.3	1720	<1	380
MG-2029	0.400	5	>200	30	<0.1	710	2	10
MG-2030	0.410	5	>200	20	<0.1	430	<1	<10
MG-2031	0.335	10	>200	20	<0.1	890	<1	10
MG-2032	0.550	6	41	<10	<0.1	1590	<1	240
MG-2034	0.410	2	97	<10	<0.1	410	<1	20
MG-2035	0.410	<1	>200	30	<0.1	980	3	50
MG-2036	0.365	4	63	<10	<0.1	530	<1	20
MG-2037	0.400	2	72	<10	<0.1	730	<1	30
MG-2038	0.480	<1	116	<10	<0.1	660	<1	20
MG-2039	0.475	<1	>200	10	<0.1	420	<1	20

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142383 Order: Treasury Metals P3/5

Report File No.: 0000008268

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2040	0.410	5	198	<10	<0.1	850	<1	30
MG-2041	0.430	4	86	10	<0.1	640	<1	160
MG-2042	0.455	<1	>200	20	<0.1	1950	1	80
MG-2043	0.470	<1	200	20	<0.1	970	<1	<10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1169	21	326	36	100	<0.5	820	76	54.2
MG-1170	9	439	15	<100	<0.5	1500	132	84.9
MG-1171	3	596	62	<100	6.2	280	41	19.7
MG-1172	9	495	133	100	7.8	270	30	16.2
MG-1173	5	1040	69	100	4.8	250	67	36.2
MG-1174	4	1960	86	<100	1.8	500	118	61.7
MG-1175	8	399	92	200	4.4	270	23	12.0
MG-1176	27	356	52	<100	1.2	410	37	19.1
MG-1177	9	849	19	100	<0.5	700	85	51.4
MG-1178	4	1080	32	200	0.5	1210	111	64.6
MG-1179	17	274	36	<100	2.0	640	71	41.1
MG-1180	37	260	41	<100	1.0	440	44	25.5
MG-1181	9	898	30	<100	1.6	290	57	29.2
MG-1182	8	583	62	100	2.5	770	64	39.6
MG-1183	3	895	72	<100	2.3	330	39	18.6
MG-1184	4	498	71	100	3.1	370	30	15.4
MG-1185	7	400	117	100	2.4	220	25	13.2
MG-1186	3	858	58	100	0.7	1170	63	39.8
MG-1187	20	289	277	200	5.7	800	48	34.1
MG-1188	42	319	58	<100	<0.5	550	174	112
MG-1189	42	643	24	<100	0.8	960	204	129
MG-1190	25	224	48	<100	<0.5	200	25	17.6
MG-1191	7	901	40	<100	<0.5	660	72	46.4
MG-1192	8	669	53	<100	1.2	370	49	23.6
MG-1193	6	570	41	<100	1.4	360	46	26.2
MG-1194	14	226	38	<100	0.9	370	41	21.7
MG-1195	7	300	48	<100	3.1	200	26	13.8
MG-1196	5	345	66	200	6.2	310	20	9.2
MG-1197	3	634	100	200	12.4	430	30	14.3
MG-1198	18	178	57	<100	3.1	200	15	8.0
MG-1199	7	581	48	<100	1.0	520	47	24.1
MG-1200	3	926	34	100	1.8	220	41	21.6
MG-1201	6	1250	54	100	2.7	250	48	21.3
MG-1202	5	514	52	200	4.4	220	22	10.1
MG-1203	2	966	26	<100	0.6	450	68	31.6
MG-1204	8	391	49	200	3.6	230	21	10.8
MG-1205	17	311	16	<100	<0.5	560	49	31.7
MG-1206	13	323	40	100	0.7	600	47	29.7
MG-1207	17	277	80	<100	1.7	400	42	26.5
MG-1208	24	216	41	100	1.3	460	27	17.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1209	43	341	88	<100	<0.5	380	32	21.3
MG-1210	17	379	26	<100	<0.5	500	136	95.8
MG-2001	3	381	81	200	2.9	180	14	6.1
MG-2002	10	827	354	<100	1.8	2420	30	16.0
MG-2003	10	528	145	<100	<0.5	2210	28	16.6
MG-2004	9	628	68	<100	3.4	1530	46	24.1
MG-2005	7	163	29	100	5.8	80	11	5.3
MG-2006	17	286	111	100	9.3	240	16	7.5
MG-2007	18	103	33	100	8.3	140	9	3.9
MG-2008	2	82	16	300	9.8	110	7	3.5
MG-2009	2	226	15	<100	8.2	100	21	8.9
MG-2010	4	43	22	<100	6.3	70	6	2.8
MG-2011	3	273	7	<100	6.6	120	22	9.7
MG-2012	15	70	21	100	6.4	100	6	3.4
MG-2013	14	256	60	<100	6.2	240	19	9.3
MG-2014	5	20	12	<100	8.1	140	5	2.8
MG-2015	6	77	45	100	16.5	80	7	3.3
MG-2016	29	82	20	200	11.7	110	8	3.7
MG-2017	3	151	17	<100	7.5	130	16	7.6
MG-2018	6	164	14	<100	6.3	100	12	5.9
MG-2019	2	381	14	<100	5.1	120	33	15.2
MG-2020	<1	278	9	<100	5.4	120	28	12.1
MG-2021	3	92	14	200	4.3	50	8	4.3
MG-2022	4	140	28	100	4.8	50	16	7.9
MG-2023	2	105	136	100	3.4	70	14	9.0
MG-2024	2	808	36	200	3.6	210	36	15.1
MG-2025	2	561	90	200	8.2	220	28	13.3
MG-2026	5	93	54	<100	<0.5	1110	12	7.1
MG-2027	2	37	134	<100	<0.5	1030	9	5.5
MG-2028	9	25	40	<100	<0.5	2150	8	5.3
MG-2029	20	89	41	100	6.6	130	8	4.8
MG-2030	9	118	28	<100	6.1	140	11	5.7
MG-2031	11	167	63	100	7.7	180	13	5.8
MG-2032	8	840	112	<100	0.7	1290	27	13.8
MG-2034	7	135	25	<100	4.6	80	14	7.1
MG-2035	3	130	20	300	11.0	60	8	4.9
MG-2036	7	219	21	<100	3.5	130	32	15.4
MG-2037	5	175	18	<100	5.3	90	18	9.0
MG-2038	3	218	31	100	3.6	50	16	7.9
MG-2039	<1	196	11	200	6.4	90	16	7.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142383 Order: Treasury Metals P3/5

Report File No.: 0000008268

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2040	20	121	40	<100	9.4	180	11	5.7
MG-2041	16	360	38	<100	2.9	550	19	9.7
MG-2042	2	145	18	200	6.4	90	12	4.9
MG-2043	2	312	12	100	5.9	100	22	9.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1169	17.5	41	2	85	<1	<0.5	28.8	222
MG-1170	29.7	15	<1	129	<1	<0.5	41.4	394
MG-1171	14.2	84	17	49	<1	<0.5	19.3	190
MG-1172	10.1	108	26	38	<1	<0.5	23.1	141
MG-1173	23.1	91	17	84	<1	<0.5	29.2	308
MG-1174	39.5	72	4	145	<1	<0.5	32.7	640
MG-1175	7.5	157	21	27	<1	<0.5	39.9	100
MG-1176	8.8	98	8	37	<1	<0.5	47.6	105
MG-1177	21.8	64	<1	91	<1	<0.5	42.0	191
MG-1178	28.5	50	2	112	<1	<0.5	36.7	349
MG-1179	11.1	142	10	51	<1	<0.5	56.9	87
MG-1180	8.7	91	5	36	<1	<0.5	52.2	80
MG-1181	22.2	50	6	78	<1	<0.5	20.2	274
MG-1182	19.2	68	10	74	<1	<0.5	27.2	193
MG-1183	14.0	100	7	52	<1	<0.5	28.8	233
MG-1184	9.7	121	11	35	<1	<0.5	39.0	135
MG-1185	7.7	95	13	28	<1	<0.5	36.4	117
MG-1186	18.3	39	3	80	<1	<0.5	37.5	266
MG-1187	7.2	240	33	32	<1	<0.5	53.5	66
MG-1188	18.0	129	2	95	<1	<0.5	53.8	104
MG-1189	28.6	95	4	145	<1	<0.5	58.8	280
MG-1190	5.3	54	2	22	<1	<0.5	62.2	83
MG-1191	20.8	47	3	94	<1	<0.5	39.4	383
MG-1192	14.4	89	6	57	<1	<0.5	35.6	249
MG-1193	14.1	80	6	55	<1	<0.5	44.8	194
MG-1194	8.1	56	5	32	<1	<0.5	61.2	88
MG-1195	7.5	74	9	31	<1	<0.5	50.9	112
MG-1196	6.4	130	27	22	<1	<0.5	26.9	115
MG-1197	10.3	110	20	39	<1	<0.5	29.8	232
MG-1198	4.3	75	15	18	<1	<0.5	16.5	57
MG-1199	12.1	97	5	52	<1	<0.5	38.1	181
MG-1200	16.0	68	7	55	<1	<0.5	15.8	347
MG-1201	19.2	98	11	63	<1	<0.5	14.9	464
MG-1202	8.1	151	26	29	<1	<0.5	13.6	195
MG-1203	21.4	42	2	79	<1	<0.5	13.2	325
MG-1204	6.7	152	19	25	<1	<0.5	21.3	126
MG-1205	9.8	36	1	44	<1	<0.5	39.9	105
MG-1206	10.3	58	4	42	<1	<0.5	43.9	120
MG-1207	8.2	84	9	36	<1	<0.5	38.0	93
MG-1208	6.2	53	6	26	<1	<0.5	40.6	94

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1209	6.6	36	2	27	<1	<0.5	40.2	84
MG-1210	16.9	150	<1	85	<1	<0.5	31.2	146
MG-2001	4.0	109	20	15	<1	<0.5	18.8	86
MG-2002	10.8	159	5	40	<1	<0.5	8.5	342
MG-2003	8.8	19	<1	41	<1	<0.5	14.8	179
MG-2004	15.3	182	9	62	<1	<0.5	10.0	268
MG-2005	4.5	156	68	14	<1	<0.5	15.6	78
MG-2006	5.4	110	25	17	1	<0.5	9.3	100
MG-2007	3.2	83	4	10	1	<0.5	7.1	52
MG-2008	2.4	108	145	6	<1	<0.5	10.9	48
MG-2009	7.8	27	12	28	<1	<0.5	5.1	95
MG-2010	1.6	135	24	5	<1	<0.5	3.3	23
MG-2011	8.4	66	26	26	<1	<0.5	8.2	143
MG-2012	2.0	106	90	7	<1	<0.5	16.7	35
MG-2013	6.2	62	25	20	<1	<0.5	12.2	150
MG-2014	1.0	57	11	4	<1	<0.5	4.1	9
MG-2015	2.3	102	92	7	<1	<0.5	11.0	39
MG-2016	2.8	92	37	8	<1	<0.5	8.7	44
MG-2017	5.4	60	29	19	<1	<0.5	5.8	82
MG-2018	4.7	30	9	14	<1	<0.5	4.7	65
MG-2019	11.6	18	9	46	<1	<0.5	4.8	223
MG-2020	11.1	71	21	40	<1	<0.5	6.7	184
MG-2021	3.0	68	60	8	<1	<0.5	3.5	48
MG-2022	5.5	71	10	17	<1	<0.5	2.1	63
MG-2023	3.9	240	19	13	<1	<0.5	2.7	49
MG-2024	16.0	77	15	54	<1	<0.5	5.9	420
MG-2025	10.0	276	30	35	<1	<0.5	9.6	291
MG-2026	2.9	8	<1	15	<1	<0.5	20.2	12
MG-2027	1.8	5	<1	11	<1	<0.5	12.1	9
MG-2028	2.7	6	<1	14	<1	<0.5	11.5	9
MG-2029	2.7	141	64	9	1	<0.5	16.5	44
MG-2030	4.2	74	27	12	<1	<0.5	9.8	57
MG-2031	4.1	100	22	15	2	<0.5	9.2	70
MG-2032	10.1	92	3	36	<1	<0.5	10.5	275
MG-2034	5.5	12	9	17	<1	<0.5	9.8	49
MG-2035	2.7	176	141	9	<1	<0.5	10.4	58
MG-2036	11.2	10	11	45	<1	<0.5	9.4	99
MG-2037	8.0	10	8	26	<1	<0.5	9.0	66
MG-2038	6.1	97	16	21	<1	<0.5	3.2	91
MG-2039	5.4	145	21	18	<1	<0.5	7.8	90

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142383 Order: Treasury Metals P3/5

Report File No.: 0000008268

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2040	3.9	54	22	12	<1	<0.5	17.3	50
MG-2041	6.7	63	8	28	<1	<0.5	6.3	135
MG-2042	5.1	105	40	16	<1	<0.5	22.6	130
MG-2043	8.6	163	40	28	<1	<0.5	8.0	177

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1169	9	114	2210	<5	0.9	335	418	0.3
MG-1170	24	171	1210	<5	<0.5	545	382	<0.1
MG-1171	11	31	3940	<5	9.2	275	137	3.5
MG-1172	17	27	3710	<5	15.3	185	179	5.2
MG-1173	12	40	1980	<5	14.8	451	135	3.1
MG-1174	10	55	2240	<5	8.4	912	185	0.8
MG-1175	17	30	5570	<5	15.5	139	148	5.3
MG-1176	7	48	3830	<5	3.5	151	275	2.1
MG-1177	<5	70	2280	<5	0.8	347	534	0.5
MG-1178	6	91	2250	<5	0.9	545	327	0.2
MG-1179	14	75	1810	<5	2.8	165	601	0.5
MG-1180	5	46	4230	<5	2.5	130	410	1.2
MG-1181	<5	27	1150	<5	7.3	434	100	1.6
MG-1182	18	74	6410	<5	4.5	337	184	0.5
MG-1183	6	34	3400	<5	8.6	294	172	1.6
MG-1184	11	46	3280	<5	7.6	170	232	2.4
MG-1185	9	31	2120	<5	12.0	134	132	2.8
MG-1186	11	109	3310	<5	1.4	403	261	0.4
MG-1187	45	65	9290	<5	10.5	105	632	2.6
MG-1188	15	100	710	<5	<0.5	267	873	0.2
MG-1189	22	84	1770	<5	0.6	486	1500	0.5
MG-1190	7	106	7240	<5	0.6	93	338	0.4
MG-1191	7	128	3850	<5	0.9	466	371	0.2
MG-1192	7	45	5170	<5	9.1	304	239	2.2
MG-1193	6	48	3440	<5	7.3	282	258	1.9
MG-1194	6	76	3120	<5	1.2	122	273	0.7
MG-1195	9	37	4020	<5	6.8	140	162	3.0
MG-1196	21	25	4210	<5	11.1	122	170	7.3
MG-1197	14	24	1350	<5	14.5	201	155	3.5
MG-1198	6	35	6060	<5	4.7	72	216	4.2
MG-1199	7	52	3330	<5	5.3	219	497	1.9
MG-1200	<5	32	1730	<5	13.6	389	105	2.1
MG-1201	9	20	4590	<5	15.0	460	104	4.2
MG-1202	20	23	4510	6	16.8	183	127	6.6
MG-1203	<5	70	2390	<5	1.5	444	218	0.4
MG-1204	17	26	5530	<5	11.4	144	187	7.2
MG-1205	7	102	3460	<5	<0.5	154	338	0.2
MG-1206	11	91	4600	<5	1.2	174	305	0.2
MG-1207	17	68	4370	<5	2.4	132	295	0.5
MG-1208	17	91	4200	<5	1.9	116	244	0.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1209	9	87	13000	<5	1.0	113	584	0.2
MG-1210	8	97	1030	<5	<0.5	277	732	0.2
MG-2001	9	8	1340	<5	12.2	82	142	10.0
MG-2002	12	25	14900	17	5.2	386	742	0.5
MG-2003	8	112	9950	6	1.5	237	213	<0.1
MG-2004	7	15	1320	7	5.4	407	225	1.5
MG-2005	9	5	300	5	16.4	77	72	5.1
MG-2006	<5	2	5920	<5	5.8	100	105	6.7
MG-2007	<5	<1	110	<5	1.0	52	80	2.1
MG-2008	21	9	150	12	54.1	33	83	8.4
MG-2009	<5	1	220	8	1.7	127	42	1.2
MG-2010	<5	<1	30	<5	2.7	22	99	1.6
MG-2011	<5	1	60	6	3.4	140	26	2.3
MG-2012	19	9	600	7	18.3	32	50	5.7
MG-2013	<5	3	860	<5	5.0	117	91	2.0
MG-2014	<5	<1	180	<5	<0.5	11	40	1.4
MG-2015	22	10	2110	6	18.0	32	46	4.5
MG-2016	<5	<1	70	<5	5.2	43	60	3.3
MG-2017	<5	2	160	7	5.9	95	36	1.1
MG-2018	<5	<1	240	<5	0.5	76	40	0.9
MG-2019	<5	3	70	8	<0.5	252	23	0.4
MG-2020	<5	2	90	7	5.1	227	29	2.4
MG-2021	<5	3	100	<5	15.4	49	76	9.3
MG-2022	<5	1	120	<5	2.3	82	102	1.4
MG-2023	<5	1	50	<5	9.3	61	153	3.2
MG-2024	<5	4	850	<5	10.5	393	51	4.2
MG-2025	33	22	3290	5	15.9	255	117	2.9
MG-2026	49	73	9380	12	<0.5	30	135	<0.1
MG-2027	51	74	18700	15	<0.5	20	106	<0.1
MG-2028	15	78	6400	16	<0.5	30	49	<0.1
MG-2029	11	4	1500	<5	14.5	45	55	7.7
MG-2030	<5	<1	1160	<5	3.5	61	35	2.9
MG-2031	9	2	2710	<5	6.7	68	54	6.1
MG-2032	13	28	8680	11	2.9	307	233	0.4
MG-2034	<5	1	1900	<5	<0.5	87	21	0.9
MG-2035	31	15	320	<5	48.6	54	99	9.6
MG-2036	<5	<1	830	9	<0.5	212	21	0.9
MG-2037	<5	<1	730	9	<0.5	123	20	0.5
MG-2038	<5	2	350	6	3.5	123	54	1.4
MG-2039	<5	2	160	<5	5.0	101	60	2.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142383 Order: Treasury Metals P3/5

Report File No.: 0000008268

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2040	<5	4	7320	<5	3.6	57	47	2.7
MG-2041	7	17	1090	23	4.8	181	101	2.2
MG-2042	10	11	1170	8	14.1	112	75	9.3
MG-2043	9	3	120	11	12.0	164	38	2.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1169	160	<1	71	<1	77	<1	72	71
MG-1170	110	<1	129	<1	60	<1	58	121
MG-1171	270	<1	64	<1	392	<1	96	54
MG-1172	460	<1	43	<1	391	<1	93	37
MG-1173	300	<1	110	<1	367	<1	118	93
MG-1174	230	<1	207	<1	284	<1	183	165
MG-1175	350	<1	32	<1	271	<1	94	28
MG-1176	220	<1	35	<1	283	<1	60	35
MG-1177	130	<1	78	<1	189	<1	106	79
MG-1178	120	<1	115	<1	124	<1	100	113
MG-1179	260	<1	35	<1	217	<1	104	42
MG-1180	300	<1	29	<1	198	<1	73	32
MG-1181	160	<1	105	<1	189	<1	79	84
MG-1182	200	<1	73	<1	218	<1	164	75
MG-1183	160	<1	72	<1	225	<1	107	57
MG-1184	200	<1	42	<1	288	<1	90	36
MG-1185	310	<1	34	<1	244	<1	72	29
MG-1186	100	<1	84	<1	75	<1	63	81
MG-1187	300	<1	24	<1	224	<1	204	27
MG-1188	260	<1	53	<1	70	<1	52	70
MG-1189	210	<1	109	<1	101	<1	89	118
MG-1190	220	<1	21	<1	60	<1	45	18
MG-1191	150	<1	108	<1	58	<1	137	91
MG-1192	210	<1	78	<1	139	<1	110	63
MG-1193	200	<1	61	<1	148	<1	87	55
MG-1194	230	<1	28	<1	113	<1	84	30
MG-1195	250	<1	31	<1	205	<1	74	31
MG-1196	240	<1	31	<1	283	<1	84	24
MG-1197	260	<1	52	<1	218	<1	90	41
MG-1198	280	<1	16	<1	300	<1	47	16
MG-1199	160	<1	54	<1	149	<1	96	48
MG-1200	160	<1	98	<1	109	<1	74	68
MG-1201	210	<1	130	<1	130	<1	98	77
MG-1202	190	<1	51	<1	182	<1	88	33
MG-1203	100	<1	104	<1	109	<1	94	85
MG-1204	240	<1	34	<1	194	<1	91	27
MG-1205	190	<1	35	<1	131	<1	77	41
MG-1206	210	<1	39	<1	118	<1	100	38
MG-1207	440	<1	30	<1	115	<1	96	30
MG-1208	200	<1	27	<1	108	<1	85	26

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1209	130	<1	29	<1	105	<1	41	25
MG-1210	230	<1	59	<1	89	<1	47	69
MG-2001	140	<1	22	<1	53	1	35	17
MG-2002	190	<1	96	<1	44	<1	29	58
MG-2003	50	<1	54	<1	18	<1	10	43
MG-2004	180	<1	93	<1	93	<1	39	74
MG-2005	220	<1	20	<1	110	<1	35	16
MG-2006	220	<1	26	<1	191	<1	30	20
MG-2007	50	<1	14	<1	108	<1	26	12
MG-2008	270	<1	10	<1	159	<1	65	8
MG-2009	150	<1	32	<1	89	<1	34	31
MG-2010	80	<1	6	<1	76	<1	16	5
MG-2011	260	<1	37	<1	113	<1	30	29
MG-2012	410	<1	8	<1	139	1	46	7
MG-2013	120	<1	32	<1	205	<1	33	23
MG-2014	130	<1	3	<1	35	<1	14	3
MG-2015	250	<1	9	<1	349	<1	54	7
MG-2016	160	<1	11	<1	135	<1	29	10
MG-2017	150	<1	24	<1	97	<1	40	21
MG-2018	140	<1	19	<1	77	<1	28	16
MG-2019	160	<1	62	<1	103	<1	33	51
MG-2020	80	<1	56	<1	106	<1	28	47
MG-2021	240	<1	12	<1	50	<1	33	10
MG-2022	100	<1	21	<1	57	<1	42	18
MG-2023	40	<1	16	<1	44	<1	33	15
MG-2024	100	<1	108	<1	63	<1	37	68
MG-2025	110	<1	70	<1	123	<1	67	45
MG-2026	50	<1	5	<1	<5	<1	<5	10
MG-2027	40	<1	4	<1	<5	<1	<5	7
MG-2028	20	<1	5	<1	<5	<1	<5	10
MG-2029	500	<1	11	<1	192	<1	35	10
MG-2030	310	<1	16	<1	127	<1	29	13
MG-2031	320	<1	19	<1	179	<1	31	16
MG-2032	60	<1	81	<1	40	<1	26	51
MG-2034	150	<1	19	<1	110	<1	26	19
MG-2035	280	<1	14	<1	149	<1	69	11
MG-2036	250	<1	44	<1	140	<1	30	48
MG-2037	190	<1	28	<1	155	<1	30	28
MG-2038	120	<1	29	<1	54	<1	38	24
MG-2039	140	<1	26	<1	83	<1	45	21

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2040	290	<1	15	<1	237	<1	32	13
MG-2041	130	<1	43	<1	41	<1	26	35
MG-2042	100	<1	29	<1	104	<1	35	20
MG-2043	140	<1	44	<1	71	<1	52	33

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1169	<1	1370	<1	13	<10	52.1	73	<0.5
MG-1170	<1	2750	<1	20	<10	26.4	4	<0.5
MG-1171	<1	360	<1	7	<10	93.1	2080	0.7
MG-1172	1	450	<1	5	<10	97.1	3770	0.9
MG-1173	1	460	<1	13	<10	120	3570	0.8
MG-1174	<1	820	<1	20	<10	114	1510	0.7
MG-1175	1	320	<1	4	<10	107	3020	0.7
MG-1176	<1	670	<1	6	<10	63.3	665	<0.5
MG-1177	<1	810	<1	14	<10	59.2	66	<0.5
MG-1178	<1	1310	<1	17	<10	60.3	118	<0.5
MG-1179	<1	900	<1	10	<10	68.2	542	<0.5
MG-1180	<1	690	<1	7	<10	78.0	386	<0.5
MG-1181	<1	520	<1	11	<10	89.9	1560	<0.5
MG-1182	<1	1180	<1	10	<10	59.0	965	0.6
MG-1183	<1	410	<1	7	<10	143	1690	<0.5
MG-1184	<1	490	<1	5	<10	92.9	1540	0.5
MG-1185	<1	440	<1	4	<10	102	2770	<0.5
MG-1186	<1	1280	<1	11	<10	62.7	229	<0.5
MG-1187	2	580	<1	6	<10	86.7	2540	0.7
MG-1188	<1	1600	<1	22	<10	28.0	31	<0.5
MG-1189	<1	1120	<1	27	<10	61.0	152	<0.5
MG-1190	<1	1650	<1	4	<10	36.5	57	<0.5
MG-1191	<1	1440	<1	12	<10	67.3	154	<0.5
MG-1192	<1	520	<1	8	<10	122	1650	<0.5
MG-1193	<1	570	<1	8	<10	96.4	1400	<0.5
MG-1194	<1	1030	<1	6	<10	46.0	235	<0.5
MG-1195	<1	520	<1	5	<10	74.8	1550	<0.5
MG-1196	2	370	<1	3	<10	58.0	2900	0.6
MG-1197	1	580	<1	6	<10	59.9	3780	1.2
MG-1198	<1	590	<1	3	<10	23.1	1300	<0.5
MG-1199	<1	700	<1	8	<10	92.9	922	<0.5
MG-1200	<1	480	<1	8	<10	98.3	2920	<0.5
MG-1201	<1	280	<1	9	<10	110	3160	0.6
MG-1202	1	290	<1	4	<10	102	3580	0.6
MG-1203	<1	820	<1	11	<10	61.9	329	<0.5
MG-1204	1	350	<1	4	<10	90.3	2060	0.6
MG-1205	<1	1590	<1	7	<10	44.2	56	<0.5
MG-1206	<1	1460	<1	7	<10	71.8	248	<0.5
MG-1207	<1	1030	<1	6	<10	67.2	544	<0.5
MG-1208	<1	1350	<1	4	<10	48.0	398	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1209	<1	1280	<1	5	<10	44.8	112	<0.5
MG-1210	<1	1470	<1	18	<10	26.8	51	<0.5
MG-2001	1	270	<1	2	<10	81.7	1710	<0.5
MG-2002	<1	340	<1	6	<10	76.0	448	1.1
MG-2003	<1	1450	<1	5	<10	60.3	48	<0.5
MG-2004	<1	400	<1	9	<10	40.5	1130	<0.5
MG-2005	7	140	<1	2	<10	12.6	7320	0.6
MG-2006	<1	80	<1	3	<10	17.2	1490	<0.5
MG-2007	<1	20	<1	2	<10	8.2	214	<0.5
MG-2008	17	200	4	1	<10	15.4	25400	1.0
MG-2009	<1	50	<1	4	<10	12.4	763	<0.5
MG-2010	<1	50	<1	<1	<10	3.6	879	<0.5
MG-2011	<1	60	<1	4	<10	14.0	1440	<0.5
MG-2012	9	130	1	1	<10	13.1	10100	0.7
MG-2013	1	300	<1	4	<10	12.5	2520	<0.5
MG-2014	<1	20	<1	<1	<10	<0.5	197	<0.5
MG-2015	9	290	1	1	<10	8.7	9890	0.9
MG-2016	<1	90	<1	1	<10	4.7	1070	<0.5
MG-2017	2	80	<1	3	<10	8.8	2800	<0.5
MG-2018	<1	20	<1	2	<10	8.7	288	<0.5
MG-2019	<1	50	<1	6	<10	2.7	258	<0.5
MG-2020	<1	130	<1	5	<10	30.1	1770	0.7
MG-2021	3	160	<1	1	<10	12.1	5530	<0.5
MG-2022	<1	40	<1	3	<10	11.4	569	<0.5
MG-2023	<1	60	<1	2	<10	13.4	1920	<0.5
MG-2024	<1	150	<1	7	<10	37.0	2310	<0.5
MG-2025	2	350	<1	5	<10	69.7	4180	0.9
MG-2026	<1	1070	<1	2	<10	5.4	15	<0.5
MG-2027	<1	690	<1	1	<10	3.3	<3	<0.5
MG-2028	<1	960	<1	2	<10	<0.5	<3	<0.5
MG-2029	4	90	<1	2	<10	14.0	6170	<0.5
MG-2030	<1	30	<1	2	<10	10.9	1230	<0.5
MG-2031	1	40	<1	2	<10	20.2	1950	<0.5
MG-2032	<1	450	<1	5	<10	56.7	483	<0.5
MG-2034	<1	30	<1	3	<10	9.8	172	<0.5
MG-2035	13	210	4	1	<10	17.5	22500	1.1
MG-2036	<1	40	<1	6	<10	<0.5	329	<0.5
MG-2037	<1	80	<1	4	<10	2.3	163	<0.5
MG-2038	<1	110	<1	3	<10	16.7	1310	<0.5
MG-2039	<1	50	<1	3	<10	31.8	2090	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2040	<1	80	<1	2	<10	13.2	1690	<0.5
MG-2041	<1	260	<1	4	<10	29.6	738	<0.5
MG-2042	2	440	<1	2	<10	17.7	4380	<0.5
MG-2043	2	50	<1	4	<10	16.3	4610	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142383 Order: Treasury Metals P3/5

Report File No.: 0000008268

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1169	25	<1	449	40	1320	73
MG-1170	27	<1	626	76	540	36
MG-1171	14	1	185	13	240	121
MG-1172	12	1	150	11	750	141
MG-1173	19	2	332	24	290	138
MG-1174	22	1	546	47	390	145
MG-1175	12	2	102	8	790	169
MG-1176	12	<1	192	14	1460	62
MG-1177	40	<1	390	36	430	100
MG-1178	36	<1	516	55	150	71
MG-1179	31	<1	396	33	970	82
MG-1180	19	<1	225	17	1790	64
MG-1181	18	<1	259	21	510	114
MG-1182	26	<1	287	33	1060	115
MG-1183	19	1	177	14	110	189
MG-1184	16	1	143	11	320	141
MG-1185	13	1	126	10	720	163
MG-1186	26	<1	289	35	540	69
MG-1187	30	1	229	28	930	211
MG-1188	25	<1	986	79	1130	23
MG-1189	45	<1	1200	99	980	61
MG-1190	14	<1	147	15	3510	59
MG-1191	39	<1	410	36	580	75
MG-1192	23	<1	222	17	410	167
MG-1193	24	<1	244	17	230	113
MG-1194	18	<1	217	16	1210	61
MG-1195	13	<1	136	10	420	105
MG-1196	10	2	95	7	440	115
MG-1197	8	4	160	11	140	119
MG-1198	8	<1	83	5	1030	45
MG-1199	24	<1	240	17	240	122
MG-1200	18	2	196	15	320	169
MG-1201	16	2	216	15	540	163
MG-1202	11	2	108	8	600	203
MG-1203	27	<1	348	24	120	70
MG-1204	13	1	103	8	910	154
MG-1205	30	<1	236	28	2260	58
MG-1206	33	<1	218	24	1780	86
MG-1207	20	<1	215	22	1780	86
MG-1208	18	<1	136	14	1940	90

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142383 Order: Treasury Metals P3/5

Report File No.: 0000008268

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1209	30	<1	159	17	1570	80
MG-1210	95	<1	804	66	750	38
MG-2001	10	4	53	5	110	127
MG-2002	23	2	170	13	190	92
MG-2003	24	<1	139	13	50	33
MG-2004	16	<1	258	17	340	47
MG-2005	6	2	52	5	70	69
MG-2006	8	<1	73	6	330	51
MG-2007	6	<1	35	3	120	39
MG-2008	8	7	31	3	150	142
MG-2009	11	<1	88	7	40	37
MG-2010	4	<1	27	2	50	23
MG-2011	9	<1	104	7	<20	49
MG-2012	4	3	28	3	260	101
MG-2013	8	<1	97	6	230	47
MG-2014	3	<1	20	2	150	13
MG-2015	5	2	29	3	350	92
MG-2016	4	<1	38	3	140	34
MG-2017	8	<1	85	6	40	42
MG-2018	7	<1	54	4	30	26
MG-2019	10	<1	196	11	20	17
MG-2020	12	<1	133	9	<20	49
MG-2021	7	<1	40	3	80	47
MG-2022	9	<1	76	6	160	40
MG-2023	7	<1	72	8	<20	36
MG-2024	14	1	156	10	60	53
MG-2025	10	2	119	10	240	196
MG-2026	1	5	68	6	50	9
MG-2027	3	<1	53	5	<20	5
MG-2028	2	<1	58	4	<20	6
MG-2029	7	1	41	4	280	74
MG-2030	6	<1	55	4	90	47
MG-2031	8	<1	55	5	270	62
MG-2032	63	<1	144	11	250	69
MG-2034	8	<1	66	5	140	21
MG-2035	7	3	45	4	210	120
MG-2036	6	<1	165	10	70	10
MG-2037	9	<1	95	7	40	17
MG-2038	8	<1	85	6	50	50
MG-2039	10	<1	70	6	90	88

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142383 Order: Treasury Metals P3/5

Report File No.: 0000008268

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2040	7	<1	55	5	380	44
MG-2041	41	<1	87	8	400	34
MG-2042	9	1	53	4	170	64
MG-2043	9	1	88	7	70	73

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142384

[Report File No.: 0000008269]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Aug 14, 2014

P.O. No.	:	Treasury Metals P4/5
Project No.	:	-
No. Of Samples	:	84
Date Submitted	:	Jul 25, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Certified By :

Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2044	0.350	3	>200	20	<0.1	1110	<1	20
MG-2045	0.465	2	>200	10	<0.1	1600	<1	20
MG-2046	0.530	5	>200	10	<0.1	1820	2	110
MG-2047	0.385	5	193	<10	<0.1	1320	<1	30
MG-2048	0.400	8	>200	40	<0.1	1590	1	30
MG-2049	0.465	2	67	<10	<0.1	250	<1	280
MG-2050	0.600	1	25	<10	<0.1	370	<1	20
MG-2051	0.510	3	29	30	<0.1	450	<1	370
MG-2052	0.365	<1	40	10	<0.1	900	<1	220
MG-2053	0.465	3	16	<10	<0.1	390	<1	350
MG-2054	0.500	2	57	30	0.2	1020	<1	140
MG-2055	0.355	19	120	<10	<0.1	740	<1	30
MG-2056	0.360	6	>200	20	<0.1	830	<1	<10
MG-2057	0.375	24	148	<10	<0.1	780	<1	<10
MG-2058	0.365	4	113	10	<0.1	1270	<1	10
MG-2059	0.365	6	>200	10	<0.1	440	<1	10
MG-2060	0.530	3	159	30	<0.1	780	1	100
MG-2061	0.375	13	>200	10	<0.1	750	<1	10
MG-2062	0.485	1	152	10	0.2	620	<1	120
MG-2063	0.655	<1	53	20	0.1	1630	<1	110
MG-2064	0.665	2	101	<10	<0.1	340	<1	60
MG-2065	0.405	8	>200	40	<0.1	820	<1	10
MG-2066	0.400	37	>200	20	<0.1	560	<1	30
MG-2067	0.405	6	>200	70	<0.1	1840	4	20
MG-2068	0.445	3	>200	10	<0.1	200	<1	<10
MG-2069	0.555	1	>200	<10	0.1	1300	<1	50
MG-2070	0.725	5	>200	10	<0.1	1600	<1	120
MG-2071	0.495	2	>200	30	<0.1	1880	<1	30
MG-2072	0.650	2	149	10	<0.1	1700	<1	130
MG-2073	0.465	1	>200	20	<0.1	960	<1	<10
MG-2074	0.385	7	>200	60	<0.1	1630	3	20
MG-2075	0.535	8	>200	30	<0.1	1680	3	90
MG-2076	0.525	4	17	<10	0.4	1190	<1	370
MG-2077	0.520	20	37	<10	<0.1	1820	<1	560
MG-2078	0.520	11	9	<10	0.1	1840	<1	340
MG-2079	0.390	13	86	10	<0.1	780	<1	230
MG-2080	0.500	7	92	20	<0.1	750	1	180
MG-2081	0.625	20	25	<10	0.3	1960	<1	570
MG-2082	0.540	14	5	<10	0.4	1260	<1	510
MG-2083	0.480	11	>200	30	<0.1	2140	2	100

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2084	0.430	16	99	<10	0.3	1970	<1	370
MG-2085	0.435	11	152	<10	<0.1	2160	<1	320
MG-2086	0.440	12	>200	30	0.1	2520	2	90
MG-2087	0.415	15	88	<10	<0.1	2170	<1	410
MG-2088	0.585	25	29	<10	0.5	2970	<1	400
MG-2089	0.470	<1	>200	20	<0.1	1430	<1	70
MG-2090	0.395	<1	>200	20	<0.1	600	<1	10
MG-2091	0.475	<1	>200	20	<0.1	600	<1	20
MG-2092	0.445	<1	169	<10	0.4	1270	<1	20
MG-2093	0.325	2	120	<10	<0.1	500	<1	20
MG-2094	0.475	3	76	30	<0.1	550	<1	200
MG-2095	0.445	9	72	<10	<0.1	1370	<1	150
MG-2096	0.620	8	66	<10	<0.1	1020	<1	400
MG-2097	0.375	<1	>200	60	<0.1	1380	3	40
MG-2098	0.385	2	82	20	<0.1	1160	1	120
MG-2099	0.505	3	168	20	<0.1	2350	1	150
MG-2100	0.595	20	96	<10	<0.1	1860	<1	370
MG-2101	0.485	14	90	<10	<0.1	1360	<1	280
MG-2102	0.455	37	25	<10	0.2	1520	<1	550
MG-2103	0.390	1	>200	30	<0.1	670	1	<10
MG-2104	0.490	2	>200	30	<0.1	1950	1	90
MG-2105	0.535	4	>200	30	<0.1	1390	<1	60
MG-2106	0.425	3	101	<10	<0.1	1810	<1	170
MG-2107	0.355	<1	197	<10	<0.1	1250	<1	60
MG-2108	0.355	<1	145	<10	<0.1	400	<1	10
MG-2109	0.440	<1	>200	<10	<0.1	360	<1	<10
MG-2110	0.425	<1	>200	40	<0.1	540	1	<10
MG-2111	0.445	<1	>200	10	<0.1	670	<1	10
MG-2112	0.505	<1	82	10	<0.1	1270	<1	90
MG-2113	0.705	<1	63	20	<0.1	1820	<1	50
MG-2114	0.425	4	116	<10	<0.1	610	<1	70
MG-2115	0.555	4	118	40	<0.1	1140	3	100
MG-2116	0.590	3	39	10	<0.1	860	<1	220
MG-2117	0.580	5	68	40	<0.1	560	<1	250
MG-2118	0.565	4	109	30	<0.1	1080	<1	170
MG-2119	0.615	36	38	<10	0.2	2340	<1	560
MG-2120	0.580	17	31	<10	<0.1	1340	<1	480
MG-2121	0.570	5	56	<10	<0.1	1060	<1	290
MG-2122	0.495	8	75	<10	<0.1	1470	<1	380
MG-2123	0.475	9	72	<10	<0.1	1520	<1	430

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142384 Order: Treasury Metals P4/5

Report File No.: 0000008269

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2124	0.425	16	64	<10	0.1	1100	<1	400
MG-2125	0.465	7	73	<10	0.4	1300	<1	280
MG-2126	0.555	<1	38	<10	0.3	1390	<1	130
MG-2127	0.580	2	118	<10	0.2	380	<1	20

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2044	14	214	65	100	8.9	210	22	11.7
MG-2045	3	307	16	100	10.6	120	20	10.1
MG-2046	5	221	48	300	12.3	440	15	7.6
MG-2047	17	112	99	100	6.8	130	11	5.4
MG-2048	16	71	60	200	8.8	130	6	3.1
MG-2049	11	102	68	<100	1.8	130	5	2.2
MG-2050	1	121	19	<100	2.8	140	11	5.1
MG-2051	9	189	31	<100	0.7	1910	7	3.7
MG-2052	5	226	188	<100	0.5	270	12	7.4
MG-2053	6	239	26	<100	0.7	250	8	4.4
MG-2054	2	234	72	<100	2.6	180	8	4.1
MG-2055	9	193	21	<100	4.8	250	18	8.0
MG-2056	11	150	62	<100	6.8	170	14	7.8
MG-2057	14	349	47	<100	8.0	190	30	15.3
MG-2058	6	478	30	<100	5.7	140	19	8.9
MG-2059	9	151	43	<100	6.7	70	11	5.6
MG-2060	7	236	33	100	4.3	430	22	10.5
MG-2061	6	131	76	200	12.9	140	10	5.1
MG-2062	4	169	24	100	2.6	230	15	7.0
MG-2063	2	125	24	<100	2.7	60	7	3.2
MG-2064	2	402	13	<100	2.3	150	26	10.4
MG-2065	9	148	106	200	7.1	120	8	4.4
MG-2066	32	229	59	100	6.2	440	19	10.1
MG-2067	10	89	33	300	17.3	160	8	4.3
MG-2068	2	60	21	<100	7.2	40	9	5.1
MG-2069	2	620	46	200	7.5	300	43	19.0
MG-2070	2	384	25	200	5.2	110	25	11.2
MG-2071	4	294	28	400	8.8	150	24	8.6
MG-2072	1	336	21	100	9.3	240	23	10.1
MG-2073	9	150	30	<100	16.7	200	23	9.7
MG-2074	10	99	53	300	22.3	190	8	4.1
MG-2075	16	178	94	200	22.6	470	13	6.3
MG-2076	1	153	58	<100	0.6	660	11	5.0
MG-2077	3	97	34	<100	<0.5	580	14	6.4
MG-2078	<1	80	11	<100	<0.5	670	10	4.7
MG-2079	11	162	19	<100	1.8	180	10	4.0
MG-2080	5	258	48	100	1.7	300	10	4.4
MG-2081	5	356	62	<100	<0.5	760	29	16.3
MG-2082	3	14	17	<100	<0.5	860	11	7.0
MG-2083	6	430	140	200	10.1	670	18	8.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2084	11	257	19	100	0.9	720	51	29.9
MG-2085	12	229	53	100	3.4	460	22	12.0
MG-2086	3	1080	201	400	11.3	1370	44	19.5
MG-2087	65	489	93	<100	0.7	440	33	23.8
MG-2088	7	49	82	<100	1.4	10500	6	4.6
MG-2089	4	428	78	200	4.9	220	44	20.9
MG-2090	5	57	19	200	3.2	100	7	4.0
MG-2091	6	553	26	200	8.1	170	37	16.6
MG-2092	8	523	33	100	6.8	140	54	24.1
MG-2093	8	441	48	<100	9.1	120	45	23.1
MG-2094	3	5360	15	300	2.2	2010	208	104
MG-2095	25	317	136	<100	1.1	1490	41	27.3
MG-2096	17	281	40	<100	1.1	1130	22	12.2
MG-2097	7	82	29	300	16.6	130	6	3.6
MG-2098	5	91	29	100	2.3	50	7	3.4
MG-2099	5	369	51	300	3.2	120	19	8.5
MG-2100	51	412	147	<100	3.2	360	55	34.6
MG-2101	45	288	101	<100	3.2	260	50	29.2
MG-2102	12	116	100	<100	<0.5	1230	17	8.5
MG-2103	5	193	28	200	4.2	110	13	6.4
MG-2104	2	870	45	300	6.0	380	56	28.0
MG-2105	9	328	46	200	4.5	140	20	10.8
MG-2106	42	254	165	<100	1.5	350	42	27.0
MG-2107	7	137	37	100	7.1	120	16	8.6
MG-2108	11	189	74	<100	9.0	130	24	12.8
MG-2109	4	117	12	<100	6.5	40	12	5.9
MG-2110	9	69	16	300	1.6	50	10	6.1
MG-2111	3	117	21	200	3.8	60	11	6.1
MG-2112	<1	1000	6	200	3.6	100	24	9.8
MG-2113	3	476	34	100	3.8	160	16	7.3
MG-2114	10	277	66	<100	2.8	410	21	14.1
MG-2115	5	1070	72	600	2.6	3800	57	36.7
MG-2116	4	402	74	100	1.0	490	13	6.6
MG-2117	10	1170	302	<100	1.0	1270	41	19.0
MG-2118	6	555	76	<100	1.5	490	20	10.8
MG-2119	29	1100	165	<100	<0.5	18200	80	52.8
MG-2120	12	235	99	<100	<0.5	1220	14	7.9
MG-2121	5	217	107	<100	1.1	800	9	5.0
MG-2122	26	274	91	<100	<0.5	920	21	13.4
MG-2123	30	320	136	<100	<0.5	310	16	10.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142384 Order: Treasury Metals P4/5

Report File No.: 0000008269

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2124	24	410	30	<100	<0.5	590	39	21.6
MG-2125	8	1160	77	100	<0.5	1010	98	61.2
MG-2126	<1	893	50	<100	1.2	370	52	23.6
MG-2127	2	644	25	<100	10.8	650	31	13.0

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2044	8.0	69	26	25	<1	<0.5	17.8	110
MG-2045	8.3	81	52	27	<1	<0.5	10.3	137
MG-2046	5.7	194	37	20	<1	<0.5	15.8	103
MG-2047	3.9	60	21	12	<1	<0.5	17.3	47
MG-2048	2.2	178	98	6	2	<0.5	18.0	32
MG-2049	1.5	33	5	6	<1	<0.5	10.3	32
MG-2050	4.3	3	4	18	<1	<0.5	3.4	40
MG-2051	3.0	27	3	12	<1	<0.5	8.2	76
MG-2052	4.4	204	3	17	<1	<0.5	11.8	87
MG-2053	3.1	29	1	13	<1	<0.5	8.2	44
MG-2054	3.4	85	7	11	<1	<0.5	6.7	58
MG-2055	6.5	49	21	23	<1	<0.5	9.5	72
MG-2056	4.8	68	23	15	<1	<0.5	9.1	74
MG-2057	11.3	27	14	39	<1	<0.5	11.7	169
MG-2058	6.8	38	21	27	<1	<0.5	8.2	118
MG-2059	3.8	64	41	14	<1	<0.5	9.8	77
MG-2060	7.3	79	16	27	<1	<0.5	4.0	89
MG-2061	3.8	76	22	12	<1	<0.5	9.3	63
MG-2062	4.7	89	14	17	<1	<0.5	8.1	80
MG-2063	2.7	68	6	8	<1	<0.5	6.3	54
MG-2064	10.9	29	6	37	<1	<0.5	2.8	142
MG-2065	3.3	155	83	10	2	<0.5	19.1	58
MG-2066	7.3	63	15	24	2	<0.5	8.3	111
MG-2067	2.9	207	190	8	1	<0.5	30.3	49
MG-2068	2.6	83	78	9	<1	<0.5	1.9	31
MG-2069	13.8	141	28	52	<1	<0.5	11.5	250
MG-2070	9.1	117	20	32	<1	<0.5	4.9	222
MG-2071	9.2	204	54	34	1	<0.5	3.7	146
MG-2072	9.9	91	24	40	<1	<0.5	9.5	204
MG-2073	5.7	112	20	27	<1	<0.5	11.7	65
MG-2074	3.4	237	206	9	<1	<0.5	26.7	50
MG-2075	4.8	207	47	15	<1	<0.5	31.8	86
MG-2076	6.1	22	2	23	<1	<0.5	9.3	80
MG-2077	4.9	16	1	19	<1	<0.5	24.5	38
MG-2078	4.0	8	<1	15	<1	<0.5	13.6	56
MG-2079	3.7	45	12	13	<1	<0.5	36.9	67
MG-2080	4.3	101	12	14	<1	<0.5	22.7	109
MG-2081	8.9	18	<1	40	<1	<0.5	12.1	121
MG-2082	2.7	7	<1	14	<1	<0.5	12.2	6
MG-2083	5.6	203	31	20	<1	<0.5	32.3	143

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2084	10.3	37	4	45	<1	<0.5	46.0	104
MG-2085	5.9	68	11	19	<1	<0.5	36.6	82
MG-2086	17.0	244	52	56	<1	<0.5	42.1	459
MG-2087	7.5	38	1	32	<1	<0.5	29.0	98
MG-2088	1.3	42	4	6	<1	<0.5	29.3	21
MG-2089	16.0	139	27	64	<1	<0.5	6.7	280
MG-2090	1.5	222	30	5	<1	<0.5	7.7	29
MG-2091	12.1	123	24	49	<1	<0.5	5.6	269
MG-2092	19.0	48	7	75	1	<0.5	2.4	286
MG-2093	18.9	27	13	73	<1	<0.5	14.5	191
MG-2094	81.2	163	14	330	<1	<0.5	6.8	2440
MG-2095	8.8	332	5	40	<1	<0.5	7.4	131
MG-2096	6.8	35	2	31	<1	<0.5	7.9	109
MG-2097	2.1	187	188	7	<1	<0.5	28.5	40
MG-2098	2.5	109	29	9	<1	<0.5	7.8	42
MG-2099	7.6	211	23	26	<1	<0.5	6.3	160
MG-2100	12.7	45	1	57	<1	<0.5	18.3	153
MG-2101	10.5	57	<1	49	<1	<0.5	15.7	114
MG-2102	5.1	10	<1	24	<1	<0.5	21.4	54
MG-2103	4.0	128	57	15	1	<0.5	7.6	106
MG-2104	19.2	306	45	75	<1	<0.5	10.7	445
MG-2105	7.2	217	44	25	<1	<0.5	7.1	158
MG-2106	6.3	260	7	31	<1	<0.5	10.6	78
MG-2107	5.6	91	21	18	<1	<0.5	6.2	64
MG-2108	8.3	36	16	30	1	<0.5	5.3	78
MG-2109	3.6	60	16	13	<1	<0.5	2.3	55
MG-2110	2.3	115	100	8	<1	<0.5	8.4	37
MG-2111	3.0	158	31	10	<1	<0.5	6.0	55
MG-2112	10.6	152	33	38	<1	<0.5	6.9	544
MG-2113	6.9	205	7	27	<1	<0.5	4.9	178
MG-2114	5.2	255	4	22	<1	<0.5	3.7	102
MG-2115	15.6	509	22	67	<1	<0.5	11.3	538
MG-2116	4.9	85	5	20	<1	<0.5	6.4	200
MG-2117	17.0	49	5	74	<1	<0.5	10.2	642
MG-2118	7.4	157	9	30	<1	<0.5	6.5	240
MG-2119	20.4	77	2	97	<1	<0.5	23.9	572
MG-2120	4.9	37	<1	21	<1	<0.5	13.7	90
MG-2121	3.3	103	2	13	<1	<0.5	24.4	79
MG-2122	5.1	88	1	23	<1	<0.5	22.6	85
MG-2123	4.0	41	1	18	<1	<0.5	27.7	73

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142384 Order: Treasury Metals P4/5

Report File No.: 0000008269

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2124	11.2	37	2	46	<1	<0.5	48.7	147
MG-2125	28.1	35	3	128	<1	<0.5	29.2	431
MG-2126	21.7	40	4	91	<1	<0.5	13.6	476
MG-2127	16.2	63	9	59	<1	<0.5	3.9	299

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2044	5	2	1960	<5	6.2	130	73	2.5
MG-2045	15	4	120	13	12.9	157	40	3.9
MG-2046	11	14	2620	16	14.4	113	136	11.4
MG-2047	<5	2	7580	<5	4.0	55	79	4.5
MG-2048	18	6	13500	7	19.0	29	56	29.9
MG-2049	<5	22	4870	21	1.4	37	148	1.9
MG-2050	<5	1	660	<5	<0.5	78	27	1.0
MG-2051	<5	38	850	11	2.1	94	145	0.4
MG-2052	12	26	24200	16	2.9	125	365	0.4
MG-2053	8	30	28800	<5	<0.5	73	232	0.2
MG-2054	<5	18	1960	<5	5.0	79	67	1.7
MG-2055	<5	2	2420	<5	3.8	111	40	4.0
MG-2056	<5	1	3850	<5	4.4	78	39	4.0
MG-2057	<5	1	2620	6	1.4	211	38	1.8
MG-2058	<5	2	2440	<5	4.6	134	34	5.7
MG-2059	<5	1	2420	<5	3.3	68	40	4.3
MG-2060	9	10	900	21	9.1	146	138	4.2
MG-2061	<5	2	1500	<5	4.6	62	69	3.2
MG-2062	<5	13	860	11	7.3	95	99	4.3
MG-2063	7	18	120	<5	3.0	57	42	2.9
MG-2064	<5	5	40	<5	1.8	197	61	1.0
MG-2065	16	6	16300	8	17.7	55	52	9.8
MG-2066	<5	3	950	6	3.6	125	120	4.6
MG-2067	61	19	730	13	42.5	44	87	12.0
MG-2068	<5	<1	20	<5	7.9	39	108	5.2
MG-2069	27	12	590	<5	12.3	296	191	3.3
MG-2070	18	16	270	<5	14.7	221	111	6.0
MG-2071	13	4	120	9	22.8	170	109	15.7
MG-2072	11	7	240	9	8.6	241	77	3.7
MG-2073	7	2	800	6	6.2	102	47	2.6
MG-2074	63	17	930	15	55.4	43	100	6.2
MG-2075	25	15	2880	11	12.6	89	132	4.2
MG-2076	<5	19	2290	9	1.0	126	88	0.2
MG-2077	10	69	2510	<5	<0.5	72	284	<0.1
MG-2078	<5	48	330	<5	<0.5	77	158	<0.1
MG-2079	8	27	1350	<5	6.3	83	137	3.6
MG-2080	9	21	2440	6	10.5	100	117	3.9
MG-2081	17	130	3430	<5	<0.5	185	281	<0.1
MG-2082	51	151	740	<5	<0.5	23	182	<0.1
MG-2083	47	43	5070	7	23.9	111	211	3.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2084	6	82	1910	<5	0.7	159	286	0.1
MG-2085	20	65	3170	<5	4.2	95	196	0.5
MG-2086	67	29	8510	10	26.2	408	299	4.6
MG-2087	<5	71	19000	6	0.9	135	504	0.2
MG-2088	28	62	12500	12	1.5	25	233	0.1
MG-2089	10	12	5320	9	16.5	321	45	3.7
MG-2090	5	5	250	<5	13.6	24	160	4.7
MG-2091	7	3	290	7	10.3	250	56	4.3
MG-2092	<5	1	770	7	2.9	366	50	2.8
MG-2093	<5	1	2070	7	1.5	362	35	2.2
MG-2094	16	14	4310	49	15.4	2490	88	1.5
MG-2095	10	20	14900	30	4.5	196	234	0.5
MG-2096	14	67	1400	34	3.3	158	161	0.2
MG-2097	51	21	2620	18	41.0	36	65	16.5
MG-2098	12	26	1550	9	18.2	51	53	3.5
MG-2099	34	22	1620	19	18.5	179	139	11.3
MG-2100	12	58	5450	<5	<0.5	224	379	0.4
MG-2101	10	49	1900	<5	<0.5	175	340	0.3
MG-2102	33	111	5300	5	<0.5	96	446	0.1
MG-2103	9	3	100	8	16.0	80	65	6.2
MG-2104	28	19	1040	8	20.3	466	115	10.0
MG-2105	8	10	520	12	13.7	148	125	9.3
MG-2106	29	26	15300	<5	4.2	107	333	2.0
MG-2107	7	4	600	6	6.4	82	50	1.5
MG-2108	<5	1	3120	<5	1.7	143	35	2.0
MG-2109	<5	<1	40	5	3.5	62	52	2.1
MG-2110	8	3	100	6	37.3	34	142	16.8
MG-2111	<5	3	120	<5	12.5	56	88	8.8
MG-2112	10	12	830	<5	14.3	363	30	4.8
MG-2113	11	5	4880	6	6.0	183	27	3.3
MG-2114	5	7	35000	22	3.3	125	123	2.0
MG-2115	19	15	5090	92	25.7	481	164	2.9
MG-2116	10	17	3550	31	5.9	176	136	0.9
MG-2117	9	19	1520	114	6.2	604	378	0.9
MG-2118	16	19	8290	75	5.4	227	114	3.9
MG-2119	34	98	8750	22	2.9	611	1030	0.3
MG-2120	<5	100	2660	9	1.0	124	205	0.1
MG-2121	<5	52	14200	6	1.6	96	148	0.3
MG-2122	<5	66	13000	16	1.3	115	352	0.1
MG-2123	5	85	31500	11	1.1	99	546	0.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142384 Order: Treasury Metals P4/5

Report File No.: 0000008269

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2124	<5	105	4000	<5	0.9	217	285	0.3
MG-2125	7	106	8550	<5	1.3	621	211	0.2
MG-2126	<5	25	2160	<5	5.6	600	75	0.7
MG-2127	<5	2	1120	10	1.6	402	43	0.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2044	470	<1	30	<1	192	<1	67	26
MG-2045	180	<1	42	<1	179	<1	86	30
MG-2046	180	<1	29	<1	187	<1	57	21
MG-2047	290	<1	14	<1	171	<1	49	13
MG-2048	290	<1	8	<1	222	1	75	7
MG-2049	100	<1	9	<1	50	<1	15	6
MG-2050	30	<1	18	<1	49	<1	16	18
MG-2051	100	<1	22	<1	14	<1	15	16
MG-2052	60	<1	31	<1	25	<1	34	20
MG-2053	<10	<1	16	<1	72	<1	12	14
MG-2054	50	<1	18	<1	62	<1	23	13
MG-2055	230	<1	24	<1	196	<1	42	24
MG-2056	370	<1	21	<1	147	1	61	16
MG-2057	350	<1	51	<1	207	<1	61	41
MG-2058	170	<1	33	<1	152	<1	43	27
MG-2059	320	<1	18	<1	174	1	40	15
MG-2060	240	<1	34	<1	59	<1	61	31
MG-2061	260	<1	16	<1	87	<1	58	12
MG-2062	100	<1	23	<1	64	<1	55	18
MG-2063	30	<1	14	<1	120	<1	33	10
MG-2064	40	<1	50	<1	69	<1	39	44
MG-2065	210	<1	14	<1	255	2	81	11
MG-2066	200	<1	31	<1	160	<1	59	25
MG-2067	350	<1	12	<1	482	2	182	8
MG-2068	110	<1	9	<1	42	<1	53	9
MG-2069	120	<1	75	<1	208	<1	93	58
MG-2070	80	<1	56	<1	70	<1	71	40
MG-2071	80	<1	42	<1	88	<1	73	38
MG-2072	70	<1	58	<1	109	<1	61	44
MG-2073	350	<1	22	<1	201	<1	51	26
MG-2074	390	<1	12	<1	472	2	182	9
MG-2075	210	<1	22	<1	231	1	83	17
MG-2076	20	<1	27	<1	53	<1	24	25
MG-2077	20	<1	15	<1	253	<1	22	18
MG-2078	<10	<1	18	<1	70	<1	21	15
MG-2079	130	<1	20	<1	197	<1	31	15
MG-2080	180	<1	28	<1	128	<1	48	17
MG-2081	30	<1	41	<1	50	<1	26	36
MG-2082	20	<1	4	<1	12	<1	17	9
MG-2083	390	<1	30	<1	280	<1	131	21

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2084	150	<1	35	<1	175	<1	82	38
MG-2085	250	<1	23	<1	237	<1	81	20
MG-2086	200	<1	108	<1	319	1	204	68
MG-2087	90	<1	35	<1	81	<1	28	30
MG-2088	270	<1	6	<1	73	1	16	5
MG-2089	140	<1	78	<1	86	<1	67	67
MG-2090	70	<1	6	<1	96	<1	34	5
MG-2091	130	<1	61	<1	78	<1	79	52
MG-2092	90	<1	89	<1	77	<1	73	81
MG-2093	180	<1	74	<1	145	<1	73	75
MG-2094	160	<1	601	<1	72	1	160	399
MG-2095	220	<1	46	<1	52	<1	74	40
MG-2096	330	<1	36	<1	44	<1	16	32
MG-2097	380	<1	9	<1	359	2	112	8
MG-2098	120	<1	12	<1	134	<1	25	10
MG-2099	130	<1	43	<1	134	<1	43	32
MG-2100	80	<1	51	<1	183	<1	62	50
MG-2101	90	<1	39	<1	163	<1	53	43
MG-2102	60	<1	20	<1	45	<1	9	22
MG-2103	170	<1	21	<1	79	<1	44	15
MG-2104	160	<1	119	<1	131	<1	84	88
MG-2105	170	<1	38	<1	126	<1	48	28
MG-2106	160	<1	26	<1	95	<1	64	28
MG-2107	300	<1	19	<1	119	<1	49	19
MG-2108	340	<1	30	<1	161	<1	50	32
MG-2109	140	<1	16	<1	46	<1	32	14
MG-2110	140	<1	8	<1	79	<1	67	7
MG-2111	60	<1	14	<1	67	<1	32	11
MG-2112	80	<1	99	<1	80	<1	38	56
MG-2113	80	<1	48	<1	42	<1	27	34
MG-2114	40	<1	29	<1	33	<1	41	25
MG-2115	250	<1	128	<1	81	<1	117	78
MG-2116	200	<1	47	<1	46	<1	22	27
MG-2117	230	<1	156	<1	45	<1	25	96
MG-2118	80	<1	57	<1	44	<1	33	37
MG-2119	450	<1	157	<1	35	<1	48	106
MG-2120	50	<1	29	<1	37	<1	14	24
MG-2121	40	<1	24	<1	67	<1	19	17
MG-2122	230	<1	28	<1	49	<1	28	23
MG-2123	70	<1	24	<1	50	<1	21	19

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2124	100	<1	50	<1	27	<1	21	45
MG-2125	140	<1	136	<1	100	<1	47	122
MG-2126	50	<1	137	<1	150	<1	28	104
MG-2127	150	<1	90	<1	97	<1	44	71

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2044	<1	50	<1	4	<10	22.8	1840	<0.5
MG-2045	3	80	<1	4	<10	22.2	4280	0.5
MG-2046	<1	400	<1	3	<10	34.8	2710	<0.5
MG-2047	<1	110	<1	2	<10	18.7	971	<0.5
MG-2048	4	110	1	<1	<10	23.7	4990	0.8
MG-2049	<1	360	<1	<1	<10	10.4	276	<0.5
MG-2050	<1	20	<1	2	<10	5.3	49	<0.5
MG-2051	<1	680	<1	1	<10	21.4	151	<0.5
MG-2052	<1	450	<1	2	<10	29.3	236	<0.5
MG-2053	<1	450	<1	1	<10	30.5	26	<0.5
MG-2054	<1	360	<1	1	<10	37.1	923	<0.5
MG-2055	<1	90	<1	3	<10	16.8	1030	<0.5
MG-2056	<1	30	<1	3	<10	20.3	1200	<0.5
MG-2057	<1	40	<1	5	<10	15.2	354	<0.5
MG-2058	<1	110	<1	3	<10	26.0	1110	<0.5
MG-2059	<1	40	<1	2	<10	13.7	826	0.6
MG-2060	1	220	<1	4	<10	28.4	1610	<0.5
MG-2061	<1	110	<1	2	<10	24.5	1110	0.8
MG-2062	1	310	<1	3	<10	15.4	1450	<0.5
MG-2063	<1	280	<1	1	<10	11.1	547	<0.5
MG-2064	<1	110	<1	5	<10	28.5	323	<0.5
MG-2065	4	50	<1	2	<10	31.3	4370	0.6
MG-2066	<1	190	<1	4	<10	22.6	826	<0.5
MG-2067	21	160	4	1	<10	26.6	15700	1.4
MG-2068	<1	50	<1	2	<10	10.0	1600	<0.5
MG-2069	1	150	<1	7	<10	53.7	2560	0.5
MG-2070	<1	250	<1	5	<10	52.5	2030	0.7
MG-2071	1	200	1	4	<10	41.5	3270	0.6
MG-2072	1	310	<1	5	<10	33.9	2220	<0.5
MG-2073	<1	40	<1	4	<10	23.7	1120	<0.5
MG-2074	14	110	4	1	<10	29.7	18700	1.7
MG-2075	3	360	<1	2	<10	25.1	3800	0.6
MG-2076	<1	1000	<1	2	<10	28.6	245	<0.5
MG-2077	<1	960	<1	3	<10	29.7	31	<0.5
MG-2078	<1	610	<1	2	<10	24.3	90	<0.5
MG-2079	<1	400	<1	2	<10	23.6	1670	<0.5
MG-2080	<1	390	<1	2	<10	52.0	1880	<0.5
MG-2081	<1	1340	<1	5	<10	70.0	24	<0.5
MG-2082	<1	1470	<1	2	<10	12.2	14	<0.5
MG-2083	2	470	1	3	<10	125	5100	1.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2084	<1	1280	<1	7	<10	45.6	108	<0.5
MG-2085	<1	1110	<1	3	<10	65.7	892	<0.5
MG-2086	4	290	2	8	<10	223	4990	1.7
MG-2087	<1	880	<1	5	<10	22.0	45	0.5
MG-2088	<1	930	<1	<1	<10	17.2	290	0.6
MG-2089	3	210	1	8	<10	48.1	5220	0.6
MG-2090	2	140	<1	<1	<10	20.2	3510	<0.5
MG-2091	1	50	<1	7	<10	51.4	2510	<0.5
MG-2092	<1	90	<1	11	<10	25.3	774	<0.5
MG-2093	<1	60	<1	9	<10	14.3	374	<0.5
MG-2094	1	280	<1	40	<10	232	2240	<0.5
MG-2095	<1	410	<1	6	<10	66.5	670	<0.5
MG-2096	<1	740	<1	4	<10	37.1	144	<0.5
MG-2097	18	270	4	1	<10	27.2	20300	1.8
MG-2098	3	260	1	1	<10	21.8	5310	<0.5
MG-2099	1	400	<1	4	<10	63.6	3890	0.7
MG-2100	<1	700	<1	9	<10	20.6	47	<0.5
MG-2101	<1	570	<1	8	<10	20.7	58	<0.5
MG-2102	<1	860	<1	3	<10	22.9	7	<0.5
MG-2103	5	90	1	2	<10	24.3	7350	<0.5
MG-2104	2	260	1	10	<10	111	5220	0.8
MG-2105	2	300	<1	4	<10	37.6	4150	<0.5
MG-2106	<1	540	<1	6	<10	68.0	850	0.6
MG-2107	1	180	<1	3	<10	23.7	2220	<0.5
MG-2108	<1	20	<1	4	<10	25.1	487	<0.5
MG-2109	<1	70	<1	2	<10	20.4	828	<0.5
MG-2110	7	120	2	1	<10	24.9	13800	<0.5
MG-2111	<1	180	<1	2	<10	19.2	2510	<0.5
MG-2112	3	340	<1	5	<10	47.6	3670	<0.5
MG-2113	<1	150	<1	3	<10	40.7	1060	<0.5
MG-2114	<1	170	<1	4	<10	41.5	488	0.6
MG-2115	2	240	<1	10	<10	206	2340	<0.5
MG-2116	<1	320	<1	3	<10	55.8	500	<0.5
MG-2117	<1	290	<1	8	<10	76.5	399	<0.5
MG-2118	<1	240	<1	4	<10	46.2	915	<0.5
MG-2119	<1	1360	<1	13	<10	92.1	43	<0.5
MG-2120	<1	1030	<1	3	<10	30.8	63	<0.5
MG-2121	<1	500	<1	2	<10	27.2	241	<0.5
MG-2122	<1	710	<1	3	<10	31.1	59	<0.5
MG-2123	<1	800	<1	3	<10	32.1	34	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2124	<1	840	<1	6	<10	41.2	72	<0.5
MG-2125	<1	940	<1	17	<10	75.6	223	<0.5
MG-2126	<1	850	<1	11	<10	54.0	1490	<0.5
MG-2127	<1	40	<1	7	<10	32.0	554	0.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142384 Order: Treasury Metals P4/5

Report File No.: 0000008269

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2044	11	<1	103	9	250	64
MG-2045	10	1	109	7	140	77
MG-2046	13	1	71	6	200	81
MG-2047	7	<1	49	5	600	51
MG-2048	6	2	27	3	1090	101
MG-2049	39	<1	22	2	110	15
MG-2050	6	2	52	3	120	10
MG-2051	15	2	37	3	90	13
MG-2052	27	1	70	7	120	47
MG-2053	22	<1	50	4	290	15
MG-2054	7	1	35	4	100	37
MG-2055	9	<1	86	6	130	42
MG-2056	9	<1	69	6	270	64
MG-2057	10	<1	166	11	120	38
MG-2058	9	2	88	6	110	58
MG-2059	5	<1	60	4	110	34
MG-2060	14	1	99	8	210	34
MG-2061	7	<1	45	4	180	53
MG-2062	12	<1	77	5	140	32
MG-2063	7	1	32	3	80	22
MG-2064	16	<1	110	8	30	31
MG-2065	8	1	42	3	300	105
MG-2066	10	<1	95	7	600	54
MG-2067	8	6	40	4	830	177
MG-2068	6	<1	45	5	30	29
MG-2069	12	1	207	13	130	136
MG-2070	13	1	115	8	100	97
MG-2071	13	2	92	6	100	100
MG-2072	11	2	115	7	80	67
MG-2073	6	<1	84	6	430	61
MG-2074	7	6	37	4	500	183
MG-2075	8	2	60	5	650	77
MG-2076	12	<1	54	4	30	24
MG-2077	28	<1	63	5	50	11
MG-2078	12	<1	50	3	<20	22
MG-2079	7	<1	45	4	370	50
MG-2080	11	<1	46	3	220	92
MG-2081	34	<1	153	12	70	35
MG-2082	11	<1	55	6	20	11
MG-2083	15	3	85	7	330	269

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142384 Order: Treasury Metals P4/5

Report File No.: 0000008269

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2084	40	<1	232	23	1350	59
MG-2085	17	<1	94	9	960	115
MG-2086	31	3	178	13	260	454
MG-2087	141	<1	177	19	1150	37
MG-2088	91	2	38	5	60	55
MG-2089	23	5	216	15	120	116
MG-2090	6	2	29	4	280	60
MG-2091	18	2	147	12	220	119
MG-2092	18	2	244	18	50	53
MG-2093	18	<1	259	18	60	39
MG-2094	100	13	1140	85	90	251
MG-2095	143	1	236	21	290	89
MG-2096	121	<1	127	9	110	27
MG-2097	9	8	31	3	870	188
MG-2098	17	1	32	3	210	74
MG-2099	24	2	76	6	840	105
MG-2100	327	<1	325	24	2890	31
MG-2101	219	<1	267	21	2780	25
MG-2102	20	<1	84	7	60	9
MG-2103	11	2	63	5	110	91
MG-2104	16	3	287	21	290	245
MG-2105	15	1	97	8	170	83
MG-2106	40	<1	235	23	820	108
MG-2107	12	1	80	7	350	60
MG-2108	13	<1	113	11	110	53
MG-2109	8	<1	51	5	60	44
MG-2110	11	7	45	4	60	83
MG-2111	10	1	51	5	110	46
MG-2112	11	2	110	7	60	66
MG-2113	15	2	74	6	130	50
MG-2114	83	10	118	12	340	56
MG-2115	181	136	315	29	380	353
MG-2116	50	21	73	5	200	71
MG-2117	74	8	215	15	230	91
MG-2118	55	2	109	8	350	68
MG-2119	160	1	507	53	160	202
MG-2120	80	<1	73	7	230	23
MG-2121	27	<1	49	5	190	32
MG-2122	82	<1	109	12	260	34
MG-2123	77	<1	85	9	430	38

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142384 Order: Treasury Metals P4/5

Report File No.: 0000008269

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2124	38	<1	194	16	1100	37
MG-2125	40	<1	480	51	490	77
MG-2126	13	2	281	16	120	58
MG-2127	22	<1	145	9	70	45

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142385

[Report File No.: 0000008305]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Aug 18, 2014

P.O. No.	:	Treasury Metals P5/5
Project No.	:	-
No. Of Samples	:	88
Date Submitted	:	Jul 25, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Certified By :

Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142385 Order: Treasury Metals P5/5

Report File No.: 0000008305

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2128	0.530	8	170	10	<0.1	1150	1	60
MG-2129	0.445	9	29	<10	0.6	1930	<1	390
MG-2130	0.460	5	79	<10	0.2	1490	<1	260
MG-2131	0.275	3	>200	20	<0.1	740	<1	20
MG-2132	0.355	31	195	<10	<0.1	780	<1	70
MG-2133	0.365	6	160	<10	<0.1	280	<1	10
MG-2134	0.480	7	>200	20	<0.1	940	<1	40
MG-2135	0.465	9	>200	10	<0.1	1900	<1	40
MG-2136	0.485	14	>200	20	<0.1	2210	1	140
MG-2137	0.510	33	>200	20	<0.1	2270	<1	110
MG-2138	0.505	12	>200	30	<0.1	1890	2	40
MG-2139	0.545	6	>200	<10	<0.1	1240	<1	10
MG-2140	0.515	2	>200	20	<0.1	1830	1	40
MG-2141	0.370	41	>200	<10	<0.1	7540	1	80
MG-2142	0.415	11	98	20	<0.1	540	<1	230
MG-2143	0.450	5	>200	40	<0.1	2970	2	60
MG-2144	0.450	5	>200	20	<0.1	1650	1	90
MG-2145	0.545	3	>200	30	0.1	1910	2	50
MG-2146	0.405	10	104	10	<0.1	1100	<1	140
MG-2147	0.450	10	44	<10	0.2	1130	<1	170
MG-2148	0.560	11	14	<10	0.4	1350	<1	520
MG-2149	0.480	42	33	<10	<0.1	1740	<1	510
MG-2150	0.470	1	28	<10	<0.1	510	<1	10
MG-2151	0.435	9	68	<10	0.1	870	<1	260
MG-2152	0.500	5	26	<10	<0.1	1220	<1	200
MG-2153	0.430	4	78	<10	<0.1	1020	<1	370
MG-2154	0.455	4	112	<10	<0.1	870	1	180
MG-2155	0.345	6	>200	20	<0.1	1210	<1	40
MG-2156	0.390	4	>200	20	<0.1	1380	<1	30
MG-2157	0.355	2	>200	20	<0.1	1190	<1	<10
MG-2158	0.480	<1	>200	10	<0.1	930	<1	10
MG-2159	0.500	<1	96	<10	<0.1	2450	<1	30
MG-2160	0.520	4	26	<10	0.4	1760	<1	450
MG-2161	0.455	3	49	<10	<0.1	1260	<1	320
MG-2162	0.505	4	>200	30	0.2	3030	2	100
MG-2163	0.520	13	>200	20	<0.1	1880	2	100
MG-2164	0.570	13	105	30	0.1	1350	1	190
MG-2165	0.435	10	155	<10	0.1	1570	<1	170
MG-2166	0.450	16	134	<10	0.2	1510	<1	250
MG-2167	0.480	12	84	<10	0.4	2070	<1	410

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2168	0.460	11	119	<10	<0.1	1100	<1	210
MG-2169	0.690	13	>200	<10	0.2	1980	<1	220
MG-2170	0.595	8	77	<10	0.6	2980	<1	510
MG-2171	0.560	5	199	10	0.1	2500	1	130
MG-2172	0.450	6	108	<10	0.3	1790	<1	230
MG-2173	0.570	7	121	<10	0.2	1550	<1	40
MG-2174	0.460	<1	112	<10	0.1	150	<1	<10
MG-2175	0.485	2	175	<10	0.1	590	<1	20
MG-2176	0.680	4	39	10	0.5	1150	<1	150
MG-2177	0.545	2	193	30	0.4	910	2	90
MG-2178	0.490	2	>200	20	0.1	730	1	20
MG-2179	0.540	2	>200	20	0.1	1140	2	20
MG-2180	0.490	23	46	<10	0.5	2780	<1	550
MG-2181	0.590	32	17	<10	1.9	2670	<1	610
MG-2182	0.475	11	84	<10	0.3	2700	<1	400
MG-2183	0.430	2	141	<10	0.2	2600	<1	180
MG-2184	0.470	<1	>200	<10	<0.1	510	<1	<10
MG-2185	0.490	1	161	<10	0.2	660	<1	<10
MG-2186	0.525	1	>200	10	<0.1	1100	1	20
MG-2187	0.545	1	>200	20	0.1	4020	3	30
MG-2188	0.355	3	>200	<10	0.1	650	<1	20
MG-2189	0.605	5	35	<10	0.4	2310	<1	600
MG-2190	0.520	16	62	<10	0.2	1590	<1	480
MG-2191	0.470	12	133	<10	0.3	2100	<1	350
MG-2192	0.415	13	113	<10	0.1	1100	<1	250
MG-2193	0.465	6	64	<10	0.3	860	<1	180
MG-2194	0.510	11	93	<10	0.6	1950	<1	460
MG-2195	0.355	18	138	<10	0.1	2490	<1	320
MG-2196	0.520	21	181	<10	0.1	1720	<1	230
MG-2197	0.430	13	123	<10	0.4	1640	<1	320
MG-2198	0.460	11	85	<10	0.5	2380	<1	490
MG-2199	0.495	20	49	<10	0.3	2570	<1	640
MG-2200	0.530	17	66	<10	0.2	1540	<1	410
MG-2201	0.485	13	53	<10	0.3	2090	<1	540
MG-2202	0.745	13	10	<10	0.3	1070	<1	570
MG-2203	0.425	2	171	20	0.1	950	2	60
MG-2204	0.595	6	15	<10	0.6	1130	<1	480
MG-2205	0.495	16	35	<10	0.3	2070	<1	670
MG-2206	0.530	9	96	<10	0.1	1850	<1	470
MG-2207	0.445	18	44	<10	0.2	3120	<1	740

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142385 Order: Treasury Metals P5/5

Report File No.: 0000008305

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2208	0.500	18	23	<10	0.2	2880	<1	740
MG-2209	0.415	15	97	<10	0.4	3420	<1	580
MG-2210	0.480	7	129	10	0.2	1440	<1	160
MG-2211	0.435	15	110	<10	0.2	2170	<1	300
MG-2212	0.445	14	103	<10	0.3	2720	<1	420
MG-2213	0.560	7	>200	40	0.2	2550	2	30
MG-2214	0.420	17	174	20	<0.1	1620	<1	80
MG-2215	0.475	12	122	<10	0.2	3040	<1	330

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142385 Order: Treasury Metals P5/5

Report File No.: 0000008305

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2128	16	98	202	<100	8.4	2520	12	7.9
MG-2129	3	240	22	<100	<0.5	850	46	22.6
MG-2130	7	919	25	<100	0.8	530	53	23.5
MG-2131	9	41	38	<100	4.3	380	5	2.9
MG-2132	17	80	25	<100	9.3	290	11	5.3
MG-2133	12	160	72	<100	18.2	360	15	8.5
MG-2134	12	94	26	200	8.3	90	8	4.0
MG-2135	4	227	22	200	8.6	130	14	6.9
MG-2136	19	99	89	200	9.5	120	9	5.0
MG-2137	7	259	54	200	7.3	250	17	8.6
MG-2138	3	338	23	500	12.2	150	16	7.9
MG-2139	4	109	33	200	5.7	150	8	4.0
MG-2140	4	192	22	300	4.7	90	14	6.3
MG-2141	12	185	34	100	9.8	150	11	5.3
MG-2142	13	44	14	<100	2.7	110	2	1.2
MG-2143	7	118	57	200	11.5	130	7	4.3
MG-2144	7	168	27	300	12.4	120	11	5.3
MG-2145	6	113	47	400	11.6	140	9	4.7
MG-2146	3	407	14	100	1.9	190	13	5.9
MG-2147	2	448	16	<100	0.8	260	16	6.4
MG-2148	2	32	36	<100	<0.5	910	20	11.2
MG-2149	14	193	36	<100	<0.5	1890	14	5.6
MG-2150	<1	137	16	<100	3.0	150	13	5.8
MG-2151	8	310	32	<100	0.7	200	16	6.4
MG-2152	2	202	25	<100	0.8	70	5	2.4
MG-2153	40	246	34	<100	<0.5	220	19	11.2
MG-2154	30	469	192	<100	0.8	1320	61	36.2
MG-2155	8	93	91	200	6.8	110	9	4.3
MG-2156	18	252	62	100	8.7	180	17	8.7
MG-2157	5	129	16	100	9.9	70	9	3.9
MG-2158	7	226	36	100	8.2	120	17	7.6
MG-2159	1	418	21	<100	3.0	110	23	9.0
MG-2160	3	257	38	<100	<0.5	720	73	47.2
MG-2161	21	298	95	<100	0.6	680	13	7.9
MG-2162	3	599	147	400	9.9	420	20	8.7
MG-2163	4	460	71	400	13.3	480	19	9.0
MG-2164	4	1690	72	100	2.0	710	71	31.3
MG-2165	12	596	38	<100	1.9	300	47	22.7
MG-2166	11	368	37	<100	1.2	360	50	27.6
MG-2167	7	193	15	<100	<0.5	460	30	18.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142385 Order: Treasury Metals P5/5

Report File No.: 0000008305

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2168	4	1100	15	<100	1.3	390	70	33.3
MG-2169	2	820	53	200	5.5	700	69	41.1
MG-2170	4	841	16	200	<0.5	1290	140	93.0
MG-2171	12	292	180	100	4.5	280	27	14.6
MG-2172	3	502	14	<100	2.0	400	53	28.2
MG-2173	4	218	88	100	12.4	290	16	7.5
MG-2174	3	161	20	100	11.3	580	17	7.5
MG-2175	9	217	70	<100	17.8	640	19	9.4
MG-2176	<1	358	45	<100	3.2	310	15	6.4
MG-2177	6	331	63	300	11.0	600	28	14.2
MG-2178	7	520	40	300	10.8	710	36	16.5
MG-2179	6	133	35	300	16.5	260	10	4.7
MG-2180	6	405	67	<100	<0.5	700	46	29.5
MG-2181	2	20	94	<100	<0.5	1480	15	9.4
MG-2182	14	536	62	100	<0.5	930	80	51.3
MG-2183	9	511	55	<100	3.5	470	60	30.5
MG-2184	11	78	25	<100	10.3	230	9	4.6
MG-2185	3	354	19	<100	21.8	530	22	10.0
MG-2186	2	516	39	200	16.7	800	30	11.5
MG-2187	2	281	105	500	33.1	950	35	19.6
MG-2188	11	239	36	<100	19.1	500	28	15.7
MG-2189	2	940	64	<100	0.5	1200	127	80.5
MG-2190	7	455	11	<100	0.6	1260	69	35.0
MG-2191	5	324	31	100	1.5	1100	57	33.7
MG-2192	6	597	25	<100	1.0	510	44	21.3
MG-2193	1	1320	40	<100	0.6	290	65	30.5
MG-2194	6	1370	54	100	<0.5	800	118	69.0
MG-2195	18	374	49	<100	0.7	540	87	57.2
MG-2196	32	418	54	<100	1.0	540	106	59.1
MG-2197	12	767	19	100	0.6	680	85	48.6
MG-2198	9	542	37	100	<0.5	690	56	36.9
MG-2199	10	425	35	<100	<0.5	1020	59	34.4
MG-2200	13	987	26	<100	<0.5	860	67	36.3
MG-2201	10	740	38	100	<0.5	810	60	34.9
MG-2202	14	252	208	<100	<0.5	1950	17	8.2
MG-2203	3	60	47	200	7.2	110	4	2.3
MG-2204	4	71	193	<100	<0.5	930	17	10.9
MG-2205	17	143	33	<100	<0.5	390	26	16.3
MG-2206	6	772	25	100	<0.5	740	79	46.0
MG-2207	17	250	21	<100	<0.5	1120	46	27.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142385 Order: Treasury Metals P5/5

Report File No.: 0000008305

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2208	4	83	23	<100	<0.5	1460	31	17.8
MG-2209	12	1020	22	100	<0.5	570	115	69.7
MG-2210	3	830	61	100	2.4	400	27	11.7
MG-2211	7	521	34	100	0.9	610	60	35.6
MG-2212	8	280	21	100	0.6	540	53	31.7
MG-2213	6	98	145	300	9.2	260	9	5.2
MG-2214	8	159	49	100	7.2	170	12	5.5
MG-2215	5	333	57	<100	<0.5	330	32	17.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2128	2.6	274	18	11	<1	<0.5	34.8	43
MG-2129	14.3	11	<1	69	<1	<0.5	18.5	133
MG-2130	20.5	35	4	83	<1	<0.5	19.1	321
MG-2131	1.2	190	19	5	<1	<0.5	14.1	20
MG-2132	2.7	26	2	11	<1	<0.5	33.7	40
MG-2133	5.8	64	12	22	<1	<0.5	17.6	71
MG-2134	3.0	116	36	9	2	<0.5	17.0	53
MG-2135	5.8	96	24	18	2	<0.5	26.3	109
MG-2136	3.0	180	69	11	<1	<0.5	45.5	51
MG-2137	6.4	167	38	23	<1	<0.5	21.5	146
MG-2138	5.8	195	133	20	1	<0.5	21.5	162
MG-2139	2.6	165	20	9	<1	<0.5	6.8	50
MG-2140	5.6	184	84	16	1	<0.5	15.9	99
MG-2141	4.2	92	61	15	<1	<0.5	18.8	99
MG-2142	0.8	37	11	3	<1	<0.5	28.0	12
MG-2143	2.4	150	94	8	<1	<0.5	32.8	67
MG-2144	4.2	179	56	13	1	<0.5	24.2	82
MG-2145	3.2	197	112	11	1	<0.5	21.8	56
MG-2146	5.0	75	12	18	<1	<0.5	28.3	159
MG-2147	6.6	22	2	25	<1	<0.5	10.2	205
MG-2148	4.6	6	<1	25	<1	<0.5	8.2	33
MG-2149	5.7	6	<1	23	<1	<0.5	12.3	59
MG-2150	4.1	2	4	18	<1	<0.5	3.6	59
MG-2151	5.5	26	3	25	<1	<0.5	16.6	148
MG-2152	2.2	21	<1	8	<1	<0.5	7.1	55
MG-2153	5.3	53	2	24	<1	<0.5	13.7	76
MG-2154	14.4	167	4	69	<1	<0.5	7.8	183
MG-2155	2.7	136	61	9	<1	<0.5	14.1	41
MG-2156	6.2	87	24	21	1	<0.5	16.3	123
MG-2157	3.9	69	11	11	1	<0.5	3.2	60
MG-2158	6.4	53	15	22	<1	<0.5	8.7	122
MG-2159	9.8	45	12	33	<1	<0.5	4.6	249
MG-2160	19.1	11	<1	107	<1	<0.5	10.1	277
MG-2161	4.2	69	<1	17	<1	<0.5	23.8	88
MG-2162	7.6	244	49	28	<1	<0.5	28.1	240
MG-2163	7.2	265	65	26	1	<0.5	49.0	216
MG-2164	25.7	95	8	98	<1	<0.5	37.2	576
MG-2165	14.0	59	7	60	<1	<0.5	39.7	219
MG-2166	12.6	37	4	58	<1	<0.5	32.9	158
MG-2167	7.2	15	1	30	<1	<0.5	39.3	61

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2168	21.8	41	3	82	<1	<0.5	14.7	353
MG-2169	17.1	151	21	77	<1	<0.5	23.4	273
MG-2170	30.6	23	2	137	<1	<0.5	22.8	320
MG-2171	6.7	150	16	27	<1	<0.5	28.5	96
MG-2172	15.9	36	3	63	<1	<0.5	23.9	167
MG-2173	5.5	87	11	20	<1	<0.5	9.5	102
MG-2174	6.2	92	8	22	<1	<0.5	8.9	70
MG-2175	6.1	91	8	24	<1	<0.5	18.3	106
MG-2176	6.1	62	3	23	<1	<0.5	3.7	170
MG-2177	9.5	271	31	37	<1	<0.5	14.9	154
MG-2178	12.9	202	24	48	<1	<0.5	19.8	220
MG-2179	3.6	125	56	12	1	<0.5	20.7	65
MG-2180	10.5	11	2	54	<1	<0.5	16.1	116
MG-2181	2.7	6	<1	15	<1	<0.5	13.5	9
MG-2182	17.4	49	2	84	<1	<0.5	21.3	270
MG-2183	18.5	107	6	76	<1	<0.5	15.8	304
MG-2184	2.4	90	13	10	<1	<0.5	17.2	33
MG-2185	7.2	60	5	28	<1	<0.5	21.4	169
MG-2186	11.5	176	38	45	<1	<0.5	15.1	254
MG-2187	6.7	389	105	28	<1	<0.5	42.4	130
MG-2188	7.3	72	16	29	<1	<0.5	21.9	121
MG-2189	32.6	9	1	164	<1	<0.5	10.4	362
MG-2190	17.1	18	1	88	<1	<0.5	22.0	190
MG-2191	13.6	62	6	64	<1	<0.5	27.4	125
MG-2192	15.7	39	4	66	<1	<0.5	29.9	211
MG-2193	24.0	39	5	100	<1	<0.5	11.9	493
MG-2194	36.6	31	3	159	<1	<0.5	31.5	640
MG-2195	14.3	80	4	69	<1	<0.5	46.4	124
MG-2196	16.6	104	6	77	<1	<0.5	43.4	133
MG-2197	18.4	49	4	82	<1	<0.5	37.6	229
MG-2198	13.1	21	2	62	<1	<0.5	41.2	185
MG-2199	14.9	13	<1	69	<1	<0.5	31.9	173
MG-2200	19.1	24	2	89	<1	<0.5	26.1	359
MG-2201	15.4	17	1	75	<1	<0.5	29.3	256
MG-2202	6.0	18	<1	28	<1	<0.5	11.6	93
MG-2203	1.4	108	77	4	<1	<0.5	18.6	30
MG-2204	3.4	6	<1	19	<1	<0.5	13.2	14
MG-2205	6.9	9	<1	33	<1	<0.5	38.0	78
MG-2206	18.4	25	2	84	<1	<0.5	32.5	275
MG-2207	10.8	10	<1	55	<1	<0.5	24.2	117

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142385 Order: Treasury Metals P5/5

Report File No.: 0000008305

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2208	7.5	6	<1	39	<1	<0.5	18.6	89
MG-2209	22.8	30	3	109	<1	<0.5	31.6	388
MG-2210	10.2	74	9	43	<1	<0.5	19.9	291
MG-2211	15.5	31	2	68	<1	<0.5	32.8	163
MG-2212	11.5	25	3	53	<1	<0.5	45.0	136
MG-2213	2.7	260	20	10	<1	<0.5	41.4	46
MG-2214	4.3	97	24	15	<1	<0.5	27.6	75
MG-2215	9.9	30	3	38	<1	<0.5	22.4	150

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2128	12	26	2320	6	8.1	51	707	1.6
MG-2129	14	136	1620	<5	<0.5	233	160	<0.1
MG-2130	<5	67	2170	<5	2.6	448	250	0.4
MG-2131	<5	4	1230	<5	5.3	23	98	7.1
MG-2132	<5	11	1610	<5	<0.5	45	135	0.9
MG-2133	<5	1	4140	10	1.4	111	106	1.8
MG-2134	7	6	2060	8	6.9	44	59	5.5
MG-2135	13	5	290	11	7.7	108	69	3.4
MG-2136	52	18	8270	9	18.9	48	153	17.1
MG-2137	27	18	2050	12	12.7	128	128	4.7
MG-2138	27	13	400	11	40.9	125	146	11.8
MG-2139	<5	4	110	<5	11.7	45	171	8.5
MG-2140	10	8	2800	7	18.9	94	77	8.5
MG-2141	27	14	6590	6	16.6	82	152	11.9
MG-2142	10	8	2260	<5	4.3	15	56	8.7
MG-2143	40	21	7150	11	24.4	49	70	18.4
MG-2144	24	13	4560	10	16.9	74	79	7.3
MG-2145	34	17	1340	19	37.6	50	104	5.4
MG-2146	13	26	680	<5	10.0	131	108	5.6
MG-2147	<5	27	630	<5	2.2	199	85	1.2
MG-2148	37	129	1590	<5	<0.5	67	133	<0.1
MG-2149	223	94	200	7	<0.5	108	355	0.2
MG-2150	<5	1	370	<5	<0.5	90	26	0.9
MG-2151	9	44	1980	<5	3.4	156	88	0.8
MG-2152	99	27	290	<5	0.8	55	36	0.5
MG-2153	10	60	7680	6	0.8	109	323	0.1
MG-2154	29	38	8990	5	2.8	291	463	0.5
MG-2155	13	5	2520	6	12.9	40	54	6.4
MG-2156	6	3	3390	6	6.1	123	95	6.5
MG-2157	<5	<1	60	6	3.0	62	33	3.0
MG-2158	<5	2	1020	7	4.3	114	54	1.7
MG-2159	<5	4	400	<5	8.3	235	31	3.2
MG-2160	36	142	1860	<5	<0.5	419	392	0.2
MG-2161	5	66	43700	10	0.6	117	424	<0.1
MG-2162	61	24	7740	12	26.9	197	191	4.7
MG-2163	83	27	4650	16	26.2	169	189	5.1
MG-2164	6	36	5760	6	10.1	669	220	2.7
MG-2165	6	39	3100	<5	5.4	287	164	2.0
MG-2166	<5	57	2940	<5	1.4	238	194	0.5
MG-2167	<5	120	2150	<5	<0.5	106	159	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2168	<5	42	1260	<5	4.4	472	156	0.8
MG-2169	37	71	2640	<5	9.3	342	417	1.4
MG-2170	9	143	1640	<5	<0.5	526	583	<0.1
MG-2171	16	34	11600	<5	13.6	118	372	3.6
MG-2172	<5	48	2040	<5	1.6	288	197	0.4
MG-2173	<5	6	5570	7	3.8	107	75	1.2
MG-2174	<5	<1	530	<5	1.7	112	75	0.7
MG-2175	<5	2	4240	<5	1.5	130	92	1.3
MG-2176	<5	26	1420	<5	2.4	163	109	1.2
MG-2177	13	14	2610	16	10.8	182	125	2.6
MG-2178	6	3	1170	10	11.0	269	112	2.7
MG-2179	20	8	1040	9	16.8	61	79	4.0
MG-2180	19	164	3910	<5	<0.5	188	253	<0.1
MG-2181	16	188	4490	<5	<0.5	30	327	<0.1
MG-2182	6	116	2940	<5	0.6	356	581	<0.1
MG-2183	<5	51	1760	<5	3.8	428	179	0.8
MG-2184	<5	4	830	<5	2.5	46	75	3.2
MG-2185	<5	2	340	<5	0.9	196	63	0.8
MG-2186	21	7	530	14	11.3	272	124	2.0
MG-2187	147	46	1590	7	50.8	152	446	2.6
MG-2188	<5	5	1370	<5	3.8	151	113	1.5
MG-2189	17	234	2760	<5	<0.5	601	333	<0.1
MG-2190	<5	108	620	<5	<0.5	313	606	<0.1
MG-2191	11	59	3170	<5	1.2	214	284	0.3
MG-2192	<5	36	1890	<5	4.3	323	170	0.9
MG-2193	<5	37	1890	<5	5.9	617	109	0.8
MG-2194	<5	113	3800	<5	0.5	848	274	<0.1
MG-2195	13	76	3060	<5	<0.5	220	515	0.1
MG-2196	10	62	3230	<5	0.9	265	756	0.5
MG-2197	8	64	2390	<5	0.8	335	505	0.3
MG-2198	<5	101	2930	<5	<0.5	258	289	<0.1
MG-2199	24	144	2520	<5	<0.5	278	466	<0.1
MG-2200	33	98	1280	<5	<0.5	454	480	<0.1
MG-2201	19	145	1540	<5	0.5	343	300	<0.1
MG-2202	69	136	8120	9	<0.5	150	336	<0.1
MG-2203	29	17	2970	12	29.3	25	45	7.0
MG-2204	61	132	15400	25	<0.5	41	286	<0.1
MG-2205	19	140	2710	<5	<0.5	134	291	<0.1
MG-2206	5	88	1520	<5	<0.5	369	469	<0.1
MG-2207	29	151	2110	<5	<0.5	187	676	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2208	36	146	1310	<5	<0.5	148	316	<0.1
MG-2209	19	115	3210	<5	<0.5	464	552	<0.1
MG-2210	7	27	2440	<5	9.9	262	86	2.1
MG-2211	<5	71	2560	<5	0.7	276	249	0.4
MG-2212	5	84	1740	<5	<0.5	202	195	0.1
MG-2213	18	9	10200	10	11.4	47	158	4.6
MG-2214	10	17	1420	6	7.5	80	85	4.4
MG-2215	<5	86	3650	<5	<0.5	197	183	0.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2128	130	<1	12	<1	134	<1	56	11
MG-2129	40	<1	48	<1	66	<1	14	59
MG-2130	90	<1	104	<1	138	<1	35	91
MG-2131	160	<1	5	<1	119	<1	19	5
MG-2132	100	<1	10	<1	159	<1	29	11
MG-2133	170	<1	25	<1	288	<1	40	23
MG-2134	140	<1	12	<1	147	1	36	10
MG-2135	170	<1	27	<1	192	<1	40	21
MG-2136	260	<1	12	<1	383	<1	64	11
MG-2137	110	<1	33	<1	255	<1	59	26
MG-2138	280	<1	32	<1	139	<1	112	23
MG-2139	60	<1	11	<1	124	<1	46	10
MG-2140	170	<1	23	<1	219	<1	64	19
MG-2141	130	<1	22	<1	431	<1	56	16
MG-2142	50	<1	4	<1	224	<1	11	3
MG-2143	290	<1	13	<1	377	1	73	9
MG-2144	170	<1	19	<1	279	1	63	16
MG-2145	250	<1	13	<1	311	1	69	11
MG-2146	90	<1	36	<1	94	<1	29	22
MG-2147	40	<1	50	<1	66	<1	9	35
MG-2148	20	<1	12	<1	10	<1	6	17
MG-2149	50	<1	24	<1	24	<1	<5	26
MG-2150	30	<1	20	<1	53	<1	11	19
MG-2151	60	<1	38	<1	79	<1	11	28
MG-2152	20	<1	14	<1	55	<1	6	10
MG-2153	90	<1	25	<1	46	<1	20	23
MG-2154	330	<1	64	<1	59	<1	51	66
MG-2155	300	<1	11	<1	159	<1	43	10
MG-2156	250	<1	32	<1	171	<1	39	24
MG-2157	110	<1	16	<1	111	<1	29	13
MG-2158	140	<1	30	<1	118	<1	46	25
MG-2159	50	<1	65	<1	60	<1	25	42
MG-2160	60	<1	77	<1	13	<1	13	88
MG-2161	10	<1	28	<1	68	<1	19	20
MG-2162	170	<1	51	<1	176	<1	95	33
MG-2163	230	<1	46	<1	259	<1	110	31
MG-2164	200	<1	164	<1	155	<1	56	127
MG-2165	210	<1	68	<1	207	<1	69	64
MG-2166	230	<1	53	<1	202	<1	71	54
MG-2167	120	<1	22	<1	131	<1	43	27

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2168	160	<1	115	<1	143	<1	71	95
MG-2169	220	<1	80	<1	195	<1	155	71
MG-2170	130	<1	108	<1	177	<1	76	119
MG-2171	150	<1	28	<1	420	<1	65	26
MG-2172	190	<1	59	<1	404	<1	64	63
MG-2173	230	<1	26	<1	222	<1	41	21
MG-2174	90	<1	25	<1	88	<1	46	25
MG-2175	230	<1	30	<1	170	<1	41	25
MG-2176	40	<1	40	<1	65	<1	17	29
MG-2177	140	<1	43	<1	226	<1	77	38
MG-2178	150	<1	62	<1	180	<1	90	53
MG-2179	160	<1	16	<1	204	<1	64	13
MG-2180	60	<1	42	<1	104	<1	19	44
MG-2181	30	<1	5	<1	31	<1	11	9
MG-2182	140	<1	79	<1	128	<1	60	79
MG-2183	170	<1	93	<1	122	<1	64	82
MG-2184	140	<1	10	<1	188	<1	22	10
MG-2185	170	<1	47	<1	249	<1	32	31
MG-2186	160	<1	67	<1	180	<1	80	54
MG-2187	250	<1	35	<1	422	1	249	29
MG-2188	370	<1	33	<1	153	<1	52	30
MG-2189	50	<1	118	<1	43	<1	28	136
MG-2190	70	<1	65	<1	239	<1	23	75
MG-2191	170	<1	40	<1	309	<1	98	52
MG-2192	120	<1	68	<1	246	<1	56	65
MG-2193	90	<1	140	<1	80	<1	46	119
MG-2194	100	<1	191	<1	54	<1	99	172
MG-2195	310	<1	46	<1	143	<1	72	55
MG-2196	310	<1	55	<1	151	<1	86	64
MG-2197	190	<1	74	<1	118	<1	81	74
MG-2198	120	<1	54	<1	85	<1	49	54
MG-2199	70	<1	58	<1	35	<1	21	61
MG-2200	100	<1	105	<1	30	<1	20	90
MG-2201	140	<1	76	<1	25	<1	20	69
MG-2202	20	<1	33	<1	9	<1	7	28
MG-2203	190	<1	6	<1	178	<1	51	5
MG-2204	20	<1	7	<1	11	<1	10	13
MG-2205	60	<1	29	<1	21	<1	9	30
MG-2206	100	<1	89	<1	69	<1	46	81
MG-2207	70	<1	43	<1	37	<1	17	47

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2208	40	<1	30	<1	27	<1	11	33
MG-2209	130	<1	113	<1	72	<1	54	99
MG-2210	160	<1	68	<1	127	<1	40	50
MG-2211	160	<1	56	<1	159	<1	62	61
MG-2212	150	<1	43	<1	178	<1	63	48
MG-2213	200	<1	11	<1	260	1	54	11
MG-2214	230	<1	19	<1	250	<1	39	16
MG-2215	220	<1	43	<1	153	<1	68	41

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2128	2	320	<1	2	<10	28.4	2670	0.9
MG-2129	<1	1590	<1	8	<10	48.4	19	<0.5
MG-2130	<1	920	<1	10	<10	52.1	643	<0.5
MG-2131	<1	90	<1	<1	<10	17.0	1120	0.7
MG-2132	<1	210	<1	2	<10	6.8	201	<0.5
MG-2133	<1	30	<1	3	<10	9.8	502	0.6
MG-2134	2	90	<1	1	<10	19.4	2410	<0.5
MG-2135	1	190	<1	3	<10	27.3	2010	<0.5
MG-2136	4	400	1	2	<10	24.8	6130	0.8
MG-2137	2	320	<1	3	<10	31.2	3600	0.7
MG-2138	10	160	3	3	<10	60.5	12700	0.9
MG-2139	<1	140	<1	1	<10	24.7	2080	0.6
MG-2140	6	250	1	2	<10	32.7	7030	<0.5
MG-2141	6	440	1	2	<10	23.6	5520	0.6
MG-2142	<1	470	<1	<1	<10	12.6	964	<0.5
MG-2143	9	250	2	1	<10	23.3	7960	1.1
MG-2144	4	240	1	2	<10	32.3	5120	0.8
MG-2145	9	280	3	2	<10	35.1	12900	1.0
MG-2146	1	340	<1	2	<10	64.2	2150	<0.5
MG-2147	<1	370	<1	4	<10	63.3	421	<0.5
MG-2148	<1	1480	<1	3	<10	11.9	15	<0.5
MG-2149	<1	890	<1	3	<10	16.5	14	<0.5
MG-2150	<1	30	<1	2	<10	5.3	15	<0.5
MG-2151	<1	650	<1	3	<10	59.2	640	<0.5
MG-2152	<1	520	<1	<1	<10	14.4	194	<0.5
MG-2153	<1	710	<1	3	<10	18.4	98	<0.5
MG-2154	<1	580	<1	10	<10	91.8	539	<0.5
MG-2155	3	190	<1	1	<10	26.7	3990	0.5
MG-2156	<1	130	<1	3	<10	22.5	1580	0.6
MG-2157	<1	60	<1	2	<10	15.5	615	<0.5
MG-2158	<1	90	<1	3	<10	20.3	1200	0.5
MG-2159	<1	280	<1	5	<10	27.8	1610	<0.5
MG-2160	<1	1340	<1	14	<10	31.6	86	<0.5
MG-2161	<1	630	<1	2	<10	39.1	37	<0.5
MG-2162	3	320	2	4	<10	156	6150	1.2
MG-2163	5	270	2	4	<10	137	6320	1.7
MG-2164	<1	480	<1	14	<10	155	2080	<0.5
MG-2165	<1	430	<1	8	<10	100	1300	<0.5
MG-2166	<1	730	<1	8	<10	81.0	360	<0.5
MG-2167	<1	1690	<1	5	<10	32.2	57	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2168	<1	480	<1	12	<10	116	1060	<0.5
MG-2169	1	650	<1	11	<10	101	2500	1.1
MG-2170	<1	1980	<1	23	<10	47.9	9	<0.5
MG-2171	<1	520	<1	5	<10	72.4	3670	0.9
MG-2172	<1	700	<1	10	<10	56.4	466	<0.5
MG-2173	<1	160	<1	3	<10	23.0	1310	<0.5
MG-2174	<1	10	<1	3	<10	18.7	320	<0.5
MG-2175	<1	50	<1	3	<10	11.2	548	0.7
MG-2176	<1	350	<1	3	<10	37.0	538	<0.5
MG-2177	2	180	<1	5	<10	39.2	4750	0.8
MG-2178	1	40	<1	7	<10	37.1	3520	<0.5
MG-2179	4	70	<1	2	<10	24.2	7740	0.9
MG-2180	<1	1850	<1	8	<10	44.3	27	<0.5
MG-2181	<1	1990	<1	2	<10	15.7	7	<0.5
MG-2182	<1	1400	<1	13	<10	49.8	68	<0.5
MG-2183	<1	580	<1	11	<10	58.2	922	<0.5
MG-2184	<1	40	<1	2	<10	9.9	869	0.5
MG-2185	<1	20	<1	4	<10	15.4	411	0.9
MG-2186	2	50	<1	6	<10	44.4	4670	1.2
MG-2187	8	300	3	5	<10	120	15700	3.8
MG-2188	<1	70	<1	5	<10	13.2	1610	0.7
MG-2189	<1	2380	<1	23	<10	40.4	16	<0.5
MG-2190	<1	1240	<1	13	<10	39.2	6	<0.5
MG-2191	<1	1050	<1	10	<10	50.7	422	<0.5
MG-2192	<1	550	<1	9	<10	65.9	1080	<0.5
MG-2193	<1	490	<1	14	<10	71.6	1420	<0.5
MG-2194	<1	1590	<1	22	<10	54.2	109	<0.5
MG-2195	<1	1230	<1	13	<10	64.3	136	<0.5
MG-2196	<1	950	<1	16	<10	81.6	285	<0.5
MG-2197	<1	1030	<1	13	<10	87.6	199	<0.5
MG-2198	<1	1620	<1	9	<10	65.9	43	<0.5
MG-2199	<1	1730	<1	10	<10	53.7	9	<0.5
MG-2200	<1	970	<1	13	<10	95.5	43	<0.5
MG-2201	<1	1510	<1	10	<10	109	21	<0.5
MG-2202	<1	1320	<1	4	<10	34.9	<3	<0.5
MG-2203	10	250	2	<1	<10	18.9	12200	0.9
MG-2204	<1	810	<1	3	<10	13.3	25	<0.5
MG-2205	<1	1460	<1	5	<10	49.5	5	<0.5
MG-2206	<1	1230	<1	13	<10	91.4	29	<0.5
MG-2207	<1	1770	<1	8	<10	55.8	<3	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142385 Order: Treasury Metals P5/5

Report File No.: 0000008305

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2208	<1	1780	<1	5	<10	44.5	<3	<0.5
MG-2209	<1	1650	<1	18	<10	72.3	13	<0.5
MG-2210	<1	400	<1	6	<10	133	2110	<0.5
MG-2211	<1	840	<1	11	<10	76.4	158	<0.5
MG-2212	<1	1370	<1	9	<10	55.5	59	<0.5
MG-2213	1	140	<1	2	<10	31.6	3330	0.7
MG-2214	<1	320	<1	2	<10	12.8	2750	<0.5
MG-2215	<1	1660	<1	6	<10	31.8	120	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142385 Order: Treasury Metals P5/5

Report File No.: 0000008305

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2128	24	2	60	6	470	61
MG-2129	25	<1	210	16	140	17
MG-2130	22	<1	226	18	610	54
MG-2131	6	<1	22	2	640	40
MG-2132	7	<1	48	3	240	15
MG-2133	9	<1	95	7	950	26
MG-2134	8	<1	31	3	1100	64
MG-2135	10	2	63	5	750	73
MG-2136	9	1	43	5	3050	112
MG-2137	12	2	84	7	520	105
MG-2138	16	5	61	6	180	213
MG-2139	10	<1	32	3	130	61
MG-2140	9	2	57	5	240	102
MG-2141	6	1	54	5	3070	112
MG-2142	3	<1	10	<1	2000	31
MG-2143	7	2	34	3	910	151
MG-2144	10	2	51	5	740	116
MG-2145	9	4	37	4	490	157
MG-2146	11	<1	51	5	200	131
MG-2147	40	<1	68	5	70	63
MG-2148	23	<1	104	10	20	11
MG-2149	30	<1	68	4	50	8
MG-2150	7	2	56	4	40	10
MG-2151	18	<1	64	5	220	71
MG-2152	11	<1	23	2	90	21
MG-2153	177	<1	111	9	850	22
MG-2154	34	<1	338	31	680	91
MG-2155	7	2	35	4	720	90
MG-2156	9	1	86	7	260	68
MG-2157	7	<1	40	3	210	46
MG-2158	9	<1	83	7	120	61
MG-2159	9	1	121	7	80	49
MG-2160	12	<1	432	36	160	25
MG-2161	30	3	70	8	120	43
MG-2162	25	4	74	7	350	408
MG-2163	26	4	74	7	500	351
MG-2164	31	1	270	25	160	194
MG-2165	18	<1	204	19	910	115
MG-2166	24	<1	226	23	920	92
MG-2167	27	<1	113	17	1390	43

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142385 Order: Treasury Metals P5/5

Report File No.: 0000008305

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2168	26	<1	293	25	330	104
MG-2169	40	1	330	33	160	209
MG-2170	60	<1	702	79	150	39
MG-2171	25	1	138	11	450	132
MG-2172	22	<1	282	22	280	50
MG-2173	10	1	83	6	130	40
MG-2174	10	<1	77	6	160	38
MG-2175	8	<1	113	7	470	26
MG-2176	17	1	72	5	<20	39
MG-2177	16	4	150	11	150	88
MG-2178	14	3	171	12	290	92
MG-2179	8	5	43	4	300	97
MG-2180	35	<1	209	25	340	27
MG-2181	31	<1	74	10	30	10
MG-2182	48	<1	435	44	430	52
MG-2183	25	<1	327	23	660	62
MG-2184	4	<1	46	4	380	24
MG-2185	14	<1	125	7	40	24
MG-2186	20	2	134	8	130	101
MG-2187	17	5	199	17	330	500
MG-2188	15	<1	171	12	460	34
MG-2189	36	<1	637	68	70	14
MG-2190	46	<1	336	26	80	17
MG-2191	26	<1	304	27	230	67
MG-2192	19	<1	222	17	110	91
MG-2193	18	<1	322	24	40	81
MG-2194	44	<1	596	62	170	64
MG-2195	76	<1	461	45	1340	58
MG-2196	81	<1	563	42	610	66
MG-2197	92	<1	423	38	390	94
MG-2198	53	<1	276	34	390	81
MG-2199	44	<1	276	28	360	40
MG-2200	59	<1	334	29	240	53
MG-2201	43	<1	290	30	210	56
MG-2202	24	<1	99	7	60	18
MG-2203	6	4	20	2	390	110
MG-2204	7	<1	102	9	20	9
MG-2205	68	<1	134	14	460	24
MG-2206	143	<1	406	38	50	81
MG-2207	42	<1	253	26	160	31

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142385 Order: Treasury Metals P5/5

Report File No.: 0000008305

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2208	24	<1	136	18	70	34
MG-2209	47	<1	639	62	160	86
MG-2210	17	1	123	9	70	213
MG-2211	40	<1	295	28	320	77
MG-2212	30	<1	261	29	760	64
MG-2213	6	3	49	4	290	86
MG-2214	7	2	64	4	300	47
MG-2215	17	<1	154	13	260	47

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142481

[Report File No.: 0000008302]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Aug 18, 2014

P.O. No.	:	Treasury Metals P1/4
Project No.	:	-
No. Of Samples	:	84
Date Submitted	:	Aug 05, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1211	0.385	14	>200	10	<0.1	1480	<1	10
MG-1212	0.385	4	>200	10	0.2	1350	1	80
MG-1213	0.600	3	185	10	0.2	1640	<1	20
MG-1214	0.590	2	177	10	0.1	800	<1	20
MG-1215	0.515	2	179	20	0.2	2080	1	30
MG-1216	0.495	37	134	<10	<0.1	690	<1	40
MG-1217	0.440	19	141	<10	<0.1	920	<1	110
MG-1218	0.540	19	147	<10	<0.1	650	<1	30
MG-1219	0.445	16	>200	<10	<0.1	910	<1	70
MG-1220	0.480	21	194	10	0.1	1070	<1	80
MG-1221	0.435	7	145	<10	0.3	280	<1	<10
MG-1222	0.580	5	192	<10	0.1	550	<1	<10
MG-1223	0.590	6	>200	20	<0.1	1260	1	30
MG-1224	0.640	4	136	10	0.1	770	<1	30
MG-1225	0.465	<1	87	<10	0.3	1180	1	70
MG-1226	0.575	3	144	<10	0.3	1390	<1	40
MG-1227	0.485	7	132	20	0.3	2450	<1	70
MG-1228	0.370	14	>200	<10	<0.1	750	<1	30
MG-1229	0.370	27	>200	10	<0.1	2000	1	30
MG-1230	0.390	4	>200	20	<0.1	600	1	<10
MG-1231	0.460	4	>200	<10	<0.1	490	<1	<10
MG-1232	0.485	5	190	<10	<0.1	690	<1	70
MG-1233	0.455	7	>200	<10	0.1	360	<1	20
MG-1234	0.470	6	158	<10	<0.1	870	<1	110
MG-1235	0.455	16	>200	20	<0.1	890	1	50
MG-1236	0.350	9	195	20	<0.1	1440	<1	130
MG-1237	0.325	9	>200	10	<0.1	1430	<1	80
MG-1238	0.475	6	195	50	0.1	600	2	40
MG-1239	0.470	6	>200	10	<0.1	730	<1	20
MG-1240	0.405	12	>200	10	<0.1	860	<1	20
MG-1241	0.610	3	153	10	0.7	2590	<1	40
MG-1242	0.565	6	>200	10	<0.1	920	<1	20
MG-1243	0.475	7	122	<10	0.2	1530	<1	110
MG-1244	0.475	20	>200	<10	<0.1	460	<1	60
MG-1245	0.380	13	173	<10	<0.1	1350	<1	40
MG-1246	0.490	15	122	<10	0.1	940	<1	60
MG-1247	0.505	19	91	<10	0.2	1150	<1	30
MG-1248	0.530	49	92	<10	<0.1	620	<1	50
MG-1249	0.575	14	>200	<10	<0.1	1130	<1	20
MG-1250	0.440	1	27	<10	<0.1	350	<1	20

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1251	0.420	6	>200	40	<0.1	1690	2	60
MG-1252	0.445	8	>200	20	0.1	2280	2	80
MG-1253	0.405	9	123	20	<0.1	780	3	150
MG-1254	0.500	7	142	30	0.2	1160	3	60
MG-1255	0.465	12	161	<10	<0.1	670	<1	70
MG-1256	0.500	13	>200	20	<0.1	1250	3	50
MG-1257	0.500	9	184	40	<0.1	1760	2	90
MG-1258	0.465	35	>200	<10	<0.1	910	2	40
MG-1259	0.415	13	145	30	<0.1	1730	2	160
MG-1260	0.515	14	>200	10	<0.1	970	2	100
MG-1261	0.355	17	>200	30	<0.1	1690	2	100
MG-1262	0.435	35	>200	20	<0.1	940	1	50
MG-1263	0.430	22	>200	20	<0.1	1780	2	30
MG-2216	0.585	1	59	<10	0.2	1440	<1	250
MG-2217	0.380	<1	>200	20	<0.1	970	<1	50
MG-2218	0.440	2	159	20	<0.1	1680	<1	20
MG-2219	0.445	2	31	<10	<0.1	150	<1	300
MG-2220	0.580	5	30	20	0.1	1550	<1	330
MG-2221	0.475	5	38	20	0.1	900	<1	440
MG-2222	0.570	8	4	20	0.4	940	<1	330
MG-2223	0.520	5	6	<10	0.4	1300	<1	370
MG-2224	0.615	8	7	<10	0.1	1000	<1	390
MG-2225	0.520	13	5	<10	0.9	1150	<1	470
MG-2226	0.605	7	26	20	0.6	1190	<1	280
MG-2227	0.425	2	66	<10	<0.1	1420	<1	160
MG-2228	0.500	1	174	10	<0.1	1890	<1	60
MG-2229	0.405	<1	67	<10	<0.1	160	<1	10
MG-2230	0.480	<1	159	10	0.2	1890	<1	10
MG-2231	0.460	19	6	<10	0.2	1720	<1	370
MG-2232	0.415	3	75	<10	<0.1	1430	<1	170
MG-2233	0.360	<1	>200	20	0.1	1690	<1	30
MG-2234	0.470	3	124	20	<0.1	2150	<1	100
MG-2235	0.385	3	24	<10	<0.1	600	<1	160
MG-2236	0.310	<1	>200	10	<0.1	210	<1	10
MG-2237	0.485	1	118	10	<0.1	1280	<1	40
MG-2238	0.435	5	26	30	<0.1	1180	<1	130
MG-2239	0.495	2	77	20	<0.1	460	<1	290
MG-2240	0.525	<1	109	20	<0.1	470	<1	20
MG-2241	0.365	<1	94	<10	<0.1	310	<1	<10
MG-2242	0.445	3	129	<10	<0.1	540	<1	30

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2243	0.320	6	189	30	<0.1	770	1	80
MG-2244	0.350	3	122	<10	<0.1	500	<1	<10
MG-2245	0.445	5	69	<10	<0.1	230	<1	20
MG-2246	0.390	<1	>200	<10	<0.1	210	<1	<10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1211	8	165	71	200	14.2	160	16	8.3
MG-1212	5	1220	122	100	5.2	710	101	48.1
MG-1213	2	744	53	200	5.2	760	32	12.8
MG-1214	3	217	37	200	9.3	670	14	6.5
MG-1215	5	878	102	200	12.4	270	33	11.9
MG-1216	9	275	72	<100	11.0	150	14	5.5
MG-1217	17	126	41	<100	15.4	60	11	5.0
MG-1218	7	293	46	<100	10.1	170	21	10.0
MG-1219	7	67	46	<100	10.1	100	9	4.1
MG-1220	4	93	31	<100	15.0	100	9	4.7
MG-1221	7	80	43	<100	24.1	270	12	7.4
MG-1222	2	264	51	100	11.2	270	16	6.8
MG-1223	4	1310	48	300	18.8	490	48	20.0
MG-1224	5	528	83	200	12.1	720	31	15.2
MG-1225	<1	1210	23	100	10.5	470	44	17.2
MG-1226	2	958	33	100	13.8	240	44	18.7
MG-1227	6	2090	70	100	7.2	260	51	17.6
MG-1228	9	69	45	<100	17.6	60	8	4.0
MG-1229	21	126	96	100	16.1	110	11	5.3
MG-1230	13	57	48	100	5.1	100	7	3.8
MG-1231	4	70	44	<100	4.0	120	10	5.8
MG-1232	4	777	42	200	7.2	340	34	14.9
MG-1233	6	1010	45	<100	18.5	380	81	28.8
MG-1234	6	1290	88	100	22.0	210	44	19.1
MG-1235	2	526	26	200	30.7	120	26	11.3
MG-1236	6	71	54	100	11.5	90	7	3.8
MG-1237	10	51	34	100	14.8	90	8	4.4
MG-1238	2	1010	46	300	11.8	230	38	15.6
MG-1239	8	73	117	<100	16.0	70	10	5.4
MG-1240	3	85	49	100	13.8	100	9	4.2
MG-1241	<1	670	71	100	10.4	440	25	9.8
MG-1242	2	213	28	100	12.5	260	13	5.6
MG-1243	6	545	81	<100	9.3	310	15	5.1
MG-1244	6	138	74	<100	16.9	190	12	5.1
MG-1245	6	201	49	<100	15.7	140	14	5.7
MG-1246	4	140	44	<100	10.0	130	13	5.4
MG-1247	2	198	27	<100	8.1	110	24	11.5
MG-1248	4	170	17	<100	14.2	230	16	6.1
MG-1249	13	139	59	<100	29.3	90	12	5.8
MG-1250	1	86	9	<100	2.3	100	8	3.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1251	16	171	80	200	15.1	80	13	6.9
MG-1252	2	791	54	400	24.5	200	38	15.3
MG-1253	6	551	45	100	2.7	100	19	8.0
MG-1254	3	743	32	200	16.6	150	25	10.5
MG-1255	10	565	149	<100	8.6	180	52	26.4
MG-1256	4	1010	43	200	19.2	230	31	11.9
MG-1257	5	316	33	200	9.6	120	13	6.5
MG-1258	6	445	24	200	21.4	170	27	11.5
MG-1259	10	58	28	100	7.4	100	5	2.7
MG-1260	7	360	49	100	22.4	150	20	9.1
MG-1261	15	85	46	100	11.4	110	8	4.1
MG-1262	9	316	77	100	38.3	310	17	7.6
MG-1263	12	106	120	100	31.6	220	8	4.8
MG-2216	<1	1790	21	<100	1.0	500	109	53.7
MG-2217	<1	565	23	300	9.6	250	32	15.8
MG-2218	2	899	39	100	5.2	200	58	27.1
MG-2219	5	120	21	<100	0.7	380	12	5.5
MG-2220	4	249	151	<100	0.6	2680	12	6.0
MG-2221	5	203	49	<100	<0.5	2800	11	6.3
MG-2222	2	12	27	<100	<0.5	7080	13	8.3
MG-2223	3	28	129	<100	<0.5	2580	7	3.9
MG-2224	2	34	98	<100	<0.5	2740	10	5.6
MG-2225	3	11	25	<100	<0.5	640	6	2.8
MG-2226	14	921	163	<100	<0.5	1290	37	18.8
MG-2227	1	144	25	<100	3.6	60	8	3.2
MG-2228	<1	465	33	200	7.7	170	33	14.6
MG-2229	2	226	14	<100	11.4	70	24	11.6
MG-2230	<1	309	33	200	7.0	70	20	9.6
MG-2231	10	30	47	<100	1.0	670	8	4.2
MG-2232	3	242	38	100	5.4	100	12	4.9
MG-2233	<1	264	14	400	7.1	70	16	6.9
MG-2234	2	634	46	200	4.5	80	23	9.6
MG-2235	2	108	7	<100	1.6	100	8	3.2
MG-2236	12	75	20	100	7.7	80	10	6.0
MG-2237	4	675	43	100	4.7	250	24	11.4
MG-2238	5	1230	230	<100	<0.5	1400	43	22.6
MG-2239	7	236	54	<100	0.7	830	22	11.5
MG-2240	1	789	26	200	3.5	200	52	23.5
MG-2241	2	393	10	<100	5.5	170	40	19.9
MG-2242	5	203	9	<100	6.7	110	23	11.0

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2243	13	116	29	100	5.6	110	8	4.0
MG-2244	2	506	27	<100	5.9	160	32	15.6
MG-2245	4	200	17	<100	6.7	220	23	10.1
MG-2246	1	54	14	<100	8.5	40	7	4.0

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1211	5.9	146	49	18	<1	<0.5	19.7	73
MG-1212	36.1	226	25	128	<1	<0.5	12.5	488
MG-1213	14.9	277	12	42	<1	<0.5	9.8	346
MG-1214	5.1	225	9	16	<1	<0.5	10.8	99
MG-1215	12.6	134	22	42	<1	<0.5	8.4	436
MG-1216	7.0	26	7	21	<1	<0.5	7.6	137
MG-1217	3.8	34	5	14	<1	<0.5	11.6	46
MG-1218	7.8	50	10	28	<1	<0.5	4.0	98
MG-1219	2.6	75	9	9	<1	<0.5	6.3	29
MG-1220	2.9	85	12	10	<1	<0.5	7.6	26
MG-1221	3.4	103	9	12	<1	<0.5	10.4	34
MG-1222	6.7	164	21	20	<1	<0.5	20.6	112
MG-1223	23.4	168	28	68	<1	<0.5	6.2	535
MG-1224	13.7	302	12	42	<1	<0.5	20.1	202
MG-1225	21.6	73	15	63	<1	<0.5	7.4	487
MG-1226	18.8	99	17	60	<1	<0.5	16.5	386
MG-1227	32.3	75	15	99	<1	<0.5	12.1	1370
MG-1228	2.0	69	12	8	<1	<0.5	9.6	23
MG-1229	3.6	148	87	11	<1	<0.5	50.3	52
MG-1230	1.9	146	50	6	<1	<0.5	18.4	27
MG-1231	2.4	162	10	8	<1	<0.5	15.9	30
MG-1232	17.9	95	14	53	<1	<0.5	5.4	335
MG-1233	35.9	28	9	109	<1	<0.5	10.5	353
MG-1234	23.1	123	18	74	<1	<0.5	14.7	538
MG-1235	12.2	136	79	35	1	<0.5	23.0	235
MG-1236	2.7	152	56	9	<1	<0.5	16.7	26
MG-1237	2.5	131	58	8	<1	<0.5	45.7	25
MG-1238	19.9	203	60	59	1	<0.5	12.5	436
MG-1239	2.8	80	15	10	2	<0.5	20.1	29
MG-1240	2.6	137	23	8	<1	<0.5	18.4	46
MG-1241	9.8	150	12	32	<1	<0.5	7.2	189
MG-1242	5.0	150	32	16	<1	<0.5	7.4	93
MG-1243	6.0	64	7	21	<1	<0.5	36.3	369
MG-1244	4.4	75	26	14	<1	<0.5	16.1	57
MG-1245	5.6	37	11	17	<1	<0.5	77.4	84
MG-1246	4.7	33	7	15	<1	<0.5	24.1	61
MG-1247	8.8	36	16	32	<1	<0.5	17.2	91
MG-1248	7.3	30	10	23	<1	<0.5	41.0	82
MG-1249	4.5	134	52	13	<1	<0.5	18.8	52
MG-1250	3.1	2	3	11	<1	<0.5	4.0	29

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1251	4.4	200	78	15	<1	<0.5	28.5	68
MG-1252	18.4	255	33	52	<1	<0.5	12.9	330
MG-1253	9.5	72	12	32	<1	<0.5	12.6	262
MG-1254	12.9	148	33	40	<1	<0.5	10.4	307
MG-1255	18.4	147	12	62	<1	<0.5	15.7	229
MG-1256	15.5	175	65	49	2	<0.5	16.9	514
MG-1257	5.2	202	86	19	<1	<0.5	21.2	90
MG-1258	11.1	74	49	37	2	<0.5	18.2	178
MG-1259	1.6	101	49	6	<1	<0.5	54.8	23
MG-1260	8.8	107	59	30	<1	<0.5	39.5	154
MG-1261	2.5	175	74	9	<1	<0.5	35.5	37
MG-1262	7.5	156	51	23	1	<0.5	21.9	123
MG-1263	2.4	155	66	8	1	<0.5	41.0	41
MG-2216	39.1	23	1	165	<1	<0.5	5.3	645
MG-2217	11.3	134	51	41	<1	<0.5	10.4	212
MG-2218	20.3	98	15	82	<1	<0.5	7.2	329
MG-2219	4.7	11	2	19	<1	<0.5	6.7	41
MG-2220	4.7	36	2	19	<1	<0.5	9.1	106
MG-2221	3.8	44	2	18	<1	<0.5	14.7	85
MG-2222	2.6	7	<1	15	<1	<0.5	26.9	3
MG-2223	2.3	12	<1	12	<1	<0.5	15.8	8
MG-2224	2.7	20	<1	14	<1	<0.5	26.2	9
MG-2225	1.6	<1	<1	9	1	<0.5	7.8	3
MG-2226	14.5	61	2	60	<1	<0.5	10.5	392
MG-2227	3.2	43	5	10	<1	<0.5	2.7	55
MG-2228	12.4	87	31	43	<1	<0.5	7.4	218
MG-2229	9.5	16	5	36	<1	<0.5	8.9	93
MG-2230	8.1	125	13	27	<1	<0.5	5.6	116
MG-2231	3.0	5	<1	14	1	<0.5	3.2	13
MG-2232	4.4	83	4	16	<1	<0.5	5.2	100
MG-2233	5.6	153	73	19	<1	<0.5	6.4	144
MG-2234	8.2	169	11	34	<1	<0.5	3.3	230
MG-2235	2.5	10	1	11	<1	<0.5	1.5	42
MG-2236	2.7	98	17	9	<1	<0.5	6.4	33
MG-2237	7.3	55	9	25	<1	<0.5	5.0	67
MG-2238	15.6	131	<1	71	<1	<0.5	8.4	558
MG-2239	7.3	78	7	29	<1	<0.5	13.1	113
MG-2240	17.7	85	15	64	<1	<0.5	4.5	204
MG-2241	14.8	28	3	54	<1	<0.5	6.9	136
MG-2242	8.5	26	15	28	<1	<0.5	10.4	87

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2243	2.5	70	45	10	<1	<0.5	16.4	49
MG-2244	11.9	28	6	46	<1	<0.5	6.3	166
MG-2245	8.2	19	7	31	<1	<0.5	8.6	69
MG-2246	2.0	105	10	8	<1	<0.5	2.8	25

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1211	12	5	1330	<5	19.3	100	109	4.8
MG-1212	13	30	5210	<5	20.3	807	340	4.1
MG-1213	<5	4	800	<5	18.8	352	135	6.4
MG-1214	<5	6	470	<5	10.2	109	132	5.5
MG-1215	8	7	2960	5	12.7	315	80	3.3
MG-1216	<5	3	1730	6	1.9	133	80	1.2
MG-1217	<5	4	4030	<5	1.3	66	93	1.8
MG-1218	<5	2	2450	<5	2.1	151	67	1.5
MG-1219	<5	3	1610	<5	2.1	39	152	2.6
MG-1220	<5	2	3740	<5	3.9	44	119	5.2
MG-1221	<5	<1	480	<5	2.7	49	93	0.7
MG-1222	<5	3	490	<5	9.3	121	113	1.6
MG-1223	9	6	650	<5	25.5	550	228	13.4
MG-1224	<5	8	2840	<5	12.9	284	141	7.9
MG-1225	5	15	1140	<5	14.2	547	94	4.4
MG-1226	6	9	1450	<5	7.9	420	73	2.4
MG-1227	6	6	4510	<5	14.3	1070	70	3.8
MG-1228	<5	2	6750	<5	3.1	30	96	6.6
MG-1229	37	17	10100	<5	21.4	65	155	11.6
MG-1230	16	7	350	6	25.7	29	94	6.2
MG-1231	<5	4	180	<5	6.7	39	162	4.1
MG-1232	6	7	1100	<5	12.6	407	193	15.8
MG-1233	<5	3	1070	<5	6.5	657	144	9.5
MG-1234	9	16	4560	<5	14.9	603	172	11.9
MG-1235	15	13	3830	11	35.9	291	113	10.7
MG-1236	22	22	4090	6	19.2	47	92	17.4
MG-1237	16	23	5430	<5	16.7	37	144	5.3
MG-1238	11	9	910	11	46.8	463	209	8.5
MG-1239	<5	2	4920	5	3.6	46	150	5.5
MG-1240	<5	2	1200	<5	7.5	43	99	4.0
MG-1241	<5	3	2300	<5	8.1	188	47	3.0
MG-1242	9	4	1290	7	13.2	94	100	2.8
MG-1243	<5	11	9260	<5	3.5	171	59	1.8
MG-1244	<5	6	3240	<5	6.0	72	101	3.0
MG-1245	<5	4	4400	5	2.0	96	67	2.2
MG-1246	<5	5	6400	7	3.0	79	58	1.5
MG-1247	<5	6	3670	10	7.0	153	34	1.4
MG-1248	<5	5	1130	9	4.2	127	21	0.9
MG-1249	11	7	7900	<5	12.4	81	101	10.1
MG-1250	<5	2	440	<5	<0.5	57	14	0.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1251	29	15	18800	9	36.1	83	137	14.7
MG-1252	37	21	1480	9	48.3	398	255	13.2
MG-1253	6	36	4700	7	104	249	164	5.4
MG-1254	19	17	1490	12	62.5	313	138	7.1
MG-1255	11	22	15300	7	11.8	338	204	5.3
MG-1256	28	15	1000	15	51.0	401	114	7.3
MG-1257	19	18	7520	12	47.3	109	119	6.7
MG-1258	20	9	14400	6	24.4	218	119	8.5
MG-1259	17	28	9810	<5	23.6	29	85	10.3
MG-1260	28	26	6180	8	33.8	188	98	5.8
MG-1261	29	16	12300	6	27.1	44	101	13.9
MG-1262	25	13	3760	10	23.2	140	166	8.2
MG-1263	31	11	16200	7	24.7	43	101	10.4
MG-2216	<5	52	980	<5	2.2	918	109	0.5
MG-2217	21	15	350	<5	24.1	240	110	4.1
MG-2218	<5	6	370	<5	11.3	438	66	2.2
MG-2219	<5	59	90	<5	<0.5	86	53	0.1
MG-2220	10	47	3490	76	3.3	137	222	0.3
MG-2221	19	54	9760	67	1.3	117	365	0.1
MG-2222	21	65	3590	15	<0.5	20	133	<0.1
MG-2223	19	49	3100	8	<0.5	36	241	<0.1
MG-2224	12	59	5670	6	<0.5	42	162	<0.1
MG-2225	38	87	740	<5	<0.5	14	291	<0.1
MG-2226	13	43	8550	12	1.1	460	261	0.5
MG-2227	<5	18	300	<5	4.0	63	40	1.5
MG-2228	12	11	490	7	17.2	258	53	2.4
MG-2229	<5	2	70	7	0.8	181	26	0.8
MG-2230	6	2	620	<5	8.1	143	35	2.7
MG-2231	17	97	540	<5	<0.5	40	189	0.3
MG-2232	<5	31	150	<5	4.1	109	63	1.5
MG-2233	28	15	150	<5	30.4	114	101	7.5
MG-2234	11	14	870	<5	9.1	204	60	2.8
MG-2235	<5	25	170	<5	1.0	60	45	0.3
MG-2236	<5	6	40	<5	3.2	39	66	1.0
MG-2237	<5	4	1220	<5	4.5	111	47	1.8
MG-2238	49	14	15600	<5	3.1	520	280	0.6
MG-2239	21	37	3630	85	4.0	165	112	0.4
MG-2240	<5	1	350	10	15.6	318	45	1.6
MG-2241	<5	<1	110	8	0.6	265	21	0.6
MG-2242	<5	1	70	<5	1.2	134	21	0.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2243	12	7	3620	6	9.8	49	64	5.0
MG-2244	<5	<1	70	6	1.0	244	32	1.6
MG-2245	<5	<1	70	7	0.5	135	37	0.3
MG-2246	<5	<1	<10	<5	2.0	30	70	1.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1211	230	<1	24	<1	202	<1	44	22
MG-1212	140	<1	169	<1	167	<1	85	150
MG-1213	70	<1	92	<1	106	<1	46	58
MG-1214	70	<1	28	<1	117	<1	41	20
MG-1215	160	<1	84	<1	186	<1	51	53
MG-1216	160	<1	36	<1	240	<1	21	26
MG-1217	170	<1	15	<1	256	<1	20	15
MG-1218	130	<1	35	<1	118	<1	39	30
MG-1219	130	<1	8	<1	122	<1	23	9
MG-1220	80	<1	10	<1	118	<1	25	10
MG-1221	140	<1	10	<1	176	<1	31	12
MG-1222	60	<1	32	<1	161	<1	38	25
MG-1223	80	<1	138	<1	137	<1	57	92
MG-1224	40	<1	69	<1	184	<1	39	52
MG-1225	80	<1	137	<1	198	<1	39	88
MG-1226	100	<1	112	<1	266	<1	41	78
MG-1227	120	<1	299	<1	173	<1	40	142
MG-1228	160	<1	8	<1	175	<1	19	8
MG-1229	290	<1	15	<1	322	<1	52	14
MG-1230	250	<1	7	<1	233	<1	35	6
MG-1231	40	<1	10	<1	167	<1	25	8
MG-1232	60	<1	101	<1	71	<1	32	70
MG-1233	70	<1	154	<1	159	<1	32	131
MG-1234	110	<1	151	<1	178	<1	22	100
MG-1235	170	<1	73	<1	276	<1	46	48
MG-1236	160	<1	10	<1	247	<1	42	10
MG-1237	230	<1	8	<1	303	<1	39	8
MG-1238	190	<1	124	<1	170	<1	37	83
MG-1239	190	<1	10	<1	179	<1	22	11
MG-1240	110	<1	11	<1	130	<1	30	9
MG-1241	100	<1	47	<1	118	<1	41	37
MG-1242	90	<1	25	<1	163	<1	44	18
MG-1243	120	<1	51	<1	250	<1	22	26
MG-1244	190	<1	17	<1	172	<1	21	16
MG-1245	160	<1	24	<1	367	<1	27	20
MG-1246	150	<1	19	<1	367	<1	24	17
MG-1247	140	<1	33	<1	275	<1	32	33
MG-1248	140	<1	27	<1	309	<1	28	27
MG-1249	280	<1	18	<1	204	<1	32	16
MG-1250	40	<1	12	<1	46	<1	9	13

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1251	310	<1	19	<1	296	1	52	17
MG-1252	110	<1	100	<1	154	<1	55	70
MG-1253	240	<1	64	<1	51	1	16	41
MG-1254	200	<1	83	<1	175	2	30	56
MG-1255	120	<1	77	<1	168	<1	36	72
MG-1256	160	<1	110	<1	193	1	49	68
MG-1257	340	<1	27	<1	211	1	38	22
MG-1258	110	<1	56	<1	305	1	69	45
MG-1259	310	<1	7	<1	227	1	35	7
MG-1260	200	<1	45	<1	326	<1	45	35
MG-1261	420	<1	10	<1	237	1	57	10
MG-1262	190	<1	35	<1	346	<1	34	30
MG-1263	480	<1	10	<1	337	2	48	8
MG-2216	40	<1	208	<1	81	<1	23	175
MG-2217	120	<1	64	<1	142	<1	88	48
MG-2218	120	<1	106	<1	103	<1	53	92
MG-2219	10	<1	18	<1	29	<1	7	20
MG-2220	80	<1	33	<1	42	<1	10	24
MG-2221	130	<1	28	<1	8	<1	8	20
MG-2222	150	<1	3	<1	7	<1	<5	8
MG-2223	<10	<1	6	<1	6	<1	<5	9
MG-2224	50	<1	7	<1	<5	<1	<5	12
MG-2225	<10	<1	2	<1	14	<1	<5	6
MG-2226	20	<1	113	<1	12	<1	17	76
MG-2227	40	<1	16	<1	68	<1	14	13
MG-2228	130	<1	63	<1	161	<1	66	52
MG-2229	90	<1	39	<1	109	<1	35	41
MG-2230	80	<1	35	<1	126	<1	43	30
MG-2231	<10	<1	8	<1	83	<1	6	11
MG-2232	40	<1	28	<1	88	<1	18	20
MG-2233	120	<1	30	<1	120	<1	66	22
MG-2234	90	<1	56	<1	80	<1	31	39
MG-2235	40	<1	14	<1	58	<1	<5	12
MG-2236	170	<1	10	<1	50	<1	37	9
MG-2237	140	<1	25	<1	74	<1	38	27
MG-2238	70	<1	140	<1	30	<1	26	84
MG-2239	340	<1	39	<1	32	<1	27	32
MG-2240	120	<1	72	<1	63	<1	49	71
MG-2241	160	<1	60	<1	91	<1	54	59
MG-2242	230	<1	30	<1	145	<1	38	30

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2243	390	<1	12	<1	152	2	36	11
MG-2244	190	<1	54	<1	86	<1	46	51
MG-2245	240	<1	28	<1	141	<1	34	33
MG-2246	40	<1	7	<1	53	<1	18	7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1211	3	110	<1	3	<10	36.4	6740	0.8
MG-1212	3	570	<1	19	<10	69.3	5940	0.5
MG-1213	<1	150	<1	6	<10	88.3	2430	0.8
MG-1214	<1	130	<1	2	<10	42.8	1610	0.6
MG-1215	1	200	<1	6	<10	52.8	3440	0.8
MG-1216	<1	140	<1	3	<10	14.4	597	0.6
MG-1217	<1	340	<1	2	<10	9.7	409	<0.5
MG-1218	<1	120	<1	4	<10	14.2	580	<0.5
MG-1219	<1	400	<1	1	<10	10.2	446	<0.5
MG-1220	<1	340	<1	2	<10	23.0	1130	0.5
MG-1221	<1	10	<1	2	<10	11.0	571	<0.5
MG-1222	<1	50	<1	3	<10	30.4	2960	0.5
MG-1223	2	160	1	9	<10	108	6850	1.1
MG-1224	1	220	<1	6	<10	74.9	3380	0.8
MG-1225	1	420	<1	8	<10	62.9	4020	0.7
MG-1226	<1	230	<1	8	<10	44.7	2380	0.8
MG-1227	1	450	<1	11	<10	77.4	4160	0.8
MG-1228	<1	160	<1	1	<10	13.8	774	<0.5
MG-1229	5	300	1	2	<10	20.5	8210	0.9
MG-1230	5	90	1	1	<10	18.4	8690	0.6
MG-1231	<1	100	<1	1	<10	25.2	1510	<0.5
MG-1232	<1	290	<1	7	<10	77.7	2430	0.6
MG-1233	<1	120	<1	15	<10	86.7	1720	0.6
MG-1234	2	420	<1	9	<10	66.5	5090	1.1
MG-1235	7	290	2	5	<10	55.6	14500	1.0
MG-1236	4	640	<1	1	<10	17.9	7050	0.8
MG-1237	3	520	<1	1	<10	18.7	7490	0.8
MG-1238	10	250	3	8	<10	95.1	20600	1.0
MG-1239	<1	70	<1	2	<10	21.9	1030	0.7
MG-1240	<1	140	<1	1	<10	16.7	1820	<0.5
MG-1241	<1	170	<1	5	<10	59.6	2180	1.2
MG-1242	2	90	<1	2	<10	23.7	3930	0.6
MG-1243	<1	460	<1	3	<10	37.2	1000	0.6
MG-1244	<1	320	<1	2	<10	21.9	2110	<0.5
MG-1245	<1	170	<1	3	<10	15.7	770	0.5
MG-1246	<1	200	<1	2	<10	17.2	1030	0.6
MG-1247	<1	190	<1	4	<10	10.7	2860	0.6
MG-1248	<1	120	<1	3	<10	8.4	1620	<0.5
MG-1249	2	110	<1	2	<10	24.2	4220	0.5
MG-1250	<1	30	<1	2	<10	4.8	168	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1251	8	270	2	2	<10	39.1	14700	1.4
MG-1252	4	390	2	7	<10	164	12900	1.3
MG-1253	9	600	8	4	<10	81.6	16100	0.7
MG-1254	7	280	5	5	<10	97.2	17900	1.9
MG-1255	2	390	<1	9	<10	71.9	4220	1.5
MG-1256	11	240	4	6	<10	97.6	24400	2.0
MG-1257	8	370	4	3	<10	42.9	21600	0.8
MG-1258	6	180	2	5	<10	75.4	9840	1.1
MG-1259	7	820	2	<1	<10	20.0	11100	0.7
MG-1260	7	480	2	4	<10	49.5	16200	1.0
MG-1261	6	490	2	1	<10	25.3	11300	0.9
MG-1262	4	440	1	3	<10	76.4	10400	0.9
MG-1263	7	170	2	1	<10	43.0	10300	1.4
MG-2216	<1	1220	<1	20	<10	67.6	551	<0.5
MG-2217	5	180	2	6	<10	97.8	7900	1.2
MG-2218	<1	130	<1	11	<10	56.2	2970	<0.5
MG-2219	<1	370	<1	2	<10	8.4	110	<0.5
MG-2220	<1	450	<1	2	<10	46.5	351	<0.5
MG-2221	<1	560	<1	2	<10	24.8	42	<0.5
MG-2222	<1	700	<1	2	<10	9.0	<3	<0.5
MG-2223	<1	780	<1	1	<10	8.2	<3	<0.5
MG-2224	<1	1000	<1	2	<10	20.7	<3	<0.5
MG-2225	<1	800	<1	1	<10	4.7	<3	<0.5
MG-2226	<1	600	<1	7	<10	60.5	264	<0.5
MG-2227	<1	320	<1	1	<10	21.1	703	<0.5
MG-2228	2	250	<1	6	<10	63.9	5600	0.8
MG-2229	<1	30	<1	5	<10	9.2	265	<0.5
MG-2230	<1	100	<1	4	<10	48.8	1890	<0.5
MG-2231	<1	890	<1	1	<10	5.7	<3	<0.5
MG-2232	<1	260	<1	2	<10	24.1	661	<0.5
MG-2233	6	220	2	3	<10	34.3	8270	0.8
MG-2234	<1	230	<1	4	<10	52.5	1730	0.6
MG-2235	<1	190	<1	1	<10	19.1	169	<0.5
MG-2236	<1	50	<1	2	<10	19.4	1060	<0.5
MG-2237	<1	120	<1	4	<10	31.5	1270	<0.5
MG-2238	<1	360	<1	8	<10	125	350	<0.5
MG-2239	<1	530	<1	4	<10	21.0	486	<0.5
MG-2240	1	70	<1	10	<10	70.2	3820	<0.5
MG-2241	<1	<10	<1	7	<10	22.0	239	<0.5
MG-2242	<1	60	<1	4	<10	15.7	552	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2243	3	210	<1	1	<10	30.6	3880	0.6
MG-2244	<1	20	<1	6	<10	14.0	350	<0.5
MG-2245	<1	30	<1	4	<10	9.7	243	<0.5
MG-2246	<1	50	<1	1	<10	6.3	356	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1211	9	3	77	7	440	63
MG-1212	26	6	543	32	410	134
MG-1213	17	5	130	8	180	114
MG-1214	11	3	57	5	220	51
MG-1215	13	9	134	8	300	91
MG-1216	6	1	67	4	350	26
MG-1217	6	<1	54	3	1280	19
MG-1218	8	1	115	7	270	29
MG-1219	5	<1	43	3	450	22
MG-1220	8	<1	44	4	810	37
MG-1221	6	1	62	6	110	24
MG-1222	11	4	66	5	120	56
MG-1223	31	6	214	13	180	128
MG-1224	26	5	143	11	480	78
MG-1225	21	8	197	13	130	79
MG-1226	11	7	195	13	250	66
MG-1227	15	6	247	11	290	102
MG-1228	6	<1	40	3	1060	34
MG-1229	6	5	55	5	1770	97
MG-1230	7	5	32	3	410	73
MG-1231	10	1	49	4	370	37
MG-1232	45	1	157	10	390	61
MG-1233	44	<1	357	20	220	65
MG-1234	22	1	252	13	630	56
MG-1235	25	3	128	8	350	91
MG-1236	5	1	43	3	1030	64
MG-1237	7	1	45	3	1190	50
MG-1238	24	2	182	11	240	98
MG-1239	8	3	48	4	170	45
MG-1240	8	5	43	3	120	51
MG-1241	18	11	103	7	110	90
MG-1242	10	11	65	4	100	71
MG-1243	9	4	55	3	450	51
MG-1244	10	2	49	3	160	39
MG-1245	7	1	64	4	270	31
MG-1246	8	1	57	4	170	29
MG-1247	8	3	136	8	50	29
MG-1248	8	1	74	4	90	21
MG-1249	11	2	57	4	1110	52
MG-1250	5	<1	33	2	40	10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1251	12	4	68	5	1070	113
MG-1252	42	2	181	11	260	144
MG-1253	19	1	94	6	590	68
MG-1254	21	3	110	8	340	108
MG-1255	29	1	265	19	660	49
MG-1256	23	5	139	9	270	118
MG-1257	10	5	59	5	690	89
MG-1258	20	2	117	8	270	143
MG-1259	5	2	23	2	2000	67
MG-1260	13	4	92	7	1290	79
MG-1261	8	3	39	4	2370	94
MG-1262	20	3	67	6	1220	91
MG-1263	11	4	43	4	1270	113
MG-2216	17	<1	533	37	60	32
MG-2217	13	3	142	11	90	207
MG-2218	19	4	264	21	40	67
MG-2219	35	<1	71	3	<20	<5
MG-2220	52	1	64	5	40	65
MG-2221	61	31	68	5	290	14
MG-2222	3	36	89	8	<20	13
MG-2223	4	17	47	3	20	7
MG-2224	4	54	58	5	<20	14
MG-2225	5	3	28	2	<20	6
MG-2226	53	1	207	15	130	37
MG-2227	20	2	32	3	40	32
MG-2228	13	3	157	12	70	121
MG-2229	7	<1	129	8	30	18
MG-2230	9	2	85	7	40	75
MG-2231	10	<1	37	3	30	6
MG-2232	10	1	50	4	90	39
MG-2233	11	3	65	5	100	116
MG-2234	10	2	97	8	300	70
MG-2235	34	<1	33	2	<20	23
MG-2236	8	<1	45	5	50	47
MG-2237	12	2	98	8	60	57
MG-2238	7	13	233	19	90	129
MG-2239	61	22	113	8	170	17
MG-2240	23	6	199	18	40	84
MG-2241	15	<1	182	15	20	38
MG-2242	10	<1	101	8	20	33

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142481 Order: Treasury Metals P1/4

Report File No.: 0000008302

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2243	6	1	36	3	200	106
MG-2244	11	<1	162	12	20	28
MG-2245	11	<1	98	8	40	20
MG-2246	4	<1	30	3	70	22

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142482

[Report File No.: 0000008367]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Aug 21, 2014

P.O. No.	:	Treasury Metals P2/4
Project No.	:	-
No. Of Samples	:	84
Date Submitted	:	Aug 05, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142482 Order: Treasury Metals P2/4

Report File No.: 0000008367

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2247	0.425	1	91	<10	0.1	370	<1	10
MG-2248	0.475	2	127	10	<0.1	1700	<1	10
MG-2249	0.485	3	39	<10	0.1	870	<1	30
MG-2250	0.480	<1	19	<10	0.2	400	<1	<10
MG-2251	0.445	3	54	<10	<0.1	1090	<1	10
MG-2252	0.425	4	76	<10	<0.1	580	<1	20
MG-2253	0.445	4	38	<10	0.1	340	<1	10
MG-2254	0.505	2	172	10	0.1	1650	1	20
MG-2255	0.550	1	133	20	0.2	780	2	<10
MG-2256	0.550	1	104	10	0.2	2430	<1	20
MG-2257	0.520	<1	70	<10	0.2	2230	<1	10
MG-2258	0.480	1	>200	10	<0.1	450	<1	<10
MG-2259	0.430	<1	>200	<10	<0.1	1280	<1	10
MG-2260	0.435	1	>200	20	<0.1	510	<1	20
MG-2261	0.400	<1	>200	<10	<0.1	360	<1	<10
MG-2262	0.515	<1	74	<10	<0.1	280	<1	<10
MG-2263	0.370	<1	160	<10	<0.1	310	<1	50
MG-2264	0.465	16	41	<10	<0.1	2130	<1	290
MG-2265	0.555	5	5	20	0.7	1360	<1	230
MG-2266	0.480	3	46	<10	<0.1	530	<1	300
MG-2267	0.515	1	41	10	<0.1	360	<1	230
MG-2268	0.515	2	16	<10	<0.1	1240	<1	200
MG-2269	0.585	2	30	50	<0.1	550	<1	110
MG-2270	0.590	2	23	<10	0.8	1410	<1	140
MG-2271	0.470	2	34	<10	<0.1	1590	<1	150
MG-2272	0.480	<1	>200	<10	0.1	2010	<1	10
MG-2273	0.485	1	21	<10	0.3	1060	<1	170
MG-2274	0.540	5	98	40	0.2	720	1	190
MG-2275	0.425	<1	>200	<10	<0.1	310	<1	<10
MG-2276	0.540	<1	76	<10	<0.1	540	<1	110
MG-2277	0.435	<1	167	<10	<0.1	260	<1	90
MG-2278	0.530	1	126	<10	<0.1	550	<1	190
MG-2279	0.590	1	124	<10	<0.1	940	<1	10
MG-2280	0.510	1	79	<10	0.3	1380	<1	20
MG-2281	0.530	<1	>200	20	<0.1	1270	<1	10
MG-2282	0.570	2	99	<10	<0.1	790	<1	10
MG-2283	0.585	3	69	10	<0.1	1170	<1	230
MG-2284	0.410	17	47	<10	<0.1	470	<1	20
MG-2285	0.455	1	>200	30	<0.1	590	2	10
MG-2286	0.580	<1	156	10	<0.1	900	<1	<10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142482 Order: Treasury Metals P2/4

Report File No.: 0000008367

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2287	0.715	<1	115	<10	<0.1	1170	<1	10
MG-2288	0.435	1	>200	<10	<0.1	430	<1	<10
MG-2289	0.455	10	69	<10	<0.1	310	<1	60
MG-2290	0.440	4	55	<10	<0.1	940	<1	10
MG-2291	0.490	6	115	<10	0.1	1090	<1	20
MG-2292	0.510	1	123	<10	<0.1	610	<1	20
MG-2293	0.430	2	>200	10	<0.1	450	<1	<10
MG-2294	0.565	1	32	<10	0.8	1560	<1	90
MG-2295	0.535	2	50	30	0.1	920	<1	130
MG-2296	0.425	<1	>200	<10	<0.1	400	<1	10
MG-2297	0.490	<1	187	10	<0.1	600	<1	<10
MG-2298	0.500	<1	34	<10	<0.1	160	<1	<10
MG-2299	0.475	<1	>200	<10	0.5	490	<1	<10
MG-2300	0.525	<1	70	<10	<0.1	200	<1	<10
MG-2301	0.480	<1	103	<10	<0.1	330	<1	<10
MG-2302	0.445	2	70	<10	<0.1	390	<1	<10
MG-2303	0.500	1	82	<10	<0.1	930	<1	<10
MG-2304	0.650	<1	125	<10	0.1	1700	<1	20
MG-2305	0.600	8	5	<10	0.4	1970	<1	430
MG-2306	0.570	6	20	<10	0.3	1920	<1	360
MG-2307	0.530	<1	131	<10	<0.1	3030	<1	60
MG-2308	0.545	<1	167	<10	<0.1	640	<1	20
MG-2309	0.530	<1	142	10	<0.1	1550	1	20
MG-2310	0.530	<1	>200	30	0.1	2080	<1	10
MG-2311	0.480	<1	127	<10	0.1	1240	<1	<10
MG-2312	0.435	3	158	<10	<0.1	320	<1	20
MG-2313	0.370	6	52	<10	0.3	580	<1	20
MG-2314	0.400	5	60	<10	0.6	430	<1	10
MG-2315	0.360	7	85	<10	<0.1	460	<1	20
MG-2316	0.380	2	168	<10	<0.1	630	<1	<10
MG-2317	0.460	<1	>200	<10	<0.1	580	<1	<10
MG-2318	0.445	2	112	<10	0.2	470	<1	20
MG-2319	0.505	<1	173	<10	<0.1	280	<1	<10
MG-2320	0.515	1	>200	<10	<0.1	230	<1	<10
MG-2321	0.435	2	108	<10	<0.1	310	<1	<10
MG-2322	0.410	12	140	<10	<0.1	600	<1	10
MG-2323	0.420	6	159	30	0.2	700	<1	20
MG-2324	0.410	20	93	<10	<0.1	570	<1	130
MG-2325	0.370	17	96	<10	<0.1	740	<1	50
MG-2326	0.470	7	40	<10	<0.1	700	<1	10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142482 Order: Treasury Metals P2/4

Report File No.: 0000008367

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2327	0.440	4	57	<10	<0.1	480	<1	10
MG-2328	0.400	6	164	<10	<0.1	1040	<1	30
MG-2329	0.375	4	135	<10	<0.1	530	<1	80
MG-2330	0.410	16	138	<10	<0.1	850	<1	60

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2247	2	391	17	<100	4.5	220	34	14.3
MG-2248	<1	236	27	<100	4.1	100	19	9.2
MG-2249	1	238	25	<100	4.0	80	34	14.7
MG-2250	<1	105	12	<100	2.4	100	9	3.8
MG-2251	2	319	35	<100	3.4	100	36	16.1
MG-2252	2	180	15	<100	6.9	50	23	10.4
MG-2253	2	568	19	<100	6.6	50	56	23.4
MG-2254	4	307	35	200	3.4	250	17	7.1
MG-2255	2	415	63	200	4.4	700	24	9.9
MG-2256	<1	588	69	<100	5.0	270	41	18.2
MG-2257	<1	495	46	<100	4.7	250	33	14.7
MG-2258	6	65	44	100	3.8	120	9	4.3
MG-2259	<1	221	20	200	5.5	60	19	11.0
MG-2260	2	134	10	200	3.5	50	11	4.7
MG-2261	2	74	11	<100	6.5	30	9	4.1
MG-2262	2	393	6	<100	5.3	90	26	11.9
MG-2263	1	339	10	100	3.5	80	19	7.6
MG-2264	35	417	59	<100	2.4	450	32	15.8
MG-2265	2	71	32	<100	<0.5	680	10	4.8
MG-2266	8	152	103	<100	<0.5	1820	11	6.3
MG-2267	3	452	38	<100	<0.5	940	19	9.4
MG-2268	2	273	54	<100	<0.5	2140	8	4.0
MG-2269	<1	22	42	<100	<0.5	4470	3	2.2
MG-2270	2	391	14	<100	1.9	420	17	6.9
MG-2271	<1	158	29	<100	1.9	130	12	5.0
MG-2272	<1	223	16	200	4.6	80	16	6.4
MG-2273	<1	103	41	<100	2.6	70	6	2.1
MG-2274	9	477	61	<100	1.5	750	26	14.9
MG-2275	<1	211	6	100	5.1	110	19	8.5
MG-2276	<1	88	20	<100	3.4	80	7	2.9
MG-2277	1	83	43	<100	1.3	40	11	6.0
MG-2278	5	279	52	<100	3.9	130	16	7.3
MG-2279	<1	278	10	<100	5.5	70	24	9.8
MG-2280	1	114	35	<100	4.6	150	33	12.8
MG-2281	1	161	13	300	6.9	110	15	6.5
MG-2282	1	374	16	<100	4.0	150	29	12.4
MG-2283	3	251	25	<100	2.3	730	15	7.1
MG-2284	5	234	24	<100	5.6	110	35	14.1
MG-2285	3	62	16	200	14.0	60	5	2.7
MG-2286	1	171	10	<100	4.0	80	14	5.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142482 Order: Treasury Metals P2/4

Report File No.: 0000008367

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2287	<1	157	9	<100	3.1	110	11	4.4
MG-2288	<1	53	14	<100	3.1	20	8	4.2
MG-2289	6	78	9	<100	6.2	110	10	4.3
MG-2290	3	220	21	<100	6.7	80	32	14.4
MG-2291	4	230	25	<100	7.8	100	29	12.3
MG-2292	4	98	12	<100	6.3	80	8	3.4
MG-2293	6	49	15	100	13.3	150	6	3.5
MG-2294	<1	176	20	<100	3.0	410	15	7.9
MG-2295	2	192	25	<100	1.9	1270	9	4.0
MG-2296	7	118	16	<100	7.1	760	11	5.1
MG-2297	<1	357	10	100	12.3	120	27	10.8
MG-2298	4	176	18	<100	5.8	90	17	8.0
MG-2299	1	154	8	100	9.6	60	12	5.6
MG-2300	<1	410	6	<100	8.8	90	37	17.1
MG-2301	<1	422	8	<100	9.1	120	40	20.3
MG-2302	4	341	24	<100	6.7	120	30	13.3
MG-2303	2	585	27	<100	3.9	140	52	21.8
MG-2304	1	714	22	<100	4.5	180	59	24.7
MG-2305	<1	16	14	<100	0.5	310	13	5.6
MG-2306	1	238	52	<100	0.8	440	33	14.8
MG-2307	1	433	55	<100	3.3	360	28	12.6
MG-2308	<1	412	22	<100	3.5	160	45	21.8
MG-2309	3	279	53	100	4.6	290	18	8.7
MG-2310	<1	413	13	400	3.1	80	18	8.1
MG-2311	<1	173	15	100	4.3	110	10	4.2
MG-2312	7	154	24	<100	4.7	90	17	8.9
MG-2313	5	341	15	<100	4.0	110	32	13.6
MG-2314	4	183	34	<100	5.3	60	23	10.9
MG-2315	5	198	32	<100	5.9	120	29	12.4
MG-2316	7	165	44	<100	7.9	110	14	6.8
MG-2317	2	68	16	100	6.2	130	7	3.9
MG-2318	2	150	13	<100	6.1	60	16	7.6
MG-2319	1	84	19	<100	4.9	30	12	7.3
MG-2320	<1	34	18	<100	6.4	30	6	3.4
MG-2321	4	192	27	<100	9.8	60	16	7.4
MG-2322	13	438	52	<100	6.5	130	27	13.0
MG-2323	7	364	63	100	6.2	250	11	4.8
MG-2324	5	149	17	<100	4.6	250	10	4.9
MG-2325	8	191	28	<100	4.7	300	24	11.4
MG-2326	4	168	20	<100	3.9	140	19	8.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142482 Order: Treasury Metals P2/4

Report File No.: 0000008367

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2327	4	188	18	<100	5.8	170	21	9.8
MG-2328	5	125	26	<100	4.3	150	12	6.4
MG-2329	6	135	57	<100	5.1	120	13	6.1
MG-2330	5	342	33	<100	6.8	160	27	12.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2247	11.6	101	4	45	<1	<0.5	1.8	119
MG-2248	7.6	84	7	24	<1	<0.5	2.1	109
MG-2249	13.9	3	4	55	<1	<0.5	4.2	108
MG-2250	2.9	<1	4	11	<1	<0.5	2.6	42
MG-2251	12.0	8	5	55	<1	<0.5	5.1	138
MG-2252	8.3	13	6	33	<1	<0.5	17.6	75
MG-2253	20.7	4	3	77	<1	<0.5	9.1	198
MG-2254	6.1	108	12	22	<1	<0.5	2.3	90
MG-2255	7.6	217	10	30	<1	<0.5	4.7	114
MG-2256	13.3	80	11	51	<1	<0.5	5.9	200
MG-2257	12.5	55	4	50	<1	<0.5	4.2	203
MG-2258	2.4	148	12	9	<1	<0.5	4.4	31
MG-2259	6.7	83	10	23	<1	<0.5	3.3	100
MG-2260	4.1	133	41	13	<1	<0.5	2.4	65
MG-2261	2.8	85	9	11	<1	<0.5	2.7	31
MG-2262	10.2	30	6	38	<1	<0.5	2.2	158
MG-2263	6.6	43	25	23	<1	<0.5	4.8	156
MG-2264	10.5	75	<1	40	<1	<0.5	4.7	148
MG-2265	3.9	8	<1	17	<1	<0.5	7.2	93
MG-2266	3.1	79	<1	14	<1	<0.5	11.5	62
MG-2267	7.6	93	3	29	<1	<0.5	6.8	220
MG-2268	3.5	40	2	13	<1	<0.5	8.1	129
MG-2269	0.6	341	2	3	<1	<0.5	7.7	12
MG-2270	9.4	20	<1	35	<1	<0.5	8.2	250
MG-2271	4.5	29	2	20	<1	<0.5	2.4	80
MG-2272	5.8	76	25	20	<1	<0.5	3.1	99
MG-2273	2.5	22	2	9	<1	<0.5	4.0	41
MG-2274	7.1	181	3	32	<1	<0.5	1.3	186
MG-2275	7.0	38	20	22	<1	<0.5	5.1	95
MG-2276	3.1	37	3	10	<1	<0.5	3.8	35
MG-2277	2.8	58	17	10	<1	<0.5	4.0	36
MG-2278	5.3	51	9	20	<1	<0.5	6.8	118
MG-2279	10.1	47	8	35	<1	<0.5	4.8	195
MG-2280	11.8	17	5	49	<1	<0.5	6.3	168
MG-2281	5.3	61	24	19	<1	<0.5	5.4	72
MG-2282	11.9	38	8	46	<1	<0.5	3.0	157
MG-2283	5.4	33	3	22	<1	<0.5	8.4	89
MG-2284	13.2	3	7	50	<1	<0.5	14.7	96
MG-2285	1.6	86	148	5	<1	<0.5	11.0	33
MG-2286	5.5	64	7	18	<1	<0.5	1.5	77

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2287	4.2	57	12	15	<1	<0.5	1.7	75
MG-2288	2.6	92	54	8	<1	<0.5	1.4	24
MG-2289	4.0	5	7	15	<1	<0.5	15.2	33
MG-2290	12.0	6	6	46	<1	<0.5	11.1	119
MG-2291	11.2	55	28	38	<1	<0.5	14.6	199
MG-2292	2.7	47	47	10	<1	<0.5	6.5	64
MG-2293	1.7	120	10	6	<1	<0.5	5.0	24
MG-2294	6.3	17	3	23	<1	<0.5	6.6	78
MG-2295	3.7	39	4	15	<1	<0.5	4.0	83
MG-2296	4.1	24	26	14	<1	<0.5	2.0	48
MG-2297	8.7	94	70	33	<1	<0.5	6.2	190
MG-2298	6.3	9	5	22	<1	<0.5	3.7	69
MG-2299	4.3	94	51	16	<1	<0.5	4.2	76
MG-2300	13.9	21	4	55	<1	<0.5	2.9	162
MG-2301	14.1	40	4	58	<1	<0.5	2.8	178
MG-2302	11.4	11	7	46	<1	<0.5	3.3	178
MG-2303	18.9	25	6	75	<1	<0.5	3.6	225
MG-2304	19.8	65	12	77	<1	<0.5	3.2	322
MG-2305	4.4	3	<1	21	<1	<0.5	2.0	29
MG-2306	12.2	11	<1	55	<1	<0.5	2.8	229
MG-2307	11.7	88	13	44	<1	<0.5	2.9	168
MG-2308	16.2	74	20	63	<1	<0.5	3.1	252
MG-2309	7.5	134	9	28	<1	<0.5	6.0	116
MG-2310	6.5	238	31	23	<1	<0.5	2.0	117
MG-2311	3.7	81	8	13	<1	<0.5	2.7	62
MG-2312	5.5	48	26	21	<1	<0.5	4.0	63
MG-2313	12.5	5	7	53	<1	<0.5	5.4	176
MG-2314	8.4	7	12	32	<1	<0.5	5.4	87
MG-2315	9.9	11	9	39	<1	<0.5	5.3	102
MG-2316	4.8	53	20	19	<1	<0.5	10.3	79
MG-2317	2.1	104	31	8	<1	<0.5	3.6	33
MG-2318	6.5	29	18	23	<1	<0.5	3.7	85
MG-2319	3.5	42	8	12	<1	<0.5	2.9	43
MG-2320	1.8	85	34	6	<1	<0.5	1.4	15
MG-2321	6.1	19	10	22	<1	<0.5	4.3	75
MG-2322	9.1	28	15	42	1	<0.5	6.3	250
MG-2323	3.8	67	16	14	<1	<0.5	12.0	77
MG-2324	3.8	10	3	17	<1	<0.5	16.6	68
MG-2325	8.4	15	6	35	<1	<0.5	16.3	110
MG-2326	7.1	4	5	29	<1	<0.5	4.1	80

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142482 Order: Treasury Metals P2/4

Report File No.: 0000008367

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2327	7.9	10	9	30	<1	<0.5	5.7	85
MG-2328	4.5	35	19	14	<1	<0.5	10.7	65
MG-2329	4.0	25	6	17	<1	<0.5	11.7	58
MG-2330	10.4	28	12	37	<1	<0.5	28.1	157

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2247	<5	<1	120	6	2.2	213	41	1.6
MG-2248	<5	1	60	<5	4.8	135	23	1.6
MG-2249	<5	1	170	15	<0.5	247	24	0.1
MG-2250	<5	<1	230	<5	<0.5	62	18	0.6
MG-2251	<5	<1	1300	<5	1.5	261	34	1.1
MG-2252	<5	<1	250	6	0.6	150	27	0.6
MG-2253	<5	<1	80	12	<0.5	382	26	0.1
MG-2254	<5	2	520	<5	9.3	104	46	2.4
MG-2255	<5	<1	600	<5	11.7	131	37	1.5
MG-2256	<5	3	1040	<5	11.3	271	34	1.8
MG-2257	<5	2	460	<5	4.1	263	23	1.1
MG-2258	<5	4	150	<5	11.1	35	120	5.7
MG-2259	<5	1	80	<5	5.0	126	76	2.8
MG-2260	5	3	70	<5	14.8	67	75	10.1
MG-2261	<5	<1	30	<5	2.0	43	87	1.6
MG-2262	<5	<1	160	8	1.0	217	18	1.0
MG-2263	<5	6	80	<5	11.0	144	53	6.9
MG-2264	16	70	1060	<5	0.5	215	339	0.4
MG-2265	13	80	1930	<5	0.8	119	115	0.2
MG-2266	23	52	8600	15	0.6	82	266	<0.1
MG-2267	17	27	1960	43	2.9	237	114	0.3
MG-2268	10	28	630	35	3.2	124	134	0.4
MG-2269	21	26	120	15	1.8	13	574	0.4
MG-2270	<5	22	150	<5	1.4	288	44	0.4
MG-2271	<5	29	160	<5	1.8	108	18	0.3
MG-2272	10	3	70	<5	13.4	96	39	4.4
MG-2273	<5	29	990	<5	1.5	59	31	0.5
MG-2274	<5	16	4400	12	3.7	206	320	1.8
MG-2275	<5	<1	70	<5	7.5	111	44	1.6
MG-2276	<5	9	120	7	1.6	50	22	0.5
MG-2277	<5	14	220	<5	4.3	46	112	3.3
MG-2278	7	28	2190	<5	6.0	116	85	1.6
MG-2279	<5	1	120	<5	3.0	232	23	1.4
MG-2280	<5	1	200	<5	1.5	223	21	0.4
MG-2281	6	2	70	<5	13.3	88	60	4.4
MG-2282	<5	<1	110	<5	3.8	261	18	1.4
MG-2283	6	31	180	41	3.6	125	104	0.8
MG-2284	<5	2	380	<5	<0.5	232	18	0.9
MG-2285	25	10	290	8	50.0	27	48	5.4
MG-2286	<5	<1	40	<5	2.1	89	19	1.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2287	<5	2	50	<5	5.4	82	21	2.4
MG-2288	<5	<1	20	<5	9.9	34	85	3.6
MG-2289	<5	5	60	8	<0.5	65	13	0.7
MG-2290	<5	<1	60	13	<0.5	218	23	0.1
MG-2291	<5	4	360	8	9.0	221	31	1.0
MG-2292	9	5	310	5	12.2	55	30	1.9
MG-2293	<5	<1	140	<5	3.3	29	76	3.0
MG-2294	<5	9	40	<5	3.2	141	20	1.3
MG-2295	6	13	380	28	5.2	99	66	1.0
MG-2296	<5	1	170	<5	7.6	69	86	2.9
MG-2297	11	3	120	6	21.7	176	34	2.7
MG-2298	<5	<1	40	<5	<0.5	118	54	0.1
MG-2299	7	2	70	<5	11.7	80	37	4.3
MG-2300	<5	<1	20	<5	<0.5	282	15	0.3
MG-2301	<5	<1	50	<5	<0.5	291	16	0.5
MG-2302	<5	<1	200	<5	<0.5	238	43	0.7
MG-2303	<5	<1	90	<5	1.9	379	22	0.9
MG-2304	5	2	300	<5	6.3	398	29	1.4
MG-2305	40	112	430	<5	<0.5	74	54	<0.1
MG-2306	<5	104	2340	<5	<0.5	327	60	0.2
MG-2307	10	10	520	<5	11.4	235	37	1.5
MG-2308	5	3	220	<5	6.7	352	28	1.3
MG-2309	<5	2	460	<5	5.1	151	46	1.7
MG-2310	<5	2	80	<5	18.8	126	86	5.6
MG-2311	<5	<1	170	5	4.7	69	19	1.3
MG-2312	<5	<1	1100	<5	3.2	101	41	2.9
MG-2313	<5	<1	400	6	<0.5	268	18	0.7
MG-2314	<5	1	1390	5	<0.5	149	39	0.7
MG-2315	<5	<1	630	6	<0.5	184	39	1.4
MG-2316	<5	2	1500	6	3.9	97	72	3.2
MG-2317	<5	1	80	<5	6.8	38	46	3.4
MG-2318	<5	<1	170	7	0.9	118	33	0.6
MG-2319	<5	<1	20	<5	0.7	54	19	0.7
MG-2320	<5	<1	40	<5	3.9	21	67	2.6
MG-2321	<5	1	370	<5	1.1	111	45	1.3
MG-2322	<5	<1	2640	5	1.0	259	111	3.0
MG-2323	<5	3	5950	<5	5.9	82	46	5.8
MG-2324	<5	3	350	<5	<0.5	83	23	0.9
MG-2325	<5	4	720	5	<0.5	153	30	0.8
MG-2326	<5	1	190	7	<0.5	140	24	0.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142482 Order: Treasury Metals P2/4

Report File No.: 0000008367

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2327	<5	2	400	6	<0.5	142	21	0.5
MG-2328	<5	3	580	6	1.8	76	54	1.3
MG-2329	<5	4	1550	<5	1.1	74	65	2.5
MG-2330	<5	6	1200	<5	1.2	195	60	3.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2247	90	<1	47	<1	42	<1	50	50
MG-2248	80	<1	33	<1	41	<1	49	29
MG-2249	160	<1	50	<1	107	<1	24	55
MG-2250	20	<1	14	<1	46	<1	9	13
MG-2251	80	<1	56	<1	100	<1	29	59
MG-2252	180	<1	33	<1	238	<1	33	35
MG-2253	140	<1	88	<1	155	<1	38	85
MG-2254	220	<1	27	<1	55	<1	36	25
MG-2255	240	<1	32	<1	77	<1	46	31
MG-2256	210	<1	65	<1	114	<1	47	55
MG-2257	90	<1	60	<1	108	<1	40	56
MG-2258	100	<1	8	<1	70	<1	28	9
MG-2259	50	<1	31	<1	74	<1	47	25
MG-2260	100	<1	17	<1	51	<1	37	14
MG-2261	80	<1	10	<1	75	<1	22	11
MG-2262	120	<1	53	<1	59	<1	28	44
MG-2263	100	<1	39	<1	62	<1	35	25
MG-2264	80	<1	52	<1	82	<1	48	44
MG-2265	<10	<1	26	<1	55	<1	6	21
MG-2266	40	<1	21	<1	7	<1	16	15
MG-2267	110	<1	65	<1	13	<1	18	37
MG-2268	100	<1	32	<1	33	<1	10	19
MG-2269	10	<1	3	<1	22	1	21	3
MG-2270	40	<1	72	<1	31	<1	9	50
MG-2271	30	<1	23	<1	30	<1	8	22
MG-2272	130	<1	25	<1	68	<1	44	21
MG-2273	20	<1	14	<1	57	<1	6	11
MG-2274	150	<1	51	<1	25	<1	22	37
MG-2275	120	<1	27	<1	75	<1	37	24
MG-2276	30	<1	12	<1	78	<1	13	11
MG-2277	160	<1	11	<1	63	<1	22	10
MG-2278	90	<1	32	<1	92	<1	22	23
MG-2279	100	<1	57	<1	93	<1	29	44
MG-2280	100	<1	55	<1	107	<1	43	50
MG-2281	140	<1	22	<1	97	<1	45	21
MG-2282	80	<1	56	<1	57	<1	29	53
MG-2283	90	<1	31	<1	45	<1	17	24
MG-2284	110	<1	46	<1	184	<1	28	53
MG-2285	220	<1	7	<1	182	<1	59	5
MG-2286	110	<1	24	<1	46	<1	27	20

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2287	70	<1	20	<1	39	<1	26	18
MG-2288	90	<1	8	<1	22	<1	28	8
MG-2289	180	<1	14	<1	201	<1	17	16
MG-2290	150	<1	48	<1	129	<1	33	49
MG-2291	130	<1	53	<1	224	<1	41	42
MG-2292	150	<1	13	<1	119	<1	27	12
MG-2293	170	<1	7	<1	111	1	21	7
MG-2294	30	<1	29	<1	68	<1	8	28
MG-2295	120	<1	25	<1	38	2	14	18
MG-2296	200	<1	16	<1	43	<1	32	15
MG-2297	140	<1	47	<1	86	<1	56	34
MG-2298	140	<1	29	<1	61	<1	30	24
MG-2299	130	<1	20	<1	66	<1	43	18
MG-2300	110	<1	64	<1	55	<1	48	65
MG-2301	110	<1	67	<1	58	<1	50	63
MG-2302	130	<1	56	<1	92	<1	31	50
MG-2303	100	<1	84	<1	63	<1	56	86
MG-2304	120	<1	95	<1	86	<1	58	84
MG-2305	<10	<1	13	<1	38	<1	5	19
MG-2306	10	<1	72	<1	40	<1	10	59
MG-2307	80	<1	55	<1	69	<1	35	52
MG-2308	70	<1	80	<1	56	<1	51	69
MG-2309	170	<1	34	<1	77	<1	35	32
MG-2310	70	<1	31	<1	33	<1	51	27
MG-2311	40	<1	17	<1	56	<1	25	14
MG-2312	270	<1	22	<1	82	<1	35	21
MG-2313	130	<1	61	<1	126	<1	26	57
MG-2314	200	<1	34	<1	135	<1	27	34
MG-2315	120	<1	41	<1	99	<1	37	42
MG-2316	280	<1	23	<1	110	<1	34	21
MG-2317	180	<1	9	<1	82	<1	32	8
MG-2318	190	<1	26	<1	92	<1	31	25
MG-2319	260	<1	12	<1	46	<1	27	12
MG-2320	90	<1	5	<1	27	<1	17	5
MG-2321	130	<1	26	<1	83	<1	33	24
MG-2322	230	<1	62	<1	135	1	33	46
MG-2323	210	<1	21	<1	149	2	27	17
MG-2324	170	<1	19	<1	188	<1	19	18
MG-2325	270	<1	34	<1	181	<1	29	36
MG-2326	110	<1	32	<1	75	<1	20	30

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2327	140	<1	30	<1	91	<1	32	32
MG-2328	350	<1	17	<1	105	<1	27	16
MG-2329	230	<1	18	<1	94	<1	30	19
MG-2330	200	<1	45	<1	116	<1	48	40

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2247	<1	50	<1	6	<10	32.9	553	<0.5
MG-2248	<1	50	<1	4	<10	26.0	926	<0.5
MG-2249	<1	110	<1	7	<10	4.0	14	<0.5
MG-2250	<1	20	<1	2	<10	3.6	<3	<0.5
MG-2251	<1	40	<1	7	<10	8.4	337	<0.5
MG-2252	<1	30	<1	4	<10	9.8	253	<0.5
MG-2253	<1	40	<1	10	<10	4.0	130	<0.5
MG-2254	<1	170	<1	3	<10	52.9	1920	<0.5
MG-2255	<1	60	<1	4	<10	71.2	3310	<0.5
MG-2256	<1	270	<1	7	<10	33.5	3680	<0.5
MG-2257	<1	90	<1	7	<10	24.2	1160	<0.5
MG-2258	<1	90	<1	1	<10	18.5	1900	<0.5
MG-2259	<1	110	<1	3	<10	23.0	653	<0.5
MG-2260	1	100	<1	2	<10	21.9	3370	<0.5
MG-2261	<1	30	<1	1	<10	9.0	338	<0.5
MG-2262	<1	30	<1	5	<10	12.9	312	<0.5
MG-2263	2	110	<1	3	<10	20.4	3510	<0.5
MG-2264	<1	520	<1	6	<10	24.9	55	<0.5
MG-2265	<1	240	<1	2	<10	20.3	122	<0.5
MG-2266	<1	360	<1	2	<10	4.9	21	<0.5
MG-2267	<1	230	<1	3	<10	21.0	200	<0.5
MG-2268	<1	320	<1	2	<10	45.9	294	<0.5
MG-2269	<1	290	<1	<1	<10	13.3	419	<0.5
MG-2270	<1	320	<1	4	<10	35.8	279	<0.5
MG-2271	<1	480	<1	2	<10	21.8	448	<0.5
MG-2272	1	80	<1	3	<10	32.3	3160	<0.5
MG-2273	<1	330	<1	1	<10	13.8	328	<0.5
MG-2274	<1	230	<1	4	<10	45.6	543	<0.5
MG-2275	<1	30	<1	3	<10	26.0	1710	<0.5
MG-2276	<1	110	<1	1	<10	12.0	434	<0.5
MG-2277	<1	130	<1	2	<10	8.5	1590	<0.5
MG-2278	<1	180	<1	3	<10	18.0	999	<0.5
MG-2279	<1	60	<1	5	<10	24.4	790	<0.5
MG-2280	<1	150	<1	6	<10	13.6	531	<0.5
MG-2281	<1	100	<1	3	<10	27.2	2490	<0.5
MG-2282	<1	90	<1	6	<10	22.4	1120	<0.5
MG-2283	<1	440	<1	3	<10	33.0	420	<0.5
MG-2284	<1	70	<1	7	<10	2.8	21	<0.5
MG-2285	15	100	4	<1	<10	18.8	21900	1.0
MG-2286	<1	70	<1	3	<10	22.1	592	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2287	<1	150	<1	2	<10	21.4	1580	<0.5
MG-2288	<1	60	<1	1	<10	11.9	1840	<0.5
MG-2289	<1	180	<1	2	<10	2.5	69	<0.5
MG-2290	<1	120	<1	6	<10	3.6	19	<0.5
MG-2291	2	220	<1	5	<10	11.6	3580	<0.5
MG-2292	5	150	1	1	<10	12.3	5600	<0.5
MG-2293	<1	50	<1	1	<10	16.6	846	<0.5
MG-2294	<1	760	<1	3	<10	24.8	649	<0.5
MG-2295	<1	280	<1	2	<10	16.5	571	<0.5
MG-2296	<1	90	<1	2	<10	16.0	1930	<0.5
MG-2297	5	40	1	4	<10	22.8	7990	0.5
MG-2298	<1	10	<1	3	<10	4.0	73	<0.5
MG-2299	3	40	<1	2	<10	24.1	4360	<0.5
MG-2300	<1	10	<1	7	<10	11.4	96	<0.5
MG-2301	<1	20	<1	7	<10	13.4	210	<0.5
MG-2302	<1	40	<1	6	<10	6.5	235	<0.5
MG-2303	<1	20	<1	10	<10	15.3	612	<0.5
MG-2304	<1	200	<1	11	<10	38.1	2030	<0.5
MG-2305	<1	690	<1	3	<10	6.4	11	<0.5
MG-2306	<1	1300	<1	6	<10	38.2	15	<0.5
MG-2307	<1	320	<1	6	<10	50.6	2740	<0.5
MG-2308	1	80	<1	9	<10	35.7	2340	<0.5
MG-2309	<1	120	<1	4	<10	39.3	1130	<0.5
MG-2310	<1	120	<1	3	<10	48.7	2460	<0.5
MG-2311	<1	60	<1	2	<10	30.0	816	<0.5
MG-2312	<1	40	<1	3	<10	20.2	1210	<0.5
MG-2313	<1	50	<1	6	<10	5.1	34	<0.5
MG-2314	<1	40	<1	4	<10	4.6	91	<0.5
MG-2315	<1	70	<1	5	<10	8.6	148	<0.5
MG-2316	<1	30	<1	3	<10	14.8	1050	<0.5
MG-2317	1	50	<1	1	<10	21.9	2380	<0.5
MG-2318	<1	100	<1	3	<10	9.2	426	<0.5
MG-2319	<1	<10	<1	2	<10	8.7	192	<0.5
MG-2320	<1	50	<1	<1	<10	4.5	1140	<0.5
MG-2321	<1	90	<1	3	<10	12.5	382	<0.5
MG-2322	<1	40	<1	5	<10	16.9	322	<0.5
MG-2323	1	100	<1	2	<10	72.1	1500	0.7
MG-2324	<1	190	<1	2	<10	11.5	142	<0.5
MG-2325	<1	110	<1	5	<10	7.6	205	<0.5
MG-2326	<1	120	<1	4	<10	3.2	24	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2327	<1	100	<1	4	<10	5.7	85	<0.5
MG-2328	<1	200	<1	2	<10	11.3	773	<0.5
MG-2329	<1	340	<1	2	<10	16.1	383	<0.5
MG-2330	<1	140	<1	5	<10	15.6	357	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142482 Order: Treasury Metals P2/4

Report File No.: 0000008367

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2247	17	1	143	11	20	53
MG-2248	8	1	89	8	<20	45
MG-2249	8	<1	165	9	30	6
MG-2250	4	1	37	3	30	8
MG-2251	10	1	182	11	<20	15
MG-2252	8	<1	113	9	<20	19
MG-2253	8	<1	278	17	<20	6
MG-2254	11	2	63	6	50	77
MG-2255	24	2	86	8	<20	113
MG-2256	13	2	187	14	30	61
MG-2257	11	<1	152	10	<20	36
MG-2258	5	<1	34	3	60	38
MG-2259	9	<1	110	10	40	61
MG-2260	9	2	43	3	40	63
MG-2261	4	<1	38	4	<20	23
MG-2262	10	<1	131	9	30	22
MG-2263	10	1	87	5	30	52
MG-2264	148	<1	153	12	610	23
MG-2265	4	<1	59	4	30	31
MG-2266	29	<1	68	5	40	9
MG-2267	17	12	102	8	140	17
MG-2268	4	21	43	3	50	26
MG-2269	43	2	17	2	<20	51
MG-2270	11	<1	79	5	40	20
MG-2271	6	<1	59	4	<20	18
MG-2272	8	3	56	5	30	80
MG-2273	5	<1	24	2	20	13
MG-2274	263	<1	147	12	<20	73
MG-2275	11	1	75	6	<20	57
MG-2276	5	<1	29	2	<20	22
MG-2277	5	<1	58	5	<20	28
MG-2278	28	<1	77	5	60	34
MG-2279	10	<1	105	7	<20	43
MG-2280	11	<1	138	9	30	29
MG-2281	8	2	57	5	30	71
MG-2282	10	2	132	9	<20	37
MG-2283	15	<1	69	5	170	18
MG-2284	8	<1	167	9	40	7
MG-2285	6	6	25	2	190	124
MG-2286	8	<1	52	4	<20	44

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142482 Order: Treasury Metals P2/4

Report File No.: 0000008367

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2287	7	1	46	3	30	41
MG-2288	5	<1	36	4	<20	30
MG-2289	4	<1	52	4	<20	5
MG-2290	8	<1	164	10	<20	8
MG-2291	6	1	163	10	50	36
MG-2292	5	2	37	3	90	51
MG-2293	7	<1	32	3	40	42
MG-2294	8	<1	83	6	120	22
MG-2295	7	<1	42	3	460	17
MG-2296	5	<1	52	4	70	28
MG-2297	8	2	122	8	60	73
MG-2298	5	<1	90	7	<20	8
MG-2299	7	2	56	4	40	72
MG-2300	9	<1	173	16	<20	22
MG-2301	11	<1	202	17	<20	28
MG-2302	9	<1	159	9	20	15
MG-2303	13	<1	243	17	<20	28
MG-2304	15	2	302	17	30	60
MG-2305	2	<1	64	4	<20	5
MG-2306	17	<1	173	11	20	22
MG-2307	10	2	124	9	40	77
MG-2308	11	2	236	16	30	54
MG-2309	8	2	80	6	50	58
MG-2310	10	2	76	6	<20	100
MG-2311	5	2	39	3	<20	46
MG-2312	8	<1	84	7	40	40
MG-2313	7	<1	178	9	40	10
MG-2314	6	<1	120	8	30	10
MG-2315	9	<1	145	9	30	19
MG-2316	7	<1	72	6	30	45
MG-2317	7	<1	38	3	30	64
MG-2318	6	<1	88	5	<20	19
MG-2319	5	<1	73	6	<20	24
MG-2320	3	<1	28	3	130	12
MG-2321	7	<1	79	6	30	29
MG-2322	9	<1	158	10	60	37
MG-2323	8	1	45	4	190	92
MG-2324	6	<1	53	3	70	22
MG-2325	8	<1	125	8	70	20
MG-2326	6	<1	94	6	30	8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142482 Order: Treasury Metals P2/4

Report File No.: 0000008367

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2327	6	<1	106	8	20	13
MG-2328	6	<1	62	5	100	32
MG-2329	8	<1	59	5	260	39
MG-2330	10	<1	137	9	100	34

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142483

[Report File No.: 0000008368]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Aug 21, 2014

P.O. No.	:	Treasury Metals P3/4
Project No.	:	-
No. Of Samples	:	84
Date Submitted	:	Aug 05, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2331	0.415	5	>200	20	<0.1	410	<1	20
MG-2332	0.505	2	131	<10	<0.1	340	<1	20
MG-2333	0.520	<1	100	10	<0.1	1810	<1	170
MG-2334	0.570	2	56	<10	<0.1	690	<1	90
MG-2335	0.535	3	106	<10	<0.1	380	<1	90
MG-2336	0.590	2	>200	10	<0.1	560	<1	60
MG-2337	0.440	8	75	<10	<0.1	1360	<1	40
MG-2338	0.475	2	80	<10	<0.1	1340	<1	10
MG-2339	0.510	2	110	20	<0.1	900	<1	70
MG-2340	0.475	<1	197	20	<0.1	1780	<1	20
MG-2341	0.570	<1	>200	10	<0.1	800	<1	10
MG-2342	0.425	<1	>200	30	<0.1	760	<1	30
MG-2343	0.490	<1	105	10	0.1	1450	<1	110
MG-2344	0.395	7	78	<10	0.1	380	<1	60
MG-2345	0.450	1	82	10	<0.1	540	<1	40
MG-2346	0.440	<1	101	<10	0.6	790	<1	30
MG-2347	0.445	<1	>200	<10	<0.1	140	<1	<10
MG-2348	0.520	<1	132	10	0.1	1450	<1	40
MG-2349	0.525	<1	42	10	0.3	670	<1	60
MG-2350	0.590	<1	23	10	0.2	350	<1	10
MG-2351	0.635	<1	>200	20	<0.1	680	1	40
MG-2352	0.515	2	51	<10	<0.1	750	<1	10
MG-2353	0.495	<1	109	30	0.1	2300	<1	20
MG-2354	0.520	3	43	10	<0.1	570	<1	50
MG-2355	0.460	2	85	<10	<0.1	260	<1	170
MG-2356	0.485	3	88	<10	<0.1	330	<1	110
MG-2357	0.360	5	74	10	<0.1	420	<1	20
MG-2358	0.490	2	37	20	0.1	630	<1	130
MG-2359	0.465	<1	113	10	<0.1	800	<1	10
MG-2360	0.405	3	40	<10	0.1	650	<1	40
MG-2361	0.465	2	41	<10	<0.1	530	<1	20
MG-2362	0.665	3	67	10	<0.1	890	<1	140
MG-2363	0.520	<1	112	30	0.1	1280	<1	10
MG-2364	0.470	1	82	20	0.2	800	<1	120
MG-2365	0.435	1	16	10	1.1	1320	<1	190
MG-2366	0.525	5	81	30	<0.1	1410	1	130
MG-2367	0.520	3	34	40	<0.1	640	<1	130
MG-2368	0.545	4	34	10	<0.1	1160	<1	190
MG-2369	0.645	2	50	10	<0.1	700	<1	130
MG-2370	0.435	<1	>200	20	<0.1	390	<1	<10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2371	0.435	1	189	10	<0.1	530	<1	<10
MG-2372	0.535	2	135	<10	<0.1	300	<1	10
MG-2373	0.450	<1	103	<10	<0.1	260	<1	<10
MG-2374	0.500	<1	149	<10	<0.1	340	<1	20
MG-2375	0.485	<1	>200	<10	<0.1	640	<1	<10
MG-2376	0.400	2	181	20	<0.1	670	<1	20
MG-2377	0.185	<1	<1	<10	<0.1	<10	<1	<10
MG-2378	0.395	13	178	<10	<0.1	1170	<1	20
MG-2379	0.555	3	177	10	<0.1	540	<1	20
MG-2380	0.540	1	54	<10	<0.1	220	<1	20
MG-2381	0.350	3	158	<10	<0.1	660	<1	70
MG-2382	0.520	2	88	10	<0.1	500	<1	<10
MG-2383	0.455	<1	184	10	<0.1	1180	<1	<10
MG-2384	0.515	2	29	10	<0.1	770	<1	230
MG-2385	0.340	1	43	10	<0.1	210	<1	20
MG-2386	0.355	2	59	10	<0.1	210	<1	40
MG-2387	0.510	<1	84	30	<0.1	500	<1	60
MG-2388	0.415	<1	>200	20	<0.1	1670	2	30
MG-2389	0.360	3	157	20	<0.1	730	<1	20
MG-2390	0.390	<1	>200	40	<0.1	1270	<1	10
MG-2391	0.405	3	155	10	<0.1	960	<1	90
MG-2392	0.595	2	102	30	0.1	960	<1	100
MG-2393	0.485	<1	174	10	<0.1	330	<1	10
MG-2394	0.380	2	45	<10	<0.1	110	<1	10
MG-2395	0.505	1	145	10	<0.1	850	<1	60
MG-2396	0.400	2	76	<10	<0.1	260	<1	40
MG-2397	0.420	4	94	<10	<0.1	710	<1	30
MG-2398	0.340	3	152	<10	<0.1	880	<1	40
MG-2399	0.425	2	43	<10	<0.1	290	<1	20
MG-2400	0.420	2	115	10	<0.1	590	<1	60
MG-2401	0.370	3	94	<10	<0.1	410	<1	20
MG-2402	0.435	<1	170	<10	<0.1	1280	<1	20
MG-2403	0.640	1	68	100	<0.1	1750	<1	100
MG-2404	0.425	<1	53	<10	<0.1	720	<1	<10
MG-2405	0.485	<1	110	<10	<0.1	370	<1	110
MG-2406	0.585	9	10	<10	0.2	1530	<1	350
MG-2407	0.515	6	68	<10	<0.1	3310	<1	670
MG-2408	0.640	4	61	20	<0.1	1220	1	150
MG-2409	0.485	<1	42	<10	0.1	180	<1	<10
MG-2410	0.490	2	>200	<10	0.1	560	<1	10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2411	0.515	2	>200	<10	<0.1	210	<1	<10
MG-2412	0.435	<1	187	<10	<0.1	300	<1	20
MG-2413	0.515	<1	>200	<10	<0.1	230	<1	20
MG-2414	0.485	1	147	<10	<0.1	120	<1	<10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2331	3	153	24	<100	9.8	70	14	7.8
MG-2332	2	197	17	<100	6.0	90	19	9.6
MG-2333	1	91	26	100	2.8	70	6	2.5
MG-2334	10	444	278	<100	5.3	920	29	13.8
MG-2335	6	238	111	<100	4.1	500	21	11.9
MG-2336	7	150	49	<100	2.3	460	18	9.9
MG-2337	6	182	47	<100	5.0	120	15	7.1
MG-2338	1	412	22	<100	5.8	160	32	14.6
MG-2339	2	127	12	<100	6.1	80	10	4.6
MG-2340	<1	239	22	200	7.4	50	13	5.8
MG-2341	2	168	24	100	6.5	70	10	5.3
MG-2342	2	141	21	200	6.9	50	9	4.5
MG-2343	<1	206	19	100	4.9	30	9	4.2
MG-2344	6	138	16	<100	4.2	140	14	6.8
MG-2345	2	195	23	<100	5.0	140	21	9.1
MG-2346	1	647	9	<100	6.2	110	44	18.7
MG-2347	3	25	27	<100	3.3	90	13	7.6
MG-2348	<1	390	15	<100	4.5	210	16	5.5
MG-2349	<1	883	12	<100	3.3	320	70	31.6
MG-2350	<1	131	10	<100	2.3	110	12	4.9
MG-2351	2	206	37	200	6.2	550	15	6.4
MG-2352	7	214	17	<100	5.1	100	40	18.7
MG-2353	<1	975	63	200	3.5	300	39	18.3
MG-2354	2	55	83	<100	<0.5	1370	8	5.4
MG-2355	6	61	21	<100	1.2	230	8	4.9
MG-2356	7	161	37	<100	1.8	630	14	7.0
MG-2357	<1	60	83	<100	4.4	930	6	6.7
MG-2358	2	1610	39	<100	3.4	450	66	31.5
MG-2359	3	232	21	<100	4.8	60	18	8.1
MG-2360	3	161	16	<100	4.5	110	20	7.8
MG-2361	3	163	23	<100	5.5	90	17	7.6
MG-2362	2	731	41	<100	0.9	600	35	16.7
MG-2363	<1	499	16	100	4.0	130	18	6.8
MG-2364	1	216	9	100	2.8	90	26	13.6
MG-2365	<1	263	11	<100	0.7	170	10	5.2
MG-2366	31	1490	274	<100	3.4	1190	67	33.7
MG-2367	16	232	233	<100	1.1	730	17	9.4
MG-2368	11	1120	198	<100	1.1	700	40	20.6
MG-2369	4	2230	34	<100	3.7	1280	75	29.4
MG-2370	4	44	16	<100	7.3	330	4	2.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2371	7	43	50	<100	19.0	470	5	2.3
MG-2372	4	440	18	<100	18.6	320	23	10.4
MG-2373	3	795	19	<100	13.7	490	59	24.8
MG-2374	2	294	16	<100	18.0	340	17	6.6
MG-2375	4	86	30	<100	10.0	240	7	2.8
MG-2376	15	155	43	<100	12.7	110	13	6.3
MG-2377	<1	<5	<5	<100	<0.5	<10	<1	<0.5
MG-2378	9	254	26	<100	12.1	210	21	9.6
MG-2379	6	406	19	<100	20.4	580	19	8.3
MG-2380	4	680	15	<100	20.9	790	37	13.7
MG-2381	10	121	29	<100	17.7	320	9	3.7
MG-2382	3	732	14	<100	17.7	510	63	24.9
MG-2383	1	190	14	<100	6.8	80	15	6.8
MG-2384	4	214	97	<100	1.7	500	12	5.2
MG-2385	2	8	84	<100	2.1	220	1	1.1
MG-2386	5	33	31	<100	1.4	470	4	3.1
MG-2387	<1	374	91	100	4.7	1660	48	42.1
MG-2388	1	172	17	200	4.8	390	15	5.8
MG-2389	5	234	69	<100	8.9	150	15	6.4
MG-2390	5	75	19	200	7.3	90	5	2.4
MG-2391	6	120	50	<100	6.1	150	7	3.3
MG-2392	2	632	28	100	4.8	410	26	10.3
MG-2393	3	27	44	<100	2.0	100	4	2.1
MG-2394	3	173	23	<100	6.3	130	26	11.0
MG-2395	3	73	16	<100	6.8	90	6	3.1
MG-2396	3	96	14	<100	4.3	90	10	4.8
MG-2397	10	213	50	<100	4.1	100	24	11.3
MG-2398	15	111	39	<100	6.9	100	11	5.9
MG-2399	5	224	30	<100	5.4	70	25	9.0
MG-2400	6	91	27	<100	6.6	100	9	3.8
MG-2401	7	153	34	<100	6.3	100	13	6.0
MG-2402	<1	363	9	100	2.8	140	38	14.7
MG-2403	6	749	346	100	3.2	770	29	12.6
MG-2404	2	213	17	<100	4.5	50	24	10.9
MG-2405	<1	413	9	<100	3.4	150	29	11.0
MG-2406	4	286	67	<100	<0.5	910	19	8.5
MG-2407	18	2550	476	<100	<0.5	710	117	57.3
MG-2408	6	2730	84	<100	5.1	4140	128	56.1
MG-2409	2	406	12	<100	6.8	210	36	17.6
MG-2410	<1	375	13	100	6.9	190	24	9.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2411	3	124	23	<100	4.8	90	14	7.7
MG-2412	<1	947	18	<100	4.9	300	75	27.1
MG-2413	2	35	42	<100	4.7	110	14	7.7
MG-2414	14	605	35	<100	21.8	1060	35	14.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2331	5.2	74	60	16	<1	<0.5	30.3	70
MG-2332	6.4	62	24	23	<1	<0.5	6.8	92
MG-2333	2.5	24	12	8	<1	<0.5	2.6	37
MG-2334	9.4	308	5	39	<1	<0.5	2.6	130
MG-2335	5.4	199	2	22	<1	<0.5	3.1	65
MG-2336	4.8	41	14	21	<1	<0.5	5.8	62
MG-2337	6.1	23	7	25	<1	<0.5	7.9	85
MG-2338	11.3	26	4	52	<1	<0.5	2.8	173
MG-2339	3.5	59	35	13	<1	<0.5	12.8	65
MG-2340	5.2	125	33	19	<1	<0.5	3.9	98
MG-2341	3.6	163	10	13	<1	<0.5	4.0	56
MG-2342	3.2	161	52	12	<1	<0.5	4.3	63
MG-2343	3.7	78	21	14	<1	<0.5	3.2	78
MG-2344	5.3	20	8	20	<1	<0.5	5.3	62
MG-2345	7.1	67	8	28	<1	<0.5	4.5	68
MG-2346	19.0	35	16	75	<1	<0.5	10.2	398
MG-2347	2.4	32	24	10	<1	<0.5	4.8	8
MG-2348	6.2	68	22	21	<1	<0.5	7.2	160
MG-2349	33.8	34	4	141	<1	<0.5	4.5	609
MG-2350	4.0	3	3	17	<1	<0.5	3.1	54
MG-2351	5.2	73	15	18	<1	<0.5	5.8	92
MG-2352	14.7	9	3	53	<1	<0.5	8.8	106
MG-2353	13.6	113	14	51	<1	<0.5	5.0	245
MG-2354	1.7	422	4	7	<1	<0.5	1.5	18
MG-2355	2.0	81	5	9	<1	<0.5	2.4	16
MG-2356	4.1	168	5	17	<1	<0.5	1.1	50
MG-2357	1.3	392	8	6	<1	<0.5	1.7	25
MG-2358	28.6	129	2	106	<1	<0.5	3.1	604
MG-2359	7.2	55	7	27	<1	<0.5	5.4	115
MG-2360	7.5	8	2	33	<1	<0.5	12.6	77
MG-2361	7.0	10	3	28	<1	<0.5	9.8	67
MG-2362	12.7	80	4	52	<1	<0.5	5.2	285
MG-2363	7.5	143	11	25	<1	<0.5	3.0	238
MG-2364	11.8	61	10	45	<1	<0.5	5.4	106
MG-2365	4.7	22	1	20	<1	<0.5	3.1	133
MG-2366	23.4	256	5	95	<1	<0.5	2.9	543
MG-2367	5.7	377	2	24	<1	<0.5	4.2	80
MG-2368	17.1	191	2	69	<1	<0.5	5.0	392
MG-2369	37.7	190	4	136	<1	<0.5	8.2	951
MG-2370	1.2	176	20	5	<1	<0.5	7.4	21

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2371	1.3	211	8	5	<1	<0.5	11.9	22
MG-2372	9.7	49	11	38	<1	<0.5	5.6	207
MG-2373	25.5	48	4	91	<1	<0.5	8.9	293
MG-2374	7.0	29	7	25	1	<0.5	10.7	151
MG-2375	2.0	37	30	8	<1	<0.5	9.2	45
MG-2376	4.8	49	35	17	<1	<0.5	7.6	85
MG-2377	<0.5	3	1	<1	<1	<0.5	<0.1	<1
MG-2378	8.6	28	15	28	1	<0.5	7.9	140
MG-2379	8.9	65	13	29	<1	<0.5	19.1	213
MG-2380	18.4	8	4	70	<1	<0.5	10.5	312
MG-2381	3.0	62	14	12	<1	<0.5	31.8	62
MG-2382	26.2	21	6	99	<1	<0.5	7.2	293
MG-2383	5.8	53	9	20	<1	<0.5	6.8	92
MG-2384	4.2	101	3	17	<1	<0.5	2.3	83
MG-2385	<0.5	317	1	<1	<1	<0.5	0.2	3
MG-2386	0.8	339	1	3	<1	<0.5	0.9	13
MG-2387	10.7	507	24	46	<1	<0.5	3.3	156
MG-2388	5.3	38	9	19	<1	<0.5	3.3	79
MG-2389	6.2	36	14	19	1	<0.5	10.9	93
MG-2390	2.0	149	68	6	<1	<0.5	12.4	41
MG-2391	2.6	54	20	9	1	<0.5	26.4	46
MG-2392	10.4	181	10	39	<1	<0.5	3.3	286
MG-2393	0.8	174	23	3	<1	<0.5	7.9	14
MG-2394	9.4	10	4	36	<1	<0.5	3.1	75
MG-2395	2.3	62	34	8	<1	<0.5	12.9	46
MG-2396	4.3	14	11	14	<1	<0.5	15.9	44
MG-2397	8.4	19	8	31	<1	<0.5	11.3	96
MG-2398	4.1	33	19	12	<1	<0.5	13.7	55
MG-2399	9.6	7	5	38	<1	<0.5	13.8	86
MG-2400	3.7	27	17	11	<1	<0.5	15.2	47
MG-2401	4.8	22	6	17	<1	<0.5	8.1	81
MG-2402	16.7	32	13	58	<1	<0.5	3.0	264
MG-2403	12.0	260	9	45	<1	<0.5	6.1	369
MG-2404	8.6	15	6	35	<1	<0.5	4.2	111
MG-2405	11.2	31	19	44	<1	<0.5	10.4	260
MG-2406	7.3	10	<1	31	<1	<0.5	14.8	105
MG-2407	35.7	64	<1	159	<1	<0.5	3.0	611
MG-2408	53.3	151	2	217	<1	<0.5	16.4	1430
MG-2409	16.3	8	8	68	<1	<0.5	7.4	493
MG-2410	8.9	120	18	32	<1	<0.5	2.4	154

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2411	4.2	111	20	16	<1	<0.5	2.2	55
MG-2412	23.1	112	14	92	<1	<0.5	6.0	447
MG-2413	2.8	90	32	11	<1	<0.5	13.2	14
MG-2414	14.9	43	7	57	<1	<0.5	14.2	286

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2331	9	3	930	<5	9.5	93	47	4.9
MG-2332	<5	3	280	<5	8.8	122	35	0.7
MG-2333	<5	16	570	<5	9.5	45	57	2.8
MG-2334	10	12	7720	5	4.6	216	183	0.6
MG-2335	<5	6	10400	17	2.3	113	94	0.8
MG-2336	6	7	280	<5	8.2	85	180	4.5
MG-2337	<5	2	530	<5	1.9	117	41	1.5
MG-2338	<5	1	150	<5	1.2	257	19	0.6
MG-2339	7	11	240	<5	8.6	70	31	1.4
MG-2340	9	3	110	<5	10.2	103	81	2.0
MG-2341	<5	1	200	<5	6.9	70	85	2.8
MG-2342	19	9	210	<5	19.6	64	116	3.4
MG-2343	19	25	230	<5	9.3	81	45	2.7
MG-2344	<5	2	830	<5	0.9	97	26	1.2
MG-2345	<5	4	1390	<5	2.3	111	45	1.4
MG-2346	<5	3	1220	<5	6.4	452	22	1.6
MG-2347	<5	3	370	<5	2.6	24	62	1.7
MG-2348	6	5	160	<5	10.5	137	38	2.3
MG-2349	<5	6	310	<5	6.6	1230	19	1.2
MG-2350	<5	1	680	<5	<0.5	97	17	0.8
MG-2351	5	5	260	<5	13.2	94	55	3.2
MG-2352	<5	2	350	<5	<0.5	217	30	0.3
MG-2353	<5	2	230	<5	19.4	260	32	1.9
MG-2354	17	6	360	<5	3.5	32	177	0.3
MG-2355	<5	10	1980	<5	1.9	32	68	0.7
MG-2356	<5	4	3990	<5	4.3	84	68	0.7
MG-2357	12	4	130	<5	3.6	30	122	0.6
MG-2358	10	8	2350	24	4.9	755	138	0.5
MG-2359	<5	<1	480	<5	3.0	129	30	1.8
MG-2360	<5	2	980	6	<0.5	154	21	0.4
MG-2361	<5	2	1280	5	<0.5	120	26	0.2
MG-2362	8	27	890	<5	4.7	329	114	0.8
MG-2363	<5	2	340	<5	13.4	159	22	2.7
MG-2364	<5	13	230	<5	9.2	236	34	3.0
MG-2365	<5	32	70	<5	1.5	150	40	0.4
MG-2366	9	18	14500	12	6.6	684	200	2.2
MG-2367	<5	18	7520	17	2.7	134	218	2.1
MG-2368	9	32	8120	<5	3.8	483	160	0.6
MG-2369	8	9	3280	5	4.2	1030	93	0.6
MG-2370	<5	2	180	<5	7.1	22	104	2.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2371	<5	4	600	<5	2.7	21	97	4.0
MG-2372	<5	1	120	8	2.9	232	48	1.1
MG-2373	<5	<1	920	<5	0.6	533	31	0.8
MG-2374	<5	3	360	6	1.2	150	74	0.7
MG-2375	<5	1	100	<5	5.4	41	58	4.4
MG-2376	<5	3	1050	<5	9.0	90	72	1.7
MG-2377	<5	<1	10	<5	1.4	<1	<5	0.3
MG-2378	<5	1	470	<5	2.4	150	53	1.7
MG-2379	<5	4	760	<5	4.4	206	49	1.3
MG-2380	<5	2	160	5	<0.5	430	43	0.1
MG-2381	<5	9	2380	<5	4.1	60	127	1.9
MG-2382	<5	<1	730	8	0.8	572	45	0.5
MG-2383	<5	<1	110	<5	1.4	101	19	1.2
MG-2384	<5	16	61800	6	0.8	115	118	<0.1
MG-2385	<5	2	660	<5	<0.5	4	98	0.5
MG-2386	<5	7	400	<5	1.2	18	91	1.3
MG-2387	26	11	440	<5	10.2	261	243	0.6
MG-2388	<5	3	890	5	23.8	92	52	6.4
MG-2389	<5	2	2630	5	3.8	107	57	2.7
MG-2390	11	5	540	5	12.9	30	38	8.2
MG-2391	6	7	8830	<5	5.2	51	59	2.5
MG-2392	8	7	2200	16	12.2	292	99	3.0
MG-2393	<5	3	220	<5	7.5	13	134	5.0
MG-2394	<5	<1	420	8	<0.5	172	52	0.8
MG-2395	<5	6	570	<5	6.9	42	39	1.6
MG-2396	<5	4	230	<5	<0.5	75	25	0.4
MG-2397	<5	2	1790	<5	0.7	151	85	1.1
MG-2398	<5	2	2240	<5	1.4	65	82	1.5
MG-2399	<5	2	1590	6	<0.5	179	35	1.1
MG-2400	<5	4	920	<5	2.8	59	42	1.0
MG-2401	<5	2	510	<5	<0.5	95	80	0.8
MG-2402	<5	2	90	<5	6.3	389	24	2.2
MG-2403	7	10	7770	20	7.6	346	86	2.2
MG-2404	<5	<1	240	<5	<0.5	167	19	0.4
MG-2405	6	11	200	<5	8.3	270	47	2.7
MG-2406	41	71	2320	<5	<0.5	173	389	0.1
MG-2407	6	141	24900	<5	<0.5	813	1080	<0.1
MG-2408	9	21	4940	36	4.5	1570	292	0.6
MG-2409	<5	<1	320	19	<0.5	478	18	<0.1
MG-2410	<5	<1	70	<5	7.6	175	95	3.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2411	<5	<1	40	<5	7.2	79	135	3.1
MG-2412	<5	1	260	<5	4.8	512	117	2.1
MG-2413	<5	5	280	<5	10.1	31	121	1.2
MG-2414	<5	<1	440	<5	0.9	386	97	0.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2331	380	<1	20	<1	210	<1	38	19
MG-2332	120	<1	27	<1	95	<1	36	23
MG-2333	40	<1	11	<1	51	<1	22	10
MG-2334	90	<1	53	<1	52	<1	44	46
MG-2335	80	<1	27	<1	30	<1	30	25
MG-2336	150	<1	18	<1	139	<1	37	20
MG-2337	130	<1	26	<1	181	<1	26	26
MG-2338	110	<1	57	<1	84	<1	27	55
MG-2339	80	<1	17	<1	149	<1	22	14
MG-2340	180	<1	25	<1	89	<1	28	21
MG-2341	50	<1	16	<1	90	<1	23	15
MG-2342	120	<1	15	<1	103	<1	39	13
MG-2343	60	<1	20	<1	73	<1	25	16
MG-2344	240	<1	20	<1	87	<1	24	21
MG-2345	120	<1	26	<1	72	<1	42	29
MG-2346	70	<1	101	<1	106	<1	25	86
MG-2347	100	<1	4	<1	58	<1	34	7
MG-2348	70	<1	36	<1	78	<1	27	25
MG-2349	30	<1	272	<1	51	<1	34	180
MG-2350	30	<1	20	<1	42	<1	10	21
MG-2351	130	<1	25	<1	61	<1	34	19
MG-2352	150	<1	48	<1	91	<1	38	56
MG-2353	130	<1	64	<1	66	<1	57	56
MG-2354	20	<1	7	<1	10	<1	34	7
MG-2355	90	<1	6	<1	15	<1	15	8
MG-2356	70	<1	20	<1	15	<1	27	18
MG-2357	10	<1	7	<1	24	<1	35	6
MG-2358	100	<1	187	<1	54	<1	37	139
MG-2359	80	<1	34	<1	53	<1	33	30
MG-2360	120	<1	33	<1	123	<1	16	36
MG-2361	110	<1	26	<1	136	<1	28	28
MG-2362	120	<1	81	<1	27	<1	33	61
MG-2363	60	<1	45	<1	53	<1	26	32
MG-2364	50	<1	49	<1	48	<1	27	53
MG-2365	10	<1	35	<1	14	<1	9	26
MG-2366	120	<1	163	<1	26	<1	67	121
MG-2367	50	<1	29	<1	20	<1	34	27
MG-2368	80	<1	124	<1	26	<1	45	87
MG-2369	110	<1	275	<1	67	<1	52	176
MG-2370	90	<1	5	<1	114	<1	20	4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2371	70	<1	5	<1	137	<1	15	5
MG-2372	150	<1	54	<1	91	<1	29	43
MG-2373	180	<1	123	<1	114	<1	66	108
MG-2374	150	<1	39	<1	125	<1	34	29
MG-2375	250	<1	11	<1	92	<1	22	8
MG-2376	350	<1	23	<1	121	1	32	18
MG-2377	<10	<1	<1	<1	<5	<1	<5	<1
MG-2378	330	<1	38	<1	154	<1	39	30
MG-2379	240	<1	54	<1	213	<1	38	34
MG-2380	140	<1	104	<1	143	<1	34	81
MG-2381	290	<1	15	<1	281	<1	34	12
MG-2382	140	<1	128	<1	85	<1	44	117
MG-2383	190	<1	25	<1	79	<1	40	22
MG-2384	<10	<1	27	<1	38	<1	19	19
MG-2385	<10	<1	<1	<1	7	<1	9	<1
MG-2386	10	<1	4	<1	8	<1	18	3
MG-2387	20	<1	58	<1	74	<1	90	52
MG-2388	100	<1	23	<1	38	<1	38	21
MG-2389	150	<1	27	<1	114	<1	36	22
MG-2390	170	<1	8	<1	146	1	33	7
MG-2391	330	<1	13	<1	214	1	25	10
MG-2392	90	<1	79	<1	45	<1	39	51
MG-2393	60	<1	4	<1	65	<1	21	3
MG-2394	110	<1	36	<1	45	<1	31	39
MG-2395	90	<1	10	<1	148	<1	22	8
MG-2396	210	<1	17	<1	158	<1	20	15
MG-2397	250	<1	34	<1	144	<1	35	32
MG-2398	360	<1	15	<1	171	<1	32	13
MG-2399	90	<1	39	<1	158	<1	21	39
MG-2400	190	<1	14	<1	191	<1	25	12
MG-2401	140	<1	22	<1	129	<1	26	18
MG-2402	70	<1	96	<1	60	<1	39	69
MG-2403	100	<1	94	<1	49	<1	44	58
MG-2404	100	<1	40	<1	49	<1	20	36
MG-2405	60	<1	69	<1	93	<1	29	49
MG-2406	10	<1	39	<1	9	<1	7	34
MG-2407	10	<1	202	<1	<5	<1	101	166
MG-2408	220	<1	389	<1	58	<1	88	265
MG-2409	100	<1	108	<1	61	<1	32	74
MG-2410	110	<1	46	<1	49	<1	51	36

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2411	90	<1	18	<1	34	<1	28	16
MG-2412	100	<1	136	<1	87	<1	68	103
MG-2413	240	<1	6	<1	93	<1	27	8
MG-2414	210	<1	96	<1	177	<1	39	63

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2331	3	40	<1	3	<10	14.8	3590	<0.5
MG-2332	2	60	<1	4	<10	13.6	3450	<0.5
MG-2333	<1	760	<1	1	<10	19.3	1540	<0.5
MG-2334	<1	160	<1	5	<10	32.9	882	<0.5
MG-2335	<1	150	<1	3	<10	24.4	335	<0.5
MG-2336	<1	160	<1	3	<10	22.9	1820	<0.5
MG-2337	<1	250	<1	3	<10	9.2	515	<0.5
MG-2338	<1	160	<1	6	<10	18.1	398	<0.5
MG-2339	3	380	<1	2	<10	12.9	3830	<0.5
MG-2340	<1	150	<1	2	<10	21.1	2280	<0.5
MG-2341	<1	80	<1	2	<10	18.8	1050	<0.5
MG-2342	4	200	1	2	<10	18.2	6020	<0.5
MG-2343	1	240	<1	2	<10	17.9	2190	<0.5
MG-2344	<1	110	<1	3	<10	10.7	359	<0.5
MG-2345	<1	100	<1	4	<10	17.6	759	<0.5
MG-2346	1	120	<1	9	<10	21.1	2100	<0.5
MG-2347	<1	80	<1	2	<10	3.5	671	<0.5
MG-2348	2	350	<1	3	<10	34.3	3340	<0.5
MG-2349	<1	390	<1	15	<10	26.7	1480	0.8
MG-2350	<1	30	<1	2	<10	3.7	42	<0.5
MG-2351	1	110	<1	3	<10	32.0	2520	<0.5
MG-2352	<1	50	<1	7	<10	5.6	109	<0.5
MG-2353	1	420	1	7	<10	41.9	4960	<0.5
MG-2354	<1	160	<1	1	<10	20.0	729	<0.5
MG-2355	<1	210	<1	1	<10	8.6	498	<0.5
MG-2356	<1	110	<1	2	<10	18.1	861	<0.5
MG-2357	<1	70	<1	<1	<10	19.5	807	<0.5
MG-2358	<1	260	<1	13	<10	30.0	734	<0.5
MG-2359	<1	40	<1	3	<10	19.8	731	<0.5
MG-2360	<1	140	<1	4	<10	4.8	49	<0.5
MG-2361	<1	60	<1	4	<10	3.3	79	<0.5
MG-2362	<1	310	<1	7	<10	37.1	748	<0.5
MG-2363	<1	130	<1	4	<10	56.8	2720	<0.5
MG-2364	<1	600	<1	5	<10	28.4	2120	<0.5
MG-2365	<1	460	<1	2	<10	24.2	301	<0.5
MG-2366	<1	270	<1	13	<10	58.5	1110	<0.5
MG-2367	<1	240	<1	3	<10	19.5	566	<0.5
MG-2368	<1	330	<1	8	<10	46.7	522	<0.5
MG-2369	<1	240	<1	15	<10	49.0	753	<0.5
MG-2370	1	20	<1	<1	<10	12.2	2360	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2371	<1	110	<1	<1	<10	11.9	1040	<0.5
MG-2372	<1	40	<1	5	<10	13.6	1040	<0.5
MG-2373	<1	<10	<1	12	<10	23.4	304	<0.5
MG-2374	<1	50	<1	3	<10	13.1	458	<0.5
MG-2375	<1	20	<1	1	<10	11.8	1920	<0.5
MG-2376	3	120	<1	2	<10	15.0	3810	<0.5
MG-2377	2	<10	2	<1	50	<0.5	201	<0.5
MG-2378	<1	110	<1	4	<10	11.8	839	<0.5
MG-2379	<1	50	<1	4	<10	12.9	1560	<0.5
MG-2380	<1	50	<1	8	<10	6.1	77	<0.5
MG-2381	<1	190	<1	2	<10	21.7	1350	<0.5
MG-2382	<1	20	<1	12	<10	8.9	279	<0.5
MG-2383	<1	10	<1	3	<10	15.9	443	<0.5
MG-2384	<1	470	<1	2	<10	12.4	210	<0.5
MG-2385	<1	50	<1	<1	<10	4.6	163	<0.5
MG-2386	<1	120	<1	<1	<10	11.1	287	<0.5
MG-2387	2	190	<1	6	<10	61.9	2880	0.6
MG-2388	1	170	<1	2	<10	31.2	3180	<0.5
MG-2389	<1	100	<1	3	<10	27.1	913	<0.5
MG-2390	5	130	<1	<1	<10	16.4	5340	<0.5
MG-2391	1	180	<1	1	<10	17.7	1640	<0.5
MG-2392	<1	200	<1	5	<10	42.6	2170	<0.5
MG-2393	2	120	<1	<1	<10	15.5	2850	<0.5
MG-2394	<1	40	<1	5	<10	4.7	130	<0.5
MG-2395	2	280	<1	1	<10	10.1	3580	<0.5
MG-2396	<1	70	<1	2	<10	3.2	278	<0.5
MG-2397	<1	80	<1	4	<10	9.8	274	<0.5
MG-2398	<1	170	<1	2	<10	10.7	603	<0.5
MG-2399	<1	60	<1	5	<10	3.7	109	<0.5
MG-2400	<1	180	<1	1	<10	7.9	1350	<0.5
MG-2401	<1	110	<1	2	<10	7.6	251	<0.5
MG-2402	<1	150	<1	7	<10	37.1	1520	<0.5
MG-2403	<1	180	<1	5	<10	49.9	1520	<0.5
MG-2404	<1	20	<1	5	<10	6.2	125	<0.5
MG-2405	1	310	<1	5	<10	18.8	2830	<0.5
MG-2406	<1	610	<1	4	<10	33.6	37	<0.5
MG-2407	<1	2270	<1	20	<10	28.8	9	<0.5
MG-2408	<1	390	<1	27	<10	79.9	842	<0.5
MG-2409	<1	20	<1	7	<10	9.6	25	<0.5
MG-2410	<1	50	<1	4	<10	48.6	1460	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2411	<1	40	<1	2	<10	18.7	1360	<0.5
MG-2412	<1	60	<1	13	<10	67.1	1100	<0.5
MG-2413	3	130	<1	2	<10	19.7	3930	<0.5
MG-2414	<1	<10	<1	7	<10	14.8	428	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2331	6	<1	74	6	60	49
MG-2332	6	1	99	7	40	36
MG-2333	4	<1	24	2	40	39
MG-2334	38	1	130	12	230	49
MG-2335	21	1	110	10	970	24
MG-2336	7	<1	93	8	170	47
MG-2337	7	<1	77	5	30	22
MG-2338	8	<1	171	10	20	26
MG-2339	6	1	49	3	50	50
MG-2340	6	1	60	5	40	50
MG-2341	4	<1	48	4	50	37
MG-2342	7	2	41	4	80	64
MG-2343	7	3	41	4	80	46
MG-2344	8	<1	64	5	50	23
MG-2345	13	<1	77	7	80	46
MG-2346	11	1	241	12	30	41
MG-2347	2	<1	68	6	320	9
MG-2348	8	2	62	4	40	56
MG-2349	11	1	426	22	30	32
MG-2350	6	1	52	4	50	8
MG-2351	11	1	61	5	30	64
MG-2352	8	<1	182	14	40	9
MG-2353	13	3	186	14	30	73
MG-2354	24	<1	41	6	<20	34
MG-2355	4	<1	47	4	40	11
MG-2356	12	<1	67	5	90	22
MG-2357	13	<1	35	5	40	43
MG-2358	23	1	328	24	50	41
MG-2359	7	<1	85	6	30	37
MG-2360	6	<1	93	5	70	7
MG-2361	6	<1	73	5	<20	9
MG-2362	17	<1	184	12	80	34
MG-2363	8	2	66	5	40	65
MG-2364	10	1	144	10	30	44
MG-2365	4	<1	53	3	<20	24
MG-2366	64	2	306	25	180	67
MG-2367	40	<1	91	8	100	25
MG-2368	44	<1	201	17	80	55
MG-2369	60	1	336	20	80	52
MG-2370	5	<1	20	2	90	37

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2371	5	<1	20	2	290	24
MG-2372	12	<1	125	8	40	29
MG-2373	22	<1	262	17	130	33
MG-2374	11	<1	75	4	<20	27
MG-2375	6	5	28	2	140	35
MG-2376	8	1	72	5	50	48
MG-2377	<1	<1	<1	<1	<20	<5
MG-2378	9	<1	102	6	30	34
MG-2379	9	<1	106	6	70	31
MG-2380	17	<1	183	8	20	8
MG-2381	11	<1	41	3	320	41
MG-2382	15	<1	261	17	50	17
MG-2383	7	<1	73	6	<20	46
MG-2384	23	<1	63	4	40	17
MG-2385	3	<1	7	1	360	13
MG-2386	5	<1	24	2	110	19
MG-2387	27	1	317	41	50	185
MG-2388	8	2	61	4	70	63
MG-2389	9	<1	68	5	40	54
MG-2390	5	1	24	2	180	82
MG-2391	6	<1	34	2	300	52
MG-2392	22	1	117	7	100	47
MG-2393	6	<1	20	2	40	35
MG-2394	7	<1	127	8	40	9
MG-2395	5	<1	31	2	50	42
MG-2396	4	<1	62	3	<20	12
MG-2397	8	<1	136	8	110	20
MG-2398	6	<1	58	4	120	31
MG-2399	7	<1	117	6	80	10
MG-2400	6	<1	45	3	50	25
MG-2401	6	<1	73	5	<20	19
MG-2402	12	<1	199	9	20	52
MG-2403	24	2	134	9	160	45
MG-2404	6	<1	132	7	<20	10
MG-2405	9	<1	155	7	50	39
MG-2406	50	<1	102	6	20	14
MG-2407	249	<1	825	48	100	45
MG-2408	150	1	649	38	80	68
MG-2409	17	<1	275	12	20	10
MG-2410	18	<1	113	7	40	75

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142483 Order: Treasury Metals P3/4

Report File No.: 0000008368

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2411	9	<1	69	6	50	31
MG-2412	27	<1	315	17	20	67
MG-2413	6	<1	87	5	60	41
MG-2414	14	<1	197	8	60	23

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142484

[Report File No.: 0000008304]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Aug 18, 2014

P.O. No.	:	Treasury Metals P4/4
Project No.	:	-
No. Of Samples	:	62
Date Submitted	:	Aug 05, 2014
Report Comprises	:	Pages 1 to 15 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By :

Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2415	0.320	8	110	<10	<0.1	380	<1	70
MG-2416	0.470	<1	106	30	<0.1	470	1	50
MG-2417	0.520	<1	>200	<10	<0.1	470	1	10
MG-2418	0.575	<1	>200	10	<0.1	820	<1	50
MG-2419	0.540	<1	35	<10	<0.1	290	<1	30
MG-2420	0.415	<1	70	40	<0.1	400	<1	130
MG-2421	0.530	<1	138	20	<0.1	560	1	150
MG-2422	0.510	1	179	20	<0.1	790	1	30
MG-2423	0.475	<1	>200	<10	<0.1	420	<1	30
MG-2424	0.515	<1	>200	<10	<0.1	420	<1	20
MG-2425	0.515	<1	>200	10	0.7	1380	1	30
MG-2426	0.535	<1	177	<10	<0.1	370	<1	90
MG-2427	0.470	<1	>200	20	<0.1	380	1	<10
MG-2428	0.480	<1	138	<10	<0.1	490	<1	10
MG-2429	0.455	<1	>200	20	<0.1	480	<1	<10
MG-2430	0.460	1	112	20	<0.1	1530	<1	150
MG-2431	0.455	3	44	50	0.1	1300	<1	100
MG-2432	0.560	6	51	10	<0.1	650	<1	240
MG-2433	0.485	1	>200	20	<0.1	730	<1	20
MG-2434	0.480	<1	>200	<10	<0.1	840	<1	10
MG-2435	0.425	<1	>200	<10	<0.1	810	<1	<10
MG-2436	0.460	<1	>200	20	<0.1	680	<1	<10
MG-2437	0.430	2	113	<10	<0.1	460	<1	10
MG-2438	0.515	3	140	<10	<0.1	550	<1	10
MG-2439	0.465	1	187	10	<0.1	2700	<1	70
MG-2440	0.600	1	191	40	<0.1	2110	1	110
MG-2441	0.600	3	38	10	<0.1	1450	<1	410
MG-2442	0.515	3	111	20	<0.1	1640	<1	60
MG-2443	0.410	<1	>200	30	<0.1	1170	<1	<10
MG-2444	0.535	5	142	10	<0.1	570	<1	50
MG-2445	0.395	21	104	<10	<0.1	340	<1	50
MG-2446	0.440	18	169	<10	<0.1	680	<1	60
MG-2447	0.480	3	55	<10	0.1	470	<1	20
MG-2448	0.425	4	62	<10	<0.1	450	<1	40
MG-2449	0.520	7	>200	40	<0.1	2070	2	80
MG-2450	0.670	<1	26	<10	<0.1	390	<1	10
MG-2451	0.525	1	131	20	<0.1	360	<1	10
MG-2452	0.585	4	64	10	0.2	1500	<1	220
MG-2453	0.555	2	>200	30	<0.1	1900	2	50
MG-2454	0.570	4	>200	50	<0.1	2420	2	60

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2455	0.625	2	>200	70	<0.1	2420	3	40
MG-2456	0.660	1	112	40	<0.1	1280	<1	20
MG-2457	0.505	5	71	<10	0.1	580	<1	40
MG-2458	0.360	16	149	<10	<0.1	810	<1	130
MG-2459	0.445	12	77	<10	<0.1	230	<1	10
MG-2460	0.380	11	98	20	<0.1	470	<1	30
MG-2461	0.490	11	105	<10	<0.1	840	<1	50
MG-2462	0.500	50	97	<10	<0.1	360	<1	90
MG-2463	0.425	20	160	10	<0.1	1020	<1	110
MG-2464	0.515	3	189	10	<0.1	1330	1	50
MG-2465	0.575	4	>200	80	0.8	2110	6	60
MG-2466	0.605	6	105	50	0.1	2040	8	120
MG-2467	0.435	6	119	<10	0.1	460	<1	80
MG-2468	0.460	58	112	20	<0.1	1770	<1	130
MG-2469	0.485	4	39	<10	0.4	1380	<1	230
MG-2470	0.485	22	99	<10	0.3	2000	<1	320
MG-2471	0.405	87	>200	20	<0.1	1780	<1	120
MG-2472	0.450	41	>200	20	<0.1	1210	1	50
MG-2473	0.470	10	68	20	0.3	1530	<1	170
MG-2474	0.545	11	170	20	0.2	1860	1	160
MG-2475	0.505	12	149	20	0.2	2040	1	150
MG-2476	0.530	13	156	10	0.3	1980	<1	220

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2415	13	61	17	<100	7.6	200	8	3.8
MG-2416	2	873	30	100	5.8	370	55	28.4
MG-2417	2	122	11	200	10.4	310	10	4.0
MG-2418	<1	286	28	200	8.9	230	15	5.5
MG-2419	<1	21	39	<100	3.4	210	2	2.0
MG-2420	1	807	16	200	0.8	520	25	11.2
MG-2421	1	427	7	200	7.2	690	18	7.6
MG-2422	3	104	45	200	10.7	430	7	4.0
MG-2423	2	224	40	100	5.1	320	14	6.0
MG-2424	1	80	16	100	14.9	140	6	3.0
MG-2425	1	141	25	300	10.5	120	11	5.1
MG-2426	12	1640	49	<100	3.7	350	255	132
MG-2427	7	42	50	200	0.9	60	8	5.4
MG-2428	6	90	17	<100	7.0	90	8	4.3
MG-2429	5	87	18	100	5.2	80	7	3.8
MG-2430	2	306	27	200	3.0	160	18	9.0
MG-2431	3	2500	38	100	2.5	870	71	30.8
MG-2432	3	795	50	<100	<0.5	1270	45	22.2
MG-2433	2	261	33	100	4.4	190	16	6.1
MG-2434	<1	101	12	100	5.1	50	9	4.1
MG-2435	1	111	34	100	7.5	90	8	3.5
MG-2436	3	115	19	100	7.1	120	9	3.7
MG-2437	7	195	29	<100	15.2	190	18	8.6
MG-2438	11	438	63	<100	25.8	290	29	12.6
MG-2439	3	369	43	100	11.0	400	22	9.9
MG-2440	1	551	78	200	13.0	830	35	16.3
MG-2441	7	545	83	<100	<0.5	140	11	4.9
MG-2442	1	332	94	<100	2.8	190	20	9.0
MG-2443	1	246	20	300	9.5	60	18	8.0
MG-2444	5	125	19	<100	6.4	130	11	5.4
MG-2445	14	90	36	<100	7.4	140	11	5.4
MG-2446	8	107	20	<100	10.1	170	10	4.4
MG-2447	1	264	21	<100	6.7	230	21	6.9
MG-2448	1	85	22	<100	5.9	120	6	2.2
MG-2449	5	82	110	200	12.0	160	6	2.8
MG-2450	<1	108	12	<100	2.7	110	11	4.2
MG-2451	<1	61	52	100	8.0	320	4	2.0
MG-2452	6	1160	81	100	2.6	550	69	28.5
MG-2453	2	288	72	400	19.9	340	19	8.8
MG-2454	3	205	77	300	12.7	230	14	7.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2455	2	351	66	500	25.7	670	24	10.7
MG-2456	1	64	106	100	6.6	400	5	3.1
MG-2457	4	112	53	<100	7.3	110	13	5.4
MG-2458	9	193	36	<100	7.0	170	12	5.7
MG-2459	5	168	17	<100	4.5	90	15	8.2
MG-2460	8	156	23	<100	6.0	90	9	3.8
MG-2461	5	341	13	<100	5.0	190	18	7.1
MG-2462	5	55	12	<100	2.9	100	7	3.1
MG-2463	3	142	19	<100	8.8	100	11	5.1
MG-2464	1	747	62	200	16.9	530	37	14.2
MG-2465	2	381	76	400	28.7	750	25	9.2
MG-2466	5	161	81	200	12.6	290	8	3.6
MG-2467	12	153	198	<100	9.6	740	26	11.7
MG-2468	8	121	41	<100	13.3	190	9	3.9
MG-2469	2	714	17	<100	0.6	550	55	23.1
MG-2470	5	520	42	<100	0.8	590	82	48.7
MG-2471	17	137	37	<100	9.2	220	13	6.0
MG-2472	8	141	34	100	11.5	190	14	7.9
MG-2473	3	1210	52	<100	0.8	370	52	22.8
MG-2474	3	567	40	200	4.5	250	31	15.9
MG-2475	3	936	50	100	4.2	420	47	24.0
MG-2476	5	531	69	200	3.7	790	61	33.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2415	2.4	21	12	9	<1	<0.5	12.7	24
MG-2416	17.7	212	31	68	<1	<0.5	5.0	281
MG-2417	3.6	66	17	12	<1	<0.5	2.2	47
MG-2418	5.5	93	14	20	<1	<0.5	7.1	96
MG-2419	0.6	437	5	2	<1	<0.5	1.4	9
MG-2420	10.3	409	6	40	<1	<0.5	3.6	349
MG-2421	6.6	229	7	28	<1	<0.5	2.6	187
MG-2422	2.5	257	28	9	<1	<0.5	2.9	47
MG-2423	4.5	220	28	16	<1	<0.5	3.6	104
MG-2424	2.4	72	20	8	<1	<0.5	4.4	39
MG-2425	4.0	55	78	14	<1	<0.5	5.8	68
MG-2426	65.6	62	6	290	<1	<0.5	7.0	533
MG-2427	1.8	70	90	6	<1	<0.5	4.7	21
MG-2428	3.1	39	20	11	<1	<0.5	8.4	40
MG-2429	2.4	145	22	9	<1	<0.5	3.1	47
MG-2430	6.9	108	18	25	<1	<0.5	5.6	148
MG-2431	30.4	203	4	120	<1	<0.5	7.7	1200
MG-2432	17.7	79	3	75	<1	<0.5	13.3	342
MG-2433	5.5	249	12	20	<1	<0.5	4.1	115
MG-2434	3.1	166	16	11	<1	<0.5	2.2	47
MG-2435	2.7	220	23	9	<1	<0.5	2.8	62
MG-2436	2.9	79	65	10	<1	<0.5	5.9	60
MG-2437	6.5	25	8	24	<1	<0.5	9.1	83
MG-2438	12.3	47	11	48	<1	<0.5	10.0	253
MG-2439	8.1	109	21	30	<1	<0.5	17.4	154
MG-2440	12.2	146	26	50	<1	<0.5	12.9	227
MG-2441	4.2	51	2	17	<1	<0.5	6.4	104
MG-2442	8.2	161	7	30	<1	<0.5	10.3	134
MG-2443	6.6	199	48	25	<1	<0.5	5.2	116
MG-2444	4.5	76	40	15	<1	<0.5	11.3	60
MG-2445	4.0	27	12	14	1	<0.5	14.0	39
MG-2446	3.6	60	38	11	1	<0.5	20.1	56
MG-2447	10.5	8	5	42	<1	<0.5	9.2	148
MG-2448	2.9	10	6	10	<1	<0.5	18.0	36
MG-2449	1.9	193	154	6	1	<0.5	39.3	42
MG-2450	3.9	2	5	16	<1	<0.5	3.6	44
MG-2451	1.4	404	26	5	<1	<0.5	12.7	30
MG-2452	25.6	65	6	108	<1	<0.5	9.2	501
MG-2453	6.3	286	51	24	<1	<0.5	18.8	139
MG-2454	4.2	392	74	18	1	<0.5	13.9	100

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2455	8.4	324	83	32	<1	<0.5	17.2	152
MG-2456	1.8	446	10	6	<1	<0.5	11.7	32
MG-2457	5.0	14	3	18	<1	<0.5	15.4	51
MG-2458	4.2	27	7	18	1	<0.5	24.8	59
MG-2459	5.6	18	31	22	<1	<0.5	8.6	48
MG-2460	2.9	36	15	13	<1	<0.5	9.7	36
MG-2461	5.9	32	14	24	<1	<0.5	21.3	73
MG-2462	2.7	16	8	8	<1	<0.5	5.6	20
MG-2463	3.6	67	33	13	<1	<0.5	22.0	44
MG-2464	13.6	163	42	49	<1	<0.5	19.2	366
MG-2465	11.6	258	42	39	1	<0.5	10.1	174
MG-2466	3.0	196	43	11	<1	<0.5	8.1	71
MG-2467	10.4	103	5	39	<1	<0.5	16.0	61
MG-2468	3.6	51	12	13	<1	<0.5	24.0	54
MG-2469	25.6	22	3	96	<1	<0.5	19.5	385
MG-2470	24.8	20	3	113	<1	<0.5	20.7	344
MG-2471	3.8	109	32	16	<1	<0.5	26.2	58
MG-2472	5.4	145	56	21	1	<0.5	37.7	70
MG-2473	21.9	46	5	83	<1	<0.5	12.7	462
MG-2474	10.7	131	24	44	<1	<0.5	20.4	190
MG-2475	17.1	156	18	69	<1	<0.5	31.3	344
MG-2476	16.3	89	15	70	<1	<0.5	29.7	186

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2415	<5	2	540	<5	0.5	36	43	0.7
MG-2416	7	4	1980	6	11.3	367	53	1.6
MG-2417	<5	1	90	<5	12.1	55	52	5.4
MG-2418	<5	2	370	<5	6.7	106	59	1.3
MG-2419	<5	3	1390	<5	2.0	10	65	0.5
MG-2420	<5	3	5970	<5	8.3	323	32	0.9
MG-2421	<5	3	2340	<5	5.6	180	41	0.8
MG-2422	10	7	790	9	16.8	49	161	2.9
MG-2423	<5	3	370	<5	9.1	95	89	2.6
MG-2424	<5	2	190	<5	6.0	40	64	1.8
MG-2425	11	7	210	<5	20.9	68	82	6.5
MG-2426	<5	8	5580	<5	2.6	1150	416	0.5
MG-2427	<5	1	140	<5	18.8	26	99	5.2
MG-2428	<5	1	440	<5	3.4	53	38	0.9
MG-2429	<5	<1	50	<5	6.0	45	108	2.2
MG-2430	6	20	830	6	10.6	171	83	3.2
MG-2431	8	12	1180	<5	4.5	990	73	1.2
MG-2432	32	14	6030	14	3.5	458	234	0.4
MG-2433	<5	3	690	<5	8.8	112	119	3.0
MG-2434	<5	<1	80	<5	7.3	52	72	2.7
MG-2435	<5	2	90	<5	7.5	48	110	2.8
MG-2436	6	3	690	7	17.1	51	47	1.9
MG-2437	<5	1	1040	<5	1.2	125	84	1.0
MG-2438	<5	2	2320	<5	2.3	259	88	1.6
MG-2439	12	9	270	5	10.5	166	92	1.1
MG-2440	16	18	1530	9	17.2	271	188	2.5
MG-2441	<5	65	13200	<5	0.7	123	132	0.2
MG-2442	<5	9	1230	5	4.3	158	50	0.6
MG-2443	14	4	120	10	18.8	137	84	3.9
MG-2444	6	5	780	7	9.7	76	57	1.1
MG-2445	<5	2	2300	7	1.8	66	47	0.9
MG-2446	<5	4	2040	<5	5.9	55	39	2.8
MG-2447	<5	<1	1480	7	<0.5	227	23	<0.1
MG-2448	<5	2	970	9	0.5	51	27	0.4
MG-2449	47	20	16700	11	38.2	32	73	8.5
MG-2450	<5	1	570	<5	<0.5	81	17	0.6
MG-2451	<5	3	310	6	10.4	25	96	2.6
MG-2452	<5	29	6480	<5	5.5	655	255	1.1
MG-2453	42	16	1190	6	28.9	142	215	5.3
MG-2454	26	17	2890	10	29.6	90	135	4.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2455	36	11	1160	21	26.1	176	150	3.4
MG-2456	<5	5	270	10	6.3	33	165	3.5
MG-2457	<5	2	2710	6	0.9	79	34	0.2
MG-2458	<5	6	6220	<5	2.6	78	56	2.9
MG-2459	<5	<1	2600	<5	0.5	104	22	0.6
MG-2460	<5	1	4550	<5	2.9	59	18	6.7
MG-2461	<5	4	6090	<5	5.8	110	44	4.0
MG-2462	<5	2	1070	<5	0.6	36	19	1.0
MG-2463	10	4	180	7	8.2	58	38	0.4
MG-2464	10	8	520	9	13.1	295	100	1.4
MG-2465	16	6	1530	30	14.6	227	225	3.5
MG-2466	20	22	2400	19	21.1	76	170	5.4
MG-2467	<5	8	7950	6	0.7	138	211	1.5
MG-2468	6	9	5650	7	3.6	61	102	3.1
MG-2469	<5	51	1020	<5	3.7	579	100	0.4
MG-2470	8	88	3030	<5	1.0	517	193	<0.1
MG-2471	23	18	7550	<5	9.3	66	168	8.8
MG-2472	21	10	6250	10	12.8	93	111	10.9
MG-2473	6	36	3090	<5	7.4	570	93	1.4
MG-2474	14	33	1890	5	22.6	240	103	3.3
MG-2475	18	30	3160	<5	18.8	384	118	2.5
MG-2476	26	86	4350	<5	6.0	280	240	0.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2415	380	<1	8	<1	181	<1	21	9
MG-2416	140	<1	91	<1	83	<1	54	74
MG-2417	120	<1	15	<1	47	<1	35	14
MG-2418	110	<1	26	<1	89	<1	26	22
MG-2419	<10	<1	3	<1	19	<1	8	2
MG-2420	60	<1	87	<1	15	<1	29	56
MG-2421	130	<1	44	<1	20	<1	23	34
MG-2422	80	<1	12	<1	64	<1	28	10
MG-2423	60	<1	25	<1	42	<1	26	20
MG-2424	110	<1	10	<1	70	<1	22	9
MG-2425	240	<1	18	<1	91	<1	49	15
MG-2426	150	<1	237	<1	103	<1	81	283
MG-2427	180	<1	6	<1	22	<1	44	6
MG-2428	250	<1	12	<1	129	<1	26	12
MG-2429	120	<1	11	<1	42	1	25	10
MG-2430	80	<1	43	<1	55	<1	27	32
MG-2431	100	<1	277	<1	45	<1	61	163
MG-2432	130	<1	108	<1	57	<1	40	87
MG-2433	70	<1	30	<1	53	<1	25	24
MG-2434	40	<1	14	<1	47	<1	23	12
MG-2435	20	<1	13	<1	59	<1	23	11
MG-2436	120	<1	14	<1	101	1	30	12
MG-2437	150	<1	29	<1	99	<1	33	26
MG-2438	210	<1	64	<1	132	<1	30	47
MG-2439	120	<1	42	<1	149	<1	47	34
MG-2440	160	<1	64	<1	142	<1	63	56
MG-2441	50	<1	28	<1	19	<1	9	22
MG-2442	70	<1	38	<1	72	<1	38	35
MG-2443	110	<1	32	<1	109	<1	56	28
MG-2444	190	<1	16	<1	178	<1	36	16
MG-2445	280	<1	14	<1	122	<1	28	16
MG-2446	260	<1	14	<1	160	<1	36	12
MG-2447	60	<1	50	<1	97	<1	23	46
MG-2448	70	<1	11	<1	170	<1	12	12
MG-2449	300	<1	9	<1	230	2	64	6
MG-2450	30	<1	17	<1	45	<1	9	18
MG-2451	20	<1	7	<1	163	<1	22	6
MG-2452	30	<1	160	<1	92	<1	30	124
MG-2453	210	<1	34	<1	188	<1	77	27
MG-2454	200	<1	22	<1	182	2	63	18

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2455	170	<1	44	<1	143	1	96	35
MG-2456	20	<1	9	<1	82	<1	25	7
MG-2457	80	<1	18	<1	155	<1	27	19
MG-2458	210	<1	18	<1	184	<1	23	18
MG-2459	290	<1	20	<1	130	<1	27	24
MG-2460	120	<1	12	<1	94	1	17	14
MG-2461	70	<1	27	<1	211	<1	28	24
MG-2462	160	<1	8	<1	117	<1	22	9
MG-2463	250	<1	13	<1	196	<1	30	14
MG-2464	180	<1	78	<1	166	<1	63	54
MG-2465	320	<1	55	<1	89	1	60	50
MG-2466	180	<1	17	<1	62	<1	34	14
MG-2467	140	<1	27	<1	143	<1	36	40
MG-2468	180	<1	13	<1	254	1	25	13
MG-2469	30	<1	126	<1	98	<1	23	109
MG-2470	160	<1	110	<1	109	<1	100	111
MG-2471	250	<1	16	<1	207	<1	47	15
MG-2472	330	<1	20	<1	241	<1	46	21
MG-2473	80	<1	138	<1	124	<1	43	105
MG-2474	200	<1	56	<1	212	<1	68	50
MG-2475	220	<1	90	<1	193	<1	80	80
MG-2476	180	<1	61	<1	183	<1	128	67

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2415	<1	170	<1	1	<10	7.4	204	<0.5
MG-2416	3	80	<1	9	<10	36.4	4240	<0.5
MG-2417	1	40	<1	2	<10	30.1	2300	<0.5
MG-2418	<1	100	<1	3	<10	34.9	1680	<0.5
MG-2419	<1	100	<1	<1	<10	3.6	622	<0.5
MG-2420	<1	120	<1	5	<10	44.2	1340	<0.5
MG-2421	<1	120	<1	4	<10	34.7	1030	<0.5
MG-2422	1	180	<1	1	<10	29.3	3560	<0.5
MG-2423	1	130	<1	2	<10	28.6	2890	<0.5
MG-2424	<1	100	<1	1	<10	13.0	1680	<0.5
MG-2425	4	240	<1	2	<10	20.1	7130	<0.5
MG-2426	<1	230	<1	42	<10	67.6	712	0.8
MG-2427	2	90	<1	1	<10	19.8	5280	<0.5
MG-2428	<1	60	<1	2	<10	14.5	1170	<0.5
MG-2429	<1	60	<1	1	<10	20.7	1060	<0.5
MG-2430	<1	490	<1	3	<10	51.7	2580	<0.5
MG-2431	<1	220	<1	14	<10	130	701	<0.5
MG-2432	<1	330	<1	9	<10	44.8	287	<0.5
MG-2433	<1	140	<1	3	<10	29.8	1510	<0.5
MG-2434	<1	90	<1	1	<10	13.9	1230	<0.5
MG-2435	<1	140	<1	1	<10	14.7	1850	<0.5
MG-2436	5	60	<1	2	<10	18.7	7880	<0.5
MG-2437	<1	50	<1	3	<10	11.2	426	<0.5
MG-2438	<1	30	<1	6	<10	15.2	825	<0.5
MG-2439	1	350	<1	4	<10	52.5	2980	0.5
MG-2440	3	410	<1	6	<10	79.4	4730	<0.5
MG-2441	<1	1080	<1	2	<10	27.5	174	<0.5
MG-2442	<1	180	<1	4	<10	31.7	926	<0.5
MG-2443	2	70	1	3	<10	37.6	3810	0.6
MG-2444	3	220	<1	2	<10	14.7	4180	<0.5
MG-2445	<1	130	<1	2	<10	9.3	712	<0.5
MG-2446	1	100	<1	2	<10	13.7	2540	<0.5
MG-2447	<1	40	<1	4	<10	7.2	157	<0.5
MG-2448	<1	70	<1	1	<10	5.6	225	<0.5
MG-2449	12	360	3	<1	<10	16.5	16800	1.0
MG-2450	<1	30	<1	2	<10	1.1	246	<0.5
MG-2451	<1	120	<1	<1	<10	20.0	2840	<0.5
MG-2452	<1	760	<1	13	<10	65.0	1350	<0.5
MG-2453	4	300	2	3	<10	58.5	6230	1.2
MG-2454	5	300	2	2	<10	43.2	10200	0.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2455	4	120	2	4	<10	75.5	8920	1.0
MG-2456	<1	260	<1	<1	<10	21.2	1750	<0.5
MG-2457	<1	80	<1	2	<10	9.7	196	<0.5
MG-2458	<1	180	<1	2	<10	18.8	630	<0.5
MG-2459	<1	20	<1	3	<10	7.7	173	<0.5
MG-2460	<1	60	<1	2	<10	14.6	659	<0.5
MG-2461	<1	140	<1	3	<10	28.8	1740	<0.5
MG-2462	<1	100	<1	1	<10	10.3	216	<0.5
MG-2463	2	160	<1	2	<10	12.0	2830	<0.5
MG-2464	3	160	<1	7	<10	49.3	5040	<0.5
MG-2465	2	170	<1	5	<10	84.8	3970	1.0
MG-2466	3	320	1	2	<10	33.4	6510	0.8
MG-2467	<1	160	<1	5	<10	12.0	373	<0.5
MG-2468	<1	280	<1	2	<10	11.1	1280	0.6
MG-2469	<1	1440	<1	11	<10	33.0	931	<0.5
MG-2470	<1	1440	<1	15	<10	30.7	346	<0.5
MG-2471	1	450	<1	2	<10	24.1	3070	0.5
MG-2472	3	250	<1	3	<10	19.1	4370	0.5
MG-2473	<1	860	<1	10	<10	69.6	1850	<0.5
MG-2474	2	490	1	6	<10	108	6150	0.5
MG-2475	1	440	<1	9	<10	152	4500	0.6
MG-2476	1	900	<1	10	<10	70.0	1660	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2415	6	<1	37	3	60	21
MG-2416	17	2	336	20	40	70
MG-2417	7	1	39	3	80	72
MG-2418	9	2	60	5	30	64
MG-2419	5	<1	9	2	20	16
MG-2420	16	3	118	9	30	63
MG-2421	9	<1	77	6	30	57
MG-2422	9	<1	36	3	220	53
MG-2423	10	<1	58	4	50	51
MG-2424	4	<1	27	2	70	47
MG-2425	8	3	50	4	100	75
MG-2426	40	<1	1550	86	30	37
MG-2427	9	1	40	4	40	45
MG-2428	7	<1	43	4	20	39
MG-2429	8	<1	33	3	<20	59
MG-2430	10	1	91	7	60	50
MG-2431	26	3	352	24	50	107
MG-2432	55	12	237	16	50	44
MG-2433	8	<1	57	5	80	44
MG-2434	5	<1	39	3	50	40
MG-2435	6	<1	32	3	50	34
MG-2436	7	3	36	3	70	78
MG-2437	8	<1	97	7	30	26
MG-2438	12	<1	170	8	220	42
MG-2439	11	2	103	8	40	99
MG-2440	19	2	165	13	70	139
MG-2441	6	<1	49	3	90	17
MG-2442	17	<1	85	6	40	51
MG-2443	13	2	75	6	50	96
MG-2444	8	1	57	4	90	49
MG-2445	9	<1	56	4	300	23
MG-2446	6	<1	46	3	270	46
MG-2447	9	<1	89	5	<20	14
MG-2448	7	<1	27	2	110	15
MG-2449	6	3	28	2	580	120
MG-2450	4	1	50	3	20	8
MG-2451	9	1	17	2	30	46
MG-2452	25	2	342	21	100	57
MG-2453	13	3	87	6	160	153
MG-2454	13	3	68	6	210	126

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142484 Order: Treasury Metals P4/4

Report File No.: 0000008304

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2455	18	6	110	9	240	174
MG-2456	9	1	25	3	90	32
MG-2457	9	<1	52	4	160	20
MG-2458	9	<1	55	5	520	37
MG-2459	6	<1	86	7	340	17
MG-2460	7	<1	35	3	330	35
MG-2461	10	<1	71	5	110	53
MG-2462	7	<1	27	2	140	21
MG-2463	7	<1	47	4	60	43
MG-2464	17	4	162	9	100	98
MG-2465	18	6	83	7	110	119
MG-2466	8	6	32	3	330	84
MG-2467	15	<1	121	8	870	20
MG-2468	7	1	41	3	530	29
MG-2469	13	<1	269	15	130	38
MG-2470	23	<1	418	39	370	51
MG-2471	8	1	59	5	1450	72
MG-2472	11	2	71	6	800	70
MG-2473	14	2	223	17	230	103
MG-2474	19	2	140	12	520	215
MG-2475	20	3	197	19	340	251
MG-2476	25	<1	304	27	480	129

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142640

[Report File No.: 0000008458]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Aug 28, 2014

P.O. No.	:	MG-1264 to MG-1346
Project No.	:	-
No. Of Samples	:	83
Date Submitted	:	Aug 15, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142640 Order: MG-1264 to MG-1346

Report File No.: 0000008458

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1264	0.445	12	>200	20	<0.1	1610	2	110
MG-1265	0.550	7	119	20	<0.1	1370	2	90
MG-1266	0.460	9	>200	20	<0.1	690	2	50
MG-1267	0.455	4	183	20	<0.1	1130	2	80
MG-1268	0.510	5	164	10	<0.1	540	2	100
MG-1269	0.505	9	178	10	<0.1	1430	1	70
MG-1270	0.510	10	125	40	<0.1	990	1	90
MG-1271	0.450	11	154	10	<0.1	520	<1	150
MG-1272	0.435	6	>200	20	0.2	2080	1	80
MG-1273	0.420	13	135	10	<0.1	620	<1	170
MG-1274	0.495	17	>200	<10	0.1	1050	<1	80
MG-1275	0.430	17	>200	<10	<0.1	480	<1	10
MG-1276	0.430	8	>200	10	<0.1	1280	<1	60
MG-1277	0.440	22	>200	<10	<0.1	1760	<1	20
MG-1278	0.465	28	>200	<10	<0.1	700	1	60
MG-1279	0.505	19	151	<10	<0.1	720	<1	20
MG-1280	0.415	16	198	<10	<0.1	730	<1	40
MG-1281	0.430	25	>200	10	<0.1	780	1	50
MG-1282	0.460	11	>200	20	<0.1	920	2	20
MG-1283	0.400	20	>200	20	<0.1	1640	6	<10
MG-1284	0.550	22	157	<10	<0.1	590	<1	30
MG-1285	0.390	32	>200	<10	<0.1	1480	<1	50
MG-1286	0.370	19	117	<10	<0.1	440	<1	70
MG-1287	0.455	12	161	<10	<0.1	490	<1	20
MG-1288	0.475	25	159	10	<0.1	540	<1	70
MG-1289	0.395	14	>200	10	<0.1	710	2	80
MG-1290	0.415	23	169	<10	<0.1	440	<1	40
MG-1291	0.470	27	>200	20	<0.1	860	<1	20
MG-1292	0.410	10	>200	10	<0.1	1330	<1	90
MG-1293	0.500	45	112	<10	<0.1	320	<1	30
MG-1294	0.435	9	154	30	<0.1	530	3	80
MG-1295	0.600	5	87	10	<0.1	1580	1	200
MG-1296	0.580	6	92	10	<0.1	1000	<1	240
MG-1297	0.545	4	171	20	<0.1	450	<1	80
MG-1298	0.480	2	101	20	<0.1	180	1	50
MG-1299	0.450	7	141	<10	<0.1	160	1	80
MG-1300	0.430	4	>200	20	<0.1	850	<1	30
MG-1301	0.470	5	>200	10	<0.1	830	<1	30
MG-1302	0.370	11	>200	30	<0.1	2590	2	60
MG-1303	0.530	5	200	60	<0.1	1880	5	90

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1304	0.495	6	126	20	<0.1	670	1	100
MG-1305	0.575	8	141	10	<0.1	430	1	170
MG-1306	0.415	16	178	20	<0.1	2010	4	90
MG-1307	0.545	2	162	40	0.3	2040	3	50
MG-1308	0.335	11	>200	40	<0.1	1310	3	30
MG-1309	0.400	30	>200	30	<0.1	1720	5	30
MG-1310	0.430	11	>200	40	<0.1	2490	5	70
MG-1311	0.565	11	75	<10	<0.1	170	<1	30
MG-1312	0.490	8	145	10	<0.1	660	1	30
MG-1313	0.500	7	114	10	<0.1	250	<1	<10
MG-1314	0.455	25	>200	50	<0.1	1830	5	20
MG-1315	0.680	16	>200	40	<0.1	820	4	50
MG-1316	0.415	1	36	40	<0.1	610	<1	160
MG-1317	0.455	2	89	50	0.1	330	<1	130
MG-1318	0.540	1	57	30	0.2	1260	<1	190
MG-1319	0.550	3	142	<10	0.1	710	<1	40
MG-1320	0.370	21	>200	30	<0.1	2190	3	80
MG-1321	0.515	28	166	<10	<0.1	880	<1	120
MG-1322	0.470	37	>200	30	<0.1	2110	4	40
MG-1323	0.615	13	120	10	<0.1	630	<1	40
MG-1324	0.430	11	>200	40	<0.1	1420	4	20
MG-1325	0.380	19	>200	40	<0.1	1450	3	20
MG-1326	0.605	10	163	<10	<0.1	350	<1	10
MG-1327	0.500	40	>200	20	<0.1	1660	1	30
MG-1328	0.455	22	>200	30	<0.1	1490	3	40
MG-1329	0.515	46	>200	20	<0.1	720	2	30
MG-1330	0.385	23	>200	20	<0.1	1380	2	30
MG-1331	0.550	7	102	20	<0.1	3050	2	200
MG-1332	0.515	1	159	20	<0.1	720	1	<10
MG-1333	0.425	4	191	<10	<0.1	600	<1	<10
MG-1334	0.475	8	118	10	<0.1	1740	2	230
MG-1335	0.400	14	88	<10	<0.1	1640	<1	390
MG-1336	0.530	9	48	<10	<0.1	810	<1	310
MG-1337	0.455	8	104	<10	<0.1	910	<1	230
MG-1338	0.480	14	53	<10	<0.1	930	<1	280
MG-1339	0.480	2	>200	30	<0.1	960	2	60
MG-1340	0.510	9	134	10	<0.1	1000	<1	230
MG-1341	0.390	3	>200	40	<0.1	2470	2	100
MG-1342	0.400	9	>200	50	<0.1	1330	2	20
MG-1343	0.355	2	89	30	<0.1	550	<1	70

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142640 Order: MG-1264 to MG-1346

Report File No.: 0000008458

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1344	0.465	1	47	30	<0.1	590	2	160
MG-1345	0.430	<1	29	<10	<0.1	320	<1	110
MG-1346	0.535	6	6	<10	0.4	1250	<1	500

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1264	5	621	41	300	14.0	250	35	16.1
MG-1265	3	488	45	300	15.2	190	19	8.3
MG-1266	8	560	46	200	10.2	230	32	14.1
MG-1267	4	1010	52	400	13.9	190	32	13.3
MG-1268	11	589	56	200	7.7	530	44	20.9
MG-1269	5	1780	51	300	14.2	310	68	27.0
MG-1270	4	667	50	400	11.1	200	27	11.0
MG-1271	13	461	39	200	6.3	190	30	13.6
MG-1272	4	1080	66	300	9.7	240	38	15.3
MG-1273	10	437	21	100	3.7	170	33	14.9
MG-1274	11	283	31	<100	8.6	150	15	6.6
MG-1275	9	63	22	<100	13.5	110	8	4.2
MG-1276	10	20	30	<100	5.6	40	5	2.6
MG-1277	12	101	142	<100	14.2	110	10	5.2
MG-1278	13	194	38	100	22.4	130	13	5.5
MG-1279	9	338	52	<100	28.1	160	20	8.8
MG-1280	10	145	53	<100	55.1	170	12	5.4
MG-1281	8	89	33	100	46.4	130	10	5.1
MG-1282	14	207	77	100	32.4	150	18	8.7
MG-1283	6	100	41	200	25.6	180	6	3.6
MG-1284	11	167	54	<100	38.5	100	15	6.8
MG-1285	12	253	51	<100	43.7	210	19	8.6
MG-1286	10	120	24	<100	11.9	100	14	6.6
MG-1287	19	87	78	<100	36.0	170	15	8.3
MG-1288	16	322	46	<100	25.8	440	19	8.3
MG-1289	6	87	21	100	19.1	90	6	2.9
MG-1290	13	72	22	<100	20.5	80	11	6.1
MG-1291	18	192	59	200	34.8	170	16	7.4
MG-1292	34	229	70	<100	17.8	230	19	9.6
MG-1293	8	194	22	<100	19.3	160	19	8.9
MG-1294	6	278	38	200	11.7	200	23	10.6
MG-1295	10	585	169	100	15.1	160	25	11.5
MG-1296	7	995	107	200	6.4	380	44	17.9
MG-1297	11	322	94	100	3.6	70	31	15.4
MG-1298	13	86	75	<100	12.8	120	11	6.5
MG-1299	9	168	68	100	6.4	250	27	13.9
MG-1300	4	156	22	200	24.0	140	11	4.9
MG-1301	7	141	22	100	14.7	110	12	5.2
MG-1302	20	95	50	300	8.9	160	11	6.1
MG-1303	4	542	79	500	20.1	200	27	11.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1304	13	373	116	200	8.0	300	29	13.4
MG-1305	10	1810	65	<100	9.9	1230	89	39.3
MG-1306	11	73	32	200	14.2	140	6	3.4
MG-1307	1	1590	67	200	25.8	970	123	44.4
MG-1308	13	209	86	200	12.3	120	18	8.6
MG-1309	7	105	43	300	21.1	140	8	4.0
MG-1310	11	114	32	300	17.0	150	9	4.8
MG-1311	2	84	45	<100	16.8	80	10	5.0
MG-1312	1	451	47	100	22.4	150	29	13.4
MG-1313	1	46	44	<100	21.5	210	5	2.5
MG-1314	17	172	69	300	29.0	170	13	6.4
MG-1315	2	483	33	400	15.4	270	17	8.0
MG-1316	5	5130	144	<100	1.8	2640	242	125
MG-1317	12	14100	198	<100	11.9	20400	1950	881
MG-1318	6	5000	257	<100	3.1	5710	276	150
MG-1319	2	881	48	100	31.8	350	56	22.1
MG-1320	13	200	78	200	36.2	250	15	7.7
MG-1321	8	109	35	<100	24.6	170	11	4.5
MG-1322	6	210	44	300	41.0	290	14	6.9
MG-1323	2	313	79	<100	15.0	340	19	9.5
MG-1324	8	144	60	300	42.4	240	11	6.1
MG-1325	15	81	21	100	11.3	160	7	3.9
MG-1326	13	268	42	<100	17.0	110	15	6.5
MG-1327	12	314	87	100	25.6	140	20	9.3
MG-1328	16	175	68	200	22.6	110	11	5.5
MG-1329	16	120	60	200	22.0	150	10	4.8
MG-1330	15	138	56	100	25.2	210	12	5.8
MG-1331	10	1520	331	200	13.8	1380	55	23.5
MG-1332	<1	230	28	100	15.3	1170	8	3.7
MG-1333	17	528	90	<100	39.2	290	34	16.0
MG-1334	13	588	117	200	4.0	320	18	7.4
MG-1335	26	905	117	<100	1.8	320	42	20.5
MG-1336	11	674	21	100	1.1	620	25	11.0
MG-1337	5	1100	83	200	3.2	630	44	18.3
MG-1338	5	366	31	100	5.8	210	16	6.8
MG-1339	6	682	56	300	9.8	380	25	9.8
MG-1340	9	444	119	200	7.7	140	20	9.4
MG-1341	9	596	41	400	12.6	220	23	10.1
MG-1342	5	453	78	300	8.0	230	24	11.0
MG-1343	2	177	45	<100	3.5	910	15	7.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142640 Order: MG-1264 to MG-1346

Report File No.: 0000008458

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1344	2	389	50	<100	1.9	570	11	4.8
MG-1345	<1	28	135	<100	0.5	20	1	0.8
MG-1346	2	266	132	<100	<0.5	2320	13	6.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1264	14.8	226	28	50	1	<0.5	24.2	251
MG-1265	9.4	180	28	29	1	<0.5	16.5	221
MG-1266	13.6	187	35	44	1	<0.5	15.3	245
MG-1267	16.5	223	39	51	1	<0.5	8.8	490
MG-1268	17.8	178	23	60	<1	<0.5	19.2	238
MG-1269	36.5	133	33	109	1	<0.5	7.5	739
MG-1270	13.9	211	54	44	<1	<0.5	9.2	284
MG-1271	12.2	135	21	43	<1	<0.5	22.2	174
MG-1272	20.3	172	26	63	<1	<0.5	9.4	431
MG-1273	13.6	99	15	47	<1	<0.5	16.8	173
MG-1274	6.5	105	22	22	<1	<0.5	10.0	109
MG-1275	2.2	58	8	7	<1	<0.5	13.6	23
MG-1276	1.1	131	33	4	<1	<0.5	13.2	10
MG-1277	3.3	91	16	11	1	<0.5	9.7	40
MG-1278	4.7	80	53	17	<1	<0.5	20.9	89
MG-1279	9.6	42	17	32	<1	<0.5	17.1	137
MG-1280	4.3	94	26	15	<1	<0.5	18.0	61
MG-1281	3.9	125	62	12	<1	<0.5	20.1	44
MG-1282	6.9	146	42	22	1	<0.5	24.9	75
MG-1283	2.1	219	135	7	<1	<0.5	31.8	42
MG-1284	6.6	61	20	23	<1	<0.5	15.0	69
MG-1285	7.6	76	23	26	<1	<0.5	21.8	117
MG-1286	5.7	36	15	20	<1	<0.5	33.2	63
MG-1287	4.9	111	50	18	<1	<0.5	20.1	36
MG-1288	8.3	74	15	28	<1	<0.5	26.0	123
MG-1289	2.4	118	80	8	1	<0.5	24.7	42
MG-1290	3.6	53	24	12	<1	<0.5	22.9	32
MG-1291	5.7	111	24	18	2	<0.5	11.7	69
MG-1292	7.1	77	25	23	1	<0.5	32.2	97
MG-1293	8.7	33	16	30	<1	<0.5	17.3	75
MG-1294	7.8	122	50	29	<1	<0.5	18.1	123
MG-1295	13.1	101	9	42	<1	<0.5	19.4	235
MG-1296	20.6	120	10	70	<1	<0.5	10.4	394
MG-1297	11.3	242	19	41	<1	<0.5	5.6	128
MG-1298	3.5	268	22	13	<1	<0.5	12.6	34
MG-1299	9.3	149	21	35	<1	<0.5	6.4	57
MG-1300	4.7	263	20	14	2	<0.5	6.3	72
MG-1301	4.4	201	14	14	2	<0.5	8.1	61
MG-1302	3.3	256	81	11	1	<0.5	22.0	42
MG-1303	12.2	343	46	39	2	<0.5	13.4	214

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1304	11.7	274	13	39	<1	<0.5	11.5	147
MG-1305	47.7	41	9	151	<1	<0.5	6.9	724
MG-1306	2.2	124	92	8	<1	<0.5	25.5	33
MG-1307	66.1	154	16	208	<1	<0.5	4.3	1000
MG-1308	6.1	212	59	22	2	<0.5	16.4	84
MG-1309	2.8	225	100	9	1	<0.5	27.0	50
MG-1310	2.5	152	84	9	<1	<0.5	18.9	59
MG-1311	4.3	23	10	14	<1	<0.5	16.3	27
MG-1312	14.3	163	29	45	<1	<0.5	10.6	145
MG-1313	1.8	187	4	6	<1	<0.5	17.4	20
MG-1314	4.6	252	166	16	1	<0.5	43.8	78
MG-1315	7.9	308	45	25	1	<0.5	14.0	156
MG-1316	138	280	10	509	<1	<0.5	15.4	3170
MG-1317	1170	146	13	4560	<1	<0.5	11.3	31800
MG-1318	165	242	10	633	<1	<0.5	17.7	6040
MG-1319	28.4	60	20	92	<1	<0.5	17.5	388
MG-1320	5.9	216	100	22	1	<0.5	52.8	129
MG-1321	4.1	88	24	14	<1	<0.5	22.0	54
MG-1322	5.9	280	178	20	<1	<0.5	37.7	109
MG-1323	9.0	99	9	30	<1	<0.5	17.4	129
MG-1324	4.0	292	179	14	1	<0.5	33.6	69
MG-1325	2.1	112	74	7	1	<0.5	19.6	43
MG-1326	6.3	46	16	21	<1	<0.5	8.8	112
MG-1327	9.1	88	49	30	<1	<0.5	19.5	142
MG-1328	3.9	132	70	15	1	<0.5	35.0	83
MG-1329	3.6	158	90	12	1	<0.5	22.0	59
MG-1330	4.4	160	78	15	1	<0.5	23.0	62
MG-1331	27.2	146	12	97	<1	<0.5	27.1	592
MG-1332	3.2	308	14	12	<1	<0.5	22.0	121
MG-1333	14.5	57	14	51	1	<0.5	9.5	224
MG-1334	7.0	84	20	31	<1	<0.5	19.0	286
MG-1335	14.4	56	3	61	<1	<0.5	21.0	234
MG-1336	11.4	44	2	43	<1	<0.5	15.7	292
MG-1337	18.6	84	10	74	<1	<0.5	17.1	444
MG-1338	7.5	55	5	28	<1	<0.5	11.8	160
MG-1339	11.8	313	28	38	1	<0.5	17.8	330
MG-1340	9.0	113	13	33	<1	<0.5	13.0	187
MG-1341	10.6	314	34	35	2	<0.5	15.0	266
MG-1342	8.7	266	42	31	2	<0.5	11.7	216
MG-1343	5.1	273	5	18	<1	<0.5	7.4	68

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1344	5.5	135	7	18	<1	<0.5	14.9	135
MG-1345	0.6	317	1	2	<1	<0.5	3.1	11
MG-1346	6.1	29	<1	23	<1	<0.5	13.9	89

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1264	27	28	2480	8	30.8	305	187	5.9
MG-1265	24	25	6070	10	46.9	225	124	6.1
MG-1266	22	20	2480	10	37.7	297	219	8.9
MG-1267	19	28	2180	8	48.8	423	155	11.8
MG-1268	17	25	4090	8	29.1	345	226	8.7
MG-1269	18	10	2820	11	28.5	840	178	15.3
MG-1270	20	15	4620	13	35.9	330	105	19.9
MG-1271	12	24	3290	8	16.1	252	168	8.5
MG-1272	14	11	4140	6	17.6	482	112	9.8
MG-1273	12	25	2960	5	8.4	277	148	7.8
MG-1274	15	8	970	<5	14.8	131	101	7.4
MG-1275	<5	3	470	<5	2.5	32	126	3.7
MG-1276	6	8	1860	<5	7.1	16	92	14.2
MG-1277	<5	2	4040	<5	4.6	51	168	5.6
MG-1278	14	11	2040	7	22.3	92	74	4.8
MG-1279	<5	7	3740	<5	3.3	198	91	1.0
MG-1280	<5	3	4220	5	5.7	85	90	6.5
MG-1281	23	7	3410	8	19.0	53	67	4.3
MG-1282	15	5	8510	7	14.6	115	88	8.9
MG-1283	47	14	1220	10	59.3	39	109	23.9
MG-1284	6	3	4980	9	6.2	117	48	2.5
MG-1285	6	4	2970	<5	6.0	141	76	2.6
MG-1286	<5	5	2020	6	3.2	100	40	1.3
MG-1287	5	2	2070	7	7.3	79	91	9.1
MG-1288	<5	7	4410	<5	6.3	165	75	3.6
MG-1289	21	17	2300	<5	21.7	40	56	11.4
MG-1290	5	4	3670	<5	5.3	53	62	2.4
MG-1291	6	2	5410	5	7.1	98	94	7.3
MG-1292	9	15	7880	5	7.2	126	202	7.5
MG-1293	<5	4	1140	8	3.2	156	35	1.1
MG-1294	15	23	2140	17	82.0	153	159	6.2
MG-1295	21	35	20800	12	9.5	311	203	2.3
MG-1296	9	54	7960	11	7.9	487	249	2.3
MG-1297	7	19	5760	7	11.8	217	193	7.5
MG-1298	8	10	2630	9	12.6	56	72	7.4
MG-1299	7	8	4100	12	9.1	139	169	5.5
MG-1300	<5	3	860	7	14.6	78	102	6.6
MG-1301	5	4	1500	5	10.8	71	126	5.5
MG-1302	23	20	7460	11	38.5	52	220	8.1
MG-1303	34	18	3500	16	63.9	270	220	15.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1304	12	17	8250	10	10.0	227	225	7.1
MG-1305	8	11	3100	47	6.8	1130	185	2.3
MG-1306	24	19	5210	14	53.7	40	63	4.9
MG-1307	<5	5	820	7	32.7	1590	129	3.4
MG-1308	12	8	2200	7	32.8	107	123	6.3
MG-1309	34	16	2760	9	51.8	52	76	22.3
MG-1310	27	12	5150	11	46.2	48	78	12.4
MG-1311	<5	2	1790	7	2.3	64	40	0.5
MG-1312	9	3	2980	10	19.0	248	71	1.6
MG-1313	<5	1	1070	<5	1.8	28	68	0.9
MG-1314	45	13	17000	17	73.4	81	115	6.6
MG-1315	12	6	1140	13	30.7	168	82	3.9
MG-1316	12	22	9530	32	6.2	4380	278	0.7
MG-1317	8	12	4880	13	6.2	37500	364	1.1
MG-1318	22	31	9150	27	10.2	6510	401	0.1
MG-1319	<5	5	240	13	6.8	561	57	0.6
MG-1320	37	14	4750	17	38.5	122	119	4.8
MG-1321	8	9	2860	8	11.5	66	86	1.3
MG-1322	74	23	620	23	68.0	113	130	2.7
MG-1323	<5	3	2560	8	4.3	181	86	0.9
MG-1324	77	19	2820	11	54.3	74	89	17.1
MG-1325	25	10	780	11	36.0	36	44	11.4
MG-1326	<5	<1	1280	<5	2.8	127	54	1.0
MG-1327	19	6	2220	7	16.6	185	69	2.7
MG-1328	21	11	7160	6	21.4	84	98	8.9
MG-1329	24	7	2340	7	19.2	62	68	9.1
MG-1330	28	8	4420	8	22.0	75	67	7.7
MG-1331	57	35	8110	33	10.7	709	516	1.3
MG-1332	<5	4	140	5	8.6	91	138	1.9
MG-1333	<5	<1	3020	5	3.4	313	129	3.3
MG-1334	10	49	1980	9	17.8	231	316	2.4
MG-1335	22	85	9830	<5	0.6	316	727	0.2
MG-1336	16	54	1210	<5	3.1	315	264	0.5
MG-1337	17	43	3090	9	10.2	504	372	3.6
MG-1338	12	56	2330	12	5.9	196	148	1.3
MG-1339	14	15	1590	10	28.9	291	176	8.9
MG-1340	13	63	6110	8	14.8	218	186	3.5
MG-1341	30	22	5390	9	39.0	257	188	9.2
MG-1342	17	9	640	7	37.4	199	238	9.8
MG-1343	6	23	2520	18	5.2	96	265	1.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1344	11	21	2390	15	11.3	153	93	2.9
MG-1345	16	15	1700	<5	1.3	12	111	1.1
MG-1346	5	61	12000	7	1.2	157	133	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1264	130	<1	73	<1	166	<1	48	58
MG-1265	120	<1	58	<1	184	<1	37	39
MG-1266	140	<1	72	<1	165	<1	47	55
MG-1267	90	<1	113	<1	107	<1	45	69
MG-1268	100	<1	79	<1	83	<1	44	68
MG-1269	90	<1	216	<1	84	<1	75	150
MG-1270	100	<1	83	<1	76	<1	49	57
MG-1271	180	<1	60	<1	173	<1	45	51
MG-1272	110	<1	122	<1	217	<1	45	84
MG-1273	90	<1	64	<1	155	<1	39	55
MG-1274	270	<1	31	<1	251	<1	27	26
MG-1275	130	<1	8	<1	170	<1	20	8
MG-1276	260	<1	3	<1	130	<1	24	4
MG-1277	190	<1	12	<1	146	<1	28	11
MG-1278	270	<1	22	<1	201	<1	46	18
MG-1279	190	<1	45	<1	186	<1	32	38
MG-1280	270	<1	20	<1	248	<1	38	17
MG-1281	400	<1	12	<1	285	1	58	12
MG-1282	500	<1	27	<1	200	1	49	26
MG-1283	350	<1	10	<1	261	<1	94	8
MG-1284	260	<1	26	<1	174	<1	30	25
MG-1285	310	<1	33	<1	291	<1	37	29
MG-1286	390	<1	21	<1	257	<1	26	21
MG-1287	440	<1	15	<1	280	<1	36	18
MG-1288	220	<1	39	<1	224	<1	31	34
MG-1289	240	<1	10	<1	147	<1	47	9
MG-1290	350	<1	11	<1	203	1	31	13
MG-1291	170	<1	23	<1	142	1	41	22
MG-1292	400	<1	30	<1	184	<1	39	27
MG-1293	280	<1	32	<1	200	<1	27	34
MG-1294	330	<1	37	<1	143	<1	43	32
MG-1295	60	<1	76	<1	146	<1	23	54
MG-1296	40	<1	120	<1	92	<1	26	88
MG-1297	120	<1	47	<1	34	<1	27	46
MG-1298	160	<1	13	<1	78	<1	56	13
MG-1299	130	<1	27	<1	42	<1	75	36
MG-1300	30	<1	19	<1	109	<1	28	17
MG-1301	70	<1	18	<1	107	<1	26	16
MG-1302	210	<1	12	<1	195	1	69	12
MG-1303	160	<1	66	<1	131	<1	62	51

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1304	80	<1	53	<1	80	<1	38	48
MG-1305	90	<1	273	<1	65	1	34	203
MG-1306	440	<1	9	<1	449	1	56	8
MG-1307	140	<1	408	<1	100	<1	60	295
MG-1308	390	<1	25	<1	110	1	52	24
MG-1309	440	<1	13	<1	347	<1	77	11
MG-1310	330	<1	12	<1	208	1	72	10
MG-1311	160	<1	13	<1	190	<1	24	15
MG-1312	110	<1	57	<1	141	<1	62	55
MG-1313	40	<1	6	<1	169	<1	31	7
MG-1314	460	<1	20	<1	336	2	87	18
MG-1315	90	<1	41	<1	129	<1	42	33
MG-1316	60	<1	981	<1	53	<1	69	655
MG-1317	70	<1	8800	<1	82	<1	200	5960
MG-1318	120	<1	1510	<1	112	1	92	851
MG-1319	60	<1	127	<1	226	<1	44	116
MG-1320	430	<1	30	<1	291	1	69	25
MG-1321	210	<1	16	<1	280	<1	31	15
MG-1322	360	<1	27	<1	324	1	113	23
MG-1323	110	<1	40	<1	155	<1	35	36
MG-1324	430	<1	17	<1	421	2	126	16
MG-1325	360	<1	9	<1	151	2	64	8
MG-1326	140	<1	31	<1	147	<1	29	26
MG-1327	220	<1	43	<1	327	<1	58	35
MG-1328	450	<1	21	<1	393	1	51	17
MG-1329	280	<1	15	<1	249	1	56	14
MG-1330	440	<1	17	<1	258	1	64	18
MG-1331	150	<1	176	<1	191	<1	39	126
MG-1332	30	<1	25	<1	162	<1	30	15
MG-1333	270	<1	72	<1	215	<1	51	62
MG-1334	160	<1	59	<1	112	<1	30	38
MG-1335	110	<1	73	<1	80	<1	28	65
MG-1336	30	<1	77	<1	85	<1	17	53
MG-1337	90	<1	125	<1	106	<1	38	90
MG-1338	40	<1	46	<1	52	<1	14	33
MG-1339	50	<1	77	<1	111	<1	44	51
MG-1340	90	<1	52	<1	87	<1	32	39
MG-1341	250	<1	65	<1	132	1	60	45
MG-1342	80	<1	52	<1	108	1	59	36
MG-1343	30	<1	22	<1	74	1	33	20

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142640 Order: MG-1264 to MG-1346

Report File No.: 0000008458

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1344	90	<1	38	<1	21	1	19	25
MG-1345	10	<1	3	<1	30	<1	9	2
MG-1346	<10	<1	33	<1	17	<1	<5	28

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1264	4	460	1	7	<10	136	9920	1.6
MG-1265	5	380	3	4	<10	109	12900	1.2
MG-1266	6	250	2	6	<10	90.1	14800	1.3
MG-1267	6	420	3	6	<10	135	13100	1.9
MG-1268	5	340	1	8	<10	103	9440	1.0
MG-1269	3	240	1	14	<10	153	8120	1.0
MG-1270	6	300	2	5	<10	90.5	11000	0.7
MG-1271	3	360	<1	6	<10	61.9	4400	0.6
MG-1272	2	260	<1	8	<10	82.3	4450	0.7
MG-1273	1	320	<1	6	<10	46.9	2240	<0.5
MG-1274	1	350	<1	3	<10	40.6	3380	<0.5
MG-1275	<1	80	<1	1	<10	20.2	486	<0.5
MG-1276	1	360	<1	<1	<10	11.3	2160	<0.5
MG-1277	<1	160	<1	2	<10	17.2	1060	<0.5
MG-1278	5	160	1	2	<10	30.2	9080	0.8
MG-1279	<1	160	<1	4	<10	24.5	1060	<0.5
MG-1280	<1	140	<1	2	<10	21.1	1640	0.9
MG-1281	5	180	<1	2	<10	24.5	8190	1.1
MG-1282	3	110	<1	3	<10	40.3	5230	0.5
MG-1283	15	210	4	1	<10	45.5	23600	1.6
MG-1284	<1	60	<1	3	<10	20.5	2060	<0.5
MG-1285	<1	170	<1	4	<10	23.8	1950	0.7
MG-1286	<1	200	<1	3	<10	9.0	1070	<0.5
MG-1287	<1	100	<1	3	<10	11.9	2290	0.6
MG-1288	1	160	<1	3	<10	31.2	1730	<0.5
MG-1289	5	190	1	1	<10	32.6	9000	1.0
MG-1290	1	120	<1	2	<10	16.2	2090	0.5
MG-1291	1	90	<1	3	<10	49.3	2030	0.8
MG-1292	2	410	<1	3	<10	41.3	2510	1.0
MG-1293	<1	60	<1	4	<10	11.3	1170	<0.5
MG-1294	13	290	5	4	<10	55.7	29600	1.0
MG-1295	<1	740	<1	5	<10	63.7	2390	1.0
MG-1296	1	630	<1	9	<10	55.3	2020	0.8
MG-1297	1	270	<1	5	<10	47.1	3420	<0.5
MG-1298	2	150	<1	2	<10	51.3	3540	0.7
MG-1299	<1	130	<1	5	<10	54.2	1850	<0.5
MG-1300	<1	210	<1	2	<10	37.1	1850	0.7
MG-1301	<1	200	<1	2	<10	30.1	1460	<0.5
MG-1302	7	480	2	2	<10	38.2	15400	0.8
MG-1303	7	330	4	5	<10	121	15500	1.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1304	<1	240	<1	5	<10	79.4	2450	0.8
MG-1305	<1	200	<1	18	<10	57.5	1310	0.9
MG-1306	15	570	5	1	<10	14.5	24900	1.3
MG-1307	3	340	2	25	<10	110	7710	1.9
MG-1308	5	260	2	3	<10	35.3	11100	0.8
MG-1309	13	290	4	1	<10	36.1	19200	1.6
MG-1310	17	550	5	1	<10	44.1	19100	1.6
MG-1311	<1	70	<1	2	<10	7.1	906	<0.5
MG-1312	4	90	1	6	<10	49.1	6610	0.7
MG-1313	<1	50	<1	<1	<10	14.9	580	0.5
MG-1314	14	240	6	2	<10	42.9	26600	1.4
MG-1315	4	390	2	3	<10	60.1	10500	0.7
MG-1316	<1	440	<1	50	<10	78.7	1350	<0.5
MG-1317	<1	390	1	423	<10	103	1230	1.5
MG-1318	<1	760	<1	59	<10	124	1370	<0.5
MG-1319	<1	160	<1	11	<10	50.0	2340	0.6
MG-1320	8	350	3	3	<10	36.4	16200	1.0
MG-1321	1	350	<1	2	<10	20.5	4390	<0.5
MG-1322	15	320	5	3	<10	35.0	28400	1.4
MG-1323	<1	110	<1	4	<10	28.3	1610	0.6
MG-1324	14	190	4	2	<10	43.5	20800	2.0
MG-1325	12	220	3	1	<10	22.6	15600	1.1
MG-1326	<1	50	<1	3	<10	14.4	1070	<0.5
MG-1327	3	180	<1	4	<10	20.8	6270	1.1
MG-1328	6	210	1	2	<10	28.8	7610	1.1
MG-1329	5	180	1	2	<10	26.3	7230	0.8
MG-1330	5	160	1	2	<10	22.7	8690	0.9
MG-1331	<1	570	<1	11	<10	96.9	2820	1.3
MG-1332	1	70	<1	2	<10	23.5	2320	0.9
MG-1333	<1	40	<1	6	<10	39.3	1250	0.8
MG-1334	3	700	<1	4	<10	52.5	6650	0.6
MG-1335	<1	1250	<1	8	<10	31.1	162	<0.5
MG-1336	<1	860	<1	5	<10	99.6	529	<0.5
MG-1337	<1	500	<1	9	<10	84.7	1900	0.6
MG-1338	<1	810	<1	3	<10	40.5	1260	<0.5
MG-1339	4	310	2	5	<10	81.5	8390	0.9
MG-1340	2	650	<1	4	<10	33.6	3950	0.6
MG-1341	4	440	2	5	<10	80.0	8220	1.1
MG-1342	4	200	2	4	<10	59.6	8980	1.4
MG-1343	<1	280	<1	3	<10	35.7	910	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1344	<1	300	<1	2	<10	35.5	1830	<0.5
MG-1345	<1	280	<1	<1	<10	1.6	407	<0.5
MG-1346	<1	1000	<1	3	<10	22.2	<3	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142640 Order: MG-1264 to MG-1346

Report File No.: 0000008458

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1264	34	2	173	12	500	140
MG-1265	21	3	89	6	540	118
MG-1266	22	3	151	11	600	91
MG-1267	30	3	156	10	280	142
MG-1268	44	2	215	14	590	83
MG-1269	53	3	287	19	270	113
MG-1270	20	3	118	8	270	109
MG-1271	24	2	145	10	620	53
MG-1272	24	4	161	11	140	95
MG-1273	27	1	160	10	480	53
MG-1274	10	2	64	5	450	55
MG-1275	7	<1	36	3	680	33
MG-1276	7	1	25	2	2410	34
MG-1277	7	<1	49	4	1840	37
MG-1278	10	5	58	4	470	87
MG-1279	14	<1	93	7	330	33
MG-1280	9	2	52	4	590	43
MG-1281	9	4	48	4	400	74
MG-1282	13	4	75	7	1350	67
MG-1283	10	9	30	3	530	156
MG-1284	11	1	71	5	210	38
MG-1285	13	<1	89	6	280	44
MG-1286	8	<1	75	5	180	21
MG-1287	8	2	88	7	220	37
MG-1288	9	2	93	6	630	37
MG-1289	9	4	28	2	340	79
MG-1290	9	1	60	5	370	37
MG-1291	15	2	64	6	930	71
MG-1292	14	3	92	7	2130	56
MG-1293	9	2	102	6	130	20
MG-1294	13	5	103	7	970	88
MG-1295	21	<1	113	9	1850	42
MG-1296	35	<1	208	13	210	45
MG-1297	17	<1	165	12	890	41
MG-1298	23	1	53	6	610	48
MG-1299	27	<1	126	11	610	40
MG-1300	14	2	45	4	300	54
MG-1301	13	2	44	4	490	42
MG-1302	11	5	55	6	2090	98
MG-1303	26	5	112	9	290	139

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142640 Order: MG-1264 to MG-1346

Report File No.: 0000008458

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1304	29	2	127	10	690	56
MG-1305	51	3	434	30	530	39
MG-1306	6	20	32	3	490	74
MG-1307	41	17	472	29	80	110
MG-1308	10	11	81	7	1080	85
MG-1309	10	9	36	3	540	123
MG-1310	12	17	46	4	280	128
MG-1311	8	<1	47	4	90	18
MG-1312	22	6	127	10	60	84
MG-1313	7	<1	21	2	60	32
MG-1314	14	10	60	6	640	135
MG-1315	17	5	71	6	90	89
MG-1316	118	3	1740	98	70	85
MG-1317	876	9	12300	625	120	53
MG-1318	219	6	2120	117	90	135
MG-1319	26	3	228	16	40	55
MG-1320	10	5	77	6	1250	95
MG-1321	10	3	45	4	480	48
MG-1322	10	12	70	6	530	127
MG-1323	15	2	89	7	70	40
MG-1324	14	8	51	5	920	171
MG-1325	7	7	33	3	720	117
MG-1326	10	1	62	5	200	34
MG-1327	11	3	102	7	200	69
MG-1328	10	3	54	5	420	85
MG-1329	10	2	42	4	290	88
MG-1330	10	3	56	5	710	81
MG-1331	54	2	254	18	580	62
MG-1332	19	1	35	3	50	43
MG-1333	20	<1	166	13	360	49
MG-1334	14	1	83	5	480	47
MG-1335	66	<1	219	15	730	20
MG-1336	52	<1	116	8	200	27
MG-1337	53	1	210	12	170	58
MG-1338	20	<1	73	5	360	30
MG-1339	28	3	100	7	400	90
MG-1340	14	<1	116	7	320	45
MG-1341	23	4	98	8	930	117
MG-1342	18	4	107	9	260	119
MG-1343	50	2	64	6	120	31

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142640 Order: MG-1264 to MG-1346

Report File No.: 0000008458

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1344	18	3	47	4	120	39
MG-1345	5	2	7	<1	60	8
MG-1346	9	2	78	6	<20	23

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142641

[Report File No.: 0000008504]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Sep 04, 2014

P.O. No.	:	MG-137 to MG-2535
Project No.	:	-
No. Of Samples	:	83
Date Submitted	:	Aug 15, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142641 Order: MG-137 to MG-2535

Report File No.: 0000008504

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1347	0.530	3	>200	30	<0.1	5050	2	30
MG-1348	0.435	7	>200	50	<0.1	1450	2	20
MG-1349	0.375	5	>200	40	<0.1	1080	<1	30
MG-1350	0.580	1	34	<10	<0.1	390	<1	20
MG-1351	0.455	1	59	30	<0.1	700	<1	60
MG-1352	0.400	15	>200	30	<0.1	1520	3	70
MG-1353	0.355	6	>200	20	<0.1	740	2	10
MG-1354	0.430	1	>200	40	<0.1	940	4	20
MG-1355	0.370	4	>200	20	<0.1	1020	<1	30
MG-1356	0.500	2	126	20	<0.1	2240	<1	150
MG-1357	0.480	2	90	140	<0.1	830	<1	60
MG-1358	0.525	3	73	50	<0.1	1050	<1	170
MG-1359	0.480	6	76	40	<0.1	1320	<1	190
MG-1360	0.530	12	16	<10	0.3	1280	<1	450
MG-1361	0.410	3	65	<10	<0.1	310	<1	180
MG-1362	0.385	<1	79	50	<0.1	1120	1	40
MG-1363	0.525	11	19	<10	<0.1	830	<1	430
MG-1364	0.690	2	47	10	<0.1	520	<1	260
MG-1365	0.485	3	23	10	<0.1	590	<1	440
MG-1366	0.500	14	26	<10	0.4	3010	<1	510
MG-1367	0.380	<1	51	20	<0.1	800	<1	230
MG-1368	0.580	5	47	<10	<0.1	600	<1	290
MG-1369	0.545	4	46	20	0.5	1090	<1	170
MG-1370	0.495	<1	183	20	<0.1	560	<1	60
MG-2477	0.405	16	>200	20	<0.1	650	1	20
MG-2478	0.400	13	>200	<10	<0.1	340	<1	40
MG-2479	0.505	3	37	<10	0.3	660	<1	110
MG-2480	0.495	6	133	20	0.4	1020	1	100
MG-2481	0.535	7	170	20	0.1	1220	2	110
MG-2482	0.510	9	78	<10	0.2	1550	<1	280
MG-2483	0.440	13	68	<10	0.3	2360	<1	390
MG-2484	0.475	14	61	<10	0.3	2060	<1	400
MG-2485	0.495	9	105	<10	0.1	1600	<1	40
MG-2486	0.430	22	>200	30	<0.1	1190	<1	30
MG-2487	0.365	14	>200	10	<0.1	340	<1	40
MG-2488	0.455	11	77	<10	<0.1	660	<1	10
MG-2489	0.405	6	111	<10	<0.1	670	<1	20
MG-2490	0.495	<1	138	20	<0.1	900	1	<10
MG-2491	0.505	3	>200	20	<0.1	550	2	50
MG-2492	0.550	21	47	<10	0.2	310	<1	20

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2493	0.410	4	58	<10	<0.1	220	<1	10
MG-2494	0.475	10	143	<10	<0.1	320	<1	20
MG-2495	0.415	4	112	10	<0.1	210	<1	10
MG-2496	0.550	1	>200	20	<0.1	930	<1	90
MG-2497	0.515	1	126	10	<0.1	450	<1	90
MG-2498	0.370	9	154	30	<0.1	560	<1	60
MG-2499	0.465	11	65	<10	<0.1	1370	<1	20
MG-2500	0.505	13	90	<10	<0.1	530	<1	30
MG-2501	0.510	6	82	<10	<0.1	1430	<1	40
MG-2502	0.550	3	>200	30	<0.1	2960	3	50
MG-2503	0.460	14	105	<10	<0.1	690	<1	70
MG-2504	0.470	12	104	10	<0.1	720	<1	30
MG-2505	0.380	3	162	10	<0.1	370	<1	40
MG-2506	0.500	10	111	<10	<0.1	610	<1	60
MG-2507	0.370	13	123	<10	<0.1	310	<1	30
MG-2508	0.480	17	92	<10	<0.1	520	<1	30
MG-2509	0.355	8	>200	30	<0.1	1260	3	60
MG-2510	0.465	42	>200	20	0.2	990	<1	60
MG-2511	0.315	158	71	<10	<0.1	300	<1	30
MG-2512	0.335	53	179	<10	0.2	640	<1	90
MG-2513	0.385	37	185	40	<0.1	1890	12	130
MG-2514	0.360	17	>200	20	<0.1	1180	3	50
MG-2515	0.330	9	>200	30	<0.1	1010	10	130
MG-2516	0.410	66	>200	20	<0.1	1420	2	90
MG-2517	0.430	20	>200	20	<0.1	760	3	40
MG-2518	0.525	11	>200	30	<0.1	2380	3	40
MG-2519	0.440	25	190	20	<0.1	1540	2	90
MG-2520	0.535	24	63	<10	<0.1	820	<1	50
MG-2521	0.485	31	75	<10	<0.1	1340	<1	60
MG-2522	0.395	22	>200	20	<0.1	420	<1	40
MG-2523	0.405	11	92	<10	0.2	150	<1	20
MG-2524	0.540	2	88	10	0.2	370	<1	<10
MG-2525	0.360	1	24	<10	0.3	60	<1	<10
MG-2526	0.335	4	173	<10	0.1	700	<1	10
MG-2527	0.385	8	>200	20	0.1	500	2	10
MG-2528	0.510	44	78	<10	0.1	350	<1	50
MG-2529	0.485	32	79	<10	0.1	490	<1	100
MG-2530	0.520	17	>200	20	<0.1	1190	4	100
MG-2531	0.720	2	67	30	1.0	940	<1	140
MG-2532	0.490	2	109	20	<0.1	460	<1	70

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142641 Order: MG-137 to MG-2535

Report File No.: 0000008504

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2533	0.520	2	118	20	<0.1	660	<1	40
MG-2534	0.525	<1	109	20	<0.1	720	<1	30
MG-2535	0.545	3	84	30	0.3	520	<1	100

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1347	3	847	162	400	18.5	310	31	11.8
MG-1348	8	172	61	300	16.6	80	15	6.7
MG-1349	3	203	27	200	20.8	140	16	7.1
MG-1350	1	129	14	<100	2.8	100	14	5.5
MG-1351	<1	105	111	<100	2.2	1270	5	3.2
MG-1352	14	253	46	200	20.2	210	18	8.8
MG-1353	7	70	24	100	12.2	80	10	6.2
MG-1354	16	97	26	200	10.2	100	8	3.8
MG-1355	24	122	66	200	23.2	130	13	7.1
MG-1356	3	808	55	200	8.5	250	63	39.9
MG-1357	4	252	94	<100	1.5	1510	10	5.2
MG-1358	10	483	1040	<100	2.3	730	25	12.4
MG-1359	35	1270	579	<100	2.6	1570	59	32.0
MG-1360	6	508	54	<100	<0.5	1470	21	9.1
MG-1361	4	433	23	<100	1.9	330	22	9.2
MG-1362	1	170	191	<100	3.9	1330	11	7.5
MG-1363	13	171	49	<100	<0.5	2630	12	5.0
MG-1364	9	339	91	<100	0.8	1550	16	8.5
MG-1365	2	145	57	<100	<0.5	2840	6	3.2
MG-1366	8	1020	238	<100	<0.5	4530	29	16.3
MG-1367	2	29	41	<100	0.6	310	3	2.1
MG-1368	5	542	124	<100	0.5	1200	19	10.2
MG-1369	5	565	79	<100	3.9	480	22	10.2
MG-1370	4	139	44	100	4.5	80	9	3.7
MG-2477	3	775	28	200	4.6	320	54	24.4
MG-2478	5	262	24	200	5.4	180	21	10.3
MG-2479	1	505	33	<100	0.9	240	42	19.8
MG-2480	2	921	119	200	3.5	310	27	11.0
MG-2481	<1	958	53	200	3.7	290	51	24.9
MG-2482	5	426	20	<100	0.8	440	50	26.5
MG-2483	9	366	11	<100	0.6	620	70	39.1
MG-2484	13	328	10	<100	<0.5	800	60	30.1
MG-2485	4	213	30	<100	5.4	140	14	6.3
MG-2486	17	447	60	200	10.7	140	24	10.5
MG-2487	18	62	47	<100	5.4	160	8	4.0
MG-2488	6	108	22	<100	6.2	140	14	6.0
MG-2489	9	100	28	<100	5.2	110	11	5.4
MG-2490	<1	34	18	100	0.9	170	3	1.3
MG-2491	6	350	21	200	4.3	690	24	10.6
MG-2492	6	128	18	<100	6.9	140	18	9.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2493	5	137	40	<100	6.4	90	13	5.6
MG-2494	14	88	42	<100	8.2	120	13	6.8
MG-2495	6	129	37	<100	5.4	70	11	5.0
MG-2496	6	87	15	100	3.4	100	10	5.3
MG-2497	3	73	30	100	0.7	510	9	4.7
MG-2498	6	69	29	<100	4.5	150	7	3.5
MG-2499	4	168	21	<100	5.2	180	18	8.0
MG-2500	3	137	26	<100	6.6	140	12	6.0
MG-2501	4	130	22	<100	5.9	120	9	4.2
MG-2502	2	184	185	300	11.9	270	13	6.7
MG-2503	11	61	22	<100	7.3	120	6	3.1
MG-2504	5	180	28	<100	7.8	130	10	4.9
MG-2505	7	178	15	<100	5.8	80	16	7.5
MG-2506	6	83	30	<100	8.2	140	8	4.0
MG-2507	11	118	31	<100	7.3	90	16	7.7
MG-2508	6	173	65	<100	27.8	240	13	5.5
MG-2509	9	147	34	100	45.8	100	8	4.1
MG-2510	10	59	15	<100	35.4	200	7	3.8
MG-2511	8	232	43	<100	27.9	220	21	9.4
MG-2512	16	65	29	<100	22.2	200	8	3.9
MG-2513	26	98	98	200	26.6	260	7	3.8
MG-2514	28	82	61	<100	48.8	220	11	5.4
MG-2515	21	163	90	200	42.1	160	9	4.3
MG-2516	9	100	49	<100	35.2	330	9	4.4
MG-2517	2	163	38	200	27.2	140	13	5.8
MG-2518	2	186	39	200	18.7	160	14	6.4
MG-2519	9	115	68	100	22.9	100	9	4.3
MG-2520	5	101	32	<100	24.1	160	11	5.1
MG-2521	6	98	27	<100	23.8	190	10	5.0
MG-2522	10	143	154	<100	17.4	350	22	9.9
MG-2523	14	106	46	<100	18.4	790	26	10.6
MG-2524	1	41	40	<100	9.1	730	4	2.2
MG-2525	2	8	15	<100	18.8	1430	6	4.5
MG-2526	9	34	46	<100	10.5	1760	14	6.9
MG-2527	16	81	83	<100	18.1	590	17	8.8
MG-2528	5	115	19	<100	11.1	140	13	6.5
MG-2529	6	55	21	<100	8.3	110	6	2.9
MG-2530	10	58	51	200	35.0	100	6	3.1
MG-2531	6	1360	59	<100	2.9	2140	58	31.4
MG-2532	8	316	147	<100	1.4	640	22	13.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142641 Order: MG-137 to MG-2535

Report File No.: 0000008504

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2533	4	309	286	<100	1.6	980	20	12.2
MG-2534	<1	156	128	<100	0.8	450	11	6.9
MG-2535	7	9710	69	100	1.2	2720	304	160

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1347	14.2	267	35	45	1	<0.5	16.7	241
MG-1348	5.8	201	75	18	2	<0.5	10.7	75
MG-1349	6.1	158	25	19	2	<0.5	12.2	79
MG-1350	4.8	5	5	20	<1	<0.5	4.1	54
MG-1351	2.2	357	2	7	<1	<0.5	6.7	48
MG-1352	7.4	142	103	25	1	<0.5	33.7	112
MG-1353	2.4	110	91	9	<1	<0.5	18.1	36
MG-1354	2.7	166	106	8	1	<0.5	15.1	48
MG-1355	4.1	137	23	15	2	<0.5	13.3	50
MG-1356	30.4	144	17	111	<1	<0.5	7.0	393
MG-1357	4.0	395	2	14	<1	<0.5	9.7	98
MG-1358	9.5	307	5	32	<1	<0.5	9.0	143
MG-1359	22.6	237	5	83	<1	<0.5	8.5	399
MG-1360	9.4	12	<1	37	<1	<0.5	7.8	100
MG-1361	10.7	39	6	36	<1	<0.5	4.7	168
MG-1362	4.4	437	7	16	<1	<0.5	12.6	93
MG-1363	5.4	18	1	21	<1	<0.5	13.5	63
MG-1364	6.4	145	3	24	<1	<0.5	12.8	130
MG-1365	2.7	30	2	10	<1	<0.5	12.6	62
MG-1366	11.2	42	<1	47	<1	<0.5	22.1	334
MG-1367	0.8	311	2	3	<1	<0.5	9.4	12
MG-1368	8.1	106	1	30	<1	<0.5	10.6	206
MG-1369	11.2	111	6	35	<1	<0.5	5.8	192
MG-1370	3.7	308	20	12	<1	<0.5	5.2	52
MG-2477	18.7	235	38	74	1	<0.5	24.8	323
MG-2478	7.2	164	14	26	<1	<0.5	29.2	122
MG-2479	16.1	36	3	60	<1	<0.5	13.4	215
MG-2480	10.0	142	19	37	<1	<0.5	32.5	274
MG-2481	18.1	136	19	73	<1	<0.5	25.3	359
MG-2482	14.7	26	1	63	<1	<0.5	22.9	152
MG-2483	18.2	17	1	85	<1	<0.5	27.6	208
MG-2484	17.2	18	1	79	<1	<0.5	30.0	225
MG-2485	5.6	38	10	21	<1	<0.5	22.6	70
MG-2486	7.1	82	71	29	2	<0.5	16.5	157
MG-2487	2.5	54	23	9	2	<0.5	19.5	27
MG-2488	4.9	14	30	17	<1	<0.5	8.9	42
MG-2489	4.1	21	14	15	<1	<0.5	12.8	42
MG-2490	1.0	524	24	3	<1	<0.5	4.9	17
MG-2491	8.8	56	27	31	<1	<0.5	4.9	144
MG-2492	6.7	11	5	27	<1	<0.5	13.2	49

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2493	5.7	8	15	19	<1	<0.5	9.6	61
MG-2494	5.1	53	36	16	<1	<0.5	16.9	39
MG-2495	4.6	36	36	15	<1	<0.5	5.7	51
MG-2496	2.9	97	51	10	<1	<0.5	17.1	45
MG-2497	2.7	180	19	11	<1	<0.5	8.2	30
MG-2498	2.9	73	60	10	<1	<0.5	8.9	30
MG-2499	6.8	7	10	28	<1	<0.5	10.8	60
MG-2500	5.2	22	12	18	<1	<0.5	14.1	60
MG-2501	3.9	20	7	13	<1	<0.5	14.8	52
MG-2502	4.3	435	71	15	<1	<0.5	15.1	90
MG-2503	2.4	22	6	8	<1	<0.5	16.6	30
MG-2504	4.2	17	7	16	<1	<0.5	11.6	69
MG-2505	5.5	59	38	20	<1	<0.5	9.2	93
MG-2506	2.9	22	9	11	<1	<0.5	22.7	33
MG-2507	5.4	23	9	22	<1	<0.5	17.8	49
MG-2508	4.6	27	7	19	<1	<0.5	8.2	66
MG-2509	3.5	112	119	11	1	<0.5	23.7	69
MG-2510	2.4	70	48	8	1	<0.5	28.0	33
MG-2511	10.4	15	11	33	<1	<0.5	13.5	91
MG-2512	2.6	42	11	9	<1	<0.5	45.4	30
MG-2513	1.9	202	63	8	<1	<0.5	64.5	35
MG-2514	2.7	67	14	11	1	<0.5	35.7	35
MG-2515	2.7	119	28	11	2	<0.5	42.2	55
MG-2516	3.0	84	23	10	1	<0.5	28.3	48
MG-2517	4.5	124	29	16	<1	<0.5	21.1	75
MG-2518	5.0	145	38	17	1	<0.5	31.2	86
MG-2519	2.9	111	29	11	<1	<0.5	17.7	42
MG-2520	4.9	7	5	18	<1	<0.5	12.9	50
MG-2521	4.2	10	4	16	<1	<0.5	11.6	50
MG-2522	7.3	84	24	28	1	<0.5	11.1	57
MG-2523	8.8	22	5	34	<1	<0.5	28.8	41
MG-2524	1.4	309	8	5	<1	<0.5	17.0	21
MG-2525	0.8	22	<1	4	<1	<0.5	5.1	3
MG-2526	1.3	113	8	10	<1	<0.5	8.8	16
MG-2527	5.5	129	27	21	1	<0.5	20.8	35
MG-2528	5.1	16	9	21	<1	<0.5	20.4	45
MG-2529	2.4	9	3	9	<1	<0.5	21.8	28
MG-2530	1.7	174	107	7	<1	<0.5	36.9	30
MG-2531	21.5	186	6	90	<1	<0.5	8.0	668
MG-2532	6.6	311	2	27	<1	<0.5	3.0	123

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2533	6.0	344	3	24	<1	<0.5	3.1	114
MG-2534	3.1	342	3	12	<1	<0.5	13.3	66
MG-2535	131	298	2	510	<1	<0.5	6.0	4630

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1347	52	9	1930	11	36.5	290	152	10.1
MG-1348	14	6	2250	8	31.7	95	102	8.9
MG-1349	9	3	720	6	14.7	103	123	5.5
MG-1350	<5	1	680	<5	0.8	99	19	0.9
MG-1351	5	12	1490	19	2.1	56	239	1.3
MG-1352	24	12	6550	13	39.9	144	90	2.5
MG-1353	17	7	1250	8	22.9	38	103	4.6
MG-1354	20	9	540	13	46.2	45	71	6.0
MG-1355	10	3	4630	<5	11.4	71	154	4.6
MG-1356	9	12	9400	7	15.2	751	188	4.3
MG-1357	<5	12	1850	15	2.7	106	194	0.9
MG-1358	13	39	34700	21	4.7	211	244	0.8
MG-1359	12	22	44200	35	3.4	565	316	1.2
MG-1360	<5	67	12100	9	<0.5	176	139	<0.1
MG-1361	8	22	1140	<5	5.9	234	99	1.9
MG-1362	17	10	1330	42	6.2	122	259	3.8
MG-1363	42	55	2140	38	1.6	120	376	0.2
MG-1364	21	27	8420	22	2.5	176	353	0.5
MG-1365	44	63	16300	114	4.1	87	570	0.2
MG-1366	41	91	11800	21	1.9	386	426	<0.1
MG-1367	22	32	3140	53	2.3	18	153	0.4
MG-1368	28	40	20900	45	2.9	261	175	0.4
MG-1369	9	22	6570	17	5.0	280	80	1.1
MG-1370	<5	10	700	6	15.7	70	130	3.7
MG-2477	13	4	2310	16	16.2	379	96	3.4
MG-2478	<5	2	1870	9	8.9	138	76	2.3
MG-2479	<5	28	2880	<5	5.5	333	76	1.1
MG-2480	11	21	6920	6	18.8	243	83	3.5
MG-2481	10	31	3900	7	21.0	436	113	3.5
MG-2482	<5	87	1600	<5	0.6	255	255	0.3
MG-2483	7	147	1360	<5	<0.5	318	383	<0.1
MG-2484	10	149	500	<5	<0.5	347	316	<0.1
MG-2485	<5	3	1740	7	3.9	99	23	1.3
MG-2486	17	7	11500	6	14.6	150	55	12.3
MG-2487	<5	4	7940	<5	3.0	39	61	5.7
MG-2488	<5	<1	1790	9	<0.5	79	19	1.2
MG-2489	<5	2	3320	6	1.5	71	21	1.9
MG-2490	<5	<1	30	<5	12.1	16	71	1.5
MG-2491	<5	3	720	7	9.0	159	120	3.8
MG-2492	<5	<1	1220	9	<0.5	120	37	0.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2493	<5	<1	1410	12	<0.5	106	23	0.5
MG-2494	<5	<1	2360	5	1.2	67	36	2.4
MG-2495	<5	<1	4280	7	4.0	74	26	2.3
MG-2496	7	9	1370	<5	10.7	48	49	2.4
MG-2497	<5	6	580	7	6.9	52	113	5.2
MG-2498	10	5	5370	10	13.3	41	34	4.0
MG-2499	<5	<1	1150	14	<0.5	132	14	1.0
MG-2500	<5	2	1490	8	1.5	96	17	1.0
MG-2501	<5	2	1190	6	0.9	72	19	0.8
MG-2502	40	13	4220	12	32.4	92	129	4.7
MG-2503	<5	3	1580	7	1.1	41	32	1.0
MG-2504	<5	1	1620	10	1.4	87	24	2.0
MG-2505	<5	2	3080	<5	4.6	113	25	7.1
MG-2506	<5	3	1330	7	1.0	56	26	1.1
MG-2507	<5	2	2290	9	0.9	90	38	1.9
MG-2508	6	2	4100	10	2.0	100	64	1.9
MG-2509	32	14	3280	11	22.7	81	54	14.2
MG-2510	12	9	1810	7	10.2	35	55	3.3
MG-2511	<5	2	1760	15	<0.5	189	61	0.9
MG-2512	<5	11	2580	<5	2.5	38	94	1.8
MG-2513	30	28	19500	19	26.6	36	174	11.4
MG-2514	12	6	5090	6	4.4	46	185	5.2
MG-2515	30	15	18200	11	10.2	63	180	10.9
MG-2516	17	11	1330	7	7.3	48	64	7.0
MG-2517	15	5	2660	10	6.4	86	60	13.4
MG-2518	27	9	2030	10	11.6	94	85	9.1
MG-2519	18	11	5630	7	9.2	49	73	7.9
MG-2520	<5	3	1000	16	<0.5	86	24	0.4
MG-2521	<5	2	610	10	<0.5	77	24	1.0
MG-2522	<5	3	4380	7	4.4	100	175	4.5
MG-2523	<5	2	710	<5	<0.5	111	89	0.4
MG-2524	<5	3	60	8	2.4	25	56	1.3
MG-2525	<5	<1	60	<5	<0.5	7	21	<0.1
MG-2526	<5	3	1250	<5	1.8	31	63	3.8
MG-2527	7	4	2990	11	4.4	74	66	12.5
MG-2528	<5	2	1120	21	0.8	95	23	1.1
MG-2529	<5	4	520	13	<0.5	40	26	1.0
MG-2530	47	22	5030	10	27.4	30	81	17.9
MG-2531	11	18	5780	17	7.3	730	107	1.7
MG-2532	<5	5	9690	13	2.6	165	220	1.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2533	6	3	5340	26	3.3	153	183	1.4
MG-2534	<5	6	8510	19	3.5	77	100	1.9
MG-2535	8	11	15000	28	10.4	5250	159	1.0

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1347	90	<1	72	<1	211	<1	82	60
MG-1348	220	<1	22	<1	148	<1	53	21
MG-1349	160	<1	25	<1	179	<1	36	24
MG-1350	50	<1	21	<1	47	<1	12	22
MG-1351	<10	<1	15	<1	40	<1	19	10
MG-1352	470	<1	33	<1	183	1	68	29
MG-1353	290	<1	9	<1	194	<1	59	8
MG-1354	380	<1	11	<1	150	1	61	10
MG-1355	370	<1	15	<1	187	<1	35	16
MG-1356	30	<1	159	<1	56	<1	35	132
MG-1357	10	<1	27	<1	35	<1	18	19
MG-1358	10	<1	50	<1	47	<1	39	41
MG-1359	20	<1	132	<1	78	<1	74	103
MG-1360	<10	<1	36	<1	24	<1	10	39
MG-1361	20	<1	56	<1	42	<1	20	46
MG-1362	20	<1	28	<1	91	<1	38	21
MG-1363	50	<1	25	<1	13	<1	7	25
MG-1364	50	<1	42	<1	36	<1	21	31
MG-1365	40	<1	21	<1	7	1	6	14
MG-1366	130	<1	95	<1	17	<1	14	60
MG-1367	30	<1	4	<1	32	<1	17	4
MG-1368	50	<1	65	<1	17	<1	21	42
MG-1369	40	<1	66	<1	38	<1	25	49
MG-1370	20	<1	16	<1	40	<1	20	15
MG-2477	190	<1	92	<1	111	2	80	83
MG-2478	130	<1	33	<1	85	1	45	29
MG-2479	50	<1	73	<1	107	<1	28	68
MG-2480	180	<1	64	<1	143	<1	59	45
MG-2481	250	<1	105	<1	148	<1	92	86
MG-2482	150	<1	52	<1	127	<1	29	60
MG-2483	130	<1	67	<1	106	<1	21	74
MG-2484	70	<1	75	<1	54	<1	20	77
MG-2485	130	<1	22	<1	304	<1	24	22
MG-2486	180	<1	38	<1	260	1	58	33
MG-2487	350	<1	9	<1	193	<1	27	10
MG-2488	260	<1	18	<1	227	<1	25	18
MG-2489	180	<1	15	<1	136	<1	24	17
MG-2490	30	<1	4	<1	61	<1	20	3
MG-2491	230	<1	39	<1	89	<1	44	35
MG-2492	210	<1	23	<1	146	<1	24	28

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2493	140	<1	24	<1	117	<1	23	22
MG-2494	370	<1	14	<1	196	<1	40	16
MG-2495	210	<1	17	<1	72	<1	30	17
MG-2496	140	<1	12	<1	120	<1	39	10
MG-2497	130	<1	11	<1	51	<1	29	12
MG-2498	360	<1	9	<1	86	1	39	10
MG-2499	170	<1	27	<1	216	<1	20	29
MG-2500	230	<1	20	<1	174	<1	28	21
MG-2501	190	<1	16	<1	146	<1	24	15
MG-2502	120	<1	23	<1	233	2	76	18
MG-2503	240	<1	9	<1	211	<1	23	9
MG-2504	110	<1	20	<1	166	<1	22	17
MG-2505	210	<1	27	<1	151	<1	39	22
MG-2506	220	<1	12	<1	177	<1	22	12
MG-2507	300	<1	18	<1	174	<1	23	22
MG-2508	140	<1	22	<1	119	<1	23	21
MG-2509	430	<1	20	<1	368	1	70	15
MG-2510	350	<1	8	<1	242	<1	36	8
MG-2511	100	<1	40	<1	157	<1	27	39
MG-2512	360	<1	9	<1	398	<1	21	10
MG-2513	260	<1	9	<1	362	2	53	8
MG-2514	490	<1	10	<1	229	<1	31	11
MG-2515	500	<1	16	<1	380	1	38	12
MG-2516	270	<1	11	<1	207	<1	37	11
MG-2517	170	<1	21	<1	160	1	40	18
MG-2518	180	<1	23	<1	252	<1	54	20
MG-2519	330	<1	11	<1	295	2	38	11
MG-2520	190	<1	17	<1	264	<1	17	19
MG-2521	110	<1	16	<1	222	<1	20	16
MG-2522	240	<1	20	<1	83	<1	51	26
MG-2523	190	<1	20	<1	135	<1	40	32
MG-2524	40	<1	6	<1	85	<1	23	6
MG-2525	40	<1	1	<1	58	<1	14	2
MG-2526	190	<1	4	<1	80	<1	31	9
MG-2527	150	<1	13	<1	140	1	39	20
MG-2528	220	<1	18	<1	275	<1	17	21
MG-2529	130	<1	8	<1	267	1	18	10
MG-2530	300	<1	7	<1	468	1	72	7
MG-2531	130	<1	182	<1	31	1	69	119
MG-2532	50	<1	39	<1	20	<1	39	32

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2533	50	<1	37	<1	22	<1	47	30
MG-2534	40	<1	20	<1	67	<1	35	14
MG-2535	140	<1	1270	<1	47	1	159	741

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1347	4	160	3	6	<10	132	6710	1.6
MG-1348	4	330	2	3	<10	43.6	8290	0.8
MG-1349	2	170	<1	3	<10	39.5	3480	0.7
MG-1350	<1	30	<1	3	<10	6.3	102	<0.5
MG-1351	<1	270	<1	<1	<10	18.0	498	0.7
MG-1352	10	270	3	3	<10	34.6	16900	1.1
MG-1353	9	140	2	2	<10	20.5	11100	0.7
MG-1354	15	190	4	1	<10	34.6	18200	1.1
MG-1355	2	250	<1	2	<10	46.4	3330	<0.5
MG-1356	2	410	<1	12	<10	48.8	3730	<0.5
MG-1357	<1	330	<1	2	<10	18.0	436	<0.5
MG-1358	<1	620	<1	5	<10	46.9	1010	<0.5
MG-1359	<1	590	<1	11	<10	55.1	679	0.8
MG-1360	<1	1230	<1	4	<10	31.4	3	<0.5
MG-1361	1	400	<1	5	<10	56.7	1150	<0.5
MG-1362	<1	220	<1	2	<10	32.9	1210	1.2
MG-1363	<1	640	<1	2	<10	30.8	50	<0.5
MG-1364	<1	480	<1	3	<10	35.8	363	<0.5
MG-1365	<1	650	<1	1	<10	25.7	58	<0.5
MG-1366	<1	1390	<1	6	<10	99.4	79	<0.5
MG-1367	<1	500	<1	<1	<10	9.0	285	<0.5
MG-1368	<1	460	<1	4	<10	26.7	129	<0.5
MG-1369	<1	360	<1	4	<10	38.2	940	<0.5
MG-1370	1	310	<1	2	<10	23.5	2690	<0.5
MG-2477	2	70	<1	10	<10	99.6	3890	0.7
MG-2478	<1	70	<1	4	<10	51.0	1220	<0.5
MG-2479	<1	520	<1	8	<10	58.8	1130	<0.5
MG-2480	2	210	<1	5	<10	123	4450	0.6
MG-2481	2	280	1	9	<10	172	4860	0.6
MG-2482	<1	1290	<1	9	<10	60.4	78	<0.5
MG-2483	<1	1670	<1	12	<10	48.1	33	<0.5
MG-2484	<1	1370	<1	10	<10	82.7	34	<0.5
MG-2485	<1	180	<1	3	<10	23.3	956	<0.5
MG-2486	5	90	1	4	<10	42.2	5120	0.8
MG-2487	<1	90	<1	1	<10	20.9	740	<0.5
MG-2488	<1	50	<1	2	<10	8.0	170	<0.5
MG-2489	<1	40	<1	2	<10	15.1	382	<0.5
MG-2490	<1	100	<1	<1	<10	12.8	2260	<0.5
MG-2491	2	160	<1	5	<10	51.3	2080	<0.5
MG-2492	<1	40	<1	3	<10	6.1	77	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2493	<1	40	<1	2	<10	4.8	104	<0.5
MG-2494	<1	80	<1	2	<10	9.6	349	<0.5
MG-2495	1	20	<1	2	<10	16.0	1200	<0.5
MG-2496	4	380	<1	2	<10	27.8	4750	0.6
MG-2497	2	230	<1	1	<10	20.5	2270	<0.5
MG-2498	5	140	<1	1	<10	14.9	5120	0.5
MG-2499	<1	60	<1	4	<10	5.9	66	<0.5
MG-2500	<1	60	<1	2	<10	8.1	475	<0.5
MG-2501	<1	130	<1	2	<10	9.8	223	<0.5
MG-2502	5	260	2	2	<10	54.7	9270	0.9
MG-2503	<1	130	<1	1	<10	10.4	329	<0.5
MG-2504	<1	70	<1	2	<10	15.6	306	<0.5
MG-2505	1	60	<1	3	<10	18.5	1390	<0.5
MG-2506	<1	100	<1	1	<10	12.0	284	<0.5
MG-2507	<1	60	<1	3	<10	10.0	229	<0.5
MG-2508	<1	70	<1	3	<10	15.2	593	0.6
MG-2509	12	290	2	1	<10	21.6	8810	1.4
MG-2510	3	190	<1	1	<10	16.5	4020	0.8
MG-2511	<1	40	<1	4	<10	7.5	189	0.5
MG-2512	<1	160	<1	1	<10	12.6	862	0.6
MG-2513	7	380	2	1	<10	28.3	9440	1.6
MG-2514	<1	130	<1	2	<10	29.2	1320	0.9
MG-2515	2	210	<1	2	<10	37.0	2990	1.3
MG-2516	1	150	<1	2	<10	14.7	2240	1.0
MG-2517	<1	90	<1	2	<10	31.8	1610	0.7
MG-2518	1	180	<1	3	<10	35.7	3090	0.8
MG-2519	2	330	<1	2	<10	24.0	2860	0.7
MG-2520	<1	190	<1	2	<10	3.9	78	0.5
MG-2521	<1	240	<1	2	<10	5.2	116	<0.5
MG-2522	<1	90	<1	4	<10	18.3	1520	0.6
MG-2523	<1	30	<1	5	<10	5.1	87	0.5
MG-2524	<1	40	<1	<1	<10	8.4	770	<0.5
MG-2525	<1	<10	<1	<1	<10	<0.5	<3	<0.5
MG-2526	<1	80	<1	<1	<10	12.3	540	<0.5
MG-2527	<1	80	<1	3	<10	16.5	1210	0.5
MG-2528	<1	60	<1	3	<10	6.4	258	<0.5
MG-2529	<1	180	<1	1	<10	4.2	74	<0.5
MG-2530	9	320	2	<1	<10	22.4	10600	1.2
MG-2531	<1	220	<1	11	<10	116	963	<0.5
MG-2532	<1	150	<1	4	<10	38.1	351	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2533	<1	90	<1	4	<10	43.3	412	<0.5
MG-2534	<1	150	<1	2	<10	29.3	510	<0.5
MG-2535	<1	260	<1	60	<10	210	1220	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142641 Order: MG-137 to MG-2535

Report File No.: 0000008504

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1347	31	6	101	8	640	169
MG-1348	11	4	61	6	180	106
MG-1349	12	3	60	5	250	75
MG-1350	6	2	62	4	20	12
MG-1351	40	2	27	3	50	17
MG-1352	16	11	86	7	290	93
MG-1353	10	8	52	5	170	93
MG-1354	11	10	35	3	220	125
MG-1355	13	2	61	6	1230	82
MG-1356	18	3	557	34	680	73
MG-1357	25	<1	48	4	80	23
MG-1358	48	2	116	10	80	53
MG-1359	295	2	309	26	270	99
MG-1360	70	<1	98	6	40	20
MG-1361	40	3	98	6	50	48
MG-1362	62	3	75	7	100	48
MG-1363	210	2	60	4	30	11
MG-1364	84	1	90	7	190	29
MG-1365	274	6	38	3	30	6
MG-1366	42	1	160	15	130	48
MG-1367	276	1	20	2	80	18
MG-1368	156	2	112	9	110	26
MG-1369	45	2	103	8	120	50
MG-1370	10	2	34	3	50	41
MG-2477	21	2	227	18	100	148
MG-2478	18	1	90	8	150	84
MG-2479	15	2	200	14	80	47
MG-2480	13	3	114	8	170	179
MG-2481	20	3	237	19	130	223
MG-2482	34	<1	231	19	600	34
MG-2483	49	<1	343	27	1050	23
MG-2484	74	<1	285	22	450	33
MG-2485	10	1	64	5	70	30
MG-2486	11	2	100	7	540	107
MG-2487	8	<1	37	3	660	43
MG-2488	7	<1	61	5	280	17
MG-2489	7	<1	51	4	570	28
MG-2490	4	<1	11	1	<20	39
MG-2491	22	<1	99	7	110	60
MG-2492	9	<1	94	7	260	10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142641 Order: MG-137 to MG-2535

Report File No.: 0000008504

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2493	7	<1	64	4	100	11
MG-2494	6	<1	69	5	120	23
MG-2495	9	<1	49	4	120	35
MG-2496	7	2	55	4	80	78
MG-2497	11	<1	43	4	60	32
MG-2498	11	2	34	3	230	73
MG-2499	10	<1	94	6	70	18
MG-2500	7	<1	64	4	40	19
MG-2501	6	<1	43	3	80	21
MG-2502	13	4	60	6	230	132
MG-2503	7	<1	31	2	210	23
MG-2504	8	<1	51	3	140	28
MG-2505	9	<1	78	5	150	49
MG-2506	6	<1	39	3	430	25
MG-2507	7	<1	83	5	140	19
MG-2508	8	<1	57	3	250	21
MG-2509	6	5	42	4	720	111
MG-2510	7	2	37	3	380	51
MG-2511	7	<1	98	6	210	15
MG-2512	9	<1	40	3	560	26
MG-2513	11	6	35	3	790	92
MG-2514	10	3	52	4	1580	50
MG-2515	10	2	41	3	1810	63
MG-2516	6	2	43	3	470	43
MG-2517	13	2	57	5	260	57
MG-2518	13	3	64	5	200	86
MG-2519	8	3	41	3	370	58
MG-2520	7	<1	59	4	60	8
MG-2521	7	2	56	4	90	12
MG-2522	10	2	91	7	430	45
MG-2523	8	<1	120	7	330	10
MG-2524	3	<1	18	2	30	23
MG-2525	3	<1	41	3	<20	<5
MG-2526	9	<1	57	2	260	27
MG-2527	9	1	83	7	430	45
MG-2528	8	2	69	4	130	11
MG-2529	7	<1	29	2	120	11
MG-2530	9	4	30	3	610	114
MG-2531	190	2	315	27	140	132
MG-2532	39	1	126	12	700	46

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142641 Order: MG-137 to MG-2535

Report File No.: 0000008504

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2533	36	<1	108	11	370	45
MG-2534	35	1	63	6	120	31
MG-2535	183	4	1740	122	180	230

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142642

[Report File No.: 0000008595]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Sep 11, 2014

P.O. No.	:	MG-2536 to MG-2618
Project No.	:	-
No. Of Samples	:	83
Date Submitted	:	Aug 15, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result
*INF = Composition of this sample makes detection impossible by this method
M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion
Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the @ symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2536	0.555	<1	46	20	0.2	1250	<1	80
MG-2537	0.520	<1	133	10	<0.1	380	<1	<10
MG-2538	0.580	<1	121	<10	<0.1	530	<1	<10
MG-2539	0.550	<1	172	<10	0.1	440	<1	10
MG-2540	0.505	<1	170	<10	0.2	200	<1	<10
MG-2541	0.520	<1	103	50	<0.1	2990	1	20
MG-2542	0.510	<1	>200	20	0.6	750	<1	<10
MG-2543	0.575	<1	>200	20	<0.1	1160	1	20
MG-2544	0.595	2	84	<10	<0.1	150	<1	190
MG-2545	0.550	<1	175	<10	<0.1	80	<1	<10
MG-2546	0.505	<1	59	<10	<0.1	320	<1	20
MG-2547	0.400	<1	151	<10	<0.1	520	<1	10
MG-2548	0.525	<1	76	<10	<0.1	270	<1	20
MG-2549	0.565	<1	116	<10	<0.1	140	<1	20
MG-2550	0.535	1	27	<10	0.4	320	<1	10
MG-2551	0.525	<1	46	30	<0.1	1960	<1	100
MG-2552	0.390	2	50	40	<0.1	310	<1	280
MG-2553	0.470	1	60	40	<0.1	460	<1	220
MG-2554	0.410	<1	167	<10	<0.1	200	<1	90
MG-2555	0.670	2	29	<10	<0.1	1410	<1	120
MG-2556	0.430	<1	28	10	<0.1	1000	<1	110
MG-2557	0.555	1	45	20	<0.1	510	<1	170
MG-2558	0.505	<1	49	50	<0.1	320	<1	120
MG-2559	0.595	<1	46	30	<0.1	360	<1	210
MG-2560	0.705	7	17	<10	0.3	2840	<1	480
MG-2561	0.525	5	38	<10	0.3	1260	<1	470
MG-2562	0.485	3	61	<10	0.1	720	<1	210
MG-2563	0.545	1	153	20	<0.1	1030	<1	150
MG-2564	0.635	4	121	20	<0.1	1520	<1	210
MG-2565	0.655	5	87	<10	0.3	1630	<1	300
MG-2566	0.475	10	9	<10	0.4	1900	<1	470
MG-2567	0.630	12	16	<10	0.3	1780	<1	470
MG-2568	0.575	8	19	<10	0.1	1550	<1	440
MG-2569	0.535	14	7	<10	0.4	1400	<1	530
MG-2570	0.565	7	7	<10	0.4	1710	<1	470
MG-2571	0.455	10	15	<10	0.2	1490	<1	480
MG-2572	0.370	4	80	<10	<0.1	1050	<1	280
MG-2573	0.495	4	28	<10	<0.1	420	<1	340
MG-2574	0.500	<1	44	70	<0.1	1280	<1	160
MG-2575	0.470	2	62	20	<0.1	910	1	120

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2576	0.440	<1	>200	10	<0.1	170	<1	<10
MG-2577	0.380	<1	170	10	<0.1	160	<1	<10
MG-2578	0.460	<1	>200	<10	<0.1	160	<1	<10
MG-2579	0.475	1	130	20	<0.1	1490	1	150
MG-2580	0.585	1	20	20	<0.1	1510	<1	210
MG-2581	0.715	1	54	20	<0.1	1230	<1	170
MG-2582	0.570	<1	71	20	<0.1	800	<1	170
MG-2583	0.535	<1	93	10	<0.1	1670	<1	180
MG-2584	0.620	<1	63	<10	<0.1	590	<1	160
MG-2585	0.445	<1	29	30	<0.1	670	<1	40
MG-2586	0.460	<1	66	10	<0.1	600	<1	90
MG-2587	0.535	<1	84	120	<0.1	660	1	90
MG-2588	0.550	1	48	20	<0.1	510	<1	120
MG-2589	0.415	<1	58	<10	<0.1	480	<1	80
MG-2590	0.545	1	51	<10	<0.1	590	<1	110
MG-2591	0.455	1	71	20	<0.1	590	<1	140
MG-2592	0.405	<1	35	30	<0.1	1770	<1	100
MG-2593	0.490	<1	38	10	<0.1	500	<1	80
MG-2594	0.470	2	71	20	<0.1	1510	<1	80
MG-2595	0.515	7	39	<10	<0.1	2460	<1	390
MG-2596	0.535	7	22	<10	0.2	1720	<1	430
MG-2597	0.710	10	17	<10	0.2	1780	<1	580
MG-2598	0.730	11	12	<10	0.4	1290	<1	350
MG-2599	0.490	12	8	<10	0.3	1270	<1	530
MG-2600	0.505	10	16	<10	0.3	1480	<1	450
MG-2601	0.535	13	27	<10	0.1	1810	<1	590
MG-2602	0.590	8	10	<10	0.5	1330	<1	360
MG-2603	0.535	10	45	<10	0.1	1300	<1	590
MG-2604	0.630	9	13	<10	0.4	1530	<1	440
MG-2605	0.480	10	70	<10	0.3	1250	<1	510
MG-2606	0.585	8	40	<10	0.2	1550	<1	500
MG-2607	0.680	13	11	<10	0.4	1850	<1	380
MG-2608	0.685	14	6	<10	0.6	1510	<1	380
MG-2609	0.640	14	13	<10	0.3	2080	<1	520
MG-2610	0.590	13	13	<10	0.3	2050	<1	550
MG-2611	0.540	8	66	<10	0.2	1470	<1	580
MG-2612	0.565	10	9	<10	1.0	1170	<1	390
MG-2613	0.615	10	7	<10	0.4	1290	<1	450
MG-2614	0.580	7	15	<10	0.7	1100	<1	550
MG-2615	0.465	<1	36	30	<0.1	1220	<1	140

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2616	0.485	7	25	<10	0.2	760	<1	390
MG-2617	0.405	10	21	<10	0.1	80	<1	380
MG-2618	0.545	13	16	<10	0.2	690	<1	490

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2536	2	170	36	<100	2.6	200	10	5.0
MG-2537	5	276	34	<100	8.6	80	29	11.9
MG-2538	2	237	21	<100	4.0	90	18	7.2
MG-2539	<1	350	10	100	6.4	150	23	9.4
MG-2540	2	151	<5	<100	6.6	100	18	8.6
MG-2541	1	1090	79	200	3.1	230	61	32.1
MG-2542	6	134	25	100	7.2	90	11	4.7
MG-2543	3	188	25	300	7.5	80	14	6.3
MG-2544	9	3620	21	<100	1.9	670	91	41.2
MG-2545	3	54	8	<100	4.8	80	7	3.6
MG-2546	3	116	9	<100	5.6	70	22	9.0
MG-2547	9	162	17	<100	14.7	110	16	7.0
MG-2548	2	203	10	<100	7.1	90	31	12.7
MG-2549	3	95	11	<100	8.4	80	11	4.4
MG-2550	<1	114	11	<100	2.8	100	11	4.5
MG-2551	2	421	114	100	1.3	170	24	12.8
MG-2552	13	359	47	<100	1.1	1740	33	20.6
MG-2553	3	1390	72	<100	0.9	1810	71	38.6
MG-2554	9	89	50	<100	2.5	460	19	11.0
MG-2555	2	178	18	<100	2.2	360	8	3.8
MG-2556	2	227	111	<100	1.2	90	9	4.5
MG-2557	4	172	50	<100	1.0	280	10	5.6
MG-2558	2	311	49	<100	<0.5	520	16	8.6
MG-2559	1	177	8	<100	<0.5	360	11	6.1
MG-2560	2	247	117	<100	0.8	3430	15	8.2
MG-2561	3	471	94	<100	0.5	770	36	19.6
MG-2562	4	587	113	<100	1.1	250	22	9.2
MG-2563	4	481	42	200	4.6	260	23	10.4
MG-2564	9	1040	200	100	4.2	2920	58	29.7
MG-2565	5	1390	128	<100	1.9	1370	82	41.6
MG-2566	5	39	36	<100	<0.5	670	12	5.7
MG-2567	6	72	93	<100	<0.5	940	11	4.8
MG-2568	10	263	72	<100	<0.5	570	19	8.9
MG-2569	6	12	24	<100	<0.5	850	16	8.3
MG-2570	4	<5	<5	<100	<0.5	660	9	4.3
MG-2571	10	158	105	<100	<0.5	880	17	8.4
MG-2572	38	216	76	<100	1.5	780	24	13.7
MG-2573	4	211	136	<100	1.0	850	9	5.4
MG-2574	1	358	175	<100	2.5	560	22	12.7
MG-2575	2	435	93	100	0.7	240	20	9.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2576	6	112	15	100	5.4	40	12	5.7
MG-2577	<1	31	26	<100	6.7	80	3	1.2
MG-2578	2	62	27	<100	9.5	100	6	3.1
MG-2579	2	531	19	200	6.5	210	22	9.9
MG-2580	2	384	29	<100	<0.5	260	21	11.6
MG-2581	2	643	31	<100	1.3	260	28	13.7
MG-2582	1	493	18	<100	1.5	150	21	9.8
MG-2583	2	286	28	200	3.9	380	16	7.7
MG-2584	3	490	62	<100	0.5	590	22	12.0
MG-2585	<1	67	30	<100	0.6	550	6	3.8
MG-2586	2	514	60	<100	1.0	970	25	14.3
MG-2587	1	979	40	200	1.8	260	61	34.9
MG-2588	3	965	29	<100	0.7	1420	43	23.2
MG-2589	3	239	29	<100	<0.5	450	20	12.0
MG-2590	7	360	28	<100	0.6	1360	28	15.3
MG-2591	2	256	12	<100	0.5	680	26	16.3
MG-2592	1	326	37	<100	0.6	260	15	7.7
MG-2593	4	66	40	<100	<0.5	950	7	5.7
MG-2594	11	222	164	<100	1.3	1320	22	14.5
MG-2595	24	1050	105	<100	0.6	2170	56	33.0
MG-2596	9	643	90	<100	<0.5	4760	24	12.9
MG-2597	10	114	90	<100	<0.5	1260	11	6.5
MG-2598	4	19	108	<100	<0.5	570	6	3.6
MG-2599	5	24	30	<100	<0.5	600	8	4.9
MG-2600	6	38	92	<100	<0.5	730	9	5.1
MG-2601	42	160	158	<100	<0.5	1740	16	8.8
MG-2602	4	24	26	<100	<0.5	520	7	4.3
MG-2603	38	116	141	<100	<0.5	1050	12	6.4
MG-2604	5	20	80	<100	<0.5	590	7	3.9
MG-2605	33	153	184	<100	0.6	2240	14	9.2
MG-2606	31	351	106	<100	<0.5	2580	16	9.5
MG-2607	4	13	47	<100	<0.5	1090	4	2.8
MG-2608	7	9	114	<100	<0.5	1000	3	1.6
MG-2609	7	30	88	<100	<0.5	1730	9	5.8
MG-2610	9	83	41	<100	<0.5	1820	14	8.0
MG-2611	51	217	120	<100	<0.5	1120	25	16.3
MG-2612	3	6	16	<100	<0.5	570	6	3.6
MG-2613	2	<5	20	<100	<0.5	580	6	3.6
MG-2614	8	36	28	<100	<0.5	1510	8	4.2
MG-2615	4	133	126	<100	1.2	590	8	5.0

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2616	12	118	61	<100	0.8	890	9	4.7
MG-2617	10	293	9	<100	<0.5	100	9	4.2
MG-2618	14	304	64	<100	<0.5	960	13	6.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2536	3.8	112	6	14	<1	<0.5	3.2	82
MG-2537	9.2	33	15	34	<1	<0.5	6.8	102
MG-2538	7.5	98	8	25	<1	<0.5	2.8	86
MG-2539	8.6	71	15	29	<1	<0.5	5.4	120
MG-2540	6.5	35	12	22	<1	<0.5	1.7	61
MG-2541	24.6	278	27	92	<1	<0.5	5.2	365
MG-2542	3.9	168	12	13	<1	<0.5	2.9	61
MG-2543	4.8	155	74	16	<1	<0.5	5.4	89
MG-2544	37.5	25	8	143	<1	<0.5	10.3	721
MG-2545	1.7	66	7	6	<1	<0.5	2.1	22
MG-2546	8.3	11	7	33	<1	<0.5	17.0	65
MG-2547	5.7	36	6	19	<1	<0.5	9.0	71
MG-2548	12.6	17	7	47	<1	<0.5	4.5	184
MG-2549	4.0	74	19	13	<1	<0.5	4.8	44
MG-2550	3.7	4	4	16	<1	<0.5	3.4	48
MG-2551	8.5	311	11	33	<1	<0.5	6.2	224
MG-2552	9.4	138	5	44	<1	<0.5	4.3	174
MG-2553	25.9	105	4	107	<1	<0.5	6.0	663
MG-2554	3.6	93	6	15	<1	<0.5	5.0	34
MG-2555	3.4	47	4	12	<1	<0.5	5.6	84
MG-2556	3.5	72	3	13	<1	<0.5	5.2	92
MG-2557	3.4	87	2	14	<1	<0.5	3.9	93
MG-2558	5.1	324	2	20	<1	<0.5	8.1	137
MG-2559	3.3	144	4	14	<1	<0.5	5.3	79
MG-2560	5.1	15	2	22	<1	<0.5	5.9	114
MG-2561	10.4	20	1	46	<1	<0.5	4.1	189
MG-2562	8.0	43	6	32	<1	<0.5	3.6	170
MG-2563	8.5	95	18	30	<1	<0.5	4.9	215
MG-2564	20.0	138	15	81	<1	<0.5	8.0	435
MG-2565	25.3	83	6	106	<1	<0.5	9.5	551
MG-2566	3.8	7	<1	17	<1	<0.5	6.1	28
MG-2567	3.8	13	<1	16	<1	<0.5	10.2	45
MG-2568	6.7	23	<1	30	<1	<0.5	9.2	113
MG-2569	2.9	4	<1	17	<1	<0.5	7.6	6
MG-2570	2.4	4	<1	12	<1	<0.5	11.7	11
MG-2571	5.6	13	<1	25	<1	<0.5	9.8	71
MG-2572	5.4	143	2	23	<1	<0.5	2.7	74
MG-2573	3.2	31	2	13	<1	<0.5	4.3	32
MG-2574	7.1	347	7	28	<1	<0.5	4.5	123
MG-2575	7.7	207	11	27	<1	<0.5	6.7	180

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2576	4.2	78	48	13	<1	<0.5	3.8	58
MG-2577	0.8	270	19	3	<1	<0.5	3.6	17
MG-2578	1.9	130	4	7	<1	<0.5	4.2	28
MG-2579	9.1	154	11	32	<1	<0.5	6.1	222
MG-2580	8.1	90	3	34	<1	<0.5	10.6	169
MG-2581	11.3	97	6	46	<1	<0.5	6.0	356
MG-2582	8.3	81	7	32	<1	<0.5	5.2	228
MG-2583	6.1	56	11	24	<1	<0.5	8.6	135
MG-2584	8.1	159	4	33	<1	<0.5	5.4	222
MG-2585	1.4	499	2	6	<1	<0.5	4.5	34
MG-2586	8.9	231	3	37	<1	<0.5	4.5	230
MG-2587	19.3	797	13	83	<1	<0.5	5.6	469
MG-2588	14.6	227	5	64	<1	<0.5	5.3	469
MG-2589	5.8	301	2	24	<1	<0.5	4.0	102
MG-2590	9.6	193	3	39	<1	<0.5	1.9	223
MG-2591	8.1	210	5	36	<1	<0.5	1.6	145
MG-2592	5.8	232	5	23	<1	<0.5	2.9	188
MG-2593	1.5	416	3	7	<1	<0.5	4.2	30
MG-2594	5.7	444	6	24	<1	<0.5	2.4	116
MG-2595	19.8	58	2	85	<1	<0.5	6.1	530
MG-2596	9.6	51	<1	41	<1	<0.5	10.9	296
MG-2597	2.9	11	<1	14	<1	<0.5	12.1	33
MG-2598	1.2	5	<1	7	<1	<0.5	13.4	6
MG-2599	1.8	6	<1	11	<1	<0.5	13.4	6
MG-2600	1.7	11	1	10	<1	<0.5	11.8	6
MG-2601	4.4	15	<1	22	<1	<0.5	12.1	58
MG-2602	1.3	3	<1	9	<1	<0.5	14.8	4
MG-2603	3.1	14	<1	15	<1	<0.5	7.3	42
MG-2604	1.4	7	<1	8	<1	<0.5	11.5	4
MG-2605	3.4	46	2	16	<1	<0.5	11.1	68
MG-2606	5.5	54	2	25	<1	<0.5	10.4	161
MG-2607	1.0	7	2	6	<1	<0.5	13.0	6
MG-2608	0.8	3	<1	5	<1	<0.5	13.0	2
MG-2609	1.8	8	<1	11	<1	<0.5	12.6	6
MG-2610	3.2	8	<1	18	<1	<0.5	8.5	20
MG-2611	5.8	13	2	31	<1	<0.5	9.7	73
MG-2612	1.2	3	<1	7	<1	<0.5	16.4	3
MG-2613	1.1	3	<1	7	<1	<0.5	10.8	1
MG-2614	2.1	9	<1	11	<1	<0.5	12.6	11
MG-2615	2.3	372	3	10	<1	<0.5	2.1	45

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2616	3.4	21	<1	16	<1	<0.5	2.1	45
MG-2617	2.8	6	<1	14	<1	<0.5	1.3	13
MG-2618	4.2	13	<1	21	<1	<0.5	1.9	33

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2536	<5	9	8190	22	5.1	91	41	1.3
MG-2537	<5	1	1240	7	2.3	150	36	1.8
MG-2538	<5	<1	120	<5	2.9	117	28	1.0
MG-2539	<5	1	80	<5	4.8	147	24	2.1
MG-2540	<5	<1	80	<5	1.7	96	30	0.9
MG-2541	<5	2	2140	8	27.4	613	33	4.8
MG-2542	<5	<1	320	6	5.1	64	67	3.8
MG-2543	10	5	380	<5	32.7	89	78	11.7
MG-2544	<5	18	580	<5	2.3	971	88	1.0
MG-2545	<5	<1	80	<5	2.3	25	53	0.4
MG-2546	<5	1	460	8	<0.5	153	16	0.4
MG-2547	<5	<1	340	<5	1.1	95	46	1.6
MG-2548	<5	<1	110	<5	0.7	253	16	0.2
MG-2549	<5	<1	630	<5	2.8	57	36	0.5
MG-2550	<5	1	510	<5	<0.5	80	14	0.7
MG-2551	<5	13	12300	9	10.5	237	82	3.4
MG-2552	7	31	3910	34	3.2	250	434	0.6
MG-2553	<5	23	2470	26	3.9	810	158	0.4
MG-2554	<5	18	930	10	2.4	51	178	0.6
MG-2555	6	16	790	<5	3.1	91	30	0.9
MG-2556	6	11	9450	<5	1.8	99	32	1.5
MG-2557	7	13	12000	22	1.0	103	86	0.8
MG-2558	<5	14	4660	46	2.1	159	36	0.6
MG-2559	<5	20	6410	67	2.1	97	27	0.4
MG-2560	13	109	11200	<5	0.5	137	290	<0.1
MG-2561	9	96	7430	<5	<0.5	237	264	<0.1
MG-2562	<5	36	9760	<5	4.1	192	110	0.6
MG-2563	14	21	1240	<5	14.0	199	149	3.9
MG-2564	26	71	8900	11	8.8	531	709	0.8
MG-2565	19	99	6720	<5	4.7	636	343	0.5
MG-2566	34	121	1410	<5	<0.5	60	148	<0.1
MG-2567	32	119	5690	<5	<0.5	76	169	0.1
MG-2568	31	112	1290	<5	<0.5	164	186	0.2
MG-2569	41	164	1170	<5	<0.5	22	211	<0.1
MG-2570	10	133	80	<5	<0.5	28	151	<0.1
MG-2571	36	115	5140	6	<0.5	116	243	<0.1
MG-2572	<5	47	9880	21	3.0	106	291	0.8
MG-2573	<5	39	71100	23	1.3	92	304	0.5
MG-2574	15	21	36900	20	6.8	195	264	1.7
MG-2575	<5	8	22300	15	10.1	220	63	2.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2576	<5	<1	330	<5	8.3	58	28	1.6
MG-2577	<5	<1	40	<5	5.9	14	88	2.2
MG-2578	<5	<1	20	<5	1.2	31	46	1.1
MG-2579	<5	11	2290	13	18.3	238	52	3.6
MG-2580	<5	33	3070	<5	2.2	245	38	0.8
MG-2581	8	19	3470	14	8.7	357	51	0.9
MG-2582	5	14	2090	16	9.9	238	45	1.7
MG-2583	10	17	7820	17	13.4	161	123	1.6
MG-2584	5	13	12900	16	2.5	259	142	0.6
MG-2585	6	6	6820	24	2.5	45	94	0.7
MG-2586	<5	7	37800	22	2.0	284	242	0.7
MG-2587	16	10	7660	18	7.2	569	131	7.9
MG-2588	9	8	19600	23	4.0	474	130	0.6
MG-2589	<5	7	10600	19	1.9	152	134	0.3
MG-2590	7	7	18800	17	3.6	275	130	0.4
MG-2591	8	10	13900	20	5.1	211	112	0.7
MG-2592	7	9	26000	11	3.6	176	60	1.7
MG-2593	8	10	2970	9	1.6	42	194	0.4
MG-2594	11	9	14500	26	4.9	143	242	3.0
MG-2595	7	61	12800	21	2.6	642	501	0.5
MG-2596	18	77	10200	19	2.4	344	607	0.2
MG-2597	30	115	14700	6	<0.5	61	495	<0.1
MG-2598	58	96	4510	9	<0.5	15	135	<0.1
MG-2599	50	124	4050	15	<0.5	22	234	<0.1
MG-2600	34	96	6200	6	<0.5	19	192	<0.1
MG-2601	31	95	8720	<5	<0.5	99	873	<0.1
MG-2602	82	105	2410	12	<0.5	16	76	<0.1
MG-2603	16	90	8630	<5	<0.5	66	621	<0.1
MG-2604	54	105	2430	<5	<0.5	14	175	<0.1
MG-2605	18	70	11700	12	1.5	90	621	<0.1
MG-2606	28	69	7740	13	1.4	183	540	0.3
MG-2607	56	88	1120	<5	<0.5	11	108	<0.1
MG-2608	76	85	5910	18	<0.5	9	118	<0.1
MG-2609	46	99	3750	7	<0.5	19	229	<0.1
MG-2610	36	97	1990	<5	<0.5	48	333	<0.1
MG-2611	36	96	3580	<5	0.9	113	926	<0.1
MG-2612	61	117	920	15	<0.5	13	56	<0.1
MG-2613	57	119	840	<5	<0.5	7	90	<0.1
MG-2614	37	120	1340	<5	<0.5	32	433	<0.1
MG-2615	9	28	16700	18	2.8	63	192	0.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2616	<5	41	21000	8	<0.5	87	304	0.2
MG-2617	5	52	4400	<5	<0.5	41	199	<0.1
MG-2618	12	95	17800	8	<0.5	79	523	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2536	80	<1	24	<1	29	<1	20	17
MG-2537	160	<1	38	<1	172	<1	50	38
MG-2538	90	<1	29	<1	53	<1	37	28
MG-2539	80	<1	37	<1	90	<1	42	33
MG-2540	150	<1	22	<1	42	<1	40	23
MG-2541	90	<1	145	<1	91	<1	62	113
MG-2542	80	<1	16	<1	46	1	39	15
MG-2543	160	<1	24	<1	60	<1	53	18
MG-2544	60	<1	252	<1	17	<1	27	177
MG-2545	70	<1	7	<1	41	<1	24	6
MG-2546	100	<1	34	<1	115	<1	20	35
MG-2547	140	<1	24	<1	130	<1	35	21
MG-2548	80	<1	64	<1	74	<1	33	50
MG-2549	90	<1	13	<1	77	<1	29	14
MG-2550	30	<1	18	<1	47	<1	10	18
MG-2551	60	<1	63	<1	63	<1	28	41
MG-2552	110	<1	60	<1	31	<1	31	47
MG-2553	80	<1	209	<1	60	<1	43	137
MG-2554	150	<1	13	<1	56	<1	29	13
MG-2555	40	<1	24	<1	39	<1	15	16
MG-2556	30	<1	26	<1	33	<1	12	17
MG-2557	40	<1	27	<1	32	<1	12	17
MG-2558	60	<1	42	<1	36	<1	24	26
MG-2559	60	<1	26	<1	27	<1	18	17
MG-2560	30	<1	33	<1	23	<1	11	24
MG-2561	30	<1	58	<1	28	<1	16	46
MG-2562	50	<1	50	<1	60	<1	13	38
MG-2563	110	<1	57	<1	57	<1	49	38
MG-2564	220	<1	138	<1	100	1	87	97
MG-2565	90	<1	170	<1	79	<1	71	122
MG-2566	20	<1	12	<1	46	<1	6	16
MG-2567	20	<1	18	<1	54	<1	6	16
MG-2568	30	<1	39	<1	49	<1	9	32
MG-2569	10	<1	4	<1	33	<1	6	10
MG-2570	10	<1	5	<1	20	<1	<5	9
MG-2571	20	<1	27	<1	27	<1	7	25
MG-2572	210	<1	26	<1	58	<1	38	23
MG-2573	<10	<1	22	<1	62	<1	15	17
MG-2574	20	<1	48	<1	65	<1	50	36
MG-2575	70	<1	58	<1	34	<1	28	37

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2576	160	<1	15	<1	53	<1	39	14
MG-2577	20	<1	4	<1	46	<1	16	3
MG-2578	50	<1	8	<1	62	<1	28	7
MG-2579	80	<1	60	<1	56	<1	46	41
MG-2580	30	<1	53	<1	36	<1	13	40
MG-2581	100	<1	90	<1	42	<1	26	57
MG-2582	60	<1	61	<1	38	<1	24	40
MG-2583	110	<1	39	<1	67	<1	28	29
MG-2584	70	<1	65	<1	24	<1	27	42
MG-2585	10	<1	11	<1	28	<1	30	8
MG-2586	40	<1	71	<1	37	<1	40	48
MG-2587	30	<1	144	<1	50	<1	97	102
MG-2588	80	<1	122	<1	56	<1	55	79
MG-2589	40	<1	36	<1	36	<1	37	28
MG-2590	70	<1	69	<1	35	<1	42	48
MG-2591	100	<1	50	<1	34	<1	36	40
MG-2592	50	<1	47	<1	32	<1	25	29
MG-2593	20	<1	9	<1	15	<1	31	8
MG-2594	40	<1	34	<1	27	<1	59	27
MG-2595	60	<1	155	<1	23	<1	33	106
MG-2596	130	<1	83	<1	<5	<1	11	53
MG-2597	20	<1	13	<1	19	<1	8	13
MG-2598	40	<1	3	<1	6	<1	<5	5
MG-2599	10	<1	3	<1	6	<1	<5	7
MG-2600	20	<1	3	<1	14	<1	8	7
MG-2601	40	<1	22	<1	23	<1	9	22
MG-2602	50	<1	2	<1	5	<1	<5	6
MG-2603	150	<1	15	<1	55	<1	6	15
MG-2604	40	<1	2	<1	18	<1	6	5
MG-2605	240	<1	21	<1	44	<1	21	17
MG-2606	140	<1	44	<1	25	<1	16	30
MG-2607	40	<1	2	<1	18	<1	10	4
MG-2608	40	<1	1	<1	<5	<1	<5	3
MG-2609	40	<1	3	<1	14	<1	6	7
MG-2610	70	<1	9	<1	24	<1	7	13
MG-2611	370	<1	25	<1	39	<1	12	26
MG-2612	20	<1	2	<1	5	<1	<5	4
MG-2613	30	<1	<1	<1	12	<1	<5	3
MG-2614	20	<1	6	<1	16	<1	<5	9
MG-2615	30	<1	15	<1	31	<1	35	12

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2616	<10	<1	18	<1	27	<1	<5	17
MG-2617	<10	<1	7	<1	30	<1	<5	12
MG-2618	10	<1	15	<1	47	<1	6	19

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2536	<1	270	<1	2	<10	19.6	811	<0.5
MG-2537	<1	20	<1	5	<10	21.6	675	<0.5
MG-2538	<1	40	<1	4	<10	35.3	591	<0.5
MG-2539	1	60	<1	5	<10	48.5	1190	<0.5
MG-2540	<1	10	<1	3	<10	26.1	391	<0.5
MG-2541	3	130	1	11	<10	82.2	6450	0.6
MG-2542	<1	20	<1	2	<10	29.6	927	<0.5
MG-2543	5	220	2	3	<10	45.3	8450	<0.5
MG-2544	<1	290	<1	18	<10	26.1	641	<0.5
MG-2545	<1	<10	<1	<1	<10	15.4	300	<0.5
MG-2546	<1	50	<1	4	<10	8.6	192	<0.5
MG-2547	<1	30	<1	3	<10	23.3	400	0.6
MG-2548	<1	70	<1	6	<10	18.2	332	<0.5
MG-2549	<1	50	<1	2	<10	18.9	837	<0.5
MG-2550	<1	30	<1	2	<10	5.2	47	<0.5
MG-2551	<1	220	<1	5	<10	58.0	1370	0.7
MG-2552	<1	360	<1	6	<10	30.4	233	<0.5
MG-2553	<1	380	<1	13	<10	46.8	164	<0.5
MG-2554	<1	420	<1	3	<10	18.2	373	<0.5
MG-2555	<1	310	<1	2	<10	29.5	355	<0.5
MG-2556	<1	220	<1	2	<10	21.4	303	<0.5
MG-2557	<1	210	<1	2	<10	18.2	151	<0.5
MG-2558	<1	210	<1	3	<10	25.0	351	<0.5
MG-2559	<1	230	<1	2	<10	20.6	192	<0.5
MG-2560	<1	1360	<1	3	<10	33.1	131	<0.5
MG-2561	<1	1330	<1	6	<10	83.8	41	<0.5
MG-2562	<1	350	<1	4	<10	78.5	814	<0.5
MG-2563	1	270	<1	4	<10	62.8	2590	0.6
MG-2564	1	610	<1	11	<10	81.9	1390	0.7
MG-2565	<1	880	<1	14	<10	126	632	0.6
MG-2566	<1	1000	<1	2	<10	16.5	10	<0.5
MG-2567	<1	780	<1	2	<10	22.9	11	<0.5
MG-2568	<1	740	<1	4	<10	33.3	61	<0.5
MG-2569	<1	1370	<1	2	<10	8.1	9	<0.5
MG-2570	<1	1390	<1	2	<10	6.1	6	<0.5
MG-2571	<1	980	<1	3	<10	26.1	40	<0.5
MG-2572	<1	650	<1	4	<10	23.3	335	0.6
MG-2573	<1	630	<1	2	<10	46.5	119	<0.5
MG-2574	<1	470	<1	4	<10	91.6	1070	<0.5
MG-2575	1	250	<1	4	<10	50.8	1360	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2576	2	20	<1	2	<10	20.4	2600	<0.5
MG-2577	<1	30	<1	<1	<10	13.5	1190	<0.5
MG-2578	<1	<10	<1	1	<10	16.8	264	<0.5
MG-2579	2	330	2	4	<10	54.5	1970	<0.5
MG-2580	<1	310	<1	4	<10	32.7	332	<0.5
MG-2581	<1	270	<1	5	<10	52.2	1070	<0.5
MG-2582	1	250	<1	4	<10	38.6	1280	<0.5
MG-2583	1	360	<1	3	<10	44.3	1650	<0.5
MG-2584	<1	190	<1	4	<10	29.9	373	<0.5
MG-2585	<1	140	<1	<1	<10	31.8	611	<0.5
MG-2586	<1	150	<1	5	<10	44.6	286	<0.5
MG-2587	1	180	<1	11	<10	98.0	1210	<0.5
MG-2588	<1	160	<1	8	<10	72.2	529	<0.5
MG-2589	<1	180	<1	3	<10	30.4	302	<0.5
MG-2590	<1	180	<1	5	<10	58.7	424	<0.5
MG-2591	<1	250	<1	5	<10	40.7	806	<0.5
MG-2592	<1	240	<1	3	<10	32.2	631	<0.5
MG-2593	<1	190	<1	1	<10	23.2	310	<0.5
MG-2594	<1	200	<1	3	<10	50.1	937	<0.5
MG-2595	<1	750	<1	11	<10	97.4	178	<0.5
MG-2596	<1	960	<1	5	<10	108	31	<0.5
MG-2597	<1	1480	<1	2	<10	38.2	62	<0.5
MG-2598	<1	800	<1	<1	<10	5.6	31	<0.5
MG-2599	<1	1400	<1	1	<10	8.9	<3	<0.5
MG-2600	<1	1090	<1	1	<10	12.4	104	<0.5
MG-2601	<1	1350	<1	3	<10	47.4	40	<0.5
MG-2602	<1	990	<1	1	<10	5.4	8	<0.5
MG-2603	<1	1370	<1	2	<10	35.6	8	<0.5
MG-2604	<1	1030	<1	1	<10	9.4	46	<0.5
MG-2605	<1	1160	<1	2	<10	30.0	81	<0.5
MG-2606	<1	1080	<1	3	<10	45.8	106	<0.5
MG-2607	<1	970	<1	<1	<10	4.1	253	<0.5
MG-2608	<1	1060	<1	<1	<10	1.0	4	<0.5
MG-2609	<1	1210	<1	1	<10	12.3	44	<0.5
MG-2610	<1	1390	<1	2	<10	22.7	52	<0.5
MG-2611	<1	1220	<1	4	<10	35.0	57	<0.5
MG-2612	<1	880	<1	<1	<10	3.1	3	<0.5
MG-2613	<1	1310	<1	<1	<10	2.4	4	<0.5
MG-2614	<1	1170	<1	1	<10	19.6	10	<0.5
MG-2615	<1	430	<1	1	<10	35.7	546	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2616	<1	830	<1	2	<10	34.1	28	<0.5
MG-2617	<1	790	<1	2	<10	8.4	4	<0.5
MG-2618	<1	1190	<1	2	<10	33.6	7	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2536	8	<1	50	4	60	29
MG-2537	15	<1	107	10	50	42
MG-2538	9	<1	70	6	40	59
MG-2539	13	<1	95	7	20	72
MG-2540	9	<1	83	6	40	44
MG-2541	19	5	363	24	80	114
MG-2542	10	<1	42	3	210	68
MG-2543	11	2	58	5	90	102
MG-2544	27	<1	473	29	60	25
MG-2545	7	<1	26	3	<20	26
MG-2546	8	<1	105	6	60	12
MG-2547	10	<1	66	5	<20	44
MG-2548	9	<1	153	8	<20	23
MG-2549	9	<1	40	3	<20	37
MG-2550	5	<1	50	3	30	9
MG-2551	19	1	134	12	60	85
MG-2552	123	2	230	19	230	86
MG-2553	73	3	461	33	140	83
MG-2554	16	<1	107	9	130	15
MG-2555	5	<1	43	3	70	35
MG-2556	5	<1	47	4	80	27
MG-2557	32	1	61	5	200	22
MG-2558	64	2	94	8	70	23
MG-2559	52	4	69	6	30	22
MG-2560	34	<1	63	7	70	32
MG-2561	34	<1	164	15	50	34
MG-2562	16	<1	96	7	20	57
MG-2563	10	<1	106	8	140	93
MG-2564	40	1	305	24	230	124
MG-2565	23	<1	421	34	230	114
MG-2566	4	<1	59	4	140	8
MG-2567	5	<1	53	4	120	10
MG-2568	19	<1	97	7	280	15
MG-2569	12	<1	70	7	170	6
MG-2570	10	<1	40	3	150	6
MG-2571	17	<1	84	6	190	11
MG-2572	75	1	133	10	190	40
MG-2573	42	<1	54	5	40	34
MG-2574	73	4	118	13	50	153
MG-2575	34	1	98	8	40	67

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2576	7	<1	55	5	30	57
MG-2577	7	<1	11	1	<20	36
MG-2578	7	<1	25	3	50	39
MG-2579	12	<1	94	7	70	85
MG-2580	14	2	133	10	<20	48
MG-2581	16	3	152	12	50	66
MG-2582	13	2	98	8	80	51
MG-2583	17	1	75	7	60	59
MG-2584	22	3	121	10	470	37
MG-2585	50	1	34	4	90	55
MG-2586	49	<1	140	13	310	63
MG-2587	138	4	320	36	100	273
MG-2588	59	1	255	20	130	83
MG-2589	45	<1	111	11	170	40
MG-2590	51	<1	156	14	740	58
MG-2591	45	2	166	14	70	41
MG-2592	14	2	85	7	50	44
MG-2593	80	1	49	6	70	58
MG-2594	124	2	131	14	270	93
MG-2595	304	1	354	30	290	64
MG-2596	86	3	137	12	30	52
MG-2597	33	<1	47	6	140	25
MG-2598	6	<1	34	3	70	11
MG-2599	19	<1	42	5	60	7
MG-2600	18	<1	40	5	80	19
MG-2601	213	<1	72	8	140	24
MG-2602	7	<1	42	4	70	7
MG-2603	91	<1	55	6	250	9
MG-2604	11	<1	34	4	90	10
MG-2605	298	<1	82	8	300	26
MG-2606	210	<1	93	9	230	48
MG-2607	7	<1	24	2	40	17
MG-2608	15	<1	18	1	50	5
MG-2609	43	<1	44	5	100	19
MG-2610	23	<1	61	7	80	26
MG-2611	87	<1	130	14	460	20
MG-2612	4	<1	37	3	80	7
MG-2613	6	<1	33	3	50	7
MG-2614	22	<1	41	4	50	16
MG-2615	48	2	43	5	60	78

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142642 Order: MG-2536 to MG-2618

Report File No.: 0000008595

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2616	62	<1	51	4	40	28
MG-2617	42	<1	48	3	60	7
MG-2618	152	<1	66	5	50	19

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Certificate of Analysis

Work Order : VC142643

[Report File No.: 0000008546]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Sep 08, 2014

P.O. No.	:	MG-2619 to MG-2701
Project No.	:	-
No. Of Samples	:	83
Date Submitted	:	Aug 15, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142643 Order: MG-2619 to MG-2701

Report File No.: 0000008546

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2619	0.460	48	14	<10	0.2	1700	<1	610
MG-2620	0.425	7	>200	20	0.2	1460	1	90
MG-2621	0.505	26	11	<10	0.3	1520	<1	560
MG-2622	0.490	14	44	<10	0.5	2550	<1	700
MG-2623	0.485	15	24	<10	0.3	1960	<1	620
MG-2624	0.425	32	7	<10	0.3	1410	<1	470
MG-2625	0.540	24	35	<10	0.1	1360	<1	450
MG-2626	0.490	18	82	<10	0.2	1390	<1	450
MG-2627	0.570	26	12	<10	0.3	2250	<1	650
MG-2628	0.415	36	27	<10	0.1	1370	<1	570
MG-2629	0.545	54	10	<10	0.2	1760	<1	550
MG-2630	0.500	8	54	<10	0.3	2070	<1	560
MG-2631	0.525	7	>200	10	0.1	1870	1	50
MG-2632	0.485	9	171	<10	0.3	310	<1	<10
MG-2633	0.410	4	>200	20	<0.1	730	2	<10
MG-2634	0.355	<1	>200	<10	<0.1	450	<1	<10
MG-2635	0.305	<1	>200	<10	<0.1	380	<1	<10
MG-2636	0.550	1	>200	10	0.1	290	<1	<10
MG-2637	0.560	19	13	<10	0.4	1550	<1	590
MG-2638	0.430	57	23	<10	0.1	1600	<1	660
MG-2639	0.485	25	25	<10	0.1	1310	<1	610
MG-2640	0.430	24	13	<10	0.2	1240	<1	520
MG-2641	0.515	12	16	<10	<0.1	1010	<1	490
MG-2642	0.485	13	34	<10	0.1	1640	<1	510
MG-2643	0.495	12	43	<10	0.2	1100	<1	540
MG-2644	0.425	15	25	<10	0.3	1610	<1	430
MG-2645	0.615	9	28	10	0.2	1880	<1	430
MG-2646	0.705	9	11	20	0.3	2730	<1	410
MG-2647	0.510	12	19	<10	0.2	1670	<1	350
MG-2648	0.585	11	5	<10	0.6	1030	<1	310
MG-2649	0.590	15	12	<10	0.5	1740	<1	500
MG-2650	0.490	1	27	<10	<0.1	320	<1	10
MG-2651	0.595	8	39	20	0.2	1650	<1	430
MG-2652	0.685	8	7	<10	0.8	1070	<1	350
MG-2653	0.540	15	19	<10	0.2	2450	<1	510
MG-2654	0.610	19	14	<10	0.5	2180	<1	500
MG-2655	0.475	12	24	<10	0.3	2020	<1	500
MG-2656	0.455	13	47	<10	0.5	2200	<1	460
MG-2657	0.630	15	16	<10	0.4	2270	<1	470
MG-2658	0.470	11	69	<10	0.2	1580	<1	320

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2659	0.580	5	>200	10	0.2	1810	1	100
MG-2660	0.410	9	>200	20	<0.1	860	1	110
MG-2661	0.470	14	82	<10	0.2	2060	<1	390
MG-2662	0.505	19	18	<10	0.3	3010	<1	380
MG-2663	0.495	4	>200	30	0.1	1090	2	20
MG-2664	0.515	1	>200	20	0.1	740	<1	<10
MG-2665	0.450	2	>200	<10	<0.1	330	<1	<10
MG-2666	0.305	<1	>200	30	<0.1	870	2	<10
MG-2667	0.380	2	>200	<10	<0.1	330	<1	<10
MG-2668	0.560	9	77	<10	0.6	1940	<1	520
MG-2669	0.515	31	34	<10	0.7	1920	<1	520
MG-2670	0.500	36	7	<10	0.7	1450	<1	490
MG-2671	0.525	33	5	<10	0.3	1120	<1	420
MG-2672	0.500	14	11	<10	0.4	1540	<1	630
MG-2673	0.465	13	73	<10	0.1	900	<1	520
MG-2674	0.545	16	31	<10	0.3	1440	<1	560
MG-2675	0.490	12	24	<10	0.3	1370	<1	560
MG-2676	0.450	16	68	<10	0.2	1400	<1	550
MG-2677	0.515	25	7	<10	0.2	1150	<1	440
MG-2678	0.575	10	20	<10	0.2	1480	<1	350
MG-2679	0.430	15	51	<10	0.2	1750	<1	400
MG-2680	0.435	2	177	<10	0.1	1770	<1	100
MG-2681	0.475	12	130	<10	0.2	2130	<1	200
MG-2682	0.535	33	8	<10	0.1	1210	<1	560
MG-2683	0.450	51	11	<10	0.2	1530	<1	610
MG-2684	0.540	17	16	<10	0.3	1650	<1	600
MG-2685	0.535	13	39	<10	0.2	1510	<1	490
MG-2686	0.535	11	36	<10	0.2	1060	<1	480
MG-2687	0.505	15	7	<10	0.2	1240	<1	410
MG-2688	0.685	16	10	<10	0.3	1900	<1	390
MG-2689	0.450	24	24	<10	0.4	1500	<1	550
MG-2690	0.560	19	8	<10	0.3	1600	<1	460
MG-2691	0.545	14	8	<10	0.5	1720	<1	370
MG-2692	0.405	40	63	<10	0.2	2150	<1	520
MG-2693	0.450	15	81	<10	0.2	1870	<1	380
MG-2694	0.475	6	>200	<10	<0.1	2050	<1	110
MG-2695	0.530	5	75	<10	0.2	1330	<1	290
MG-2696	0.570	7	74	<10	0.1	1830	<1	230
MG-2697	0.415	9	137	<10	0.7	950	<1	40
MG-2698	0.545	7	32	<10	0.3	1210	<1	410

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142643 Order: MG-2619 to MG-2701

Report File No.: 0000008546

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2699	0.450	2	>200	<10	<0.1	1280	<1	100
MG-2700	0.585	6	170	<10	<0.1	2530	<1	170
MG-2701	0.450	4	59	<10	0.2	1790	<1	200

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2619	9	11	18	<100	<0.5	960	12	5.8
MG-2620	9	1010	64	200	5.0	460	79	40.2
MG-2621	9	10	45	<100	<0.5	1110	13	6.8
MG-2622	10	362	27	<100	<0.5	1280	100	61.0
MG-2623	3	222	39	<100	<0.5	1270	38	23.5
MG-2624	2	15	32	<100	<0.5	870	11	5.5
MG-2625	16	501	19	<100	<0.5	1040	59	30.9
MG-2626	23	267	26	<100	<0.5	710	48	27.7
MG-2627	4	64	72	<100	<0.5	1000	18	9.2
MG-2628	11	116	63	<100	<0.5	1100	16	8.8
MG-2629	7	11	28	<100	<0.5	1130	17	9.5
MG-2630	2	1670	56	<100	<0.5	1030	244	149
MG-2631	5	406	78	200	20.9	760	29	14.0
MG-2632	7	461	41	<100	25.8	350	36	17.2
MG-2633	15	118	81	<100	15.5	610	16	9.3
MG-2634	21	123	29	<100	11.7	650	21	11.7
MG-2635	6	10	25	<100	3.9	110	<1	0.8
MG-2636	3	144	30	100	25.8	2200	10	5.4
MG-2637	4	37	55	<100	<0.5	780	11	4.7
MG-2638	10	38	11	<100	<0.5	1620	21	10.9
MG-2639	10	48	11	<100	<0.5	1200	19	10.8
MG-2640	5	45	15	<100	<0.5	940	11	5.8
MG-2641	8	54	12	<100	<0.5	610	7	3.5
MG-2642	6	61	13	<100	<0.5	520	11	6.2
MG-2643	16	133	115	<100	<0.5	3530	13	7.2
MG-2644	5	366	158	<100	<0.5	3870	11	6.0
MG-2645	3	337	119	<100	<0.5	2760	9	4.8
MG-2646	2	235	79	<100	<0.5	2550	12	6.4
MG-2647	10	591	160	<100	<0.5	3000	19	10.0
MG-2648	2	29	13	<100	<0.5	660	8	4.7
MG-2649	<1	<5	<5	<100	<0.5	670	16	8.6
MG-2650	<1	133	14	<100	2.8	120	13	5.7
MG-2651	8	328	128	<100	0.6	4540	15	8.6
MG-2652	3	38	8	<100	<0.5	730	7	3.9
MG-2653	5	9	37	<100	<0.5	1080	10	5.9
MG-2654	1	46	8	<100	<0.5	900	19	10.0
MG-2655	6	123	41	<100	<0.5	890	29	13.0
MG-2656	11	420	66	<100	<0.5	940	47	25.5
MG-2657	6	70	48	<100	<0.5	1460	27	10.6
MG-2658	12	491	16	<100	2.7	830	44	18.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2659	3	652	117	100	71.9	1130	52	18.0
MG-2660	9	209	87	200	19.8	220	12	5.5
MG-2661	21	305	150	<100	1.6	1310	39	20.1
MG-2662	5	264	664	<100	3.9	1360	20	8.4
MG-2663	3	192	72	400	25.6	660	9	4.4
MG-2664	<1	150	73	300	28.5	910	8	3.6
MG-2665	8	90	58	100	19.8	490	10	5.9
MG-2666	19	77	121	200	27.0	210	8	5.5
MG-2667	26	97	83	<100	56.2	780	16	8.9
MG-2668	5	622	32	<100	<0.5	1340	179	101
MG-2669	2	339	28	<100	<0.5	780	43	21.3
MG-2670	4	25	11	<100	<0.5	800	9	4.6
MG-2671	4	10	8	<100	<0.5	700	6	3.2
MG-2672	6	11	16	<100	<0.5	1040	13	7.9
MG-2673	50	165	45	<100	<0.5	1130	21	13.5
MG-2674	6	135	15	<100	<0.5	860	25	12.8
MG-2675	3	70	21	<100	<0.5	610	18	11.3
MG-2676	13	202	23	<100	<0.5	510	31	19.7
MG-2677	6	45	92	<100	<0.5	580	7	3.1
MG-2678	2	48	36	<100	<0.5	480	12	6.0
MG-2679	6	235	14	<100	0.6	530	38	18.9
MG-2680	2	1040	51	<100	3.3	250	85	43.5
MG-2681	5	923	54	<100	3.7	340	60	27.5
MG-2682	4	8	17	<100	0.5	690	3	1.4
MG-2683	6	12	21	<100	<0.5	1470	10	4.3
MG-2684	6	133	98	<100	<0.5	1330	16	9.9
MG-2685	7	234	40	<100	<0.5	910	19	10.4
MG-2686	9	266	111	<100	<0.5	1160	15	7.8
MG-2687	2	35	13	<100	<0.5	550	9	4.2
MG-2688	2	<5	6	<100	<0.5	1010	8	4.1
MG-2689	11	55	8	<100	<0.5	1230	15	7.0
MG-2690	3	<5	28	<100	<0.5	1080	8	3.9
MG-2691	3	17	83	<100	<0.5	1000	6	3.0
MG-2692	40	371	28	<100	<0.5	1110	72	39.8
MG-2693	6	399	21	100	0.7	830	60	35.6
MG-2694	9	504	85	100	4.9	310	32	14.9
MG-2695	2	795	16	<100	0.6	530	73	37.1
MG-2696	7	1460	105	<100	2.2	470	70	32.2
MG-2697	11	622	119	<100	16.9	520	34	14.5
MG-2698	3	704	14	<100	0.7	850	39	18.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142643 Order: MG-2619 to MG-2701

Report File No.: 0000008546

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2699	16	157	102	200	17.9	170	14	6.8
MG-2700	5	548	55	100	8.3	180	27	12.7
MG-2701	2	750	37	<100	2.9	160	27	10.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2619	3.3	8	<1	18	1	<0.5	17.9	24
MG-2620	25.4	148	28	109	<1	<0.5	24.7	461
MG-2621	2.8	6	<1	16	<1	<0.5	19.3	16
MG-2622	23.1	10	<1	121	<1	<0.5	22.6	294
MG-2623	9.4	10	<1	49	<1	<0.5	22.5	115
MG-2624	2.9	4	<1	16	<1	<0.5	10.0	13
MG-2625	15.2	18	<1	77	<1	<0.5	14.8	184
MG-2626	9.5	47	1	48	<1	<0.5	20.9	118
MG-2627	4.5	5	<1	25	<1	<0.5	14.7	34
MG-2628	4.8	10	<1	24	<1	<0.5	11.3	45
MG-2629	3.6	4	<1	21	1	<0.5	10.2	11
MG-2630	62.7	11	2	313	<1	<0.5	10.3	884
MG-2631	10.2	167	43	39	<1	<0.5	21.3	185
MG-2632	15.5	22	11	58	1	<0.5	3.5	242
MG-2633	3.1	128	43	13	<1	<0.5	10.1	53
MG-2634	4.5	24	5	20	1	<0.5	9.2	48
MG-2635	<0.5	123	25	<1	<1	<0.5	9.4	5
MG-2636	3.5	150	19	14	<1	<0.5	5.7	65
MG-2637	3.8	7	<1	19	<1	<0.5	9.3	29
MG-2638	5.2	11	<1	27	<1	<0.5	15.2	41
MG-2639	4.5	18	<1	24	<1	<0.5	14.4	49
MG-2640	2.9	7	<1	16	<1	<0.5	19.3	24
MG-2641	2.4	10	<1	12	<1	<0.5	19.2	30
MG-2642	2.7	10	<1	14	<1	<0.5	15.7	30
MG-2643	3.4	27	<1	16	<1	<0.5	19.6	57
MG-2644	3.8	62	<1	17	<1	<0.5	18.5	118
MG-2645	3.2	55	2	14	<1	<0.5	19.5	103
MG-2646	4.2	36	1	19	<1	<0.5	17.7	74
MG-2647	7.3	106	2	31	<1	<0.5	22.6	246
MG-2648	1.7	3	<1	10	<1	<0.5	14.5	4
MG-2649	3.1	4	<1	19	2	<0.5	10.8	14
MG-2650	4.6	3	4	21	<1	<0.5	3.3	52
MG-2651	4.8	99	2	22	<1	<0.5	17.0	142
MG-2652	1.6	3	<1	9	<1	<0.5	15.5	4
MG-2653	2.0	5	<1	11	<1	<0.5	17.1	5
MG-2654	4.8	8	<1	26	1	<0.5	15.4	44
MG-2655	8.8	12	<1	43	<1	<0.5	20.4	91
MG-2656	12.6	25	<1	61	<1	<0.5	15.4	174
MG-2657	10.3	6	<1	48	<1	<0.5	13.9	72
MG-2658	16.0	30	1	67	<1	<0.5	13.4	196

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2659	24.4	235	34	86	<1	<0.5	29.6	287
MG-2660	3.8	98	33	15	1	<0.5	31.9	78
MG-2661	10.3	23	<1	47	<1	<0.5	16.2	129
MG-2662	9.5	18	<1	39	<1	<0.5	4.8	166
MG-2663	3.5	294	25	12	1	<0.5	6.9	101
MG-2664	2.9	337	17	10	<1	<0.5	7.0	80
MG-2665	2.3	130	8	9	<1	<0.5	5.5	46
MG-2666	1.8	171	50	8	<1	<0.5	19.9	40
MG-2667	3.0	43	9	14	1	<0.5	13.7	40
MG-2668	49.4	14	2	238	<1	<0.5	14.0	700
MG-2669	14.2	18	<1	65	<1	<0.5	14.6	210
MG-2670	2.1	4	<1	12	<1	<0.5	15.2	6
MG-2671	1.4	2	<1	8	<1	<0.5	10.1	1
MG-2672	2.4	3	<1	16	<1	<0.5	19.2	5
MG-2673	5.0	22	2	25	<1	<0.5	12.1	70
MG-2674	6.7	12	<1	33	<1	<0.5	28.1	82
MG-2675	4.1	10	<1	21	<1	<0.5	18.5	49
MG-2676	7.2	24	1	36	<1	<0.5	24.9	104
MG-2677	2.2	6	<1	11	<1	<0.5	22.0	18
MG-2678	3.8	10	<1	19	<1	<0.5	32.1	35
MG-2679	10.7	18	<1	50	<1	<0.5	13.7	119
MG-2680	27.4	100	18	113	<1	<0.5	11.5	427
MG-2681	21.3	71	10	81	<1	<0.5	11.9	340
MG-2682	1.1	6	<1	5	<1	<0.5	12.2	6
MG-2683	2.5	5	<1	13	<1	<0.5	14.4	14
MG-2684	3.6	6	<1	20	<1	<0.5	16.9	40
MG-2685	5.3	15	2	26	<1	<0.5	18.9	89
MG-2686	4.4	21	1	22	<1	<0.5	18.5	88
MG-2687	2.5	5	<1	13	<1	<0.5	15.8	27
MG-2688	1.7	3	<1	10	<1	<0.5	15.4	5
MG-2689	4.3	8	<1	21	1	<0.5	21.5	36
MG-2690	1.6	4	<1	10	<1	<0.5	14.5	2
MG-2691	1.5	5	<1	9	<1	<0.5	14.6	6
MG-2692	17.9	22	<1	89	<1	<0.5	33.7	243
MG-2693	14.2	17	2	69	<1	<0.5	28.9	158
MG-2694	9.7	105	25	39	<1	<0.5	29.2	169
MG-2695	23.4	17	1	106	<1	<0.5	13.7	300
MG-2696	25.8	63	4	107	<1	<0.5	18.3	408
MG-2697	15.0	26	6	56	<1	<0.5	24.1	305
MG-2698	16.4	33	2	68	<1	<0.5	4.6	321

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142643 Order: MG-2619 to MG-2701

Report File No.: 0000008546

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2699	4.7	74	14	17	<1	<0.5	17.8	72
MG-2700	10.2	89	20	40	<1	<0.5	21.5	206
MG-2701	11.9	32	5	46	<1	<0.5	11.3	273

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2619	144	138	250	<5	<0.5	52	210	<0.1
MG-2620	38	39	1290	<5	17.4	636	174	2.8
MG-2621	74	151	1670	<5	<0.5	40	185	<0.1
MG-2622	32	198	1720	<5	<0.5	438	346	<0.1
MG-2623	20	180	1680	<5	<0.5	181	271	<0.1
MG-2624	69	133	1860	<5	<0.5	39	141	<0.1
MG-2625	8	144	560	<5	<0.5	299	558	<0.1
MG-2626	7	128	1570	<5	<0.5	176	532	<0.1
MG-2627	56	203	4380	<5	<0.5	71	326	<0.1
MG-2628	31	151	2060	<5	<0.5	87	482	<0.1
MG-2629	69	162	1540	<5	<0.5	36	370	<0.1
MG-2630	18	174	2990	<5	<0.5	1270	422	<0.1
MG-2631	30	18	1120	14	23.6	204	124	2.7
MG-2632	<5	<1	630	9	0.7	345	81	1.0
MG-2633	12	7	260	9	12.6	60	155	3.7
MG-2634	<5	<1	380	<5	<0.5	80	36	0.8
MG-2635	<5	3	120	<5	2.6	4	31	1.4
MG-2636	<5	1	150	10	5.0	71	77	2.9
MG-2637	<5	123	1330	<5	<0.5	56	102	<0.1
MG-2638	31	145	470	<5	<0.5	84	544	<0.1
MG-2639	17	132	360	<5	<0.5	87	392	<0.1
MG-2640	14	116	660	<5	<0.5	51	273	<0.1
MG-2641	9	107	320	<5	<0.5	50	220	<0.1
MG-2642	44	125	360	<5	<0.5	54	237	<0.1
MG-2643	46	116	2740	27	1.7	79	498	0.2
MG-2644	43	96	17500	68	2.3	143	324	0.1
MG-2645	37	93	15100	86	2.0	116	305	0.2
MG-2646	34	88	7280	126	1.0	113	123	0.1
MG-2647	39	87	17900	30	1.1	265	284	0.5
MG-2648	108	135	1450	8	<0.5	16	74	<0.1
MG-2649	12	129	180	<5	<0.5	38	85	<0.1
MG-2650	<5	1	360	<5	<0.5	97	20	0.8
MG-2651	48	70	9900	123	3.7	163	417	0.4
MG-2652	87	94	2480	15	<0.5	17	55	<0.1
MG-2653	110	141	1020	<5	<0.5	20	143	<0.1
MG-2654	22	126	350	<5	<0.5	83	151	<0.1
MG-2655	<5	147	1390	<5	<0.5	156	206	<0.1
MG-2656	20	152	3220	<5	<0.5	249	306	<0.1
MG-2657	11	135	1810	<5	<0.5	159	246	<0.1
MG-2658	<5	82	270	<5	<0.5	307	359	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2659	40	30	1860	8	12.1	396	198	2.3
MG-2660	9	15	3240	6	12.3	76	137	5.6
MG-2661	<5	94	12500	<5	<0.5	193	640	<0.1
MG-2662	5	163	10500	<5	<0.5	235	316	<0.1
MG-2663	10	10	280	12	17.2	83	240	6.7
MG-2664	6	3	50	8	8.4	70	179	2.5
MG-2665	<5	2	50	<5	2.3	48	160	2.2
MG-2666	16	8	800	6	16.3	39	98	5.5
MG-2667	<5	1	1570	<5	0.9	57	256	3.4
MG-2668	9	159	2930	<5	<0.5	976	205	0.1
MG-2669	17	121	660	<5	<0.5	295	179	0.1
MG-2670	54	126	1440	<5	<0.5	21	212	<0.1
MG-2671	88	110	610	<5	<0.5	9	171	<0.1
MG-2672	76	150	1120	<5	<0.5	21	113	<0.1
MG-2673	23	97	2100	<5	0.7	99	705	0.7
MG-2674	11	127	860	<5	<0.5	133	243	<0.1
MG-2675	17	133	1510	<5	<0.5	80	145	<0.1
MG-2676	15	121	1240	<5	<0.5	149	397	<0.1
MG-2677	<5	93	2400	<5	<0.5	36	149	<0.1
MG-2678	7	94	1310	<5	<0.5	65	123	<0.1
MG-2679	10	94	860	<5	<0.5	194	210	<0.1
MG-2680	9	42	420	<5	15.3	605	104	1.8
MG-2681	6	55	870	<5	8.7	454	110	1.1
MG-2682	58	131	180	<5	<0.5	16	244	<0.1
MG-2683	27	150	1100	<5	<0.5	33	459	<0.1
MG-2684	55	133	8850	<5	<0.5	69	247	<0.1
MG-2685	22	107	3670	<5	0.8	127	252	<0.1
MG-2686	29	111	2760	<5	0.9	118	389	<0.1
MG-2687	10	100	700	<5	<0.5	48	101	<0.1
MG-2688	49	114	510	<5	<0.5	17	65	<0.1
MG-2689	25	125	260	<5	<0.5	71	395	<0.1
MG-2690	51	107	1510	<5	<0.5	13	164	<0.1
MG-2691	55	93	5140	<5	<0.5	19	194	<0.1
MG-2692	18	116	2540	<5	<0.5	355	759	<0.1
MG-2693	<5	105	1380	<5	<0.5	246	427	<0.1
MG-2694	23	28	2800	<5	18.7	204	157	3.2
MG-2695	<5	84	1140	<5	<0.5	473	146	0.2
MG-2696	7	68	4780	<5	2.6	586	208	0.6
MG-2697	<5	4	710	<5	1.9	325	176	1.1
MG-2698	6	71	260	<5	0.6	431	354	0.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142643 Order: MG-2619 to MG-2701

Report File No.: 0000008546

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2699	6	11	6400	<5	3.8	88	233	3.3
MG-2700	14	35	1280	<5	14.1	240	126	2.1
MG-2701	<5	41	920	<5	5.3	318	75	0.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2619	20	<1	10	<1	22	<1	6	14
MG-2620	370	<1	143	<1	190	<1	137	120
MG-2621	20	<1	7	<1	35	<1	7	11
MG-2622	120	<1	93	<1	9	<1	18	99
MG-2623	40	<1	38	<1	<5	<1	12	40
MG-2624	20	<1	6	<1	16	<1	<5	12
MG-2625	110	<1	65	<1	70	<1	18	71
MG-2626	160	<1	39	<1	111	<1	41	42
MG-2627	50	<1	13	<1	34	<1	6	20
MG-2628	70	<1	17	<1	82	<1	7	21
MG-2629	10	<1	6	<1	122	<1	7	13
MG-2630	80	<1	270	<1	49	<1	38	277
MG-2631	270	<1	47	<1	361	<1	83	43
MG-2632	270	<1	78	<1	105	<1	43	65
MG-2633	330	<1	15	<1	110	<1	51	13
MG-2634	470	<1	18	<1	95	<1	54	17
MG-2635	20	<1	1	<1	48	<1	13	<1
MG-2636	130	<1	17	<1	94	<1	39	15
MG-2637	20	<1	10	<1	43	<1	8	15
MG-2638	40	<1	17	<1	101	<1	8	23
MG-2639	40	<1	18	<1	62	<1	9	21
MG-2640	20	<1	10	<1	26	<1	6	13
MG-2641	20	<1	11	<1	16	<1	<5	11
MG-2642	20	<1	11	<1	43	<1	7	12
MG-2643	380	<1	19	<1	53	<1	9	17
MG-2644	130	<1	34	<1	16	<1	10	23
MG-2645	180	<1	30	<1	19	<1	14	18
MG-2646	270	<1	24	<1	14	<1	8	20
MG-2647	50	<1	70	<1	41	<1	29	41
MG-2648	30	<1	2	<1	<5	<1	<5	7
MG-2649	<10	<1	7	<1	49	<1	7	12
MG-2650	40	<1	21	<1	53	<1	10	22
MG-2651	350	<1	41	<1	36	<1	29	28
MG-2652	30	<1	2	<1	6	<1	<5	6
MG-2653	20	<1	3	<1	68	<1	5	7
MG-2654	10	<1	17	<1	16	<1	7	21
MG-2655	20	<1	33	<1	35	<1	10	38
MG-2656	60	<1	56	<1	88	<1	21	57
MG-2657	20	<1	30	<1	44	<1	8	43
MG-2658	50	<1	69	<1	148	<1	17	69

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2659	120	<1	87	<1	277	<1	88	89
MG-2660	260	<1	18	<1	316	<1	35	16
MG-2661	110	<1	43	<1	175	<1	37	45
MG-2662	20	<1	51	<1	85	<1	8	44
MG-2663	60	<1	22	<1	104	<1	41	15
MG-2664	30	<1	18	<1	96	<1	34	13
MG-2665	120	<1	11	<1	59	<1	22	10
MG-2666	470	<1	9	<1	187	1	46	8
MG-2667	180	<1	13	<1	196	<1	28	13
MG-2668	90	<1	214	<1	33	<1	50	215
MG-2669	40	<1	64	<1	66	<1	15	62
MG-2670	20	<1	3	<1	37	<1	<5	8
MG-2671	20	<1	1	<1	60	<1	<5	5
MG-2672	30	<1	3	<1	<5	<1	<5	9
MG-2673	120	<1	22	<1	19	<1	13	22
MG-2674	30	<1	29	<1	30	<1	11	30
MG-2675	40	<1	17	<1	18	<1	9	18
MG-2676	100	<1	34	<1	46	<1	13	33
MG-2677	10	<1	7	<1	22	<1	<5	9
MG-2678	20	<1	13	<1	25	<1	9	16
MG-2679	60	<1	41	<1	182	<1	15	46
MG-2680	310	<1	136	<1	154	<1	101	122
MG-2681	240	<1	106	<1	185	<1	48	94
MG-2682	<10	<1	3	<1	57	<1	<5	4
MG-2683	10	<1	6	<1	104	<1	5	10
MG-2684	20	<1	14	<1	7	<1	8	16
MG-2685	30	<1	28	<1	28	<1	13	26
MG-2686	110	<1	28	<1	15	<1	8	22
MG-2687	10	<1	9	<1	15	<1	<5	12
MG-2688	30	<1	3	<1	22	<1	<5	6
MG-2689	30	<1	14	<1	38	<1	6	18
MG-2690	20	<1	2	<1	25	<1	<5	6
MG-2691	50	<1	3	<1	25	<1	<5	6
MG-2692	110	<1	81	<1	77	<1	25	81
MG-2693	80	<1	53	<1	169	<1	26	60
MG-2694	260	<1	48	<1	314	<1	77	42
MG-2695	70	<1	101	<1	178	<1	38	103
MG-2696	110	<1	135	<1	179	<1	51	120
MG-2697	240	<1	78	<1	195	<1	56	62
MG-2698	20	<1	98	<1	27	<1	14	78

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2699	340	<1	21	<1	142	<1	30	19
MG-2700	140	<1	58	<1	331	<1	58	47
MG-2701	50	<1	77	<1	241	<1	22	56

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2619	<1	1170	<1	2	<10	6.4	3	<0.5
MG-2620	2	320	1	14	<10	155	4360	0.7
MG-2621	<1	1610	<1	2	<10	9.0	22	<0.5
MG-2622	<1	2790	<1	16	<10	69.9	4	<0.5
MG-2623	<1	1940	<1	6	<10	76.4	7	<0.5
MG-2624	<1	1360	<1	2	<10	7.9	6	<0.5
MG-2625	<1	1160	<1	10	<10	55.6	7	<0.5
MG-2626	<1	1040	<1	7	<10	36.5	30	<0.5
MG-2627	<1	1710	<1	3	<10	17.5	4	<0.5
MG-2628	<1	1100	<1	3	<10	25.0	<3	<0.5
MG-2629	<1	1180	<1	3	<10	6.7	<3	<0.5
MG-2630	<1	2590	<1	40	<10	46.7	16	<0.5
MG-2631	4	210	2	5	<10	57.1	7900	1.2
MG-2632	<1	20	<1	7	<10	20.9	426	<0.5
MG-2633	5	70	<1	2	<10	35.0	5030	0.7
MG-2634	<1	10	<1	3	<10	15.5	353	<0.5
MG-2635	<1	30	<1	<1	<10	4.2	1190	<0.5
MG-2636	<1	20	<1	2	<10	29.8	2270	<0.5
MG-2637	<1	1120	<1	2	<10	6.8	97	<0.5
MG-2638	<1	1270	<1	4	<10	15.3	<3	<0.5
MG-2639	<1	1340	<1	3	<10	23.6	6	<0.5
MG-2640	<1	1270	<1	2	<10	21.5	8	<0.5
MG-2641	<1	1310	<1	1	<10	25.5	13	<0.5
MG-2642	<1	1390	<1	2	<10	30.7	32	<0.5
MG-2643	<1	1130	<1	2	<10	22.5	37	<0.5
MG-2644	<1	980	<1	2	<10	51.8	60	<0.5
MG-2645	<1	980	<1	2	<10	55.2	180	<0.5
MG-2646	<1	1100	<1	2	<10	41.2	122	<0.5
MG-2647	<1	1090	<1	3	<10	71.4	114	<0.5
MG-2648	<1	1220	<1	1	<10	5.6	7	<0.5
MG-2649	<1	1290	<1	2	<10	8.6	9	<0.5
MG-2650	<1	30	<1	3	<10	4.3	46	<0.5
MG-2651	<1	750	<1	3	<10	36.9	173	<0.5
MG-2652	<1	780	<1	1	<10	5.1	3	<0.5
MG-2653	<1	940	<1	2	<10	8.0	5	<0.5
MG-2654	<1	1060	<1	3	<10	24.0	26	<0.5
MG-2655	<1	1180	<1	5	<10	39.2	11	<0.5
MG-2656	<1	1140	<1	8	<10	53.1	24	<0.5
MG-2657	<1	1080	<1	5	<10	24.4	4	<0.5
MG-2658	<1	750	<1	8	<10	32.2	62	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2659	3	260	<1	11	<10	70.0	3230	1.8
MG-2660	2	210	<1	2	<10	33.6	4880	0.6
MG-2661	<1	720	<1	7	10	17.2	9	0.7
MG-2662	<1	1260	<1	4	<10	19.0	5	0.9
MG-2663	3	170	1	2	<10	40.1	4630	1.6
MG-2664	1	60	<1	1	<10	31.3	2560	1.1
MG-2665	<1	70	<1	2	<10	22.1	615	0.6
MG-2666	5	90	1	1	<10	23.7	6700	1.2
MG-2667	<1	30	<1	2	<10	11.4	299	<0.5
MG-2668	<1	2180	<1	30	<10	31.4	21	<0.5
MG-2669	<1	1390	<1	8	<10	49.3	20	<0.5
MG-2670	<1	820	<1	2	<10	7.4	<3	<0.5
MG-2671	<1	700	<1	1	<10	1.7	3	<0.5
MG-2672	<1	1620	<1	2	<10	2.5	<3	<0.5
MG-2673	<1	1020	<1	4	<10	13.8	92	<0.5
MG-2674	<1	1370	<1	5	<10	51.3	27	<0.5
MG-2675	<1	1370	<1	3	<10	38.1	23	<0.5
MG-2676	<1	1180	<1	5	<10	24.9	46	<0.5
MG-2677	<1	1260	<1	1	<10	6.1	<3	<0.5
MG-2678	<1	1190	<1	2	<10	28.9	42	<0.5
MG-2679	<1	1290	<1	7	<10	42.2	31	<0.5
MG-2680	1	600	<1	16	<10	72.5	4410	0.6
MG-2681	<1	740	<1	11	<10	63.0	2290	0.6
MG-2682	<1	970	<1	<1	<10	0.9	28	<0.5
MG-2683	<1	1070	<1	2	<10	3.8	15	<0.5
MG-2684	<1	1730	<1	3	<10	18.0	14	<0.5
MG-2685	<1	1410	<1	3	<10	62.3	141	<0.5
MG-2686	1	1160	<1	3	<10	58.8	71	<0.5
MG-2687	<1	1130	<1	2	<10	16.8	4	<0.5
MG-2688	<1	860	<1	1	<10	4.0	3	<0.5
MG-2689	<1	1050	<1	3	<10	21.0	<3	<0.5
MG-2690	<1	1010	<1	1	<10	4.4	<3	<0.5
MG-2691	<1	760	<1	1	<10	6.1	3	<0.5
MG-2692	<1	1270	<1	12	<10	28.8	14	<0.5
MG-2693	<1	1110	<1	10	<10	38.0	93	<0.5
MG-2694	2	320	1	6	<10	101	4740	0.7
MG-2695	<1	980	<1	14	<10	54.3	105	<0.5
MG-2696	<1	670	<1	14	<10	60.1	639	0.7
MG-2697	<1	90	<1	7	<10	22.5	660	0.5
MG-2698	<1	1930	<1	8	<10	37.9	139	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142643 Order: MG-2619 to MG-2701

Report File No.: 0000008546

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2699	<1	240	<1	2	<10	19.9	1490	0.6
MG-2700	1	550	<1	5	<10	66.4	3790	0.8
MG-2701	<1	820	<1	6	<10	41.6	1400	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142643 Order: MG-2619 to MG-2701

Report File No.: 0000008546

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2619	15	<1	57	4	270	<5
MG-2620	20	2	379	32	350	267
MG-2621	22	<1	60	5	130	9
MG-2622	39	<1	493	50	360	34
MG-2623	81	<1	161	19	110	27
MG-2624	19	<1	53	5	30	8
MG-2625	276	<1	290	25	100	26
MG-2626	437	<1	247	22	80	44
MG-2627	16	<1	87	8	20	10
MG-2628	159	<1	84	7	<20	8
MG-2629	10	<1	82	8	<20	5
MG-2630	40	<1	1160	128	100	27
MG-2631	19	5	138	11	240	137
MG-2632	18	<1	184	12	100	30
MG-2633	11	129	78	7	220	87
MG-2634	10	<1	115	10	160	38
MG-2635	2	2	5	1	40	19
MG-2636	15	8	47	4	50	55
MG-2637	27	<1	52	3	40	9
MG-2638	60	<1	113	9	<20	9
MG-2639	213	<1	93	9	<20	13
MG-2640	161	<1	50	5	<20	11
MG-2641	94	<1	35	3	140	12
MG-2642	79	<1	50	5	260	15
MG-2643	339	<1	71	7	290	14
MG-2644	153	2	60	6	60	35
MG-2645	196	2	48	5	70	31
MG-2646	39	2	59	6	20	63
MG-2647	119	<1	101	11	120	74
MG-2648	27	<1	47	4	30	9
MG-2649	28	<1	69	7	<20	9
MG-2650	7	1	61	4	30	9
MG-2651	240	3	83	9	190	56
MG-2652	13	<1	41	3	50	8
MG-2653	18	<1	46	5	80	8
MG-2654	9	<1	89	8	20	23
MG-2655	30	<1	143	9	150	16
MG-2656	24	<1	223	22	130	40
MG-2657	10	<1	114	7	70	7
MG-2658	43	<1	200	13	<20	27

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142643 Order: MG-2619 to MG-2701

Report File No.: 0000008546

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2659	30	2	203	13	440	111
MG-2660	9	2	53	4	640	57
MG-2661	176	<1	205	15	160	22
MG-2662	48	<1	96	6	70	5
MG-2663	16	4	39	3	120	70
MG-2664	13	2	31	3	30	54
MG-2665	9	<1	43	5	130	30
MG-2666	8	6	40	5	430	75
MG-2667	7	1	90	7	880	23
MG-2668	34	<1	975	81	200	38
MG-2669	14	<1	212	16	20	21
MG-2670	6	<1	43	4	<20	9
MG-2671	4	<1	32	3	<20	6
MG-2672	8	<1	77	6	80	6
MG-2673	1380	<1	112	12	1020	32
MG-2674	126	<1	106	10	220	23
MG-2675	63	<1	82	10	160	22
MG-2676	172	<1	161	17	120	24
MG-2677	15	<1	33	2	120	6
MG-2678	34	<1	50	5	150	16
MG-2679	55	<1	160	14	90	23
MG-2680	15	2	429	37	190	102
MG-2681	17	2	275	20	150	83
MG-2682	17	<1	16	1	<20	<5
MG-2683	23	<1	49	3	<20	<5
MG-2684	67	<1	76	9	200	13
MG-2685	79	<1	83	9	350	45
MG-2686	68	<1	70	7	130	21
MG-2687	33	<1	38	3	20	12
MG-2688	10	<1	40	4	30	9
MG-2689	94	<1	69	5	80	11
MG-2690	11	<1	37	3	<20	7
MG-2691	10	1	30	3	20	12
MG-2692	89	<1	339	32	650	34
MG-2693	63	<1	298	26	210	36
MG-2694	16	2	142	11	850	183
MG-2695	26	<1	344	27	100	37
MG-2696	39	<1	331	25	310	53
MG-2697	18	<1	166	10	260	33
MG-2698	16	<1	215	14	30	19

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC142643 Order: MG-2619 to MG-2701

Report File No.: 0000008546

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2699	8	<1	65	5	920	31
MG-2700	13	2	114	10	330	122
MG-2701	11	<1	114	7	110	55

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC142644

[Report File No.: 0000008556]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Sep 09, 2014

P.O. No.	:	MG-2702 to MG-2715
Project No.	:	-
No. Of Samples	:	14
Date Submitted	:	Aug 15, 2014
Report Comprises	:	Pages 1 to 8 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result
*INF = Composition of this sample makes detection impossible by this method
M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion
Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the @ symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142644 Order: MG-2702 to MG-2715

Report File No.: 0000008556

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2702	0.435	6	56	<10	0.5	2200	<1	440
MG-2703	0.610	16	21	<10	0.3	2330	<1	420
MG-2704	0.580	14	29	<10	0.3	1640	<1	440
MG-2705	0.350	7	72	<10	0.4	2740	<1	520
MG-2706	0.405	10	61	<10	0.6	2240	<1	480
MG-2707	0.630	26	5	<10	0.4	1660	<1	360
MG-2708	0.475	13	42	<10	0.1	1590	<1	470
MG-2709	0.465	42	35	<10	0.1	1870	<1	670
MG-2710	0.535	17	6	<10	0.5	1350	<1	430
MG-2711	0.600	35	10	<10	0.4	1820	<1	500
MG-2712	0.505	22	7	<10	0.6	1750	<1	500
MG-2713	0.495	44	12	<10	0.4	1600	<1	530
MG-2714	0.525	26	45	<10	0.2	1560	<1	400
MG-2715	0.520	14	66	<10	0.2	1350	<1	280

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142644 Order: MG-2702 to MG-2715

Report File No.: 0000008556

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2702	3	471	16	<100	0.5	650	76	42.7
MG-2703	4	99	84	<100	<0.5	680	13	6.2
MG-2704	4	133	91	<100	0.5	670	18	8.8
MG-2705	19	161	66	<100	<0.5	370	30	17.7
MG-2706	7	412	23	<100	<0.5	1010	95	56.4
MG-2707	3	17	10	<100	<0.5	1060	10	5.0
MG-2708	12	201	22	<100	<0.5	560	18	9.6
MG-2709	23	90	7	<100	<0.5	1170	22	11.9
MG-2710	4	10	16	<100	<0.5	700	10	4.4
MG-2711	5	33	14	<100	<0.5	910	15	7.1
MG-2712	2	<5	16	<100	<0.5	750	9	4.5
MG-2713	9	34	18	<100	<0.5	1040	12	5.1
MG-2714	22	224	41	<100	<0.5	290	29	13.7
MG-2715	6	368	10	<100	1.4	270	31	13.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142644 Order: MG-2702 to MG-2715

Report File No.: 0000008556

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2702	18.8	17	2	89	<1	<0.5	13.3	159
MG-2703	4.2	10	<1	19	<1	<0.5	24.5	58
MG-2704	5.0	17	2	24	<1	<0.5	15.3	61
MG-2705	7.0	15	1	32	<1	<0.5	53.4	70
MG-2706	22.0	14	1	108	<1	<0.5	29.1	241
MG-2707	2.7	2	<1	15	<1	<0.5	17.7	4
MG-2708	5.1	20	1	25	<1	<0.5	25.4	78
MG-2709	5.6	14	<1	28	<1	<0.5	29.4	61
MG-2710	3.3	3	<1	16	<1	<0.5	15.2	20
MG-2711	4.9	5	<1	23	<1	<0.5	16.9	34
MG-2712	2.4	3	<1	12	1	<0.5	13.7	8
MG-2713	4.0	4	<1	19	<1	<0.5	25.8	25
MG-2714	8.6	19	1	38	<1	<0.5	34.6	87
MG-2715	10.5	27	3	43	<1	<0.5	14.2	140

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142644 Order: MG-2702 to MG-2715

Report File No.: 0000008556

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2702	7	113	1160	<5	0.5	294	175	<0.1
MG-2703	13	105	7870	<5	<0.5	88	221	0.1
MG-2704	12	99	4290	<5	0.6	101	218	0.1
MG-2705	9	132	3840	<5	<0.5	117	158	0.2
MG-2706	15	138	970	<5	<0.5	408	168	<0.1
MG-2707	101	110	980	<5	<0.5	22	112	<0.1
MG-2708	23	96	710	<5	0.5	117	269	<0.1
MG-2709	18	154	210	<5	<0.5	103	555	<0.1
MG-2710	57	96	670	<5	<0.5	47	138	<0.1
MG-2711	24	112	720	<5	<0.5	71	179	<0.1
MG-2712	37	112	670	<5	<0.5	25	118	<0.1
MG-2713	13	126	620	<5	<0.5	57	275	<0.1
MG-2714	7	89	5780	<5	<0.5	143	257	0.2
MG-2715	<5	71	550	<5	1.0	217	119	0.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142644 Order: MG-2702 to MG-2715

Report File No.: 0000008556

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2702	50	<1	59	<1	169	<1	29	74
MG-2703	40	<1	19	<1	44	<1	6	18
MG-2704	20	<1	22	<1	53	<1	15	22
MG-2705	200	<1	25	<1	70	<1	17	29
MG-2706	100	<1	88	<1	72	<1	32	96
MG-2707	20	<1	3	<1	26	<1	<5	10
MG-2708	50	<1	27	<1	45	<1	9	24
MG-2709	40	<1	22	<1	70	<1	8	24
MG-2710	<10	<1	8	<1	18	<1	<5	13
MG-2711	10	<1	13	<1	67	<1	6	19
MG-2712	<10	<1	4	<1	47	<1	<5	8
MG-2713	20	<1	11	<1	27	<1	<5	16
MG-2714	120	<1	31	<1	25	<1	12	35
MG-2715	60	<1	48	<1	123	<1	18	46

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142644 Order: MG-2702 to MG-2715

Report File No.: 0000008556

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2702	<1	1400	<1	12	<10	55.8	52	<0.5
MG-2703	<1	920	<1	2	<10	33.3	10	<0.5
MG-2704	<1	910	<1	3	<10	51.6	101	<0.5
MG-2705	<1	1370	<1	5	<10	39.6	48	<0.5
MG-2706	<1	1690	<1	15	<10	64.4	36	<0.5
MG-2707	<1	910	<1	2	<10	6.1	5	<0.5
MG-2708	<1	930	<1	3	<10	47.0	72	<0.5
MG-2709	<1	1710	<1	4	<10	23.7	<3	<0.5
MG-2710	<1	1090	<1	2	<10	5.8	<3	<0.5
MG-2711	<1	1160	<1	3	<10	10.5	<3	<0.5
MG-2712	<1	950	<1	2	<10	5.4	<3	<0.5
MG-2713	<1	1070	<1	2	<10	9.0	<3	<0.5
MG-2714	<1	980	<1	5	<10	17.6	17	<0.5
MG-2715	<1	670	<1	5	<10	37.3	280	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Final : VC142644 Order: MG-2702 to MG-2715

Report File No.: 0000008556

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2702	53	<1	334	33	60	37
MG-2703	14	<1	57	5	80	16
MG-2704	91	<1	79	7	20	37
MG-2705	30	<1	131	15	1220	40
MG-2706	40	<1	435	46	400	46
MG-2707	10	<1	55	4	<20	8
MG-2708	189	<1	89	8	290	25
MG-2709	159	<1	114	9	310	12
MG-2710	13	<1	50	3	30	6
MG-2711	20	<1	70	5	20	7
MG-2712	8	<1	43	3	<20	6
MG-2713	41	<1	55	3	80	5
MG-2714	69	<1	128	9	1170	10
MG-2715	19	<1	144	10	50	26

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest

Certificate of Analysis

Work Order : VC143015

[Report File No.: 0000008917]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Oct 06, 2014

P.O. No.	:	MG-1371 to MG-1441
Project No.	:	-
No. Of Samples	:	71
Date Submitted	:	Sep 15, 2014
Report Comprises	:	Pages 1 to 15 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143015 Order: MG-1371 to MG-1441

Report File No.: 0000008917

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 1371	0.575	<1	190	80	<0.1	1580	<1	10
MG - 1372	0.410	3	>200	50	<0.1	1610	4	60
MG - 1373	0.455	4	119	<10	<0.1	920	<1	20
MG - 1374	0.405	7	50	<10	<0.1	370	<1	30
MG - 1375	0.400	19	72	<10	0.4	800	<1	<10
MG - 1376	0.430	19	108	<10	<0.1	660	<1	40
MG - 1377	0.335	14	>200	<10	<0.1	410	<1	40
MG - 1378	0.435	6	90	<10	0.1	510	<1	40
MG - 1379	0.455	<1	>200	<10	<0.1	780	<1	10
MG - 1380	0.595	<1	>200	<10	<0.1	630	<1	<10
MG - 1381	0.670	1	118	<10	<0.1	350	<1	90
MG - 1382	0.665	2	32	110	0.2	250	<1	300
MG - 1383	0.460	2	>200	30	<0.1	1560	<1	10
MG - 1384	0.495	1	>200	30	<0.1	1060	2	<10
MG - 1385	0.415	13	>200	20	<0.1	910	1	10
MG - 1386	0.430	15	>200	10	<0.1	1180	<1	20
MG - 1387	0.555	20	105	<10	<0.1	980	<1	40
MG - 1388	0.405	16	171	10	<0.1	1200	<1	20
MG - 1389	0.520	2	>200	10	<0.1	860	1	40
MG - 1390	0.500	<1	>200	20	<0.1	2060	2	30
MG - 1391	0.445	25	96	<10	<0.1	540	<1	10
MG - 1392	0.395	7	165	10	0.1	1830	<1	30
MG - 1393	0.410	9	116	<10	<0.1	840	<1	60
MG - 1394	0.375	17	195	<10	<0.1	1150	<1	10
MG - 1395	0.410	6	>200	30	<0.1	3430	2	<10
MG - 1396	0.470	9	>200	<10	<0.1	850	<1	<10
MG - 1397	0.280	5	>200	<10	<0.1	1590	<1	90
MG - 1398	0.515	7	159	<10	0.1	2390	<1	190
MG - 1399	0.340	22	95	<10	<0.1	1460	<1	400
MG - 1400	0.320	19	40	<10	<0.1	1990	<1	670
MG - 1401	0.410	21	39	<10	<0.1	1860	<1	660
MG - 1402	0.375	28	49	<10	<0.1	1820	<1	470
MG - 1403	0.290	6	44	<10	<0.1	600	<1	310
MG - 1404	0.530	19	2	<10	<0.1	1970	<1	440
MG - 1405	0.545	13	13	<10	0.3	1490	<1	470
MG - 1406	0.400	9	24	<10	0.1	1140	<1	420
MG - 1407	0.430	17	41	<10	0.2	2370	<1	400
MG - 1408	0.515	14	70	<10	0.2	1760	<1	400
MG - 1409	0.425	20	14	<10	0.5	1750	<1	490
MG - 1410	0.355	27	16	<10	0.2	1600	<1	450

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143015 Order: MG-1371 to MG-1441

Report File No.: 0000008917

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 1411	0.355	4	182	<10	0.1	1900	1	200
MG - 1412	0.415	4	120	<10	<0.1	1800	<1	230
MG - 1413	0.445	5	186	<10	<0.1	1140	<1	130
MG - 1414	0.400	6	97	<10	0.3	1720	<1	380
MG - 1415	0.440	5	26	<10	<0.1	2040	<1	380
MG - 1416	0.445	7	19	<10	0.3	3220	<1	540
MG - 1417	0.455	3	8	<10	<0.1	670	<1	180
MG - 1418	0.400	15	40	<10	0.1	3540	<1	580
MG - 1419	0.450	2	>200	10	<0.1	580	<1	100
MG - 1420	0.470	<1	>200	20	<0.1	560	2	30
MG - 1421	0.465	3	147	<10	<0.1	1510	<1	20
MG - 1422	0.475	1	>200	30	<0.1	1770	3	40
MG - 1423	0.455	<1	143	20	<0.1	480	2	20
MG - 1424	0.430	<1	>200	20	0.2	310	<1	<10
MG - 1425	0.640	4	119	10	0.2	920	<1	180
MG - 1426	0.425	2	>200	20	0.1	1060	1	80
MG - 1427	0.445	7	119	40	0.4	840	<1	180
MG - 1428	0.520	11	59	<10	3.0	270	<1	<10
MG - 1429	0.485	<1	182	10	0.2	1750	<1	20
MG - 1430	0.460	11	47	<10	0.2	2170	<1	380
MG - 1431	0.455	7	98	<10	<0.1	930	<1	260
MG - 1432	0.410	<1	88	<10	<0.1	230	<1	140
MG - 1433	0.470	1	92	<10	<0.1	380	<1	90
MG - 1434	0.460	5	142	<10	<0.1	850	<1	140
MG - 1435	0.395	2	98	<10	<0.1	610	<1	250
MG - 1436	0.475	8	20	<10	0.2	1420	<1	310
MG - 1437	0.585	12	10	<10	0.7	1730	<1	510
MG - 1438	0.410	13	11	<10	0.5	2370	<1	620
MG - 1439	0.390	11	45	<10	<0.1	1250	<1	560
MG - 1440	0.405	3	>200	20	0.9	1380	1	<10
MG - 1441	0.720	<1	>200	20	0.4	820	2	10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 1371	1	89	40	100	3.9	210	5	2.3
MG - 1372	16	168	63	200	5.9	210	12	5.9
MG - 1373	7	136	26	<100	8.5	50	14	6.6
MG - 1374	6	61	21	<100	5.4	80	10	4.9
MG - 1375	8	348	15	<100	6.3	200	35	14.8
MG - 1376	10	258	34	<100	4.9	180	29	12.6
MG - 1377	22	183	48	<100	5.9	180	15	7.0
MG - 1378	6	254	21	<100	8.6	180	30	13.4
MG - 1379	4	129	51	200	4.0	120	18	9.1
MG - 1380	2	127	12	100	2.6	170	18	8.9
MG - 1381	3	1650	27	<100	4.9	540	171	79.9
MG - 1382	5	1410	88	<100	<0.5	1580	94	41.1
MG - 1383	5	112	19	200	8.2	60	10	5.1
MG - 1384	6	63	36	100	3.9	360	5	3.1
MG - 1385	17	69	20	100	9.7	180	8	4.3
MG - 1386	13	223	135	100	7.3	150	16	7.8
MG - 1387	7	227	27	<100	6.9	180	20	8.8
MG - 1388	15	144	36	<100	6.9	120	16	8.6
MG - 1389	5	273	43	100	3.5	610	35	18.5
MG - 1390	3	234	21	500	6.4	120	18	8.4
MG - 1391	8	241	30	<100	8.5	190	25	11.8
MG - 1392	13	212	32	<100	7.8	180	21	9.2
MG - 1393	4	218	26	<100	6.4	80	15	6.6
MG - 1394	9	114	47	<100	5.8	80	15	7.7
MG - 1395	16	101	53	200	15.7	180	8	4.6
MG - 1396	25	79	62	<100	4.7	140	14	8.4
MG - 1397	12	717	116	<100	2.2	320	65	30.9
MG - 1398	18	658	74	<100	0.9	330	52	27.3
MG - 1399	49	550	48	<100	<0.5	490	92	49.5
MG - 1400	33	161	69	<100	<0.5	840	21	13.1
MG - 1401	34	148	60	<100	<0.5	800	20	12.3
MG - 1402	39	73	113	<100	0.6	1400	35	31.4
MG - 1403	2	<5	69	<100	0.7	1740	1	1.8
MG - 1404	4	101	99	<100	<0.5	900	9	4.4
MG - 1405	5	80	55	<100	<0.5	620	10	4.7
MG - 1406	3	169	12	<100	<0.5	420	19	8.8
MG - 1407	6	128	17	<100	<0.5	510	45	20.4
MG - 1408	8	349	25	<100	<0.5	510	52	25.4
MG - 1409	3	37	17	<100	<0.5	520	14	6.3
MG - 1410	7	93	75	<100	<0.5	500	13	5.0

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143015 Order: MG-1371 to MG-1441

Report File No.: 0000008917

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 1411	18	299	79	<100	1.0	340	91	53.8
MG - 1412	6	558	39	<100	1.5	250	44	21.1
MG - 1413	18	375	89	<100	1.4	420	71	38.5
MG - 1414	5	824	116	<100	<0.5	660	69	42.6
MG - 1415	4	224	26	<100	0.7	130	11	4.5
MG - 1416	3	169	26	<100	<0.5	310	18	8.2
MG - 1417	1	35	25	<100	1.5	60	3	1.4
MG - 1418	10	86	42	<100	1.0	310	13	6.1
MG - 1419	8	201	28	100	6.7	330	14	6.0
MG - 1420	13	137	26	100	3.1	150	13	7.3
MG - 1421	4	149	22	<100	10.6	90	15	6.9
MG - 1422	5	101	25	200	13.8	140	9	4.7
MG - 1423	15	78	23	200	5.1	110	11	6.5
MG - 1424	8	226	28	<100	16.5	220	16	7.0
MG - 1425	6	736	38	<100	1.6	370	42	19.9
MG - 1426	10	316	33	100	24.8	200	15	6.6
MG - 1427	11	736	79	<100	14.9	490	51	23.6
MG - 1428	4	343	16	<100	16.4	140	19	9.6
MG - 1429	4	392	26	100	12.7	350	18	7.4
MG - 1430	49	1120	64	<100	<0.5	1560	59	31.0
MG - 1431	30	362	66	<100	1.2	190	35	18.7
MG - 1432	23	88	55	<100	3.1	70	19	10.5
MG - 1433	19	105	85	<100	0.9	340	15	8.4
MG - 1434	23	273	80	<100	2.7	250	42	21.4
MG - 1435	23	122	62	<100	2.5	80	18	9.7
MG - 1436	6	201	32	<100	0.7	560	12	5.6
MG - 1437	3	27	31	<100	<0.5	800	7	3.1
MG - 1438	3	31	16	<100	<0.5	780	8	3.6
MG - 1439	18	249	60	<100	0.8	420	25	13.3
MG - 1440	12	388	41	<100	16.3	570	22	9.3
MG - 1441	2	93	15	200	7.1	70	7	3.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 1371	1.8	349	10	6	<1	<0.5	9.3	40
MG - 1372	3.3	192	71	13	1	<0.5	38.0	75
MG - 1373	5.6	39	25	19	<1	<0.5	8.7	54
MG - 1374	4.0	3	8	16	<1	<0.5	13.9	24
MG - 1375	13.4	6	11	50	<1	<0.5	11.5	151
MG - 1376	11.2	15	8	45	<1	<0.5	14.4	121
MG - 1377	5.3	48	27	20	1	<0.5	12.8	72
MG - 1378	13.2	15	7	47	<1	<0.5	15.1	141
MG - 1379	5.2	59	36	19	<1	<0.5	3.2	62
MG - 1380	5.3	18	15	19	<1	<0.5	2.2	56
MG - 1381	61.2	28	8	234	<1	<0.5	5.7	1020
MG - 1382	42.8	48	4	161	<1	<0.5	18.5	1010
MG - 1383	3.5	76	57	10	<1	<0.5	12.1	63
MG - 1384	1.3	262	35	5	<1	<0.5	22.2	38
MG - 1385	2.6	113	85	8	1	<0.5	11.9	34
MG - 1386	5.8	60	25	20	2	<0.5	9.9	80
MG - 1387	8.0	18	10	28	1	<0.5	8.8	75
MG - 1388	6.1	57	33	20	<1	<0.5	9.0	68
MG - 1389	10.3	92	12	40	<1	<0.5	3.1	114
MG - 1390	6.5	60	70	22	1	<0.5	7.5	116
MG - 1391	9.5	16	14	34	<1	<0.5	8.2	94
MG - 1392	6.7	45	14	26	<1	<0.5	15.5	74
MG - 1393	5.9	22	8	22	<1	<0.5	13.5	90
MG - 1394	4.8	47	21	15	<1	<0.5	27.0	52
MG - 1395	2.9	151	186	9	1	<0.5	36.4	50
MG - 1396	3.6	75	40	13	<1	<0.5	14.8	33
MG - 1397	16.2	93	10	68	<1	<0.5	25.5	203
MG - 1398	14.4	49	5	58	<1	<0.5	24.9	191
MG - 1399	22.7	36	<1	104	<1	<0.5	39.6	275
MG - 1400	5.2	10	<1	25	<1	<0.5	18.0	66
MG - 1401	4.9	10	<1	24	<1	<0.5	15.6	65
MG - 1402	4.4	111	<1	24	<1	<0.5	18.4	66
MG - 1403	<0.5	155	<1	<1	<1	<0.5	9.8	3
MG - 1404	2.8	2	<1	14	<1	<0.5	17.6	21
MG - 1405	2.5	3	<1	13	<1	<0.5	15.6	22
MG - 1406	7.0	15	<1	30	<1	<0.5	5.9	92
MG - 1407	13.5	13	<1	63	<1	<0.5	23.2	149
MG - 1408	15.3	19	<1	70	<1	<0.5	16.1	226
MG - 1409	4.3	5	<1	21	<1	<0.5	23.5	32
MG - 1410	4.7	6	<1	22	<1	<0.5	20.2	43

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 1411	17.3	86	8	81	<1	<0.5	22.3	138
MG - 1412	13.8	38	3	55	<1	<0.5	19.1	180
MG - 1413	13.2	118	6	60	<1	<0.5	24.6	111
MG - 1414	18.2	33	1	81	<1	<0.5	26.1	280
MG - 1415	4.2	9	<1	18	<1	<0.5	6.3	64
MG - 1416	6.4	12	<1	29	<1	<0.5	6.2	99
MG - 1417	1.3	9	<1	5	<1	<0.5	3.7	15
MG - 1418	3.7	17	<1	17	<1	<0.5	14.0	32
MG - 1419	5.1	82	28	17	<1	<0.5	5.9	105
MG - 1420	3.8	75	46	15	<1	<0.5	11.3	66
MG - 1421	5.4	52	12	18	<1	<0.5	17.4	69
MG - 1422	2.8	112	113	10	<1	<0.5	12.3	55
MG - 1423	2.7	68	43	11	<1	<0.5	10.7	39
MG - 1424	5.9	51	13	21	<1	<0.5	6.8	106
MG - 1425	14.6	99	6	59	<1	<0.5	4.6	353
MG - 1426	6.0	95	39	20	1	<0.5	33.0	170
MG - 1427	19.5	204	9	74	<1	<0.5	7.4	244
MG - 1428	7.6	10	5	28	<1	<0.5	28.3	159
MG - 1429	7.4	70	7	26	<1	<0.5	6.8	148
MG - 1430	20.0	58	1	85	<1	<0.5	2.6	490
MG - 1431	10.3	72	3	45	<1	<0.5	1.1	126
MG - 1432	4.5	119	10	20	<1	<0.5	1.7	31
MG - 1433	3.9	183	6	17	<1	<0.5	3.0	39
MG - 1434	11.0	116	7	48	<1	<0.5	2.2	98
MG - 1435	4.7	80	4	21	<1	<0.5	4.7	46
MG - 1436	5.0	22	1	20	<1	<0.5	2.1	81
MG - 1437	2.4	7	<1	11	<1	<0.5	2.8	24
MG - 1438	2.1	4	<1	11	<1	<0.5	6.4	12
MG - 1439	7.1	40	<1	32	<1	<0.5	3.9	96
MG - 1440	8.5	81	18	28	<1	<0.5	8.2	166
MG - 1441	2.5	172	73	8	<1	<0.5	8.2	47

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143015 Order: MG-1371 to MG-1441

Report File No.: 0000008917

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 1371	<5	2	160	<5	0.6	33	127	3.2
MG - 1372	18	15	6430	9	25.7	66	123	5.3
MG - 1373	<5	1	3880	<5	3.6	92	15	4.1
MG - 1374	<5	1	950	8	<0.5	60	24	0.5
MG - 1375	<5	<1	360	7	1.2	248	17	0.7
MG - 1376	<5	3	1940	15	1.8	213	25	2.6
MG - 1377	<5	4	5440	<5	2.9	97	55	8.5
MG - 1378	<5	4	770	6	1.9	236	28	0.4
MG - 1379	<5	2	1820	<5	6.4	76	142	6.6
MG - 1380	<5	<1	70	<5	9.0	74	63	4.8
MG - 1381	<5	5	2860	<5	4.7	1270	72	1.1
MG - 1382	6	19	850	60	1.7	1200	173	0.1
MG - 1383	7	3	620	5	6.0	55	46	2.8
MG - 1384	14	8	560	11	4.0	27	118	7.3
MG - 1385	11	6	1430	5	11.5	36	64	6.2
MG - 1386	<5	2	11600	<5	3.8	101	75	7.0
MG - 1387	<5	1	1270	9	<0.5	130	29	2.2
MG - 1388	6	3	4430	<5	5.5	95	39	2.6
MG - 1389	<5	5	870	<5	1.3	191	109	6.0
MG - 1390	7	11	800	6	34.6	114	106	17.7
MG - 1391	<5	<1	1730	6	0.9	168	31	1.8
MG - 1392	<5	2	4470	5	3.3	114	46	3.5
MG - 1393	<5	2	1320	<5	1.3	117	36	1.3
MG - 1394	<5	<1	3500	<5	<0.5	69	87	2.7
MG - 1395	43	19	7750	11	24.1	49	49	26.8
MG - 1396	<5	1	4200	<5	1.4	51	55	6.2
MG - 1397	7	33	1590	<5	4.8	324	243	2.0
MG - 1398	<5	48	3330	<5	2.9	273	190	0.9
MG - 1399	9	114	2790	<5	<0.5	422	638	<0.1
MG - 1400	9	134	1840	<5	<0.5	98	516	<0.1
MG - 1401	8	128	2020	<5	<0.5	94	463	<0.1
MG - 1402	43	76	5280	15	<0.5	84	842	<0.1
MG - 1403	60	50	1400	6	<0.5	3	357	<0.1
MG - 1404	106	87	6030	16	<0.5	46	346	<0.1
MG - 1405	78	88	6350	6	<0.5	44	291	<0.1
MG - 1406	5	88	370	<5	<0.5	139	169	<0.1
MG - 1407	16	105	1190	<5	<0.5	233	252	<0.1
MG - 1408	6	104	2120	<5	<0.5	312	184	<0.1
MG - 1409	12	138	530	<5	<0.5	64	206	<0.1
MG - 1410	11	107	3880	<5	<0.5	77	184	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143015 Order: MG-1371 to MG-1441

Report File No.: 0000008917

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 1411	15	62	3130	<5	1.3	262	279	0.5
MG - 1412	<5	46	1620	<5	2.6	268	152	0.6
MG - 1413	<5	48	2680	<5	1.3	228	441	0.7
MG - 1414	8	104	5530	<5	<0.5	360	244	<0.1
MG - 1415	17	84	2650	<5	0.8	96	78	<0.1
MG - 1416	10	109	580	<5	<0.5	149	109	<0.1
MG - 1417	<5	31	1310	<5	1.4	30	52	0.2
MG - 1418	20	123	1320	<5	<0.5	61	271	<0.1
MG - 1419	9	12	240	7	11.1	107	193	4.8
MG - 1420	8	7	740	8	18.2	74	107	11.2
MG - 1421	<5	2	500	5	2.8	88	57	1.7
MG - 1422	30	16	420	11	48.7	50	136	7.3
MG - 1423	5	6	270	6	20.7	43	98	12.2
MG - 1424	<5	<1	210	<5	3.2	120	63	2.8
MG - 1425	27	28	850	<5	3.1	379	160	1.9
MG - 1426	10	15	2980	9	11.3	149	110	3.8
MG - 1427	<5	33	4210	6	4.7	397	223	1.7
MG - 1428	<5	2	290	5	<0.5	203	21	<0.1
MG - 1429	<5	3	300	<5	3.0	157	56	1.2
MG - 1430	10	87	960	<5	<0.5	550	571	0.1
MG - 1431	<5	47	830	<5	<0.5	224	243	0.4
MG - 1432	<5	23	1660	<5	<0.5	73	108	1.2
MG - 1433	10	18	1220	<5	1.6	74	223	1.7
MG - 1434	13	27	2160	6	1.7	197	266	1.6
MG - 1435	<5	46	1480	<5	<0.5	86	204	0.8
MG - 1436	<5	64	800	<5	<0.5	121	192	0.1
MG - 1437	48	116	1530	<5	<0.5	45	185	<0.1
MG - 1438	26	149	1200	<5	<0.5	30	148	<0.1
MG - 1439	<5	115	1020	<5	<0.5	141	404	<0.1
MG - 1440	5	4	270	<5	5.4	187	117	2.4
MG - 1441	7	5	1060	6	23.1	46	65	8.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 1371	30	<1	9	<1	51	2	18	7
MG - 1372	800	<1	17	<1	179	3	58	14
MG - 1373	180	<1	20	<1	109	<1	27	21
MG - 1374	180	<1	12	<1	133	1	16	15
MG - 1375	240	<1	56	<1	118	<1	34	55
MG - 1376	200	<1	45	<1	186	<1	30	47
MG - 1377	320	<1	23	<1	79	1	31	22
MG - 1378	140	<1	52	<1	170	<1	35	50
MG - 1379	90	<1	18	<1	47	<1	41	19
MG - 1380	100	<1	17	<1	38	<1	38	18
MG - 1381	80	<1	306	<1	57	<1	81	264
MG - 1382	60	<1	303	<1	15	<1	33	205
MG - 1383	240	<1	14	<1	207	1	43	11
MG - 1384	80	<1	7	<1	57	1	36	5
MG - 1385	310	<1	9	<1	135	1	42	8
MG - 1386	290	<1	25	<1	92	<1	42	22
MG - 1387	200	<1	28	<1	166	<1	33	30
MG - 1388	370	<1	21	<1	205	<1	39	21
MG - 1389	150	<1	42	<1	39	<1	44	43
MG - 1390	180	<1	29	<1	69	<1	71	24
MG - 1391	250	<1	38	<1	175	<1	40	37
MG - 1392	310	<1	26	<1	248	<1	33	27
MG - 1393	170	<1	27	<1	211	<1	28	25
MG - 1394	410	<1	16	<1	184	<1	36	16
MG - 1395	310	<1	12	<1	341	2	111	10
MG - 1396	410	<1	11	<1	166	<1	36	12
MG - 1397	330	<1	74	<1	227	<1	73	69
MG - 1398	360	<1	61	<1	219	<1	99	61
MG - 1399	200	<1	94	<1	77	<1	55	99
MG - 1400	50	<1	22	<1	37	<1	10	21
MG - 1401	50	<1	22	<1	43	<1	9	21
MG - 1402	260	<1	19	<1	63	<1	24	19
MG - 1403	10	<1	<1	<1	48	<1	7	<1
MG - 1404	20	<1	8	<1	13	<1	<5	12
MG - 1405	20	<1	9	<1	28	<1	<5	11
MG - 1406	30	<1	30	<1	38	<1	7	30
MG - 1407	70	<1	50	<1	32	<1	13	56
MG - 1408	100	<1	71	<1	79	<1	18	68
MG - 1409	20	<1	12	<1	11	<1	7	17
MG - 1410	30	<1	15	<1	25	<1	5	20

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 1411	570	<1	52	<1	94	<1	104	68
MG - 1412	210	<1	61	<1	174	<1	51	58
MG - 1413	450	<1	47	<1	295	<1	54	54
MG - 1414	120	<1	81	<1	93	<1	86	77
MG - 1415	30	<1	21	<1	67	<1	9	20
MG - 1416	10	<1	33	<1	55	<1	6	31
MG - 1417	<10	<1	6	<1	41	<1	<5	6
MG - 1418	40	<1	13	<1	145	<1	8	15
MG - 1419	170	<1	27	<1	90	<1	34	21
MG - 1420	500	<1	18	<1	70	<1	48	16
MG - 1421	200	<1	21	<1	123	<1	38	20
MG - 1422	280	<1	13	<1	191	1	78	10
MG - 1423	530	<1	11	<1	89	<1	41	10
MG - 1424	360	<1	30	<1	99	<1	31	24
MG - 1425	250	<1	95	<1	67	<1	36	69
MG - 1426	270	<1	39	<1	210	<1	43	26
MG - 1427	130	<1	89	<1	84	<1	48	86
MG - 1428	110	<1	49	<1	197	<1	14	35
MG - 1429	180	<1	40	<1	151	<1	30	31
MG - 1430	110	<1	140	<1	24	<1	47	99
MG - 1431	140	<1	50	<1	16	<1	33	48
MG - 1432	380	<1	15	<1	27	<1	32	19
MG - 1433	390	<1	16	<1	14	<1	38	18
MG - 1434	180	<1	42	<1	28	<1	54	47
MG - 1435	130	<1	18	<1	37	<1	30	20
MG - 1436	10	<1	28	<1	45	<1	8	24
MG - 1437	<10	<1	9	<1	67	<1	<5	10
MG - 1438	10	<1	6	<1	63	<1	<5	8
MG - 1439	60	<1	32	<1	43	<1	14	31
MG - 1440	1890	<1	47	<1	130	<1	39	35
MG - 1441	200	<1	12	<1	70	<1	35	10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 1371	<1	210	2	<1	20	18.2	1230	<0.5
MG - 1372	9	290	<1	2	<10	35.8	8970	1.1
MG - 1373	<1	20	<1	3	<10	11.7	1010	<0.5
MG - 1374	<1	30	<1	2	<10	1.6	50	<0.5
MG - 1375	<1	<10	1	7	<10	7.9	104	<0.5
MG - 1376	<1	40	<1	6	<10	8.8	325	<0.5
MG - 1377	<1	70	<1	3	<10	18.3	772	<0.5
MG - 1378	<1	70	<1	6	<10	9.1	519	<0.5
MG - 1379	1	100	<1	3	<10	23.8	2310	<0.5
MG - 1380	<1	40	<1	3	<10	18.1	1640	<0.5
MG - 1381	<1	260	<1	32	<10	27.9	772	0.7
MG - 1382	<1	440	<1	19	<10	53.0	127	<0.5
MG - 1383	5	80	<1	2	<10	19.6	5510	0.6
MG - 1384	4	80	<1	<1	<10	14.2	4230	0.5
MG - 1385	5	70	<1	1	<10	15.2	7130	0.6
MG - 1386	<1	60	<1	3	<10	28.2	1130	<0.5
MG - 1387	<1	20	<1	4	<10	11.7	393	<0.5
MG - 1388	1	40	<1	3	<10	12.2	2410	<0.5
MG - 1389	<1	120	<1	6	<10	29.0	1600	<0.5
MG - 1390	9	270	<1	3	<10	48.7	10700	<0.5
MG - 1391	<1	20	<1	5	<10	12.8	476	<0.5
MG - 1392	<1	60	<1	4	<10	24.1	1140	<0.5
MG - 1393	<1	80	<1	3	<10	15.2	479	<0.5
MG - 1394	<1	70	<1	2	<10	9.5	422	<0.5
MG - 1395	17	100	3	1	<10	20.7	13200	2.1
MG - 1396	<1	20	<1	2	<10	10.8	902	<0.5
MG - 1397	<1	400	<1	11	<10	98.8	1830	<0.5
MG - 1398	<1	740	<1	9	<10	98.5	1240	<0.5
MG - 1399	<1	1170	<1	15	<10	49.5	43	<0.5
MG - 1400	<1	1860	<1	4	<10	17.2	11	<0.5
MG - 1401	<1	1800	<1	3	<10	15.2	12	<0.5
MG - 1402	<1	1330	<1	4	<10	11.5	41	<0.5
MG - 1403	<1	870	<1	<1	<10	1.7	47	<0.5
MG - 1404	<1	1200	<1	2	<10	6.0	8	<0.5
MG - 1405	<1	1130	<1	2	<10	13.7	22	<0.5
MG - 1406	<1	1220	<1	4	<10	25.5	20	<0.5
MG - 1407	<1	1220	<1	8	<10	26.8	17	<0.5
MG - 1408	<1	990	<1	10	<10	37.9	22	<0.5
MG - 1409	<1	1430	<1	3	<10	18.2	<3	<0.5
MG - 1410	<1	1170	1	3	<10	16.6	4	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 1411	<1	1010	1	14	<10	58.4	601	<0.5
MG - 1412	<1	650	<1	8	<10	73.1	618	<0.5
MG - 1413	<1	590	<1	11	<10	50.2	578	<0.5
MG - 1414	<1	1250	<1	12	<10	50.1	84	<0.5
MG - 1415	<1	1030	<1	2	<10	28.1	61	<0.5
MG - 1416	<1	1640	<1	4	<10	30.7	16	<0.5
MG - 1417	<1	290	<1	<1	<10	6.0	101	<0.5
MG - 1418	<1	1080	<1	2	<10	17.9	5	<0.5
MG - 1419	2	160	<1	3	<10	21.1	3130	<0.5
MG - 1420	7	90	<1	2	<10	26.2	9300	<0.5
MG - 1421	<1	50	<1	3	<10	13.2	896	<0.5
MG - 1422	14	270	1	2	<10	28.4	17900	1.4
MG - 1423	7	110	<1	2	<10	27.5	9650	<0.5
MG - 1424	<1	<10	<1	3	<10	26.6	1080	<0.5
MG - 1425	<1	330	<1	8	<10	34.7	693	<0.5
MG - 1426	3	180	<1	3	<10	28.8	5610	1.1
MG - 1427	<1	290	<1	10	<10	74.0	1460	0.9
MG - 1428	<1	<10	<1	4	<10	4.4	52	<0.5
MG - 1429	<1	80	1	4	<10	40.1	828	0.5
MG - 1430	<1	890	<1	11	<10	51.4	97	<0.5
MG - 1431	<1	490	<1	6	<10	20.7	314	<0.5
MG - 1432	<1	220	<1	3	<10	11.8	558	<0.5
MG - 1433	<1	140	<1	3	<10	23.3	853	<0.5
MG - 1434	<1	280	<1	7	<10	27.4	677	<0.5
MG - 1435	<1	440	1	3	<10	9.8	419	<0.5
MG - 1436	<1	530	<1	2	<10	35.6	182	<0.5
MG - 1437	<1	990	<1	1	<10	8.7	4	<0.5
MG - 1438	<1	1280	<1	1	<10	9.8	<3	<0.5
MG - 1439	<1	1230	<1	4	<10	11.2	11	<0.5
MG - 1440	<1	20	<1	4	<10	56.9	1480	0.9
MG - 1441	6	70	<1	1	<10	18.5	9380	0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143015 Order: MG-1371 to MG-1441

Report File No.: 0000008917

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 1371	7	1	18	2	<20	34
MG - 1372	9	3	57	5	790	121
MG - 1373	8	<1	68	5	140	27
MG - 1374	4	<1	54	3	520	7
MG - 1375	10	<1	163	10	50	16
MG - 1376	9	<1	144	8	120	24
MG - 1377	7	<1	71	5	410	44
MG - 1378	7	<1	153	9	70	17
MG - 1379	10	<1	81	6	30	52
MG - 1380	6	<1	81	6	20	38
MG - 1381	35	<1	859	58	80	29
MG - 1382	62	2	482	29	120	25
MG - 1383	6	1	46	4	90	70
MG - 1384	6	3	26	2	240	57
MG - 1385	5	<1	38	3	680	78
MG - 1386	9	<1	73	7	380	58
MG - 1387	9	<1	95	6	80	23
MG - 1388	5	<1	90	7	220	39
MG - 1389	17	<1	190	15	70	34
MG - 1390	15	3	80	6	100	109
MG - 1391	10	<1	126	9	70	24
MG - 1392	12	<1	90	7	230	49
MG - 1393	9	<1	73	5	30	27
MG - 1394	6	<1	79	6	<20	26
MG - 1395	6	5	45	5	350	180
MG - 1396	5	<1	78	7	480	30
MG - 1397	18	<1	320	23	540	113
MG - 1398	27	<1	254	22	870	106
MG - 1399	117	<1	493	37	900	46
MG - 1400	172	<1	117	11	1290	9
MG - 1401	197	<1	108	10	950	9
MG - 1402	501	<1	258	25	470	28
MG - 1403	134	<1	10	2	30	8
MG - 1404	19	<1	44	3	30	11
MG - 1405	40	<1	41	4	100	11
MG - 1406	33	<1	96	6	140	8
MG - 1407	47	<1	204	15	190	11
MG - 1408	39	<1	268	18	130	27
MG - 1409	25	<1	62	4	50	6
MG - 1410	15	<1	61	3	220	<5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143015 Order: MG-1371 to MG-1441

Report File No.: 0000008917

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 1411	25	<1	479	45	740	57
MG - 1412	20	<1	204	17	970	67
MG - 1413	15	<1	392	28	470	41
MG - 1414	33	<1	343	37	380	48
MG - 1415	11	<1	49	3	50	15
MG - 1416	14	<1	89	6	<20	18
MG - 1417	8	<1	16	1	<20	8
MG - 1418	49	<1	63	5	20	11
MG - 1419	20	<1	63	4	100	52
MG - 1420	10	2	71	6	130	81
MG - 1421	8	<1	72	5	40	34
MG - 1422	10	4	43	4	170	162
MG - 1423	8	1	54	5	150	82
MG - 1424	11	<1	71	5	110	44
MG - 1425	9	<1	229	14	90	34
MG - 1426	11	1	68	5	490	71
MG - 1427	63	<1	229	18	100	117
MG - 1428	6	<1	118	7	230	6
MG - 1429	11	<1	74	5	70	58
MG - 1430	980	<1	350	26	490	43
MG - 1431	87	<1	194	14	370	23
MG - 1432	11	<1	97	8	1070	16
MG - 1433	19	<1	79	7	760	27
MG - 1434	24	<1	215	15	510	33
MG - 1435	35	<1	99	7	330	19
MG - 1436	39	<1	61	4	30	35
MG - 1437	16	<1	36	3	<20	7
MG - 1438	12	<1	35	3	<20	8
MG - 1439	104	<1	141	10	100	10
MG - 1440	20	<1	90	6	520	87
MG - 1441	7	2	31	3	180	78

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC143016

[Report File No.: 0000008953]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Oct 07, 2014

P.O. No.	:	MG-2716 to MG-2798
Project No.	:	-
No. Of Samples	:	83
Date Submitted	:	Sep 15, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 2716	0.345	13	85	10	0.2	1270	<1	410
MG - 2717	0.470	9	25	<10	0.2	2290	<1	430
MG - 2718	0.415	7	66	<10	0.2	1400	<1	430
MG - 2719	0.585	9	41	<10	0.4	2990	<1	520
MG - 2720	0.515	13	22	<10	<0.1	1930	<1	560
MG - 2721	0.535	10	8	<10	0.3	1410	<1	440
MG - 2722	0.480	8	14	<10	0.5	1810	<1	420
MG - 2723	0.445	19	19	<10	0.3	2610	<1	580
MG - 2724	0.505	11	7	<10	0.2	1360	<1	370
MG - 2725	0.485	21	17	<10	0.4	3270	<1	770
MG - 2726	0.465	18	25	<10	0.2	3050	<1	680
MG - 2727	0.475	14	32	<10	0.3	2480	<1	650
MG - 2728	0.575	17	20	<10	0.1	1850	<1	560
MG - 2729	0.460	18	26	<10	0.1	1900	<1	520
MG - 2730	0.465	11	64	<10	<0.1	2050	<1	540
MG - 2731	0.410	9	88	<10	0.1	1510	<1	460
MG - 2732	0.515	18	46	<10	0.1	1650	<1	400
MG - 2733	0.515	8	39	<10	<0.1	2120	<1	560
MG - 2734	0.505	9	57	<10	<0.1	1950	<1	530
MG - 2735	0.545	14	54	<10	<0.1	1970	<1	550
MG - 2736	0.435	12	75	<10	<0.1	2530	<1	540
MG - 2737	0.455	11	110	10	0.1	1690	<1	370
MG - 2738	0.405	19	65	<10	0.2	1700	<1	430
MG - 2739	0.540	14	12	<10	0.5	3010	<1	400
MG - 2740	0.545	25	14	<10	0.2	2260	<1	660
MG - 2741	0.450	17	40	<10	0.1	1580	<1	620
MG - 2742	0.410	15	82	<10	<0.1	1630	<1	550
MG - 2743	0.565	11	95	<10	<0.1	1680	<1	470
MG - 2744	0.435	12	93	<10	<0.1	1890	<1	520
MG - 2745	0.515	15	9	<10	0.4	1430	<1	380
MG - 2746	0.500	17	29	<10	0.3	1990	<1	540
MG - 2747	0.480	11	146	<10	<0.1	1570	<1	230
MG - 2748	0.365	14	118	<10	0.1	1580	<1	270
MG - 2749	0.440	12	111	<10	0.1	1260	<1	240
MG - 2750	0.540	<1	27	<10	<0.1	420	<1	10
MG - 2751	0.515	14	108	<10	<0.1	1550	<1	260
MG - 2752	0.420	13	149	<10	0.2	1890	<1	190
MG - 2753	0.495	11	34	<10	0.3	2500	<1	600
MG - 2754	0.480	16	66	<10	<0.1	1570	<1	490
MG - 2755	0.480	65	37	<10	0.5	2140	<1	450

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 2756	0.550	15	15	<10	0.3	1890	<1	450
MG - 2757	0.520	26	13	<10	0.3	2760	<1	460
MG - 2758	0.415	11	73	<10	0.6	2720	<1	590
MG - 2759	0.570	27	7	<10	0.3	2100	<1	450
MG - 2760	0.510	21	45	<10	0.2	3040	<1	550
MG - 2761	0.555	28	28	<10	0.1	1910	<1	520
MG - 2762	0.425	13	74	<10	0.2	2110	<1	470
MG - 2763	0.490	19	36	<10	0.4	2910	<1	540
MG - 2764	0.475	12	120	<10	<0.1	1110	<1	280
MG - 2765	0.450	31	56	<10	0.1	2890	<1	600
MG - 2766	0.645	28	13	<10	0.5	1790	<1	490
MG - 2767	0.430	34	24	<10	0.2	1900	<1	410
MG - 2768	0.430	5	99	<10	0.2	1430	<1	220
MG - 2769	0.465	8	172	30	0.3	2470	2	130
MG - 2770	0.405	3	93	<10	<0.1	1620	<1	250
MG - 2771	0.510	12	15	<10	0.3	1760	<1	510
MG - 2772	0.455	28	20	<10	0.4	2710	<1	730
MG - 2773	0.520	22	14	<10	0.1	1440	<1	530
MG - 2774	0.545	20	10	<10	0.3	2060	<1	540
MG - 2775	0.490	12	30	<10	0.5	940	<1	470
MG - 2776	0.540	14	22	<10	0.2	990	<1	430
MG - 2777	0.485	16	70	<10	0.1	1720	<1	470
MG - 2778	0.485	35	27	<10	0.1	2360	<1	570
MG - 2779	0.360	19	30	<10	0.2	1640	<1	480
MG - 2780	0.590	6	130	<10	0.2	1630	<1	220
MG - 2781	0.435	8	144	<10	0.1	1720	<1	240
MG - 2782	0.475	13	184	<10	0.2	2040	<1	200
MG - 2783	0.415	7	138	<10	0.2	1430	<1	230
MG - 2784	0.540	19	17	<10	0.3	2090	<1	460
MG - 2785	0.405	9	27	20	0.2	2210	<1	460
MG - 2786	0.550	16	52	<10	0.3	2180	<1	390
MG - 2787	0.505	12	17	40	0.3	2510	<1	430
MG - 2788	0.545	18	28	30	0.2	2120	<1	410
MG - 2789	0.645	13	8	<10	0.4	3100	<1	460
MG - 2790	0.765	7	10	20	0.3	3190	<1	460
MG - 2791	0.550	28	18	<10	<0.1	2270	<1	560
MG - 2792	0.615	25	24	<10	0.2	2830	<1	850
MG - 2793	0.480	14	17	<10	0.2	1670	<1	560
MG - 2794	0.440	21	62	<10	0.1	1660	<1	610
MG - 2795	0.465	24	55	<10	<0.1	1670	<1	650

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 2796	0.575	17	14	<10	0.5	1680	<1	580
MG - 2797	0.450	7	12	<10	0.3	1160	<1	390
MG - 2798	0.530	24	43	<10	0.4	1540	<1	470

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2716	76	144	75	<100	0.9	9450	21	15.6
MG - 2717	6	323	84	<100	<0.5	3190	17	9.3
MG - 2718	14	86	82	<100	0.6	990	10	7.5
MG - 2719	20	472	44	<100	<0.5	6700	16	8.0
MG - 2720	14	156	52	<100	<0.5	2140	10	5.0
MG - 2721	4	19	17	<100	<0.5	830	8	4.8
MG - 2722	3	9	11	<100	<0.5	710	10	5.2
MG - 2723	6	55	10	<100	<0.5	860	22	10.2
MG - 2724	2	10	11	<100	<0.5	690	6	3.0
MG - 2725	5	38	7	<100	<0.5	1330	27	14.1
MG - 2726	3	196	15	<100	<0.5	1220	47	26.4
MG - 2727	4	284	15	<100	<0.5	1050	48	27.0
MG - 2728	3	173	37	<100	<0.5	1200	25	13.7
MG - 2729	3	329	35	<100	<0.5	1090	39	21.3
MG - 2730	4	499	44	200	<0.5	1030	53	33.2
MG - 2731	3	404	52	200	<0.5	620	57	38.5
MG - 2732	7	421	55	<100	1.1	670	35	17.6
MG - 2733	12	619	72	<100	<0.5	690	48	27.6
MG - 2734	6	558	21	<100	<0.5	820	61	40.9
MG - 2735	16	592	168	<100	<0.5	770	36	21.7
MG - 2736	28	566	158	<100	<0.5	1060	43	32.7
MG - 2737	92	191	123	<100	2.3	3650	26	19.3
MG - 2738	45	263	94	<100	0.6	4190	15	9.3
MG - 2739	5	125	72	<100	<0.5	4270	11	6.3
MG - 2740	14	42	17	<100	<0.5	800	10	5.2
MG - 2741	43	133	61	<100	<0.5	1410	18	10.1
MG - 2742	58	234	43	<100	<0.5	890	31	20.0
MG - 2743	34	276	42	<100	0.7	480	38	24.1
MG - 2744	33	271	22	<100	<0.5	450	44	29.0
MG - 2745	3	19	11	<100	<0.5	510	6	3.2
MG - 2746	11	340	22	<100	<0.5	820	62	34.6
MG - 2747	27	754	55	<100	0.9	340	73	36.9
MG - 2748	14	768	19	<100	<0.5	380	89	46.2
MG - 2749	18	808	18	<100	0.7	280	95	46.9
MG - 2750	<1	135	14	<100	2.7	130	12	5.0
MG - 2751	9	809	37	<100	1.0	290	49	22.8
MG - 2752	15	699	53	<100	1.6	300	63	30.6
MG - 2753	2	701	14	<100	<0.5	1080	112	68.7
MG - 2754	44	279	36	<100	<0.5	710	51	31.6
MG - 2755	22	149	29	<100	<0.5	1190	29	13.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2756	1	121	30	<100	<0.5	660	39	21.1
MG - 2757	3	45	24	<100	<0.5	480	11	5.1
MG - 2758	5	1390	82	100	<0.5	1290	148	87.2
MG - 2759	1	36	67	<100	<0.5	620	10	4.9
MG - 2760	5	156	10	<100	<0.5	570	29	15.3
MG - 2761	9	139	12	<100	<0.5	860	31	14.2
MG - 2762	18	333	19	<100	<0.5	680	58	32.8
MG - 2763	7	160	44	<100	<0.5	1080	39	21.0
MG - 2764	17	529	31	<100	1.8	280	42	21.1
MG - 2765	20	183	21	<100	<0.5	520	29	14.6
MG - 2766	5	13	30	<100	<0.5	790	10	5.1
MG - 2767	7	233	15	<100	<0.5	660	28	13.9
MG - 2768	4	1400	67	<100	0.8	300	71	33.4
MG - 2769	7	975	66	200	3.6	270	34	14.3
MG - 2770	14	729	61	<100	1.0	380	57	27.3
MG - 2771	4	29	50	<100	<0.5	640	16	8.1
MG - 2772	7	26	11	<100	<0.5	670	28	16.0
MG - 2773	7	45	35	<100	<0.5	950	10	5.3
MG - 2774	8	31	17	<100	<0.5	1010	9	4.1
MG - 2775	15	38	25	<100	<0.5	840	5	2.6
MG - 2776	29	315	25	<100	<0.5	1910	26	12.4
MG - 2777	46	640	81	<100	<0.5	670	59	33.6
MG - 2778	9	232	59	<100	<0.5	1300	28	15.9
MG - 2779	9	123	13	<100	<0.5	660	28	13.3
MG - 2780	8	593	29	<100	1.0	200	50	26.4
MG - 2781	18	566	65	<100	1.9	190	44	22.7
MG - 2782	12	1050	80	<100	1.4	410	91	46.7
MG - 2783	11	872	45	<100	0.7	350	70	34.9
MG - 2784	6	686	29	<100	1.3	1780	61	27.1
MG - 2785	10	767	188	<100	<0.5	3340	44	22.5
MG - 2786	26	756	93	<100	0.6	9070	57	33.1
MG - 2787	7	254	35	<100	<0.5	5210	12	5.7
MG - 2788	21	595	96	<100	<0.5	5670	23	12.0
MG - 2789	3	38	51	<100	<0.5	7000	10	6.7
MG - 2790	2	373	58	<100	<0.5	3980	15	7.3
MG - 2791	17	319	105	<100	<0.5	1400	23	12.0
MG - 2792	7	214	46	<100	<0.5	1300	29	17.6
MG - 2793	4	31	18	<100	<0.5	970	10	5.4
MG - 2794	18	276	45	<100	<0.5	1280	23	14.0
MG - 2795	53	127	128	<100	<0.5	820	17	9.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2796	3	11	15	<100	<0.5	1150	11	7.0
MG - 2797	5	27	68	<100	<0.5	950	9	5.7
MG - 2798	12	505	89	<100	<0.5	2530	24	12.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 2716	3.7	104	5	19	<1	<0.5	11.0	67
MG - 2717	5.8	41	2	24	<1	<0.5	14.7	128
MG - 2718	2.1	55	4	10	<1	<0.5	12.3	32
MG - 2719	5.2	55	<1	22	<1	<0.5	10.1	199
MG - 2720	3.5	10	<1	16	<1	<0.5	14.4	56
MG - 2721	1.5	2	<1	9	<1	<0.5	19.7	3
MG - 2722	2.3	4	<1	13	1	<0.5	18.4	10
MG - 2723	6.1	8	<1	31	<1	<0.5	17.8	61
MG - 2724	1.5	3	<1	8	<1	<0.5	14.7	4
MG - 2725	6.5	6	<1	35	<1	<0.5	26.0	58
MG - 2726	11.9	9	<1	62	<1	<0.5	13.4	162
MG - 2727	12.1	16	<1	57	<1	<0.5	12.2	165
MG - 2728	6.6	8	<1	33	<1	<0.5	10.1	90
MG - 2729	10.3	18	1	50	<1	<0.5	13.7	191
MG - 2730	13.2	41	<1	62	<1	<0.5	17.5	294
MG - 2731	11.7	75	2	56	<1	<0.5	11.7	189
MG - 2732	11.0	34	4	50	<1	<0.5	12.1	179
MG - 2733	13.0	16	<1	61	<1	<0.5	13.9	198
MG - 2734	13.6	29	2	67	<1	<0.5	12.9	262
MG - 2735	10.1	11	1	45	<1	<0.5	22.3	144
MG - 2736	9.0	38	1	43	<1	<0.5	13.9	191
MG - 2737	5.4	148	10	24	<1	<0.5	15.3	100
MG - 2738	4.3	64	3	18	<1	<0.5	14.9	105
MG - 2739	3.5	27	1	17	<1	<0.5	15.5	74
MG - 2740	2.5	6	<1	13	<1	<0.5	20.5	15
MG - 2741	4.7	15	<1	24	<1	<0.5	21.1	67
MG - 2742	7.0	27	<1	34	<1	<0.5	21.1	121
MG - 2743	8.1	29	2	40	<1	<0.5	21.9	132
MG - 2744	8.6	43	1	42	<1	<0.5	19.6	131
MG - 2745	1.5	3	<1	8	<1	<0.5	13.9	4
MG - 2746	15.1	9	<1	75	<1	<0.5	29.5	157
MG - 2747	18.8	68	4	81	<1	<0.5	32.4	287
MG - 2748	23.0	27	2	100	<1	<0.5	29.3	299
MG - 2749	27.2	30	3	114	<1	<0.5	19.9	304
MG - 2750	4.3	2	4	18	<1	<0.5	2.9	55
MG - 2751	16.6	41	3	69	<1	<0.5	14.6	312
MG - 2752	19.9	49	7	79	<1	<0.5	16.0	269
MG - 2753	26.8	17	<1	132	<1	<0.5	5.3	395
MG - 2754	10.9	41	<1	55	<1	<0.5	22.4	148
MG - 2755	8.6	7	<1	42	<1	<0.5	31.9	73

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 2756	9.2	6	<1	49	<1	<0.5	7.9	74
MG - 2757	3.2	4	<1	16	<1	<0.5	22.4	25
MG - 2758	42.8	19	2	190	<1	<0.5	9.2	700
MG - 2759	2.8	4	<1	14	1	<0.5	9.7	20
MG - 2760	7.6	10	<1	37	<1	<0.5	21.2	77
MG - 2761	9.5	9	<1	46	<1	<0.5	20.2	95
MG - 2762	14.3	14	1	68	<1	<0.5	43.1	179
MG - 2763	10.7	11	<1	52	<1	<0.5	20.4	126
MG - 2764	13.2	43	4	54	<1	<0.5	26.2	188
MG - 2765	8.1	13	<1	37	<1	<0.5	28.9	80
MG - 2766	2.6	3	<1	14	<1	<0.5	16.3	6
MG - 2767	8.4	8	<1	39	<1	<0.5	20.8	80
MG - 2768	27.7	38	5	107	<1	<0.5	18.7	461
MG - 2769	14.8	151	23	50	<1	<0.5	18.6	373
MG - 2770	20.0	39	4	79	<1	<0.5	36.0	266
MG - 2771	4.5	6	<1	22	<1	<0.5	17.3	29
MG - 2772	6.6	7	<1	36	<1	<0.5	25.5	51
MG - 2773	2.7	8	<1	14	<1	<0.5	21.0	26
MG - 2774	2.8	4	<1	13	<1	<0.5	20.2	17
MG - 2775	1.4	11	<1	7	<1	<0.5	12.8	11
MG - 2776	11.2	23	<1	46	<1	<0.5	15.1	154
MG - 2777	20.0	20	2	82	<1	<0.5	16.0	261
MG - 2778	8.4	19	<1	37	<1	<0.5	23.0	129
MG - 2779	8.5	11	<1	41	<1	<0.5	27.9	82
MG - 2780	15.7	35	5	64	<1	<0.5	23.7	188
MG - 2781	14.0	55	9	58	<1	<0.5	34.4	226
MG - 2782	28.6	83	9	117	<1	<0.5	20.1	501
MG - 2783	23.2	42	5	95	<1	<0.5	23.0	448
MG - 2784	30.0	20	<1	112	<1	<0.5	6.8	321
MG - 2785	20.2	41	1	73	<1	<0.5	12.7	339
MG - 2786	20.9	83	4	86	<1	<0.5	15.5	602
MG - 2787	4.8	23	<1	18	<1	<0.5	11.0	100
MG - 2788	8.2	58	2	31	<1	<0.5	9.0	252
MG - 2789	2.0	14	<1	11	<1	<0.5	12.3	10
MG - 2790	5.8	17	<1	24	<1	<0.5	10.9	120
MG - 2791	6.0	8	<1	30	<1	<0.5	15.8	74
MG - 2792	6.6	6	<1	34	<1	<0.5	19.0	59
MG - 2793	2.6	8	<1	13	<1	<0.5	20.6	28
MG - 2794	5.8	19	<1	28	<1	<0.5	19.9	116
MG - 2795	4.1	9	<1	20	<1	<0.5	19.8	47

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 2796	2.4	5	<1	14	<1	<0.5	18.5	16
MG - 2797	1.7	3	<1	11	<1	<0.5	18.2	5
MG - 2798	7.5	29	2	34	<1	<0.5	11.6	185

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 2716	37	80	6860	30	<0.5	77	800	0.7
MG - 2717	31	101	6660	90	<0.5	162	293	<0.1
MG - 2718	41	67	10200	28	<0.5	44	473	0.6
MG - 2719	26	130	4090	27	0.9	224	497	<0.1
MG - 2720	40	136	2060	40	0.9	82	467	<0.1
MG - 2721	121	123	1630	8	1.6	12	61	<0.1
MG - 2722	46	110	1100	<5	0.7	27	82	<0.1
MG - 2723	23	145	550	<5	0.9	106	234	<0.1
MG - 2724	65	97	880	<5	3.1	15	95	<0.1
MG - 2725	30	184	230	<5	<0.5	107	221	<0.1
MG - 2726	30	175	760	<5	<0.5	230	303	<0.1
MG - 2727	16	157	720	<5	<0.5	240	291	<0.1
MG - 2728	33	139	1350	<5	0.9	133	270	<0.1
MG - 2729	26	136	1360	<5	<0.5	240	313	<0.1
MG - 2730	31	138	2490	<5	<0.5	319	398	<0.1
MG - 2731	16	102	1370	<5	<0.5	231	619	<0.1
MG - 2732	40	91	3090	<5	1.3	251	282	0.3
MG - 2733	42	107	3190	<5	<0.5	277	512	<0.1
MG - 2734	25	107	1890	<5	<0.5	304	402	<0.1
MG - 2735	23	110	16500	<5	<0.5	218	898	<0.1
MG - 2736	39	97	12500	7	<0.5	211	819	<0.1
MG - 2737	51	86	11100	47	1.9	117	818	0.7
MG - 2738	42	83	8560	112	0.8	117	468	0.4
MG - 2739	34	98	9050	25	0.8	73	135	0.1
MG - 2740	61	137	700	6	<0.5	36	378	<0.1
MG - 2741	76	111	1400	5	<0.5	99	611	0.2
MG - 2742	6	88	1710	<5	<0.5	146	621	0.2
MG - 2743	7	80	2490	<5	<0.5	161	391	0.1
MG - 2744	<5	89	1430	<5	<0.5	159	509	<0.1
MG - 2745	89	106	940	<5	0.5	15	103	<0.1
MG - 2746	18	127	1270	<5	<0.5	266	331	<0.1
MG - 2747	8	50	4300	<5	2.8	380	297	1.1
MG - 2748	5	58	1790	<5	0.8	439	219	0.2
MG - 2749	<5	50	2780	<5	2.3	515	193	0.6
MG - 2750	<5	1	310	<5	2.5	90	20	0.9
MG - 2751	<5	65	2210	<5	2.7	384	136	0.8
MG - 2752	5	40	1310	<5	<0.5	392	145	1.5
MG - 2753	20	136	570	<5	<0.5	548	500	<0.1
MG - 2754	<5	103	1750	<5	<0.5	204	648	<0.1
MG - 2755	37	106	2150	<5	<0.5	138	509	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 2756	25	102	2400	<5	<0.5	146	205	<0.1
MG - 2757	19	113	1770	<5	<0.5	51	161	<0.1
MG - 2758	18	145	1830	<5	<0.5	874	229	<0.1
MG - 2759	<5	133	3910	<5	0.6	44	95	<0.1
MG - 2760	6	131	1010	<5	<0.5	130	174	<0.1
MG - 2761	11	122	1090	<5	<0.5	163	334	<0.1
MG - 2762	11	117	2420	<5	<0.5	262	321	<0.1
MG - 2763	30	141	5410	<5	<0.5	194	224	<0.1
MG - 2764	<5	51	2970	<5	2.0	259	180	0.5
MG - 2765	<5	139	1370	<5	<0.5	135	390	<0.1
MG - 2766	85	114	2280	<5	<0.5	24	210	<0.1
MG - 2767	79	104	1160	<5	<0.5	145	353	<0.1
MG - 2768	<5	55	3660	<5	6.7	623	95	0.7
MG - 2769	15	28	3190	5	18.7	379	93	4.9
MG - 2770	6	59	3870	<5	2.4	393	226	1.0
MG - 2771	6	137	4750	<5	<0.5	61	138	<0.1
MG - 2772	21	150	580	<5	<0.5	99	256	<0.1
MG - 2773	45	107	1160	<5	<0.5	50	281	0.1
MG - 2774	41	113	1490	<5	<0.5	41	350	<0.1
MG - 2775	53	86	3440	18	<0.5	21	244	<0.1
MG - 2776	20	89	1130	<5	<0.5	253	473	1.1
MG - 2777	7	82	4910	7	<0.5	389	481	0.5
MG - 2778	75	107	980	<5	<0.5	189	349	0.2
MG - 2779	<5	116	1240	<5	<0.5	144	210	<0.1
MG - 2780	<5	38	2650	<5	4.5	299	115	0.9
MG - 2781	9	33	8400	<5	5.7	300	126	2.0
MG - 2782	15	44	4170	<5	7.4	669	168	2.7
MG - 2783	6	45	3120	<5	3.9	545	153	1.1
MG - 2784	<5	97	710	<5	<0.5	590	284	0.2
MG - 2785	<5	95	7240	79	2.3	488	478	0.2
MG - 2786	43	79	7500	82	4.0	622	755	0.6
MG - 2787	34	117	7650	153	1.3	136	214	0.3
MG - 2788	33	79	10600	127	3.4	260	463	0.6
MG - 2789	55	120	10300	45	<0.5	26	86	<0.1
MG - 2790	38	98	7360	89	<0.5	162	169	<0.1
MG - 2791	67	113	3460	8	<0.5	117	673	<0.1
MG - 2792	66	156	1500	<5	<0.5	108	293	<0.1
MG - 2793	28	107	1330	<5	<0.5	49	164	<0.1
MG - 2794	22	108	1580	<5	<0.5	136	509	0.1
MG - 2795	8	114	3790	5	<0.5	77	432	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 2796	52	120	940	<5	<0.5	34	111	<0.1
MG - 2797	117	103	5550	6	<0.5	17	123	<0.1
MG - 2798	14	90	2080	<5	0.7	209	373	0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2716	740	<1	19	<1	21	<1	44	16
MG - 2717	230	<1	39	<1	11	<1	14	28
MG - 2718	380	<1	10	<1	28	<1	26	10
MG - 2719	340	<1	57	<1	<5	<1	9	25
MG - 2720	130	<1	19	<1	13	<1	<5	17
MG - 2721	60	<1	2	<1	<5	<1	<5	5
MG - 2722	30	<1	5	<1	10	<1	<5	9
MG - 2723	20	<1	22	<1	39	<1	7	26
MG - 2724	20	<1	2	<1	8	<1	<5	6
MG - 2725	30	<1	21	<1	9	<1	7	27
MG - 2726	60	<1	49	<1	23	<1	11	52
MG - 2727	30	<1	55	<1	43	<1	15	52
MG - 2728	40	<1	28	<1	16	<1	8	29
MG - 2729	50	<1	55	<1	29	<1	15	47
MG - 2730	120	<1	78	<1	30	<1	31	61
MG - 2731	80	<1	54	<1	54	<1	49	50
MG - 2732	30	<1	58	<1	96	<1	26	49
MG - 2733	40	<1	65	<1	59	<1	13	59
MG - 2734	60	<1	73	<1	64	<1	20	62
MG - 2735	40	<1	50	<1	47	<1	11	45
MG - 2736	200	<1	53	<1	31	<1	29	42
MG - 2737	520	<1	29	<1	48	1	70	23
MG - 2738	440	<1	29	<1	25	<1	31	21
MG - 2739	110	<1	15	<1	9	<1	8	15
MG - 2740	20	<1	7	<1	17	<1	5	10
MG - 2741	100	<1	22	<1	30	<1	8	21
MG - 2742	120	<1	35	<1	55	<1	15	31
MG - 2743	100	<1	39	<1	68	<1	20	35
MG - 2744	120	<1	38	<1	74	<1	21	36
MG - 2745	20	<1	2	<1	8	<1	<5	6
MG - 2746	50	<1	55	<1	16	<1	14	64
MG - 2747	250	<1	89	<1	177	<1	66	81
MG - 2748	150	<1	101	<1	206	<1	66	99
MG - 2749	170	<1	115	<1	211	<1	63	117
MG - 2750	30	<1	20	<1	49	<1	12	20
MG - 2751	150	<1	92	<1	193	<1	39	76
MG - 2752	230	<1	90	<1	187	<1	70	85
MG - 2753	60	<1	124	<1	24	<1	21	116
MG - 2754	110	<1	46	<1	65	<1	31	46
MG - 2755	30	<1	28	<1	121	<1	12	36

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2756	20	<1	28	<1	31	<1	9	37
MG - 2757	10	<1	10	<1	28	<1	<5	14
MG - 2758	110	<1	195	<1	63	3	70	182
MG - 2759	<10	<1	8	<1	28	2	5	11
MG - 2760	50	<1	27	<1	93	1	12	32
MG - 2761	40	<1	34	<1	66	<1	9	40
MG - 2762	100	<1	59	<1	55	<1	20	60
MG - 2763	60	<1	41	<1	56	<1	11	44
MG - 2764	200	<1	61	<1	185	<1	32	55
MG - 2765	70	<1	28	<1	74	<1	11	34
MG - 2766	20	<1	4	<1	23	<1	<5	9
MG - 2767	20	<1	30	<1	107	<1	11	35
MG - 2768	120	<1	144	<1	125	<1	49	121
MG - 2769	180	<1	96	<1	198	1	61	66
MG - 2770	190	<1	89	<1	238	<1	35	83
MG - 2771	20	<1	11	<1	39	<1	8	17
MG - 2772	30	<1	20	<1	31	<1	11	27
MG - 2773	20	<1	10	<1	46	<1	6	12
MG - 2774	20	<1	7	<1	52	<1	<5	12
MG - 2775	20	<1	4	<1	7	<1	<5	6
MG - 2776	20	<1	56	<1	29	<1	10	50
MG - 2777	80	<1	88	<1	76	<1	16	81
MG - 2778	50	<1	42	<1	54	<1	11	36
MG - 2779	40	<1	29	<1	88	<1	9	36
MG - 2780	180	<1	66	<1	171	<1	66	67
MG - 2781	240	<1	69	<1	198	<1	60	63
MG - 2782	270	<1	154	<1	184	<1	121	132
MG - 2783	190	<1	130	<1	151	<1	70	106
MG - 2784	10	<1	123	<1	112	<1	13	123
MG - 2785	120	<1	110	<1	48	1	16	86
MG - 2786	510	<1	155	<1	27	1	48	101
MG - 2787	150	<1	32	<1	10	<1	7	23
MG - 2788	220	<1	67	<1	23	<1	25	41
MG - 2789	210	<1	5	<1	6	<1	<5	7
MG - 2790	100	<1	37	<1	9	<1	<5	29
MG - 2791	60	<1	25	<1	23	<1	7	26
MG - 2792	40	<1	21	<1	14	<1	8	26
MG - 2793	20	<1	10	<1	16	<1	<5	11
MG - 2794	110	<1	33	<1	51	<1	12	27
MG - 2795	120	<1	17	<1	76	<1	7	18

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2796	30	<1	6	<1	9	<1	<5	10
MG - 2797	40	<1	3	<1	5	<1	<5	6
MG - 2798	90	<1	52	<1	33	<1	13	37

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2716	<1	990	<1	3	<10	10.9	343	<0.5
MG - 2717	<1	1090	<1	3	<10	56.6	149	<0.5
MG - 2718	<1	830	<1	2	<10	14.6	251	<0.5
MG - 2719	<1	1510	<1	3	<10	66.1	356	<0.5
MG - 2720	<1	1440	<1	2	<10	23.4	15	<0.5
MG - 2721	<1	1640	2	1	<10	2.1	<3	<0.5
MG - 2722	<1	970	3	2	<10	5.8	26	<0.5
MG - 2723	<1	1550	<1	4	<10	21.6	5	<0.5
MG - 2724	<1	1150	4	1	<10	1.9	7	<0.5
MG - 2725	<1	2560	<1	5	<10	17.3	<3	<0.5
MG - 2726	<1	2450	<1	8	<10	54.8	11	<0.5
MG - 2727	<1	2450	<1	8	<10	63.0	37	<0.5
MG - 2728	<1	2070	<1	4	<10	45.3	42	<0.5
MG - 2729	<1	1960	<1	7	<10	78.1	62	<0.5
MG - 2730	<1	1890	<1	9	<10	72.6	69	<0.5
MG - 2731	<1	1470	<1	9	<10	54.0	91	<0.5
MG - 2732	<1	1260	<1	6	<10	57.5	334	<0.5
MG - 2733	<1	1930	<1	8	<10	60.3	33	<0.5
MG - 2734	<1	2030	<1	10	<10	72.7	82	<0.5
MG - 2735	<1	1890	<1	6	<10	61.0	58	<0.5
MG - 2736	<1	1580	<1	7	<10	47.7	67	<0.5
MG - 2737	<1	1150	<1	4	<10	29.5	821	0.8
MG - 2738	<1	1080	<1	3	<10	30.3	239	<0.5
MG - 2739	<1	990	<1	2	<10	28.4	109	<0.5
MG - 2740	<1	1760	<1	2	<10	8.6	<3	<0.5
MG - 2741	<1	1270	<1	3	<10	11.2	29	<0.5
MG - 2742	<1	1240	<1	5	<10	10.5	53	<0.5
MG - 2743	<1	1030	<1	6	<10	15.7	141	<0.5
MG - 2744	<1	1280	<1	7	<10	11.4	48	<0.5
MG - 2745	<1	970	2	1	<10	1.0	3	<0.5
MG - 2746	<1	1890	<1	10	<10	46.2	17	<0.5
MG - 2747	<1	640	3	13	<10	97.5	603	<0.5
MG - 2748	<1	820	3	15	<10	80.1	146	<0.5
MG - 2749	<1	660	4	17	<10	70.4	446	<0.5
MG - 2750	<1	<10	1	2	<10	4.0	20	<0.5
MG - 2751	<1	650	3	9	<10	55.0	490	<0.5
MG - 2752	<1	570	5	11	<10	83.6	1430	<0.5
MG - 2753	<1	2470	<1	19	<10	60.1	16	<0.5
MG - 2754	<1	1460	<1	8	<10	22.3	15	<0.5
MG - 2755	<1	1010	1	5	<10	24.5	24	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2756	<1	1290	2	7	<10	22.2	14	<0.5
MG - 2757	<1	820	2	2	<10	6.7	7	<0.5
MG - 2758	<1	1960	<1	26	50	54.5	15	<0.5
MG - 2759	<1	1230	<1	2	20	6.1	8	<0.5
MG - 2760	<1	1560	<1	5	20	39.1	6	<0.5
MG - 2761	<1	1540	<1	6	10	29.9	18	<0.5
MG - 2762	<1	1440	<1	10	10	37.7	14	<0.5
MG - 2763	<1	1460	<1	7	<10	29.9	15	<0.5
MG - 2764	<1	640	<1	8	<10	47.0	596	<0.5
MG - 2765	<1	1720	<1	5	<10	14.4	6	<0.5
MG - 2766	<1	1180	<1	2	<10	4.2	3	<0.5
MG - 2767	<1	1370	<1	5	<10	37.5	13	<0.5
MG - 2768	<1	660	<1	14	<10	79.8	1710	<0.5
MG - 2769	2	320	<1	7	<10	108	5410	1.0
MG - 2770	<1	860	<1	11	<10	42.7	786	<0.5
MG - 2771	<1	1460	<1	3	<10	9.8	20	<0.5
MG - 2772	<1	1400	<1	5	<10	21.4	8	<0.5
MG - 2773	<1	900	<1	2	<10	14.1	36	<0.5
MG - 2774	<1	1040	<1	2	<10	5.7	8	<0.5
MG - 2775	<1	800	<1	<1	<10	5.4	20	<0.5
MG - 2776	<1	970	<1	5	<10	20.4	32	<0.5
MG - 2777	<1	1210	<1	11	<10	19.3	108	<0.5
MG - 2778	<1	1570	<1	5	<10	24.4	31	<0.5
MG - 2779	<1	1650	<1	5	<10	28.5	9	<0.5
MG - 2780	<1	650	<1	9	<10	69.5	1420	<0.5
MG - 2781	<1	620	<1	8	<10	68.1	1870	0.5
MG - 2782	<1	670	<1	17	<10	124	2060	0.5
MG - 2783	<1	700	<1	13	<10	86.2	994	<0.5
MG - 2784	<1	1400	<1	13	<10	39.0	31	0.9
MG - 2785	<1	1460	<1	9	<10	31.3	32	<0.5
MG - 2786	<1	1140	<1	10	<10	50.7	288	<0.5
MG - 2787	<1	1280	<1	2	<10	39.7	49	<0.5
MG - 2788	<1	1010	<1	4	<10	76.5	147	<0.5
MG - 2789	<1	1500	<1	2	<10	17.3	44	<0.5
MG - 2790	<1	1460	<1	3	<10	26.0	41	<0.5
MG - 2791	<1	1700	<1	4	<10	22.9	16	<0.5
MG - 2792	<1	3050	<1	5	<10	21.7	5	<0.5
MG - 2793	<1	1740	<1	2	<10	15.5	12	<0.5
MG - 2794	<1	1600	<1	4	<10	39.0	48	<0.5
MG - 2795	<1	1720	<1	3	<10	18.7	19	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2796	<1	1690	<1	2	<10	5.8	15	<0.5
MG - 2797	<1	1260	<1	1	<10	4.3	7	<0.5
MG - 2798	<1	970	<1	4	<10	75.3	121	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2716	5240	<1	127	14	210	75
MG - 2717	176	1	87	8	80	37
MG - 2718	497	<1	56	7	290	27
MG - 2719	878	<1	148	7	30	40
MG - 2720	268	<1	53	4	140	9
MG - 2721	13	<1	47	4	70	<5
MG - 2722	8	<1	49	5	<20	16
MG - 2723	35	<1	101	8	180	12
MG - 2724	7	<1	31	2	30	7
MG - 2725	24	<1	124	10	240	11
MG - 2726	30	<1	220	21	270	21
MG - 2727	98	<1	216	22	420	28
MG - 2728	41	<1	111	11	140	23
MG - 2729	44	<1	172	17	220	33
MG - 2730	28	<1	269	29	230	63
MG - 2731	54	<1	306	32	470	55
MG - 2732	170	<1	164	14	430	43
MG - 2733	204	<1	238	22	440	29
MG - 2734	194	<1	332	36	430	46
MG - 2735	83	<1	165	17	440	29
MG - 2736	155	<1	239	30	340	46
MG - 2737	1030	1	162	17	2380	76
MG - 2738	1070	1	85	8	1390	52
MG - 2739	57	3	57	6	30	69
MG - 2740	91	<1	45	4	400	10
MG - 2741	235	<1	95	9	530	10
MG - 2742	452	<1	188	16	460	22
MG - 2743	407	<1	216	19	540	35
MG - 2744	395	<1	275	22	680	26
MG - 2745	41	<1	33	3	50	8
MG - 2746	53	<1	301	27	630	31
MG - 2747	46	<1	371	27	640	80
MG - 2748	62	<1	438	34	630	64
MG - 2749	39	<1	437	35	890	56
MG - 2750	6	3	54	3	20	9
MG - 2751	24	<1	236	17	130	57
MG - 2752	19	<1	294	23	810	77
MG - 2753	189	<1	552	55	60	39
MG - 2754	214	<1	276	24	920	28
MG - 2755	84	<1	136	10	250	17

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2756	23	<1	173	16	20	20
MG - 2757	12	<1	53	4	30	10
MG - 2758	49	<1	691	74	60	51
MG - 2759	12	<1	48	4	<20	12
MG - 2760	187	<1	136	11	50	23
MG - 2761	159	<1	148	10	90	10
MG - 2762	104	<1	288	25	240	28
MG - 2763	17	<1	190	16	110	18
MG - 2764	32	<1	211	15	380	46
MG - 2765	111	<1	138	11	390	15
MG - 2766	33	<1	51	4	50	7
MG - 2767	12	<1	132	10	90	20
MG - 2768	20	<1	339	24	190	101
MG - 2769	17	3	139	10	360	171
MG - 2770	25	<1	284	19	750	38
MG - 2771	31	<1	72	6	180	7
MG - 2772	36	<1	142	13	30	15
MG - 2773	33	<1	48	4	50	12
MG - 2774	12	<1	44	3	30	7
MG - 2775	38	<1	28	2	110	6
MG - 2776	178	<1	147	11	320	19
MG - 2777	354	<1	313	26	590	24
MG - 2778	58	<1	144	12	70	15
MG - 2779	40	<1	133	9	460	15
MG - 2780	23	<1	242	20	730	102
MG - 2781	18	<1	212	17	1480	92
MG - 2782	28	<1	460	35	730	137
MG - 2783	20	<1	355	26	740	102
MG - 2784	466	<1	312	19	100	22
MG - 2785	1370	<1	251	18	90	15
MG - 2786	683	3	345	30	290	86
MG - 2787	268	4	64	5	50	42
MG - 2788	943	3	132	11	110	102
MG - 2789	136	<1	55	6	<20	32
MG - 2790	233	2	76	6	<20	43
MG - 2791	110	<1	102	9	130	16
MG - 2792	57	<1	152	14	330	13
MG - 2793	20	<1	50	4	140	11
MG - 2794	101	<1	120	11	600	22
MG - 2795	310	<1	81	7	1060	8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143016 Order: MG-2716 to MG-2798

Report File No.: 0000008953

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2796	11	<1	63	6	120	8
MG - 2797	8	<1	48	5	130	7
MG - 2798	103	<1	120	10	170	48

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC143017

[Report File No.: 0000008918]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Oct 06, 2014

P.O. No.	:	MG-2799 to MG-2881
Project No.	:	-
No. Of Samples	:	83
Date Submitted	:	Sep 15, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143017 Order: MG-2799 to MG-2881

Report File No.: 0000008918

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 2799	0.595	27	10	<10	0.3	1730	<1	550
MG - 2800	0.635	17	12	<10	0.4	2090	<1	360
MG - 2801	0.610	22	7	<10	0.5	2180	<1	340
MG - 2802	0.485	21	19	20	0.3	2340	<1	410
MG - 2803	0.650	9	30	<10	0.2	2630	<1	470
MG - 2804	0.530	10	13	<10	0.7	1670	<1	470
MG - 2805	0.530	41	14	<10	0.2	1880	<1	550
MG - 2806	0.345	2	114	<10	<0.1	150	<1	20
MG - 2807	0.360	3	>200	30	<0.1	1370	3	40
MG - 2808	0.455	4	>200	30	<0.1	2870	2	50
MG - 2809	0.420	3	>200	20	<0.1	1490	1	30
MG - 2810	0.450	7	71	<10	0.2	1430	<1	320
MG - 2811	0.425	23	97	<10	<0.1	3080	<1	350
MG - 2812	0.395	41	19	<10	0.3	2140	<1	490
MG - 2813	0.420	46	14	<10	0.1	2360	<1	660
MG - 2814	0.385	23	64	<10	0.1	2550	<1	560
MG - 2815	0.420	8	162	<10	<0.1	1530	<1	200
MG - 2816	0.460	4	177	10	0.1	2310	<1	240
MG - 2817	0.370	5	104	<10	0.1	1380	<1	240
MG - 2818	0.465	41	31	<10	0.2	2500	<1	560
MG - 2819	0.455	12	21	<10	0.3	1310	<1	480
MG - 2820	0.495	32	15	<10	0.4	2050	<1	600
MG - 2821	0.505	9	10	<10	0.5	1800	<1	370
MG - 2822	0.415	15	72	<10	<0.1	2240	<1	580
MG - 2823	0.445	14	62	<10	<0.1	2290	<1	600
MG - 2824	0.395	7	51	<10	<0.1	1190	<1	500
MG - 2825	0.470	15	58	<10	0.1	1680	<1	570
MG - 2826	0.510	16	37	<10	<0.1	2090	<1	560
MG - 2827	0.475	13	57	<10	<0.1	1380	<1	570
MG - 2828	0.280	<1	9	<10	<0.1	150	<1	290
MG - 2829	0.305	<1	7	<10	<0.1	140	<1	300
MG - 2830	0.280	<1	8	<10	<0.1	170	<1	400
MG - 2831	0.395	<1	8	<10	<0.1	100	<1	290
MG - 2832	0.325	<1	8	<10	<0.1	120	<1	300
MG - 2833	0.300	<1	21	<10	<0.1	210	<1	360
MG - 2834	0.295	<1	19	<10	<0.1	150	<1	300
MG - 2835	0.370	<1	16	<10	<0.1	140	<1	290
MG - 2836	0.340	<1	19	<10	<0.1	180	<1	300
MG - 2837	0.335	<1	19	<10	<0.1	160	<1	300
MG - 2838	0.245	<1	91	<10	<0.1	320	<1	150

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 2839	0.320	<1	99	<10	<0.1	280	<1	130
MG - 2840	0.385	<1	72	<10	<0.1	240	<1	250
MG - 2841	0.355	5	71	<10	0.2	1350	<1	380
MG - 2842	0.410	6	52	<10	0.1	1790	<1	360
MG - 2843	0.300	<1	32	<10	<0.1	170	<1	310
MG - 2844	0.300	<1	23	<10	<0.1	180	<1	270
MG - 2845	0.270	<1	16	<10	<0.1	160	<1	250
MG - 2846	0.320	<1	13	<10	<0.1	120	<1	240
MG - 2847	0.595	17	86	<10	0.3	2420	<1	380
MG - 2848	0.450	10	78	<10	0.2	1050	<1	300
MG - 2849	0.535	14	59	20	0.1	2130	2	260
MG - 2850	0.485	1	29	<10	0.1	440	<1	20
MG - 2851	0.540	6	44	<10	0.6	1080	<1	280
MG - 2852	0.525	2	>200	<10	<0.1	1000	1	50
MG - 2853	0.485	11	75	10	0.1	1570	1	220
MG - 2854	0.495	10	94	20	0.1	2100	1	110
MG - 2855	0.430	19	29	<10	0.6	3000	<1	580
MG - 2856	0.440	17	30	<10	0.4	2840	<1	490
MG - 2857	0.545	7	>200	10	0.2	2370	2	100
MG - 2858	0.430	6	54	<10	0.3	1490	<1	310
MG - 2859	0.395	9	126	<10	0.2	1590	<1	250
MG - 2860	0.475	5	141	<10	0.4	1930	<1	270
MG - 2861	0.610	11	26	<10	0.2	1750	<1	460
MG - 2862	0.405	11	60	<10	0.2	960	<1	340
MG - 2863	0.595	18	39	<10	0.2	1370	<1	550
MG - 2864	0.495	7	58	<10	0.1	1110	<1	540
MG - 2865	0.565	22	16	<10	0.1	700	<1	480
MG - 2866	0.610	3	77	40	<0.1	2270	2	140
MG - 2867	0.395	8	80	<10	0.3	3390	<1	400
MG - 2868	0.495	10	104	<10	0.3	1890	<1	280
MG - 2869	0.595	4	14	<10	0.6	1470	<1	340
MG - 2870	0.445	33	>200	80	0.2	4940	6	80
MG - 2871	0.520	7	141	30	0.2	4070	2	110
MG - 2872	0.410	12	>200	40	<0.1	4070	2	160
MG - 2873	0.380	6	>200	20	0.1	2100	2	60
MG - 2874	0.520	1	170	<10	0.3	1110	2	40
MG - 2875	0.355	3	>200	20	0.1	1190	<1	30
MG - 2876	0.370	6	>200	<10	0.3	1530	<1	10
MG - 2877	0.520	2	183	10	0.2	460	<1	<10
MG - 2878	0.495	3	>200	<10	<0.1	960	<1	<10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143017 Order: MG-2799 to MG-2881

Report File No.: 0000008918

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 2879	0.440	19	58	<10	0.3	2280	<1	500
MG - 2880	0.535	10	7	<10	0.4	1980	<1	600
MG - 2881	0.440	10	18	<10	0.3	1680	<1	450

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2799	5	62	57	<100	<0.5	1070	14	7.7
MG - 2800	5	76	78	<100	<0.5	3950	9	5.0
MG - 2801	2	81	64	<100	<0.5	3910	10	5.9
MG - 2802	4	239	42	<100	<0.5	3100	11	5.7
MG - 2803	3	303	89	<100	0.5	4480	13	6.7
MG - 2804	4	51	45	<100	<0.5	2960	8	4.6
MG - 2805	17	190	149	<100	<0.5	1280	18	8.9
MG - 2806	3	822	20	<100	21.8	770	40	15.8
MG - 2807	15	330	74	200	9.3	350	21	10.7
MG - 2808	5	504	49	300	18.8	370	20	8.4
MG - 2809	8	349	51	200	13.5	440	30	13.2
MG - 2810	7	330	15	<100	0.7	280	33	15.9
MG - 2811	24	415	75	<100	3.0	560	60	32.6
MG - 2812	21	138	55	<100	<0.5	950	16	6.3
MG - 2813	18	29	25	<100	<0.5	970	13	6.4
MG - 2814	12	172	41	<100	0.7	600	19	8.7
MG - 2815	16	421	58	<100	1.2	310	44	23.0
MG - 2816	25	481	97	<100	2.5	250	38	20.6
MG - 2817	12	567	46	<100	0.7	280	50	24.1
MG - 2818	15	54	25	<100	<0.5	770	19	10.1
MG - 2819	10	16	39	<100	<0.5	1290	6	3.6
MG - 2820	16	91	163	<100	<0.5	2060	9	4.8
MG - 2821	5	14	56	<100	<0.5	810	7	3.6
MG - 2822	15	492	39	<100	<0.5	470	44	23.6
MG - 2823	34	512	38	<100	<0.5	700	58	33.2
MG - 2824	62	190	48	<100	<0.5	1030	26	15.8
MG - 2825	25	110	49	<100	<0.5	1920	15	9.1
MG - 2826	18	246	162	<100	<0.5	1320	12	7.2
MG - 2827	10	151	201	<100	<0.5	3000	6	4.1
MG - 2828	5	7	19	<100	<0.5	110	<1	<0.5
MG - 2829	5	<5	27	<100	<0.5	280	<1	0.6
MG - 2830	7	<5	33	<100	<0.5	30	2	1.2
MG - 2831	3	<5	11	<100	<0.5	20	2	1.0
MG - 2832	6	<5	24	<100	<0.5	70	1	1.0
MG - 2833	13	6	49	<100	<0.5	130	5	3.7
MG - 2834	14	6	43	<100	<0.5	140	3	2.6
MG - 2835	14	8	28	<100	<0.5	60	4	2.8
MG - 2836	9	17	42	<100	<0.5	170	4	2.9
MG - 2837	7	14	52	<100	<0.5	210	4	3.1
MG - 2838	23	85	73	<100	<0.5	520	41	30.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2839	27	143	62	<100	0.5	410	45	28.8
MG - 2840	12	27	42	<100	<0.5	70	9	6.4
MG - 2841	13	145	110	<100	0.6	1840	13	9.2
MG - 2842	5	281	90	<100	0.6	2050	11	6.8
MG - 2843	4	12	22	<100	<0.5	40	3	2.0
MG - 2844	5	10	31	<100	<0.5	50	3	2.0
MG - 2845	2	5	23	<100	<0.5	40	1	0.7
MG - 2846	5	8	18	<100	<0.5	10	3	1.7
MG - 2847	23	2440	147	<100	<0.5	4550	213	99.8
MG - 2848	8	1540	56	<100	1.9	1190	69	30.1
MG - 2849	7	853	127	<100	1.6	540	35	14.6
MG - 2850	<1	150	14	<100	2.7	120	14	5.5
MG - 2851	2	586	37	<100	1.1	270	22	9.3
MG - 2852	6	1130	80	200	25.4	920	69	28.6
MG - 2853	14	1430	587	<100	9.1	2620	55	25.7
MG - 2854	12	1250	295	<100	4.1	2130	72	33.4
MG - 2855	5	81	17	<100	<0.5	1180	55	26.3
MG - 2856	7	90	11	<100	<0.5	770	34	16.5
MG - 2857	4	2070	38	200	5.2	680	119	55.1
MG - 2858	5	1280	8	<100	<0.5	540	100	47.1
MG - 2859	21	499	25	<100	<0.5	370	69	37.6
MG - 2860	7	336	38	<100	0.8	470	62	36.3
MG - 2861	11	661	94	<100	<0.5	1720	25	10.9
MG - 2862	7	380	14	<100	<0.5	300	28	12.4
MG - 2863	18	128	10	<100	<0.5	950	17	8.2
MG - 2864	26	138	45	<100	<0.5	520	15	7.3
MG - 2865	28	175	160	<100	<0.5	2360	8	3.8
MG - 2866	3	507	327	<100	7.7	1010	23	11.9
MG - 2867	11	384	122	<100	0.5	730	32	21.5
MG - 2868	6	437	22	100	1.3	640	44	23.1
MG - 2869	<1	197	<5	<100	<0.5	950	39	17.3
MG - 2870	14	277	98	500	20.6	720	17	8.2
MG - 2871	2	817	60	200	9.2	380	34	15.6
MG - 2872	36	423	120	200	8.6	450	23	11.3
MG - 2873	5	204	278	200	10.1	340	18	9.0
MG - 2874	2	445	57	<100	14.2	1100	30	14.0
MG - 2875	5	286	51	100	18.0	350	19	8.3
MG - 2876	9	293	64	<100	11.5	560	22	10.1
MG - 2877	5	73	47	<100	9.3	1120	8	4.3
MG - 2878	13	51	47	<100	7.7	1220	9	4.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143017 Order: MG-2799 to MG-2881

Report File No.: 0000008918

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2879	3	426	35	<100	<0.5	800	34	18.0
MG - 2880	<1	126	23	<100	<0.5	1340	68	39.0
MG - 2881	2	320	64	<100	<0.5	1120	35	20.0

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 2799	3.6	3	<1	20	<1	<0.5	12.0	19
MG - 2800	2.5	17	<1	12	<1	<0.5	15.6	24
MG - 2801	2.8	20	<1	14	<1	<0.5	15.8	24
MG - 2802	3.8	20	1	17	<1	<0.5	14.4	80
MG - 2803	4.9	34	3	19	<1	<0.5	15.1	123
MG - 2804	2.0	9	<1	11	<1	<0.5	15.8	17
MG - 2805	5.3	8	<1	27	<1	<0.5	15.8	56
MG - 2806	22.1	33	13	71	<1	<0.5	5.9	345
MG - 2807	8.0	213	40	28	1	<0.5	9.1	168
MG - 2808	8.9	188	42	29	1	<0.5	13.3	228
MG - 2809	8.8	177	35	33	<1	<0.5	14.5	142
MG - 2810	12.2	33	3	49	<1	<0.5	15.1	210
MG - 2811	15.1	26	1	64	<1	<0.5	26.3	161
MG - 2812	6.2	5	<1	28	<1	<0.5	14.5	46
MG - 2813	4.1	6	<1	20	<1	<0.5	17.4	28
MG - 2814	6.8	9	<1	29	<1	<0.5	23.4	64
MG - 2815	12.2	53	6	48	<1	<0.5	35.2	169
MG - 2816	10.1	85	12	44	<1	<0.5	33.3	169
MG - 2817	17.7	52	6	70	<1	<0.5	27.0	313
MG - 2818	5.3	9	<1	25	<1	<0.5	27.6	50
MG - 2819	1.1	10	<1	6	<1	<0.5	19.9	6
MG - 2820	2.6	12	<1	12	<1	<0.5	19.4	31
MG - 2821	1.7	3	<1	9	<1	<0.5	22.6	6
MG - 2822	13.5	13	<1	61	<1	<0.5	25.5	190
MG - 2823	17.0	20	1	76	<1	<0.5	32.0	262
MG - 2824	6.5	22	<1	32	<1	<0.5	21.6	95
MG - 2825	3.9	11	1	19	<1	<0.5	26.6	54
MG - 2826	3.2	11	<1	15	<1	<0.5	21.2	53
MG - 2827	1.7	21	1	8	<1	<0.5	20.1	47
MG - 2828	<0.5	12	<1	<1	<1	<0.5	3.5	3
MG - 2829	<0.5	7	<1	<1	<1	<0.5	1.1	2
MG - 2830	<0.5	2	<1	2	<1	<0.5	2.4	<1
MG - 2831	<0.5	3	<1	2	<1	<0.5	2.2	2
MG - 2832	<0.5	2	<1	2	<1	<0.5	2.5	1
MG - 2833	0.8	8	1	4	<1	<0.5	4.7	3
MG - 2834	0.6	5	<1	3	<1	<0.5	3.7	3
MG - 2835	0.7	9	1	4	<1	<0.5	3.2	3
MG - 2836	1.1	12	<1	5	<1	<0.5	1.9	8
MG - 2837	0.9	8	1	4	<1	<0.5	3.6	6
MG - 2838	6.5	116	5	30	<1	<0.5	3.2	35

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 2839	8.6	125	5	36	<1	<0.5	2.8	49
MG - 2840	1.6	84	5	7	<1	<0.5	3.5	10
MG - 2841	2.6	100	2	12	<1	<0.5	14.6	46
MG - 2842	3.2	89	3	14	<1	<0.5	16.9	90
MG - 2843	0.6	46	3	3	<1	<0.5	2.2	5
MG - 2844	0.5	38	3	3	<1	<0.5	2.1	4
MG - 2845	<0.5	31	2	1	<1	<0.5	1.3	2
MG - 2846	0.6	13	2	3	<1	<0.5	1.5	3
MG - 2847	69.6	116	3	281	<1	<0.5	24.6	1260
MG - 2848	30.6	65	4	118	<1	<0.5	16.6	749
MG - 2849	17.3	81	5	64	<1	<0.5	18.9	373
MG - 2850	5.2	3	4	21	<1	<0.5	3.6	59
MG - 2851	11.2	59	4	41	<1	<0.5	9.1	287
MG - 2852	24.7	211	17	95	<1	0.6	12.5	568
MG - 2853	24.5	197	7	91	<1	<0.5	19.6	589
MG - 2854	27.3	294	9	99	<1	<0.5	16.1	497
MG - 2855	14.6	7	<1	71	<1	<0.5	29.0	149
MG - 2856	9.4	6	<1	47	<1	<0.5	20.4	87
MG - 2857	44.1	97	22	173	<1	<0.5	21.4	799
MG - 2858	31.7	14	2	140	<1	<0.5	28.5	412
MG - 2859	14.7	76	2	70	<1	<0.5	31.9	203
MG - 2860	15.6	37	5	68	<1	<0.5	23.9	202
MG - 2861	11.1	24	<1	45	<1	<0.5	19.2	252
MG - 2862	9.4	24	2	42	<1	<0.5	14.5	167
MG - 2863	5.2	18	<1	25	<1	<0.5	20.6	90
MG - 2864	4.0	17	<1	19	<1	<0.5	16.8	62
MG - 2865	3.2	29	<1	14	<1	<0.5	9.4	66
MG - 2866	9.7	408	14	33	<1	<0.5	17.1	184
MG - 2867	7.4	19	1	33	<1	<0.5	42.6	90
MG - 2868	11.9	42	4	50	<1	<0.5	21.9	130
MG - 2869	13.6	6	<1	61	<1	<0.5	12.9	148
MG - 2870	4.8	362	98	19	2	<0.5	57.7	136
MG - 2871	13.4	126	22	50	<1	<0.5	31.3	288
MG - 2872	6.7	225	35	26	<1	<0.5	57.5	135
MG - 2873	5.4	131	31	21	<1	<0.5	23.1	85
MG - 2874	10.9	98	20	42	<1	<0.5	13.7	185
MG - 2875	7.1	79	15	26	1	<0.5	8.1	137
MG - 2876	7.5	53	12	28	1	<0.5	12.0	152
MG - 2877	2.0	103	8	7	<1	<0.5	16.0	35
MG - 2878	1.6	70	21	7	<1	<0.5	10.3	23

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 2879	8.6	10	1	39	<1	<0.5	12.2	122
MG - 2880	14.6	2	<1	85	2	<0.5	6.8	124
MG - 2881	8.4	6	<1	45	<1	<0.5	13.2	106

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143017 Order: MG-2799 to MG-2881

Report File No.: 0000008918

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 2799	74	121	870	<5	<0.5	46	319	<0.1
MG - 2800	36	116	11000	37	0.6	49	137	0.1
MG - 2801	35	110	10300	12	<0.5	53	104	0.1
MG - 2802	27	84	9130	236	0.8	112	170	0.1
MG - 2803	28	92	15800	33	1.4	150	399	0.2
MG - 2804	49	113	7620	98	<0.5	33	155	<0.1
MG - 2805	44	133	3390	15	<0.5	100	455	<0.1
MG - 2806	<5	1	620	27	1.5	547	66	1.2
MG - 2807	19	9	1260	12	19.4	176	205	11.8
MG - 2808	16	10	2150	10	23.2	205	111	10.5
MG - 2809	14	10	2330	7	20.2	169	185	11.3
MG - 2810	<5	70	830	<5	0.6	276	96	0.6
MG - 2811	<5	76	2880	<5	<0.5	233	260	<0.1
MG - 2812	15	119	2710	<5	<0.5	99	459	<0.1
MG - 2813	17	145	1410	<5	<0.5	60	331	<0.1
MG - 2814	<5	96	1550	<5	<0.5	115	254	<0.1
MG - 2815	<5	45	1890	<5	3.7	231	133	1.6
MG - 2816	14	38	8680	<5	9.0	208	151	3.1
MG - 2817	7	51	2620	<5	4.5	395	199	1.4
MG - 2818	8	126	1050	<5	<0.5	91	254	<0.1
MG - 2819	89	101	1830	10	<0.5	14	340	<0.1
MG - 2820	59	100	9300	25	<0.5	55	529	0.1
MG - 2821	68	93	4540	20	<0.5	18	125	<0.1
MG - 2822	<5	91	4810	5	<0.5	267	499	<0.1
MG - 2823	<5	104	1680	<5	<0.5	343	820	<0.1
MG - 2824	56	83	2110	25	<0.5	128	630	0.2
MG - 2825	69	110	1280	13	<0.5	79	838	0.3
MG - 2826	88	92	13300	19	<0.5	73	539	<0.1
MG - 2827	33	71	17200	97	1.2	49	776	<0.1
MG - 2828	<5	50	8000	21	<0.5	4	74	0.5
MG - 2829	<5	54	7250	6	<0.5	3	49	0.4
MG - 2830	<5	76	5430	<5	<0.5	2	22	0.4
MG - 2831	<5	54	7070	<5	<0.5	4	36	0.4
MG - 2832	<5	56	6430	<5	<0.5	2	58	0.6
MG - 2833	<5	69	6030	<5	<0.5	8	61	0.3
MG - 2834	<5	57	8750	<5	<0.5	6	45	0.5
MG - 2835	<5	53	5740	<5	<0.5	7	39	0.5
MG - 2836	<5	50	8210	<5	<0.5	16	96	0.4
MG - 2837	<5	60	10000	<5	<0.5	12	51	0.4
MG - 2838	<5	34	6490	8	<0.5	78	128	1.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 2839	5	29	6570	7	<0.5	113	107	1.1
MG - 2840	6	33	7510	<5	<0.5	20	71	0.4
MG - 2841	32	61	16700	22	1.3	56	458	<0.1
MG - 2842	31	56	21100	37	1.9	96	253	0.2
MG - 2843	<5	38	8420	8	<0.5	9	46	0.4
MG - 2844	<5	44	7490	<5	<0.5	7	23	0.3
MG - 2845	<5	41	8090	<5	<0.5	3	26	0.4
MG - 2846	<5	42	7360	<5	<0.5	6	16	0.3
MG - 2847	43	66	5650	13	<0.5	1470	1160	0.3
MG - 2848	11	61	1350	9	1.3	821	535	0.6
MG - 2849	21	48	5700	17	3.6	458	417	1.7
MG - 2850	<5	1	550	<5	<0.5	109	20	1.1
MG - 2851	17	58	1140	8	4.4	309	175	0.8
MG - 2852	9	12	390	8	10.3	569	797	3.2
MG - 2853	20	41	22200	29	3.5	690	969	1.9
MG - 2854	18	23	10000	28	6.2	632	645	2.0
MG - 2855	15	153	1440	<5	<0.5	241	211	<0.1
MG - 2856	<5	122	910	<5	<0.5	149	259	<0.1
MG - 2857	30	30	1960	6	20.8	1020	176	2.7
MG - 2858	11	72	840	<5	<0.5	624	222	<0.1
MG - 2859	6	52	2940	<5	<0.5	276	358	0.4
MG - 2860	7	55	1700	<5	1.0	296	115	0.4
MG - 2861	8	75	8890	5	<0.5	314	346	0.2
MG - 2862	5	69	750	<5	<0.5	209	132	0.1
MG - 2863	23	93	780	<5	<0.5	119	365	<0.1
MG - 2864	28	82	2690	<5	<0.5	82	474	<0.1
MG - 2865	57	67	4290	<5	<0.5	95	603	0.1
MG - 2866	31	37	10400	49	9.7	258	278	2.9
MG - 2867	<5	93	5380	<5	<0.5	128	168	0.1
MG - 2868	<5	48	2320	<5	<0.5	199	302	0.2
MG - 2869	16	141	90	<5	<0.5	244	100	<0.1
MG - 2870	66	38	4200	10	47.3	105	337	11.0
MG - 2871	11	39	4080	6	19.1	313	97	3.4
MG - 2872	27	39	15300	8	24.3	134	258	6.6
MG - 2873	24	15	12800	6	13.8	99	179	6.6
MG - 2874	11	9	2390	7	8.2	228	103	2.4
MG - 2875	5	5	1600	7	2.9	148	129	5.7
MG - 2876	<5	3	300	5	3.1	168	104	1.5
MG - 2877	<5	3	3330	<5	1.1	34	36	1.2
MG - 2878	<5	3	610	<5	3.1	27	90	3.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143017 Order: MG-2799 to MG-2881

Report File No.: 0000008918

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 2879	<5	118	1660	<5	<0.5	145	121	<0.1
MG - 2880	52	169	1120	<5	<0.5	213	205	<0.1
MG - 2881	22	126	2930	<5	<0.5	159	205	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2799	30	<1	8	<1	10	<1	6	13
MG - 2800	110	<1	10	<1	9	<1	<5	11
MG - 2801	90	<1	10	<1	6	<1	<5	12
MG - 2802	250	<1	26	<1	14	<1	7	20
MG - 2803	140	<1	37	<1	17	<1	15	24
MG - 2804	180	<1	6	<1	7	<1	<5	8
MG - 2805	40	<1	21	<1	33	<1	6	23
MG - 2806	180	<1	125	<1	97	<1	39	92
MG - 2807	390	<1	43	<1	72	<1	45	33
MG - 2808	200	<1	53	<1	171	<1	52	37
MG - 2809	220	<1	39	<1	165	<1	63	34
MG - 2810	90	<1	64	<1	72	<1	20	54
MG - 2811	150	<1	52	<1	260	<1	44	56
MG - 2812	30	<1	18	<1	40	<1	6	26
MG - 2813	20	<1	11	<1	85	<1	6	16
MG - 2814	40	<1	24	<1	147	<1	7	28
MG - 2815	280	<1	52	<1	133	<1	72	50
MG - 2816	410	<1	49	<1	150	<1	78	44
MG - 2817	170	<1	91	<1	72	<1	45	77
MG - 2818	30	<1	19	<1	51	<1	9	21
MG - 2819	40	<1	3	<1	<5	<1	<5	4
MG - 2820	40	<1	12	<1	19	<1	<5	12
MG - 2821	50	<1	3	<1	6	<1	<5	6
MG - 2822	40	<1	60	<1	41	<1	10	58
MG - 2823	70	<1	79	<1	32	<1	13	71
MG - 2824	320	<1	29	<1	16	<1	11	28
MG - 2825	80	<1	17	<1	16	<1	7	17
MG - 2826	40	<1	17	<1	13	<1	6	14
MG - 2827	300	<1	13	<1	12	<1	7	9
MG - 2828	40	<1	<1	<1	8	<1	<5	<1
MG - 2829	30	<1	<1	<1	6	<1	<5	<1
MG - 2830	60	<1	<1	<1	<5	<1	<5	1
MG - 2831	40	<1	<1	<1	7	<1	<5	1
MG - 2832	40	<1	<1	<1	5	<1	<5	<1
MG - 2833	90	<1	1	<1	8	<1	<5	3
MG - 2834	80	<1	1	<1	8	<1	<5	2
MG - 2835	150	<1	1	<1	8	<1	<5	3
MG - 2836	60	<1	3	<1	5	<1	<5	4
MG - 2837	90	<1	2	<1	10	<1	<5	3
MG - 2838	90	<1	15	<1	13	<1	19	23

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2839	90	<1	22	<1	15	<1	19	30
MG - 2840	180	<1	4	<1	19	<1	12	6
MG - 2841	330	<1	14	<1	40	2	32	12
MG - 2842	350	<1	25	<1	45	1	31	16
MG - 2843	60	<1	2	<1	9	<1	6	2
MG - 2844	70	<1	2	<1	11	<1	<5	2
MG - 2845	50	<1	<1	<1	6	<1	<5	<1
MG - 2846	80	<1	1	<1	6	<1	<5	2
MG - 2847	400	<1	364	<1	21	<1	98	298
MG - 2848	110	<1	203	<1	104	<1	25	143
MG - 2849	80	<1	110	<1	60	<1	16	81
MG - 2850	30	<1	24	<1	54	<1	10	24
MG - 2851	30	<1	75	<1	54	<1	12	53
MG - 2852	180	<1	143	<1	133	<1	40	107
MG - 2853	40	<1	171	<1	89	<1	64	119
MG - 2854	80	<1	154	<1	146	<1	70	120
MG - 2855	40	<1	51	<1	62	<1	11	60
MG - 2856	40	<1	30	<1	105	<1	9	38
MG - 2857	220	<1	237	<1	279	<1	118	200
MG - 2858	60	<1	137	<1	82	<1	25	141
MG - 2859	150	<1	63	<1	127	<1	60	64
MG - 2860	190	<1	64	<1	106	<1	80	66
MG - 2861	30	<1	75	<1	30	<1	9	55
MG - 2862	70	<1	49	<1	60	<1	12	44
MG - 2863	30	<1	28	<1	40	<1	6	25
MG - 2864	90	<1	19	<1	39	<1	6	18
MG - 2865	40	<1	22	<1	23	<1	<5	17
MG - 2866	50	<1	61	<1	140	<1	60	45
MG - 2867	180	<1	28	<1	129	<1	33	30
MG - 2868	170	<1	43	<1	243	<1	43	48
MG - 2869	20	<1	48	<1	16	<1	12	57
MG - 2870	380	<1	28	<1	385	2	173	21
MG - 2871	170	<1	77	<1	269	<1	69	60
MG - 2872	290	<1	34	<1	226	<1	79	28
MG - 2873	120	<1	23	<1	313	<1	61	22
MG - 2874	200	<1	54	<1	164	<1	51	45
MG - 2875	360	<1	36	<1	115	<1	37	29
MG - 2876	410	<1	40	<1	101	<1	46	31
MG - 2877	330	<1	9	<1	90	1	42	8
MG - 2878	360	<1	7	<1	114	<1	40	6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2879	60	<1	32	<1	116	<1	14	32
MG - 2880	20	<1	39	<1	28	<1	10	56
MG - 2881	30	<1	33	<1	23	<1	13	36

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143017 Order: MG-2799 to MG-2881

Report File No.: 0000008918

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2799	<1	1380	<1	3	<10	4.9	10	<0.5
MG - 2800	<1	1010	<1	2	<10	26.4	55	<0.5
MG - 2801	<1	1060	<1	2	<10	30.1	46	<0.5
MG - 2802	<1	1030	<1	2	<10	40.8	85	<0.5
MG - 2803	<1	1190	<1	2	<10	83.8	215	<0.5
MG - 2804	<1	1360	<1	1	<10	19.1	55	<0.5
MG - 2805	<1	1600	<1	3	<10	24.1	10	<0.5
MG - 2806	<1	<10	1	9	<10	13.4	553	0.6
MG - 2807	3	170	<1	4	<10	67.2	6750	1.3
MG - 2808	3	190	<1	4	<10	79.2	8090	1.5
MG - 2809	3	180	<1	5	<10	65.0	6400	1.2
MG - 2810	<1	1050	<1	6	<10	38.7	310	<0.5
MG - 2811	<1	1250	<1	10	<10	20.0	44	<0.5
MG - 2812	<1	1030	<1	3	<10	17.8	9	<0.5
MG - 2813	<1	1680	<1	3	<10	8.1	7	<0.5
MG - 2814	<1	1260	<1	4	<10	20.5	7	<0.5
MG - 2815	<1	710	<1	7	<10	62.0	1120	<0.5
MG - 2816	<1	640	<1	7	<10	103	2440	0.7
MG - 2817	<1	710	<1	9	<10	50.8	1270	<0.5
MG - 2818	<1	1630	<1	3	<10	22.2	30	<0.5
MG - 2819	<1	920	<1	<1	<10	7.8	14	<0.5
MG - 2820	<1	1110	<1	2	<10	15.6	31	<0.5
MG - 2821	<1	990	<1	1	<10	8.8	15	<0.5
MG - 2822	<1	1690	<1	8	<10	20.3	20	<0.5
MG - 2823	<1	1830	<1	10	<10	16.3	27	<0.5
MG - 2824	<1	1260	<1	4	<10	7.7	18	<0.5
MG - 2825	<1	1450	<1	3	<10	16.5	45	<0.5
MG - 2826	<1	1410	<1	2	<10	37.0	37	<0.5
MG - 2827	<1	1350	<1	1	<10	21.5	27	<0.5
MG - 2828	<1	520	<1	<1	<10	2.9	43	<0.5
MG - 2829	<1	520	<1	<1	<10	1.1	17	<0.5
MG - 2830	<1	800	<1	<1	<10	0.6	11	<0.5
MG - 2831	<1	530	<1	<1	<10	<0.5	14	<0.5
MG - 2832	<1	570	<1	<1	<10	<0.5	11	<0.5
MG - 2833	<1	820	<1	<1	<10	0.9	20	<0.5
MG - 2834	<1	620	<1	<1	<10	0.7	13	<0.5
MG - 2835	<1	570	<1	<1	<10	0.7	13	<0.5
MG - 2836	<1	610	<1	<1	<10	1.2	22	<0.5
MG - 2837	<1	610	<1	<1	<10	1.2	26	<0.5
MG - 2838	<1	430	<1	5	<10	12.8	143	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2839	<1	390	<1	6	<10	15.4	166	<0.5
MG - 2840	<1	650	<1	1	<10	5.1	119	<0.5
MG - 2841	<1	1030	<1	2	40	15.6	173	<0.5
MG - 2842	<1	970	<1	2	20	31.3	258	<0.5
MG - 2843	<1	590	<1	<1	20	2.6	89	<0.5
MG - 2844	<1	570	<1	<1	20	1.0	59	<0.5
MG - 2845	<1	440	<1	<1	10	<0.5	32	<0.5
MG - 2846	<1	390	<1	<1	10	<0.5	15	<0.5
MG - 2847	<1	1410	<1	36	<10	52.1	153	<0.5
MG - 2848	<1	850	<1	14	<10	70.2	445	0.8
MG - 2849	<1	800	<1	7	<10	70.6	1150	0.7
MG - 2850	<1	<10	<1	3	<10	7.7	88	<0.5
MG - 2851	<1	940	<1	5	<10	50.4	1050	<0.5
MG - 2852	1	230	<1	12	<10	71.8	2680	1.2
MG - 2853	<1	750	<1	11	<10	58.8	1070	1.0
MG - 2854	<1	370	<1	13	<10	82.4	1330	0.7
MG - 2855	<1	1840	<1	9	<10	39.3	7	<0.5
MG - 2856	<1	2160	<1	6	<10	29.9	11	<0.5
MG - 2857	2	230	<1	23	<10	202	5520	1.3
MG - 2858	<1	1220	<1	18	<10	66.9	88	<0.5
MG - 2859	<1	850	<1	11	<10	73.8	137	<0.5
MG - 2860	<1	1190	<1	10	<10	61.8	410	<0.5
MG - 2861	<1	940	<1	5	<10	43.6	30	<0.5
MG - 2862	<1	810	<1	5	<10	41.7	141	<0.5
MG - 2863	<1	1000	<1	3	<10	27.3	9	<0.5
MG - 2864	<1	1000	<1	3	<10	12.1	8	<0.5
MG - 2865	<1	690	<1	2	<10	21.1	16	<0.5
MG - 2866	1	500	<1	4	<10	47.7	2460	0.9
MG - 2867	<1	1910	<1	5	<10	41.0	41	<0.5
MG - 2868	<1	1410	<1	7	<10	46.9	321	<0.5
MG - 2869	<1	1920	<1	7	<10	30.0	11	<0.5
MG - 2870	9	490	2	3	<10	93.4	17200	3.7
MG - 2871	1	500	1	6	<10	114	5950	0.9
MG - 2872	3	630	1	4	<10	94.0	7770	1.2
MG - 2873	2	190	<1	3	<10	46.5	4860	1.0
MG - 2874	1	100	<1	6	<10	45.2	3390	0.8
MG - 2875	<1	70	1	4	<10	28.8	1250	0.7
MG - 2876	<1	<10	<1	4	<10	18.3	1460	0.6
MG - 2877	<1	<10	<1	1	<10	10.7	1120	<0.5
MG - 2878	<1	<10	<1	1	<10	10.3	1520	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143017 Order: MG-2799 to MG-2881

Report File No.: 0000008918

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2879	<1	1990	<1	6	<10	39.7	28	<0.5
MG - 2880	<1	2560	<1	11	<10	18.5	<3	<0.5
MG - 2881	<1	1740	<1	6	<10	65.3	22	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143017 Order: MG-2799 to MG-2881

Report File No.: 0000008918

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2799	17	<1	70	5	70	8
MG - 2800	21	2	49	5	30	31
MG - 2801	16	2	56	5	<20	33
MG - 2802	126	2	53	5	80	42
MG - 2803	281	1	65	6	60	40
MG - 2804	92	1	43	4	40	16
MG - 2805	107	<1	84	7	140	14
MG - 2806	19	<1	215	10	150	14
MG - 2807	21	3	105	8	400	92
MG - 2808	17	5	87	6	470	135
MG - 2809	21	4	138	8	480	121
MG - 2810	18	<1	165	11	290	31
MG - 2811	66	<1	329	22	1590	18
MG - 2812	44	<1	77	4	240	8
MG - 2813	19	<1	75	4	110	<5
MG - 2814	28	<1	90	6	200	14
MG - 2815	14	<1	209	17	840	79
MG - 2816	14	<1	191	16	1880	132
MG - 2817	17	<1	268	17	730	59
MG - 2818	52	<1	92	7	280	13
MG - 2819	58	<1	34	3	60	6
MG - 2820	44	<1	45	4	80	14
MG - 2821	13	<1	37	3	110	7
MG - 2822	195	<1	233	16	180	16
MG - 2823	381	<1	329	24	460	13
MG - 2824	391	<1	184	11	680	7
MG - 2825	93	<1	90	7	430	9
MG - 2826	73	<1	59	6	290	15
MG - 2827	69	1	40	3	130	13
MG - 2828	2	<1	4	<1	270	<5
MG - 2829	2	<1	5	<1	900	<5
MG - 2830	1	<1	10	<1	1680	<5
MG - 2831	<1	<1	8	<1	220	<5
MG - 2832	<1	<1	8	<1	340	<5
MG - 2833	5	<1	30	3	940	<5
MG - 2834	2	<1	20	3	840	<5
MG - 2835	2	<1	22	2	990	<5
MG - 2836	7	<1	26	3	740	<5
MG - 2837	10	<1	23	3	1050	<5
MG - 2838	38	<1	272	23	690	12

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143017 Order: MG-2799 to MG-2881

Report File No.: 0000008918

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2839	30	<1	281	20	1210	12
MG - 2840	22	<1	59	5	920	7
MG - 2841	173	<1	69	8	360	22
MG - 2842	61	<1	59	6	220	37
MG - 2843	14	<1	17	2	620	5
MG - 2844	7	<1	14	2	820	<5
MG - 2845	4	<1	6	<1	570	<5
MG - 2846	1	<1	14	1	570	<5
MG - 2847	382	<1	1120	72	50	34
MG - 2848	80	<1	366	21	40	31
MG - 2849	43	3	165	11	100	38
MG - 2850	6	1	63	4	40	10
MG - 2851	23	<1	108	7	40	25
MG - 2852	32	<1	352	19	1260	74
MG - 2853	102	2	272	21	460	56
MG - 2854	76	1	338	25	380	101
MG - 2855	14	<1	245	20	140	24
MG - 2856	35	<1	149	11	330	10
MG - 2857	49	4	546	41	160	305
MG - 2858	45	<1	461	33	220	31
MG - 2859	46	<1	354	28	1120	57
MG - 2860	23	<1	285	30	1130	83
MG - 2861	79	<1	123	9	180	18
MG - 2862	23	<1	138	9	80	28
MG - 2863	44	<1	94	6	330	14
MG - 2864	32	<1	86	6	290	9
MG - 2865	26	<1	45	4	170	9
MG - 2866	36	5	113	10	150	103
MG - 2867	24	<1	132	19	1440	46
MG - 2868	31	<1	195	17	380	50
MG - 2869	14	<1	179	11	80	12
MG - 2870	15	6	77	7	580	303
MG - 2871	15	2	155	13	220	182
MG - 2872	15	2	98	9	4410	178
MG - 2873	17	1	87	7	530	105
MG - 2874	15	2	152	10	130	70
MG - 2875	12	<1	88	6	210	38
MG - 2876	11	<1	118	7	170	35
MG - 2877	9	<1	37	3	110	28
MG - 2878	6	<1	44	4	600	35

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143017 Order: MG-2799 to MG-2881

Report File No.: 0000008918

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2879	22	<1	148	12	120	23
MG - 2880	24	<1	353	28	40	11
MG - 2881	52	<1	147	15	20	26

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC143018

[Report File No.: 0000008919]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Oct 06, 2014

P.O. No.	:	MG-2882 to MG-2962
Project No.	:	-
No. Of Samples	:	81
Date Submitted	:	Sep 15, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 2882	0.520	11	63	<10	0.4	3030	<1	520
MG - 2883	0.490	5	89	<10	0.3	2290	<1	280
MG - 2884	0.445	9	105	<10	0.1	2410	<1	220
MG - 2885	0.325	3	193	<10	<0.1	540	<1	50
MG - 2886	0.450	1	64	<10	0.4	2330	<1	340
MG - 2887	0.480	6	103	<10	0.2	2170	<1	210
MG - 2888	0.435	19	86	<10	0.1	2540	<1	340
MG - 2889	0.570	29	18	<10	0.2	2850	<1	410
MG - 2890	0.560	35	12	<10	0.2	2960	<1	440
MG - 2891	0.445	29	76	<10	0.2	2640	<1	420
MG - 2892	0.445	17	84	<10	<0.1	1780	<1	380
MG - 2893	0.475	15	110	<10	0.2	2510	<1	370
MG - 2894	0.330	4	>200	50	0.2	5020	7	50
MG - 2895	0.515	8	43	<10	0.5	1940	<1	340
MG - 2896	0.450	22	70	<10	0.1	1520	<1	310
MG - 2897	0.455	19	121	<10	<0.1	1530	<1	260
MG - 2898	0.440	12	112	<10	<0.1	1360	<1	200
MG - 2899	0.345	12	130	<10	0.1	2570	<1	330
MG - 2900	0.455	8	123	<10	0.1	1790	<1	220
MG - 2901	0.430	9	180	<10	<0.1	1370	<1	150
MG - 2902	0.480	8	124	<10	<0.1	1960	<1	220
MG - 2903	0.415	7	78	<10	0.2	3110	<1	570
MG - 2904	0.450	33	49	<10	0.2	3530	<1	580
MG - 2905	0.495	11	92	<10	0.2	3000	<1	430
MG - 2906	0.445	8	191	10	0.1	2270	1	110
MG - 2907	0.560	8	112	<10	0.6	2760	<1	250
MG - 2908	0.500	16	130	<10	0.1	2330	<1	210
MG - 2909	0.430	8	127	<10	<0.1	1300	<1	240
MG - 2910	0.380	59	43	<10	0.1	3510	<1	760
MG - 2911	0.490	25	45	<10	0.4	4340	<1	730
MG - 2912	0.630	12	63	<10	0.1	1470	<1	430
MG - 2913	0.550	18	25	<10	0.3	1770	<1	430
MG - 2914	0.450	15	35	<10	0.1	2350	<1	560
MG - 2915	0.500	18	12	<10	0.7	1730	<1	530
MG - 2916	0.555	22	42	50	0.3	1760	1	190
MG - 2917	0.440	16	63	150	0.3	1400	6	100
MG - 2918	0.450	8	113	<10	0.1	2390	<1	180
MG - 2919	0.410	10	>200	30	<0.1	4540	2	30
MG - 2920	0.485	2	102	<10	0.2	2090	<1	20
MG - 2921	0.445	12	186	<10	0.5	3090	<1	200

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 2922	0.530	4	127	<10	0.3	2760	<1	200
MG - 2923	0.530	2	107	20	0.2	3050	1	120
MG - 2924	0.470	17	>200	10	0.3	2260	<1	20
MG - 2925	0.455	20	50	<10	0.3	3190	<1	560
MG - 2926	0.470	14	103	<10	0.2	1880	<1	390
MG - 2927	0.455	13	126	<10	0.3	1900	<1	310
MG - 2928	0.485	8	132	<10	0.1	1330	<1	250
MG - 2929	0.570	17	9	<10	0.4	1400	<1	530
MG - 2930	0.425	24	33	<10	0.2	2390	<1	780
MG - 2931	0.470	16	47	<10	0.3	2450	<1	580
MG - 2932	0.550	38	21	<10	0.4	2350	<1	540
MG - 2933	0.475	20	146	<10	0.2	3480	<1	220
MG - 2934	0.510	14	36	<10	0.4	1290	<1	410
MG - 2935	0.460	9	101	<10	0.2	3990	<1	370
MG - 2936	0.530	13	143	<10	0.2	2110	<1	210
MG - 2937	0.565	10	191	10	0.2	3310	1	130
MG - 2938	0.455	3	102	<10	0.3	2430	<1	260
MG - 2939	0.465	8	106	10	0.1	1850	<1	20
MG - 2940	0.340	3	>200	40	<0.1	1760	3	<10
MG - 2941	0.450	5	>200	20	0.2	540	<1	10
MG - 2942	0.415	6	>200	10	0.2	1080	<1	20
MG - 2943	0.400	3	>200	<10	0.1	2400	<1	<10
MG - 2944	0.315	5	>200	<10	0.2	740	<1	<10
MG - 2945	0.355	8	137	<10	0.2	2250	<1	350
MG - 2946	0.310	6	113	<10	<0.1	1880	<1	290
MG - 2947	0.485	10	106	<10	<0.1	1790	<1	280
MG - 2948	0.485	10	141	<10	<0.1	2730	<1	230
MG - 2949	0.380	14	106	<10	0.1	3260	<1	250
MG - 2950	0.550	1	27	<10	<0.1	420	<1	10
MG - 2951	0.445	9	107	<10	0.2	2660	<1	340
MG - 2952	0.475	32	30	<10	0.1	2630	<1	430
MG - 2953	0.415	34	49	<10	0.4	3970	<1	580
MG - 2954	0.495	10	105	<10	0.3	2310	<1	390
MG - 2955	0.450	9	78	<10	0.3	3220	<1	470
MG - 2956	0.510	14	105	<10	0.2	1710	<1	310
MG - 2957	0.500	16	80	<10	0.2	2750	<1	440
MG - 2958	0.460	13	81	<10	0.2	3370	<1	430
MG - 2959	0.480	10	92	<10	0.3	1740	<1	280
MG - 2960	0.460	2	200	10	0.2	2090	2	60
MG - 2961	0.415	12	170	10	<0.1	980	<1	140

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG - 2962	0.465	31	32	<10	0.1	1390	<1	560

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2882	2	1020	36	<100	<0.5	1130	104	61.5
MG - 2883	3	961	16	<100	<0.5	460	89	47.1
MG - 2884	3	365	15	<100	2.0	290	37	18.1
MG - 2885	23	99	39	<100	12.1	250	19	9.3
MG - 2886	6	2920	181	<100	<0.5	970	179	82.2
MG - 2887	5	799	32	<100	1.1	250	46	21.0
MG - 2888	11	2570	25	<100	<0.5	980	251	127
MG - 2889	5	153	36	<100	<0.5	890	23	10.8
MG - 2890	9	97	26	<100	<0.5	1290	25	11.0
MG - 2891	34	790	53	200	0.6	1270	84	50.0
MG - 2892	5	247	25	<100	0.7	560	34	18.7
MG - 2893	5	421	47	<100	0.6	560	62	37.4
MG - 2894	6	668	221	300	21.1	650	35	15.8
MG - 2895	1	669	18	<100	<0.5	870	90	49.2
MG - 2896	3	317	31	<100	1.0	640	19	9.6
MG - 2897	6	305	26	<100	1.4	350	50	26.5
MG - 2898	3	619	20	<100	1.8	250	38	18.0
MG - 2899	11	199	29	<100	0.7	260	31	18.2
MG - 2900	5	853	28	<100	1.8	280	53	24.7
MG - 2901	9	646	23	<100	2.4	330	66	31.7
MG - 2902	4	572	34	<100	1.5	210	33	15.9
MG - 2903	12	446	69	<100	<0.5	540	63	43.7
MG - 2904	18	781	70	<100	<0.5	1680	103	61.0
MG - 2905	10	156	23	<100	<0.5	400	31	20.5
MG - 2906	9	837	101	100	3.4	210	40	18.0
MG - 2907	2	393	35	<100	1.1	500	44	25.9
MG - 2908	7	281	44	<100	1.4	180	24	12.6
MG - 2909	12	707	14	<100	0.9	550	99	48.6
MG - 2910	20	268	38	<100	<0.5	800	66	37.0
MG - 2911	8	332	74	<100	<0.5	760	43	25.0
MG - 2912	9	261	12	<100	<0.5	380	29	13.6
MG - 2913	13	744	110	<100	<0.5	1410	36	17.7
MG - 2914	3	294	132	<100	<0.5	750	34	18.7
MG - 2915	3	21	32	<100	<0.5	1460	13	7.3
MG - 2916	6	522	320	<100	2.1	1260	9	3.7
MG - 2917	6	848	272	100	4.7	1380	12	5.3
MG - 2918	7	821	50	<100	2.0	290	45	20.5
MG - 2919	7	524	114	300	13.3	650	41	19.6
MG - 2920	1	796	25	<100	6.8	530	39	16.1
MG - 2921	6	885	113	100	2.4	650	77	41.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2922	7	1160	64	<100	1.7	700	94	43.7
MG - 2923	4	1430	70	100	3.9	390	48	19.1
MG - 2924	5	400	68	200	13.3	650	26	12.1
MG - 2925	18	171	88	<100	<0.5	410	35	20.4
MG - 2926	24	393	74	<100	<0.5	660	55	31.9
MG - 2927	10	308	52	<100	1.0	460	38	22.1
MG - 2928	11	380	88	<100	5.8	480	27	12.7
MG - 2929	1	72	22	<100	<0.5	2570	7	3.0
MG - 2930	10	133	84	<100	<0.5	1300	20	10.1
MG - 2931	6	198	31	<100	<0.5	1030	28	16.0
MG - 2932	8	164	35	<100	<0.5	1120	35	18.4
MG - 2933	35	751	37	<100	1.6	540	204	116
MG - 2934	7	367	44	<100	<0.5	770	40	19.6
MG - 2935	6	849	31	<100	<0.5	730	117	69.3
MG - 2936	6	1190	46	<100	0.8	450	93	48.2
MG - 2937	3	837	43	<100	3.5	580	42	18.8
MG - 2938	3	4480	60	<100	<0.5	480	176	77.7
MG - 2939	3	239	49	<100	10.5	340	14	6.2
MG - 2940	7	117	88	200	16.9	420	12	7.3
MG - 2941	7	199	44	100	13.2	610	12	5.5
MG - 2942	24	265	136	<100	46.4	850	23	10.6
MG - 2943	5	217	94	<100	21.0	450	25	12.7
MG - 2944	4	411	43	<100	14.9	1170	32	15.2
MG - 2945	10	174	58	<100	1.1	330	26	15.5
MG - 2946	19	1400	85	<100	1.6	630	118	59.4
MG - 2947	3	1120	68	<100	<0.5	540	78	35.0
MG - 2948	21	334	71	<100	1.7	850	87	50.0
MG - 2949	9	336	58	<100	0.8	1040	201	125
MG - 2950	<1	120	11	<100	2.2	100	12	5.0
MG - 2951	9	417	87	<100	0.6	560	57	34.2
MG - 2952	11	1110	104	<100	<0.5	1170	91	50.8
MG - 2953	3	408	16	<100	<0.5	640	74	45.8
MG - 2954	4	611	46	<100	<0.5	430	68	42.1
MG - 2955	5	290	28	<100	<0.5	450	63	41.3
MG - 2956	6	167	23	<100	0.8	390	28	16.1
MG - 2957	5	165	18	<100	<0.5	550	19	12.1
MG - 2958	12	190	18	<100	<0.5	430	35	22.4
MG - 2959	5	248	22	<100	0.7	610	32	17.1
MG - 2960	2	824	26	100	8.9	200	59	28.2
MG - 2961	15	227	55	<100	4.3	660	22	11.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2962	16	23	25	<100	0.9	370	2	1.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 2882	25.6	13	1	128	<1	<0.5	13.3	368
MG - 2883	28.5	18	2	123	<1	<0.5	20.6	417
MG - 2884	11.9	19	2	48	<1	<0.5	21.7	142
MG - 2885	5.0	46	10	20	<1	<0.5	12.1	44
MG - 2886	71.2	26	2	316	<1	<0.5	14.9	1500
MG - 2887	17.1	25	3	66	<1	<0.5	14.9	323
MG - 2888	71.1	18	2	326	<1	<0.5	32.8	1100
MG - 2889	7.4	8	<1	37	<1	<0.5	18.8	86
MG - 2890	7.4	5	<1	38	<1	<0.5	19.3	72
MG - 2891	20.7	69	3	97	<1	<0.5	32.0	402
MG - 2892	8.8	11	1	42	<1	<0.5	31.3	97
MG - 2893	15.9	34	3	72	<1	<0.5	30.4	235
MG - 2894	10.3	285	31	42	<1	<0.5	41.0	236
MG - 2895	26.1	15	1	120	<1	<0.5	36.1	267
MG - 2896	5.5	17	2	24	<1	<0.5	91.5	59
MG - 2897	12.6	34	4	55	<1	<0.5	35.1	139
MG - 2898	12.5	53	6	51	<1	<0.5	37.0	222
MG - 2899	6.5	45	3	31	<1	<0.5	52.4	85
MG - 2900	16.9	41	3	68	<1	<0.5	28.2	267
MG - 2901	15.6	61	6	67	<1	<0.5	30.6	198
MG - 2902	10.5	42	4	43	<1	<0.5	18.2	167
MG - 2903	12.8	24	1	62	<1	<0.5	39.4	184
MG - 2904	24.0	19	<1	123	<1	<0.5	25.0	461
MG - 2905	6.4	23	1	31	<1	<0.5	34.8	73
MG - 2906	14.0	98	15	53	<1	<0.5	29.7	239
MG - 2907	12.5	39	4	53	<1	<0.5	28.8	131
MG - 2908	6.9	46	4	28	<1	<0.5	21.5	88
MG - 2909	23.0	43	3	102	<1	<0.5	33.5	290
MG - 2910	15.8	12	<1	81	<1	<0.5	27.3	211
MG - 2911	9.6	10	<1	52	<1	<0.5	18.6	128
MG - 2912	8.6	13	1	40	<1	<0.5	32.7	122
MG - 2913	11.3	12	<1	55	<1	<0.5	24.1	168
MG - 2914	9.2	13	<1	46	<1	<0.5	21.4	127
MG - 2915	3.0	3	<1	18	2	<0.5	10.2	10
MG - 2916	3.9	64	5	15	<1	<0.5	43.4	109
MG - 2917	4.5	161	10	17	<1	<0.5	43.1	130
MG - 2918	15.5	53	6	63	<1	<0.5	30.5	259
MG - 2919	10.2	242	49	40	<1	<0.5	16.0	153
MG - 2920	13.6	39	10	56	<1	<0.5	5.2	281
MG - 2921	24.0	80	12	104	<1	<0.5	29.8	427

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 2922	34.1	46	6	136	<1	<0.5	11.8	627
MG - 2923	21.9	75	13	83	<1	<0.5	11.9	841
MG - 2924	8.6	109	10	33	<1	<0.5	33.7	161
MG - 2925	7.9	13	<1	39	<1	<0.5	34.2	82
MG - 2926	12.6	27	2	59	<1	<0.5	30.9	151
MG - 2927	10.2	43	5	47	<1	<0.5	32.8	155
MG - 2928	7.8	51	5	33	<1	<0.5	21.1	109
MG - 2929	3.2	8	<1	14	<1	<0.5	6.7	40
MG - 2930	4.6	10	<1	24	<1	<0.5	23.4	38
MG - 2931	7.0	11	<1	34	<1	<0.5	32.6	81
MG - 2932	9.0	8	<1	45	<1	<0.5	34.9	87
MG - 2933	31.1	89	4	157	<1	<0.5	36.4	262
MG - 2934	10.8	13	1	53	<1	<0.5	20.2	96
MG - 2935	24.4	51	2	114	<1	<0.5	27.5	370
MG - 2936	26.5	48	4	111	<1	<0.5	37.7	427
MG - 2937	13.6	80	13	56	<1	<0.5	33.2	354
MG - 2938	79.4	27	5	334	<1	<0.5	9.9	2410
MG - 2939	6.1	23	6	21	<1	<0.5	5.5	124
MG - 2940	2.2	157	133	10	<1	<0.5	22.7	58
MG - 2941	4.0	71	11	16	1	<0.5	20.6	100
MG - 2942	6.4	80	16	30	<1	<0.5	36.0	119
MG - 2943	5.8	51	5	24	<1	<0.5	21.2	82
MG - 2944	9.5	77	16	41	<1	<0.5	16.1	178
MG - 2945	6.3	47	5	28	<1	<0.5	27.2	86
MG - 2946	30.5	51	2	141	<1	<0.5	30.7	393
MG - 2947	24.8	50	2	104	<1	<0.5	8.6	441
MG - 2948	14.7	81	6	70	<1	<0.5	46.1	121
MG - 2949	22.6	140	2	120	<1	<0.5	40.9	107
MG - 2950	4.1	3	3	18	<1	<0.5	3.4	49
MG - 2951	11.3	72	2	53	<1	<0.5	50.9	162
MG - 2952	21.5	10	<1	113	<1	<0.5	38.5	252
MG - 2953	16.1	8	<1	83	<1	<0.5	29.6	175
MG - 2954	15.8	31	2	75	<1	<0.5	25.3	229
MG - 2955	12.3	23	1	60	<1	<0.5	39.5	148
MG - 2956	6.6	17	3	31	<1	<0.5	69.0	66
MG - 2957	4.3	14	1	20	<1	<0.5	48.5	56
MG - 2958	7.7	15	1	36	<1	<0.5	47.7	82
MG - 2959	9.7	17	3	41	<1	<0.5	45.8	106
MG - 2960	20.2	107	23	83	<1	<0.5	8.8	386
MG - 2961	7.1	95	10	31	<1	<0.5	46.0	118

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG - 2962	0.7	5	<1	4	<1	<0.5	23.9	5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 2882	9	145	2060	<5	<0.5	468	375	<0.1
MG - 2883	<5	91	1630	<5	<0.5	598	199	0.1
MG - 2884	<5	72	930	<5	<0.5	214	123	0.3
MG - 2885	<5	6	3980	<5	2.1	79	124	1.7
MG - 2886	14	112	4840	<5	<0.5	1780	302	0.4
MG - 2887	<5	50	2040	<5	2.3	392	92	0.7
MG - 2888	7	90	1930	<5	<0.5	1410	658	<0.1
MG - 2889	52	128	2070	<5	<0.5	142	352	<0.1
MG - 2890	29	152	1270	<5	<0.5	127	445	<0.1
MG - 2891	10	118	1750	<5	1.1	465	1150	0.6
MG - 2892	<5	111	1870	<5	<0.5	144	188	<0.1
MG - 2893	5	112	3660	<5	<0.5	306	187	0.2
MG - 2894	21	30	4610	9	23.2	211	240	11.0
MG - 2895	16	174	1200	<5	<0.5	451	197	0.2
MG - 2896	<5	86	1910	<5	<0.5	95	77	0.4
MG - 2897	<5	65	1960	<5	0.7	209	131	0.4
MG - 2898	<5	41	1490	<5	4.5	283	113	1.2
MG - 2899	<5	97	2990	<5	<0.5	111	183	0.2
MG - 2900	<5	49	2180	<5	3.2	350	119	0.6
MG - 2901	<5	42	2740	<5	2.5	289	201	1.1
MG - 2902	<5	50	1950	<5	4.4	212	115	0.9
MG - 2903	9	136	6550	<5	<0.5	232	293	<0.1
MG - 2904	16	158	3660	<5	<0.5	506	1100	<0.1
MG - 2905	6	95	1290	<5	<0.5	104	185	<0.1
MG - 2906	13	33	2460	<5	9.4	292	141	4.6
MG - 2907	<5	78	1820	<5	<0.5	207	136	0.3
MG - 2908	<5	59	2700	<5	1.8	121	115	1.0
MG - 2909	<5	52	1370	<5	<0.5	406	337	0.3
MG - 2910	15	132	3660	<5	<0.5	289	809	<0.1
MG - 2911	23	149	6240	<5	<0.5	183	412	<0.1
MG - 2912	7	102	820	<5	<0.5	181	221	<0.1
MG - 2913	25	130	7420	<5	<0.5	249	581	<0.1
MG - 2914	17	99	8030	<5	<0.5	190	299	<0.1
MG - 2915	54	52	2970	<5	<0.5	32	150	<0.1
MG - 2916	<5	36	11800	12	2.9	119	261	1.1
MG - 2917	<5	21	17300	35	5.9	129	219	4.2
MG - 2918	<5	42	5300	<5	4.8	340	136	1.6
MG - 2919	44	32	1520	5	25.2	201	240	4.6
MG - 2920	<5	4	220	9	2.7	296	26	1.6
MG - 2921	17	75	2040	<5	5.2	541	195	0.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 2922	6	50	3870	<5	5.2	815	183	1.0
MG - 2923	6	25	2070	<5	9.0	679	78	2.2
MG - 2924	7	4	440	<5	3.8	185	158	2.6
MG - 2925	16	160	6550	<5	<0.5	125	263	<0.1
MG - 2926	7	84	4690	<5	<0.5	219	250	0.2
MG - 2927	10	81	3480	<5	1.3	206	162	0.5
MG - 2928	<5	37	5720	<5	1.4	147	196	0.8
MG - 2929	<5	35	150	<5	<0.5	70	106	<0.1
MG - 2930	6	57	4860	<5	<0.5	68	204	<0.1
MG - 2931	6	142	1930	<5	<0.5	125	185	<0.1
MG - 2932	17	127	1870	<5	<0.5	148	391	<0.1
MG - 2933	9	78	3410	<5	<0.5	510	922	0.2
MG - 2934	10	125	2670	<5	<0.5	166	305	<0.1
MG - 2935	6	102	2840	<5	<0.5	491	359	<0.1
MG - 2936	<5	60	3870	<5	1.2	570	231	0.5
MG - 2937	10	38	1650	<5	14.7	323	161	1.6
MG - 2938	<5	114	3110	<5	1.4	2580	306	0.3
MG - 2939	<5	2	1360	9	<0.5	130	56	1.0
MG - 2940	45	25	490	14	24.8	54	226	5.5
MG - 2941	<5	3	1000	6	2.2	98	185	3.6
MG - 2942	<5	7	3610	5	2.2	159	470	4.6
MG - 2943	<5	6	580	<5	0.7	134	357	1.5
MG - 2944	<5	2	530	<5	2.5	232	195	2.2
MG - 2945	16	112	3640	<5	1.0	114	298	0.2
MG - 2946	<5	82	5990	<5	<0.5	576	836	0.3
MG - 2947	<5	90	2080	<5	<0.5	543	301	0.2
MG - 2948	8	78	4870	<5	0.8	215	542	0.3
MG - 2949	<5	88	2060	<5	<0.5	314	1050	<0.1
MG - 2950	<5	2	450	<5	<0.5	82	19	0.8
MG - 2951	<5	101	6470	<5	<0.5	197	347	<0.1
MG - 2952	23	138	7040	<5	<0.5	376	940	<0.1
MG - 2953	14	167	1250	<5	<0.5	274	232	<0.1
MG - 2954	8	94	2870	<5	<0.5	295	213	<0.1
MG - 2955	8	121	1600	<5	<0.5	209	186	<0.1
MG - 2956	<5	68	1170	<5	<0.5	105	124	0.2
MG - 2957	<5	111	990	<5	<0.5	72	168	<0.1
MG - 2958	<5	121	4170	<5	<0.5	120	203	<0.1
MG - 2959	<5	76	2060	<5	<0.5	175	150	0.2
MG - 2960	11	24	750	7	11.9	422	59	3.3
MG - 2961	<5	31	2680	<5	2.9	156	234	2.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG - 2962	<5	85	2390	<5	<0.5	11	110	0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2882	100	<1	100	<1	104	3	32	107
MG - 2883	120	<1	129	<1	172	1	53	128
MG - 2884	150	<1	47	<1	324	1	62	49
MG - 2885	320	<1	16	<1	165	<1	40	18
MG - 2886	110	<1	421	<1	29	1	57	348
MG - 2887	140	<1	93	<1	130	<1	58	75
MG - 2888	130	<1	331	<1	176	<1	71	312
MG - 2889	30	<1	29	<1	44	<1	10	33
MG - 2890	30	<1	26	<1	50	<1	8	32
MG - 2891	130	<1	113	<1	57	<1	52	94
MG - 2892	100	<1	30	<1	126	<1	17	35
MG - 2893	200	<1	67	<1	131	<1	84	67
MG - 2894	390	<1	54	<1	292	2	81	44
MG - 2895	70	<1	90	<1	18	<1	35	108
MG - 2896	120	<1	21	<1	131	<1	21	23
MG - 2897	200	<1	46	<1	137	<1	69	52
MG - 2898	140	<1	68	<1	133	<1	54	57
MG - 2899	220	<1	24	<1	106	<1	53	26
MG - 2900	170	<1	81	<1	128	<1	59	73
MG - 2901	240	<1	65	<1	155	<1	66	64
MG - 2902	210	<1	49	<1	170	<1	62	45
MG - 2903	170	<1	51	<1	53	<1	53	53
MG - 2904	150	<1	121	<1	36	<1	25	109
MG - 2905	180	<1	22	<1	115	<1	41	26
MG - 2906	250	<1	72	<1	233	<1	70	60
MG - 2907	220	<1	43	<1	151	<1	78	50
MG - 2908	300	<1	27	<1	127	<1	44	28
MG - 2909	210	<1	93	<1	165	<1	84	96
MG - 2910	70	<1	64	<1	45	<1	13	68
MG - 2911	100	<1	41	<1	30	<1	11	43
MG - 2912	50	<1	40	<1	29	<1	9	40
MG - 2913	40	<1	55	<1	14	<1	12	52
MG - 2914	40	<1	41	<1	39	<1	12	41
MG - 2915	40	<1	5	<1	32	<1	<5	12
MG - 2916	80	<1	30	<1	114	<1	10	20
MG - 2917	250	<1	34	<1	167	2	19	22
MG - 2918	140	<1	81	<1	258	<1	52	71
MG - 2919	500	<1	47	<1	231	<1	116	42
MG - 2920	230	<1	74	<1	132	<1	36	58
MG - 2921	300	<1	120	<1	237	<1	124	110

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2922	180	<1	190	<1	139	<1	95	158
MG - 2923	130	<1	183	<1	150	<1	58	107
MG - 2924	260	<1	44	<1	210	<1	52	37
MG - 2925	110	<1	27	<1	63	<1	17	32
MG - 2926	150	<1	49	<1	164	<1	48	53
MG - 2927	170	<1	46	<1	151	<1	74	46
MG - 2928	220	<1	33	<1	205	<1	43	32
MG - 2929	<10	<1	14	<1	55	<1	6	15
MG - 2930	40	<1	14	<1	77	<1	10	18
MG - 2931	40	<1	27	<1	43	<1	14	30
MG - 2932	30	<1	31	<1	27	<1	10	36
MG - 2933	180	<1	104	<1	173	<1	99	126
MG - 2934	40	<1	35	<1	71	<1	17	43
MG - 2935	270	<1	107	<1	118	<1	117	103
MG - 2936	210	<1	128	<1	138	<1	113	117
MG - 2937	220	<1	81	<1	243	<1	64	62
MG - 2938	140	<1	629	<1	82	<1	85	430
MG - 2939	100	<1	33	<1	90	<1	42	25
MG - 2940	310	<1	14	<1	213	1	109	10
MG - 2941	240	<1	24	<1	91	<1	35	19
MG - 2942	570	<1	36	<1	249	<1	35	31
MG - 2943	290	<1	30	<1	214	<1	29	26
MG - 2944	470	<1	53	<1	205	<1	43	43
MG - 2945	210	<1	25	<1	182	<1	82	26
MG - 2946	300	<1	128	<1	227	<1	69	135
MG - 2947	140	<1	127	<1	146	<1	71	112
MG - 2948	260	<1	44	<1	311	<1	97	57
MG - 2949	260	<1	57	<1	220	<1	84	86
MG - 2950	30	<1	18	<1	47	<1	13	18
MG - 2951	200	<1	43	<1	155	<1	85	45
MG - 2952	60	<1	81	<1	38	<1	19	88
MG - 2953	60	<1	58	<1	65	<1	17	68
MG - 2954	170	<1	64	<1	89	<1	58	68
MG - 2955	170	<1	43	<1	91	<1	90	50
MG - 2956	130	<1	22	<1	126	<1	36	27
MG - 2957	90	<1	16	<1	102	<1	24	18
MG - 2958	170	<1	25	<1	103	<1	48	29
MG - 2959	110	<1	36	<1	134	<1	33	40
MG - 2960	200	<1	100	<1	122	<1	71	85
MG - 2961	430	<1	35	<1	101	1	29	32

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2962	20	<1	2	<1	91	<1	<5	3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2882	<1	2710	<1	17	60	40.7	10	<0.5
MG - 2883	<1	1560	<1	16	30	35.6	17	<0.5
MG - 2884	<1	1120	<1	6	20	34.5	184	<0.5
MG - 2885	<1	110	<1	3	20	9.7	834	<0.5
MG - 2886	<1	2400	<1	34	10	50.0	105	<0.5
MG - 2887	<1	870	<1	8	<10	53.4	648	<0.5
MG - 2888	<1	1410	<1	43	<10	66.5	8	<0.5
MG - 2889	<1	1790	<1	4	<10	35.2	4	<0.5
MG - 2890	<1	2030	<1	4	<10	19.4	<3	<0.5
MG - 2891	<1	1660	<1	13	<10	46.4	199	<0.5
MG - 2892	<1	1480	<1	6	<10	18.9	17	<0.5
MG - 2893	<1	1900	<1	10	<10	34.8	194	<0.5
MG - 2894	2	390	<1	6	<10	100	6990	2.0
MG - 2895	<1	2150	<1	15	<10	41.8	108	<0.5
MG - 2896	<1	1220	<1	3	<10	34.5	78	<0.5
MG - 2897	<1	830	<1	8	<10	48.1	345	<0.5
MG - 2898	<1	480	<1	7	<10	86.6	1340	<0.5
MG - 2899	<1	1450	<1	5	<10	42.5	150	<0.5
MG - 2900	<1	640	<1	9	<10	81.3	875	<0.5
MG - 2901	<1	530	<1	10	<10	84.4	917	<0.5
MG - 2902	<1	670	<1	6	<10	83.4	1330	<0.5
MG - 2903	<1	2720	<1	9	<10	27.5	16	<0.5
MG - 2904	<1	2620	<1	16	<10	30.7	<3	<0.5
MG - 2905	<1	1910	<1	5	<10	25.0	38	<0.5
MG - 2906	<1	340	<1	7	<10	99.4	2840	0.7
MG - 2907	<1	1270	<1	7	<10	49.6	273	<0.5
MG - 2908	<1	820	<1	4	<10	45.4	629	<0.5
MG - 2909	<1	690	<1	15	<10	104	233	<0.5
MG - 2910	<1	2160	<1	11	<10	21.9	<3	<0.5
MG - 2911	<1	2550	<1	7	<10	46.0	<3	<0.5
MG - 2912	<1	1340	<1	5	<10	45.1	5	<0.5
MG - 2913	<1	1910	<1	7	<10	82.1	54	<0.5
MG - 2914	<1	2020	<1	6	<10	70.3	40	<0.5
MG - 2915	<1	1320	<1	2	<10	7.3	<3	<0.5
MG - 2916	<1	610	<1	2	<10	38.4	1020	<0.5
MG - 2917	<1	200	<1	2	<10	55.8	2030	0.5
MG - 2918	<1	530	<1	8	<10	78.4	1610	<0.5
MG - 2919	3	390	<1	7	<10	107	8430	2.1
MG - 2920	<1	130	1	7	<10	26.7	1280	<0.5
MG - 2921	<1	1130	<1	13	<10	104	1620	0.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2922	<1	830	<1	17	<10	76.8	1760	<0.5
MG - 2923	<1	540	<1	9	<10	73.0	2960	0.7
MG - 2924	<1	70	<1	4	<10	33.6	1190	0.8
MG - 2925	<1	2270	<1	6	<10	22.5	7	<0.5
MG - 2926	<1	1450	<1	8	<10	37.3	146	<0.5
MG - 2927	<1	1510	<1	6	<10	41.7	519	<0.5
MG - 2928	<1	600	<1	5	<10	47.9	594	0.6
MG - 2929	<1	870	<1	1	<10	12.4	11	<0.5
MG - 2930	<1	2060	<1	3	<10	28.6	<3	<0.5
MG - 2931	<1	2110	<1	5	<10	59.7	9	<0.5
MG - 2932	<1	1630	<1	6	<10	43.8	14	<0.5
MG - 2933	<1	1280	<1	29	<10	51.2	325	0.6
MG - 2934	<1	1730	<1	7	<10	64.7	60	<0.5
MG - 2935	<1	2510	<1	17	<10	68.7	27	<0.5
MG - 2936	<1	940	<1	16	<10	111	480	<0.5
MG - 2937	<1	560	<1	7	<10	107	4630	1.0
MG - 2938	<1	1690	<1	35	<10	59.4	481	<0.5
MG - 2939	<1	20	2	3	<10	14.9	291	<0.5
MG - 2940	11	100	2	2	<10	19.0	13600	3.3
MG - 2941	<1	20	<1	2	<10	24.2	961	0.6
MG - 2942	<1	130	<1	4	<10	14.0	1020	0.8
MG - 2943	<1	70	1	4	<10	18.8	406	0.8
MG - 2944	<1	10	1	6	<10	16.0	1200	0.5
MG - 2945	<1	1890	<1	4	<10	41.0	459	<0.5
MG - 2946	<1	1350	<1	20	<10	57.5	116	<0.5
MG - 2947	<1	1360	<1	14	<10	81.7	104	<0.5
MG - 2948	<1	1620	<1	12	<10	70.3	499	0.6
MG - 2949	<1	1780	<1	26	<10	36.4	75	<0.5
MG - 2950	<1	<10	1	2	<10	7.5	46	<0.5
MG - 2951	<1	1680	<1	8	<10	57.1	139	<0.5
MG - 2952	<1	2150	<1	15	<10	69.9	18	<0.5
MG - 2953	<1	2580	<1	12	<10	58.4	10	<0.5
MG - 2954	<1	1570	<1	11	<10	60.7	129	<0.5
MG - 2955	<1	2260	<1	9	<10	23.7	11	<0.5
MG - 2956	<1	1050	<1	4	<10	32.2	162	<0.5
MG - 2957	<1	1640	<1	3	<10	44.0	33	<0.5
MG - 2958	<1	2050	<1	5	<10	20.9	10	<0.5
MG - 2959	<1	1080	<1	6	<10	28.9	147	<0.5
MG - 2960	1	270	<1	10	<10	33.4	4290	0.9
MG - 2961	<1	450	<1	4	<10	19.2	1160	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2962	<1	1680	<1	<1	<10	3.6	13	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2882	30	<1	497	48	80	35
MG - 2883	27	<1	433	35	310	34
MG - 2884	15	<1	167	14	540	43
MG - 2885	7	<1	102	6	450	21
MG - 2886	27	<1	868	62	260	31
MG - 2887	15	<1	209	16	300	70
MG - 2888	86	<1	1240	94	230	43
MG - 2889	27	<1	99	8	110	16
MG - 2890	172	<1	102	8	70	14
MG - 2891	428	<1	416	39	1180	64
MG - 2892	34	<1	166	13	320	20
MG - 2893	22	<1	321	30	550	56
MG - 2894	16	9	156	12	400	143
MG - 2895	27	<1	391	39	280	26
MG - 2896	17	<1	80	8	190	44
MG - 2897	17	<1	229	22	370	61
MG - 2898	22	<1	172	13	270	101
MG - 2899	12	<1	159	14	1160	54
MG - 2900	25	<1	244	19	340	83
MG - 2901	22	<1	316	23	450	65
MG - 2902	23	<1	151	13	460	105
MG - 2903	73	<1	321	37	660	45
MG - 2904	468	<1	555	51	150	43
MG - 2905	27	<1	153	19	1080	40
MG - 2906	13	<1	171	14	680	134
MG - 2907	20	<1	200	22	810	64
MG - 2908	9	<1	121	10	930	56
MG - 2909	36	<1	453	36	310	50
MG - 2910	65	<1	352	29	90	19
MG - 2911	83	<1	195	19	60	31
MG - 2912	37	<1	137	10	260	28
MG - 2913	95	<1	157	13	140	44
MG - 2914	86	<1	146	14	50	35
MG - 2915	3	<1	71	6	<20	9
MG - 2916	10	1	38	3	160	28
MG - 2917	13	3	47	4	380	69
MG - 2918	21	<1	193	16	860	86
MG - 2919	13	3	182	14	370	206
MG - 2920	10	<1	199	11	40	33
MG - 2921	25	<1	372	33	650	144

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2922	34	<1	448	33	470	85
MG - 2923	13	2	220	14	300	98
MG - 2924	15	<1	120	9	240	58
MG - 2925	31	<1	152	18	860	21
MG - 2926	37	<1	254	26	1250	49
MG - 2927	20	<1	171	20	860	77
MG - 2928	21	<1	126	9	250	40
MG - 2929	33	<1	34	2	<20	6
MG - 2930	22	<1	87	8	90	15
MG - 2931	47	<1	116	13	360	35
MG - 2932	21	<1	149	13	180	20
MG - 2933	190	<1	1060	81	940	55
MG - 2934	63	<1	179	14	410	30
MG - 2935	41	<1	659	55	670	45
MG - 2936	48	<1	463	36	380	85
MG - 2937	16	1	207	14	90	186
MG - 2938	30	<1	905	56	390	63
MG - 2939	9	<1	67	5	90	23
MG - 2940	9	4	66	6	390	144
MG - 2941	14	<1	54	4	220	42
MG - 2942	15	<1	126	7	1710	25
MG - 2943	12	<1	127	9	220	23
MG - 2944	16	<1	179	10	200	34
MG - 2945	16	<1	123	13	200	68
MG - 2946	34	<1	612	42	470	42
MG - 2947	38	<1	378	23	100	49
MG - 2948	40	<1	420	37	790	57
MG - 2949	65	<1	1090	91	100	21
MG - 2950	5	1	55	3	20	8
MG - 2951	67	<1	289	27	320	69
MG - 2952	127	<1	419	36	230	23
MG - 2953	73	<1	341	34	110	41
MG - 2954	78	<1	328	34	320	65
MG - 2955	48	<1	327	38	500	32
MG - 2956	17	<1	128	13	610	52
MG - 2957	20	<1	88	9	780	51
MG - 2958	18	<1	177	19	760	31
MG - 2959	18	<1	142	13	510	42
MG - 2960	10	5	318	21	150	71
MG - 2961	7	<1	122	8	440	34

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143018 Order: MG-2882 to MG-2962

Report File No.: 0000008919

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG - 2962	9	<1	13	<1	50	<5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC143212

[Report File No.: 0000009178]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Oct 24, 2014

P.O. No.	:	MG1442 - MG3026
Project No.	:	-
No. Of Samples	:	83
Date Submitted	:	Oct 09, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143212 Order: MG1442 - MG3026

Report File No.: 0000009178

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-1442	0.480	<1	188	<10	<0.1	220	<1	<10
MG-1443	0.600	<1	>200	<10	0.2	1010	<1	30
MG-1444	0.435	<1	>200	20	<0.1	320	<1	<10
MG-1445	0.405	<1	>200	20	<0.1	460	<1	<10
MG-1446	0.390	4	185	<10	<0.1	640	<1	70
MG-1447	0.440	11	>200	30	<0.1	1280	1	<10
MG-1448	0.490	12	120	<10	<0.1	930	<1	60
MG-1449	0.390	6	>200	30	<0.1	1730	2	110
MG-1450	0.515	1	31	<10	0.2	510	<1	20
MG-1451	0.435	16	151	<10	0.3	260	<1	20
MG-1452	0.465	149	>200	40	0.8	1510	7	60
MG-1453	0.285	105	>200	<10	1.0	670	<1	10
MG-1454	0.410	20	>200	<10	0.8	690	<1	<10
MG-1455	0.390	56	>200	20	0.3	2240	<1	<10
MG-1456	0.405	51	195	<10	0.4	570	<1	30
MG-1457	0.385	16	>200	60	<0.1	2700	4	60
MG-1458	0.495	9	>200	<10	0.2	1450	<1	70
MG-1459	0.475	9	55	<10	<0.1	680	<1	270
MG-1460	0.350	2	>200	150	0.2	2970	16	30
MG-2963	0.510	1	153	30	0.8	820	3	50
MG-2964	0.460	14	109	<10	<0.1	1310	<1	30
MG-2965	0.395	2	>200	20	<0.1	470	<1	<10
MG-2966	0.540	2	>200	10	<0.1	970	<1	10
MG-2967	0.490	1	>200	20	<0.1	2550	1	50
MG-2968	0.675	6	59	20	<0.1	1030	<1	190
MG-2969	0.525	9	29	<10	<0.1	2070	<1	360
MG-2970	0.600	1	>200	10	<0.1	900	<1	10
MG-2971	0.620	2	>200	20	0.4	1170	2	30
MG-2972	0.485	4	187	10	<0.1	1980	<1	10
MG-2973	0.710	6	161	70	<0.1	1700	2	30
MG-2974	0.565	2	>200	30	<0.1	1880	3	80
MG-2975	0.500	1	176	10	0.2	770	<1	20
MG-2976	0.495	2	>200	20	<0.1	1220	<1	20
MG-2977	0.565	<1	194	20	<0.1	450	<1	<10
MG-2978	0.410	3	45	<10	<0.1	190	<1	<10
MG-2979	0.515	1	94	20	<0.1	380	<1	190
MG-2980	0.515	4	76	30	0.1	1630	<1	110
MG-2981	0.585	4	90	10	<0.1	790	1	160
MG-2982	0.460	2	79	20	<0.1	2560	<1	200
MG-2983	0.490	1	>200	20	<0.1	1230	<1	20

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-2984	0.450	3	>200	20	0.1	2100	<1	<10
MG-2985	0.430	19	46	<10	<0.1	270	<1	30
MG-2986	0.485	32	102	<10	0.3	400	<1	20
MG-2987	0.485	27	159	10	<0.1	790	<1	110
MG-2988	0.290	39	175	<10	<0.1	1800	<1	180
MG-2989	0.530	13	197	<10	0.3	970	<1	70
MG-2990	0.460	4	179	20	<0.1	700	<1	60
MG-2991	0.415	26	92	<10	0.1	570	<1	50
MG-2992	0.415	28	116	<10	<0.1	550	<1	80
MG-2993	0.465	10	86	<10	<0.1	1110	<1	90
MG-2994	0.525	4	168	30	<0.1	1010	2	50
MG-2995	0.575	<1	180	<10	0.1	170	<1	<10
MG-2996	0.405	1	164	20	<0.1	720	2	<10
MG-2997	0.460	1	155	<10	<0.1	380	<1	<10
MG-2998	0.400	9	154	<10	0.1	250	<1	10
MG-2999	0.420	8	>200	10	<0.1	470	<1	30
MG-3000	0.540	2	137	<10	0.2	300	<1	<10
MG-3001	0.490	1	>200	20	<0.1	1060	<1	<10
MG-3002	0.505	<1	>200	20	<0.1	320	2	<10
MG-3003	0.500	1	175	<10	<0.1	230	<1	20
MG-3004	0.565	<1	118	<10	<0.1	160	<1	<10
MG-3005	0.485	<1	>200	20	<0.1	440	<1	<10
MG-3006	0.575	3	100	<10	<0.1	160	<1	240
MG-3007	0.420	2	132	<10	<0.1	440	<1	30
MG-3008	0.560	6	>200	20	0.2	550	<1	30
MG-3009	0.500	38	160	<10	1.2	220	<1	110
MG-3010	0.535	8	166	<10	0.7	590	<1	40
MG-3011	0.620	17	79	<10	1.0	100	<1	<10
MG-3012	0.405	18	>200	10	0.3	830	<1	30
MG-3013	0.600	40	>200	10	3.3	490	1	<10
MG-3014	0.515	32	83	<10	2.2	310	<1	20
MG-3015	0.515	5	>200	<10	0.9	220	<1	<10
MG-3016	0.575	13	29	<10	0.3	1800	<1	550
MG-3017	0.495	19	15	<10	0.3	1270	<1	540
MG-3018	0.500	18	33	<10	0.2	1200	<1	430
MG-3019	0.505	13	41	<10	0.3	1410	<1	490
MG-3020	0.530	6	132	<10	0.2	1040	<1	250
MG-3021	0.480	5	100	<10	0.2	1880	<1	340
MG-3022	0.455	8	82	<10	0.2	1150	<1	250
MG-3023	0.495	5	82	<10	0.2	1290	<1	170

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143212 Order: MG1442 - MG3026

Report File No.: 0000009178

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-3024	0.525	4	114	<10	0.4	2640	<1	290
MG-3025	0.425	31	31	<10	0.2	1850	<1	530
MG-3026	0.505	60	24	<10	0.1	2680	<1	770

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143212 Order: MG1442 - MG3026

Report File No.: 0000009178

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1442	11	69	15	<100	3.6	60	8	4.2
MG-1443	5	979	33	200	6.1	490	52	20.5
MG-1444	4	50	28	<100	5.0	30	5	2.9
MG-1445	21	64	24	<100	6.4	150	9	5.3
MG-1446	18	218	64	<100	10.5	130	20	9.8
MG-1447	8	64	11	100	5.0	120	6	3.2
MG-1448	6	122	24	<100	10.9	120	12	5.3
MG-1449	9	103	50	200	8.1	130	9	4.2
MG-1450	<1	150	14	<100	3.2	120	14	6.0
MG-1451	8	488	58	<100	20.8	940	30	14.1
MG-1452	21	132	37	100	14.7	1010	13	6.9
MG-1453	22	1290	232	<100	21.6	710	86	34.9
MG-1454	9	306	72	<100	14.1	690	56	27.0
MG-1455	19	257	67	100	14.2	1360	23	9.9
MG-1456	17	260	54	<100	18.2	910	38	18.3
MG-1457	21	103	61	200	20.1	260	9	5.2
MG-1458	11	248	114	<100	20.9	850	37	15.7
MG-1459	9	73	22	<100	1.0	420	8	3.4
MG-1460	22	85	27	400	18.0	260	11	6.6
MG-2963	10	92	24	300	5.6	160	7	3.3
MG-2964	12	410	43	<100	9.2	110	32	15.5
MG-2965	31	85	38	<100	6.9	150	13	8.1
MG-2966	6	125	52	100	7.9	70	15	8.2
MG-2967	4	174	46	300	10.9	100	11	5.4
MG-2968	8	808	99	<100	1.8	200	34	15.7
MG-2969	8	246	241	<100	3.4	740	13	5.6
MG-2970	3	172	33	200	6.8	130	13	5.3
MG-2971	1	133	23	200	12.1	120	10	4.1
MG-2972	5	267	40	100	10.2	220	22	9.7
MG-2973	4	274	67	200	6.5	1770	18	9.7
MG-2974	2	103	24	400	7.1	150	8	4.2
MG-2975	1	403	8	200	5.1	60	21	9.5
MG-2976	7	274	30	100	10.8	130	20	9.4
MG-2977	6	125	12	100	3.9	280	12	5.6
MG-2978	4	459	14	<100	6.5	100	36	17.5
MG-2979	2	211	21	<100	1.3	300	21	10.2
MG-2980	5	395	23	<100	1.6	390	24	11.3
MG-2981	7	979	62	<100	2.4	1290	63	30.5
MG-2982	3	453	109	<100	4.1	330	19	9.1
MG-2983	1	334	26	100	3.9	100	27	12.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2984	6	116	24	100	9.5	270	9	4.5
MG-2985	6	150	47	<100	12.8	270	25	11.5
MG-2986	8	525	27	<100	3.5	580	52	23.4
MG-2987	11	146	40	<100	13.2	170	17	7.9
MG-2988	30	49	44	<100	7.7	280	9	5.2
MG-2989	6	135	91	<100	15.8	2180	18	8.7
MG-2990	3	173	55	<100	8.8	110	10	4.6
MG-2991	9	120	26	<100	5.1	180	13	6.5
MG-2992	7	164	44	<100	6.7	190	15	7.2
MG-2993	5	84	26	<100	3.4	80	8	3.7
MG-2994	9	111	25	100	7.6	130	9	4.1
MG-2995	4	224	32	<100	24.4	780	19	9.1
MG-2996	2	69	49	100	13.9	1380	5	2.6
MG-2997	3	69	48	<100	17.2	1650	7	4.0
MG-2998	8	231	27	<100	17.9	420	19	9.4
MG-2999	10	263	38	100	14.1	330	17	7.8
MG-3000	3	473	15	<100	12.1	300	26	13.0
MG-3001	4	226	34	200	14.0	240	14	6.7
MG-3002	14	19	32	<100	2.0	420	7	4.8
MG-3003	4	59	12	<100	10.2	90	8	3.9
MG-3004	5	391	15	<100	10.1	120	25	11.6
MG-3005	3	73	15	200	24.0	600	5	2.4
MG-3006	3	429	10	<100	3.3	400	30	14.4
MG-3007	3	281	21	<100	7.6	240	29	13.1
MG-3008	2	116	38	<100	7.1	3450	14	5.9
MG-3009	13	1300	108	<100	44.6	8250	304	118
MG-3010	2	396	29	<100	24.0	1150	31	10.3
MG-3011	3	292	27	<100	17.3	1510	36	17.1
MG-3012	16	363	51	100	19.9	750	25	10.4
MG-3013	10	254	230	<100	24.9	2510	33	13.7
MG-3014	7	232	46	<100	44.2	760	17	7.6
MG-3015	11	300	85	<100	17.6	2420	37	14.1
MG-3016	5	168	64	<100	<0.5	840	39	21.1
MG-3017	8	110	70	<100	<0.5	860	14	6.7
MG-3018	34	440	485	<100	<0.5	1650	15	7.9
MG-3019	10	271	30	<100	<0.5	460	32	16.3
MG-3020	2	575	29	<100	1.2	430	64	33.2
MG-3021	4	508	55	<100	<0.5	500	61	38.2
MG-3022	2	596	16	<100	0.9	380	62	31.7
MG-3023	2	896	20	<100	1.5	270	55	25.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3024	7	411	32	<100	0.6	440	59	34.2
MG-3025	14	188	54	<100	<0.5	1010	30	15.7
MG-3026	20	97	31	<100	<0.5	1460	36	19.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-1442	2.3	99	19	8	<1	<0.5	6.8	29
MG-1443	17.0	138	29	63	<1	<0.5	10.8	455
MG-1444	1.3	131	24	4	<1	<0.5	4.9	26
MG-1445	2.0	78	8	8	2	<0.5	16.2	31
MG-1446	6.8	38	12	27	<1	<0.5	16.7	87
MG-1447	1.8	64	72	6	<1	<0.5	16.1	38
MG-1448	4.8	33	15	16	<1	<0.5	20.3	68
MG-1449	2.8	97	94	10	<1	<0.5	19.9	63
MG-1450	5.2	3	6	21	<1	<0.5	4.0	60
MG-1451	10.8	33	10	48	<1	<0.5	18.3	225
MG-1452	3.3	367	66	12	1	0.8	39.5	71
MG-1453	30.7	59	9	120	<1	<0.5	23.7	397
MG-1454	14.6	51	11	63	2	<0.5	5.7	119
MG-1455	6.8	141	48	27	1	<0.5	18.3	131
MG-1456	12.0	65	10	47	<1	<0.5	17.1	103
MG-1457	2.8	256	195	10	1	<0.5	33.9	53
MG-1458	10.5	114	36	47	<1	<0.5	20.0	119
MG-1459	2.9	30	8	13	<1	<0.5	9.6	37
MG-1460	2.6	216	327	10	1	<0.5	31.4	44
MG-2963	2.2	66	102	8	<1	<0.5	8.9	44
MG-2964	12.6	29	12	47	<1	<0.5	12.5	167
MG-2965	3.2	91	40	11	<1	<0.5	12.3	40
MG-2966	4.1	162	33	15	<1	<0.5	7.2	53
MG-2967	3.9	202	86	14	<1	<0.5	11.8	81
MG-2968	11.5	66	8	46	<1	<0.5	3.0	171
MG-2969	5.4	44	3	21	<1	<0.5	3.2	96
MG-2970	4.2	69	29	16	<1	<0.5	6.7	79
MG-2971	3.0	115	74	11	<1	<0.5	9.5	75
MG-2972	7.9	102	12	28	<1	<0.5	4.5	123
MG-2973	5.4	376	12	20	<1	<0.5	12.2	130
MG-2974	2.6	97	134	10	<1	<0.5	11.8	56
MG-2975	8.9	101	37	32	<1	<0.5	5.2	168
MG-2976	7.8	86	28	28	<1	<0.5	14.5	150
MG-2977	3.8	222	17	14	<1	<0.5	6.9	56
MG-2978	15.9	11	9	60	<1	<0.5	8.7	218
MG-2979	7.1	55	9	30	<1	<0.5	4.8	100
MG-2980	9.9	42	8	38	<1	<0.5	4.6	219
MG-2981	22.5	135	8	93	<1	<0.5	4.1	455
MG-2982	7.7	214	6	28	<1	<0.5	2.2	172
MG-2983	10.4	98	17	35	<1	<0.5	4.3	158

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-2984	3.3	121	49	11	1	<0.5	7.3	68
MG-2985	9.5	10	4	39	<1	<0.5	9.6	68
MG-2986	19.3	34	6	76	<1	<0.5	17.7	247
MG-2987	5.2	54	23	20	<1	<0.5	22.1	59
MG-2988	2.0	110	24	8	<1	<0.5	29.8	22
MG-2989	4.7	221	19	20	<1	<0.5	16.6	59
MG-2990	3.6	67	37	13	<1	<0.5	16.1	54
MG-2991	5.1	15	9	18	<1	<0.5	12.0	57
MG-2992	5.6	18	7	20	1	<0.5	19.7	77
MG-2993	3.5	16	6	11	<1	<0.5	25.8	46
MG-2994	2.8	92	45	10	<1	<0.5	21.9	59
MG-2995	6.1	68	8	23	<1	<0.5	9.1	103
MG-2996	1.0	345	17	5	<1	<0.5	21.5	42
MG-2997	1.4	185	9	6	<1	<0.5	15.5	37
MG-2998	6.8	52	27	25	1	<0.5	9.1	102
MG-2999	6.2	81	27	22	<1	<0.5	10.5	131
MG-3000	11.2	37	13	38	<1	<0.5	6.2	245
MG-3001	4.9	149	44	16	<1	<0.5	6.1	125
MG-3002	0.9	158	20	4	<1	<0.5	12.3	10
MG-3003	2.5	53	23	9	<1	<0.5	9.6	29
MG-3004	10.2	26	8	36	<1	<0.5	6.7	187
MG-3005	1.5	264	19	5	<1	<0.5	8.2	41
MG-3006	10.4	14	5	40	<1	<0.5	2.7	137
MG-3007	10.3	49	9	37	<1	<0.5	5.3	109
MG-3008	4.4	218	8	17	<1	<0.5	4.6	69
MG-3009	111	59	3	463	<1	<0.5	9.2	953
MG-3010	13.0	45	9	48	<1	<0.5	10.0	189
MG-3011	11.5	18	8	45	<1	<0.5	9.2	113
MG-3012	9.2	137	37	34	1	<0.5	15.2	186
MG-3013	9.0	248	26	40	1	0.6	12.4	107
MG-3014	7.2	16	6	26	<1	<0.5	22.7	104
MG-3015	11.5	64	10	48	<1	<0.5	3.2	115
MG-3016	10.5	11	<1	52	<1	<0.5	22.4	154
MG-3017	4.4	12	<1	22	<1	<0.5	22.4	57
MG-3018	5.5	60	<1	23	<1	<0.5	29.2	162
MG-3019	8.7	13	<1	42	<1	<0.5	25.9	107
MG-3020	16.2	60	3	67	<1	<0.5	22.6	201
MG-3021	14.4	32	2	63	<1	<0.5	26.4	193
MG-3022	19.2	22	2	79	<1	<0.5	24.1	241
MG-3023	20.5	48	7	80	<1	<0.5	16.8	362

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-3024	15.6	26	2	67	<1	<0.5	19.3	190
MG-3025	8.3	8	<1	40	<1	<0.5	23.8	101
MG-3026	9.0	9	<1	46	<1	<0.5	21.7	97

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-1442	<5	2	230	<5	5.4	37	60	5.1
MG-1443	8	5	650	<5	11.1	346	77	5.1
MG-1444	<5	<1	<10	<5	3.1	21	77	2.4
MG-1445	<5	2	480	<5	2.6	30	46	4.7
MG-1446	<5	4	3350	<5	1.7	118	69	4.3
MG-1447	14	7	250	8	18.7	28	63	5.6
MG-1448	<5	5	1690	<5	3.4	77	36	1.7
MG-1449	26	18	4270	8	29.3	48	86	3.8
MG-1450	<5	1	380	<5	<0.5	105	21	1.1
MG-1451	<5	2	2220	12	<0.5	305	281	1.2
MG-1452	34	24	16300	32	18.4	55	120	10.2
MG-1453	<5	4	4320	<5	<0.5	782	234	2.7
MG-1454	<5	<1	3680	6	1.0	216	79	2.6
MG-1455	22	7	260	7	12.8	121	143	2.6
MG-1456	<5	4	3860	<5	1.8	184	127	2.0
MG-1457	60	24	3680	14	48.1	46	112	10.9
MG-1458	23	12	1370	8	8.5	161	182	2.7
MG-1459	<5	10	240	<5	2.7	52	53	0.8
MG-1460	55	25	810	40	242	36	74	8.6
MG-2963	17	15	520	12	50.4	41	72	7.2
MG-2964	<5	3	2760	<5	3.9	247	85	1.4
MG-2965	<5	1	2840	<5	8.1	43	84	4.1
MG-2966	<5	2	760	<5	6.4	62	231	3.3
MG-2967	32	17	1100	9	29.4	75	153	6.9
MG-2968	<5	41	7720	5	3.8	239	197	1.4
MG-2969	40	83	3910	<5	0.8	123	269	0.4
MG-2970	9	4	160	<5	13.5	77	97	6.1
MG-2971	29	14	280	11	30.7	53	70	6.4
MG-2972	<5	1	740	8	4.8	139	51	1.6
MG-2973	10	8	1540	46	13.0	129	167	4.1
MG-2974	28	26	610	10	55.4	50	102	6.5
MG-2975	<5	2	290	8	9.9	173	29	2.6
MG-2976	6	3	1260	8	10.1	146	51	2.2
MG-2977	<5	2	180	<5	7.9	66	101	4.3
MG-2978	<5	2	70	9	<0.5	349	28	0.2
MG-2979	6	13	2730	8	4.4	148	94	2.4
MG-2980	10	10	770	14	8.0	257	74	5.5
MG-2981	19	24	2730	7	6.4	586	167	1.4
MG-2982	16	28	2220	<5	4.6	190	123	1.0
MG-2983	<5	1	290	<5	4.5	174	62	1.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-2984	5	4	120	<5	9.1	58	56	2.5
MG-2985	<5	1	230	12	<0.5	150	64	0.4
MG-2986	<5	3	400	7	0.7	366	25	0.6
MG-2987	<5	6	1300	5	7.4	83	98	1.1
MG-2988	10	25	7840	<5	6.7	28	314	2.5
MG-2989	13	8	990	8	4.4	78	137	2.7
MG-2990	<5	4	3500	5	7.7	60	36	4.5
MG-2991	<5	3	2210	<5	<0.5	87	32	2.0
MG-2992	<5	6	2000	<5	<0.5	99	35	2.1
MG-2993	<5	5	770	6	<0.5	59	24	1.0
MG-2994	6	7	980	6	9.7	51	63	3.2
MG-2995	<5	<1	340	6	1.5	138	163	0.7
MG-2996	<5	5	340	8	10.7	27	158	5.8
MG-2997	<5	2	90	<5	3.4	29	303	2.0
MG-2998	<5	1	630	7	4.8	146	84	2.3
MG-2999	<5	1	430	5	7.7	123	137	2.7
MG-3000	<5	<1	110	<5	0.7	239	43	0.3
MG-3001	5	2	160	11	11.4	92	64	2.9
MG-3002	<5	4	250	5	8.0	10	79	4.6
MG-3003	<5	1	300	6	3.5	39	65	1.2
MG-3004	<5	<1	240	<5	<0.5	210	49	0.8
MG-3005	<5	1	60	9	6.6	32	74	4.6
MG-3006	<5	20	150	<5	2.3	197	23	1.6
MG-3007	<5	1	520	<5	2.4	173	54	0.7
MG-3008	<5	3	60	<5	8.3	79	230	3.1
MG-3009	<5	2	160	<5	<0.5	1930	1170	0.7
MG-3010	<5	2	300	<5	1.8	232	90	1.2
MG-3011	<5	<1	240	7	<0.5	204	29	0.1
MG-3012	11	6	490	10	11.5	188	92	2.3
MG-3013	7	5	2910	8	7.1	153	97	6.1
MG-3014	<5	2	1300	6	<0.5	149	74	0.3
MG-3015	<5	<1	460	<5	3.8	200	160	1.9
MG-3016	15	130	5040	<5	<0.5	210	272	<0.1
MG-3017	6	131	4250	<5	<0.5	94	258	<0.1
MG-3018	<5	105	17900	<5	<0.5	189	359	0.1
MG-3019	7	119	2680	<5	<0.5	161	203	<0.1
MG-3020	<5	58	890	<5	0.6	283	227	0.2
MG-3021	<5	97	2140	<5	<0.5	262	193	<0.1
MG-3022	<5	81	520	<5	<0.5	367	172	<0.1
MG-3023	<5	44	1060	<5	6.4	473	113	1.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-3024	<5	78	760	<5	<0.5	281	164	<0.1
MG-3025	9	136	2570	<5	<0.5	157	335	<0.1
MG-3026	41	174	1510	<5	<0.5	157	504	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1442	180	<1	9	<1	53	<1	24	8
MG-1443	180	<1	95	<1	135	<1	79	71
MG-1444	30	<1	6	<1	49	<1	18	5
MG-1445	280	<1	8	<1	68	<1	31	8
MG-1446	320	<1	27	<1	279	<1	43	28
MG-1447	250	<1	8	<1	258	<1	55	6
MG-1448	160	<1	18	<1	266	<1	32	17
MG-1449	320	<1	13	<1	290	<1	72	11
MG-1450	40	<1	23	<1	58	<1	13	23
MG-1451	250	<1	70	<1	195	<1	36	56
MG-1452	4260	<1	15	<1	157	4	107	12
MG-1453	370	<1	175	<1	272	<1	76	133
MG-1454	220	<1	45	<1	199	<1	78	59
MG-1455	310	<1	31	<1	193	1	62	27
MG-1456	640	<1	39	<1	170	<1	74	46
MG-1457	660	<1	12	<1	298	2	133	10
MG-1458	540	<1	36	<1	245	<1	58	41
MG-1459	100	<1	11	<1	47	<1	12	12
MG-1460	900	<1	9	<1	220	5	145	9
MG-2963	340	<1	11	<1	126	1	64	9
MG-2964	260	<1	57	<1	270	<1	40	52
MG-2965	370	<1	10	<1	113	<1	38	11
MG-2966	70	<1	15	<1	98	<1	32	14
MG-2967	230	<1	19	<1	202	<1	82	16
MG-2968	60	<1	56	<1	71	<1	22	49
MG-2969	30	<1	29	<1	90	<1	18	25
MG-2970	130	<1	20	<1	112	<1	40	17
MG-2971	130	<1	15	<1	139	<1	74	11
MG-2972	160	<1	34	<1	106	<1	53	30
MG-2973	180	<1	34	<1	58	<1	46	25
MG-2974	360	<1	13	<1	165	<1	99	10
MG-2975	170	<1	43	<1	91	<1	34	36
MG-2976	230	<1	36	<1	154	<1	53	31
MG-2977	80	<1	16	<1	75	<1	32	15
MG-2978	120	<1	78	<1	111	<1	35	67
MG-2979	130	<1	34	<1	21	<1	35	32
MG-2980	100	<1	64	<1	27	<1	48	48
MG-2981	200	<1	145	<1	37	<1	81	110
MG-2982	150	<1	49	<1	25	<1	33	36
MG-2983	120	<1	42	<1	50	<1	47	39

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2984	150	<1	15	<1	69	<1	43	12
MG-2985	110	<1	29	<1	100	<1	29	39
MG-2986	150	<1	86	<1	225	<1	67	79
MG-2987	250	<1	19	<1	210	<1	28	21
MG-2988	580	<1	6	<1	194	<1	39	7
MG-2989	130	<1	18	<1	126	<1	53	19
MG-2990	180	<1	15	<1	155	<1	32	13
MG-2991	190	<1	19	<1	163	<1	25	19
MG-2992	140	<1	23	<1	161	<1	30	22
MG-2993	160	<1	13	<1	197	<1	19	13
MG-2994	300	<1	13	<1	111	<1	26	11
MG-2995	280	<1	33	<1	110	<1	36	26
MG-2996	40	<1	8	<1	195	<1	25	5
MG-2997	40	<1	8	<1	151	<1	24	6
MG-2998	300	<1	34	<1	164	<1	32	28
MG-2999	150	<1	32	<1	124	<1	33	25
MG-3000	200	<1	62	<1	95	<1	40	43
MG-3001	210	<1	25	<1	110	<1	39	18
MG-3002	130	<1	2	<1	64	<1	27	3
MG-3003	340	<1	9	<1	161	<1	23	9
MG-3004	160	<1	53	<1	75	<1	44	42
MG-3005	80	<1	9	<1	125	<1	25	6
MG-3006	40	<1	45	<1	48	<1	19	44
MG-3007	170	<1	39	<1	67	<1	56	41
MG-3008	70	<1	20	<1	38	<1	26	18
MG-3009	150	<1	420	<1	112	<1	97	473
MG-3010	120	<1	55	<1	117	<1	41	52
MG-3011	130	<1	47	<1	72	<1	45	47
MG-3012	270	<1	47	<1	132	<1	50	37
MG-3013	210	<1	36	<1	104	<1	57	37
MG-3014	220	<1	34	<1	179	<1	22	29
MG-3015	910	<1	44	<1	47	<1	40	49
MG-3016	80	<1	48	<1	51	<1	12	45
MG-3017	20	<1	20	<1	54	<1	6	22
MG-3018	60	<1	49	<1	59	<1	21	31
MG-3019	90	<1	36	<1	81	<1	10	38
MG-3020	200	<1	65	<1	167	<1	79	66
MG-3021	270	<1	57	<1	136	<1	91	60
MG-3022	120	<1	83	<1	170	<1	60	84
MG-3023	160	<1	114	<1	199	<1	53	93

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3024	230	<1	60	<1	202	<1	73	66
MG-3025	40	<1	35	<1	54	<1	9	36
MG-3026	60	<1	34	<1	73	<1	10	39

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-1442	1	20	<1	1	<10	15.4	1940	<0.5
MG-1443	2	130	1	10	<10	114	3840	0.6
MG-1444	<1	20	<1	<1	<10	8.8	609	<0.5
MG-1445	<1	30	<1	1	<10	14.2	628	<0.5
MG-1446	<1	120	<1	4	<10	16.2	531	<0.5
MG-1447	7	140	2	<1	<10	15.2	8150	0.9
MG-1448	<1	110	<1	2	<10	10.0	1640	<0.5
MG-1449	10	380	3	2	<10	19.7	12900	1.1
MG-1450	<1	<10	<1	3	<10	3.0	387	<0.5
MG-1451	<1	<10	<1	6	<10	10.7	294	0.6
MG-1452	6	120	2	2	<10	35.3	5650	2.2
MG-1453	<1	60	<1	16	<10	26.3	424	1.1
MG-1454	<1	<10	<1	10	<10	36.1	492	0.6
MG-1455	3	80	1	4	<10	16.3	5350	1.1
MG-1456	<1	110	<1	7	<10	18.0	934	<0.5
MG-1457	17	310	4	1	<10	24.1	19300	2.1
MG-1458	2	230	<1	7	<10	14.3	3530	0.9
MG-1459	<1	540	<1	2	<10	9.2	1270	<0.5
MG-1460	70	150	19	2	<10	37.1	104749	2.2
MG-2963	12	140	4	1	<10	23.6	19200	0.8
MG-2964	<1	90	<1	6	<10	16.0	1700	<0.5
MG-2965	<1	30	<1	2	<10	17.1	2920	<0.5
MG-2966	<1	80	<1	2	<10	11.2	1650	<0.5
MG-2967	6	210	2	2	<10	29.5	10400	1.0
MG-2968	<1	350	<1	6	<10	47.0	1170	<0.5
MG-2969	<1	620	<1	3	<10	15.4	363	<0.5
MG-2970	2	50	1	2	<10	27.4	3630	<0.5
MG-2971	7	180	3	2	<10	33.8	11000	1.1
MG-2972	<1	30	<1	4	<10	29.4	1350	<0.5
MG-2973	<1	200	<1	3	<10	72.3	2340	0.6
MG-2974	12	580	4	1	<10	33.0	18100	1.4
MG-2975	1	70	<1	4	<10	27.8	3240	<0.5
MG-2976	2	60	<1	4	<10	22.6	3440	0.6
MG-2977	1	30	<1	2	<10	24.2	2610	<0.5
MG-2978	<1	10	<1	7	<10	5.7	113	<0.5
MG-2979	<1	260	<1	4	<10	19.3	827	<0.5
MG-2980	<1	280	<1	5	<10	36.2	1460	<0.5
MG-2981	<1	350	<1	12	<10	80.8	1140	<0.5
MG-2982	<1	450	<1	4	<10	46.0	825	<0.5
MG-2983	<1	90	<1	5	<10	22.0	994	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-2984	2	80	<1	2	<10	13.0	3890	0.6
MG-2985	<1	50	<1	5	<10	3.2	157	<0.5
MG-2986	<1	30	<1	10	30	8.5	285	<0.5
MG-2987	<1	150	<1	3	20	14.5	2580	<0.5
MG-2988	<1	640	<1	1	40	12.4	2690	<0.5
MG-2989	<1	170	<1	3	10	20.8	1510	0.6
MG-2990	1	130	<1	2	<10	18.9	2610	<0.5
MG-2991	<1	150	<1	2	<10	6.1	150	<0.5
MG-2992	<1	130	<1	3	<10	10.3	197	<0.5
MG-2993	<1	120	<1	1	<10	5.0	130	<0.5
MG-2994	3	140	<1	2	<10	18.2	3280	<0.5
MG-2995	<1	<10	<1	4	<10	15.6	418	<0.5
MG-2996	1	40	<1	<1	<10	18.0	3240	<0.5
MG-2997	<1	20	<1	1	<10	13.9	1210	<0.5
MG-2998	<1	<10	<1	4	<10	10.6	1930	<0.5
MG-2999	<1	90	<1	3	<10	15.7	2660	<0.5
MG-3000	<1	<10	<1	5	<10	12.5	335	<0.5
MG-3001	1	40	<1	3	<10	31.1	3760	<0.5
MG-3002	1	20	<1	<1	<10	7.8	3290	<0.5
MG-3003	<1	70	<1	1	<10	14.9	1380	<0.5
MG-3004	<1	<10	<1	5	<10	21.2	243	<0.5
MG-3005	<1	<10	<1	<1	<10	21.1	1810	<0.5
MG-3006	<1	370	<1	6	<10	12.6	565	<0.5
MG-3007	<1	30	<1	5	<10	19.4	678	<0.5
MG-3008	<1	80	<1	3	<10	21.9	1120	<0.5
MG-3009	<1	70	<1	62	<10	25.1	96	<0.5
MG-3010	<1	50	<1	7	<10	19.2	671	<0.5
MG-3011	<1	<10	<1	7	<10	7.9	36	<0.5
MG-3012	1	90	<1	5	<10	25.1	3790	<0.5
MG-3013	2	<10	<1	6	<10	22.2	2340	<0.5
MG-3014	<1	30	<1	3	<10	6.7	131	<0.5
MG-3015	<1	<10	<1	7	<10	25.7	853	<0.5
MG-3016	<1	1270	<1	7	<10	47.7	5	<0.5
MG-3017	<1	980	<1	3	<10	30.2	5	<0.5
MG-3018	<1	690	<1	3	<10	26.7	15	<0.5
MG-3019	<1	1020	<1	6	<10	41.1	6	<0.5
MG-3020	<1	600	<1	11	<10	88.3	218	<0.5
MG-3021	<1	1180	<1	10	<10	50.9	44	<0.5
MG-3022	<1	830	<1	11	<10	54.2	111	<0.5
MG-3023	<1	600	<1	11	<10	71.6	1700	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3024	<1	1250	<1	10	<10	50.2	45	<0.5
MG-3025	<1	1420	<1	5	<10	43.9	6	<0.5
MG-3026	<1	1680	<1	6	<10	24.8	<3	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143212 Order: MG1442 - MG3026

Report File No.: 0000009178

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-1442	4	<1	40	3	60	35
MG-1443	35	2	218	12	190	95
MG-1444	4	<1	22	3	20	27
MG-1445	7	<1	42	5	130	39
MG-1446	9	<1	106	7	240	34
MG-1447	6	3	30	3	180	103
MG-1448	8	<1	58	4	270	38
MG-1449	8	3	42	3	340	120
MG-1450	6	1	71	4	30	12
MG-1451	21	<1	177	9	450	24
MG-1452	11	11	62	5	1860	189
MG-1453	11	<1	459	21	370	33
MG-1454	13	<1	247	20	140	53
MG-1455	9	2	104	7	330	83
MG-1456	16	<1	181	13	460	41
MG-1457	8	6	50	5	920	180
MG-1458	8	1	178	11	640	53
MG-1459	7	<1	37	2	130	22
MG-1460	10	29	55	6	680	322
MG-2963	10	4	34	3	220	99
MG-2964	10	<1	175	11	210	28
MG-2965	7	<1	69	7	330	46
MG-2966	9	<1	74	6	40	32
MG-2967	12	2	55	5	240	128
MG-2968	46	1	170	11	40	51
MG-2969	18	<1	66	4	180	10
MG-2970	9	2	54	4	70	80
MG-2971	11	4	38	3	140	149
MG-2972	11	1	101	7	80	63
MG-2973	44	1	79	7	120	70
MG-2974	9	5	42	4	330	143
MG-2975	11	2	101	7	50	52
MG-2976	13	1	105	7	220	67
MG-2977	10	<1	51	4	60	52
MG-2978	10	<1	228	12	30	9
MG-2979	14	<1	106	7	90	23
MG-2980	27	<1	118	8	110	44
MG-2981	92	1	306	22	130	60
MG-2982	9	1	90	7	70	43
MG-2983	11	<1	123	9	<20	47

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143212 Order: MG1442 - MG3026

Report File No.: 0000009178

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-2984	5	2	45	4	90	61
MG-2985	8	<1	139	8	30	9
MG-2986	9	<1	271	16	60	13
MG-2987	11	<1	75	6	300	36
MG-2988	5	2	50	4	3360	33
MG-2989	10	1	82	7	210	48
MG-2990	8	1	45	4	110	51
MG-2991	5	<1	75	4	320	13
MG-2992	8	<1	75	5	140	24
MG-2993	4	<1	43	3	50	13
MG-2994	5	2	40	3	390	53
MG-2995	21	<1	107	7	340	34
MG-2996	12	1	24	2	130	54
MG-2997	16	<1	37	3	100	25
MG-2998	9	1	113	7	80	28
MG-2999	9	<1	80	5	60	50
MG-3000	10	<1	155	10	<20	22
MG-3001	13	2	69	5	30	83
MG-3002	7	1	33	4	460	29
MG-3003	7	<1	36	3	50	36
MG-3004	10	<1	127	9	<20	33
MG-3005	14	<1	23	2	60	48
MG-3006	16	<1	178	9	20	18
MG-3007	12	<1	133	10	70	38
MG-3008	12	<1	59	4	30	34
MG-3009	75	2	1270	76	<20	27
MG-3010	12	<1	113	7	30	40
MG-3011	14	<1	182	12	50	11
MG-3012	13	2	115	7	80	76
MG-3013	10	6	136	10	820	56
MG-3014	8	<1	87	5	70	13
MG-3015	11	<1	148	9	990	55
MG-3016	27	<1	188	16	220	20
MG-3017	42	<1	70	5	70	14
MG-3018	55	<1	87	7	700	19
MG-3019	47	<1	152	12	290	18
MG-3020	23	<1	340	25	220	62
MG-3021	21	<1	316	33	580	56
MG-3022	22	<1	304	25	120	45
MG-3023	16	<1	264	19	330	79

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143212 Order: MG1442 - MG3026

Report File No.: 0000009178

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-3024	23	<1	295	28	1030	53
MG-3025	26	<1	133	12	590	17
MG-3026	50	<1	186	15	720	14

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC143213

[Report File No.: 0000009148]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Oct 23, 2014

P.O. No.	:	MG3027 - MG3109
Project No.	:	-
No. Of Samples	:	83
Date Submitted	:	Oct 09, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143213 Order: MG3027 - MG3109

Report File No.: 0000009148

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-3027	0.440	6	>200	10	0.2	1960	<1	100
MG-3028	0.500	2	49	<10	0.2	1140	<1	190
MG-3029	0.530	3	81	<10	0.3	1570	<1	250
MG-3030	0.470	2	81	<10	0.2	1690	<1	170
MG-3031	0.530	67	21	<10	0.1	2070	<1	700
MG-3032	0.410	23	41	<10	0.2	1410	<1	600
MG-3033	0.570	17	8	<10	1.0	1480	<1	490
MG-3034	0.475	18	14	<10	0.5	1130	<1	470
MG-3035	0.505	20	71	<10	<0.1	1120	<1	560
MG-3036	0.440	6	187	<10	<0.1	980	<1	120
MG-3037	0.495	8	198	20	0.1	1440	<1	150
MG-3038	0.445	4	172	30	0.2	1200	1	70
MG-3039	0.435	9	73	<10	0.2	1060	<1	210
MG-3040	0.395	8	106	<10	<0.1	420	<1	60
MG-3041	0.460	1	181	20	<0.1	500	1	30
MG-3042	0.415	3	52	<10	0.1	1030	<1	20
MG-3043	0.480	4	181	10	<0.1	630	<1	30
MG-3044	0.465	2	31	<10	<0.1	710	<1	150
MG-3045	0.480	3	39	30	<0.1	590	<1	280
MG-3046	0.585	1	36	10	<0.1	1110	<1	180
MG-3047	0.555	<1	43	<10	<0.1	860	<1	150
MG-3048	0.635	5	13	50	<0.1	1340	<1	350
MG-3049	0.695	1	38	20	<0.1	590	<1	120
MG-3050	0.550	<1	23	<10	<0.1	380	<1	10
MG-3051	0.515	4	14	<10	<0.1	380	<1	340
MG-3052	0.640	6	15	<10	0.2	2140	<1	360
MG-3053	0.630	5	10	<10	0.5	1790	<1	510
MG-3054	0.570	1	37	<10	0.1	1520	<1	180
MG-3055	0.535	6	21	<10	0.1	1710	<1	400
MG-3056	0.480	<1	155	10	<0.1	3150	<1	120
MG-3057	0.535	1	>200	20	0.2	1530	<1	10
MG-3058	0.525	1	>200	10	<0.1	940	1	40
MG-3059	0.485	2	170	10	0.5	940	<1	40
MG-3060	0.530	2	46	<10	<0.1	860	<1	<10
MG-3061	0.390	2	177	10	<0.1	520	<1	10
MG-3062	0.440	5	45	<10	<0.1	1460	<1	10
MG-3063	0.510	2	>200	10	<0.1	720	<1	<10
MG-3064	0.600	1	139	20	<0.1	1280	<1	110
MG-3065	0.400	3	77	<10	<0.1	250	<1	<10
MG-3066	0.460	<1	151	<10	<0.1	250	<1	<10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-3067	0.580	<1	130	<10	<0.1	420	<1	30
MG-3068	0.650	2	101	20	0.2	450	<1	140
MG-3069	0.470	<1	122	<10	<0.1	570	<1	20
MG-3070	0.510	2	198	<10	0.1	420	<1	<10
MG-3071	0.535	1	127	<10	<0.1	270	<1	120
MG-3072	0.420	<1	>200	<10	<0.1	320	<1	20
MG-3073	0.445	3	42	<10	0.2	1300	<1	150
MG-3074	0.445	21	24	<10	0.2	1050	<1	570
MG-3075	0.510	4	97	<10	<0.1	740	<1	190
MG-3076	0.570	3	17	<10	0.3	1420	<1	460
MG-3077	0.640	5	78	<10	<0.1	720	<1	260
MG-3078	0.550	2	>200	<10	0.1	840	<1	10
MG-3079	0.315	<1	>200	<10	<0.1	550	<1	10
MG-3080	0.270	<1	>200	<10	<0.1	420	1	<10
MG-3081	0.475	2	>200	30	<0.1	1410	2	50
MG-3082	0.610	2	19	<10	0.2	1080	<1	380
MG-3083	0.555	1	26	<10	0.2	960	<1	140
MG-3084	0.630	4	98	<10	0.2	800	<1	200
MG-3085	0.565	4	185	<10	0.1	170	<1	20
MG-3086	0.295	2	>200	<10	<0.1	1720	<1	80
MG-3087	0.430	7	>200	<10	<0.1	850	<1	20
MG-3088	0.330	13	>200	20	<0.1	2230	2	20
MG-3089	0.315	4	>200	30	<0.1	2320	3	50
MG-3090	0.530	17	197	20	<0.1	1010	<1	110
MG-3091	0.555	6	64	20	0.2	910	<1	180
MG-3092	0.460	6	181	20	<0.1	1210	1	100
MG-3093	0.450	10	93	<10	0.4	1220	<1	420
MG-3094	0.420	5	125	20	0.2	1630	<1	210
MG-3095	0.540	14	>200	10	<0.1	1540	2	140
MG-3096	0.445	41	19	<10	0.4	1730	<1	560
MG-3097	0.380	51	12	<10	0.2	1410	<1	640
MG-3098	0.505	9	79	<10	0.2	1090	<1	370
MG-3099	0.505	15	26	<10	0.3	1710	<1	520
MG-3100	0.485	10	81	<10	0.2	1120	<1	450
MG-3101	0.530	6	74	<10	0.1	1130	<1	430
MG-3102	0.490	11	76	<10	0.3	1350	<1	520
MG-3103	0.400	8	65	<10	0.3	1280	<1	520
MG-3104	0.515	17	34	<10	0.3	1080	<1	510
MG-3105	0.510	7	121	<10	0.4	1620	<1	310
MG-3106	0.405	8	>200	<10	<0.1	1630	<1	110

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143213 Order: MG3027 - MG3109

Report File No.: 0000009148

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-3107	0.450	7	97	<10	0.3	1250	<1	190
MG-3108	0.450	5	147	20	0.1	1740	<1	160
MG-3109	0.515	12	>200	20	0.2	1640	1	90

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3027	9	628	84	<100	3.1	390	60	29.8
MG-3028	3	818	14	<100	0.5	250	60	25.5
MG-3029	2	1590	64	<100	<0.5	250	125	62.1
MG-3030	3	868	14	<100	1.7	190	68	30.8
MG-3031	14	90	31	<100	<0.5	980	23	10.8
MG-3032	42	229	45	<100	<0.5	1510	21	10.3
MG-3033	5	21	17	<100	<0.5	750	8	3.8
MG-3034	9	17	41	<100	<0.5	860	6	3.0
MG-3035	86	159	24	<100	0.8	390	22	12.7
MG-3036	21	979	103	<100	1.2	530	96	45.0
MG-3037	9	646	55	200	6.4	340	44	20.8
MG-3038	6	997	56	200	6.2	470	53	23.6
MG-3039	7	819	26	<100	0.5	330	53	23.6
MG-3040	8	146	23	<100	12.3	190	14	7.0
MG-3041	7	74	11	200	4.4	110	6	2.9
MG-3042	4	388	19	<100	1.9	90	15	6.5
MG-3043	7	109	24	<100	5.2	110	7	3.4
MG-3044	1	38	9	<100	2.5	110	3	1.3
MG-3045	6	563	51	<100	<0.5	3140	26	13.6
MG-3046	1	235	42	<100	1.4	150	9	4.1
MG-3047	1	54	18	100	0.9	30	4	1.8
MG-3048	2	723	53	<100	<0.5	7650	32	13.8
MG-3049	2	271	38	100	1.1	130	11	5.0
MG-3050	<1	130	12	<100	2.7	120	12	4.8
MG-3051	4	111	29	<100	<0.5	660	5	2.1
MG-3052	3	225	12	<100	0.6	4260	19	10.0
MG-3053	1	58	24	<100	<0.5	530	18	8.4
MG-3054	1	185	16	<100	1.9	80	9	4.4
MG-3055	4	590	5	<100	0.6	510	32	13.8
MG-3056	4	199	20	200	5.0	60	13	6.1
MG-3057	1	203	34	200	5.0	100	14	5.8
MG-3058	<1	238	21	200	9.4	150	22	9.3
MG-3059	6	173	22	<100	6.6	80	14	7.6
MG-3060	1	275	11	<100	5.9	70	25	11.1
MG-3061	3	166	16	100	6.9	100	12	5.4
MG-3062	4	288	24	<100	4.6	110	39	17.9
MG-3063	7	305	29	<100	3.9	80	21	9.8
MG-3064	2	199	26	300	6.1	90	15	7.0
MG-3065	16	261	30	<100	5.7	160	28	13.0
MG-3066	3	95	9	<100	7.9	90	10	4.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3067	1	5040	16	<100	7.0	430	189	71.7
MG-3068	2	328	23	<100	1.6	730	24	10.7
MG-3069	2	376	9	<100	3.5	90	31	12.9
MG-3070	5	479	16	100	3.5	70	34	16.4
MG-3071	4	260	26	<100	1.9	120	30	13.7
MG-3072	<1	140	24	100	3.9	60	14	7.0
MG-3073	2	169	29	<100	1.5	90	9	3.9
MG-3074	9	300	86	<100	<0.5	1120	12	5.8
MG-3075	25	486	208	<100	2.1	480	34	16.4
MG-3076	4	1160	145	<100	1.7	2460	34	16.3
MG-3077	5	355	52	<100	13.8	1030	11	4.0
MG-3078	3	605	23	<100	11.1	780	28	10.5
MG-3079	11	11	99	<100	0.8	420	6	5.3
MG-3080	10	18	57	<100	10.0	140	4	3.6
MG-3081	15	108	127	100	10.0	130	12	6.5
MG-3082	2	3150	108	<100	0.9	2780	152	68.9
MG-3083	<1	1850	78	<100	4.1	2120	148	58.7
MG-3084	2	963	86	<100	8.6	4200	80	37.8
MG-3085	2	1260	44	<100	10.3	3640	59	23.7
MG-3086	11	<5	103	<100	<0.5	130	1	1.2
MG-3087	14	159	117	<100	12.1	250	12	7.3
MG-3088	10	226	148	200	18.4	190	13	6.2
MG-3089	21	226	147	200	19.4	180	14	7.1
MG-3090	4	1030	97	100	10.9	240	30	11.5
MG-3091	3	646	137	100	9.3	490	38	15.5
MG-3092	5	1000	224	200	11.8	800	27	11.3
MG-3093	6	1260	65	<100	<0.5	510	134	64.2
MG-3094	9	959	67	100	2.5	200	38	16.6
MG-3095	6	804	187	200	7.8	540	44	18.8
MG-3096	8	37	25	<100	<0.5	800	20	9.0
MG-3097	8	15	16	<100	<0.5	890	10	4.3
MG-3098	18	812	189	<100	0.6	1050	34	17.3
MG-3099	10	753	119	<100	<0.5	1950	32	14.2
MG-3100	13	620	67	<100	<0.5	1150	41	21.7
MG-3101	14	379	115	<100	<0.5	1120	25	14.2
MG-3102	18	750	64	<100	<0.5	1330	46	22.5
MG-3103	10	393	82	<100	<0.5	960	21	10.3
MG-3104	11	481	40	<100	<0.5	1370	68	31.1
MG-3105	7	1110	32	<100	<0.5	630	137	71.9
MG-3106	11	860	117	<100	3.9	350	75	34.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3107	2	1230	27	<100	2.4	350	74	33.1
MG-3108	3	1890	136	<100	2.9	650	118	55.3
MG-3109	7	414	51	100	8.2	200	19	7.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-3027	16.6	84	14	69	<1	<0.5	21.7	280
MG-3028	24.4	19	3	97	<1	<0.5	14.9	432
MG-3029	46.1	12	2	185	<1	<0.5	9.6	746
MG-3030	27.8	23	5	102	<1	<0.5	12.3	425
MG-3031	6.7	9	<1	33	<1	<0.5	15.1	60
MG-3032	6.5	17	<1	31	<1	<0.5	24.5	88
MG-3033	1.9	3	<1	10	<1	<0.5	15.2	5
MG-3034	1.7	4	<1	10	<1	<0.5	12.5	7
MG-3035	5.2	13	<1	26	<1	<0.5	27.0	72
MG-3036	26.6	84	8	113	<1	<0.5	20.9	355
MG-3037	14.2	109	20	58	<1	<0.5	27.3	275
MG-3038	19.3	142	25	74	<1	<0.5	10.2	424
MG-3039	19.6	45	4	78	<1	<0.5	22.1	420
MG-3040	5.5	32	12	19	<1	<0.5	15.0	72
MG-3041	2.0	36	88	6	<1	<0.5	11.8	39
MG-3042	5.4	9	5	21	<1	<0.5	6.5	94
MG-3043	2.5	49	35	8	<1	<0.5	9.3	49
MG-3044	1.4	11	3	5	<1	<0.5	6.5	19
MG-3045	8.7	133	3	38	<1	<0.5	8.3	306
MG-3046	3.9	38	2	15	<1	<0.5	3.6	85
MG-3047	1.4	39	6	5	<1	<0.5	2.4	22
MG-3048	13.4	30	<1	57	<1	<0.5	20.9	325
MG-3049	4.0	91	5	16	<1	<0.5	5.8	113
MG-3050	3.9	2	4	17	<1	<0.5	2.9	55
MG-3051	2.2	12	<1	10	<1	<0.5	10.3	45
MG-3052	6.7	17	2	30	<1	<0.5	20.4	92
MG-3053	5.9	6	<1	29	<1	<0.5	5.2	57
MG-3054	3.2	35	2	14	<1	<0.5	4.0	78
MG-3055	13.2	11	<1	56	<1	<0.5	3.1	248
MG-3056	5.2	94	21	18	<1	<0.5	3.9	91
MG-3057	5.4	155	18	18	<1	<0.5	2.7	104
MG-3058	7.3	150	49	26	<1	<0.5	8.1	120
MG-3059	5.3	62	62	19	<1	<0.5	12.2	97
MG-3060	9.2	6	5	38	<1	<0.5	2.6	149
MG-3061	4.5	58	16	15	1	<0.5	3.1	81
MG-3062	14.9	9	4	57	<1	<0.5	4.2	146
MG-3063	7.9	48	8	29	<1	<0.5	2.8	144
MG-3064	5.6	64	28	20	<1	<0.5	2.5	84
MG-3065	10.3	16	12	36	<1	<0.5	11.4	111
MG-3066	3.3	24	5	11	<1	<0.5	3.9	43

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-3067	77.4	33	9	295	<1	<0.5	4.5	2910
MG-3068	8.5	22	5	33	<1	<0.5	4.5	139
MG-3069	12.6	34	15	44	<1	<0.5	3.0	283
MG-3070	11.5	65	23	45	<1	<0.5	4.0	159
MG-3071	10.4	108	13	38	<1	<0.5	2.9	125
MG-3072	4.0	66	37	14	<1	<0.5	4.7	67
MG-3073	3.0	21	2	13	<1	<0.5	1.6	64
MG-3074	5.9	25	<1	22	<1	<0.5	10.7	129
MG-3075	13.7	174	5	50	<1	<0.5	6.3	194
MG-3076	19.4	71	<1	67	<1	<0.5	4.1	492
MG-3077	6.5	30	6	21	<1	<0.5	5.3	117
MG-3078	13.1	66	7	42	<1	<0.5	2.7	277
MG-3079	0.6	71	15	3	<1	<0.5	6.7	4
MG-3080	<0.5	116	20	2	<1	<0.5	23.5	9
MG-3081	3.5	202	40	13	1	<0.5	18.3	44
MG-3082	85.6	40	2	290	<1	<0.5	5.7	1710
MG-3083	91.1	33	4	297	<1	<0.5	11.7	2010
MG-3084	33.9	111	5	121	<1	<0.5	4.0	453
MG-3085	28.5	47	12	94	<1	<0.5	13.4	474
MG-3086	<0.5	64	12	<1	<1	<0.5	31.9	1
MG-3087	3.7	95	13	13	1	<0.5	9.0	59
MG-3088	4.4	172	88	16	2	<0.5	17.6	86
MG-3089	4.7	179	80	15	2	<0.5	24.4	89
MG-3090	15.9	71	19	47	1	<0.5	19.3	229
MG-3091	26.6	98	10	80	<1	<0.5	8.4	750
MG-3092	15.4	110	20	49	<1	<0.5	5.3	303
MG-3093	50.6	27	<1	203	<1	<0.5	14.6	977
MG-3094	18.4	68	14	63	<1	<0.5	14.4	343
MG-3095	17.7	114	27	59	<1	<0.5	13.2	279
MG-3096	6.9	6	<1	31	<1	<0.5	21.0	50
MG-3097	3.2	6	<1	16	<1	<0.5	16.4	22
MG-3098	14.3	58	<1	53	<1	<0.5	15.8	341
MG-3099	16.4	33	<1	60	<1	<0.5	14.3	333
MG-3100	14.0	55	<1	56	<1	<0.5	17.3	278
MG-3101	7.9	65	<1	32	<1	<0.5	20.8	163
MG-3102	16.9	26	<1	68	<1	<0.5	20.5	344
MG-3103	8.4	26	<1	33	<1	<0.5	20.0	176
MG-3104	26.4	14	<1	114	<1	<0.5	23.3	281
MG-3105	41.6	30	2	178	<1	<0.5	22.8	728
MG-3106	22.7	78	14	87	<1	<0.5	31.2	321

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-3107	29.8	47	8	107	<1	<0.5	16.1	468
MG-3108	43.7	166	11	166	<1	<0.5	16.6	769
MG-3109	8.0	100	31	28	1	<0.5	21.9	165

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-3027	12	26	3340	<5	11.2	366	138	2.9
MG-3028	<5	55	420	<5	2.7	598	83	0.4
MG-3029	<5	67	440	<5	<0.5	1050	147	<0.1
MG-3030	<5	33	410	<5	5.3	612	48	0.6
MG-3031	24	162	870	<5	<0.5	116	296	<0.1
MG-3032	18	104	2390	<5	<0.5	135	575	<0.1
MG-3033	42	110	1120	6	<0.5	21	108	<0.1
MG-3034	58	95	2270	9	<0.5	20	247	<0.1
MG-3035	25	87	1770	<5	<0.5	102	602	0.1
MG-3036	8	26	3960	<5	5.0	585	239	1.9
MG-3037	18	32	2060	<5	11.3	329	174	3.1
MG-3038	11	21	990	7	15.2	467	110	4.0
MG-3039	<5	54	1010	<5	3.5	495	177	0.7
MG-3040	<5	4	420	<5	2.3	92	58	0.6
MG-3041	6	6	950	12	34.3	34	63	8.5
MG-3042	<5	1	2080	<5	1.3	127	27	2.8
MG-3043	<5	4	250	<5	6.1	46	48	2.6
MG-3044	<5	21	40	12	1.4	29	27	0.8
MG-3045	13	28	9530	79	2.7	307	198	0.8
MG-3046	<5	24	500	<5	1.4	103	52	0.7
MG-3047	8	27	330	6	6.1	31	38	1.4
MG-3048	17	46	3350	63	<0.5	430	290	<0.1
MG-3049	6	12	2190	5	4.6	119	45	1.4
MG-3050	<5	1	240	<5	<0.5	85	15	0.7
MG-3051	28	36	1270	5	<0.5	66	187	<0.1
MG-3052	47	38	2850	<5	0.8	163	89	0.4
MG-3053	13	128	900	<5	<0.5	101	105	<0.1
MG-3054	<5	28	670	<5	1.8	83	29	0.4
MG-3055	13	100	240	<5	<0.5	338	295	<0.1
MG-3056	9	22	60	<5	9.3	103	69	3.3
MG-3057	<5	1	40	7	5.9	99	38	2.8
MG-3058	14	8	250	9	18.8	127	50	5.0
MG-3059	12	7	210	9	15.4	114	34	3.1
MG-3060	<5	<1	<10	6	<0.5	204	18	0.3
MG-3061	<5	<1	20	6	3.4	78	25	1.7
MG-3062	<5	<1	40	10	<0.5	271	20	0.2
MG-3063	<5	<1	150	<5	2.1	159	38	1.2
MG-3064	<5	8	240	<5	20.8	114	126	4.2
MG-3065	<5	1	150	7	1.0	182	45	0.7
MG-3066	<5	<1	40	7	<0.5	54	32	1.0

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-3067	<5	2	80	<5	2.8	2080	34	1.0
MG-3068	<5	14	190	30	6.3	198	78	1.4
MG-3069	<5	2	20	<5	4.9	264	10	0.8
MG-3070	<5	<1	70	<5	7.7	230	31	2.0
MG-3071	<5	11	180	<5	6.3	187	61	3.2
MG-3072	<5	4	90	<5	11.9	68	79	9.5
MG-3073	6	21	570	<5	1.3	75	52	1.0
MG-3074	<5	117	14400	<5	1.3	171	276	0.2
MG-3075	<5	30	4810	5	4.2	297	323	1.7
MG-3076	7	91	4030	14	1.8	619	271	0.3
MG-3077	<5	9	1860	<5	3.7	159	159	1.3
MG-3078	<5	2	140	<5	2.0	299	111	2.2
MG-3079	<5	7	950	<5	2.3	8	125	1.9
MG-3080	7	8	1260	<5	4.9	8	50	2.3
MG-3081	22	13	4400	6	18.3	58	169	8.0
MG-3082	13	75	1830	<5	1.6	2260	500	0.4
MG-3083	<5	14	1430	8	4.5	2430	52	0.6
MG-3084	<5	28	1040	6	4.1	724	339	0.4
MG-3085	<5	1	230	<5	2.9	683	182	1.0
MG-3086	6	28	810	<5	<0.5	3	80	0.3
MG-3087	6	8	890	<5	2.4	73	175	4.0
MG-3088	43	16	6910	6	24.5	88	100	23.9
MG-3089	56	25	4400	<5	24.3	90	151	22.9
MG-3090	11	7	2970	6	15.2	328	92	7.7
MG-3091	<5	14	5410	10	12.0	810	60	2.5
MG-3092	11	8	2060	10	25.0	373	164	7.0
MG-3093	20	134	2460	<5	1.2	1200	245	0.4
MG-3094	8	41	2780	<5	17.9	434	111	2.1
MG-3095	25	32	5340	7	27.0	361	141	2.4
MG-3096	14	170	2340	<5	<0.5	106	244	<0.1
MG-3097	32	158	1220	<5	<0.5	47	277	<0.1
MG-3098	<5	62	20700	6	0.7	413	322	0.2
MG-3099	<5	92	4670	<5	0.9	451	201	0.2
MG-3100	<5	85	6250	<5	1.2	336	324	0.2
MG-3101	<5	89	12500	6	1.0	200	298	0.1
MG-3102	<5	92	5060	<5	0.5	413	383	0.1
MG-3103	<5	90	11300	<5	<0.5	219	246	<0.1
MG-3104	13	127	6640	<5	<0.5	496	417	<0.1
MG-3105	<5	79	1990	<5	<0.5	944	221	0.1
MG-3106	10	34	3640	<5	8.9	458	233	2.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-3107	<5	40	1840	<5	9.4	649	119	1.4
MG-3108	7	34	6570	<5	7.7	988	304	2.1
MG-3109	15	16	1580	6	18.9	176	116	7.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3027	310	<1	87	<1	264	<1	96	75
MG-3028	70	<1	137	<1	139	<1	28	116
MG-3029	110	<1	239	<1	102	<1	78	214
MG-3030	140	<1	142	<1	143	<1	66	125
MG-3031	50	<1	24	<1	98	<1	8	29
MG-3032	70	<1	30	<1	60	<1	8	30
MG-3033	30	<1	3	<1	22	<1	<5	7
MG-3034	30	<1	4	<1	29	<1	<5	7
MG-3035	70	<1	23	<1	102	<1	14	24
MG-3036	300	<1	134	<1	160	<1	76	122
MG-3037	190	<1	81	<1	289	<1	70	66
MG-3038	210	<1	120	<1	154	<1	76	88
MG-3039	70	<1	124	<1	125	<1	36	92
MG-3040	250	<1	22	<1	149	<1	27	20
MG-3041	270	<1	9	<1	62	<1	37	7
MG-3042	30	<1	31	<1	116	<1	13	25
MG-3043	90	<1	12	<1	117	<1	25	9
MG-3044	20	<1	7	<1	71	<1	<5	6
MG-3045	100	<1	81	<1	14	<1	29	49
MG-3046	20	<1	26	<1	16	<1	9	19
MG-3047	30	<1	7	<1	27	<1	11	6
MG-3048	70	<1	105	<1	6	<1	10	76
MG-3049	50	<1	32	<1	19	<1	15	21
MG-3050	30	<1	20	<1	51	<1	8	18
MG-3051	<10	<1	15	<1	6	<1	<5	12
MG-3052	80	<1	35	<1	43	<1	12	34
MG-3053	10	<1	21	<1	54	<1	<5	26
MG-3054	40	<1	20	<1	108	<1	7	15
MG-3055	10	<1	78	<1	61	<1	7	65
MG-3056	100	<1	26	<1	85	<1	36	21
MG-3057	100	<1	25	<1	66	<1	34	21
MG-3058	160	<1	32	<1	169	<1	69	27
MG-3059	180	<1	27	<1	197	<1	44	22
MG-3060	70	<1	49	<1	96	<1	21	42
MG-3061	170	<1	20	<1	92	<1	36	17
MG-3062	140	<1	61	<1	106	<1	30	61
MG-3063	140	<1	40	<1	56	<1	36	32
MG-3064	90	<1	28	<1	49	<1	34	23
MG-3065	250	<1	42	<1	103	<1	36	41
MG-3066	90	<1	13	<1	73	<1	24	13

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3067	80	<1	579	<1	85	<1	38	368
MG-3068	170	<1	49	<1	28	1	37	39
MG-3069	70	<1	67	<1	49	<1	40	50
MG-3070	150	<1	55	<1	55	1	48	49
MG-3071	230	<1	45	<1	26	<1	37	40
MG-3072	120	<1	17	<1	62	<1	40	14
MG-3073	20	<1	19	<1	34	<1	9	14
MG-3074	10	<1	41	<1	75	<1	6	29
MG-3075	120	<1	68	<1	86	<1	34	58
MG-3076	20	<1	150	<1	109	<1	17	93
MG-3077	30	<1	39	<1	81	<1	9	29
MG-3078	100	<1	79	<1	65	<1	24	54
MG-3079	350	<1	2	<1	26	<1	22	2
MG-3080	260	<1	2	<1	147	<1	20	2
MG-3081	470	<1	13	<1	134	1	45	13
MG-3082	<10	<1	550	<1	41	<1	19	379
MG-3083	20	<1	601	<1	99	<1	40	403
MG-3084	110	<1	164	<1	75	<1	63	143
MG-3085	1950	<1	169	<1	113	<1	38	125
MG-3086	60	<1	<1	<1	44	<1	14	<1
MG-3087	250	<1	18	<1	83	<1	25	14
MG-3088	250	<1	23	<1	310	1	82	18
MG-3089	420	<1	23	<1	365	1	81	18
MG-3090	50	<1	82	<1	178	<1	25	65
MG-3091	30	<1	213	<1	81	<1	20	121
MG-3092	110	<1	94	<1	63	<1	35	68
MG-3093	80	<1	290	<1	60	<1	45	229
MG-3094	140	<1	108	<1	175	<1	44	80
MG-3095	150	<1	89	<1	337	<1	73	71
MG-3096	30	<1	20	<1	95	<1	6	28
MG-3097	20	<1	9	<1	45	<1	<5	13
MG-3098	60	<1	105	<1	99	<1	23	69
MG-3099	60	<1	107	<1	53	<1	10	76
MG-3100	120	<1	83	<1	74	<1	23	61
MG-3101	130	<1	50	<1	78	<1	23	36
MG-3102	80	<1	100	<1	79	<1	14	77
MG-3103	40	<1	54	<1	70	<1	9	39
MG-3104	20	<1	104	<1	30	<1	10	112
MG-3105	140	<1	220	<1	101	<1	85	190
MG-3106	270	<1	107	<1	305	<1	77	94

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3107	100	<1	157	<1	270	<1	57	128
MG-3108	170	<1	238	<1	150	<1	92	189
MG-3109	230	<1	44	<1	217	<1	40	34

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3027	1	400	<1	11	<10	116	2780	0.8
MG-3028	<1	860	<1	12	<10	40.2	727	<0.5
MG-3029	<1	900	<1	24	<10	27.3	50	<0.5
MG-3030	<1	530	<1	14	<10	43.7	1370	<0.5
MG-3031	<1	1300	<1	4	<10	17.9	6	<0.5
MG-3032	<1	980	<1	4	<10	19.3	8	<0.5
MG-3033	<1	750	<1	1	<10	5.7	<3	<0.5
MG-3034	<1	710	<1	1	<10	5.4	10	<0.5
MG-3035	<1	800	<1	4	<10	4.7	10	<0.5
MG-3036	<1	270	<1	17	<10	104	1320	<0.5
MG-3037	2	320	<1	8	<10	83.1	3100	0.8
MG-3038	2	230	1	10	<10	103	4200	0.9
MG-3039	<1	590	<1	10	<10	57.8	948	<0.5
MG-3040	<1	120	<1	3	<10	12.1	1050	<0.5
MG-3041	10	120	3	<1	<10	21.7	15000	0.6
MG-3042	<1	30	<1	3	<10	14.1	478	<0.5
MG-3043	2	140	<1	1	<10	13.7	2790	<0.5
MG-3044	<1	290	<1	<1	<10	7.5	414	<0.5
MG-3045	<1	240	<1	5	<10	26.6	248	<0.5
MG-3046	<1	370	<1	2	<10	24.7	334	<0.5
MG-3047	<1	400	<1	<1	<10	17.3	980	<0.5
MG-3048	<1	460	<1	7	<10	36.3	68	<0.5
MG-3049	<1	240	<1	2	<10	39.1	780	<0.5
MG-3050	<1	10	<1	2	<10	2.8	11	<0.5
MG-3051	<1	520	<1	1	<10	9.8	90	<0.5
MG-3052	<1	670	<1	4	<10	20.2	283	<0.5
MG-3053	<1	830	<1	4	<10	16.4	6	<0.5
MG-3054	<1	500	<1	2	<10	16.3	510	<0.5
MG-3055	<1	990	<1	7	<10	68.7	23	<0.5
MG-3056	1	400	<1	2	<10	21.3	1890	0.5
MG-3057	<1	60	<1	3	<10	25.6	1510	<0.5
MG-3058	5	170	2	4	<10	31.0	6440	0.8
MG-3059	6	150	1	3	<10	16.1	6760	0.9
MG-3060	<1	60	<1	5	<10	4.2	134	<0.5
MG-3061	<1	40	<1	2	<10	14.3	1230	<0.5
MG-3062	<1	110	<1	8	<10	3.0	224	<0.5
MG-3063	<1	30	<1	4	<10	12.9	707	<0.5
MG-3064	2	510	1	3	<10	49.6	3240	<0.5
MG-3065	<1	30	<1	5	<10	9.6	343	<0.5
MG-3066	<1	<10	<1	2	<10	14.1	125	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3067	<1	80	<1	40	<10	25.6	819	1.4
MG-3068	<1	220	<1	4	<10	27.1	833	<0.5
MG-3069	2	50	<1	6	<10	14.2	1880	<0.5
MG-3070	2	<10	<1	6	<10	29.2	2660	<0.5
MG-3071	2	170	<1	6	<10	21.4	2230	<0.5
MG-3072	4	70	<1	2	<10	21.3	4590	<0.5
MG-3073	1	250	<1	2	<10	16.6	310	<0.5
MG-3074	<1	780	<1	3	10	25.9	15	<0.5
MG-3075	1	430	<1	7	<10	31.5	951	0.7
MG-3076	<1	800	<1	7	<10	40.3	94	<0.5
MG-3077	1	270	<1	2	<10	25.6	1150	0.6
MG-3078	<1	20	<1	6	<10	31.1	643	0.7
MG-3079	1	50	<1	<1	<10	3.7	1100	<0.5
MG-3080	2	10	<1	<1	<10	10.7	2140	<0.5
MG-3081	4	230	<1	2	<10	34.4	6990	0.6
MG-3082	<1	1940	<1	33	<10	70.1	524	<0.5
MG-3083	1	670	<1	33	<10	42.0	1410	0.5
MG-3084	1	420	<1	15	<10	28.3	1480	0.5
MG-3085	1	<10	<1	12	<10	30.7	1270	1.0
MG-3086	<1	540	<1	<1	<10	1.8	24	<0.5
MG-3087	1	100	<1	2	<10	19.4	876	<0.5
MG-3088	7	100	2	2	<10	32.1	10300	1.2
MG-3089	8	370	2	2	<10	37.3	10200	1.6
MG-3090	3	210	<1	6	<10	72.4	5040	0.6
MG-3091	2	340	<1	9	<10	67.8	3480	0.6
MG-3092	4	140	1	6	<10	87.6	8660	0.8
MG-3093	<1	1150	<1	26	<10	70.7	145	<0.5
MG-3094	2	670	<1	8	<10	73.2	5150	<0.5
MG-3095	4	360	1	8	<10	118	8240	1.1
MG-3096	<1	1030	<1	4	<10	19.6	7	<0.5
MG-3097	<1	1070	<1	2	<10	9.9	<3	<0.5
MG-3098	<1	750	<1	7	<10	30.8	82	<0.5
MG-3099	<1	1180	<1	7	<10	42.7	20	<0.5
MG-3100	<1	820	<1	7	<10	28.6	85	<0.5
MG-3101	<1	810	<1	4	<10	24.1	84	<0.5
MG-3102	<1	1030	<1	9	<10	23.1	20	<0.5
MG-3103	<1	1090	<1	4	<10	21.7	19	<0.5
MG-3104	<1	1180	<1	14	<10	35.0	11	<0.5
MG-3105	<1	1080	<1	25	<10	66.0	122	<0.5
MG-3106	2	520	<1	13	<10	96.9	2830	0.7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3107	1	620	<1	14	<10	81.9	2890	<0.5
MG-3108	1	680	<1	23	<10	101	2180	0.7
MG-3109	3	350	<1	4	<10	67.6	6580	0.6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143213 Order: MG3027 - MG3109

Report File No.: 0000009148

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-3027	17	<1	305	23	480	165
MG-3028	11	<1	301	17	70	45
MG-3029	19	<1	641	48	160	27
MG-3030	20	<1	308	22	220	65
MG-3031	38	<1	113	8	370	9
MG-3032	201	<1	117	8	270	17
MG-3033	17	<1	43	3	30	10
MG-3034	24	<1	35	2	30	7
MG-3035	65	<1	161	10	430	10
MG-3036	24	<1	512	32	1140	90
MG-3037	15	2	220	16	650	140
MG-3038	15	3	253	18	190	153
MG-3039	16	<1	270	18	260	59
MG-3040	5	<1	79	5	60	24
MG-3041	7	4	27	2	250	106
MG-3042	6	3	77	4	40	21
MG-3043	5	<1	36	3	70	50
MG-3044	4	<1	14	<1	170	10
MG-3045	104	3	172	13	120	86
MG-3046	8	<1	47	3	50	24
MG-3047	4	2	18	1	190	27
MG-3048	19	<1	178	12	40	23
MG-3049	5	<1	51	4	90	41
MG-3050	5	1	57	3	20	7
MG-3051	8	<1	28	1	20	5
MG-3052	3	20	121	9	40	34
MG-3053	5	<1	94	6	<20	12
MG-3054	10	<1	49	3	<20	22
MG-3055	20	<1	171	10	70	17
MG-3056	7	<1	63	5	290	50
MG-3057	8	2	61	4	50	62
MG-3058	14	3	99	7	90	99
MG-3059	7	3	92	6	160	77
MG-3060	6	<1	142	8	20	9
MG-3061	9	<1	52	4	30	41
MG-3062	7	<1	216	12	<20	7
MG-3063	7	<1	110	7	30	33
MG-3064	6	1	70	5	110	66
MG-3065	9	<1	142	10	60	18
MG-3066	9	<1	38	3	<20	34

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143213 Order: MG3027 - MG3109

Report File No.: 0000009148

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-3067	22	<1	1060	41	30	28
MG-3068	20	1	118	8	100	21
MG-3069	8	1	158	8	20	32
MG-3070	9	<1	168	12	30	60
MG-3071	10	1	154	9	30	33
MG-3072	7	2	66	5	40	64
MG-3073	16	<1	45	3	<20	25
MG-3074	48	<1	72	5	80	16
MG-3075	16	<1	181	12	370	35
MG-3076	88	<1	197	14	60	22
MG-3077	12	<1	46	3	170	21
MG-3078	12	<1	112	7	50	33
MG-3079	2	<1	34	6	450	15
MG-3080	5	10	21	3	920	33
MG-3081	9	4	60	5	530	69
MG-3082	53	<1	866	51	40	21
MG-3083	32	1	754	40	30	35
MG-3084	42	<1	407	28	40	33
MG-3085	28	<1	288	16	830	31
MG-3086	2	<1	6	2	910	<5
MG-3087	9	<1	62	5	680	32
MG-3088	12	2	60	5	1950	104
MG-3089	9	2	69	6	3230	100
MG-3090	16	1	120	9	200	64
MG-3091	23	2	177	12	80	52
MG-3092	23	2	115	9	450	93
MG-3093	34	<1	675	50	140	78
MG-3094	15	1	165	12	500	122
MG-3095	26	2	195	13	550	200
MG-3096	19	<1	99	6	130	9
MG-3097	24	<1	55	3	120	6
MG-3098	50	<1	192	14	430	37
MG-3099	184	<1	170	12	190	24
MG-3100	90	<1	239	17	140	31
MG-3101	74	<1	144	12	170	28
MG-3102	65	<1	272	16	350	21
MG-3103	40	<1	125	8	430	17
MG-3104	53	<1	361	21	200	20
MG-3105	29	<1	710	55	430	62
MG-3106	19	<1	385	25	230	99

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143213 Order: MG3027 - MG3109

Report File No.: 0000009148

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-3107	21	<1	342	24	100	97
MG-3108	22	1	593	40	60	110
MG-3109	15	2	84	5	160	93

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC143214

[Report File No.: 0000009164]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Oct 24, 2014

P.O. No.	:	MG3110 - MG3192
Project No.	:	-
No. Of Samples	:	83
Date Submitted	:	Oct 09, 2014
Report Comprises	:	Pages 1 to 22 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143214 Order: MG3110 - MG3192

Report File No.: 0000009164

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-3110	0.425	6	>200	30	<0.1	2450	4	80
MG-3111	0.320	<1	>200	20	0.1	2110	3	50
MG-3112	0.305	2	>200	20	<0.1	570	2	<10
MG-3113	0.410	2	>200	40	<0.1	1030	3	10
MG-3114	0.425	4	>200	10	<0.1	660	<1	<10
MG-3115	0.525	7	>200	<10	<0.1	470	<1	<10
MG-3116	0.560	7	>200	20	<0.1	1300	1	20
MG-3117	0.585	1	86	10	0.3	1770	<1	120
MG-3118	0.625	1	184	30	<0.1	1950	2	80
MG-3119	0.645	<1	160	20	0.1	1120	1	140
MG-3120	0.435	5	>200	10	<0.1	1030	<1	10
MG-3121	0.400	4	>200	20	<0.1	830	<1	40
MG-3122	0.420	<1	>200	<10	<0.1	410	<1	<10
MG-3123	0.435	<1	>200	<10	<0.1	650	<1	20
MG-3124	0.475	1	>200	30	<0.1	960	3	40
MG-3125	0.485	9	27	<10	0.4	1710	<1	380
MG-3126	0.465	10	>200	20	<0.1	1230	<1	20
MG-3127	0.535	1	163	10	<0.1	1860	<1	20
MG-3128	0.585	3	36	<10	0.5	1390	<1	310
MG-3129	0.410	21	66	<10	<0.1	540	<1	20
MG-3130	0.365	10	64	<10	<0.1	220	<1	10
MG-3131	0.390	10	29	<10	<0.1	330	<1	20
MG-3132	0.455	3	64	<10	<0.1	640	<1	20
MG-3133	0.575	<1	>200	10	<0.1	1530	<1	20
MG-3134	0.540	<1	125	20	0.2	3010	<1	30
MG-3135	0.475	1	>200	<10	<0.1	180	<1	<10
MG-3136	0.515	<1	>200	10	<0.1	510	<1	<10
MG-3137	0.490	2	55	<10	<0.1	740	<1	<10
MG-3138	0.455	5	48	<10	<0.1	590	<1	10
MG-3139	0.490	2	113	<10	<0.1	350	<1	<10
MG-3140	0.510	2	68	<10	<0.1	570	<1	20
MG-3141	0.485	1	>200	<10	<0.1	320	<1	<10
MG-3142	0.600	<1	>200	<10	<0.1	290	<1	10
MG-3143	0.540	<1	>200	<10	<0.1	230	<1	<10
MG-3144	0.485	<1	>200	<10	<0.1	390	<1	10
MG-3145	0.520	<1	42	<10	<0.1	70	<1	<10
MG-3146	0.370	2	103	<10	<0.1	590	<1	<10
MG-3147	0.520	<1	>200	20	<0.1	810	<1	30
MG-3148	0.390	4	162	<10	<0.1	380	<1	20
MG-3149	0.550	<1	93	<10	<0.1	1540	<1	<10

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-3150	0.515	1	29	<10	<0.1	460	<1	10
MG-3151	0.625	<1	>200	20	<0.1	1450	<1	<10
MG-3152	0.500	<1	>200	30	<0.1	2670	1	30
MG-3153	0.530	<1	160	<10	0.1	2730	<1	<10
MG-3154	0.565	1	51	<10	<0.1	560	<1	110
MG-3155	0.530	12	31	20	<0.1	910	<1	400
MG-3156	0.405	3	65	<10	<0.1	460	<1	60
MG-3157	0.590	8	200	20	<0.1	870	2	110
MG-3158	0.465	2	>200	40	<0.1	2460	2	50
MG-3159	0.465	3	45	<10	0.5	1300	<1	190
MG-3160	0.450	3	52	<10	0.3	1550	<1	260
MG-3161	0.525	1	39	<10	0.5	1580	<1	190
MG-3162	0.445	13	>200	20	<0.1	1130	<1	40
MG-3163	0.490	1	>200	20	<0.1	270	<1	<10
MG-3164	0.540	2	>200	10	<0.1	500	<1	30
MG-3165	0.590	6	83	<10	0.1	1260	<1	270
MG-3166	0.680	3	16	<10	0.2	1610	<1	240
MG-3167	0.630	11	52	<10	0.2	2260	<1	320
MG-3168	0.625	2	158	30	0.2	1700	1	70
MG-3169	0.590	2	81	20	<0.1	1350	<1	180
MG-3170	0.615	2	>200	30	0.2	1420	1	40
MG-3171	0.570	<1	>200	70	<0.1	1260	2	20
MG-3172	0.550	<1	133	30	<0.1	670	2	<10
MG-3173	0.555	3	128	<10	<0.1	980	<1	150
MG-3174	0.430	11	16	<10	0.4	1780	<1	590
MG-3175	0.515	5	121	<10	0.2	1190	<1	200
MG-3176	0.500	3	>200	20	<0.1	2760	1	140
MG-3177	0.530	4	>200	<10	<0.1	1050	<1	50
MG-3178	0.515	15	26	<10	0.2	1630	<1	470
MG-3179	0.575	23	17	<10	0.3	2320	<1	560
MG-3180	0.435	19	45	<10	0.3	2360	<1	560
MG-3181	0.470	30	32	<10	<0.1	1900	<1	610
MG-3182	0.595	3	31	<10	0.3	2700	<1	430
MG-3183	0.580	<1	101	20	0.3	1920	<1	60
MG-3184	0.480	<1	156	10	<0.1	840	<1	20
MG-3185	0.550	<1	>200	30	0.1	2220	2	20
MG-3186	0.505	8	37	<10	0.3	2020	<1	390
MG-3187	0.455	17	22	<10	0.2	3100	<1	610
MG-3188	0.490	12	21	<10	0.1	1770	<1	490
MG-3189	0.515	21	22	<10	0.2	1690	<1	530

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143214 Order: MG3110 - MG3192

Report File No.: 0000009164

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-3190	0.520	15	15	<10	0.2	2050	<1	490
MG-3191	0.475	20	50	<10	0.2	1690	<1	590
MG-3192	0.475	3	42	<10	<0.1	1550	<1	720

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143214 Order: MG3110 - MG3192

Report File No.: 0000009164

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3110	6	671	53	<100	15.7	200	29	11.3
MG-3111	39	115	179	<100	7.5	250	19	13.3
MG-3112	12	55	51	<100	8.2	150	6	6.0
MG-3113	8	288	61	200	12.9	370	19	10.4
MG-3114	20	37	38	100	19.2	430	9	5.9
MG-3115	6	1470	276	<100	22.5	4860	135	50.8
MG-3116	6	498	98	200	15.3	250	31	13.6
MG-3117	1	1220	85	<100	9.8	1340	49	20.3
MG-3118	1	867	41	300	10.9	530	27	11.0
MG-3119	1	470	33	200	12.9	650	22	8.6
MG-3120	5	680	31	200	23.1	470	37	14.4
MG-3121	17	257	116	100	10.5	700	22	11.0
MG-3122	3	6	45	<100	3.7	340	10	7.2
MG-3123	<1	6	11	<100	6.4	770	<1	0.6
MG-3124	14	399	128	100	12.2	460	32	16.1
MG-3125	2	347	15	<100	<0.5	850	42	18.3
MG-3126	6	548	56	200	12.6	660	32	13.4
MG-3127	2	493	26	100	6.5	140	32	13.0
MG-3128	1	552	25	<100	0.7	650	52	22.9
MG-3129	8	192	9	<100	4.3	90	13	5.5
MG-3130	9	129	21	<100	4.0	80	19	9.7
MG-3131	5	143	26	<100	6.4	100	22	11.5
MG-3132	3	216	28	<100	6.5	110	20	8.8
MG-3133	<1	159	13	200	5.0	90	13	5.5
MG-3134	<1	702	35	<100	4.4	180	41	17.2
MG-3135	4	46	26	<100	1.6	80	18	9.6
MG-3136	<1	73	8	100	6.4	70	7	3.7
MG-3137	3	729	19	<100	4.7	100	53	28.5
MG-3138	5	222	15	<100	7.6	70	25	11.9
MG-3139	2	282	6	<100	7.6	100	20	9.9
MG-3140	3	365	16	<100	5.5	80	29	14.1
MG-3141	1	118	5	<100	4.7	150	14	6.4
MG-3142	3	114	22	100	4.2	220	12	6.2
MG-3143	2	67	8	<100	4.5	80	8	3.4
MG-3144	2	51	23	<100	8.5	100	7	3.8
MG-3145	2	177	9	<100	7.3	70	14	6.5
MG-3146	7	221	25	<100	8.2	140	32	14.1
MG-3147	3	131	27	100	4.7	160	14	7.1
MG-3148	6	204	16	<100	8.5	130	12	5.9
MG-3149	1	508	16	<100	4.9	80	40	17.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3150	<1	134	12	<100	2.7	110	13	5.0
MG-3151	1	197	22	300	6.8	80	15	6.2
MG-3152	<1	264	24	400	8.6	110	18	8.0
MG-3153	4	556	33	<100	4.9	200	46	19.9
MG-3154	<1	645	19	<100	2.6	220	34	15.9
MG-3155	12	98	69	<100	<0.5	1360	7	3.1
MG-3156	<1	27	136	<100	3.6	610	2	1.8
MG-3157	8	286	38	300	7.6	400	14	6.5
MG-3158	7	113	59	200	8.0	170	8	3.9
MG-3159	8	540	22	<100	0.6	350	40	17.0
MG-3160	3	398	17	<100	0.6	330	45	19.5
MG-3161	<1	691	32	<100	1.2	560	56	26.8
MG-3162	15	304	217	200	21.2	250	17	8.1
MG-3163	9	116	20	100	24.1	490	11	5.2
MG-3164	<1	136	24	200	8.6	160	14	6.5
MG-3165	13	481	307	<100	0.9	620	29	14.0
MG-3166	2	91	24	<100	0.7	330	5	2.0
MG-3167	14	364	24	<100	0.9	920	19	8.0
MG-3168	5	1200	94	200	5.9	490	39	16.1
MG-3169	1	497	26	100	5.5	490	19	7.7
MG-3170	2	614	30	400	14.9	570	26	10.1
MG-3171	3	120	20	300	16.0	280	8	3.8
MG-3172	<1	66	20	100	21.4	1470	3	1.7
MG-3173	11	112	100	<100	9.0	1680	17	9.1
MG-3174	3	163	45	<100	<0.5	770	19	8.9
MG-3175	2	690	48	100	4.9	570	47	21.1
MG-3176	1	419	29	300	8.1	150	19	7.7
MG-3177	5	328	74	100	8.9	210	24	10.1
MG-3178	14	99	26	<100	1.2	460	12	5.4
MG-3179	5	132	78	<100	<0.5	740	17	8.6
MG-3180	24	604	176	<100	<0.5	760	29	15.3
MG-3181	14	226	79	<100	<0.5	1340	36	19.7
MG-3182	2	794	69	<100	<0.5	1360	108	48.3
MG-3183	<1	4880	51	<100	10.1	1140	82	27.4
MG-3184	5	557	91	100	16.1	880	31	14.2
MG-3185	3	587	85	400	22.5	500	31	12.3
MG-3186	5	773	29	<100	<0.5	1010	48	21.4
MG-3187	8	159	55	<100	<0.5	1160	27	11.8
MG-3188	12	165	32	<100	<0.5	690	20	8.5
MG-3189	10	183	39	<100	<0.5	1070	18	8.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3190	4	61	27	<100	<0.5	840	11	5.4
MG-3191	14	117	39	<100	<0.5	630	17	9.6
MG-3192	7	116	19	<100	<0.5	800	6	2.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-3110	14.2	108	42	45	1	<0.5	17.7	341
MG-3111	3.1	130	31	13	<1	<0.5	37.8	54
MG-3112	1.3	94	20	5	<1	<0.5	18.6	23
MG-3113	6.4	195	47	23	2	<0.5	22.5	139
MG-3114	1.2	106	23	6	<1	<0.5	21.8	16
MG-3115	53.2	50	12	195	<1	<0.5	7.7	554
MG-3116	14.0	155	47	45	<1	<0.5	10.5	201
MG-3117	31.9	57	8	100	<1	<0.5	5.1	406
MG-3118	14.2	202	32	44	<1	<0.5	8.4	350
MG-3119	12.0	96	31	37	<1	<0.5	7.0	244
MG-3120	17.7	90	9	54	2	<0.5	5.5	319
MG-3121	6.7	101	18	23	<1	<0.5	21.7	68
MG-3122	0.7	42	8	3	<1	<0.5	1.9	<1
MG-3123	<0.5	138	7	<1	<1	<0.5	7.9	1
MG-3124	11.2	121	46	39	1	<0.5	23.4	162
MG-3125	19.1	15	<1	77	<1	<0.5	12.8	289
MG-3126	11.2	112	30	41	1	<0.5	13.6	244
MG-3127	15.9	65	12	49	<1	<0.5	6.3	242
MG-3128	26.9	25	2	100	<1	<0.5	9.8	413
MG-3129	5.1	6	6	18	<1	<0.5	4.8	69
MG-3130	6.4	12	12	23	<1	<0.5	13.9	46
MG-3131	8.6	3	4	34	<1	<0.5	19.4	60
MG-3132	8.0	13	5	31	<1	<0.5	8.0	90
MG-3133	4.7	92	44	15	<1	<0.5	5.4	80
MG-3134	15.9	64	19	59	<1	<0.5	6.8	403
MG-3135	3.4	16	19	14	<1	<0.5	2.6	15
MG-3136	2.5	148	15	8	<1	<0.5	3.4	34
MG-3137	23.2	9	7	83	<1	<0.5	4.3	335
MG-3138	10.4	8	10	38	<1	<0.5	19.7	124
MG-3139	8.1	31	8	27	<1	<0.5	4.9	127
MG-3140	10.9	8	7	39	<1	<0.5	9.7	167
MG-3141	4.7	62	14	15	<1	<0.5	4.3	53
MG-3142	3.8	54	20	13	<1	<0.5	3.0	49
MG-3143	2.6	18	18	9	<1	<0.5	1.9	27
MG-3144	2.0	44	36	7	<1	<0.5	1.3	22
MG-3145	5.7	8	6	21	<1	<0.5	3.6	84
MG-3146	12.8	12	10	42	<1	<0.5	10.5	135
MG-3147	4.9	121	39	16	<1	<0.5	9.3	79
MG-3148	5.2	29	15	16	<1	<0.5	15.1	99
MG-3149	15.4	29	4	60	<1	<0.5	8.0	251

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-3150	4.7	3	3	19	<1	<0.5	3.8	51
MG-3151	5.8	166	40	18	<1	<0.5	7.5	102
MG-3152	6.7	233	44	23	<1	<0.5	6.1	118
MG-3153	17.3	45	10	64	<1	<0.5	3.6	303
MG-3154	21.6	9	2	79	<1	<0.5	2.8	244
MG-3155	2.7	18	<1	11	<1	<0.5	11.8	35
MG-3156	0.5	358	2	2	<1	<0.5	5.3	10
MG-3157	4.8	147	41	19	<1	<0.5	31.2	134
MG-3158	2.6	125	104	8	<1	<0.5	35.0	57
MG-3159	16.6	26	4	66	<1	<0.5	16.2	260
MG-3160	17.6	16	2	70	<1	<0.5	10.1	263
MG-3161	20.1	27	3	80	<1	<0.5	6.0	343
MG-3162	6.4	79	12	22	2	<0.5	22.7	102
MG-3163	2.8	144	17	11	2	<0.5	14.9	59
MG-3164	4.3	201	22	16	<1	<0.5	7.1	67
MG-3165	9.5	78	4	40	<1	<0.5	16.4	157
MG-3166	2.5	18	1	10	<1	<0.5	17.5	37
MG-3167	7.9	53	2	33	<1	<0.5	22.5	167
MG-3168	16.3	154	17	60	<1	<0.5	6.9	493
MG-3169	8.2	90	7	33	<1	<0.5	5.6	215
MG-3170	10.2	138	28	37	<1	<0.5	9.2	278
MG-3171	2.3	286	45	9	1	<0.5	12.6	69
MG-3172	1.0	457	17	4	<1	<0.5	19.8	36
MG-3173	3.9	185	8	18	<1	<0.5	7.5	51
MG-3174	7.0	14	<1	31	<1	<0.5	8.8	101
MG-3175	15.3	101	6	61	<1	<0.5	10.4	249
MG-3176	7.2	157	33	26	<1	<0.5	10.4	201
MG-3177	7.1	208	17	28	<1	<0.5	6.4	131
MG-3178	3.9	16	<1	17	<1	<0.5	12.7	38
MG-3179	4.8	9	<1	23	<1	<0.5	9.7	54
MG-3180	7.6	15	<1	36	<1	<0.5	27.7	112
MG-3181	9.3	13	<1	46	<1	<0.5	22.5	105
MG-3182	40.0	18	2	176	<1	<0.5	17.6	619
MG-3183	43.3	71	14	165	<1	<0.5	11.1	2980
MG-3184	12.5	100	10	44	<1	<0.5	23.8	257
MG-3185	10.4	321	49	38	<1	<0.5	14.3	361
MG-3186	18.6	24	1	79	<1	<0.5	12.9	304
MG-3187	9.3	10	<1	42	<1	<0.5	12.8	89
MG-3188	8.0	15	<1	34	<1	<0.5	21.5	86
MG-3189	6.0	10	<1	28	<1	<0.5	23.5	65

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-3190	3.4	8	<1	17	<1	<0.5	19.4	42
MG-3191	4.3	20	<1	21	<1	<0.5	34.0	51
MG-3192	2.7	42	1	12	<1	<0.5	12.9	55

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-3110	16	17	790	5	14.2	327	96	8.4
MG-3111	9	31	8840	<5	6.1	58	128	10.1
MG-3112	8	4	410	<5	6.0	27	63	3.3
MG-3113	29	8	790	11	29.9	130	70	4.2
MG-3114	7	6	3780	5	4.7	18	55	8.6
MG-3115	<5	3	470	<5	4.3	1210	418	2.6
MG-3116	9	8	3090	6	14.8	265	143	4.4
MG-3117	<5	11	390	23	10.2	703	66	1.0
MG-3118	22	15	520	10	31.0	363	117	5.5
MG-3119	17	16	320	9	26.5	277	96	3.5
MG-3120	6	2	660	5	3.9	352	126	4.8
MG-3121	9	17	2230	<5	7.1	113	230	5.8
MG-3122	<5	3	50	<5	<0.5	2	100	0.9
MG-3123	<5	6	110	<5	<0.5	<1	41	0.4
MG-3124	24	17	2910	13	27.9	213	214	12.3
MG-3125	26	140	650	<5	<0.5	406	175	0.4
MG-3126	15	6	880	11	13.7	242	89	7.8
MG-3127	<5	3	430	7	8.5	311	44	3.0
MG-3128	<5	88	1410	<5	3.0	609	95	0.4
MG-3129	<5	<1	270	14	<0.5	102	16	0.5
MG-3130	<5	<1	590	9	<0.5	98	33	0.6
MG-3131	<5	1	800	23	<0.5	153	18	0.2
MG-3132	<5	1	520	10	<0.5	158	23	0.5
MG-3133	<5	3	80	<5	13.7	76	59	7.7
MG-3134	6	4	170	<5	10.0	374	35	2.6
MG-3135	<5	1	220	<5	3.2	35	66	2.4
MG-3136	<5	<1	20	<5	4.6	35	41	2.6
MG-3137	<5	<1	70	9	<0.5	481	21	0.2
MG-3138	<5	3	240	11	<0.5	200	26	0.2
MG-3139	<5	<1	80	<5	1.3	160	33	0.7
MG-3140	<5	2	40	<5	<0.5	218	16	<0.1
MG-3141	<5	<1	40	<5	3.3	70	35	1.6
MG-3142	<5	2	220	<5	10.2	63	78	5.3
MG-3143	<5	<1	90	<5	4.9	37	38	2.5
MG-3144	<5	2	170	<5	7.1	26	75	4.3
MG-3145	<5	<1	50	6	<0.5	112	19	0.2
MG-3146	<5	2	820	10	<0.5	217	30	1.2
MG-3147	<5	2	80	6	8.7	84	72	3.2
MG-3148	<5	4	170	<5	0.8	103	51	1.7
MG-3149	<5	<1	70	6	0.6	318	25	0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-3150	<5	1	390	<5	<0.5	91	17	0.8
MG-3151	<5	3	260	9	17.9	90	54	5.6
MG-3152	34	12	340	6	26.6	129	95	6.2
MG-3153	<5	1	420	<5	6.9	342	28	2.6
MG-3154	<5	14	60	<5	0.8	590	17	0.3
MG-3155	46	51	1690	21	0.6	61	212	0.2
MG-3156	<5	10	440	9	1.4	12	132	1.5
MG-3157	27	24	1350	10	17.3	120	170	7.9
MG-3158	27	19	7360	15	28.2	45	47	10.2
MG-3159	<5	54	1290	<5	3.3	398	115	1.0
MG-3160	<5	95	600	<5	<0.5	369	95	0.3
MG-3161	<5	55	1140	<5	2.0	404	148	0.6
MG-3162	5	4	5690	6	4.8	118	110	3.7
MG-3163	<5	1	380	8	3.7	58	71	7.7
MG-3164	<5	3	90	7	7.2	77	158	6.1
MG-3165	28	68	11400	<5	2.0	213	451	0.8
MG-3166	<5	40	390	12	0.7	55	71	0.3
MG-3167	<5	55	450	6	1.3	215	388	1.4
MG-3168	10	14	3160	6	10.8	440	227	6.6
MG-3169	<5	18	330	<5	5.1	233	162	2.4
MG-3170	7	7	1010	<5	17.8	254	128	11.4
MG-3171	11	7	230	12	19.7	47	107	12.6
MG-3172	<5	4	80	8	10.4	27	161	6.5
MG-3173	<5	29	1950	<5	2.9	70	459	0.9
MG-3174	12	148	1840	<5	<0.5	141	200	<0.1
MG-3175	<5	42	2440	<5	3.8	322	230	0.8
MG-3176	20	27	540	7	19.6	175	152	9.8
MG-3177	11	11	410	<5	9.8	144	167	3.9
MG-3178	6	106	1070	<5	<0.5	67	322	<0.1
MG-3179	39	144	3240	<5	<0.5	93	348	<0.1
MG-3180	14	145	11200	6	<0.5	157	801	<0.1
MG-3181	17	158	4150	<5	<0.5	168	771	<0.1
MG-3182	7	92	2200	<5	<0.5	879	247	0.1
MG-3183	<5	9	1380	<5	8.8	1540	51	1.1
MG-3184	<5	4	4130	8	3.3	263	64	1.7
MG-3185	26	12	970	9	20.9	237	140	4.4
MG-3186	9	129	910	<5	<0.5	422	527	0.2
MG-3187	20	185	1950	<5	<0.5	157	437	<0.1
MG-3188	5	119	1320	<5	<0.5	151	455	<0.1
MG-3189	22	110	2320	<5	<0.5	113	497	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-3190	24	96	1180	<5	<0.5	68	316	<0.1
MG-3191	12	117	3840	<5	<0.5	83	388	<0.1
MG-3192	12	129	300	<5	<0.5	64	343	0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3110	240	<1	82	<1	252	<1	35	58
MG-3111	940	<1	15	<1	232	<1	28	13
MG-3112	500	<1	7	<1	99	<1	27	5
MG-3113	600	<1	33	<1	134	2	66	27
MG-3114	310	<1	5	<1	185	<1	33	5
MG-3115	190	<1	267	<1	108	<1	39	225
MG-3116	180	<1	63	<1	179	<1	44	55
MG-3117	40	<1	153	<1	58	<1	25	132
MG-3118	80	<1	94	<1	109	<1	60	64
MG-3119	60	<1	69	<1	125	<1	44	50
MG-3120	50	<1	88	<1	130	<1	45	72
MG-3121	290	<1	26	<1	201	<1	29	25
MG-3122	400	<1	<1	<1	14	<1	27	2
MG-3123	<10	<1	<1	<1	76	<1	6	<1
MG-3124	720	<1	50	<1	153	2	60	44
MG-3125	20	<1	85	<1	27	<1	11	83
MG-3126	130	<1	63	<1	228	1	69	48
MG-3127	60	<1	75	<1	120	<1	39	62
MG-3128	20	<1	131	<1	66	<1	17	115
MG-3129	280	<1	24	<1	180	<1	16	21
MG-3130	300	<1	22	<1	216	<1	28	23
MG-3131	180	<1	30	<1	245	<1	22	35
MG-3132	140	<1	35	<1	111	<1	23	35
MG-3133	130	<1	20	<1	77	<1	46	17
MG-3134	70	<1	98	<1	91	<1	49	69
MG-3135	130	<1	7	<1	25	<1	36	11
MG-3136	70	<1	9	<1	70	<1	25	9
MG-3137	160	<1	112	<1	130	<1	45	91
MG-3138	210	<1	45	<1	216	<1	28	41
MG-3139	200	<1	39	<1	119	<1	39	32
MG-3140	80	<1	53	<1	130	<1	32	42
MG-3141	180	<1	17	<1	65	<1	34	16
MG-3142	90	<1	16	<1	44	<1	28	15
MG-3143	190	<1	9	<1	39	<1	18	10
MG-3144	210	<1	7	<1	24	<1	24	7
MG-3145	130	<1	26	<1	48	<1	17	23
MG-3146	170	<1	52	<1	127	<1	44	48
MG-3147	210	<1	21	<1	103	1	40	17
MG-3148	450	<1	26	<1	124	<1	26	19
MG-3149	160	<1	78	<1	86	<1	35	65

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3150	30	<1	21	<1	49	<1	10	21
MG-3151	130	<1	24	<1	90	<1	53	20
MG-3152	170	<1	33	<1	90	1	88	27
MG-3153	200	<1	83	<1	66	<1	62	70
MG-3154	30	<1	118	<1	37	<1	11	103
MG-3155	50	<1	14	<1	<5	3	6	13
MG-3156	10	<1	3	<1	34	<1	19	2
MG-3157	180	<1	31	<1	229	<1	74	22
MG-3158	200	<1	12	<1	274	1	75	9
MG-3159	50	<1	88	<1	142	<1	17	78
MG-3160	60	<1	81	<1	113	<1	20	76
MG-3161	40	<1	92	<1	107	<1	24	84
MG-3162	250	<1	29	<1	221	1	45	25
MG-3163	170	<1	14	<1	154	1	36	12
MG-3164	110	<1	19	<1	47	<1	32	17
MG-3165	90	<1	52	<1	90	<1	52	43
MG-3166	10	<1	12	<1	17	<1	<5	11
MG-3167	30	<1	52	<1	51	<1	18	40
MG-3168	110	<1	119	<1	130	<1	62	76
MG-3169	50	<1	59	<1	95	<1	30	42
MG-3170	110	<1	69	<1	131	<1	68	45
MG-3171	70	<1	13	<1	127	1	46	9
MG-3172	30	<1	7	<1	209	1	25	5
MG-3173	170	<1	16	<1	114	<1	39	16
MG-3174	20	<1	31	<1	39	<1	10	30
MG-3175	120	<1	78	<1	187	<1	60	66
MG-3176	100	<1	47	<1	118	<1	68	32
MG-3177	160	<1	37	<1	111	<1	46	30
MG-3178	20	<1	14	<1	165	<1	8	16
MG-3179	40	<1	20	<1	65	<1	7	20
MG-3180	90	<1	37	<1	102	<1	13	33
MG-3181	30	<1	37	<1	146	<1	12	40
MG-3182	30	<1	199	<1	18	<1	22	182
MG-3183	60	<1	453	<1	177	<1	56	232
MG-3184	150	<1	67	<1	168	<1	88	51
MG-3185	140	<1	67	<1	180	<1	103	45
MG-3186	30	<1	95	<1	54	<1	14	85
MG-3187	40	<1	33	<1	45	<1	10	39
MG-3188	30	<1	32	<1	72	<1	9	34
MG-3189	50	<1	24	<1	62	<1	7	27

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3190	30	<1	15	<1	41	<1	6	16
MG-3191	60	<1	19	<1	68	<1	10	19
MG-3192	<10	<1	16	<1	24	<1	7	12

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3110	4	550	1	6	<10	27.9	5440	0.9
MG-3111	1	590	<1	2	<10	18.4	2100	0.6
MG-3112	<1	20	<1	<1	<10	16.6	1890	0.5
MG-3113	6	40	2	3	<10	61.9	10600	1.1
MG-3114	<1	<10	<1	1	<10	10.8	2550	0.6
MG-3115	<1	50	<1	26	<10	37.7	1610	0.6
MG-3116	4	90	1	6	<10	49.6	7060	0.8
MG-3117	<1	710	<1	11	<10	49.5	3190	<0.5
MG-3118	4	290	2	6	<10	95.1	8860	1.0
MG-3119	3	310	2	5	<10	55.5	8930	0.6
MG-3120	<1	70	<1	8	<10	87.0	956	0.9
MG-3121	<1	140	<1	4	<10	52.6	2350	<0.5
MG-3122	<1	<10	<1	1	<10	<0.5	61	<0.5
MG-3123	<1	50	<1	<1	<10	<0.5	128	<0.5
MG-3124	6	150	2	6	<10	45.1	12400	1.1
MG-3125	<1	1650	<1	9	<10	32.3	86	<0.5
MG-3126	2	50	1	6	<10	76.6	4430	0.8
MG-3127	<1	130	<1	7	<10	43.4	2550	0.6
MG-3128	<1	1090	<1	11	<10	32.3	783	<0.5
MG-3129	<1	60	<1	3	<10	3.0	57	<0.5
MG-3130	<1	<10	<1	3	<10	1.9	64	<0.5
MG-3131	<1	40	<1	4	<10	<0.5	9	<0.5
MG-3132	<1	60	<1	4	<10	4.8	181	<0.5
MG-3133	2	130	1	2	<10	27.4	3950	<0.5
MG-3134	1	300	<1	8	<10	26.5	2960	<0.5
MG-3135	<1	50	<1	3	<10	1.4	957	<0.5
MG-3136	<1	10	<1	1	<10	10.3	946	<0.5
MG-3137	<1	30	<1	10	<10	2.1	87	<0.5
MG-3138	<1	50	<1	5	<10	1.6	198	<0.5
MG-3139	<1	20	<1	4	<10	12.9	470	<0.5
MG-3140	<1	90	<1	5	<10	6.7	137	<0.5
MG-3141	<1	20	<1	2	<10	20.5	1010	<0.5
MG-3142	<1	90	<1	2	<10	16.6	1850	<0.5
MG-3143	<1	<10	<1	1	<10	5.7	1060	<0.5
MG-3144	<1	110	<1	1	<10	6.6	2060	<0.5
MG-3145	<1	<10	<1	3	<10	1.6	54	<0.5
MG-3146	<1	<10	<1	6	<10	6.8	227	<0.5
MG-3147	2	130	<1	2	<10	21.7	3510	<0.5
MG-3148	<1	30	<1	2	<10	9.8	425	<0.5
MG-3149	<1	30	<1	8	<10	11.1	349	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3150	<1	10	<1	2	<10	2.2	36	<0.5
MG-3151	<1	90	1	3	<10	36.9	4160	<0.5
MG-3152	3	240	2	3	10	56.9	5270	1.1
MG-3153	<1	70	<1	9	20	28.9	1930	0.5
MG-3154	<1	290	<1	7	<10	10.8	216	<0.5
MG-3155	<1	540	<1	1	10	6.1	17	<0.5
MG-3156	<1	140	<1	<1	<10	8.4	363	<0.5
MG-3157	4	190	1	3	<10	51.6	4730	0.9
MG-3158	12	300	3	1	<10	25.5	12800	1.1
MG-3159	<1	770	<1	8	<10	45.6	958	<0.5
MG-3160	<1	1380	<1	8	<10	24.3	84	<0.5
MG-3161	<1	1530	<1	11	<10	26.4	544	<0.5
MG-3162	<1	130	<1	3	<10	24.1	1600	1.1
MG-3163	<1	<10	<1	2	<10	25.4	980	0.7
MG-3164	<1	90	<1	2	<10	20.5	1470	<0.5
MG-3165	<1	510	<1	5	<10	23.1	437	<0.5
MG-3166	<1	380	<1	1	<10	8.3	217	<0.5
MG-3167	<1	500	<1	4	<10	39.6	251	<0.5
MG-3168	<1	220	<1	8	<10	89.4	2220	0.7
MG-3169	<1	390	<1	4	<10	33.3	1040	<0.5
MG-3170	2	190	<1	5	<10	83.8	4050	0.8
MG-3171	2	120	1	1	<10	30.5	5620	0.7
MG-3172	1	50	<1	<1	<10	18.2	2810	0.8
MG-3173	<1	420	<1	3	<10	14.3	1040	<0.5
MG-3174	<1	1650	<1	4	<10	34.1	9	<0.5
MG-3175	<1	380	<1	9	<10	90.3	915	0.6
MG-3176	2	350	1	4	<10	71.0	3730	<0.5
MG-3177	<1	140	<1	4	<10	34.4	1930	0.6
MG-3178	<1	1230	<1	2	<10	22.3	16	<0.5
MG-3179	<1	1650	<1	3	<10	23.9	19	<0.5
MG-3180	<1	1300	<1	5	<10	38.7	9	<0.5
MG-3181	<1	1550	<1	6	<10	31.3	10	<0.5
MG-3182	<1	2220	<1	21	<10	84.2	28	<0.5
MG-3183	<1	210	<1	19	<10	72.4	2220	1.0
MG-3184	<1	30	<1	6	<10	27.8	1170	0.9
MG-3185	3	130	1	6	<10	44.9	6760	1.4
MG-3186	<1	1680	<1	9	<10	56.4	59	<0.5
MG-3187	<1	1480	<1	5	<10	32.3	3	<0.5
MG-3188	<1	1070	<1	4	<10	31.4	21	<0.5
MG-3189	<1	930	<1	3	<10	29.6	9	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3190	<1	900	<1	2	<10	18.6	20	<0.5
MG-3191	<1	1000	<1	3	<10	23.6	32	<0.5
MG-3192	<1	1360	<1	1	<10	7.4	118	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143214 Order: MG3110 - MG3192

Report File No.: 0000009164

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-3110	13	1	137	7	290	58
MG-3111	6	<1	105	11	3670	34
MG-3112	8	<1	34	6	600	49
MG-3113	15	4	97	8	360	130
MG-3114	3	7	47	5	800	41
MG-3115	14	1	698	28	360	29
MG-3116	15	3	134	10	430	67
MG-3117	19	4	238	14	150	41
MG-3118	18	3	115	8	120	117
MG-3119	13	3	86	7	80	79
MG-3120	28	<1	137	10	40	88
MG-3121	10	1	95	8	530	67
MG-3122	<1	6	55	6	30	<5
MG-3123	1	2	3	<1	<20	9
MG-3124	12	7	160	11	670	73
MG-3125	43	<1	228	12	340	14
MG-3126	19	2	131	10	490	134
MG-3127	14	3	139	9	60	61
MG-3128	16	<1	301	16	100	31
MG-3129	5	<1	65	4	<20	10
MG-3130	5	<1	106	7	50	8
MG-3131	7	<1	135	8	50	<5
MG-3132	7	<1	95	6	30	14
MG-3133	8	2	50	4	40	85
MG-3134	11	1	198	11	70	53
MG-3135	2	<1	98	7	240	12
MG-3136	4	<1	34	3	<20	36
MG-3137	7	<1	376	21	<20	6
MG-3138	6	<1	147	9	30	8
MG-3139	9	<1	107	8	20	30
MG-3140	6	<1	181	10	20	12
MG-3141	8	<1	67	5	20	45
MG-3142	8	<1	55	5	120	30
MG-3143	3	<1	35	3	40	22
MG-3144	2	<1	30	3	270	19
MG-3145	5	<1	80	5	40	7
MG-3146	10	<1	145	10	30	23
MG-3147	7	1	77	5	40	67
MG-3148	7	<1	66	4	50	25
MG-3149	8	<1	208	12	20	25

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143214 Order: MG3110 - MG3192

Report File No.: 0000009164

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-3150	6	1	58	4	40	8
MG-3151	12	3	61	4	30	100
MG-3152	8	4	74	6	130	158
MG-3153	10	2	218	14	20	48
MG-3154	32	<1	216	10	<20	10
MG-3155	86	6	40	2	40	<5
MG-3156	16	1	12	1	80	18
MG-3157	26	2	67	5	300	149
MG-3158	8	5	35	3	430	155
MG-3159	15	<1	189	12	490	37
MG-3160	13	<1	220	14	310	18
MG-3161	12	<1	280	20	50	23
MG-3162	11	2	84	6	570	57
MG-3163	9	1	47	4	290	58
MG-3164	8	1	61	4	20	29
MG-3165	24	<1	142	10	340	34
MG-3166	52	<1	24	1	50	8
MG-3167	167	2	93	6	120	36
MG-3168	30	3	172	12	130	126
MG-3169	18	1	87	6	50	57
MG-3170	14	3	113	7	90	138
MG-3171	9	4	31	2	370	88
MG-3172	8	26	13	1	60	47
MG-3173	30	<1	100	6	60	25
MG-3174	83	<1	93	6	40	11
MG-3175	61	<1	214	14	30	93
MG-3176	25	2	77	6	80	147
MG-3177	14	<1	109	7	130	75
MG-3178	57	<1	60	4	560	10
MG-3179	31	<1	74	7	40	19
MG-3180	157	<1	133	13	200	19
MG-3181	123	<1	178	15	70	15
MG-3182	83	<1	571	34	70	24
MG-3183	51	3	375	18	30	83
MG-3184	21	2	149	11	280	53
MG-3185	16	5	118	8	230	129
MG-3186	28	<1	248	14	160	14
MG-3187	43	<1	123	8	160	7
MG-3188	125	<1	92	6	90	9
MG-3189	41	<1	91	6	30	11

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143214 Order: MG3110 - MG3192

Report File No.: 0000009164

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-3190	44	<1	51	4	<20	14
MG-3191	224	<1	85	8	180	20
MG-3192	28	<1	33	2	50	6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC143215

[Report File No.: 0000009149]

To: **ADAM LARSEN**
TREASURY METALS INC
130 KING ST W SUITE 3680
BOX 99
TORONTO ON M5X 1B1

Date: Oct 23, 2014

P.O. No.	:	MG3193 - MG3270
Project No.	:	-
No. Of Samples	:	78
Date Submitted	:	Oct 09, 2014
Report Comprises	:	Pages 1 to 15 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143215 Order: MG3193 - MG3270

Report File No.: 0000009149

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-3193	0.460	23	28	<10	0.1	1540	<1	500
MG-3194	0.550	17	58	<10	<0.1	1540	<1	540
MG-3195	0.545	3	97	<10	0.2	690	<1	180
MG-3196	0.345	1	>200	20	<0.1	600	2	20
MG-3197	0.440	6	157	<10	0.2	1760	<1	160
MG-3198	0.495	15	71	<10	0.2	1070	<1	300
MG-3199	0.410	21	72	<10	0.2	1690	<1	450
MG-3200	0.455	27	86	<10	0.1	1700	<1	530
MG-3201	0.470	26	81	<10	<0.1	1430	<1	400
MG-3202	0.600	18	63	<10	0.5	970	<1	200
MG-3203	0.510	13	153	<10	0.2	2510	<1	230
MG-3204	0.400	13	60	<10	0.4	2090	<1	520
MG-3205	0.390	10	173	<10	<0.1	2280	<1	130
MG-3206	0.375	6	83	<10	0.3	1250	<1	250
MG-3207	0.475	14	131	<10	0.2	1060	<1	180
MG-3208	0.530	4	33	<10	0.5	1160	<1	350
MG-3209	0.465	15	99	<10	0.2	950	<1	320
MG-3210	0.380	5	80	<10	0.4	1320	<1	290
MG-3211	0.470	5	151	30	0.1	1900	2	160
MG-3212	0.420	10	60	<10	0.4	1470	<1	470
MG-3213	0.415	8	76	<10	<0.1	920	<1	370
MG-3214	0.420	17	34	<10	0.5	2170	<1	680
MG-3215	0.430	11	89	<10	0.2	1300	<1	390
MG-3216	0.530	2	>200	30	0.1	1680	2	30
MG-3217	0.530	<1	81	10	0.2	1400	<1	100
MG-3218	0.510	14	47	<10	0.5	1860	<1	420
MG-3219	0.405	12	91	<10	0.3	1490	<1	440
MG-3220	0.435	25	34	<10	0.4	2050	<1	680
MG-3221	0.465	66	10	<10	0.2	2070	<1	890
MG-3222	0.425	20	60	<10	0.3	1500	<1	490
MG-3223	0.385	8	144	<10	0.3	1540	<1	170
MG-3224	0.480	9	87	<10	0.3	1400	<1	320
MG-3225	0.560	24	19	<10	0.4	1660	<1	680
MG-3226	0.485	20	65	<10	0.2	1580	<1	560
MG-3227	0.545	65	13	<10	0.1	1640	<1	780
MG-3228	0.450	8	62	<10	0.5	1270	<1	430
MG-3229	0.455	3	71	<10	0.3	1320	<1	210
MG-3230	0.700	31	8	<10	0.2	1760	<1	540
MG-3231	0.620	16	8	<10	0.3	2030	<1	530
MG-3232	0.625	<1	>200	10	<0.1	930	<1	50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143215 Order: MG3193 - MG3270

Report File No.: 0000009149

Element	WtKg	Ag	Al	As	Au	Ba	Bi	Ca
Method	G_WGH79	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.01	1	1	10	0.1	10	1	10
Units	kg	ppb	ppm	ppb	ppb	ppb	ppb	ppm
MG-3233	0.485	<1	>200	20	<0.1	580	<1	<10
MG-3234	0.475	1	97	<10	<0.1	670	<1	20
MG-3235	0.430	1	148	10	<0.1	380	<1	20
MG-3236	0.400	2	108	<10	<0.1	560	<1	130
MG-3237	0.420	1	117	<10	<0.1	870	<1	10
MG-3238	0.415	2	66	<10	<0.1	1090	<1	10
MG-3239	0.475	5	128	10	<0.1	560	<1	30
MG-3240	0.355	10	101	<10	0.2	1330	<1	410
MG-3241	0.425	6	>200	20	0.1	1780	1	140
MG-3242	0.465	9	103	<10	<0.1	990	<1	340
MG-3243	0.565	1	62	<10	<0.1	1360	<1	240
MG-3244	0.510	2	51	<10	<0.1	1160	<1	210
MG-3245	0.665	4	76	30	<0.1	1760	1	160
MG-3246	0.545	<1	>200	<10	<0.1	460	<1	10
MG-3247	0.670	1	54	20	<0.1	920	1	160
MG-3248	0.600	1	153	10	<0.1	1230	<1	20
MG-3249	0.595	<1	66	<10	<0.1	630	<1	30
MG-3250	0.550	1	26	<10	<0.1	420	<1	20
MG-3251	0.560	<1	71	10	<0.1	1130	<1	20
MG-3252	0.535	9	80	<10	<0.1	140	<1	30
MG-3253	0.420	10	130	20	<0.1	860	1	150
MG-3254	0.475	5	127	<10	<0.1	400	<1	120
MG-3255	0.440	3	181	10	<0.1	1300	<1	50
MG-3256	0.495	10	191	20	<0.1	1670	<1	110
MG-3257	0.455	3	>200	50	<0.1	1230	2	50
MG-3258	0.395	17	108	<10	<0.1	570	<1	20
MG-3259	0.445	4	>200	20	0.1	1060	<1	30
MG-3260	0.575	2	>200	10	<0.1	1180	<1	20
MG-3261	0.470	6	>200	20	<0.1	640	<1	40
MG-3262	0.610	4	>200	20	0.1	1530	<1	80
MG-3263	0.475	1	>200	20	<0.1	1490	1	20
MG-3264	0.540	<1	165	10	<0.1	720	<1	<10
MG-3265	0.540	<1	106	<10	<0.1	370	<1	10
MG-3266	0.570	<1	100	<10	0.2	830	<1	20
MG-3267	0.440	<1	174	20	<0.1	1240	<1	50
MG-3268	0.445	2	>200	10	<0.1	1030	<1	40
MG-3269	0.470	2	99	<10	<0.1	770	<1	40
MG-3270	0.500	2	149	10	<0.1	290	<1	140

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143215 Order: MG3193 - MG3270

Report File No.: 0000009149

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3193	11	170	43	<100	<0.5	1330	20	9.1
MG-3194	4	315	117	<100	<0.5	1100	17	7.1
MG-3195	2	502	36	100	3.5	820	43	21.0
MG-3196	27	45	70	<100	6.7	270	8	4.9
MG-3197	8	720	88	<100	2.4	340	58	30.2
MG-3198	14	190	18	<100	0.8	220	12	5.4
MG-3199	3	151	11	<100	0.9	380	15	7.3
MG-3200	22	251	20	<100	0.5	330	35	20.1
MG-3201	10	343	11	<100	1.0	620	23	10.8
MG-3202	2	486	63	<100	2.6	450	15	6.5
MG-3203	7	226	17	<100	1.3	250	29	16.6
MG-3204	4	459	29	100	<0.5	1010	41	27.7
MG-3205	33	65	108	<100	2.8	360	23	15.6
MG-3206	8	1100	18	<100	0.7	500	83	40.4
MG-3207	5	470	84	<100	1.7	620	50	24.9
MG-3208	<1	259	30	<100	<0.5	340	22	10.2
MG-3209	8	315	33	<100	<0.5	340	28	14.1
MG-3210	4	1690	30	<100	<0.5	650	110	55.4
MG-3211	9	324	188	200	4.6	240	15	6.6
MG-3212	7	501	36	<100	<0.5	710	47	25.5
MG-3213	8	404	15	<100	0.7	420	30	13.7
MG-3214	2	456	47	100	<0.5	1240	48	29.0
MG-3215	14	576	21	<100	<0.5	710	50	24.8
MG-3216	7	190	42	400	14.7	530	11	4.7
MG-3217	2	1010	51	<100	3.6	250	31	13.3
MG-3218	11	538	22	<100	<0.5	520	55	24.7
MG-3219	21	441	104	100	<0.5	310	38	25.8
MG-3220	7	257	41	<100	<0.5	1200	53	30.7
MG-3221	5	16	33	<100	<0.5	1870	25	14.1
MG-3222	16	220	42	100	<0.5	720	35	20.2
MG-3223	21	130	93	<100	2.1	510	48	33.3
MG-3224	10	822	138	100	<0.5	560	91	53.4
MG-3225	5	5	58	<100	<0.5	1160	13	7.6
MG-3226	81	353	55	100	<0.5	790	49	30.3
MG-3227	33	38	48	<100	<0.5	3050	19	10.3
MG-3228	2	283	14	<100	<0.5	560	42	24.5
MG-3229	3	779	37	<100	0.6	210	61	28.8
MG-3230	5	67	99	<100	<0.5	1290	13	5.8
MG-3231	17	13	37	<100	<0.5	990	16	7.3
MG-3232	4	187	16	100	4.0	80	17	7.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143215 Order: MG3193 - MG3270

Report File No.: 0000009149

Element	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	5	5	100	0.5	10	1	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3233	2	351	7	200	5.3	70	27	12.0
MG-3234	4	337	21	<100	5.9	160	32	15.7
MG-3235	12	321	53	<100	8.1	150	25	11.9
MG-3236	9	101	30	<100	6.9	140	9	4.1
MG-3237	2	175	45	<100	7.3	60	17	7.8
MG-3238	15	290	43	<100	7.8	110	21	8.9
MG-3239	16	189	20	<100	6.6	210	17	8.1
MG-3240	3	421	29	<100	<0.5	610	59	36.3
MG-3241	7	746	130	200	3.2	200	50	25.5
MG-3242	10	380	43	<100	1.2	340	50	27.7
MG-3243	2	119	37	<100	1.4	60	6	2.8
MG-3244	3	110	27	<100	1.0	70	6	2.8
MG-3245	8	746	62	<100	1.3	430	30	14.8
MG-3246	<1	120	16	100	3.0	50	16	7.3
MG-3247	3	1010	71	<100	1.1	720	35	16.4
MG-3248	4	383	18	<100	7.8	80	26	11.9
MG-3249	2	373	11	<100	5.4	90	29	12.1
MG-3250	1	112	12	<100	2.4	110	11	4.4
MG-3251	<1	315	44	<100	1.8	100	16	6.4
MG-3252	3	361	12	<100	4.0	330	34	19.2
MG-3253	35	126	66	100	2.7	160	10	5.5
MG-3254	10	269	67	<100	1.7	80	36	19.2
MG-3255	6	288	43	<100	6.6	120	15	7.2
MG-3256	4	654	180	100	4.2	320	30	14.0
MG-3257	11	127	35	300	16.6	230	7	3.5
MG-3258	9	187	20	<100	5.4	140	14	6.4
MG-3259	9	117	37	<100	4.8	90	10	5.2
MG-3260	2	255	16	200	4.9	90	18	8.3
MG-3261	3	285	17	100	7.8	120	16	7.4
MG-3262	2	768	34	200	5.0	150	26	11.6
MG-3263	8	105	49	100	5.8	140	7	3.5
MG-3264	2	170	7	100	6.1	60	13	5.8
MG-3265	5	205	49	<100	6.8	90	19	9.2
MG-3266	2	332	24	<100	6.3	140	32	13.5
MG-3267	2	137	29	100	7.2	120	12	5.3
MG-3268	8	202	123	100	9.7	180	15	6.5
MG-3269	4	226	38	<100	10.6	90	22	11.0
MG-3270	6	2040	36	<100	2.0	990	303	142

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-3193	7.2	11	<1	34	<1	<0.5	19.3	86
MG-3194	6.1	21	<1	26	<1	<0.5	18.6	123
MG-3195	16.2	72	6	63	<1	<0.5	5.3	173
MG-3196	1.6	154	42	7	<1	<0.5	28.2	21
MG-3197	16.8	80	9	68	<1	<0.5	20.7	227
MG-3198	4.3	24	3	17	<1	<0.5	40.9	56
MG-3199	4.5	23	<1	20	<1	<0.5	25.4	52
MG-3200	7.9	27	<1	38	<1	<0.5	33.7	92
MG-3201	7.9	25	<1	33	<1	<0.5	25.0	125
MG-3202	6.3	49	5	24	<1	<0.5	15.1	158
MG-3203	6.7	40	4	28	<1	<0.5	27.4	79
MG-3204	9.7	16	<1	42	<1	<0.5	36.2	130
MG-3205	2.4	182	11	12	<1	<0.5	51.3	18
MG-3206	25.5	33	3	104	<1	<0.5	25.4	318
MG-3207	11.4	127	5	50	<1	<0.5	30.8	148
MG-3208	8.0	14	1	33	<1	<0.5	19.8	101
MG-3209	7.3	39	2	32	<1	<0.5	35.3	101
MG-3210	36.7	25	2	154	<1	<0.5	31.1	527
MG-3211	5.5	137	22	21	<1	<0.5	27.2	120
MG-3212	13.0	19	<1	59	<1	<0.5	31.5	199
MG-3213	8.9	36	1	38	<1	<0.5	27.1	141
MG-3214	11.7	12	<1	57	<1	<0.5	20.2	170
MG-3215	13.4	55	1	60	<1	<0.5	30.1	215
MG-3216	3.9	228	37	14	2	<0.5	12.3	97
MG-3217	13.2	61	7	47	<1	<0.5	8.3	464
MG-3218	18.5	19	1	84	<1	<0.5	12.4	281
MG-3219	7.8	40	<1	37	<1	<0.5	34.4	109
MG-3220	12.6	10	<1	66	<1	<0.5	21.9	163
MG-3221	5.5	4	<1	31	<1	<0.5	9.3	25
MG-3222	8.1	28	<1	41	<1	<0.5	49.0	108
MG-3223	5.7	237	12	30	<1	<0.5	41.1	51
MG-3224	24.5	47	1	112	<1	<0.5	41.0	392
MG-3225	2.1	6	<1	14	<1	<0.5	6.9	2
MG-3226	11.6	53	1	56	<1	<0.5	10.0	159
MG-3227	4.6	10	<1	25	<1	<0.5	11.5	36
MG-3228	10.9	13	<1	50	<1	<0.5	12.2	107
MG-3229	23.3	26	4	91	<1	<0.5	11.1	365
MG-3230	3.4	6	<1	17	<1	<0.5	8.6	33
MG-3231	4.9	4	<1	25	4	<0.5	6.5	11
MG-3232	5.2	134	18	20	<1	<0.5	4.6	80

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143215 Order: MG3193 - MG3270

Report File No.: 0000009149

Element	Eu	Fe	Ga	Gd	Hg	In	K	La
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	0.5	1	1	1	1	0.5	0.1	1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppm	ppb
MG-3233	10.3	155	24	37	<1	<0.5	3.4	159
MG-3234	11.3	30	9	44	<1	<0.5	11.6	156
MG-3235	10.0	25	11	34	1	<0.5	10.3	148
MG-3236	3.0	21	7	11	<1	<0.5	21.2	40
MG-3237	6.0	28	7	22	<1	<0.5	6.9	72
MG-3238	9.1	8	7	31	<1	<0.5	9.5	118
MG-3239	7.2	49	30	25	<1	<0.5	19.5	90
MG-3240	15.9	16	1	73	<1	<0.5	34.1	292
MG-3241	15.6	111	21	60	<1	<0.5	50.7	262
MG-3242	13.0	37	1	56	<1	<0.5	24.7	159
MG-3243	2.2	47	5	8	<1	<0.5	2.3	52
MG-3244	2.0	47	5	8	<1	<0.5	2.4	44
MG-3245	11.1	93	7	45	<1	<0.5	5.0	342
MG-3246	5.1	32	12	18	<1	<0.5	2.0	48
MG-3247	13.6	263	5	54	<1	<0.5	10.0	394
MG-3248	11.2	67	56	39	<1	<0.5	12.8	229
MG-3249	12.0	13	5	42	<1	<0.5	10.5	187
MG-3250	4.2	2	3	17	<1	<0.5	3.8	44
MG-3251	6.8	83	11	23	<1	<0.5	6.1	118
MG-3252	12.4	20	3	45	<1	<0.5	11.4	150
MG-3253	2.9	154	19	12	<1	<0.5	8.8	39
MG-3254	9.7	106	6	40	<1	<0.5	3.5	87
MG-3255	6.5	55	24	22	<1	<0.5	17.4	145
MG-3256	11.1	99	12	43	<1	<0.5	13.7	235
MG-3257	2.4	184	159	8	1	<0.5	38.5	67
MG-3258	5.4	29	29	19	<1	<0.5	9.3	63
MG-3259	3.4	84	56	11	<1	<0.5	19.1	57
MG-3260	6.5	121	45	22	<1	<0.5	8.3	138
MG-3261	5.7	83	15	21	1	<0.5	20.2	120
MG-3262	10.7	124	41	38	<1	<0.5	16.5	304
MG-3263	2.6	92	60	8	<1	<0.5	19.1	53
MG-3264	5.3	103	13	18	<1	<0.5	5.5	75
MG-3265	7.2	29	4	25	<1	<0.5	10.4	92
MG-3266	11.7	21	6	46	<1	<0.5	12.3	146
MG-3267	4.3	140	65	15	<1	<0.5	10.6	82
MG-3268	4.5	60	10	18	1	<0.5	14.3	77
MG-3269	8.7	31	5	31	<1	<0.5	30.6	110
MG-3270	113	56	3	443	<1	<0.5	7.2	2210

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143215 Order: MG3193 - MG3270

Report File No.: 0000009149

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-3193	19	101	1910	<5	<0.5	148	495	<0.1
MG-3194	<5	127	11500	<5	<0.5	146	347	<0.1
MG-3195	<5	32	1140	<5	3.2	348	337	1.1
MG-3196	8	11	780	<5	11.1	27	124	6.9
MG-3197	<5	48	7090	<5	7.1	330	212	2.1
MG-3198	<5	49	4360	<5	1.7	81	131	0.9
MG-3199	<5	87	1180	<5	<0.5	82	180	<0.1
MG-3200	<5	104	2410	<5	<0.5	133	480	<0.1
MG-3201	<5	74	610	<5	<0.5	170	338	0.2
MG-3202	<5	35	2980	<5	3.0	170	114	1.2
MG-3203	<5	66	2630	<5	1.0	106	174	0.3
MG-3204	7	135	2530	<5	<0.5	177	231	<0.1
MG-3205	15	56	3480	<5	3.3	33	486	2.7
MG-3206	8	67	2210	<5	0.6	489	379	0.4
MG-3207	<5	55	4840	<5	2.8	208	611	1.0
MG-3208	9	99	1450	<5	<0.5	158	103	<0.1
MG-3209	<5	74	2390	<5	0.6	141	233	0.4
MG-3210	8	93	1430	<5	<0.5	803	232	0.3
MG-3211	18	35	4350	7	13.1	130	138	4.0
MG-3212	9	137	2180	<5	<0.5	275	296	<0.1
MG-3213	<5	111	910	<5	<0.5	184	251	0.1
MG-3214	15	200	3380	<5	<0.5	236	277	<0.1
MG-3215	<5	104	910	<5	<0.5	288	455	<0.1
MG-3216	12	9	990	16	13.7	86	200	15.1
MG-3217	<5	28	1250	<5	5.9	364	84	1.7
MG-3218	15	118	2190	<5	<0.5	399	192	0.2
MG-3219	6	125	9800	<5	<0.5	147	537	<0.1
MG-3220	24	150	2230	<5	<0.5	237	316	<0.1
MG-3221	143	207	720	<5	<0.5	64	349	<0.1
MG-3222	11	113	3950	<5	<0.5	158	573	0.2
MG-3223	18	75	5340	<5	3.2	95	402	1.3
MG-3224	12	100	9410	<5	<0.5	519	309	0.2
MG-3225	63	176	1240	<5	<0.5	16	216	<0.1
MG-3226	<5	111	2740	<5	1.5	236	721	0.9
MG-3227	180	180	1310	9	<0.5	76	1140	<0.1
MG-3228	<5	116	390	<5	<0.5	174	109	<0.1
MG-3229	<5	46	850	<5	3.5	531	89	0.6
MG-3230	105	148	4390	<5	<0.5	63	228	<0.1
MG-3231	162	135	1030	7	<0.5	54	265	<0.1
MG-3232	<5	8	710	<5	12.4	97	83	8.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Li	Mg	Mn	Mo	Nb	Nd	Ni	P
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	5	1	10	5	0.5	1	5	0.1
Units	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppm
MG-3233	<5	<1	120	8	7.4	201	26	2.9
MG-3234	<5	2	1360	5	1.2	236	42	0.6
MG-3235	<5	2	2020	<5	1.4	181	63	2.0
MG-3236	<5	10	1160	<5	1.4	53	38	1.9
MG-3237	<5	1	2190	6	1.1	110	46	1.8
MG-3238	<5	1	2650	7	<0.5	168	28	0.6
MG-3239	<5	4	3110	7	5.4	133	22	5.4
MG-3240	<5	108	1070	<5	<0.5	346	144	<0.1
MG-3241	21	46	2970	<5	17.4	322	177	4.4
MG-3242	<5	83	2180	<5	<0.5	231	184	0.2
MG-3243	11	40	2400	<5	3.7	60	67	1.1
MG-3244	12	33	2410	<5	2.7	54	70	1.1
MG-3245	7	29	13500	16	5.5	345	114	3.0
MG-3246	<5	1	190	<5	8.6	76	68	3.8
MG-3247	9	32	2790	9	4.8	432	73	1.3
MG-3248	8	6	290	7	12.8	222	31	1.3
MG-3249	<5	2	230	<5	<0.5	225	19	0.2
MG-3250	<5	1	600	<5	<0.5	84	16	0.7
MG-3251	<5	2	530	<5	11.2	137	16	2.1
MG-3252	<5	1	50	<5	<0.5	238	35	0.1
MG-3253	<5	20	7990	6	6.9	53	166	5.2
MG-3254	<5	26	1430	<5	1.9	174	241	1.3
MG-3255	6	4	1530	6	5.4	132	45	2.6
MG-3256	7	16	6050	<5	7.4	254	107	3.2
MG-3257	53	27	1000	13	49.0	49	107	6.0
MG-3258	<5	2	2320	<5	2.0	95	32	2.9
MG-3259	8	5	2930	<5	8.3	59	55	8.4
MG-3260	9	5	390	8	11.7	126	61	8.6
MG-3261	<5	4	140	5	4.4	120	79	3.3
MG-3262	26	22	1200	7	16.6	269	90	4.4
MG-3263	9	8	2820	6	12.2	45	40	3.1
MG-3264	<5	<1	120	5	3.8	95	26	1.3
MG-3265	<5	<1	3120	<5	<0.5	133	38	0.5
MG-3266	<5	2	1030	<5	0.7	219	25	0.4
MG-3267	8	10	4950	6	15.1	81	38	3.4
MG-3268	<5	4	4010	<5	3.8	90	62	3.4
MG-3269	<5	4	2030	<5	0.8	159	42	0.7
MG-3270	<5	10	2920	7	3.1	2990	91	1.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3193	30	<1	31	<1	53	<1	7	34
MG-3194	20	<1	36	<1	97	<1	9	29
MG-3195	80	<1	76	<1	68	<1	39	72
MG-3196	390	<1	6	<1	173	<1	36	6
MG-3197	230	<1	75	<1	263	<1	86	71
MG-3198	60	<1	18	<1	243	<1	12	18
MG-3199	50	<1	18	<1	120	<1	13	19
MG-3200	90	<1	31	<1	158	<1	27	33
MG-3201	40	<1	40	<1	150	<1	15	36
MG-3202	70	<1	43	<1	158	<1	16	30
MG-3203	220	<1	24	<1	221	<1	60	26
MG-3204	100	<1	39	<1	65	<1	40	40
MG-3205	270	<1	7	<1	228	<1	53	9
MG-3206	120	<1	111	<1	178	<1	52	107
MG-3207	190	<1	49	<1	341	<1	69	48
MG-3208	10	<1	33	<1	95	<1	20	34
MG-3209	110	<1	32	<1	190	<1	32	31
MG-3210	120	<1	181	<1	152	<1	61	168
MG-3211	190	<1	33	<1	205	<1	51	25
MG-3212	70	<1	63	<1	50	<1	20	58
MG-3213	70	<1	45	<1	165	<1	19	39
MG-3214	60	<1	53	<1	16	<1	15	52
MG-3215	110	<1	68	<1	120	<1	39	60
MG-3216	160	<1	22	<1	123	1	50	17
MG-3217	90	<1	97	<1	179	<1	31	59
MG-3218	60	<1	90	<1	101	<1	15	87
MG-3219	90	<1	35	<1	77	<1	34	33
MG-3220	60	<1	53	<1	25	<1	13	55
MG-3221	50	<1	12	<1	85	<1	5	21
MG-3222	80	<1	36	<1	67	<1	17	35
MG-3223	190	<1	20	<1	169	<1	63	24
MG-3224	160	<1	121	<1	81	<1	59	108
MG-3225	60	<1	2	<1	17	<1	5	7
MG-3226	150	<1	53	<1	99	<1	28	51
MG-3227	40	<1	15	<1	56	<1	6	20
MG-3228	100	<1	36	<1	96	<1	27	43
MG-3229	110	<1	120	<1	122	<1	33	102
MG-3230	50	<1	13	<1	59	<1	<5	15
MG-3231	<10	<1	8	<1	20	<1	<5	19
MG-3232	120	<1	23	<1	46	<1	31	22

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Pd	Pr	Pt	Rb	Sb	Sc	Sm
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	10	1	1	1	5	1	5	1
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3233	130	<1	49	<1	57	1	53	42
MG-3234	170	<1	54	<1	101	<1	39	50
MG-3235	230	<1	44	<1	115	1	41	37
MG-3236	100	<1	12	<1	278	<1	21	12
MG-3237	120	<1	25	<1	104	<1	30	24
MG-3238	90	<1	40	<1	143	<1	25	35
MG-3239	330	<1	30	<1	198	<1	31	27
MG-3240	100	<1	77	<1	76	<1	61	70
MG-3241	380	<1	77	<1	168	<1	95	67
MG-3242	210	<1	52	<1	154	<1	46	53
MG-3243	40	<1	14	<1	28	<1	17	11
MG-3244	20	<1	13	<1	31	<1	11	10
MG-3245	50	<1	90	<1	31	<1	31	57
MG-3246	70	<1	17	<1	32	<1	28	19
MG-3247	100	<1	113	<1	34	<1	36	70
MG-3248	160	<1	55	<1	160	<1	53	43
MG-3249	130	<1	53	<1	111	<1	35	46
MG-3250	40	<1	18	<1	50	<1	9	19
MG-3251	40	<1	33	<1	96	<1	21	28
MG-3252	110	<1	52	<1	122	1	36	47
MG-3253	450	<1	12	<1	167	1	28	12
MG-3254	200	<1	36	<1	32	<1	47	39
MG-3255	240	<1	33	<1	222	1	36	25
MG-3256	240	<1	64	<1	212	<1	41	49
MG-3257	200	<1	13	<1	368	2	107	9
MG-3258	220	<1	22	<1	169	1	30	21
MG-3259	310	<1	15	<1	201	2	37	12
MG-3260	140	<1	32	<1	113	<1	51	24
MG-3261	220	<1	30	<1	106	<1	28	24
MG-3262	100	<1	72	<1	158	<1	63	46
MG-3263	160	<1	12	<1	146	<1	38	9
MG-3264	70	<1	23	<1	72	<1	34	20
MG-3265	130	<1	31	<1	135	<1	27	28
MG-3266	130	<1	50	<1	113	<1	43	48
MG-3267	140	<1	20	<1	191	<1	44	17
MG-3268	120	<1	22	<1	154	<1	32	20
MG-3269	160	<1	36	<1	282	<1	48	32
MG-3270	130	<1	758	<1	109	<1	81	520

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143215 Order: MG3193 - MG3270

Report File No.: 0000009149

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3193	<1	830	<1	4	<10	34.8	10	<0.5
MG-3194	<1	1190	<1	3	<10	16.3	9	<0.5
MG-3195	<1	720	<1	8	<10	23.8	1060	<0.5
MG-3196	2	100	<1	1	<10	9.9	4580	0.5
MG-3197	<1	560	<1	10	<10	95.3	2320	<0.5
MG-3198	<1	860	<1	2	<10	30.8	519	<0.5
MG-3199	<1	940	<1	3	<10	25.4	16	<0.5
MG-3200	<1	1150	<1	6	<10	15.7	5	<0.5
MG-3201	<1	760	<1	5	<10	34.1	46	<0.5
MG-3202	<1	370	<1	3	<10	61.3	640	<0.5
MG-3203	<1	960	<1	5	<10	52.2	346	<0.5
MG-3204	<1	1880	<1	6	<10	38.5	10	<0.5
MG-3205	<1	680	<1	3	<10	32.6	978	0.5
MG-3206	<1	790	<1	15	<10	62.9	265	<0.5
MG-3207	<1	560	<1	8	<10	72.9	725	<0.5
MG-3208	<1	1100	<1	4	<10	48.1	35	<0.5
MG-3209	<1	970	<1	5	<10	39.3	173	<0.5
MG-3210	<1	1180	<1	21	<10	64.2	139	<0.5
MG-3211	1	420	<1	3	<10	59.5	3340	0.7
MG-3212	<1	1240	<1	8	<10	53.4	19	<0.5
MG-3213	<1	830	<1	5	<10	29.9	28	<0.5
MG-3214	<1	1910	<1	8	<10	74.6	4	<0.5
MG-3215	<1	870	<1	9	<10	38.6	34	<0.5
MG-3216	1	160	1	2	<10	33.7	3320	0.9
MG-3217	<1	730	<1	6	<10	43.3	1770	<0.5
MG-3218	<1	1480	<1	11	<10	45.4	84	<0.5
MG-3219	<1	1210	<1	6	<10	34.2	24	<0.5
MG-3220	<1	2210	<1	9	<10	58.7	6	<0.5
MG-3221	<1	1910	<1	4	<10	9.4	<3	<0.5
MG-3222	<1	1310	<1	6	<10	24.6	15	<0.5
MG-3223	<1	690	<1	6	<10	26.2	1020	<0.5
MG-3224	<1	880	<1	16	<10	46.6	107	<0.5
MG-3225	<1	1740	<1	2	<10	9.3	20	<0.5
MG-3226	<1	1490	<1	8	<10	15.9	75	<0.5
MG-3227	<1	1710	<1	3	<10	9.1	6	<0.5
MG-3228	<1	1420	<1	7	<10	24.1	8	<0.5
MG-3229	<1	750	<1	12	<10	46.1	970	<0.5
MG-3230	<1	1410	<1	2	<10	11.3	7	<0.5
MG-3231	<1	910	<1	3	<10	3.2	4	<0.5
MG-3232	<1	280	<1	3	<10	26.8	1890	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	10	1	1	10	0.5	3	0.5
Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
MG-3233	<1	<10	<1	5	<10	33.0	1400	<0.5
MG-3234	<1	40	<1	6	<10	13.4	499	<0.5
MG-3235	<1	60	<1	5	<10	10.1	416	<0.5
MG-3236	<1	400	<1	2	<10	10.3	448	<0.5
MG-3237	<1	60	<1	3	<10	12.2	350	<0.5
MG-3238	<1	70	<1	4	<10	5.8	74	<0.5
MG-3239	<1	50	<1	3	<10	7.6	1910	<0.5
MG-3240	<1	1150	<1	10	30	32.8	25	<0.5
MG-3241	1	410	1	9	10	108	5070	0.6
MG-3242	<1	860	<1	8	10	32.8	147	<0.5
MG-3243	<1	500	<1	1	<10	26.6	615	<0.5
MG-3244	<1	390	<1	1	<10	20.0	556	<0.5
MG-3245	<1	270	<1	6	<10	67.5	1030	<0.5
MG-3246	<1	60	<1	3	<10	11.3	1270	<0.5
MG-3247	<1	330	<1	7	<10	38.0	793	<0.5
MG-3248	3	170	1	5	<10	13.4	5810	<0.5
MG-3249	<1	30	<1	6	<10	7.6	183	<0.5
MG-3250	<1	<10	<1	2	<10	1.8	21	<0.5
MG-3251	<1	100	<1	3	<10	35.2	2380	<0.5
MG-3252	<1	40	<1	6	<10	11.8	92	<0.5
MG-3253	1	330	<1	2	<10	16.3	2440	<0.5
MG-3254	<1	240	<1	6	<10	16.6	643	<0.5
MG-3255	<1	120	<1	3	<10	11.6	1910	<0.5
MG-3256	<1	250	<1	6	<10	55.2	2020	<0.5
MG-3257	12	230	4	1	<10	34.5	18700	1.3
MG-3258	<1	70	<1	3	<10	9.6	857	<0.5
MG-3259	3	180	<1	2	<10	11.1	3120	<0.5
MG-3260	3	100	<1	3	<10	20.9	4890	<0.5
MG-3261	<1	60	<1	3	<10	24.6	1310	<0.5
MG-3262	3	280	1	5	<10	57.7	4750	0.6
MG-3263	5	160	<1	1	<10	17.2	5560	0.7
MG-3264	<1	10	<1	3	<10	21.8	1040	<0.5
MG-3265	<1	10	<1	4	<10	6.8	166	<0.5
MG-3266	<1	10	<1	6	<10	17.2	420	<0.5
MG-3267	4	210	1	2	<10	17.6	7100	0.5
MG-3268	<1	130	<1	3	<10	35.2	1020	0.6
MG-3269	<1	80	<1	4	<10	8.5	371	<0.5
MG-3270	<1	380	<1	57	<10	58.1	689	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143215 Order: MG3193 - MG3270

Report File No.: 0000009149

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-3193	128	<1	103	7	30	17
MG-3194	38	<1	84	5	<20	10
MG-3195	18	<1	222	16	40	36
MG-3196	5	2	40	4	930	43
MG-3197	21	<1	279	23	540	93
MG-3198	10	<1	53	4	1310	32
MG-3199	41	<1	70	5	80	23
MG-3200	114	<1	210	14	170	17
MG-3201	74	<1	120	8	70	26
MG-3202	38	1	68	5	30	63
MG-3203	13	<1	155	13	650	65
MG-3204	25	<1	177	26	680	34
MG-3205	8	<1	127	12	1890	64
MG-3206	40	<1	390	29	540	48
MG-3207	35	<1	254	18	160	73
MG-3208	34	<1	105	7	30	29
MG-3209	22	<1	133	10	280	43
MG-3210	36	<1	518	43	260	42
MG-3211	12	2	65	5	640	115
MG-3212	60	<1	232	19	160	34
MG-3213	30	<1	153	9	170	23
MG-3214	34	<1	207	24	30	33
MG-3215	77	<1	269	17	90	37
MG-3216	14	4	46	4	300	75
MG-3217	11	2	159	9	220	53
MG-3218	43	<1	278	17	740	23
MG-3219	78	<1	197	22	780	49
MG-3220	63	<1	250	25	250	26
MG-3221	21	<1	131	11	30	6
MG-3222	41	<1	169	16	1470	33
MG-3223	19	<1	277	28	1360	77
MG-3224	41	<1	486	44	610	58
MG-3225	45	<1	63	7	50	8
MG-3226	4180	<1	270	25	900	31
MG-3227	85	<1	109	8	80	7
MG-3228	29	<1	200	20	250	23
MG-3229	30	<1	297	22	330	53
MG-3230	20	<1	60	4	40	8
MG-3231	14	<1	88	5	140	<5
MG-3232	10	<1	73	5	220	49

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143215 Order: MG3193 - MG3270

Report File No.: 0000009149

Element	U	W	Y	Yb	Zn	Zr
Method	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M	GE_MMI_M
Det.Lim.	1	1	1	1	20	5
Units	ppb	ppb	ppb	ppb	ppb	ppb
MG-3233	14	1	130	9	30	80
MG-3234	11	<1	177	11	60	26
MG-3235	9	<1	130	9	110	25
MG-3236	7	<1	36	3	220	24
MG-3237	9	<1	76	6	60	32
MG-3238	7	<1	96	6	60	15
MG-3239	6	1	92	6	120	28
MG-3240	18	<1	304	29	90	49
MG-3241	14	2	252	20	290	181
MG-3242	22	<1	255	20	230	33
MG-3243	5	<1	26	2	200	37
MG-3244	12	<1	27	2	60	42
MG-3245	30	1	153	12	40	79
MG-3246	4	<1	71	5	100	25
MG-3247	21	<1	177	11	70	33
MG-3248	7	2	138	9	50	55
MG-3249	9	<1	131	8	50	13
MG-3250	5	1	49	3	30	7
MG-3251	7	2	67	5	<20	44
MG-3252	10	<1	216	14	<20	11
MG-3253	6	1	51	4	1220	39
MG-3254	26	<1	197	13	50	19
MG-3255	6	<1	82	6	570	39
MG-3256	10	<1	144	10	690	89
MG-3257	9	5	31	3	550	202
MG-3258	6	<1	65	5	80	25
MG-3259	5	<1	51	4	250	58
MG-3260	9	2	83	6	90	77
MG-3261	8	<1	70	5	30	52
MG-3262	18	2	119	8	100	139
MG-3263	6	2	31	3	230	72
MG-3264	7	1	55	4	50	52
MG-3265	6	<1	98	7	90	16
MG-3266	11	<1	134	10	30	29
MG-3267	6	3	55	4	150	70
MG-3268	10	1	58	5	250	67
MG-3269	8	<1	125	9	90	22
MG-3270	89	1	1640	92	70	36

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.