



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 1
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-AUG-2015
 Account: RLH

CERTIFICATE SD15119617

Project: 618
 P.O. No.: 264651
 This report is for 36 Rock samples submitted to our lab in Sudbury, ON, Canada on 10-AUG-2015.
 The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN
------------------------------------	---------------	-----------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.
 ATTN: NATALIE MACLEAN
 129 FIELDING RD
 LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-AUG-2015
 Account: RLH

Project: 618

CERTIFICATE OF ANALYSIS SD15119617

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
S035044		1.40	0.003	0.016	0.020	0.09	6.98	5.2	210	0.63	0.08	6.67	0.07	23.8	53.9	76
S035045		1.23	<0.001	<0.005	<0.001	0.11	6.73	1.1	260	0.80	0.06	6.06	0.08	38.0	52.9	24
S035046		1.59	<0.001	<0.005	<0.001	0.13	6.41	0.9	150	0.92	0.05	5.56	0.04	36.1	51.8	21
S035047		1.15	<0.001	<0.005	<0.001	0.02	7.56	0.8	640	1.18	0.04	5.22	0.15	60.7	53.6	56
S035048		0.69	<0.001	<0.005	0.003	0.02	6.92	0.9	460	1.34	0.07	2.80	0.07	75.9	27.8	89
S035049		1.14	0.001	<0.005	0.001	0.12	3.06	0.8	1130	4.08	0.38	9.10	0.11	228	33.1	223
S035050		0.85	0.002	0.021	0.022	0.12	6.70	2.6	190	1.29	0.09	3.52	0.07	21.5	49.6	46
S033701		0.87	<0.001	<0.005	<0.001	0.08	6.64	1.1	660	1.11	0.03	3.29	0.15	35.1	48.4	59
S033702		0.60	<0.001	<0.005	<0.001	0.01	7.09	0.5	10	3.86	0.03	0.29	0.02	18.80	21.4	6
S033703		0.84	<0.001	0.011	0.012	0.01	6.71	1.2	60	1.74	0.13	1.58	0.04	26.2	40.6	27
S033704		1.01	0.002	0.009	0.006	0.10	6.70	3.8	570	0.95	0.05	3.05	0.38	54.8	45.3	27
S033707		1.30	0.001	<0.005	<0.001	0.01	6.89	3.1	460	1.61	0.08	3.55	0.04	91.0	43.3	19
S033708		1.23	0.003	0.012	0.013	0.06	6.94	1.7	240	0.62	0.04	6.34	0.08	27.5	54.1	70
S033709		1.06	0.003	0.019	0.019	0.13	6.57	3.2	190	0.58	0.06	5.31	0.06	26.8	46.1	75
S033710		1.62	<0.001	<0.005	<0.001	0.19	6.69	4.3	1560	0.76	0.04	3.52	0.43	32.4	40.3	70
S033711		0.72	<0.001	<0.005	<0.001	<0.01	7.62	0.5	150	0.91	0.03	1.10	<0.02	16.05	28.6	538
S033712		0.06	0.176	0.344	0.373	2.00	6.29	89.9	200	0.71	10.35	5.08	0.56	44.5	187.5	245
S033713		0.45	<0.001	<0.005	<0.001	0.01	0.30	0.5	10	0.05	0.05	0.02	<0.02	9.06	0.5	28
S033714		0.71	0.002	0.015	0.017	0.12	6.62	1.2	220	0.60	0.13	5.00	0.07	29.3	46.9	73
S033715		0.67	0.002	0.019	0.017	0.07	6.58	1.5	320	0.85	0.15	5.21	0.09	23.4	48.4	97
S033716		1.02	<0.001	0.012	0.013	0.02	6.37	1.3	480	1.32	0.06	0.95	0.03	24.3	47.6	23
S033717		1.21	<0.001	0.014	0.010	0.04	7.26	0.9	1230	0.64	0.05	3.02	0.10	38.2	41.5	37
S033718		1.44	0.003	0.012	0.012	0.10	6.41	1.0	370	0.99	0.10	5.17	0.12	50.5	42.4	29
S033719		0.92	0.003	0.008	0.012	0.04	6.74	1.3	100	0.93	0.07	4.41	0.07	26.1	38.9	60
S033720		0.78	<0.001	<0.005	<0.001	0.07	6.67	0.3	240	1.75	0.09	3.27	0.12	55.6	43.5	26
S033721		1.64	0.001	0.011	0.011	0.07	6.98	1.4	370	0.65	0.03	4.74	0.09	39.2	41.1	47
S033722		1.19	<0.001	<0.005	<0.001	0.02	7.37	3.5	170	1.35	0.08	4.18	0.05	67.3	51.3	16
S033723		1.28	0.003	0.023	0.022	0.06	6.81	2.1	280	0.77	0.11	4.81	0.05	24.6	59.6	20
S033724		0.77	0.003	0.007	0.008	0.08	6.93	1.9	120	0.46	0.07	6.81	0.10	17.70	50.5	41
S033725		1.00	<0.001	<0.005	<0.001	0.11	6.98	11.5	480	0.71	0.04	5.04	0.16	33.7	54.9	69
S033726		0.68	<0.001	<0.005	<0.001	0.14	7.09	5.9	450	0.75	0.04	4.92	0.19	34.8	61.2	74
S033727		1.06	<0.001	<0.005	0.003	0.02	8.76	4.6	230	1.63	0.11	0.53	<0.02	31.3	37.3	11
S033728		1.06	<0.001	0.018	0.014	0.04	7.20	3.4	60	0.98	0.11	1.17	0.52	23.0	50.0	93
S033729		1.04	0.003	0.012	0.014	0.05	6.84	2.2	130	0.75	0.08	6.41	0.09	33.0	50.7	72
S033730		0.05	0.172	0.306	0.356	2.06	6.40	88.7	210	0.84	10.85	5.24	0.57	45.1	195.5	241
S033731		0.60	<0.001	<0.005	<0.001	0.01	0.37	0.5	10	0.07	0.05	0.01	<0.02	8.10	0.5	30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-AUG-2015
 Account: RLH

Project: 618

CERTIFICATE OF ANALYSIS SD15119617

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
S035044		1.01	157.0	10.00	18.25	0.11	1.9	0.075	0.53	11.1	18.8	3.60	1550	0.39	1.31	4.4
S035045		1.48	138.5	10.50	19.65	0.12	2.8	0.088	0.84	18.0	23.5	2.76	1530	0.55	1.83	6.6
S035046		1.00	133.0	10.15	18.90	0.13	2.5	0.078	0.70	17.3	34.9	2.88	1440	0.56	1.75	6.2
S035047		1.10	53.6	11.05	23.4	0.17	5.2	0.088	1.05	26.7	12.1	3.11	1470	0.98	2.34	15.7
S035048		2.49	42.5	6.10	20.7	0.16	3.5	0.059	1.67	39.3	21.6	2.32	797	0.57	2.90	9.5
S035049		0.11	20.8	6.79	11.65	0.31	4.6	0.078	1.42	94.8	6.9	7.06	2010	0.25	0.29	47.6
S035050		1.34	79.3	9.56	17.80	0.10	1.8	0.070	0.46	9.9	30.4	3.67	1560	0.31	2.79	3.1
S033701		2.99	145.0	10.80	19.80	0.12	2.3	0.084	1.57	16.3	23.6	4.03	2070	0.18	2.27	5.8
S033702		0.28	1.9	11.90	29.7	0.15	5.2	0.050	0.06	6.4	44.0	8.19	362	0.16	0.01	8.2
S033703		0.33	8.0	10.85	20.1	0.10	4.1	0.060	0.23	11.9	22.2	4.21	698	0.35	1.99	3.4
S033704		2.08	156.5	10.20	19.75	0.13	3.5	0.086	1.11	26.0	19.6	2.59	2210	0.57	2.76	6.3
S033707		6.94	81.6	8.96	23.6	0.17	4.4	0.071	1.94	42.1	21.8	2.07	1220	0.76	2.50	13.3
S033708		1.45	146.5	10.30	18.45	0.11	2.2	0.078	0.66	12.9	29.4	3.52	1670	0.40	1.55	4.9
S033709		3.13	178.0	9.51	18.60	0.11	1.7	0.078	0.98	12.5	18.0	3.52	1550	0.23	1.72	4.7
S033710		2.61	131.0	9.92	18.05	0.13	2.8	0.078	1.37	14.9	15.5	3.46	2180	0.42	2.73	5.7
S033711		1.12	1.8	12.80	53.5	0.15	5.6	0.062	0.76	3.4	68.8	7.93	830	0.08	0.70	13.7
S033712		1.53	3490	10.65	16.15	0.15	1.9	0.094	0.65	21.7	15.5	4.20	1160	6.87	1.27	8.4
S033713		<0.05	3.4	0.30	0.69	<0.05	0.7	<0.005	0.09	4.3	0.6	0.02	31	0.38	0.06	0.2
S033714		1.52	154.0	9.84	18.65	0.11	2.0	0.079	0.67	13.5	17.0	3.42	1660	0.20	1.92	5.1
S033715		5.29	158.0	9.66	17.20	0.11	1.6	0.078	1.71	11.1	20.3	3.23	1450	0.37	0.76	4.9
S033716		2.70	13.9	12.05	25.6	0.11	4.7	0.039	1.86	10.4	51.9	4.91	1230	0.35	0.82	7.5
S033717		3.93	45.5	8.98	20.5	0.13	1.9	0.087	2.18	17.8	18.1	2.37	1610	0.17	2.65	4.8
S033718		4.40	142.0	9.70	19.30	0.12	3.1	0.081	1.83	24.0	19.7	2.07	1360	0.58	1.25	5.9
S033719		1.29	79.2	7.43	15.20	0.10	1.8	0.059	0.54	11.6	12.6	2.82	1100	0.45	2.19	8.4
S033720		1.90	62.9	6.89	17.50	0.13	3.5	0.041	1.06	25.9	12.6	2.93	1380	0.50	3.63	8.8
S033721		1.93	143.0	9.72	17.70	0.11	2.2	0.065	1.03	18.7	12.0	2.80	1860	0.32	2.05	4.6
S033722		0.69	87.6	8.14	22.0	0.11	4.0	0.071	0.34	31.9	14.8	2.95	1200	0.64	3.63	9.2
S033723		3.28	156.5	10.50	19.00	0.09	1.9	0.076	1.29	11.6	16.0	3.27	1440	0.45	1.53	3.5
S033724		1.20	151.5	8.38	17.55	0.08	1.6	0.064	0.47	7.7	10.5	3.89	1360	0.31	1.41	3.2
S033725		2.05	135.0	10.70	19.65	0.08	3.0	0.092	1.04	15.5	12.1	3.35	1700	0.47	1.96	6.1
S033726		2.19	112.5	11.00	20.6	0.09	3.2	0.089	1.08	16.1	12.5	3.36	1770	0.40	2.44	6.2
S033727		0.50	18.3	11.45	29.5	0.08	5.8	0.058	0.43	13.8	17.6	2.50	840	0.28	4.82	13.8
S033728		0.42	103.5	10.15	18.45	0.06	2.9	0.075	0.09	9.4	15.3	4.15	2020	0.24	3.35	5.5
S033729		2.42	107.0	10.10	17.40	0.09	2.2	0.079	0.67	15.3	8.2	3.58	1500	0.59	1.46	11.3
S033730		1.57	3580	10.90	16.40	0.12	2.0	0.095	0.68	21.9	14.7	4.30	1200	8.01	1.29	8.9
S033731		<0.05	3.7	0.27	0.87	0.05	0.7	<0.005	0.13	4.0	0.6	0.02	30	0.17	0.03	0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-AUG-2015
 Account: RLH

Project: 618

CERTIFICATE OF ANALYSIS SD15119617

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
S035044		69.4	510	15.5	44.9	0.003	0.10	0.23	43.8	1	0.9	242	0.31	<0.05	2.0	0.619
S035045		58.0	700	12.7	71.6	0.002	0.09	0.13	38.9	2	1.2	193.5	0.46	<0.05	3.8	0.749
S035046		54.6	660	8.3	59.5	0.003	0.11	0.18	35.7	2	1.1	304	0.44	<0.05	3.6	0.721
S035047		75.3	2710	5.9	33.1	0.002	0.10	0.14	26.2	2	1.6	402	0.89	<0.05	2.1	1.710
S035048		75.6	810	8.4	115.5	<0.002	0.02	0.16	20.3	1	1.3	276	0.73	<0.05	15.6	0.563
S035049		50.5	1690	84.3	32.9	<0.002	<0.01	0.22	46.7	2	2.3	344	2.60	<0.05	13.9	0.581
S035050		86.4	450	83.6	33.7	0.002	0.06	0.24	37.1	1	0.7	291	0.21	0.05	1.8	0.513
S033701		52.3	790	9.6	97.3	<0.002	0.08	0.29	36.5	1	1.1	112.0	0.39	<0.05	2.8	0.849
S033702		87.7	1260	3.6	9.6	<0.002	<0.01	0.18	20.0	2	0.6	5.1	0.53	<0.05	7.4	0.704
S033703		62.5	1120	3.2	17.5	<0.002	0.10	0.14	31.9	1	0.2	35.8	0.33	<0.05	4.1	0.718
S033704		40.9	1080	61.6	74.3	0.002	0.10	0.35	35.0	1	1.2	253	0.40	<0.05	4.4	0.765
S033707		33.1	1470	10.5	235	<0.002	0.05	0.19	19.6	1	1.6	566	0.79	<0.05	5.8	1.030
S033708		70.6	590	7.1	68.6	0.002	0.04	0.15	41.3	2	1.0	167.5	0.35	<0.05	2.1	0.668
S033709		50.9	530	10.9	78.3	0.003	0.07	0.36	40.9	2	1.0	273	0.32	<0.05	2.2	0.670
S033710		52.1	770	116.5	79.2	0.002	0.06	0.55	36.1	2	1.1	168.5	0.39	<0.05	2.8	0.824
S033711		167.0	1100	6.9	60.1	<0.002	<0.01	0.23	31.9	1	4.7	16.9	0.73	<0.05	4.9	1.140
S033712		3040	1090	8.8	32.9	0.084	1.60	1.10	28.7	10	1.7	325	0.77	2.80	4.0	0.422
S033713		3.5	20	1.0	2.6	<0.002	0.01	0.13	0.3	<1	<0.2	2.9	<0.05	<0.05	1.2	0.007
S033714		49.7	550	16.2	50.5	0.002	0.02	0.33	40.9	2	1.1	219	0.34	<0.05	2.4	0.681
S033715		59.3	520	12.8	165.5	0.003	0.07	0.26	40.0	1	0.9	364	0.33	<0.05	1.6	0.641
S033716		56.3	1280	7.6	43.6	<0.002	0.04	0.14	36.6	2	1.6	25.7	0.48	<0.05	3.4	0.914
S033717		36.2	780	7.7	134.5	<0.002	0.02	0.26	29.3	1	1.1	206	0.31	<0.05	2.8	0.552
S033718		40.9	980	23.8	168.0	0.002	0.08	0.25	34.4	1	1.2	398	0.37	<0.05	3.9	0.730
S033719		47.8	620	8.7	40.3	<0.002	0.04	0.33	32.6	1	0.8	268	0.60	<0.05	4.2	0.662
S033720		73.9	960	37.2	85.3	<0.002	0.07	0.21	19.4	1	1.1	159.5	0.51	<0.05	3.7	0.726
S033721		49.3	820	28.5	70.6	<0.002	0.02	0.61	34.0	1	0.9	299	0.29	<0.05	2.8	0.676
S033722		75.9	1050	6.0	20.6	0.002	0.03	0.29	22.0	1	1.2	486	0.50	<0.05	4.4	0.803
S033723		68.7	510	10.2	118.0	0.002	0.10	0.33	40.6	1	0.8	235	0.22	<0.05	2.0	0.583
S033724		89.3	340	5.7	33.1	0.002	0.03	0.25	37.1	1	0.8	175.0	0.22	<0.05	1.8	0.516
S033725		56.1	750	13.8	72.2	0.002	0.12	0.35	40.5	2	1.1	196.5	0.39	<0.05	3.0	0.834
S033726		56.7	800	30.1	77.1	<0.002	0.11	0.26	41.0	2	1.1	267	0.40	<0.05	2.9	0.865
S033727		81.7	1540	3.2	10.5	<0.002	0.08	0.26	16.8	1	1.3	56.2	0.72	<0.05	4.7	1.160
S033728		60.0	580	44.7	3.7	<0.002	0.05	0.48	43.8	1	1.0	86.0	0.35	<0.05	2.1	0.742
S033729		63.3	750	9.3	66.5	0.002	0.05	0.29	44.5	1	1.1	281	0.68	<0.05	2.4	0.906
S033730		3130	1130	8.9	33.7	0.078	1.60	1.14	29.4	11	1.7	332	0.75	2.79	4.4	0.435
S033731		3.8	10	0.8	4.0	<0.002	<0.01	0.10	0.3	<1	<0.2	3.3	<0.05	<0.05	1.2	0.007



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-AUG-2015
 Account: RLH

Project: 618

CERTIFICATE OF ANALYSIS SD15119617

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
S035044		0.28	0.6	296	0.2	26.9	142	72.5
S035045		0.38	0.9	323	0.2	34.4	115	113.0
S035046		0.42	0.9	309	0.2	32.7	117	106.0
S035047		0.17	0.6	237	0.2	37.1	151	231
S035048		0.67	2.6	165	0.1	22.8	103	147.5
S035049		0.16	2.0	107	0.2	22.5	191	160.5
S035050		0.21	0.4	276	0.3	21.1	177	73.1
S033701		0.54	0.7	325	0.3	31.9	272	94.1
S033702		0.02	2.1	226	0.1	31.9	28	221
S033703		0.06	1.0	253	0.2	14.4	27	171.0
S033704		0.40	0.8	281	0.2	33.2	236	147.0
S033707		1.64	1.0	222	0.3	26.5	127	191.0
S033708		0.39	0.6	298	0.2	28.6	116	85.4
S033709		0.54	0.5	310	0.2	28.2	134	67.9
S033710		0.45	0.7	306	0.2	31.3	284	109.5
S033711		0.24	2.4	264	0.3	24.9	115	221
S033712		0.25	1.3	259	1.0	15.8	102	80.7
S033713		0.05	0.3	2	<0.1	0.6	<2	29.8
S033714		0.31	0.6	312	0.2	29.1	147	81.2
S033715		1.08	0.4	284	0.2	27.3	142	62.5
S033716		0.53	1.5	378	0.6	27.5	113	195.0
S033717		0.71	0.6	192	0.1	27.5	147	83.3
S033718		1.02	0.7	282	0.3	31.0	139	132.5
S033719		0.20	0.6	220	0.2	21.1	71	69.3
S033720		0.48	1.0	184	0.4	20.6	168	149.5
S033721		0.37	0.5	283	0.1	26.6	171	91.2
S033722		0.13	0.6	214	0.3	23.2	108	163.5
S033723		0.73	0.5	315	0.2	23.9	125	80.3
S033724		0.18	0.6	248	0.3	17.7	95	70.5
S033725		0.41	0.7	327	0.2	32.6	148	114.5
S033726		0.43	0.7	334	0.2	33.6	194	117.5
S033727		0.09	1.5	290	0.9	18.8	55	249
S033728		0.04	0.6	343	0.5	18.0	579	114.0
S033729		0.45	0.5	300	0.4	28.1	111	85.1
S033730		0.30	1.3	265	1.0	16.5	102	81.8
S033731		0.09	0.3	2	0.1	0.7	<2	28.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 20-AUG-2015
 Account: RLH

Project: 618

CERTIFICATE OF ANALYSIS SD15119617

	CERTIFICATE COMMENTS												
	ANALYTICAL COMMENTS												
Applies to Method:	REE's may not be totally soluble in this method. ME-MS61												
	LABORATORY ADDRESSES												
Applies to Method:	<p>Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">CRU-31</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 33%;">LOG-22</td> <td style="width: 15%;"></td> </tr> <tr> <td>PUL-31</td> <td>PUL-QC</td> <td>SPL-21</td> <td>LOG-23</td> </tr> <tr> <td></td> <td></td> <td></td> <td>WEI-21</td> </tr> </table>	CRU-31	CRU-QC	LOG-22		PUL-31	PUL-QC	SPL-21	LOG-23				WEI-21
CRU-31	CRU-QC	LOG-22											
PUL-31	PUL-QC	SPL-21	LOG-23										
			WEI-21										
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">ME-MS61</td> <td style="width: 33%;">PGM-ICP23</td> <td style="width: 33%;"></td> <td style="width: 15%;"></td> </tr> </table>	ME-MS61	PGM-ICP23										
ME-MS61	PGM-ICP23												