- ASSESSMENT REPORT -

2015 Surface EM - Drilling – Mapping Report

on the

Foy North and Harty Properties

(Claim # 1241741, 1241797, 4212987, 4240848, 4245190, 4273201, 4273202, 4273205, 4277618 and 4212461)

Tyrone, Leinster and Harty Townships

Sudbury, Ontario

January, 2016

Wallbridge Mining Company Limited

Table of Contents

List of Figures

List of Tables

Appendix A – Maps

Appendix B – Survey Reports

Appendix C – Cost Statement

Appendix D - Invoices **(Information withheld for client confidentiality).**

Appendix E – Drilling and Assay Certificates

1- Program Summary

The 2015 exploration program on the Wallbridge Mining Limited Foy North and Harty properties totalling $603,723 consisted of mapping, including prospecting and sampling between May 22nd and July 16th, 2015, one (1) surface EM survey performed between July 28th and October 8th, 2015 and drilling of six (6) diamond drill holes totalling 3408.79 metres between June 19th and September 7th, 2015 including Borehole EM of two (2) of the six (6) drilled holes.

The mapping and sampling program was focused on claims 1241741 (75%), 4277618 (20%) and 4212461 (5%) and the surface EM survey was focused on claims 1241741 (85%), 4240848 (10%) and 4212987 (5%) while the drill hole program focused on claims 4212987 (55%) and 1241797 (45%).

2- Property Description and Location

The Foy North Property is located within Tyrone and Leinster Townships and contains 14 mining claims – 1241741, 1241797, 4212987, 4218570, 4240848, 4245185, 4245190, 4273200, 4273201, 4273202, 4273203, 4273204, 4273205, 4277618 totalling 102 units or 1,632 ha (Figure 2).

The Harty Property consists of 2 non-contiguous claims located within Leinster and Harty Townships and contains 2 mining claims – 4212454 and 4212461 totalling 6 units or 96 ha (Figure 2).

The Foy North and Harty Properties are located ~45 km north-northwest of downtown Sudbury, Ontario and the center of the Property is 15 km north of the town of Levack on the North Range of the Sudbury Igneous Complex ("SIC") (Figure 1). Table 1 and **Error! Reference source not found.** summarize the Foy North and Harty claims status as of December 31, 2015.

The lands included in the Foy North and Harty projects are part of the Lonmin Plc North Range Joint Venture (NRJV).



Figure 1: Regional Overview Location Map.



Figure 2: Property Claim Overview Map with cut grid lines (Foy North and Harty).

Table 1: Foy North Property Claim Status

Claim Number	Township	Area (ha)	Units	Holder	Recorded Date	Work Due Date	Status	Work ($) Required	Work ($) Reserve
1241741	Tyrone	224	14	WMCL	05-Apr-2000	05-Apr-2017	A	5,600	0
1241797	Tyrone	256	16	WMCL	11-Feb-2009	11-Feb-2020	A	6,400	285,487
4212987	Tyrone	144	9	WMCL	11-Feb-2009	11-Feb-2020	A	3,600	144,960
4218570	Tyrone	96	6	WMCL	22-Oct-2012	22-Oct-2020	A	2,400	30,808
4240848	Tyrone	192	12	WMCL	27-May-2008	27-May-2017	A	4,800	0
4245185	Tyrone	80	5	WMCL	22-Oct-2012	22-Oct-2020	A	2,000	5,752
4245190	Tyrone	144	9	WMCL	21-Sep-2015	21-Sep-2017	A	3,600	0
4273200	Tyrone	16	1	WMCL	02-Jul-2014	02-Jul-2018	A	400	0
4273201	Tyrone	64	4	WMCL	02-Jul-2014	02-Jul-2017	A	1,600	0
4273202	Tyrone	64	4	WMCL	02-Jul-2014	02-Jul-2017	A	1,600	0
4273203	Leinster	48	3	WMCL	02-Jul-2014	02-Jul-2016	A	1,200	0
4273204	Leinster	32	2	WMCL	02-Jul-2014	02-Jul-2016	A	800	0
4273205	Leinster	112	7	WMCL	02-Jul-2014	02-Jul-2016	A	2,800	65
4277618	Tyrone	160	10	WMCL	14-Aug-2014	14-Aug-2017	A	4,000	0

Table 2: Harty Property Claim Status

Claim Number	Township	Area (ha)	Units	Holder	Recorded Date	Work Due Date	Status	Work ($) Required	Work ($) Reserve
4212454	Leinster	48	3	WMCL	12-Feb-2007	12-Feb-2019	A	1,200	0
4212461	Harty	48	3	WMCL	12-Feb-2007	12-Feb-2016	A	1,200	0

3 - Accessibility and Physiography

The Foy North Property is approximately 45 kilometers from the City of Greater Sudbury downtown. The property is accessible by a combination of primary and secondary paved roads, gravel-topped roads, logging roads, ATV trails, and lastly on foot. From Sudbury, the property can be accessed by travelling north on Highway 144, north of the town of Cartier, Ontario. From this point, you travel approximately 13 kilometers north along highway 144, and turn right at the Bear Den, snowmobile trail turnoff. The gravel snowmobile trail does not require a four wheel drive truck for the most part; however some places off the trail are slightly rougher. The bridges along the gravel portion have all been replaced by the Sudbury Skidoo Trail Plan Association and are restricted to a maximum load of five tons. It takes approximately one and a half to two hours to reach the areas from Wallbridge's Lively office.

Local terrain is composed primarily of Archean rocks that provide rolling hills, which are typically elongated in a NW direction in the claim area. The map area consists of marshy lowlands and foliage is primarily coniferous being composed of black spruce and jack pine. Alders and other deciduous trees can be found in the claim areas as well. Overburden tends to be thickest in the valleys which are home to alders and deciduous trees. Locally an abundance of water can be found in the marshy swamps and numerous streams, and would be adequate for exploration purposes.

Snowfall generally begins in November and extends into late March, early April. Lakes are usually passable with adequate ice thickness from late December through to mid-March. Between 45 and 100 mm of monthly rainfall is normal from April to October. The mean temperature is –13.6°C in January and 19°C in July.

A full range of services, supplies, and accommodations are provided by the city of Sudbury, Ontario.

The topography of the area is typical of the Canadian Shield. It is a highly dissected plateau sloping gently southward toward Lake Huron. The property is moderately variable with more gradual elevation changes up to 40m on sloped hills mainly around lakes and swamps. The area has a wide range of vegetation ranging from jack pine flats which occur in moss carpeted bogs to mixed poplar and birch stands. Most of the area has been logged with secondary growth now taking over.

Bedrock exposure is regionally prevalent, with numerous large ridges of higher density exposure consisting mainly granitoids with the intrusive later dykes being located in lower lying areas of the property.

4 - Mapping Program

The aim of the 2015 mapping program on the Foy North property was to map offset dyke occurrences on the new claims and prospect and investigate lineaments derived from the newly acquired LiDAR data that have the potential to host previously unknown quartz diorite (QD) offset dykes related to the Sudbury impact event. The geological mapping focused on claims 1241741 (75%) and 4277618 (25%), where a two- to three-person field crew spent a total of 34 days mapping between May 22nd and July 16th, 2015. The outcrop maps are found in Figure 11, Figure 4, 5 and 6 while the large compiled outcrop map are in Appendix A.



Figure 3: Mapped Outcrops on the Western Half of Foy North Claim #1241741.



Figure 4: Mapped Outcrops on the Eastern Half of Foy North Claim #1241741.



Figure 5: Mapped Outcrops on the Foy North Claim #4277618.



Figure 6: Foy North Detailed Trench Map Program (Claims #1241741).

Trench mapping of the Hess offset dyke (Figure 6) located on the west side of Banana Lake on claim #1241741 of the Foy North property was completed in May and June. Three (3) samples were taken from the trench from the QD (R228752) and the IQD (R228751 and R228768). Sample R228752 returned some anomalous values (0.14% Cu, 0.1% Ni, 0.11ppm Pt, and 0.15ppm Pd) related to the contained Pyrrhotite and Chalcopyrite within the sample.

A total of 20 surface grab and/or float samples (Figure 7 and Table 3) were taken during mapping and assayed (see Appendix E2 for full assay certificates) by ALS Chemex Ltd of North Vancouver, British Columbia along with an additional 4 samples (2 standard and 2 blank) for quality control. Samples were mostly taken of quartz diorite (QD) with minor amounts of sulfides, however no other significant base or precious metals values were found worth highlighting in this report.



Figure 7: Sample Locations of 2015 Foy North Program (Claims #1241741 and 4240848).

Table 3: Foy North Surface Sample Summary

Sample	East NAD27	North NAD27	Sample Type	Date Sampled	Rock Type	PY%	PO%	CPY%	Description
R228751	475864	5183650	GRAB	2015-05-22	IQD		0.5	0.1	Very rusted sample from trenched outcrop, suspected Po & Cpy
R228752	475808	5183618	FLOAT	2015-05-22	QD		0.5	0.1	Very rusted sample, vuggy, suspected Po & Cpy
R228753	475683	5183657	GRAB	2015-06-01	QD		0.5	0.2	Collection of small pieces with small blebs of Po/Cpy, blebs <5mm in diameter
R228754	475677	5183661	GRAB	2015-06-01	QD		0.5	0.2	Sample contained blebs of Po/Cpy from 0.3-1cm in diameter.
R228755	475668	5183665	FLOAT	2015-06-01	IQD		0.5	0.2	Sample showed 0.5-1cm felsic clasts, similar blebs to previous sample
R228756	475670	5183661	GRAB	2015-06-01	IQD		0.5	0.2	Small felsic clasts present <1cm, Po/Cpy blebs found similar to previous sample
R228757	475334	5183720	GRAB	2015-06-09	QD		0.5	0.1	Close proximity to granite contact, small rusty blebs of Po>Cpy.
R228758	474724	5183442	GRAB	2015-06-11	QD		0.5	0.1	Showing large Po>Cpy blebs, outcrop near lake
R228759	475100	5183571	GRAB	2015-06-11	IQD		0.5	0.1	Part of large wall outcrop, good rusting but hard to sample due to smooth surfaces
R228760	475092	5183564	GRAB	2015-06-11	QD		0.5	0.1	Nearby previous sample, less rusty and blebby
R228761	475511	5183792	GRAB	2015-06-13	QD		0.1	0	Highly quenched, showing the bladey crystals within matrix
R228762	n/a	n/a	STD	n/a	STD				STANDARD
R228763	n/a	n/a	BLK	n/a	BLK				BLANK
R228764	475359	5183726	GRAB	2015-06-17	QD				Possible QD. Little to no mineralization
R228765	475357	5183728	GRAB	2015-06-17	QD				Possible QD. Little to no mineralization
R228766	475362	5183693	GRAB	2015-06-17	QD	0.5			Possible QD. Minor rust spots on surface
R228767	475259	5183676	GRAB	2015-06-17	QD	0.5	0.1		Possible QD. Py & Po present in trace amounts
R228768	475851	5183647	GRAB	2015-06-29	QD		0.5	0.1	Blebby sample taken from hess trench, Trace amounts of Cpy within Po, <1%
R228770	474259	5183064	GRAB	2015-08-04	QD				Likely QD taken from southwestern boundary or property, no mineralization
R228771	n/a	n/a	STD	n/a	STD				STANDARD CFRM-100
R228772	n/a	n/a	BLK	n/a	BLK				BLANK
R228360	476543	5185160	GRAB	2015-06-08	DIA				Questionable QD, very foliated
R228361	475351	5183663	GRAB	2015-06-09	DIA		0.5	0.1	Minor rust staining, near contact with granite
R228362	474373	5183076	GRAB	2015-06-16	DIA				QD with pyrite

5 - Geophysics

Crone Geophysics & Exploration Limited was contracted by Wallbridge Mining Inc. to conduct one (1) Surface Pulse Electromagnetic (PEM) Survey on their Foy North Property (

Figure 8), carried out between July 28th and October 8th, 2015. The grid consisted of six (6) survey lines covering 6.9 line-kilometers of data, utilizing two (2) separate transmitting loops, northern (700 x 1000 metres), southern (700 x 1000 metres). No significant anomalies were found. See full Crone report in Appendix B of this report containing page size maps and PEM profiles of the survey.



Figure 8: Surface EM survey cut grid lines and loop location map with associated claims.

6 - Drilling

Six (6) diamond drill holes (WFN-007 to WFN-012) totalling 3,408.79 metres were completed by Jacob & Samuel Drilling Ltd of Sudbury, Ontario on the Foy North Property during the 2015 exploration season between June 19th and September 7th, 2015. WFN-007 to WFN-010 were drilled on claim 4212987 (55%), while WFN-011 and WFN-012 were drilled on claim 1241797 (45%). The holes were logged and interpreted by a qualified geologist who produced drill logs using GEOVIA GEMS-Logger program. See, Appendix E1 for full detailed logs and associated assay depths. This holes targeted favourable geology as well as geophysical anomalies identified by exploration work performed in 2014 as well as in past years. Collar survey and header information of the drill hole is presented in Table 4, and the drill hole locations are shown on Figure 9 & 10 and Appendix A. The drill hole collar locations were surveyed by Wallbridge technicians using a differential GPS (DGPS). A total of 131 samples were taken from drill cores and assayed (see Appendix E2 for full assay certificates) by ALS Chemex Ltd of North Vancouver, British Columbia along with an additional 20 samples (12 standard and 8 blank) for quality control purposes. Of the 131 samples, nine (9) were also submitted for trace element whole rock analysis. No major mineralization was found. WFN-010 and WFN-011 were also surveyed using Borehole-EM (Appendix B2) with no significant anomalies found.

Table 4: 2015 Foy North Drilling Collar Location and Header Summary

Hole ID	UTM NAD27 East	UTM NAD27 North	Azimuth	Dip	Length (meters)	Start Date	Finish Date
WFN-007	476602	5184337	90	-45	125.29	Jun 19th 2015	Jun 21st 2015
WFN-008	476499	5183730	90	-60	320.5	Jun 21st 2015	Jun 26th 2015
WFN-009	476468	5183640	360	-50	465.08	Jun 26th 2015	Jul 05th 2015
WFN-010	476586	5183889	333	-81	984.01	Jul 07th 2015	Jul 29th 2015
WFN-011	478250	5187015	90	-81	1025.11	Aug 02nd 2015	Aug 24th 2015
WFN-012	478514	5186841	270	-60	488.8	Aug 28th 2015	Sep 07th 2015

While core logging, the responsible geologist will assess areas of interesting geology or mineralization and mark out samples, no longer than 1.5 meters in length each to be cut. A Wallbridge technician will take the core and cut it in half longitudinally, removing one half of the core to be sent for assay, while leaving the other half as a representative section in the box. The standards used for QA/QC are a commercial standard prepared by either Geoscience Laboratories or CF Reference Materials, are homogenized, laboratory prepared powdered batches with a known appreciable metal content containing Cu, Ni, Pt, Pd, Au, Ag and others while the “blanks” are pieces of barren quartzite with no major metal or oxide content.



Figure 9: WFN-007 to WFN-010 Drill Plan Map (Claim 4212987)



Figure 10: WFN-011 to WFN-012 Drill Plan Map (Claim 1241797)



Figure 11: WFN-007 Drill Section



Figure 12: WFN-008 Drill Section



Figure 13: WFN-009 Drill Section



Figure 14: WFN-010 Drill Section



Figure 15: WFN-011 Drill Section



Figure 16: WFN-012 Drill Section

7 - Regional Geologic Setting

The Sudbury area hosts one of the most prolific Ni-Cu-PGE mining camps in the world. Sudbury geology is unique – the ore deposits are associated with the Sudbury Igneous Complex (SIC) and related rocks, which record what is generally accepted as a major, mid- Proterozoic meteorite impact event which occurred 1.85 billion years ago (Ga). Despite over one hundred years of academic and industry scrutiny, many aspects of Sudbury ore deposit geology are still disputed and significant new discoveries continue to be made.

Current exploration focuses on the SIC and related footwall rocks. The Sudbury Structure is located at the junction of the Superior and Southern Provinces of the Canadian Shield. The Superior Province is of Archean age, about 2.7 Ga in the Sudbury area. Paleoproterozoic sedimentary and volcanic rocks of the Huronian Supergroup were deposited unconformably on Archean basement in an elongate belt and were subsequently intruded by sill-like Nipissing gabbros. After metamorphism and folding during the Penokean Orogeny, this belt formed the Southern Province along the southern margin of the Superior Province. At ~ 1.85 Ga, the SIC was superimposed on Archean and Huronian rocks. The SIC is located about 10 km north of the ~1 Ga Grenville Front

The SIC straddles an unconformity between gneisses and granitoid plutons of the Archean Superior Province and overlying Huronian supracrustal rocks of the Paleoproterozoic Southern Province. It is geographically divided into the North, South, and East Ranges. It defines what is now considered as a deformed, deeply eroded, melt- and sediment-filled meteorite impact crater (the Sudbury Basin) and its surrounding brecciated target rocks. The oval-shaped crater remnant has dimensions of 60 km in a northeast direction and 27 km in a northwest direction. The brecciated footwall rocks of the SIC extend for 70 to 80 kilometers beyond the crater remnant. All pre-SIC rocks are cut by varying quantities of Sudbury Breccia.

Sudbury Breccia consists of rounded and milled, millimeter to hundred meter sized fragments of country rock within a fine-grained, variably cataclastic to igneous (recrystallized) matrix. Small veinlets of Sudbury Breccia occur throughout nearly every earlier lithology in the footwall environment. Generally, it is only distinguished as a distinct, lithological unit when the Sudbury Breccia matrix accounts for greater than 15 volume percent of the rock. Concentrations of Sudbury Breccia often occur along pre-existing structures and weaknesses in the Archean and Paleoproterozoic footwall rocks; such as along the contact between

rock types of contrasting competencies. It is commonly found along the margins of diabase dykes. Trace pyrite is common within the Sudbury Breccia matrix, particularly when it occurs in the surrounding rocks and dominant fragment types. Background precious metal concentrations in Sudbury Breccia are typically below the limits of detection for standard assay or ICP analysis.

The crater fill consists of the Sudbury Igneous Complex (SIC), and sedimentary rocks of the Whitewater Group.

The SIC consists of a discontinuous, variably mineralized, basal Sublayer unit lying along the crater wall, Offset dykes intruded for up to tens of kilometers into the underlying brecciated country rocks, and the overlying so-called Main Mass units of Mafic Norite, Felsic Norite, Quartz Gabbro and Granophyre. The formation of the SIC as a superheated meteorite impact melt sheet that was heavily contaminated by crustal rocks is strongly supported by contemporary research although other theories have been postulated in the past. At its base, the SIC intrudes brecciated rocks of the crater wall. At its top, the SIC intrudes the Onaping Formation of the Whitewater Group.

The Whitewater Group consists, from bottom to top, of the Onaping, Onwatin, and Chelmsford Formations. The Onaping Formation is a poorly stratified 1600 m thick unit of breccia, interpreted as fallback breccia following the impact event. The Onwatin Formation is several hundred meters thick and has been interpreted as a deepwater, black, graphitic slate. The uppermost formation, the Chelmsford, is a shallow water turbidite. No Whitewater Group sedimentary rocks have been found beyond the Sudbury Structure.

8 - Property Geology

The Foy North and Harty properties are located on the central area of the North Range of the Sudbury Structure, approximately 15 kilometers, north-northwest of the SIC contact.

The area is dominated by the Archean Cartier Batholith which, in this area, consists dominantly of weakly foliated granodiorite to granite (~2640 Ma) and contains inclusions of gneissic material that probably correlate with the Levack Gneiss Complex. The properties host mafic/ultramafic intrusions. The rock unit has been describe as a pyroxenite as the majority of the outcrop mapped consists of coarse grained,

equigranular, equant, dark green fresh rock that appear to be composed of pyroxene. The age of the pyroxenite is constrained by fragments of it within the 1.85 Ga Sudbury Breccia and chilled contacts with the 2.64 Ga granitic pluton host rock. Compared to the geochemistry of other mafic rocks from this area it is most similar to the rocks generated from the SIC. This unit also has characteristically high back ground nickel (up to 1120 ppm), chromium (up to 1690ppm) and magnesium (up to 20% MgO) concentrations relative to other mafic intrusion common to this area.

Paleoproterozoic Matachewan diabase dykes (2473 +16/-9 Ma and 2446 ±3 Ma; Heaman, 1997), Nipissing mafic intrusive suite (2210-2217 Ma; Corfu and Andrews, 1986; Noble and Lightfoot, 1992; Buchan et al., 1998) and post-SIC northwest-southeast trending Sudbury Olivine Diabase dykes cross-cut the Cartier Batholith.

Wallbridge mapping has also determined that Sudbury Breccia occurs along magnetic lows throughout the Properties. 2007 mapping outlined a N-S trending breccia zone for over 1.3 kilometers. The apparent thickness of the breccia zone is usually around 20 meters, but in the northern portion one section is up to 100 meters wide.

Post-SIC Sudbury Olivine Diabase dykes also traverse the properties with a northwest-southeast trend. These diabase dykes, consist of plagioclase, pyroxene, and opaque oxides (magnetite and ilmenite), can have 0.1 – 1% sulfide (dominantly pyrite, but can also have trace chalcopyrite), and where visible, have chilled margins. The olivine diabase dykes are equigranular, medium- to coarse-grained, are comprised of the same minerals as the other dykes and generally contain olivine. These dykes can be strongly altered (are rusty brown to mottled grey on weathered surfaces compared to fresh surfaces that are reddish brown to unaltered light grey), and typically have a moderate magnetism. The area is dominated by strongly deformed, amphibolite facies, neo- to meso-archean (2.5 to 3.4 Ga) massive foliated granodiorite to granite, with local Paleoproterozoic Matachewan diabase dyke segments (2473 +16/-9 Ma and 2446 ±3 Ma; Heaman, 1997) cutting the granites.

Sudbury Breccia, a pseudotachylite created from the shock wave associated with the 1850 Ma Sudbury Event, occurs as irregular veins and belts in the footwall rocks of the SIC.

Lithology Descriptions

Granodiorite to Granite

Early Felsic plutonic Archean rocks of the Levack Gneiss Complex are the most abundant lithology outcropping in the area. These metamorphic rocks contain locally strong foliation with variable orientations and homogenous nature.

Matachewan Diabase

Mafic dikes, found intermittently throughout the area, exhibit fine- to coarse-grained plagioclase phenocrysts, indicative to the Matachewan Diabase dike swarm. These rocks are typically weakly magnetic, fine-grained, and contain trace disseminated pyrite. Inferred strike of dikes, based on local contact relationships, is roughly NE-SW.

Nipissing Diabase

Mafic dikes, found throughout the area, exhibit fine- to coarse-grained habit with fine plagioclase. These rocks are typically weakly magnetic, fine-grained, and contain trace disseminated pyrite. The dikes trend in various directions and are most likely feeder systems for the larger gabbroic bodies in the area.

Sudbury Breccia

Sudbury Breccia is present in minute quantities usually along a Diabase/granite and/or QD contact. The breccia normally contains clasts of the host rocks, usually granite and diabase which are centimeter- to meter-sized. The clasts are supported in a fine-grained green matrix with concoidal fracturing habit. The unit is formed during the tectonic restructuring and pulverizing of the local rocks during and after impact.

Quartz Diorite

Quartz Diorite (QD) dykes, which may be radiating or concentric around the contact of the SIC. Radiating dykes originate from embayment structures and may extend over 30 km into the footwall (e.g. Foy Offset Dyke). The relationship of concentric dykes to the so-called Main Mass of the SIC is uncertain.

Inclusion Quartz Diorite

Inclusion Quartz Diorite (IQD) dykes, which may be radiating or concentric around the contact of the SIC. Radiating dykes originate from embayment structures and may extend over 30 km into the footwall (e.g. Foy Offset Dyke). The relationship of concentric dykes to the so-called Main Mass of the SIC is uncertain.

9 - Mineralization

No previously unknown or significant mineralization was encountered during mapping and drilling.

10 - Structures

The main structures on the properties are variable and mainly follow the regional regimes at approximately NNW-SSE, NNE-SSW and WSW-ENE. N-S trending cliff faces in the area are likely the result of normal faulting. Locally, geological contacts between mafic intrusions, dykes and the granites/gneisses are present and typically trend NW-SE but also NE-SW.

11 - References

Ames, D.E., Buckle, J., Davidson, A., and Card, K., 2005, Sudbury bedrock compilation: Geological Survey of Canada, Open File No. 4570, geology, color map, and digital tables, scale 1:50,000.

Heaman, L.M., 1997, Global mafic magmatism at 2.45 Ga: remnants of an ancient large igneous province?: Geology, v. 25, p. 299–302.

Krogh, T.E., Davis, D.W., and Corfu, F., 1984, Precise U-Pb zircon and baddeleyite ages for the Sudbury Area: Ontario Geological Survey Special Volume 1, p. 431–446.

12 - Qualifications

I, Shannon Baird, do hereby certify that:

1. I reside at 116 Fourth Avenue, Sudbury, Ontario, Canada, P3B-3R8.

2. I graduated from Laurentian University (Sudbury, Ontario) in 2007 with a B.Sc. in Geology and in 2011 with a M.Sc. in Economic Geology and have been practicing my profession ever since.

3. I am currently employed as a Project Geologist with Wallbridge Mining Company Limited and Exploration Manager of Carube Copper Corp.

4. I am a current practicing registered professional geoscientist with APEGBC (registration #35744) as well as a registered, non-practicing member of APGO (registration #1953).

5. This technical report has been prepared by myself and other members of Wallbridge staff.

6. As an employee, and an insider, of Wallbridge Mining Company, I do not qualify as an independent Qualified Person.

Shannon Baird, M.Sc., P.Geo

APGO #1953 – APEGBC #35744

Wallbridge Mining Company Ltd.

129 Fielding Rd.

Lively, ON, P3Y 1L7

Crone Pulse-EM Survey

Wallbridge Mining Company Ltd.
Foy North Project – Sudbury, Ontario

Geophysical Survey & Logistics Report
July- October 2015



Conducted by:
Crone Geophysics & Exploration Ltd.

2135 Meadowpine Blvd. Mississauga Ontario L5N6L5 | P: 905 814 0100 F: 905 814 8617 | info@cronegeophysics.com www.cronegeophysics.com

Table of Contents

List of Figures

List of Tables

Appendices

Introduction

Crone Geophysics & Exploration Limited was contracted by Wallbridge Mining Inc. to conduct Surface Pulse Electromagnetic Surveys on its Foy North Property located in Sudbury, Ontario. This report summarizes the geophysical work carried out during July 28th – October 8th, 2015.

Six (6) surface lines covering 6.9 line kilometers of data, utilizing two (2) separate transmitting loops were surveyed during this period. In addition to the surface program, a BHEM survey was completed on WFN-010 utilizing two (2) separate transmitting loops.

The appendices to this report contain page size plan & section maps, PEM profiles (linear 5-axis and logarithmic scale), and the Step response profiles.

Property Location & Access

Access to the Foy North claims is provided by the #700 logging road located approximately 13km (by road) north of the town of Cartier. The 700 road provides access to unnamed logging roads that cut south to the claim blocks in Leinster and Tyrone Townships. Access is seasonal and easily travelled by 4x4 pickup trucks and other off road vehicles.



Figure 1: Location of the Foy North property, Northwest of Sudbury, ON.

Personnel

The personnel involved in this project during the reporting period include:

Survey Operators:	Jeremy Haak, Jordan Wilson
Data Processing:	Josh Lymburner
Report:	Josh Lymburner

Equipment

Pulse-EM CDR2 Receiver

- 26-Bit equivalent A/D resolution
- Programmable gate configurations and optional full waveform
- Crone *Smartstacking* algorithm
- Sampling Rate: 250K samples/second | Sampling Interval: 4µsec
- Precision crystal oscillator or cable synchronization



Figure 2: Standard Channel Configurations

Pulse-EM Transmitter

- 4.8kW for up to 30 amps in single or 60 amps in dual modes
- Timebases: 8.33ms to 2000ms
- Ramp Settings: Fast Ramp, 0.5ms, 1.0ms or 1.5ms
- Powered by Standard Motor Generator
- Current control and monitoring with optional loop damping
- Auto Shutdown and grounded case for safety



Figure 3: Standard Crone Pulse-EM Waveform

Survey Methods

Crone Pulse EM is a time domain electromagnetic method in which a precise pulse of current with a controlled linear shut off is transmitted through a large loop of wire on the ground and the rate of decay of the induced secondary field is measured across a series of time windows during the off-time. The EMF created by the shutting-off of the current induces eddy currents in nearby conductive material thus setting-up a secondary magnetic field. When the primary field is terminated, this magnetic field will decay with time. The amplitude of the secondary field and the decay rate are dependent on the quality and size of the conductor.

In addition to measuring the standard Primary Pulse channel in the Tx shut-off ramp and the off-time channels, the Step Response was also be calculated. Step Response requires accurate geometrical control in which the loop position and the station geometry are accurately determined. In the current surveys, BHEM positional

information was collected by Crone using a sub-meter capable GPS and regional base station. Positional information is provided in the UTM projection (Zone 17 North), utilizing the NAD27 datum. Surface survey positional information was collected through Wallbirdge Mining.

The Step Response is widely regarded as a very important tool in the search for high conductance massive sulphides. Bill Ravenhurst shows the details of the Step Response transformation which is a unique feature of the Crone Pulse EM System (Ravenhurst, W. R., 2001)

The surface surveys were carried out using a time base of and 50.00 ms. The primary inducing field is defined as positive up inside the transmitter loop.

Data units are nT/s for measured inductive coil data and % of total theoretical field for calculated step response data.

Data Acquisition Parameters

Table 1: Surface & BHEM Survey Transmitter Loop Coverage

Tx Loop	Property / Target	Size (meters)	Corner Coordinates UTM NAD27 Greenland Zone 17N
FN-N	Foy North	700 x 900	475258 5184666 475247 5183999 476288 5184004 476280 5184695
FN-S	Foy North	700 x 900	475238 5183995 475247 5183305 476289 5183300 476288 5184004
North	Foy North	1000 x 1000	476122 5185424 476057 5184381 477095 5184346 477038 5185389
South	Foy North	1000 x 1000	476099 5184342 476103 5183354 476618 5183348 477095 5184347

Table 2: Surface & BHEM Survey Coverage

Line	Area / Targets #	Tx loop	Timebase (ms)	Off Time Channels	Ramp (ms)	Current (Amps)	Station From	Station To	Length (m)	Comp
0E	Foy North	FN-N	50.00	22	1.5	16	-250	250	500	Z,X
150E	Foy North	FN-N	50.00	22	1.5	16	-250	250	500	Z,X
300E	Foy North	FN-N	50.00	22	1.5	16	-250	250	500	Z,X
450E	Foy North	FN-N	50.00	22	1.5	16	-250	250	500	Z,X
650E	Foy North	FN-N	50.00	22	1.5	16	-250	250	500	Z,X
BL	Foy North	FN-N	50.00	22	1.5	16	0	450	450	Z,X
0E	Foy North	FN-S	50.00	22	1.5	16	-250	250	500	Z,X
150E	Foy North	FN-S	50.00	22	1.5	16	-250	250	500	Z,X
300E	Foy North	FN-S	50.00	22	1.5	16	-250	250	500	Z,X
450E	Foy North	FN-S	50.00	22	1.5	16	-250	250	500	Z,X
650E	Foy North	FN-S	50.00	22	1.5	16	-250	250	500	Z,X
BL	Foy North	FN-S	50.00	22	1.5	16	0	450	450	Z,X
WFN-010	Foy North	North	100.00	25	1.5	15	25	984	959	Z,X,Y
WFN-010	Foy North	South	100.00	25	1.5	20	25	984	959	Z,X,Y

Production Summary

Table 3: Production Summary

Date (d.m.y)	Type of Day	Comments
28-July-2015	Looping	Partially laid north loop.
29-July-2015	Looping	Finished laying the north loop and GPS'd it.
30-July-2015	Survey	Partially Lad the south loop. Surveyed WFN-010 with north loop, Z,X,Y components.
31-July-2015	Looping	Finished laying the south loop.
1-Aug-2015	Survey	Surveyed WFN-010 with south loop, Z component. Picked up the north loop and GPS'd the south loop.
2-Aug-2015	Looping	Continued to pick up the north loop.
3-Aug-2015	Survey	Surveyed WFN-010 with the south loop, X,Y components.
4-Aug-2015	Looping	Picked up the south loop.
5-Aug-2015	MOB	DeMOB to Toronto from Sudbury
28-Sept-2015	Looping	Partially laid the South loop for surface.

Date (d.m.y)	Type of Day	Comments
29-Sept-2015	Looping	Finished laying south loop for surface.
30-Sept-2015	Survey	Surveyed line 150E with the south loop from 205S to 250N, Z,X components.
1-Oct-2015	Survey	Surveyed lines 0E, BL, 450E, 300E with the south loop, Z,X components.
2-Oct-2015	Survey	Surveyed lines 450E and 650E with the south loop, Z,X components. Laid North loop.
3-Oct-2015	Survey	Surveyed lines 0E, BL, 150E, 300E, 450E and 650E, Z,X components
5-Oct-2015	Looping	Picked up south loop.
6-Oct-2015	Looping	Picked up north loop.
8-Oct-2015	DeMOB	Drove back to the main office.

References

Ravenhurst, W. R., 2001, Step and impulse calculations from pulse-type electromagnetic data: 68th Ann. Internat. Mgt., Soc. Expl. Geophys., Extended Abstracts, 814-816.

Respectfully submitted,

Joshua Lymburner, M.Sc.

Crone Geophysics & Exploration Ltd.

Appendix 1: Channel Configurations

The following table's show the various time gates that constitute the channel configurations set up in the Crone PEM Receiver used in the surveys discussed in this report.

23-Channel Configuration for the 50.00 ms time base (Induction Probe)

Channel	Start (ms)	Finish (ms)	Channel	Start (ms)	Finish (ms)
PP	-0.0002	-0.0001			
1	0.048	0.064	**2**	0.064	0.084
3	0.084	0.112	**4**	0.112	0.152
5	0.152	0.204	**6**	0.204	0.268
7	0.268	0.360	**8**	0.360	0.480
9	0.480	0.640	**10**	0.640	0.848
11	0.848	1.128	**12**	1.128	1.496
13	1.496	1.992	**14**	1.992	2.644
15	2.644	3.512	**16**	3.512	4.664
17	4.664	6.192	**18**	6.192	8.220
19	8.220	10.916	**20**	10.916	14.400
21	14.400	31.068	**22**	31.068	47.736

26-Channel Configuration for the 100.00 ms time base (Induction Probe)

Channel	Start (ms)	Finish (ms)	Channel	Start (ms)	Finish (ms)
PP	-0.0002	-0.0001			
1	0.048	0.064	**2**	0.064	0.084
3	0.084	0.112	**4**	0.112	0.152
5	0.152	0.204	**6**	0.204	0.268
7	0.268	0.360	**8**	0.360	0.480
9	0.480	0.640	**10**	0.640	0.848
11	0.848	1.128	**12**	1.128	1.496
13	1.496	1.992	**14**	1.992	2.644
15	2.644	3.512	**16**	3.512	4.664
17	4.664	6.192	**18**	6.192	8.220
19	8.220	10.916	**20**	10.916	14.400
21	14.400	31.068	**22**	31.068	47.736
23	47.736	64.404	**24**	64.404	81.072
25	81.072	97.740			

Appendix 2: Profile Plan Maps



Scale 1:15000

250 0 250

(meters)

Wallbridge Mining

Foy North

Surface Pulse EM Survey
Line & Loop Location Map

Lines: 0E-650E, BL

Survey Date: Sept. 30- Oct. 3, 2015

Crone Geophysics & Exploration Ltd.

Scale 1:15000

250 0 250

(meters)

Wallbridge Mining

Foy North

Surface Pulse EM Survey
Line & Loop Location Map

Lines: 0E-650E, BL

Survey Date: October 1-3, 2015

Crone Geophysics & Exploration Ltd.



Scale 1:15000

250 0 250

(meters)

Wallbridge Mining

Foy North

3-D Borehole Pulse EM Survey

Borehole & Loop Location Map

Hole: WFN-010

Survey Date: July 30, 2015

Crone Geophysics & Exploration Ltd.



Scale 1:10000

100 0 100 200

(meters)

Wallbridge Mining

Foy North

3-D Borehole Pulse EM Survey

Borehole & Loop Location Map

Hole: WFN-010

Survey Date: August 1, 2015

Crone Geophysics & Exploration Ltd.

Appendix 3: Section Maps



Scale 1:7500

100 0 100 200

(meters)

Wallbridge Mining

Foy North

3-D Borehole Pulse EM Survey

Hole Section with Primary Field

Hole: WFN-010, Loop: North

Survey Date: July 30, 2015

Crone Geophysics & Exploration Ltd.



Scale 1:7500

100 0 100 200

(meters)

Wallbridge Mining

Foy North

3-D Borehole Pulse EM Survey
Hole Section with Primary Field

Hole: WFN-010, Loop: South

Survey Date: August 3, 2015

Crone Geophysics & Exploration Ltd.

Appendix 4: Linear (5-Axis) Pulse-EM Data Profiles



Wallbridge Mining Foy North
Loop FN-N, Line 0E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 0E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 150E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 150E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 300E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 300E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 450E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 450E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 650E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 650E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line BL Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line BL X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 0E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 0E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 150E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 150E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 300E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 300E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 450E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop FN-S, Line 450E X Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 650E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 650E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN−S, Line BL Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line BL X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop North, Hole WFN-010 Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop North, Hole WFN−010 X Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop North, Hole WFN-010 Y Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop South, Hole WFN-010 Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop South, Hole WFN-010 X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop South, Hole WFN-010 Y Component
Crone Geophysics & Exploration Ltd.

Appendix 5: Pulse-EM Data Profiles (Lin-Log) Scale


-200
-100
0
100
200
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 22 Off-time Channels
(nT/sec)
PP
Wallbridge Mining Foy North
Loop FN-N, Line 0E Z Component
Crone Geophysics & Exploration Ltd.


-200
-100
0
100
200
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 22 Off-time Channels
(nT/sec)
PP
PP
1
2
3
4
5
6
7
Wallbridge Mining Foy North
Loop FN-N, Line 0E X Component
Crone Geophysics & Exploration Ltd.


-200
-100
0
100
200
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 22 Off-time Channels
(nT/sec)
PP
Wallbridge Mining Foy North
Loop FN-N, Line 150E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 150E X Component
Crone Geophysics & Exploration Ltd.


-200
-100
0
100
200
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 22 Off-time Channels
(nT/sec)
PP
PP
Wallbridge Mining Foy North
Loop FN-N, Line 300E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 300E X Component
Crone Geophysics & Exploration Ltd.


-200
-100
0
100
200
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 22 Off-time Channels
(nT/sec)
PP
Wallbridge Mining Foy North
Loop FN-N, Line 450E Z Component
Crone Geophysics & Exploration Ltd.


-200
-100
0
100
200
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 22 Off-time Channels
(nT/sec)
PP
1
2
3
4
5
6
Wallbridge Mining Foy North
Loop FN-N, Line 450E X Component
Crone Geophysics & Exploration Ltd.


-200
-100
0
100
200
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 22 Off-time Channels
(nT/sec)
PP
Wallbridge Mining Foy North
Loop FN-N, Line 650E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 650E X Component
Crone Geophysics & Exploration Ltd.


0
100
200
300
400
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 22 Off-time Channels
(nT/sec)
PP
Wallbridge Mining Foy North
Loop FN-N, Line BL Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line BL X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 0E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 0E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 150E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 150E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 300E Z Component
Crone Geophysics & Exploration Ltd.


-200
-100
0
100
200
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 22 Off-time Channels
(nT/sec)
PP
PP
1
2
3
1
2
3
4
5
2
3
4
Wallbridge Mining Foy North
Loop FN-S, Line 300E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 450E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 450E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 650E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 650E X Component
Crone Geophysics & Exploration Ltd.


0
100
200
300
400
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 22 Off-time Channels
(nT/sec)
Wallbridge Mining Foy North
Loop FN-S, Line BL Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line BL X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop North, Hole WFN-010 Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop North, Hole WFN-010 X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop North, Hole WFN-010 Y Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop South, Hole WFN-010 Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop South, Hole WFN-010 X Component
Crone Geophysics & Exploration Ltd.


350
400
450
500
550
10000
1000
100
10
-10
-100
-1000
-10000
Primary Pulse and 25 Off-time Channels
(nT/sec)
PP
PP
PP
PP
Wallbridge Mining Foy North
Loop South, Hole WFN-010 Y Component
Crone Geophysics & Exploration Ltd.

Appendix 6: Step Response Data Profiles



Wallbridge Mining Foy North
Loop FN-N, Line 0E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 0E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 150E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 150E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 300E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 300E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 450E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 450E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 650E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-N, Line 650E X Component
Crone Geophysics & Exploration Ltd.


0
100
200
300
400
TP = Theoretical Primary
PP = Last Ramp Channel
S1 = Calculated Step Ch.1
(nT/sec)
1000.
0.
-1000.
-2000.
-3000.
TP
PP
S1
Deviation from TP.
(% Total Theoretical)
15.
10.
5.
0.
-5.
-10.
S1
PP
Step Channels 2-4.
Deviations from S1.
(% Total Theoretical)
4.
3.
2.
1.
0.
-1.
S2
S3
S4
Pulse EM Off-time
Channels 17-22
(nT/sec)
4.
3.
2.
1.
0.
-1.
20
21
17
22
18
19
Wallbridge Mining Foy North
Loop FN-N, Line BL Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN−N, Line BL X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 0E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 0E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 150E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 150E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 300E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop FN-S, Line 300E X Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 450E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 450E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 650E Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line 650E X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN−S, Line BL Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop FN-S, Line BL X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop North, Hole WFN-010 Z Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop North, Hole WFN-010 X Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop North, Hole WFN-010 Y Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop South, Hole WFN−010 Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop South, Hole WFN−010 X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop South, Hole WFN-010 Y Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Company Inc. Foy North Project
Loop: Collar Hole: WFN-010 X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Company Inc. Foy North Project
Loop: Collar Hole: WFN-010 Y Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Company Inc. Foy North Project
Loop: Collar Hole: WFN-010 X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Company Inc. Foy North Project
Loop: Collar Hole: WFN-010 Y Component
Crone Geophysics & Exploration Ltd.



Scale 1:15000

250 0 250

(meters)

Wallbridge Mining

Foy North

3-D Borehole Pulse EM Survey

Borehole & Loop Location Map

Hole: WFN-010

Survey Date: July 30, 2015

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop North, Hole WFN-010 Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop North, Hole WFN−010 X Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop North, Hole WFN-010 Y Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop North, Hole WFN-010 Z Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop North, Hole WFN-010 X Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop North, Hole WFN-010 Y Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop North, Hole WFN-010 Z Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North

Loop North, Hole WFN-010 X Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Foy North
Loop North, Hole WFN-010 Y Component
Crone Geophysics & Exploration Ltd.



Wallbridge Mining Company Inc. Foy North Project

Hole: WFN-010 Z Component

Crone Geophysics & Exploration Ltd.



Wallbridge Mining Company Inc. Foy North Project
Hole: WFN-010 Z Component
Crone Geophysics & Exploration Ltd.



Hole: WFN-011_S1 Loop: 1512_S1 Cpt: Bs, Bn, Bw S 0.0° Tr 0.00	Chn / |Bp| (%) Cont norm @ Δz: 0m Base Freq: 4.0909Hz aS1Lp1512_HWFN-011.3cH5 / EM 3-Axis*	BHUTEM-4 Survey at: Foy North For: Wallbridge Mining LAMONTAGNE GEOPHYSICS LTD / GEOPHYSIQUE LTÉE Job 1506 Surv: 26/8/15 Red: 26/8/15 Plot: 26/8/15



Hole: WFN-011_S1 Loop: 1512_S1 Cpt: (Mag & Acc) S 0.0° Tr 0.00	Field: n/a Normalization: n/a Base Freq: 4.0909Hz aS1Lp1512_HWFN-011.3cH5 / 3-Axis Mag-Acc	BHUTEM-4 Survey at: Foy North For: Wallbridge Mining LAMONTAGNE GEOPHYSICS LTD / GEOPHYSIQUE LTÉE Job 1506 Surv: 26/8/15 Red: 26/8/15 Plot: 26/8/15



Hole: WFN-011_S1 Loop: 1512_S1 Cpt: Bn S 0.0° Tr 0.01	(Chn - Ch0) / |Bp| (%) Cont norm @ Δz: 0m Base Freq: 4.0909Hz aS1Lp1512_HWFN-011.3cH5 / 3-Axis tradeoff (2)*	BHUTEM-4 Survey at: Foy North For: Wallbridge Mining LAMONTAGNE GEOPHYSICS LTD GEOPHYSIQUE LTÉE Job 1506 Surv: 26/8/15 Red: 26/8/15 Plot: 26/8/15



Hole: WFN-011_S1 Loop: 1512_S1 Cpt: Bs S 0.0° Tr 0.01	(Chn - Ch0) / |Bp| (%) Cont norm @ Δz: 0m Base Freq: 4.0909Hz aS1Lp1512_HWFN-011.3cH5 / 3-Axis tradeoff (1)*	BHUTEM-4 Survey at: Foy North For: Wallbridge Mining LAMONTAGNE GEOPHYSICS LTD GEOPHYSIQUE LTÉE Job 1506 Surv: 26/8/15 Red: 26/8/15 Plot: 26/8/15



Hole: WFN-011_S1 Loop: 1512_S1 Cpt: Bw S 0.0° Tr 0.00	(Chn - Ch0) / |Bp| (%) Cont norm @ Δz: 0m Base Freq: 4.0909Hz aS1Lp1512_HWFN-011.3cH5 / 3-Axis tradeoff (3)*	BHUTEM-4 Survey at: Foy North For: Wallbridge Mining LAMONTAGNE GEOPHYSICS LTD GEOPHYSIQUE LTÉE Job 1506 Surv: 26/8/15 Red: 26/8/15 Plot: 26/8/15



Hole: WFN-011_S1 Loop: 1513_S1 Cpt: (Mag & Acc) S 0.0° Tr 0.00	Field: n/a Normalization: n/a Base Freq: 4.0909Hz aS1Lp1513_HWFN-011.3cH5 / 3-Axis Mag-Acc	BHUTEM-4 Survey at: Foy North For: Wallbridge Mining LAMONTAGNE GEOPHYSICS LTD / GEOPHYSIQUE LTÉE Job 1506 Surv: 26/8/15 Red: 26/8/15 Plot: 26/8/15



Hole: WFN-011_S1 Loop: 1513_S1 Cpt: Bn S 0.0° Tr 0.00	(Chn - Ch0) / |Bp| (%) Cont norm @ Δz: 0m Base Freq: 4.0909Hz aS1Lp1513_HWFN-011.3cH5 / 3-Axis tradeoff (3)*	BHUTEM-4 Survey at: Foy North For: Wallbridge Mining LAMONTAGNE GEOPHYSICS LTD / GEOPHYSIQUE LTÉE Job 1506 Surv: 26/8/15 Red: 26/8/15 Plot: 26/8/15



Hole: WFN-011_S1 Loop: 1513_S1 Cpt: Bs S 0.0° Tr 0.00	(Chn - Ch0) / |Bp| (%) Cont norm @ Δz: 0m Base Freq: 4.0909Hz aS1Lp1513_HWFN-011.3cH5 / 3-Axis tradeoff (3)*	BHUTEM-4 Survey at: Foy North For: Wallbridge Mining LAMONTAGNE GEOPHYSICS LTD / GEOPHYSIQUE LTÉE Job 1506 Surv: 26/8/15 Red: 26/8/15 Plot: 26/8/15



Hole: WFN-011_S1 Loop: 1513_S1 Cpt: Bs, Bn, Bw S 0.0° Tr 0.00	Chn / |Bp| (%) Cont norm @ Δz: 0m Base Freq: 4.0909Hz aS1Lp1513_HWFN-011.3cH5 / EM 3-Axis*	BHUTEM-4 Survey at: Foy North For: Wallbridge Mining LAMONTAGNE GEOPHYSICS LTD / GEOPHYSIQUE LTÉE Job 1506 Surv: 26/8/15 Red: 26/8/15 Plot: 26/8/15



Hole: WFN-011_S1 Loop: 1513_S1 Cpt: Bw S 0.0° Tr 0.00	(Chn - Ch0) / |Bp| (%) Cont norm @ Δz: 0m Base Freq: 4.0909Hz aS1Lp1513_HWFN-011.3cH5 / 3-Axis tradeoff (3)*	BHUTEM-4 Survey at: Foy North For: Wallbridge Mining LAMONTAGNE GEOPHYSICS LTD GEOPHYSIQUE LTÉE Job 1506 Surv: 26/8/15 Red: 26/8/15 Plot: 26/8/15

Schedule 3A:

Summary of actual costs declared for credit

Costs Statement for the Foy North and Harty Property, Wallbridge Mining Company

3(A)	Work performed	description of work	from (date)	to (date)	# units of work	cost per unit	Actual costs ($)	invoice copy incl.	comments
	Mapping, prospecting, and digitizing (GIS)	*Geologists spent 77 person-days mapping, prospecting and digitizing on the Foy North property (Claim 1241741 = 75%, 4277618 = 25%)*	15-May-15	30-Sep-15	77 person-days (2-3 person field crew)	$300	$23,100	NO	*Wallbridge employees Kyle Whitney, Madison Schmidt, Taus Jorgenson and Nicholas Wray*
	Casual Labor and Surveyor	*Laborers supervising excavator and drilling (trail and site building, inspecting drill & picking up core) (Claim 4212987 = 55%, 1241797 = 45%)*	1-Oct-14	30-Sep-15	44 person-days	$275	$12,100	NO	*Wallbridge employees Tom Johnson, Daniel Lacasse and Taylor Walker*
	Geologic Consultant	*Drill planning, core review, general geologic model review (Claim 4212987 = 25%, 1241797 = 25%, 1241741 = 25%, 4277618 = 25%)*	1-Jun-15	31-Jul-15	1.5 days	$396	$593	**YES**	*Miocene Metals and Carube Copper Corp Consultant: Shannon Baird*
	Report writing, program planning, core logging, safety inspections, and data compilation	*98 person-days program planning, compiling data, core logging and preparing reports (Claim 4212987 = 35%, 1241797 = 20%, 1241741 = 10%, 4277618 = 5%, 4245190 = 5%, 4240848 = 5%, 4273201 = 5%, 4273202 = 5%, 4273205 = 5%, 4212461 = 5%)*	1-Oct-14	30-Sep-15	98 person-days	$380	$37,240	NO	*Wallbridge employees: Dave Smith, Josh Bailey, Nicholas Wray and Natalie MacLean*
	Line Cutting EM Survey Grids	*Linecutting in preparation for Surface EM survey on Foy North Property (Claim 1241741 = 85%, 4240848 = 10%, 4212987 = 5%)*	1-Sep-15	22-Sep-15	3.15 line Km	$650	$3,161	**YES**	*Canadian Exploration Services (CXS)*
	DGPSing grids for EM Survey	*DGPSing and station picketing in preparation for Surface EM survey (Claim 1241741 = 85%, 4240848 = 10%, 4212987 = 5%)*	23-Sep-15	5-Oct-15	9.0 line Km	$200	$2,938	**YES**	*Canadian Exploration Services (CXS)*
	Surface EM Survey	*Surface EM survey on the Foy North Property (Claim 1241741 = 85%, 4240848 = 10%, 4212987 = 5%)*	15-Sep-15	30-Sep-15	Multiple Cost Units	n/a	$19,069	**YES**	*Crone Geophysics & Exploration Ltd*
	Geophysical Consulting	*Surface TEM planning & oversight on the Foy North Property (Claim 1241741 = 85%, 4240848 = 10%, 4212987 = 5%)*	1-Jul-15	31-Aug-15	0.5 days	$1,130	$565	**YES**	*Geoscience North*
	Drilling	*Drilling of 3409m (WFN-007 to WFN-012) Foy North Property (Claim 4212987 = 55%, 1241797 = 45%)*	18-Jun-15	8-Sep-15	3408.79 meters	n/a	$373,352	**YES**	*Jacob & Samuel Drilling Ltd.*
	Drilling (Borehole EM)	*BHEM 2 holes (WFN-010 and WFN-011) Foy North Property (Claim 4212987 = 50%, 1241797 = 50%)*	1-Jul-15	31-Aug-15	2 Holes	n/a	$48,771	**YES**	*Crone Geophysics & Exploration Ltd and LamontagneGeophysics Ltd.*
	Drilling (Gyro Surveys)	*GYRO 2 holes (WFN-010 and WFN-011) Foy North Property (Claim 4212987 = 50%, 1241797 = 50%)*	29-Jul-15	23-Aug-15	3 Holes	n/a	$6,978	**YES**	*Gyrodata Services Canada Inc.*
	Geochemical Sample Assaying (ICP-48 element & PGM-ICP23)	*Geochemical Rock assaying of 149 rock samples (Claim 4212987 = 45%, 1241797 = 38%, 1241741 = 15%, 4240848 = 2%)*	25-Jun-15	26-Jul-15	151 Assays	~$37	$5,627	**YES**	*ALS Canada Ltd.*
	Geochemical Sample Assaying (Whole Rock)	*Geochemical Rock assaying of 9 rock samples (Claim 4212987 = 75%, 1241797 = 25%)*	30-Jul-15	15-Sep-15	9 Assays	~$28	$253	**YES**	*ALS Canada Ltd.*
3(B)	**Associated costs - supplies, mobilization, demobilisation**								
	Drilling Supplies	*Core boxes & shipping for drilling on the Foy North Property (Claim 4212987 = 55%, 1241797 = 45%)*	1-Jun-15	30-Sep-15	4800 boxes	$4.75	$22,882	**YES**	*K-7 Core Box and FOREX Inc.*
	Excavator and float truck (Drill site prep, road building, drill transpoort, mechanical stripping)	*Drill support, site preparation and reclamation, and float flatbed truck for Foy North drill transportation (Claim 4212987 = 55%, 1241797 = 45%)*	1-Jun-15	28-Aug-15	Multiple Cost Units	n/a	$31,521	**YES**	*Rintala Construction Ltd.*
	Equipment Usage	*Core Saw, Differential GPS, and Beep Mat (Claim 4212987 = 30%, 1241797 = 30%, 1241741 = 20%, 4277618 = 20%)*	1-Oct-14	30-Sep-15	28 total days use	$25	$700	**NO**	*Daily Claim Rate (Company Owned)*
	Supplies and Safety Gear	*Satellite Phones, Radios, bear bangers, bear spray, sample bags, sample books, batteries, core logging equipment etc. (Claim 4212987 = 30%, 1241797 = 30%, 1241741 = 20%, 4277618 = 20%)*	1-Oct-14	30-Sep-15	Multiple Cost Units	n/a	$1,269	**YES**	*Spectrum Group, Globalstar, Exploration Services, NAPA, ALS Canada Ltd., Soucie Salo Safety and A&J Home Hardware*
3(C)	**Transportation**								
	Vehicles	*4 x 4 trucks (rental) and maintenance (servicing, oil change, towing etc.) (Claim 4212987 = 30%, 1241797 = 30%, 1241741 = 20%, 4277618 = 20%)*	1-Oct-14	30-Sep-15	12 months	n/a	$6,036	**YES**	*Discount Car and Truck Rental*
	Vehicles	*ATVs and Trailers for access during mapping (Claim 1241741 = 75%, 4277618 = 25%)*	1-Jun-15	30-Jun-15	3 days	$125	$375	**NO**	*Daily Rate Claimed (Company Owned)*
	Vehicles	*Rental ATVs for access during mapping (Claim 1241741 = 75%, 4277618 = 25%)*	18-May-15	18-Jul-15	3 weeks	$3,000	$2,102	**YES**	*Canadian Exploration Services (CXS)*
	Fuel	*Fuel costs for vehicles (Claim 4212987 = 30%, 1241797 = 30%, 1241741 = 20%, 4277618 = 20%)*	1-Oct-14	30-Sep-15	n/a	n/a	$5,090	**YES**	*Actual costs - Esso Imperial Oil*

Expense for claim	**1241741**	***Foy North***	**$48,391**	
Expense for claim	**1241797**		**$239,536**	*(+$285,487 reserve)*
Expense for claim	**4212987**		**$290,914**	*(+$144,960 reserve)*
Expense for claim	4218570		$0	*(+$30,808 reserve)*
Expense for claim	**4240848**		**$4,548**	
Expense for claim	4245185		$0	*(+$5,752 reserve)*
Expense for claim	**4245190**		**$1,862**	
Expense for claim	4273200		$0	
Expense for claim	**4273201**		**$1,862**	
Expense for claim	**4273202**		**$1,862**	
Expense for claim	4273203		$0	
Expense for claim	4273204		$0	
Expense for claim	**4273205**		**$1,862**	*(+$65 reserve)*
Expense for claim	**4277618**		**$11,024**	
Expense for claim	4212454	***Harty***	$0	
Expense for claim	**4212461**		**$1,862**	
	TOTAL EXPENSE CLAIMED		**$603,723**	

WALLBRIDGE MINING COMPANY LIMITED

FULL ANALYTICAL REPORT

- Assay -

Hole Number: **WFN-007** Project: **FOY_NORTH** Project Number: **691**

Assay Report (part 1 of 0)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)	Co (%)	Tpm (g/t)	S (%)	Ag (g/t)
17.51	18.49	0.98	S034001	Chemex	SD15101112	25-Jul-15	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.06	0.07
21.00	21.87	0.87	S034002	Chemex	SD15101112	25-Jul-15	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.01	0.03
22.12	22.46	0.34	S034003	Chemex	SD15101112	25-Jul-15	0.00	0.00	0.00	0.01	0.06	0.01	0.00	0.35	0.13
30.84	31.27	0.43	S034004	Chemex	SD15101112	25-Jul-15	0.00	0.00	0.00	0.01	0.02	0.01	0.00	0.21	0.15

WALLBRIDGE MINING COMPANY LIMITED

LITHOLOGY REPORT
- Detailed -

Hole Number: **WFN-007** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology		Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
0.00	4.54	**CAS**	***Casing***									
4.54	10.48	**GRDR**	***Granodiorite***									

Rock is 40% plagioclase, 20% quartz, 20 potassium feldspar, 20% mafics (mostly biotite). The potassium feldspar crystals are megacrystic, up to 3 cm; the quartz and plagioclase crystals are coarse to very coarse grained. The quartz crystals are dark blue in colour and the plagioclase crystals are tinged green due to pervasive epidote alteration. The mafic minerals are fine grained and soft. Trace disseminated pyrite throughout the section.

Alteration Maj:	Type/Style/Intensity	Comment
4.54 - 10.00	CHL VN W	minor chlorite stringers throughout the section
4.54 - 10.00	EP P W	feldspars are tinted green

10.48	21.57	**PYXT**	***Pyroxenite*** **1A4**	S034001	17.51	18.49	0.98	0.00	0.00	0.00	0.01	0.00
				S034002	21.00	21.87	0.87	0.00	0.00	0.00	0.01	0.00

Dark greenish gray crystalline rock. Upper 10cm is chilled and highly altered by carbonate; same at lower chilled margin. Composition appears to be nearly entirely mafic minerals (pyroxene and amphibole). The grain size of this rock varies from aphanitic to medium grained (may be skimming the quenched margin of the dike at various depths). Small epidote veinlets often have small pyrite cubes included. Average mag sus reading is 5.

Alteration Maj:	Type/Style/Intensity	Comment
10.48 - 10.91	Carb Dis M	lots of fizzing in the matrix of rock
12.39 - 12.50	HE VN S	
12.39 - 12.50	EP VN S	

Hole Number: **WFN-007** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		12.39 - 12.50 CHL VN S									
		20.25 - 20.26 Carb VN S									
		20.25 - 20.26 HE VN M									
		20.57 - 22.25 CHL VN M									
		20.57 - 22.25 EP VN M									
		20.57 - 22.25 HE VN M									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		12.39 - 12.50 SHR 45 minor, outlined by alteration									
		20.57 - 22.25 SHR 42 minor, outlined by alteration									
		Texture Maj: ***Type*** ***Comment***									
		20.57 - 22.25 APH rock has a gradational grain size change									
		Minor Interval: 20.57 22.00									
21.57	31.35	**DIA** ***Diabase***	S034003	22.12	22.46	0.34	0.00	0.00	0.00	0.01	0.06
		Dark gray, medium grained rock with quenched margins. Difficult to distinguish because it is a mafic dike cutting through an ultramafic body. Rock is 60% mafic minerals and 40% felsic(25% plagioclase, 15% quartz). Average mag reading for the dike is 1.5 while the surrounding pyxt dike is 5.	S034004	30.84	31.27	0.43	0.00	0.00	0.00	0.01	0.02
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***									
		22.29 - 22.30 PY F 5									
		22.29 - 22.30 CP F 5 found in a shared zone with quartz									
		Texture Maj: ***Type*** ***Comment***									
		21.57 - 22.25 APH quenched margined									

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

31.20 - 31.35 APH rock grades down to, what appears to be a quenched margin. At 31.35 there is a sharp contact with a medium grained version of the same rock.

31.35 45.68 **PYXT** ***Pyroxenite***

Same as above PYXT

Alteration Maj:	Type/Style/Intensity	Comment
22.25 - 45.19	HE VN W	
22.25 - 45.19	Qtz VN W	
22.25 - 45.19	EP VN W	
22.25 - 45.19	Carb VN W	
22.25 - 45.19	CHL VN W	all alteration types occur as small veinlets
45.19 - 45.68	Carb Dis S	
45.19 - 45.68	Carb VN M	

Minor Interval:

31.48	31.65	SDBX	*Sudbury Breccia*	**1A4**

45.68 53.00 **TON** ***Tonalite***

Light gray, medium grained, non magnetic. The rock has a slight pink tinge due to fracture filling of hematite in the plagioclase crystals. 45% plagioclase, 35% quartz, 15% mafics (biotite and amphibole), and 5% potassium feldspar.

Alteration Maj:	Type/Style/Intensity	Comment
45.68 - 53.00	HE FF M	in plagioclase
45.68 - 53.00	CHL VN WM	
45.68 - 53.00	EP VN WM	

Hole Number: **WFN-007** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

45.68 - 53.00 Qtz VN WM randomly oriented veinlets for all alteration types

Texture Maj:	Type	Comment
46.82 - 48.39	PORPH	plagioclase is porphyritic

53.00 117.44 **GR** ***Granite***

Pink, medium grained, non magnetic rock. 35% plagioclase, 30% potassium feldspar, 30% quartz, 5% mafics (biotite and amphibole). Trace pyrite throughout section. At 115.45-117.44 the felsic minerals are coarse to very coarse grained; possibly recrystallized.

Alteration Maj:	Type/Style/Intensity	Comment
53.00 - 117.44	HE VN WM	
53.00 - 117.44	Qtz VN WM	
53.00 - 117.44	CHL VN WM	
53.00 - 117.44	EP VN WM	randomly oriented veinlet crosscut

Texture Maj:	Type	Comment
100.28 - 100.34	PEG	
101.39 - 101.43	PEG	
102.88 - 102.96	PEG	
107.87 - 108.30	PM	
107.87 - 108.30	PEG	

117.44 125.29 **DIA** ***Diabase***

Fine to medium grained dark grey rock. Trace Py and Cpy found in the calcite veins

WALLBRIDGE MINING COMPANY LIMITED

LITHOLOGY REPORT
- Detailed -

Hole Number: **WFN-007** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Alteration Maj:	Type/Style/Intensity	Comment
117.44 - 125.29	Carb VN W	minor veinlets occuring throughout section, trace cp and py found in veins
117.44 - 125.29	HE VN W	minor veinlets occuring throughout section

Texture Maj:	Type	Comment
117.44 - 118.00	APH	upper chilled margin

WALLBRIDGE MINING COMPANY LIMITED

DRILL HOLE REPORT

Hole Number: **WFN-007** Project: **FOY_NORTH** Project Number: **691**

Drilling

Azimuth:	90
Dip:	-45
Length:	125.29
Started:	19-Jun-15
Completed:	21-Jun-15
Logged:	26-Jun-15

Comment:

Casing

Length:	0
Pulled:	no
Capped:	yes
Cemented:	no

Core

Dimension:	NQ
Storage:	Core Shed
Section:	
Hole Type	DD

Location

Township:	TYRONE
Claim No.:	4212987
NTS:	
Hole:	SURFACE

Coordinate - Gemcom

East:	476602
North:	5184337
Elev.:	457

Coordinate - UTM

East:	476602
North:	5184337
Elev.:	457
Zone: 17	**NAD:** 27

Other

Logged by:	Nick Wray
Relog by:	
Contractor:	Jacob & Samuel Drilling Ltd.
Spotted by:	Tom Johnson
Surveyed:	yes
Surveyed by:	Tom Johnson
Geophysics:	None
Geophysic Contractor:	
Left in hole:	Nothing
Making water:	no
Multi shot survey:	no

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	90.00	-45.00	C	☑	
15.00	87.20	-45.50	F	☑	
66.00	87.80	-45.30	F	☑	
117.00	87.30	-44.70	F	☑	

WALLBRIDGE MINING COMPANY LIMITED

FULL ANALYTICAL REPORT

- Assay -

Hole Number: **WFN-008** Project: **FOY_NORTH** Project Number: **691**

Assay Report (part 1 of 0)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)	Co (%)	Tpm (g/t)	S (%)	Ag (g/t)
205.66	206.05	0.39	S034005	Chemex	SD15101112	25-Jul-15	0.01	0.01	0.01	0.01	0.01	0.00	0.02	0.13	0.13
216.61	216.94	0.33	S034006	Chemex	SD15101112	25-Jul-15	0.00	0.01	0.01	0.02	0.01	0.00	0.03	0.22	0.14
253.19	253.58	0.39	S034007	Chemex	SD15101112	25-Jul-15	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.18	0.08
256.17	256.60	0.43	S034008	Chemex	SD15101112	25-Jul-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.17	0.11
256.60	258.04	1.44	S034009	Chemex	SD15101112	25-Jul-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.18	0.13
258.04	259.53	1.49	S034010	Chemex	SD15101112	25-Jul-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.19	0.10
259.53	260.48	0.95	S034011	Chemex	SD15101112	25-Jul-15	0.01	0.01	0.02	0.02	0.02	0.00	0.03	0.24	0.16

WALLBRIDGE MINING COMPANY LIMITED

LITHOLOGY REPORT
- Detailed -

Hole Number: **WFN-008** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
0.00	4.11	**CAS** *Casing*									
4.11	53.49	**GR** *Granite*									

Medium grained, pink, and locally weakly magnetic. Rock is 30% plagioclase, 30% quartz, 30% alkali feldspar, and 10% mafics (mostly biotite). At 41.69-50.61 section appears slightly blue due to a slight increase in quartz. At 51.25-51.91 the rocks appear white due to a lack of alkali feldspar.

Alteration Maj:	Type/Style/Intensity	Comment
4.11 - 53.50	Qtz VN W	
4.11 - 53.50	CHL VN M	
4.11 - 53.50	Carb VN W	associated with lake Cp and Py

Texture Maj:	Type	Comment
15.80 - 16.17	CG	almost pegmatitic
18.65 - 19.08	D	associated with coarse graine biotite. Feldspars up to 10cm in size.
40.83 - 41.18	BX	likely a hydrothermal breccia, strong veining associated.

Minor Interval:

34.69 35.11 DIA *Diabase*

aphanitic, quite mafic

53.49	65.37	**DIA** *Diabase*									

Fine grained, black, and magnetic. Upper and lower contacts have chilled margins. Mag sus values up to

Hole Number: **WFN-008** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

100.

Alteration Maj:	Type/Style/Intensity	Comment
53.49 - 65.37	HE VN WM	very red
53.49 - 65.37	Carb VN WM	

Structure Maj.:	Type/Core Angle	Comment
53.49 - 53.59	UC 43	
53.49 - 53.59	DSK 43	
53.49 - 53.59	SHR 43	
54.30 - 57.30	F 5	high angle fracturing
65.27 - 65.37	LC 30	
65.27 - 65.37	DSK 30	
65.27 - 65.37	SHR 30	

65.37 91.00 **IGN** ***Intermediate Gneiss***

fine to medium grained, magnetic, pinkish gray in colour. Rock is weakly banded and alternates between felsic rich and mafic rich sections.Felsic minerals are medium grained and mafic are fine grained. The mafic bands and the pegmatitic felsic sections are really magnetic due to increased magnetite (mag readings up to 100).

Alteration Maj:	Type/Style/Intensity	Comment
65.37 - 91.00	MAG Dis WM	found in mafic bands and pegmatitic sections
65.37 - 91.00	Ser Dis WM	found in mafic bands

Texture Maj:	Type	Comment
75.22 - 76.00	PEG	crystals up to 5 cm

Hole Number: **WFN-008** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

91.00 162.65 **GRDR** ***Granodiorite***

Pinkish gray, medium grained, weakly magnetic. 40% quartz, 30% plagioclase, 25% potassium feldspar, 5% biotite. This rock is on the border between a monzo-granite and a granodiorite. Locally the plagioclase is phenocrystic relative to the other minerals; crystals are up to 1cm. Section has many crosscutting quartz veins that contain pyrite and magnetite. 157.94-160.13 increased mafic minerals.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
121.62 - 121.71	Qtz VN S	contains pyrite and magnetite
125.16 - 125.17	Qtz VN S	50% of vein is pyrite
142.01 - 152.74	Carb PCH W	
142.01 - 152.74	CHL VN M	
142.01 - 152.74	EP VN M	
142.01 - 152.74	Qtz VN M	

Structure Maj.:	*Type/Core Angle*	*Comment*
152.75 - 152.76	G 5	healed clay gouge, brown colour

Texture Maj:	*Type*	*Comment*
103.97 - 104.03	PEG	magnetite associated
104.79 - 105.32	PEG	magnetite associated
114.98 - 115.22	PEG	magnetite associated
127.25 - 127.46	PEG	magnetite and pyrite associated
129.42 - 130.26	PEG	magnetite and pyrite associated
132.63 - 135.00	PEG	pegmatite is nearly 100% felsic minerals except for occasional biotite.
160.46 - 162.65	PEG	

162.65 177.09 **DIA** ***Diabase***

Fine grained, black, non-magnetic. Average mag Sus is 2 but increases slightly towards the center of the dike. The center of the dike is medium grained and has a slight greenish tinge. At 167.06 there is a 1cm

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

rounded quartz clast. Minor pyrite is associated with the alteration stringers.

Alteration Maj:	Type/Style/Intensity	Comment
162.65 - 177.00	CHL VN M	randomly oriented stringers
162.65 - 177.00	HE VN WM	deep red colour on joint surfaces
162.65 - 177.00	EP VN M	randomly oriented stringers
162.65 - 177.00	Carb VN M	randomly oriented stringers
162.65 - 177.00	Qtz VN M	randomly oriented stringers

Structure Maj.:	Type/Core Angle	Comment
162.65 - 162.66	UC 24	
177.08 - 177.09	LC 85	

Texture Maj:	Type	Comment
162.65 - 163.63	APH	
176.90 - 177.09	APH	

177.09 185.95 **GRDR** ***Granodiorite*** **1C5**

Medium grained, pink, non-magnetic rock. 40% quartz, 35% plagioclase, 15% potassium feldspar, 10% mafics. Crystals are equant and look like they have been recrystallized in areas. At 178.51 there is a 1cm SDBX vein (1C5).

Alteration Maj:	Type/Style/Intensity	Comment
177.09 - 185.95	HE FF M	increases near lower contact
177.09 - 185.95	CHL VN WM	
177.09 - 185.95	Carb VN WM	
177.09 - 185.95	Qtz VN WM	
177.09 - 185.95	ACTL VN WM	

Hole Number: **WFN-008** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Texture Maj:	Type	Comment
177.09 - 178.74	BX	hydrothermally brecciated rocks near the contact

185.95 203.16 **QD** ***Quartz Diorite***

Unit has dark gray, non-magnetic, fine grained matrix. The first 1.64 meters of the dike contains wispy, rounded, and irregular shaped clasts. The clasts are the same unit as the country rock and are interpreted to have been ripped off the country rock and transported a short distance. The clasts appear to be highly assimilated. At 187.39-188.04 the matrix contains acicular plagioclase needles up to 1cm long which is typical at QD margins. The average mag sus reading is 2 in areas with no matrix, clast rich areas have similar mag sus but are less consistent (range from 1-5). 195-197.05 increased feldspar up to 50%.

Alteration Maj:	Type/Style/Intensity	Comment
201.42 - 201.64	EP VN M	
201.42 - 201.64	Carb VN S	
201.42 - 201.64	HE VN S	

Mineralization Maj. :	Type/Style/%Mineral	Comment
185.95 - 203.16	PO DIS 0.1	
185.95 - 203.16	PY DIS 0.1	typically found with Po

Structure Maj.:	Type/Core Angle	Comment
191.03 - 193.18	BLKY	

Hole Number: **WFN-008** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology
203.16	260.48	**IQD** ***inclusion quartz diorite***

Same matrix as the previous unit, only difference is the presence of clasts. Section start is marked by the appearance of a 5cm quartz clasts; clast is subrounded. Locally there are accumulations of feldspars that form irregular shapes. 203.16-216.37 this section is considered inclusion poor quartz diorite; approximately 1 clast is seen per 50 cm; these clasts are composed quartz and plagioclase and are 1cm in size on average. 216.37 marks the first appearance of a large clast; clast is 20 cm and composed of gneiss. At 219.40 the first appearance of an exotic clast; clast is medium grained, rounded, mafic, and 7 cm. As the hole moves towards the center of the dike the IQD contains more clasts, larger clasts, and a greater variety of clast types. At 221.49 the rock is now considered inclusion rich quartz diorite; this transition is coincident with a decrease in blebby mineralization. At 228.92-229.62 there is a fine grained, dark gray, very magnetic (Mag sus=128). At 234-234.56 there are tightly packed quartz clasts; quartz clasts are subangular and 0.5cm on average. At 235.90-236.77 there is a clast that is almost entirely quartz; same found at 237-238. At 234-234.55 there is another section of tightly packed quartz clasts averaging 1 cm in size; these are interpreted to have been derived from the same rock type as the larger quartz rich clasts. At 254 clasts start to become less common and smaller; this is associated with a slight increase in blebby Py>Po>Cp mineralization.

Alteration Maj:	Type/Style/Intensity	Comment
208.03 - 208.32	Qtz VN M	
208.03 - 208.32	EP VN M	caused bleaching which highlights the feldspars and shows how felsic the rock really is.
230.71 - 230.91	ACTL VN M	
230.71 - 230.91	Qtz VN I	
236.85 - 236.87	ACTL PCH M	more likely hornblende
247.84 - 247.95	HE PCH S	altered clast

Mineralization Maj. :	Type/Style/%Mineral	Comment
205.85 - 205.86	PY BL 10	
205.85 - 205.86	PO BL 10	first appearance of significant, non-pyrite mineralization; Po bleb is 2cm long and an irregular shape, rimmed by Py
205.86 - 216.70	PY BL 0.25	
205.86 - 216.70	PO BL 0.25	both minerals found in the same blebs
216.70 - 221.49	CP BL 0.1	
216.70 - 221.49	PO BL 0.2	

Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
S034005	205.66	206.05	0.39	0.01	0.01	0.01	0.01	0.01
S034006	216.61	216.94	0.33	0.00	0.01	0.01	0.02	0.01
S034007	253.19	253.58	0.39	0.00	0.00	0.00	0.01	0.01
S034008	256.17	256.60	0.43	0.00	0.01	0.01	0.01	0.01
S034009	256.60	258.04	1.44	0.00	0.01	0.01	0.01	0.01
S034010	258.04	259.53	1.49	0.00	0.01	0.01	0.01	0.01
S034011	259.53	260.48	0.95	0.01	0.01	0.02	0.02	0.02

Hole Number: **WFN-008** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

216.70 - 221.49 PY BL 0.5 sporadic blebs that average 4mm for all three types of mineralization.
253.19 - 260.00 CP BL 0.1 occur within Po blebs
253.19 - 260.00 PO BL 0.3
253.19 - 260.00 PY BL 0.2 often rim Po blebs

Texture Maj:	Type	Comment
239.43 - 247.80	MG	increase in grain size is coincident with a great increase in magnetism. This section has mag values ranging from 22-100. Highest mag values occur when there are less clasts.

260.48 279.09 **QD**

The contact with the IQD is sharp and associated with a change in texture. This unit is coarser than the IQD. Massive and dark gray. Average mag reading is 10 so still slightly magnetic. Trace blebby and disseminated Py>Po throughout. 278.41 there is a 1cm rounded quartz clast.

Structure Maj.:	Type/Core Angle	Comment
279.08 - 279.09	LC 31	

Texture Maj:	Type	Comment
279.00 - 279.09	LNTD	
279.00 - 279.09	APH	quenched margin

279.09 299.88 **GR** ***Granite***

Medium grained, pink, nonmagnetic. 25% quartz, 35% plagioclase, 30% potassium feldspar, 10% mafics.

Alteration Maj:	Type/Style/Intensity	Comment
284.78 - 285.34	EP PCH M	

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Texture Maj:	Type	Comment
295.13 - 297.24	PEG	contains graphic intergrowths

299.88 306.64 **FP** ***feldspar porphyry***

The mineralogy indicates that this rock is a granite. Rock has been separated out because there is a sharp upper contact and is texturally different than the previous unit. Distinguished by the phenocrystic alkali feldspar (up to 3 cm). The quartz is a smokey blue colour. Same rock type that is found at the start of hole 7.

Alteration Maj:	Type/Style/Intensity	Comment
299.88 - 304.92	HE FF S	alteration of potassium feldspar phenocrysts
304.92 - 306.64	EP FF S	alteration of potassium feldspar phenocrysts

306.64 315.69 **GR** ***Granite***

highly altered, very difficult to determine true lithology. Fine grained, greenish red in colour.

Alteration Maj:	Type/Style/Intensity	Comment
306.64 - 307.79	HE P M	
306.64 - 307.79	EP P M	
307.79 - 308.16	CHL PCH M	vuggy
307.79 - 308.16	Carb FF M	vuggy
307.79 - 308.16	Ank FF M	
307.79 - 308.16	HE P M	
307.79 - 308.16	EP P M	

Hole Number: **WFN-008** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
315.69	318.04	**FP** ***feldspar porphyry*** same as previous FP									
318.04	320.50	**GR** ***Granite*** Same as previous. 319.66-320.50 dark quartz rich rock.									

WALLBRIDGE MINING COMPANY LIMITED

DRILL HOLE REPORT

Hole Number: **WFN-008** Project: **FOY_NORTH** Project Number: **691**

Drilling

Azimuth: 90
Dip: -60
Length: 320.5
Started: 21-Jun-15
Completed: 26-Jun-15
Logged: 26-Jun-15
Comment: **Box 7 is missing**

Casing

Length: 0
Pulled:
Capped: yes
Cemented: no

Core

Dimension: NQ
Storage: Core Shed
Section:
Hole Type DD

Location

Township: TYRONE
Claim No.: 4212987
NTS:
Hole: SURFACE

Coordinate - Gemcom

East: 476498.6
North: 5183730
Elev.: 458

Coordinate - UTM

East: 476498
North: 5183730
Elev.: 458
Zone: 17 **NAD:** 27

Other

Logged by: Nick Wray
Relog by:
Contractor: Jacob & Samuel Drilling Ltd.
Spotted by: Tom Johnson
Surveyed: no
Surveyed by: Tom Johnson
Geophysics: None
Geophysic Contractor:
Left in hole: Nothing
Making water: no
Multi shot survey: no

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	90.00	-60.00	C	☑	
15.00	91.60	-61.50	F	☑	
66.00	95.70	-61.30	F	☑	
117.00	91.40	-60.90	F	☑	
168.00	90.40	-60.70	F	☑	
219.00	95.10	-60.80	F	☑	
270.00	95.30	-60.80	F	☑	
320.00	93.30	-60.60	F	☑	

WALLBRIDGE MINING COMPANY LIMITED

QUALITY CONTROL REPORT

Hole Number: **WFN-008** Project: **FOY_NORTH** Project Number: **691**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Agc1 (g/t)	Ag (g/t)	Au (g/t)	Auc1 (g/t)
261.00	S034012	CRFM-100 S			Chemex	-	2.17	0.18	-
261.01	S034013	Blank			Chemex	-	0.01	0.00	-

WALLBRIDGE MINING COMPANY LIMITED

FULL ANALYTICAL REPORT

- Assay -

Hole Number: **WFN-009** Project: **FOY_NORTH** Project Number: **691**

Assay Report (part 1 of 0)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)	Co (%)	Tpm (g/t)	S (%)	Ag (g/t)
243.24	244.70	1.46	S034014	Chemex	SD15108779	08-Aug-15	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.01
315.30	315.91	0.61	S034015	Chemex	SD15108779	08-Aug-15	0.00	0.00	0.00	0.01	0.04	0.01	0.01	0.18	0.05
395.01	395.81	0.80	S034016	Chemex	SD15108779	08-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.17	0.08
408.82	410.08	1.26	S034017	Chemex	SD15108779	08-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.18	0.07
412.64	414.13	1.49	S034018	Chemex	SD15108779	08-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.18	0.06
415.82	417.32	1.50	S034019	Chemex	SD15108779	08-Aug-15	0.00	0.01	0.01	0.01	0.02	0.00	0.02	0.16	0.13
417.32	418.82	1.50	S034020	Chemex	SD15108779	08-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.17	0.08
418.82	419.32	0.50	S034021	Chemex	SD15108779	08-Aug-15	0.00	0.02	0.02	0.03	0.03	0.00	0.05	0.42	0.15
419.32	420.35	1.03	S034022	Chemex	SD15108779	08-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.15	0.07
424.48	424.95	0.47	S034023	Chemex	SD15108779	08-Aug-15	0.01	0.04	0.05	0.04	0.04	0.00	0.10	0.47	0.31
424.95	426.14	1.19	S034024	Chemex	SD15108779	08-Aug-15	0.02	0.05	0.09	0.07	0.07	0.01	0.15	0.66	0.47

WALLBRIDGE
MINING COMPANY LIMITED

FULL ANALYTICAL REPORT

- Assay -

Hole Number: **WFN-009** Project: **FOY_NORTH** Project Number: **691**

WALLBRIDGE MINING COMPANY LIMITED

LITHOLOGY REPORT
- Detailed -

Hole Number: **WFN-009** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
0.00	1.83	**CAS** *Casing*									
1.83	27.14	**GR**									

Medium grained, pink, non-magnetic. 30% quartz, 30% plagioclase feldspar, 30% alkali feldspar, 10% mafic(biotite and amphibole). The felsic minerals are equant and possibly recrystallized. There is no strong banding fabric but the rock does alternate between mafic poor and mafic rich sections making it look similar to a gneiss. 18.58-19.31 biotite rich section.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
1.83 - 27.00	HE P W	weak hematite staining throughout section

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
8.53 - 8.54	PY BL 10	3cm bleb in quartz vein
20.31 - 20.33	PY FF 10	multiple large patches of pyrite in a quartz vein

Texture Maj:	*Type*	*Comment*
8.96 - 9.18	PEG	
17.15 - 18.14	PEG	quartz and plagioclase crystals up to 4cm.

27.14 50.78 **DIA**

Dark gray, fine grained, magnetic rock. Minor clusters of pyrite throughout.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
27.14 - 27.79	Carb VN M	
27.14 - 27.79	Carb P M	

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		48.90 - 50.78 Carb VN M									
		48.90 - 50.78 Qtz VN M									
		48.90 - 50.78 EP VN M									
		48.90 - 50.78 HE VN M									

Structure Maj.:	Type/Core Angle	Comment
27.14 - 27.15	UC 15	
27.15 - 27.16	SHR 15	upper contact is sheared
48.90 - 50.40	BLKY	
48.90 - 50.40	BC	

50.78 116.70 **GR**

Similar to previous Gr but more texturally variable. This section is also more altered than the previous GR. 60.46-62.55 increased mafic minerals; rock appears gray.

Alteration Maj:	Type/Style/Intensity	Comment
50.78 - 87.63	EP P	stained feldspars
50.78 - 87.63	HE P M	stained feldspars
50.78 - 87.63	CHL VN WM	randomly oriented veinlets
101.32 - 101.90	CHL VN M	
101.32 - 101.90	EP VN M	
101.32 - 101.90	HE P S	can no longer see original texture of rock
101.90 - 102.12	CHL VN I	large vein
102.12 - 103.52	CHL VN M	
102.12 - 103.52	EP VN M	
102.12 - 103.52	HE P S	

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Structure Maj.: ***Type/Core Angle*** ***Comment***

50.78 - 50.79 LC highly irregular with quartz vein

Texture Maj: ***Type*** ***Comment***

53.00 - 58.58 CG

83.67 - 84.04 PEG

116.70 135.29 **GRDR** ***Granodiorite***

Light gray, fine to medium grained, weakly magnetic. Distinguished from previous unit by decrease in alkali-feldspar and a sharp reduction in grain size. The section contains <1% phenocrystic alkali feldspars.

Minor Interval:

126.03 127.75 GR *Granite*

typical coarse grained, slightly hematized granite seen previously in hole.

135.29 237.36 **GR** ***Granite***

Pinkish gray, medium to very coarse grained, non-magnetic, texturally complex section. There appears to be an increase in alkali feldspar but it is possible that these crystals are hematized plagioclase. Rock is composed of medium to very coarse grained feldspar crystals set in a quartz/biotite matrix (appears similar to a breccia texture). At 180.66 the rock loses the "breccia" texture and returns to a typical granite texture.

Alteration Maj: ***Type/Style/Intensity*** ***Comment***

143.67 - 148.34 EP PCH WM

143.67 - 148.34 HE P M

143.67 - 148.34 Ser PCH WM

143.67 - 148.34 EP VN WM

Hole Number: **WFN-009** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)		Lithology		Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		143.67 - 148.34	CHL VN M										
		158.00 - 174.52	Ser SP WM										
		158.00 - 174.52	EP SP WM										
		158.00 - 174.52	HE PCH M										
		179.25 - 180.00	HE P M										
		214.06 - 217.05	Qtz P S	heavily silicified section									
		214.06 - 217.05	HE P M										
		217.05 - 219.80	EP VN M										
		217.05 - 219.80	Qtz P S	heavily silicified									
		217.05 - 219.80	CHL VN WM										
		217.05 - 219.80	Ser PCH M	soft patches									
		230.72 - 230.79	CHL VN S										
		230.72 - 230.79	Carb VN M										
		230.72 - 230.79	EP VN M										
		Structure Maj.:	***Type/Core Angle***	***Comment***									
		230.72 - 230.79	SHR 23	does not appear to have movement									
		Texture Maj:	***Type***	***Comment***									
		177.67 - 178.76	D	feldspars up to 4cm									
237.36	251.01	**DIA**	***Diabase***		S034014	243.24	244.70	1.46	0.00	0.00	0.00	0.01	0.00
		Dark gray, fine to medium grained, non magnetic (av. Mag sus is 0.5 with little dev.). Crystals are medium grained towards centre of dike. No clasts or mineralization.											
		Structure Maj.:	***Type/Core Angle***	***Comment***									

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

240.15 - 241.02 BC
251.00 - 251.01 LC 5

Texture Maj:	Type	Comment
237.36 - 237.52	APH	upper chilled margin, light gray with a greenish pink tinge.

251.01 262.62 **GR**

Similar to previous. 260-262.72 slight increase in mafic make the rocks look light gray rather than pink.

262.62 265.82 **DIA**

Fine grained, greenish gray in colour, non magnetic rock (average mag sus of 1.2). Trace pyrite. Strong high angle jointing.

Structure Maj.:	Type/Core Angle	Comment
262.62 - 262.63	UC 13	sharp
265.81 - 265.82	LC 41	Sharp

265.82 271.77 **GRDR** ***Granodiorite***

Medium to coarse grained, greyish pink, non magnetic. Minor phenocrystic alkali feldspars.

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
271.77	298.86	**GR** ***Granite***									

Gradational contact with previous unit. Medium to coarse grained, pink, non-magnetic. This is not a typical massive granite, it is quite variable in texture. At 290.43-298.86 the granite has small local mafic intervals with a slight fabric; the rocks are close to being a granite gneiss.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
276.72 - 281.00	HE INT WM	makes rocks appear red

Texture Maj:	*Type*	*Comment*
280.33 - 280.87	PM	Probably not a strong partial melt but the rocks appear "cooked up" and there is a distinct textural change. Looks similar to graphic intergrowths.

298.86	323.00	**GAB** ***Gabbro***	S034015	315.30	315.91	0.61	0.00	0.00	0.00	0.01	0.04

Black, fine grained, very magnetic rock. The margins of the dike are less magnetic but the main body's mag values range from 102-235. Rock is approximately 30% plagioclase and 70% mafics (amphibole+/-pyx) it is difficult to tell because the rock is fine grained. This dike coincides with the 3D mag in the area. Dike is 1% Py>Po.

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
298.86 - 323.00	PO BL 0.25	
298.86 - 323.00	PY VN 0.25	in carbonate veins
298.86 - 323.00	PY BL 0.5	

Structure Maj.:	*Type/Core Angle*	*Comment*
298.86 - 298.87	UC 17	
298.87 - 299.00	SHR 17	associated with quartz and pyrite

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		322.41 - 323.00 BLKY									
		322.99 - 323.00 LC 39 altered									
323.00	363.18	**GR**									

Medium grained, equigranular, pink, non-magnetic granite. The section is more homogeneous than previous granite sections. Trace Py. 353.92-363.18 the rocks are chaotic looking due to increase in alteration, structure, and have been slightly cooked up by the nearby QD dike.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
354.06 - 354.14	Qtz F I	
354.06 - 354.14	CHL F I	
354.16 - 354.21	CHL VN S	
354.16 - 354.21	Carb VN S	created vugs
354.16 - 354.21	Qtz VN S	
354.66 - 355.01	EP VN M	
354.66 - 355.01	Carb VN M	created vugs
354.66 - 355.01	Qtz VN I	
358.71 - 358.84	CHL VN I	hydrothermal breccia

Structure Maj.:	*Type/Core Angle*	*Comment*
358.71 - 358.84	BX	hydrothermal breccia
359.58 - 359.99	BC	
363.13 - 363.18	SHR 42	altered

363.18	368.98	**SDBX** *Sudbury Breccia*	**1D3**								

Dark greenish gray, clastic, weakly magnetic. Clasts are felsic, subangular and 0.5 cm in size. This section is at the contact between the footwall granites and the Hess Offset dike. The rock is very chaotic

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

and difficult to distinguish. It is also possible that the start of this section is IQD rather than SDBX; the clasts could have been ripped off the adjacent wall rock upon emplacement of the Hess offset, however I find it more likely that this rock is SDBX.

Alteration Maj:	Type/Style/Intensity	Comment
363.18 - 368.98	Carb VN M	vuggy
363.18 - 368.98	EP P M	
363.18 - 368.98	HE P M	

368.98 370.17 **IGN** ***Intermediate Gneiss***

Coarse grained, gray, banded, non-magnetic. It is likely that this gneiss is actually just a large block in the SDBX or IQD.

370.17 386.62 **QD**

Gray, medium grained, non-magnetic (average reading is 1.5). Trace py. The real lithology of the rock is granodiorite; this coarse section is the best place to see how felsic the rock is. At 381.20 there is a sharp textural change, the "coarse grained" phase changes to the fine grained QD phase; the fine grained QD phase contains <5% small clasts so it is not considered IQD; blebby pyrite mineralization is coincident with this textural change..

Texture Maj:	Type	Comment
370.17 - 381.20	MASS	

Hole Number: **WFN-009** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		370.17 - 381.20 CG "coarse grained" massive section that is typically seen at the margins of qd dikes									
		381.20 - 386.62 FG same lithology but sharp textural contact with the "coarse grained" massive section.									
386.62	418.14	**IQD** ***inclusion quartz diorite***	S034016	395.01	395.81	0.80	0.00	0.01	0.01	0.01	0.01
		Fine grained, dark gray, non-magnetic (locally the rock is weakly magnetic but this appears to be from disseminated and blebby Po). The beginning of the section is marked by the first appearance of a large clast, the clast is 73 cm; the large clast rich section continues until 391.71; the rest of the IQD section is composed of smaller clasts (avg 2cm) that are more spread out (10% of the rock is composed of clasts). Clasts compositions include: quartz, granite, gneiss, and possible QD (@ 418.10).	S034017	408.82	410.08	1.26	0.00	0.01	0.01	0.01	0.01
			S034018	412.64	414.13	1.49	0.00	0.01	0.01	0.01	0.01
			S034019	415.82	417.32	1.50	0.00	0.01	0.01	0.01	0.02
			S034020	417.32	418.82	1.50	0.00	0.01	0.01	0.01	0.01
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***									
		408.82 - 415.82 CP BL 0.05									
		408.82 - 415.82 PY BL 0.15									
		408.82 - 415.82 PO BL 0.15									
		415.82 - 418.14 CP BL 0.05									
		415.82 - 418.14 PY BL 0.15									
		415.82 - 418.14 PO BL 0.3									
418.14	436.31	**QD** ***Quartz Diorite***	S034021	418.82	419.32	0.50	0.00	0.02	0.02	0.03	0.03
		Same as previous QD section. This section has the best mineralization in the whole. There is a textural change to the coarse grained QD at 425.30-433.65m.	S034022	419.32	420.35	1.03	0.00	0.01	0.01	0.01	0.01
			S034023	424.48	424.95	0.47	0.01	0.04	0.05	0.04	0.04
			S034024	424.95	426.14	1.19	0.02	0.05	0.09	0.07	0.07
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***									
		418.14 - 426.14 CP BL 0.5 blebby and wispy									
		418.14 - 426.14 PY BL 0.5 blebby and wispy									
		418.14 - 426.14 PO BL 1.5 blebby and wispy									

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Structure Maj.: ***Type/Core Angle*** ***Comment***

436.30 - 436.31 LC 90 sharp

Texture Maj: ***Type*** ***Comment***

433.65 - 436.31 FG quenched QD with amphibole needles up to 1cm.
0.25% Py in this section

436.31 441.31 **GR** ***Granite***

similar as previous.

Texture Maj: ***Type*** ***Comment***

436.31 - 441.31 D feldspars are porphyritic

441.31 449.98 **GRDR** ***Granodiorite***

medium grained, light gray, non-magnetic

449.98 452.31 **QD** ***Quartz Diorite***

Aphanitic, black, spherulitic QD.

Structure Maj.: ***Type/Core Angle*** ***Comment***

449.98 - 449.99 UC 40

452.30 - 452.31 LC 40

Hole Number: **WFN-009** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Texture Maj: ***Type*** ***Comment***
449.98 - 452.31 S

452.31 454.32 **GR** ***Granite***

Appears to be cooked up

Alteration Maj: ***Type/Style/Intensity*** ***Comment***
452.31 - 454.32 HE INT WM makes rocks appear more red

Texture Maj: ***Type*** ***Comment***
452.31 - 454.32 PEG
452.31 - 454.32 PM

454.32 457.15 **GRDR** ***Granodiorite***

medium grained, light gray, non-magnetic

457.15 457.76 **QD** ***Quartz Diorite***

same as previous. Has irregular contacts

Texture Maj: ***Type*** ***Comment***

Hole Number: **WFN-009** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		457.15 - 457.76 S									
457.76	465.08	**GRDR** ***Granodiorite***									
		Same as previous									

WALLBRIDGE MINING COMPANY LIMITED

DRILL HOLE REPORT

Hole Number: **WFN-009** Project: **FOY_NORTH** Project Number: **691**

Drilling

Azimuth:	0
Dip:	-50
Length:	465.08
Started:	26-Jun-15
Completed:	05-Jul-15
Logged:	30-Jun-15

Casing

Length:	0
Pulled:	
Capped:	yes
Cemented:	no

Core

Dimension:	NQ
Storage:	Core Shed
Section:	
Hole Type	DD

Location

Township:	TYRONE
Claim No.:	4212987
NTS:	41I/14
Hole:	SURFACE

Other

Logged by:	Nick Wray
Relog by:	
Contractor:	Jacob & Samuel Drilling Ltd.
Spotted by:	Tom Johnson
Surveyed:	
Surveyed by:	Tom Johnson
Geophysics:	None
Geophysic Contractor:	
Left in hole:	Nothing
Making water:	no
Multi shot survey:	no

Comment: 0-362 measured using blocks. 362 I started stated doing continuous measuring over the QD dike for sampling purposed.

Coordinate - Gemcom

East:	476467.5
North:	5183639.8
Elev.:	458

Coordinate - UTM

East:	476468
North:	5183640
Elev.:	458
Zone: 17	**NAD:** 27

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	0.00	-50.00	C	☑	
14.00	2.60	-48.90	F	☑	
65.00	2.80	-49.20	F	☑	
116.00	3.30	-48.60	F	☑	
167.00	4.10	-48.10	F	☑	
218.00	3.60	-47.90	F	☑	
269.00	3.70	-47.50	F	☑	
320.00	9.20	-46.20	F	☑	
371.00	9.10	-45.20	F	☑	
422.00	11.50	-45.10	F	☑	

WALLBRIDGE MINING COMPANY LIMITED

QUALITY CONTROL REPORT

Hole Number: **WFN-009** Project: **FOY_NORTH** Project Number: **691**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Agc1 (g/t)	Ag (g/t)	Au (g/t)	Auc1 (g/t)
427.00	S034035	CRFM-100 S			Chemex	-	2.18	0.17	-
428.00	S034036	Blank			Chemex	-	0.02	0.00	-

WALLBRIDGE MINING COMPANY LIMITED

FULL ANALYTICAL REPORT

- Assay -

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

Assay Report (part 1 of 0)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)	Co (%)	Tpm (g/t)	S (%)	Ag (g/t)
40.72	41.54	0.82	S034025	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.03	0.22	0.12
52.38	52.77	0.39	S034026	Chemex	SD15118475	21-Aug-15	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.12	0.05
60.98	61.54	0.56	S034027	Chemex	SD15118475	21-Aug-15	0.05	0.11	0.18	0.12	0.17	0.01	0.34	1.55	0.49
324.09	324.87	0.78	S034028	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.17	0.10
342.56	343.69	1.13	S034029	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.17	0.10
343.69	345.06	1.37	S034030	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.14	0.08
369.68	371.04	1.36	S034031	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.17	0.08
372.14	373.64	1.50	S034032	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.02	0.01	0.01	0.00	0.03	0.19	0.09
378.96	380.19	1.23	S034033	Chemex	SD15118475	21-Aug-15	0.00	0.02	0.02	0.02	0.01	0.00	0.04	0.31	0.08
380.19	381.54	1.35	S034034	Chemex	SD15118475	21-Aug-15	0.01	0.03	0.04	0.03	0.04	0.00	0.07	0.35	0.29
523.87	524.35	0.48	S034037	Chemex	SD15118475	21-Aug-15	0.00	0.02	0.02	0.01	0.01	0.00	0.04	0.02	0.11
528.76	530.15	1.39	S034038	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.00	0.02	0.00	0.02	0.04	0.09
530.15	531.00	0.85	S034039	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.03	0.01	0.07
536.30	537.00	0.70	S034040	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.03	0.00	0.03	0.12	0.15
550.89	552.39	1.50	S034041	Chemex	SD15118475	21-Aug-15	0.00	0.02	0.01	0.01	0.02	0.00	0.03	0.07	0.12
552.39	553.75	1.36	S034042	Chemex	SD15118475	21-Aug-15	0.01	0.01	0.01	0.01	0.05	0.01	0.03	0.11	0.21
556.29	556.64	0.35	S034043	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.02	0.00	0.03	0.05	0.12
561.82	562.22	0.40	S034044	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.00	0.03	0.00	0.02	0.08	0.18
574.83	576.23	1.40	S034047	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.03	0.03	0.12
591.30	592.79	1.49	S034048	Chemex	SD15118475	21-Aug-15	0.01	0.01	0.01	0.01	0.03	0.01	0.03	0.08	0.21
594.30	595.23	0.93	S034049	Chemex	SD15118475	21-Aug-15	0.01	0.01	0.01	0.01	0.03	0.01	0.03	0.16	0.32
621.34	621.90	0.56	S034050	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.02	0.01	0.02	0.12	0.15
643.06	643.56	0.50	S034301	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.02	0.00	0.02	0.06	0.13
644.34	645.38	1.04	S034302	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.03	0.01	0.03	0.07	0.17
658.03	658.40	0.37	S034303	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.02	0.00	0.03	0.05	0.07
680.35	681.80	1.45	S034304	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.02	0.01	0.03	0.05	0.12
687.91	688.53	0.62	S034305	Chemex	SD15118475	21-Aug-15	0.01	0.02	0.02	0.01	0.12	0.01	0.04	0.20	0.30
706.08	706.43	0.35	S034306	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.02	0.01	0.04	0.00	0.04	0.15	0.28
710.20	711.00	0.80	S034307	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.02	0.01	0.03	0.08	0.12
726.71	727.05	0.34	S034308	Chemex	SD15118475	21-Aug-15	0.01	0.01	0.01	0.01	0.06	0.01	0.03	0.19	0.19

WALLBRIDGE MINING COMPANY LIMITED

FULL ANALYTICAL REPORT

- Assay -

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

Assay Report (part 1 of 0)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)	Co (%)	Tpm (g/t)	S (%)	Ag (g/t)
744.23	744.92	0.69	S034309	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.02	0.01	0.03	0.08	0.14
765.41	766.27	0.86	S034310	Chemex	SD15118475	21-Aug-15	0.00	0.02	0.01	0.01	0.02	0.00	0.03	0.06	0.12
770.08	770.80	0.72	S034311	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.02	0.02	0.02	0.00	0.03	0.13	0.09
840.80	841.10	0.30	S034312	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.02	0.01	0.02	0.07	0.12
899.36	899.67	0.31	S034313	Chemex	SD15118475	21-Aug-15	0.01	0.01	0.01	0.01	0.12	0.01	0.03	0.18	0.18
903.70	904.09	0.39	S034314	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.03	0.01	0.03	0.10	0.18
942.19	942.56	0.37	S034317	Chemex	SD15118475	21-Aug-15	0.00	0.01	0.01	0.01	0.01	0.00	0.03	0.03	0.08
949.10	949.43	0.33	S034318	Chemex	SD15118475	21-Aug-15	0.01	0.01	0.01	0.01	0.14	0.01	0.03	0.21	0.33

WALLBRIDGE MINING COMPANY LIMITED

LITHOLOGY REPORT
- Detailed -

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology		Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
0.00	5.10	**CAS**	***Casing***									
5.10	49.84	**IQD**	***inclusion quartz diorite***	S034025	40.72	41.54	0.82	0.00	0.01	0.01	0.01	0.01

Fine grained, black, weakly magnetic rock (average matrix reading is 1.5 but there are clasts that are strongly magnetic). Clasts are subrounded and appear to be partially assimilated. Clasts size is very variable; the majority of clasts range from 1-5 cm in size but can be up to a meter. Most clasts are partially melted granites or gneisses; the clasts are coarse grained and original mineral boundaries are difficult to distinguish. At 12.18 there is a 20cm diabase clast that is very magnetic. A type of clast that is composed of 70% quartz and 30% biotite is common and can be seen at 12.93-13.56. From 25.5-45.5 there is an increase in the mag (ranges from 5-30). QD clasts are less common but are seen; a possible example is at 38.44-38.59, this clast appears to be epidote altered QD or diabase. At 37.04-37.57 there is a unknown magnetic clast type that is commonly seen; it appears to be a heavily brecciated quartz rich rock. At 41-49.84 the rock is considered inclusion poor QD; the start of the inclusion poor QD is accompanied by a slight increase in blebby sulfide mineralization.

Mineralization Maj. :	***Type/Style/%Mineral***	***Comment***
5.10 - 22.01	PO BL 0.05	
5.10 - 22.01	PY BL 0.2	
39.20 - 49.84	CP BL 0.05	
39.20 - 49.84	PO BL 0.2	
39.20 - 49.84	PY BL 0.25	

49.84	178.20	**QD**	***Quartz Diorite***	S034026	52.38	52.77	0.39	0.00	0.00	0.01	0.01	0.01
				S034027	60.98	61.54	0.56	0.05	0.11	0.18	0.12	0.17

Medium grained, gray, massive, trace amounts of small clasts, non-magnetic (locally weakly magnetic). At 53.62-53.74 there is a section with increased pervasive hematite and contains multiple clasts. This section contains wispy stringers of Py+/-Po; this type of mineralization is different than the blebby style seen in the previous IQD. At 78.65-80.30 the rock appears more mafic and is magnetic. The entire

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

section has minor Carb and Ep stringers and minor pervasive He alteration. At 120.06 there is a 6 cm rounded granite clast; the hole is likely close to the IQD contact. At 121.12 there is a 2cm granitoid dike cutting the QD. At 128.06 there is an 18 cm rounded quartz rich clast; further evidence that the hole is close to the IQD contact, however, after this point there is a reduction in clasts. At 135-138 there is an increase in magnetism (33 mag sus value). At 138.44-142.88 the section contains 1% clasts. Trace clusters of Py throughout section. At 170.93 there is a 5cm rounded granite clast.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
60.86 - 60.98	HE VN M	
60.86 - 60.98	Carb VN M	
60.86 - 60.98	EP VN M	very green, might not be Ep
107.66 - 108.64	EP VN M	
107.66 - 108.64	Qtz VN M	
107.66 - 108.64	HE P M	
144.15 - 144.67	Carb VN M	
144.15 - 144.67	HE P M	
148.61 - 149.09	HE P M	

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
49.84 - 66.56	PO STR 0.1	
49.84 - 66.56	PY STR 0.6	

Structure Maj.:	*Type/Core Angle*	*Comment*
137.97 - 138.00	BC	
138.27 - 138.30	BC	
144.25 - 144.67	BC	due to increased alteration
148.61 - 149.11	BC	due to increased alteration
178.06 - 178.20	BLKY	

178.20	179.09	**QTZ**	***Quartz Vein***

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		This quartz vein contains small amounts of He making it appear pink. The vein represents the contact between the QD and IQD.									
179.09	381.04	**IQD** ***inclusion quartz diorite***	S034028	324.09	324.87	0.78	0.00	0.01	0.01	0.01	0.01
			S034029	342.56	343.69	1.13	0.00	0.01	0.01	0.01	0.01
			S034030	343.69	345.06	1.37	0.00	0.01	0.01	0.01	0.01
			S034031	369.68	371.04	1.36	0.00	0.01	0.01	0.01	0.01
			S034032	372.14	373.64	1.50	0.00	0.01	0.02	0.01	0.01
			S034033	378.96	380.19	1.23	0.00	0.02	0.02	0.02	0.01
			S034034	380.19	381.54	1.35	0.01	0.03	0.04	0.03	0.04

Dark gray, clastic, moderately magnetic(the majority of the IQD has a mag sus value of 2 but there are sections that have a mag sus average value of 30). It is difficult to determine the nature of the upper contact because it is disrupted by a quartz vein. Clast size is highly variable (mm scale to m scale). Clasts are rounded to subrounded. Notable clasts: 192.19-192.60 non-magnetic diabase clast, Section contains trace clusters of Py>Po. At 209.23-250.08 there is a change in the appearance of the IQD, it no longer looks like clasts that are clearly distinguishable from the fine grained matrix; here it is very difficult to distinguish clasts from matrix, an explanation of this could be that the section is composed of large clasts (>1m) with small amounts of matrix. From 209.23-214.61 the section is composed of a quartz+mica with a slight fabric with coarse Qtz+feldspar phases; this may be one large gneiss clast. There is a section of increased magnetism (mag sus values 30-50) at 246.50-259.50. At 266-280.74 the IQD unit has more consistent clast sizes (avg 2cm) than previously seen in the hole, the clast lithology is more consistent as well (gneiss/granite). At 271-275.5 there is increased magnetism (mag sus=25); this is due to an increase in disseminated Po. At 355.30-357.31 there is an increase in magnetism (avg mag sus= 30); this section has minor blebby Po that may be causing this increase in mag.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
198.09 - 199.01	BL P M	due to chlorite
238.88 - 239.26	Carb VN I	strange 2cm vein the fizzes with HCl but does not appear like typical Carb, it appears white and "paper" like. The alteration is ductile.
285.05 - 286.07	EP P M	
285.05 - 286.07	HE P M	resulted in broken core
321.44 - 321.98	Carb VN M	
321.44 - 321.98	EP P M	
321.44 - 321.98	HE P M	resulted in broken core

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***

239.07 - 239.45 PY DIS 10
362.69 - 381.04 CP BL 0.05
362.69 - 381.04 PO BL 0.2
362.69 - 381.04 PY BL 0.3

Structure Maj.: ***Type/Core Angle*** ***Comment***

285.16 - 286.07 BC due to ep/he alteration
321.44 - 321.89 BC due to alteration
346.00 - 351.14 BC slight pervasive He alteration

Minor Interval:

316.59 381.04 IQD *inclusion quartz diorite*

Inclusion poor QD, there is now <5% clasts; this is accompanied by a slight increase in blebby mineralization (0.25-0.5% Py>Po>Cpy)

381.04 386.93 **QD** ***Quartz Diorite***

Dark gray, medium grained, massive, non-magnetic.

Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***

381.46 - 381.47 CP VN 5 with quartz/ep veins

Structure Maj.: ***Type/Core Angle*** ***Comment***

381.04 - 381.05 UC 80 sharp
386.92 - 386.93 LC 29 sharp

386.93 474.75 **GR** ***Granite*** **1D4**

Medium to coarse grained, pink, non-magnetic. 40% quartz, 35% plagioclase, 20% potassium feldspar, 5% mafics. Texture is variable. At 441.98-446.50 the rocks are darker and coarser grained; appears more

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

like a weakly banded gneiss.

Alteration Maj:	Type/Style/Intensity	Comment
391.25 - 391.44	Qtz VN M	
391.25 - 391.44	Carb VN M	
391.25 - 391.44	CHL VN I	
430.08 - 439.96	CHL VN M	
430.08 - 439.96	HE P M	
451.72 - 458.27	EP VN S	

Structure Maj.:	Type/Core Angle	Comment
430.07 - 431.76	BC	slight increase in He

Texture Maj:	Type	Comment
386.93 - 401.00	PEG	small pegmatites throughout this section
386.93 - 401.00	PM	Rocks appear to be slightly cooked up, mineral boundaries are not clear. Granophyre texture can be seen at 397.71-399.63

Minor Interval:

448.80 449.44 PYXT *Pyroxenite*

black, fine grained, non-magnetic

Structure Min.:	Type/Core Angle	Comment
448.80 - 448.81	UC 20	
449.43 - 449.44	LC 20	

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Minor Interval:
460.18 460.73 DIA *Diabase*
black, fine grained, non-magnetic

Structure Min.:	*Type/Core Angle*	*Comment*
460.18 - 460.19	UC 40	
460.72 - 460.73	LC 57	

Minor Interval:
413.48 413.50 SDBX *Sudbury Breccia* **1D4**

474.75 475.72 **QD** ***Quartz Diorite***

Black, aphanitic, spherulitic, non-magnetic. Appears to have shards of glassy material in the matrix.

Structure Maj.:	*Type/Core Angle*	*Comment*
474.75 - 474.76	UC 11	sharp, slightly irregular
475.71 - 475.72	LC 28	sharp, straight

475.72 482.73 **GR** ***Granite***

Similar to previous.

Minor Interval:
478.29 478.46 DIA *Diabase*
black, aphanitic

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Minor Interval:
479.23 479.29 DIA *Diabase*
black, aphanitic

Minor Interval:
480.65 480.75 DIA *Diabase*
black, aphanitic

482.73 484.02 **DIA** ***Diabase***

Dark gray, fine grained, non-magnetic

Alteration Maj:	*Type/Style/Intensity*	*Comment*
482.73 - 484.02	Carb P M	

Structure Maj.:	*Type/Core Angle*	*Comment*
482.73 - 482.74	UC 50	sharp
484.01 - 484.02	LC 20	sharp

484.02 508.24 **GR** ***Granite***

Same as previous.

Minor Interval:
506.62 507.15 DIA *Diabase*
black, fine grained

508.24 510.00 **FP** ***feldspar porphyry***

Very coarse grained plagioclases feldspar crystals set in a fine grained quartz matrix.

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
510.00	523.83	**GR** ***Granite*** **5**									

Same as previous. At 517.23-523.83 the rocks are locally partially melted with weakly developed granophyre texture. At 519.94-523.18 there are small veinlets of possible cold SDBX cutting the GR.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
517.24 - 523.83	HE P M	
517.24 - 523.83	EP P M	causes the rocks to look green and red

Minor Interval:

511.81 512.58 DIA *Diabase*

fine grained, black

Structure Min.:	*Type/Core Angle*	*Comment*
511.81 - 511.82	UC 14	
512.57 - 512.58	LC 35	

523.83	524.42	**DIA** ***Diabase***	S034037	523.87	524.35	0.48	0.00	0.02	0.02	0.01	0.01

Light gray, aphanitic, non-magnetic, with a sugary texture.. The rock contains clasts that appear to have been ripped off of the adjacent country rock. The clasts are subrounded and composed of granite. The section is highly silicified. Looked like QD but geochem indicates that it is not.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
523.83 - 524.42	Qtz P S	

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
523.83 - 524.42	MO F 0.5	very minor, seen on fractured planes

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Structure Maj.: ***Type/Core Angle*** ***Comment***

523.83 - 523.84 UC 20 sharp and irregular

524.41 - 524.42 LC 27 sharp and irregular

524.42 526.94 **GR** ***Granite***

Partially melted granite similar to the Gr seen at 517.23-523.83.

526.94 571.52 **AMPH** ***Amphibolite***

Dark greenish gray, fine to medium grained, non-magnetic (average mag sus= 1.50). The rock looks similar to QD on the core surface but the fresh surface looks much too mafic to be QD. 529.19-529.93 there core is has a contact at 1 degree between GR and AMPH; the core is skimming the contact between the two lithologies due to an irregularity in the dike. This unit does contain a small amount of clasts which are likely from being ripped up upon intrusion; clasts are granitic. CP>Py>Po is found on the alteration joint surfaces of this rock, associated with chlorite, epidote, and quartz veins. At 549 the rocks become medium grained with nice euhedral equant amphibole crystals set in a finer grained plagioclase matrix.

Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
S034038	528.76	530.15	1.39	0.00	0.01	0.01	0.00	0.02
S034039	530.15	531.00	0.85	0.00	0.01	0.01	0.01	0.01
S034040	536.30	537.00	0.70	0.00	0.01	0.01	0.01	0.03
S034041	550.89	552.39	1.50	0.00	0.02	0.01	0.01	0.02
S034042	552.39	553.75	1.36	0.01	0.01	0.01	0.01	0.05
S034043	556.29	556.64	0.35	0.00	0.01	0.01	0.01	0.02
S034044	561.82	562.22	0.40	0.00	0.01	0.01	0.00	0.03

Alteration Maj: ***Type/Style/Intensity*** ***Comment***

528.98 - 571.52 EP VN W

528.98 - 571.52 Qtz VN W associated with Cp mineraliation

Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***

526.94 - 571.52 PY VN

526.94 - 571.52 PO VN

526.94 - 571.52 CP VN trace amounts found throughout the section, the veins are found within qtz/ep/chl/carb veins. Likely non-SIC related mineralization

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Structure Maj.: ***Type/Core Angle*** ***Comment***

526.94 - 526.95 UC 3 sharp

548.23 - 549.00 BC redrilled core

571.52 572.46 **DIA** ***Diabase***

Aphanitic, black, quenched, non-magnetic.

Structure Maj.: ***Type/Core Angle*** ***Comment***

571.52 - 571.53 UC 28 sharp, straight

572.45 - 572.46 LC 43 sharp, straight

572.46 579.18 **AMPH** ***Amphibolite*** S034047 574.83 576.23 1.40 0.00 0.01 0.01 0.01 0.01

Same as previous unit.

Minor Interval:

574.67 574.70 DIA *Diabase*

quenched dike

Minor Interval:

578.73 578.78 DIA *Diabase*

quenched dike

579.18 585.06 **DIA** ***Diabase***

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		Black, fine grained with aphanitic margins, non-magnetic. Trace Po and Py in quartz veins.									
585.06	766.53	**AMPH** ***Amphibolite***	S034048	591.30	592.79	1.49	0.01	0.01	0.01	0.01	0.03
			S034049	594.30	595.23	0.93	0.01	0.01	0.01	0.01	0.03
			S034050	621.34	621.90	0.56	0.00	0.01	0.01	0.01	0.02
			S034301	643.06	643.56	0.50	0.00	0.01	0.01	0.01	0.02
			S034302	644.34	645.38	1.04	0.00	0.01	0.01	0.01	0.03
			S034303	658.03	658.40	0.37	0.00	0.01	0.01	0.01	0.02
			S034304	680.35	681.80	1.45	0.00	0.01	0.01	0.01	0.02
			S034305	687.91	688.53	0.62	0.01	0.02	0.02	0.01	0.12
			S034306	706.08	706.43	0.35	0.00	0.01	0.02	0.01	0.04
			S034307	710.20	711.00	0.80	0.00	0.01	0.01	0.01	0.02
			S034308	726.71	727.05	0.34	0.01	0.01	0.01	0.01	0.06
			S034309	744.23	744.92	0.69	0.00	0.01	0.01	0.01	0.02
			S034310	765.41	766.27	0.86	0.00	0.02	0.01	0.01	0.02

Similar to previous AMPH. At 631.65 there is a phenocryst or clast that is 1cm in size and has been completely altered to Ep. Unit is very homogenous. At 687.69m there is the appearance of multiple clasts; clasts are 1cm in size on average, subrounded, and usually altered to epidote. 700-708 the unit is % clasts. There is a very strong association between Qtz/Ep veins and Cp. At 726.66m there is a distinct textural change; the nice euhedral amphibole crystals disappear and the rock becomes finer grained. The rocks also appear slightly more felsic. This textural change could be a result of being closer to the margin of the dike or it could be a lithology change (possibly QD- whole rock will let us know). This rocks has thre same mag sus values as the coarser amphibolite above and also has the same type of alteration and mineralization.

Alteration Maj:	Type/Style/Intensity	Comment
597.45 - 602.53	CHL VN M	
597.45 - 602.53	HE VN M	
597.45 - 602.53	EP VN M	increased amount of each type of alteration resulting in broken core.
608.29 - 608.30	Carb VN M	
608.29 - 608.30	Qtz VN M	coarse grained quartz crystals set in a calcite matrix
614.01 - 615.26	Qtz VN M	
614.01 - 615.26	Carb VN I	many veinlets of carb
621.76 - 621.78	BIO VN M	
621.76 - 621.78	Qtz VN M	vein contains Cp
680.31 - 680.67	EP VN W	with quartz veins
680.31 - 680.67	Qtz VN M	has specks of Cp in it
680.31 - 680.67	CHL VN M	

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

756.00 - 766.53	CHL VN S	increase in Chl alteration at the end of the unit

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
585.06 - 700.00	PO VN	trace amounts in alteration veins
585.06 - 700.00	CP VN	trace amounts in alteration veins

Structure Maj.:	*Type/Core Angle*	*Comment*
598.61 - 602.53	BC	due to increased alteration
760.23 - 760.47	BX	chlorite hydrothermal breccia

766.53 – 771.22 **IQD** ***inclusion quartz diorite*** — S034311: 770.08 – 770.80, 0.72 m; Au 0.00, Pt 0.01, Pd 0.02, Ni 0.02, Cu 0.02

Gray, clastic, non-magnetic (average mag sus=0.6). Clasts are subrounded to subangluar. The average clast size is 1cm with little variation. Clast type is variable but most commonly granite or amphibolite. At 767.90 there is a decrease in the amount of clasts so it is considered inclusion poor QD. The clasts in this section are almost all quartz. This part also has acicular amphibolite crystals up to 1cm in size which is typical of QD. The matrix is quartz rich.

Structure Maj.:	*Type/Core Angle*	*Comment*
766.53 - 766.54	UC 40	sharp, straight
771.21 - 771.22	LC 53	not clear

771.22 – 774.61 **MGN** ***Mafic Gneiss***

Dark gray, well banded, non-magnetic.

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
774.61	777.40	**GR** ***Granite*** Pink, medium to coarse grained, non-magnetic. At 777.18-777.31 there is a dark green clastic section that could either be Sudbury breccia or a chlorite altered breccia.									
777.40	785.04	**IGN** ***Intermediate Gneiss*** Section contains many short intervals of different textures.									
		Texture Maj: ***Type*** ***Comment*** 782.61 - 783.45 PEG contains granophyre texture									
		Minor Interval: 780.12 781.18 PMGR *partial melt - granitoid* granophyre texture									
		Minor Interval: 784.47 785.04 PMGR *partial melt - granitoid* granophyre texture									
785.04	964.62	**AMPH** ***Amphibolite*** Same as previously seen amph. At 820.55-827.25 there are 1% clasts; clasts are 1cm on average subrounded, and altered by quartz/epidote. At 826.21-827.77 the rock appears more green but is just due to the drill bit polishing the core. At 875.14-895.15 the clasts appear again; these clasts are less altered and appear to be composed of plagioclase+quartz. Unit is very homogeneous. Cp mineralization only occurs in alteration veins. At 915.80-941.52 the section contains 1% clasts. At 947.45-949.52 there is a slight increase in Hematite alteration making the rocks have a pinkish tinge. At 955.25 the rocks lose the nice euhedral and equant amphiboles and there is a gradational increase in plagioclase feldspar towards	S034312	840.80	841.10	0.30	0.00	0.01	0.01	0.01	0.02
			S034313	899.36	899.67	0.31	0.01	0.01	0.01	0.01	0.12
			S034314	903.70	904.09	0.39	0.00	0.01	0.01	0.01	0.03
			S034317	942.19	942.56	0.37	0.00	0.01	0.01	0.01	0.01
			S034318	949.10	949.43	0.33	0.01	0.01	0.01	0.01	0.14

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

the lower contact. At 962.68-964 the rocks are dark green in colour.

Alteration Maj:	Type/Style/Intensity	Comment
947.45 - 949.52	HE P WM	makes rocks have a pink tinge
963.82 - 964.62	HE P M	caused broken core

Mineralization Maj. :	Type/Style/%Mineral	Comment
911.17 - 911.18	CP VN 3	in quartz vein, very minor
914.33 - 914.34	CP VN 1	in quartz vein, very minor

Structure Maj.:	Type/Core Angle	Comment
818.89 - 819.04	BC	
824.12 - 824.49	BLKY	
825.57 - 825.58	SHR 20	
825.57 - 825.58	G 20	minor due to alteration
841.61 - 841.86	BC	
848.95 - 849.18	BC	due to banging on the tube
927.54 - 927.80	BC	
944.25 - 944.86	BC	broken from banging on tube
949.00 - 949.11	BC	
963.82 - 964.62	LC 30	
963.82 - 964.62	SHR 30	very slight
963.82 - 964.62	BC	

964.62 965.91 **GR** ***Granite***

Coarse grained, red (from prevasive hematite alteration), non-magnetic

Alteration Maj:	Type/Style/Intensity	Comment
964.62 - 965.91	HE P M	rocks are red

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

965.91 966.56 **DIA** ***Diabase***

Dark gray, aphanitic to fine grained, non-magnetic. Contains elongated whispy clasts close to the contact. These are likely xenoliths that have been ripped off from the adjacent wall rock. The rocks looks too crystalline to be SDBX and too mafic to be IQD. The upper contact is sharp but highly irregular.

Structure Maj.:	*Type/Core Angle*	*Comment*
966.55 - 966.56	LC 33	sharp, straight

966.56 984.00 **GRDR** ***Granodiorite***

Light gray, non-magnetic, medium grained,

Minor Interval:

976.54 976.84 DIA *Diabase*

Dark gray, non-magnetic, aphanitc. Contains 2mm phenocrystic and rounded plagioclase crystals, therefore may be Matachewan diabase.

Structure Min.:	*Type/Core Angle*	*Comment*
976.54 - 976.55	UC 90	sharp
976.83 - 976.84	LC 90	sharp

Minor Interval:

978.57 978.94 SDBX *Sudbury Breccia* **1D4**

Minor Interval:

981.13 981.22 SDBX *Sudbury Breccia* **1C5**

Wispy quartz/epidote alteration. Very glassy

WALLBRIDGE MINING COMPANY LIMITED

LITHOLOGY REPORT
- Detailed -

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology		Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
984.00	984.01	**EOH**	***End of Hole***									

WALLBRIDGE MINING COMPANY LIMITED

DRILL HOLE REPORT

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

Drilling

Azimuth: 333
Dip: -81
Length: 984.01
Started: 07-Jul-15
Completed: 29-Jul-15
Logged: 16-Jul-15

Casing

Length: 0
Pulled: no
Capped: yes
Cemented: no

Core

Dimension: NQ
Storage: Core Shed
Section:
Hole Type DD

Location

Township: TYRONE
Claim No.: 4212987
NTS: 41I/14
Hole: SURFACE

Other

Logged by: Nick Wray
Relog by:
Contractor: Jacob & Samuel Drilling Ltd.
Spotted by: Natalie MacLean
Surveyed:
Surveyed by: Tom Johnson
Geophysics: PEM
Geophysic Contractor: Crone
Left in hole: Nothing
Making water: no
Multi shot survey: yes

Comment: Error in the box number starting after box # 165. Rod count good at 603

Coordinate - Gemcom

East: 476586
North: 5183889
Elev.: 445

Coordinate - UTM

East: 476586
North: 5183889
Elev.: 445
Zone: 17 **NAD:** 27

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	333.00	-81.00	C	☑	
10.00	331.63	-80.89	G	☑	
20.00	334.48	-80.79	G	☑	
30.00	334.24	-80.96	G	☑	
40.00	333.79	-80.44	G	☑	
50.00	333.82	-80.86	G	☑	
60.00	334.64	-80.86	G	☑	
70.00	334.69	-80.42	G	☑	
80.00	336.75	-80.59	G	☑	
90.00	333.69	-80.42	G	☑	
100.00	335.89	-80.59	G	☑	
110.00	334.48	-80.47	G	☑	
120.00	335.04	-80.79	G	☑	

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
130.00	333.82	-80.52	G	☑	
140.00	334.64	-80.33	G	☑	
150.00	336.02	-80.34	G	☑	
160.00	334.03	-80.34	G	☑	
170.00	334.78	-80.52	G	☑	
180.00	335.58	-80.61	G	☑	
190.00	335.31	-80.44	G	☑	
200.00	336.02	-80.29	G	☑	
210.00	335.14	-80.33	G	☑	
220.00	335.01	-80.16	G	☑	
230.00	335.58	-80.21	G	☑	
240.00	335.84	-79.84	G	☑	
250.00	336.01	-80.14	G	☑	

WALLBRIDGE MINING COMPANY LIMITED

HEADER REPORT

Hole Number: Project: **FOY_NORTH** Project Number: **691**

Deviation Tests

Distance	Azimuth	Dip	Type	Good	Comments
260.00	336.06	-80.30	G	☑	
270.00	338.21	-80.27	G	☑	
280.00	335.37	-80.14	G	☑	
290.00	335.50	-79.90	G	☑	
300.00	339.10	-80.13	G	☑	
310.00	338.06	-80.39	G	☑	
320.00	340.14	-80.39	G	☑	
330.00	340.29	-80.37	G	☑	
340.00	337.72	-79.89	G	☑	
350.00	341.08	-80.39	G	☑	
360.00	340.59	-80.33	G	☑	
370.00	341.04	-80.03	G	☑	
380.00	340.69	-79.88	G	☑	
390.00	341.86	-80.22	G	☑	
400.00	341.26	-80.08	G	☑	
410.00	343.16	-80.56	G	☑	
420.00	343.10	-80.25	G	☑	
430.00	344.21	-80.24	G	☑	
440.00	342.34	-79.93	G	☑	
450.00	342.63	-80.08	G	☑	
460.00	342.76	-79.89	G	☑	
470.00	340.47	-79.63	G	☑	
480.00	345.07	-79.63	G	☑	
490.00	340.11	-79.53	G	☑	
500.00	339.85	-79.44	G	☑	
510.00	340.18	-79.41	G	☑	
520.00	341.45	-79.29	G	☑	
530.00	342.26	-79.37	G	☑	
540.00	342.06	-79.29	G	☑	
550.00	341.94	-79.25	G	☑	

Deviation Tests

Distance	Azimuth	Dip	Type	Good	Comments
560.00	342.44	-79.25	G	☑	
570.00	342.11	-79.33	G	☑	
580.00	342.46	-79.30	G	☑	
590.00	342.38	-79.21	G	☑	
600.00	341.86	-79.19	G	☑	
610.00	342.54	-79.13	G	☑	
620.00	342.36	-79.26	G	☑	
630.00	342.65	-79.27	G	☑	
640.00	342.58	-79.33	G	☑	
650.00	343.02	-79.37	G	☑	
660.00	342.97	-79.44	G	☑	
670.00	342.79	-79.39	G	☑	
680.00	343.20	-79.46	G	☑	
690.00	343.46	-79.54	G	☑	
700.00	343.58	-79.53	G	☑	
710.00	344.34	-79.67	G	☑	
720.00	346.64	-79.49	G	☑	
730.00	347.33	-79.45	G	☑	
740.00	347.59	-79.53	G	☑	
750.00	347.75	-79.57	G	☑	
760.00	348.39	-79.65	G	☑	
770.00	348.39	-79.55	G	☑	
780.00	348.75	-79.47	G	☑	
790.00	348.77	-79.41	G	☑	
800.00	348.43	-79.65	G	☑	
810.00	346.16	-80.05	G	☑	
820.00	350.13	-79.53	G	☑	
830.00	349.87	-79.58	G	☑	
840.00	349.79	-79.55	G	☑	
850.00	349.47	-79.54	G	☑	

WALLBRIDGE MINING COMPANY LIMITED

HEADER REPORT

Hole Number: Project: **FOY_NORTH** Project Number: **691**

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
860.00	349.02	-79.48	G	☑	
870.00	349.07	-79.52	G	☑	
880.00	348.54	-79.50	G	☑	
890.00	348.87	-79.55	G	☑	
900.00	347.98	-79.59	G	☑	
910.00	347.71	-79.67	G	☑	
920.00	347.96	-79.68	G	☑	
930.00	348.27	-79.72	G	☑	
940.00	348.57	-79.82	G	☑	
950.00	346.09	-79.90	G	☑	
960.00	347.59	-79.85	G	☑	
970.00	347.71	-79.85	G	☑	

WALLBRIDGE MINING COMPANY LIMITED

QUALITY CONTROL REPORT

Hole Number: **WFN-010** Project: **FOY_NORTH** Project Number: **691**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Agc1 (g/t)	Ag (g/t)	Au (g/t)	Auc1 (g/t)
563.00	S034045	CRFM-100 S			Chemex	-	2.12	0.18	-
564.00	S034046	Blank			Chemex	-	0.02	0.00	-
905.00	S034315	CRFM-100 S			Chemex	-	2.18	0.17	-
906.00	S034316	Blank			Chemex	-	0.01	0.00	-
911.00	S034319	CRFM-100 S			Chemex	-	2.16	0.18	-

WALLBRIDGE MINING COMPANY LIMITED

FULL ANALYTICAL REPORT

- Assay -

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

Assay Report (part 1 of 0)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)	Co (%)	Tpm (g/t)	S (%)	Ag (g/t)
68.37	68.70	0.33	S034320	Chemex	SD15133726	15-Sep-15	0.01	0.02	0.02	0.01	0.03	0.00	0.04	0.07	0.16
88.05	88.50	0.45	S034321	Chemex	SD15133726	15-Sep-15	0.01	0.01	0.06	0.03	0.03	0.00	0.08	0.14	0.18
195.01	196.48	1.47	S034322	Chemex	SD15133726	15-Sep-15	0.00	0.01	0.01	0.00	0.02	0.00	0.01	0.15	0.05
214.76	215.10	0.34	S034323	Chemex	SD15133726	15-Sep-15	0.01	0.00	0.00	0.00	0.03	0.00	0.01	0.28	0.31
244.30	245.02	0.72	S034324	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.11	0.07
248.56	249.97	1.41	S034325	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.17	0.06
259.47	260.71	1.24	S034326	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.17	0.08
280.50	281.80	1.30	S034327	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.14	0.07
304.88	305.21	0.33	S034328	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.01	0.04	0.00	0.01	0.17	0.13
345.43	346.67	1.24	S034329	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.02	0.01	0.00	0.01	0.17	0.11
369.98	371.07	1.09	S034330	Chemex	SD15133726	15-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.19	0.13
372.58	373.81	1.23	S034331	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.18	0.11
392.25	393.70	1.45	S034332	Chemex	SD15133726	15-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.19	0.14
561.60	563.05	1.45	S034333	Chemex	SD15133726	15-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.18	0.05
578.63	579.04	0.41	S034334	Chemex	SD15133726	15-Sep-15	0.02	0.01	0.01	0.01	0.04	0.00	0.03	0.18	0.37
587.87	589.37	1.50	S034335	Chemex	SD15133726	15-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.16	0.12
589.37	590.85	1.48	S034336	Chemex	SD15133726	15-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.15	0.11
590.85	592.34	1.49	S034337	Chemex	SD15133726	15-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.15	0.12
592.34	593.84	1.50	S034338	Chemex	SD15133726	15-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.14	0.10
603.52	603.97	0.45	S034339	Chemex	SD15133726	15-Sep-15	0.08	0.00	0.00	0.01	0.10	0.00	0.09	0.33	0.87
630.37	630.89	0.52	S034342	Chemex	SD15133726	15-Sep-15	0.01	0.00	0.00	0.01	0.05	0.00	0.02	0.21	0.22
707.46	708.15	0.69	S034343	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.08	0.06
823.34	823.99	0.65	S034344	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.07	0.06
852.93	853.28	0.35	S034345	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.05	0.08
878.63	878.96	0.33	S034346	Chemex	SD15133726	15-Sep-15	0.02	0.00	0.01	0.01	0.03	0.00	0.03	0.14	0.10
880.68	881.97	1.29	S034347	Chemex	SD15133726	15-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.08	0.07
905.49	905.95	0.46	S034348	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.19	0.05
905.95	906.76	0.81	S034349	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.03	0.02
910.12	910.64	0.52	S034350	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.06	0.04
914.35	914.92	0.57	S034501	Chemex	SD15133726	15-Sep-15	0.02	0.00	0.01	0.01	0.06	0.00	0.03	0.16	0.05

WALLBRIDGE MINING COMPANY LIMITED

FULL ANALYTICAL REPORT

- Assay -

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

Assay Report (part 1 of 0)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)	Co (%)	Tpm (g/t)	S (%)	Ag (g/t)
986.44	986.99	0.55	S034502	Chemex	SD15133726	15-Sep-15	0.00	0.02	0.02	0.01	0.02	0.00	0.05	0.09	0.03
994.05	995.04	0.99	S034503	Chemex	SD15133726	15-Sep-15	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.23	0.12

WALLBRIDGE MINING COMPANY LIMITED

LITHOLOGY REPORT
- Detailed -

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology		Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
0.00	0.74	**CAS**	***Casing***									
0.74	37.52	**GR**	***Granite***									

Coarse grained, equant, non-magnetic, red in colour. 40% plagioclase, 30% quartz, 25% alkali feldspar, 5% mafics. The rocks have slight pervasive hematite alteration which makes them appear red in colour.

Alteration Maj:	***Type/Style/Intensity***	***Comment***
15.71 - 16.16	HE P S	
15.71 - 16.16	Ser VN S	yellowish brown in colour, likely sericite. Increased alteration resulted in very minor faiult
34.91 - 37.52	HE P I	associated with a very minor fault

Structure Maj.:	***Type/Core Angle***	***Comment***
1.63 - 2.00	BC	with redrill
15.71 - 16.16	BC	
15.71 - 16.16	G	low angle, very minor, heavily altered section. Less than 1cm
34.91 - 36.86	G 3	very minor, likely little to no movement
34.91 - 36.86	BC 3	heavily hematized

Texture Maj:	***Type***	***Comment***
18.89 - 24.97	PEG	

Minor Interval:

16.53 18.25 SDBX *Sudbury Breccia* **1D3**

Does not appear like typical SDBX. There is a good chance that this

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		section is just a diabase with xenoliths. The matrix is a lot hotter than the typical SDBX matrix in this area. Rock is too mafic to be IQD.									
		Minor Interval: 31.53 32.32 SDBX *Sudbury Breccia* **1D4**									
37.52	39.35	**MGN** ***Mafic Gneiss*** **1D4**									
		Appears like a mafic band. Rock has a strong fabric, and is dark gray. Section contains small intersectrion of SDBX and trace pyrite.									
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***									
		38.88 - 39.35 Ser VN I associated with a small fault									
		38.88 - 39.35 HE P I									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		38.88 - 39.35 FLT									
		38.88 - 39.35 G 3 small with 0.5cm gouge, likely samll movement									
		38.88 - 39.35 BC 3 due to alteration									
39.35	44.76	**GR** ***Granite*** **1D4**									
		similar to previous									
		Minor Interval: 41.30 41.43 SDBX *Sudbury Breccia* **1D4**									
44.76	70.82	**SDBX** ***Sudbury Breccia*** **1D4**	S034320	68.37	68.70	0.33	0.01	0.02	0.02	0.01	0.03
		Large sudbury breccia belt, clast size ranges from 1mm to 60cm. Clasts are subrounded. Trace-0.50% disseminated pyrite throught the SDBX.									

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Alteration Maj:	Type/Style/Intensity	Comment
69.32 - 69.82	HE P S	associated with at shear

Structure Maj.:	Type/Core Angle	Comment
63.26 - 63.27	UC 5	
69.48 - 69.56	SHR 45	associated with He alteration

70.82 – 88.50 **QD** ***Quartz Diorite*** — S034321: 88.05 – 88.50, 0.45 m; Au 0.01, Pt 0.01, Pd 0.06, Ni 0.03, Cu 0.03

The start of this section is difficult to distinguish between SDBX and QD. Rock is fine grained, dark gray, and non-magnetic. The upper contact is very quenched. There are clasts between 63.26-70.82m, these have likely been ripped off the wall rock upon emplacement of the dike. **corection, geochem indicates that at 68.40 the rock is not QD meaning the above SDBX interval has been extended. This is not IQD. At 66.71-67.41 there is a texture of alternating wisps of aphanitic sections and medium grained clusters of actinolite, plagioclase, and biotite; this looks like it could be spherulitic QD. At 71.39 there typical fine to medium grained, homogeneous QD texture begins. There is trace py and Cp in the QD.

Alteration Maj:	Type/Style/Intensity	Comment
72.70 - 72.75	Qtz VN S	
74.57 - 75.07	EP VN M	
74.57 - 75.07	HE P M	
75.07 - 85.00	HE VN W	
75.07 - 85.00	EP VN W	
75.07 - 85.00	Carb VN W	

88.50 – 92.09 **GR** ***Granite***

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Dark reddish purple, highly altered, medium to coarse grained, non-magnetic. Original texture is nearly destroyed by intense He/Carb/Ep alteration.

Alteration Maj:	Type/Style/Intensity	Comment
88.50 - 92.09	EP VN M	
88.50 - 92.09	Carb PD S	
88.50 - 92.09	HE P I	

Minor Interval:

88.85	89.54	DIA	*Diabase*
		Mica rich	

92.09 96.59 **FLT** ***Fault***

Fault with gouge, healed gouge, and broken core. There appears to have been movement on this fault; the rock has been milled to a clay in areas. The healed gouge consists of angular framgments in a carbonate cement. Minor coarse grained pyrite. The rocks are extremely altered.

Alteration Maj:	Type/Style/Intensity	Comment
92.09 - 96.59	EP VN S	
92.09 - 96.59	Carb VN I	
92.09 - 96.59	HE P I	

Structure Maj.:	Type/Core Angle	Comment
92.09 - 93.35	G 5	healed gouge with angular fragments in a carbonate cement
93.35 - 94.36	BC	
94.36 - 94.74	G 3	healed gouge with angular fragments in a carbonate and clay cement
94.74 - 95.27	G 10	fresh clay gouge with a two cm true width

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

95.27 - 95.54	BC	
95.54 - 95.78	G	healed gouge
95.78 - 96.59	BC	highly altered by carbonate veinlets

96.59 98.81 **GR** ***Granite***

Dark red, coarse grained, non-magnetic, heavily altered.

Alteration Maj:	Type/Style/Intensity	Comment
96.59 - 98.81	Carb VN M	
96.59 - 98.81	HE P I	makes rock have red colour

98.81 99.73 **QMON** ***Quartz Monzonite***

Unsure about the lithology if this rock, it is a fine grained, weakly foliated, and composed primarily of feldspar

99.73 118.46 **QD** ***Quartz Diorite***

Light gray, fine grained, quenched contacts, non-magnetic. The dike contains acicular amphibole needles (typical of QD margins) locally. It is likely that the drill hole is skimming the edge the dike since these needles are seen towards the middle of the section and that the hole does not enter IQD. Trace pyrite.

Alteration Maj:	Type/Style/Intensity	Comment
113.60 - 114.28	CHL VN M	
113.60 - 114.28	Carb VN M	

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

113.60 - 114.28 HE P M makes rock appear pink

Structure Maj.:	Type/Core Angle	Comment
99.73 - 99.74	UC 33	
118.45 - 118.46	LC 27	

118.46 124.82 **GR** ***Granite*** **1D4**

Medium grained, dark pink, non-magnetic. Last 15 cm of this section have been redrilled

Texture Maj:	Type	Comment
122.55 - 123.01	PEG	

Minor Interval:

118.86	118.87	SDBX	*Sudbury Breccia*	**1D4**

124.82 141.98 **DIA** ***Diabase***

Fine grained, dark gray, non magnetic. Looks quite similar to QD but it is too mafic. Trace Py and Cp in carbonate veins

Alteration Maj:	Type/Style/Intensity	Comment
127.06 - 127.72	Carb VN S	1 cm true width
138.06 - 138.40	Carb VN S	
138.06 - 138.40	HE P S	

Structure Maj.:	Type/Core Angle	Comment
124.82 - 124.83	UC 49	20 cm chilled margin

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

138.12 - 138.60	BC	due to strong He/Carb altn
141.97 - 141.98	G 68	Hematite clay gouge
141.97 - 141.98	LC 68	3 cm chilled margin

141.98 164.28 **GR** ***Granite***

Pink, non-magnetic, variable texture (ranges from fine to medium grained). At 145.24-146.42 there is increased fine grained mafics surrounding the coarse feldspar crystals; looks similar to a feldspar porphyry. At 158.19 there is a change in texture; the rock develops a very weak fabric at 43 degrees to core axis; this fabric is highlighted by the fine grained mafic minerals.

164.28 169.43 **SDBX** ***Sudbury Breccia*** **1D4**

Black, fine grained, non-magnetic. Large cold section of sudbury breccia. Clasts are partially assimilated. Clasts range from subrounded to subangular.

169.43 183.43 **GR** ***Granite***

Medium to coarse grained, red in colour, non-magnetic.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
169.43 - 183.43	HE P M	

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		Minor Interval: 175.16 175.45 SDBX *Sudbury Breccia* **1D4**									
183.43	202.25	**DIA** ***Diabase***	S034322	195.01	196.48	1.47	0.00	0.01	0.01	0.00	0.02

Dark greenish gray, fine grained, non-magnetic. Upper and lower margins are chilled and black.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
183.43 - 202.25	HE VN W	
183.43 - 202.25	EP VN S	
183.43 - 202.25	Carb VN S	carb/ep veins contain Po Py and Cp

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
183.71 - 183.72	CP BL 0.1	cp bleb in carb vein
193.82 - 193.83	CP VN 0.5	cp in carb vein
195.34 - 195.35	PO VN 0.5	
195.34 - 195.35	CP VN 0.5	
196.34 - 196.35	CP VN 0.5	in ep vein

Structure Maj.:	*Type/Core Angle*	*Comment*
183.43 - 183.44	UC 23	chilled margin
202.24 - 202.25	LC 23	chilled margin

202.25	217.87	**GR** ***Granite***	S034323	214.76	215.10	0.34	0.01	0.00	0.00	0.00	0.03

Dark pink, non-magnetic, medium to coarse grained. Similar to previous. At 210.94-211.46 there is a change in texture that appears to be a partial melt zone, makes sense since it is close to the upcoming QD dike.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
202.25 - 217.87	HE P M	makes rock appear red

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
214.87 - 214.87	CP BL 1	0.5cm bleb in Gr, found in ep alteration patch

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
217.87	247.25	**QD** ***Quartz Diorite***	S034324	244.30	245.02	0.72	0.00	0.00	0.00	0.01	0.01

Dark gray, medium grained, non-magnetic. Can distinguish from previous diabase unit because QD fresh surface is much more felsic (quartz) and the diabase has a slightly green tinge. At 217.87-221.75 there are clats that are 3cm on average and are subrounded; these have the same lithology of the previous unit (Gr) and have likley been ripped off upon emplacement of the dike. At 221.75-228.96 the QD is massive and homogeneous (no clasts). At 228.96 there is a 16cm quartz rich clast. At 231.50-245.55 the section is approx 3% clasts which is not enough to consider the rock to be IQD; the clasts are all quartz rich granitoids. Section contains trace blebs of Po>Py

Alteration Maj:	Type/Style/Intensity	Comment
229.48 - 247.25	HE VN M	he veins bleeb out, staining the rocks red which makes them appear more altered than they really are

Structure Maj.:	Type/Core Angle	Comment
217.87 - 217.88	UC 29	

247.25	455.18	**IQD** ***inclusion quartz diorite***	S034325	248.56	249.97	1.41	0.00	0.00	0.01	0.01	0.01
			S034326	259.47	260.71	1.24	0.00	0.00	0.00	0.01	0.01
			S034327	280.50	281.80	1.30	0.00	0.00	0.00	0.01	0.01
			S034328	304.88	305.21	0.33	0.00	0.00	0.00	0.01	0.04
			S034329	345.43	346.67	1.24	0.00	0.00	0.00	0.02	0.01
			S034330	369.98	371.07	1.09	0.00	0.01	0.01	0.01	0.01
			S034331	372.58	373.81	1.23	0.00	0.00	0.01	0.01	0.01
			S034332	392.25	393.70	1.45	0.00	0.01	0.01	0.01	0.01

Gray, matrix is fine grained, locally magnetic (up to 30 on mag sus) clastic rock. The magnetism does not appear to always be due to magnetic clasts or increased Po blebs. Aprroximately 20% of the rock is composed of clasts. Clasts are subrounded and appear to be partially assimilated. Clast types include: various granitoids, gneiss, quartz, QD, diabase, amphibolite. Trace blebby mineralization (Po>Py) occurs throughout the IQD. Stringers of carbonate and epidote are common. At 272.49 clasts larger than 10 cm start to occur; at 293.12 there is a 37cm amphibolite clast. At 344 the amphibolite clasts become more common, these are often associated with mineralization in the offset dikes but does not appear to have an impact on this dike. There is a slight increase in the blebby Po>Cp mineralization in areas that contain high concentrations of small clasts (<1cm). At 408.11 there is a 48cm red granitoid clast.

Alteration Maj:	Type/Style/Intensity	Comment
304.97 - 305.11	TLC VN I	difficult to determine what this mineral is. It is a pale green colour similar to epidote but soft like chlorite; looks slightly similar to fuchsite

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		304.97 - 305.11 EP PCH I									
		321.10 - 321.52 EP VN M									
		321.10 - 321.52 HE P M									
		356.52 - 357.22 CHL VN M there is a patch of the same pale green soft mineraliation seen at 304.97									
		356.52 - 357.22 HE VN M									
		379.38 - 379.57 EP VN M									
		379.38 - 379.57 HE VN I caused small alteration gouge									
		419.18 - 419.33 HE VN I small amount of gouged alteration present									
		419.72 - 419.95 EP VN M									
		419.72 - 419.95 HE VN M									
		425.64 - 426.07 HE VN S									
		440.05 - 443.00 BL P M rocks are light grey in colour									
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***									
		369.98 - 373.81 POCP BL 0.5									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		263.53 - 264.64 BC									
		323.52 - 324.37 BC									
		379.47 - 379.48 G 30 0.5cm alteration gouge, likely no movement									
		429.73 - 430.07 BC 16 due to He alteration									
		722.09 - 0.00 S 23 very minor									
455.18	457.32	**QTZ** ***Quartz Vein***									
		White, coarse grained, highly altered, non-magnetic. The quartz vein has been brecciated then cemented									

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

in carbonate. This indicates two generations of structure; one that allowed the quartz vein to come in, followed by the brecciation once the quartz lithofied. The upper and lower contacts of this unit are very irregular.

Alteration Maj:	Type/Style/Intensity	Comment
455.18 - 455.20	HE VN I	broken up into pieces
455.20 - 457.32	CHL VN M	
455.20 - 457.32	Carb VN S	
455.20 - 457.32	HE VN S	

Structure Maj.:	Type/Core Angle	Comment
457.12 - 457.32	G	healed gouge
457.12 - 457.32	BX	The quartz vein has been brecciated then cemented in carbonate. This indicates two generations of structure; one that allowed the quartz vein to come in, which was followed by the brecciation.

457.32 506.49 **IQD** ***inclusion quartz diorite***

Same as previous. At 493.60 there is an 83cm clast of gneiss; the margin of the gneiss clast is surrounded by smaller clasts of the same composition that have been plucked off the large clast. Hematite and carbonate veinlets are common throughout.

Alteration Maj:	Type/Style/Intensity	Comment
483.56 - 483.94	HE VN M	rocks are red
490.68 - 498.70	EP VN M	increase in epidote veinlets

Structure Maj.:	Type/Core Angle	Comment
466.87 - 467.17	BC	mechanical breakage from drillers banging on core tube

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
506.49	508.10	**QD** ***Quartz Diorite*** Massive, fine to medium grained, dark gray, non-magnetic. Sharp textural change from previous unit									
508.10	602.48	**IQD** ***inclusion quartz diorite*** Same as previous. Subangular clasts in a fine grained, black matrix. At 581 it appears that the rocks are gradually becoming less clast packed; this reduction in the amount of clasts is accompanied by a slight increase in Po mineralization.	S034333	561.60	563.05	1.45	0.00	0.01	0.01	0.01	0.01
			S034334	578.63	579.04	0.41	0.02	0.01	0.01	0.01	0.04
			S034335	587.87	589.37	1.50	0.00	0.01	0.01	0.01	0.01
			S034336	589.37	590.85	1.48	0.00	0.01	0.01	0.01	0.01
			S034337	590.85	592.34	1.49	0.00	0.01	0.01	0.01	0.01
			S034338	592.34	593.84	1.50	0.00	0.01	0.01	0.01	0.01

Alteration Maj:	*Type/Style/Intensity*	*Comment*
514.27 - 515.95	EP VN M	
514.27 - 515.95	CHL VN M	
514.27 - 515.95	HE P S	rocks are red
523.37 - 524.55	HE P M	dark red
538.50 - 539.30	EP VN M	
538.50 - 539.30	CHL VN M	
538.50 - 539.30	HE VN M	true width of vein is 0.5cm but interval represents the He halo. Vein at 3 DTCA.
550.33 - 551.53	HE P M	true width of alteration is 2mm but the vein was hit at a low angle causing 1.2 meters of bleached red rocks
555.09 - 555.31	Carb VN I	5mm true width but at low angle to CA
564.93 - 565.00	HE VN I	
568.07 - 568.09	EP VN S	coarse grained epidote
568.07 - 568.09	Qtz VN S	

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		578.89 - 578.90 CP VN 5									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		524.51 - 524.55 BC									
		550.66 - 550.96 BC 5 due to alteration veining at low angle									
602.48	621.27	**QD** ***Quartz Diorite***	S034339	603.52	603.97	0.45	0.08	0.00	0.00	0.01	0.10
		Gray, fine to medium grained, non-magnetic (average mag sus=1.7). Clasts still occur in this section but it is much less than the previous section; it is approximately 1% clasts. It is very difficult to pinpoint the exact contact between the QD and DIA because there is a meter long dark, glassy margin.									
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***									
		603.60 - 603.94 EP VN M Cp and Po mineralization associated									
		611.41 - 611.80 Qtz VN I white quartz									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		603.52 - 603.91 BC broken core from banging on tube, pieces are very angular.									
621.27	644.58	**DIA** ***Diabase***	S034342	630.37	630.89	0.52	0.01	0.00	0.00	0.01	0.05
		Dark gray, fine to medium grained, with the same magnetism as the previous unit. A fresh broken surface on the rock is the best way to distinguish this rock from the previous unit; it is much more mafic.									
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***									
		621.27 - 644.58 EP VN W									
		621.27 - 644.58 Qtz VN W randomly oriented quartz and epidote stringers throughout the section									
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***									
		630.48 - 630.70 QD VN 0.05									

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Structure Maj.: ***Type/Core Angle*** ***Comment***

644.57 - 644.58 LC 23 sharp, straight

644.58 649.08 **GR** ***Granite***

Pink, medium to coarse grained, non-magnetic. #5% plagioclase, 30% quartz, 30% potassium feldspar, and 5% mafics; many of the plagioclase feldspar crystals have been altered to epidote which gives the rock a greenish tinge. The rock has coarse vein structures up to to 10 cm wide, these may be partial melts.

Minor Interval:

647.82 647.93 DIA *Diabase*

Aphanitic, black diabase.

649.08 650.00 **DIA** ***Diabase***

Black, fine grained, non-magnetic, the dike entirely quenched. That rock has taken on a weak fabric that has caused fissile breaking at a low angle to the CA.

Structure Maj.: ***Type/Core Angle*** ***Comment***

649.08 - 649.09 UC 43

649.99 - 650.00 LC 10

650.00 683.08 **GR** ***Granite***

Same as previous GR, mostly homogeneous unit. At 650.21-650.42m the hole skimmed an aphanitic, black diabse at 1 DTCA.

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Alteration Maj: ***Type/Style/Intensity*** ***Comment***

654.29 - 654.36 Qtz VN M

Structure Maj.: ***Type/Core Angle*** ***Comment***

650.03 - 650.18 BC mechanical breaking

Texture Maj: ***Type*** ***Comment***

673.07 - 673.31 PM

Minor Interval:

679.37 679.96 IGN *Intermediate Gneiss*

683.08 684.50 **MD** ***Mafic Dike***

Black, aphanitic-fine grained, non-magnetic, quartz phyric. The subrounded quartz phenocrysts are fine grained but are set in an aphanitic matrix. The mineralogy of the matrix is difficult to determine but appears to be amphibole and biotite (based on softness and colour). The rock has an abrasive feel to it from the quartz being slighlty raised in the soft matrix.

Structure Maj.: ***Type/Core Angle*** ***Comment***

683.08 - 683.09 UC 14 sharp, straight

684.49 - 684.50 LC 54 sharp straight

684.50 688.86 **GR** ***Granite***

Same as previous GR

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
688.86	698.08	**DIA** ***Diabase*** Dark gray, aphanitic-fine grained, locally moderatley magnetic (695-697). The rock is quenched (aphanitc) up to 696 m depth. Small section of plagioclase phenocrysts at the start of this unit look similar to Matachewan diabase. ***Structure Maj.:*** ***Type/Core Angle*** ***Comment*** 688.86 - 688.87 UC 28 sharp ***Texture Maj:*** ***Type*** ***Comment*** 688.86 - 689.64 PRBL contains fine grained plagioclase porphyroblasts in the aphanitic matrix. May be Matachewan plagioclase phenocrysts									
698.08	698.97	**FLT** ***Fault*** Small amount of gouge, approximately 1cm. Red in colour due to hematite alteration. Core is broken and blocky. There was likely minor movement on this fault. ***Alteration Maj:*** ***Type/Style/Intensity*** ***Comment*** 698.08 - 698.97 HE P S									
698.97	718.57	**QD** ***Quartz Diorite*** Fine to medium grained, light grey, non-magnetic. 699.97-702.30 are tinted red due to weak He alteration. Rock contains small (<1cm) clasts of QTZ+plagioclase from 714-718.57 **Lithology needs to be confirmed with whole rock. The previous fault may have displaced the QD unit towards the drillhole causing this intersection. ***Alteration Maj:*** ***Type/Style/Intensity*** ***Comment*** 699.85 - 699.90 Qtz VN S vein contains phenocrystic alkali feldspar	S034343	707.46	708.15	0.69	0.00	0.00	0.00	0.01	0.01

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		706.04 - 706.06 Qtz VN S									
		710.49 - 710.50 Qtz VN S									
		714.60 - 714.62 EP VN M									
		714.60 - 714.62 Qtz VN S									

718.57 719.83 **GR** ***Granite***

Similar to previous GR. Looks slightly cooked up (partially melted).

719.83 722.09 **DIA** ***Diabase***

Black, aphanitic, non-magnetic. The rock contains a 6cm quartz rich clast at 720.12.

Structure Maj.:	*Type/Core Angle*	*Comment*
719.83 - 719.84	UC 23	sharp straight

722.09 724.60 **MGN** ***Mafic Gneiss***

Dark greenish gray, medium grained, non-magnetic. The rock has a fabric at 23 degree that has caused the minerals to be elongated. Rock is composed of quartz, biotite, and amphibole. The unit looks like a mafic band of a gneiss but the surrounding felsic sections do not have banding. Contacts are sharp but irregular. At 724.06-724.48m there rock contains patches of feldspar+amphibole accumulations that may be partial melts.

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Minor Interval:
722.79 723.30 GR *Granite*

Minor Interval:
722.09 722.29 GR *Granite*

724.60 727.83 **PMGR** ***partial melt - granitoid***

Partially melted granite, pink, non-magnetic, grain size is variable.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
726.88 - 726.90	CHL VN S	associated are coarse clusters of Py up to 1cm

Texture Maj:	*Type*	*Comment*
724.60 - 725.38	PM	ganophyre texture
724.60 - 725.38	PEG	

727.83 728.77 **MGN** ***Mafic Gneiss***

Same as previous MGN

728.77 734.19 **GR** ***Granite***

Similar to previous GR. Looks slightly cooked up (appears to be approaching granophyre texture).

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

734.19 744.57 **MGN** ***Mafic Gneiss***

Dark gray, weakly banded, non-magnetic, medium grained, trace pyrite. Small pod/vein accumulations of plagioclase+potassium feldspar occur throughout the section; these are likley partial melts.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
734.19 - 744.57	Qtz VN WM	
734.19 - 744.57	EP VN WM	Ep/Qtz stringers occur throughout the section

Minor Interval:

741.60 741.72 GR *Granite*

744.57 751.52 **GR** ***Granite***

Same as previous GR.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
744.57 - 751.52	HE P W	rocks are slightly more red than previous granites

751.52 777.22 **IGN** ***Intermediate Gneiss***

Alternating pink and gray bands, grain size various from fine grained to very coarse, non-magnetic.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
751.52 - 754.69	EP VN M	series of many veinlets of epidote cause the rocks to have green tinge

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

767.02 - 767.24 EP P S

Structure Maj.:	Type/Core Angle	Comment
760.02 - 771.36	GN 10	banding varies but stays at a low angle to the core axis.
761.90 - 761.95	BC	mechanical
771.79 - 773.70	BLKY	

777.22 805.22 **GR** ***Granite***

Similar to previous GR, slighgtly more red in colour than previous units due to weak pervasive He alteration.

Texture Maj:	Type	Comment
788.87 - 789.55	D	Quartz and alkali feldspar crystals up to 10cm in size.
795.14 - 796.33	D	same as previous
797.74 - 798.06	PM	granophyre texture
798.60 - 802.90	PORPH	Consists of very coarse grained feldspars and medium grained uartz set in an aphanitic mafic matrix.

Minor Interval:

803.19 803.99 SDBX *Sudbury Breccia* **1D4**

Difficult to tell if it is SDBX for sure because it is sheared at 30 DTCA.

805.22 814.69 **DIA** ***Diabase***

Fine to medium grained, dark greenish gray, non-magnetic (mag sus average value=1.6). At 805.22-808.21 the rock contains phenocrystic plagioclase crystals relative to the fine grained amphibole matrix.

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Structure Maj.: ***Type/Core Angle*** ***Comment***

805.22 - 805.23 UC 32 sharp, straight

814.68 - 814.69 LC 27 sharp straight

Minor Interval:

810.86 811.04 MD *Mafic Dike*

dike is completley quenched.

814.69 831.09 **QD** ***Quartz Diorite*** S034344 823.34 823.99 0.65 0.00 0.00 0.00 0.01 0.01

Light gray, medium grained, non-magnetic (average mag sus= 2.10). At 827.53 there is a 26cm granite clast (similar to surrounding footwall) which is surrounded by other small granitoid clasts; the same can be seen at 828.75 to 829.32, these are interpreted to be ripped off wall rock clasts upon emplacement of the dike.

Structure Maj.: ***Type/Core Angle*** ***Comment***

814.69 - 814.70 UC 27 sharp, straight, first 30 cm of unit is a chilled margin.

831.08 - 831.09 LC 32 sharp, straight, final meter of unit is quenched.

831.09 859.02 **GR** ***Granite*** **1D4** S034345 852.93 853.28 0.35 0.00 0.00 0.00 0.00 0.00

pinkish grey, coarse euhedral grains, non magnetic.

Alteration Maj: ***Type/Style/Intensity*** ***Comment***

854.23 - 854.27 Qtz VN S

856.77 - 856.80 EP VN S

Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***

853.13 - 853.13 PY F 3

853.13 - 853.13 CP F 2 cp+py in a qtz+carb vein

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Texture Maj: ***Type*** ***Comment***

843.15 - 843.50 D K-Feldspar & quartz

853.97 - 853.99 PM granophyr texture

Minor Interval:

835.99 836.02 SDBX *Sudbury Breccia* **1D4**

trace pyrite associated

Minor Interval:

842.56 842.56 APL *Aplite Dike*

859.02 875.99 **DIA** ***Diabase***

dark grey - black, greenish tint. Fine grained. Low magsus (~3) except 869-875.99 where it increases up to 66.

Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***

865.73 - 865.74 PY VN 80

Structure Maj.: ***Type/Core Angle*** ***Comment***

859.02 - 859.12 UC 23 broken core associated with contact. Chilled margin until 859.36

875.99 916.74 **QD** ***Quartz Diorite***

Light gray, fine to medium grained, non-magnetic (average mag sus value=2.1). First appearance of clasts at 879.06-885, however there are not enough clasts to be considered IQD (<1% clasts); clasts are rounded and composed of quartz, granitoid, and diabase. At 889.25-890 the QD has nice euhedral and acicular crystals of amphibole which is typical of QD. Appearance of small quartz clasts again at 909.90 until the end of the section (not enough to be considered IQD). Geochem confirms that this is QD

Alteration Maj: ***Type/Style/Intensity*** ***Comment***

895.73 - 895.75 Qtz VN S

Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
S034346	878.63	878.96	0.33	0.02	0.00	0.01	0.01	0.03
S034347	880.68	881.97	1.29	0.00	0.01	0.01	0.01	0.01
S034348	905.49	905.95	0.46	0.00	0.00	0.00	0.01	0.01
S034349	905.95	906.76	0.81	0.00	0.00	0.00	0.01	0.00
S034350	910.12	910.64	0.52	0.00	0.00	0.00	0.01	0.01
S034501	914.35	914.92	0.57	0.02	0.00	0.01	0.01	0.06

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology		Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		905.73 - 905.76	Carb VN M									
		905.73 - 905.76	EP VN M	coarse grained								
		905.73 - 905.76	Qtz VN S									
		906.26 - 906.29	Qtz VN S	coarse								
		906.26 - 906.29	Carb VN S									
		906.44 - 906.45	EP VN S	coarse grained								
		906.44 - 906.45	Qtz VN S									
		914.64 - 914.66	EP VN M	mutiple veins of coarse grained ep. Cp associated with this alteration								
		916.45 - 916.74	HE VN M									
		916.45 - 916.74	Carb VN S									
		916.45 - 916.74	EP P S									
		Mineralization Maj. :	***Type/Style/%Mineral***	***Comment***								
		904.74 - 904.75	CP VN 1									
		904.74 - 904.75	PO VN 5									
		Structure Maj.:	***Type/Core Angle***	***Comment***								
		875.99 - 876.00	UC 35	sharp straight, quenched until 877.50								
		876.64 - 877.50	BLKY									
		876.64 - 877.50	BC									
		914.46 - 914.54	BX 19	hydrothermal breccia								
		916.73 - 916.74	LC 20									
		Texture Maj:	***Type***	***Comment***								
		894.42 - 896.59	PM	wispy sections of PM throughout this interval. Section sticks out because it is more felsic (pink) than surrounding QD.								
		910.42 - 910.58	PM	pink feldspar with epidote alteration								

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

916.31 - 916.74 APH chilled lower margin. Chilled section is an olive green hole (seen aslo in WFN-008).

916.74 962.53 **GR** ***Granite***

Same as previous. At 961.75-962.53 there is a white, spotted alteration that is very soft; possibly talc.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
916.74 - 962.53	HE P M	

Structure Maj.:	*Type/Core Angle*	*Comment*
916.79 - 918.51	DSK 90	
922.62 - 922.85	BC	

962.53 964.37 **GAB** ***Gabbro***

Fine grained, black, soft (can dig in with scribe), non-magnetic (average is 1.5). Biotite rich unit.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
962.75 - 964.23	Carb VN S	many veinlets througout section
962.75 - 964.23	Qtz VN S	many veinlets througout section
962.75 - 964.23	EP VN S	many veinlets througout section

Structure Maj.:	*Type/Core Angle*	*Comment*
962.53 - 962.78	SHR 33	
962.53 - 962.78	UC 33	
964.36 - 964.37	LC 33	

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
964.37	986.43	**GR** ***Granite***									

Same as previous

Texture Maj:	Type	Comment
973.54 - 974.53	PEG	
977.03 - 977.48	PEG	
986.32 - 986.43	PM	

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
986.43	986.98	**DIA** ***Diabase***	S034502	986.44	986.99	0.55	0.00	0.02	0.02	0.01	0.02

Black, aphanitic to fine grained, non magnetic (mag sus= 1.5).

Alteration Maj:	Type/Style/Intensity	Comment
986.43 - 986.98	EP VN M	
986.43 - 986.98	Carb VN M	
986.43 - 986.98	Qtz VN M	

Structure Maj.:	Type/Core Angle	Comment
986.43 - 986.44	UC 40	quenched

From (m)	To (m)	Lithology
986.98	994.05	**GR** ***Granite***

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
994.05	995.04	**PEG** ***Pegmatite***	S034503	994.05	995.04	0.99	0.00	0.00	0.00	0.00	0.02

Very coarse quartz and potassium feldspar crystals (up to 15 cm)

Mineralization Maj. :	Type/Style/%Mineral	Comment
994.05 - 995.04	PO BL 0.15	
994.05 - 995.04	CP BL 0.15	
994.05 - 995.04	PY BL 0.5	

995.04 1025.11 **GR** ***Granite***

megacrystic granite. 30% quartz (medium grained), 30% alkali-feldspar (very coarse grained), 25% plagioclase (coarse grained), 15% mafics (mostly fine grained biotite).

Texture Maj:	Type	Comment
995.04 - 1025.11	PORPH	potassoum feldspar is megacrystic

WALLBRIDGE MINING COMPANY LIMITED

DRILL HOLE REPORT

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

Drilling

Azimuth: 90
Dip: -81
Length: 1025.11
Started: 02-Aug-15
Completed: 24-Aug-15
Logged: 07-Aug-15

Casing

Length: 0
Pulled: no
Capped: yes
Cemented: no

Core

Dimension: NQ
Storage: Core Shed
Section:
Hole Type DD

Location

Township: TYRONE
Claim No.: 1241797
NTS: 41I/14
Hole: SURFACE

Other

Logged by: Nick Wray
Relog by:
Contractor: Jacob & Samuel Drilling Ltd.
Spotted by: Tom Johnson
Surveyed:
Surveyed by: Tom Johnson
Geophysics: UTEM
Geophysic Contractor: Lamontagne
Left in hole: Nothing
Making water: no
Multi shot survey:

Comment: At 457.32 the drillers lost water within a large quartz vein but then got it back. Drillers messed up marking the boxes at box 156, they are ahead by one box. 421.41-421.86 and 227.2-227.6 core was given to OGS

Coordinate - Gemcom

East: 478250
North: 5187015
Elev.: 420

Coordinate - UTM

East: 478250
North: 5187015
Elev.: 0
Zone: 17 **NAD:** 27

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	90.00	-81.00	C	☐	
0.00	90.00	-81.00	C	☑	
10.00	90.36	-81.75		☑	
14.00	89.80	-81.80	F	☐	Mag=5569
20.00	93.20	-81.65		☑	
30.00	93.39	-81.98		☑	
40.00	91.18	-81.70		☑	
50.00	91.22	-81.55		☑	
60.00	90.31	-81.72		☑	
65.00	88.70	-81.80	F	☐	Mag=5555
70.00	90.75	-81.67		☑	
80.00	88.64	-81.32		☑	
90.00	89.70	-81.30		☑	

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
100.00	89.75	-81.19		☑	
110.00	90.76	-81.29		☑	
116.00	92.30	-81.50	F	☐	Mag=5585
120.00	91.05	-81.43		☑	
130.00	89.25	-81.43		☑	
140.00	91.75	-81.40		☑	
150.00	92.16	-81.34		☑	
160.00	92.01	-81.31		☑	
167.00	90.40	-81.30	F	☐	Mag=5588, Temp=17.3
170.00	89.50	-81.22		☑	
180.00	91.12	-80.96		☑	
190.00	89.51	-80.95		☑	
200.00	91.55	-81.07		☑	

WALLBRIDGE MINING COMPANY LIMITED

HEADER REPORT

Hole Number: Project: **FOY_NORTH** Project Number: **691**

Deviation Tests

Distance	Azimuth	Dip	Type	Good	Comments
210.00	91.15	-80.89		☑	
218.00	92.60	-81.00	F	☐	Mag=5581
220.00	89.34	-81.04		☑	
230.00	91.45	-81.00		☑	
240.00	89.69	-80.88		☑	
250.00	90.59	-80.70		☑	
260.00	91.79	-80.91		☑	
269.00	92.80	-81.10	F	☐	Mag=5562
270.00	91.24	-80.70		☑	
280.00	89.64	-80.78		☑	
290.00	92.00	-80.87		☑	
300.00	90.78	-80.70		☑	
310.00	89.28	-80.70		☑	
320.00	89.94	-80.82		☑	
320.00	90.80	-80.90	F	☐	Mag=5512, Temp=18
330.00	91.36	-80.80		☑	
340.00	91.66	-80.75		☑	
350.00	91.96	-80.67		☑	
360.00	92.34	-80.48		☑	
370.00	90.70	-80.69		☑	
371.00	90.20	-80.70	F	☐	Mag=5502, Temp=18.8
380.00	93.10	-80.40		☑	
390.00	92.24	-80.59		☑	
400.00	93.06	-80.36		☑	
410.00	91.95	-80.62		☑	
420.00	92.74	-80.60		☑	
422.00	93.50	-80.80	F	☐	Mag=5578,
430.00	93.02	-80.56		☑	
440.00	91.85	-80.31		☑	
450.00	92.60	-80.58		☑	

Deviation Tests

Distance	Azimuth	Dip	Type	Good	Comments
460.00	93.18	-80.47		☑	
470.00	91.21	-80.34		☑	
473.00	91.20	-80.50	F	☐	Mag=5548, Temp=21.6
480.00	92.74	-80.33		☑	
490.00	92.78	-80.37		☑	
500.00	93.53	-80.46		☑	
510.00	93.22	-80.35		☑	
520.00	92.76	-80.32		☑	
524.00	91.60	-80.40	F	☐	Mag=5569
530.00	92.80	-80.28		☑	
540.00	92.89	-80.32		☑	
550.00	93.38	-80.31		☑	
560.00	93.43	-80.26		☑	
570.00	93.50	-80.23		☑	
575.00	95.70	-80.40	F	☐	Mag=5565
580.00	93.90	-80.23		☑	
590.00	93.71	-80.23		☑	
600.00	93.22	-80.23		☑	
610.00	92.88	-80.20		☑	
620.00	92.87	-80.22		☑	
626.00	93.00	-80.30	F	☐	Mag=5561
630.00	92.95	-80.21		☑	
640.00	93.34	-80.20		☑	
650.00	93.46	-80.26		☑	
660.00	93.63	-80.28		☑	
670.00	93.54	-80.24		☑	
677.00	94.20	-80.50	F	☐	Mag=5573
680.00	93.02	-80.17		☑	
690.00	92.83	-80.01		☑	
700.00	92.74	-79.99		☑	

WALLBRIDGE MINING COMPANY LIMITED

HEADER REPORT

Hole Number: Project: **FOY_NORTH** Project Number: **691**

Deviation Tests

Distance	Azimuth	Dip	Type	Good	Comments
710.00	92.95	-79.96		☑	
720.00	92.62	-79.94		☑	
728.00	93.60	-80.40	F	☐	Mag=5562
730.00	91.55	-80.21		☑	
740.00	91.19	-80.12		☑	
750.00	91.08	-79.97		☑	
760.00	90.72	-79.90		☑	
770.00	91.21	-79.83		☑	
779.00	93.20	-80.50	F	☐	Mag=5521
780.00	91.91	-79.77		☑	
790.00	92.33	-79.69		☑	
800.00	92.92	-79.52		☑	
810.00	93.40	-79.52		☑	
820.00	93.40	-79.55		☑	
830.00	93.72	-79.43		☑	
830.00	94.80	-79.50	F	☐	Mag=5537, Temp=19.7
840.00	94.36	-79.25		☑	
850.00	95.07	-79.17		☑	
860.00	94.97	-78.99		☑	
870.00	95.27	-78.94		☑	
880.00	95.42	-78.88		☑	
881.00	96.50	-79.10	F	☐	Mag=5548, Temp=20.2
890.00	95.20	-78.83		☑	
900.00	95.20	-78.80		☑	
910.00	95.15	-78.76		☑	
920.00	95.25	-78.67		☑	
930.00	95.20	-78.56		☑	
940.00	94.60	-78.44		☑	
950.00	93.90	-78.37		☑	
960.00	93.56	-78.10		☑	

Deviation Tests

Distance	Azimuth	Dip	Type	Good	Comments
970.00	93.68	-77.90		☑	
980.00	93.32	-77.75		☑	
990.00	93.11	-77.61		☑	
1001.00	92.99	-77.37		☑	

WALLBRIDGE MINING COMPANY LIMITED

QUALITY CONTROL REPORT

Hole Number: **WFN-011** Project: **FOY_NORTH** Project Number: **691**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Agc1 (g/t)	Ag (g/t)	Au (g/t)	Auc1 (g/t)
604.00	S034340	CRFM-100 S			Chemex	-	2.18	0.18	-
605.00	S034341	Blank			Chemex	-	0.01	0.00	-
1024.00	S034504	CRFM-100 S			Chemex	-	2.20	0.18	-
1025.00	S034505	Blank			Chemex	-	0.01	0.00	-

WALLBRIDGE MINING COMPANY LIMITED

FULL ANALYTICAL REPORT

- Assay -

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

Assay Report (part 1 of 0)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)	Co (%)	Tpm (g/t)	S (%)	Ag (g/t)
83.80	85.13	1.33	S034506	Chemex	SD15138331	26-Sep-15	0.00	0.00	0.00	0.01	0.02	0.00	0.01	0.12	0.08
178.39	179.65	1.26	S034507	Chemex	SD15138331	26-Sep-15	0.00	0.00	0.00	0.00	0.02	0.00	0.01	0.06	0.11
179.65	181.10	1.45	S034508	Chemex	SD15138331	26-Sep-15	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.06	0.04
181.10	185.52	4.42	S034509	Chemex	SD15138331	26-Sep-15	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.18	0.09
188.61	188.97	0.36	S034510	Chemex	SD15138331	26-Sep-15	0.01	0.00	0.00	0.00	0.05	0.00	0.01	0.37	0.17
253.86	254.46	0.60	S034511	Chemex	SD15138331	26-Sep-15	0.00	0.01	0.01	0.00	0.00	0.00	0.01	0.06	0.01
260.00	261.38	1.38	S034512	Chemex	SD15138331	26-Sep-15	0.00	0.01	0.01	0.00	0.01	0.00	0.01	0.03	0.04
354.73	356.15	1.42	S034513	Chemex	SD15138331	26-Sep-15	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.09	0.06
356.15	357.64	1.49	S034514	Chemex	SD15138331	26-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.15	0.06
357.64	359.13	1.49	S034515	Chemex	SD15138331	26-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.16	0.06
359.13	360.60	1.47	S034516	Chemex	SD15138331	26-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.11	0.05
360.60	362.05	1.45	S034517	Chemex	SD15138331	26-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.12	0.07
362.05	363.55	1.50	S034518	Chemex	SD15138331	26-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.23	0.06
363.55	364.98	1.43	S034519	Chemex	SD15138331	26-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.19	0.05
364.98	366.45	1.47	S034520	Chemex	SD15138331	26-Sep-15	0.01	0.01	0.01	0.01	0.01	0.00	0.02	0.16	0.06
366.45	367.95	1.50	S034521	Chemex	SD15138331	26-Sep-15	0.00	0.01	0.00	0.01	0.02	0.00	0.01	0.42	0.08
408.30	409.06	0.76	S034522	Chemex	SD15140179	25-Sep-15	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.26	0.25
412.60	414.01	1.41	S034523	Chemex	SD15138331	26-Sep-15	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.14	0.04
423.39	424.24	0.85	S034524	Chemex	SD15138331	26-Sep-15	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.03

WALLBRIDGE MINING COMPANY LIMITED

LITHOLOGY REPORT
- Detailed -

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology		Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
0.00	1.00	**CAS**	***Casing***									
1.00	70.13	**GRGN**	***granite gneiss***									

Pink to grey, felsic sections are medium to coarse grained, mafic sections are fine to medium grained, non-magnetic. The rocks are weakly banded. The rock alternates between felsic rock (80%) and mafic bands (20%). Mafic band at 2.17-3.80 m, this band is heavily carbonate altered and mica rich with a weak fabric. Mafic band at 8.18-9.17, mica and amphibole rich with strong gneissosity. Mafic band at 15.76-19.91, band is composed of amphibole, plagioclase, potassium feldspar, and quartz. Mafic bands at 46.08-46.63 and 49.97-51.17 and 61.75-65.40. Trace pyrite throughout section.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
9.16 - 9.35	HE VN M	
15.80 - 15.84	Oxid VN S	
15.80 - 15.84	CHL VN S	
15.80 - 15.84	Carb VN S	resluted in minor alteration gouge
15.84 - 18.98	EP PCH WM	plagioclase is altered by epidote
18.98 - 18.99	HE VN I	
18.99 - 19.91	EP SP WM	plagioclase is altered by epidote
26.81 - 26.89	Qtz VN S	
46.09 - 46.62	Carb P M	

Structure Maj.:	*Type/Core Angle*	*Comment*
3.70 - 3.80	S	broken up mica
6.90 - 8.30	BLKY	

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		9.16 - 12.50 BLKY									
		15.80 - 15.84 G very small alteration gouge									
		32.40 - 33.10 BLKY									
		Texture Maj: ***Type*** ***Comment***									
		56.00 - 58.35 CG very coarse grained quartz and feldspar									
70.13	81.82	**MGN** ***Mafic Gneiss***									
		Dark grey, fine to medium grained, strongly magnetic in mica rich zones (up to 216).									
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***									
		76.56 - 76.82 PY WS 15									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		70.13 - 81.82 FOL 35									
81.82	88.38	**DIA** ***Diabase***	S034506	83.80	85.13	1.33	0.00	0.00	0.00	0.01	0.02
		Light grey, fine to medium grained, magnetic (up to 88 mag sus). The colouring of the rock looks similar to QD but the texture does not look like QD. Trace Py.									
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***									
		87.45 - 88.19 HE VN M bleeds out making the alteration appear more intense									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		81.82 - 81.83 UC 21 quenched black contact									
		83.30 - 83.74 BC									
		88.36 - 88.38 BC									
		88.36 - 88.38 LC the lower 20 cm of this unit are bleached a beige colour									

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

88.38 101.00 **GR** ***Granite***

Pink, medium grained to pegmatitic, non-magnetic, texturally variable. Locally there are biotite clusters up to 1cm (example at 91.03)

Texture Maj:	*Type*	*Comment*
99.60 - 100.79	PEG	feldspar crystals up to 6cm

101.00 105.91 **MGN** ***Mafic Gneiss***

Dark gray, fine to medium grained, non-magnetic, has a weak foliation defined by mica.

Structure Maj.:	*Type/Core Angle*	*Comment*
101.00 - 105.91	FOL	very weak

105.91 112.21 **GR** ***Granite***

Same as previous granite.

Structure Maj.:	*Type/Core Angle*	*Comment*
105.99 - 106.06	BX	hydrothermal breccia

112.21 150.17 **GRGN** ***granite gneiss***

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Greyish pink, non-magneitc, mafic minerals are fine grained while felsics are medium to very coarse. Trace Py.

Structure Maj.:	Type/Core Angle	Comment
112.21 - 128.96	GN 33	fabric is weak to moderate
119.44 - 125.36	BC	
142.82 - 143.00	BC	mechanical
148.70 - 149.00	BC	mechanical

Texture Maj:	Type	Comment
128.96 - 131.29	PEG	quartz and feldspars are very coare, banding is absent

Minor Interval:

138.98 139.90 AMPH *Amphibolite*

Dark grey, fine grained, non0magnetic. Composed of amphibole and plagioclase.

Minor Interval:

146.71 146.84 MD *Mafic Dike*

Dike is small and totally quenched so lithology is difficult to determine. The rock is sheared at 30, there is elongated pyrite stringers within the shear planes.

150.17 152.27 **GR** ***Granite***

Reddish pink in colour, grain size is variable (medium to very coarse), non-magnetic.

Alteration Maj:	Type/Style/Intensity	Comment
150.17 - 152.27	HE P M	makes the rock appear to have more potassium feldspar than it really does, the plagioclase gets stained red.

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		Texture Maj: ***Type*** ***Comment***									
		151.06 - 151.15 PEG									
152.27	155.25	**IGN** ***Intermediate Gneiss***									
		Pinkish grey, non-magnetic, mafics are fine grained and felsics are medium to coarse, finely banded. Rock is 45% mafic bands and 55% felsic bands.									
155.25	180.11	**GR** ***Granite***	S034507	178.39	179.65	1.26	0.00	0.00	0.00	0.00	0.02
		Same as previous granite									
		Minor Interval:									
		172.02 172.67 DIA *Diabase*									
		Fine grained, black, non-magnetic. Rock contains 2 1 cm clasts that are the same lithology as the adjacent rock. Could be SDBX but is unlikely judging by the fresh broken surface.									
		Minor Interval:									
		172.67 173.33 QTZ *Quartz Vein*									
		Difficult to determkine if this is actually a late quartz vein or just a very quartz rich unit of the granite. Unit is composed of 85% uartz and 15% biottie									
		Minor Interval:									
		173.33 173.59 DIA *Diabase*									
		same as previous DIA									
		Minor Interval:									
		179.00 179.22 SDBX *Sudbury Breccia* **1D4**									

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
180.11	189.79	**DIA** ***Diabase***	S034508	179.65	181.10	1.45	0.00	0.00	0.00	0.00	0.01
			S034509	181.10	185.52	4.42	0.00	0.00	0.00	0.00	0.01
			S034510	188.61	188.97	0.36	0.01	0.00	0.00	0.00	0.05

Black, very fine grained, magnetic (mag sus up to 200). 5% of the rock is composed of fine grained "phenocrystic" calcite; this gives the rock a spotted texture. The upper 40 cm of the rock has small (<1cm) angular clasts with the same lithology of the the previous unit. At 186.69-186.92 the core is half Dia and half Gr; the hole is skimming the contact, this is likely why the whole section is very fine grained.

Alteration Maj:	Type/Style/Intensity	Comment
180.11 - 189.79	HE VN W	
180.11 - 189.79	CHL VN M	stringers
180.11 - 189.79	EP VN M	occurs as stringers with quartz
180.11 - 189.79	Carb SP M	spotted and stringersw with quartz
180.11 - 189.79	Qtz VN M	stringers that contain Py, Po, and Cp

Mineralization Maj. :	Type/Style/%Mineral	Comment
180.11 - 189.79	CP VN 0.1	
180.11 - 189.79	PO VN 0.25	
180.11 - 189.79	PY VN 0.25	All are in the alteration therefore likely late and non-SIC related.

189.79 192.82 **AMPH** ***Amphibolite***

Black, fine grained, non-magnetic, spotted white with fine to medium grained calicite clusters. Trace pyrite on ateration planes.

Alteration Maj:	Type/Style/Intensity	Comment
191.83 - 191.88	EP VN	coarse crystaks rim a quartz/carb alteration vein
191.83 - 191.88	Carb VN	
191.83 - 191.88	Qtz VN	

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

192.82 206.41 **GR** ***Granite***

Similar to previous granites. This section is very broken, blocky and altered but likely is not a fault.

Alteration Maj:	Type/Style/Intensity	Comment
192.82 - 207.00	CHL VN M	
192.82 - 207.00	EP VN M	
192.82 - 207.00	HE P S	this is the reason for the core being broken and blocky

Mineralization Maj. :	Type/Style/%Mineral	Comment
196.18 - 196.21	PY CG 15	

Structure Maj.:	Type/Core Angle	Comment
192.82 - 196.30	BLKY	
196.30 - 199.37	BLKY	
196.30 - 199.37	BC	this section is the most heavily altered. There does not appear to be a true gouge in this section that would give indication of movement along a fault.
199.37 - 206.23	BLKY	

206.41 211.88 **IGN** ***Intermediate Gneiss***

Alternating felsic (pink) and mafic (dark grey) bands. Felsic minerlas are medium to coarse grained while mafics are fine grained. Non-magnetic. Felsic bands are composed of quartz, plagioclase feldspar, and alkali feldspar; mafic bands are composed of biotite, amphibole, and plagioclase. At 209.35-210.10 there is a mafic band that contains plagioclase +/- quartz clasts up to 1cm in size.

Structure Maj.:	Type/Core Angle	Comment
206.83 - 208.52	BC	

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

211.88 212.78 **DIA** ***Diabase***

Black, aphanitic (quenched), non-magnetic dike. Rock contains fine grained calcite phenocrysts (relative to aphanitic matrix) which gives the rock a spotted texture. Hole hit this dike at a low angle so its true width is much smaller than this interval indicates.

Structure Maj.:	*Type/Core Angle*	*Comment*
211.88 - 211.89	UC 14	
212.77 - 212.78	LC 19	

212.78 220.41 **MGN** ***Mafic Gneiss***

Dark grey, fine grained, non-magnetic. Section is composed of 80% mafic bands; these bands are mica rich, the mica defines a weak fabric within the mafic bands.

220.41 234.67 **GRGN** ***granite gneiss*** **1C4**

Pinkish grey, non-magnetic, medium to coare grained. Rocks have a very weak fabric which is defined by linear consistencies in the mafic minerals

Minor Interval:

225.32	225.47	SDBX	*Sudbury Breccia*	**1C4**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Minor Interval:

233.21 234.67 PMGR *partial melt - granitoid*

Unsure what to call this lithology. It is dark grey but composed of 50% phenocrystic quartz set in a fine grained chlorite altered matrix.

234.67 236.73 **SHR** ***Shear***

Dark grey, fine grained, non-magnetic. Heavily sheared, rock is fissile.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
234.67 - 236.73	EP PCH M	
234.67 - 236.73	CHL P S	

Structure Maj.:	*Type/Core Angle*	*Comment*
234.67 - 236.66	SHR 16	
236.22 - 236.42	G 16	1cm healed gouge

Texture Maj:	*Type*	*Comment*
235.55 - 235.79	PM	small partial melt pods of potassium feldspar

236.73 238.45 **MD** ***Mafic Dike***

Aphanitic (quenched), black dike, non-magnetic, likely diabase,

Alteration Maj:	*Type/Style/Intensity*	*Comment*
237.20 - 238.45	EP PCH M	
237.20 - 238.45	Carb PCH M	
237.20 - 238.45	BL P S	

Structure Maj.:	*Type/Core Angle*	*Comment*
238.20 - 238.24	BX	hydrothermal breccia with chlorite matrix and angular

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
		clasts									
238.45	262.71	**SDBX** ***Sudbury Breccia*** **1D4**	S034511	253.86	254.46	0.60	0.00	0.01	0.01	0.00	0.00
			S034512	260.00	261.38	1.38	0.00	0.01	0.01	0.00	0.01

Dark grey, non-magnetic, cold sudbury breccia. Section is approximately 20% SDBX matrix. The clasts are subangular and variable in size. Trace Py>Po>CP

Alteration Maj:	***Type/Style/Intensity***	***Comment***
260.67 - 261.22	EP PCH M	

Structure Maj.:	***Type/Core Angle***	***Comment***
247.50 - 248.00	BC	mechanical, banging on tube

262.71	279.40	**TON** ***Tonalite***		**1D4**

Light greenish grey, medium to coarse grained, non-magnetic. Rock appears more mafic than the mineralogy indicates due to chaotic alteration veins. Original texture is is difficult to see.

Alteration Maj:	***Type/Style/Intensity***	***Comment***
262.71 - 277.00	CHL VN M	
262.71 - 277.00	EP VN M	alteration makes it difficult to see the rocks original texture.

Minor Interval:

276.08	276.56	SDBX	*Sudbury Breccia*	**1D4**

Minor Interval:

277.00	277.09	SDBX	*Sudbury Breccia*	**1D4**

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Minor Interval:

268.86 270.53 SDBX *Sudbury Breccia* **1D4**

Clast size averages 1cm; clasts are subrounded to subangular

279.40 290.14 **SDBX** ***Sudbury Breccia*** **1D4**

The original lithology was a granitoid; it has been heavily brecciated (SDBX) and altered. The section is approximately 20% breccia matrix. The matrix is very fine grained with subangular clasts; the clasts are the same lithology of the host rock. The average clast size is 0.5 cm. Trace pyrite

Alteration Maj:	*Type/Style/Intensity*	*Comment*
286.93 - 288.93	HE P S	

290.14 291.19 **DIA** ***Diabase*** **1D4**

Dark grey, fine grained, non-magnetic rock. Dike is so small that its entirety is quenched so it is tough to tell true lithology, might not be diabase.

Minor Interval:

291.00 291.19 SDBX *Sudbury Breccia* **1D4**

291.19 294.21 **TON** ***Tonalite***

Same as previous TON

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
294.21	296.79	**DIA** ***Diabase***	**1D4**								

Red/green/dark grey in colour, fine to medium grained, non-magnetic. Heavily altered section.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
294.87 - 295.34	HE P S	
295.34 - 296.26	EP P S	

Structure Maj.:	*Type/Core Angle*	*Comment*
296.29 - 296.79	BC	

Minor Interval:

294.21	294.43	SDBX	*Sudbury Breccia*	**1D4**

296.79	298.03	**GR** ***Granite***									

Coarse grained, pinkish grey, non-magnetic

298.03	301.59	**DIOR** ***Diorite***									

Light greenish grey (due to pervasive ep alteration), medium grained. Plagioclase>Amphibole>quartz

Alteration Maj:	*Type/Style/Intensity*	*Comment*
298.12 - 298.39	EP P S	makes original rock texture difficult to see
298.39 - 298.52	Carb VN S	pink
298.52 - 299.10	EP P S	makes original rock texture difficult to see
299.61 - 300.96	EP P S	makes original rock texture difficult to see

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

301.59 306.27 **IGN** ***Intermediate Gneiss*** **1D4**

Pinkish grey section, mafic zones are fine grained while felsic zones are medium to coarse, non-magnetic. The rock has no consistent texture, it appears chaotic.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
301.59 - 306.27	HE VN WM	veinlets throughout section
301.59 - 306.27	EP VN WM	veinlets throughout section

Minor Interval:

304.77 305.00 SDBX *Sudbury Breccia* **1D4**

Minor Interval:

305.54 305.92 SDBX *Sudbury Breccia* **1D4**

306.27 310.53 **SDBX** ***Sudbury Breccia*** **1D4**

Similar to previous. Hosted in a foliated mafic gneiss. Trace Pyrite

Structure Maj.:	*Type/Core Angle*	*Comment*
306.27 - 310.53	FOL 18	

310.53 327.15 **GRGN** ***granite gneiss***

Dark pink, felsic minerals are coarse grained while mafic minerals are fine grained, non-magnetic. A weak gneissosity is defined by narrow bands of mafic minerals.

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Structure Maj.: ***Type/Core Angle*** ***Comment***

310.53 - 327.15 GN

Texture Maj: ***Type*** ***Comment***

314.35 - 315.76 EQUI no gneissic texture

327.15 329.98 **MGN** ***Mafic Gneiss***

Dark grey, mica rich, weakly magnetic at upper contact, fine grained.

Structure Maj.: ***Type/Core Angle*** ***Comment***

327.15 - 329.98 FOL 35

329.98 337.07 **GRGN** ***granite gneiss***

Same as previous

Alteration Maj: ***Type/Style/Intensity*** ***Comment***

335.53 - 337.08 HE P S

Structure Maj.: ***Type/Core Angle*** ***Comment***

335.68 - 337.31 BLKY

335.68 - 337.31 BC heavily altered by hematite, may be a small brittle fault.

Minor Interval:

333.40 333.54 SDBX *Sudbury Breccia* **1D3**

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
337.07	352.56	**QD** ***Quartz Diorite***									

Light grey fine to medium grained, At 339.52-345 the rock has coarse grained amphibole needles, typical of QD. At 337.20-337.42 there is a clast of the GRGN from the previous unit; this clast was likley ripped off of the footwall upon emplacement of the dike. At 348.85-350.91 there QD has the medium grained massive texture; this texture has been seen in previous Foy North holes when before the QD transitions into IQD.

Alteration Maj:	Type/Style/Intensity	Comment
337.85 - 338.48	HE VN M	
337.85 - 338.48	EP VN M	
346.24 - 346.33	EP VN M	
346.24 - 346.33	K P M	
346.96 - 347.28	K P M	
346.96 - 347.28	EP VN M	
346.96 - 347.28	Carb VN M	
346.96 - 347.28	Qtz VN S	

Texture Maj:	Type	Comment
337.07 - 337.20	APH	

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
352.56	412.38	**IQD** ***inclusion quartz diorite***	S034513	354.73	356.15	1.42	0.00	0.00	0.01	0.01	0.01
			S034514	356.15	357.64	1.49	0.00	0.01	0.01	0.01	0.01
			S034515	357.64	359.13	1.49	0.00	0.01	0.01	0.01	0.01
			S034516	359.13	360.60	1.47	0.00	0.01	0.01	0.01	0.01
			S034517	360.60	362.05	1.45	0.00	0.01	0.01	0.01	0.01
			S034518	362.05	363.55	1.50	0.00	0.01	0.01	0.01	0.01
			S034519	363.55	364.98	1.43	0.00	0.01	0.01	0.01	0.01
			S034520	364.98	366.45	1.47	0.01	0.01	0.01	0.01	0.01
			S034521	366.45	367.95	1.50	0.00	0.01	0.00	0.01	0.02
			S034522	408.30	409.06	0.76	0.00	0.00	0.01	0.01	0.01

Grey, locally magnetic(mag sus values range from 0.5-7.5; the areas with weak magnetism seem to be caused by pyrrhotite and not clasts), clastic rock. The matrix is the same as the previous QD unit. The upper contact is considered gradational but was marked by the appearance of a 12cm elongated and subrounded granitoid clast. 352.56-372 is considered IPQD (inclusion poor QD) and is composed of approximately 5-10% clasts; the clasts are subrounded and often elongated, this suggests assimilation; nearly all of the clasts in the IPQD section are composed of granitoid rocks; the IPQD section has the most mineralization, averaging 0.5% Po=Py. At 372-412.48 this section is considered IRQD (inclusion rich QD), this section averages aprroximately 40% clasts; clast size is quite variable ranging from 0.2cm to 170cm; the small clasts (1cm) in this section are subangular and appear to have been less assimilated than clasts higher up in the hole; the IRQD contains granitoid and mafic clasts the mafic clasts appear to be diabase and amphibolite, these clasts are subrounded because they are softer; the IRQD has noticably less mineralization than the IPQD (<<0.5% sulfide, almost entirely pyrite).

Alteration Maj:	***Type/Style/Intensity***	***Comment***
399.18 - 401.34	HE P M	rocks are dark reddish grey
401.34 - 402.25	EP VN M	
401.34 - 402.25	Carb VN S	
401.34 - 402.25	HE P S	
402.25 - 403.17	EP VN M	
402.25 - 403.17	HE P S	

Mineralization Maj. :	***Type/Style/%Mineral***	***Comment***
354.73 - 367.97	PY BL 0.25	
354.73 - 367.97	PO BL 0.25	

Structure Maj.:	***Type/Core Angle***	***Comment***
384.40 - 386.26	BLKY	
384.40 - 386.26	BC	from banging on the core tube.
399.70 - 399.95	BC	due to pervasive He alteration
401.40 - 401.60	FLT 5	very minor
401.40 - 401.60	G 5	1cm

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)
412.38	431.30	**QD** ***Quartz Diorite***	S034523	412.60	414.01	1.41	0.00	0.01	0.01	0.01	0.01
			S034524	423.39	424.24	0.85	0.00	0.00	0.00	0.01	0.00

Same as previous QD unit. Very minor Po and Py at the top of the section. From 418.3 to 429.01 the rocks are stained red due to pervasive hematite alteration; 429.01-431.3 the rocks are greenish grey but still appear to have the QD texture.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
414.70 - 414.95	Carb VN W	
414.70 - 414.95	Qtz VN M	7mm vein sub-parallel to core axis
418.30 - 429.01	EP VN M	
418.30 - 429.01	CHL VN M	found throughout this altered section
418.30 - 429.01	HE P S	rocks are dark red in colour
429.32 - 429.99	CHL VN M	
429.32 - 429.99	EP VN M	
429.32 - 429.99	Carb VN M	resulted in broken core

Structure Maj.:	*Type/Core Angle*	*Comment*
414.48 - 414.66	BLKY	
429.31 - 431.30	BLKY	
429.31 - 431.30	BC	

431.30 449.22 **AMPH** ***Amphibolite***

Fine grained, greenish grey in colour, non-magnetic (average mag sus=1.5). Green colour is due to rock being heavily chloritized, this has also caused the rock to be very broken and crumbly in places; the chloritized rock is difficult to break and and exposed a fresh surface, it just crumbles and breaks at a low angle to the core axis.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
431.30 - 445.43	CHL P S	

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

445.43 - 449.22 HE VN S resulted in broken core

445.43 - 449.22 CHL P S

Structure Maj.:	Type/Core Angle	Comment
431.30 - 436.00	BLKY 10	due to strong chlorite alteration
431.30 - 436.00	BC 10	due to strong chlorite alteration
442.49 - 442.51	G 90	
445.43 - 448.10	BLKY	
445.43 - 448.10	BC	

449.22 451.64 **STRC** ***Structure***

Dark reddish grey, non-magnetic, extremely altered, brittle structure. This section appears to be a brecciated section that has been altered by hematite, carbonate, chlorite, and epidote.

Alteration Maj:	Type/Style/Intensity	Comment
449.22 - 451.64	EP VN M	
449.22 - 451.64	CHL VN S	
449.22 - 451.64	Carb VN S	
449.22 - 451.64	HE P I	

Structure Maj.:	Type/Core Angle	Comment
449.22 - 451.61	BX	
449.22 - 451.61	FLT	

451.64 481.89 **AMPH** ***Amphibolite***

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Au (g/t)	Pt (g/t)	Pd (g/t)	Ni (%)	Cu (%)

Dark greenish grey, fine to medium grained (coarsens downhole away from the fault), non-magnetic (average mag sus= 1.5). This rock is a lot less altered than the previous AMPH, alteration weakens away from the fault. Trace Py and Cp in alteration veins.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
451.64 - 481.89	CHL VN M	wispy veins are found throughout the section

Structure Maj.:	*Type/Core Angle*	*Comment*
473.56 - 473.64	BC	mechanical

Minor Interval:
459.58 459.93 GR *Granite*

Minor Interval:
463.86 464.62 GR *Granite*

Minor Interval:
459.18 459.36 GR *Granite*

Minor Interval:
461.47 461.86 GR *Granite*

481.89 488.80 **GRGN** ***granite gneiss***

Pinkish grey in colour, coarse grained, non-magnetic, weak to moderate fabric.

Structure Maj.:	*Type/Core Angle*	*Comment*
481.89 - 488.80	FD 33	weak

WALLBRIDGE MINING COMPANY LIMITED

DRILL HOLE REPORT

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

Drilling

Azimuth: 270
Dip: -60
Length: 488.8
Started: 28-Aug-15
Completed: 07-Sep-15
Logged: 31-Aug-15

Casing

Length: 0
Pulled:
Capped: yes
Cemented: no

Core

Dimension: NQ
Storage: Core Shed
Section:
Hole Type DD

Location

Township: TYRONE
Claim No.: 1241797
NTS: 41I/14
Hole: SURFACE

Other

Logged by: Nick Wray
Relog by:
Contractor: Jacob & Samuel Drilling Ltd.
Spotted by: Tom Johnson
Surveyed:
Surveyed by: Tom Johnson
Geophysics: None
Geophysic Contractor:
Left in hole: Nothing
Making water: no
Multi shot survey: no

Comment: Started continuous measuring at 352 to allow for continuous sampling in the IQD. Between blocks 392 and 395 there is almost 4 meters.

Coordinate - Gemcom

East: 478514
North: 5186841
Elev.: 437

Coordinate - UTM

East: 478514
North: 5186841
Elev.: 450
Zone: 17 **NAD:** 27

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	270.00	-60.00	C	☑	
12.00	267.00	-59.90	F	☑	Mag=5608
62.00	270.90	-59.40	F	☑	Mag=5566, Temp=25.4, Roll=087.5
113.00	268.70	-59.20	F	☑	Mag=5534, Temp= 26.6, Roll=008.3
164.00	270.80	-58.80	F	☑	Mag=5573, Temp=26.8, Roll=44.8
215.00	271.20	-58.50	F	☑	Mag=5550, Temp=27, Roll= 122
266.00	273.20	-57.50	F	☑	Mag=5564, Temp=27, Roll=152.2
317.00	271.90	-57.00	F	☑	Mag=5567, Temp=24, Roll=38.7
368.00	273.70	-56.90	F	☑	Mag=5560, Temp=27, Roll=155
419.00	275.10	-56.10	F	☑	Mag=5556, Temp=17.7, Roll=158
470.00	275.60	-55.90	F	☑	Mag=5549, Temp=26, Roll=336.5
488.00	278.20	-54.90	F	☑	Mag=5539, Temp=16, Roll=167.1

WALLBRIDGE MINING COMPANY LIMITED

QUALITY CONTROL REPORT

Hole Number: **WFN-012** Project: **FOY_NORTH** Project Number: **691**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Agc1 (g/t)	Ag (g/t)	Au (g/t)	Auc1 (g/t)
409.07	S034533				Chemex	-	2.10	0.17	-
480.00	S034525	CRFM-100 S			Chemex	-	2.02	0.17	-
481.00	S034526	CRFM-100 S			Chemex	-	0.01	0.00	-