ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-AUG-2015
Account: RLH

CERTIFICATE SD15118475

Project: 691

P.O. No.: 265644

This report is for 43 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 7-AUG-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-AUG-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15118475

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
S034025		2.09	0.003	0.011	0.011	0.12	7.34	1.0	810	1.00	0.05	2.98	0.12	99.0	28.9	137
S034026		0.92	0.001	<0.005	0.005	0.05	8.22	1.0	760	1.13	0.07	3.48	0.08	82.0	26.7	138
S034027		1.36	0.046	0.112	0.181	0.49	7.98	2.2	610	1.39	0.33	2.25	0.06	80.3	118.5	161
S034028		1.85	0.003	0.008	0.009	0.10	8.13	0.6	770	1.03	0.05	3.28	0.09	86.3	25.8	137
S034029		2.55	0.003	0.009	0.009	0.10	8.57	1.2	890	1.03	0.05	3.51	0.12	89.7	28.1	143
S034030		3.26	0.002	0.007	0.007	0.08	8.35	1.0	860	1.06	0.05	3.50	0.09	96.3	26.5	140
S034031		3.26	0.003	0.008	0.012	0.08	7.70	0.7	720	1.02	0.05	3.48	0.04	80.9	28.0	130
S034032		3.62	0.003	0.011	0.017	0.09	7.87	0.7	730	0.99	0.06	3.46	0.04	85.4	28.4	131
S034033		3.01	0.003	0.016	0.022	0.08	7.91	0.4	650	1.01	0.09	3.95	0.05	79.5	32.1	197
S034034		3.32	0.007	0.025	0.036	0.29	8.24	0.7	720	1.78	0.15	3.17	0.10	78.0	38.7	162
S034037		1.07	0.002	0.018	0.015	0.11	9.26	4.4	120	10.95	0.06	2.99	1.62	23.8	20.5	196
S034038		2.94	0.002	0.009	0.009	0.09	7.48	2.4	300	4.70	0.05	3.42	0.46	37.3	27.1	83
S034039		2.41	0.001	0.013	0.011	0.07	7.01	0.6	270	1.80	0.04	4.69	0.07	27.5	45.7	144
S034040		1.91	0.003	0.014	0.012	0.15	7.48	0.9	110	0.60	0.04	6.14	0.12	26.6	47.6	144
S034041		3.95	0.003	0.015	0.010	0.12	7.81	0.7	120	0.54	0.04	6.34	0.09	21.9	47.5	142
S034042		0.93	0.010	0.011	0.010	0.21	7.36	0.9	200	0.39	0.02	5.55	0.09	20.2	52.5	143
S034043		0.89	0.003	0.013	0.010	0.12	7.94	1.3	130	0.46	0.04	7.03	0.11	20.4	45.9	149
S034044		0.99	0.003	0.008	0.006	0.18	7.76	1.3	250	0.60	0.05	6.45	0.14	26.2	47.8	80
S034045		0.06	0.178	0.336	0.365	2.12	6.56	87.1	200	0.72	10.85	5.00	0.61	46.4	196.0	245
S034046		0.39	<0.001	<0.005	<0.001	0.02	0.91	0.3	20	0.11	0.05	0.04	<0.02	10.10	0.7	42
S034047		3.33	0.002	0.014	0.011	0.12	6.96	0.4	130	0.63	0.04	6.25	0.09	20.3	49.9	152
S034048		3.65	0.005	0.012	0.010	0.21	7.44	0.9	150	0.60	0.06	6.32	0.09	19.20	51.3	149
S034049		2.17	0.009	0.012	0.008	0.32	7.15	0.7	90	0.57	0.07	6.26	0.08	24.1	51.2	118
S034050		1.42	0.002	0.010	0.008	0.15	6.93	0.8	180	0.68	0.07	6.31	0.14	22.3	50.4	138
S034301		1.28	0.002	0.012	0.010	0.13	7.20	0.8	230	0.63	0.05	6.25	0.15	24.3	46.0	129
S034302		2.97	0.003	0.013	0.010	0.17	7.67	1.3	270	0.47	0.06	6.50	0.30	25.2	50.3	132
S034303		1.03	0.002	0.013	0.010	0.07	8.26	1.4	390	0.45	0.04	6.68	0.11	23.6	47.9	114
S034304		3.64	0.002	0.014	0.014	0.12	7.78	1.3	220	0.67	0.07	6.46	0.36	22.2	54.5	144
S034305		1.54	0.006	0.016	0.016	0.30	7.80	2.5	270	0.56	0.06	6.30	0.36	24.2	61.1	146
S034306		0.85	0.003	0.013	0.020	0.28	7.76	1.6	60	1.22	0.08	7.35	0.32	21.6	43.4	143
S034307		2.06	0.002	0.014	0.013	0.12	8.32	1.0	230	0.44	0.06	7.35	0.18	22.1	50.2	132
S034308		0.98	0.009	0.013	0.010	0.19	7.81	1.7	210	0.81	0.07	6.64	0.22	23.3	50.1	158
S034309		1.91	0.003	0.014	0.012	0.14	7.58	1.6	210	0.57	0.07	6.88	0.46	25.7	53.6	131
S034310		2.01	0.002	0.015	0.012	0.12	7.23	1.3	520	0.72	0.04	5.17	0.61	22.5	48.2	125
S034311		1.74	0.003	0.010	0.019	0.09	8.68	0.7	570	1.05	0.09	4.80	0.04	64.4	34.7	135
S034312		0.80	0.001	0.010	0.005	0.12	7.30	1.7	130	0.65	0.09	6.72	0.12	29.5	50.9	97
S034313		0.94	0.006	0.010	0.010	0.18	7.68	4.7	660	0.60	0.11	5.96	0.07	22.5	61.6	139
S034314		0.99	0.002	0.014	0.011	0.18	7.60	1.6	90	0.56	0.12	7.18	0.10	26.8	51.7	124
S034315		0.06	0.171	0.317	0.363	2.18	6.56	87.2	220	0.75	11.25	5.29	0.62	46.6	204	244
S034316		0.24	<0.001	<0.005	0.001	0.01	0.20	0.3	10	<0.05	0.05	0.05	<0.02	8.57	0.7	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-AUG-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15118475

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
S034025		1.08	108.0	5.03	20.0	0.19	4.6	0.048	1.93	48.2	19.4	2.09	735	1.50	2.41	7.6
S034026		1.33	78.5	5.41	18.90	0.14	4.4	0.046	1.89	39.7	36.2	2.50	800	1.23	2.54	7.5
S034027		1.48	1660	6.85	19.65	0.11	3.6	0.069	2.69	40.4	56.0	2.65	492	1.49	2.02	7.8
S034028		1.55	103.0	5.35	19.00	0.11	3.6	0.043	2.00	41.7	31.7	2.31	749	1.16	2.65	7.6
S034029		1.28	103.0	5.52	19.90	0.10	4.6	0.048	2.13	44.4	19.3	2.36	826	1.40	2.63	7.9
S034030		1.19	87.0	5.32	19.80	0.11	4.5	0.051	2.06	46.4	13.1	2.28	806	1.52	2.55	7.7
S034031		1.59	108.0	5.21	19.75	0.09	3.5	0.051	1.75	38.0	24.1	2.22	783	1.43	2.55	7.6
S034032		1.65	111.5	5.28	19.80	0.09	3.8	0.052	1.81	41.5	24.2	2.25	817	1.39	2.49	7.8
S034033		1.71	127.0	5.72	19.10	0.10	3.4	0.052	1.80	38.6	26.2	2.76	907	1.21	2.43	7.5
S034034		2.40	439	6.35	19.55	0.10	3.0	0.051	2.41	37.3	36.0	2.77	849	1.08	2.47	7.5
S034037		0.28	77.4	4.68	13.95	0.05	3.0	0.026	0.56	9.0	114.5	4.65	1180	0.62	3.50	9.8
S034038		2.43	187.0	6.45	13.95	<0.05	3.9	0.061	1.12	17.6	44.0	3.30	1210	0.83	2.55	7.0
S034039		2.87	123.0	10.05	17.50	0.05	2.4	0.071	0.98	12.2	47.2	4.85	1960	0.33	1.74	5.4
S034040		0.51	278	9.35	17.65	<0.05	2.3	0.080	0.37	11.9	16.4	3.89	1720	0.74	2.04	5.3
S034041		0.44	199.0	9.51	17.90	<0.05	1.9	0.076	0.38	9.4	17.4	3.87	1720	0.42	2.36	4.5
S034042		1.09	512	9.87	17.50	<0.05	1.5	0.077	0.54	8.9	24.4	4.12	1680	0.40	2.33	3.7
S034043		0.87	180.5	9.83	16.95	<0.05	1.8	0.073	0.42	8.7	11.9	3.76	1750	0.47	1.87	4.2
S034044		1.42	292	11.65	20.2	<0.05	2.3	0.090	0.79	11.1	18.7	3.13	1860	0.58	1.87	5.5
S034045		1.55	3390	10.85	16.10	<0.05	2.1	0.096	0.67	22.5	14.4	4.28	1200	7.73	1.28	9.1
S034046		0.05	12.6	0.23	1.72	<0.05	0.9	<0.005	0.27	5.0	0.7	0.03	27	1.83	0.10	0.2
S034047		0.46	131.0	9.85	18.85	0.15	2.1	0.068	0.40	9.2	16.3	3.75	1720	0.49	2.30	5.0
S034048		0.53	272	10.00	18.15	0.12	1.8	0.069	0.51	8.6	16.9	3.91	1860	0.48	2.54	4.7
S034049		0.41	349	9.87	18.90	0.10	2.3	0.082	0.37	10.7	11.8	3.43	1740	0.62	2.42	5.7
S034050		1.15	234	10.25	18.15	0.11	2.0	0.069	0.71	10.0	21.0	3.93	2080	0.38	1.91	5.1
S034301		1.03	218	9.91	18.25	0.10	2.2	0.072	0.63	10.7	21.8	3.61	1840	0.51	1.95	5.4
S034302		1.09	259	10.40	18.90	0.15	2.1	0.085	0.60	11.4	17.1	3.70	1900	0.73	2.07	5.0
S034303		0.88	225	10.35	19.50	0.14	2.2	0.086	0.78	11.0	21.2	3.66	1890	0.56	2.01	4.9
S034304		0.87	168.0	10.50	18.95	0.14	1.9	0.076	0.50	10.5	21.4	4.50	2100	0.41	1.99	4.1
S034305		1.36	1220	10.75	19.55	0.16	2.3	0.097	0.64	10.6	22.5	4.51	2220	0.38	2.29	4.9
S034306		0.10	408	9.22	19.10	0.12	1.3	0.110	0.29	10.0	10.0	3.55	1740	0.39	2.12	4.4
S034307		1.41	204	10.00	19.10	0.13	1.8	0.076	0.63	10.2	20.2	3.71	1760	0.51	1.70	4.5
S034308		0.20	626	9.05	17.20	0.13	1.4	0.088	0.51	10.8	13.6	3.73	1760	0.64	2.31	4.6
S034309		0.84	225	10.45	20.5	0.13	2.0	0.099	0.75	11.4	19.2	3.84	2140	0.55	1.71	5.2
S034310		1.81	195.5	9.77	16.65	0.13	2.3	0.092	1.41	9.9	31.5	4.33	2570	0.37	2.10	4.9
S034311		2.86	186.0	6.12	19.90	0.19	3.2	0.063	2.16	31.9	46.7	2.87	1020	1.62	1.97	7.9
S034312		0.78	212	11.00	18.95	<0.05	1.9	0.107	0.44	13.5	19.2	3.58	1930	0.58	1.94	5.7
S034313		0.45	1175	10.55	20.3	<0.05	1.4	0.092	1.91	10.0	30.9	3.73	1700	0.50	1.78	4.7
S034314		0.67	344	10.50	18.80	<0.05	1.9	0.097	0.37	11.9	9.5	3.58	1770	0.68	1.75	5.7
S034315		1.59	3560	11.20	16.65	0.18	2.2	0.100	0.68	22.7	14.1	4.26	1240	8.26	1.33	9.2
S034316		<0.05	8.5	0.33	0.54	0.07	0.5	<0.005	0.06	4.0	0.5	0.02	39	1.85	0.03	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-AUG-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15118475

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
S034025		141.0	790	19.1	66.8	0.002	0.22	0.13	16.8	1	1.0	481	0.38	0.07	11.5	0.425
S034026		86.8	870	11.3	59.0	0.002	0.12	0.14	16.2	1	1.1	479	0.44	0.05	9.7	0.439
S034027		1220	870	10.9	91.0	0.008	1.55	0.18	19.6	3	1.5	342	0.46	0.41	9.3	0.462
S034028		134.0	870	17.0	71.9	0.002	0.17	0.11	15.2	1	1.0	490	0.39	<0.05	9.4	0.452
S034029		123.0	860	17.3	69.0	0.002	0.17	0.13	16.3	1	1.1	513	0.42	<0.05	10.4	0.461
S034030		103.0	930	16.7	67.9	<0.002	0.14	0.13	15.8	1	1.1	511	0.42	0.06	11.3	0.455
S034031		114.5	880	9.9	61.6	0.002	0.17	0.10	16.4	1	1.1	489	0.40	<0.05	7.7	0.447
S034032		133.5	870	9.7	68.8	0.002	0.19	0.10	16.6	1	1.1	498	0.42	<0.05	8.7	0.439
S034033		231	870	10.1	68.8	<0.002	0.31	0.11	16.9	1	1.1	473	0.42	<0.05	8.2	0.451
S034034		290	870	13.3	120.0	0.003	0.35	0.11	17.3	1	1.2	404	0.42	0.06	8.0	0.454
S034037		53.8	680	237	6.0	<0.002	0.02	0.15	44.2	1	1.1	437	0.55	<0.05	2.9	0.895
S034038		39.6	500	78.9	86.7	0.002	0.04	0.15	21.6	1	0.9	266	0.61	<0.05	11.3	0.415
S034039		65.9	540	13.4	97.7	0.002	0.01	0.11	53.2	2	0.9	218	0.35	<0.05	2.3	0.689
S034040		66.8	510	10.9	21.9	0.003	0.12	0.13	38.3	2	0.9	267	0.37	<0.05	3.5	0.644
S034041		64.4	450	11.4	20.9	<0.002	0.07	0.12	38.6	2	0.8	326	0.29	<0.05	1.4	0.627
S034042		70.9	360	7.6	38.1	0.002	0.11	0.11	36.8	2	0.8	276	0.24	0.06	1.2	0.515
S034043		62.5	460	10.4	28.9	<0.002	0.05	0.12	37.5	1	0.7	290	0.28	<0.05	1.4	0.614
S034044		47.6	570	15.1	64.9	0.003	0.08	0.13	40.6	1	0.9	301	0.35	<0.05	1.7	0.918
S034045		3000	1110	9.2	33.3	0.085	1.53	1.12	27.9	10	1.7	338	0.86	3.06	4.4	0.430
S034046		4.9	20	1.0	8.1	<0.002	<0.01	0.10	0.5	<1	<0.2	6.9	<0.05	<0.05	1.3	0.012
S034047		70.2	450	10.3	23.4	<0.002	0.03	0.13	41.0	1	0.8	334	0.30	<0.05	1.4	0.659
S034048		70.2	470	10.3	28.6	0.002	0.08	0.14	41.2	1	0.8	354	0.30	<0.05	1.4	0.645
S034049		69.0	560	9.2	15.7	<0.002	0.16	0.13	40.0	2	1.0	357	0.36	<0.05	1.7	0.726
S034050		70.7	490	14.7	41.7	<0.002	0.12	0.12	41.1	2	0.9	266	0.32	<0.05	1.5	0.655
S034301		60.3	550	15.6	43.6	<0.002	0.06	0.12	40.2	2	0.8	240	0.35	<0.05	1.7	0.671
S034302		71.7	560	22.2	46.2	<0.002	0.07	0.18	41.3	2	0.9	270	0.35	<0.05	1.7	0.711
S034303		62.1	550	13.7	61.8	0.002	0.05	0.15	40.0	2	0.9	263	0.35	<0.05	1.7	0.709
S034304		79.3	450	26.5	41.8	0.002	0.05	0.16	39.9	1	0.8	221	0.29	<0.05	1.4	0.583
S034305		84.8	490	26.1	58.6	0.002	0.20	0.16	47.3	3	0.9	228	0.32	0.05	1.6	0.657
S034306		69.3	490	30.8	6.0	0.002	0.15	0.16	40.8	2	1.0	497	0.29	<0.05	1.5	0.599
S034307		67.1	490	16.2	58.4	0.002	0.08	0.16	41.7	2	0.9	263	0.31	<0.05	1.5	0.649
S034308		59.6	510	21.8	28.6	<0.002	0.19	0.16	42.5	2	0.8	374	0.32	<0.05	1.5	0.651
S034309		71.3	560	25.0	51.1	0.002	0.08	0.18	45.0	2	1.0	220	0.35	<0.05	1.7	0.690
S034310		68.1	530	20.4	81.4	0.002	0.06	0.13	43.0	2	1.2	196.0	0.35	<0.05	1.6	0.685
S034311		167.0	920	10.3	126.5	<0.002	0.13	0.13	21.7	1	1.5	378	0.48	<0.05	6.8	0.490
S034312		57.7	600	6.7	27.1	<0.002	0.07	0.22	43.8	1	1.1	186.0	0.38	<0.05	2.0	0.761
S034313		73.7	460	8.1	122.0	<0.002	0.18	0.21	39.6	2	0.9	218	0.28	0.08	1.4	0.583
S034314		54.6	560	7.3	25.8	0.003	0.10	0.17	43.3	1	1.0	229	0.36	0.05	1.8	0.733
S034315		3160	1140	9.8	34.3	0.083	1.67	1.23	30.2	11	1.8	331	0.87	3.03	4.5	0.446
S034316		6.0	20	2.0	1.9	<0.002	<0.01	0.14	0.4	<1	<0.2	4.1	<0.05	<0.05	0.9	0.009

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-AUG-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15118475

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S034025		0.46	1.2	128	0.4	17.2	96	177.5
S034026		0.51	1.4	138	0.3	17.7	93	166.0
S034027		0.74	1.6	154	0.3	17.8	63	139.5
S034028		0.61	1.1	137	0.2	17.7	90	138.5
S034029		0.46	1.3	142	0.3	17.8	96	181.5
S034030		0.42	1.3	136	0.3	18.5	92	179.5
S034031		0.58	1.1	134	0.3	18.3	83	136.0
S034032		0.52	1.2	135	0.3	18.6	87	140.5
S034033		0.59	1.2	137	0.3	18.3	92	134.0
S034034		0.92	1.3	142	0.4	18.5	99	121.5
S034037		0.18	0.9	319	0.4	20.1	349	111.5
S034038		0.83	1.4	163	0.2	20.5	249	142.0
S034039		0.81	0.4	303	0.3	29.5	212	85.9
S034040		0.21	0.7	292	0.2	26.3	141	82.7
S034041		0.19	0.4	293	0.2	24.1	147	66.4
S034042		0.37	0.3	257	0.2	21.0	156	53.6
S034043		0.27	0.4	280	0.2	23.1	140	64.4
S034044		0.47	0.4	421	0.3	28.8	153	85.6
S034045		0.30	1.4	271	1.1	15.7	103	80.4
S034046		0.36	0.3	5	<0.1	0.8	3	31.6
S034047		0.18	0.4	302	0.3	24.9	130	74.4
S034048		0.22	0.4	293	0.5	24.2	145	81.8
S034049		0.21	0.4	305	0.6	27.9	130	68.9
S034050		0.35	0.4	316	0.4	27.1	169	59.7
S034301		0.33	0.4	278	0.4	27.6	212	80.1
S034302		0.34	0.4	308	0.4	28.8	262	83.9
S034303		0.36	0.4	315	0.2	28.2	172	85.6
S034304		0.30	0.4	284	0.3	24.8	330	70.8
S034305		0.42	0.4	313	0.4	28.9	307	87.7
S034306		0.06	0.4	286	0.4	27.2	185	46.2
S034307		0.41	0.4	300	0.3	26.3	156	59.3
S034308		0.16	0.4	295	0.3	27.2	198	50.2
S034309		0.33	0.4	311	0.4	30.6	271	73.7
S034310		0.55	0.4	305	0.3	28.5	460	86.4
S034311		1.15	1.4	162	0.3	20.8	106	136.5
S034312		0.22	0.5	335	0.4	32.1	154	67.6
S034313		0.98	0.4	280	0.5	27.6	119	61.0
S034314		0.23	0.5	321	0.2	30.7	130	72.4
S034315		0.30	1.4	277	1.3	16.7	108	87.8
S034316		0.04	0.2	3	<0.1	0.7	8	20.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-AUG-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15118475

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
S034317		0.99	0.001	0.013	0.011	0.08	7.55	1.6	240	0.80	0.11	6.55	0.11	22.9	47.1	165
S034318		0.73	0.006	0.011	0.009	0.33	7.19	3.4	650	0.53	0.09	5.84	0.07	22.9	52.1	140
S034319		0.05	0.175	0.325	0.360	2.16	6.73	88.0	220	0.76	11.30	5.41	0.61	46.4	205	241

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-AUG-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15118475

Sample Description	Method Analyte Units LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
S034317		2.23	105.5	11.15	21.1	0.13	1.5	0.139	0.78	10.4	26.9	3.70	1860	1.29	1.81	4.6
S034318		0.33	1405	9.59	17.75	0.13	1.2	0.088	1.92	11.3	29.6	3.66	1700	0.47	1.91	4.3
S034319		1.56	3610	11.40	16.55	0.17	2.1	0.100	0.69	22.4	15.4	4.34	1260	8.30	1.36	9.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-AUG-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15118475

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
S034317		74.5	500	9.7	77.8	0.003	0.03	0.22	44.8	2	1.0	217	0.32	<0.05	1.6	0.679
S034318		77.3	430	7.6	149.5	0.002	0.21	0.23	40.4	2	0.8	237	0.30	<0.05	1.4	0.612
S034319		3220	1160	9.9	33.8	0.070	1.69	1.18	30.6	11	1.8	338	0.84	3.14	4.5	0.459

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-AUG-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15118475

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S034317		0.59	0.5	317	0.3	26.8	274	53.7
S034318		0.81	0.4	289	0.4	25.9	162	39.5
S034319		0.30	1.4	284	1.1	16.6	110	89.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-AUG-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15118475

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23