ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-SEP-2015
Account: RLH

CERTIFICATE SD15133726

Project: 691

P.O. No.: 264684

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-SEP-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15133726

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
S034320		0.82	0.006	0.018	0.020	0.16	7.29	0.9	700	1.28	0.08	4.68	0.20	23.7	38.9	57
S034321		1.05	0.006	0.014	0.059	0.18	7.40	0.7	810	1.32	0.07	3.58	0.09	71.2	28.0	127
S034322		3.59	0.002	0.006	0.006	0.05	7.53	1.0	250	1.37	0.14	6.51	0.06	27.4	37.3	73
S034323		0.73	0.011	<0.005	0.001	0.31	6.95	2.6	180	1.00	0.15	2.60	0.23	43.8	11.7	10
S034324		1.69	0.002	<0.005	0.004	0.07	7.00	1.5	670	0.93	0.05	3.35	0.12	70.6	22.8	121
S034325		3.20	0.001	<0.005	0.006	0.06	7.49	0.9	840	0.99	0.04	3.22	0.06	77.3	24.4	123
S034326		2.70	<0.001	<0.005	0.003	0.08	7.55	1.3	920	0.99	0.04	2.85	0.14	90.4	22.1	128
S034327		2.83	<0.001	<0.005	0.004	0.07	7.24	1.3	870	0.89	0.03	2.87	0.12	82.2	21.0	119
S034328		0.71	0.002	<0.005	0.004	0.13	6.70	2.6	610	1.77	0.07	1.49	0.03	100.0	19.2	295
S034329		2.86	<0.001	<0.005	0.004	0.11	7.20	2.5	910	0.98	0.08	3.78	0.26	92.7	28.0	222
S034330		2.72	0.002	0.005	0.006	0.13	7.67	1.4	810	0.89	0.05	3.46	0.19	84.4	25.4	121
S034331		2.86	0.001	<0.005	0.006	0.11	7.49	0.9	820	1.13	0.05	3.43	0.11	79.0	27.8	137
S034332		3.45	0.001	0.006	0.008	0.14	7.41	1.0	860	1.17	0.05	3.30	0.14	80.1	27.7	128
S034333		3.37	0.004	0.005	0.007	0.05	7.72	0.3	740	1.13	0.04	3.37	0.03	109.0	26.9	129
S034334		0.92	0.015	0.008	0.007	0.37	7.07	2.2	970	1.17	0.06	3.12	0.42	96.6	27.5	147
S034335		3.38	0.001	0.007	0.008	0.12	7.61	1.5	760	1.21	0.07	3.91	0.09	81.8	29.6	131
S034336		3.37	0.003	0.008	0.011	0.11	7.43	1.7	810	1.14	0.06	3.65	0.16	79.2	28.2	134
S034337		3.35	0.002	0.007	0.009	0.12	7.35	1.0	770	1.17	0.06	3.70	0.17	81.1	28.0	130
S034338		3.60	0.003	0.007	0.009	0.10	7.09	0.9	740	1.07	0.05	3.51	0.11	79.8	27.0	130
S034339		1.11	0.080	<0.005	0.004	0.87	7.50	1.8	190	1.26	0.12	4.57	0.54	80.1	24.2	125
S034340		0.09	0.175	0.319	0.363	2.18	6.49	85.8	210	0.82	10.60	5.12	0.56	46.4	196.5	256
S034341		0.31	<0.001	<0.005	0.001	0.01	0.39	0.3	10	0.05	0.04	0.02	<0.02	9.50	0.5	19
S034342		1.28	0.012	<0.005	0.001	0.22	6.99	1.0	260	0.76	0.05	5.67	0.14	30.8	47.9	53
S034343		1.66	<0.001	<0.005	0.003	0.06	7.29	0.3	610	1.17	0.05	4.29	0.07	67.4	30.3	125
S034344		1.73	<0.001	<0.005	0.001	0.06	7.32	0.8	610	1.05	0.05	4.43	0.08	61.2	30.0	125
S034345		0.78	0.003	<0.005	<0.001	0.08	6.88	6.8	1610	2.49	0.05	0.74	0.18	265	8.3	5
S034346		0.89	0.017	<0.005	0.006	0.10	7.31	0.6	600	1.05	0.04	4.27	0.11	67.7	34.4	143
S034347		3.46	0.001	0.005	0.009	0.07	8.21	0.7	610	1.26	0.09	4.62	0.06	73.6	32.8	145
S034348		1.22	0.001	<0.005	0.001	0.05	7.23	0.8	640	1.77	0.07	3.24	0.04	71.5	36.4	147
S034349		2.27	<0.001	<0.005	<0.001	0.02	7.19	0.5	660	1.69	0.03	4.30	0.05	59.6	28.9	132
S034350		1.43	<0.001	<0.005	0.001	0.04	7.52	0.6	630	1.23	0.05	3.65	0.06	61.6	27.9	135
S034501		1.51	0.022	<0.005	0.007	0.05	7.30	0.6	760	2.16	0.08	2.57	0.03	56.4	27.9	149
S034502		1.33	0.002	0.021	0.024	0.03	7.09	0.5	420	2.15	0.12	2.17	0.07	22.0	44.8	55
S034503		2.29	0.001	<0.005	0.001	0.12	3.16	1.4	450	1.64	0.03	0.39	0.15	17.50	4.5	12
S034504		0.08	0.175	0.317	0.364	2.20	6.56	87.6	210	0.86	10.70	5.25	0.58	46.3	197.5	260
S034505		0.25	<0.001	<0.005	<0.001	0.01	0.31	0.2	10	0.07	0.05	0.02	<0.02	10.05	0.5	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-SEP-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15133726

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
S034320		1.50	251	9.32	16.95	0.06	1.7	0.073	1.64	10.2	23.5	4.31	2600	0.49	1.85	2.7
S034321		1.87	305	5.56	17.60	0.11	3.3	0.044	2.06	34.1	20.6	2.38	995	0.93	2.10	7.2
S034322		0.75	216	8.66	21.5	0.08	2.5	0.102	0.81	11.3	12.4	3.48	1560	0.45	2.27	5.9
S034323		0.45	332	2.05	24.5	0.07	2.2	0.084	0.59	21.5	10.8	0.22	231	0.59	3.46	6.6
S034324		1.09	69.1	4.98	17.75	0.10	3.5	0.046	1.30	33.3	24.4	2.14	855	0.94	2.23	7.0
S034325		1.26	69.3	4.95	19.95	0.11	3.4	0.048	1.73	35.9	20.0	2.04	787	1.07	2.65	7.2
S034326		1.31	56.2	4.72	19.90	0.13	3.3	0.043	1.83	43.8	20.0	1.92	700	1.07	2.62	6.9
S034327		1.08	57.0	4.61	17.90	0.13	3.6	0.042	1.71	40.0	21.3	1.97	723	1.21	2.42	6.6
S034328		1.34	355	4.47	19.50	0.14	3.0	0.049	3.30	50.6	54.6	2.46	459	0.67	1.25	7.3
S034329		1.47	58.9	5.69	18.15	0.13	3.4	0.045	1.93	45.3	23.8	3.35	1060	0.95	2.22	7.7
S034330		0.87	83.4	5.25	19.15	0.12	3.8	0.047	1.66	40.2	16.1	2.16	828	0.94	2.60	7.0
S034331		1.07	77.6	5.11	20.2	0.18	4.4	0.049	1.69	37.2	13.1	2.09	801	1.31	2.62	7.5
S034332		1.05	135.0	4.96	19.90	0.18	4.3	0.054	1.87	37.9	17.9	2.04	757	1.09	2.59	7.6
S034333		1.57	82.8	5.06	20.6	0.21	3.4	0.053	1.77	51.3	28.4	2.12	749	0.96	2.59	7.8
S034334		1.25	372	5.37	19.20	0.19	3.0	0.051	2.13	44.4	40.6	2.35	764	1.88	2.34	6.8
S034335		1.22	105.5	5.58	19.95	0.20	4.2	0.049	1.64	38.6	13.2	2.23	870	1.02	2.53	7.9
S034336		1.22	90.0	5.30	19.70	0.17	4.5	0.048	1.69	37.3	18.2	2.17	838	0.97	2.52	8.1
S034337		1.20	87.7	5.23	19.80	0.20	4.2	0.050	1.58	38.6	31.9	2.26	864	1.01	2.31	8.0
S034338		1.28	80.0	5.11	19.10	0.19	4.0	0.051	1.59	37.3	21.9	2.17	818	0.97	2.47	7.8
S034339		0.64	1020	4.21	19.80	0.18	2.1	0.104	0.77	39.2	11.4	1.31	573	0.84	3.39	7.7
S034340		1.66	3620	10.90	15.90	0.18	2.1	0.096	0.67	22.5	15.1	4.26	1200	7.57	1.28	9.2
S034341		<0.05	3.1	0.27	0.86	0.10	0.8	<0.005	0.15	4.6	0.4	0.02	29	0.21	0.03	0.2
S034342		0.28	474	10.90	19.05	0.15	2.6	0.116	1.01	13.7	12.8	3.13	2020	0.48	1.98	7.0
S034343		1.69	62.2	5.79	19.65	0.16	3.3	0.050	1.68	31.5	33.9	2.42	961	0.72	2.30	7.9
S034344		1.50	60.4	5.97	18.75	0.15	3.1	0.055	1.62	29.2	28.4	2.49	952	0.75	2.34	7.4
S034345		0.22	24.0	1.33	20.2	0.28	5.6	0.019	4.56	149.0	7.0	0.23	226	0.92	2.64	12.0
S034346		1.52	290	6.26	18.85	0.17	3.3	0.054	1.44	32.4	26.2	2.54	887	0.74	2.46	7.7
S034347		1.40	107.5	6.13	19.55	0.22	3.6	0.052	1.49	36.2	27.4	2.71	933	0.82	2.39	7.9
S034348		3.93	85.2	6.96	18.95	0.21	2.0	0.063	2.76	33.7	52.2	2.66	911	1.34	2.29	7.0
S034349		3.42	20.9	6.11	18.80	0.19	2.8	0.041	2.69	27.3	54.5	2.77	1020	0.86	2.26	8.4
S034350		2.80	56.1	6.01	18.50	0.18	2.8	0.051	2.59	29.7	55.5	2.57	858	0.98	1.95	7.2
S034501		3.73	622	7.10	19.75	0.19	2.1	0.051	3.32	25.8	73.6	2.78	882	0.93	1.60	7.3
S034502		5.36	200	9.57	25.3	0.16	1.4	0.113	3.93	9.5	87.4	3.63	1920	0.27	0.99	3.4
S034503		0.18	235	0.78	8.92	0.13	1.3	0.018	2.23	8.3	4.6	0.10	88	0.21	0.86	11.1
S034504		1.63	3610	11.00	16.00	0.18	2.0	0.097	0.67	22.7	15.3	4.30	1220	7.55	1.31	9.3
S034505		<0.05	4.4	0.39	0.75	0.09	1.0	<0.005	0.09	4.9	0.5	0.01	41	0.21	0.04	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-SEP-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15133726

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
S034320		87.8	420	11.7	82.9	0.002	0.07	0.14	34.4	1	0.8	249	0.17	0.07	1.7	0.489
S034321		260	810	7.0	87.5	<0.002	0.14	0.12	16.4	1	1.2	373	0.46	0.06	6.9	0.442
S034322		47.2	630	6.3	54.0	0.003	0.15	0.29	39.8	2	1.4	438	0.38	<0.05	1.7	0.860
S034323		5.2	70	71.3	25.4	<0.002	0.28	0.30	3.1	1	1.0	455	0.39	0.05	23.7	0.067
S034324		78.6	830	13.8	38.8	0.002	0.11	0.11	14.2	1	1.0	449	0.39	<0.05	7.5	0.436
S034325		96.7	850	12.1	51.2	0.002	0.17	0.11	14.3	1	1.0	520	0.36	<0.05	7.3	0.453
S034326		78.2	870	24.4	64.4	<0.002	0.17	0.10	13.9	1	0.8	532	0.32	0.05	10.1	0.428
S034327		74.5	770	21.6	57.8	<0.002	0.14	0.10	13.5	1	0.8	497	0.34	<0.05	9.1	0.415
S034328		67.9	880	6.9	73.1	<0.002	0.17	0.10	61.6	1	1.5	271	0.35	<0.05	9.6	0.478
S034329		163.5	1210	37.3	73.5	<0.002	0.17	0.14	17.4	1	1.0	470	0.41	0.05	9.7	0.490
S034330		97.9	850	26.4	49.0	0.002	0.19	0.11	15.6	1	0.9	514	0.35	<0.05	8.4	0.456
S034331		109.5	820	17.3	47.5	0.002	0.18	0.16	16.5	1	1.0	513	0.38	0.05	8.0	0.438
S034332		111.0	850	19.1	47.4	<0.002	0.19	0.16	15.5	1	1.0	517	0.38	<0.05	7.8	0.440
S034333		108.5	900	8.0	56.3	<0.002	0.18	0.12	16.0	1	1.0	495	0.38	<0.05	16.8	0.450
S034334		112.5	820	30.6	62.7	0.002	0.18	0.15	16.4	1	0.9	432	0.32	<0.05	8.0	0.420
S034335		100.5	910	15.7	50.6	0.002	0.16	0.15	18.5	1	1.0	480	0.41	0.16	8.3	0.479
S034336		114.5	880	21.5	51.0	<0.002	0.15	0.15	16.9	1	1.1	479	0.42	<0.05	8.3	0.461
S034337		112.5	840	23.7	51.2	0.002	0.15	0.15	17.1	1	1.1	476	0.42	<0.05	8.2	0.459
S034338		110.5	840	18.7	46.7	<0.002	0.14	0.14	16.9	1	1.0	472	0.42	<0.05	8.1	0.438
S034339		67.7	730	24.1	26.6	0.002	0.33	0.19	17.0	1	1.4	546	0.35	0.11	6.3	0.379
S034340		3100	1130	8.9	33.7	0.078	1.59	1.18	29.6	11	1.7	333	0.81	2.78	4.3	0.444
S034341		2.9	20	<0.5	4.3	<0.002	<0.01	0.13	0.3	<1	<0.2	3.6	<0.05	<0.05	1.2	0.008
S034342		59.7	680	13.6	60.0	0.002	0.21	0.16	40.7	2	1.2	212	0.45	<0.05	2.2	0.908
S034343		71.2	960	11.3	56.2	<0.002	0.08	0.12	19.3	1	1.2	458	0.46	<0.05	5.8	0.484
S034344		69.1	910	10.2	53.8	<0.002	0.07	0.15	19.1	1	1.1	414	0.44	<0.05	5.3	0.478
S034345		2.5	380	52.5	161.5	<0.002	0.05	0.15	2.1	1	3.1	180.0	0.82	<0.05	109.0	0.167
S034346		99.2	860	9.1	44.0	<0.002	0.14	0.13	20.6	1	1.2	405	0.46	<0.05	6.0	0.467
S034347		115.0	880	7.7	65.9	<0.002	0.08	0.14	20.9	1	1.2	416	0.47	<0.05	7.1	0.493
S034348		100.0	840	7.7	166.5	<0.002	0.19	0.18	23.7	1	1.2	373	0.40	<0.05	5.7	0.467
S034349		68.8	870	7.8	138.5	<0.002	0.03	0.11	21.4	1	1.1	383	0.49	<0.05	5.9	0.482
S034350		65.9	790	9.7	158.0	<0.002	0.06	0.17	18.1	1	1.2	353	0.43	<0.05	5.3	0.461
S034501		89.8	840	5.8	191.5	<0.002	0.16	0.19	19.6	1	1.1	339	0.45	0.06	5.2	0.474
S034502		83.1	470	4.5	295	<0.002	0.09	0.12	37.4	1	1.5	251	0.21	<0.05	1.5	0.555
S034503		1.6	10	20.8	61.5	<0.002	0.23	0.12	1.6	1	0.4	57.0	1.29	<0.05	3.0	0.015
S034504		3140	1110	8.9	34.1	0.065	1.64	1.19	30.1	10	1.7	341	0.83	2.92	4.2	0.446
S034505		3.1	10	<0.5	3.2	<0.002	<0.01	0.14	0.3	<1	<0.2	4.0	<0.05	<0.05	1.3	0.008

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-SEP-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15133726

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S034320		0.53	0.5	271	0.8	19.3	295	65.0
S034321		0.63	1.5	139	0.3	17.6	129	133.0
S034322		0.39	1.1	341	1.2	32.0	141	92.1
S034323		0.29	54.1	22	0.2	17.7	72	63.6
S034324		0.34	1.3	128	0.3	15.5	111	143.5
S034325		0.44	0.9	126	0.2	16.0	106	143.0
S034326		0.46	1.0	120	0.2	14.7	112	142.5
S034327		0.40	1.0	117	0.2	15.0	110	147.5
S034328		0.39	0.9	171	0.3	14.0	70	126.0
S034329		0.53	0.9	131	0.3	18.8	165	136.0
S034330		0.33	0.9	134	0.2	16.8	111	160.5
S034331		0.37	1.0	127	0.2	17.5	94	171.0
S034332		0.36	1.0	126	0.3	17.6	92	177.5
S034333		0.51	1.1	131	0.3	18.9	84	138.5
S034334		0.63	1.2	133	0.5	17.0	105	120.5
S034335		0.39	1.1	147	0.3	20.1	94	174.5
S034336		0.43	1.1	136	0.3	19.0	97	176.0
S034337		0.47	1.2	134	0.3	19.4	100	161.5
S034338		0.40	1.1	129	0.3	19.0	96	155.0
S034339		0.27	1.5	132	0.4	23.7	77	82.7
S034340		0.29	1.4	269	1.2	16.3	95	85.6
S034341		0.13	0.3	2	0.1	0.7	<2	29.6
S034342		0.44	0.5	368	0.3	34.6	138	95.6
S034343		0.63	1.2	153	0.3	19.4	102	129.5
S034344		0.53	1.1	154	0.4	18.9	95	121.0
S034345		0.67	18.2	11	0.2	12.8	44	215
S034346		0.48	1.3	154	0.3	20.1	99	128.5
S034347		0.46	1.4	156	0.3	22.0	91	146.5
S034348		1.68	1.2	166	0.2	22.9	117	86.2
S034349		1.58	1.2	149	0.2	22.5	114	118.0
S034350		1.25	1.1	141	0.3	22.8	103	117.0
S034501		1.86	1.4	152	0.2	18.5	115	88.8
S034502		2.97	0.7	300	0.4	20.0	472	56.3
S034503		0.39	3.0	4	0.2	12.3	37	16.5
S034504		0.31	1.3	273	1.1	16.7	96	81.6
S034505		0.07	0.3	2	0.1	0.9	<2	36.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 15-SEP-2015
Account: RLH

Project: 691

CERTIFICATE OF ANALYSIS SD15133726

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23