ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 7-JUN-2015
Account: RLH

CERTIFICATE SD15078192

Project: 642

P.O. No.: 287296

This report is for 44 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 29-MAY-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 7-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15078192

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R232371		3.57	<0.001	<0.005	<0.001	0.06	7.76	<0.2	1910	1.19	0.06	3.42	0.04	83.4	13.2	56
R232372		1.20	<0.001	<0.005	0.001	0.05	8.45	<0.2	620	1.16	0.11	4.77	0.04	93.9	27.2	77
R232373		1.56	<0.001	<0.005	<0.001	0.14	8.94	<0.2	780	1.53	0.38	3.71	0.09	140.0	24.2	12
R232374		2.83	<0.001	<0.005	<0.001	0.06	7.74	<0.2	1100	1.23	0.11	3.70	0.05	100.0	21.0	51
R232375		2.62	<0.001	<0.005	<0.001	0.03	8.42	<0.2	1000	1.61	0.15	5.60	0.04	166.5	31.0	13
R232376		2.40	<0.001	<0.005	<0.001	0.07	8.36	<0.2	600	1.40	0.21	4.72	0.11	143.5	27.1	32
R232377		2.25	<0.001	<0.005	<0.001	0.04	8.02	0.3	580	1.21	0.13	3.97	0.13	69.7	21.4	73
R232378		3.55	<0.001	<0.005	<0.001	0.05	8.32	<0.2	1450	1.45	0.08	2.95	<0.02	119.5	12.2	35
R232379		3.59	<0.001	<0.005	<0.001	0.04	7.97	<0.2	450	1.10	0.04	3.13	0.02	39.6	15.7	50
R232380		1.98	<0.001	<0.005	<0.001	0.07	1.74	<0.2	60	0.88	0.06	3.21	0.04	23.6	20.5	27
R232381		3.52	<0.001	<0.005	<0.001	0.03	7.15	0.2	450	0.94	0.03	2.47	0.02	30.5	14.8	51
R232382		3.07	<0.001	<0.005	<0.001	0.05	8.26	0.2	350	1.00	0.03	4.87	0.04	36.2	25.1	102
R232383		3.72	<0.001	<0.005	<0.001	0.04	7.93	0.4	320	1.03	0.02	4.40	0.03	35.7	14.4	42
R232384		0.87	<0.001	<0.005	<0.001	0.11	8.15	<0.2	370	1.32	0.12	6.32	0.03	63.9	18.3	34
R232385		3.06	<0.001	<0.005	<0.001	0.02	7.79	0.4	300	1.19	0.03	4.03	<0.02	49.8	12.6	50
R232386		1.87	<0.001	<0.005	<0.001	0.05	5.23	<0.2	360	0.87	0.04	6.43	0.05	43.5	73.4	141
R232387		2.62	<0.001	<0.005	<0.001	0.02	8.37	<0.2	530	1.30	0.02	5.53	0.06	56.1	24.4	62
R232388		0.97	<0.001	<0.005	<0.001	0.05	7.51	<0.2	510	1.37	0.02	5.04	0.04	47.4	38.3	84
R232389		0.05	0.146	0.322	5.29	0.18	5.83	0.9	40	0.11	0.15	5.08	0.07	2.36	86.3	245
R232390		0.22	<0.001	<0.005	0.003	0.01	0.24	<0.2	10	0.05	0.04	0.04	<0.02	11.75	0.6	33
R232391		2.53	<0.001	<0.005	<0.001	0.06	8.33	<0.2	550	1.31	0.02	5.07	0.05	59.1	41.9	71
R232392		0.96	<0.001	<0.005	<0.001	0.04	4.64	<0.2	710	0.89	0.03	4.46	0.08	30.1	83.1	87
R232393		1.82	<0.001	<0.005	<0.001	0.05	8.03	<0.2	850	1.47	0.03	4.53	0.05	71.8	51.2	7
R232394		0.76	<0.001	<0.005	<0.001	0.17	6.50	<0.2	540	1.53	0.03	4.85	0.06	78.4	66.8	21
R232395		3.92	<0.001	<0.005	<0.001	0.13	7.85	<0.2	670	1.53	0.05	4.67	0.03	63.2	48.6	24
R232396		3.73	<0.001	<0.005	<0.001	0.12	7.36	1.4	820	1.30	0.14	3.67	0.04	65.6	37.5	57
R232397		3.70	<0.001	<0.005	<0.001	0.08	7.52	<0.2	730	1.46	0.09	3.66	0.03	58.5	21.2	34
R232398		3.68	<0.001	<0.005	<0.001	0.08	7.84	<0.2	980	1.63	0.05	3.02	0.05	59.5	15.7	52
R232399		3.56	<0.001	<0.005	<0.001	0.02	7.81	<0.2	1200	1.32	0.02	2.46	0.02	44.9	8.5	37
R232400		3.64	<0.001	<0.005	<0.001	0.02	6.84	<0.2	1320	1.24	0.04	3.77	0.05	75.1	24.0	322
R232401		3.36	<0.001	<0.005	<0.001	0.08	6.98	0.6	380	1.37	0.03	2.80	0.03	57.3	11.6	146
R232402		0.75	0.001	<0.005	<0.001	0.18	7.16	<0.2	330	1.22	0.04	1.82	0.20	50.0	5.5	28
R232403		3.17	0.001	0.009	0.009	0.03	7.38	<0.2	430	0.98	0.02	4.31	0.05	30.5	25.9	57
R232404		3.77	<0.001	0.012	0.011	0.05	7.88	<0.2	420	0.81	0.01	5.08	0.04	35.8	30.9	57
R232405		3.53	<0.001	<0.005	<0.001	0.05	7.87	<0.2	670	1.31	0.01	3.01	0.03	50.0	7.7	39
R232406		3.61	<0.001	<0.005	<0.001	0.04	7.99	<0.2	590	1.41	0.04	2.21	0.03	34.4	9.6	30
R232407		3.92	<0.001	<0.005	<0.001	0.02	7.66	<0.2	710	1.29	<0.01	3.31	0.04	51.7	18.1	59
R232408		3.86	<0.001	<0.005	<0.001	0.02	7.71	<0.2	420	1.49	0.01	3.98	0.03	38.2	16.6	61
R232409		0.06	0.169	0.296	0.349	2.21	6.41	89.1	200	0.82	9.80	5.00	0.57	49.4	195.0	239
R232410		0.32	<0.001	<0.005	<0.001	0.01	0.33	0.6	10	0.08	0.07	0.03	<0.02	8.57	0.8	58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 7-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15078192

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R232371		0.27	24.1	3.47	18.80	0.13	3.0	0.036	2.18	37.2	10.2	1.61	684	0.83	2.99	4.2
R232372		0.21	73.1	6.97	21.2	0.07	2.1	0.069	0.72	44.6	18.2	2.57	1180	0.59	2.79	5.1
R232373		0.25	265	6.05	24.4	0.15	2.7	0.155	1.09	59.4	18.0	2.00	901	0.48	3.90	8.1
R232374		0.18	44.1	5.20	20.7	0.11	2.3	0.069	1.60	47.0	11.5	1.65	838	0.55	2.91	6.0
R232375		1.78	47.4	7.12	23.2	0.19	2.7	0.086	2.19	71.2	26.3	2.99	1090	0.42	2.63	6.0
R232376		0.53	95.6	6.36	20.9	0.14	3.0	0.231	1.08	65.9	21.6	2.67	1060	0.40	3.22	5.4
R232377		0.13	58.8	5.92	21.0	0.09	2.6	0.141	0.85	32.4	16.7	2.23	1010	0.39	3.59	4.3
R232378		0.24	21.3	4.17	21.8	0.18	1.7	0.073	2.03	53.6	16.9	1.56	589	0.49	3.54	8.8
R232379		0.16	42.4	4.41	19.95	0.09	2.9	0.058	0.82	17.0	19.1	1.82	585	0.72	3.83	8.2
R232380		0.07	138.0	15.80	9.10	<0.05	0.5	0.161	0.18	16.6	9.4	0.91	407	2.69	0.38	2.1
R232381		0.15	48.1	3.62	17.55	0.07	3.4	0.045	1.09	14.2	19.1	1.84	539	0.72	3.02	6.4
R232382		0.35	26.3	6.01	19.80	0.07	2.4	0.048	0.89	15.9	12.2	2.86	941	1.61	2.63	6.0
R232383		0.27	13.7	3.92	20.5	0.10	2.1	0.033	0.75	15.3	9.4	1.30	521	1.25	2.91	5.5
R232384		0.28	313	5.87	23.7	0.07	1.8	0.275	0.77	29.1	20.2	1.70	711	1.29	2.27	8.4
R232385		0.14	7.5	3.49	19.10	0.12	2.7	0.045	0.71	19.7	12.8	1.40	538	0.92	3.80	6.7
R232386		0.12	39.4	8.18	14.00	<0.05	1.5	0.052	0.77	17.2	11.0	7.65	1020	0.63	1.71	3.2
R232387		0.12	18.7	3.84	21.5	0.12	2.0	0.063	0.69	24.6	8.7	3.79	692	0.34	4.15	4.7
R232388		0.54	44.9	5.15	19.70	0.10	1.6	0.052	1.24	17.8	13.3	4.49	804	0.27	2.90	4.6
R232389		0.93	500	8.54	9.58	<0.05	0.2	0.023	0.21	1.1	24.3	10.05	1500	0.58	0.59	0.2
R232390		<0.05	2.2	0.32	0.69	<0.05	0.7	<0.005	0.08	5.8	0.4	0.04	36	1.54	0.03	0.1
R232391		0.49	69.9	5.95	22.3	0.08	1.7	0.043	0.87	28.3	10.9	3.99	861	0.43	3.48	4.5
R232392		3.12	13.3	8.77	18.80	0.20	2.1	0.067	2.56	9.8	27.3	8.87	1620	0.63	0.69	8.8
R232393		1.59	67.5	7.59	26.2	0.23	2.3	0.078	1.82	29.0	21.6	4.05	924	0.40	2.69	8.5
R232394		1.17	226	8.71	21.8	0.21	2.4	0.123	1.24	29.7	21.4	4.98	1150	0.86	1.96	7.0
R232395		1.66	94.7	6.54	23.8	0.22	1.8	0.074	1.57	26.1	17.8	4.28	918	0.42	2.42	8.3
R232396		0.32	52.4	5.20	22.8	0.22	3.4	0.034	0.88	29.1	16.8	2.94	758	0.35	2.62	5.4
R232397		0.67	32.5	4.92	22.1	0.20	1.6	0.050	1.27	24.1	11.8	1.92	648	0.46	3.13	3.8
R232398		0.42	23.2	3.30	22.4	0.24	2.4	0.046	1.24	27.9	8.6	1.45	468	1.07	3.65	3.3
R232399		0.26	7.3	1.94	20.7	0.23	1.6	0.016	1.47	22.7	6.2	0.83	224	0.95	3.77	1.3
R232400		0.84	9.1	3.18	18.05	0.28	2.4	0.030	2.18	40.7	11.2	3.22	546	0.71	2.50	2.1
R232401		0.48	7.2	1.81	18.95	0.25	1.8	0.024	1.02	30.4	8.4	1.59	300	1.16	3.72	1.8
R232402		0.26	781	0.94	19.15	0.19	2.0	0.070	0.79	26.1	6.4	0.52	133	1.06	4.38	1.9
R232403		0.29	91.6	4.38	19.60	0.19	1.6	0.052	0.72	14.0	7.0	1.94	734	1.15	3.07	1.9
R232404		0.19	45.9	5.29	20.0	0.18	1.8	0.044	0.55	16.4	7.3	2.44	846	0.63	3.10	2.3
R232405		0.11	18.5	1.84	21.3	0.21	1.8	0.030	0.65	24.2	5.5	0.98	238	0.74	4.29	2.5
R232406		0.12	4.5	1.35	21.0	0.25	1.8	0.020	1.04	17.8	5.8	0.62	168	0.97	4.46	1.7
R232407		0.43	17.6	3.98	20.6	0.20	2.3	0.036	1.46	23.1	8.2	1.51	632	0.96	2.64	6.0
R232408		0.31	4.4	3.74	21.2	0.18	2.1	0.034	0.72	16.6	6.8	1.49	595	1.23	2.89	6.7
R232409		1.65	3410	10.60	17.40	0.19	2.2	0.097	0.64	23.9	14.2	4.13	1160	7.80	1.27	8.9
R232410		<0.05	2.6	0.32	0.70	0.12	0.7	<0.005	0.09	4.3	0.4	0.02	32	2.47	0.05	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 7-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15078192

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R232371		32.3	1660	9.0	30.5	<0.002	0.14	0.08	8.0	1	1.0	783	0.22	<0.05	2.8	0.308
R232372		62.3	1930	8.5	16.7	<0.002	0.15	0.07	20.7	1	1.0	863	0.23	<0.05	3.0	0.580
R232373		22.0	3470	16.0	17.5	<0.002	0.69	0.09	8.9	1	1.9	721	0.35	0.15	5.4	0.654
R232374		36.8	1560	8.7	22.8	<0.002	0.22	0.08	12.8	1	1.2	750	0.28	<0.05	3.6	0.476
R232375		25.4	3760	10.6	85.1	<0.002	0.35	0.09	17.6	1	1.6	1155	0.26	<0.05	5.5	0.620
R232376		33.5	2830	11.1	32.6	<0.002	0.44	0.10	18.0	1	1.4	890	0.26	<0.05	5.9	0.533
R232377		53.7	1350	7.2	22.1	<0.002	0.16	0.09	16.9	1	1.0	628	0.22	0.05	2.7	0.460
R232378		22.1	2420	6.4	35.1	<0.002	0.15	0.09	8.6	1	1.3	632	0.34	<0.05	1.9	0.514
R232379		32.9	1890	5.4	16.6	<0.002	0.06	0.07	11.1	1	0.8	371	0.44	<0.05	0.6	0.484
R232380		37.5	530	2.8	7.5	<0.002	0.17	0.09	3.2	<1	1.6	118.0	0.16	<0.05	1.3	0.118
R232381		37.3	800	3.3	33.1	<0.002	0.08	0.07	10.3	1	0.5	321	0.30	<0.05	0.5	0.366
R232382		60.9	1080	5.3	18.9	<0.002	0.07	0.08	21.9	1	0.7	390	0.41	<0.05	1.2	0.529
R232383		26.3	760	6.1	15.5	<0.002	0.04	0.08	11.0	1	0.9	460	0.35	<0.05	0.7	0.417
R232384		32.3	2340	5.2	21.4	<0.002	0.16	0.09	12.8	2	2.2	556	0.69	<0.05	2.4	0.438
R232385		31.3	2110	3.8	14.4	<0.002	0.02	0.07	10.3	1	1.0	406	0.48	<0.05	1.3	0.366
R232386		280	580	2.6	29.2	<0.002	0.27	0.10	31.0	1	0.9	340	0.18	<0.05	1.7	0.371
R232387		89.8	830	5.1	18.7	<0.002	0.03	0.09	21.5	1	1.2	647	0.25	<0.05	2.9	0.445
R232388		92.4	570	5.0	47.4	<0.002	0.10	0.07	28.4	1	1.4	599	0.24	<0.05	0.5	0.504
R232389		782	30	4.1	8.7	<0.002	0.19	0.48	41.8	2	<0.2	88.9	<0.05	0.44	<0.2	0.111
R232390		4.7	20	0.5	2.4	<0.002	<0.01	0.13	0.4	<1	<0.2	4.8	<0.05	<0.05	1.2	0.007
R232391		105.5	950	6.0	17.4	<0.002	0.16	0.07	17.2	1	1.1	711	0.22	<0.05	4.6	0.464
R232392		313	210	2.6	123.5	<0.002	0.11	0.08	26.0	1	1.9	114.0	0.37	<0.05	0.5	0.665
R232393		51.5	830	6.3	50.4	<0.002	0.14	0.06	29.9	1	1.9	578	0.48	<0.05	2.6	0.780
R232394		108.5	380	10.8	53.9	<0.002	0.38	0.07	43.0	1	2.2	419	0.50	<0.05	3.4	0.681
R232395		79.2	550	6.1	67.9	<0.002	0.17	0.06	30.7	1	1.8	553	0.43	<0.05	2.4	0.706
R232396		98.9	890	3.8	16.9	<0.002	0.22	0.06	16.0	1	1.1	357	0.25	<0.05	2.4	0.448
R232397		26.9	1210	4.2	28.3	<0.002	0.15	0.06	14.5	1	1.3	571	0.16	<0.05	1.3	0.403
R232398		25.9	930	6.1	28.0	<0.002	0.11	0.06	12.5	1	1.3	599	0.15	<0.05	1.3	0.291
R232399		20.5	800	8.4	25.6	<0.002	0.06	0.05	4.6	1	0.5	774	<0.05	<0.05	0.5	0.155
R232400		91.6	860	8.1	62.0	<0.002	0.05	0.05	14.1	1	0.7	661	0.13	<0.05	2.7	0.216
R232401		43.7	660	4.5	34.3	<0.002	0.05	<0.05	5.7	<1	0.7	487	0.07	<0.05	1.7	0.188
R232402		16.9	390	81.3	26.0	<0.002	0.21	0.05	1.6	1	1.0	289	0.09	<0.05	2.3	0.150
R232403		52.3	460	7.6	16.6	<0.002	0.08	0.05	18.2	1	0.6	480	0.10	<0.05	0.9	0.273
R232404		59.3	660	4.3	11.4	<0.002	0.07	0.07	23.0	1	0.8	478	0.13	<0.05	1.3	0.342
R232405		25.4	960	5.9	11.2	<0.002	0.02	0.05	6.1	<1	0.8	694	0.11	<0.05	1.0	0.228
R232406		15.0	550	7.0	25.1	<0.002	0.10	0.05	2.9	<1	0.6	667	0.06	0.05	0.3	0.168
R232407		36.6	910	6.3	26.8	0.002	0.06	<0.05	11.6	1	0.9	451	0.27	<0.05	1.3	0.403
R232408		35.5	990	5.4	13.7	<0.002	0.01	<0.05	12.7	<1	0.9	449	0.30	<0.05	0.4	0.425
R232409		3060	1110	9.2	33.0	0.087	1.52	1.17	32.7	11	1.8	334	0.82	2.89	4.6	0.416
R232410		4.1	20	0.5	2.7	<0.002	0.02	0.10	0.3	<1	<0.2	5.5	<0.05	<0.05	1.1	0.008

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 7-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15078192

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R232371		0.23	0.8	81	0.2	12.2	127	126.5
R232372		0.12	0.4	179	0.2	18.6	268	83.9
R232373		0.13	0.5	132	0.3	22.0	237	131.0
R232374		0.17	0.3	128	0.3	13.7	190	94.7
R232375		0.64	0.7	169	0.2	34.5	260	118.5
R232376		0.25	0.9	163	0.2	27.2	286	127.0
R232377		0.20	0.4	159	0.3	15.7	278	100.5
R232378		0.21	0.2	90	0.1	14.3	157	70.1
R232379		0.12	0.3	110	0.2	11.9	55	114.5
R232380		0.05	0.5	41	1.2	5.8	38	17.8
R232381		0.20	0.3	81	0.1	8.5	50	133.5
R232382		0.16	0.4	157	0.2	18.0	79	90.1
R232383		0.13	0.2	104	0.2	14.2	55	85.8
R232384		0.12	1.2	124	0.7	24.0	55	66.4
R232385		0.10	0.6	93	0.3	19.1	41	106.0
R232386		0.21	0.3	156	0.1	16.9	81	48.7
R232387		0.14	0.3	153	0.2	17.1	56	74.2
R232388		0.30	0.2	188	0.1	21.8	76	49.5
R232389		0.09	<0.1	161	4.2	2.8	94	5.8
R232390		0.06	0.2	2	0.1	0.7	<2	22.8
R232391		0.18	0.3	163	0.1	14.9	83	61.5
R232392		0.69	0.3	175	0.1	16.9	172	67.2
R232393		0.47	0.5	261	0.1	21.3	108	78.5
R232394		0.33	0.6	262	0.1	30.7	115	70.9
R232395		0.41	0.4	226	0.1	22.3	106	62.3
R232396		0.13	0.4	121	0.7	13.0	112	125.0
R232397		0.29	0.2	125	0.2	14.8	80	60.1
R232398		0.19	0.3	75	0.1	13.5	59	88.1
R232399		0.14	0.2	37	<0.1	5.2	27	65.0
R232400		0.34	0.6	70	0.1	9.2	51	95.6
R232401		0.20	0.3	49	0.1	5.1	29	72.0
R232402		0.12	0.4	29	0.1	4.7	29	78.7
R232403		0.12	0.3	127	0.1	9.9	65	55.9
R232404		0.07	0.3	160	0.1	12.1	63	67.6
R232405		0.08	0.2	59	0.1	7.8	31	73.1
R232406		0.10	0.2	37	0.1	3.6	21	68.9
R232407		0.20	0.3	91	0.1	13.1	53	95.5
R232408		0.10	0.2	97	0.1	10.1	40	85.6
R232409		0.31	1.4	260	1.1	15.8	99	84.5
R232410		0.09	0.3	2	<0.1	0.6	<2	25.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 7-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15078192

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R232411		3.82	<0.001	<0.005	0.001	0.05	7.59	<0.2	500	1.01	0.03	4.90	0.10	39.0	31.9	159
R232412		4.30	<0.001	<0.005	0.001	0.04	8.20	0.6	850	1.17	0.02	3.30	0.07	89.9	21.5	120
R232413		2.26	<0.001	<0.005	0.004	0.13	8.40	<0.2	1610	1.08	0.02	3.36	0.07	101.0	34.4	113
R232414		3.30	<0.001	<0.005	0.001	0.06	7.77	<0.2	1010	1.11	0.01	2.78	0.07	78.9	25.2	145

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 7-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15078192

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R232411		0.62	30.6	6.80	19.65	0.16	1.7	0.071	1.07	16.6	8.2	3.41	1160	0.99	2.15	5.6
R232412		0.56	27.0	4.40	22.5	0.21	2.0	0.044	1.37	42.8	7.9	2.04	639	0.97	3.07	5.8
R232413		0.68	144.5	4.08	25.0	0.25	1.9	0.034	2.42	39.8	7.5	1.44	431	0.88	3.18	5.0
R232414		0.88	48.8	4.67	22.2	0.22	2.7	0.047	1.59	38.2	10.2	2.05	566	0.90	2.80	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 7-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15078192

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R232411		99.5	890	3.8	29.4	<0.002	0.11	<0.05	26.1	1	1.1	311	0.27	<0.05	0.6	0.515
R232412		62.7	1170	9.5	29.5	<0.002	0.12	<0.05	15.3	1	0.5	587	0.23	<0.05	10.0	0.391
R232413		152.5	3820	16.6	40.7	<0.002	0.56	<0.05	10.2	2	0.4	775	0.23	0.06	3.4	0.305
R232414		73.5	790	11.7	36.2	<0.002	0.23	<0.05	15.5	1	0.5	720	0.24	<0.05	6.6	0.441

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 7-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15078192

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R232411		0.17	0.2	167	0.1	18.8	107	56.7
R232412		0.22	0.3	105	0.1	13.1	74	79.6
R232413		0.53	0.4	92	0.1	23.9	64	74.2
R232414		0.38	0.5	133	0.1	8.6	86	105.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 7-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15078192

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23