ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

CERTIFICATE SD15002152

Project: 263
P.O. No.: 967132
This report is for 27 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 6-JAN-2015.
The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD15002152

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R230319		2.26	<0.001	<0.005	<0.001	0.03	7.93	0.3	1390	0.86	0.03	1.36	<0.02	26.6	10.1	23
R230320		1.47	<0.001	<0.005	<0.001	0.02	7.61	0.8	650	1.53	0.02	5.52	0.05	104.0	32.3	197
R230321		1.12	<0.001	<0.005	<0.001	0.03	5.96	1.1	860	2.43	0.03	5.87	0.02	175.0	44.2	366
R230322		2.11	<0.001	<0.005	<0.001	0.02	7.80	0.4	1090	1.37	0.01	2.22	<0.02	38.0	10.4	27
R230323		1.09	<0.001	<0.005	<0.001	0.05	9.41	1.0	550	1.74	0.01	3.39	0.06	62.1	12.9	27
R230324		2.31	<0.001	<0.005	<0.001	0.05	7.34	<0.2	390	1.24	0.03	5.10	0.08	73.3	29.4	33
R230325		2.27	<0.001	<0.005	<0.001	0.13	7.81	0.7	430	1.52	0.05	2.73	0.11	91.2	23.1	87
R230326		2.25	<0.001	<0.005	0.001	0.05	7.47	0.7	660	1.43	0.03	2.68	0.08	28.5	12.5	86
R230327		2.35	<0.001	<0.005	<0.001	0.02	8.45	0.3	1910	1.73	0.03	2.07	0.02	231	7.6	10
R230328		2.36	<0.001	<0.005	<0.001	0.02	6.20	0.6	1460	1.05	0.02	1.78	0.03	156.5	7.8	12
R230329		2.19	<0.001	<0.005	<0.001	0.02	7.64	1.1	1720	1.60	0.04	2.78	0.02	185.5	13.9	10
R230330		2.22	<0.001	<0.005	<0.001	<0.01	0.47	<0.2	80	0.17	0.01	0.12	<0.02	15.70	0.7	44
R230331		2.07	<0.001	<0.005	<0.001	0.02	0.94	0.3	100	0.32	0.01	0.37	<0.02	15.95	0.9	42
R230332		2.04	<0.001	<0.005	<0.001	<0.01	0.42	0.4	40	0.15	0.01	0.12	<0.02	15.75	0.5	31
R230333		2.17	<0.001	<0.005	<0.001	0.02	6.25	0.6	1450	1.24	0.02	1.42	<0.02	159.5	4.9	15
R230334		2.15	<0.001	<0.005	<0.001	0.02	3.01	1.0	630	0.63	0.02	0.65	<0.02	62.2	5.3	23
R230335		2.02	<0.001	<0.005	<0.001	0.01	0.36	1.1	50	0.11	<0.01	0.07	<0.02	4.73	0.5	40
R230336		2.98	<0.001	<0.005	<0.001	<0.01	7.52	1.9	1440	1.70	0.02	2.39	0.05	140.0	7.9	20
R230337		3.53	<0.001	<0.005	<0.001	0.01	8.26	0.7	1550	1.96	0.03	2.78	0.03	398	11.1	20
R230338		3.73	0.002	<0.005	0.001	0.03	7.06	1.0	920	1.41	0.05	1.98	0.04	96.8	22.9	75
R230339		2.87	<0.001	<0.005	<0.001	0.05	7.22	1.1	1170	1.25	0.02	2.55	0.05	233	7.9	17
R230340		2.41	<0.001	<0.005	<0.001	0.03	7.95	1.1	1160	1.64	0.02	2.69	0.07	145.0	14.7	70
R230341		2.43	<0.001	<0.005	0.003	0.02	7.39	0.9	740	1.39	0.02	2.65	0.03	147.5	18.6	36
R230342		2.08	0.011	<0.005	0.001	0.02	8.08	1.2	2120	1.54	0.03	2.15	0.04	211	11.2	10
R230343		1.93	<0.001	<0.005	<0.001	0.02	8.28	1.0	2110	1.66	0.02	2.09	<0.02	199.0	10.6	10
R230344		0.05	0.126	0.315	5.21	0.18	5.56	1.7	50	0.13	0.21	4.92	0.06	3.90	84.5	271
R230345		0.25	<0.001	<0.005	0.001	0.01	0.36	1.3	10	0.07	0.04	0.01	<0.02	9.15	0.6	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD15002152

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R230319		0.29	56.6	1.33	17.35	0.07	0.4	0.015	1.99	13.2	6.4	0.52	168	2.31	4.00	0.9
R230320		0.33	10.5	5.74	20.5	0.18	1.7	0.076	0.98	44.6	16.6	4.65	975	0.22	2.93	4.7
R230321		1.36	22.2	8.30	20.2	0.22	10.2	0.092	1.46	76.3	38.6	6.54	1260	0.97	1.16	18.2
R230322		0.22	13.0	2.37	18.40	0.07	1.3	0.015	1.40	19.2	13.4	0.94	311	0.22	3.61	2.5
R230323		0.35	22.0	4.13	24.2	0.12	1.7	0.029	1.27	31.2	11.6	1.30	571	0.35	4.10	3.8
R230324		0.45	65.1	7.93	20.0	0.13	2.2	0.079	0.76	32.5	8.4	2.25	755	0.41	2.98	6.1
R230325		0.65	120.5	3.88	20.9	0.16	1.2	0.040	1.49	38.3	13.5	1.70	505	0.78	3.32	3.2
R230326		0.17	54.5	2.20	18.60	0.08	6.2	0.020	1.13	15.1	8.6	0.98	391	0.53	3.48	2.8
R230327		0.20	6.9	3.89	22.9	0.26	2.4	0.058	3.51	107.0	13.9	0.94	378	0.98	2.93	12.0
R230328		0.13	7.3	3.02	17.35	0.21	1.5	0.047	2.63	73.0	31.9	0.77	313	0.65	1.92	9.9
R230329		0.16	9.7	4.24	22.2	0.25	1.9	0.072	2.89	83.9	24.5	1.33	500	0.90	2.49	16.0
R230330		<0.05	5.9	0.49	1.01	0.06	0.2	<0.005	0.22	7.3	33.9	0.07	54	0.36	0.11	0.5
R230331		<0.05	1.8	0.59	2.66	0.07	0.3	0.007	0.31	6.8	74.2	0.07	69	0.31	0.27	1.2
R230332		<0.05	2.0	0.48	0.94	0.05	0.1	<0.005	0.14	8.2	67.5	0.05	51	0.35	0.08	0.3
R230333		0.13	6.9	2.87	16.30	0.22	1.3	0.043	2.91	77.0	28.8	0.76	313	0.79	1.98	8.7
R230334		0.08	6.2	1.53	8.07	0.16	1.3	0.019	1.33	32.3	40.4	0.37	154	0.81	0.97	5.7
R230335		<0.05	2.5	0.63	0.77	0.11	0.2	<0.005	0.14	2.3	35.1	0.04	64	0.39	0.09	0.5
R230336		0.35	8.4	4.45	23.6	0.30	2.3	0.070	2.55	62.8	20.5	1.26	468	0.97	2.90	15.9
R230337		0.27	15.5	4.61	26.3	0.44	2.3	0.066	2.71	193.0	21.6	1.18	478	0.96	2.98	13.7
R230338		0.22	112.5	4.96	20.3	0.18	1.8	0.051	1.57	48.0	25.2	1.50	524	1.37	2.77	7.7
R230339		0.19	13.0	2.82	23.3	0.34	3.2	0.018	2.79	122.5	8.6	0.54	291	0.81	2.99	6.3
R230340		0.27	29.5	5.50	24.7	0.29	2.7	0.038	2.17	66.8	27.7	1.86	599	0.88	2.84	9.7
R230341		0.65	35.7	5.50	20.3	0.26	1.9	0.049	2.78	78.2	33.8	2.02	551	0.55	2.12	8.9
R230342		0.60	9.0	4.42	23.3	0.34	2.1	0.048	4.21	108.5	23.0	1.16	396	0.64	2.39	15.2
R230343		0.98	9.5	4.46	24.1	0.38	1.6	0.054	4.65	103.0	24.7	1.20	387	0.70	2.25	14.7
R230344		1.03	493	8.32	9.83	0.09	0.2	0.026	0.21	2.0	20.2	9.57	1440	0.64	0.58	0.3
R230345		<0.05	3.0	0.43	0.88	0.07	0.5	<0.005	0.12	4.8	0.8	0.01	44	0.50	0.03	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD15002152

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R230319		12.1	700	4.1	49.3	<0.002	0.16	<0.05	1.4	<1	0.3	556	<0.05	<0.05	0.2	0.109
R230320		192.5	1470	6.5	31.8	<0.002	0.12	<0.05	20.8	1	1.3	970	0.26	<0.05	2.7	0.513
R230321		130.5	2880	6.6	74.4	<0.002	0.13	0.05	25.0	1	3.4	512	0.86	<0.05	23.0	1.345
R230322		16.6	730	4.8	28.2	<0.002	0.14	<0.05	3.7	<1	0.7	603	0.11	<0.05	0.5	0.247
R230323		30.6	1250	12.7	15.5	<0.002	0.10	<0.05	6.0	<1	1.0	780	0.14	<0.05	0.8	0.332
R230324		28.3	1900	9.1	27.9	0.002	0.09	0.05	27.2	1	1.6	610	0.35	<0.05	2.9	0.753
R230325		70.6	2020	19.4	72.1	<0.002	0.39	<0.05	9.5	1	1.0	592	0.16	<0.05	3.3	0.178
R230326		56.4	500	12.6	28.6	<0.002	0.12	<0.05	5.3	<1	0.5	435	0.13	<0.05	0.9	0.232
R230327		4.8	1670	11.4	83.9	<0.002	0.16	<0.05	10.2	1	1.5	520	0.51	<0.05	14.7	0.521
R230328		4.6	1300	8.0	67.1	<0.002	0.15	0.06	9.3	1	1.3	552	0.42	<0.05	7.6	0.415
R230329		6.9	1960	10.1	68.8	<0.002	0.24	<0.05	12.9	1	2.0	528	0.58	<0.05	9.0	0.613
R230330		1.7	80	<0.5	6.0	<0.002	0.01	<0.05	0.4	<1	0.2	20.1	<0.05	<0.05	0.6	0.024
R230331		2.0	140	1.3	7.8	<0.002	0.04	0.06	1.1	<1	0.3	122.0	<0.05	<0.05	0.7	0.048
R230332		2.1	40	<0.5	4.8	<0.002	<0.01	0.05	0.3	<1	0.2	41.8	<0.05	<0.05	0.4	0.015
R230333		4.0	1150	7.4	68.4	<0.002	0.21	0.05	7.8	1	1.2	375	0.33	<0.05	9.5	0.381
R230334		3.5	490	3.5	32.6	<0.002	0.11	0.07	3.8	1	0.7	179.5	0.31	<0.05	18.0	0.179
R230335		2.3	50	0.6	4.3	<0.002	<0.01	0.06	0.5	<1	0.2	20.1	<0.05	<0.05	0.2	0.017
R230336		9.8	2150	10.4	50.8	<0.002	0.05	<0.05	16.0	1	2.2	484	0.58	<0.05	6.0	0.601
R230337		9.7	2110	11.8	57.3	<0.002	0.11	0.05	13.7	1	2.0	585	0.46	<0.05	26.9	0.608
R230338		48.7	840	9.9	37.9	<0.002	0.47	<0.05	12.9	1	1.3	430	0.31	0.07	5.8	0.438
R230339		5.9	1130	10.3	36.9	<0.002	0.11	<0.05	3.6	1	1.2	504	0.24	<0.05	31.2	0.326
R230340		22.3	2060	8.3	45.2	<0.002	0.06	0.05	12.1	1	1.9	402	0.33	<0.05	7.7	0.560
R230341		30.8	1190	6.4	38.4	<0.002	0.06	0.05	20.8	1	1.4	318	0.38	<0.05	12.3	0.540
R230342		6.7	1900	8.9	80.1	<0.002	0.08	<0.05	12.7	1	1.8	427	0.54	<0.05	15.8	0.614
R230343		5.9	1910	9.8	92.5	<0.002	0.07	<0.05	13.6	1	1.7	435	0.50	<0.05	10.6	0.613
R230344		773	40	5.2	8.8	<0.002	0.18	0.69	40.0	2	<0.2	87.5	<0.05	0.44	0.2	0.107
R230345		3.9	20	0.7	3.7	<0.002	<0.01	0.10	0.2	<1	0.2	3.6	<0.05	<0.05	1.3	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD15002152

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R230319		0.20	0.1	23	0.3	3.1	29	12.8
R230320		0.25	2.2	146	0.1	25.3	126	57.9
R230321		0.40	3.2	187	0.1	26.3	189	397
R230322		0.20	0.2	46	0.1	4.1	41	48.7
R230323		0.12	0.3	82	0.1	5.9	97	62.4
R230324		0.17	0.8	263	0.2	28.1	55	77.5
R230325		0.55	0.7	49	0.1	15.5	99	42.4
R230326		0.18	1.0	54	0.1	3.7	40	190.5
R230327		0.40	0.7	59	0.2	20.9	53	99.1
R230328		0.34	0.5	49	0.2	16.6	40	63.5
R230329		0.38	0.6	63	0.3	22.3	62	82.0
R230330		0.04	<0.1	3	0.1	1.1	3	4.3
R230331		0.06	0.1	7	0.1	2.0	3	9.9
R230332		0.04	<0.1	3	<0.1	1.1	2	2.3
R230333		0.35	0.4	44	0.2	14.1	37	54.6
R230334		0.17	2.0	19	0.1	7.2	16	52.7
R230335		0.03	<0.1	2	0.1	0.6	2	3.0
R230336		0.33	1.3	68	0.6	21.1	75	97.9
R230337		0.34	0.7	73	0.3	25.2	75	98.2
R230338		0.24	0.5	100	0.3	13.7	94	77.0
R230339		0.23	0.8	61	0.5	11.2	31	137.0
R230340		0.34	0.6	113	0.5	22.4	87	125.0
R230341		0.21	0.6	137	0.5	17.1	65	85.4
R230342		0.47	0.6	66	0.3	18.7	49	95.9
R230343		0.49	0.5	65	0.2	20.7	55	72.2
R230344		0.12	<0.1	155	0.9	2.9	95	6.7
R230345		0.11	0.2	2	0.1	0.6	2	17.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD15002152

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

ME-MS61	PGM-ICP23