ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

QC CERTIFICATE SD15002151

Project: 642
P.O. No.: 967133
This report is for 8 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 6-JAN-2015.
The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD15002151

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
STANDARDS																
CDN-CM-34					3.61	6.86	109.5	530	1.15	3.52	2.18	1.06	38.7	42.6	242	3.57
Target Range - Lower Bound					3.32	5.88	92.7	430	0.87	3.18	1.83	0.85	36.2	35.5	217	3.22
Upper Bound					4.08	7.21	113.5	610	1.17	3.91	2.25	1.08	44.2	43.6	267	4.05
CDN-PGMS20		1.130	0.778	3.47												
Target Range - Lower Bound		1.060	0.691	3.12												
Upper Bound		1.200	0.789	3.52												
G310-8		7.94	<0.005	<0.001												
Target Range - Lower Bound																
Upper Bound																
MRGeo08					4.50	7.93	32.4	1180	3.55	0.64	2.74	2.23	79.7	17.8	94	13.30
Target Range - Lower Bound					4.00	6.64	29.7	920	2.91	0.62	2.35	2.05	66.7	17.7	81	11.00
Upper Bound					4.92	8.14	36.7	1270	3.67	0.78	2.90	2.55	81.5	21.9	102	13.60
OREAS-904		0.044	<0.005	0.002												
Target Range - Lower Bound		0.041	<0.005	<0.001												
Upper Bound		0.049	0.011	0.003												
PD1		0.543	0.455	0.565												
Target Range - Lower Bound		0.508	0.424	0.528												
Upper Bound		0.576	0.488	0.598												
BLANKS																
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Target Range - Lower Bound					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound					0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
BLANK		<0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD15002151

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
STANDARDS																
CDN-CM-34		5860	5.02	16.35	0.16	0.5	0.147	2.92	17.4	10.5	3.84	463	303	0.78	4.4	257
Target Range -	Lower Bound	5380	4.26	14.35	<0.05	0.4	0.117	2.51	16.3	8.4	3.29	399	270	0.66	4.1	221
	Upper Bound	6180	5.23	17.65	0.21	0.8	0.155	3.09	21.0	10.7	4.05	499	330	0.83	5.3	270
CDN-PGMS20																
Target Range -	Lower Bound															
	Upper Bound															
G310-8																
Target Range -	Lower Bound															
	Upper Bound															
MRGeo08		638	4.13	18.75	0.14	3.2	0.185	3.24	37.3	36.4	1.42	579	14.55	2.10	21.9	725
Target Range -	Lower Bound	587	3.55	17.50	<0.05	2.8	0.161	2.79	31.1	30.4	1.17	497	13.65	1.76	19.0	622
	Upper Bound	675	4.37	21.5	0.27	3.6	0.207	3.43	39.1	37.6	1.45	619	16.75	2.18	23.4	760
OREAS-904																
Target Range -	Lower Bound															
	Upper Bound															
PD1																
Target Range -	Lower Bound															
	Upper Bound															
BLANKS																
BLANK		<0.2	<0.01	<0.05	0.09	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Target Range -	Lower Bound	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
	Upper Bound	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
BLANK																
Target Range -	Lower Bound															
	Upper Bound															

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD15002151

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
STANDARDS																
CDN-CM-34		1330	24.4	84.7	0.309	3.21	5.87	17.9	5	1.8	244	0.30	0.68	2.1	0.513	1.38
Target Range -	Lower Bound	1110	20.9	78.0	0.262	2.70	5.02	14.7	3	1.4	205	0.21	0.49	1.8	0.435	1.11
	Upper Bound	1370	26.7	95.5	0.324	3.32	6.91	18.2	7	2.3	251	0.44	0.75	2.9	0.543	1.55
CDN-PGMS20																
Target Range -	Lower Bound															
	Upper Bound															
G310-8																
Target Range -	Lower Bound															
	Upper Bound															
MRGeo08		1120	1125	208	0.008	0.32	4.47	11.9	2	4.0	332	1.53	<0.05	21.1	0.523	1.08
Target Range -	Lower Bound	930	971	173.5	0.006	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.7	0.454	0.89
	Upper Bound	1160	1185	212	0.016	0.36	5.39	13.7	4	4.7	339	1.81	0.14	22.1	0.566	1.25
OREAS-904																
Target Range -	Lower Bound															
	Upper Bound															
PD1																
Target Range -	Lower Bound															
	Upper Bound															
BLANKS																
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range -	Lower Bound	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
	Upper Bound	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
BLANK																
Target Range -	Lower Bound															
	Upper Bound															

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD15002151

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
STANDARDS							
CDN-CM-34		0.8	173	28.3	14.2	208	14.2
Target Range - Lower Bound		0.5	149	22.1	11.8	176	11.7
Upper Bound		1.0	184	30.1	14.6	219	17.0
CDN-PGMS20							
Target Range - Lower Bound							
Upper Bound							
G310-8							
Target Range - Lower Bound							
Upper Bound							
MRGeo08		5.8	116	4.8	27.3	842	106.5
Target Range - Lower Bound		4.9	97	4.1	23.8	722	92.2
Upper Bound		6.3	121	5.8	29.3	886	126.0
OREAS-904							
Target Range - Lower Bound							
Upper Bound							
PD1							
Target Range - Lower Bound							
Upper Bound							
BLANKS							
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5
Upper Bound		0.2	2	0.2	0.2	4	1.0
BLANK							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD15002151

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
DUPLICATES																
ORIGINAL					0.02	0.40	1.4	20	0.20	0.02	21.1	<0.02	4.88	0.7	3	0.11
DUP					0.02	0.40	1.3	20	0.23	0.02	20.9	<0.02	5.04	0.7	3	0.12
Target Range - Lower Bound					<0.01	0.37	1.1	<10	0.15	<0.01	19.95	<0.02	4.70	0.6	2	0.06
Upper Bound					0.03	0.43	1.6	30	0.28	0.03	22.1	0.04	5.22	0.8	4	0.17
ORIGINAL		0.001	<0.005	<0.001												
DUP		<0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												
ORIGINAL		0.003	<0.005	<0.001												
DUP		0.003	<0.005	<0.001												
Target Range - Lower Bound		0.002	<0.005	<0.001												
Upper Bound		0.004	0.010	0.002												
R230350		<0.001	<0.005	0.001												
DUP		<0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD15002151

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
		DUPLICATES														
ORIGINAL		2.4	0.21	0.81	0.17	0.2	<0.005	0.33	2.5	9.0	12.65	115	0.13	0.02	1.3	1.5
DUP		1.9	0.21	0.81	0.08	0.2	0.005	0.33	2.6	9.4	12.40	115	0.10	0.02	1.3	1.5
Target Range - Lower Bound		1.9	0.19	0.72	0.07	<0.1	<0.005	0.30	1.9	8.5	11.90	104	0.06	<0.01	1.1	1.2
Upper Bound		2.4	0.23	0.90	0.18	0.3	0.010	0.36	3.2	9.9	13.15	126	0.17	0.03	1.5	1.8
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
R230350																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD15002151

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
		DUPLICATES														
ORIGINAL		280	2.2	4.3	<0.002	0.10	0.18	0.5	<1	0.3	52.0	0.09	<0.05	0.7	0.018	0.04
DUP		270	2.3	4.3	<0.002	0.09	0.18	0.6	<1	0.3	53.9	0.09	<0.05	0.6	0.018	0.03
Target Range - Lower Bound		250	1.6	4.0	<0.002	0.08	0.12	0.4	<1	<0.2	50.1	<0.05	<0.05	0.4	0.012	<0.02
Upper Bound		300	2.9	4.6	0.004	0.11	0.24	0.7	2	0.4	55.8	0.10	0.10	0.9	0.024	0.04
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
R230350																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD15002151

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		DUPLICATES					
ORIGINAL		0.7	5	0.4	1.7	2	7.5
DUP		0.8	5	0.4	1.7	<2	7.7
Target Range - Lower Bound		0.6	4	0.3	1.5	<2	6.7
Upper Bound		0.9	6	0.5	1.9	4	8.5
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
R230350							
DUP							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 17-JAN-2015
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD15002151

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23