ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-DEC-2014
This copy reported on
12-DEC-2014
Account: RLH

CERTIFICATE SD14186627

Project: 642

P.O. No.: 967105

This report is for 29 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 2-DEC-2014.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-DEC-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14186627

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R230190		0.78	0.001	<0.005	<0.001	0.05	7.17	0.3	470	0.94	0.01	5.59	0.05	51.6	43.9	129
R230191		0.94	0.001	<0.005	<0.001	0.03	7.90	0.5	640	1.14	0.01	5.85	0.15	127.0	40.1	44
R230192		1.96	0.001	<0.005	0.001	0.01	7.48	<0.2	430	1.03	0.02	5.20	0.05	120.0	23.0	32
R230193		1.00	0.002	0.010	0.009	0.03	7.74	0.5	430	0.83	0.03	6.68	0.02	50.3	43.8	91
R230194		3.33	0.001	<0.005	0.001	0.01	7.39	0.5	100	1.73	0.01	5.00	0.02	93.5	12.9	35
R230195		2.65	0.001	<0.005	<0.001	0.07	5.38	0.5	40	0.65	0.01	3.50	0.13	35.9	1.6	22
R230196		2.76	0.001	<0.005	<0.001	0.09	6.05	0.3	310	2.07	0.01	1.01	0.17	41.6	2.0	17
R230197		2.84	0.001	<0.005	0.001	0.01	7.19	0.3	180	2.33	0.01	3.84	0.03	80.3	7.9	23
R230198		3.84	0.002	<0.005	0.002	0.01	8.60	0.7	940	1.30	0.03	5.16	0.03	72.6	33.4	61
R230199		1.62	0.001	<0.005	0.001	0.01	8.48	0.4	680	1.30	0.02	4.61	0.02	62.6	32.8	70
R230200		1.34	0.001	<0.005	0.001	<0.01	8.20	<0.2	490	1.46	0.02	3.91	0.02	64.0	26.1	53
R230201		0.86	0.001	<0.005	0.001	0.01	7.79	0.2	400	1.05	0.02	3.20	0.03	91.5	13.9	38
R230202		1.54	0.001	<0.005	<0.001	0.02	9.14	0.5	770	1.48	0.02	6.00	0.04	71.6	27.6	62
R230203		1.95	0.001	<0.005	0.002	0.02	7.76	0.6	510	1.61	0.02	4.66	0.03	69.2	23.5	58
R230204		1.51	0.001	<0.005	0.001	0.01	9.07	0.4	240	1.08	0.02	6.39	0.02	66.7	20.2	65
R230205		1.72	0.001	<0.005	<0.001	0.02	7.66	0.6	170	1.12	0.02	3.77	0.05	63.0	17.2	49
R230206		0.83	0.001	<0.005	0.001	0.03	7.70	0.7	1080	1.48	0.02	4.41	0.03	126.5	24.6	55
R230207		3.34	0.001	<0.005	0.001	0.05	7.58	0.7	250	1.99	0.02	3.62	0.03	61.9	13.8	53
R230208		1.06	0.006	<0.005	0.001	0.09	7.73	1.2	230	1.24	0.05	4.08	0.06	54.0	27.6	38
R230209		1.27	0.002	<0.005	<0.001	0.05	8.56	0.2	70	1.20	0.02	6.81	0.04	44.8	15.6	24
R230210		0.04	0.128	0.322	5.36	0.15	5.77	1.4	40	0.10	0.17	4.95	0.08	2.54	87.0	233
R230211		0.31	0.001	<0.005	0.001	0.01	0.43	0.5	10	0.08	0.03	0.04	<0.02	9.15	0.4	22
R230212		1.64	0.002	<0.005	0.001	<0.01	7.99	1.1	710	1.56	0.02	4.43	0.02	40.7	21.5	37
R230213		2.49	0.001	<0.005	0.001	<0.01	7.44	0.3	840	1.04	0.01	3.29	<0.02	29.1	19.8	36
R230214		1.49	0.001	<0.005	<0.001	0.01	5.31	<0.2	1170	0.87	0.01	2.66	0.03	22.7	9.3	32
R230215		2.44	0.001	<0.005	<0.001	0.01	7.75	0.3	1110	1.42	0.01	3.70	<0.02	20.8	15.0	25
R230216		2.78	0.001	<0.005	0.005	0.02	7.78	0.3	850	1.02	0.01	4.72	0.02	26.8	21.2	38
R230217		0.04	0.147	0.319	5.32	0.16	5.32	0.8	40	0.12	0.12	4.69	0.07	2.37	83.0	240
R230218		0.25	0.001	<0.005	0.001	0.01	0.92	0.4	30	0.17	0.05	0.04	<0.02	11.50	0.5	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-DEC-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14186627

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R230190		0.51	84.3	6.82	17.00	0.15	2.1	0.057	0.97	23.7	12.1	4.76	976	0.81	2.11	3.3
R230191		0.32	45.7	8.96	22.1	0.22	0.9	0.056	0.82	58.8	18.2	2.95	1000	0.84	2.39	6.0
R230192		0.13	24.9	6.11	21.3	0.18	2.5	0.056	0.56	59.6	14.1	1.92	685	0.92	2.86	5.9
R230193		0.08	102.5	9.33	21.7	0.14	1.5	0.074	0.55	24.8	16.9	3.29	1080	0.96	1.86	5.1
R230194		<0.05	3.6	3.78	20.1	0.16	2.2	0.049	0.11	43.3	6.7	1.98	424	0.81	4.11	10.1
R230195		<0.05	18.9	2.13	18.85	0.13	1.4	0.033	0.02	16.3	3.7	0.14	170	1.70	2.62	8.4
R230196		0.09	7.2	0.86	16.70	0.18	1.9	0.011	1.30	18.9	3.6	0.22	113	1.14	3.90	10.2
R230197		0.05	7.1	1.95	22.1	0.17	9.2	0.026	0.21	34.7	4.8	1.33	295	0.70	4.94	9.1
R230198		0.08	5.7	5.41	22.8	0.17	1.9	0.061	1.37	34.8	11.8	3.03	598	0.61	3.63	6.6
R230199		0.44	23.9	5.48	20.2	0.19	1.5	0.043	1.41	30.5	31.0	3.80	669	0.36	2.93	5.2
R230200		0.19	47.2	4.71	21.7	0.15	3.0	0.036	0.96	28.5	16.9	2.59	576	0.90	3.44	10.2
R230201		0.16	9.2	2.43	19.55	0.15	1.3	0.027	0.72	46.1	13.6	1.74	348	0.46	4.43	2.9
R230202		0.21	48.8	4.87	20.6	0.18	1.2	0.058	1.14	35.0	18.7	3.37	678	0.53	2.90	5.9
R230203		0.44	26.1	4.49	20.9	0.18	1.9	0.039	0.99	31.1	16.5	2.31	538	0.95	3.24	7.4
R230204		0.14	79.4	4.07	20.9	0.14	1.6	0.082	0.46	31.2	15.3	3.05	568	0.48	3.84	4.4
R230205		0.11	22.3	2.73	21.1	0.16	3.6	0.049	0.36	26.3	11.4	2.08	370	0.81	4.48	7.8
R230206		0.42	43.5	5.74	22.1	0.23	2.2	0.061	1.48	58.7	18.1	2.09	704	1.19	2.98	9.2
R230207		0.77	64.0	3.91	21.7	0.16	1.2	0.045	0.89	29.9	13.7	1.38	562	1.52	3.06	9.5
R230208		0.06	315	4.30	20.5	0.16	0.8	0.047	0.45	22.3	11.3	1.30	616	6.51	3.45	7.6
R230209		<0.05	211	5.40	26.1	0.15	1.3	0.065	0.19	17.6	7.6	1.76	644	1.39	3.05	6.8
R230210		0.99	484	8.25	10.15	0.09	0.2	0.031	0.19	1.2	19.2	9.68	1460	0.56	0.57	0.2
R230211		<0.05	2.4	0.27	1.09	0.10	0.7	<0.005	0.13	4.6	0.3	0.02	27	1.20	0.05	0.2
R230212		0.18	10.3	4.39	21.7	0.15	0.6	0.048	1.54	15.0	26.1	1.77	662	0.60	3.07	6.8
R230213		0.20	9.7	3.96	20.2	0.15	0.5	0.037	1.61	11.1	19.8	1.44	559	1.43	2.53	5.2
R230214		0.28	1.4	3.38	15.95	0.18	0.6	0.025	2.40	11.4	20.8	1.42	488	0.90	0.57	2.9
R230215		0.28	2.4	4.40	23.7	0.17	1.3	0.041	2.38	8.2	29.3	1.73	646	0.95	2.38	4.6
R230216		0.15	8.3	4.85	20.8	0.15	1.2	0.036	1.52	9.6	25.3	2.04	745	15.75	2.77	4.5
R230217		0.94	470	7.83	9.62	0.09	0.2	0.029	0.18	1.1	18.9	9.09	1360	0.51	0.54	0.2
R230218		0.05	2.1	0.37	2.02	0.13	1.8	<0.005	0.30	5.8	0.9	0.04	39	0.86	0.07	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-DEC-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14186627

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R230190		126.5	740	5.5	25.2	<0.002	0.21	<0.05	23.6	1	0.7	694	0.18	<0.05	1.9	0.416
R230191		35.9	5520	12.4	23.7	<0.002	0.25	<0.05	21.1	1	1.1	877	0.32	<0.05	1.9	1.035
R230192		25.8	3330	8.7	14.2	<0.002	0.09	<0.05	12.5	<1	1.0	867	0.34	<0.05	12.0	0.671
R230193		74.2	1340	2.9	10.9	<0.002	0.15	0.06	33.6	1	1.0	1055	0.32	<0.05	2.8	0.675
R230194		24.5	3140	5.1	2.1	<0.002	0.02	<0.05	14.3	1	2.2	679	0.70	<0.05	11.1	0.567
R230195		2.6	100	9.0	0.2	<0.002	0.01	<0.05	2.0	<1	1.0	850	0.73	<0.05	10.2	0.107
R230196		3.6	250	8.9	26.5	<0.002	0.01	<0.05	2.8	<1	1.3	223	0.78	<0.05	12.4	0.147
R230197		15.8	1910	6.2	3.9	<0.002	0.03	<0.05	9.0	1	1.7	427	0.56	<0.05	17.4	0.455
R230198		59.4	1100	2.9	26.7	<0.002	0.23	0.06	17.2	1	1.5	752	0.32	<0.05	8.4	0.488
R230199		57.8	1030	3.2	25.6	<0.002	0.09	<0.05	17.0	1	1.0	695	0.22	<0.05	3.0	0.430
R230200		40.6	870	3.5	19.3	<0.002	0.08	0.06	12.4	1	1.9	724	0.47	<0.05	8.9	0.575
R230201		28.5	540	4.7	14.4	<0.002	0.04	<0.05	8.5	<1	0.7	521	0.13	<0.05	14.7	0.217
R230202		50.6	980	8.4	19.1	<0.002	0.24	<0.05	15.7	<1	1.0	889	0.25	<0.05	5.1	0.366
R230203		47.8	1100	7.3	19.2	<0.002	0.09	<0.05	12.3	1	1.4	747	0.37	<0.05	11.9	0.403
R230204		68.4	890	9.6	7.4	<0.002	0.12	<0.05	16.0	<1	1.0	730	0.21	<0.05	7.0	0.335
R230205		46.8	620	9.7	8.3	<0.002	0.23	<0.05	10.5	1	1.2	419	0.42	<0.05	52.2	0.224
R230206		45.8	1860	7.9	34.8	<0.002	0.14	0.07	15.9	1	1.4	718	0.38	<0.05	5.5	0.612
R230207		32.8	720	11.3	24.5	<0.002	0.18	<0.05	8.4	1	1.3	457	0.43	<0.05	6.2	0.401
R230208		38.9	610	7.9	8.4	0.006	0.54	0.09	13.4	2	1.4	384	0.60	0.06	2.5	0.375
R230209		41.4	500	5.0	1.7	<0.002	0.14	0.06	17.6	<1	1.4	712	0.42	0.05	0.4	0.375
R230210		745	10	4.5	8.7	<0.002	0.18	0.54	43.7	2	<0.2	87.7	<0.05	0.47	0.3	0.107
R230211		1.7	20	0.6	4.2	<0.002	<0.01	0.08	0.3	1	<0.2	6.0	<0.05	<0.05	1.4	0.007
R230212		45.7	600	3.4	46.1	<0.002	0.11	<0.05	15.6	1	1.2	232	0.36	<0.05	0.3	0.382
R230213		33.0	570	3.4	40.2	<0.002	0.11	<0.05	10.7	1	0.9	360	0.37	<0.05	0.3	0.346
R230214		24.8	220	3.8	85.6	<0.002	<0.01	<0.05	10.3	<1	0.8	52.0	0.16	<0.05	0.6	0.192
R230215		39.4	520	1.3	63.0	<0.002	0.02	<0.05	15.0	<1	1.2	123.5	0.30	<0.05	0.5	0.391
R230216		57.1	530	3.5	24.6	0.002	0.08	<0.05	14.5	<1	1.1	315	0.31	<0.05	0.4	0.362
R230217		712	20	4.3	8.2	<0.002	0.18	0.41	39.9	2	<0.2	82.9	<0.05	0.30	0.3	0.100
R230218		2.8	10	0.7	9.6	<0.002	<0.01	0.08	0.7	<1	0.2	6.1	<0.05	<0.05	2.0	0.013

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-DEC-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14186627

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R230190		0.14	0.4	134	0.1	13.0	75	81.3
R230191		0.14	0.3	254	0.1	20.7	128	25.8
R230192		0.08	0.9	167	0.1	14.6	63	81.8
R230193		0.07	0.6	279	0.2	25.7	93	53.1
R230194		<0.02	5.4	179	0.2	19.3	41	71.5
R230195		<0.02	3.0	44	0.1	8.2	16	45.2
R230196		0.11	3.7	21	0.1	9.9	18	63.8
R230197		0.02	3.4	133	0.1	15.1	27	395
R230198		0.20	1.4	199	0.2	12.1	58	64.4
R230199		0.25	0.6	145	0.1	10.8	71	53.2
R230200		0.21	1.1	142	0.2	9.2	65	105.5
R230201		0.08	0.5	64	0.1	6.4	25	47.1
R230202		0.15	2.0	125	0.1	13.4	67	35.5
R230203		0.26	2.1	119	0.2	12.2	56	70.5
R230204		0.06	0.7	126	0.1	11.5	51	60.1
R230205		0.04	1.3	77	0.1	8.6	31	127.5
R230206		0.32	0.5	140	0.2	20.4	76	96.0
R230207		0.22	0.7	92	0.2	10.1	76	39.9
R230208		0.05	0.6	96	0.4	21.0	57	23.6
R230209		0.02	0.1	149	0.2	22.6	47	39.8
R230210		0.10	<0.1	156	2.4	3.0	91	6.0
R230211		0.13	0.3	2	<0.1	0.8	<2	21.5
R230212		0.27	0.1	127	0.2	18.4	71	19.5
R230213		0.21	0.1	93	0.2	14.4	55	16.0
R230214		0.35	0.2	98	0.4	8.3	58	20.4
R230215		0.44	0.2	146	0.5	10.0	68	49.7
R230216		0.22	0.1	132	0.3	14.2	76	42.3
R230217		0.10	<0.1	147	1.6	2.8	86	7.2
R230218		0.28	0.5	4	0.1	1.2	<2	64.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-DEC-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14186627

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

ME-MS61	PGM-ICP23