ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

QC CERTIFICATE SD14148647

Project: 642
P.O. No.: 967015
This report is for 16 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 24-SEP-2014.
The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14148647

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
STANDARDS																
BP-13		0.358	<0.005	0.001												
Target Range - Lower Bound		0.336	<0.005	<0.001												
Upper Bound		0.380	0.010	0.002												
GBM908-10					2.98	7.10	60.2	1140	1.60	1.15	3.90	1.83	115.0	28.1	143	4.19
GBM908-10					3.01	7.18	57.5	1140	1.48	1.36	3.83	1.86	118.5	26.8	138	3.88
Target Range - Lower Bound					2.69	6.40	51.1	930	1.27	1.12	3.33	1.53	99.0	23.3	125	3.44
Upper Bound					3.31	7.84	62.9	1280	1.66	1.39	4.10	1.91	121.0	28.7	155	4.32
GLG307-4		0.051	0.054	0.046												
Target Range - Lower Bound		0.048	0.043	0.041												
Upper Bound		0.056	0.064	0.049												
GPP-02		0.924	0.502	0.537												
Target Range - Lower Bound		0.872	0.470	0.491												
Upper Bound		0.986	0.540	0.555												
MRGeo08					4.25	7.21	31.6	1100	3.15	0.72	2.62	2.24	74.9	20.1	91	12.35
MRGeo08					4.22	7.59	31.0	1110	3.46	0.65	2.64	2.13	76.2	18.7	90	11.95
Target Range - Lower Bound					4.00	6.64	29.7	920	2.91	0.62	2.35	2.05	66.7	17.7	81	11.00
Upper Bound					4.92	8.14	36.7	1270	3.67	0.78	2.90	2.55	81.5	21.9	102	13.60
OxJ111		2.13	<0.005	0.002												
Target Range - Lower Bound		2.04	<0.005	<0.001												
Upper Bound		2.30	0.010	0.002												
BLANKS																
BLANK					0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Target Range - Lower Bound					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound					0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
BLANK		0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14148647

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		3730	5.69	22.2	0.17	3.9	0.077	2.12	60.3	11.3	1.90	810	65.8	2.23	11.4	2330
GBM908-10		3720	5.59	21.1	0.16	3.6	0.070	2.18	55.0	11.7	1.84	812	65.2	2.17	9.9	2200
Target Range - Lower Bound		3380	4.98	18.65	0.18	3.3	0.064	1.87	49.0	9.8	1.61	715	57.9	1.93	9.5	2030
Upper Bound		3880	6.10	22.9	0.40	4.3	0.092	2.31	61.0	12.4	1.99	885	70.9	2.38	11.9	2480
GLG307-4																
Target Range - Lower Bound																
Upper Bound																
GPP-02																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		613	3.89	19.10	0.14	3.3	0.168	3.07	36.9	32.0	1.32	566	15.20	1.97	20.4	679
MRGeo08		632	3.94	18.15	0.20	2.9	0.189	3.24	33.7	33.8	1.35	546	14.20	2.01	19.3	700
Target Range - Lower Bound		587	3.55	17.50	<0.05	2.8	0.161	2.79	31.1	30.4	1.17	497	13.65	1.76	19.0	622
Upper Bound		675	4.37	21.5	0.27	3.6	0.207	3.43	39.1	37.6	1.45	619	16.75	2.18	23.4	760
OxJ111																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		0.2	<0.01	<0.05	0.08	<0.1	<0.005	<0.01	<0.5	0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
BLANK																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14148647

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		1040	2080	178.5	0.003	0.38	1.89	20.7	2	3.3	302	0.78	0.05	18.2	0.692	1.27
GBM908-10		1010	2070	180.5	0.003	0.38	1.50	18.9	2	3.1	301	0.71	0.05	19.9	0.665	1.29
Target Range - Lower Bound		880	1860	153.0	<0.002	0.33	1.40	17.0	<1	2.7	258	0.68	<0.05	16.4	0.591	1.00
Upper Bound		1100	2270	187.0	0.006	0.43	2.01	21.0	4	3.9	316	0.97	0.16	20.4	0.733	1.40
GLG307-4																
Target Range - Lower Bound																
Upper Bound																
GPP-02																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		1030	1050	195.0	0.012	0.30	4.63	12.3	2	4.1	307	1.62	<0.05	20.6	0.496	1.07
MRGeo08		1060	1075	200	0.011	0.31	3.91	11.7	2	3.9	316	1.40	<0.05	21.3	0.497	1.06
Target Range - Lower Bound		930	971	173.5	0.006	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.7	0.454	0.89
Upper Bound		1160	1185	212	0.016	0.36	5.39	13.7	4	4.7	339	1.81	0.14	22.1	0.566	1.25
OxJ111																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<10	<0.5	<0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
BLANK																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14148647

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		STANDARDS					
BP-13							
Target Range - Lower Bound							
Upper Bound							
GBM908-10		2.3	143	4.0	39.7	1100	146.5
GBM908-10		2.2	141	3.2	42.3	1080	143.5
Target Range - Lower Bound		2.0	123	2.9	35.2	939	117.5
Upper Bound		2.6	153	4.1	43.2	1155	160.5
GLG307-4							
Target Range - Lower Bound							
Upper Bound							
GPP-02							
Target Range - Lower Bound							
Upper Bound							
MRGeo08		5.6	108	4.8	26.3	792	106.0
MRGeo08		5.1	110	4.5	28.4	795	102.5
Target Range - Lower Bound		4.9	97	4.1	23.8	722	92.2
Upper Bound		6.3	121	5.8	29.3	886	126.0
OxJ111							
Target Range - Lower Bound							
Upper Bound							
		BLANKS					
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5
Upper Bound		0.2	2	0.2	0.2	4	1.0
BLANK							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14148647

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
DUPLICATES																
ORIGINAL		3.35	0.247	0.296												
DUP		3.39	0.240	0.316												
Target Range - Lower Bound		3.20	0.226	0.290												
Upper Bound		3.54	0.261	0.322												
ORIGINAL		0.071	0.010	0.011												
DUP		0.033	0.009	0.011												
Target Range - Lower Bound		0.048	<0.005	0.009												
Upper Bound		0.056	0.010	0.013												
P448174					0.04	7.05	0.6	620	1.46	0.03	1.74	0.03	69.3	12.8	84	0.24
DUP					0.03	6.77	0.6	610	1.42	0.03	1.70	0.02	64.7	12.3	86	0.22
Target Range - Lower Bound					0.02	6.55	0.4	560	1.32	0.02	1.62	<0.02	63.6	11.8	80	0.17
Upper Bound					0.05	7.27	0.8	670	1.56	0.04	1.82	0.04	70.4	13.3	90	0.29
P446942		0.001	<0.005	0.002												
DUP		0.001	<0.005	0.002												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.003												
P446948					0.06	8.61	<0.2	780	1.40	0.02	2.99	0.08	40.9	16.8	62	1.43
DUP					0.08	8.38	<0.2	760	1.28	0.02	2.95	0.07	39.4	15.5	58	1.36
Target Range - Lower Bound					0.06	8.06	<0.2	700	1.22	<0.01	2.81	0.05	38.1	15.2	56	1.28
Upper Bound					0.08	8.93	0.4	840	1.46	0.03	3.13	0.10	42.2	17.1	64	1.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14148647

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
P448174		229	4.08	17.60	0.11	4.1	0.041	2.09	34.0	12.2	1.80	943	1.63	3.63	9.8	52.5
DUP		233	4.04	17.10	0.12	3.9	0.036	2.10	31.6	11.6	1.79	957	1.45	3.58	9.5	50.1
Target Range - Lower Bound		223	3.85	16.45	0.06	3.7	0.032	1.98	30.7	11.1	1.70	898	1.41	3.41	9.1	48.5
Upper Bound		239	4.27	18.25	0.17	4.3	0.045	2.21	34.9	12.7	1.89	1005	1.67	3.80	10.2	54.1
P446942																
DUP																
Target Range - Lower Bound																
Upper Bound																
P446948		27.9	4.84	22.0	0.14	2.2	0.034	1.91	17.8	14.4	1.39	680	1.26	2.94	7.5	33.9
DUP		26.3	4.78	21.1	0.10	2.2	0.032	1.92	15.9	13.6	1.36	674	1.29	2.94	7.0	32.6
Target Range - Lower Bound		26.0	4.56	20.4	0.06	2.0	0.026	1.81	15.5	13.1	1.30	638	1.16	2.78	6.8	31.4
Upper Bound		28.2	5.06	22.7	0.18	2.4	0.040	2.02	18.2	14.9	1.45	716	1.39	3.10	7.7	35.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14148647

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
P448174		700	11.1	63.2	<0.002	0.07	0.14	15.8	1	1.4	145.5	0.66	<0.05	11.4	0.362	0.30
DUP		690	9.2	61.5	0.002	0.07	0.13	14.5	1	1.4	144.0	0.63	<0.05	10.9	0.363	0.31
Target Range - Lower Bound		650	9.1	59.1	<0.002	0.06	0.07	14.3	<1	1.1	137.5	0.56	<0.05	10.4	0.339	0.26
Upper Bound		740	11.2	65.6	0.004	0.08	0.20	16.0	2	1.7	152.0	0.73	0.10	11.9	0.386	0.35
P446942																
DUP																
Target Range - Lower Bound																
Upper Bound																
P446948		1130	13.9	89.4	0.002	0.24	<0.05	8.3	1	0.2	694	0.38	<0.05	0.7	0.494	0.59
DUP		1130	13.8	79.1	0.002	0.23	<0.05	7.9	<1	0.2	686	0.35	<0.05	0.7	0.481	0.57
Target Range - Lower Bound		1060	12.7	79.9	<0.002	0.21	<0.05	7.6	<1	<0.2	655	0.30	<0.05	0.5	0.458	0.52
Upper Bound		1200	15.0	88.6	0.004	0.26	0.10	8.6	2	0.4	725	0.43	0.10	0.9	0.517	0.64

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14148647

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		DUPLICATES					
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
P448174		2.9	112	0.4	18.0	92	153.0
DUP		2.7	113	0.4	17.5	90	151.5
Target Range - Lower Bound		2.6	106	0.3	16.8	84	144.0
Upper Bound		3.0	119	0.5	18.7	98	160.5
P446942							
DUP							
Target Range - Lower Bound							
Upper Bound							
P446948		0.4	113	0.1	10.4	94	87.1
DUP		0.4	112	0.1	9.8	91	94.7
Target Range - Lower Bound		0.3	106	<0.1	9.5	86	85.9
Upper Bound		0.5	119	0.2	10.7	99	95.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14148647

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23