ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

CERTIFICATE SD14167126

Project: 642

P.O. No.: 967068

This report is for 68 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 30-OCT-2014.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
P448772		3.42	0.001	<0.005	0.001	0.02	8.34	0.2	710	1.00	0.02	5.63	0.03	92.8	40.0	52
P448773		1.20	0.001	<0.005	0.001	0.03	8.13	<0.2	630	0.97	0.03	6.01	0.03	71.7	39.6	59
P448774		3.61	0.001	<0.005	0.001	0.03	8.46	<0.2	690	0.97	0.04	5.72	0.03	91.7	44.3	63
P448775		3.76	0.001	<0.005	0.001	0.04	8.48	<0.2	680	1.12	0.05	5.69	0.06	106.5	43.2	58
P448776		1.99	0.002	<0.005	0.001	0.02	8.04	<0.2	630	1.07	0.05	4.83	0.02	122.0	42.0	50
P448777		2.73	0.001	<0.005	<0.001	0.02	8.27	<0.2	660	1.00	0.03	5.77	0.03	117.5	41.7	39
P448778		1.52	0.005	<0.005	0.001	0.15	7.50	<0.2	590	0.83	0.07	5.89	0.06	139.0	129.0	54
P448779		3.77	0.001	<0.005	<0.001	0.03	8.24	0.3	670	0.93	0.03	5.49	0.04	114.0	40.7	45
P448780		3.50	0.001	<0.005	<0.001	0.03	8.06	<0.2	660	0.86	0.03	5.93	0.04	119.5	41.1	47
P448781		0.93	0.001	<0.005	<0.001	0.05	7.70	<0.2	530	0.90	0.04	6.37	0.04	134.0	48.3	41
P448782		3.86	0.001	<0.005	<0.001	0.03	8.08	<0.2	620	0.88	0.02	5.83	0.05	117.5	40.0	46
P448783		3.70	0.001	<0.005	0.001	0.05	8.05	<0.2	640	0.87	0.04	5.67	0.03	123.0	41.8	47
P448784		1.99	0.016	<0.005	0.020	0.31	7.95	<0.2	540	0.86	0.19	6.05	0.04	121.0	40.2	40
P448785		3.51	0.003	<0.005	<0.001	0.11	8.19	<0.2	590	0.86	0.14	5.88	0.07	124.5	42.9	44
P448786		1.79	0.022	0.018	0.050	0.55	8.01	<0.2	490	0.97	0.37	6.95	0.05	122.0	44.1	38
P448787		1.01	0.025	0.063	0.079	0.93	7.81	0.5	740	0.97	0.47	5.37	0.08	103.5	44.7	44
P448788		1.62	0.004	0.007	0.008	0.13	7.96	<0.2	620	0.87	0.28	5.40	0.04	109.5	39.6	41
P448789		1.19	0.014	0.092	0.049	0.24	7.97	<0.2	680	0.96	0.52	5.56	0.05	110.5	38.0	36
P448790		2.21	0.007	<0.005	0.002	0.32	8.02	0.3	690	0.97	0.34	5.37	0.06	114.5	38.5	43
P448791		1.49	0.042	0.261	0.340	0.68	7.90	<0.2	390	1.11	0.94	5.25	0.02	151.5	47.4	37
P448792		0.04	0.135	0.330	5.55	0.21	5.25	1.1	60	0.10	0.19	4.56	0.07	2.31	81.6	243
P448793		0.57	0.001	<0.005	0.001	0.01	0.44	0.5	30	0.07	0.04	0.02	<0.02	8.36	0.5	18
P448794		2.34	0.001	<0.005	0.001	0.05	7.88	0.3	720	0.97	0.09	5.28	0.04	109.0	42.3	34
P448795		0.99	0.003	<0.005	<0.001	0.04	7.62	0.5	610	0.79	0.14	5.74	0.06	105.0	39.7	33
P448796		3.33	0.003	<0.005	<0.001	0.04	7.98	<0.2	700	0.98	0.10	5.70	0.05	105.5	40.6	38
P448797		1.60	0.017	0.015	0.051	0.26	8.10	0.3	600	1.11	0.15	5.33	0.05	112.5	41.2	39
P448798		3.65	0.002	<0.005	0.001	0.05	7.94	0.2	710	1.08	0.05	5.42	0.05	111.0	41.7	36
P448799		3.76	0.001	<0.005	<0.001	0.06	8.29	0.2	600	1.00	0.04	6.00	0.07	119.0	41.1	48
P448800		3.77	<0.001	<0.005	<0.001	0.06	8.42	<0.2	660	0.97	0.04	5.81	0.07	106.0	37.2	51
P448970		2.66	0.001	<0.005	<0.001	0.05	8.36	<0.2	710	0.94	0.04	5.65	0.06	109.0	35.6	45
P448971		2.53	0.001	<0.005	0.002	0.05	7.90	0.2	530	1.04	0.04	5.09	0.04	105.0	39.6	41
P448972		3.59	0.001	<0.005	<0.001	0.06	8.24	<0.2	740	1.12	0.04	5.44	0.05	106.0	35.3	44
P448973		2.30	0.001	<0.005	0.002	0.04	8.11	<0.2	630	1.04	0.04	5.26	0.04	104.5	36.1	44
P448974		3.53	0.001	<0.005	<0.001	0.04	8.03	0.3	680	1.08	0.04	5.39	0.06	103.0	36.0	42
P448975		3.31	0.001	<0.005	<0.001	0.03	7.90	0.2	650	1.06	0.04	5.57	0.07	107.5	37.6	40
P448976		3.61	0.001	<0.005	<0.001	0.03	8.15	<0.2	630	1.10	0.04	5.73	0.05	96.0	37.6	41
P448977		3.79	<0.001	<0.005	0.001	0.03	8.40	0.3	650	1.09	0.04	5.67	0.04	98.3	37.9	43
P448978		1.93	<0.001	<0.005	0.001	0.03	8.39	0.2	640	1.07	0.04	5.75	0.04	98.4	38.2	41
P448979		3.58	<0.001	<0.005	0.001	0.02	8.12	0.4	600	1.10	0.04	5.50	0.04	101.5	38.2	41
P448980		3.89	<0.001	<0.005	<0.001	0.02	8.11	0.5	580	1.11	0.05	5.50	0.03	100.0	43.0	37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
P448772		0.53	45.1	8.11	20.4	0.06	1.0	0.056	1.04	44.7	19.5	3.08	938	0.46	2.42	5.5
P448773		0.63	51.2	7.45	20.2	<0.05	0.8	0.054	1.03	34.4	26.6	3.60	921	0.32	2.30	3.4
P448774		0.38	50.3	8.35	21.1	0.06	1.0	0.062	0.96	42.7	21.1	3.53	1040	0.39	2.47	4.7
P448775		0.49	40.5	8.46	21.6	0.09	1.2	0.069	0.96	50.5	25.5	3.42	1100	0.58	2.47	6.2
P448776		0.75	47.5	8.47	19.45	0.09	1.0	0.060	1.31	56.2	35.7	3.47	915	0.52	2.35	6.6
P448777		0.35	43.0	8.48	20.6	0.07	1.1	0.065	0.85	55.3	21.6	3.06	1040	0.54	2.37	8.3
P448778		0.51	376	11.80	21.2	0.10	1.0	0.074	0.86	63.4	18.1	3.26	1060	1.04	1.98	5.9
P448779		0.46	37.4	8.84	20.4	0.08	1.1	0.061	1.12	53.7	22.9	3.23	1060	0.52	2.39	6.9
P448780		0.45	42.6	8.84	20.4	0.05	1.0	0.062	0.93	55.0	18.3	3.16	1050	0.46	2.27	6.2
P448781		0.27	59.8	9.56	21.7	0.07	1.1	0.070	0.70	61.6	17.6	3.24	1140	0.54	2.19	7.8
P448782		0.41	40.0	8.69	19.75	0.07	1.0	0.063	0.93	54.7	18.6	3.16	1060	0.49	2.27	7.5
P448783		0.48	69.9	8.45	20.0	0.06	1.1	0.061	1.05	56.8	19.5	3.23	1000	0.43	2.33	7.9
P448784		0.28	1055	8.33	20.1	0.08	1.1	0.077	0.88	56.0	23.3	3.28	958	0.50	2.22	8.0
P448785		0.44	109.0	8.71	21.1	0.06	1.0	0.059	0.88	58.7	15.2	3.14	1010	0.54	2.35	6.8
P448786		0.57	1505	9.06	22.7	0.06	0.9	0.095	0.99	58.6	36.8	3.56	807	0.62	1.66	6.5
P448787		0.63	975	9.01	19.70	0.07	1.1	0.114	1.07	48.1	26.0	3.27	1010	0.66	2.22	8.8
P448788		0.54	139.0	7.78	19.95	0.06	1.0	0.061	0.95	50.7	20.9	2.98	929	0.51	2.30	7.2
P448789		0.50	384	8.13	21.3	0.13	1.1	0.059	0.98	51.2	21.3	2.96	938	0.67	2.35	7.5
P448790		0.73	547	8.02	21.2	0.11	1.0	0.062	1.14	53.4	24.5	2.97	956	0.67	2.31	7.7
P448791		0.32	2870	7.35	22.9	0.14	2.2	0.141	1.10	74.4	40.5	3.12	644	0.64	2.24	7.2
P448792		1.00	464	7.64	9.69	<0.05	0.2	0.027	0.18	1.1	23.9	9.07	1400	0.56	0.54	0.2
P448793		<0.05	7.5	0.42	1.03	<0.05	0.8	<0.005	0.15	4.3	0.5	0.02	46	0.30	0.03	0.2
P448794		0.39	77.0	8.54	22.8	0.12	1.1	0.071	1.04	50.9	22.6	3.06	956	0.59	2.49	7.6
P448795		0.21	107.5	7.82	21.5	0.11	1.0	0.068	0.74	49.4	15.2	2.88	919	0.52	2.41	7.2
P448796		0.29	84.6	8.31	21.8	0.09	1.1	0.054	0.89	49.3	21.2	3.04	958	0.58	2.39	7.0
P448797		0.37	1390	8.39	23.1	0.12	1.1	0.112	1.21	53.6	36.2	3.24	848	0.61	2.24	6.6
P448798		0.37	89.5	8.61	22.6	0.11	1.3	0.066	0.96	51.4	28.1	3.02	927	0.60	2.39	7.3
P448799		0.40	41.9	7.88	22.8	0.12	1.1	0.066	0.82	55.9	18.8	3.11	1010	0.57	2.40	6.4
P448800		0.52	38.0	7.29	22.3	0.10	1.0	0.058	0.93	50.7	18.8	3.08	981	0.51	2.44	5.7
P448970		0.58	35.0	7.22	21.8	0.12	1.0	0.053	1.05	52.4	20.3	2.94	969	0.54	2.39	5.9
P448971		0.29	57.5	7.44	22.8	0.12	1.6	0.064	0.70	50.7	25.8	2.87	917	0.97	2.63	7.0
P448972		0.43	46.4	7.18	22.2	0.12	1.1	0.059	0.98	50.3	25.6	2.93	1000	0.71	2.45	6.2
P448973		0.32	46.7	7.65	21.7	0.12	1.2	0.065	0.85	49.2	28.6	3.02	1020	0.63	2.75	6.1
P448974		0.34	43.8	7.31	21.4	0.12	1.0	0.054	0.91	48.4	21.4	2.95	985	0.58	2.49	5.3
P448975		0.41	43.3	7.36	22.1	0.12	1.1	0.056	0.86	50.5	20.9	2.98	970	0.73	2.41	6.8
P448976		0.36	39.7	7.57	22.4	0.12	1.0	0.054	0.83	45.6	15.6	2.89	991	0.94	2.44	6.5
P448977		0.39	43.6	7.19	22.8	0.11	1.0	0.054	0.97	45.4	25.0	2.95	968	0.69	2.49	7.0
P448978		0.28	44.6	7.45	22.8	0.11	1.0	0.060	0.90	45.6	29.4	2.97	982	0.79	2.43	8.8
P448979		0.34	38.6	7.56	22.0	0.11	1.0	0.056	0.89	46.8	29.7	2.95	982	0.79	2.33	9.0
P448980		0.49	59.8	8.41	22.6	0.11	1.1	0.067	0.96	45.5	30.5	3.18	1040	1.06	2.33	8.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
P448772		57.4	2660	5.7	24.9	<0.002	0.12	<0.05	22.4	1	1.0	888	0.28	<0.05	1.6	0.794
P448773		67.8	1650	4.3	21.5	<0.002	0.10	<0.05	22.8	1	0.8	961	0.17	<0.05	0.7	0.568
P448774		71.9	2370	5.2	20.2	<0.002	0.17	<0.05	24.9	1	0.9	916	0.25	<0.05	1.1	0.722
P448775		61.5	2960	6.4	20.0	<0.002	0.22	<0.05	24.4	1	1.1	898	0.31	<0.05	2.4	0.844
P448776		52.9	4390	3.3	31.9	<0.002	0.23	<0.05	21.7	2	1.1	765	0.34	<0.05	1.6	0.972
P448777		55.6	3780	5.9	13.2	<0.002	0.18	<0.05	23.2	1	1.3	922	0.44	<0.05	1.2	1.080
P448778		215	4610	6.1	20.4	0.003	1.91	<0.05	26.5	3	1.2	832	0.31	0.10	1.6	0.967
P448779		60.2	3810	5.7	22.2	<0.002	0.21	<0.05	22.3	1	1.2	842	0.36	0.05	1.4	0.979
P448780		59.7	4000	7.4	17.4	<0.002	0.21	<0.05	22.0	1	1.1	915	0.33	<0.05	1.3	0.968
P448781		89.8	4290	6.5	11.5	<0.002	0.26	<0.05	25.6	1	1.3	892	0.40	<0.05	1.6	1.125
P448782		59.3	3830	7.6	16.8	<0.002	0.22	<0.05	22.9	1	1.2	900	0.38	<0.05	1.4	1.065
P448783		72.8	3840	5.8	22.7	<0.002	0.16	<0.05	23.5	1	1.2	870	0.41	<0.05	1.3	1.035
P448784		127.0	3840	5.0	19.7	<0.002	0.22	0.05	22.7	2	1.2	980	0.40	<0.05	1.4	1.060
P448785		57.2	3980	8.6	17.0	<0.002	0.21	0.05	22.8	1	1.1	902	0.34	<0.05	1.3	0.923
P448786		201	3420	4.4	26.8	<0.002	0.21	0.05	23.3	1	1.5	1475	0.31	0.06	1.2	0.899
P448787		242	2980	10.8	25.3	<0.002	0.26	0.05	24.7	1	2.4	835	0.44	0.15	1.2	1.090
P448788		60.4	3330	7.6	20.3	<0.002	0.18	<0.05	21.2	1	1.1	856	0.35	0.05	1.2	0.883
P448789		69.0	3680	9.6	23.2	<0.002	0.12	0.05	21.4	1	1.5	847	0.39	0.11	1.3	0.925
P448790		69.2	3820	7.1	30.3	<0.002	0.12	0.05	22.0	1	1.2	838	0.39	<0.05	1.0	0.915
P448791		513	3140	9.0	30.3	<0.002	0.30	0.06	19.7	2	2.3	1060	0.39	0.58	22.4	0.772
P448792		699	30	5.2	7.9	<0.002	0.17	0.77	41.4	1	<0.2	82.0	<0.05	0.50	<0.2	0.098
P448793		3.9	20	0.8	4.6	<0.002	<0.01	0.08	0.3	<1	<0.2	4.8	<0.05	<0.05	1.0	0.008
P448794		57.6	3270	4.7	24.8	<0.002	0.01	0.05	24.6	1	1.2	784	0.41	<0.05	1.1	0.969
P448795		50.3	3330	5.2	16.0	<0.002	0.08	0.05	22.6	1	1.1	898	0.38	<0.05	1.0	0.937
P448796		55.2	3410	6.3	16.0	<0.002	0.09	0.05	22.4	1	1.0	869	0.38	<0.05	1.0	0.946
P448797		231	3280	6.2	32.2	<0.002	0.17	0.05	23.3	1	1.5	888	0.35	0.09	1.9	0.883
P448798		54.4	3400	5.7	20.3	<0.002	0.16	<0.05	23.3	1	1.2	822	0.41	<0.05	3.0	0.948
P448799		58.2	3730	7.8	15.4	<0.002	0.19	<0.05	22.4	1	1.0	920	0.36	<0.05	1.3	0.831
P448800		52.4	3110	8.1	18.1	<0.002	0.17	<0.05	21.7	1	0.9	922	0.31	<0.05	0.9	0.753
P448970		49.4	3380	7.2	20.3	<0.002	0.16	<0.05	19.8	1	0.9	894	0.31	<0.05	0.9	0.792
P448971		51.8	2690	5.3	13.1	<0.002	0.19	<0.05	23.3	1	1.1	752	0.38	<0.05	3.9	0.764
P448972		52.1	3150	7.2	19.3	<0.002	0.18	<0.05	21.5	1	1.0	860	0.39	<0.05	1.7	0.810
P448973		49.3	3200	4.6	16.1	<0.002	0.19	<0.05	22.4	1	0.9	764	0.35	<0.05	1.7	0.814
P448974		52.9	3110	5.7	17.3	<0.002	0.21	<0.05	21.5	1	0.8	864	0.35	<0.05	0.9	0.779
P448975		52.1	3250	6.6	15.1	<0.002	0.21	<0.05	22.9	1	1.0	884	0.42	<0.05	0.8	0.827
P448976		54.3	2900	7.3	13.1	<0.002	0.21	<0.05	22.4	1	1.1	945	0.42	<0.05	0.7	0.811
P448977		54.1	3100	6.8	18.1	<0.002	0.21	<0.05	22.1	1	1.1	950	0.46	<0.05	0.8	0.768
P448978		52.2	3130	6.6	18.1	<0.002	0.21	<0.05	23.1	1	1.3	955	0.50	<0.05	0.9	0.851
P448979		50.7	3390	5.5	17.9	<0.002	0.19	<0.05	22.7	1	1.2	908	0.50	<0.05	1.0	0.885
P448980		58.1	3400	4.2	22.4	<0.002	0.23	<0.05	24.8	1	1.3	852	0.49	<0.05	1.1	0.959

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P448772		0.16	0.3	217	0.1	19.3	105	30.2
P448773		0.14	0.1	170	0.1	16.3	103	22.5
P448774		0.13	0.2	207	0.1	19.2	114	28.5
P448775		0.11	0.3	218	0.1	21.3	125	37.1
P448776		0.18	0.4	220	0.1	22.4	112	31.3
P448777		0.07	0.3	222	0.1	21.9	117	38.2
P448778		0.13	0.3	272	0.1	25.8	138	29.8
P448779		0.13	0.3	234	0.1	21.5	125	38.0
P448780		0.11	0.3	237	0.1	21.9	121	29.5
P448781		0.07	0.4	264	0.1	24.6	119	33.2
P448782		0.10	0.3	226	0.1	21.6	119	30.6
P448783		0.15	0.3	214	0.1	22.5	111	33.2
P448784		0.12	0.3	217	0.1	22.2	103	35.7
P448785		0.11	0.4	220	0.1	22.4	111	30.5
P448786		0.16	0.3	239	0.2	22.6	96	28.9
P448787		0.16	0.3	229	0.2	20.5	105	35.9
P448788		0.13	0.3	192	0.1	19.9	94	33.1
P448789		0.15	0.3	212	0.1	19.5	95	33.4
P448790		0.19	0.3	201	0.1	20.1	94	30.0
P448791		0.15	0.7	174	0.1	21.8	87	70.8
P448792		0.10	<0.1	144	2.1	2.7	90	5.5
P448793		0.11	0.3	2	0.1	0.7	<2	30.9
P448794		0.15	0.3	233	0.1	20.5	87	36.7
P448795		0.09	0.3	218	0.1	19.4	86	33.6
P448796		0.08	0.2	228	0.1	19.4	93	33.2
P448797		0.16	0.3	224	0.1	20.7	97	34.6
P448798		0.12	0.5	238	0.1	20.3	97	44.5
P448799		0.10	0.3	204	0.1	20.9	98	34.9
P448800		0.11	0.2	177	0.1	19.1	98	33.1
P448970		0.13	0.2	179	0.1	18.9	99	30.6
P448971		0.08	0.5	194	0.1	21.0	104	54.1
P448972		0.11	0.5	186	0.1	19.7	92	33.5
P448973		0.09	0.3	198	0.2	21.2	97	41.1
P448974		0.10	0.2	187	0.1	18.7	94	32.3
P448975		0.08	0.2	187	0.1	19.8	94	32.7
P448976		0.07	0.2	198	0.1	18.8	93	29.7
P448977		0.09	0.2	180	0.1	19.1	94	30.8
P448978		0.09	0.2	187	0.1	19.5	96	31.1
P448979		0.09	0.2	198	0.2	20.2	94	29.0
P448980		0.12	0.3	233	0.2	20.6	98	33.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
P448981		2.66	<0.001	<0.005	<0.001	0.01	8.28	<0.2	640	1.01	0.03	5.67	0.02	114.5	37.1	43
P448982		0.05	0.136	0.334	5.52	0.19	5.24	1.4	60	0.09	0.18	4.59	0.08	2.50	84.4	240
P448983		0.49	<0.001	<0.005	0.001	0.01	0.34	0.5	30	0.09	0.04	0.03	<0.02	10.35	0.5	16
P448984		1.31	<0.001	<0.005	<0.001	0.03	6.12	0.2	280	1.12	0.03	5.49	0.04	60.9	46.3	35
P448985		1.73	<0.001	<0.005	<0.001	0.03	6.10	0.6	170	0.90	0.03	6.45	0.04	44.3	47.3	36
P448986		2.67	<0.001	<0.005	<0.001	0.04	6.14	<0.2	310	0.91	0.03	5.80	0.06	42.0	49.3	39
P448987		0.89	<0.001	<0.005	0.001	0.03	5.95	<0.2	270	0.98	0.03	5.58	0.05	45.3	45.4	38
P448988		2.18	<0.001	<0.005	0.001	0.04	5.60	0.4	360	1.69	0.03	4.41	0.03	49.3	42.6	32
P448989		2.22	<0.001	<0.005	<0.001	0.04	6.14	0.3	330	1.08	0.03	5.20	0.06	43.1	50.0	38
P448990		2.19	<0.001	<0.005	0.001	0.03	6.05	<0.2	330	1.03	0.03	5.42	0.06	40.5	49.1	41
P448991		3.19	<0.001	<0.005	0.001	0.06	6.29	<0.2	270	1.00	0.04	5.27	0.03	48.1	46.3	42
P448992		3.40	<0.001	<0.005	<0.001	0.07	6.14	<0.2	300	0.87	0.04	5.66	0.07	38.4	50.1	45
P448993		0.86	<0.001	<0.005	<0.001	0.05	6.00	<0.2	160	0.95	0.04	5.72	0.05	38.2	52.3	41
P448994		3.73	<0.001	<0.005	<0.001	0.04	6.04	0.9	260	1.01	0.05	5.68	0.11	41.7	48.9	48
P448995		0.81	<0.001	<0.005	<0.001	0.03	7.93	1.0	810	1.16	0.08	4.91	0.04	102.0	33.1	34
P448996		0.77	<0.001	<0.005	<0.001	0.04	7.74	1.5	940	1.20	0.07	5.06	0.11	150.0	28.2	20
P448997		0.75	<0.001	<0.005	0.002	0.04	7.55	0.8	520	1.16	0.07	4.86	0.02	113.0	31.2	43
P448998		0.78	<0.001	<0.005	<0.001	0.02	7.47	0.7	620	0.85	0.06	5.59	<0.02	90.0	48.6	32
P448999		1.72	<0.001	<0.005	0.001	0.03	7.45	1.3	630	1.11	0.04	4.99	0.04	135.5	36.2	23
P449000		0.81	<0.001	<0.005	0.001	0.02	7.55	1.9	680	1.08	0.06	5.27	0.04	106.0	36.6	49
R230001		0.70	<0.001	<0.005	0.001	0.02	7.51	0.7	280	0.83	0.04	5.07	0.05	148.0	28.6	46
R230002		1.38	<0.001	0.006	0.005	<0.01	7.04	0.4	250	1.52	0.05	6.82	<0.02	78.3	36.7	117
R230003		0.86	0.001	<0.005	0.001	0.02	7.67	0.8	620	1.41	0.05	4.02	<0.02	71.6	31.7	31
R230004		0.04	0.115	0.311	5.23	0.17	5.23	1.0	40	0.09	0.41	4.61	0.07	2.45	79.6	252
R230005		0.59	<0.001	<0.005	0.001	0.01	0.35	1.5	10	0.09	0.06	0.04	<0.02	9.40	0.7	31
R230006		0.89	<0.001	<0.005	0.001	0.01	7.26	0.5	250	1.19	0.03	4.88	0.02	139.0	31.7	23
R230007		1.16	<0.001	<0.005	0.001	0.01	8.30	0.6	130	1.16	0.03	4.82	0.06	131.5	24.1	57
R230008		0.04	0.123	0.327	5.17	0.19	5.38	1.3	40	0.12	0.17	4.67	0.08	2.48	83.1	238

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
P448981		0.45	54.8	7.61	22.9	0.11	0.9	0.062	0.87	53.0	34.4	3.02	1070	0.91	2.39	8.0
P448982		1.03	454	7.68	9.99	<0.05	0.2	0.027	0.18	1.2	23.8	9.09	1390	0.54	0.54	0.2
P448983		<0.05	2.1	0.36	0.84	<0.05	1.1	<0.005	0.10	5.0	0.6	0.02	42	0.29	0.04	0.2
P448984		0.47	114.5	10.35	20.4	0.08	2.4	0.116	0.66	29.4	38.2	3.10	1160	0.72	1.92	8.2
P448985		0.13	406	10.85	22.5	0.06	2.5	0.115	0.35	20.8	17.5	2.89	1300	0.72	1.55	8.2
P448986		0.31	228	11.25	21.5	0.05	2.3	0.112	0.76	19.9	28.0	3.23	1380	0.71	1.52	8.1
P448987		0.47	177.0	10.50	19.75	0.06	2.2	0.112	0.69	21.5	32.6	3.11	1360	0.73	1.81	8.0
P448988		2.20	62.9	10.60	19.50	0.07	2.2	0.121	2.13	24.1	77.2	3.22	1360	0.57	1.02	8.0
P448989		0.75	170.0	11.15	21.2	0.08	2.2	0.115	0.77	20.0	31.0	3.00	1500	0.73	1.54	8.1
P448990		0.73	135.0	11.05	20.3	<0.05	2.2	0.109	0.84	19.0	30.9	3.11	1480	0.65	1.49	7.8
P448991		0.53	154.0	10.15	19.65	0.08	2.2	0.095	0.74	22.5	31.4	3.06	1500	0.73	1.71	7.7
P448992		0.45	157.5	11.00	20.2	0.05	2.2	0.105	0.61	18.2	17.4	3.00	1610	0.69	1.60	7.9
P448993		0.22	180.0	11.40	20.2	0.06	2.1	0.109	0.34	17.9	16.2	3.06	1550	0.68	1.62	8.0
P448994		0.48	139.0	11.30	20.6	0.18	2.3	0.111	0.69	17.8	16.3	2.97	1570	0.64	1.58	8.3
P448995		0.29	46.4	7.23	22.6	0.25	1.1	0.068	1.29	48.6	19.4	2.50	941	1.08	2.60	6.9
P448996		0.16	91.7	7.01	22.5	0.26	1.0	0.076	0.75	66.1	12.0	2.07	1060	1.57	2.68	9.4
P448997		0.29	36.3	8.32	22.4	0.23	1.1	0.075	0.66	52.3	13.8	2.41	1150	2.40	2.67	8.0
P448998		0.29	48.1	9.46	22.7	0.20	0.9	0.055	0.79	41.3	15.3	3.07	1020	0.54	2.13	6.5
P448999		0.34	55.7	8.43	22.4	0.24	1.5	0.066	0.77	61.6	11.0	2.31	1040	1.35	2.75	10.4
P449000		0.20	142.5	7.14	20.2	0.24	1.1	0.062	0.84	48.5	14.6	2.96	1070	0.96	2.67	7.6
R230001		0.13	57.3	6.22	20.4	0.23	1.3	0.043	0.57	69.4	10.6	2.47	787	0.34	3.20	7.3
R230002		0.50	40.6	8.94	22.2	0.19	1.3	0.105	1.22	35.4	48.3	4.13	819	0.44	0.98	4.1
R230003		0.70	74.3	6.90	22.6	0.19	1.1	0.069	1.46	31.9	30.6	2.47	819	0.68	2.94	6.8
R230004		0.89	457	7.65	9.38	0.15	0.2	0.027	0.18	1.1	20.1	9.02	1380	0.51	0.55	0.2
R230005		<0.05	3.3	0.50	0.93	0.11	0.9	<0.005	0.09	4.6	0.5	0.04	52	0.41	0.04	0.2
R230006		0.29	8.4	7.94	23.0	0.26	1.2	0.067	0.92	64.7	32.2	2.97	730	0.52	2.62	6.4
R230007		<0.05	97.1	5.71	23.4	0.19	1.7	0.045	0.15	59.4	13.4	2.20	673	0.28	4.16	9.4
R230008		0.91	461	7.88	9.58	0.12	0.2	0.026	0.19	1.1	20.7	9.25	1400	0.48	0.56	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
P448981		43.8	4070	4.5	18.5	<0.002	0.11	<0.05	23.9	1	1.1	852	0.49	<0.05	1.1	0.907
P448982		704	30	4.6	8.4	<0.002	0.17	0.56	43.2	1	<0.2	85.2	<0.05	0.46	<0.2	0.097
P448983		2.6	40	0.6	2.8	<0.002	<0.01	0.09	0.4	<1	<0.2	6.3	<0.05	<0.05	1.3	0.010
P448984		43.3	1450	3.5	15.6	0.002	0.11	0.05	41.5	2	1.3	383	0.58	<0.05	3.0	1.075
P448985		44.2	1190	3.6	5.3	0.004	0.11	0.06	43.9	2	1.4	481	0.60	<0.05	3.1	1.115
P448986		45.5	1220	4.4	13.4	<0.002	0.10	0.05	45.2	2	1.2	352	0.56	<0.05	2.7	1.150
P448987		44.6	1220	3.4	17.6	0.003	0.08	0.06	42.2	1	1.3	284	0.56	<0.05	3.0	1.100
P448988		47.0	1150	4.9	64.3	<0.002	0.04	0.13	42.6	2	1.2	155.0	0.54	<0.05	2.6	1.050
P448989		47.8	1210	68.3	25.8	0.002	0.09	0.05	46.1	2	1.3	204	0.58	<0.05	3.0	1.090
P448990		48.6	1150	3.5	26.3	0.003	0.07	0.06	46.7	2	1.2	181.5	0.55	<0.05	2.6	1.090
P448991		46.0	1410	4.2	20.9	0.003	0.14	0.05	39.8	1	1.2	205	0.54	<0.05	3.4	1.010
P448992		49.3	1110	4.5	21.3	0.002	0.14	0.06	45.6	1	1.4	175.0	0.57	<0.05	3.0	1.080
P448993		49.2	1140	3.3	10.5	0.003	0.15	0.06	47.3	2	1.4	208	0.56	<0.05	2.6	1.110
P448994		50.5	1160	3.8	26.5	<0.002	0.11	0.14	45.8	2	1.4	193.0	0.52	<0.05	3.1	1.140
P448995		54.5	1870	3.5	29.3	<0.002	0.20	0.12	20.5	1	1.0	686	0.33	<0.05	0.7	0.752
P448996		30.6	3600	8.4	11.6	<0.002	0.21	0.11	20.8	2	1.1	794	0.50	<0.05	1.1	0.900
P448997		37.5	2740	4.4	16.2	0.002	0.16	0.12	22.0	2	1.1	716	0.42	<0.05	1.9	0.879
P448998		49.1	2590	3.5	18.0	<0.002	0.24	0.15	21.2	1	1.5	775	0.34	<0.05	0.8	1.080
P448999		35.6	3440	4.5	19.8	<0.002	0.17	0.12	21.0	1	1.2	658	0.54	<0.05	1.7	1.045
P449000		50.7	2620	5.3	19.8	0.002	0.16	0.13	20.5	1	0.9	651	0.40	<0.05	1.0	0.779
R230001		46.3	3550	3.7	13.2	0.002	0.08	0.10	16.8	1	1.4	857	0.33	<0.05	3.4	0.798
R230002		71.5	1010	1.9	26.8	<0.002	0.04	0.15	30.2	2	1.1	1320	0.23	<0.05	0.7	0.692
R230003		42.4	1500	3.1	32.1	<0.002	0.28	0.11	19.3	1	1.1	590	0.34	<0.05	1.4	0.717
R230004		698	20	4.8	8.6	<0.002	0.17	0.45	39.9	1	<0.2	80.1	<0.05	0.97	<0.2	0.099
R230005		3.4	20	0.5	3.1	0.002	0.01	0.16	0.4	<1	0.2	6.9	<0.05	<0.05	1.3	0.010
R230006		26.2	3970	2.0	22.2	0.002	0.05	0.11	18.5	2	1.5	668	0.31	<0.05	1.4	0.780
R230007		33.0	3350	4.4	1.7	<0.002	0.10	0.13	17.7	1	1.9	774	0.42	<0.05	3.1	0.908
R230008		710	30	6.0	9.0	<0.002	0.18	0.68	41.1	1	0.2	83.2	<0.05	0.46	<0.2	0.100

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P448981		0.08	0.3	213	0.2	22.1	93	29.4
P448982		0.10	<0.1	145	0.7	2.8	91	6.3
P448983		0.07	0.3	2	0.1	0.8	2	40.5
P448984		0.08	0.7	371	0.3	40.0	96	81.4
P448985		0.02	0.7	405	0.3	41.2	108	83.2
P448986		0.06	0.7	418	0.2	39.3	109	77.6
P448987		0.09	0.7	385	0.3	38.8	100	77.6
P448988		0.31	0.9	351	0.4	40.4	85	76.2
P448989		0.16	0.7	399	0.2	40.6	105	87.5
P448990		0.14	0.6	394	0.2	39.6	102	72.3
P448991		0.14	0.8	354	0.3	35.1	98	72.7
P448992		0.17	0.7	398	0.2	38.5	106	71.8
P448993		0.07	0.6	409	0.3	39.4	119	70.5
P448994		0.14	0.7	408	0.2	41.2	100	79.4
P448995		0.10	0.2	176	0.2	22.1	87	33.8
P448996		0.03	0.3	137	0.2	28.6	94	28.2
P448997		0.07	0.5	177	0.3	25.7	100	35.9
P448998		0.08	0.2	310	0.1	16.5	94	30.0
P448999		0.08	0.4	198	0.2	27.4	74	50.7
P449000		0.09	0.2	159	0.2	22.2	76	33.6
R230001		0.03	0.5	152	0.2	20.1	60	43.5
R230002		0.17	0.2	257	0.1	23.3	73	32.9
R230003		0.23	0.3	193	0.1	15.1	69	37.1
R230004		0.05	<0.1	144	1.0	2.7	90	5.5
R230005		0.03	0.3	3	0.1	0.8	<2	36.3
R230006		0.06	0.3	199	0.2	26.1	67	38.0
R230007		<0.02	0.4	172	0.2	18.9	68	68.1
R230008		0.07	<0.1	146	4.0	2.7	94	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14167126

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23