ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

CERTIFICATE SD14162409

Project: 642

P.O. No.: 967050

This report is for 86 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 27-OCT-2014.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
P446964		3.16	0.005	0.020	0.024	0.08	7.20	0.9	230	0.60	0.03	7.08	0.10	24.0	52.0	95
P446965		1.77	0.001	<0.005	0.002	0.03	8.52	0.4	540	1.19	0.01	5.47	0.04	111.0	30.2	46
P446966		2.09	0.002	0.006	0.007	0.03	7.78	0.4	580	1.07	0.02	5.28	0.06	91.0	35.3	51
P446967		3.58	0.005	0.020	0.021	0.08	7.41	0.6	240	0.57	0.03	7.01	0.06	25.4	53.3	74
P446968		3.34	0.001	<0.005	0.001	0.02	9.52	<0.2	990	1.14	0.05	4.87	0.05	131.5	20.3	42
P446969		3.33	0.003	<0.005	0.002	0.04	8.55	0.7	950	1.24	0.13	4.89	<0.02	156.0	26.1	13
P446970		0.97	0.119	0.414	0.661	1.01	8.02	0.6	710	1.05	1.20	5.74	0.06	138.5	38.8	17
P446971		1.22	0.017	<0.005	0.002	0.33	7.99	0.2	940	1.09	0.24	5.17	0.07	142.0	30.5	17
P446972		3.86	0.002	<0.005	0.002	0.04	8.10	0.3	1040	1.09	0.19	5.20	0.03	136.5	28.0	16
P446973		3.63	0.002	<0.005	0.001	0.04	8.45	0.7	1140	1.22	0.06	5.18	0.03	140.5	30.3	30
P446974		2.57	0.001	<0.005	0.001	0.02	7.89	0.8	950	1.16	0.05	5.15	0.03	137.0	26.3	18
P446975		0.84	0.020	0.214	0.173	0.26	8.25	0.7	1100	1.37	0.27	5.10	0.04	149.0	40.0	24
P446976		3.70	0.002	<0.005	0.001	0.04	8.17	0.4	1130	1.37	0.07	4.92	<0.02	144.5	26.4	25
P446977		3.91	0.001	<0.005	0.001	0.02	8.44	0.7	1170	1.43	0.07	4.82	0.02	146.0	28.3	22
P446978		2.21	0.001	<0.005	0.001	0.02	8.70	0.9	1600	1.28	0.04	4.73	<0.02	129.5	26.6	18
P446979		2.44	0.002	<0.005	0.001	0.04	8.43	0.2	1620	1.31	0.05	5.34	0.04	136.5	28.1	22
P446980		1.07	0.037	0.135	0.188	1.52	7.95	1.2	1550	1.26	0.15	4.73	0.10	109.5	34.7	25
P446981		2.86	0.002	<0.005	0.001	0.06	8.39	<0.2	1130	1.54	0.05	5.43	0.04	165.5	35.4	34
P446982		3.13	0.001	<0.005	0.001	0.03	8.31	0.4	1050	1.33	0.06	5.63	0.04	142.0	27.0	21
P446983		0.90	0.008	0.040	0.071	0.11	8.23	0.4	1260	1.44	0.11	5.24	0.04	155.5	38.5	22
P446984		0.04	0.147	0.329	5.36	0.18	5.93	1.3	40	0.13	0.18	5.40	0.11	2.53	93.6	270
P446985		0.46	0.001	<0.005	0.001	0.01	1.28	0.4	20	0.14	0.05	0.02	<0.02	8.80	0.5	29
P446986		3.97	0.002	<0.005	0.001	0.03	8.64	0.3	1130	1.50	0.07	5.73	0.03	176.0	29.2	34
P446987		4.03	0.002	<0.005	0.001	0.04	7.94	0.4	1240	1.51	0.08	5.37	0.03	121.5	35.9	78
P446988		3.38	0.054	0.126	0.164	0.28	8.63	<0.2	900	1.46	0.64	5.15	0.03	141.0	40.2	29
P446989		1.69	0.015	0.007	0.021	0.21	8.55	0.7	1310	1.51	0.57	5.15	0.06	193.0	33.6	29
P446990		0.99	0.072	0.558	0.740	0.54	8.78	0.5	1300	1.55	3.06	4.92	0.14	157.5	28.8	77
P446991		2.42	0.003	<0.005	0.002	0.05	8.68	0.2	1590	1.44	0.42	5.13	0.07	142.5	28.5	36
P446992		2.55	0.006	0.011	0.016	0.13	8.21	0.4	860	1.56	0.31	5.36	0.05	145.5	37.1	108
P446993		3.02	0.005	0.046	0.047	0.10	8.51	0.5	910	1.35	0.35	5.11	0.04	116.5	30.8	43
P446994		3.79	0.005	<0.005	0.001	0.09	8.02	0.6	740	1.47	0.28	4.36	0.03	118.5	24.9	37
P446995		0.98	0.001	<0.005	0.001	0.01	7.49	<0.2	620	1.19	0.02	2.70	<0.02	61.7	8.4	23
P446996		2.25	0.001	<0.005	0.001	0.02	7.47	<0.2	340	1.14	0.04	4.93	0.02	101.0	36.5	113
P446997		4.23	0.004	0.092	0.044	0.04	7.64	<0.2	520	1.18	0.12	5.75	0.02	91.5	39.3	126
P446998		1.19	0.009	2.60	3.44	0.16	7.33	0.8	370	1.15	1.82	7.29	0.02	109.5	45.8	114
P446999		2.08	0.003	<0.005	0.002	0.02	7.46	<0.2	600	1.28	0.08	5.37	0.02	96.6	39.4	118
P447000		0.97	0.014	0.254	0.131	0.33	7.65	<0.2	550	1.25	0.23	5.28	0.03	137.0	36.7	116
P448401		3.71	0.002	<0.005	<0.001	0.04	7.85	<0.2	610	1.16	0.03	5.41	<0.02	83.9	38.3	115
P448402		3.71	0.001	<0.005	0.001	0.01	8.38	<0.2	1320	1.21	0.03	4.51	0.04	74.7	24.0	67
P448403		4.28	0.001	<0.005	0.001	0.02	7.63	0.2	630	1.16	0.02	5.43	0.02	82.4	38.2	114

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
P446964		0.47	185.0	10.55	16.80	0.12	1.4	0.080	0.61	10.2	9.2	4.05	1620	0.86	1.44	4.7
P446965		0.28	79.8	7.60	21.1	0.18	1.7	0.053	0.61	55.2	11.7	2.50	981	0.82	2.95	7.8
P446966		0.39	89.0	7.74	20.1	0.16	1.7	0.061	0.86	44.9	13.7	2.59	970	0.75	2.58	7.2
P446967		0.35	190.5	11.25	17.00	0.11	1.4	0.075	0.59	11.1	11.9	3.99	1620	0.62	1.56	5.0
P446968		0.17	36.3	6.25	22.4	0.20	0.9	0.049	1.07	64.6	15.5	1.99	836	0.78	3.75	8.0
P446969		0.21	147.5	8.13	22.5	0.24	1.1	0.064	1.39	75.5	22.8	2.43	854	0.80	3.13	11.0
P446970		0.19	4990	8.37	20.0	0.20	1.0	0.148	0.94	69.3	13.4	2.60	1020	0.77	2.77	11.1
P446971		0.37	1265	7.97	19.95	0.19	1.1	0.069	1.25	69.5	13.9	2.55	1020	1.02	2.79	11.4
P446972		0.28	68.8	7.90	20.9	0.20	0.8	0.060	1.14	64.2	14.5	2.47	1020	0.69	2.98	10.0
P446973		0.49	29.3	8.00	20.7	0.20	1.1	0.059	1.48	70.3	15.0	2.58	1000	0.83	2.95	9.8
P446974		0.18	38.7	7.10	19.95	0.21	1.2	0.056	0.99	64.9	13.1	2.45	951	0.89	3.21	9.8
P446975		0.41	785	8.33	22.6	0.20	1.1	0.092	1.39	67.3	15.6	2.67	1020	1.05	3.07	10.6
P446976		0.33	82.1	7.25	22.0	0.19	1.1	0.065	1.57	65.8	18.4	2.37	879	0.86	2.82	10.1
P446977		0.39	24.5	7.61	23.5	0.20	1.2	0.070	1.55	66.8	17.8	2.40	886	0.76	3.03	10.3
P446978		0.30	20.2	7.08	24.4	0.19	1.5	0.057	1.63	58.3	15.7	2.23	932	0.80	3.11	11.0
P446979		0.38	47.0	7.36	22.8	0.18	1.0	0.069	1.67	60.6	15.1	2.55	1040	0.72	2.81	9.9
P446980		0.29	1860	6.44	21.2	0.17	1.5	0.129	1.57	49.2	12.4	2.11	857	0.91	2.80	9.0
P446981		0.38	59.1	7.84	24.5	0.22	1.2	0.065	1.43	70.7	16.6	2.69	1020	0.90	2.81	11.2
P446982		0.17	26.0	7.27	23.4	0.16	1.2	0.065	0.90	61.1	14.4	2.51	949	0.86	3.23	10.8
P446983		0.37	270	8.23	22.9	0.23	1.1	0.080	1.40	68.0	16.2	2.62	1040	0.88	2.88	11.1
P446984		1.06	532	8.90	10.45	0.07	0.2	0.033	0.21	1.1	24.6	10.60	1610	0.66	0.62	0.2
P446985		<0.05	2.4	0.53	1.98	0.05	0.7	0.005	0.30	4.0	0.8	0.02	56	1.25	0.19	0.1
P446986		0.37	28.2	7.83	25.3	0.23	1.5	0.073	1.29	78.6	16.3	2.55	998	0.85	3.15	11.2
P446987		0.47	70.8	7.57	21.7	0.20	1.7	0.069	1.58	54.6	16.5	3.05	990	0.89	2.85	11.8
P446988		0.49	1870	7.98	23.4	0.21	1.3	0.099	1.21	63.1	16.8	2.60	952	0.77	3.17	9.1
P446989		0.68	939	8.78	24.7	0.25	1.3	0.095	1.82	87.8	27.2	2.79	909	1.04	2.71	12.8
P446990		0.71	5460	7.80	24.2	0.25	1.0	0.132	2.06	68.8	28.4	2.98	800	1.24	2.77	10.3
P446991		0.33	303	7.75	24.6	0.21	1.0	0.067	1.61	63.4	22.4	2.62	976	1.00	2.89	9.4
P446992		1.09	206	8.77	23.7	0.19	1.3	0.089	1.71	62.9	19.5	3.12	1200	1.03	2.66	12.2
P446993		0.82	267	7.30	23.7	0.19	0.9	0.071	1.88	50.3	23.5	2.54	912	0.70	2.82	8.4
P446994		0.57	241	6.45	22.4	0.17	1.1	0.064	1.44	53.6	19.1	2.13	737	0.75	3.01	6.9
P446995		0.11	5.7	4.83	23.4	0.10	1.8	0.022	0.76	30.1	9.5	0.76	269	0.82	4.18	4.6
P446996		0.15	26.3	6.38	21.0	0.15	1.7	0.038	0.49	46.5	16.0	3.95	904	0.53	3.21	6.0
P446997		0.43	130.5	6.46	19.55	0.14	0.9	0.049	1.01	41.2	19.1	4.67	1020	0.48	2.47	5.5
P446998		0.23	217	6.89	20.2	0.12	1.4	0.088	0.55	52.6	14.4	3.99	896	0.36	3.19	5.0
P446999		0.61	118.5	6.10	20.4	0.15	1.4	0.052	1.19	43.3	22.5	4.40	949	0.47	2.79	6.0
P447000		0.50	986	6.14	21.0	0.17	1.4	0.068	1.02	64.1	17.8	3.96	829	0.49	2.90	5.6
P448401		0.66	85.4	5.94	20.9	0.14	1.0	0.050	1.34	37.9	26.0	4.19	924	0.32	2.62	4.9
P448402		0.39	34.4	5.36	22.9	0.14	2.6	0.027	1.44	33.3	16.3	2.47	663	0.56	3.12	7.8
P448403		0.23	55.0	5.84	20.2	0.13	0.8	0.050	1.13	36.1	20.2	4.14	955	0.44	2.62	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
P446964		85.3	600	4.5	17.8	0.003	0.11	0.11	45.0	2	0.9	155.0	0.30	0.05	1.9	0.755
P446965		39.0	2540	6.4	14.1	<0.002	0.12	0.07	18.9	1	1.2	670	0.40	<0.05	3.2	0.796
P446966		46.4	1890	6.1	19.0	<0.002	0.14	0.07	23.3	1	1.1	526	0.38	<0.05	4.1	0.733
P446967		78.2	700	3.8	14.8	0.002	0.12	0.08	43.2	2	0.9	177.5	0.33	<0.05	2.0	0.826
P446968		21.5	2840	7.2	18.9	<0.002	0.07	0.05	14.8	1	1.1	1040	0.37	<0.05	1.5	0.672
P446969		28.0	3590	5.0	31.0	<0.002	0.03	0.05	19.5	1	1.2	821	0.48	<0.05	2.0	1.070
P446970		586	2720	12.6	20.1	<0.002	0.54	<0.05	20.3	4	3.1	937	0.48	1.39	1.7	0.998
P446971		24.6	2810	6.5	34.1	<0.002	0.16	<0.05	20.6	1	1.3	853	0.54	<0.05	4.9	1.005
P446972		43.3	2990	6.0	19.8	<0.002	0.10	<0.05	18.8	1	1.1	890	0.47	<0.05	1.6	0.922
P446973		22.4	2720	6.2	42.0	<0.002	0.11	<0.05	20.0	1	0.9	842	0.46	<0.05	2.4	0.910
P446974		17.7	2860	5.5	15.0	<0.002	0.05	0.05	18.3	1	1.2	846	0.47	<0.05	2.2	0.905
P446975		390	2800	10.4	34.8	0.002	0.17	0.13	22.0	2	1.5	886	0.47	0.38	2.3	0.942
P446976		20.1	3220	6.7	24.6	0.002	0.09	0.12	17.6	1	1.1	871	0.47	<0.05	1.6	0.884
P446977		17.3	3050	6.5	32.8	0.002	0.16	0.10	19.6	1	1.3	837	0.49	<0.05	2.1	0.925
P446978		13.7	2550	6.9	24.6	<0.002	0.11	0.11	16.8	1	1.4	886	0.45	<0.05	2.4	0.911
P446979		19.2	2830	7.8	33.2	0.003	0.16	0.12	19.8	1	1.3	941	0.43	<0.05	1.3	0.881
P446980		606	2370	11.5	28.8	<0.002	0.42	0.10	16.3	3	1.8	829	0.44	0.32	2.1	0.737
P446981		27.0	3870	7.5	27.1	<0.002	0.17	0.10	21.5	1	1.4	889	0.52	<0.05	2.4	0.914
P446982		17.9	2980	6.0	10.1	<0.002	0.05	0.11	19.0	1	1.3	948	0.50	<0.05	1.8	0.931
P446983		43.9	3180	7.7	29.7	0.002	0.22	0.11	20.8	1	1.6	904	0.45	0.08	1.5	0.965
P446984		837	20	4.4	8.1	0.002	0.20	0.62	46.4	2	0.2	94.3	<0.05	0.49	<0.2	0.114
P446985		2.6	30	0.8	8.6	<0.002	<0.01	0.16	0.3	<1	0.2	11.4	<0.05	<0.05	1.0	0.007
P446986		24.7	4300	6.6	27.0	0.002	0.11	0.09	19.3	2	1.5	974	0.53	<0.05	2.3	0.992
P446987		66.4	2470	6.5	31.9	0.002	0.07	0.09	17.6	1	1.2	856	0.64	<0.05	3.0	0.834
P446988		611	3690	10.9	22.7	<0.002	0.22	0.09	18.9	2	2.3	907	0.47	0.36	2.6	0.828
P446989		332	4740	6.4	39.2	0.002	0.12	0.11	21.2	2	1.5	818	0.66	0.05	2.2	1.220
P446990		602	4310	17.0	38.0	0.002	0.56	0.10	19.1	4	3.2	863	0.54	3.62	1.6	0.913
P446991		33.8	3260	8.1	20.8	<0.002	0.16	0.10	19.0	1	1.2	919	0.45	0.05	1.4	0.888
P446992		87.2	4230	7.1	43.6	0.003	0.22	0.08	19.7	1	2.1	839	0.63	0.05	2.5	1.040
P446993		67.0	3290	7.5	44.3	<0.002	0.16	0.09	17.5	1	1.5	883	0.42	0.18	1.4	0.807
P446994		39.2	3230	6.0	33.7	<0.002	0.12	0.09	15.4	1	1.2	697	0.36	<0.05	2.1	0.730
P446995		20.2	520	5.6	11.3	<0.002	<0.01	0.09	4.5	<1	1.5	566	0.26	<0.05	10.5	0.330
P446996		70.5	2010	4.8	4.6	<0.002	0.08	0.09	18.1	1	0.8	780	0.30	<0.05	7.1	0.424
P446997		95.4	2400	9.4	19.6	<0.002	0.06	0.09	21.7	1	1.0	863	0.23	0.18	1.6	0.427
P446998		327	1870	6.7	12.9	0.002	0.39	0.10	18.3	1	1.6	718	0.22	15.35	7.0	0.401
P446999		97.4	2140	6.1	21.0	<0.002	0.10	0.08	19.5	1	1.0	814	0.29	<0.05	5.0	0.421
P447000		349	2120	20.1	20.2	0.002	0.14	0.09	18.7	1	1.5	873	0.27	0.41	12.9	0.408
P448401		76.4	2290	5.3	20.9	<0.002	0.04	0.07	18.6	1	0.9	898	0.22	<0.05	1.1	0.402
P448402		44.9	2120	6.2	17.4	0.002	0.04	0.08	10.9	1	1.0	997	0.37	<0.05	1.6	0.607
P448403		75.2	2140	5.6	16.4	<0.002	0.03	0.09	18.3	1	0.8	926	0.21	<0.05	1.2	0.395

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P446964		0.11	0.5	338	0.3	26.6	97	42.7
P446965		0.08	0.5	200	0.2	22.2	79	62.3
P446966		0.12	0.5	217	0.2	22.5	82	63.9
P446967		0.10	0.5	354	0.2	28.2	103	46.7
P446968		0.08	0.3	128	0.1	20.7	73	36.5
P446969		0.13	0.3	216	0.2	25.8	70	35.9
P446970		0.09	0.2	193	0.1	23.7	73	36.6
P446971		0.17	0.4	198	0.1	24.1	79	39.4
P446972		0.13	0.2	197	0.1	22.7	81	22.5
P446973		0.21	0.3	199	0.1	23.6	86	35.9
P446974		0.10	0.3	181	0.2	22.7	76	42.1
P446975		0.21	0.3	203	0.2	24.7	87	40.1
P446976		0.16	0.2	179	0.2	22.1	80	39.0
P446977		0.21	0.3	201	0.2	23.0	88	47.3
P446978		0.17	0.3	190	0.2	18.3	87	64.3
P446979		0.19	0.1	179	0.1	21.2	91	31.7
P446980		0.20	0.4	160	0.2	18.5	84	56.8
P446981		0.19	0.4	190	0.2	26.6	93	45.8
P446982		0.08	0.2	205	0.1	21.9	80	47.5
P446983		0.19	0.2	227	0.1	24.4	90	42.1
P446984		0.10	<0.1	167	0.8	2.8	108	7.2
P446985		0.35	0.2	3	0.1	0.6	<2	26.2
P446986		0.17	0.4	205	0.1	25.2	87	62.4
P446987		0.22	0.7	181	0.2	20.9	99	63.8
P446988		0.18	0.4	190	0.1	24.2	92	47.2
P446989		0.23	0.6	181	0.2	30.8	95	53.3
P446990		0.27	0.4	136	0.2	25.8	92	36.7
P446991		0.13	0.3	185	0.2	24.2	101	30.5
P446992		0.31	0.7	188	0.1	26.7	123	48.0
P446993		0.35	0.4	185	0.1	21.3	94	25.3
P446994		0.21	0.4	155	0.1	20.1	79	40.8
P446995		0.05	0.8	125	0.1	5.5	30	74.9
P446996		0.04	0.7	118	0.1	13.3	61	60.6
P446997		0.15	0.3	115	0.1	13.9	70	29.6
P446998		0.07	0.6	125	0.1	12.9	66	54.3
P446999		0.20	0.5	115	0.1	13.0	64	48.8
P447000		0.19	0.5	109	0.1	13.2	62	51.9
P448401		0.22	0.2	109	0.1	12.3	63	29.3
P448402		0.16	0.4	134	0.1	9.7	50	119.0
P448403		0.16	0.2	106	0.1	12.1	61	24.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
P448404		3.55	0.001	<0.005	0.001	0.03	7.14	0.2	540	1.21	0.03	5.07	0.02	97.2	42.8	138
P448405		4.53	0.001	<0.005	0.001	0.06	6.65	<0.2	390	1.02	0.03	5.64	0.02	95.0	54.1	152
P448406		0.05	0.120	0.314	5.23	0.18	5.63	0.6	40	0.14	0.20	5.13	0.07	2.39	91.4	255
P448407		0.59	0.001	<0.005	0.001	0.01	0.28	<0.2	10	0.07	0.04	0.04	<0.02	8.89	0.6	32
P448408		0.87	0.001	<0.005	0.001	0.02	6.64	<0.2	470	1.10	0.02	5.99	0.02	91.0	48.6	164
P448409		2.43	0.001	<0.005	0.001	0.06	6.59	<0.2	620	0.94	0.02	5.56	<0.02	91.3	50.9	172
P448410		0.78	0.011	1.430	2.08	2.92	6.52	1.0	590	1.10	0.31	5.46	0.06	97.0	107.0	162
P448411		3.82	0.002	<0.005	0.003	0.03	6.49	<0.2	530	0.94	0.02	5.07	<0.02	78.5	48.9	152
P448412		2.67	0.002	<0.005	0.002	0.03	6.67	<0.2	540	1.96	0.03	2.71	<0.02	82.3	44.3	185
P448413		4.21	0.001	<0.005	0.001	0.04	6.27	<0.2	660	0.95	0.03	5.09	0.03	87.6	51.1	163
P448414		4.20	0.002	<0.005	0.001	0.04	6.24	0.3	500	1.04	0.03	5.35	0.03	88.6	55.3	184
P448415		3.99	0.003	<0.005	0.002	0.06	6.15	0.3	430	1.04	0.03	4.89	0.03	88.1	51.4	157
P448416		1.78	0.002	<0.005	0.002	0.06	6.39	0.4	530	0.95	0.03	5.24	0.02	83.7	52.2	152
P448417		0.74	0.003	<0.005	0.001	0.04	6.33	<0.2	550	0.88	0.03	5.68	0.02	78.5	52.4	167
P448418		3.86	0.002	<0.005	0.001	0.03	7.09	0.2	530	1.08	0.02	5.35	0.02	84.7	44.8	138
P448419		1.01	0.002	<0.005	<0.001	0.04	8.35	<0.2	680	1.06	0.02	4.79	0.03	79.4	34.3	69
P448420		3.06	0.001	<0.005	0.001	0.03	6.92	<0.2	510	1.10	0.02	5.27	0.03	82.1	47.5	146
P448421		2.64	0.002	<0.005	0.001	0.03	6.84	0.3	500	1.01	0.03	5.07	<0.02	80.6	51.5	156
P448422		1.48	0.001	<0.005	0.001	0.03	6.62	0.2	450	0.99	0.02	4.96	<0.02	80.3	42.9	141
P448423		2.03	0.001	<0.005	0.002	0.03	6.62	0.6	640	1.09	0.03	5.04	0.03	77.5	53.9	157
P448424		1.60	0.001	<0.005	0.003	0.02	7.56	<0.2	330	1.06	0.02	5.09	<0.02	85.7	45.9	150
P448425		1.09	0.002	<0.005	0.001	0.03	7.15	<0.2	620	0.90	0.04	5.82	<0.02	94.1	39.3	153
P448426		3.91	0.001	<0.005	0.001	0.01	7.18	<0.2	550	0.93	0.02	4.96	0.02	73.1	33.7	112
P448427		3.25	0.001	<0.005	0.001	0.01	7.38	0.5	730	1.13	0.02	4.43	<0.02	80.2	38.6	134
P448428		0.04	0.126	0.309	5.36	0.20	5.55	0.4	40	0.11	0.14	4.80	0.08	2.36	81.9	235
P448429		0.67	0.001	<0.005	0.001	0.01	0.27	0.2	10	0.05	0.04	0.02	<0.02	8.38	0.5	22
P448430		3.50	0.001	<0.005	0.001	0.03	8.41	<0.2	840	0.90	0.02	6.13	0.03	71.4	43.0	30
P448431		1.65	0.001	<0.005	0.001	0.02	8.55	<0.2	490	1.09	0.01	5.72	0.02	106.0	35.2	42
P448432		3.42	0.001	<0.005	0.001	0.02	8.65	<0.2	700	0.93	0.02	5.97	0.03	83.6	44.0	40
P448433		1.00	0.001	<0.005	<0.001	0.03	8.31	<0.2	580	0.94	0.02	5.95	0.04	88.7	40.0	39
P448434		2.80	0.001	<0.005	0.001	0.02	8.87	0.2	640	0.98	0.01	5.65	0.03	64.1	41.4	30
P448435		0.93	0.001	<0.005	0.001	0.02	8.67	<0.2	720	1.08	0.01	5.70	0.03	93.4	43.6	39
P448436		3.81	0.001	<0.005	0.001	0.02	8.87	0.3	570	0.81	0.02	7.24	0.03	83.6	37.9	30
P448437		0.62	0.001	<0.005	<0.001	0.04	8.53	<0.2	260	0.80	0.02	9.05	0.02	89.7	32.3	29
P448438		0.75	0.001	<0.005	0.001	0.02	8.33	<0.2	1290	1.06	0.02	4.89	0.05	76.2	36.6	19
P448439		3.45	0.001	<0.005	0.001	0.02	8.23	<0.2	880	1.19	0.02	5.32	0.03	126.5	41.6	44
P448440		1.70	0.001	<0.005	0.004	0.02	7.92	<0.2	690	1.15	0.02	5.37	0.03	107.0	43.3	68
P448441		2.58	0.001	<0.005	<0.001	0.01	8.63	<0.2	740	0.88	0.02	6.07	0.02	109.0	41.6	44
P448442		1.39	0.001	<0.005	0.001	0.02	7.17	<0.2	1400	1.46	0.02	5.58	<0.02	172.5	49.1	184
P448443		1.47	<0.001	<0.005	0.001	0.01	7.68	0.2	890	1.25	0.02	6.25	0.02	184.0	46.2	135

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
P448404		0.24	48.0	6.78	19.30	0.17	1.0	0.053	1.09	44.1	24.3	4.99	1120	0.33	2.32	5.2
P448405		0.34	73.3	7.92	17.90	0.14	0.9	0.056	0.73	42.2	21.5	5.84	1380	0.42	1.93	5.4
P448406		1.04	512	8.43	10.30	0.06	0.2	0.035	0.20	1.0	23.8	10.00	1520	0.68	0.59	0.2
P448407		<0.05	1.9	0.41	0.69	<0.05	1.1	<0.005	0.07	4.1	0.6	0.03	47	1.62	0.04	0.1
P448408		0.24	48.7	8.00	17.85	0.15	0.9	0.060	0.71	40.0	17.3	6.06	1520	0.35	2.11	5.7
P448409		0.36	97.5	7.83	17.55	0.14	1.1	0.053	0.95	41.3	18.0	5.75	1300	0.54	2.12	5.6
P448410		0.43	6530	9.15	18.00	0.14	1.2	0.172	0.97	42.6	21.0	5.88	1240	0.50	1.95	5.7
P448411		0.31	80.5	7.47	14.85	0.08	0.9	0.050	0.99	37.3	23.1	5.46	1130	0.38	1.82	4.7
P448412		1.29	59.7	7.52	16.50	0.11	0.9	0.063	2.80	42.8	75.0	5.69	775	0.30	0.91	4.9
P448413		0.61	81.4	7.42	15.10	0.09	1.0	0.051	0.99	40.7	22.0	5.57	1140	0.31	1.78	4.8
P448414		0.62	88.7	8.07	15.05	0.08	1.0	0.060	0.99	39.9	24.4	6.23	1320	0.58	1.64	5.3
P448415		0.36	79.1	7.38	15.50	0.07	1.6	0.050	0.72	41.1	24.1	5.49	1260	1.05	1.91	5.0
P448416		0.20	98.7	7.39	15.30	0.10	1.1	0.052	0.73	38.7	16.7	5.49	1340	0.68	2.09	4.7
P448417		0.18	73.8	8.19	15.40	0.08	0.9	0.060	0.86	35.6	18.5	6.05	1520	0.35	1.76	4.0
P448418		0.31	53.5	7.65	17.15	0.10	1.1	0.053	0.76	40.1	22.3	5.01	1280	0.47	2.19	4.8
P448419		0.20	60.2	6.36	21.5	0.08	1.1	0.039	0.69	39.3	18.2	2.86	817	0.38	3.32	5.7
P448420		0.46	58.2	7.08	16.50	0.11	1.3	0.063	0.83	38.4	25.3	5.21	1210	0.64	2.13	5.2
P448421		0.39	57.3	7.50	16.00	0.09	1.2	0.046	0.78	37.6	26.1	5.58	1280	0.52	2.03	4.8
P448422		0.20	41.7	7.06	15.10	0.10	1.3	0.049	0.66	37.6	17.2	5.38	1280	0.31	2.43	4.9
P448423		0.33	61.9	7.76	15.25	0.09	1.1	0.054	0.91	35.6	23.4	5.84	1400	0.40	1.88	4.9
P448424		0.14	45.0	7.56	17.40	0.09	1.2	0.054	0.55	39.8	19.8	4.92	1120	0.52	2.69	5.0
P448425		0.11	47.7	7.15	18.50	0.11	0.9	0.067	1.38	45.5	17.6	4.24	956	0.35	2.06	5.3
P448426		0.17	9.8	6.56	17.10	0.08	0.9	0.050	1.21	35.7	19.9	4.19	874	0.27	2.46	4.0
P448427		0.15	11.8	7.23	16.50	0.09	0.9	0.045	1.28	37.3	23.0	4.70	1020	0.29	2.25	4.6
P448428		0.93	474	7.95	8.92	<0.05	0.2	0.027	0.19	1.1	20.8	9.41	1430	0.51	0.55	0.2
P448429		<0.05	1.2	0.34	0.58	<0.05	0.7	<0.005	0.06	4.1	0.4	0.03	38	1.12	0.07	0.1
P448430		0.29	39.2	7.44	19.40	0.06	1.3	0.053	1.14	34.1	23.2	3.62	999	0.39	2.43	3.6
P448431		0.21	37.4	7.03	21.0	0.09	1.7	0.042	0.63	52.2	12.1	3.02	748	0.45	3.55	4.9
P448432		0.28	45.4	7.31	20.2	0.09	1.3	0.050	0.97	40.6	14.9	3.27	887	0.35	2.74	3.8
P448433		0.15	41.0	6.99	19.45	0.10	1.5	0.053	0.69	42.4	11.0	3.11	817	0.50	2.96	3.9
P448434		0.20	30.1	7.07	20.4	0.09	1.3	0.035	0.94	30.0	13.6	2.57	729	0.52	3.13	3.4
P448435		0.36	47.2	7.09	20.8	0.10	1.6	0.042	1.05	45.3	13.7	2.68	685	0.62	3.00	4.6
P448436		0.15	42.7	7.57	21.8	0.08	1.2	0.053	0.74	40.0	14.0	2.66	832	0.41	2.48	3.7
P448437		0.25	15.6	7.13	19.80	0.09	1.3	0.071	0.39	42.8	17.1	2.79	883	0.59	2.26	3.6
P448438		0.29	137.0	6.59	21.7	0.09	1.1	0.034	1.10	36.4	25.0	2.18	740	0.46	2.92	5.1
P448439		0.61	43.3	8.90	21.9	0.14	1.0	0.063	1.45	59.2	35.7	3.22	875	0.51	2.28	5.3
P448440		0.93	45.1	8.91	19.95	0.13	1.4	0.073	1.52	50.7	39.3	3.44	803	0.48	2.36	5.0
P448441		0.41	40.5	8.98	21.6	0.12	0.8	0.063	1.01	50.6	31.0	3.23	1010	0.41	2.40	3.8
P448442		0.86	56.6	8.91	19.00	0.16	2.4	0.078	2.13	84.6	38.3	4.53	908	0.27	1.63	6.3
P448443		0.40	42.4	9.09	20.2	0.17	2.0	0.066	0.94	88.2	20.4	4.00	1040	0.37	2.33	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
P448404		103.0	2150	3.7	23.9	<0.002	0.07	0.13	22.8	1	0.9	656	0.25	<0.05	2.1	0.433
P448405		130.0	2210	4.2	20.3	0.002	0.17	0.11	28.4	1	0.9	671	0.25	<0.05	1.3	0.479
P448406		794	30	3.9	8.0	<0.002	0.19	0.48	46.9	2	<0.2	91.5	<0.05	0.51	<0.2	0.107
P448407		2.7	20	0.6	2.0	<0.002	<0.01	0.11	0.4	<1	<0.2	6.8	<0.05	<0.05	1.3	0.007
P448408		144.0	2250	3.7	17.6	<0.002	0.02	0.10	27.5	1	0.9	774	0.26	<0.05	1.3	0.494
P448409		135.0	2180	4.4	24.3	<0.002	0.12	0.08	25.7	1	0.8	702	0.27	<0.05	2.0	0.475
P448410		1260	2170	10.8	26.3	0.002	1.24	0.09	27.1	6	1.3	684	0.29	3.94	2.0	0.464
P448411		134.5	1920	3.2	23.8	<0.002	0.16	0.05	25.0	1	0.8	598	0.23	<0.05	1.6	0.447
P448412		140.0	2220	2.8	55.1	<0.002	0.10	0.09	26.8	1	0.9	301	0.22	<0.05	1.5	0.466
P448413		147.0	2000	3.5	32.0	<0.002	0.19	0.05	25.8	1	0.8	617	0.23	<0.05	1.7	0.440
P448414		174.5	2070	3.3	31.9	<0.002	0.21	<0.05	28.0	1	0.9	563	0.27	<0.05	1.3	0.473
P448415		160.0	1790	6.7	20.7	0.002	0.20	0.07	24.3	1	0.7	566	0.25	<0.05	5.3	0.425
P448416		144.5	1900	4.3	17.5	<0.002	0.22	0.06	26.2	1	0.8	582	0.23	<0.05	2.2	0.448
P448417		153.5	2140	3.1	22.8	<0.002	0.22	0.07	29.1	1	0.7	541	0.21	<0.05	1.2	0.407
P448418		108.5	2170	4.1	19.0	<0.002	0.17	0.06	24.4	1	0.8	640	0.24	<0.05	2.6	0.490
P448419		67.0	2250	5.2	8.5	<0.002	0.14	0.05	14.2	1	1.0	881	0.26	<0.05	2.5	0.586
P448420		134.0	1840	4.0	24.1	<0.002	0.16	0.06	24.4	1	0.9	572	0.27	<0.05	2.7	0.459
P448421		140.0	1960	3.1	22.3	<0.002	0.20	0.05	26.1	1	0.8	525	0.24	<0.05	2.4	0.461
P448422		119.0	1870	2.6	19.6	<0.002	0.10	0.07	25.4	1	0.8	486	0.25	<0.05	3.1	0.467
P448423		153.5	1870	2.3	32.8	<0.002	0.22	0.06	27.8	1	0.8	444	0.25	<0.05	1.9	0.472
P448424		106.5	2050	2.5	15.8	<0.002	0.14	0.06	25.8	1	0.8	651	0.24	<0.05	2.2	0.453
P448425		96.0	2030	3.0	26.6	<0.002	0.15	0.08	26.0	1	0.9	664	0.27	<0.05	1.5	0.507
P448426		84.4	1470	3.1	22.2	<0.002	0.06	0.07	18.8	1	0.7	544	0.20	<0.05	3.0	0.361
P448427		91.6	1980	2.7	19.9	<0.002	0.07	0.08	20.8	1	0.7	527	0.22	<0.05	1.7	0.385
P448428		735	20	4.1	7.6	<0.002	0.18	0.49	40.1	1	<0.2	83.2	<0.05	0.40	<0.2	0.102
P448429		2.5	20	0.6	1.4	<0.002	<0.01	0.09	0.2	<1	<0.2	3.5	<0.05	<0.05	0.9	0.006
P448430		58.4	1640	4.8	14.2	<0.002	0.23	0.05	22.6	1	0.8	957	0.18	<0.05	2.3	0.629
P448431		51.3	2210	4.8	10.7	<0.002	0.07	0.05	19.3	1	0.9	913	0.25	<0.05	8.1	0.696
P448432		55.2	1860	5.3	17.1	<0.002	0.17	0.05	21.5	1	0.8	967	0.19	<0.05	3.5	0.659
P448433		46.9	1870	6.1	9.1	<0.002	0.10	<0.05	20.7	1	0.9	972	0.21	<0.05	4.5	0.656
P448434		44.6	1410	5.4	14.5	<0.002	0.09	<0.05	17.8	1	0.8	989	0.18	<0.05	2.4	0.650
P448435		44.4	1960	6.1	18.3	<0.002	0.05	<0.05	17.9	1	0.8	954	0.24	<0.05	6.3	0.655
P448436		41.3	2220	5.0	15.1	<0.002	0.07	0.05	18.7	1	1.1	1465	0.21	<0.05	2.6	0.722
P448437		41.5	2130	5.1	8.7	<0.002	0.10	0.06	18.2	1	0.9	1655	0.19	<0.05	3.2	0.747
P448438		49.3	1820	4.9	12.3	<0.002	0.21	0.05	12.6	1	0.9	959	0.26	<0.05	3.0	0.704
P448439		39.2	5300	4.4	36.7	<0.002	0.25	0.05	21.8	1	1.0	783	0.27	<0.05	3.2	1.040
P448440		48.4	3140	3.3	35.4	<0.002	0.24	0.05	28.3	1	1.1	742	0.26	<0.05	4.0	0.951
P448441		38.0	5450	3.9	19.0	<0.002	0.25	0.05	20.6	1	0.9	956	0.20	<0.05	1.9	1.010
P448442		98.7	3610	4.1	56.2	<0.002	0.24	<0.05	26.4	2	1.2	665	0.27	<0.05	6.5	0.940
P448443		79.8	4400	5.5	21.5	<0.002	0.24	<0.05	24.7	1	1.2	955	0.24	<0.05	5.8	1.000

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P448404		0.12	0.3	134	0.1	14.6	115	31.2
P448405		0.14	0.2	152	0.1	17.5	127	27.6
P448406		0.11	<0.1	156	3.6	2.9	98	6.7
P448407		0.05	0.3	2	<0.1	0.8	2	51.3
P448408		0.10	0.2	157	0.1	16.7	107	29.2
P448409		0.15	0.3	152	0.1	15.3	95	32.0
P448410		0.17	0.5	147	0.1	18.2	97	40.1
P448411		0.13	0.8	149	<0.1	16.6	91	29.0
P448412		0.26	0.4	144	0.2	15.2	86	26.0
P448413		0.20	0.3	141	<0.1	16.7	88	31.3
P448414		0.19	0.2	147	0.1	18.3	103	29.7
P448415		0.11	0.5	130	0.1	17.1	106	51.2
P448416		0.08	0.3	137	0.1	17.7	107	38.0
P448417		0.10	0.2	117	<0.1	19.3	118	26.2
P448418		0.11	0.3	147	0.1	17.6	105	36.5
P448419		0.08	0.3	176	0.1	11.5	82	44.4
P448420		0.16	0.5	125	0.1	18.0	111	43.7
P448421		0.11	0.4	124	0.1	18.5	115	41.4
P448422		0.09	0.4	131	0.1	16.9	109	44.5
P448423		0.16	0.3	131	0.1	17.9	123	34.7
P448424		0.08	0.3	137	0.1	17.8	113	41.7
P448425		0.12	0.4	145	0.1	19.0	92	25.8
P448426		0.10	0.4	120	0.1	14.9	94	32.1
P448427		0.13	0.4	109	0.1	16.1	104	30.4
P448428		0.09	<0.1	150	0.8	2.7	97	5.7
P448429		0.04	0.2	1	<0.1	0.7	<2	25.0
P448430		0.14	0.4	196	0.1	14.6	81	48.3
P448431		0.07	0.7	211	0.2	16.3	63	65.7
P448432		0.13	0.4	205	0.1	15.5	71	48.5
P448433		0.06	0.5	225	0.2	15.5	60	55.5
P448434		0.10	0.3	252	0.1	11.3	64	48.0
P448435		0.16	1.0	217	0.1	14.6	73	63.9
P448436		0.09	0.4	260	0.1	14.3	66	40.3
P448437		0.03	0.5	238	0.2	17.5	67	53.0
P448438		0.12	0.6	195	0.1	10.2	69	46.5
P448439		0.16	0.5	244	0.1	24.8	81	37.5
P448440		0.18	0.5	253	0.2	26.4	72	46.9
P448441		0.09	0.3	276	0.1	21.9	97	21.9
P448442		0.26	0.9	214	0.2	26.8	106	84.8
P448443		0.12	0.8	234	0.2	26.3	100	78.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
P448444		3.51	0.001	<0.005	0.001	0.02	8.08	<0.2	1180	0.98	0.02	4.60	0.03	61.6	40.6	59
P448445		1.82	0.001	<0.005	0.001	0.03	7.72	0.2	470	0.94	0.02	5.89	0.02	58.7	51.3	85
P448446		1.48	0.001	<0.005	0.001	0.03	7.44	<0.2	260	1.07	0.02	4.54	0.05	73.1	41.3	69
P448447		0.74	0.001	<0.005	0.001	0.03	7.05	2.4	870	1.11	0.02	1.91	0.03	33.6	5.5	18
P448448		0.04	0.121	0.303	5.13	0.20	5.33	1.3	40	0.10	0.18	4.55	0.10	2.47	85.4	247
P448449		0.58	0.001	<0.005	0.001	0.01	0.20	0.5	<10	0.07	0.04	0.02	<0.02	9.08	0.5	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
P448444		0.36	43.7	6.63	20.1	0.09	0.6	0.047	1.40	29.5	38.9	3.51	865	0.28	2.46	2.5
P448445		0.26	44.9	9.25	18.90	0.07	1.5	0.052	0.78	28.0	21.6	4.36	1130	0.39	2.36	4.6
P448446		0.19	67.2	7.17	17.65	0.08	1.9	0.039	0.45	37.9	16.0	3.31	825	0.61	2.88	6.2
P448447		0.18	29.0	1.47	22.5	0.16	0.9	0.020	1.26	14.7	8.1	0.56	201	0.45	3.84	2.1
P448448		1.01	475	7.69	10.05	0.10	0.2	0.026	0.18	1.1	20.8	9.07	1390	0.58	0.54	0.2
P448449		<0.05	1.6	0.48	0.56	0.06	0.9	<0.005	0.05	4.5	0.4	0.02	54	1.35	0.03	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
P448444		62.1	2800	3.5	19.2	<0.002	0.20	<0.05	14.4	1	0.5	840	0.14	<0.05	1.5	0.472
P448445		114.0	1220	3.9	18.8	<0.002	0.24	<0.05	26.4	1	0.8	786	0.28	<0.05	2.6	0.860
P448446		94.8	820	4.5	9.6	<0.002	0.20	<0.05	19.6	1	0.8	647	0.38	<0.05	14.8	0.741
P448447		16.8	470	10.9	27.4	<0.002	0.05	0.11	3.1	<1	0.6	692	0.10	<0.05	<0.2	0.123
P448448		704	10	5.4	8.7	<0.002	0.17	0.51	43.0	1	<0.2	85.1	<0.05	0.40	<0.2	0.097
P448449		2.5	10	0.6	1.6	<0.002	<0.01	0.11	0.3	<1	<0.2	4.1	<0.05	<0.05	1.1	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P448444		0.18	0.3	152	0.1	10.9	94	20.7
P448445		0.09	0.4	278	0.1	13.5	91	56.3
P448446		0.06	1.4	228	0.2	11.5	81	71.9
P448447		0.16	0.1	27	0.1	6.3	23	31.5
P448448		0.10	0.1	148	0.7	2.9	87	5.9
P448449		0.04	0.3	1	<0.1	0.8	<2	33.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 11-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14162409

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23