ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

CERTIFICATE SD14186859

Project: 263

P.O. No.: 967113

This report is for 44 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 4-DEC-2014.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R230236		0.74	<0.001	<0.005	0.001	0.03	8.27	0.6	570	0.89	0.01	5.63	0.06	34.6	28.2	66
R230237		0.79	<0.001	<0.005	0.001	0.01	8.52	<0.2	460	0.75	0.01	6.29	0.06	53.0	33.5	55
R230238		1.54	<0.001	<0.005	0.001	0.01	8.88	0.3	220	1.02	0.01	5.20	0.03	52.5	26.5	67
R230239		0.67	<0.001	<0.005	0.001	0.02	8.67	0.3	540	0.61	0.01	5.40	0.05	41.2	36.3	100
R230240		0.98	<0.001	<0.005	0.001	0.01	7.89	<0.2	370	0.90	0.02	3.77	<0.02	54.8	36.2	95
R230241		1.73	<0.001	<0.005	0.001	0.01	7.80	0.3	770	0.98	0.01	4.89	<0.02	86.5	28.8	61
R230242		2.30	<0.001	<0.005	<0.001	0.02	8.15	<0.2	610	0.83	0.01	5.33	0.02	93.2	29.8	73
R230243		2.37	<0.001	<0.005	0.001	0.01	7.97	0.2	440	0.93	0.01	3.83	0.02	103.0	34.7	69
R230244		2.83	<0.001	<0.005	<0.001	0.01	8.85	<0.2	400	0.84	0.01	7.36	0.02	91.7	22.8	71
R230245		1.11	<0.001	<0.005	0.002	0.13	8.69	<0.2	360	1.07	0.08	3.75	0.02	124.0	34.2	62
R230246		0.91	<0.001	<0.005	0.001	0.03	8.16	0.7	930	1.06	0.02	4.26	0.02	144.5	31.0	54
R230247		0.83	0.001	<0.005	<0.001	0.07	6.68	0.3	580	1.04	0.02	3.67	0.05	62.0	48.6	53
R230248		1.18	<0.001	<0.005	<0.001	0.03	7.19	2.5	540	0.92	0.02	4.76	0.02	71.3	42.0	40
R230249		0.05	0.105	0.301	4.86	0.16	5.51	0.6	40	0.09	0.15	4.79	0.07	2.25	81.1	248
R230250		0.24	<0.001	<0.005	0.001	<0.01	0.28	<0.2	10	0.05	0.04	0.02	<0.02	7.96	0.4	22
R230251		2.56	0.001	<0.005	0.001	0.04	3.02	<0.2	420	1.17	0.01	1.84	<0.02	34.9	12.8	17
R230252		2.35	0.002	<0.005	0.001	0.01	6.82	<0.2	1090	0.36	0.01	1.20	0.02	15.60	6.4	18
R230253		2.90	<0.001	<0.005	0.001	0.01	6.88	0.2	230	0.54	0.01	1.71	0.02	24.2	6.1	23
R230254		2.50	<0.001	<0.005	0.001	0.01	7.09	0.4	340	0.50	0.01	1.04	<0.02	18.15	17.6	20
R230255		1.31	<0.001	<0.005	0.002	<0.01	8.22	<0.2	580	1.43	0.01	2.19	<0.02	40.1	8.7	50
R230256		2.72	<0.001	<0.005	0.001	0.01	7.51	<0.2	1070	1.09	0.01	1.87	<0.02	26.9	6.1	52
R230257		1.00	<0.001	<0.005	0.001	0.02	6.67	<0.2	700	0.92	0.01	8.08	<0.02	52.8	6.2	17
R230258		1.63	<0.001	<0.005	0.001	0.01	6.35	<0.2	730	0.94	0.01	2.76	<0.02	24.4	5.5	23
R230259		1.48	<0.001	<0.005	0.001	0.03	5.33	<0.2	600	0.78	0.04	10.55	<0.02	118.5	5.6	22
R230260		1.85	<0.001	<0.005	<0.001	0.01	7.88	<0.2	820	0.84	0.01	2.06	<0.02	25.8	10.8	55
R230261		1.78	<0.001	<0.005	0.001	0.02	7.17	0.2	590	1.01	0.02	2.31	<0.02	31.1	4.4	25
R230262		1.53	0.013	<0.005	0.001	0.05	7.26	0.5	310	0.56	0.25	2.31	<0.02	53.2	19.2	43
R230263		1.32	<0.001	<0.005	0.002	<0.01	7.88	<0.2	1010	1.05	0.02	2.67	0.02	51.6	7.8	31
R230264		0.86	<0.001	<0.005	<0.001	0.03	7.87	<0.2	770	1.24	0.05	2.50	<0.02	42.5	7.1	21
R230265		1.92	<0.001	<0.005	0.001	0.03	8.00	<0.2	740	1.39	0.03	3.11	<0.02	51.3	7.3	22
R230266		1.40	<0.001	<0.005	0.001	0.05	7.79	2.0	730	1.20	0.14	4.12	0.02	76.0	15.0	58
R230267		0.90	<0.001	<0.005	0.001	0.20	7.17	<0.2	3510	0.68	0.01	1.24	<0.02	20.5	2.2	15
R230268		1.51	<0.001	<0.005	0.001	0.06	6.23	<0.2	2340	2.23	0.06	7.07	0.06	240	34.7	136
R230269		1.31	<0.001	<0.005	0.001	0.06	7.72	0.2	510	1.61	0.05	3.14	<0.02	57.3	7.6	38
R230270		0.05	0.119	0.317	5.29	0.16	5.57	1.0	40	0.10	0.14	4.85	0.07	2.23	78.9	251
R230271		0.26	<0.001	<0.005	0.001	0.01	0.31	<0.2	10	<0.05	0.03	0.01	<0.02	8.98	0.3	25
R230272		2.42	<0.001	<0.005	<0.001	0.03	8.12	<0.2	770	1.25	0.01	2.88	0.02	41.8	7.9	27
R230273		0.96	0.011	<0.005	0.001	0.26	7.10	5.5	700	1.06	0.29	1.73	<0.02	40.8	56.3	23
R230274		2.71	<0.001	<0.005	0.001	0.02	7.32	0.4	530	1.04	0.02	3.83	0.03	40.3	6.4	29
R230275		2.28	<0.001	<0.005	0.001	0.06	7.73	0.2	380	1.53	0.02	3.54	0.04	66.6	23.2	68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R230236		0.25	28.4	5.30	19.75	0.10	2.4	0.036	1.11	16.5	16.4	2.85	730	0.48	2.64	3.6
R230237		0.28	44.1	5.25	18.05	0.12	1.6	0.038	0.83	26.3	21.8	3.58	751	0.51	2.50	4.4
R230238		0.10	9.6	4.55	19.10	0.13	1.9	0.033	0.45	24.9	13.0	2.85	512	0.47	4.04	4.6
R230239		0.43	43.4	5.18	18.05	0.13	0.8	0.030	0.96	20.8	27.8	3.99	709	0.23	2.53	3.2
R230240		0.33	53.7	5.44	17.90	0.09	1.0	0.042	0.77	25.1	36.3	4.39	712	0.28	3.02	3.1
R230241		0.22	49.6	5.37	18.35	0.12	1.3	0.037	1.12	39.1	26.2	3.41	718	0.31	2.71	4.5
R230242		0.14	28.1	5.84	18.35	0.13	1.1	0.043	0.47	43.3	15.1	3.20	771	0.32	3.10	3.9
R230243		0.12	32.2	5.58	16.85	0.11	1.1	0.037	0.40	47.2	20.1	3.52	708	0.29	3.42	4.3
R230244		0.08	126.0	6.53	26.5	0.10	1.2	0.045	0.33	42.6	14.2	2.20	646	1.20	2.37	3.9
R230245		0.62	83.1	7.17	23.9	0.18	0.9	0.056	0.87	57.2	39.6	3.49	762	0.45	3.09	9.4
R230246		0.17	65.9	6.67	21.9	0.20	0.9	0.052	0.89	66.4	22.9	2.86	982	0.48	3.07	9.6
R230247		0.24	133.5	8.02	18.60	0.06	2.7	0.035	0.57	29.7	19.7	3.46	1040	0.77	2.27	6.7
R230248		0.15	129.5	6.37	18.85	0.09	1.1	0.063	0.64	32.6	28.0	3.45	890	0.30	2.63	4.9
R230249		0.92	490	8.10	9.54	<0.05	0.2	0.026	0.19	1.0	21.7	9.49	1430	0.52	0.56	0.2
R230250		<0.05	1.7	0.36	0.64	<0.05	0.5	<0.005	0.09	3.8	0.6	0.02	39	0.27	0.03	0.1
R230251		0.55	23.0	2.87	9.38	0.07	0.6	0.020	0.58	16.0	80.9	1.12	360	0.32	0.58	3.1
R230252		0.13	2.1	1.24	14.60	0.14	0.5	0.008	2.81	9.5	6.2	0.17	104	0.27	3.70	0.7
R230253		0.15	1.4	1.66	16.35	0.11	0.2	0.008	0.60	12.9	21.0	0.43	159	0.16	4.42	0.8
R230254		0.08	2.2	1.51	14.65	0.12	0.3	<0.005	0.82	10.4	8.9	0.35	123	0.16	4.69	0.9
R230255		0.11	3.0	2.46	21.5	0.22	0.8	0.022	0.78	17.6	13.8	1.26	308	0.15	4.64	1.7
R230256		0.15	19.1	1.75	19.65	0.20	0.4	0.015	1.32	13.0	13.7	0.87	223	0.14	3.94	1.5
R230257		0.15	164.0	1.48	15.95	0.35	0.2	0.054	1.40	24.8	18.0	0.98	713	0.12	3.31	1.0
R230258		0.20	20.4	1.43	14.95	0.32	0.2	0.013	1.25	11.7	27.4	0.76	259	0.15	3.48	0.7
R230259		0.17	286	1.25	11.65	0.54	0.3	0.121	2.09	52.9	26.8	1.11	956	0.13	2.26	0.7
R230260		0.12	21.1	2.12	19.15	0.34	0.5	0.015	1.26	12.8	12.6	0.99	233	0.15	4.41	1.1
R230261		0.23	61.9	2.43	17.30	0.37	0.6	0.014	1.03	14.3	24.4	0.93	244	0.41	3.73	2.7
R230262		<0.05	7.4	2.93	19.40	0.30	0.8	0.077	0.82	24.8	6.7	0.76	233	1.20	4.12	2.7
R230263		0.15	5.4	2.35	20.8	0.29	0.9	0.016	1.03	22.9	12.6	0.99	333	0.14	4.19	3.2
R230264		0.16	4.2	2.06	21.3	0.34	0.6	0.016	1.18	21.1	11.2	0.80	276	0.32	3.70	2.0
R230265		0.18	31.4	2.02	20.5	0.30	0.7	0.025	1.06	25.6	9.3	0.90	303	0.25	3.85	2.0
R230266		0.25	12.1	3.27	21.9	0.28	0.9	0.040	1.23	33.7	15.1	1.58	569	0.24	3.39	3.9
R230267		0.17	2.6	0.94	16.25	0.26	0.5	0.005	2.58	13.2	3.8	0.19	118	0.32	3.50	0.8
R230268		0.83	106.5	6.54	18.55	0.36	7.3	0.103	1.98	103.0	12.7	4.33	1320	0.57	1.95	7.4
R230269		0.25	2.7	2.16	21.3	0.32	1.5	0.030	0.86	24.8	11.9	1.10	375	0.56	4.14	6.4
R230270		0.92	497	8.18	9.38	0.07	0.2	0.025	0.19	1.0	20.6	9.57	1460	0.67	0.57	0.3
R230271		<0.05	1.5	0.39	0.72	0.06	1.3	<0.005	0.10	4.4	0.3	0.01	42	0.31	0.03	0.2
R230272		0.18	6.7	1.92	21.5	0.29	0.9	0.015	1.03	19.6	8.3	0.88	309	0.20	3.87	1.7
R230273		0.24	4600	3.82	18.65	0.22	1.0	0.053	1.87	19.9	13.3	0.74	239	4.43	2.88	1.6
R230274		0.07	22.9	2.53	23.7	0.31	0.7	0.025	0.74	18.3	9.9	0.59	306	0.30	3.61	2.0
R230275		0.06	9.9	3.20	18.90	0.30	1.8	0.049	0.66	26.8	15.9	2.56	564	0.19	4.26	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R230236		59.7	640	6.8	7.1	<0.002	0.13	<0.05	11.5	<1	0.8	1025	0.19	<0.05	1.1	0.387
R230237		71.1	830	6.2	7.5	<0.002	0.19	<0.05	15.5	1	0.6	1075	0.25	<0.05	4.8	0.375
R230238		69.7	950	4.5	5.3	<0.002	0.07	<0.05	12.1	1	0.9	1095	0.31	<0.05	6.1	0.308
R230239		290	1010	5.5	12.3	<0.002	0.14	<0.05	10.9	<1	0.5	1185	0.17	<0.05	1.4	0.315
R230240		116.5	1080	3.7	11.1	0.003	0.14	0.05	14.7	1	0.6	778	0.16	<0.05	3.6	0.322
R230241		72.7	1830	2.5	38.8	0.002	0.03	0.05	17.1	1	0.8	835	0.22	<0.05	2.5	0.494
R230242		80.3	1990	4.4	8.8	0.002	0.17	<0.05	17.4	1	0.8	1025	0.19	<0.05	2.5	0.486
R230243		89.9	2150	3.5	7.6	0.003	0.19	<0.05	18.2	1	0.7	671	0.20	<0.05	5.5	0.506
R230244		49.4	1880	5.2	4.6	0.003	0.12	0.05	15.6	1	0.8	1845	0.17	<0.05	2.4	0.484
R230245		52.6	3480	3.1	28.0	0.003	0.65	<0.05	18.3	2	1.3	711	0.40	0.35	1.5	0.755
R230246		44.3	3480	3.4	27.1	0.003	0.27	0.06	18.1	2	1.0	850	0.41	<0.05	1.8	0.815
R230247		112.0	1470	6.4	11.8	0.003	0.30	<0.05	14.2	1	0.9	606	0.30	<0.05	2.6	0.592
R230248		55.6	1360	4.5	25.8	0.003	0.55	0.10	20.4	2	1.1	738	0.19	0.05	0.8	0.512
R230249		736	30	5.6	8.1	0.003	0.18	0.36	39.2	2	<0.2	83.6	<0.05	0.45	<0.2	0.104
R230250		2.7	20	0.5	2.3	0.002	<0.01	0.06	0.2	<1	<0.2	4.0	<0.05	<0.05	0.9	0.007
R230251		9.7	880	2.8	20.2	0.002	0.17	0.21	6.9	1	0.4	282	0.13	<0.05	0.9	0.373
R230252		5.0	280	3.4	44.1	0.002	0.13	0.05	0.9	<1	0.3	304	<0.05	<0.05	<0.2	0.095
R230253		9.5	500	2.6	8.7	0.003	0.09	0.06	1.8	<1	0.2	401	<0.05	<0.05	<0.2	0.096
R230254		16.5	360	2.6	11.2	0.002	0.48	0.06	1.4	1	0.3	251	<0.05	<0.05	<0.2	0.112
R230255		46.4	1020	2.7	15.9	0.002	0.10	0.07	6.3	1	0.4	656	0.08	<0.05	0.4	0.165
R230256		27.1	540	4.0	28.4	0.002	0.08	0.05	4.9	1	0.4	654	0.06	<0.05	<0.2	0.153
R230257		18.2	450	2.6	27.7	0.002	0.06	<0.05	9.1	1	0.3	474	0.05	<0.05	<0.2	0.101
R230258		19.4	450	2.3	25.8	0.002	0.10	0.05	2.4	<1	0.3	375	<0.05	<0.05	0.2	0.063
R230259		19.9	370	1.6	30.4	0.002	0.10	<0.05	6.3	2	0.2	230	<0.05	<0.05	0.3	0.059
R230260		37.1	540	3.6	23.0	0.002	0.16	0.05	3.1	<1	0.3	495	0.05	<0.05	0.4	0.107
R230261		23.3	810	2.6	20.6	0.002	0.05	0.07	5.2	<1	0.5	574	0.10	<0.05	0.3	0.231
R230262		25.4	870	2.9	10.6	0.003	1.02	<0.05	5.7	1	0.6	564	0.11	0.23	0.9	0.218
R230263		22.6	990	4.2	17.3	0.002	0.15	<0.05	5.5	<1	0.6	793	0.12	<0.05	0.8	0.255
R230264		18.0	610	5.4	20.0	0.002	0.29	<0.05	3.6	1	0.5	780	0.08	0.09	0.2	0.177
R230265		16.9	790	7.6	19.7	0.003	0.23	<0.05	5.1	1	0.5	881	0.10	<0.05	1.2	0.181
R230266		38.7	1220	9.0	19.2	0.002	0.56	<0.05	8.2	1	0.6	897	0.14	0.05	0.4	0.199
R230267		5.7	220	15.5	37.3	0.002	0.13	<0.05	0.9	<1	0.3	758	<0.05	<0.05	0.4	0.076
R230268		83.2	4440	14.2	57.2	0.003	0.31	<0.05	28.6	2	2.0	1000	0.35	<0.05	24.7	0.461
R230269		27.0	910	6.8	20.1	0.003	0.19	<0.05	6.3	1	1.3	752	0.43	0.07	4.8	0.194
R230270		745	20	4.9	7.7	0.002	0.18	0.50	37.1	1	<0.2	82.5	<0.05	0.44	<0.2	0.106
R230271		2.3	20	0.6	3.0	0.002	<0.01	0.09	0.3	<1	<0.2	4.8	<0.05	<0.05	1.3	0.007
R230272		25.1	720	8.5	12.4	0.002	0.06	<0.05	3.9	<1	0.5	1015	0.09	<0.05	0.2	0.163
R230273		26.0	600	3.9	49.6	0.004	2.55	0.05	3.5	1	0.5	584	0.08	0.28	0.3	0.147
R230274		14.7	660	5.4	8.2	0.003	0.06	<0.05	4.8	1	0.6	1235	0.09	<0.05	0.2	0.175
R230275		54.7	1520	6.3	6.5	0.003	0.21	<0.05	15.1	1	1.1	698	0.21	<0.05	1.3	0.382

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R230236		0.14	0.2	133	0.1	6.8	73	87.0
R230237		0.12	0.9	109	0.1	9.1	58	53.8
R230238		0.08	1.8	88	0.2	9.2	39	58.7
R230239		0.18	0.4	77	0.1	6.7	53	29.3
R230240		0.09	0.5	89	0.1	9.7	66	34.5
R230241		0.25	0.5	125	0.2	15.0	60	45.1
R230242		0.09	0.4	122	0.2	15.9	60	35.4
R230243		0.07	0.4	112	0.1	15.9	70	37.0
R230244		0.04	0.5	139	0.1	15.2	47	42.1
R230245		0.15	0.3	141	0.3	21.3	137	31.7
R230246		0.19	0.2	115	0.3	23.0	111	29.9
R230247		0.08	0.5	141	0.1	11.3	130	124.0
R230248		0.19	0.2	169	0.1	15.5	79	40.1
R230249		0.09	<0.1	154	0.8	2.8	96	6.2
R230250		0.06	0.2	2	<0.1	0.6	<2	18.6
R230251		0.15	0.1	96	0.1	6.7	33	17.0
R230252		0.31	0.1	28	0.1	1.6	4	18.0
R230253		0.08	0.1	23	0.1	2.8	14	6.9
R230254		0.09	0.1	18	0.1	1.7	12	9.2
R230255		0.14	0.1	37	0.1	7.7	40	29.4
R230256		0.19	<0.1	34	0.1	4.7	28	13.2
R230257		0.23	<0.1	26	0.1	21.4	22	8.5
R230258		0.29	0.1	18	0.1	4.6	23	7.3
R230259		0.28	0.1	17	0.1	50.1	19	7.8
R230260		0.18	0.1	29	0.1	4.0	30	19.9
R230261		0.15	0.1	48	0.1	5.0	24	24.2
R230262		0.09	0.2	50	0.2	8.2	24	29.2
R230263		0.14	0.2	49	0.1	7.2	47	33.8
R230264		0.15	0.1	34	0.3	4.4	36	23.5
R230265		0.14	0.2	42	0.1	6.7	40	23.1
R230266		0.13	0.2	59	0.3	9.5	81	32.3
R230267		0.22	0.1	15	2.2	1.3	10	22.6
R230268		0.37	5.1	162	0.5	46.0	144	325
R230269		0.11	2.5	48	0.3	13.3	45	49.7
R230270		0.09	<0.1	156	2.0	2.7	98	5.7
R230271		0.08	0.3	2	0.1	0.9	<2	46.9
R230272		0.13	0.1	35	<0.1	5.1	46	32.3
R230273		0.35	0.2	37	0.2	5.3	29	37.6
R230274		0.10	0.1	49	0.1	6.8	23	25.8
R230275		0.09	0.3	82	0.1	16.5	81	64.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
R230276		1.25	<0.001	<0.005	0.001	0.03	7.90	0.4	830	1.23	0.03	2.53	0.04	34.7	7.6	19
R230277		0.87	<0.001	<0.005	0.001	0.10	7.87	<0.2	1170	1.34	0.01	3.96	0.09	117.5	18.5	29
R230278		0.05	0.135	0.301	4.97	0.17	5.72	0.9	40	0.09	0.14	5.02	0.08	2.36	81.9	246
R230279		0.25	<0.001	<0.005	0.001	<0.01	0.42	0.4	10	0.06	0.04	0.04	0.02	10.10	0.4	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
R230276		0.16	8.8	1.91	20.4	0.16	0.7	0.019	1.21	17.1	9.2	0.77	273	0.18	3.99	1.6
R230277		0.13	61.7	5.24	21.1	0.21	1.9	0.044	0.76	56.8	8.4	1.43	632	0.71	3.82	6.2
R230278		0.98	492	8.43	9.32	0.07	0.2	0.024	0.20	1.1	23.0	9.65	1480	1.24	0.58	0.2
R230279		<0.05	2.0	0.40	0.95	0.07	0.5	<0.005	0.13	5.0	0.4	0.02	43	0.28	0.04	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
R230276		20.9	610	7.5	17.0	<0.002	0.15	<0.05	3.8	<1	0.5	894	0.08	<0.05	<0.2	0.157
R230277		24.8	1970	11.6	7.8	<0.002	0.13	0.12	11.0	1	0.9	968	0.32	<0.05	4.7	0.591
R230278		754	20	4.8	8.0	0.002	0.18	0.41	40.3	2	<0.2	82.1	<0.05	0.37	<0.2	0.106
R230279		2.7	90	0.7	3.9	<0.002	0.01	0.08	0.3	<1	<0.2	5.7	<0.05	<0.05	1.4	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R230276		0.15	0.1	38	0.1	4.8	36	26.3
R230277		0.08	0.5	109	0.2	18.8	83	77.9
R230278		0.10	0.1	159	1.4	2.7	97	5.8
R230279		0.10	0.2	3	<0.1	0.6	<2	16.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14186859

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23